

Behavioral Risk Factor Surveillance System

2014 Codebook Report

Land-Line data

August 12, 2015



CENTERS FOR DISEASE
CONTROL AND PREVENTION



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Alabama | 4,981 | 1.67 | 1.50 |
| 2 | Alaska | 3,108 | 1.04 | 0.22 |
| 4 | Arizona | 11,714 | 3.92 | 2.05 |
| 5 | Arkansas | 4,018 | 1.35 | 0.91 |
| 6 | California | 3,450 | 1.16 | 11.89 |
| 8 | Colorado | 8,118 | 2.72 | 1.66 |
| 9 | Connecticut | 5,226 | 1.75 | 1.14 |
| 10 | Delaware | 2,866 | 0.96 | 0.29 |
| 11 | District of Columbia | 3,212 | 1.08 | 0.22 |
| 12 | Florida | 6,836 | 2.29 | 6.37 |
| 13 | Georgia | 4,461 | 1.49 | 3.07 |
| 15 | Hawaii | 2,904 | 0.97 | 0.45 |
| 16 | Idaho | 3,284 | 1.10 | 0.48 |
| 17 | Illinois | 3,034 | 1.02 | 3.98 |
| 18 | Indiana | 8,077 | 2.71 | 2.02 |
| 19 | Iowa | 5,068 | 1.70 | 0.96 |
| 20 | Kansas | 7,409 | 2.48 | 0.88 |
| 21 | Kentucky | 8,919 | 2.99 | 1.37 |
| 22 | Louisiana | 3,764 | 1.26 | 1.42 |
| 23 | Maine | 6,556 | 2.20 | 0.43 |
| 24 | Maryland | 11,182 | 3.75 | 1.87 |
| 25 | Massachusetts | 11,678 | 3.91 | 2.16 |
| 26 | Michigan | 4,973 | 1.67 | 3.10 |
| 27 | Minnesota | 7,927 | 2.66 | 1.69 |
| 28 | Mississippi | 2,617 | 0.88 | 0.91 |
| 29 | Missouri | 4,837 | 1.62 | 1.88 |
| 30 | Montana | 5,509 | 1.85 | 0.32 |
| 31 | Nebraska | 12,962 | 4.34 | 0.57 |
| 32 | Nevada | 2,371 | 0.79 | 0.87 |
| 33 | New Hampshire | 4,403 | 1.47 | 0.43 |
| 34 | New Jersey | 9,764 | 3.27 | 2.80 |
| 35 | New Mexico | 5,196 | 1.74 | 0.64 |
| 36 | New York | 4,696 | 1.57 | 6.25 |
| 37 | North Carolina | 3,790 | 1.27 | 3.09 |
| 38 | North Dakota | 5,603 | 1.88 | 0.23 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|--------------------|------------------|-------------------|----------------------------|
| 39 | Ohio | 8,081 | 2.71 | 3.61 |
| 40 | Oklahoma | 4,723 | 1.58 | 1.19 |
| 41 | Oregon | 2,955 | 0.99 | 1.25 |
| 42 | Pennsylvania | 7,694 | 2.58 | 4.06 |
| 44 | Rhode Island | 4,615 | 1.55 | 0.34 |
| 45 | South Carolina | 6,233 | 2.09 | 1.51 |
| 46 | South Dakota | 4,163 | 1.39 | 0.26 |
| 47 | Tennessee | 3,585 | 1.20 | 2.04 |
| 48 | Texas | 9,621 | 3.22 | 8.01 |
| 49 | Utah | 6,684 | 2.24 | 0.83 |
| 50 | Vermont | 3,203 | 1.07 | 0.20 |
| 51 | Virginia | 6,458 | 2.16 | 2.62 |
| 53 | Washington | 7,023 | 2.35 | 2.20 |
| 54 | West Virginia | 4,037 | 1.35 | 0.59 |
| 55 | Wisconsin | 4,164 | 1.39 | 1.79 |
| 56 | Wyoming | 5,474 | 1.83 | 0.18 |
| 66 | Guam | 1,842 | 0.62 | 0.04 |
| 72 | Puerto Rico | 3,500 | 1.17 | 1.13 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 CODEBOOK REPORT, 2014
 Land-Line data

File Month

Section: 0.7 Record Identification

Type: Num

Column: 16-17

SAS Variable Name: FMONTH

Prologue:

Description: File Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | January | 23,684 | 7.93 | 7.78 |
| 2 | February | 23,244 | 7.79 | 6.96 |
| 3 | March | 24,831 | 8.32 | 7.46 |
| 4 | April | 26,703 | 8.94 | 8.34 |
| 5 | May | 27,486 | 9.21 | 13.51 |
| 6 | June | 25,309 | 8.48 | 7.65 |
| 7 | July | 25,749 | 8.62 | 7.32 |
| 8 | August | 27,217 | 9.12 | 11.25 |
| 9 | September | 25,490 | 8.54 | 6.89 |
| 10 | October | 26,216 | 8.78 | 10.62 |
| 11 | November | 23,588 | 7.90 | 6.64 |
| 12 | December | 19,051 | 6.38 | 5.60 |

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 18-25

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 18-19

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|--------------------|------------------|-------------------|----------------------------|
| 1 | January | 17,936 | 6.01 | 5.03 |
| 2 | February | 24,159 | 8.09 | 7.84 |
| 3 | March | 27,551 | 9.23 | 8.46 |
| 4 | April | 25,181 | 8.43 | 7.70 |
| 5 | May | 26,287 | 8.80 | 8.23 |
| 6 | June | 25,589 | 8.57 | 8.34 |
| 7 | July | 26,217 | 8.78 | 7.45 |
| 8 | August | 27,336 | 9.16 | 10.01 |
| 9 | September | 25,289 | 8.47 | 8.53 |
| 10 | October | 25,859 | 8.66 | 9.53 |
| 11 | November | 26,605 | 8.91 | 10.03 |
| 12 | December | 20,559 | 6.89 | 8.86 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 20-21

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------|-----------|------------|---------------------|
| 1 | Interview Day | 9,542 | 3.20 | 3.14 |
| 2 | | 12,578 | 4.21 | 4.18 |
| 3 | | 13,231 | 4.43 | 4.30 |
| 4 | | 12,698 | 4.25 | 4.24 |
| 5 | | 13,239 | 4.43 | 4.13 |
| 6 | | 13,762 | 4.61 | 4.57 |
| 7 | | 13,419 | 4.49 | 4.30 |
| 8 | | 13,410 | 4.49 | 4.32 |
| 9 | | 12,789 | 4.28 | 4.01 |
| 10 | | 12,409 | 4.16 | 3.76 |
| 11 | | 11,135 | 3.73 | 3.50 |
| 12 | | 11,372 | 3.81 | 3.54 |
| 13 | | 10,449 | 3.50 | 3.34 |
| 14 | | 10,572 | 3.54 | 3.14 |
| 15 | | 10,211 | 3.42 | 3.31 |
| 16 | | 10,061 | 3.37 | 3.05 |
| 17 | | 10,237 | 3.43 | 3.46 |
| 18 | | 9,758 | 3.27 | 3.36 |
| 19 | | 9,174 | 3.07 | 3.11 |
| 20 | | 8,082 | 2.71 | 2.74 |
| 21 | | 8,286 | 2.78 | 2.88 |
| 22 | | 8,396 | 2.81 | 2.96 |
| 23 | | 7,489 | 2.51 | 2.76 |
| 24 | | 6,729 | 2.25 | 2.17 |
| 25 | | 6,328 | 2.12 | 2.29 |
| 26 | | 6,135 | 2.05 | 2.24 |
| 27 | | 6,235 | 2.09 | 2.39 |
| 28 | | 5,877 | 1.97 | 2.24 |
| 29 | | 5,857 | 1.96 | 2.47 |
| 30 | | 5,957 | 2.00 | 2.77 |
| 31 | | 3,151 | 1.06 | 1.31 |

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 22-25

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------|-----------|------------|---------------------|
| 2014 | Interview Year | 296,704 | 99.38 | 99.40 |
| 2015 | | 1,864 | 0.62 | 0.60 |

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 31-34

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------|-----------|------------|---------------------|
| 1100 | Completed Interview | 274,681 | 92.00 | 89.25 |
| 1200 | Partial Complete Interview | 23,887 | 8.00 | 10.75 |

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 35-44

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 62

SAS Variable Name: CTELENUM

Prologue: Variable only on the land line survey

Description: Correct Telephone Number?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------|-----------|------------|---------------------|
| 1 | Yes-Go to PVTRES1 | 298,554 | 100.00 | 100.00 |
| BLANK | Missing | 14 | | |

Private Residence?

Section: 0.20 Record Identification

Type: Num

Column: 63

SAS Variable Name: PVTRES1

Prologue: Variable only on the land line survey

Description: Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1 | Yes-Go to STATERES | 298,506 | 99.98 | 99.96 |
| 2 | No-Go to COLGHOUS | 62 | 0.02 | 0.04 |

Do you live in college housing?

Section: 0.21 Record Identification

Type: Num

Column: 64

SAS Variable Name: COLGHOUS

Prologue: Variable only on the land line survey

Description: Do you live in college housing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--------------------|-----------|------------|---------------------|
| 1 | Yes-Go to STATERES | 62 | 100.00 | 100.00 |
| BLANK | Missing | 298,506 | | |

Resident of State

Section: 0.22 Record Identification

Type: Num

Column: 65

SAS Variable Name: STATERES

Prologue: Variable only on the land line survey

Description: Do you reside in ____ (state) ____?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes-Go to CELLFON3 | 295,459 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 3,109 | | |

Are you 18 years of age or older?

Section: 0.24 Record Identification

Type: Num

Column: 67

SAS Variable Name: LADULT

Prologue: Variable only on the land line survey

Description: Are you 18 years of age or older?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|---------------------|
| 1 | Yes, Male Respondent | 22 | 35.48 | 52.04 |
| 2 | Yes, Female Respondent | 40 | 64.52 | 47.96 |
| BLANK | Missing | 298,506 | | |

Number of Adults in Household

Section: 0.25 Record Identification

Type: Num

Column: 68-69

SAS Variable Name: NUMADULT

Prologue: Variable only on the land line survey

Description: Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-----------------------------------|-----------|------------|---------------------|
| 1 | Number of adults in the household | 110,501 | 37.01 | 18.66 |
| 2 | | 151,097 | 50.61 | 50.15 |
| 3 | | 26,230 | 8.79 | 18.82 |
| 4 | | 8,218 | 2.75 | 8.82 |
| 5 | | 1,872 | 0.63 | 2.70 |
| 6 - 99 | 6 or more | 637 | 0.21 | 0.85 |
| BLANK | Missing | 13 | | |

Number of Adult men in Household

Section: 0.26 Record Identification

Type: Num

Column: 70-71

SAS Variable Name: NUMMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Men in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|---------------------|
| 0 | Number of adult men in the household | 86,006 | 28.81 | 15.42 |
| 1 | | 188,475 | 63.13 | 63.22 |
| 2 | | 20,410 | 6.84 | 16.84 |
| 3 | | 3,141 | 1.05 | 3.75 |
| 4 | | 403 | 0.13 | 0.63 |
| 5 | | 78 | 0.03 | 0.09 |
| 6 - 99 | 6 or more | 39 | 0.01 | 0.04 |
| BLANK | | 16 | | |

Number of Adult women in Household

Section: 0.27 Record Identification

Type: Num

Column: 72-73

SAS Variable Name: NUMWOMEN

Prologue: Variable only on the land line survey

Description: Number of Adult Women in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 0 | Number of adult women in the household | 35,972 | 12.05 | 9.63 |
| 1 | | 232,976 | 78.04 | 67.65 |
| 2 | | 25,678 | 8.60 | 18.44 |
| 3 | | 3,396 | 1.14 | 3.65 |
| 4 | | 429 | 0.14 | 0.55 |
| 5 | | 78 | 0.03 | 0.08 |
| 6 - 99 | 6 or more | 23 | 0.01 | 0.02 |
| BLANK | | 16 | | |

General Health

Section: 1.1 Health Status

Type: Num

Column: 80

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Excellent | 48,226 | 16.15 | 17.99 |
| 2 | Very good | 95,712 | 32.06 | 31.23 |
| 3 | Good | 92,758 | 31.07 | 30.99 |
| 4 | Fair | 42,810 | 14.34 | 13.93 |
| 5 | Poor | 17,794 | 5.96 | 5.21 |
| 7 | Don't know/Not Sure | 555 | 0.19 | 0.15 |
| 9 | Refused | 709 | 0.24 | 0.50 |
| BLANK | Not asked or Missing | 4 | | |

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days — Health Related Quality of Life

Type: Num

Column: 81-82

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number of days | 106,783 | 35.77 | 35.57 |
| 88 | None | 184,088 | 61.66 | 62.23 |
| 77 | Don't know/Not sure | 5,808 | 1.95 | 1.54 |
| 99 | Refused | 1,885 | 0.63 | 0.66 |
| BLANK | Not asked or Missing | 4 | | |

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days — Health Related Quality of Life

Type: Num

Column: 83-84

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 30 | Number of days Notes: __ Number of days | 83,201 | 27.87 | 33.83 |
| 88 | None | 209,633 | 70.21 | 64.42 |
| 77 | Don't know/Not sure | 3,972 | 1.33 | 1.11 |
| 99 | Refused | 1,761 | 0.59 | 0.64 |
| BLANK | Not asked or Missing | 1 | | |

Poor Physical or Mental Health

Section: 2.3 Healthy Days — Health Related Quality of Life

Type: Num

Column: 85-86

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 30 | Number of days Notes: _ _ Number of days | 63,060 | 41.83 | 42.37 |
| 88 | None | 83,791 | 55.59 | 55.48 |
| 77 | Don't know/Not sure | 2,889 | 1.92 | 1.39 |
| 99 | Refused | 996 | 0.66 | 0.76 |
| BLANK | Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88 | 147,832 | | |

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 87

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 281,028 | 94.13 | 86.53 |
| 2 | No | 16,512 | 5.53 | 12.74 |
| 7 | Don't know/Not Sure | 412 | 0.14 | 0.53 |
| 9 | Refused | 616 | 0.21 | 0.20 |

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 88

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes, only one | 239,900 | 80.35 | 72.08 |
| 2 | More than one | 25,272 | 8.46 | 7.50 |
| 3 | No | 32,208 | 10.79 | 19.85 |
| 7 | Don't know/Not Sure | 702 | 0.24 | 0.38 |
| 9 | Refused | 485 | 0.16 | 0.19 |
| BLANK | Not asked or Missing | 1 | | |

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 89

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 25,598 | 8.57 | 13.67 |
| 2 | No | 272,210 | 91.17 | 86.08 |
| 7 | Don't know/Not sure | 572 | 0.19 | 0.17 |
| 9 | Refused | 187 | 0.06 | 0.08 |
| BLANK | Not asked or Missing | 1 | | |

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 90

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within past year (anytime less than 12 months ago) | 230,268 | 77.12 | 69.71 |
| 2 | Within past 2 years (1 year but less than 2 years ago) | 30,938 | 10.36 | 12.95 |
| 3 | Within past 5 years (2 years but less than 5 years ago) | 15,839 | 5.31 | 7.77 |
| 4 | 5 or more years ago | 15,492 | 5.19 | 7.05 |
| 7 | Don't know/Not sure | 3,447 | 1.15 | 1.28 |
| 8 | Never | 2,044 | 0.68 | 1.07 |
| 9 | Refused | 538 | 0.18 | 0.17 |
| BLANK | Not asked or Missing | 2 | | |

Exercise in Past 30 Days

Section: 4.1 Exercise

Type: Num

Column: 91

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 220,192 | 73.75 | 74.31 |
| 2 | No | 77,637 | 26.00 | 24.61 |
| 7 | Don't know/Not Sure | 290 | 0.10 | 0.08 |
| 9 | Refused | 446 | 0.15 | 1.00 |
| BLANK | Not asked or Missing | 3 | | |

How Much Time Do You Sleep

Section: 5.1 Inadequate Sleep

Type: Num

Column: 92-93

SAS Variable Name: SLEPTIM1

Prologue: I would like to ask you about your sleep pattern.

Description: On average, how many hours of sleep do you get in a 24-hour period?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|------------------------|-----------|------------|---------------------|
| 1 - 24 | Number of hours [1-24] | 293,706 | 98.37 | 98.75 |
| 77 | Don't know/Not Sure | 4,295 | 1.44 | 1.09 |
| 99 | Refused | 567 | 0.19 | 0.16 |

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 94

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 21,169 | 7.09 | 4.58 |
| 2 | No | 275,799 | 92.37 | 95.01 |
| 7 | Don't know/Not sure | 1,344 | 0.45 | 0.35 |
| 9 | Refused | 256 | 0.09 | 0.06 |

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 95

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 21,831 | 7.31 | 4.54 |
| 2 | No | 273,721 | 91.68 | 94.84 |
| 7 | Don't know/Not sure | 2,742 | 0.92 | 0.56 |
| 9 | Refused | 274 | 0.09 | 0.06 |

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 96

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|---------------------|
| 1 | Yes | 14,682 | 4.92 | 3.31 |
| 2 | No | 282,916 | 94.76 | 96.40 |
| 7 | Don't know/Not sure | 784 | 0.26 | 0.25 |
| 9 | Refused | 186 | 0.06 | 0.04 |

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 97

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 38,476 | 12.89 | 14.11 |
| 2 | No—Go to Section 06.06 CHCSCNCR | 259,089 | 86.78 | 85.61 |
| 7 | Don't know/Not Sure—Go to Section 06.06 CHCSCNCR | 812 | 0.27 | 0.24 |
| 9 | Refused—Go to Section 06.06 CHCSCNCR | 191 | 0.06 | 0.04 |

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 27,690 | 71.97 | 66.49 |
| 2 | No | 9,741 | 25.32 | 30.18 |
| 7 | Don't know/Not Sure | 1,015 | 2.64 | 3.28 |
| 9 | Refused | 30 | 0.08 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing | 260,092 | | |

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 33,404 | 11.19 | 5.72 |
| 2 | No | 264,214 | 88.49 | 93.99 |
| 7 | Don't know / Not sure | 758 | 0.25 | 0.25 |
| 9 | Refused | 192 | 0.06 | 0.04 |

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 33,663 | 11.27 | 6.45 |
| 2 | No | 264,058 | 88.44 | 93.31 |
| 7 | Don't know / Not sure | 602 | 0.20 | 0.19 |
| 9 | Refused | 243 | 0.08 | 0.05 |
| BLANK | Not asked or Missing | 2 | | |

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: CHCCOPD1

Prologue:

Description: (Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 28,013 | 9.38 | 7.01 |
| 2 | No | 268,815 | 90.04 | 92.55 |
| 7 | Don't know / Not sure | 1,514 | 0.51 | 0.40 |
| 9 | Refused | 217 | 0.07 | 0.04 |
| BLANK | Not asked or Missing | 9 | | |

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 102

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 120,978 | 40.52 | 26.46 |
| 2 | No | 175,938 | 58.93 | 72.98 |
| 7 | Don't know/Not Sure | 1,425 | 0.48 | 0.51 |
| 9 | Refused | 225 | 0.08 | 0.05 |
| BLANK | Not asked or Missing | 2 | | |

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 103

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 56,015 | 18.76 | 18.54 |
| 2 | No | 241,175 | 80.78 | 80.87 |
| 7 | Don't know/Not sure | 944 | 0.32 | 0.48 |
| 9 | Refused | 433 | 0.15 | 0.11 |
| BLANK | Not asked or Missing | 1 | | |

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 104

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 12,028 | 4.03 | 2.84 |
| 2 | No | 285,375 | 95.58 | 96.85 |
| 7 | Don't know / Not sure | 930 | 0.31 | 0.27 |
| 9 | Refused | 234 | 0.08 | 0.04 |
| BLANK | Not asked or Missing | 1 | | |

Ever told) you have diabetes

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 105

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 45,377 | 15.20 | 11.39 |
| 2 | Yes, but female told only during pregnancy—Go to Section 07.7.1 LASTDEN3 | 2,663 | 0.89 | 1.12 |
| 3 | No—Go to Section 07.7.1 LASTDEN3 | 244,701 | 81.96 | 85.83 |
| 4 | No, pre-diabetes or borderline diabetes—Go to Section 07.7.1 LASTDEN3 | 5,274 | 1.77 | 1.50 |
| 7 | Don't know/Not Sure—Go to Section 07.7.1 LASTDEN3 | 342 | 0.11 | 0.12 |
| 9 | Refused—Go to Section 07.7.1 LASTDEN3 | 209 | 0.07 | 0.04 |
| BLANK | Not asked or Missing | 2 | | |

Age When Told Diabetic

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 106-107

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 97 | Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older | 42,518 | 93.70 | 94.76 |
| 98 | Don't know/Not sure | 2,657 | 5.86 | 4.73 |
| 99 | Refused | 204 | 0.45 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 253,189 | | |

Last Visited Dentist or Dental Clinic

Section: 7.1 Oral Health

Type: Num

Column: 108

SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 205,352 | 68.78 | 63.89 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 28,746 | 9.63 | 12.05 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 25,385 | 8.50 | 10.50 |
| 4 | 5 or more years ago | 34,494 | 11.55 | 11.55 |
| 7 | Don't know/Not sure | 2,622 | 0.88 | 0.91 |
| 8 | Never | 1,567 | 0.52 | 0.99 |
| 9 | Refused | 402 | 0.13 | 0.12 |

Number of Permanent Teeth Removed

Section: 7.2 Oral Health

Type: Num

Column: 109

SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------|-----------|------------|---------------------|
| 1 | 1 to 5 | 94,174 | 31.54 | 28.86 |
| 2 | 6 or more, but not all | 43,829 | 14.68 | 10.40 |
| 3 | All | 26,070 | 8.73 | 5.22 |
| 7 | Don't know/Not sure | 7,607 | 2.55 | 1.54 |
| 8 | None | 125,867 | 42.16 | 53.76 |
| 9 | Refused | 1,021 | 0.34 | 0.22 |

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 146

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 42,300 | 14.18 | 10.68 |
| 2 | No | 255,679 | 85.73 | 89.22 |
| 7 | Don't know/Not Sure | 72 | 0.02 | 0.04 |
| 9 | Refused | 191 | 0.06 | 0.06 |
| BLANK | Not asked or Missing | 326 | | |

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 147

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1 | Married | 159,190 | 53.43 | 50.70 |
| 2 | Divorced | 41,557 | 13.95 | 10.38 |
| 3 | Widowed | 52,503 | 17.62 | 7.55 |
| 4 | Separated | 5,076 | 1.70 | 2.31 |
| 5 | Never married | 32,683 | 10.97 | 24.45 |
| 6 | A member of an unmarried couple | 5,013 | 1.68 | 4.01 |
| 9 | Refused | 1,919 | 0.64 | 0.60 |
| BLANK | Not asked or Missing | 627 | | |

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 148-149

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 87 | Number of children Notes: _ _ = Number of children | 61,650 | 20.71 | 39.71 |
| 88 | None | 235,146 | 78.98 | 59.96 |
| 99 | Refused | 948 | 0.32 | 0.33 |
| BLANK | Not asked or Missing | 824 | | |

Education Level

Section: 8.8 Demographics

Type: Num

Column: 150

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Never attended school or only kindergarten | 378 | 0.13 | 0.26 |
| 2 | Grades 1 through 8 (Elementary) | 7,747 | 2.60 | 4.72 |
| 3 | Grades 9 through 11 (Some high school) | 15,396 | 5.17 | 9.71 |
| 4 | Grade 12 or GED (High school graduate) | 86,561 | 29.09 | 28.23 |
| 5 | College 1 year to 3 years (Some college or technical school) | 78,482 | 26.37 | 30.66 |
| 6 | College 4 years or more (College graduate) | 107,792 | 36.22 | 25.82 |
| 9 | Refused | 1,228 | 0.41 | 0.58 |
| BLANK | Not asked or Missing | 984 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 151

SAS Variable Name: EMPLOY1

Prologue:

Description: Are you currently...?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1 | Employed for wages | 102,499 | 34.48 | 44.81 |
| 2 | Self-employed | 22,834 | 7.68 | 7.73 |
| 3 | Out of work for 1 year or more | 6,487 | 2.18 | 3.81 |
| 4 | Out of work for less than 1 year | 4,689 | 1.58 | 3.34 |
| 5 | A homemaker | 20,175 | 6.79 | 7.54 |
| 6 | A student | 3,149 | 1.06 | 5.55 |
| 7 | Retired | 112,607 | 37.88 | 17.80 |
| 8 | Unable to work | 23,138 | 7.78 | 8.55 |
| 9 | Refused | 1,660 | 0.56 | 0.89 |
| BLANK | Not asked or Missing | 1,330 | | |

Income Level

Section: 8.10 Demographics

Type: Num

Column: 152-153

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Less than \$10,000 Notes: If "no," code 02 | 12,536 | 4.23 | 6.28 |
| 2 | Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01 | 15,046 | 5.08 | 5.33 |
| 3 | Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02 | 19,647 | 6.63 | 7.34 |
| 4 | Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03 | 24,518 | 8.28 | 8.12 |
| 5 | Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06 | 28,943 | 9.77 | 9.07 |
| 6 | Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07 | 36,900 | 12.45 | 11.58 |
| 7 | Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08 | 38,972 | 13.15 | 12.03 |
| 8 | \$75,000 or more | 73,117 | 24.68 | 25.58 |
| 77 | Don't know/Not sure | 20,631 | 6.96 | 8.08 |
| 99 | Refused | 25,961 | 8.76 | 6.58 |
| BLANK | Not asked or Missing | 2,297 | | |

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 154-157

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|---|-----------|------------|---------------------|
| 50 - 0999 | Weight (pounds) Notes: 0 _ _ _ = weight in pounds | 281,701 | 95.29 | 96.02 |
| 7777 | Don't know/Not sure | 3,997 | 1.35 | 1.50 |
| 9000 - 9998 | Weight (kilograms) Notes: The initial '9' indicates this was a metric value. | 288 | 0.10 | 0.19 |
| 9999 | Refused | 9,626 | 3.26 | 2.29 |
| BLANK | Not asked or Missing | 2,956 | | |

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 158-161

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------------|--|-----------|------------|---------------------|
| 200 - 711 | Height (ft/inches) Notes: 0 _ / _ _ = feet / inches | 290,831 | 98.47 | 97.33 |
| 7777 | Don't know/Not sure | 1,829 | 0.62 | 1.23 |
| 9000 - 9998 | Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value. | 609 | 0.21 | 0.59 |
| 9999 | Refused | 2,095 | 0.71 | 0.85 |
| BLANK | Not asked or Missing | 3,204 | | |

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 170

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 14,800 | 5.04 | 6.03 |
| 2 | No-Go to Section 08.17 CPDEMO1 | 277,687 | 94.48 | 93.50 |
| 7 | Don't know/Not sure-Go to Section 08.17 CPDEMO1 | 254 | 0.09 | 0.08 |
| 9 | Refused-Go to Section 08.17 CPDEMO1 | 1,162 | 0.40 | 0.39 |
| BLANK | Not asked or Missing-Go to Section 08.17 CPDEMO1 | 4,665 | | |

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 171

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Residential telephone number | 7,597 | 51.42 | 76.50 |
| 2 | Residential telephone numbers | 5,852 | 39.61 | 18.43 |
| 3 | Residential telephone numbers | 729 | 4.93 | 1.78 |
| 4 | Residential telephone numbers | 150 | 1.02 | 0.49 |
| 5 | Residential telephone numbers | 41 | 0.28 | 0.12 |
| 6 | Residential telephone numbers Notes: 6 = 6 or more | 32 | 0.22 | 0.07 |
| 7 | Don't know/Not Sure | 187 | 1.27 | 1.04 |
| 9 | Refused | 187 | 1.27 | 1.58 |
| BLANK | Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing | 283,793 | | |

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 172

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 232,568 | 79.20 | 79.93 |
| 2 | No—Go to Section 08.19 INERNET | 59,319 | 20.20 | 19.60 |
| 7 | Don't know/Not sure—Go to Section 08.19 INERNET | 144 | 0.05 | 0.05 |
| 9 | Refused—Go to Section 08.19 INERNET | 1,604 | 0.55 | 0.43 |
| BLANK | Not asked or Missing | 4,933 | | |

Internet use in the past 30 days?

Section: 8.19 Demographics

Type: Num

Column: 176

SAS Variable Name: INTERNET

Prologue:

Description: Have you used the internet in the past 30 days?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 214,522 | 73.11 | 79.55 |
| 2 | No | 77,575 | 26.44 | 19.58 |
| 7 | Don't know/Not Sure | 251 | 0.09 | 0.07 |
| 9 | Refused | 1,070 | 0.36 | 0.80 |
| BLANK | Not asked or Missing | 5,150 | | |

Own or Rent Home

Section: 8.20 Demographics

Type: Num

Column: 177

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Own | 233,232 | 79.61 | 66.57 |
| 2 | Rent | 47,616 | 16.25 | 25.32 |
| 3 | Other arrangement | 8,827 | 3.01 | 6.42 |
| 7 | Don't know/Not Sure | 523 | 0.18 | 0.30 |
| 9 | Refused | 2,765 | 0.94 | 1.39 |
| BLANK | Not asked or Missing | 5,605 | | |

Respondents Sex

Section: 8.21 Demographics

Type: Num

Column: 178

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|---------------------|
| 1 | Male—Go to Section 08.8.23 QLACTLM2 | 110,982 | 37.17 | 48.65 |
| 2 | Female | 187,586 | 62.83 | 51.35 |

Pregnancy Status

Section: 8.22 Demographics

Type: Num

Column: 179

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 865 | 2.83 | 3.17 |
| 2 | No | 29,508 | 96.55 | 96.30 |
| 7 | Don't know/Not Sure | 60 | 0.20 | 0.34 |
| 9 | Refused | 130 | 0.43 | 0.19 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.01, AGE, is greater than 44 | 268,005 | | |

Activity Limitation Due to Health Problems

Section: 8.23 Demographics

Type: Num

Column: 180

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 79,710 | 27.46 | 22.30 |
| 2 | No | 208,505 | 71.83 | 76.39 |
| 7 | Don't know/Not Sure | 1,226 | 0.42 | 0.36 |
| 9 | Refused | 841 | 0.29 | 0.95 |
| BLANK | Not asked or Missing | 8,286 | | |

Health Problems Requiring Special Equipment

Section: 8.24 Demographics

Type: Num

Column: 181

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 41,825 | 14.44 | 9.85 |
| 2 | No | 247,283 | 85.35 | 89.21 |
| 7 | Don't know/Not Sure | 179 | 0.06 | 0.07 |
| 9 | Refused | 441 | 0.15 | 0.87 |
| BLANK | Not asked or Missing | 8,840 | | |

Blind or Difficulty seeing

Section: 8.25 Demographics

Type: Num

Column: 182

SAS Variable Name: BLIND

Prologue:

Description: Are you blind or do you have serious difficulty seeing, even when wearing glasses?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 16,464 | 5.69 | 5.19 |
| 2 | No | 271,793 | 93.92 | 93.75 |
| 7 | Don't know/Not Sure | 591 | 0.20 | 0.15 |
| 9 | Refused | 525 | 0.18 | 0.90 |
| BLANK | Not asked or Missing | 9,195 | | |

Difficulty Concentrating or Remembering

Section: 8.26 Demographics

Type: Num

Column: 183

SAS Variable Name: DECIDE

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 29,099 | 10.07 | 11.40 |
| 2 | No | 258,135 | 89.30 | 87.29 |
| 7 | Don't know/Not Sure | 1,230 | 0.43 | 0.35 |
| 9 | Refused | 593 | 0.21 | 0.96 |
| BLANK | Not asked or Missing | 9,511 | | |

Difficulty Walking or Climbing Stairs

Section: 8.27 Demographics

Type: Num

Column: 184

SAS Variable Name: DIFFWALK

Prologue:

Description: Do you have serious difficulty walking or climbing stairs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 59,379 | 20.56 | 15.30 |
| 2 | No | 227,969 | 78.94 | 83.57 |
| 7 | Don't know/Not Sure | 914 | 0.32 | 0.23 |
| 9 | Refused | 530 | 0.18 | 0.90 |
| BLANK | Not asked or Missing | 9,776 | | |

Difficulty Dressing or Bathing

Section: 8.28 Demographics

Type: Num

Column: 185

SAS Variable Name: DIFFDRES

Prologue:

Description: Do you have difficulty dressing or bathing?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 13,970 | 4.84 | 4.35 |
| 2 | No | 273,954 | 94.92 | 94.53 |
| 7 | Don't know/Not Sure | 274 | 0.09 | 0.09 |
| 9 | Refused | 423 | 0.15 | 1.03 |
| BLANK | Not asked or Missing | 9,947 | | |

Difficulty Doing Errands Alone

Section: 8.29 Demographics

Type: Num

Column: 186

SAS Variable Name: DIFFALON

Prologue:

Description: Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 25,195 | 8.74 | 7.88 |
| 2 | No | 262,082 | 90.88 | 90.92 |
| 7 | Don't know/Not Sure | 565 | 0.20 | 0.13 |
| 9 | Refused | 528 | 0.18 | 1.07 |
| BLANK | Not asked or Missing | 10,198 | | |

Smoked at Least 100 Cigarettes

Section: 9.1 Tobacco Use

Type: Num

Column: 187

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 128,388 | 44.58 | 41.01 |
| 2 | No—Go to Section 09.05 USENOW3 | 157,824 | 54.80 | 57.82 |
| 7 | Don't know/Not Sure—Go to Section 09.05 USENOW3 | 1,333 | 0.46 | 0.37 |
| 9 | Refused—Go to Section 09.05 USENOW3 | 481 | 0.17 | 0.80 |
| BLANK | Not asked or Missing | 10,542 | | |

Frequency of Days Now Smoking

Section: 9.2 Tobacco Use

Type: Num

Column: 188

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Every day | 27,331 | 21.29 | 28.62 |
| 2 | Some days | 10,829 | 8.44 | 13.42 |
| 3 | Not at all—Go to Section 09.04 LASTSMK2 | 89,937 | 70.07 | 57.76 |
| 7 | Don't Know/Not Sure—Go to Section 09.05 USENOW3 | 85 | 0.07 | 0.09 |
| 9 | Refused—Go to Section 09.05 USENOW3 | 169 | 0.13 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing | 170,217 | | |

Stopped Smoking in past 12 months

Section: 9.3 Tobacco Use

Type: Num

Column: 189

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes—Go to Section 09.05 USENOW3 | 21,101 | 55.36 | 60.26 |
| 2 | No—Go to Section 09.05 USENOW3 | 16,884 | 44.29 | 39.38 |
| 7 | Don't know/Not Sure—Go to Section 09.05 USENOW3 | 99 | 0.26 | 0.18 |
| 9 | Refused—Go to Section 09.05 USENOW3 | 34 | 0.09 | 0.18 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing | 260,450 | | |

Interval Since Last Smoked

Section: 9.4 Tobacco Use

Type: Num

Column: 190-191

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past month (less than 1 month ago) | 1,385 | 1.54 | 3.24 |
| 2 | Within the past 3 months (1 month but less than 3 months ago) | 1,244 | 1.38 | 2.97 |
| 3 | Within the past 6 months (3 months but less than 6 months ago) | 1,354 | 1.51 | 2.85 |
| 4 | Within the past year (6 months but less than 1 year ago) | 2,335 | 2.60 | 4.92 |
| 5 | Within the past 5 years (1 year but less than 5 years ago) | 9,184 | 10.22 | 15.93 |
| 6 | Within the past 10 years (5 years but less than 10 years ago) | 8,398 | 9.34 | 11.29 |
| 7 | 10 years or more | 64,823 | 72.10 | 57.01 |
| 8 | Never smoked regularly | 638 | 0.71 | 0.94 |
| 77 | Don't know/Not sure | 461 | 0.51 | 0.72 |
| 99 | Refused | 80 | 0.09 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9; | 208,666 | | |

Use of Smokeless Tobacco Products

Section: 9.5 Tobacco Use

Type: Num

Column: 192

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)(Snus (rhymes with 'goose'))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Every day | 3,915 | 1.36 | 1.63 |
| 2 | Some days | 3,030 | 1.05 | 1.61 |
| 3 | Not at all | 280,061 | 97.32 | 95.76 |
| 7 | Don't know/Not Sure | 115 | 0.04 | 0.06 |
| 9 | Refused | 654 | 0.23 | 0.94 |
| BLANK | Not asked or Missing | 10,793 | | |

Days in past 30 had alcoholic beverage

Section: 10.1 Alcohol Consumption

Type: Num

Column: 193-195

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Days per week Notes: 1__ = Days per week | 37,512 | 13.06 | 12.90 |
| 201 - 299 | Days in past 30 days Notes: 2__ = Days in past 30 | 97,159 | 33.84 | 34.66 |
| 777 | Don't know/Not sure—Go to Section 11.01 FLUSHOT6 | 1,928 | 0.67 | 0.71 |
| 888 | No drinks in past 30 days—Go to Section 11.01 FLUSHOT6 | 148,909 | 51.86 | 49.62 |
| 999 | Refused—Go to Section 11.01 FLUSHOT6 | 1,614 | 0.56 | 2.11 |
| BLANK | Not asked or Missing | 11,446 | | |

Avg alcoholic drinks per day in past 30

Section: 10.2 Alcohol Consumption

Type: Num

Column: 196-197

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of drinks Notes: __ Number of drinks | 132,195 | 98.37 | 97.94 |
| 77 | Don't know/Not sure | 1,560 | 1.16 | 1.55 |
| 99 | Refused | 637 | 0.47 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 9999; | 164,176 | | |

Binge Drinking

Section: 10.3 Alcohol Consumption

Type: Num

Column: 198-199

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of Times | 25,141 | 18.73 | 27.94 |
| 88 | None | 107,203 | 79.86 | 70.48 |
| 77 | Don't know/Not Sure | 1,385 | 1.03 | 1.20 |
| 99 | Refused | 507 | 0.38 | 0.38 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 164,332 | | |

Most drinks on single occasion past 30 days

Section: 10.4 Alcohol Consumption

Type: Num

Column: 200-201

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of drinks | 130,081 | 97.05 | 96.46 |
| 77 | Don't know/Not sure | 3,052 | 2.28 | 2.80 |
| 99 | Refused | 904 | 0.67 | 0.74 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888, 777, or 999; | 164,531 | | |

Adult flu shot/spray past 12 mos

Section: 11.1 Immunization

Type: Num

Column: 202

SAS Variable Name: FLUSHOT6

Prologue: Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 143,900 | 50.41 | 38.09 |
| 2 | No-Go to Section 11.03 PNEUVAC3 | 140,097 | 49.08 | 59.32 |
| 7 | Don't know/Not Sure-Go to Section 11.03 PNEUVAC3 | 673 | 0.24 | 0.29 |
| 9 | Refused-Go to Section 11.03 PNEUVAC3 | 804 | 0.28 | 2.29 |
| BLANK | Not asked or Missing | 13,094 | | |

When did you (adult) receive your most recent seasonal flu shot/spray?

Section: 11.2 Immunization

Type: Num

Column: 203-208

SAS Variable Name: FLSHTMY2

Prologue:

Description: During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|---------------------|
| 12013 - 122014 | Month / Year | 133,019 | 92.50 | 90.81 |
| 777777 | Don't know/Not Sure | 10,352 | 7.20 | 8.75 |
| 999999 | Refused | 429 | 0.30 | 0.44 |
| BLANK | Not asked or Missing Notes: Section 11.01, FLUSHOT6, is coded 2, 7, or 9 | 154,768 | | |

Pneumonia shot ever

Section: 11.3 Immunization

Type: Num

Column: 209

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 122,480 | 42.96 | 28.27 |
| 2 | No | 142,726 | 50.07 | 58.17 |
| 7 | Don't know/Not Sure | 19,079 | 6.69 | 11.23 |
| 9 | Refused | 795 | 0.28 | 2.33 |
| BLANK | Not asked or Missing | 13,488 | | |

Have you ever had the shingles or zoster vaccine?

Section: 11.4 Immunization

Type: Num

Column: 210

SAS Variable Name: SHINGLE2

Prologue: The next question is about the Shingles vaccine.

Description: Have you ever had the shingles or zoster vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 61,351 | 27.60 | 20.11 |
| 2 | No | 156,657 | 70.47 | 75.49 |
| 7 | Don't know/Not Sure | 3,684 | 1.66 | 2.26 |
| 9 | Refused | 612 | 0.28 | 2.15 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50 | 76,264 | | |

Had Fall Past Twelve Months

Section: 12.1 Falls

Type: Num

Column: 211-212

SAS Variable Name: FALL12MN

Prologue:

Description: In the past 12 months, how many times have you fallen?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more | 69,421 | 28.97 | 27.47 |
| 88 | None—Go to Section 13.01 SEATBELT | 167,501 | 69.90 | 69.43 |
| 77 | Don't know/Not Sure—Go to Section 13.01 SEATBELT | 1,897 | 0.79 | 0.80 |
| 99 | Refused—Go to Section 13.01 SEATBELT | 798 | 0.33 | 2.30 |
| BLANK | Missing Notes: Section 08.01, AGE, coded 18-44 | 58,951 | | |

Injured in Fall

Section: 12.2 Falls

Type: Num

Column: 213-214

SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of falls [76=76 or more] Notes: _ _ Number of times, 76=76 or more | 26,934 | 38.81 | 40.29 |
| 88 | None | 42,075 | 60.63 | 58.99 |
| 77 | Don't know/Not Sure | 293 | 0.42 | 0.59 |
| 99 | Refused | 95 | 0.14 | 0.13 |
| BLANK | Missing Notes: Section 08.01, AGE, coded 18-44; or Section 12.01, FALL3MN2, is coded 77, 88, 99 or Missing | 229,171 | | |

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 215

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------|-----------|------------|---------------------|
| 1 | Always | 246,124 | 86.55 | 84.98 |
| 2 | Nearly always | 21,834 | 7.68 | 7.15 |
| 3 | Sometimes | 7,647 | 2.69 | 2.72 |
| 4 | Seldom | 2,847 | 1.00 | 0.92 |
| 5 | Never | 4,361 | 1.53 | 1.61 |
| 7 | Don't know/Not sure | 164 | 0.06 | 0.06 |
| 8 | Never drive or ride in a car | 525 | 0.18 | 0.20 |
| 9 | Refused | 871 | 0.31 | 2.35 |
| BLANK | Not asked or Missing | 14,195 | | |

Did you drive after having too much to drink in the past 30 days?

Section: 14.1 Drinking and Driving

Type: Num

Column: 216-217

SAS Variable Name: DRNKDRI2

Prologue:

Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of times Notes: __ Number of times | 2,844 | 2.09 | 2.68 |
| 88 | None | 132,381 | 97.07 | 92.76 |
| 77 | Don't know/Not sure | 202 | 0.15 | 0.21 |
| 99 | Refused | 951 | 0.70 | 4.34 |
| BLANK | Not asked or Missing Notes: Section 10.01, ALCDAY5, is coded 888 or: Section 13.01, SEATBELT, is coded 8 | 162,190 | | |

Have You Ever Had a Mammogram

Section: 15.1 Breast and Cervical Cancer Screening

Type: Num

Column: 218

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 154,533 | 86.82 | 65.87 |
| 2 | No—Go to Section 15.03 PROFEXAM | 23,070 | 12.96 | 33.79 |
| 7 | Don't know/Not sure—Go to Section 15.03 PROFEXAM | 148 | 0.08 | 0.18 |
| 9 | Refused—Go to Section 15.03 PROFEXAM | 238 | 0.13 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 120,579 | | |

How Long since Last Mammogram

Section: 15.2 Breast and Cervical Cancer Screening

Type: Num

Column: 219

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 93,209 | 60.34 | 59.37 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 26,439 | 17.11 | 17.59 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 11,192 | 7.24 | 7.89 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 8,059 | 5.22 | 5.69 |
| 5 | 5 or more years ago | 13,677 | 8.85 | 8.54 |
| 7 | Don't know/Not sure | 1,703 | 1.10 | 0.80 |
| 9 | Refused | 202 | 0.13 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.01, HADMAM, is coded 2, 7, 9, or Missing | 144,087 | | |

Ever Had Breast Physical Exam by Doctor

Section: 15.3 Breast and Cervical Cancer Screening

Type: Num

Column: 220

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 161,280 | 90.70 | 85.68 |
| 2 | No—Go to Section 15.05 HADPAP2 | 15,328 | 8.62 | 13.78 |
| 7 | Don't know/Not sure—Go to Section 15.05 HADPAP2 | 921 | 0.52 | 0.37 |
| 9 | Refused—Go to Section 15.05 HADPAP2 | 289 | 0.16 | 0.16 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 120,750 | | |

How Long since Last Breast Physical Exam

Section: 15.4 Breast and Cervical Cancer Screening

Type: Num

Column: 221

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 98,305 | 60.98 | 62.13 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 25,744 | 15.97 | 17.65 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 10,822 | 6.71 | 6.92 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 7,750 | 4.81 | 4.79 |
| 5 | 5 or more years ago | 15,240 | 9.45 | 7.20 |
| 7 | Don't know/Not sure | 3,185 | 1.98 | 1.22 |
| 9 | Refused | 168 | 0.10 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.03, PROFEXAM, is coded 2, 7, 9, or Missing | 137,354 | | |

Ever Had a Pap Test

Section: 15.5 Breast and Cervical Cancer Screening

Type: Num

Column: 222

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 168,231 | 94.69 | 89.77 |
| 2 | No—Go to Section 15.07 HADHYST2 | 8,317 | 4.68 | 9.62 |
| 7 | Don't know/Not sure—Go to Section 15.07 HADHYST2 | 832 | 0.47 | 0.44 |
| 9 | Refused—Go to Section 15.07 HADHYST2 | 278 | 0.16 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 120,910 | | |

How Long Since Last Pap Test

Section: 15.6 Breast and Cervical Cancer Screening

Type: Num

Column: 223

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 60,561 | 36.01 | 47.24 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 29,508 | 17.55 | 19.50 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 17,488 | 10.40 | 9.36 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 14,259 | 8.48 | 6.84 |
| 5 | 5 or more years ago | 41,888 | 24.91 | 15.56 |
| 7 | Don't know/Not sure | 4,192 | 2.49 | 1.37 |
| 9 | Refused | 280 | 0.17 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 15.05, HADPAP2, is coded 2, 7, 9, or Missing | 130,392 | | |

Had Hysterectomy

Section: 15.7 Breast and Cervical Cancer Screening

Type: Num

Column: 224

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 59,351 | 33.60 | 21.53 |
| 2 | No | 116,736 | 66.08 | 78.12 |
| 7 | Don't know/Not sure | 219 | 0.12 | 0.14 |
| 9 | Refused | 348 | 0.20 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Section 08.22, PREGNANT, is coded 1 | 121,914 | | |

Has a health professional EVER talked with you about the advantages of the PSA test?

Section: 16.1 Prostate Cancer Screening

Type: Num

Column: 225

SAS Variable Name: PCPSAAD2

Prologue: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.

Description: Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 61,153 | 65.22 | 56.38 |
| 2 | No | 29,071 | 31.00 | 39.89 |
| 7 | Don't know/Not Sure | 3,105 | 3.31 | 3.02 |
| 9 | Refused | 438 | 0.47 | 0.71 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; | 204,801 | | |

Has a health professional EVER talked with you about the disadvantages of the PSA test?

Section: 16.2 Prostate Cancer Screening

Type: Num

Column: 226

SAS Variable Name: PCPSADI1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 27,012 | 28.83 | 25.57 |
| 2 | No | 62,778 | 67.00 | 70.62 |
| 7 | Don't know/Not Sure | 3,588 | 3.83 | 3.38 |
| 9 | Refused | 319 | 0.34 | 0.43 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2 | 204,871 | | |

Has a doctor EVER recommended that you have a PSA test?

Section: 16.3 Prostate Cancer Screening

Type: Num

Column: 227

SAS Variable Name: PCPSARE1

Prologue:

Description: Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 54,993 | 58.74 | 49.70 |
| 2 | No | 35,003 | 37.39 | 46.74 |
| 7 | Don't know/Not Sure | 3,275 | 3.50 | 3.07 |
| 9 | Refused | 356 | 0.38 | 0.48 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; | 204,941 | | |

Ever Had PSA Test

Section: 16.4 Prostate Cancer Screening

Type: Num

Column: 228

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 59,638 | 63.74 | 52.34 |
| 2 | No—Go to Section 17.01 BLDSTOOL | 29,652 | 31.69 | 43.07 |
| 7 | Don't know/Not Sure—Go to Section 17.01 BLDSTOOL | 4,063 | 4.34 | 4.20 |
| 9 | Refused—Go to Section 17.01 BLDSTOOL | 213 | 0.23 | 0.39 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; | 205,002 | | |

Time Since Last PSA Test

Section: 16.5 Prostate Cancer Screening

Type: Num

Column: 229

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 36,338 | 60.95 | 60.62 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 8,997 | 15.09 | 16.22 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 4,458 | 7.48 | 7.61 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 3,884 | 6.52 | 6.77 |
| 5 | 5 or more years ago | 4,644 | 7.79 | 7.02 |
| 7 | Don't know/Not Sure | 1,221 | 2.05 | 1.65 |
| 9 | Refused | 73 | 0.12 | 0.11 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing | 238,953 | | |

What was the MAIN reason you had this PSA test?

Section: 16.6 Prostate Cancer Screening

Type: Num

Column: 230

SAS Variable Name: PCPSARS1

Prologue:

Description: What was the MAIN reason you had this PSA test – was it ...?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Part of a routine exam | 42,887 | 71.99 | 72.47 |
| 2 | Because of a prostate problem | 4,025 | 6.76 | 5.97 |
| 3 | Because of a family history of prostate cancer | 2,811 | 4.72 | 5.83 |
| 4 | Because you were told you had prostate cancer | 2,968 | 4.98 | 3.88 |
| 5 | Some other reason | 6,299 | 10.57 | 10.83 |
| 7 | Don't know/Not Sure | 450 | 0.76 | 0.76 |
| 9 | Refused | 131 | 0.22 | 0.28 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 08.21, SEX, is coded 2; or Section 16.04, PSATEST1, is coded, 2, 7, 9, or Missing | 238,997 | | |

Ever Had Blood Stool Test Using Home Kit

Section: 17.1 Colorectal Cancer Screening

Type: Num

Column: 231

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 81,903 | 37.18 | 33.06 |
| 2 | No-Go to Section 17.03 HADSIGM3 | 135,637 | 61.58 | 63.79 |
| 7 | Don't know/Not Sure-Go to Section 17.03 HADSIGM3 | 1,927 | 0.87 | 0.78 |
| 9 | Refused-Go to Section 17.03 HADSIGM3 | 811 | 0.37 | 2.38 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 50 | 78,290 | | |

Time Since Last Blood Stool Test

Section: 17.2 Colorectal Cancer Screening

Type: Num

Column: 232

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 19,734 | 24.11 | 29.43 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 10,919 | 13.34 | 13.97 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 8,395 | 10.25 | 10.26 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 10,497 | 12.82 | 12.26 |
| 5 | 5 or more years ago | 29,000 | 35.42 | 30.74 |
| 7 | Don't know/Not sure | 3,195 | 3.90 | 3.18 |
| 9 | Refused | 125 | 0.15 | 0.16 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.01, BLDSTOOL, is coded 2, 7, 9, or Missing | 216,703 | | |

Ever Had Sigmoidoscopy/Colonoscopy

Section: 17.3 Colorectal Cancer Screening

Type: Num

Column: 233

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 159,356 | 72.47 | 66.41 |
| 2 | No—Go to Section 18.01 HIVTST6 | 58,489 | 26.60 | 30.68 |
| 7 | Don't know/Not Sure—Go to Section 18.01 HIVTST6 | 1,241 | 0.56 | 0.51 |
| 9 | Refused—Go to Section 18.01 HIVTST6 | 805 | 0.37 | 2.39 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50 | 78,677 | | |

Was your last test a sigmoidoscopy or colonoscopy?

Section: 17.4 Colorectal Cancer Screening

Type: Num

Column: 234

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Sigmoidoscopy | 6,063 | 3.81 | 4.20 |
| 2 | Colonoscopy | 149,497 | 93.90 | 93.27 |
| 7 | Don't know/Not Sure | 3,376 | 2.12 | 2.26 |
| 9 | Refused | 272 | 0.17 | 0.27 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing | 139,360 | | |

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 17.5 Colorectal Cancer Screening

Type: Num

Column: 235

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 32,323 | 20.31 | 22.32 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 25,146 | 15.80 | 16.69 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 23,557 | 14.80 | 15.08 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 34,554 | 21.71 | 21.25 |
| 5 | Within the past 10 years (5 years but less than 10 years ago) | 30,460 | 19.14 | 17.29 |
| 6 | 10 or more years ago | 10,464 | 6.58 | 5.96 |
| 7 | Don't know/Not sure | 2,376 | 1.49 | 1.23 |
| 9 | Refused | 247 | 0.16 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Section 17.03, HADSIGM3, is coded 2, 7, 9, or Missing | 139,441 | | |

Ever tested HIV

Section: 18.1 HIV/AIDS

Type: Num

Column: 236

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 64,752 | 23.07 | 34.08 |
| 2 | No—Go to optional modules or closing statement | 205,598 | 73.26 | 60.37 |
| 7 | Don't know/Not Sure—Go to optional modules or closing statement | 8,840 | 3.15 | 2.77 |
| 9 | Refused—Go to optional modules or closing statement | 1,460 | 0.52 | 2.78 |
| BLANK | Not asked or Missing | 17,918 | | |

Month and Year of Last HIV Test

Section: 18.2 HIV/AIDS

Type: Num

Column: 237-242

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------------|---|-----------|------------|---------------------|
| 11985 - 122015 | Code month and year Notes: __/___ month and year | 47,579 | 73.53 | 78.77 |
| 777777 | Don't know/Not sure | 16,802 | 25.96 | 20.73 |
| 999999 | Refused | 330 | 0.51 | 0.50 |
| BLANK | Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing | 233,857 | | |

Location of last HIV test

Section: 18.3 HIV/AIDS

Type: Num

Column: 243-244

SAS Variable Name: WHRTST10

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, in the emergency room, as an inpatient in a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Private doctor or HMO | 29,800 | 46.12 | 45.53 |
| 2 | Counseling and testing site | 2,512 | 3.89 | 3.65 |
| 3 | Hospital inpatient | 6,814 | 10.55 | 8.86 |
| 4 | Clinic | 12,634 | 19.55 | 22.80 |
| 5 | Jail or prison (or other correctional facility) | 566 | 0.88 | 1.67 |
| 6 | Drug treatment facility | 306 | 0.47 | 0.83 |
| 7 | At home | 1,955 | 3.03 | 2.27 |
| 8 | Somewhere else | 7,393 | 11.44 | 10.34 |
| 9 | Emergency room | 1,242 | 1.92 | 2.29 |
| 77 | Don't know/Not sure | 1,199 | 1.86 | 1.50 |
| 99 | Refused | 191 | 0.30 | 0.26 |
| BLANK | Not asked or Missing Notes: Section 18.01, HIVTST6, is coded 2, 7, 9, or Missing | 233,956 | | |

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 255

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 114,296 | 62.43 | 55.20 |
| 2 | No | 61,296 | 33.48 | 41.49 |
| 7 | Don't know/Not Sure | 7,313 | 3.99 | 3.25 |
| 9 | Refused | 169 | 0.09 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1 | 115,494 | | |

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 256

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 20,130 | 11.00 | 8.78 |
| 2 | Yes, during pregnancy | 2,282 | 1.25 | 1.27 |
| 3 | No | 159,885 | 87.34 | 89.55 |
| 7 | Don't know/Not Sure | 627 | 0.34 | 0.36 |
| 9 | Refused | 138 | 0.08 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1; If Section 06.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes); | 115,506 | | |

Now Taking Insulin

Module: 2.1 Diabetes

Type: Num

Column: 257

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 6,127 | 31.05 | 33.21 |
| 2 | No | 13,573 | 68.79 | 66.65 |
| 9 | Refused | 30 | 0.15 | 0.15 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,838 | | |

How Often Check Blood for Glucose

Module: 2.2 Diabetes

Type: Num

Column: 258-260

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Times per day Notes: 1 _ _ Times per day | 12,128 | 61.47 | 61.65 |
| 201 - 299 | Times per week Notes: 2 _ _ Times per week | 3,315 | 16.80 | 16.86 |
| 301 - 399 | Times per month Notes: 3 _ _ Times per month | 1,114 | 5.65 | 5.32 |
| 401 - 499 | Times per year Notes: 4 _ _ Times per year | 430 | 2.18 | 2.08 |
| 777 | Don't know/Not sure | 250 | 1.27 | 1.14 |
| 888 | Never | 2,440 | 12.37 | 12.74 |
| 999 | Refused | 54 | 0.27 | 0.21 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

How Often Check Feet for Sores or Irritations

Module: 2.3 Diabetes

Type: Num

Column: 261-263

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 101 - 199 | Times per day Notes: 1 _ _ Times per day | 12,044 | 61.04 | 59.14 |
| 201 - 299 | Times per week Notes: 2 _ _ Times per week | 3,204 | 16.24 | 16.32 |
| 301 - 399 | Times per month Notes: 3 _ _ Times per month | 932 | 4.72 | 4.42 |
| 401 - 499 | Times per year Notes: 4 _ _ Times per year | 269 | 1.36 | 1.45 |
| 555 | No feet | 93 | 0.47 | 0.39 |
| 777 | Don't know/Not sure | 461 | 2.34 | 2.44 |
| 888 | Never | 2,599 | 13.17 | 14.83 |
| 999 | Refused | 129 | 0.65 | 1.01 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

Times Seen Health Professional for Diabetes

Module: 2.4 Diabetes

Type: Num

Column: 264-265

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more | 16,873 | 85.52 | 84.07 |
| 88 | None | 2,102 | 10.65 | 11.49 |
| 77 | Don't know/Not sure | 608 | 3.08 | 3.09 |
| 99 | Refused | 148 | 0.75 | 1.36 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

Times Checked for Glycosylated Hemoglobin

Module: 2.5 Diabetes

Type: Num

Column: 266-267

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: __ Number of times, 76 = 76 or more | 16,573 | 83.99 | 81.09 |
| 88 | None | 1,249 | 6.33 | 8.67 |
| 98 | Never heard of "A one C" test | 557 | 2.82 | 2.74 |
| 77 | Don't know/Not sure | 1,271 | 6.44 | 7.03 |
| 99 | Refused | 81 | 0.41 | 0.47 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

Times Feet Check for Sores/irritations

Module: 2.6 Diabetes

Type: Num

Column: 268-269

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more | 14,133 | 71.97 | 69.15 |
| 88 | None | 4,928 | 25.09 | 27.46 |
| 77 | Don't know/Not sure | 504 | 2.57 | 2.85 |
| 99 | Refused | 73 | 0.37 | 0.54 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.03, FEETCHK2, is coded 555 | 278,930 | | |

Last Eye Exam Where Pupils Were Dilated

Module: 2.7 Diabetes

Type: Num

Column: 270

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 3,986 | 20.20 | 18.47 |
| 2 | Within the past year (1 month but less than 12 months ago) | 9,895 | 50.15 | 47.05 |
| 3 | Within the past 2 years (1 year but less than 2 years ago) | 2,503 | 12.69 | 13.35 |
| 4 | 2 or more years ago | 2,367 | 12.00 | 14.69 |
| 7 | Don't know/Not sure | 318 | 1.61 | 1.53 |
| 8 | Never | 622 | 3.15 | 4.61 |
| 9 | Refused | 40 | 0.20 | 0.29 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

Ever Told Diabetes Has Affected Eyes

Module: 2.8 Diabetes

Type: Num

Column: 271

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 3,669 | 18.60 | 20.39 |
| 2 | No | 15,795 | 80.06 | 78.18 |
| 7 | Don't know/Not sure | 243 | 1.23 | 1.26 |
| 9 | Refused | 23 | 0.12 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,838 | | |

Ever Taken Class in Managing Diabetes

Module: 2.9 Diabetes

Type: Num

Column: 272

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 10,383 | 52.62 | 50.59 |
| 2 | No | 9,258 | 46.92 | 49.05 |
| 7 | Don't know/Not sure | 72 | 0.36 | 0.27 |
| 9 | Refused | 18 | 0.09 | 0.09 |
| BLANK | Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 278,837 | | |

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 273-274

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number of days | 2,242 | 30.18 | 29.82 |
| 88 | None | 4,951 | 66.64 | 67.55 |
| 77 | Don't know/Not sure | 166 | 2.23 | 1.57 |
| 99 | Refused | 70 | 0.94 | 1.05 |
| BLANK | Not asked or Missing | 291,139 | | |

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 275-276

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number of days | 2,540 | 34.23 | 36.39 |
| 88 | None | 4,591 | 61.87 | 60.59 |
| 77 | Don't know/Not sure | 203 | 2.74 | 1.74 |
| 99 | Refused | 86 | 1.16 | 1.28 |
| BLANK | Not asked or Missing | 291,148 | | |

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 277-278

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number of days | 3,289 | 44.36 | 50.10 |
| 88 | None | 3,803 | 51.29 | 46.69 |
| 77 | Don't know/Not sure | 223 | 3.01 | 1.91 |
| 99 | Refused | 100 | 1.35 | 1.29 |
| BLANK | Not asked or Missing | 291,153 | | |

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 279-280

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 30 | Number of days | 5,651 | 76.38 | 82.07 |
| 88 | None | 1,274 | 17.22 | 13.23 |
| 77 | Don't know/Not sure | 371 | 5.01 | 3.28 |
| 99 | Refused | 103 | 1.39 | 1.42 |
| BLANK | Not asked or Missing | 291,169 | | |

Do you have Medicare?

Module: 4.1 Health Care Access

Type: Num

Column: 281

SAS Variable Name: MEDICARE

Prologue:

Description: Do you have Medicare? (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 105,337 | 50.52 | 31.71 |
| 2 | No | 101,870 | 48.85 | 67.32 |
| 7 | Don't know/Not sure | 846 | 0.41 | 0.75 |
| 9 | Refused | 471 | 0.23 | 0.23 |
| BLANK | Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9; | 90,044 | | |

Primary Health Insurance Coverage

Module: 4.2 Health Care Access

Type: Num

Column: 282-283

SAS Variable Name: HLTHCVR1

Prologue:

Description: What is the primary source of your health care coverage? Is it...

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | A plan purchased through an employer or union Notes: includes plans purchased through another person's employer | 87,919 | 42.16 | 51.92 |
| 2 | A plan that you or another family member buys on your own | 21,891 | 10.50 | 10.47 |
| 3 | Medicare | 70,199 | 33.67 | 19.42 |
| 4 | Medicaid or other state program | 11,236 | 5.39 | 9.73 |
| 5 | TRICARE (formerly CHAMPUS), VA, or Military | 6,417 | 3.08 | 3.07 |
| 6 | Alaska Native, Indian Health Service, Tribal Health Services | 1,007 | 0.48 | 0.26 |
| 7 | Some other source | 5,334 | 2.56 | 2.63 |
| 8 | None (no coverage) | 802 | 0.38 | 0.47 |
| 77 | Don't know/Not Sure | 2,468 | 1.18 | 1.37 |
| 99 | Refused | 1,245 | 0.60 | 0.65 |
| BLANK | Not asked or Missing | 90,050 | | |

Delayed Getting Medical Care

Module: 4.3 Health Care Access

Type: Num

Column: 284

SAS Variable Name: DELAYMED

Prologue: Other than cost, there are many other reasons people delay getting needed medical care.

Description: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | You couldn't get through on the telephone | 1,635 | 0.74 | 0.97 |
| 2 | You couldn't get an appointment soon enough | 11,330 | 5.14 | 6.29 |
| 3 | Once you got there, you had to wait too long to see the doctor | 5,016 | 2.28 | 3.28 |
| 4 | The (clinic/doctor's) office wasn't open when you got there. | 1,183 | 0.54 | 0.78 |
| 5 | You didn't have transportation | 7,705 | 3.50 | 4.55 |
| 6 | Other—Go to Module 04.3.1 DLYOTHER | 7,519 | 3.41 | 4.17 |
| 7 | Don't know/Not Sure | 1,078 | 0.49 | 0.60 |
| 8 | No, I did not delay getting medical care/did not need medical care | 184,386 | 83.68 | 79.11 |
| 9 | Refused | 483 | 0.22 | 0.26 |
| BLANK | Not asked or Missing | 78,233 | | |

Delayed Getting Medical Care Other Response

Module: 4.3.1 Health Care Access

Type: Char

Column: 285-309

SAS Variable Name: DLYOTHER

Prologue:

Description: Delayed Getting Medical Care Other Response

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------|-----------|------------|---------------------|
| HIDDEN | Data not displayed | 298,568 | 100.00 | 100.00 |

Without Health Care Coverage Past 12 Months

Module: 4.4 Health Care Access

Type: Num

Column: 310

SAS Variable Name: NOCOV121

Prologue:

Description: In the PAST 12 MONTHS was there any time when you did NOT have ANY health insurance or coverage?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes—Go to Module 04.06 DRVISITS | 9,185 | 4.40 | 7.65 |
| 2 | No—Go to Module 04.06 DRVISITS | 199,021 | 95.44 | 92.09 |
| 7 | Don't know/Not Sure—Go to Module 04.06 DRVISITS | 255 | 0.12 | 0.22 |
| 9 | Refused—Go to Module 04.06 DRVISITS | 70 | 0.03 | 0.03 |
| BLANK | Not asked or Missing | 90,037 | | |

Time Since Last Had Health Care Coverage

Module: 4.5 Health Care Access

Type: Num

Column: 311

SAS Variable Name: LSTCOVRG

Prologue:

Description: About how long has it been since you last had health care coverage?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | 6 months or less | 1,792 | 14.94 | 15.31 |
| 2 | More than 6 months, but not more than 1 year ago | 951 | 7.93 | 8.89 |
| 3 | More than 1 year, but not more than 3 years ago | 1,945 | 16.22 | 18.27 |
| 4 | More than 3 years | 4,438 | 37.00 | 33.02 |
| 5 | Never | 1,658 | 13.82 | 16.41 |
| 7 | Don't know/Not Sure | 825 | 6.88 | 6.45 |
| 9 | Refused | 384 | 3.20 | 1.65 |
| BLANK | Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 1; or Module 04.05, NOCOV121, is not equal to missing | 286,575 | | |

Doctor Visits Past 12 Months

Module: 4.6 Health Care Access

Type: Num

Column: 312-313

SAS Variable Name: DRVISITS

Prologue:

Description: How many times have you been to a doctor, nurse, or other health professional in the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|---------------------|
| 1 - 76 | Number of times | 194,505 | 88.20 | 85.04 |
| 88 | None | 17,943 | 8.14 | 11.91 |
| 77 | Don't know/Not Sure | 8,087 | 3.67 | 3.05 |
| BLANK | Not asked or Missing | 78,033 | | |

Could Not Get Medicine Due To Cost

Module: 4.7 Health Care Access

Type: Num

Column: 314

SAS Variable Name: MEDSCOST

Prologue:

Description: Was there a time in the past 12 months when you did not take your medication as prescribed because of cost? Do not include over-the-counter (OTC) medication.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------------------|-----------|------------|---------------------|
| 1 | Yes | 13,855 | 6.28 | 8.36 |
| 2 | No | 190,052 | 86.18 | 81.86 |
| 3 | No medication was prescribed | 16,130 | 7.31 | 9.52 |
| 7 | Don't know/Not Sure | 334 | 0.15 | 0.18 |
| 9 | Refused | 164 | 0.07 | 0.08 |
| BLANK | Not asked or Missing | 78,033 | | |

Satisfied With Care Received

Module: 4.8 Health Care Access

Type: Num

Column: 315

SAS Variable Name: CARERCVD

Prologue:

Description: In general, how satisfied are you with the health care you received? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Very satisfied | 152,323 | 69.07 | 62.92 |
| 2 | Somewhat satisfied | 57,284 | 25.98 | 30.31 |
| 3 | Not at all satisfied | 5,567 | 2.52 | 3.76 |
| 7 | Don't know/Not Sure | 1,327 | 0.60 | 0.54 |
| 8 | Not applicable | 3,247 | 1.47 | 2.17 |
| 9 | Refused | 787 | 0.36 | 0.30 |
| BLANK | Not asked or Missing | 78,033 | | |

Currently Have Health Care Bills

Module: 4.9 Health Care Access

Type: Num

Column: 316

SAS Variable Name: MEDBILL1

Prologue:

Description: Do you currently have any health care bills that are being paid off over time? (This could include medical bills being paid off with a credit card, through personal loans, or bill paying arrangements with hospitals or other providers. The bills can be from earlier years as well as this year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 34,254 | 15.53 | 18.98 |
| 2 | No | 184,862 | 83.82 | 80.05 |
| 7 | Don't know/Not Sure | 1,205 | 0.55 | 0.87 |
| 9 | Refused | 214 | 0.10 | 0.10 |
| BLANK | Not asked or Missing | 78,033 | | |

Asked during checkup if you drink alcohol

Module: 5.1 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 317

SAS Variable Name: ASBIALCH

Prologue: Healthcare providers may ask during routine checkups about behaviors like alcohol use, whether you drink or not. We want to know about their questions.

Description: You told me earlier that your last routine checkup was [within the past year/within the past 2 years]. At that checkup, were you asked in person or on a form if you drink alcohol?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 35,838 | 66.24 | 66.14 |
| 2 | No | 13,060 | 24.14 | 20.32 |
| 7 | Don't know/Not Sure | 4,607 | 8.52 | 6.11 |
| 9 | Refused | 598 | 1.11 | 7.44 |
| BLANK | Not asked or Missing | 244,465 | | |

Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing

Asked in person or by form how much you drink?

Module: 5.2 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 318

SAS Variable Name: ASBIDRNK

Prologue:

Description: Did the health care provider ask you in person or on a form how much you drink?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 31,109 | 57.52 | 56.58 |
| 2 | No | 18,065 | 33.40 | 29.41 |
| 7 | Don't know/Not Sure | 4,270 | 7.90 | 6.53 |
| 9 | Refused | 638 | 1.18 | 7.48 |
| BLANK | Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing | 244,486 | | |

Asked whether you drank [5 FOR MEN /4 FOR WOMEN] or more alcoholic drinks on an occasion?

Module: 5.3 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 319

SAS Variable Name: ASBIBING

Prologue:

Description: Did the healthcare provider specifically ask whether you drank [5 FOR MEN /4 FOR WOMEN] or more alcoholic drinks on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 12,140 | 22.46 | 23.58 |
| 2 | No | 32,251 | 59.66 | 55.22 |
| 7 | Don't know/Not Sure | 8,987 | 16.63 | 13.64 |
| 9 | Refused | 677 | 1.25 | 7.56 |
| BLANK | Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing | 244,513 | | |

Offered advice about what level of drinking is harmful or risky?

Module: 5.4 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 320

SAS Variable Name: ASBIADVC

Prologue:

Description: Were you offered advice about what level of drinking is harmful or risky for your health?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 8,690 | 16.53 | 21.69 |
| 2 | No | 41,571 | 79.07 | 74.59 |
| 7 | Don't know/Not Sure | 2,063 | 3.92 | 3.27 |
| 9 | Refused | 248 | 0.47 | 0.44 |
| BLANK | Not asked or Missing Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing | 245,996 | | |

Were you advised to reduce or quit your drinking?

Module: 5.5 Alcohol Screening & Brief Intervention (ASBI)

Type: Num

Column: 321

SAS Variable Name: ASBIRDUC

Prologue: Healthcare providers may also advise patients to drink less for various reasons.

Description: At your last routine checkup, were you advised to reduce or quit your drinking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 2,432 | 6.01 | 9.11 |
| 2 | No | 37,388 | 92.32 | 89.14 |
| 7 | Don't know/Not Sure | 459 | 1.13 | 1.27 |
| 9 | Refused | 220 | 0.54 | 0.48 |
| BLANK | Not asked or Missing | 258,069 | | |

Notes: Section 03.04, CHECKUP1 is coded 3, 4, 7, 8, 9, or Missing; or Module 05.01, ASBIALCH, is coded 2, 7, 9 or Missing and Module 05.02, ASBIDRNK is coded 2, 7, 9 or Missing and Module 05.03, ASBIBING, is coded 2, 7, 9 or Missing

Watching Sodium or Salt Intake

Module: 6.1 Sodium or Salt-Related Behavior

Type: Num

Column: 322

SAS Variable Name: WTCHSALT

Prologue: Now I would like to ask you some questions about sodium or salt intake. Most of the sodium or salt we eat comes from processed foods and foods prepared in restaurants. Salt also can be added in cooking or at the table.

Description: Are you currently watching or reducing your sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 11,194 | 58.39 | 53.53 |
| 2 | No—Go to Module 06.03 DRADVICE | 7,893 | 41.17 | 46.21 |
| 7 | Don't know/Not Sure—Go to Module 06.03 DRADVICE | 61 | 0.32 | 0.23 |
| 9 | Refused—Go to Module 06.03 DRADVICE | 23 | 0.12 | 0.03 |
| BLANK | Not asked or Missing | 279,397 | | |

How Long Watching Salt/Sodium Intake

Module: 6.2 Sodium or Salt-Related Behavior

Type: Num

Column: 323-325

SAS Variable Name: LONGWTCH

Prologue:

Description: How many days, weeks, months, or years have you been watching or reducing your sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 101 - 199 | Day(s) | 174 | 1.55 | 2.77 |
| 201 - 299 | Week(s) | 107 | 0.96 | 1.59 |
| 301 - 399 | Month(s) | 770 | 6.88 | 12.24 |
| 401 - 499 | Year(s) | 8,529 | 76.22 | 71.06 |
| 555 | All my life | 1,059 | 9.46 | 9.52 |
| 777 | Don't know/Not Sure | 498 | 4.45 | 2.73 |
| 999 | Refused | 53 | 0.47 | 0.08 |
| BLANK | Not asked or Missing Notes: Module 06.01, WTCHSALT, is coded 2, 7, 9, or Missing | 287,378 | | |

Doctor Advised Reduced Sodium/Salt Intake

Module: 6.3 Sodium or Salt-Related Behavior

Type: Num

Column: 326

SAS Variable Name: DRADVISE

Prologue:

Description: Has a doctor or other health professional ever advised you to reduce sodium or salt intake?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 4,975 | 25.97 | 24.89 |
| 2 | No | 14,069 | 73.43 | 74.79 |
| 7 | Don't know/Not Sure | 95 | 0.50 | 0.28 |
| 9 | Refused | 20 | 0.10 | 0.03 |
| BLANK | Not asked or Missing | 279,409 | | |

Age at Asthma Diagnosis

Module: 7.1 Adult Asthma History

Type: Num

Column: 327-328

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 11 - 96 | Age 11 or older [96 = 96 and older] Notes: 96=96 and older | 838 | 61.30 | 53.28 |
| 97 | Age 10 or younger | 387 | 28.31 | 39.14 |
| 98 | Don't know/Not sure | 126 | 9.22 | 5.68 |
| 99 | Refused | 16 | 1.17 | 1.91 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing | 297,201 | | |

Asthma During Past 12 Months

Module: 7.2 Adult Asthma History

Type: Num

Column: 329

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 410 | 43.16 | 46.17 |
| 2 | No—Go to Module 09.05 ASRCHKUP | 519 | 54.63 | 50.93 |
| 7 | Don't know/Not sure—Go to Module 09.05 ASRCHKUP | 10 | 1.05 | 0.78 |
| 9 | Refused—Go to Module 09.05 ASRCHKUP | 11 | 1.16 | 2.11 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,618 | | |

Emergency Asthma Care During Past 12 Months

Module: 7.3 Adult Asthma History

Type: Num

Column: 330-331

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 122 | 29.76 | 34.15 |
| 88 | None | 286 | 69.76 | 65.62 |
| 98 | Don't know/Not sure | 2 | 0.49 | 0.23 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing | 298,158 | | |

Urgent Asthma Treatment During Past 12 Months

Module: 7.4 Adult Asthma History

Type: Num

Column: 332-333

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,]"

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] Notes: 87=87 or more | 171 | 41.81 | 41.45 |
| 88 | None | 225 | 55.01 | 56.63 |
| 98 | Don't know/Not sure | 13 | 3.18 | 1.92 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.02, ASATTACK, is coded 2, 7, 9 or Missing | 298,159 | | |

Routine Asthma Care During Past 12 Months

Module: 7.5 Adult Asthma History

Type: Num

Column: 334-335

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 87 | Number of visits [87 = 87 or more] | 534 | 56.27 | 54.23 |
| 88 | None | 369 | 38.88 | 41.57 |
| 98 | Don't know/Not sure | 34 | 3.58 | 2.48 |
| 99 | Refused | 12 | 1.26 | 1.71 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,619 | | |

Activities Limited Because of Asthma During Past 12 Months

Module: 7.6 Adult Asthma History

Type: Num

Column: 336-338

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 1 - 365 | Number of days | 259 | 27.35 | 31.10 |
| 777 | Don't know/Not sure | 67 | 7.07 | 4.61 |
| 888 | None | 604 | 63.78 | 61.05 |
| 999 | Refused | 17 | 1.80 | 3.24 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,621 | | |

Asthma Symptoms During Past 30 Days

Module: 7.7 Adult Asthma History

Type: Num

Column: 339

SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Less than once a week | 181 | 19.21 | 21.24 |
| 2 | Once or twice a week | 177 | 18.79 | 21.00 |
| 3 | More that 2 times a week, but not every day | 111 | 11.78 | 7.77 |
| 4 | Every day, but not all the time | 118 | 12.53 | 14.02 |
| 5 | Every day, all the time | 81 | 8.60 | 7.53 |
| 7 | Don't know/Not sure | 35 | 3.72 | 2.77 |
| 8 | Not at any time—Go to Module 09.09 ASTHMED3 | 224 | 23.78 | 23.40 |
| 9 | Refused | 15 | 1.59 | 2.27 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,626 | | |

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 7.8 Adult Asthma History

Type: Num

Column: 340

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | One or two | 118 | 16.48 | 17.04 |
| 2 | Three to four | 63 | 8.80 | 9.84 |
| 3 | Five | 25 | 3.49 | 2.17 |
| 4 | Six to ten | 37 | 5.17 | 3.76 |
| 5 | More than ten | 95 | 13.27 | 15.56 |
| 7 | Don't know/Not sure | 25 | 3.49 | 2.59 |
| 8 | None | 341 | 47.63 | 46.21 |
| 9 | Refused | 12 | 1.68 | 2.83 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 07.07, ASYMPTOM, is coded 8 | 297,852 | | |

Days used prescribed preventative asthma med in past 30 days

Module: 7.9 Adult Asthma History

Type: Num

Column: 341

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 1 to 14 days | 168 | 17.93 | 22.60 |
| 2 | 15 to 24 days | 25 | 2.67 | 4.08 |
| 3 | 25 to 30 days | 387 | 41.30 | 31.87 |
| 7 | Don't know/Not sure | 21 | 2.24 | 1.48 |
| 8 | Never | 323 | 34.47 | 37.76 |
| 9 | Refused | 13 | 1.39 | 2.20 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,631 | | |

Times used asthma inhaler during an attack in past 30 days

Module: 7.10 Adult Asthma History

Type: Num

Column: 342

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 1 to 4 times (in the past 30 days) | 241 | 25.83 | 23.77 |
| 2 | 5 to 14 times (in the past 30 days) | 88 | 9.43 | 11.06 |
| 3 | 15 to 29 times (in the past 30 days) | 45 | 4.82 | 4.77 |
| 4 | 30 to 59 times (in the past 30 days) | 63 | 6.75 | 6.24 |
| 5 | 60 to 99 times (in the past 30 days) | 24 | 2.57 | 1.67 |
| 6 | 100 or more times (in the past 30 days) | 14 | 1.50 | 1.40 |
| 7 | Don't know/Not sure | 30 | 3.22 | 2.53 |
| 8 | Never (include no attack in past 30 days) | 417 | 44.69 | 46.52 |
| 9 | Refused | 11 | 1.18 | 2.04 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing | 297,635 | | |

Where did you get your last flu shot/vaccine?

Module: 8.1 Influenza

Type: Num

Column: 343-344

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | A doctor's office or health maintenance organization (HMO) | 7,272 | 41.91 | 40.41 |
| 2 | A health department | 328 | 1.89 | 2.42 |
| 3 | Another type of clinic or health center (Example: a community health center) | 1,299 | 7.49 | 8.60 |
| 4 | A senior, recreation, or community center | 313 | 1.80 | 1.11 |
| 5 | A store (Examples: supermarket, drug store) | 4,223 | 24.34 | 20.46 |
| 6 | A hospital (Example: inpatient) | 968 | 5.58 | 6.24 |
| 7 | An emergency room | 5 | 0.03 | 0.08 |
| 8 | Workplace | 2,152 | 12.40 | 15.73 |
| 9 | Some other kind of place | 633 | 3.65 | 3.55 |
| 10 | Received vaccination in Canada/Mexico (Volunteered - Do not read) | 5 | 0.03 | 0.02 |
| 11 | A school | 67 | 0.39 | 0.63 |
| 77 | Don't know / Not sure--Probe: | 66 | 0.38 | 0.54 |
| 99 | Refused | 22 | 0.13 | 0.21 |
| BLANK | Not asked or Missing Notes: Section 11.01, FLUSHOT6, is coded 2, 7, or 9 | 281,215 | | |

Received Tetanus Shot Since 2005?

Module: 9.1 Tetanus Diphtheria (TDAP) (Adults)

Type: Num

Column: 345

SAS Variable Name: TETANUS

Prologue:

Description: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes, received Tdap | 6,224 | 18.50 | 20.50 |
| 2 | Yes, received tetanus shot, but not Tdap | 2,696 | 8.01 | 7.30 |
| 3 | Yes, received tetanus shot but not sure what type | 7,927 | 23.56 | 23.99 |
| 4 | No, did not receive any tetanus since 2005 | 12,820 | 38.11 | 36.94 |
| 7 | Don't know/Not Sure | 3,859 | 11.47 | 10.60 |
| 9 | Refused | 115 | 0.34 | 0.68 |
| BLANK | Not asked or Missing | 264,927 | | |

Have you ever had an HPV test?

Module: 10.1 Adult Human Papilloma Virus (HPV) - Testing

Type: Num

Column: 346

SAS Variable Name: HPVTEST

Prologue: Now, I would like to ask you about the Human Papillomavirus (Pap·uh·loh·muh Virus) or HPV.

Description: An HPV test is sometimes given with the Pap test for cervical cancer screening. Have you ever had an HPV test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 2,287 | 19.53 | 30.39 |
| 2 | No—Go to Next Module | 6,875 | 58.71 | 50.82 |
| 7 | Don't know/Not Sure—Go to Next Module | 2,521 | 21.53 | 18.56 |
| 9 | Refused—Go to Next Module | 27 | 0.23 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1 | 286,858 | | |

How long since your last HPV test?

Module: 10.2 Adult Human Papilloma Virus (HPV) - Testing

Type: Num

Column: 347

SAS Variable Name: HPLSTTST

Prologue:

Description: How long has it been since you had your last HPV test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 756 | 33.07 | 40.15 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 383 | 16.75 | 17.30 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 259 | 11.33 | 11.36 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 201 | 8.79 | 9.34 |
| 5 | 5 or more years ago | 552 | 24.15 | 17.90 |
| 7 | Don't know/Not Sure | 130 | 5.69 | 3.81 |
| 9 | Refused | 5 | 0.22 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 08.21, SEX, is coded 1; or Module 10.01, HPVTEST, is coded 2, 7, 9 or Missing | 296,282 | | |

Have you ever had the HPV vaccination?

Module: 11.1 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 348

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 708 | 7.10 | 12.00 |
| 2 | No—Go to Next Module | 8,652 | 86.82 | 80.89 |
| 3 | Doctor refused when asked—Go to Next Module | 6 | 0.06 | 0.04 |
| 7 | Don't know/Not Sure—Go to Next Module | 583 | 5.85 | 6.96 |
| 9 | Refused—Go to Next Module | 17 | 0.17 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is greater than 49 | 288,602 | | |

How many HPV shots did you receive?

Module: 11.2 Adult Human Papilloma Virus (HPV) - Vaccination

Type: Num

Column: 349-350

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 - 2 | Number of shots | 251 | 35.50 | 38.77 |
| 3 | All shots | 355 | 50.21 | 50.76 |
| 77 | Don't know/Not Sure | 99 | 14.00 | 10.42 |
| 99 | Refused | 2 | 0.28 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is greater than 49; or Module 11.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing | 297,861 | | |

How Many Types of Cancer?

Module: 12.1 Cancer Survivorship

Type: Num

Column: 351

SAS Variable Name: CNCRDIFF

Prologue:

Description: How many different types of cancer have you had?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Only one | 4,650 | 80.41 | 81.92 |
| 2 | Two | 904 | 15.63 | 13.80 |
| 3 | Three or more | 177 | 3.06 | 3.51 |
| 7 | Don't know/Not Sure—Go to next module | 38 | 0.66 | 0.52 |
| 9 | Refused—Go to next module | 14 | 0.24 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing; and Section 16.06, PCPSARS1 is not coded 4 | 292,785 | | |

Age Told Had Cancer

Module: 12.2 Cancer Survivorship

Type: Num

Column: 352-353

SAS Variable Name: CNCRAGE

Prologue:

Description: At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 97 | Age in years Notes: 97 = 97 and older | 5,454 | 95.18 | 96.00 |
| 98 | Don't know/Not Sure | 250 | 4.36 | 3.63 |
| 99 | Refused | 26 | 0.45 | 0.37 |
| BLANK | Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing | 292,838 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Type of Cancer

Module: 12.3 Cancer Survivorship

Type: Num

Column: 354-355

SAS Variable Name: CNCRTP1

Prologue:

Description: What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Breast cancer | 923 | 16.13 | 14.10 |
| 2 | Cervical cancer (cancer of the cervix) | 213 | 3.72 | 5.55 |
| 3 | Endometrial cancer (cancer of the uterus) | 142 | 2.48 | 2.83 |
| 4 | Ovarian cancer (cancer of the ovary) | 73 | 1.28 | 1.15 |
| 5 | Head and neck cancer | 17 | 0.30 | 0.30 |
| 6 | Oral cancer | 16 | 0.28 | 0.24 |
| 7 | Pharyngeal (throat) cancer | 29 | 0.51 | 0.66 |
| 8 | Thyroid | 83 | 1.45 | 2.15 |
| 9 | Larynx | 4 | 0.07 | 0.09 |
| 10 | Colon (intestine) cancer | 258 | 4.51 | 3.64 |
| 11 | Esophageal (esophagus) | 9 | 0.16 | 0.19 |
| 12 | Liver cancer | 15 | 0.26 | 0.26 |
| 13 | Pancreatic (pancreas) cancer | 9 | 0.16 | 0.24 |
| 14 | Rectal (rectum) cancer | 24 | 0.42 | 0.93 |
| 15 | Stomach | 9 | 0.16 | 0.19 |
| 16 | Hodgkin's Lymphoma (Hodgkin's disease) | 44 | 0.77 | 0.49 |
| 17 | Leukemia (blood) cancer | 50 | 0.87 | 0.77 |
| 18 | Non-Hodgkin's Lymphoma | 53 | 0.93 | 0.86 |
| 19 | Prostate cancer | 445 | 7.78 | 8.17 |
| 20 | Testicular cancer | 15 | 0.26 | 0.51 |
| 21 | Melanoma | 677 | 11.83 | 11.56 |
| 22 | Other skin cancer | 1,672 | 29.22 | 29.32 |
| 24 | Lung | 120 | 2.10 | 1.72 |
| 25 | Bladder cancer | 90 | 1.57 | 1.13 |
| 26 | Renal (kidney) cancer | 65 | 1.14 | 1.07 |
| 27 | Bone | 30 | 0.52 | 0.97 |
| 28 | Brain | 12 | 0.21 | 0.73 |
| 29 | Neuroblastoma | 2 | 0.03 | 0.02 |
| 30 | Other | 218 | 3.81 | 4.64 |
| 77 | Don't know/Not Sure | 364 | 6.36 | 4.56 |
| 99 | Refused | 41 | 0.72 | 0.97 |
| BLANK | Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing | 292,846 | | |

Currently Receiving Treatment for Cancer

Module: 12.4 Cancer Survivorship

Type: Num

Column: 356

SAS Variable Name: CSRVRT1

Prologue:

Description: Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes—Go to next module | 592 | 10.34 | 12.49 |
| 2 | No, I've completed treatment | 4,405 | 76.97 | 74.90 |
| 3 | No, I've refused treatment—Go to next module | 70 | 1.22 | 1.20 |
| 4 | No, I haven't started treatment—Go to next module | 435 | 7.60 | 7.62 |
| 7 | Don't know/Not Sure—Go to next module | 147 | 2.57 | 3.25 |
| 9 | Refused—Go to next module | 74 | 1.29 | 0.55 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or missing | 292,845 | | |

What Type of Doctor Provides Majority of Your Care

Module: 12.5 Cancer Survivorship

Type: Num

Column: 357-358

SAS Variable Name: CSRVDOC1

Prologue:

Description: What type of doctor provides the majority of your health care?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Cancer Surgeon | 94 | 2.13 | 2.01 |
| 2 | Family Practitioner | 1,844 | 41.86 | 43.11 |
| 3 | General Surgeon | 59 | 1.34 | 1.06 |
| 4 | Gynecologic Oncologist | 61 | 1.38 | 2.58 |
| 5 | General Practitioner, Internist | 1,487 | 33.76 | 30.40 |
| 6 | Plastic Surgeon, Reconstructive Surgeon | 16 | 0.36 | 0.53 |
| 7 | Medical Oncologist | 127 | 2.88 | 2.67 |
| 8 | Radiation Oncologist | 34 | 0.77 | 0.85 |
| 9 | Urologist | 52 | 1.18 | 1.15 |
| 10 | Other | 500 | 11.35 | 13.22 |
| 77 | Don't know/Not Sure | 122 | 2.77 | 2.29 |
| 99 | Refused | 9 | 0.20 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,163 | | |

Did You Receive a Summary of Cancer Treatments Received

Module: 12.6 Cancer Survivorship

Type: Num

Column: 359

SAS Variable Name: CSRVSUM

Prologue:

Description: Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 1,536 | 34.89 | 34.13 |
| 2 | No | 2,573 | 58.45 | 59.64 |
| 7 | Don't know/Not Sure | 282 | 6.41 | 6.09 |
| 9 | Refused | 11 | 0.25 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,166 | | |

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups

Module: 12.7 Cancer Survivorship

Type: Num

Column: 360

SAS Variable Name: CSRVRTRN

Prologue:

Description: Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 2,933 | 66.66 | 71.60 |
| 2 | No-Go to Module 12.10 CSRVDEIN | 1,356 | 30.82 | 26.51 |
| 7 | Don't know/Not Sure-Go to Module 12.10 CSRVDEIN | 98 | 2.23 | 1.68 |
| 9 | Refused-Go to Module 12.10 CSRVDEIN | 13 | 0.30 | 0.21 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,168 | | |

Instructions Written or Printed

Module: 12.8 Cancer Survivorship

Type: Num

Column: 361

SAS Variable Name: CSRVINST

Prologue:

Description: Were these instructions written down or printed on paper for you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 1,961 | 66.93 | 65.84 |
| 2 | No | 723 | 24.68 | 26.80 |
| 7 | Don't know/Not Sure | 245 | 8.36 | 7.34 |
| 9 | Refused | 1 | 0.03 | 0.02 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or | 295,638 | | |

Did Health Insurance Pay For All Of Your Cancer Treatment

Module: 12.9 Cancer Survivorship

Type: Num

Column: 362

SAS Variable Name: CSRVINSR

Prologue:

Description: With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ("Health insurance" also includes Medicare, Medicaid, or other types of state health programs.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 4,153 | 94.49 | 94.68 |
| 2 | No | 183 | 4.16 | 4.55 |
| 7 | Don't know/Not Sure | 51 | 1.16 | 0.67 |
| 9 | Refused | 8 | 0.18 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; or | 294,173 | | |

Ever Denied Insurance Coverage Because Of Your Cancer?

Module: 12.10 Cancer Survivorship

Type: Num

Column: 363

SAS Variable Name: CSRVDEIN

Prologue:

Description: Were you EVER denied health insurance or life insurance coverage because of your cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 239 | 5.44 | 5.09 |
| 2 | No | 4,132 | 94.04 | 94.67 |
| 7 | Don't know/Not Sure | 18 | 0.41 | 0.19 |
| 9 | Refused | 5 | 0.11 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,174 | | |

Participate In Clinical Trial As Part Of Cancer Treatment?

Module: 12.11 Cancer Survivorship

Type: Num

Column: 364

SAS Variable Name: CSRVCLIN

Prologue:

Description: Did you participate in a clinical trial as part of your cancer treatment?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 202 | 4.60 | 5.27 |
| 2 | No | 4,102 | 93.38 | 93.26 |
| 7 | Don't know/Not Sure | 77 | 1.75 | 1.34 |
| 9 | Refused | 12 | 0.27 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,175 | | |

Currently Have Physical Pain From Cancer Or Treatment?

Module: 12.12 Cancer Survivorship

Type: Num

Column: 365

SAS Variable Name: CSRVPAIN

Prologue:

Description: Do you currently have physical pain caused by your cancer or cancer treatment?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 283 | 6.44 | 7.32 |
| 2 | No-Go to next module | 4,085 | 92.99 | 92.19 |
| 7 | Don't know/Not Sure-Go to next module | 18 | 0.41 | 0.43 |
| 9 | Refused-Go to next module | 7 | 0.16 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 294,175 | | |

Is Pain Under Control?

Module: 12.13 Cancer Survivorship

Type: Num

Column: 366

SAS Variable Name: CSRVCTL1

Prologue:

Description: Is your pain currently under control?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes, with medication (or treatment) | 87 | 30.74 | 25.01 |
| 2 | Yes, without medication (or treatment) | 139 | 49.12 | 46.22 |
| 3 | No, with medication (or treatment) | 27 | 9.54 | 14.26 |
| 4 | No, without medication (or treatment) | 24 | 8.48 | 12.85 |
| 7 | Don't know/Not Sure | 6 | 2.12 | 1.66 |
| BLANK | Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 16.06, PCPSARS1 is not coded 4; or Module 12.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 12.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing; | 298,285 | | |

How do other people usually classify you in this country?

Module: 13.1 Reactions to Race

Type: Num

Column: 367

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White | 11,698 | 79.57 | 72.12 |
| 2 | Black or African American | 1,018 | 6.92 | 12.98 |
| 3 | Hispanic or Latino | 1,040 | 7.07 | 8.15 |
| 4 | Asian | 94 | 0.64 | 1.59 |
| 5 | Native Hawaiian or Other Pacific Islander | 15 | 0.10 | 0.34 |
| 6 | American Indian or Alaska Native | 432 | 2.94 | 2.24 |
| 7 | Don't know/Not sure | 167 | 1.14 | 1.05 |
| 8 | Some Other Group | 112 | 0.76 | 0.84 |
| 9 | Refused | 125 | 0.85 | 0.67 |
| BLANK | Not asked or Missing | 283,867 | | |

How often do you think about your race?

Module: 13.2 Reactions to Race

Type: Num

Column: 368

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Never | 9,116 | 62.09 | 60.35 |
| 2 | Once a year | 1,593 | 10.85 | 9.99 |
| 3 | Once a month | 1,182 | 8.05 | 8.19 |
| 4 | Once a week | 761 | 5.18 | 5.91 |
| 5 | Once a day | 633 | 4.31 | 4.63 |
| 6 | Once an hour | 23 | 0.16 | 0.19 |
| 7 | Don't know/Not sure | 628 | 4.28 | 3.82 |
| 8 | Constantly | 643 | 4.38 | 6.33 |
| 9 | Refused | 104 | 0.71 | 0.58 |
| BLANK | Not asked or Missing | 283,885 | | |

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 13.3 Reactions to Race

Type: Num

Column: 369

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Worse than other races | 282 | 4.24 | 4.99 |
| 2 | The same as other races | 5,542 | 83.36 | 84.88 |
| 3 | Better than other races | 283 | 4.26 | 3.55 |
| 4 | Worse than some races, better than others | 30 | 0.45 | 0.88 |
| 5 | Only encountered people of the same race | 106 | 1.59 | 1.18 |
| 7 | Don't know/Not sure | 312 | 4.69 | 3.64 |
| 9 | Refused | 93 | 1.40 | 0.88 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing | 291,920 | | |

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 13.4 Reactions to Race

Type: Num

Column: 370

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Worse than other races | 326 | 2.22 | 2.96 |
| 2 | The same as other races | 10,209 | 69.62 | 75.22 |
| 3 | Better than other races | 1,460 | 9.96 | 7.54 |
| 4 | Worse than some races, better than others | 51 | 0.35 | 0.39 |
| 5 | Only encountered people of the same race | 147 | 1.00 | 0.71 |
| 6 | No health care in past 12 months | 270 | 1.84 | 1.94 |
| 7 | Don't know/Not sure | 1,986 | 13.54 | 10.04 |
| 9 | Refused | 215 | 1.47 | 1.22 |
| BLANK | Not asked or Missing | 283,904 | | |

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 13.5 Reactions to Race

Type: Num

Column: 371

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 350 | 2.39 | 3.85 |
| 2 | No | 14,163 | 96.69 | 95.29 |
| 7 | Don't know/Not Sure | 66 | 0.45 | 0.49 |
| 9 | Refused | 69 | 0.47 | 0.38 |
| BLANK | Not asked or Missing | 283,920 | | |

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 13.6 Reactions to Race

Type: Num

Column: 372

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 590 | 4.03 | 5.95 |
| 2 | No | 13,929 | 95.13 | 93.46 |
| 7 | Don't know/Not Sure | 45 | 0.31 | 0.25 |
| 9 | Refused | 78 | 0.53 | 0.34 |
| BLANK | Not asked or Missing | 283,926 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 15.1 Social Context

Type: Num

Column: 573

SAS Variable Name: SCNTMNY1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Always | 1,046 | 8.10 | 10.08 |
| 2 | Usually | 453 | 3.51 | 4.76 |
| 3 | Sometimes | 1,748 | 13.53 | 17.29 |
| 4 | Rarely | 1,719 | 13.31 | 16.18 |
| 5 | Never | 7,540 | 58.36 | 49.10 |
| 7 | Don't know/Not Sure | 28 | 0.22 | 0.12 |
| 8 | Not applicable | 311 | 2.41 | 1.84 |
| 9 | Refused | 74 | 0.57 | 0.64 |
| BLANK | Not asked or Missing Notes: Section 08.20, RENTHOM1, is coded 3, 7, 9 or Missing | 285,649 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 15.2 Social Context

Type: Num

Column: 574

SAS Variable Name: SCNTMEL1

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Always | 732 | 5.45 | 7.06 |
| 2 | Usually | 349 | 2.60 | 4.08 |
| 3 | Sometimes | 1,378 | 10.25 | 13.58 |
| 4 | Rarely | 1,389 | 10.33 | 13.15 |
| 5 | Never | 9,435 | 70.19 | 60.77 |
| 7 | Don't know/Not Sure | 34 | 0.25 | 0.19 |
| 8 | Not applicable | 10 | 0.07 | 0.21 |
| 9 | Refused | 116 | 0.86 | 0.96 |
| BLANK | Not asked or Missing | 285,125 | | |

How Are You Generally Paid For The Work You Do

Module: 15.3 Social Context

Type: Num

Column: 575

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Paid by salary | 2,588 | 45.76 | 39.20 |
| 2 | Paid by the hour | 2,226 | 39.36 | 47.00 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 461 | 8.15 | 8.09 |
| 4 | Paid some other way | 288 | 5.09 | 4.49 |
| 7 | Don't know/Not Sure | 27 | 0.48 | 0.21 |
| 9 | Refused | 65 | 1.15 | 1.00 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8 | 292,913 | | |

How Many Hours Per Week Do You Work

Module: 15.4 Social Context

Type: Num

Column: 576-577

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 96 | Hours (1-96 or more)—Go to Module 15.07 SCNTVOT1 | 5,472 | 96.82 | 97.02 |
| 97 | Don't know/Not Sure—Go to Module 15.07 SCNTVOT1 | 95 | 1.68 | 1.42 |
| 98 | Zero (none)—Go to Module 15.07 SCNTVOT1 | 20 | 0.35 | 0.25 |
| 99 | Refused—Go to Module 15.07 SCNTVOT1 | 65 | 1.15 | 1.30 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 3, 4, 5, 6, 7, or 8 | 292,916 | | |

How Were You Generally Paid For The Work You Did

Module: 15.5 Social Context

Type: Num

Column: 578

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Paid by salary | 2,687 | 49.22 | 39.08 |
| 2 | Paid by the hour | 2,076 | 38.03 | 48.04 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 270 | 4.95 | 5.61 |
| 4 | Paid some other way | 253 | 4.63 | 4.05 |
| 7 | Don't know/Not Sure | 104 | 1.91 | 1.94 |
| 9 | Refused | 69 | 1.26 | 1.28 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0 | 293,109 | | |

How Many Hours Per Week Did You Work

Module: 15.6 Social Context

Type: Num

Column: 579-580

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 96 | Hours (1-96 or more) | 5,013 | 91.85 | 93.11 |
| 97 | Don't know/Not Sure | 318 | 5.83 | 4.40 |
| 98 | Zero (none) | 69 | 1.26 | 1.39 |
| 99 | Refused | 58 | 1.06 | 1.10 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY1, is coded 1, 2, 5, 6, or 8; or Module 18.04, SCNTWRK1, is > 0 | 293,110 | | |

Did You Vote In The Last Presidential Election?

Module: 15.7 Social Context

Type: Num

Column: 581

SAS Variable Name: SCNTVOT1

Prologue:

Description: Did you vote in the last presidential election? [The November 2012 election between Barack Obama and Mitt Romney.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 10,868 | 80.93 | 69.54 |
| 2 | No | 2,362 | 17.59 | 28.14 |
| 7 | Don't know/Not Sure | 15 | 0.11 | 0.06 |
| 8 | Not applicable (I did not register, I am not a U.S. citizen, or I am not eligible to vote) | 50 | 0.37 | 1.17 |
| 9 | Refused | 134 | 1.00 | 1.10 |
| BLANK | Not asked or Missing | 285,139 | | |

Sexual orientation or gender identity

Module: 16.1 Sexual Orientation and Gender Identity

Type: Num

Column: 582

SAS Variable Name: SXORIENT

Prologue:

Description: Do you consider yourself to be: (We ask this question in order to better understand the health and health care needs of people with different sexual orientations.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Straight | 97,758 | 94.94 | 93.28 |
| 2 | Lesbian or gay | 1,087 | 1.06 | 1.57 |
| 3 | Bisexual | 1,021 | 0.99 | 1.78 |
| 4 | Other | 319 | 0.31 | 0.28 |
| 7 | Don't know/Not Sure | 884 | 0.86 | 1.00 |
| 9 | Refused | 1,900 | 1.85 | 2.09 |
| BLANK | Not asked or Missing | 195,599 | | |

Do you consider yourself to be transgender?

Module: 16.2 Sexual Orientation and Gender Identity

Type: Num

Column: 583

SAS Variable Name: TRNSGNDR

Prologue:

Description: Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes, Transgender, male-to-female | 221 | 0.21 | 0.27 |
| 2 | Yes, Transgender, female to male | 131 | 0.13 | 0.13 |
| 3 | Yes, Transgender, gender nonconforming | 55 | 0.05 | 0.08 |
| 4 | No | 101,246 | 97.70 | 97.60 |
| 7 | Don't know/Not Sure | 878 | 0.85 | 0.91 |
| 9 | Refused | 1,101 | 1.06 | 1.02 |
| BLANK | Not asked or Missing | 194,936 | | |

Birth date of child

Module: 17.1 Random Child Selection

Type: Char

Column: 584-589

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; | 298,568 | | |

Gender of child

Module: 17.2 Random Child Selection

Type: Num

Column: 590

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Boy | 18,307 | 49.99 | 50.96 |
| 2 | Girl | 17,113 | 46.73 | 46.11 |
| 9 | Refused | 1,201 | 3.28 | 2.93 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months | 261,947 | | |

Ethnicity of child

Module: 17.3 Random Child Selection

Type: Char

Column: 591-594

SAS Variable Name: RCHISLA1

Prologue:

Description: Is the child Hispanic, Latino/a, or Spanish origin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 298,568 | | |

Race of child (multiple possible)

Module: 17.4 Random Child Selection

Type: Char

Column: 595-622

SAS Variable Name: RCSRACE1

Prologue:

Description: Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 298,568 | | |

Race of child

Module: 17.5 Random Child Selection

Type: Num

Column: 623-624

SAS Variable Name: RCSBRAC1

Prologue:

Description: Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months; or Module 17.04, RCSRACE1, has only one valid race code (10-60) | 298,568 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Relationship to child

Module: 17.6 Random Child Selection

Type: Num

Column: 625

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Parent (include biologic, step, or adoptive parent) | 29,587 | 80.88 | 75.17 |
| 2 | Grandparent | 3,766 | 10.29 | 5.47 |
| 3 | Foster parent or guardian | 426 | 1.16 | 0.92 |
| 4 | Sibling (include biologic, step, and adoptive sibling) | 1,037 | 2.83 | 9.99 |
| 5 | Other relative | 674 | 1.84 | 3.49 |
| 6 | Not related in any way | 285 | 0.78 | 1.06 |
| 7 | Don't know/Not sure | 18 | 0.05 | 0.09 |
| 9 | Refused | 788 | 2.15 | 3.81 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months | 261,987 | | |

Hlth pro ever said child has asthma

Module: 18.1 Childhood Asthma Prevalence

Type: Num

Column: 626

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 4,922 | 14.21 | 13.32 |
| 2 | No-Go to next module | 28,687 | 82.83 | 81.86 |
| 7 | Don't know/Not Sure-Go to next module | 282 | 0.81 | 0.98 |
| 9 | Refused-Go to next module | 744 | 2.15 | 3.84 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing | 263,933 | | |

Child still have asthma?

Module: 18.2 Childhood Asthma Prevalence

Type: Num

Column: 627

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 3,237 | 65.78 | 65.38 |
| 2 | No | 1,571 | 31.92 | 31.59 |
| 7 | Don't know/Not Sure | 111 | 2.26 | 3.01 |
| 9 | Refused | 2 | 0.04 | 0.02 |
| BLANK | Not asked or Missing | 293,647 | | |

Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 18.01, CASTHDX2, is coded 2, 7, 9, or Missing

How often get emotional support needed

Module: 19.1 Emotional Support and Life Satisfaction

Type: Num

Column: 628

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Always | 4,145 | 55.88 | 56.45 |
| 2 | Usually | 2,184 | 29.44 | 28.21 |
| 3 | Sometimes | 574 | 7.74 | 8.75 |
| 4 | Rarely | 153 | 2.06 | 2.16 |
| 5 | Never | 193 | 2.60 | 2.35 |
| 7 | Don't know/Not sure | 118 | 1.59 | 1.57 |
| 9 | Refused | 51 | 0.69 | 0.51 |
| BLANK | Not asked or Missing | 291,150 | | |

Satisfaction with life

Module: 19.2 Emotional Support and Life Satisfaction

Type: Num

Column: 629

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Very satisfied | 3,848 | 51.90 | 48.34 |
| 2 | Satisfied | 3,241 | 43.71 | 46.87 |
| 3 | Dissatisfied | 214 | 2.89 | 3.19 |
| 4 | Very dissatisfied | 45 | 0.61 | 0.57 |
| 7 | Don't know/Not sure | 43 | 0.58 | 0.74 |
| 9 | Refused | 23 | 0.31 | 0.28 |
| BLANK | Not asked or Missing | 291,154 | | |

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 645-646

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 10 | Landline single questionnaire | 161,413 | 54.06 | 40.89 |
| 11 | Landline multiple questionnaire version 1 | 65,183 | 21.83 | 27.47 |
| 12 | Landline multiple questionnaire version 2 | 59,293 | 19.86 | 24.13 |
| 13 | Landline multiple questionnaire version 3 | 12,679 | 4.25 | 7.51 |

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 647-648

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 | English | 289,990 | 97.33 | 92.92 |
| 2 | Spanish | 7,922 | 2.66 | 7.08 |
| 3 - 99 | Other | 31 | 0.01 | 0.00 |
| BLANK | Missing | 625 | | |

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 1356

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | In the center city of an MSA | 97,835 | 33.38 | 40.10 |
| 2 | Outside the center city of an MSA but inside the county containing the center city | 50,994 | 17.40 | 25.39 |
| 3 | Inside a suburban county of the MSA | 47,283 | 16.13 | 15.71 |
| 5 | Not in an MSA | 97,008 | 33.09 | 18.79 |
| BLANK | GU, PR, VI | 5,448 | | |

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 1357-1362

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1363-1372

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1393-1402

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPMPH, maximum of 3).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1403-1412

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Imputed Age value collapsed above 80

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1417-1418

SAS Variable Name: _AGE80

Prologue:

Description: Imputed Age value collapsed above 80

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|-------------------------|-----------|------------|---------------------|
| 18 - 24 | Imputed Age 18 to 24 | 5,512 | 1.85 | 11.50 |
| 25 - 29 | Imputed Age 25 to 29 | 4,877 | 1.63 | 7.25 |
| 30 - 34 | Imputed Age 30 to 34 | 8,658 | 2.90 | 11.46 |
| 35 - 39 | Imputed Age 35 to 39 | 11,968 | 4.01 | 7.01 |
| 40 - 44 | Imputed Age 40 to 44 | 15,632 | 5.24 | 9.48 |
| 45 - 49 | Imputed Age 45 to 49 | 18,951 | 6.35 | 7.56 |
| 50 - 54 | Imputed Age 50 to 54 | 26,777 | 8.97 | 10.13 |
| 55 - 59 | Imputed Age 55 to 59 | 33,666 | 11.28 | 7.88 |
| 60 - 64 | Imputed Age 60 to 64 | 40,581 | 13.59 | 8.63 |
| 65 - 69 | Imputed Age 65 to 69 | 38,856 | 13.01 | 6.02 |
| 70 - 74 | Imputed Age 70 to 74 | 32,640 | 10.93 | 4.98 |
| 75 - 79 | Imputed Age 75 to 79 | 25,035 | 8.39 | 3.42 |
| 80 - 99 | Imputed Age 80 or older | 35,415 | 11.86 | 4.67 |

Imputed race/ethnicity value

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1419-1420

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White, Non-Hispanic | 242,335 | 81.17 | 64.37 |
| 2 | Black, Non-Hispanic | 23,204 | 7.77 | 11.60 |
| 3 | Asian, Non-Hispanic | 4,638 | 1.55 | 4.39 |
| 4 | American Indian/Alaskan Native, Non-Hispanic | 4,448 | 1.49 | 1.33 |
| 5 | Hispanic | 16,949 | 5.68 | 15.84 |
| 6 | Other race, Non-Hispanic | 6,994 | 2.34 | 2.47 |

Imputed number of phones

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1421

SAS Variable Name: _IMPDPH

Prologue:

Description: Imputed number of phones used in weighting

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------|-----------|------------|---------------------|
| 1 | Number of phones | 291,764 | 97.72 | 98.77 |
| 2 | | 5,852 | 1.96 | 1.09 |
| 3 | | 729 | 0.24 | 0.11 |
| 4 | | 150 | 0.05 | 0.03 |
| 5 | | 41 | 0.01 | 0.01 |
| 6 | | 32 | 0.01 | 0.00 |

Imputed Education Level

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1425

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an education level. The value of the imputed education level will be computed from the sample if the respondent refused to give an education level.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Never attended school or only kindergarten | 379 | 0.13 | 0.26 |
| 2 | Grades 1 through 8 (Elementary) | 7,805 | 2.61 | 4.74 |
| 3 | Grades 9 through 11 (Some high school) | 15,506 | 5.19 | 9.76 |
| 4 | Grade 12 or GED (High school graduate) | 87,226 | 29.21 | 28.44 |
| 5 | College 1 year to 3 years (Some college or technical school) | 79,029 | 26.47 | 30.83 |
| 6 | College 4 years or more (College graduate) | 108,623 | 36.38 | 25.98 |

Imputed Marital Status

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1426

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an marital status. The value of the imputed marital status will be computed from the sample if the respondent refused to give a marital status.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|---------------------|
| 1 | Married | 160,831 | 53.87 | 51.02 |
| 2 | Divorced | 41,832 | 14.01 | 10.42 |
| 3 | Widowed | 52,828 | 17.69 | 7.59 |
| 4 | Separated | 5,115 | 1.71 | 2.33 |
| 5 | Never married | 32,915 | 11.02 | 24.63 |
| 6 | A member of an unmarried couple | 5,047 | 1.69 | 4.01 |

Imputed Own or Rent Home

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1427

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an ownership status (tenure). The value of the imputed tenure will be computed from the sample if the respondent refused to give a tenure.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------|-----------|------------|---------------------|
| 1 | Own | 240,354 | 80.50 | 67.63 |
| 2 | Rent | 49,092 | 16.44 | 25.81 |
| 3 | Other arrangement | 9,122 | 3.06 | 6.56 |

Truncated design weight used in adult land line raking

Weighting: 1.19 Weighting Variables

Type: Num

Column: 1430-1439

SAS Variable Name: _LANDWT2

Prologue:

Description: Truncated design weight used in adult land line raking

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1473-1482

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Child Hispanic, Latino/a, or Spanish origin calculated variable

ChildDemographics: 1.01 Child Demographic Variables

Type: Num

Column: 1612

SAS Variable Name: _CHISPNC

Prologue:

Description: Child Hispanic, Latino/a, or Spanish origin calculated variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Child of Hispanic, Latino/a, or Spanish origin Notes: Hispanic, Latino/a, Spanish | 4,506 | 1.99 | 7.42 |
| 2 | Child not of Hispanic, Latino/a, or Spanish origin Notes: Not Hispanic, Latino/a, Spanish | 33,644 | 14.87 | 24.08 |
| 9 | Don't know/Not Sure/Refused | 188,102 | 83.14 | 68.51 |
| BLANK | Not asked or Missing | 72,316 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Preferred Child Race Categories

ChildDemographics: 1.04 Child Demographic Variables

Type: Num

Column: 1669-1670

SAS Variable Name: _CPRACE

Prologue:

Description: Preferred Child Race Categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White Notes: CRACASC1 = 10 or CRACASC1 > 100 and RCSBRAC1=10 | 29,475 | 74.70 | 69.14 |
| 2 | Black or African American Notes: CRACASC1 = 20 or CRACASC1 > 100 and RCSBRAC1=2 | 4,564 | 11.57 | 15.00 |
| 3 | American Indian or Alaskan Native Notes: CRACASC1 = 30 or CRACASC1 > 100 and RCSBRAC1=30 | 1,193 | 3.02 | 2.14 |
| 4 | Asian Notes: CRACASC1 = 40,41,42,43,44,45,46,47 or CRACASC1 > 100 and RCSBRAC1=40,41,42,43,44,45,46,47 | 1,101 | 2.79 | 4.73 |
| 5 | Native Hawaiian or other Pacific Islander Notes: CRACASC1 = 50,51,52,53,54 or CRACASC1 > 100 and RCSBRAC1=50,51,52,53,54 | 183 | 0.46 | 0.51 |
| 6 | Other race Notes: CRACASC1 = 60 or CRACASC1 > 100 and RCSBRAC1=60 | 1,014 | 2.57 | 3.34 |
| 7 | No preferred race Notes: CRACASC1 >= 100 and RCSBRAC1=missing | 5 | 0.01 | 0.01 |
| 77 | Don't know/Not sure Notes: CRACASC1 = 77 or CRACASC1 > 100 and RCSBRAC1=77 | 558 | 1.41 | 2.23 |
| 99 | Refused Notes: CRACASC1 = 99 or CRACASC1 > 100 and RCSBRAC1=99 | 1,365 | 3.46 | 2.91 |
| BLANK | Missing Notes: CRACASC1 = Missing | 259,110 | | |

Child Non-Hispanic Race including Multiracial

ChildDemographics: 1.05 Child Demographic Variables

Type: Num

Column: 1671-1672

SAS Variable Name: _CRACE1

Prologue:

Description: Child multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White only Notes: CRACASC1 = 10 | 28,959 | 73.39 | 67.74 |
| 2 | Black or African American only Notes: CRACASC1 = 20 | 4,345 | 11.01 | 14.05 |
| 3 | American Indian or Alaskan Native only Notes: CRACASC1 = 30 | 1,106 | 2.80 | 1.96 |
| 4 | Asian Only Notes: CRACASC1 = 40,41,42,43,44,45,46,47 | 992 | 2.51 | 4.42 |
| 5 | Native Hawaiian or other Pacific Islander only Notes: CRACASC1 = 50,51,52,53,54 | 88 | 0.22 | 0.37 |
| 6 | Other race only Notes: CRACASC1 = 60 | 963 | 2.44 | 3.12 |
| 7 | Multiracial Notes: CRACASC1 >= 100 | 1,475 | 3.74 | 4.25 |
| 77 | Don't know/Not sure Notes: CRACASC1 = 77 | 316 | 0.80 | 1.56 |
| 99 | Refused Notes: CRACASC1 = 99 | 1,214 | 3.08 | 2.52 |
| BLANK | Missing Notes: CRACASC1 = Missing | 259,110 | | |

Imputed Child Age

ChildDemographics: 1.06 Child Demographic Variables

Type: Num

Column: 1673

SAS Variable Name: _IMPCAGE

Prologue:

Description: Imputed Child Age

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | 0-4 Years old | 6,048 | 15.30 | 21.17 |
| 2 | 5-9 Years old | 9,059 | 22.92 | 24.38 |
| 3 | 10-14 Years old | 14,999 | 37.95 | 35.41 |
| 4 | 15-17 Years old | 9,419 | 23.83 | 19.04 |
| BLANK | Not asked or Missing | 259,043 | | |

Imputed Child Race/Ethnicity

ChildDemographics: 1.07 Child Demographic Variables

Type: Num

Column: 1674

SAS Variable Name: _IMPCRAC

Prologue:

Description: Imputed Child Race/Ethnicity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White, non-Hispanic | 27,736 | 70.17 | 55.16 |
| 2 | Black or African American, non-Hispanic | 4,442 | 11.24 | 14.00 |
| 3 | Asian, non-Hispanic | 1,130 | 2.86 | 4.66 |
| 4 | American Indian or Alaskan Native, non-Hispanic | 1,082 | 2.74 | 1.29 |
| 5 | Multi-race, non-Hispanic or Other race, non-Hispanic | 519 | 1.31 | 1.79 |
| 6 | Hispanic | 4,616 | 11.68 | 23.11 |
| BLANK | Missing | 259,043 | | |

Imputed Child Gender

ChildDemographics: 1.08 Child Demographic Variables

Type: Num

Column: 1675

SAS Variable Name: _IMPCSEX

Prologue:

Description: Imputed Child Gender

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|---------------------|
| 1 | Male | 20,604 | 52.13 | 52.83 |
| 2 | Female | 18,921 | 47.87 | 47.17 |
| BLANK | Missing | 259,043 | | |

Final child weight: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1711-1720

SAS Variable Name: _CLANDWT

Prologue:

Description: Final child weight: Land-line data only (Raking derived weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1907-1909

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 | 1 Person | 98,925 | 33.74 | 14.99 |
| 2 | 2 People | 116,483 | 39.73 | 29.58 |
| 3 | 3 People | 32,151 | 10.97 | 18.79 |
| 4 - 99 | 4+ People | 45,654 | 15.57 | 36.64 |
| BLANK | | 5,355 | | |

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1910-1912

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 1 | 1 Adult | 109,063 | 37.20 | 18.73 |
| 2 | 2 Adults | 148,667 | 50.70 | 50.27 |
| 3 - 99 | 3+ Adults | 35,483 | 12.10 | 31.01 |
| BLANK | | 5,355 | | |

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1913-1915

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|---------------------|
| 0 | No Children | 233,218 | 79.54 | 60.37 |
| 1 | 1 Child | 24,035 | 8.20 | 15.40 |
| 2 - 99 | 2+ Children | 35,960 | 12.26 | 24.23 |
| BLANK | | 5,355 | | |

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1916-1925

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 298,568 | 100.00 | 100.00 |

Adults with good or better health

CalculatedVariables: 1.1 Calculated Variables

Type: Num

Column: 2155

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Good or Better Health Notes: GENHLTH = 1 or 2 or 3 | 236,696 | 79.28 | 80.20 |
| 2 | Fair or Poor Health Notes: GENHLTH = 4 or 5 | 60,604 | 20.30 | 19.14 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing | 1,268 | 0.42 | 0.65 |

Respondents aged 18-64 with health care coverage

CalculatedVariables: 3.1 Calculated Variables

Type: Num

Column: 2156

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 who have any form of health care coverage

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 1 | 147,373 | 49.36 | 66.93 |
| 2 | Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 2 | 14,925 | 5.00 | 12.40 |
| 9 | Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLN1 = 7 or 9 or Missing | 136,270 | 45.64 | 20.67 |

Leisure Time Physical Activity Calculated Variable

Calculated Variables: 4.1 Calculated Variables

Type: Num

Column: 2157

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults who reported doing physical activity or exercise during the past 30 days other than their regular job

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Had physical activity or exercise Notes: EXERANY2 = 1 | 220,192 | 73.75 | 74.31 |
| 2 | No physical activity or exercise in last 30 days Notes: EXERANY2 = 2 | 77,637 | 26.00 | 24.61 |
| 9 | Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing | 739 | 0.25 | 1.07 |

Lifetime Asthma Calculated Variable

Calculated Variables: 6.1 Calculated Variables

Type: Num

Column: 2158

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: ASTHMA3 = 2 | 259,089 | 86.78 | 85.61 |
| 2 | Yes Notes: ASTHMA3 = 1 | 38,476 | 12.89 | 14.11 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing | 1,003 | 0.34 | 0.28 |

Current Asthma Calculated Variable

Calculated Variables: 6.2 Calculated Variables

Type: Num

Column: 2159

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2 | 268,830 | 90.04 | 89.87 |
| 2 | Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 27,690 | 9.27 | 9.38 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 2,048 | 0.69 | 0.75 |

Computed Asthma Status

Calculated Variables: 6.3 Calculated Variables

Type: Num

Column: 2160

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Current Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 27,690 | 9.27 | 9.38 |
| 2 | Former Notes: ASTHMA3 = 1 and ASTHNOW = 2 | 9,741 | 3.26 | 4.26 |
| 3 | Never Notes: ASTHMA3 = 2 | 259,089 | 86.78 | 85.61 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 2,048 | 0.69 | 0.75 |

Respondents diagnosed with arthritis

Calculated Variables: 6.4 Calculated Variables

Type: Num

Column: 2161

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents who have had a doctor diagnose them as having some form of arthritis

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Diagnosed with arthritis Notes: HAVARTH3 = 1 | 120,978 | 40.74 | 26.61 |
| 2 | Not diagnosed with arthritis Notes: HAVARTH3 = 2 | 175,938 | 59.26 | 73.39 |
| BLANK | Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing | 1,652 | | |

Adults aged 18+ that have had permanent teeth extracted

Calculated Variables: 7.1 Oral Health

Type: Num

Column: 2162

SAS Variable Name: _EXTETH2

Prologue:

Description: Adults aged 18+ who have had permanent teeth extracted

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Not at risk Notes: RMVTETH3=8 | 125,867 | 42.16 | 53.76 |
| 2 | At risk Notes: RMVTETH=1 or 2 or 3 | 164,073 | 54.95 | 44.48 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: RMVTETH3=7 or 9 or Missing | 8,628 | 2.89 | 1.76 |

Adults aged 65+ who have had all their natural teeth extracted

Calculated Variables: 7.2 Oral Health

Type: Num

Column: 2163

SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: AGE>= 65 and RMVTETH3=1 or 2 or 8 | 106,795 | 78.70 | 76.42 |
| 2 | Yes Notes: AGE>= 65 and RMVTETH3=3 | 18,856 | 13.90 | 14.61 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE>= 65 or =7 or 9 or Missing and RMVTETH3=7 or 9 or Missing | 10,041 | 7.40 | 8.98 |
| BLANK | Missing or Age Less Than 65 Notes: 18 <= AGE <= 64 | 162,876 | | |

Adults that have visited a dentist, dental hygienist or dental clinic within the past year

Calculated Variables: 7.3 Oral Health

Type: Num

Column: 2164

SAS Variable Name: _DENVST2

Prologue:

Description: Adults who have visited a dentist, dental hygienist or dental clinic within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: LASTDEN3=1 | 205,352 | 68.78 | 63.89 |
| 2 | No Notes: LASTDEN3=2 or 3 or 4 | 90,192 | 30.21 | 35.08 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3=7 or 9 or Missing | 3,024 | 1.01 | 1.03 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 CODEBOOK REPORT, 2014
 Land-Line data

Computed Preferred Race

Calculated Variables: 8.3 Calculated Race Variables

Type: Num

Column: 2221-2222

SAS Variable Name: _PRACE1

Prologue:

Description: Preferred race category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White Notes: MRACASC1 = 10 | 251,618 | 84.30 | 74.56 |
| 2 | Black or African American Notes: MRACASC1 = 20 | 24,243 | 8.12 | 12.72 |
| 3 | American Indian or Alaskan Native Notes: MRACASC1 = 30 | 5,338 | 1.79 | 2.21 |
| 4 | Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47 | 4,976 | 1.67 | 4.54 |
| 5 | Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54 | 1,658 | 0.56 | 0.49 |
| 6 | Other race Notes: MRACASC1 = 60 | 4,686 | 1.57 | 2.63 |
| 7 | No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9 | 834 | 0.28 | 0.33 |
| 8 | Multiracial but preferred race not answered Notes: MRACASC1 >= 100 and ORACE3 = 8 or Missing | 6 | 0.00 | 0.00 |
| 77 | Don't know/Not sure Notes: MRACASC1 = 77 | 1,648 | 0.55 | 1.30 |
| 99 | Refused Notes: MRACASC1 = 99 | 3,475 | 1.16 | 1.23 |
| BLANK | Missing Notes: MRACASC1 = Missing | 86 | | |

Calculated non-Hispanic Race including multiracial

Calculated Variables: 8.4 Calculated Race Variables

Type: Num

Column: 2223-2224

SAS Variable Name: _MRACE1

Prologue:

Description: Calculated multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White only Notes: MRACASC1 = 10 | 249,246 | 83.50 | 73.70 |
| 2 | Black or African American only Notes: MRACASC1 = 20 | 23,720 | 7.95 | 12.36 |
| 3 | American Indian or Alaskan Native only Notes: MRACASC1 = 30 | 4,917 | 1.65 | 2.06 |
| 4 | Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47 | 4,725 | 1.58 | 4.46 |
| 5 | Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54 | 1,166 | 0.39 | 0.40 |
| 6 | Other race only Notes: MRACASC1 = 60 | 4,550 | 1.52 | 2.57 |
| 7 | Multiracial Notes: MRACASC1 >= 100 | 5,035 | 1.69 | 1.92 |
| 77 | Don't know/Not sure Notes: MRACASC1 = 77 | 1,648 | 0.55 | 1.30 |
| 99 | Refused Notes: MRACASC1 = 99 | 3,475 | 1.16 | 1.23 |
| BLANK | Missing Notes: MRACASC1 = Missing | 86 | | |

Hispanic, Latino/a, or Spanish origin calculated variable

Calculated Variables: 8.6 Calculated Race Variables

Type: Num

Column: 2227

SAS Variable Name: _HISPANC

Prologue:

Description: Hispanic, Latino/a, or Spanish origin calculated variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Hispanic, Latino/a, or Spanish origin Notes: Hispanic, Latino/a, Spanish | 16,929 | 5.67 | 15.83 |
| 2 | Not of Hispanic, Latino/a, or Spanish origin Notes: Not Hispanic, Latino/a, Spanish | 278,670 | 93.34 | 83.14 |
| 9 | Don't Know, Refused or Missing | 2,969 | 0.99 | 1.03 |

Computed Race-Ethnicity grouping

Calculated Variables: 8.7 Calculated Race Variables

Type: Num

Column: 2228

SAS Variable Name: _RACE

Prologue:

Description: Race/ethnicity categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 10 | 237,666 | 79.62 | 62.98 |
| 2 | Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 20 | 22,892 | 7.67 | 11.46 |
| 3 | American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 33 | 4,382 | 1.47 | 1.31 |
| 4 | Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 40,41,42,43,44,45,46,47 | 4,580 | 1.53 | 4.33 |
| 5 | Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 50,51,52,53,54 | 970 | 0.32 | 0.28 |
| 6 | Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 60 | 1,201 | 0.40 | 0.41 |
| 7 | Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 77 | 4,631 | 1.55 | 1.70 |
| 8 | Hispanic Notes: _HISPANC = 1 | 16,929 | 5.67 | 15.83 |
| 9 | Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2 | 5,259 | 1.76 | 1.69 |
| BLANK | Missing Notes: _HISPANC = Missing or _MRACE1 = Missing | 58 | | |

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

Calculated Variables: 8.8 Calculated Race Variables

Type: Num

Column: 2229

SAS Variable Name: _RACEG21

Prologue:

Description: White non-Hispanic race group

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Non-Hispanic White Notes: _RACE = 1 | 237,666 | 79.62 | 62.98 |
| 2 | Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8 | 55,585 | 18.62 | 35.33 |
| 9 | Don't know/Not sure/Refused Notes: _RACE = 9 | 5,259 | 1.76 | 1.69 |
| BLANK | Missing | 58 | | |

Computed Five level race/ethnicity category.

Calculated Variables: 8.9 Calculated Race Variables

Type: Num

Column: 2230

SAS Variable Name: _RACEGR3

Prologue:

Description: Five-level race/ethnicity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------|-----------|------------|---------------------|
| 1 | White only, Non-Hispanic | 237,666 | 79.62 | 62.98 |
| 2 | Black only, Non-Hispanic | 22,892 | 7.67 | 11.46 |
| 3 | Other race only, Non-Hispanic | 11,133 | 3.73 | 6.33 |
| 4 | Multiracial, Non-Hispanic | 4,631 | 1.55 | 1.70 |
| 5 | Hispanic | 16,929 | 5.67 | 15.83 |
| 9 | Don't know/Not sure/Refused | 5,259 | 1.76 | 1.69 |
| BLANK | Missing | 58 | | |

Computed race groups used for internet prevalence tables

Calculated Variables: 8.10 Calculated Race Variables

Type: Num

Column: 2231

SAS Variable Name: _RACE_G1

Prologue:

Description: Race groups used for internet prevalence tables

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | White - Non-Hispanic | 237,666 | 81.05 | 64.07 |
| 2 | Black - Non-Hispanic | 22,892 | 7.81 | 11.66 |
| 3 | Hispanic | 16,929 | 5.77 | 16.11 |
| 4 | Other race only, Non-Hispanic | 11,133 | 3.80 | 6.44 |
| 5 | Multiracial, Non-Hispanic | 4,631 | 1.58 | 1.73 |
| BLANK | Don't know/Not sure/Refused component question | 5,317 | | |

Reported age in five-year age categories calculated variable

Calculated Variables: 8.11 Calculated Variables

Type: Num

Column: 2232-2233

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 5,512 | 1.85 | 11.50 |
| 2 | Age 25 to 29 Notes: 25 <= AGE <= 29 | 4,877 | 1.63 | 7.25 |
| 3 | Age 30 to 34 Notes: 30 <= AGE <= 34 | 8,658 | 2.90 | 11.46 |
| 4 | Age 35 to 39 Notes: 35 <= AGE <= 39 | 11,963 | 4.01 | 7.00 |
| 5 | Age 40 to 44 Notes: 40 <= AGE <= 44 | 15,607 | 5.23 | 9.46 |
| 6 | Age 45 to 49 Notes: 45 <= AGE <= 49 | 18,884 | 6.32 | 7.53 |
| 7 | Age 50 to 54 Notes: 50 <= AGE <= 54 | 26,614 | 8.91 | 9.96 |
| 8 | Age 55 to 59 Notes: 55 <= AGE <= 59 | 32,999 | 11.05 | 7.74 |
| 9 | Age 60 to 64 Notes: 60 <= AGE <= 64 | 37,762 | 12.65 | 8.08 |
| 10 | Age 65 to 69 Notes: 65 <= AGE <= 69 | 38,516 | 12.90 | 5.96 |
| 11 | Age 70 to 74 Notes: 70 <= AGE <= 74 | 32,637 | 10.93 | 4.98 |
| 12 | Age 75 to 79 Notes: 75 <= AGE <= 79 | 25,035 | 8.39 | 3.42 |
| 13 | Age 80 or older Notes: 80 <= AGE <= 99 | 35,413 | 11.86 | 4.67 |
| 14 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,091 | 1.37 | 0.98 |

Reported age in two age groups calculated variable

Calculated Variables: 8.12 Calculated Variables

Type: Num

Column: 2234

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 64 Notes: 18 <= AGE <= 64 | 162,876 | 54.55 | 79.98 |
| 2 | Age 65 or older Notes: 65 <= AGE <= 99 | 131,601 | 44.08 | 19.03 |
| 3 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 4,091 | 1.37 | 0.98 |

Imputed age in six groups

Calculated Variables: 8.13 Calculated Variables

Type: Num

Column: 2235

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 5,512 | 1.85 | 11.50 |
| 2 | Age 25 to 34 Notes: 25 <= AGE <= 34 | 13,535 | 4.53 | 18.71 |
| 3 | Age 35 to 44 Notes: 35 <= AGE <= 44 | 27,600 | 9.24 | 16.49 |
| 4 | Age 45 to 54 Notes: 45 <= AGE <= 54 | 45,728 | 15.32 | 17.69 |
| 5 | Age 55 to 64 Notes: 55 <= AGE <= 64 | 74,247 | 24.87 | 16.52 |
| 6 | Age 65 or older Notes: AGE >= 65 | 131,946 | 44.19 | 19.10 |

Computed Height in Inches

Calculated Variables: 8.14 Calculated Variables

Type: Num

Column: 2236-2238

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|---------------------|
| 36 - 95 | Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54) | 290,828 | 100.00 | 100.00 |
| BLANK | | 7,740 | | |

Computed Height in Meters

Calculated Variables: 8.15 Calculated Variables

Type: Num

Column: 2239-2241

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|---|-----------|------------|---------------------|
| 91 - 244 | Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254) | 291,429 | 100.00 | 100.00 |
| BLANK | | 7,139 | | |

Computed Weight in Kilograms

Calculated Variables: 8.16 Calculated Variables

Type: Num

Column: 2242-2246

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|---|-----------|------------|---------------------|
| 2300 - 29500 | Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046) | 281,985 | 94.45 | 95.04 |
| 99999 | Don't know/Refused/Missing Notes: WEIGHT2 = 7777 or 9999 or Missing or not in accepted values | 16,583 | 5.55 | 4.96 |

Computed body mass index

Calculated Variables: 8.17 Calculated Variables

Type: Num

Column: 2247-2250

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 1 - 9999 | 1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places) | 279,385 | 100.00 | 100.00 |
| BLANK | Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 | 19,183 | | |

Computed body mass index categories

Calculated Variables: 8.18 Calculated Variables

Type: Num

Column: 2251

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places) | 4,741 | 1.70 | 1.95 |
| 2 | Normal Weight Notes: 1850 <= _BMI5 < 2500 | 90,356 | 32.34 | 32.39 |
| 3 | Overweight Notes: 2500 <= _BMI5 < 3000 | 101,588 | 36.36 | 34.96 |
| 4 | Obese Notes: 30000 <= _BMI5 = 9999 | 82,700 | 29.60 | 30.70 |
| BLANK | Don't know/Refused/Missing Notes: _BMI5 = 9999 | 19,183 | | |

Overweight or obese calculated variable

Calculated Variables: 8.19 Calculated Variables

Type: Num

Column: 2252

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places) | 95,097 | 31.85 | 31.91 |
| 2 | Yes Notes: 2500 <= _BMI5 < 9999 | 184,288 | 61.72 | 61.01 |
| 9 | Don't know/Refused/Missing Notes: _BMI5 = 9999 | 19,183 | 6.43 | 7.07 |

Computed number of children in household

Calculated Variables: 8.20 Calculated Variables

Type: Num

Column: 2253

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No children in household Notes: CHILDREN = 88 | 235,146 | 78.76 | 59.71 |
| 2 | One child in household Notes: CHILDREN = 01 | 24,731 | 8.28 | 15.40 |
| 3 | Two children in household Notes: CHILDREN = 02 | 22,385 | 7.50 | 13.97 |
| 4 | Three children in household Notes: CHILDREN = 03 | 9,575 | 3.21 | 6.56 |
| 5 | Four children in household Notes: CHILDREN = 04 | 3,290 | 1.10 | 2.35 |
| 6 | Five or more children in household Notes: 05 <= CHILDREN < 88 | 1,669 | 0.56 | 1.26 |
| 9 | Don't know/Not sure/Missing Notes: CHILDREN = 99 | 1,772 | 0.59 | 0.75 |

Computed level of education completed categories

Calculated Variables: 8.21 Calculated Variables

Type: Num

Column: 2254

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Did not graduate High School Notes: EDUCA = 1 or 2 or 3 | 23,521 | 7.88 | 14.64 |
| 2 | Graduated High School Notes: EDUCA = 4 | 86,561 | 28.99 | 28.14 |
| 3 | Attended College or Technical School Notes: EDUCA = 5 | 78,482 | 26.29 | 30.56 |
| 4 | Graduated from College or Technical School Notes: EDUCA = 6 | 107,792 | 36.10 | 25.74 |
| 9 | Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing | 2,212 | 0.74 | 0.93 |

Computed income categories

Calculated Variables: 8.22 Calculated Variables

Type: Num

Column: 2255

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Less than \$15,000 Notes: INCOME2 = 1 or 2 | 27,582 | 9.24 | 11.50 |
| 2 | \$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4 | 44,165 | 14.79 | 15.30 |
| 3 | \$25,000 to less than \$35,000 Notes: INCOME2 = 5 | 28,943 | 9.69 | 8.98 |
| 4 | \$35,000 to less than \$50,000 Notes: INCOME2 = 6 | 36,900 | 12.36 | 11.46 |
| 5 | \$50,000 or more Notes: INCOME2 = 7 or 8 | 112,089 | 37.54 | 37.24 |
| 9 | Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing | 48,889 | 16.37 | 15.52 |

Computed Smoking Status

Calculated Variables: 9.1 Calculated Variables

Type: Num

Column: 2256

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1 | 27,331 | 9.15 | 11.29 |
| 2 | Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2 | 10,829 | 3.63 | 5.29 |
| 3 | Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3 | 89,937 | 30.12 | 22.78 |
| 4 | Never smoked Notes: SMOKE100 = 2 | 157,824 | 52.86 | 55.65 |
| 9 | Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing | 12,647 | 4.24 | 4.98 |

Current Smoking Calculated Variable

Calculated Variables: 9.2 Calculated Variables

Type: Num

Column: 2257

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: _SMOKER3 = 3 or 4 | 247,761 | 82.98 | 78.43 |
| 2 | Yes Notes: _SMOKER3 = 1 or 2 | 38,160 | 12.78 | 16.58 |
| 9 | Don't know/Refused/Missing Notes: _SMOKER3 = 9 | 12,647 | 4.24 | 4.98 |

Drink any alcoholic beverages in past 30 days

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 2258

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults who reported having had at least one drink of alcohol in the past 30 days.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: 1 <= ALCDAY5 <= 231 | 134,671 | 45.11 | 45.64 |
| 2 | No Notes: ALCDAY5=888 | 148,909 | 49.87 | 47.62 |
| 7 | Don't know/Not Sure Notes: ALCDAY5=777 | 1,928 | 0.65 | 0.68 |
| 9 | Refused/Missing Notes: ALCDAY5=999, Missing | 13,060 | 4.37 | 6.06 |

Computed drink-occasions-per-day

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 2259-2261

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 0 | No Drink-Occasions per day Notes: ALCDAY5 = 888 | 148,909 | 49.87 | 47.62 |
| 1 - 899 | Drink-Occasions per day Notes: ALCDAY5 <= 231 | 134,671 | 45.11 | 45.64 |
| 900 | Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 14,988 | 5.02 | 6.74 |

Binge Drinking Calculated Variable

Calculated Variables: 10.3 Calculated Variables

Type: Num

Column: 2262

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888 | 256,112 | 85.78 | 79.65 |
| 2 | Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1 | 25,141 | 8.42 | 12.70 |
| 9 | Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing | 17,315 | 5.80 | 7.65 |

Computed number of drinks of alcohol beverages per day

Calculated Variables: 10.4 Calculated Variables

Type: Num

Column: 2263-2266

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 | Did not drink Notes: ALCDAY5 = 888 | 148,909 | 49.87 | 47.62 |
| 1 - 9899 | Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2 | 132,195 | 44.28 | 44.56 |
| 9900 | Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 17,464 | 5.85 | 7.82 |

Computed total number drinks a month

Calculated Variables: 10.5 Calculated Variables

Type: Num

Column: 2267-2270

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 | Did not drink in the past month Notes: _DRNKDY4 = 0 | 148,909 | 49.87 | 47.62 |
| 1 - 9998 | Number of Drinks Notes: _DRNKDY4 * 30 | 132,195 | 44.28 | 44.56 |
| 9999 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 17,464 | 5.85 | 7.82 |

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.6 Calculated Variables

Type: Num

Column: 2271

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | No Notes: SEX = 1 and DRNKDY4 <= 2 or SEX = 2 and DRNKDY4 <= 1 or ALCDAY5 = 888 | 267,573 | 89.62 | 87.56 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1 | 13,531 | 4.53 | 4.62 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 17,464 | 5.85 | 7.82 |

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.7 Calculated Variables

Type: Num

Column: 2272

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men who are Heavy drinkers (having more than two drinks per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888 | 98,476 | 88.73 | 86.51 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 | 5,541 | 4.99 | 5.17 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 6,965 | 6.28 | 8.32 |
| BLANK | Respondent is female Notes: SEX = 2 | 187,586 | | |

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 10.8 Calculated Variables

Type: Num

Column: 2273

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women who are Heavy drinkers (having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 169,097 | 90.14 | 88.56 |
| 2 | Yes Notes: SEX = 2 and _DRNKDY4 > 1 | 7,990 | 4.26 | 4.09 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 10,499 | 5.60 | 7.35 |
| BLANK | Respondent is male Notes: SEX = 1 | 110,982 | | |

Flu Shot Calculated Variable

Calculated Variables: 11.1 Calculated Variables

Type: Num

Column: 2274

SAS Variable Name: _FLSHOT6

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: AGE >=65 and FLUSHOT6 = 1 | 77,237 | 56.92 | 52.82 |
| 2 | No Notes: AGE >=65 and FLUSHOT6 = 2 | 48,183 | 35.51 | 35.89 |
| 9 | Don't know/Not Sure Or Refused/Missing | 10,272 | 7.57 | 11.29 |
| BLANK | Age Less Than 65 | 162,876 | | |

Pneumonia Vaccination Calculated Variable

Calculated Variables: 11.2 Calculated Variables

Type: Num

Column: 2275

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: AGE >= 65 and PNEUVAC3 = 1 | 86,105 | 63.46 | 59.27 |
| 2 | No Notes: AGE >= 65 and PNEUVAC3 = 2 | 34,839 | 25.68 | 25.99 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing | 14,748 | 10.87 | 14.74 |
| BLANK | Age Less Than 65 Notes: AGE < 65 | 162,876 | | |

Always or Nearly Always Wear Seat Belts

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 2276

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always or Almost Always Wear Seat Belt | 268,483 | 89.92 | 87.73 |
| 2 | Sometimes, Seldom, or Never Wear Seat Belt | 14,855 | 4.98 | 5.00 |
| 9 | Don't know/Not Sure Or Refused/Missing | 15,230 | 5.10 | 7.27 |

Always Wear Seat Belts

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 2277

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always Wear Seat Belt | 246,649 | 82.61 | 80.94 |
| 2 | Don't Always Wear Seat Belt | 36,689 | 12.29 | 11.79 |
| 9 | Don't know/Not Sure Or Refused/Missing | 15,230 | 5.10 | 7.27 |

Women respondents aged 40+ who have had a mammogram in the past two years

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 2278

SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ who have had a mammogram in the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2 | 115,570 | 68.59 | 66.13 |
| 2 | No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 | 39,792 | 23.62 | 24.07 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 13,120 | 7.79 | 9.79 |
| BLANK | Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing | 130,086 | | |

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 2279

SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ who have had a mammogram in the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 1 or 2 | 101,999 | 69.27 | 67.78 |
| 2 | No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 or HADMAM = 2 | 33,372 | 22.67 | 21.99 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 11,867 | 8.06 | 10.23 |
| BLANK | Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing | 151,330 | | |

Women respondents aged 50-74 that have had a mammogram in the past two years

Calculated Variables: 15.3 Calculated Variables

Type: Num

Column: 2280

SAS Variable Name: _MAM5021

Prologue:

Description: Women respondents aged 50-74 who have had a mammogram in the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Received a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 1 or 2 | 77,153 | 78.57 | 77.80 |
| 2 | Did not receive a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 or HADMAM = 2 | 21,043 | 21.43 | 22.20 |
| BLANK | Missing, Age less than 50 or greater than 74 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE > 74 or SEX = 2 and 50 <= AGE <= 74 and HADMAM = missing or HOWLONG = missing | 200,372 | | |

Women respondents aged 18+ who have had a pap test in the past three years

Calculated Variables: 15.4 Calculated Variables

Type: Num

Column: 2281

SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ who have had a pap test in the past three years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3 | 81,696 | 68.78 | 72.52 |
| 2 | No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2 | 31,910 | 26.87 | 24.72 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing | 5,167 | 4.35 | 2.75 |
| BLANK | Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1 | 179,795 | | |

Women respondents aged 21-65 who have had a pap test in the past three years

Calculated Variables: 15.5 Calculated Variables

Type: Num

Column: 2282

SAS Variable Name: _RFPAP33

Prologue:

Description: Women respondents aged 21-65 who have had a pap test in the past three years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Received a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3 | 60,601 | 82.71 | 81.76 |
| 2 | Did not receive a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2 | 12,666 | 17.29 | 18.24 |
| BLANK | Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and SEX = 2 AGE < 21 or SEX = 2 and AGE > 65 or SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1 | 225,301 | | |

Male respondents aged 40+ who have had a PSA test in the past 2 years

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 2283

SAS Variable Name: _RFPSA21

Prologue:

Description: Male respondents aged 40+ who have had a PSA test in the past 2 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 1 or 2 | 44,946 | 47.92 | 39.62 |
| 2 | No Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST1 = 2 | 42,215 | 45.01 | 53.54 |
| 9 | Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST1 = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing | 6,638 | 7.08 | 6.83 |
| BLANK | Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST1 = missing or SEX = 1 and AGE = < 40 or SEX = 2 | 204,769 | | |

Respondents aged 50+ who have had a blood stool test within the past two years

Calculated Variables: 17.1 Calculated Variables

Type: Num

Column: 2284

SAS Variable Name: _RFBLDS2

Prologue:

Description: Respondents aged 50+ who have had a blood stool test within the past two years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2 | 30,253 | 13.69 | 14.06 |
| 2 | No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2 | 180,897 | 81.84 | 79.59 |
| 9 | Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing | 9,886 | 4.47 | 6.35 |
| BLANK | Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS3 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50 | 77,532 | | |

Respondents aged 50-75 who have had a blood stool test within the past year

Calculated Variables: 17.2 Calculated Variables

Type: Num

Column: 2285

SAS Variable Name: _RFBLDS3

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2 | 14,727 | 9.09 | 9.98 |
| 2 | Hve not had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2 | 147,289 | 90.91 | 90.02 |
| BLANK | Missing, Age less than 50, Age greater than 75 Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = missing, don't know or refused or 50 <= AGE <= 75 and BLDSTOOL = missing, don't know or refused or AGE < 50 or AGE > 75 | 136,552 | | |

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables: 17.3 Calculated Variables

Type: Num

Column: 2286

SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older who have had a sigmoidoscopy or colonoscopy

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes Notes: AGE => 50 and HADSIGM3 = 1 | 157,430 | 71.33 | 65.06 |
| 2 | No Notes: AGE => 50 and HADSIGM3 = 2 | 57,306 | 25.97 | 29.88 |
| 9 | Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9 | 5,962 | 2.70 | 5.06 |
| BLANK | Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50 | 77,870 | | |

Respondents aged 50-75 that who have had a colonoscopy in the past 10 years

Calculated Variables: 17.4 Calculated Variables

Type: Num

Column: 2287

SAS Variable Name: _COL10YR

Prologue:

Description: Respondents aged 50-75 that who have had a colonoscopy in the past 10 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Received a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGC01=2 and LASTSIG3=1,2,3,4,5 | 106,924 | 67.45 | 62.24 |
| 2 | Did not receive a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=2 and LASTSIG3=6 | 51,611 | 32.55 | 37.76 |
| BLANK | Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or AGE < 50 or AGE > 75 | 140,033 | | |

Respondents aged 50-75 who have had a blood stool test within the past 3 years

Calculated Variables: 17.5 Calculated Variables

Type: Num

Column: 2288

SAS Variable Name: _HFOB3YR

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past 3 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Received a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=1 and LSTBLDS3=1,2,3 | 28,635 | 17.67 | 17.87 |
| 2 | Did not receive a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=2 or BLDSTOOL=1 and LSTBLDS3=4 | 133,381 | 82.33 | 82.13 |
| BLANK | Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and BLDSTOOL=missing, don't know or refused or LSTBLDS3=missing, don't know or refused or AGE<50 or AGE>75 | 136,552 | | |

Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years

Calculated Variables: 17.6 Calculated Variables

Type: Num

Column: 2289

SAS Variable Name: _FS5YR

Prologue:

Description: Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Received a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGCO1=1 and LASTSIG3=1,2,3,4 | 2,226 | 2.92 | 3.20 |
| 2 | Did not receive a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=1 and LASTSIG3=5,6 | 74,137 | 97.08 | 96.80 |
| BLANK | Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or HADSGCO1=missing, don't know or refused or AGE<50 or AGE>75 | 222,205 | | |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
CODEBOOK REPORT, 2014
Land-Line data

Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years

Calculated Variables: 17.7 Calculated Variables

Type: Num

Column: 2290

SAS Variable Name: _FOBTFS

Prologue:

Description: Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Did have had a sigmoidoscopy within the past 5 years and a blood stool test within the past 3 years. Notes: 50<= AGE <=75 and _HFOB3YR=1 and _FS5YR=1 | 707 | 0.48 | 0.67 |
| 2 | Did not receive a sigmoidoscopy within the past 5 years or did not receive a blood stool test within the past 3 years Notes: 50<= AGE <=75 and _HFOB3YR=2 or _FS5YR=2 | 145,155 | 99.52 | 99.33 |
| BLANK | Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HFOB3YR=missing or FS5YR=missing or both are missing | 152,706 | | |

Respondents aged 50-75 who have fully met the USPSTF recommendation

Calculated Variables: 17.8 Calculated Variables

Type: Num

Column: 2291

SAS Variable Name: _CRCREC

Prologue:

Description: Respondents aged 50-75 who have fully met the USPSTF recommendation

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Received one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=1 or _FOBTFS=1 or _COL10YR=1 or _HFOB3YR=1 AND HADSIGM3=1 AND LASTSIG3 IN (1,2,3,4) | 112,547 | 70.65 | 66.21 |
| 2 | Did not receive one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=2 AND _FOBTFS=2 AND _COL10YR=2 | 46,761 | 29.35 | 33.79 |
| BLANK | Missing or Age less than 50 or Age greater than 75 Notes: 50 <= AGE <= 75 and _RFBLDS3=missing or don't know or refused or FOBTFS=missing don't know or refused or _COL10YR=missing don't know or refused or AGE < 50 or AGE > 75 | 139,260 | | |

Ever been tested for HIV calculated variable

Calculated Variables: 18.1 Calculated Variables

Type: Num

Column: 2292

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults who have ever been tested for HIV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------------|--|------------------|-------------------|----------------------------|
| 1 | Yes Notes: HIVTST6 = 1 | 64,752 | 23.07 | 34.08 |
| 2 | No Notes: HIVTST6 = 2 | 205,598 | 73.26 | 60.37 |
| 9 | Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9 | 10,300 | 3.67 | 5.55 |
| BLANK | Not asked or missing Notes: HIVTST6 = Missing | 17,918 | | |