

Table 3.7. Number and rates* of deaths with hepatitis C listed as a cause of death† among residents, by state or jurisdiction — United States, 2015–2019

State or Jurisdiction	2015		2016		2017		2018		2019	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Alabama	187	3.08	166	2.63	188	2.97	167	2.54	134	2.06
Alaska	41	4.95	50	5.38	38	4.38	40	5.00	41	4.66
Arizona	567	6.90	500	5.81	480	5.45	348	3.84	277	3.01
Arkansas	183	5.01	184	4.91	169	4.43	150	3.86	134	3.45
California	3,245	7.19	2,917	6.33	2,630	5.58	2,391	4.98	2,114	4.36
Colorado	362	5.51	385	5.74	386	5.62	387	5.48	376	5.24
Connecticut	153	3.20	123	2.52	130	2.61	89	1.72	102	2.03
Delaware	45	3.41	47	3.63	49	3.80	34	2.33	26	2.12
District of Columbia	101	13.93	95	13.37	83	11.42	70	9.40	75	10.08
Florida	1,270	4.62	1,222	4.26	1,222	4.16	1,005	3.34	1,025	3.31
Georgia	396	3.26	368	2.98	344	2.66	326	2.46	313	2.33
Hawaii	68	3.70	70	3.75	67	3.48	49	2.42	45	2.38
Idaho	99	4.79	115	5.40	84	3.82	108	4.87	93	4.07
Illinois	399	2.56	354	2.18	288	1.72	279	1.67	221	1.31
Indiana	270	3.26	295	3.60	269	3.16	259	2.98	241	2.76
Iowa	125	3.19	109	2.67	122	3.01	98	2.40	116	2.82
Kansas	141	4.11	148	4.20	141	3.83	130	3.48	116	3.12
Kentucky	270	5.09	269	5.05	306	5.58	319	5.77	267	5.08
Louisiana	396	7.15	383	6.60	382	6.49	352	5.92	347	5.70
Maine	57	3.05	40	1.87	32	1.60	34	1.69	23	1.31
Maryland	366	4.84	327	4.32	340	4.41	352	4.44	282	3.48
Massachusetts	317	3.71	261	2.98	267	3.00	211	2.33	192	2.09
Michigan	512	3.77	415	3.06	368	2.61	384	2.72	359	2.50
Minnesota	234	3.40	240	3.28	235	3.19	209	2.81	199	2.65
Mississippi	162	4.57	183	5.08	159	4.38	141	3.70	144	3.85
Missouri	275	3.50	258	3.23	247	3.06	244	3.09	205	2.47
Montana	77	5.76	75	5.71	68	4.89	76	5.36	54	4.02
Nebraska	82	3.60	78	3.25	79	3.29	72	3.26	59	2.41
Nevada	173	4.80	181	4.97	153	4.00	140	3.59	128	3.19
New Hampshire	65	3.28	68	3.57	57	2.90	64	3.36	44	2.28
New Jersey	400	3.52	378	3.24	342	2.90	309	2.64	224	1.89
New Mexico	195	8.05	203	8.12	175	6.70	163	6.30	165	6.33
New York	979	3.89	789	3.06	701	2.71	615	2.40	556	2.12
North Carolina	532	4.19	511	3.92	460	3.44	426	3.11	402	2.82
North Dakota	32	3.55	20	2.25	23	2.88	23	2.52	30	3.42
Ohio	559	3.70	546	3.58	541	3.48	480	3.16	450	2.90
Oklahoma	510	11.02	538	11.46	555	11.84	534	11.00	533	10.75
Oregon	514	9.68	491	8.90	518	9.24	466	8.03	425	7.26
Pennsylvania	726	4.18	564	3.28	563	3.15	417	2.37	445	2.48
Rhode Island	97	7.26	89	6.57	76	5.15	91	6.37	57	3.79
South Carolina	294	4.67	299	4.51	302	4.51	259	3.70	220	3.09
South Dakota	35	3.33	37	3.46	29	2.56	30	2.80	29	2.61
Tennessee	592	7.27	482	5.89	469	5.57	517	6.01	491	5.77
Texas	1,996	6.72	1,886	6.12	1,888	6.03	1,708	5.30	1,383	4.20
Utah	98	3.47	85	2.98	68	2.29	78	2.59	69	2.17
Vermont	43	4.87	35	3.72	40	4.44	30	3.32	30	2.95
Virginia	330	3.15	327	3.03	290	2.68	272	2.48	249	2.29
Washington	651	7.06	517	5.53	528	5.46	466	4.76	441	4.43
West Virginia	107	4.65	118	4.85	116	4.94	108	4.90	108	4.92
Wisconsin	208	2.78	214	2.70	145	1.82	151	1.90	141	1.72
Wyoming	30	3.95	38	4.89	41	5.50	42	5.84	42	5.33
Total	19,566	4.91	18,093	4.42	17,253	4.13	15,713	3.72	14,242	3.33

Source: CDC, National Center for Health Statistics, Multiple Cause of Death 1999–2019 on CDC WONDER Online Database. Data are from the 2015–2019 Multiple Cause of Death files and are based on information from all death certificates filed in the vital records offices of the 50 states and the District of Columbia through the Vital Statistics Cooperative Program. Deaths of nonresidents (e.g., nonresident aliens, nationals living abroad, residents of Puerto Rico, Guam, the Virgin Islands, and other US territories) and fetal deaths are excluded. Numbers are slightly lower than previously reported for 2015–2016 because of NCHS standards that restrict displayed data to US residents. Accessed at <http://wonder.cdc.gov/mcd-icd10.html> on January 11, 2021. CDC WONDER data set documentation and technical methods can be accessed at <https://wonder.cdc.gov/wonder/help/mcd.html#>.

* Rates are age-adjusted per 100,000 US standard population during 2000 by using the following age group distribution (in years): <1, 1–4, 5–14, 15–24, 25–34, 35–44, 45–54, 55–64, 65–74, 75–84, and ≥85. For age-adjusted death rates, the age-specific death rate is rounded to 1 decimal place before proceeding to the next step in the calculation of age-adjusted death rates for NCHS Multiple Cause of Death on CDC WONDER. This rounding step might affect the precision of rates calculated for small numbers of deaths. Missing data are not included.

† Cause of death is defined as 1 of the multiple causes of death and is based on the International Classification of Diseases, 10th Rev. (ICD-10) codes B17.1, and B18.2 (hepatitis C).