

Talk to your health care provider if you think PrEP might be right for you. PrEP can be prescribed by any health care provider who is licensed to write prescriptions.

Before beginning PrEP, you must take an HIV test to make sure you don't have HIV.

You need to visit your health care provider again:

Routinely as recommended for follow-up visits, HIV tests, and prescription refills or shots.

If you have any side effects while taking PrEP that become severe

or don't go away.

Talk to your health care provider if you plan to miss a PrEP shot appointment, have trouble remembering to take PrEP pills as prescribed, or want to stop PrEP.


PrEP is covered by most insurance programs and state Medicaid plans. You may also receive co-pay assistance from drug manufacturers or patient advocacy foundations.

ViiVConnect offers a program to help patients pay for PrEP shots. Learn more at www.viivconnect.com.

If you do not have insurance, your health care provider can direct you to medication assistance programs that may help pay for PrEP.

You can also contact your local health department and HIV/AIDS service organizations for more information.





talk to your health care provider about PrEP if you're not already taking it. If you have a partner with HIV and are considering getting pregnant,

- have used multiple courses of PEP.
- report continued risk behavior, or

You have been prescribed PEP (post-exposure prophylaxis) and

(tor example, cookers).

- share needles, syringes, or other drug injection equipment
 - have an injection partner with HIV, or

You inject drugs and

- have been diagnosed with an SID in the past 6 months.
 - have not consistently used a condom, or

viral load),

have a sexual partner with HIV (especially if the partner has an unknown or detectable You have had anal or vaginal sex in the past 6 months and

Prep can help protect you if you DON'T have HIV and ANY of the following apply to you.

PrEP (pre-exposure prophylaxis) can be pills or shots that reduce your chances of getting HIV.

- PrEP can stop HIV from spreading throughout your body.
- PrEP is much less effective when it is not taken as prescribed.

Remember, PrEP protects you against HIV but does not protect against other STDs or prevent pregnancy.










For basic information on HIV, including PrEP, visit www.cdc.gov/hiv.




Scan to learn more!



How To Fold and Co-Brand the Pocket Guide

Begin by printing the brochure artwork (double sided).



Panel 3 of the artwork should be facing the viewer.

Fold paper in half (horizontally), **panel 2** should now be legible and right side up



Fold paper in half (vertically), the **front and back cover** should now be visible and legible Fold paper in half (vertically), only the **front cover** should now be visible and legible

How to Co-Brand:

On the back cover of the pocket guide, there is a fillable PDF box that reads "**Local Information Here**". In Adobe Acrobat, you can edit this box to add local contact information and/or resources. If you do not wish to co-brand, remove the "**Local Information Here**" text so it will not appear when printing.