

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 5, 2016 (44th week)[†] (Export data)

Disease	Current week	Cum 2016	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)	
				2015	2014	2013	2012	2011		
Anthrax	—	—	—	—	—	—	—	—	1	
Arboviral diseases ^{¶, **} :										
Chikungunya virus ^{††}	—	119	2	896	NN	NN	NN	NN		
Eastern equine encephalitis virus	—	3	0	6	8	8	15	4		
Jamestown Canyon virus ^{§§}	—	2	0	11	11	22	2	3		
La Crosse virus ^{§§}	—	26	0	55	80	85	78	130		
Powassan virus	—	7	0	7	8	12	7	16		
St. Louis encephalitis virus	—	8	0	23	10	1	3	6		
Western equine encephalitis virus	—	—	—	—	—	—	—	—		
Botulism, total	—	142	4	195	161	152	168	153		
foodborne	—	30	0	37	15	4	27	24		
infant	—	94	3	138	127	136	123	97		
other (wound and unspecified)	—	18	1	20	19	12	18	32		
Brucellosis	2	97	1	126	92	99	114	79		NY (1), OR (1)
Chancroid	—	10	0	11	—	—	15	8		
Cholera	—	3	0	2	5	14	17	40		
Cyclosporiasis ^{**}	1	424	2	645	388	784	123	151		IA (1)
Diphtheria	—	—	—	—	1	—	1	—		
<i>Haemophilus influenzae</i> invasive disease (age <5 yrs) ^{¶¶} :										
serotype b	—	20	1	29	40	31	30	14		
nontypeable serotype	1	117	3	175	128	141	115	93		OK (1)
other serotype	1	107	2	135	266	233	263	230		TN (1)
unknown serotype	1	156	3	167	39	34	37	48		FL (1)
Hansen's disease ^{**}	2	37	1	89	88	81	82	82		FL (2)
Hantavirus infections ^{**} :										
Hantavirus infection (non-HPS) ^{††}	—	3	0	1	NN	NN	NN	NN		
Hantavirus Pulmonary Syndrome (HPS)	—	11	1	17	32	21	30	23		
Hemolytic uremic syndrome, postdiarrheal ^{**}	1	197	6	274	250	329	274	290		AL (1)
Hepatitis B, virus infection perinatal	2	19	1	37	47	48	40	NP		PA (1), TX (1)
Influenza-associated pediatric mortality ^{**, ***}	—	81	1	130	141	160	52	118		
Leptospirosis ^{**}	—	42	1	40	38	NN	NN	NN		
Listeriosis	—	538	16	768	769	735	727	870		
Measles ^{†††}	—	59	1	188	667	187	55	220		
Meningococcal disease, invasive ^{§§§} :										
serogroup ACWY	—	75	3	120	123	142	161	257		
serogroup B	1	57	2	111	89	99	110	159		ID (1)
other serogroup	—	13	0	21	25	17	20	20		
unknown serogroup	—	142	4	120	196	298	260	323		
Novel influenza A virus infections ^{¶¶¶}	—	21	0	6	3	21	313	14		
Plague	—	—	0	13	10	4	4	3		
Polio myelitis, paralytic	—	—	—	—	—	1	—	—		
Polio virus infection, nonparalytic ^{**}	—	—	—	—	—	—	—	—		
Psittacosis ^{**}	—	7	0	4	8	6	2	2		
Q fever, total ^{**}	—	108	2	156	168	170	135	134		
acute	—	90	1	122	132	137	113	110		
chronic	—	18	1	34	36	33	22	24		
Rabies, human	—	—	0	1	1	2	1	6		
SARS-CoV	—	—	—	—	—	—	—	—		
Smallpox	—	—	—	—	—	—	—	—		
Streptococcal toxic shock syndrome ^{**}	1	195	3	335	259	224	194	168		AZ (1)
Syphilis, congenital ^{****}	—	348	7	492	458	348	322	360		
Toxic shock syndrome (staphylococcal) ^{**}	1	24	1	64	59	71	65	78		PA (1)
Trichinellosis ^{**}	—	15	1	14	14	22	18	15		
Tularemia	—	173	3	314	180	203	149	166		
Typhoid fever	4	262	4	367	349	338	354	390		PA (1), OH (2), OK (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> ^{**}	—	85	3	183	212	248	134	82		
Vancomycin-resistant <i>Staphylococcus aureus</i> ^{**}	—	—	—	1	—	—	2	—		

See Table I footnotes on next page.

TABLE I. (Continued) Provisional cases of selected* infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 5, 2016 (44th week)[†] (Export data)

Disease	Current week	Cum 2016	5-year weekly average [§]	Total cases reported for previous years					States reporting cases during current week (No.)
				2015	2014	2013	2012	2011	
Viral hemorrhagic fevers ^{†††} :									
Crimean-Congo hemorrhagic fever	—	—	—	—	NP	NP	NP	NP	
Ebola hemorrhagic fever	—	—	—	—	4	NP	NP	NP	
Guanarito hemorrhagic fever	—	—	—	—	NP	NP	NP	NP	
Junin hemorrhagic fever	—	—	—	—	NP	NP	NP	NP	
Lassa fever	—	—	—	—	1	NP	NP	NP	
Lujo virus	—	—	—	—	NP	NP	NP	NP	
Machupo hemorrhagic fever	—	—	—	—	NP	NP	NP	NP	
Marburg fever	—	—	—	—	NP	NP	NP	NP	
Sabia-associated hemorrhagic fever	—	—	—	—	NP	NP	NP	NP	
Yellow fever	—	—	—	—	—	—	—	—	
Zika virus ^{††,§§§}									
Zika virus congenital infection	NA	NA	NA	NN	NN	NN	NN	NN	
Zika virus disease, non-congenital infection	3	4,102	—	NN	NN	NN	NN	NN	NYC (2), OH (1)

—: No reported cases. N: Not reportable. NA: Not available. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts.

* Case counts for reporting years 2015 and 2016 are provisional and subject to change. Data for years 2011 through 2014 are finalized. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.

[†] This table does not include cases from the U.S. territories. Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[§] Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.

[¶] Includes both neuroinvasive and nonneuroinvasive. Updated weekly reports from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.

** Not reportable in all reporting jurisdictions. Data from states where the condition is not reportable are excluded from this table, except for the arboviral diseases and influenza-associated pediatric mortality. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

^{††} Office of Management and Budget approval of the NNDSS Revision #0920-0728 on January 21, 2016, authorized CDC to receive data for these conditions. CDC is in the process of soliciting data for these conditions (except Zika virus, congenital infection). CDC and the U.S. states are still modifying the technical infrastructure needed to collect and transmit data for Zika virus congenital infections.

^{§§} Jamestown Canyon virus and Lacrosse virus have replaced California serogroup diseases.

^{¶¶} Data for *Haemophilus influenzae* (all ages, all serotypes) are available in Table II.

^{***} Updated weekly from the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2016, no influenza-associated pediatric deaths occurring during the 2016-17 season have been reported. Since October 4, 2015, 87 influenza-associated pediatric deaths occurring during the 2015-16 influenza season have been reported.

^{†††} No measles cases were reported for the current week.

^{§§§} Data for meningococcal disease (all serogroups) are available in Table II.


^{¶¶¶} All cases of novel influenza A virus infection reported to CDC since 2011 have been variant viruses. Influenza viruses that circulate in swine are called swine influenza viruses when isolated from swine, but are called variant viruses when isolated from humans. Variant influenza viruses are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).

^{****} Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.

^{††††} Prior to 2015, CDC's National Notifiable Diseases Surveillance System (NNDSS) did not receive electronic data about incident cases of specific viral hemorrhagic fevers; instead data were collected in aggregate as "viral hemorrhagic fevers". Beginning in 2015, NNDSS has been updated to receive data for each of the viral hemorrhagic fevers listed below. In addition to the four cases of Ebola diagnosed in the United States to date in 2014, six residents of the United States have been medically evacuated to the United States for care after developing Ebola in West Africa. Ten of the 11 Viral Hemorrhagic Fever cases reported for 2014 are confirmed as Ebola and one as Lassa fever.

^{§§§§} All cases reported have occurred in travelers returning from affected areas, with their sexual contacts, or infants infected in utero.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals November 5, 2016, with historical data



* No measles cases were reported for the current 4-week period yielding a ratio for week 44 of zero (0).

† Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**National Notifiable Diseases Data Team and
122 Cities Mortality Data Team**

David W. Walker

Deborah A. Adams	Willie J. Anderson
Lenee Blanton	Natalie Kramer
Diana Harris Onweh	Alan W. Schley
Pearl C. Sharp	

Data presented by the National Notifiable Diseases Data Team and 122 Cities Mortality Data Team in the weekly MMWR are provisional, based on weekly reports to CDC by state health departments. Readers who have difficulty accessing this PDF file may access the HTML file at <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6544md.htm>. Address all inquiries about the MMWR Series, including material to be considered for publication, to Editor, MMWR Series, Mailstop E-90, CDC, 1600 Clifton Rd., N.E., Atlanta, GA 30329-4027 or to mmwrq@cdc.gov.

Morbidity and Mortality Weekly Report

TABLE II. Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending November 5, 2016, and November 7, 2015 (44th week)[†] (Export data)

Reporting area	Babesiosis					Campylobacteriosis				
	Current week	Previous 52 weeks		Cum 2016	Cum 2015	Current week	Previous 52 weeks		Cum 2016	Cum 2015
		Med	Max				Med	Max		
United States	5	15	121	1,273	1,889	564	923	3,038	42,602	45,732
New England	1	6	78	708	1,020	17	48	93	2,253	2,680
Connecticut	—	0	7	47	323	—	10	33	362	671
Maine	—	0	11	77	47	4	4	12	204	186
Massachusetts	—	3	46	449	422	12	26	44	1,163	1,235
New Hampshire	—	0	2	9	47	1	4	10	170	227
Rhode Island	1	1	24	114	173	—	4	13	178	208
Vermont	—	0	5	12	8	—	3	10	176	153
Mid. Atlantic	4	7	109	496	739	98	139	222	6,113	6,750
New Jersey	—	1	19	140	288	—	32	58	1,362	1,598
New York (Upstate)	3	4	109	300	382	37	33	89	1,434	1,637
New York City	1	0	11	56	69	42	34	54	1,464	1,429
Pennsylvania	N	0	0	N	N	19	40	81	1,853	2,086
E.N. Central	—	0	6	47	64	68	128	240	6,542	4,742
Illinois	—	0	1	1	3	—	33	64	1,538	—
Indiana	—	0	0	—	—	—	16	29	667	790
Michigan	—	0	0	—	3	7	23	48	1,224	1,166
Ohio	—	0	0	—	2	58	36	63	1,765	1,507
Wisconsin	—	0	6	46	56	3	28	59	1,348	1,279
W.N. Central	—	0	1	2	48	19	62	111	2,483	4,468
Iowa	N	0	0	N	N	5	18	44	899	653
Kansas	N	0	0	N	N	1	12	30	581	604
Minnesota	—	0	0	—	45	—	0	36	1	1,215
Missouri	N	0	0	N	N	—	0	24	16	1,064
Nebraska	—	0	1	1	—	12	9	26	503	465
North Dakota	—	0	1	1	3	—	2	9	88	157
South Dakota	—	0	0	—	—	1	8	24	395	310
S. Atlantic	—	0	2	11	6	82	137	285	5,857	7,875
Delaware	—	0	1	1	1	—	3	9	129	133
District of Columbia	N	0	0	N	N	—	0	0	—	8
Florida	N	0	0	N	N	43	40	83	1,707	3,088
Georgia	N	0	0	N	N	9	17	34	791	943
Maryland	—	0	2	9	3	12	15	32	709	698
North Carolina	N	0	0	N	N	—	23	82	822	1,123
South Carolina	—	0	1	1	2	11	6	15	262	300
Virginia	N	0	0	N	N	7	28	81	1,252	1,306
West Virginia	—	0	0	—	—	—	4	14	185	276
E.S. Central	—	0	1	1	3	20	43	70	1,949	2,007
Alabama	—	0	0	—	2	6	13	25	562	508
Kentucky	—	0	0	—	—	4	13	25	583	694
Mississippi	N	0	0	N	N	2	4	13	210	166
Tennessee	—	0	1	1	1	8	13	28	594	639
W.S. Central	—	0	1	1	2	104	100	261	4,753	4,882
Arkansas	—	0	0	—	—	—	9	29	437	382
Louisiana	—	0	1	1	1	—	6	21	252	440
Oklahoma	N	0	0	N	N	22	21	45	1,000	747
Texas	—	0	0	—	1	82	67	202	3,064	3,313
Mountain	—	0	1	3	—	27	62	104	2,655	3,774
Arizona	—	0	0	—	—	20	21	51	1,028	1,232
Colorado	N	0	0	N	N	—	0	25	1	817
Idaho	N	0	0	N	N	2	8	20	377	341
Montana	—	0	1	2	—	5	7	14	315	288
Nevada	N	0	0	N	N	—	1	8	69	148
New Mexico	N	0	0	N	N	—	8	16	376	426
Utah	—	0	1	1	—	—	7	27	358	391
Wyoming	—	0	0	—	—	—	3	9	131	131
Pacific	—	0	2	4	7	129	218	1,992	9,997	8,554
Alaska	N	0	0	N	N	1	2	7	104	80
California	—	0	1	3	5	61	163	239	7,186	7,194
Hawaii	N	0	0	N	N	2	9	25	457	501
Oregon	—	0	1	1	2	6	17	38	855	779
Washington	—	0	2	—	—	59	23	1,841	1,395	—
Territories										
American Samoa	U	0	0	U	U	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	1	—	4
Puerto Rico	N	0	0	N	N	—	1	3	35	25
U.S. Virgin Islands	N	0	0	N	N	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2015 and 2016 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending November 5, 2016, and November 7, 2015 (44th week)[†] (Export data)

Reporting area	<i>Chlamydia trachomatis</i> infection					Coccidioidomycosis				
	Current week	Previous 52 weeks		Cum 2016	Cum 2015	Current week	Previous 52 weeks		Cum 2016	Cum 2015
		Med	Max				Med	Max		
United States	14,732	29,032	32,854	1,239,633	1,292,439	185	189	369	8,060	9,148
New England	190	993	1,285	40,403	41,989	—	0	1	2	—
Connecticut	5	203	484	7,033	10,843	N	0	0	N	N
Maine	—	79	155	3,546	3,374	N	0	0	N	N
Massachusetts	—	505	589	20,977	20,313	N	0	0	N	N
New Hampshire	70	115	225	4,440	2,062	—	0	1	2	—
Rhode Island	114	71	227	3,304	3,795	—	0	0	—	—
Vermont	1	29	58	1,103	1,602	N	0	0	N	N
Mid. Atlantic	2,160	3,886	4,291	167,167	159,771	—	0	0	—	—
New Jersey	190	652	1,278	28,766	26,874	N	0	0	N	N
New York (Upstate)	890	806	1,499	34,599	33,931	N	0	0	N	N
New York City	307	1,292	1,508	55,601	53,527	N	0	0	N	N
Pennsylvania	773	1,106	1,384	48,201	45,439	N	0	0	N	N
E.N. Central	1,472	4,218	5,021	178,888	191,921	1	1	7	57	32
Illinois	44	1,028	1,576	42,674	59,346	—	0	0	N	N
Indiana	309	587	763	26,084	24,402	N	0	0	N	N
Michigan	367	919	1,181	38,352	39,291	—	0	3	32	17
Ohio	450	1,164	1,356	49,731	48,286	1	0	4	18	9
Wisconsin	302	504	609	22,047	20,596	—	0	2	7	6
W.N. Central	606	1,802	1,983	75,697	75,662	—	1	7	77	99
Iowa	62	254	302	10,618	10,299	N	0	0	N	N
Kansas	105	231	297	10,011	9,728	N	0	0	N	N
Minnesota	1	423	526	16,270	18,029	—	1	4	64	75
Missouri	322	593	707	26,002	24,750	—	0	1	—	8
Nebraska	96	149	246	6,624	6,785	—	0	1	5	9
North Dakota	9	61	93	2,680	2,706	—	0	1	4	7
South Dakota	11	80	119	3,492	3,365	—	0	1	4	—
S. Atlantic	2,147	5,791	7,463	241,059	269,608	—	0	2	8	5
Delaware	111	96	199	4,479	3,834	—	0	1	2	—
District of Columbia	—	152	282	6,460	6,965	—	0	0	—	—
Florida	1,068	1,805	2,319	76,909	76,408	N	0	0	N	N
Georgia	372	919	1,288	38,185	49,524	N	0	0	N	N
Maryland	—	581	1,033	21,752	21,808	—	0	2	6	5
North Carolina	1	1,008	2,097	35,233	52,951	N	0	0	N	N
South Carolina	595	577	789	24,189	23,159	N	0	0	N	N
Virginia	—	696	1,358	29,916	30,704	N	0	0	N	N
West Virginia	—	91	186	3,936	4,255	N	0	0	N	N
E.S. Central	657	1,616	2,262	68,180	77,491	—	0	0	—	—
Alabama	—	460	739	15,671	23,152	N	0	0	N	N
Kentucky	—	366	1,462	13,511	12,922	—	0	0	—	—
Mississippi	394	346	566	13,200	14,199	N	0	0	N	N
Tennessee	263	608	791	25,798	27,218	N	0	0	N	N
W.S. Central	3,527	4,027	5,964	174,902	177,080	—	0	2	8	7
Arkansas	53	318	572	13,225	12,955	—	0	2	1	4
Louisiana	583	597	3,041	26,988	25,747	—	0	1	7	3
Oklahoma	63	305	483	12,707	18,022	N	0	0	N	N
Texas	2,828	2,783	4,611	121,982	120,356	N	0	0	N	N
Mountain	1,463	1,992	2,636	87,352	87,137	175	120	284	5,172	6,474
Arizona	541	636	987	27,978	27,183	175	119	282	5,117	6,286
Colorado	542	456	1,192	22,212	20,868	N	0	0	N	N
Idaho	—	108	212	4,921	4,686	N	0	0	N	N
Montana	3	83	114	3,661	3,518	—	0	1	8	9
Nevada	84	203	319	8,663	10,951	—	0	6	9	92
New Mexico	145	232	341	10,213	10,881	—	0	2	13	27
Utah	113	183	220	8,004	7,325	—	1	2	24	48
Wyoming	35	39	73	1,700	1,725	—	0	1	1	12
Pacific	2,510	4,847	5,292	205,985	211,780	9	65	99	2,736	2,531
Alaska	63	111	189	4,568	4,638	N	0	0	N	N
California	1,542	3,755	4,233	162,033	163,189	9	65	99	2,729	2,522
Hawaii	—	134	165	5,468	6,071	N	0	0	N	N
Oregon	386	331	432	14,511	13,791	—	0	1	7	9
Washington	519	465	744	19,405	24,091	N	0	0	N	N
Territories										
American Samoa	—	0	0	—	—	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	135	111	481	6,226	4,639	N	0	0	N	N
U.S. Virgin Islands	—	8	28	331	657	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting years 2015 and 2016 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending November 5, 2016, and November 7, 2015 (44th week)[†] (Export data)

Reporting area	Shiga toxin-producing <i>E. coli</i> (STEC) [§]					Shigellosis				
	Current week	Previous 52 weeks		Cum 2016	Cum 2015	Current week	Previous 52 weeks		Cum 2016	Cum 2015
		Med	Max				Med	Max		
United States	53	112	549	5,409	5,782	127	383	981	15,501	18,408
New England	2	5	37	277	224	3	4	10	210	234
Connecticut	—	0	33	91	74	—	0	4	29	53
Maine	—	0	3	34	28	1	0	1	2	3
Massachusetts	—	2	7	107	60	2	3	8	150	145
New Hampshire	—	0	3	18	26	—	0	1	5	4
Rhode Island	2	0	2	9	9	—	0	2	22	24
Vermont	—	0	2	18	27	—	0	1	2	5
Mid. Atlantic	8	14	30	663	565	15	26	43	1,142	1,604
New Jersey	—	3	7	122	119	—	4	11	190	323
New York (Upstate)	1	4	16	237	162	3	4	12	179	297
New York City	7	2	9	116	93	9	7	17	363	637
Pennsylvania	—	4	12	188	191	3	8	27	410	347
E.N. Central	10	13	83	828	817	15	65	124	2,766	1,957
Illinois	—	3	61	252	158	—	13	35	483	679
Indiana	—	1	8	70	121	—	4	14	203	235
Michigan	1	3	10	160	112	2	10	27	462	423
Ohio	9	4	14	246	223	13	23	54	960	454
Wisconsin	—	2	10	100	203	—	14	38	658	166
W.N. Central	2	13	30	616	924	4	20	98	828	2,033
Iowa	—	4	20	279	147	—	8	31	400	531
Kansas	—	2	7	112	106	1	4	14	204	105
Minnesota	—	0	5	—	248	—	0	21	—	166
Missouri	—	0	9	9	217	—	0	52	27	853
Nebraska	2	2	9	115	109	3	2	14	155	78
North Dakota	—	0	3	31	41	—	0	2	19	23
South Dakota	—	1	9	70	56	—	0	3	23	277
S. Atlantic	8	11	23	507	504	29	51	130	2,148	3,621
Delaware	—	0	2	13	4	—	1	4	53	19
District of Columbia	—	0	1	1	4	—	0	4	4	38
Florida	3	3	8	151	112	20	15	35	637	1,571
Georgia	—	2	8	102	99	5	15	38	639	1,086
Maryland	5	1	6	74	73	1	3	9	131	197
North Carolina	—	0	6	33	62	—	5	34	199	268
South Carolina	—	0	2	19	36	1	3	44	163	170
Virginia	—	2	8	94	93	2	7	22	313	257
West Virginia	—	0	3	20	21	—	0	2	9	15
E.S. Central	6	6	15	287	262	1	15	33	648	1,243
Alabama	—	1	3	27	33	—	6	25	218	565
Kentucky	1	1	5	73	64	—	4	15	200	388
Mississippi	—	0	2	20	20	—	1	5	58	90
Tennessee	5	3	9	167	145	1	3	13	172	200
W.S. Central	10	20	92	807	680	39	118	497	4,499	5,073
Arkansas	—	1	7	80	63	—	3	9	124	79
Louisiana	—	0	2	8	44	—	5	16	218	182
Oklahoma	10	2	33	121	116	7	13	124	577	779
Texas	—	15	53	598	457	32	91	363	3,580	4,033
Mountain	4	10	27	491	701	14	30	54	1,378	651
Arizona	1	3	8	133	109	14	24	49	1,117	388
Colorado	—	0	10	—	180	—	0	8	—	81
Idaho	2	2	12	145	131	—	1	4	37	23
Montana	1	2	15	99	73	—	0	2	9	12
Nevada	—	0	7	8	46	—	0	8	13	41
New Mexico	—	1	5	41	33	—	2	21	137	66
Utah	—	1	5	58	91	—	1	5	60	31
Wyoming	—	0	2	7	38	—	0	1	5	9
Pacific	3	18	399	933	1,105	7	45	190	1,882	1,992
Alaska	—	0	2	11	8	—	0	1	4	4
California	1	12	26	545	847	6	37	68	1,604	1,847
Hawaii	—	0	2	18	40	—	0	5	31	73
Oregon	2	3	12	168	210	—	2	10	93	68
Washington	—	0	386	191	—	1	3	152	150	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	5	—	9
Puerto Rico	—	0	0	—	2	—	0	4	20	16
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2015 and 2016 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[§] Includes *E. coli* O157:H7, Shiga toxin-positive, serogroup non-O157, and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases (≥1,000 cases reported during the preceding year), and selected* low frequency diseases, United States and U.S. territories, weeks ending November 5, 2016, and November 7, 2015 (44th week)[†] (Export data)

Reporting area	West Nile virus disease [§]									
	Neuroinvasive					Nonneuroinvasive [¶]				
	Current week	Previous 52 weeks		Cum 2016	Cum 2015	Current week	Previous 52 weeks		Cum 2016	Cum 2015
	Med	Max				Med	Max			
United States	—	2	96	765	1,432	—	2	101	767	711
New England	—	0	4	13	16	—	0	3	6	5
Connecticut	—	0	1	1	8	—	0	0	—	2
Maine	—	0	0	—	1	—	0	0	—	—
Massachusetts	—	0	2	8	7	—	0	2	5	3
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	1	2	—	—	0	0	—	—
Vermont	—	0	1	2	—	—	0	1	1	—
Mid. Atlantic	—	0	6	27	82	—	0	6	14	31
New Jersey	—	0	1	10	23	—	0	0	—	3
New York (Upstate)	—	0	0	—	12	—	0	5	9	7
New York City	—	0	3	6	30	—	0	0	—	8
Pennsylvania	—	0	2	11	17	—	0	1	5	13
E.N. Central	—	0	17	68	111	—	0	28	156	48
Illinois	—	0	1	—	50	—	0	27	145	26
Indiana	—	0	4	11	16	—	0	1	2	5
Michigan	—	0	10	40	16	—	0	1	1	2
Ohio	—	0	3	11	23	—	0	2	5	12
Wisconsin	—	0	1	6	6	—	0	2	3	3
W.N. Central	—	0	15	129	82	—	0	47	298	135
Iowa	—	0	3	14	4	—	0	5	22	10
Kansas	—	0	2	15	12	—	0	2	14	22
Minnesota	—	0	3	9	3	—	0	11	38	6
Missouri	—	0	2	8	23	—	0	1	1	6
Nebraska	—	0	7	34	19	—	0	7	56	49
North Dakota	—	0	3	14	10	—	0	10	54	13
South Dakota	—	0	8	35	11	—	0	16	113	29
S. Atlantic	—	0	6	22	76	—	0	2	8	32
Delaware	—	0	0	—	—	—	0	0	—	6
District of Columbia	—	0	1	1	3	—	0	0	—	2
Florida	—	0	3	5	12	—	0	1	1	—
Georgia	—	0	1	3	13	—	0	0	—	2
Maryland	—	0	1	6	31	—	0	0	—	14
North Carolina	—	0	1	2	4	—	0	0	—	—
South Carolina	—	0	2	3	—	—	0	2	2	—
Virginia	—	0	1	2	13	—	0	1	4	8
West Virginia	—	0	0	—	—	—	0	1	1	—
E.S. Central	—	0	5	37	36	—	0	3	20	21
Alabama	—	0	2	4	5	—	0	1	6	4
Kentucky	—	0	2	5	1	—	0	0	—	1
Mississippi	—	0	4	25	25	—	0	2	11	13
Tennessee	—	0	1	3	5	—	0	1	3	3
W.S. Central	—	0	30	196	299	—	0	13	99	128
Arkansas	—	0	2	3	16	—	0	1	1	2
Louisiana	—	0	6	16	40	—	0	2	8	10
Oklahoma	—	0	3	13	49	—	0	2	12	40
Texas	—	0	22	164	194	—	0	9	78	76
Mountain	—	0	16	140	155	—	0	22	120	100
Arizona	—	0	6	51	66	—	0	3	18	35
Colorado	—	0	9	53	57	—	0	15	84	44
Idaho	—	0	1	2	5	—	0	2	4	8
Montana	—	0	1	3	3	—	0	1	3	—
Nevada	—	0	2	12	4	—	0	1	3	3
New Mexico	—	0	2	5	12	—	0	0	—	2
Utah	—	0	3	7	5	—	0	2	6	3
Wyoming	—	0	2	7	3	—	0	1	2	5
Pacific	—	0	28	133	575	—	0	16	46	211
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	0	27	123	567	—	0	15	44	194
Hawaii	—	0	0	—	—	—	0	0	—	—
Oregon	—	0	1	2	—	—	0	1	1	1
Washington	—	0	3	8	8	—	0	1	1	16
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. NP: Nationally notifiable but not published. Cum: Cumulative year-to-date counts. Med: Median.

Max: Maximum.

* Three low incidence conditions, rubella, rubella congenital, and tetanus, are in Table II to facilitate case count verification with reporting jurisdictions.

[†] Case counts for reporting year 2015 and 2016 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[§] Updated weekly from the Division of Vector-Borne Diseases, National Center for Emerging and Zoonotic Infectious Diseases (ArboNET Surveillance). Data for Jamestown Canyon virus, La Crosse virus, Chikungunya virus, Eastern equine encephalitis virus, Powassan virus, St. Louis virus, and Western equine encephalitis virus diseases are available in Table I.

[¶] Not reportable in all states. Reporting exceptions are available at <http://www.cdc.gov/nndss/downloads.html>.

TABLE III. Number of deaths from pneumonia and influenza and all deaths,* by U.S. Department of Health and Human Services region and state, for the week ending October 22, 2016, as of November 9, 2016†

Region	State	Deaths from pneumonia and influenza	All deaths
01	Connecticut	—	—
	Maine	11	179
	Massachusetts	70	1,008
	New Hampshire	6	159
	Rhode Island	4	93
	Vermont	0	37
	Region total	92	1,489
02	New Jersey	70	1,348
	New York	—	—
	New York City	87	966
	Region total	164	2,413
03	Delaware	7	125
	District of Columbia	3	31
	Maryland	—	—
	Pennsylvania	—	—
	Virginia	10	274
	West Virginia	3	127
	Region total	—	—
04	Alabama	25	607
	Florida	125	2,842
	Georgia	39	760
	Kentucky	33	425
	Mississippi	—	—
	North Carolina	—	—
	South Carolina	26	523
	Tennessee	—	—
	Region total	255	5,189
05	Illinois	104	1,782
	Indiana	34	595
	Michigan	65	1,332
	Minnesota	23	500
	Ohio	62	1,071
	Wisconsin	42	847
		Region total	330
06	Arkansas	23	348
	Louisiana	25	480
	New Mexico	18	195
	Oklahoma	28	439
	Texas	104	2,105
		Region total	198
07	Iowa	19	303
	Kansas	17	332
	Missouri	36	730
	Nebraska	14	198
	Region total	86	1,563
08	Colorado	19	423
	Montana	4	118
	North Dakota	9	73
	South Dakota	9	89
	Utah	8	257
	Wyoming	—	—
	Region total	49	975
09	Arizona	31	677
	California	224	3,429
	Hawaii	17	163
	Nevada	10	256
	Region total	282	4,525
10	Alaska	5	50
	Idaho	11	184
	Oregon	10	288
	Washington	25	349
		Region total	51
	National total	1,542	27,637

— Insufficient data (<20% of the expected number of total deaths have been reported).

* National Center for Health Statistics (NCHS) mortality surveillance data.

† Death counts are based on all deaths records received and processed by NCHS as of November 9, 2016. Data are provisional, and therefore are subject to change as additional data are received.