

**Data Brief 291. Estimated Prevalence of Children With Diagnosed Developmental Disabilities in the United States, 2014–2016**

**Data table for Figure 1. Prevalence of children aged 3–17 years ever diagnosed with selected developmental disabilities, by year: United States, 2014–2016**

| Selected developmental disability measure | Estimate (95% confidence interval <sup>1</sup> ) | Standard error |
|---|--|----------------|
| <b>Autism spectrum disorder</b>           |  |                |
| 2014                                      | 2.24 (1.90–2.63)                                 | 0.18           |
| 2015                                      | 2.41 (2.01–2.85)                                 | 0.21           |
| 2016                                      | 2.76 (2.29–3.29)                                 | 0.25           |
| <b>Intellectual disability</b>            |  |                |
| 2014                                      | 1.10 (0.89–1.37)                                 | 0.12           |
| 2015                                      | 1.34 (1.03–1.71)                                 | 0.17           |
| 2016                                      | 1.14 (0.87–1.47)                                 | 0.15           |
| <b>Other developmental delay</b>          |  |                |
| 2014                                      | 3.57 (3.11–4.07)                                 | 0.24           |
| 2015                                      | 3.56 (3.07–4.10)                                 | 0.26           |
| 2016                                      | 4.55 (4.00–5.15)                                 | 0.29           |
| <b>Developmental disability</b>           |  |                |
| 2014                                      | 5.76 (5.20–6.37)                                 | 0.29           |
| 2015                                      | 6.04 (5.39–6.75)                                 | 0.34           |
| 2016                                      | 6.99 (6.28–7.76)                                 | 0.37           |

<sup>1</sup>95% confidence interval was calculated using the Korn-Graubard method for complex surveys.

SOURCE: NCHS, National Health Interview Survey, 2014–2016.

**Data Brief 291. Estimated Prevalence of Children With Diagnosed Developmental Disabilities in the United States, 2014–2016**

**Data table for Figure 2. Prevalence of children aged 3–17 years ever diagnosed with autism spectrum disorder, by sex, age, and race and ethnicity: United States, 2014–2016**

| Selected demographic characteristic | Estimate (95% confidence interval <sup>1</sup> ) | Standard error |
|-------------------------------------|--|----------------|
| Total                               | 2.47 (2.23–2.72)                                 | 0.12           |
| Sex                                 |  |                |
| Boys                                | 3.63 (3.23–4.07)                                 | 0.21           |
| Girls                               | 1.25 (1.01–1.52)                                 | 0.13           |
| Age group (years)                   |  |                |
| 3–7                                 | 2.23 (1.82–2.69)                                 | 0.22           |
| 8–12                                | 2.88 (2.45–3.38)                                 | 0.23           |
| 13–17                               | 2.30 (1.93–2.72)                                 | 0.20           |
| Race and ethnicity                  |  |                |
| Non-Hispanic white                  | 2.76 (2.42–3.14)                                 | 0.18           |
| Non-Hispanic black                  | 2.49 (1.85–3.28)                                 | 0.35           |
| Non-Hispanic other                  | 2.48 (1.82–3.29)                                 | 0.36           |
| Hispanic                            | 1.82 (1.44–2.27)                                 | 0.21           |

<sup>1</sup>95% confidence interval was calculated using the Korn-Graubard method for complex surveys.

SOURCE: NCHS, National Health Interview Survey, 2014–2016.

**Data Brief 291. Estimated Prevalence of Children With Diagnosed Developmental Disabilities in the United States, 2014–2016**

**Data table for Figure 3. Prevalence of children aged 3–17 years ever diagnosed with intellectual disability, by sex, age, and race and ethnicity: United States, 2014–2016**

| Selected demographic characteristic | Estimate (95% confidence interval <sup>1</sup> ) | Standard error |
|-------------------------------------|--|----------------|
| Total                               | 1.19 (1.03–1.37)                                 | 0.08           |
| Sex                                 |  |                |
| Boys                                | 1.48 (1.21–1.78)                                 | 0.14           |
| Girls                               | 0.90 (0.73–1.09)                                 | 0.09           |
| Age group (years)                   |  |                |
| 3–7                                 | 0.73 (0.52–1.00)                                 | 0.12           |
| 8–12                                | 1.45 (1.15–1.80)                                 | 0.16           |
| 13–17                               | 1.40 (1.11–1.74)                                 | 0.16           |
| Race and ethnicity                  |  |                |
| Non-Hispanic white                  | 1.10 (0.91–1.32)                                 | 0.10           |
| Non-Hispanic black                  | 1.53 (1.04–2.16)                                 | 0.27           |
| Non-Hispanic other                  | 0.86 (0.34–1.80)                                 | 0.33           |
| Hispanic                            | 1.33 (1.01–1.73)                                 | 0.18           |

<sup>1</sup>95% confidence interval was calculated using the Korn-Graubard method for complex surveys.

SOURCE: NCHS, National Health Interview Survey, 2014–2016.

**Data Brief 291. Estimated Prevalence of Children With Diagnosed Developmental Disabilities in the United States, 2014–2016**

**Data table for Figure 4. Prevalence of children aged 3–17 years ever diagnosed with other developmental delay, by sex, age, and race and ethnicity: United States, 2014–2016**

| Selected demographic characteristic | Estimate (95% confidence interval <sup>1</sup> ) | Standard error |
|-------------------------------------|--|----------------|
| Total                               | 3.89 (3.60–4.20)                                 | 0.15           |
| Sex                                 |  |                |
| Boys                                | 4.77 (4.34–5.23)                                 | 0.23           |
| Girls                               | 2.98 (2.62–3.37)                                 | 0.19           |
| Age group (years)                   |  |                |
| 3–7                                 | 4.37 (3.84–4.94)                                 | 0.28           |
| 8–12                                | 4.24 (3.71–4.83)                                 | 0.28           |
| 13–17                               | 3.08 (2.66–3.55)                                 | 0.22           |
| Race and ethnicity                  |  |                |
| Non-Hispanic white                  | 4.43 (4.00–4.89)                                 | 0.22           |
| Non-Hispanic black                  | 3.67 (2.86–4.63)                                 | 0.44           |
| Non-Hispanic other                  | 3.62 (2.79–4.61)                                 | 0.45           |
| Hispanic                            | 2.98 (2.51–3.51)                                 | 0.25           |

<sup>1</sup>95% confidence interval was calculated using the Korn-Graubard method for complex surveys.

SOURCE: NCHS, National Health Interview Survey, 2014–2016.

**Data Brief 291. Estimated Prevalence of Children With Diagnosed Developmental Disabilities in the United States, 2014–2016**

**Data table for Figure 5. Prevalence of children aged 3–17 years ever diagnosed with any developmental disability, by sex, age, and race and ethnicity: United States, 2014–2016**

| Selected demographic characteristic | Estimate (95% confidence interval <sup>1</sup> ) | Standard error |
|-------------------------------------|--|----------------|
| Total                               | 6.27 (5.89–6.66)                                 | 0.20           |
| Sex                                 |  |                |
| Boys                                | 8.15 (7.56–8.77)                                 | 0.31           |
| Girls                               | 4.29 (3.86–4.75)                                 | 0.22           |
| Age group (years)                   |  |                |
| 3–7                                 | 6.18 (5.53–6.87)                                 | 0.34           |
| 8–12                                | 6.87 (6.18–7.61)                                 | 0.36           |
| 13–17                               | 5.76 (5.15–6.41)                                 | 0.32           |
| Race and ethnicity                  |  |                |
| Non-Hispanic white                  | 7.04 (6.49–7.62)                                 | 0.29           |
| Non-Hispanic black                  | 6.20 (5.18–7.35)                                 | 0.54           |
| Non-Hispanic other                  | 6.16 (4.97–7.53)                                 | 0.63           |
| Hispanic                            | 4.69 (4.07–5.37)                                 | 0.32           |

<sup>1</sup>95% confidence interval was calculated using the Korn-Graubard method for complex surveys.

SOURCE: NCHS, National Health Interview Survey, 2014–2016.