

Data Brief 336. Regional Variation in Private Dental Coverage and Care Among Dentate Adults Aged 18–64 in the United States, 2014–2017

Data table for Figure 1. Percentage of dentate adults aged 18–64 who had dental care coverage, by region: United States, 2014–2017

Geographic region	Percent	Confidence interval
National	50.2	49.67–50.75
Pacific	48.0	46.66–49.37
Mountain	48.6	46.56–50.64
West South Central	45.9	43.98–47.74
East South Central	45.6	43.47–47.83
South Atlantic	45.6	44.26–46.90
West North Central	55.0	53.31–56.61
East North Central	53.5	52.22–54.80
Middle Atlantic	55.8	54.41–57.26
New England	57.1	54.93–59.19

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population.

SOURCE: NCHS, National Health Interview Survey, 2014–2017.

Data Brief 336. Regional Variation in Private Dental Coverage and Care Among Dentate Adults Aged 18–64 in the United States, 2014–2017

Data table for Figure 2. Percentage of dentate adults aged 18–64 with dental care coverage who did not see a dentist in the past 12 months, by region: United States, 2014–2017

Geographic region	Percent	Confidence interval
National	22.1	21.54–22.71
Pacific	21.1	19.77–22.42
Mountain	22.5	20.70–24.44
West South Central	29.4	27.08–31.81
East South Central	26.9	24.70–29.21
South Atlantic	22.7	21.41–24.11
West North Central	22.5	20.82–24.33
East North Central	20.6	19.18–22.14
Middle Atlantic	20.0	18.54–21.45
New England	14.3	12.50–16.32

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population.

SOURCE: NCHS, National Health Interview Survey, 2014–2017.

Data Brief 336. Regional Variation in Private Dental Coverage and Care Among Dentate Adults Aged 18–64 in the United States, 2014–2017

Data table for Figure 3. Percentage of dentate adults aged 18–64 with dental coverage who needed dental care but couldn't afford it in the past 12 months, by region: United States, 2014–2017

Geographic region	Percent	Confidence interval
National	4.4	4.18–4.71
Pacific	4.5	3.86–5.20
Mountain	7.0	5.68–8.60
West South Central	5.4	4.59–6.20
East South Central	4.1	3.12–5.33
South Atlantic	4.7	3.97–5.44
West North Central	2.8	2.20–3.43
East North Central	4.4	3.79–5.04
Middle Atlantic	3.7	3.12–4.36
New England	3.5	2.67–4.58

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population.

SOURCE: NCHS, National Health Interview Survey, 2014–2017.