

2a Errata for Year 2006

Page#	Content to be Corrected	Corrections
148	Delete current info and replace with 1 statement: F17.- Mental and behavioral disorders due to use of tobacco Not to be used if the resultant physical condition is known	Corrected page attached

Section IV – Classification of Categories

E86	Volume depletion <i>with mention of:</i> A00-A09 (Intestinal infectious diseases), code A00-A09
E89.-	Postprocedural endocrine and metabolic disorders, not elsewhere classified Not to be used for underlying cause mortality coding.
F03-F09	Organic, including symptomatic, mental disorders Not to be used if the underlying physical condition is known.
F10-F19	Mental and behavioral disorders due to psychoactive substance use Fourth characters .0 (Acute intoxication) and .5 (Psychotic disorder) <i>with mention of:</i> Dependence syndrome (.2), code F10-F19 with fourth character .2
F10.-	Mental and behavioral disorders due to use of alcohol <i>with mention of:</i> K70.- (Alcoholic liver disease), code K70.-
F10.2	Dependence syndrome due to use of alcohol <i>with mention of:</i> F10.4, F10.6, F10.7 (Withdrawal state with delirium), (Amnesic syndrome), (Residual and late-onset psychotic disorder), code F10.4, F10.6, F10.7

Section IV – Classification of Categories

F17.- Mental and behavioral disorders due to use of tobacco

when reported as the originating antecedent cause of:

C34.- (Malignant neoplasm of bronchus and lung), code **C34.-**

I20-I25 (Ischemic heart disease), code **I20-I25**

J40-J47 (Chronic lower respiratory disease), code **J40-J47**

F11.9, F12.9 Mental and behavioral disorders due to use of drugs

F13.9, F14.9

F15.9, F16.9

F18.9, F19.9

INCLUDES: “drug use NOS” and “named drug use” of named drugs indexed under Addiction\Dependence in ICD-10, Volume 3

EXCLUDES: “drug use NOS” and “named drug use” when reported as causing a complication. If there is a resulting complication, consider as drug therapy and apply instructions under Y40-Y59, Drugs, medicaments and biological substances causing adverse effects in therapeutic use.

	<u>Codes for Record</u>
I (a) Heroin use	F119
(b)	
II Acute intravenous drug use	F199

Code to heroin use (F119).

	<u>Codes for Record</u>
I (a) Melanoma of back	C435
(b)	
II Use of hypnotics	F139

Code to melanoma of back (C435).

	<u>Code for Record</u>
I (a) Intravenous drug use	F119
(b) (morphine)	
II	

Accident

Code to intravenous morphine use (F119).