

PART 2c
VITAL STATISTICS ICD-10 ACME DECISION TABLES
For
CLASSIFYING UNDERLYING CAUSES OF DEATH, 2014

SECTION I -INTRODUCTION

This manual contains the decision tables used by the ICD-10 ACME system to assign the underlying causes of death within the framework of the rules and instructions contained in the Vital Statistics Instructions For Classifying the Underlying Cause of Death, 2014 (Part 2a). Corrections and refinements in the Decision Tables and/or in the ACME computer programs are incorporated at the beginning of each data year prior to processing of that year's data. Updating only annually maintains comparability throughout each data year of NCHS and State mortality medical data. Refining the accuracy of the tables at more frequent intervals is desirable from a coder's viewpoint, but data analysis considerations must take priority.

Major Revisions from Previous Manuals:

1. In each edition, all new additions/corrections are identified with an asterisk.
2. In the Causal table, under address K768, Other Specified diseases of liver, added maybe reason "M" to all subaddresses in Causal table except the self-code, K768. The reason: Address must not be qualified as idiopathic.
3. In the Causal table, added I773 as a cause of I259.
4. In the Causal table, added Antibiotic therapy (Y400-Y409, Y560-Y569) as a cause of Clostridium Difficile Enterocolitis (A047).
5. Under Address codes, O000-O998, deleted all subaddresses of B200-B24, R75 and added/replaced with O987.
6. In the Causal table, under address Idiopathic infantile arterial calcification (Q288) added maybe reason "M" to all subaddresses except the self-code Q288. The reason: Address must not be qualified as idiopathic.
7. In the Modification table, added Clostridium Difficile Enterocolitis (A047) as a direct consequence of Antibiotic therapy (Y400-Y409, Y433, and Y560-Y569).
8. In the Modification table, added under address Diphtheria (A369): SDC M792 for a combination code of A368 and SDC G810-G839 for a combination code of A368.
9. In the Modification table, added Parasite NOS (B89) as a SMP B650-B839, Specific parasites.
10. In the Modification table, deleted E849 SMP E841 and added E849 LMP E841.
11. In the Modification table, added Dementia (F03) as a direct consequence of Down's Syndrome (Q900-Q909).

ICD-10-Mortality Manual 2c - 2014

12. In the Modification table, added addresses Mental retardation (F70-F78) as a direct consequence of certain Perinatal conditions classified to (P000-P073, P100-P112, P119, P159-P219, P350-P359, P370-P379, P520-P529, P570-P579, P90-P919).
13. In the Modification table, added Alzheimer's (G300-G309) as a direct consequence of Down's Syndrome (Q900-Q909).
14. In the Modification table, added Esophageal varices (I850) and (I859) as direct consequences of Liver diseases classified to B180-B189.
15. In the Modification table, added Cystic liver disease (Q446), as a LMP to Q611-Q613 (Polycystic kidney diseases).
16. In the Modification table, added under addresses K721 and K729: LMC T510-T519 for a combination code of K704.
17. In the Modification table, changed the linkage type from LMP to LDP: N000 LDP N030-N039.
18. In the Modification table, added under addresses N001-N008 LDP N030-N039.
19. In the Modification table, changed the linkage type from LMP to LDP: N009 LDP N030-N039.
20. In the Modification table, deleted maybe "M" (M G310-G319) under Pneumonia addresses: J150-J156, J158-J159, J168, J180, J182-J189.
21. In the Ambivalent Table (Table F) under address K719, added the term "non-viral" to the maybe "M" reason for LMC K720 for the combination code of K712.

Table A (Valid Codes for Multiple and Underlying Cause Coding) lists each ICD code that is valid for both multiple and underlying cause coding. Table B (Valid Codes for Multiple Cause Coding) lists each ICD code that is valid for multiple cause coding but invalid for underlying cause coding. Table C (Invalid Codes for Multiple and Underlying Cause Coding for US Registration Areas, Valid for International Users of ACME) lists each ICD code that is invalid for both multiple and underlying cause coding for US registration areas. Table D (Causal Relationship) shows which pairs of multiple cause codes constitute acceptable causal relationships (reported sequences). Table E (Modification) includes direct sequel, ill-defined conditions, senility, linkage, and specificity relationships. Table F (Reasons for Ambivalent Relationships in Modification Table) contains the reason for every ambivalent entry in Table E. Reasons are not included for some of the direct sequel relationships. This is further guidance to help in the selection of the most appropriate underlying cause of death. Table G (Code Conversions) cites each special code generated for multiple cause coding and the underlying cause code to which it converts. Table H (ICD-10 Trivial Conditions) lists the codes for conditions considered for coding purposes to be trivial (a condition unlikely itself to cause death).

These tables provide guidance on acceptable sequences, highly improbable sequences, and modifications in assigning underlying causes of death in compliance with the International Rules set forth in ICD-10. The tables are designed in accordance with the selection and modification rules contained in Part 2a and the rules for coding conditions contained in Part 2b of the Vital Statistics Instruction Manual series. When the decision tables are used in the process of assigning underlying causes of death, the applicable pair of conditions should be viewed within the framework of the basic coding principles in Part 2b. Otherwise, error in the underlying cause of death can result.

The decision tables have been tested and reviewed. Test results have established that the ACME system will

ICD-10-Mortality Manual 2c - 2014

produce the same underlying cause of death as that assigned in the manual coding process in approximately 99 percent of the cases. Nonetheless, there are certain considerations that must be taken into account in their use.

First, an undertaking that attempts to deal with such a mass body of data with an objective of making firm conclusions on each code relationship with each other code for each decision table will, by its very nature, contain some inconsistent entries and oversight. As these are detected through use of the ACME system, corrections will be made in subsequent issues of this manual.

Secondly, the tables provide decisions used by NCHS in applying selection and modification rules in arriving at underlying causes of death. These decisions are intended to provide guidance to coders and to further standardize the mortality medical classification process. The tables are not intended to convey any conclusive medical judgment or knowledge. It is recognized that many of these relationships involve conditions about which medical opinion is divided.

SECTION II -GUIDANCE IN USE OF DECISION TABLES

Addresses and Subaddresses - Tables D, E, and F contain address and subaddress codes. The address always consists of a single 3 - 5 digit code enclosed in dashes e.g. "--- G08 ---." The subaddress is given under the address code and may consist of a single code or a span of codes. Interpretation is as follows for subaddresses:

G10	is a single 3 digit code
I800-I809	includes any valid 4th digit contained in category I80
K20-K219	includes all valid codes contained in categories K20 thru K219

Asterisk codes – ICD-10 provides for the classification of certain diagnostic statements according to two different axes -etiology or underlying disease process and manifestation or complication. Thus, there are two codes for those diagnostic statements subject to dual classification. The etiology or underlying disease process codes are marked with a dagger (†), and the manifestation or complication codes are marked with an asterisk (*) following the code in ICD-10. NCHS does not use the asterisk codes in multiple cause coding.

The asterisk codes have not been used for underlying cause coding; they are therefore, not in the decision tables. It is noted that certain codes in ICD-10 can be regarded as asterisk or dagger codes depending on the inclusion term being referenced. When such codes are contained in the decision tables, they are defined as dagger codes.

Created ICD-10 Categories -In ICD-10 a number of categories contain inclusion terms which are dissimilar in terms of how they causally relate to or combine with other categories. This dissimilarity in effect dictates that the causal relationship must be designated as having an ambivalent ("maybe") relationship in the ACME decision tables. As a result, the ACME underlying cause of death assignment for such cases is conditional in nature and must be reviewed by a nosologist. A number of the affected categories are relatively high in frequency and, therefore, reduce systems throughput capability of the automated assignment. NCHS has chosen to eliminate ambivalent systems rejects for 57 high frequency ICD categories by modifying the inclusion terms which are assigned to such categories. This has been accomplished by removing certain inclusion terms from an existing category and creating an artificial category not currently used by the ICD for those terms. This isolates the affected terms into separate categories so causal and modification relationships can be specifically stated as "yes" or "no." The resultant set of special codes thus includes existing ICD-10 codes, in which inclusion terms have been modified, and newly assigned defined artificial codes not currently in ICD-10.

Prior to using Decision Tables D and E, any term indexed to one of the ICD categories being modified must be recoded to its corresponding special category. All table entries (address, subaddress, and recodes) in both tables employ these special codes in lieu of the regular ICD codes. When the final underlying cause is one of the special artificial codes, that underlying cause must be converted back to its regular ICD category (see Table G).

The following list includes each original ICD category which has been modified, the corresponding special code which was used in the decision tables, and the definition of the special code. In general, for the special codes already in ICD-10, the definition merely cites the extent to which the category is being modified (usually with an "excludes" statement). For created codes, the definition cites the contents of the artificial category.

A169 Respiratory tuberculosis, unspecified

ICD-10-Mortality Manual 2c - 2014

Excludes: Any term indexed to A169 not qualified as respiratory or pulmonary (A1690)
*A1690 Tuberculosis NOS
Includes: Any term indexed to A169 not qualified as respiratory or pulmonary

E039 Hypothyroidism, unspecified

Excludes: Any term indexed to E039 qualified as advanced, grave, severe, or with a similar qualifier (E0390)

*E0390 Advanced hypothyroidism
Grave hypothyroidism
Severe hypothyroidism

Includes: Any term indexed to E039 qualified as advanced, grave, severe, or with a similar qualifier

G122 Motor neuron disease

Excludes: Any term indexed to G122 qualified as advanced, grave, severe, or with a similar qualifier (G1220)

*G1220 Advanced motor neuron disease
Grave motor neuron disease
Severe motor neuron disease

Includes: Any term indexed to G122 qualified as advanced, grave, severe, or with a similar qualifier

G20 Parkinson's disease

Excludes: Any term indexed to G20 qualified as advanced, grave, severe, or with a similar qualifier (G2000)

*G2000 Advanced Parkinson's disease
Grave Parkinson's disease
Severe Parkinson's disease

Includes: Any term indexed to G20 qualified as advanced, grave, severe, or with a similar qualifier

I219 Acute myocardial infarction, unspecified

Excludes: Embolism of any site classified to I219

*I2190 Embolism cardiac, heart, myocardium, or a synonymous site

Includes: Embolism of any site classified to I219

I420 Dilated cardiomyopathy

Excludes: Any term indexed to I420 qualified as familial, idiopathic, or primary (I4200)

*I4200 Familial dilated cardiomyopathy
Idiopathic dilated cardiomyopathy
Primary dilated cardiomyopathy

Includes: Any term indexed to I420 qualified as familial, idiopathic, or primary

I421 Obstructive hypertrophic cardiomyopathy

Excludes: Any term indexed to I421 qualified as familial, idiopathic, or primary (I4210)

*I4210 Familial obstructive hypertrophic cardiomyopathy

ICD-10-Mortality Manual 2c - 2014

Idiopathic obstructive hypertrophic cardiomyopathy

Primary obstructive hypertrophic cardiomyopathy

Includes: Any term indexed to I421 qualified as familial, idiopathic, or primary

I422 Other hypertrophic cardiomyopathy

Excludes: Any term indexed to I422 qualified as familial, idiopathic, or primary (I4220)

*I4220 Familial other hypertrophic cardiomyopathy

Idiopathic other hypertrophic cardiomyopathy

Primary other hypertrophic cardiomyopathy

Includes: Any term indexed to I422 qualified as familial, idiopathic, or primary

I425 Other restrictive cardiomyopathy

Excludes: Any term indexed to I425 qualified as familial, idiopathic, or primary (I4250)

*I4250 Familial other restrictive cardiomyopathy

Idiopathic other restrictive cardiomyopathy

Primary other restrictive cardiomyopathy

Includes: Any term indexed to I425 qualified as familial, idiopathic, or primary

I428 Other cardiomyopathies

Excludes: Any term indexed to I428 qualified as familial, idiopathic, or primary (I4280)

*I4280 Familial other cardiomyopathies

Idiopathic other cardiomyopathies

Primary other cardiomyopathies

Includes: Any term indexed to I428 qualified as familial, idiopathic, or primary

I429 Cardiomyopathy, unspecified

Excludes: Any term indexed to I429 qualified as familial, idiopathic, or primary (I4290)

*I4290 Familial cardiomyopathy

Idiopathic cardiomyopathy

Primary cardiomyopathy

Includes: Any term indexed to I429 qualified as familial, idiopathic, or primary

I500 Congestive heart failure

Excludes: Any term indexed to I500 qualified as advanced, grave, severe, or with a similar qualifier (I5000)

*I5000 Advanced congestive heart failure

Grave congestive heart failure

Severe congestive heart failure

Includes: Any term indexed to I500 qualified as advanced, grave, severe, or with a similar qualifier

I514 Myocarditis, unspecified

Excludes: Any term indexed to I514 qualified as arteriosclerotic (I5140)

*I5140 Arteriosclerotic myocarditis

Includes: Any term indexed to I514 qualified as arteriosclerotic

ICD-10-Mortality Manual 2c - 2014

I515 Myocardial degeneration

Excludes: Any term indexed to I515 qualified as arteriosclerotic (I5150)

*I5150 Arteriosclerotic myocardial degeneration

Includes: Any term indexed to I515 qualified as arteriosclerotic

I600 Subarachnoid hemorrhage from carotid siphon and bifurcation

Excludes: Ruptured carotid aneurysm (into brain) (I6000)

*I6000 Ruptured carotid aneurysm (into brain)

I606 Subarachnoid hemorrhage from other intracranial arteries

Excludes: Ruptured aneurysm (congenital) circle of Willis (I6060)

*I6060 Ruptured aneurysm (congenital) circle of Willis

I607 Subarachnoid hemorrhage from intracranial artery, unspecified

Excludes: Ruptured berry aneurysm (congenital) brain (I6070)

Ruptured miliary aneurysm (I6070)

*I6070 Ruptured berry aneurysm (congenital) brain

Ruptured miliary aneurysm

I608 Other subarachnoid hemorrhage

Excludes: Ruptured aneurysm brain meninges (I6080)

Ruptured arteriovenous aneurysm (congenital) brain (I6080)

Ruptured (congenital) arteriovenous aneurysm cavernous sinus (I6080)

*I6080 Ruptured aneurysm brain meninges

Ruptured arteriovenous aneurysm (congenital) brain

Ruptured (congenital) arteriovenous aneurysm cavernous sinus

I609 Subarachnoid hemorrhage, unspecified

Excludes: Ruptured arteriosclerotic cerebral aneurysm (I6090)

Ruptured (congenital) cerebral aneurysm NOS (I6090)

Ruptured mycotic aneurysm brain (I6090)

*I6090 Ruptured arteriosclerotic cerebral aneurysm

Ruptured (congenital) cerebral aneurysm NOS

Ruptured mycotic aneurysm brain

I610 Intracerebral hemorrhage in hemisphere, subcortical

Excludes: Any term indexed to I610 qualified as bilateral, multiple, or similar term1(I6100)

*I6100 Bilateral, multiple [or similar term1] intracerebral hemorrhages in hemisphere, subcortical

Includes: Any term indexed to I610 qualified as bilateral, multiple, or similar term1I611 Intracerebral hemorrhage in hemisphere, cortical

Excludes: Any term indexed to I611 qualified as bilateral, multiple, or similar term1 (I6110)

*I6110 Bilateral, multiple [or similar term1] intracerebral hemorrhages in hemisphere, cortical

Includes: Any term indexed to I611 qualified as bilateral, multiple, or similar term1

I612 Intracerebral hemorrhage in hemisphere, unspecified

ICD-10-Mortality Manual 2c - 2014

- Excludes:** Any term indexed to I612 qualified as bilateral, multiple, or similar term1 (I6120)
*I6120 Bilateral, multiple [or similar term1] intracerebral hemorrhages, unspecified
Includes: Any term indexed to I612 qualified as bilateral, multiple, or similar term1
- I613 Intracerebral hemorrhage in brain stem
Excludes: Any term indexed to I613 qualified as bilateral, multiple, or similar term1 (I6130)
*I6130 Bilateral, multiple [or similar term1] intracerebral hemorrhages in brain stem
Includes: Any term indexed to I613 qualified as bilateral, multiple, or similar term1
- I614 Intracerebral hemorrhage in cerebellum
Excludes: Any term indexed to I614 qualified as bilateral, multiple, or similar term1 (I6140)
*I6140 Bilateral, multiple [or similar term1] intracerebral hemorrhages in cerebellum
Includes: Any term indexed to I614 qualified as bilateral, multiple, or similar term1
- I615 Intracerebral hemorrhage, intraventricular
Excludes: Any term indexed to I615 qualified as bilateral, multiple, or similar term1 (I6150)
*I6150 Bilateral, multiple [or similar term1] intracerebral hemorrhages, intraventricular
Includes: Any term indexed to I615 qualified as bilateral, multiple, or similar term1
- I618 Other intracerebral hemorrhage
Excludes: Any term indexed to I618 qualified as bilateral, multiple, or similar term1 (I6180)
*I6180 Bilateral, multiple [or similar term1] other intracerebral hemorrhages
Includes: Any term indexed to I618 qualified as bilateral, multiple, or similar term1
- I619 Intracerebral hemorrhage, unspecified
Excludes: Any term indexed to I619 qualified as bilateral, multiple, or similar term1 (I6190)
*I6190 Bilateral, multiple [or similar term1] intracerebral hemorrhages, unspecified
Includes: Any term indexed to I619 qualified as bilateral, multiple, or similar term1
- I630 Cerebral infarction due to thrombosis of precerebral arteries
Excludes: Any term indexed to I630 qualified as bilateral, multiple, or similar term1 (I6300)
*I6300 Cerebral infarction due to bilateral or multiple [or similar term1] thrombi of precerebral arteries
Includes: Any term indexed to I630 qualified as bilateral, multiple, or similar term1
- I631 Cerebral infarction due to embolism of precerebral arteries
Excludes: Any term indexed to I631 qualified as bilateral, multiple, or similar term1 (I6310)
*I6310 Cerebral infarction due to bilateral, multiple [or similar term1] emboli of precerebral arteries
Includes: Any term indexed to I631 qualified as bilateral, multiple, or similar term1
- I632 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries
Excludes: Any term indexed to I632 qualified as bilateral, multiple, or similar term1 (I6320)
*I6320 Cerebral infarction due to bilateral, multiple [or similar term1] unspecified occlusions or stenosis of precerebral arteries
Includes: Any term indexed to I632 qualified as bilateral, multiple, or similar term1

ICD-10-Mortality Manual 2c - 2014

- I633 Cerebral infarction due to thrombosis of cerebral arteries
Excludes: Any term indexed to I633 qualified as bilateral, multiple, or similar term1 (I6330)
*I6330 Cerebral infarction due to bilateral, multiple [or similar term1] thrombi of cerebral arteries
Includes: Any term indexed to I633 qualified as bilateral, multiple, or similar term1
- I634 Cerebral infarction due to embolism of cerebral arteries
Excludes: Any term indexed to I634 qualified as bilateral, multiple, or similar term1 (I6340)
*I6340 Cerebral infarction due to bilateral, multiple [or similar term1] emboli of cerebral arteries
Includes: Any term indexed to I634 qualified as bilateral, multiple, or similar term1
- I635 Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries
Excludes: Any term indexed to I635 qualified as bilateral, multiple, or similar term1 (I6350)
*I6350 Cerebral infarction due to bilateral, multiple [or similar term1] unspecified occlusions or stenosis of cerebral arteries
Includes: Any term indexed to I635 qualified as bilateral, multiple, or similar term1
- I636 Cerebral infarction due to cerebral venous thrombosis, nonpyogenic
Excludes: Any term indexed to I636 qualified as bilateral, multiple, or similar term1 (I6360)
*I6360 Cerebral infarction due to bilateral, multiple [or similar term1] cerebral venous thrombi, nonpyogenic
Includes: Any term indexed to I636 qualified as bilateral, multiple, or similar term1
- I638 Other cerebral infarction
Excludes: Any term indexed to I638 qualified as bilateral, multiple, or similar term1 (I6380)
*I6380 Bilateral, multiple [or similar term1] other cerebral infarctions
Includes: Any term indexed to I638 qualified bilateral, multiple, or similar term1
- I639 Cerebral infarction, unspecified
Excludes: Any term indexed to I639 qualified as bilateral, multiple, or similar term1 (I6390)
*I6390 Bilateral, multiple [or similar term1] cerebral infarctions, unspecified
Includes: Any term indexed to I639 qualified as bilateral, multiple, or similar term1
- I64 Stroke, not specified as hemorrhage or infarction
Excludes: Any term indexed to I64 qualified as bilateral, multiple, or similar term1 (I6400)
*I6400 Bilateral, multiple [or similar term1] strokes, not specified as hemorrhage or infarction
Includes: Any term indexed to I64 qualified as bilateral, multiple, or similar term1
- I691 Sequelae of intracerebral hemorrhage
Excludes: Any term indexed to I691 qualified as bilateral or multiple or similar term1 (I6910)
*I6910 Sequela of bilateral, multiple [or similar term1] intracerebral hemorrhages
Includes: Any term indexed to I691 qualified as bilateral, multiple, or similar term1
- I693 Sequelae of cerebral infarction

ICD-10-Mortality Manual 2c - 2014

- Excludes:** Any term indexed to I693 qualified as bilateral, multiple, or similar term¹ (I6930)
*I6930 Sequela of bilateral, multiple [or similar term¹] cerebral infarctions
Includes: Any term indexed to I693 qualified as bilateral, multiple, or similar term¹
- I694 Sequelae of stroke, not specified as hemorrhage or infarction
Excludes: Any term indexed to I694 qualified as bilateral, multiple, or similar term¹ (I6940)
*I6940 Sequela of bilateral, multiple [or similar term¹] strokes, not specified as hemorrhage or infarction
Includes: Any term indexed to I694 qualified as bilateral or multiple or similar term¹
- J101 Influenza with other respiratory manifestations, influenza virus identified
Excludes: Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations) (J1010)
*J1010 Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations)
- J111 Influenza with other respiratory manifestations, virus not identified
Excludes: Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations) (J1110)
*J1110 Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations)
- J841 Other interstitial pulmonary diseases with fibrosis
Excludes: Chronic pneumonia, not elsewhere classified (J8410)
*J8410 Chronic pneumonia, not elsewhere classified
- J849 Interstitial pulmonary disease, unspecified
Excludes: Interstitial pneumonia, not elsewhere classified (J8490) *J8490 Interstitial pneumonia, not elsewhere classified
- J984 Other disorders of lung
Excludes: Lung disease (acute) (chronic) NOS (J9840)
*J9840 Lung disease (acute) (chronic) NOS
- K319 Disease of stomach and duodenum, unspecified
Excludes: Disease, stomach NOS (K3190)
Lesion, stomach NOS (K3190)
*K3190 Disease, stomach NOS
Lesion, stomach NOS
- K550 Acute vascular disorders of intestine
Excludes: Any term indexed to K550 qualified as emboli (K5500)
*K5500 Acute embolic vascular disorders of intestine
Includes: Any term indexed to K550 qualified embolic
- K631 Perforation of intestine (nontraumatic)
Excludes: Intestinal penetration, unspecified part (K6310)

ICD-10-Mortality Manual 2c - 2014

- Intestinal perforation, unspecified part (K6310)
Intestinal rupture, unspecified part (K6310)
*K6310 Intestinal penetration, unspecified part
Intestinal perforation, unspecified part
Intestinal rupture, unspecified part
- K720 Acute and subacute hepatic failure
Excludes: Acute hepatic failure (K7200)
*K7200 Acute hepatic failure
- K721 Chronic hepatic failure
Excludes: Chronic hepatic failure (K7210)
*K7210 Chronic hepatic failure
- K729 Hepatic failure, unspecified
Excludes: Hepatic failure (K7290)
*K7290 Hepatic failure
- M199 Arthrosis, unspecified
Excludes: Any term indexed to M199 qualified as advanced, grave, severe, or with a similar qualifier (M1990)
*M1990 Advanced arthrosis
Grave arthrosis
Severe arthrosis
Includes: Any term indexed to M199 qualified as advanced, grave, severe, or with a similar qualifier
- Q278 Other specified congenital malformations of peripheral vascular system
Excludes: Congenital aneurysm (peripheral) (Q2780)
*Q2780 Congenital aneurysm (peripheral)
- Q282 Arteriovenous malformation of cerebral vessels
Excludes: Congenital arteriovenous cerebral aneurysm (nonruptured) (Q2820)
*Q2820 Congenital arteriovenous cerebral aneurysm (nonruptured)
- Q283 Other malformations of cerebral vessels
Excludes: Congenital cerebral aneurysm (nonruptured) (Q2830)
*Q2830 Congenital cerebral aneurysm (nonruptured)
- R58 Hemorrhage, not elsewhere classified
Excludes: Hemorrhage of unspecified site (R5800)
*R5800 Hemorrhage of unspecified site
- R99 Other ill-defined and unspecified causes of mortality
Excludes: Cause unknown (R97)
*R97 Cause unknown

SECTION III -DESCRIPTION AND USE OF TABLES A - C

Not all codes in ICD-10 are used for mortality medical coding. Table A lists in numerical order the ICD-10 codes which are valid for both underlying cause and multiple cause coding. Table B gives in numerical order the code numbers which are valid for multiple cause only. The two sets are different because (1) injury and poisoning codes are valid only for multiple cause coding, (2) special artificial codes are used only for multiple cause coding, and (3) certain other codes are defined for multiple cause coding use only (including postprocedural disorders). Created codes are discussed in Section II. More information on the valid code sets and their derivation can be found in Parts 2a, 2b, and 11 of this Vital Statistics Instruction Manual series. ACME uses Table A - C to assure that all multiple cause codes are valid prior to attempting assignment of an underlying cause of death. Table A validates the final underlying cause assignment.

SECTION IV -DESCRIPTION AND USE OF TABLE D

This table is referred to as the Causal Relationship Table. The codes in the table show when two conditions constitute an acceptable causal relationship (reported sequence). This table is used in the application of three of the selection rules: General Principle, Selection Rule 1 and Selection Rule 2.

The address code represents the condition on an upper line in Part I of each relationship of the two codes under question. Subaddress codes identify the conditions which can give rise to the condition classifiable to the address code. All subaddress codes (except an ambivalent relationship discussed below) recorded under an address code are in an acceptable causal relationship to the address code. All valid codes not recorded under the address code (i.e. either as an acceptable causal relationship or as an ambivalent relationship) are in an unacceptable causal relationship. In other words, the missing codes cannot cause the address code.

For some subaddresses, not all inclusion terms of the code (or code span) can cause the inclusions in the address code; and/or some but not all inclusions in the address can be due to the inclusions of the subaddress. Where such ambivalent causal relationships exist between the address and the subaddress, the subaddress code is flagged with an "M" (maybe).

If in processing a record the ACME system encounters a relationship(s) which is a "maybe" in the tables, the system assumes the relationship(s) to be acceptable and assigns an underlying cause on that basis. However, the record is listed for nosological review and correction in case the relationship is unacceptable.

In order to minimize the core storage requirement of the decision tables on the computer, those codes which are highly infrequent in mortality coding have not been "addressed" in Table D. Accordingly, the user will note that certain codes in Table A cannot be found as address codes in Table D. If, in processing a record, the ACME system encounters one of these codes as an address, the record is listed for manual underlying cause coding.

SECTION V -DESCRIPTION AND USE OF TABLE E

This table is referred to as the Modification Table. It includes direct sequel relationships (Selection Rule 3), senility and ill-defined conditions (Rule A), linkages (Rule C), and specificity (Rule D). For purposes of ACME selection, Rules E and F are integrated into the above decision tables and/or are handled at the multiple cause coding stage. Rule B (trivial conditions) is discussed in Section VIII.

The address code in Table E is the tentative underlying cause. In the process of classifying the conditions on a certificate, the first tentative underlying cause is the underlying cause selected through the use of General Principle, Rule 1, or Rule 2. This may be modified one or more times through use of Selection Rule 3 and the modification rules.

In the process of modification, the subaddress codes identify conditions which either combine with the tentative underlying cause to create a third code or are preferred over the tentative underlying cause. In both cases, the new code (preference or combination code) becomes the new address code. This process of modification (or modification and reselection) may be repeated several times before the final underlying cause is assigned.

The symbol "M" is also used in this table to denote ambivalent ("maybe") relationships. Ambivalents in this table are processed in the same manner as those in Table D.

The symbol "#" is used in this table to denote that special considerations are required in the application of Rule C (linkage).

- (1) In order to apply Rule C to categories C000-C969 (malignant neoplasms), the address and subaddress must be reported together in Part I or together in Part II. However, for certain categories, the address may be reported in Part I and the subaddress in Part II or vice versa. These exceptions are flagged with the "#" in Table E.
- (2) In applying Rule C to categories F09 and F29, certain subaddresses must be reported on the same line with the address in order to be selected by Rule C. The subaddresses are flagged with the "#" in Table E.

The following abbreviations precede each code relationship to designate the applicable table:

- DS: When the tentative underlying cause is considered a direct sequel of another condition on the certificate in Part I (must be on same or lower line as tentative underlying cause) or Part II, and the code for the other condition is preferred over the code for the tentative underlying cause.
- DSC: When the tentative underlying cause is considered a direct sequel of another condition on the certificate in Part I (must be on same or lower line as tentative underlying cause) or Part II, and the codes for the tentative underlying cause and the other condition combine into a third code.
- IDDC: When the tentative underlying cause is an ill-defined condition in the due to position to another condition, and the codes for the tentative underlying cause and the other condition combine into a third code.
- SENMC: When the tentative underlying cause is senility (R54), and is reported with mention of another condition on the certificate, and the codes for the tentative underlying cause and the other condition combine into a third code.
- SENDC: When the tentative underlying cause is senility (R54) and is reported in a due to position to another condition and the codes for the tentative underlying cause and the other condition combine into a third

ICD-10-Mortality Manual 2c - 2014

code.

- LMP:** When the tentative underlying cause is reported with mention of another condition, in Part I or Part II of the certificate, and the code for the other condition is preferred over the code for the tentative underlying cause.
- LMC:** When the tentative underlying cause is reported with mention of another condition, in Part I or Part II of the certificate, and the codes for the tentative underlying cause and the other condition combine into a third code.
- LDP:** When the tentative underlying cause is reported in the due to position to another condition and the code for the other condition is preferred over the code for the tentative underlying cause.
- LDC:** When the tentative underlying cause is reported in the due to position to another condition and the codes for the tentative underlying cause and the other condition combine into a third code.
- SMP:** When the tentative underlying cause describes a condition in general terms, and a condition which provides more precise information about the site or nature of this condition is reported anywhere on the certificate, and the code for the more precise condition is preferred over the code for the tentative underlying cause.
- SMC:** When the tentative underlying cause describes a condition in general terms, and a condition which provides more precise information about the site or nature of this condition is reported anywhere on the certificate, and the codes for the tentative underlying cause and the other condition combine into a third code.
- SDC:** When the tentative underlying cause is reported in the due to position to another condition, and can be regarded as an adjective modifying this condition, and the codes for the tentative underlying cause and the other conditions combine into a third code.

SECTION VI -DESCRIPTION AND USE OF TABLE F

Table F contains an explanation for most ambivalent entries in Table E (modification rules). This provides further guidance in the selection of the most appropriate underlying cause of death. Ambivalent entries in Table E are identified with an "M." If the conditions given in Table F are met, the code or the combined code is then selected to be used as the underlying cause of death. This selected code or combination code can be further modified as well. Reasons are not included for some of the direct sequel relationships). To save space when printing the reasons, the following abbreviations are used:

Addr: refers to the address code

Suba: refers to the subaddress code

There is one reason that is extremely lengthy and repetitive. Whenever the following reason is reported:

Advanced, grave, severe:

The complete reason description is:

Suba must be described as severe, advanced, grave or with similar expression or it is evident patient's mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar.

SECTION VII -DESCRIPTION AND USE OF TABLE G

Table G contains the list of created ICD-10 categories. If one of these codes is assigned as the underlying cause of death, ACME converts the special code back to its complementary ICD category for purposes of final underlying cause of death assignment. In each case, only the underlying cause of death is converted; the multiple cause codes are not modified by ACME. Table G lists these code conversions.

SECTION VIII -DESCRIPTION AND USE OF TABLE H

This table contains the list of codes representing conditions considered to be trivial in assigning the underlying cause of death. If a selected underlying cause is on this list, the ACME system applies Rule B to establish the appropriate course of action which may involve selecting a non-trivial condition as the underlying cause of death. See Part 2a for specific guidance on trivial conditions.

Table A
VALID CODES FOR MULTIPLE AND UNDERLYING CAUSE CODING

A

A0 Category

A000
A001
A009
A010
A011
A012
A013
A014
A020
A021
A022
A028
A029
A030
A031
A032
A033
A038
A039
A040
A041
A042
A043
A044
A045
A046
A047
A048
A049
A050
A051
A052
A053
A054
A058
A059
A060
A061
A062
A063
A064
A065

ICD-10-Mortality Manual 2c - 2014

A066
A067
A068
A069
A070
A071
A072
A073
A078
A079
A080
A081
A082
A083
A084
A085
A090
A099

A1 Category

A162
A163
A164
A165
A167
A168
A169
A170
A171
A178
A179
A180
A181
A182
A183
A184
A185
A186
A187
A188
A190
A191
A192
A198
A199

A2 Category

A200
A201
A202

ICD-10-Mortality Manual 2c - 2014

A203
A207
A208
A209
A210
A211
A212
A213
A217
A218
A219
A220
A221
A222
A227
A228
A229
A230
A231
A232
A233
A238
A239
A240
A241
A242
A243
A244
A250
A251
A259
A260
A267
A268
A269
A270
A278
A279
A280
A281
A282
A288
A289

A3 Category

A300
A301
A302
A303
A304

ICD-10-Mortality Manual 2c - 2014

A305
A308
A309
A310
A311
A318
A319
A320
A321
A327
A328
A329
A33
A34
A35
A360
A361
A362
A363
A368
A369
A370
A371
A378
A379
A38
A390
A391
A392
A393
A394
A395
A398
A399

A4 Category

A400
A401
A402
A403
A408
A409
A410
A411
A412
A413
A414
A415
A418
A419

ICD-10-Mortality Manual 2c - 2014

A420
A421
A422
A427
A428
A429
A430
A431
A438
A439
A440
A441
A448
A449
A46
A480
A481
A482
A483
A484
A488
A490
A491
A492
A493
A498
A499

A5 Category

A500
A501
A502
A503
A504
A505
A506
A507
A509
A510
A511
A512
A513
A514
A515
A519
A520
A521
A522
A523
A527

ICD-10-Mortality Manual 2c - 2014

A528
A529
A530
A539
A540
A541
A542
A543
A544
A545
A546
A548
A549
A55
A560
A561
A562
A563
A564
A568
A57
A58
A590
A598
A599

A6 Category

A600
A601
A609
A630
A638
A64
A65
A660
A661
A662
A663
A664
A665
A666
A667
A668
A669
A670
A671
A672
A673
A679
A680

ICD-10-Mortality Manual 2c - 2014

A681
A689
A690
A691
A692
A698
A699

A7 Category

A70
A710
A711
A719
A740
A748
A749
A750
A751
A752
A753
A759
A770
A771
A772
A773
A778
A779
A78
A790
A791
A798
A799

A8 Category

A800
A801
A802
A803
A804
A809
A810
A811
A812
A818
A819
A820
A821
A829
A830
A831

ICD-10-Mortality Manual 2c - 2014

A832
A833
A834
A835
A836
A838
A839
A840
A841
A848
A849
A850
A851
A852
A858
A86
A870
A871
A872
A878
A879
A880
A881
A888
A89

A9 Category

A90
A91
A920
A921
A922
A923
A924
A928
A929
A930
A931
A932
A938
A94
A950
A951
A959
A960
A961
A962
A968
A969
A980

ICD-10-Mortality Manual 2c - 2014

A981
A982
A983
A984
A985
A988
A99

B

B0 Category

B000
B001
B002
B003
B004
B005
B007
B008
B009
B010
B011
B012
B018
B019
B020
B021
B022
B023
B027
B028
B029
B03
B04
B050
B051
B052
B053
B054
B058
B059
B060
B068
B069
B07
B080
B081
B082
B083

ICD-10-Mortality Manual 2c - 2014

B084
B085
B088
B09

B1 Category

B150
B159
B160
B161
B162
B169
B170
B171
B172
B178
B179
B180
B181
B182
B188
B189
B190
B199

B2 Category

B200
B201
B202
B203
B204
B205
B206
B207
B208
B209
B210
B211
B212
B213
B217
B218
B219
B220
B221
B222
B227
B230
B231
B232

ICD-10-Mortality Manual 2c - 2014

B238
B24
B250
B251
B252
B258
B259
B260
B261
B262
B263
B268
B269
B270
B271
B278
B279

B3 Category

B300
B301
B302
B303
B308
B309
B330
B331
B332
B333
B334
B338
B340
B341
B342
B343
B344
B348
B349
B350
B351
B352
B353
B354
B355
B356
B358
B359
B360
B361
B362

ICD-10-Mortality Manual 2c - 2014

B363
B368
B369
B370
B371
B372
B373
B374
B375
B376
B377
B378
B379
B380
B381
B382
B383
B384
B387
B388
B389
B390
B391
B392
B393
B394
B395
B399

B4 Category

B400
B401
B402
B403
B407
B408
B409
B410
B417
B418
B419
B420
B421
B427
B428
B429
B430
B431
B432
B438

ICD-10-Mortality Manual 2c - 2014

B439
B440
B441
B442
B447
B448
B449
B450
B451
B452
B453
B457
B458
B459
B460
B461
B462
B463
B464
B465
B468
B469
B470
B471
B479
B480
B481
B482
B483
B484
B487
B488
B49

B5 Category

B500
B508
B509
B510
B518
B519
B520
B528
B529
B530
B531
B538
B54
B550
B551

ICD-10-Mortality Manual 2c - 2014

B552
B559
B560
B561
B569
B570
B571
B572
B573
B574
B575
B580
B581
B582
B583
B588
B589
B59

B6 Category

B600
B601
B602
B608
B64
B650
B651
B652
B653
B658
B659
B660
B661
B662
B663
B664
B665
B668
B669
B670
B671
B672
B673
B674
B675
B676
B677
B678
B679
B680

ICD-10-Mortality Manual 2c - 2014

B681
B689
B690
B691
B698
B699

B7 Category

B700
B701
B710
B711
B718
B719
B72
B73
B740
B741
B742
B743
B744
B748
B749
B75
B760
B761
B768
B769
B770
B778
B779
B780
B781
B787
B789
B79

B8 Category

B80
B810
B811
B812
B813
B814
B818
B820
B829
B830
B831
B832

ICD-10-Mortality Manual 2c - 2014

B833
B834
B838
B839
B850
B851
B852
B853
B854
B86
B870
B871
B872
B873
B874
B878
B879
B880
B881
B882
B883
B888
B889
B89

B9 Category

B900
B901
B902
B908
B909
B91
B92
B940
B941
B942
B948
B949
B99

C

C0 Category

C000
C001
C002
C003
C004
C005

ICD-10-Mortality Manual 2c - 2014

C006
C008
C009
C01
C020
C021
C022
C023
C024
C028
C029
C030
C031
C039
C040
C041
C048
C049
C050
C051
C052
C058
C059
C060
C061
C062
C068
C069
C07
C080
C081
C088
C089
C090
C091
C098
C099

C1 Category

C100
C101
C102
C103
C104
C108
C109
C110
C111
C112
C113

ICD-10-Mortality Manual 2c - 2014

C118
C119
C12
C130
C131
C132
C138
C139
C140
C142
C148
C150
C151
C152
C153
C154
C155
C158
C159
C160
C161
C162
C163
C164
C165
C166
C168
C169
C170
C171
C172
C173
C178
C179
C180
C181
C182
C183
C184
C185
C186
C187
C188
C189
C19

C2 Category

C20
C210
C211

ICD-10-Mortality Manual 2c - 2014

C212
C218
C220
C221
C222
C223
C224
C227
C229
C23
C240
C241
C248
C249
C250
C251
C252
C253
C254
C257
C258
C259
C260
C261
C268
C269

C3 Category

C300
C301
C310
C311
C312
C313
C318
C319
C320
C321
C322
C323
C328
C329
C33
C340
C341
C342
C343
C348
C349
C37

ICD-10-Mortality Manual 2c - 2014

C380
C381
C382
C383
C384
C388
C390
C398
C399

C4 Category

C400
C401
C402
C403
C408
C409
C410
C411
C412
C413
C414
C418
C419
C430
C431
C432
C433
C434
C435
C436
C437
C438
C439
C440
C441
C442
C443
C444
C445
C446
C447
C448
C449
C450
C451
C452
C457
C459
C460

ICD-10-Mortality Manual 2c - 2014

C461
C462
C463
C467
C468
C469
C470
C471
C472
C473
C474
C475
C476
C478
C479
C480
C481
C482
C488
C490
C491
C492
C493
C494
C495
C496
C498
C499

C5 Category

C500
C501
C502
C503
C504
C505
C506
C508
C509
C510
C511
C512
C518
C519
C52
C530
C531
C538
C539
C540

ICD-10-Mortality Manual 2c - 2014

C541
C542
C543
C548
C549
C55
C56
C570
C571
C572
C573
C574
C577
C578
C579
C58

C6 Category

C600
C601
C602
C608
C609
C61
C620
C621
C629
C630
C631
C632
C637
C638
C639
C64
C65
C66
C670
C671
C672
C673
C674
C675
C676
C677
C678
C679
C680
C681
C688
C689

ICD-10-Mortality Manual 2c - 2014

C690
C691
C692
C693
C694
C695
C696
C698
C699

C7 Category

C700
C701
C709
C710
C711
C712
C713
C714
C715
C716
C717
C718
C719
C720
C721
C722
C723
C724
C725
C728
C729
C73
C740
C741
C749
C750
C751
C752
C753
C754
C755
C758
C759
C760
C761
C762
C763
C764
C765

ICD-10-Mortality Manual 2c - 2014

C767
C768
C770
C771
C772
C773
C774
C775
C778
C779
C780
C781
C782
C783
C784
C785
C786
C787
C788
C790
C791
C792
C793
C794
C795
C796
C797
C798

C8 Category

C80
C810
C811
C812
C813
C817
C819
C820
C821
C822
C827
C829
C830
C831
C832
C833
C834
C835
C836
C837

ICD-10-Mortality Manual 2c - 2014

C838
C839
C840
C841
C842
C843
C844
C845
C850
C851
C857
C859
C880
C881
C882
C883
C887
C889

C9 Category

C900
C901
C902
C910
C911
C912
C913
C914
C915
C917
C919
C920
C921
C922
C923
C924
C925
C927
C929
C930
C931
C932
C937
C939
C940
C941
C942
C943
C944
C945

ICD-10-Mortality Manual 2c - 2014

C947
C950
C951
C952
C957
C959
C960
C961
C962
C963
C967
C969
C97

D

D0 Category

D000
D001
D002
D010
D011
D012
D013
D014
D015
D017
D019
D020
D021
D022
D023
D024
D030
D031
D032
D033
D034
D035
D036
D037
D038
D039
D040
D041
D042
D043
D044
D045

ICD-10-Mortality Manual 2c - 2014

D046
D047
D048
D049
D050
D051
D057
D059
D060
D061
D067
D069
D070
D071
D072
D073
D074
D075
D076
D090
D091
D092
D093
D097
D099

D1 Category

D100
D101
D102
D103
D104
D105
D106
D107
D109
D110
D117
D119
D120
D121
D122
D123
D124
D125
D126
D127
D128
D129
D130

ICD-10-Mortality Manual 2c - 2014

D131
D132
D133
D134
D135
D136
D137
D139
D140
D141
D142
D143
D144
D150
D151
D152
D157
D159
D160
D161
D162
D163
D164
D165
D166
D167
D168
D169
D170
D171
D172
D173
D174
D175
D176
D177
D179
D180
D181
D190
D191
D197
D199

D2 Category

D200
D201
D210
D211
D212

ICD-10-Mortality Manual 2c - 2014

D213
D214
D215
D216
D219
D220
D221
D222
D223
D224
D225
D226
D227
D229
D230
D231
D232
D233
D234
D235
D236
D237
D239
D24
D250
D251
D252
D259
D260
D261
D267
D269
D27
D280
D281
D282
D287
D289
D290
D291
D292
D293
D294
D297
D299

D3 Category

D300
D301
D302

ICD-10-Mortality Manual 2c - 2014

D303
D304
D307
D309
D310
D311
D312
D313
D314
D315
D316
D319
D320
D321
D329
D330
D331
D332
D333
D334
D337
D339
D34
D350
D351
D352
D353
D354
D355
D356
D357
D358
D359
D360
D361
D367
D369
D370
D371
D372
D373
D374
D375
D376
D377
D379
D380
D381
D382
D383

ICD-10-Mortality Manual 2c - 2014

D384
D385
D386
D390
D391
D392
D397
D399

D4 Category

D400
D401
D407
D409
D410
D411
D412
D413
D414
D417
D419
D420
D421
D429
D430
D431
D432
D433
D434
D437
D439
D440
D441
D442
D443
D444
D445
D446
D447
D448
D449
D45
D460
D461
D462
D463
D464
D467
D469
D470

ICD-10-Mortality Manual 2c - 2014

D471
D472
D473
D477
D479
D480
D481
D482
D483
D484
D485
D486
D487
D489

D5 Category

D500
D501
D508
D509
D510
D511
D512
D513
D518
D519
D520
D521
D528
D529
D530
D531
D532
D538
D539
D550
D551
D552
D553
D558
D559
D560
D561
D562
D563
D564
D568
D569
D570
D571

ICD-10-Mortality Manual 2c - 2014

D572
D573
D578
D580
D581
D582
D588
D589
D590
D591
D592
D593
D594
D595
D596
D598
D599

D6 Category

D600
D601
D608
D609
D610
D611
D612
D613
D618
D619
D62
D640
D641
D642
D643
D644
D648
D649
D65
D66
D67
D680
D681
D682
D683
D684
D685
D686
D688
D689
D690

ICD-10-Mortality Manual 2c - 2014

D691
D692
D693
D694
D695
D696
D698
D699

D7 Category

D70
D71
D720
D721
D728
D729
D730
D731
D732
D733
D734
D735
D738
D739
D740
D748
D749
D750
D751
D752
D758
D759
D760
D761
D762
D763

D8 Category

D800
D801
D802
D803
D804
D805
D806
D807
D808
D809
D810
D811

ICD-10-Mortality Manual 2c - 2014

D812
D813
D814
D815
D816
D817
D818
D819
D820
D821
D822
D823
D824
D828
D829
D830
D831
D832
D838
D839
D840
D841
D848
D849
D860
D861
D862
D863
D868
D869
D890
D891
D892
D893
D898
D899

E

E0 Category

E000
E001
E002
E009
E010
E011
E012
E018
E02

ICD-10-Mortality Manual 2c - 2014

E030
E031
E032
E033
E034
E035
E038
E039
E040
E041
E042
E048
E049
E050
E051
E052
E053
E054
E055
E058
E059
E060
E061
E062
E063
E064
E065
E069
E070
E071
E078
E079

E1 Category

E100
E101
E102
E103
E104
E105
E106
E107
E109
E110
E111
E112
E113
E114
E115
E116

ICD-10-Mortality Manual 2c - 2014

E117
E119
E120
E121
E122
E123
E124
E125
E126
E127
E129
E130
E131
E132
E133
E134
E135
E136
E137
E139
E140
E141
E142
E143
E144
E145
E146
E147
E149
E15
E160
E161
E162
E163
E164
E168
E169

E2 Category

E200
E201
E208
E209
E210
E211
E212
E213
E214
E215
E220

ICD-10-Mortality Manual 2c - 2014

E221
E222
E228
E229
E230
E231
E232
E233
E236
E237
E240
E241
E242
E243
E244
E248
E249
E250
E258
E259
E260
E261
E268
E269
E270
E271
E272
E273
E274
E275
E278
E279
E280
E281
E282
E283
E288
E289
E290
E291
E298
E299

E3 Category

E300
E301
E308
E309
E310
E311

ICD-10-Mortality Manual 2c - 2014

E318
E319
E320
E321
E328
E329
E340
E341
E342
E343
E344
E345
E348
E349

E4 Category

E40
E41
E42
E43
E440
E441
E45
E46

E5 Category

E500
E501
E502
E503
E504
E505
E506
E507
E508
E509
E511
E512
E518
E519
E52
E530
E531
E538
E539
E54
E550
E559
E560
E561

ICD-10-Mortality Manual 2c - 2014

E568
E569
E58
E59

E6 Category

E60
E610
E611
E612
E613
E614
E615
E616
E617
E618
E619
E630
E631
E638
E639
E640
E641
E642
E643
E648
E649
E65
E660
E661
E662
E668
E669
E670
E671
E672
E673
E678
E68

E7 Category

E700
E701
E702
E703
E708
E709
E710
E711
E712

ICD-10-Mortality Manual 2c - 2014

E713
E720
E721
E722
E723
E724
E725
E728
E729
E730
E731
E738
E739
E740
E741
E742
E743
E744
E748
E749
E750
E751
E752
E753
E754
E755
E756
E760
E761
E762
E763
E768
E769
E770
E771
E778
E779
E780
E781
E782
E783
E784
E785
E786
E788
E789
E790
E791
E798
E799

E8 Category

E800
E801
E802
E803
E804
E805
E806
E807
E830
E831
E832
E833
E834
E835
E838
E839
E840
E841
E848
E849
E850
E851
E852
E853
E854
E858
E859
E86
E870
E871
E872
E873
E874
E875
E876
E877
E878
E880
E881
E882
E883
E888
E889

E

F0 Category

ICD-10-Mortality Manual 2c - 2014

F010
F011
F012
F013
F018
F019
F03
F04
F050
F051
F058
F059
F060
F061
F062
F063
F064
F065
F066
F067
F068
F069
F070
F071
F072
F078
F079
F09

F1 Category

F101
F102
F103
F104
F105
F106
F107
F108
F109
F111
F112
F113
F114
F115
F116
F117
F118
F119
F121
F122

ICD-10-Mortality Manual 2c - 2014

F123
F124
F125
F126
F127
F128
F129
F131
F132
F133
F134
F135
F136
F137
F138
F139
F141
F142
F143
F144
F145
F146
F147
F148
F149
F151
F152
F153
F154
F155
F156
F157
F158
F159
F161
F162
F163
F164
F165
F166
F167
F168
F169
F171
F172
F173
F174
F175
F176
F177

ICD-10-Mortality Manual 2c - 2014

F178
F179
F181
F182
F183
F184
F185
F186
F187
F188
F189
F191
F192
F193
F194
F195
F196
F197
F198
F199

F2 Category

F200
F201
F202
F203
F204
F205
F206
F208
F209
F21
F220
F228
F229
F230
F231
F232
F233
F238
F239
F24
F250
F251
F252
F258
F259
F28
F29

F3 Category

F300
F301
F302
F308
F309
F310
F311
F312
F313
F314
F315
F316
F317
F318
F319
F320
F321
F322
F323
F328
F329
F330
F331
F332
F333
F334
F338
F339
F340
F341
F348
F349
F380
F381
F388
F39

F4 Category

F400
F401
F402
F408
F409
F410
F411
F412
F413
F418

ICD-10-Mortality Manual 2c - 2014

F419
F420
F421
F422
F428
F429
F430
F431
F432
F438
F439
F440
F441
F442
F443
F444
F445
F446
F447
F448
F449
F450
F451
F452
F453
F454
F458
F459
F480
F481
F488
F489

F5 Category

F500
F501
F502
F503
F504
F505
F508
F509
F510
F511
F512
F513
F514
F515
F518
F519

ICD-10-Mortality Manual 2c - 2014

F520
F521
F522
F523
F524
F525
F526
F527
F528
F529
F530
F531
F538
F539
F54
F55
F59

F6 Category

F600
F601
F602
F603
F604
F605
F606
F607
F608
F609
F61
F620
F621
F628
F629
F630
F631
F632
F633
F638
F639
F640
F641
F642
F648
F649
F650
F651
F652
F653
F654

ICD-10-Mortality Manual 2c - 2014

F655
F656
F658
F659
F660
F661
F662
F668
F669
F680
F681
F688
F69

F7 Category

F70
F71
F72
F73
F78
F79

F8 Category

F800
F801
F802
F803
F808
F809
F810
F811
F812
F813
F818
F819
F82
F83
F840
F841
F842
F843
F844
F845
F848
F849
F88
F89

F9 Category

F900

ICD-10-Mortality Manual 2c - 2014

F901
F908
F909
F910
F911
F912
F913
F918
F919
F920
F928
F929
F930
F931
F932
F933
F938
F939
F940
F941
F942
F948
F949
F950
F951
F952
F958
F959
F980
F981
F982
F983
F984
F985
F986
F988
F989
F99

G

G0 Category

G000
G001
G002
G003
G008
G009
G030

ICD-10-Mortality Manual 2c - 2014

G031
G032
G038
G039
G040
G041
G042
G048
G049
G060
G061
G062
G08
G09

G1 Category

G10
G110
G111
G112
G113
G114
G118
G119
G120
G121
G122
G128
G129
G14

G2 Category

G20
G210
G211
G212
G213
G214
G218
G219
G230
G231
G232
G238
G239
G240
G241
G242
G243
G244

ICD-10-Mortality Manual 2c - 2014

G245
G248
G249
G250
G251
G252
G253
G254
G255
G256
G258
G259

G3 Category

G300
G301
G308
G309
G310
G311
G312
G318
G319
G35
G360
G361
G368
G369
G370
G371
G372
G373
G374
G375
G378
G379

G4 Category

G400
G401
G402
G403
G404
G405
G406
G407
G408
G409
G410
G411

ICD-10-Mortality Manual 2c - 2014

G412
G418
G419
G430
G431
G432
G433
G438
G439
G440
G441
G442
G443
G444
G448
G450
G451
G452
G453
G454
G458
G459
G470
G471
G472
G473
G474
G478
G479

G5 Category

G500
G501
G508
G509
G510
G511
G512
G513
G514
G518
G519
G520
G521
G522
G523
G527
G528
G529
G540

ICD-10-Mortality Manual 2c - 2014

G541
G542
G543
G544
G545
G546
G547
G548
G549
G560
G561
G562
G563
G564
G568
G569
G570
G571
G572
G573
G574
G575
G576
G578
G579
G580
G587
G588
G589

G6 Category

G600
G601
G602
G603
G608
G609
G610
G611
G618
G619
G620
G621
G622
G628
G629
G64

G7 Category

G700

ICD-10-Mortality Manual 2c - 2014

G701
G702
G708
G709
G710
G711
G712
G713
G718
G719
G720
G721
G722
G723
G724
G728
G729

G8 Category

G800
G801
G802
G803
G804
G808
G809
G810
G811
G819
G820
G821
G822
G823
G824
G825
G830
G831
G832
G833
G834
G838
G839

G9 Category

G900
G901
G902
G903
G904
G908

ICD-10-Mortality Manual 2c - 2014

G909
G910
G911
G912
G913
G918
G919
G92
G930
G931
G932
G933
G934
G935
G936
G937
G938
G939
G950
G951
G952
G958
G959
G960
G961
G968
G969
G98

H

H0 Category

H000
H001
H010
H011
H018
H019
H020
H021
H022
H023
H024
H025
H026
H027
H028
H029
H040

ICD-10-Mortality Manual 2c - 2014

H041
H042
H043
H044
H045
H046
H048
H049
H050
H051
H052
H053
H054
H055
H058
H059

H1 Category

H100
H101
H102
H103
H104
H105
H108
H109
H110
H111
H112
H113
H114
H118
H119
H150
H151
H158
H159
H160
H161
H162
H163
H164
H168
H169
H170
H171
H178
H179
H180
H181

ICD-10-Mortality Manual 2c - 2014

H182
H183
H184
H185
H186
H187
H188
H189

H2 Category

H200
H201
H202
H208
H209
H210
H211
H212
H213
H214
H215
H218
H219
H250
H251
H252
H258
H259
H260
H261
H262
H263
H264
H268
H269
H270
H271
H278
H279

H3 Category

H300
H301
H302
H308
H309
H310
H311
H312
H313

ICD-10-Mortality Manual 2c - 2014

H314
H318
H319
H330
H331
H332
H333
H334
H335
H340
H341
H342
H348
H349
H350
H351
H352
H353
H354
H355
H356
H357
H358
H359

H4 Category

H400
H401
H402
H403
H404
H405
H406
H408
H409
H430
H431
H432
H433
H438
H439
H440
H441
H442
H443
H444
H445
H446
H447
H448

ICD-10-Mortality Manual 2c - 2014

H449
H46
H470
H471
H472
H473
H474
H475
H476
H477
H490
H491
H492
H493
H494
H498
H499

H5 Category

H500
H501
H502
H503
H504
H505
H506
H508
H509
H510
H511
H512
H518
H519
H520
H521
H522
H523
H524
H525
H526
H527
H530
H531
H532
H533
H534
H535
H536
H538
H539

ICD-10-Mortality Manual 2c - 2014

H540
H541
H542
H543
H544
H545
H546
H549
H55
H570
H571
H578
H579

H6 Category

H600
H601
H602
H603
H604
H605
H608
H609
H610
H611
H612
H613
H618
H619
H650
H651
H652
H653
H654
H659
H660
H661
H662
H663
H664
H669
H680
H681
H690
H698
H699

H7 Category

H700
H701

ICD-10-Mortality Manual 2c - 2014

H702
H708
H709
H71
H720
H721
H722
H728
H729
H730
H731
H738
H739
H740
H741
H742
H743
H744
H748
H749

H8 Category

H800
H801
H802
H808
H809
H810
H811
H812
H813
H814
H818
H819
H830
H831
H832
H833
H838
H839

H9 Category

H900
H901
H902
H903
H904
H905
H906
H907

ICD-10-Mortality Manual 2c - 2014

H908
H910
H911
H912
H913
H918
H919
H920
H921
H922
H930
H931
H932
H933
H938
H939

I

I0 Category

I00
I010
I011
I012
I018
I019
I020
I029
I050
I051
I052
I058
I059
I060
I061
I062
I068
I069
I070
I071
I072
I078
I079
I080
I081
I082
I083
I088
I089

ICD-10-Mortality Manual 2c - 2014

I090
I091
I092
I098
I099

I1 Category

I10
I110
I119
I120
I129
I130
I131
I132
I139
I150
I159

I2 Category

I200
I201
I208
I209
I210
I211
I212
I213
I214
I219
I220
I221
I228
I229
I241
I248
I249
I250
I251
I253
I254
I255
I256
I258
I259
I260
I269
I270
I271
I272

ICD-10-Mortality Manual 2c - 2014

I278
I279
I280
I281
I288
I289

I3 Category

I300
I301
I308
I309
I310
I311
I312
I313
I318
I319
I330
I339
I340
I341
I342
I348
I349
I350
I351
I352
I358
I359
I360
I361
I362
I368
I369
I370
I371
I372
I378
I379
I38

I4 Category

I400
I401
I408
I409
I420
I421
I422

ICD-10-Mortality Manual 2c - 2014

I423
I424
I425
I426
I427
I428
I429
I440
I441
I442
I443
I444
I445
I446
I447
I450
I451
I452
I453
I454
I455
I456
I458
I459
I460
I461
I469
I470
I471
I472
I479
I48
I490
I491
I492
I493
I494
I495
I498
I499

I5 Category

I500
I501
I509
I510
I511
I512
I513
I514

ICD-10-Mortality Manual 2c - 2014

I515
I516
I517
I518
I519

I6 Category

I600
I601
I602
I603
I604
I605
I606
I607
I608
I609
I610
I611
I612
I613
I614
I615
I616
I618
I619
I620
I621
I629
I630
I631
I632
I633
I634
I635
I636
I638
I639
I64
I670
I671
I672
I673
I674
I675
I676
I677
I678
I679
I690

ICD-10-Mortality Manual 2c - 2014

I691
I692
I693
I694
I698

I7 Category

I700
I701
I702
I708
I709
I710
I711
I712
I713
I714
I715
I716
I718
I719
I720
I721
I722
I723
I724
I725
I728
I729
I730
I731
I738
I739
I740
I741
I742
I743
I744
I745
I748
I749
I770
I771
I772
I773
I774
I775
I776
I778
I779

ICD-10-Mortality Manual 2c - 2014

I780
I781
I788
I789

I8 Category

I800
I801
I802
I803
I808
I809
I81
I820
I821
I822
I823
I828
I829
I830
I831
I832
I839
I840
I841
I842
I843
I844
I845
I846
I847
I848
I849
I850
I859
I860
I861
I862
I863
I864
I868
I870
I871
I872
I878
I879
I880
I881
I888
I889

ICD-10-Mortality Manual 2c - 2014

I890
I891
I898
I899

I9 Category

I950
I951
I952
I958
I959
I99

J

J0 Category

J00
J010
J011
J012
J013
J014
J018
J019
J020
J028
J029
J030
J038
J039
J040
J041
J042
J050
J051
J060
J068
J069
J09

J1 Category

J100
J101
J108
J110
J111
J118
J120
J121

ICD-10-Mortality Manual 2c - 2014

J122
J123
J128
J129
J13
J14
J150
J151
J152
J153
J154
J155
J156
J157
J158
J159
J160
J168
J180
J181
J182
J188
J189

J2 Category

J200
J201
J202
J203
J204
J205
J206
J207
J208
J209
J210
J211
J218
J219
J22

J3 Category

J300
J301
J302
J303
J304
J310
J311
J312

ICD-10-Mortality Manual 2c - 2014

J320
J321
J322
J323
J324
J328
J329
J330
J331
J338
J339
J340
J341
J342
J343
J348
J350
J351
J352
J353
J358
J359
J36
J370
J371
J380
J381
J382
J383
J384
J385
J386
J387
J390
J391
J392
J393
J398
J399

J4 Category

J40
J410
J411
J418
J42
J430
J431
J432
J438

ICD-10-Mortality Manual 2c - 2014

J439
J440
J441
J448
J449
J450
J451
J458
J459
J46
J47

J6 Category

J60
J61
J620
J628
J630
J631
J632
J633
J634
J635
J638
J64
J65
J660
J661
J662
J668
J670
J671
J672
J673
J674
J675
J676
J677
J678
J679
J680
J681
J682
J683
J684
J688
J689
J690
J691
J698

J7 Category

J700
J701
J702
J703
J704
J708
J709

J8 Category

J80
J81
J82
J840
J841
J848
J849
J850
J851
J852
J853
J860
J869

J9 Category

J90
J920
J929
J930
J931
J938
J939
J940
J941
J942
J948
J949
J960
J961
J969
J980
J981
J982
J983
J984
J985
J986
J988
J989

K

K0 Category

K000
K001
K002
K003
K004
K005
K006
K007
K008
K009
K010
K011
K020
K021
K022
K023
K024
K028
K029
K030
K031
K032
K033
K034
K035
K036
K037
K038
K039
K040
K041
K042
K043
K044
K045
K046
K047
K048
K049
K050
K051
K052
K053
K054
K055

ICD-10-Mortality Manual 2c - 2014

K056
K060
K061
K062
K068
K069
K070
K071
K072
K073
K074
K075
K076
K078
K079
K080
K081
K082
K083
K088
K089
K090
K091
K092
K098
K099

K1 Category

K100
K101
K102
K103
K108
K109
K110
K111
K112
K113
K114
K115
K116
K117
K118
K119
K120
K121
K122
K123
K130
K131

ICD-10-Mortality Manual 2c - 2014

K132
K133
K134
K135
K136
K137
K140
K141
K142
K143
K144
K145
K146
K148
K149

K2 Category

K20
K210
K219
K220
K221
K222
K223
K224
K225
K226
K227
K228
K229
K250
K251
K252
K253
K254
K255
K256
K257
K259
K260
K261
K262
K263
K264
K265
K266
K267
K269
K270
K271

ICD-10-Mortality Manual 2c - 2014

K272
K273
K274
K275
K276
K277
K279
K280
K281
K282
K283
K284
K285
K286
K287
K289
K290
K291
K292
K293
K294
K295
K296
K297
K298
K299

K3 Category

K30
K310
K311
K312
K313
K314
K315
K316
K317
K318
K319
K352
K353
K358
K36
K37
K380
K381
K382
K383
K388
K389

K4 Category

K400
K401
K402
K403
K404
K409
K410
K411
K412
K413
K414
K419
K420
K421
K429
K430
K431
K439
K440
K441
K449
K450
K451
K458
K460
K461
K469

K5 Category

K500
K501
K508
K509
K510
K512
K513
K514
K515
K518
K519
K520
K521
K522
K523
K528
K529
K550
K551

ICD-10-Mortality Manual 2c - 2014

K552
K558
K559
K560
K561
K562
K563
K564
K565
K566
K567
K570
K571
K572
K573
K574
K575
K578
K579
K580
K589
K590
K591
K592
K593
K594
K598
K599

K6 Category

K600
K601
K602
K603
K604
K605
K610
K611
K612
K613
K614
K620
K621
K622
K623
K624
K625
K626
K627
K628

ICD-10-Mortality Manual 2c - 2014

K629
K630
K631
K632
K633
K634
K635
K638
K639
K650
K658
K659
K660
K661
K668
K669

K7 Category

K700
K701
K702
K703
K704
K709
K710
K711
K712
K713
K714
K715
K716
K717
K718
K719
K720
K721
K729
K730
K731
K732
K738
K739
K740
K741
K742
K743
K744
K745
K746
K750

ICD-10-Mortality Manual 2c - 2014

K751
K752
K753
K754
K758
K759
K760
K761
K762
K763
K764
K765
K766
K767
K768
K769

K8 Category

K800
K801
K802
K803
K804
K805
K808
K810
K811
K818
K819
K820
K821
K822
K823
K824
K828
K829
K830
K831
K832
K833
K834
K835
K838
K839
K850
K851
K852
K853
K858
K859

ICD-10-Mortality Manual 2c - 2014

K860
K861
K862
K863
K868
K869

K9 Category

K900
K901
K902
K903
K904
K908
K909
K920
K921
K922
K928
K929

L

L0 Category

L00
L010
L011
L020
L021
L022
L023
L024
L028
L029
L030
L031
L032
L033
L038
L039
L040
L041
L042
L043
L048
L049
L050
L059
L080

ICD-10-Mortality Manual 2c - 2014

L081
L088
L089

L1 Category

L100
L101
L102
L103
L104
L105
L108
L109
L110
L111
L118
L119
L120
L121
L122
L123
L128
L129
L130
L131
L138
L139

L2 Category

L200
L208
L209
L210
L211
L218
L219
L22
L230
L231
L232
L233
L234
L235
L236
L237
L238
L239
L240
L241
L242

ICD-10-Mortality Manual 2c - 2014

L243
L244
L245
L246
L247
L248
L249
L250
L251
L252
L253
L254
L255
L258
L259
L26
L270
L271
L272
L278
L279
L280
L281
L282
L290
L291
L292
L293
L298
L299

L3 Category

L300
L301
L302
L303
L304
L305
L308
L309

L4 Category

L400
L401
L402
L403
L404
L405
L408
L409

ICD-10-Mortality Manual 2c - 2014

L410
L411
L412
L413
L414
L415
L418
L419
L42
L430
L431
L432
L433
L438
L439
L440
L441
L442
L443
L444
L448
L449

L5 Category

L500
L501
L502
L503
L504
L505
L506
L508
L509
L510
L511
L512
L518
L519
L52
L530
L531
L532
L533
L538
L539
L550
L551
L552
L558
L559

ICD-10-Mortality Manual 2c - 2014

L560
L561
L562
L563
L564
L568
L569
L570
L571
L572
L573
L574
L575
L578
L579
L580
L581
L589
L590
L598
L599

L6 Category

L600
L601
L602
L603
L604
L605
L608
L609
L630
L631
L632
L638
L639
L640
L648
L649
L650
L651
L652
L658
L659
L660
L661
L662
L663
L664
L668

ICD-10-Mortality Manual 2c - 2014

L669
L670
L671
L678
L679
L680
L681
L682
L683
L688
L689

L7 Category

L700
L701
L702
L703
L704
L705
L708
L709
L710
L711
L718
L719
L720
L721
L722
L728
L729
L730
L731
L732
L738
L739
L740
L741
L742
L743
L744
L748
L749
L750
L751
L752
L758
L759

L8 Category

L80

ICD-10-Mortality Manual 2c - 2014

L810
L811
L812
L813
L814
L815
L816
L817
L818
L819
L82
L83
L84
L850
L851
L852
L853
L858
L859
L870
L871
L872
L878
L879
L88
L890
L891
L892
L893
L899

L9 Category

L900
L901
L902
L903
L904
L905
L906
L908
L909
L910
L918
L919
L920
L921
L922
L923
L928
L929

ICD-10-Mortality Manual 2c - 2014

L930
L931
L932
L940
L941
L942
L943
L944
L945
L946
L948
L949
L950
L951
L958
L959
L97
L980
L981
L982
L983
L984
L985
L986
L988
L989

M

M0 Category

M000
M001
M002
M008
M009
M020
M021
M022
M023
M028
M029
M050
M051
M052
M053
M058
M059
M060
M061

ICD-10-Mortality Manual 2c - 2014

M062
M063
M064
M068
M069
M080
M081
M082
M083
M084
M088
M089

M1 Category

M100
M101
M102
M103
M104
M109
M110
M111
M112
M118
M119
M120
M121
M122
M123
M124
M125
M128
M130
M131
M138
M139
M150
M151
M152
M153
M154
M158
M159
M160
M161
M162
M163
M164
M165
M166

ICD-10-Mortality Manual 2c - 2014

M167
M169
M170
M171
M172
M173
M174
M175
M179
M180
M181
M182
M183
M184
M185
M189
M190
M191
M192
M198
M199

M2 Category

M200
M201
M202
M203
M204
M205
M206
M210
M211
M212
M213
M214
M215
M216
M217
M218
M219
M220
M221
M222
M223
M224
M228
M229
M230
M231
M232

ICD-10-Mortality Manual 2c - 2014

M233
M234
M235
M236
M238
M239
M240
M241
M242
M243
M244
M245
M246
M247
M248
M249
M250
M251
M252
M253
M254
M255
M256
M257
M258
M259

M3 Category

M300
M301
M302
M303
M308
M310
M311
M312
M313
M314
M315
M316
M317
M318
M319
M320
M321
M328
M329
M330
M331
M332

ICD-10-Mortality Manual 2c - 2014

M339
M340
M341
M342
M348
M349
M350
M351
M352
M353
M354
M355
M356
M357
M358
M359

M4 Category

M400
M401
M402
M403
M404
M405
M410
M411
M412
M413
M414
M415
M418
M419
M420
M421
M429
M430
M431
M432
M433
M434
M435
M436
M438
M439
M45
M460
M461
M462
M463
M464

ICD-10-Mortality Manual 2c - 2014

M465
M468
M469
M470
M471
M472
M478
M479
M480
M481
M482
M483
M484
M485
M488
M489

M5 Category

M500
M501
M502
M503
M508
M509
M510
M511
M512
M513
M514
M518
M519
M530
M531
M532
M533
M538
M539
M540
M541
M542
M543
M544
M545
M546
M548
M549

M6 Category

M600
M601

ICD-10-Mortality Manual 2c - 2014

M602
M608
M609
M610
M611
M612
M613
M614
M615
M619
M620
M621
M622
M623
M624
M625
M626
M628
M629
M650
M651
M652
M653
M654
M658
M659
M660
M661
M662
M663
M664
M665
M670
M671
M672
M673
M674
M678
M679

M7 Category

M700
M701
M702
M703
M704
M705
M706
M707
M708

ICD-10-Mortality Manual 2c - 2014

M709
M710
M711
M712
M713
M714
M715
M718
M719
M720
M721
M722
M724
M726
M728
M729
M750
M751
M752
M753
M754
M755
M758
M759
M760
M761
M762
M763
M764
M765
M766
M767
M768
M769
M770
M771
M772
M773
M774
M775
M778
M779
M790
M791
M792
M793
M794
M795
M796
M797

ICD-10-Mortality Manual 2c - 2014

M798

M799

M8 Category

M800

M801

M802

M803

M804

M805

M808

M809

M810

M811

M812

M813

M814

M815

M816

M818

M819

M830

M831

M832

M833

M834

M835

M838

M839

M840

M841

M842

M843

M844

M848

M849

M850

M851

M852

M853

M854

M855

M856

M858

M859

M860

M861

M862

M863

M864

ICD-10-Mortality Manual 2c - 2014

M865
M866
M868
M869
M870
M871
M872
M873
M878
M879
M880
M888
M889
M890
M891
M892
M893
M894
M895
M896
M898
M899

M9 Category

M910
M911
M912
M913
M918
M919
M920
M921
M922
M923
M924
M925
M926
M927
M928
M929
M930
M931
M932
M938
M939
M940
M941
M942
M943
M948

ICD-10-Mortality Manual 2c - 2014

M949
M950
M951
M952
M953
M954
M955
M958
M959
M990
M991
M992
M993
M994
M995
M996
M997
M998
M999

N

NO Category

N000
N001
N002
N003
N004
N005
N006
N007
N008
N009
N010
N011
N012
N013
N014
N015
N016
N017
N018
N019
N020
N021
N022
N023
N024
N025

ICD-10-Mortality Manual 2c - 2014

N026
N027
N028
N029
N030
N031
N032
N033
N034
N035
N036
N037
N038
N039
N040
N041
N042
N043
N044
N045
N046
N047
N048
N049
N050
N051
N052
N053
N054
N055
N056
N057
N058
N059
N060
N061
N062
N063
N064
N065
N066
N067
N068
N069
N070
N071
N072
N073
N074
N075

ICD-10-Mortality Manual 2c - 2014

N076
N077
N078
N079

N1 Category

N10
N110
N111
N118
N119
N12
N130
N131
N132
N133
N134
N135
N136
N137
N138
N139
N140
N141
N142
N143
N144
N150
N151
N158
N159
N170
N171
N172
N178
N179
N181
N182
N183
N184
N185
N189
N19

N2 Category

N200
N201
N202
N209
N210

ICD-10-Mortality Manual 2c - 2014

N211
N218
N219
N23
N250
N251
N258
N259
N26
N270
N271
N279
N280
N281
N288
N289

N3 Category

N300
N301
N302
N303
N304
N308
N309
N310
N311
N312
N318
N319
N320
N321
N322
N323
N324
N328
N329
N340
N341
N342
N343
N350
N351
N358
N359
N360
N361
N362
N363
N368

ICD-10-Mortality Manual 2c - 2014

N369
N390
N391
N392
N393
N394
N398
N399

N4 Category

N40
N410
N411
N412
N413
N418
N419
N420
N421
N422
N423
N428
N429
N430
N431
N432
N433
N434
N44
N450
N459
N46
N47
N480
N481
N482
N483
N484
N485
N486
N488
N489
N490
N491
N492
N498
N499

N5 Category

N500

ICD-10-Mortality Manual 2c - 2014

N501
N508
N509

N6 Category

N600
N601
N602
N603
N604
N608
N609
N61
N62
N63
N640
N641
N642
N643
N644
N645
N648
N649

N7 Category

N700
N701
N709
N710
N711
N719
N72
N730
N731
N732
N733
N734
N735
N736
N738
N739
N750
N751
N758
N759
N760
N761
N762
N763
N764

ICD-10-Mortality Manual 2c - 2014

N765
N766
N768

N8 Category

N800
N801
N802
N803
N804
N805
N806
N808
N809
N810
N811
N812
N813
N814
N815
N816
N818
N819
N820
N821
N822
N823
N824
N825
N828
N829
N830
N831
N832
N833
N834
N835
N836
N837
N838
N839
N840
N841
N842
N843
N848
N849
N850
N851
N852

ICD-10-Mortality Manual 2c - 2014

N853
N854
N855
N856
N857
N858
N859
N86
N870
N871
N872
N879
N880
N881
N882
N883
N884
N888
N889
N890
N891
N892
N893
N894
N895
N896
N897
N898
N899

N9 Category

N900
N901
N902
N903
N904
N905
N906
N907
N908
N909
N910
N911
N912
N913
N914
N915
N920
N921
N922

ICD-10-Mortality Manual 2c - 2014

N923
N924
N925
N926
N930
N938
N939
N940
N941
N942
N943
N944
N945
N946
N948
N949
N950
N951
N952
N953
N958
N959
N96
N970
N971
N972
N973
N974
N978
N979
N980
N981
N982
N983
N988
N989

O

OO Category

O000
O001
O002
O008
O009
O010
O011
O019
O020

ICD-10-Mortality Manual 2c - 2014

0021
0028
0029
0030
0031
0032
0033
0034
0035
0036
0037
0038
0039
0040
0041
0042
0043
0044
0045
0046
0047
0048
0049
0050
0051
0052
0053
0054
0055
0056
0057
0058
0059
0060
0061
0062
0063
0064
0065
0066
0067
0068
0069
0070
0071
0072
0073
0074
0075
0076

ICD-10-Mortality Manual 2c - 2014

O077
O078
O079

O1 Category

O100
O101
O102
O103
O104
O109
O11
O120
O121
O122
O13
O140
O141
O142
O149
O150
O151
O152
O159
O16

O2 Category

O200
O208
O209
O210
O211
O212
O218
O219
O220
O221
O222
O223
O224
O225
O228
O229
O230
O231
O232
O233
O234
O235
O239

ICD-10-Mortality Manual 2c - 2014

O240
O241
O242
O243
O244
O249
O25
O260
O261
O262
O263
O264
O265
O266
O267
O268
O269
O280
O281
O282
O283
O284
O285
O288
O289
O290
O291
O292
O293
O294
O295
O296
O298
O299

O3 Category

O300
O301
O302
O308
O309
O310
O311
O312
O318
O320
O321
O322
O323
O324

ICD-10-Mortality Manual 2c - 2014

O325
O326
O328
O329
O330
O331
O332
O333
O334
O335
O336
O337
O338
O339
O340
O341
O342
O343
O344
O345
O346
O347
O348
O349
O350
O351
O352
O353
O354
O355
O356
O357
O358
O359
O360
O361
O362
O363
O364
O365
O366
O367
O368
O369

O4 Category

O40
O410
O411
O418

ICD-10-Mortality Manual 2c - 2014

O419
O420
O421
O422
O429
O430
O431
O432
O438
O439
O440
O441
O450
O458
O459
O460
O468
O469
O470
O471
O479
O48

O6 Category

O60
O610
O611
O618
O619
O620
O621
O622
O623
O624
O628
O629
O630
O631
O632
O639
O640
O641
O642
O643
O644
O645
O648
O649
O650
O651

ICD-10-Mortality Manual 2c - 2014

O652
O653
O654
O655
O658
O659
O660
O661
O662
O663
O664
O665
O668
O669
O670
O678
O679
O680
O681
O682
O683
O688
O689
O690
O691
O692
O693
O694
O695
O698
O699

O7 Category

O700
O701
O702
O703
O709
O710
O711
O712
O713
O714
O715
O716
O717
O718
O719
O720
O721

ICD-10-Mortality Manual 2c - 2014

0722
0723
0730
0731
0740
0741
0742
0743
0744
0745
0746
0747
0748
0749
0750
0751
0752
0753
0754
0755
0756
0757
0758
0759

08 Category

085
0860
0861
0862
0863
0864
0868
0870
0871
0872
0873
0878
0879
0880
0881
0882
0883
0888
0890
0891
0892
0893
0894
0895

ICD-10-Mortality Manual 2c - 2014

O896
O898
O899

O9 Category

O900
O901
O902
O903
O904
O905
O908
O909
O910
O911
O912
O920
O921
O922
O923
O924
O925
O926
O927
O95
O960
O961
O969
O970
O971
O979
O980
O981
O982
O983
O984
O985
O986
O987
O988
O989
O990
O991
O992
O993
O994
O995
O996
O997
O998

P

P0 Category

P000
P001
P002
P003
P004
P005
P006
P007
P008
P009
P010
P011
P012
P013
P014
P015
P016
P017
P018
P019
P020
P021
P022
P023
P024
P025
P026
P027
P028
P029
P030
P031
P032
P033
P034
P035
P036
P038
P039
P040
P041
P042
P043
P044
P045

ICD-10-Mortality Manual 2c - 2014

P046
P048
P049
P050
P051
P052
P059
P070
P071
P072
P073
P080
P081
P082

P1 Category

P100
P101
P102
P103
P104
P108
P109
P110
P111
P112
P113
P114
P115
P119
P120
P121
P122
P123
P124
P128
P129
P130
P131
P132
P133
P134
P138
P139
P140
P141
P142
P143
P148
P149

ICD-10-Mortality Manual 2c - 2014

P150
P151
P152
P153
P154
P155
P156
P158
P159

P2 Category

P200
P201
P209
P210
P211
P219
P220
P221
P228
P229
P230
P231
P232
P233
P234
P235
P236
P238
P239
P240
P241
P242
P243
P248
P249
P250
P251
P252
P253
P258
P260
P261
P268
P269
P270
P271
P278
P279
P280

ICD-10-Mortality Manual 2c - 2014

P281
P282
P283
P284
P285
P288
P289
P290
P291
P292
P293
P294
P298
P299

P3 Category

P350
P351
P352
P353
P358
P359
P360
P361
P362
P363
P364
P365
P368
P369
P370
P371
P372
P373
P374
P375
P378
P379
P38
P390
P391
P392
P393
P394
P398
P399

P5 Category

P500
P501

ICD-10-Mortality Manual 2c - 2014

P502
P503
P504
P505
P508
P509
P510
P518
P519
P520
P521
P522
P523
P524
P525
P526
P528
P529
P53
P540
P541
P542
P543
P544
P545
P546
P548
P549
P550
P551
P558
P559
P560
P569
P570
P578
P579
P580
P581
P582
P583
P584
P585
P588
P589
P590
P591
P592
P593
P598

ICD-10-Mortality Manual 2c - 2014

P599

P6 Category

P60
P610
P611
P612
P613
P614
P615
P616
P618
P619

P7 Category

P700
P701
P702
P721
P760
P761
P762
P768
P769
P77
P780
P781
P782
P783
P788
P789

P8 Category

P800
P808
P809
P810
P818
P819
P830
P831
P832
P833
P834
P835
P836
P838
P839

P9 Category

ICD-10-Mortality Manual 2c - 2014

P90
P910
P911
P912
P913
P914
P915
P916
P918
P919
P920
P921
P922
P923
P924
P925
P928
P929
P93
P940
P941
P942
P948
P949
P960
P961
P962
P963
P964
P965
P968
P969

Q

Q0 Category

Q000
Q001
Q002
Q010
Q011
Q012
Q018
Q019
Q02
Q030
Q031
Q038
Q039

ICD-10-Mortality Manual 2c - 2014

Q040
Q041
Q042
Q043
Q044
Q045
Q046
Q048
Q049
Q050
Q051
Q052
Q053
Q054
Q055
Q056
Q057
Q058
Q059
Q060
Q061
Q062
Q063
Q064
Q068
Q069
Q070
Q078
Q079

Q1 Category

Q100
Q101
Q102
Q103
Q104
Q105
Q106
Q107
Q110
Q111
Q112
Q113
Q120
Q121
Q122
Q123
Q124
Q128
Q129

ICD-10-Mortality Manual 2c - 2014

Q130
Q131
Q132
Q133
Q134
Q135
Q138
Q139
Q140
Q141
Q142
Q143
Q148
Q149
Q150
Q158
Q159
Q160
Q161
Q162
Q163
Q164
Q165
Q169
Q170
Q171
Q172
Q173
Q174
Q175
Q178
Q179
Q180
Q181
Q182
Q183
Q184
Q185
Q186
Q187
Q188
Q189

Q2 Category

Q200
Q201
Q202
Q203
Q204
Q205

ICD-10-Mortality Manual 2c - 2014

Q206
Q208
Q209
Q210
Q211
Q212
Q213
Q214
Q218
Q219
Q220
Q221
Q222
Q223
Q224
Q225
Q226
Q228
Q229
Q230
Q231
Q232
Q233
Q234
Q238
Q239
Q240
Q241
Q242
Q243
Q244
Q245
Q246
Q248
Q249
Q250
Q251
Q252
Q253
Q254
Q255
Q256
Q257
Q258
Q259
Q260
Q261
Q262
Q263
Q264

ICD-10-Mortality Manual 2c - 2014

Q265
Q266
Q268
Q269
Q270
Q271
Q272
Q273
Q274
Q278
Q279
Q280
Q281
Q282
Q283
Q288
Q289

Q3 Category

Q300
Q301
Q302
Q303
Q308
Q309
Q310
Q311
Q312
Q313
Q315
Q318
Q319
Q320
Q321
Q322
Q323
Q324
Q330
Q331
Q332
Q333
Q334
Q335
Q336
Q338
Q339
Q340
Q341
Q348
Q349

ICD-10-Mortality Manual 2c - 2014

Q351
Q353
Q355
Q357
Q359
Q360
Q361
Q369
Q370
Q371
Q372
Q373
Q374
Q375
Q378
Q379
Q380
Q381
Q382
Q383
Q384
Q385
Q386
Q387
Q388
Q390
Q391
Q392
Q393
Q394
Q395
Q396
Q398
Q399

Q4 Category

Q400
Q401
Q402
Q403
Q408
Q409
Q410
Q411
Q412
Q418
Q419
Q420
Q421
Q422

ICD-10-Mortality Manual 2c - 2014

Q423
Q428
Q429
Q430
Q431
Q432
Q433
Q434
Q435
Q436
Q437
Q438
Q439
Q440
Q441
Q442
Q443
Q444
Q445
Q446
Q447
Q450
Q451
Q452
Q453
Q458
Q459

Q5 Category

Q500
Q501
Q502
Q503
Q504
Q505
Q506
Q510
Q511
Q512
Q513
Q514
Q515
Q516
Q517
Q518
Q519
Q520
Q521
Q522
Q523

ICD-10-Mortality Manual 2c - 2014

Q524
Q525
Q526
Q527
Q528
Q529
Q530
Q531
Q532
Q539
Q540
Q541
Q542
Q543
Q544
Q548
Q549
Q550
Q551
Q552
Q553
Q554
Q555
Q556
Q558
Q559
Q560
Q561
Q562
Q563
Q564

Q6 Category

Q600
Q601
Q602
Q603
Q604
Q605
Q606
Q610
Q611
Q612
Q613
Q614
Q615
Q618
Q619
Q620
Q621

ICD-10-Mortality Manual 2c - 2014

Q622
Q623
Q624
Q625
Q626
Q627
Q628
Q630
Q631
Q632
Q633
Q638
Q639
Q640
Q641
Q642
Q643
Q644
Q645
Q646
Q647
Q648
Q649
Q650
Q651
Q652
Q653
Q654
Q655
Q656
Q658
Q659
Q660
Q661
Q662
Q663
Q664
Q665
Q666
Q667
Q668
Q669
Q670
Q671
Q672
Q673
Q674
Q675
Q676
Q677

ICD-10-Mortality Manual 2c - 2014

Q678
Q680
Q681
Q682
Q683
Q684
Q685
Q688
Q690
Q691
Q692
Q699

Q7 Category

Q700
Q701
Q702
Q703
Q704
Q709
Q710
Q711
Q712
Q713
Q714
Q715
Q716
Q718
Q719
Q720
Q721
Q722
Q723
Q724
Q725
Q726
Q727
Q728
Q729
Q730
Q731
Q738
Q740
Q741
Q742
Q743
Q748
Q749
Q750
Q751

ICD-10-Mortality Manual 2c - 2014

Q752
Q753
Q754
Q755
Q758
Q759
Q760
Q761
Q762
Q763
Q764
Q765
Q766
Q767
Q768
Q769
Q770
Q771
Q772
Q773
Q774
Q775
Q776
Q777
Q778
Q779
Q780
Q781
Q782
Q783
Q784
Q785
Q786
Q788
Q789
Q790
Q791
Q792
Q793
Q794
Q795
Q796
Q798
Q799

Q8 Category

Q800
Q801
Q802
Q803

ICD-10-Mortality Manual 2c - 2014

Q804
Q808
Q809
Q810
Q811
Q812
Q818
Q819
Q820
Q821
Q822
Q823
Q824
Q825
Q828
Q829
Q830
Q831
Q832
Q833
Q838
Q839
Q840
Q841
Q842
Q843
Q844
Q845
Q846
Q848
Q849
Q850
Q851
Q858
Q859
Q860
Q861
Q862
Q868
Q870
Q871
Q872
Q873
Q874
Q875
Q878
Q890
Q891
Q892
Q893

ICD-10-Mortality Manual 2c - 2014

Q894
Q897
Q898
Q899

Q9 Category

Q900
Q901
Q902
Q909
Q910
Q911
Q912
Q913
Q914
Q915
Q916
Q917
Q920
Q921
Q922
Q923
Q924
Q925
Q926
Q927
Q928
Q929
Q930
Q931
Q932
Q933
Q934
Q935
Q936
Q937
Q938
Q939
Q950
Q951
Q952
Q953
Q954
Q955
Q958
Q959
Q960
Q961
Q962
Q963

ICD-10-Mortality Manual 2c - 2014

Q964
Q968
Q969
Q970
Q971
Q972
Q973
Q978
Q979
Q980
Q981
Q982
Q983
Q984
Q985
Q986
Q987
Q988
Q989
Q990
Q991
Q992
Q998
Q999

R

R0 Category

R000
R001
R002
R008
R010
R011
R012
R02
R030
R031
R040
R041
R042
R048
R049
R05
R060
R061
R062
R063
R064

ICD-10-Mortality Manual 2c - 2014

R065
R066
R067
R068
R070
R071
R072
R073
R074
R090
R091
R092
R093
R098

R1 Category

R100
R101
R102
R103
R104
R11
R12
R13
R14
R15
R160
R161
R162
R17
R18
R190
R191
R192
R193
R194
R195
R196
R198

R2 Category

R200
R201
R202
R203
R208
R21
R220
R221
R222

ICD-10-Mortality Manual 2c - 2014

R223
R224
R227
R229
R230
R231
R232
R233
R234
R238
R250
R251
R252
R253
R258
R260
R261
R262
R263
R268
R270
R278
R290
R291
R292
R293
R294
R296
R298

R3 Category

R300
R301
R309
R31
R32
R33
R34
R35
R36
R390
R391
R392
R398

R4 Category

R400
R401
R402
R410

ICD-10-Mortality Manual 2c - 2014

R411
R412
R413
R418
R42
R430
R431
R432
R438
R440
R441
R442
R443
R448
R450
R451
R452
R453
R454
R455
R456
R457
R458
R460
R461
R462
R463
R464
R465
R466
R467
R468
R470
R471
R478
R480
R481
R482
R488
R490
R491
R492
R498

R5 Category

R502
R508
R509
R51
R520

ICD-10-Mortality Manual 2c - 2014

R521
R522
R529
R53
R54
R55
R560
R568
R570
R571
R578
R579
R58
R590
R591
R599

R6 Category

R600
R601
R609
R610
R611
R619
R620
R628
R629
R630
R631
R632
R633
R634
R635
R636
R638
R64
R680
R681
R682
R683
R688

R7 Category

R700
R701
R71
R72
R730
R739
R740

ICD-10-Mortality Manual 2c - 2014

R748
R749
R75
R760
R761
R762
R768
R769
R770
R771
R772
R778
R779
R780
R781
R782
R783
R784
R785
R786
R787
R788
R789
R790
R798
R799

R8 Category

R80
R81
R820
R821
R822
R823
R824
R825
R826
R827
R828
R829
R830
R831
R832
R833
R834
R835
R836
R837
R838
R839

ICD-10-Mortality Manual 2c - 2014

R840
R841
R842
R843
R844
R845
R846
R847
R848
R849
R850
R851
R852
R853
R854
R855
R856
R857
R858
R859
R860
R861
R862
R863
R864
R865
R866
R867
R868
R869
R870
R871
R872
R873
R874
R875
R876
R877
R878
R879
R890
R891
R892
R893
R894
R895
R896
R897
R898
R899

R9 Category

R900
R908
R91
R92
R930
R931
R932
R933
R934
R935
R936
R937
R938
R940
R941
R942
R943
R944
R945
R946
R947
R948
R95
R960
R961
R98
R99

U

U0 Category

U010
U011
U012
U013
U014
U015
U016
U017
U018
U019
U02
U030
U039
U049

V

V0 Category

V010
V011
V019
V020
V021
V029
V030
V031
V039
V040
V041
V049
V050
V051
V059
V060
V061
V069
V090
V091
V092
V093
V099

V1 Category

V100
V101
V102
V103
V104
V105
V109
V110
V111
V112
V113
V114
V115
V119
V120
V121
V122
V123
V124
V125

ICD-10-Mortality Manual 2c - 2014

V129
V130
V131
V132
V133
V134
V135
V139
V140
V141
V142
V143
V144
V145
V149
V150
V151
V152
V153
V154
V155
V159
V160
V161
V162
V163
V164
V165
V169
V170
V171
V172
V173
V174
V175
V179
V180
V181
V182
V183
V184
V185
V189
V190
V191
V192
V193
V194
V195
V196

ICD-10-Mortality Manual 2c - 2014

V198

V199

V2 Category

V200

V201

V202

V203

V204

V205

V209

V210

V211

V212

V213

V214

V215

V219

V220

V221

V222

V223

V224

V225

V229

V230

V231

V232

V233

V234

V235

V239

V240

V241

V242

V243

V244

V245

V249

V250

V251

V252

V253

V254

V255

V259

V260

V261

V262

V263

ICD-10-Mortality Manual 2c - 2014

V264
V265
V269
V270
V271
V272
V273
V274
V275
V279
V280
V281
V282
V283
V284
V285
V289
V290
V291
V292
V293
V294
V295
V296
V298
V299

V3 Category

V300
V301
V302
V303
V304
V305
V306
V307
V309
V310
V311
V312
V313
V314
V315
V316
V317
V319
V320
V321
V322
V323

ICD-10-Mortality Manual 2c - 2014

V324
V325
V326
V327
V329
V330
V331
V332
V333
V334
V335
V336
V337
V339
V340
V341
V342
V343
V344
V345
V346
V347
V349
V350
V351
V352
V353
V354
V355
V356
V357
V359
V360
V361
V362
V363
V364
V365
V366
V367
V369
V370
V371
V372
V373
V374
V375
V376
V377
V379

ICD-10-Mortality Manual 2c - 2014

V380
V381
V382
V383
V384
V385
V386
V387
V389
V390
V391
V392
V393
V394
V395
V396
V398
V399

V4 Category

V400
V401
V402
V403
V404
V405
V406
V407
V409
V410
V411
V412
V413
V414
V415
V416
V417
V419
V420
V421
V422
V423
V424
V425
V426
V427
V429
V430
V431
V432

ICD-10-Mortality Manual 2c - 2014

V433
V434
V435
V436
V437
V439
V440
V441
V442
V443
V444
V445
V446
V447
V449
V450
V451
V452
V453
V454
V455
V456
V457
V459
V460
V461
V462
V463
V464
V465
V466
V467
V469
V470
V471
V472
V473
V474
V475
V476
V477
V479
V480
V481
V482
V483
V484
V485
V486
V487

ICD-10-Mortality Manual 2c - 2014

V489
V490
V491
V492
V493
V494
V495
V496
V498
V499

V5 Category

V500
V501
V502
V503
V504
V505
V506
V507
V509
V510
V511
V512
V513
V514
V515
V516
V517
V519
V520
V521
V522
V523
V524
V525
V526
V527
V529
V530
V531
V532
V533
V534
V535
V536
V537
V539
V540
V541

ICD-10-Mortality Manual 2c - 2014

V542
V543
V544
V545
V546
V547
V549
V550
V551
V552
V553
V554
V555
V556
V557
V559
V560
V561
V562
V563
V564
V565
V566
V567
V569
V570
V571
V572
V573
V574
V575
V576
V577
V579
V580
V581
V582
V583
V584
V585
V586
V587
V589
V590
V591
V592
V593
V594
V595
V596

ICD-10-Mortality Manual 2c - 2014

V598

V599

V6 Category

V600

V601

V602

V603

V604

V605

V606

V607

V609

V610

V611

V612

V613

V614

V615

V616

V617

V619

V620

V621

V622

V623

V624

V625

V626

V627

V629

V630

V631

V632

V633

V634

V635

V636

V637

V639

V640

V641

V642

V643

V644

V645

V646

V647

V649

V650

ICD-10-Mortality Manual 2c - 2014

V651
V652
V653
V654
V655
V656
V657
V659
V660
V661
V662
V663
V664
V665
V666
V667
V669
V670
V671
V672
V673
V674
V675
V676
V677
V679
V680
V681
V682
V683
V684
V685
V686
V687
V689
V690
V691
V692
V693
V694
V695
V696
V698
V699

V7 Category

V700
V701
V702
V703

ICD-10-Mortality Manual 2c - 2014

V704
V705
V706
V707
V709
V710
V711
V712
V713
V714
V715
V716
V717
V719
V720
V721
V722
V723
V724
V725
V726
V727
V729
V730
V731
V732
V733
V734
V735
V736
V737
V739
V740
V741
V742
V743
V744
V745
V746
V747
V749
V750
V751
V752
V753
V754
V755
V756
V757
V759

ICD-10-Mortality Manual 2c - 2014

V760
V761
V762
V763
V764
V765
V766
V767
V769
V770
V771
V772
V773
V774
V775
V776
V777
V779
V780
V781
V782
V783
V784
V785
V786
V787
V789
V790
V791
V792
V793
V794
V795
V796
V798
V799

V8 Category

V800
V801
V802
V803
V804
V805
V806
V807
V808
V809
V810
V811

ICD-10-Mortality Manual 2c - 2014

V812
V813
V814
V815
V816
V817
V818
V819
V820
V821
V822
V823
V824
V825
V826
V827
V828
V829
V830
V831
V832
V833
V834
V835
V836
V837
V839
V840
V841
V842
V843
V844
V845
V846
V847
V849
V850
V851
V852
V853
V854
V855
V856
V857
V859
V860
V861
V862
V863
V864

ICD-10-Mortality Manual 2c - 2014

V865
V866
V867
V869
V870
V871
V872
V873
V874
V875
V876
V877
V878
V879
V880
V881
V882
V883
V884
V885
V886
V887
V888
V889
V890
V891
V892
V893
V899

V9 Category

V900
V901
V902
V903
V904
V905
V906
V907
V908
V909
V910
V911
V912
V913
V914
V915
V916
V917
V918

ICD-10-Mortality Manual 2c - 2014

V919
V920
V921
V922
V923
V924
V925
V926
V927
V928
V929
V930
V931
V932
V933
V934
V935
V936
V937
V938
V939
V940
V941
V942
V943
V944
V945
V946
V947
V948
V949
V950
V951
V952
V953
V954
V958
V959
V960
V961
V962
V968
V969
V970
V971
V972
V973
V978
V98
V99

W

W0 Category

W00
W01
W02
W03
W04
W05
W06
W07
W08
W09

W1 Category

W10
W11
W12
W13
W14
W15
W16
W17
W18
W19

W2 Category

W20
W21
W22
W23
W24
W25
W26
W27
W28
W29

W3 Category

W30
W31
W32
W33
W34
W35
W36
W37
W38

ICD-10-Mortality Manual 2c - 2014

W39

W4 Category

W40

W41

W42

W43

W44

W45

W46

W49

W5 Category

W50

W51

W52

W53

W54

W55

W56

W57

W58

W59

W6 Category

W60

W64

W65

W66

W67

W68

W69

W7 Category

W70

W73

W74

W75

W76

W77

W78

W79

W8 Category

W80

W81

W83

W84

W85

W86

ICD-10-Mortality Manual 2c - 2014

W87
W88
W89

W9 Category

W90
W91
W92
W93
W94
W99

X

X0 Category

X00
X01
X02
X03
X04
X05
X06
X08
X09

X1 Category

X10
X11
X12
X13
X14
X15
X16
X17
X18
X19

X2 Category

X20
X21
X22
X23
X24
X25
X26
X27
X28
X29

X3 Category

X30
X31
X32
X33
X340
X341
X348
X349
X35
X36
X37
X38
X39

X4 Category

X40
X41
X42
X43
X44
X45
X46
X47
X48
X49

X5 Category

X50
X51
X52
X53
X54
X57
X58
X590
X599

X6 Category

X60
X61
X62
X63
X64
X65
X66
X67
X68
X69

X7 Category

X70
X71
X72
X73
X74
X75
X76
X77
X78
X79

X8 Category

X80
X81
X82
X83
X84
X85
X86
X87
X88
X89

X9 Category

X90
X91
X92
X93
X94
X95
X96
X97
X98
X99

Y

Y0 Category

Y00
Y01
Y02
Y03
Y04
Y05
Y060
Y061
Y062

ICD-10-Mortality Manual 2c - 2014

Y068
Y069
Y070
Y071
Y072
Y073
Y078
Y079
Y08
Y09

Y1 Category

Y10
Y11
Y12
Y13
Y14
Y15
Y16
Y17
Y18
Y19

Y2 Category

Y20
Y21
Y22
Y23
Y24
Y25
Y26
Y27
Y28
Y29

Y3 Category

Y30
Y31
Y32
Y33
Y34
Y350
Y351
Y352
Y353
Y354
Y355
Y356
Y357
Y360

ICD-10-Mortality Manual 2c - 2014

Y361
Y362
Y363
Y364
Y365
Y366
Y367
Y368
Y369

Y4 Category

Y400
Y401
Y402
Y403
Y404
Y405
Y406
Y407
Y408
Y409
Y410
Y411
Y412
Y413
Y414
Y415
Y418
Y419
Y420
Y421
Y422
Y423
Y424
Y425
Y426
Y427
Y428
Y429
Y430
Y431
Y432
Y433
Y434
Y435
Y436
Y438
Y439
Y440
Y441

ICD-10-Mortality Manual 2c - 2014

Y442
Y443
Y444
Y445
Y446
Y447
Y449
Y450
Y451
Y452
Y453
Y454
Y455
Y458
Y459
Y460
Y461
Y462
Y463
Y464
Y465
Y466
Y467
Y468
Y470
Y471
Y472
Y473
Y474
Y475
Y478
Y479
Y480
Y481
Y482
Y483
Y484
Y485
Y490
Y491
Y492
Y493
Y494
Y495
Y496
Y497
Y498
Y499

Y5 Category

ICD-10-Mortality Manual 2c - 2014

Y500
Y501
Y502
Y508
Y509
Y510
Y511
Y512
Y513
Y514
Y515
Y516
Y517
Y518
Y519
Y520
Y521
Y522
Y523
Y524
Y525
Y526
Y527
Y528
Y529
Y530
Y531
Y532
Y533
Y534
Y535
Y536
Y537
Y538
Y539
Y540
Y541
Y542
Y543
Y544
Y545
Y546
Y547
Y548
Y549
Y550
Y551
Y552
Y553
Y554

ICD-10-Mortality Manual 2c - 2014

Y555
Y556
Y557
Y560
Y561
Y562
Y563
Y564
Y565
Y566
Y567
Y568
Y569
Y570
Y571
Y572
Y573
Y574
Y575
Y576
Y577
Y578
Y579
Y580
Y581
Y582
Y583
Y584
Y585
Y586
Y588
Y589
Y590
Y591
Y592
Y593
Y598
Y599

Y6 Category

Y600
Y601
Y602
Y603
Y604
Y605
Y606
Y607
Y608
Y609

ICD-10-Mortality Manual 2c - 2014

Y610
Y611
Y612
Y613
Y614
Y615
Y616
Y617
Y618
Y619
Y620
Y621
Y622
Y623
Y624
Y625
Y626
Y628
Y629
Y630
Y631
Y632
Y633
Y634
Y635
Y636
Y638
Y639
Y640
Y641
Y648
Y649
Y650
Y651
Y652
Y653
Y654
Y655
Y658
Y66
Y69

Y7 Category

Y700
Y701
Y702
Y703
Y708
Y710
Y711

ICD-10-Mortality Manual 2c - 2014

Y712
Y713
Y718
Y720
Y721
Y722
Y723
Y728
Y730
Y731
Y732
Y733
Y738
Y740
Y741
Y742
Y743
Y748
Y750
Y751
Y752
Y753
Y758
Y760
Y761
Y762
Y763
Y768
Y770
Y771
Y772
Y773
Y778
Y780
Y781
Y782
Y783
Y788
Y790
Y791
Y792
Y793
Y798

Y8 Category

Y800
Y801
Y802
Y803
Y808

ICD-10-Mortality Manual 2c - 2014

Y810
Y811
Y812
Y813
Y818
Y820
Y821
Y822
Y823
Y828
Y830
Y831
Y832
Y833
Y834
Y835
Y836
Y838
Y839
Y840
Y841
Y842
Y843
Y844
Y845
Y846
Y847
Y848
Y849
Y850
Y859
Y86
Y870
Y871
Y872
Y880
Y881
Y882
Y883
Y890
Y891
Y899

Table B
VALID CODES FOR MULTIPLE CAUSE CODING

A

A1 Category

A1690

E

E0 Category

E0390

E8 Category

E890

E891

E892

E893

E894

E895

E896

E898

E899

G

G1 Category

G1220

G2 Category

G2000

G9 Category

G970

G971

G972

G978

G979

H

H5 Category

H590

H598

H599

H9 Category

ICD-10-Mortality Manual 2c - 2014

H950
H951
H958
H959

I

I2 Category

I2190

I4 Category

I4200
I4210
I4220
I4250
I4280
I4290

I5 Category

I5000
I5140
I5150

I6 Category

I6000
I6060
I6070
I6080
I6090
I6100
I6110
I6120
I6130
I6140
I6150
I6180
I6190
I6300
I6310
I6320
I6330
I6340
I6350
I6360
I6380
I6390
I6400
I6910
I6930

ICD-10-Mortality Manual 2c - 2014

I6940

I9 Category

I970

I971

I972

I978

I979

J

J1 Category

J1010

J1110

J8 Category

J8490

J9 Category

J950

J951

J952

J953

J954

J955

J958

J959

J9840

K

K3 Category

K3190

K5 Category

K5500

K6 Category

K6310

K7 Category

K7200

K7210

K7290

K9 Category

K910

K911

K912

ICD-10-Mortality Manual 2c - 2014

K913
K914
K915
K918
K919

M

M1 Category

M1990

M9 Category

M960
M961
M962
M963
M964
M965
M966
M968
M969

N

N9 Category

N990
N991
N992
N993
N994
N995
N998
N999

O

O0 Category

O080
O081
O082
O083
O084
O085
O086
O087
O088
O089

P

P7 Category

P703
P704
P708
P709
P710
P711
P712
P713
P714
P718
P719
P720
P722
P728
P729
P740
P741
P742
P743
P744
P745
P748
P749

Q

Q2 Category

Q2780
Q2820
Q2830

R

R5 Category

R5800

R9 Category

R97

S

S0 Category

S000

ICD-10-Mortality Manual 2c - 2014

S001
S002
S003
S004
S005
S007
S008
S009
S010
S011
S012
S013
S014
S015
S017
S018
S019
S020
S021
S022
S023
S024
S025
S026
S027
S028
S029
S030
S031
S032
S033
S034
S035
S040
S041
S042
S043
S044
S045
S046
S047
S048
S049
S050
S051
S052
S053
S054
S055
S056

ICD-10-Mortality Manual 2c - 2014

S057
S058
S059
S060
S061
S062
S063
S064
S065
S066
S067
S068
S069
S070
S071
S078
S079
S080
S081
S088
S089
S090
S091
S092
S097
S098
S099

S1 Category

S100
S101
S107
S108
S109
S110
S111
S112
S117
S118
S119
S120
S121
S122
S127
S128
S129
S130
S131
S132
S133

ICD-10-Mortality Manual 2c - 2014

S134
S135
S136
S140
S141
S142
S143
S144
S145
S146
S150
S151
S152
S153
S157
S158
S159
S16
S170
S178
S179
S18
S197
S198
S199

S2 Category

S200
S201
S202
S203
S204
S207
S208
S210
S211
S212
S217
S218
S219
S220
S221
S222
S223
S224
S225
S228
S229
S230
S231

ICD-10-Mortality Manual 2c - 2014

S232
S233
S234
S235
S240
S241
S242
S243
S244
S245
S246
S250
S251
S252
S253
S254
S255
S257
S258
S259
S260
S268
S269
S270
S271
S272
S273
S274
S275
S276
S277
S278
S279
S280
S281
S290
S297
S298
S299

S3 Category

S300
S301
S302
S307
S308
S309
S310
S311
S312

ICD-10-Mortality Manual 2c - 2014

S313
S314
S315
S317
S318
S320
S321
S322
S323
S324
S325
S327
S328
S330
S331
S332
S333
S334
S335
S336
S337
S340
S341
S342
S343
S344
S345
S346
S348
S350
S351
S352
S353
S354
S355
S357
S358
S359
S360
S361
S362
S363
S364
S365
S366
S367
S368
S369
S370
S371

ICD-10-Mortality Manual 2c - 2014

S372
S373
S374
S375
S376
S377
S378
S379
S380
S381
S382
S383
S390
S396
S397
S398
S399

S4 Category

S400
S407
S408
S409
S410
S411
S417
S418
S420
S421
S422
S423
S424
S427
S428
S429
S430
S431
S432
S433
S434
S435
S436
S437
S440
S441
S442
S443
S444
S445
S447

ICD-10-Mortality Manual 2c - 2014

S448
S449
S450
S451
S452
S453
S457
S458
S459
S460
S461
S462
S463
S467
S468
S469
S47
S480
S481
S489
S497
S498
S499

S5 Category

S500
S501
S507
S508
S509
S510
S517
S518
S519
S520
S521
S522
S523
S524
S525
S526
S527
S528
S529
S530
S531
S532
S533
S534
S540

ICD-10-Mortality Manual 2c - 2014

S541
S542
S543
S547
S548
S549
S550
S551
S552
S557
S558
S559
S560
S561
S562
S563
S564
S565
S567
S568
S570
S578
S579
S580
S581
S589
S597
S598
S599

S6 Category

S600
S601
S602
S607
S608
S609
S610
S611
S617
S618
S619
S620
S621
S622
S623
S624
S625
S626
S627

ICD-10-Mortality Manual 2c - 2014

S628
S630
S631
S632
S633
S634
S635
S636
S637
S640
S641
S642
S643
S644
S647
S648
S649
S650
S651
S652
S653
S654
S655
S657
S658
S659
S660
S661
S662
S663
S664
S665
S666
S667
S668
S669
S670
S678
S680
S681
S682
S683
S684
S688
S689
S697
S698
S699

S7 Category

ICD-10-Mortality Manual 2c - 2014

S700
S701
S707
S708
S709
S710
S711
S717
S718
S720
S721
S722
S723
S724
S727
S728
S729
S730
S731
S740
S741
S742
S747
S748
S749
S750
S751
S752
S757
S758
S759
S760
S761
S762
S763
S764
S767
S770
S771
S780
S781
S789
S797
S798
S799

S8 Category

S800
S801
S807

ICD-10-Mortality Manual 2c - 2014

S808
S809
S810
S817
S818
S819
S820
S821
S822
S823
S824
S825
S826
S827
S828
S829
S830
S831
S832
S833
S834
S835
S836
S837
S840
S841
S842
S847
S848
S849
S850
S851
S852
S853
S854
S855
S857
S858
S859
S860
S861
S862
S863
S867
S868
S869
S870
S878
S880
S881

ICD-10-Mortality Manual 2c - 2014

S889
S897
S898
S899

S9 Category

S900
S901
S902
S903
S907
S908
S909
S910
S911
S912
S913
S917
S920
S921
S922
S923
S924
S925
S927
S929
S930
S931
S932
S933
S934
S935
S936
S940
S941
S942
S943
S947
S948
S949
S950
S951
S952
S957
S958
S959
S960
S961
S962
S967

ICD-10-Mortality Manual 2c - 2014

S968
S969
S970
S971
S978
S980
S981
S982
S983
S984
S997
S998
S999

I

T0 Category

T002
T003
T008
T009
T012
T013
T019
T021
T022
T023
T024
T025
T028
T029
T031
T032
T033
T038
T039
T041
T042
T043
T048
T049
T050
T052
T053
T055
T058
T059
T062
T063

ICD-10-Mortality Manual 2c - 2014

T064
T065
T07
T08
T090
T091
T092
T093
T094
T095
T096
T098
T099

T1 Category

T10
T110
T111
T112
T113
T114
T115
T116
T118
T119
T12
T130
T131
T132
T133
T134
T135
T136
T138
T139
T140
T141
T142
T143
T144
T145
T146
T147
T148
T149
T150
T151
T158
T159
T16

ICD-10-Mortality Manual 2c - 2014

T170
T171
T172
T173
T174
T175
T178
T179
T180
T181
T182
T183
T184
T185
T188
T189
T190
T191
T192
T193
T198
T199

T2 Category

T200
T201
T202
T203
T204
T205
T206
T207
T210
T211
T212
T213
T214
T215
T216
T217
T220
T221
T222
T223
T224
T225
T226
T227
T230
T231

ICD-10-Mortality Manual 2c - 2014

T232
T233
T234
T235
T236
T237
T240
T241
T242
T243
T244
T245
T246
T247
T250
T251
T252
T253
T254
T255
T256
T257
T260
T261
T262
T263
T264
T265
T266
T267
T268
T269
T270
T271
T272
T273
T274
T275
T276
T277
T280
T281
T282
T283
T284
T285
T286
T287
T288
T289

T3 Category

T300
T301
T302
T303
T304
T305
T306
T307
T310
T311
T312
T313
T314
T315
T316
T317
T318
T319
T320
T321
T322
T323
T324
T325
T326
T327
T328
T329
T330
T331
T332
T333
T334
T335
T336
T337
T338
T339
T340
T341
T342
T343
T344
T345
T346
T347
T348
T349

ICD-10-Mortality Manual 2c - 2014

T350
T351
T352
T353
T354
T355
T356
T357
T360
T361
T362
T363
T364
T365
T366
T367
T368
T369
T370
T371
T372
T373
T374
T375
T378
T379
T380
T381
T382
T383
T384
T385
T386
T387
T388
T389
T390
T391
T392
T393
T394
T398
T399

T4 Category

T400
T401
T402
T403
T404

ICD-10-Mortality Manual 2c - 2014

T405
T406
T407
T408
T409
T410
T411
T412
T413
T414
T415
T420
T421
T422
T423
T424
T425
T426
T427
T428
T430
T431
T432
T433
T434
T435
T436
T438
T439
T440
T441
T442
T443
T444
T445
T446
T447
T448
T449
T450
T451
T452
T453
T454
T455
T456
T457
T458
T459
T460

ICD-10-Mortality Manual 2c - 2014

T461
T462
T463
T464
T465
T466
T467
T468
T469
T470
T471
T472
T473
T474
T475
T476
T477
T478
T479
T480
T481
T482
T483
T484
T485
T486
T487
T490
T491
T492
T493
T494
T495
T496
T497
T498
T499

T5 Category

T500
T501
T502
T503
T504
T505
T506
T507
T508
T509
T510

ICD-10-Mortality Manual 2c - 2014

T511
T512
T513
T518
T519
T520
T521
T522
T523
T524
T528
T529
T530
T531
T532
T533
T534
T535
T536
T537
T539
T540
T541
T542
T543
T549
T55
T560
T561
T562
T563
T564
T565
T566
T567
T568
T569
T570
T571
T572
T573
T578
T579
T58
T590
T591
T592
T593
T594
T595

ICD-10-Mortality Manual 2c - 2014

T596
T597
T598
T599

T6 Category

T600
T601
T602
T603
T604
T608
T609
T610
T611
T612
T618
T619
T620
T621
T622
T628
T629
T630
T631
T632
T633
T634
T635
T636
T638
T639
T64
T650
T651
T652
T653
T654
T655
T656
T658
T659
T66
T670
T671
T672
T673
T674
T675
T676

ICD-10-Mortality Manual 2c - 2014

T677
T678
T679
T68
T690
T691
T698
T699

T7 Category

T700
T701
T702
T703
T704
T708
T709
T71
T730
T731
T732
T733
T738
T739
T740
T741
T742
T743
T748
T749
T750
T751
T752
T753
T754
T758
T780
T781
T782
T783
T784
T788
T789
T790
T791
T792
T793
T794
T795
T796

ICD-10-Mortality Manual 2c - 2014

T797

T798

T799

T8 Category

T800

T801

T802

T803

T804

T805

T806

T808

T809

T810

T811

T812

T813

T814

T815

T816

T817

T818

T819

T820

T821

T822

T823

T824

T825

T826

T827

T828

T829

T830

T831

T832

T833

T834

T835

T836

T838

T839

T840

T841

T842

T843

T844

T845

T846

ICD-10-Mortality Manual 2c - 2014

T847
T848
T849
T850
T851
T852
T853
T854
T855
T856
T857
T858
T859
T860
T861
T862
T863
T864
T868
T869
T870
T871
T872
T873
T874
T875
T876
T880
T881
T882
T883
T884
T885
T886
T887
T888
T889

T9 Category

T900
T901
T902
T903
T904
T905
T908
T909
T910
T911
T912

ICD-10-Mortality Manual 2c - 2014

T913
T914
T915
T918
T919
T920
T921
T922
T923
T924
T925
T926
T928
T929
T930
T931
T932
T933
T934
T935
T936
T938
T939
T940
T941
T950
T951
T952
T953
T954
T958
T959
T96
T97
T980
T981
T982
T983

Table C
INVALID CODES FOR MULTIPLE
AND UNDERLYING CAUSE CODING FOR
US REGISTRATION AREAS,
VALID FOR INTERNATIONAL USERS OF ACME

VALID FOR MULTIPLE CAUSE AND UNDERLYING CAUSE CODING

A

A1 Category

A150
A151
A152
A153
A154
A155
A156
A157
A158
A159
A160
A161

C

C8 Category

C800
C809
C814
C823
C824
C825
C826
C846
C847
C848
C849
C852
C860
C861
C862
C863
C864
C865
C866

C884

C9 Category

C903
C916
C918
C926
C928
C933
C946
C964
C965
C966
C968

D

D4 Category

D465
D466
D474
D475

E

E1 Category

E108
E118
E128
E138
E148

F

F1 Category

F100
F110
F120
F130
F140
F150
F160
F170
F180
F190

O

O6 Category

O600
O601
O602
O603

P

P9 Category

P95

R

R5 Category

R572

VALID FOR MULTIPLE CAUSE CODING ONLY

B

B9 Category

B950
B951
B952
B953
B954
B955
B956
B957
B958
B960
B961
B962
B963
B964
B965
B966
B967
B968
B970
B971
B972
B973
B974
B975
B976

ICD-10-Mortality Manual 2c - 2014

B977
B978
B980
B981

C

C7 Category

C799

I

I1 Category

I151
I152
I158

I2 Category

I230
I231
I232
I233
I234
I235
I236
I238
I240
I252

I6 Category

I650
I651
I652
I653
I658
I659
I660
I661
I662
I663
I664
I668
I669

O

O8 Category

ICD-10-Mortality Manual 2c - 2014

O800
O801
O808
O809
O810
O811
O812
O813
O814
O815
O820
O821
O822
O828
O829
O830
O831
O832
O833
O834
O838
O839
O840
O841
O842
O848
O849

R

R6 Category

R650
R651
R652
R653
R659
R69

T

T0 Category

T000
T001
T006
T010
T011
T016
T018

ICD-10-Mortality Manual 2c - 2014

T020
T026
T027
T030
T034
T040
T044
T047
T051
T054
T056
T060
T061
T068

T2 Category

T290
T291
T292
T293
T294
T295
T296
T297

U

U8 Category

U800
U801
U808
U810
U818
U88
U898
U899

VALID MULTIPLE CAUSE CODES WHICH HAVE NO EFFECT ON THE UC

D

D6 Category

D63*

D7 Category

D77*

E

E3 Category

E35*

E9 Category

E90*

F

F0 Category

F00*

F02*

G

G0 Category

G01*

G02*

G05*

G07*

G1 Category

G13*

G2 Category

G22*

G26*

G3 Category

G32*

G4 Category

G46*

G5 Category

G53*

G55*

G59*

G6 Category

G63*

G7 Category

G73*

G9 Category

G94*

G99*

H

H0 Category

H03*

H06*

H1 Category

H13*

H19*

H2 Category

H22*

H28*

H3 Category

H32*

H36*

H4 Category

H42*

H45*

H48*

H5 Category

H58*

H6 Category

H62*

H67*

H7 Category

H75*

H8 Category

H82*

H9 Category

H94*

I

I3 Category

I32*

I39*

I4 Category

I41*

I43*

I5 Category

I52*

I6 Category

I68*

I7 Category

I79*

I9 Category

I98*

J

J1 Category

J17*

J9 Category

J91*

J99*

K

K2 Category

K23*

K6 Category

K67*

K7 Category

K77*

K8 Category

K87*

K9 Category

K93*

L

L1 Category

L14*

L4 Category

L45*

L5 Category

L54*

L6 Category

L62*

L8 Category

L86*

L9 Category

L99*

M

M0 Category

M01*

M03*

M07*

M09*

M1 Category

M14*

M3 Category

ICD-10-Mortality Manual 2c - 2014

M36*

M4 Category

M49*

M6 Category

M63*

M68*

M7 Category

M73*

M8 Category

M82*

M9 Category

M90*

N

N0 Category

N08*

N1 Category

N16*

N2 Category

N22*

N29*

N3 Category

N33*

N37*

N5 Category

N51*

N7 Category

N74*

N77*

P

P7 Category

P75*

Y

Y9 Category

Y900

Y901

Y902

Y903

Y904

Y905

Y906

Y907

Y908

Y909

Y910

Y911

Y912

Y913

Y919

Y95

Y96

Y97

Y98

Z

Z0 Category

Z00-Z99

Table D
CAUSAL RELATIONSHIP:
GENERAL PRINCIPLE AND RULES 1 AND 2

A

A0 Category

A000 Address

A000
A009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A001 Address

A001 -A009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A009 Address

A009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A010 Address

A010
A014
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A011 Address

A011
A014
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A012 Address

A012
A014
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A013 Address

A013 -A014
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A014 Address

A014
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A020 Address

A020 -A029
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

Y842

A021 Address

A020 -A029
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A022 Address

A020 -A029
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A028 Address

A020 -A029
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A029 Address

A020 -A029
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A030 Address

A030
A039
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

Y842

A031 Address

A031
A039
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A032 Address

A032
A039
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A033 Address

A033
A039
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A038 Address

A038 -A039
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A039 Address

A039
B200 -B24
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

A040 Address

A040
M A415
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A041 Address

A041
M A415
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A042 Address

A042
M A415
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A043 Address

A043
M A415
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A044 Address

A044

ICD-10-Mortality Manual 2c - 2014

M A415
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A045 Address

A045
M A400 -A418
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A046 Address

A046
M A400 -A418
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A047 Address

A047
M A400 -A418
B200 -B24
C000 -C97
R75
Y400 -Y409 *
Y431 -Y434
Y560 -Y569 *
Y632
Y842

A048 Address

A048
M A400 -A418
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A049 Address

A049

M A400 -A418

M A480 -A488

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A050 Address

A050

A059

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A051 Address

A051

A059

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A052 Address

A052

A059

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A053 Address

A053

ICD-10-Mortality Manual 2c - 2014

A059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A054 Address

A054
A059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A058 Address

A058 -A059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A059 Address

A059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A060 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A061 Address

ICD-10-Mortality Manual 2c - 2014

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A062 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A063 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A064 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A065 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A066 Address

A060 -A069

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A067 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A068 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A069 Address

A060 -A069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A070 Address

A070
A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A071 Address

A071

ICD-10-Mortality Manual 2c - 2014

A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A072 Address

A072
A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A073 Address

A073
A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A078 Address

A078 -A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A079 Address

A079
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A080 Address

A080
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A081 Address

A081
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A082 Address

A082
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A083 Address

A083
B200 -B24
C000 -C97
J09
J1010
J1110
R75
Y431 -Y434
Y632
Y842

A084 Address

A084
B200 -B24
C000 -C97
J09
J1010

ICD-10-Mortality Manual 2c - 2014

J1110
R75
Y431 -Y434
Y632
Y842

A085 Address

A085
B200 -B24
C000 -C97
J09
J1010
J1110
R75
Y431 -Y434
Y632
Y842

A090 Address

A000 -C97
R75
Y431 -Y434
Y632
Y842

A099 Address

A099

A1 Category

A150 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A151 Address

A151 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A152 Address

A152 -A199

A310 -A319

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A153 Address

A153 -A199

A310 -A319

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A154 Address

A154 -A199

A310 -A319

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A155 Address

A155 -A199

A310 -A319

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A156 Address

A156 -A199

A310 -A319

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A157 Address

A157 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A158 Address

A158 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A159 Address

A159 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A160 Address

A160 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A161 Address

A161 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A162 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A163 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A164 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A165 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A167 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A168 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A169 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A1690 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A170 Address

ICD-10-Mortality Manual 2c - 2014

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A171 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A178 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A179 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A180 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

Y842

A181 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A182 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A183 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A184 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A185 Address

A150 -A199
A310 -A319
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A186 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A187 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A188 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A190 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A191 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A192 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A198 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A199 Address

A150 -A199
A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A2 Category

A200 Address

A200
A209
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A201 Address

A201
A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A202 Address

A202
A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A203 Address

A203
A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A207 Address

A207
A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A208 Address

A208 -A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A209 Address

A209
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A210 Address

A210
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A211 Address

A211
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A212 Address

A212
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A213 Address

A213
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A217 Address

A217
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A218 Address

A218
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A219 Address

A219
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A220 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A221 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A222 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A227 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A228 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A229 Address

A220 -A229
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A230 Address

A230
A239
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A231 Address

A231
A239
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A232 Address

A232
A239
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A233 Address

A233
A239
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A238 Address

A238 -A239
B200 -B24
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

A239 Address

A239
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A240 Address

A240
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A241 Address

A241
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A242 Address

A242
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A243 Address

A243
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A244 Address

A244

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A250 Address

A250

A259

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A251 Address

A251 -A259

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A259 Address

A259

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A260 Address

A260

A269

B200 -B24

C000 -C97

R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

A267 Address

A267
A269
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A268 Address

A268 -A269
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A269 Address

A269
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A270 Address

A270
A279
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A278 Address

A278 -A279
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A279 Address

A270 -A279
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A280 Address

A280
A289
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A281 Address

A281
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A282 Address

A282
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A288 Address

A288 -A289
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A289 Address

A289
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A3 Category

A300 Address

A300
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A301 Address

A301
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A302 Address

A302
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A303 Address

ICD-10-Mortality Manual 2c - 2014

A303
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A304 Address

A304
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A305 Address

A305
A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A308 Address

A308 -A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A309 Address

A309
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A310 Address

A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A311 Address

A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A318 Address

A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A319 Address

A310 -A319
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A320 Address

A320
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A321 Address

A321
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A327 Address

A327
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A328 Address

A328
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A329 Address

A329
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A33 Address

A33
B200 -B24
C000 -C97
P000 -P969
R75
Y431 -Y434
Y632
Y842

A34 Address

A34
B200 -B24
C000 -C97
O000 -O998
R75
Y431 -Y434
Y632
Y842

A35 Address

A35
B200 -B24
C000 -C97
F110 -F169
F180 -F199
R02
R75
S000 -T983
V010 -X599
Y431 -Y434
Y632
Y842

A360 Address

A360 -A369
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A361 Address

A360 -A369
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A362 Address

A360 -A369
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A363 Address

A360 -A369
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A368 Address

A360 -A369
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A369 Address

A360 -A369
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A370 Address

A370
A379
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A371 Address

A371
A379

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A378 Address

A378 -A379
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A379 Address

A379
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A38 Address

A38
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A390 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A391 Address

A390 -A399
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A392 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A393 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A394 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A395 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A398 Address

A390 -A399
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A399 Address

A390 -A399
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A4 Category

A400 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A401 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A402 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A403 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A408 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A409 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A410 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A411 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A412 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A413 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

A414 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A415 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A418 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A419 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A420 Address

A420 -A429
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A421 Address

A420 -A429

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A422 Address

A420 -A429
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A427 Address

A420 -A429
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A428 Address

A420 -A429
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A429 Address

A420 -A429
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A430 Address

A430 -A439
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A431 Address

A430 -A439
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A438 Address

A430 -A439
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A439 Address

A430 -A439
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A440 Address

A440
A449
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A441 Address

A441
A449

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A448 Address

A448 -A449
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A449 Address

A449
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A46 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A480 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A481 Address

A481
B200 -B24
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

A482 Address

A482
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A483 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A484 Address

A484
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A488 Address

A488
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A490 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A491 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A492 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A493 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A498 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A499 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A5 Category

A500 Address

A500
A539

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A501 Address

A501
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A502 Address

A502
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A503 Address

A503
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A504 Address

A504
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A505 Address

A505
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A506 Address

A506
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A507 Address

A507
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A509 Address

A509
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A510 Address

A510
A539
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A511 Address

A511
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A512 Address

A512
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A513 Address

A513
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A514 Address

A514
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A515 Address

ICD-10-Mortality Manual 2c - 2014

A515
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A519 Address

A519
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A520 Address

A520
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A521 Address

A521
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A522 Address

A522
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

ICD-10-Mortality Manual 2c - 2014

Y842

A523 Address

A523
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A527 Address

M A1690
A527
A539
M A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A528 Address

A528
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A529 Address

A529
A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A530 Address

A530 -A539

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A539 Address

A530 -A539
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A540 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A541 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A542 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A543 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A544 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A545 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A546 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A548 Address

A540 -A549
A64
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A549 Address

A540 -A549
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A55 Address

A55
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A560 Address

A560
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A561 Address

A561
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A562 Address

A562

ICD-10-Mortality Manual 2c - 2014

A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A563 Address

A563
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A564 Address

A564
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A568 Address

A568
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A57 Address

A57
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A58 Address

A58
A64
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A590 Address

A590 -A599
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A598 Address

A590 -A599
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A599 Address

A590 -A599
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A6 Category

A600 Address

A600 -A609
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

ICD-10-Mortality Manual 2c - 2014

Y842

A601 Address

A600 -A609
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A609 Address

A600 -A609
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A630 Address

M A509
A539
A630
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A638 Address

A638
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A64 Address

A64
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A65 Address

A65

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A660 Address

A660

A669

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A661 Address

A661

A669

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A662 Address

A662

A669

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A663 Address

A663

A669

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A664 Address

A664
A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A665 Address

A665
A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A666 Address

A666
A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A667 Address

A667
A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A668 Address

A668 -A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A669 Address

A669
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A670 Address

A670 -A679
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A671 Address

A670 -A679
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A672 Address

A670 -A679
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A673 Address

A670 -A679
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A679 Address

A670 -A679
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A680 Address

A680
A689
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A681 Address

A681 -A689
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A689 Address

A680 -A689
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A690 Address

A690
A699
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A691 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

A692 Address

A692
A699
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A698 Address

A698 -A699
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A699 Address

A699
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A7 Category

A70 Address

A70
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A710 Address

A710 -A719
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A711 Address

A710 -A719
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A719 Address

A710 -A719
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A740 Address

A740
A749
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

Y842

A748 Address

A748
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A749 Address

A749
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A750 Address

A750
A759
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A751 Address

A751
A759
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A752 Address

A752
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A753 Address

A753 -A759

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A759 Address

A750 -A759

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A770 Address

A770

A779

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A771 Address

A771

A779

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A772 Address

A772

A779

B200 -B24

C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A773 Address

A773
A779
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A778 Address

A778 -A779
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A779 Address

A770 -A779
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A78 Address

A78
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A790 Address

A790
A799
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A791 Address

A791
A799
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A798 Address

A798 -A799
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A799 Address

A790 -A799
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A8 Category

A800 Address

A800
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A801 Address

A801

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A802 Address

A802
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A803 Address

A803
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A804 Address

A804
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A809 Address

A809
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A810 Address

A810
A819

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A811 Address

A811
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A812 Address

A812
A819
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A818 Address

A818 -A819
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A819 Address

A819
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A820 Address

A820

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A821 Address

A821
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A829 Address

A829
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A830 Address

A830
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A831 Address

A831
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A832 Address

ICD-10-Mortality Manual 2c - 2014

A832
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A833 Address

A833
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A834 Address

A834
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A835 Address

A835
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A836 Address

A836
A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632

Y842

A838 Address

A838 -A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A839 Address

A830 -A839
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A840 Address

A840
A849
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A841 Address

A841
A849
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A848 Address

A848 -A849
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A849 Address

A840 -A849

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A850 Address

A850

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A851 Address

A851

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A852 Address

A852

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A858 Address

A858

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

ICD-10-Mortality Manual 2c - 2014

Y842

A86 Address

A810
A86
A923
B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A870 Address

A870
A879
B084 -B088
B200 -B24
B303
B330 -B338
B341
C000 -C97
R75
Y431 -Y434
Y632
Y842

A871 Address

A871
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A872 Address

A872
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A878 Address

A080 -A085
A878
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A879 Address

A080 -A085
A879
A923
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A880 Address

A880
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A881 Address

A881
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A888 Address

A888
B200 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

A89 Address

A89

A923

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A9 Category

A90 Address

A90

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A91 Address

A91

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A920 Address

A920

A929

B200 -B24

C000 -C97

R75

Y431 -Y434

Y632

Y842

A921 Address

A921

A929

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A922 Address

A922
A929
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A923 Address

A923
A929
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A924 Address

A924
A929
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A928 Address

A928 -A929
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A929 Address

ICD-10-Mortality Manual 2c - 2014

A920 -A929
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A930 Address

A930
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A931 Address

A931
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A932 Address

A932
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A938 Address

A938
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A94 Address

A94

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A950 Address

A950
A959
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A951 Address

A951 -A959
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A959 Address

A950 -A959
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A960 Address

A960
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A961 Address

A961

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A962 Address

A962
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A968 Address

A968
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A969 Address

A969
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A980 Address

A980
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A981 Address

A981
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

A982 Address

A982
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A983 Address

A983
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A984 Address

A984
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A985 Address

A985
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

A988 Address

A988
B200 -B24
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

A99 Address

A99
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B

B0 Category

B000 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B001 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B002 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B003 Address

ICD-10-Mortality Manual 2c - 2014

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B004 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B005 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B007 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B008 Address

B000 -B009
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B009 Address

B000 -B009

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B010 Address

A150 -A199
B010
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B011 Address

A150 -A199
B011
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B012 Address

A150 -A199
B012
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B018 Address

A150 -A199
B018
B200 -B24
C000 -C97
E100 -E149
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

B019 Address

A150 -A199
B019
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B020 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B021 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B022 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B023 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B027 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B028 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B029 Address

A150 -A199
B020 -B029
B200 -B24
C000 -C97
E100 -E149
R75
Y431 -Y434
Y632
Y842

B03 Address

ICD-10-Mortality Manual 2c - 2014

B03
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B04 Address

B03 -B04
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B050 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B051 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B052 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B053 Address

B050 -B059

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B054 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B058 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B059 Address

B050 -B059
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B060 Address

B060 -B069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B068 Address

B060 -B069
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

B069 Address

B060 -B069
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B07 Address

M A1690
B07
B200 -B24
C000 -C97
M R238
R75
Y431 -Y434
Y632
Y842

B080 Address

B080
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B081 Address

B081
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B082 Address

B082

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B083 Address

B083
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B084 Address

B084
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B085 Address

B085
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B088 Address

B088
B200 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y842

B09 Address

B09
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

B1 Category

B150 Address

B150
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B159 Address

B159
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B160 Address

B160
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B161 Address

B161
B199 -B24
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632
Y640 -Y649
Y842
M Y881

B162 Address

B162
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B169 Address

B169
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B170 Address

B170
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B171 Address

B171
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842

ICD-10-Mortality Manual 2c - 2014

M Y881

B172 Address

B172
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842

M Y881

B178 Address

B178
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842

M Y881

B179 Address

B179
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842

M Y881

B180 Address

B180
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842

M Y881

B181 Address

B181
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B182 Address

B182
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B188 Address

B188
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B189 Address

B189
B199 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B190 Address

ICD-10-Mortality Manual 2c - 2014

B190 -B24
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B199 Address

B199 -B24
B259
C000 -C97
R75
Y431 -Y434
Y632
Y640 -Y649
Y842
M Y881

B2 Category

B200 Address

B200 -B24
R75

B201 Address

B200 -B24
R75

B202 Address

B200 -B24
R75

B203 Address

B200 -B24
R75

B204 Address

B200 -B24
R75

B205 Address

B200 -B24
R75

B206 Address

B200 -B24
R75

B207 Address

B200 -B24
R75

B208 Address

B200 -B24
R75

B209 Address

B200 -B24
R75

B210 Address

B200 -B24
R75

B211 Address

B200 -B24
R75

B212 Address

B200 -B24
R75

B213 Address

B200 -B24
R75

B217 Address

B200 -B24
R75

B218 Address

B200 -B24
R75

B219 Address

B200 -B24

R75

B220 Address

B200 -B24
R75

B221 Address

B200 -B24
R75

B222 Address

B200 -B24
R75

B227 Address

B200 -B24
R75

B230 Address

B200 -B24
R75

B231 Address

B200 -B24
R75

B232 Address

B200 -B24
R75

B238 Address

B200 -B24
R75

B24 Address

B200 -B24
R75

B250 Address

B200 -B250
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

B251 Address

B200 -B24

B251

C000 -C97

R75

Y431 -Y434

Y632

Y842

B252 Address

B200 -B24

B252

C000 -C97

R75

Y431 -Y434

Y632

Y842

B258 Address

B200 -B24

B258

C000 -C97

R75

Y431 -Y434

Y632

Y842

B259 Address

B200 -B24

B259

C000 -C97

R75

Y431 -Y434

Y632

Y842

B260 Address

B200 -B24

B260 -B269

C000 -C97

R75

Y431 -Y434

Y632

Y842

B261 Address

B200 -B24
B260 -B269
C000 -C97
R75
Y431 -Y434
Y632
Y842

B262 Address

B200 -B24
B260 -B269
C000 -C97
R75
Y431 -Y434
Y632
Y842

B263 Address

B200 -B24
B260 -B269
C000 -C97
R75
Y431 -Y434
Y632
Y842

B268 Address

B200 -B24
B260 -B269
C000 -C97
R75
Y431 -Y434
Y632
Y842

B269 Address

B200 -B24
B260 -B269
C000 -C97
R75
Y431 -Y434
Y632
Y842

B270 Address

B200 -B24
B270
C000 -C97
R75
Y431 -Y434
Y632
Y842

B271 Address

B200 -B24
B271
C000 -C97
R75
Y431 -Y434
Y632
Y842

B278 Address

B200 -B24
B278
C000 -C97
R75
Y431 -Y434
Y632
Y842

B279 Address

B200 -B24
B279
C000 -C97
R75
Y431 -Y434
Y632
Y842

B3 Category

B300 Address

B200 -B24
B300
B309
C000 -C97
R75
Y431 -Y434
Y632

Y842

B301 Address

B200 -B24
B301
B309
C000 -C97
R75
Y431 -Y434
Y632
Y842

B302 Address

B200 -B24
B302
B309
C000 -C97
R75
Y431 -Y434
Y632
Y842

B303 Address

B200 -B24
B303
B309
C000 -C97
R75
Y431 -Y434
Y632
Y842

B308 Address

B200 -B24
B308 -B309
C000 -C97
R75
Y431 -Y434
Y632
Y842

B309 Address

B200 -B24
B300 -B309
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

B330 Address

B200 -B24
B330
C000 -C97
R75
Y431 -Y434
Y632
Y842

B331 Address

B200 -B24
B331
C000 -C97
R75
Y431 -Y434
Y632
Y842

B332 Address

B200 -B24
B332
C000 -C97
R75
Y431 -Y434
Y632
Y842

B333 Address

B200 -B24
B333
C000 -C97
R75
Y431 -Y434
Y632
Y842

B334 Address

B200 -B24
B334 -B338
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

B338 Address

B200 -B24

B334 -B338

C000 -C97

R75

Y431 -Y434

Y632

Y842

B340 Address

B200 -B24

B340

C000 -C97

R75

Y431 -Y434

Y632

Y842

B341 Address

B200 -B24

B341

C000 -C97

R75

Y431 -Y434

Y632

Y842

B342 Address

B200 -B24

B342

C000 -C97

R75

Y431 -Y434

Y632

Y842

B343 Address

B200 -B24

B343

C000 -C97

R75

Y431 -Y434

Y632

Y842

B344 Address

B200 -B24
B344
C000 -C97
R75
Y431 -Y434
Y632
Y842

B348 Address

B200 -B24
B348
C000 -C97
R75
Y431 -Y434
Y632
Y842

B349 Address

B200 -B24
B349
C000 -C97
R75
Y431 -Y434
Y632
Y842

B350 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B351 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B352 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B353 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B354 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B355 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B356 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B358 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B359 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B360 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B361 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B362 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B363 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B368 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

B369 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B370 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B371 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B372 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B373 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B374 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

B375 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B376 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B377 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B378 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B379 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B380 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B381 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B382 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B383 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B384 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B387 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B388 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B389 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B390 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B391 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B392 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B393 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

B394 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B395 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B399 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B4 Category

B400 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B401 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B402 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B403 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B407 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B408 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B409 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B410 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B417 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B418 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B419 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B420 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B421 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B427 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

B428 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B429 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B430 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B431 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B432 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B438 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

B439 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B440 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B441 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B442 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B447 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B448 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B449 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B450 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B451 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B452 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B453 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B457 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B458 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B459 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B460 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B461 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B462 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

B463 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B464 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B465 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B468 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B469 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B470 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

B471 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B479 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B480 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B481 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B482 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B483 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B484 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B487 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B488 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B49 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

B5 Category

B500 Address

B200 -B24
B500
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632
Y842

B508 Address

B200 -B24
B508
C000 -C97
R75
Y431 -Y434
Y632
Y842

B509 Address

B200 -B24
B500 -B509
C000 -C97
R75
Y431 -Y434
Y632
Y842

B510 Address

B200 -B24
B510
C000 -C97
R75
Y431 -Y434
Y632
Y842

B518 Address

B200 -B24
B518
C000 -C97
R75
Y431 -Y434
Y632
Y842

B519 Address

B200 -B24
B510 -B519
C000 -C97
R75
Y431 -Y434
Y632

ICD-10-Mortality Manual 2c - 2014

Y842

B520 Address

B200 -B24
B520
C000 -C97
R75
Y431 -Y434
Y632
Y842

B528 Address

B200 -B24
B528
C000 -C97
R75
Y431 -Y434
Y632
Y842

B529 Address

B200 -B24
B520 -B529
C000 -C97
R75
Y431 -Y434
Y632
Y842

B530 Address

B200 -B24
B530
C000 -C97
R75
Y431 -Y434
Y632
Y842

B531 Address

B200 -B24
B531
C000 -C97
R75
Y431 -Y434
Y632
Y842

B538 Address

B200 -B24
B530 -B538
C000 -C97
R75
Y431 -Y434
Y632
Y842

B54 Address

B200 -B24
B500 -B54
C000 -C97
R75
Y431 -Y434
Y632
Y842

B550 Address

B200 -B24
B550
B559
C000 -C97
R75
Y431 -Y434
Y632
Y842

B551 Address

B200 -B24
B551
B559
C000 -C97
R75
Y431 -Y434
Y632
Y842

B552 Address

B200 -B24
B552 -B559
C000 -C97
R75
Y431 -Y434
Y632

ICD-10-Mortality Manual 2c - 2014

Y842

B559 Address

B200 -B24
B550 -B559
C000 -C97
R75
Y431 -Y434
Y632
Y842

B560 Address

B200 -B24
B560
B569
C000 -C97
R75
Y431 -Y434
Y632
Y842

B561 Address

B200 -B24
B561 -B569
C000 -C97
R75
Y431 -Y434
Y632
Y842

B569 Address

B200 -B24
B560 -B569
C000 -C97
R75
Y431 -Y434
Y632
Y842

B570 Address

B200 -B24
B570
B575
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

B571 Address

B200 -B24

B571

B575

C000 -C97

R75

Y431 -Y434

Y632

Y842

B572 Address

B200 -B24

B572

B575

C000 -C97

R75

Y431 -Y434

Y632

Y842

B573 Address

B200 -B24

B573

B575

C000 -C97

R75

Y431 -Y434

Y632

Y842

B574 Address

B200 -B24

B574 -B575

C000 -C97

R75

Y431 -Y434

Y632

Y842

B575 Address

B200 -B24

B575

C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

B580 Address

B200 -B24
B580 -B589
C000 -C97
R75
Y431 -Y434
Y632
Y842

B581 Address

B200 -B24
B580 -B589
C000 -C97
R75
Y431 -Y434
Y632
Y842

B582 Address

B200 -B24
B580 -B589
C000 -C97
R75
Y431 -Y434
Y632
Y842

B583 Address

B200 -B24
B580 -B589
C000 -C97
R75
Y431 -Y434
Y632
Y842

B588 Address

B200 -B24
B580 -B589
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

B589 Address

B200 -B24
B580 -B589
C000 -C97
R75
Y431 -Y434
Y632
Y842

B59 Address

B200 -B24
B59
C000 -C97
R75
Y431 -Y434
Y632
Y842

B6 Category

B600 Address

B200 -B24
B600
B64
C000 -C97
R75
Y431 -Y434
Y632
Y842

B601 Address

B200 -B24
B601
B64
C000 -C97
R75
Y431 -Y434
Y632
Y842

B602 Address

B200 -B24
B602

ICD-10-Mortality Manual 2c - 2014

B64
C000 -C97
R75
Y431 -Y434
Y632
Y842

B608 Address

B200 -B24
B608 -B64
C000 -C97
R75
Y431 -Y434
Y632
Y842

B64 Address

B200 -B24
B64
C000 -C97
R75
Y431 -Y434
Y632
Y842

B650 Address

B200 -B24
B650
B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B651 Address

B200 -B24
B651
B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B652 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
B652
B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B653 Address

B200 -B24
B653
B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B658 Address

B200 -B24
B658 -B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B659 Address

B200 -B24
B650 -B659
C000 -C97
R75
Y431 -Y434
Y632
Y842

B660 Address

B200 -B24
B660
B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B661 Address

B200 -B24
B661
B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B662 Address

B200 -B24
B662
B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B663 Address

B200 -B24
B663
B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B664 Address

B200 -B24
B664
B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B665 Address

B200 -B24
B665
B669
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

B668 Address

B200 -B24
B668 -B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B669 Address

B200 -B24
B660 -B669
C000 -C97
R75
Y431 -Y434
Y632
Y842

B670 Address

B200 -B24
B670 -B674
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B671 Address

B200 -B24
B670 -B674
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B672 Address

B200 -B24
B670 -B674

ICD-10-Mortality Manual 2c - 2014

B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B673 Address

B200 -B24
B670 -B674
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B674 Address

B200 -B24
B670 -B674
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B675 Address

B200 -B24
B675 -B677
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B676 Address

B200 -B24
B675 -B677
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B677 Address

B200 -B24
B675 -B677
B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B678 Address

B200 -B24
B670
B674 -B675
B677 -B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B679 Address

B200 -B24
B670 -B679
C000 -C97
R75
Y431 -Y434
Y632
Y842

B680 Address

B200 -B24
B680
B689
C000 -C97
R75
Y431 -Y434
Y632
Y842

B681 Address

B200 -B24
B681 -B689
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

B689 Address

B200 -B24
B689
C000 -C97
R75
Y431 -Y434
Y632
Y842

B690 Address

B200 -B24
B690
B699
C000 -C97
R75
Y431 -Y434
Y632
Y842

B691 Address

B200 -B24
B691
B699
C000 -C97
R75
Y431 -Y434
Y632
Y842

B698 Address

B200 -B24
B698 -B699
C000 -C97
R75
Y431 -Y434
Y632
Y842

B699 Address

B200 -B24
B699
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

B7 Category

B700 Address

B200 -B24
B700 -B701
C000 -C97
R75
Y431 -Y434
Y632
Y842

B701 Address

B200 -B24
B700 -B701
C000 -C97
R75
Y431 -Y434
Y632
Y842

B710 Address

B200 -B24
B710
B719
C000 -C97
R75
Y431 -Y434
Y632
Y842

B711 Address

B200 -B24
B711
B719
C000 -C97
R75
Y431 -Y434
Y632
Y842

B718 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

B718 -B719
C000 -C97
R75
Y431 -Y434
Y632
Y842

B719 Address

B200 -B24
B710 -B719
C000 -C97
R75
Y431 -Y434
Y632
Y842

B72 Address

B200 -B24
B72
C000 -C97
R75
Y431 -Y434
Y632
Y842

B73 Address

B200 -B24
B73
C000 -C97
R75
Y431 -Y434
Y632
Y842

B740 Address

B200 -B24
B740
B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B741 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

B741
B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B742 Address

B200 -B24
B742
B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B743 Address

B200 -B24
B743
B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B744 Address

B200 -B24
B744
B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B748 Address

B200 -B24
B748 -B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B749 Address

B200 -B24
B740 -B749
C000 -C97
R75
Y431 -Y434
Y632
Y842

B75 Address

B200 -B24
B75
C000 -C97
R75
Y431 -Y434
Y632
Y842

B760 Address

B200 -B24
B760
B769
C000 -C97
R75
Y431 -Y434
Y632
Y842

B761 Address

B200 -B24
B761
B769
C000 -C97
R75
Y431 -Y434
Y632
Y842

B768 Address

B200 -B24
B768 -B769
C000 -C97
R75
Y431 -Y434
Y632

ICD-10-Mortality Manual 2c - 2014

Y842

B769 Address

B200 -B24
B760 -B769
C000 -C97
R75
Y431 -Y434
Y632
Y842

B770 Address

B200 -B24
B770
B779
C000 -C97
R75
Y431 -Y434
Y632
Y842

B778 Address

B200 -B24
B778 -B779
C000 -C97
R75
Y431 -Y434
Y632
Y842

B779 Address

B200 -B24
B779
C000 -C97
R75
Y431 -Y434
Y632
Y842

B780 Address

B200 -B24
B780
B789
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632
Y842

B781 Address

B200 -B24
B781
B789
C000 -C97
R75
Y431 -Y434
Y632
Y842

B787 Address

B200 -B24
B787 -B789
C000 -C97
R75
Y431 -Y434
Y632
Y842

B789 Address

B200 -B24
B789
C000 -C97
R75
Y431 -Y434
Y632
Y842

B79 Address

B200 -B24
B79
C000 -C97
R75
Y431 -Y434
Y632
Y842

B8 Category

B80 Address

B200 -B24
B80
C000 -C97
R75

ICD-10-Mortality Manual 2c - 2014

Y431 -Y434
Y632
Y842

B810 Address

B200 -B24
B810
B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B811 Address

B200 -B24
B811
B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B812 Address

B200 -B24
B812
B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B813 Address

B200 -B24
B813
B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B814 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

B814
B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B818 Address

B200 -B24
B818 -B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B820 Address

B200 -B24
B810 -B820
C000 -C97
R75
Y431 -Y434
Y632
Y842

B829 Address

B200 -B24
B829
C000 -C97
R75
Y431 -Y434
Y632
Y842

B830 Address

B200 -B24
B830
B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B831 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
B831
B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B832 Address

B200 -B24
B832
B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B833 Address

B200 -B24
B833
B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B834 Address

B200 -B24
B834
B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B838 Address

B200 -B24
B838 -B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B839 Address

B200 -B24
B830 -B839
C000 -C97
R75
Y431 -Y434
Y632
Y842

B850 Address

B200 -B24
B850 -B854
C000 -C97
R75
Y431 -Y434
Y632
Y842

B851 Address

B200 -B24
B850 -B854
C000 -C97
R75
Y431 -Y434
Y632
Y842

B852 Address

B200 -B24
B850 -B854
C000 -C97
R75
Y431 -Y434
Y632
Y842

B853 Address

B200 -B24
B850 -B854
C000 -C97
R75
Y431 -Y434
Y632
Y842

B854 Address

B200 -B24
B850 -B854
C000 -C97
R75
Y431 -Y434
Y632
Y842

B86 Address

B200 -B24
B86
C000 -C97
R75
Y431 -Y434
Y632
Y842

B870 Address

B200 -B24
B870
B879
C000 -C97
R75
Y431 -Y434
Y632
Y842

B871 Address

B200 -B24
B871
B879
C000 -C97
R75
Y431 -Y434
Y632
Y842

B872 Address

B200 -B24
B872
B879
C000 -C97
R75
Y431 -Y434

ICD-10-Mortality Manual 2c - 2014

Y632

Y842

B873 Address

B200 -B24

B873

B879

C000 -C97

R75

Y431 -Y434

Y632

Y842

B874 Address

B200 -B24

B874

B879

C000 -C97

R75

Y431 -Y434

Y632

Y842

B878 Address

B200 -B24

B878 -B879

C000 -C97

R75

Y431 -Y434

Y632

Y842

B879 Address

B200 -B24

B870 -B879

C000 -C97

R75

Y431 -Y434

Y632

Y842

B880 Address

B200 -B24

B880

B889

C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842

B881 Address

B200 -B24
B881
B889
C000 -C97
R75
Y431 -Y434
Y632
Y842

B882 Address

B200 -B24
B882
B889
C000 -C97
R75
Y431 -Y434
Y632
Y842

B888 Address

B200 -B24
B888 -B889
C000 -C97
R75
Y431 -Y434
Y632
Y842

B889 Address

B200 -B24
B880 -B889
C000 -C97
R75
Y431 -Y434
Y632
Y842

B89 Address

B200 -B24
B89

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

B9 Category

B900 Address

B200 -B24
B900
C000 -C97
R75
Y431 -Y434
Y632
Y842

B901 Address

B200 -B24
B901
C000 -C97
R75
Y431 -Y434
Y632
Y842

B902 Address

B200 -B24
B902
C000 -C97
R75
Y431 -Y434
Y632
Y842

B908 Address

B200 -B24
B908
C000 -C97
R75
Y431 -Y434
Y632
Y842

B909 Address

B200 -B24
B909

ICD-10-Mortality Manual 2c - 2014

C000 -C97
R75
Y431 -Y434
Y632
Y842

B91 Address

B200 -B24
B91
C000 -C97
R75
Y431 -Y434
Y632
Y842

B92 Address

B200 -B24
B92
C000 -C97
R75
Y431 -Y434
Y632
Y842

B940 Address

B200 -B24
B940
C000 -C97
R75
Y431 -Y434
Y632
Y842

B941 Address

B200 -B24
B941
C000 -C97
R75
Y431 -Y434
Y632
Y842

B942 Address

B200 -B24
B942
C000 -C97

ICD-10-Mortality Manual 2c - 2014

R75
Y431 -Y434
Y632
Y842
Y881

B948 Address

M A000 -B942
B948
M B949 -R961
M R98 -Y899

B949 Address

M A000 -B948
B949
M C000 -R961
M R98 -Y899

B99 Address

M A000 -B949
B99
M C000 -R961
M R98 -Y899

C

C0 Category

C000 Address

B200 -B24
C000
R75

C001 Address

B200 -B24
C001
R75

C002 Address

B200 -B24
C002
R75

C003 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C003
R75

C004 Address

B200 -B24
C004
R75

C005 Address

B200 -B24
C005
R75

C006 Address

B200 -B24
C006
R75

C008 Address

B200 -B24
C008
R75

C009 Address

B200 -B24
C009
R75

C01 Address

B200 -B24
C01
R75

C020 Address

B200 -B24
C020
R75

C021 Address

B200 -B24
C021
R75

C022 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C022
R75

C023 Address

B200 -B24
C023
R75

C024 Address

B200 -B24
C024
R75

C028 Address

B200 -B24
C028
R75

C029 Address

B200 -B24
C029
R75

C030 Address

B200 -B24
C030
R75

C031 Address

B200 -B24
C031
R75

C039 Address

B200 -B24
C039
R75

C040 Address

B200 -B24
C040
R75

C041 Address

B200 -B24
C041
R75

C048 Address

B200 -B24
C048
R75

C049 Address

B200 -B24
C049
R75

C050 Address

B200 -B24
C050
R75

C051 Address

B200 -B24
C051
R75

C052 Address

B200 -B24
C052
R75

C058 Address

B200 -B24
C058
R75

C059 Address

B200 -B24
C059
R75

C060 Address

B200 -B24
C060

ICD-10-Mortality Manual 2c - 2014

R75

C061 Address

B200 -B24
C061
R75

C062 Address

B200 -B24
C062
R75

C068 Address

B200 -B24
C068
R75

C069 Address

B200 -B24
C069
R75

C07 Address

B200 -B24
C07
R75

C080 Address

B200 -B24
C080
R75

C081 Address

B200 -B24
C081
R75

C088 Address

B200 -B24
C088
R75

C089 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C089
R75

C090 Address

B200 -B24
C090
R75

C091 Address

B200 -B24
C091
R75

C098 Address

B200 -B24
C098
R75

C099 Address

B200 -B24
C099
R75

C1 Category

C100 Address

B200 -B24
C100
R75

C101 Address

B200 -B24
C101
R75

C102 Address

B200 -B24
C102
R75

C103 Address

B200 -B24
C103
R75

C104 Address

B200 -B24
C104
R75

C108 Address

B200 -B24
C108
R75

C109 Address

B200 -B24
C109
R75

C110 Address

B200 -B24
C110
R75

C111 Address

B200 -B24
C111
R75

C112 Address

B200 -B24
C112
R75

C113 Address

B200 -B24
C113
R75

C118 Address

B200 -B24
C118
R75

C119 Address

B200 -B24
C119

ICD-10-Mortality Manual 2c - 2014

R75

C12 Address

B200 -B24

C12

R75

C130 Address

B200 -B24

C130

R75

C131 Address

B200 -B24

C131

R75

C132 Address

B200 -B24

C132

R75

C138 Address

B200 -B24

C138

R75

C139 Address

B200 -B24

C139

R75

C140 Address

B200 -B24

C140

R75

C142 Address

B200 -B24

C142

R75

C148 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C148
R75

C150 Address

B200 -B24
C150
R75

C151 Address

B200 -B24
C151
R75

C152 Address

B200 -B24
C152
R75

C153 Address

B200 -B24
C153
R75

C154 Address

B200 -B24
C154
R75

C155 Address

B200 -B24
C155
R75

C158 Address

B200 -B24
C158
R75

C159 Address

B200 -B24
C159
R75

C160 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C160
R75

C161 Address

B200 -B24
C161
R75

C162 Address

B200 -B24
C162
R75

C163 Address

B200 -B24
C163
R75

C164 Address

B200 -B24
C164
R75

C165 Address

B200 -B24
C165
R75

C166 Address

B200 -B24
C166
R75

C168 Address

B200 -B24
C168
R75

C169 Address

B200 -B24
C169
R75

C170 Address

B200 -B24
C170
R75

C171 Address

B200 -B24
C171
R75

C172 Address

B200 -B24
C172
R75

C173 Address

B200 -B24
C173
R75

C178 Address

B200 -B24
C178
R75

C179 Address

B200 -B24
C179
R75

C180 Address

B200 -B24
C180
R75

C181 Address

B200 -B24
C181
R75

C182 Address

B200 -B24
C182

ICD-10-Mortality Manual 2c - 2014

R75

C183 Address

B200 -B24
C183
R75

C184 Address

B200 -B24
C184
R75

C185 Address

B200 -B24
C185
R75

C186 Address

B200 -B24
C186
R75

C187 Address

B200 -B24
C187
R75

C188 Address

B200 -B24
C188
R75

C189 Address

B200 -B24
C189
R75

C19 Address

B200 -B24
C19
R75

C2 Category

C20 Address

B200 -B24
C20
R75

C210 Address

B200 -B24
C210
R75

C211 Address

B200 -B24
C211
R75

C212 Address

B200 -B24
C212
R75

C218 Address

B200 -B24
C218
R75

C220 Address

B200 -B24
C220
R75

C221 Address

B200 -B24
C221
R75

C222 Address

B200 -B24
C222
R75

C223 Address

B200 -B24
C223

R75

C224 Address

B200 -B24
C224
R75

C227 Address

B200 -B24
C227
R75

C229 Address

B200 -B24
C229
R75

C23 Address

B200 -B24
C23
R75

C240 Address

B200 -B24
C240
R75

C241 Address

B200 -B24
C241
R75

C248 Address

B200 -B24
C248
R75

C249 Address

B200 -B24
C249
R75

C250 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C250
R75

C251 Address

B200 -B24
C251
R75

C252 Address

B200 -B24
C252
R75

C253 Address

B200 -B24
C253
R75

C254 Address

B200 -B24
C254
R75

C257 Address

B200 -B24
C257
R75

C258 Address

B200 -B24
C258
R75

C259 Address

B200 -B24
C259
R75

C260 Address

B200 -B24
C260
R75

C261 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C261
R75

C268 Address

B200 -B24
C268
R75

C269 Address

B200 -B24
C269
R75

C3 Category

C300 Address

B200 -B24
C300
R75

C301 Address

B200 -B24
C301
R75

C310 Address

B200 -B24
C310
R75

C311 Address

B200 -B24
C311
R75

C312 Address

B200 -B24
C312
R75

C313 Address

B200 -B24
C313
R75

C318 Address

B200 -B24
C318
R75

C319 Address

B200 -B24
C319
R75

C320 Address

B200 -B24
C320
R75

C321 Address

B200 -B24
C321
R75

C322 Address

B200 -B24
C322
R75

C323 Address

B200 -B24
C323
R75

C328 Address

B200 -B24
C328
R75

C329 Address

B200 -B24
C329
R75

C33 Address

B200 -B24
C33

R75

C340 Address

B200 -B24
C340
R75

C341 Address

B200 -B24
C341
R75

C342 Address

B200 -B24
C342
R75

C343 Address

B200 -B24
C343
R75

C348 Address

B200 -B24
C348
R75

C349 Address

B200 -B24
C349
R75

C37 Address

B200 -B24
C37
R75

C380 Address

B200 -B24
C380
R75

C381 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C381
R75

C382 Address

B200 -B24
C382
R75

C383 Address

B200 -B24
C383
R75

C384 Address

B200 -B24
C384
R75

C388 Address

B200 -B24
C388
R75

C390 Address

B200 -B24
C390
R75

C398 Address

B200 -B24
C398
R75

C399 Address

B200 -B24
C399
R75

C4 Category

C400 Address

B200 -B24
C400
R75

C401 Address

B200 -B24
C401
R75

C402 Address

B200 -B24
C402
R75

C403 Address

B200 -B24
C403
R75

C408 Address

B200 -B24
C408
R75

C409 Address

B200 -B24
C409
R75

C410 Address

B200 -B24
C410
R75

C411 Address

B200 -B24
C411
R75

C412 Address

B200 -B24
C412
R75

C413 Address

B200 -B24
C413

ICD-10-Mortality Manual 2c - 2014

R75

C414 Address

B200 -B24
C414
R75

C418 Address

B200 -B24
C418
R75

C419 Address

B200 -B24
C419
R75

C430 Address

B200 -B24
C430
R75

C431 Address

B200 -B24
C431
R75

C432 Address

B200 -B24
C432
R75

C433 Address

B200 -B24
C433
R75

C434 Address

B200 -B24
C434
R75

C435 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C435
R75

C436 Address

B200 -B24
C436
R75

C437 Address

B200 -B24
C437
R75

C438 Address

B200 -B24
C438
R75

C439 Address

B200 -B24
C439
R75

C440 Address

B200 -B24
C440
R75

C441 Address

B200 -B24
C441
R75

C442 Address

B200 -B24
C442
R75

C443 Address

B200 -B24
C443
R75

C444 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C444
R75

C445 Address

B200 -B24
C445
R75

C446 Address

B200 -B24
C446
R75

C447 Address

B200 -B24
C447
R75

C448 Address

B200 -B24
C448
R75

C449 Address

B200 -B24
C449
R75

C450 Address

B200 -B24
C450
R75

C451 Address

B200 -B24
C451
R75

C452 Address

B200 -B24
C452
R75

C457 Address

B200 -B24
C457
R75

C459 Address

B200 -B24
C459
R75

C460 Address

B200 -B24
C460
R75

C461 Address

B200 -B24
C461
R75

C462 Address

B200 -B24
C462
R75

C463 Address

B200 -B24
C463
R75

C467 Address

B200 -B24
C467
R75

C468 Address

B200 -B24
C468
R75

C469 Address

B200 -B24
C469

ICD-10-Mortality Manual 2c - 2014

R75

C470 Address

B200 -B24
C470
R75

C471 Address

B200 -B24
C471
R75

C472 Address

B200 -B24
C472
R75

C473 Address

B200 -B24
C473
R75

C474 Address

B200 -B24
C474
R75

C475 Address

B200 -B24
C475
R75

C476 Address

B200 -B24
C476
R75

C478 Address

B200 -B24
C478
R75

C479 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C479
R75

C480 Address

B200 -B24
C480
R75

C481 Address

B200 -B24
C481
R75

C482 Address

B200 -B24
C482
R75

C488 Address

B200 -B24
C488
R75

C490 Address

B200 -B24
C490
R75

C491 Address

B200 -B24
C491
R75

C492 Address

B200 -B24
C492
R75

C493 Address

B200 -B24
C493
R75

C494 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C494
R75

C495 Address

B200 -B24
C495
R75

C496 Address

B200 -B24
C496
R75

C498 Address

B200 -B24
C498
R75

C499 Address

B200 -B24
C499
R75

C5 Category

C500 Address

B200 -B24
C500
R75

C501 Address

B200 -B24
C501
R75

C502 Address

B200 -B24
C502
R75

C503 Address

B200 -B24
C503
R75

C504 Address

B200 -B24
C504
R75

C505 Address

B200 -B24
C505
R75

C506 Address

B200 -B24
C506
R75

C508 Address

B200 -B24
C508
R75

C509 Address

B200 -B24
C509
R75

C510 Address

B200 -B24
C510
R75

C511 Address

B200 -B24
C511
R75

C512 Address

B200 -B24
C512
R75

C518 Address

B200 -B24
C518

ICD-10-Mortality Manual 2c - 2014

R75

C519 Address

B200 -B24
C519
R75

C52 Address

B200 -B24
C52
R75

C530 Address

B200 -B24
C530
R75

C531 Address

B200 -B24
C531
R75

C538 Address

B200 -B24
C538
R75

C539 Address

B200 -B24
C539
R75

C540 Address

B200 -B24
C540
R75

C541 Address

B200 -B24
C541
R75

C542 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C542
R75

C543 Address

B200 -B24
C543
R75

C548 Address

B200 -B24
C548
R75

C549 Address

B200 -B24
C549
R75

C55 Address

B200 -B24
C55
R75

C56 Address

B200 -B24
C56
R75

C570 Address

B200 -B24
C570
R75

C571 Address

B200 -B24
C571
R75

C572 Address

B200 -B24
C572
R75

C573 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C573
R75

C574 Address

B200 -B24
C574
R75

C577 Address

B200 -B24
C577
R75

C578 Address

B200 -B24
C578
R75

C579 Address

B200 -B24
C579
R75

C58 Address

B200 -B24
C58
R75

C6 Category

C600 Address

B200 -B24
C600
R75

C601 Address

B200 -B24
C601
R75

C602 Address

B200 -B24
C602
R75

C608 Address

B200 -B24
C608
R75

C609 Address

B200 -B24
C609
R75

C61 Address

B200 -B24
C61
R75

C620 Address

B200 -B24
C620
R75

C621 Address

B200 -B24
C621
R75

C629 Address

B200 -B24
C629
R75

C630 Address

B200 -B24
C630
R75

C631 Address

B200 -B24
C631
R75

C632 Address

B200 -B24
C632

ICD-10-Mortality Manual 2c - 2014

R75

C637 Address

B200 -B24
C637
R75

C638 Address

B200 -B24
C638
R75

C639 Address

B200 -B24
C639
R75

C64 Address

B200 -B24
C64
R75

C65 Address

B200 -B24
C65
R75

C66 Address

B200 -B24
C66
R75

C670 Address

B200 -B24
C670
R75

C671 Address

B200 -B24
C671
R75

C672 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C672
R75

C673 Address

B200 -B24
C673
R75

C674 Address

B200 -B24
C674
R75

C675 Address

B200 -B24
C675
R75

C676 Address

B200 -B24
C676
R75

C677 Address

B200 -B24
C677
R75

C678 Address

B200 -B24
C678
R75

C679 Address

B200 -B24
C679
R75

C680 Address

B200 -B24
C680
R75

C681 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C681
R75

C688 Address

B200 -B24
C688
R75

C689 Address

B200 -B24
C689
R75

C690 Address

B200 -B24
C690
R75

C691 Address

B200 -B24
C691
R75

C692 Address

B200 -B24
C692
R75

C693 Address

B200 -B24
C693
R75

C694 Address

B200 -B24
C694
R75

C695 Address

B200 -B24
C695
R75

C696 Address

B200 -B24
C696
R75

C698 Address

B200 -B24
C698
R75

C699 Address

B200 -B24
C699
R75

C7 Category

C700 Address

B200 -B24
C700
R75

C701 Address

B200 -B24
C701
R75

C709 Address

B200 -B24
C709
R75

C710 Address

B200 -B24
C710
R75

C711 Address

B200 -B24
C711
R75

C712 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C712
R75

C713 Address

B200 -B24
C713
R75

C714 Address

B200 -B24
C714
R75

C715 Address

B200 -B24
C715
R75

C716 Address

B200 -B24
C716
R75

C717 Address

B200 -B24
C717
R75

C718 Address

B200 -B24
C718
R75

C719 Address

B200 -B24
C719
R75

C720 Address

B200 -B24
C720
R75

C721 Address

B200 -B24
C721
R75

C722 Address

B200 -B24
C722
R75

C723 Address

B200 -B24
C723
R75

C724 Address

B200 -B24
C724
R75

C725 Address

B200 -B24
C725
R75

C728 Address

B200 -B24
C728
R75

C729 Address

B200 -B24
C729
R75

C73 Address

B200 -B24
C73
R75

C740 Address

B200 -B24
C740

R75

C741 Address

B200 -B24
C741
R75

C749 Address

B200 -B24
C749
R75

C750 Address

B200 -B24
C750
R75

C751 Address

B200 -B24
C751
R75

C752 Address

B200 -B24
C752
R75

C753 Address

B200 -B24
C753
R75

C754 Address

B200 -B24
C754
R75

C755 Address

B200 -B24
C755
R75

C758 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C758
R75

C759 Address

B200 -B24
C759
R75

C760 Address

B200 -B24
C760
R75

C761 Address

B200 -B24
C761
R75

C762 Address

B200 -B24
C762
R75

C763 Address

B200 -B24
C763
R75

C764 Address

B200 -B24
C764
R75

C765 Address

B200 -B24
C765
R75

C767 Address

B200 -B24
C767
R75

C768 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C768
R75

C770 Address

B200 -B24
C000 -C770
C80 -C969
R75

C771 Address

B200 -B24
C000 -C768
C771
C80 -C969
R75

C772 Address

B200 -B24
C000 -C768
C772
C80 -C969
R75

C773 Address

B200 -B24
C000 -C768
C773
C80 -C969
R75

C774 Address

B200 -B24
C000 -C768
C774
C80 -C969
R75

C775 Address

B200 -B24
C000 -C768
C775
C80 -C969
R75

C778 Address

B200 -B24
C000 -C768
C778
C80 -C969
R75

C779 Address

B200 -B24
C000 -C768
C779
C80 -C969
R75

C780 Address

B200 -B24
C000 -C768
C780
C80 -C969
R75

C781 Address

B200 -B24
C000 -C768
C781
C80 -C969
R75

C782 Address

B200 -B24
C000 -C768
C782
C80 -C969
R75

C783 Address

B200 -B24
C000 -C768
C783
C80 -C969
R75

C784 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C768
C784
C80 -C969
R75

C785 Address

B200 -B24
C000 -C768
C785
C80 -C969
R75

C786 Address

B200 -B24
C000 -C768
C786
C80 -C969
R75

C787 Address

B200 -B24
C000 -C768
C787
C80 -C969
R75

C788 Address

B200 -B24
C000 -C768
C788
C80 -C969
R75

C790 Address

B200 -B24
C000 -C768
C790
C80 -C969
R75

C791 Address

B200 -B24
C000 -C768
C791
C80 -C969
R75

C792 Address

B200 -B24
C000 -C768
C792
C80 -C969
R75

C793 Address

B200 -B24
C000 -C768
C793
C80 -C969
R75

C794 Address

B200 -B24
C000 -C768
C794
C80 -C969
R75

C795 Address

B200 -B24
C000 -C768
C795
C80 -C969
R75

C796 Address

B200 -B24
C000 -C768
C796
C80 -C969
R75

C797 Address

B200 -B24
C000 -C768
C797
C80 -C969
R75

C798 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -C768
C798 -C969
R75

C8 Category

C80 Address

B200 -B24
C000 -C768
C80 -C969
R75

C810 Address

B200 -B24
C810 -C969
R75

C811 Address

B200 -B24
C810 -C969
R75

C812 Address

B200 -B24
C810 -C969
R75

C813 Address

B200 -B24
C810 -C969
R75

C817 Address

B200 -B24
C810 -C969
R75

C819 Address

B200 -B24
C810 -C969
R75

C820 Address

B200 -B24
C810 -C969

ICD-10-Mortality Manual 2c - 2014

R75

C821 Address

B200 -B24
C810 -C969
R75

C822 Address

B200 -B24
C810 -C969
R75

C827 Address

B200 -B24
C810 -C969
R75

C829 Address

B200 -B24
C810 -C969
R75

C830 Address

B200 -B24
C810 -C969
R75

C831 Address

B200 -B24
C810 -C969
R75

C832 Address

B200 -B24
C810 -C969
R75

C833 Address

B200 -B24
C810 -C969
R75

C834 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C810 -C969
R75

C835 Address

B200 -B24
C810 -C969
R75

C836 Address

B200 -B24
C810 -C969
R75

C837 Address

B200 -B24
C810 -C969
R75

C838 Address

B200 -B24
C810 -C969
R75

C839 Address

B200 -B24
C810 -C969
R75

C840 Address

B200 -B24
C810 -C969
R75

C841 Address

B200 -B24
C810 -C969
R75

C842 Address

B200 -B24
C810 -C969
R75

C843 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C810 -C969
R75

C844 Address

B200 -B24
C810 -C969
R75

C845 Address

B200 -B24
C810 -C969
R75

C850 Address

B200 -B24
C810 -C969
R75

C851 Address

B200 -B24
C810 -C969
R75

C857 Address

B200 -B24
C810 -C969
R75

C859 Address

B200 -B24
C810 -C969
R75

C880 Address

B200 -B24
C810 -C969
R75

C881 Address

B200 -B24
C810 -C969
R75

C882 Address

B200 -B24
C810 -C969
R75

C883 Address

B200 -B24
C810 -C969
R75

C887 Address

B200 -B24
C810 -C969
R75

C889 Address

B200 -B24
C810 -C969
R75

C9 Category

C900 Address

B200 -B24
C810 -C969
R75

C901 Address

B200 -B24
C810 -C969
R75

C902 Address

B200 -B24
C810 -C969
R75

C910 Address

B200 -B24
C810 -C969
R75

C911 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C810 -C969
R75

C912 Address

B200 -B24
C810 -C969
R75

C913 Address

B200 -B24
C810 -C969
R75

C914 Address

B200 -B24
C810 -C969
R75

C915 Address

B200 -B24
C810 -C969
R75

C917 Address

B200 -B24
C810 -C969
R75

C919 Address

B200 -B24
C810 -C969
R75

C920 Address

B200 -B24
C810 -C969
R75

C921 Address

B200 -B24
C810 -C969
R75

C922 Address

B200 -B24
C810 -C969
R75

C923 Address

B200 -B24
C810 -C969
R75

C924 Address

B200 -B24
C810 -C969
R75

C925 Address

B200 -B24
C810 -C969
R75

C927 Address

B200 -B24
C810 -C969
R75

C929 Address

B200 -B24
C810 -C969
R75

C930 Address

B200 -B24
C810 -C969
R75

C931 Address

B200 -B24
C810 -C969
R75

C932 Address

B200 -B24
C810 -C969

R75

C937 Address

B200 -B24
C810 -C969
R75

C939 Address

B200 -B24
C810 -C969
R75

C940 Address

B200 -B24
C810 -C969
R75

C941 Address

B200 -B24
C810 -C969
R75

C942 Address

B200 -B24
C810 -C969
R75

C943 Address

B200 -B24
C810 -C969
R75

C944 Address

B200 -B24
C810 -C969
R75

C945 Address

B200 -B24
C810 -C969
R75

C947 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C810 -C969
R75

C950 Address

B200 -B24
C810 -C969
R75

C951 Address

B200 -B24
C810 -C969
R75

C952 Address

B200 -B24
C810 -C969
R75

C957 Address

B200 -B24
C810 -C969
R75

C959 Address

B200 -B24
C810 -C969
R75

C960 Address

B200 -B24
C810 -C969
R75

C961 Address

B200 -B24
C810 -C969
R75

C962 Address

B200 -B24
C810 -C969
R75

C963 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C810 -C969
R75

C967 Address

B200 -B24
C810 -C969
R75

C969 Address

B200 -B24
C810 -C969
R75

C97 Address

B200 -B24
C97
R75

D

D0 Category

D000 Address

D000

D001 Address

D001

D002 Address

D002

D010 Address

D010

D011 Address

D011

D012 Address

D012

D013 Address

D013

D014 Address

D014

D015 Address

D015

D017 Address

D017

D019 Address

D019

D020 Address

D020

D021 Address

D021

D022 Address

D022

D023 Address

D023

D024 Address

D024

D030 Address

D030

D031 Address

D031

D032 Address

D032

D033 Address

D033

D034 Address

ICD-10-Mortality Manual 2c - 2014

D034

D035 Address

D035

D036 Address

D036

D037 Address

D037

D038 Address

D038

D039 Address

D039

D040 Address

D040

D041 Address

D041

D042 Address

D042

D043 Address

D043

D044 Address

D044

D045 Address

D045

D046 Address

D046

D047 Address

D047

D048 Address

D048

D049 Address

D049

D050 Address

D050

D051 Address

D051

D057 Address

D057

D059 Address

D059

D060 Address

D060

D061 Address

D061

D067 Address

D067

D069 Address

D069

D070 Address

D070

D071 Address

D071

D072 Address

D072

D073 Address

ICD-10-Mortality Manual 2c - 2014

D073

D074 Address

D074

D075 Address

D075

D076 Address

D076

D090 Address

D090

D091 Address

D091

D092 Address

D092

D093 Address

D093

D097 Address

D097

D099 Address

D099

D1 Category

D100 Address

D100

D101 Address

D101

D102 Address

D102

D103 Address

D103

D104 Address

D104

D105 Address

D105

D106 Address

D106

D107 Address

D107

D109 Address

D109

D110 Address

D110

D117 Address

D117

D119 Address

D119

D120 Address

D120

D121 Address

D121

D122 Address

D122

D123 Address

D123

D124 Address

D124

D125 Address

ICD-10-Mortality Manual 2c - 2014

D125

D126 Address

D126

D127 Address

D127

D128 Address

D128

D129 Address

D129

D130 Address

D130

D131 Address

M A539
D131

D132 Address

D132

D133 Address

D133

D134 Address

D134

D135 Address

D135

D136 Address

D136

D137 Address

D137

D139 Address

D139

D140 Address

D140

D141 Address

D141

D142 Address

D142

D143 Address

D143

D144 Address

D144

D150 Address

D150

D151 Address

D151

D152 Address

D152

D157 Address

D157

D159 Address

D159

D160 Address

D160

D161 Address

D161

D162 Address

D162

D163 Address

ICD-10-Mortality Manual 2c - 2014

D163

D164 Address

D164

D165 Address

D165

D166 Address

D166

D167 Address

D167

D168 Address

D168

D169 Address

D169

D170 Address

D170

D171 Address

D171

D172 Address

D172

D173 Address

D173

D174 Address

D174

D175 Address

D175

D176 Address

D176

D177 Address

D177

D179 Address

D179

D180 Address

B200 -B24

D180

R54

R75

D181 Address

D181

D190 Address

D190

D191 Address

D191

D197 Address

D197

D199 Address

D199

D2 Category

D200 Address

D200

D201 Address

D201

D210 Address

D210

D211 Address

D211

D212 Address

D212

D213 Address

D213

D214 Address

D214

D215 Address

D215

D216 Address

D216

D219 Address

D219

D220 Address

D220

D221 Address

D221

D222 Address

D222

D223 Address

D223

D224 Address

D224

D225 Address

D225

D226 Address

D226

D227 Address

ICD-10-Mortality Manual 2c - 2014

D227

D229 Address

D229

D230 Address

D230

D231 Address

D231

D232 Address

D232

D233 Address

D233

D234 Address

D234

D235 Address

D235

D236 Address

D236

D237 Address

D237

D239 Address

D239

D24 Address

D24

D250 Address

D250

D251 Address

D251

D252 Address

D252

D259 Address

D259

D260 Address

D260

D261 Address

D261

D267 Address

D267

D269 Address

D269

D27 Address

D27

D280 Address

D280

D281 Address

D281

D282 Address

D282

D287 Address

D287

D289 Address

D289

D290 Address

D290

D291 Address

ICD-10-Mortality Manual 2c - 2014

D291

D292 Address

D292

D293 Address

D293

D294 Address

D294

D297 Address

D297

D299 Address

D299

D3 Category

D300 Address

D300

D301 Address

D301

D302 Address

D302

D303 Address

D303

D304 Address

D304

D307 Address

D307

D309 Address

D309

D310 Address

D310

D311 Address

D311

D312 Address

D312

D313 Address

D313

D314 Address

D314

D315 Address

D315

D316 Address

D316

D319 Address

D319

D320 Address

D320

D321 Address

D321

D329 Address

D329

D330 Address

D330

D331 Address

D331

D332 Address

D332

D333 Address

ICD-10-Mortality Manual 2c - 2014

D333

D334 Address

D334

D337 Address

D337

D339 Address

D339

D34 Address

D34

D350 Address

D350

D351 Address

D351

D352 Address

D352

D353 Address

D353

D354 Address

D354

D355 Address

D355

D356 Address

D356

D357 Address

D357

D358 Address

D358

D359 Address

D359

D360 Address

D360

D361 Address

D361

D367 Address

D367

D369 Address

D369

D370 Address

D370

D371 Address

D371

D372 Address

D372

D373 Address

D373

D374 Address

D374

D375 Address

D375

D376 Address

D376

D377 Address

D377

D379 Address

ICD-10-Mortality Manual 2c - 2014

D379

D380 Address

D380

D381 Address

D381

D382 Address

D382

D383 Address

D383

D384 Address

D384

D385 Address

D385

D386 Address

D386

D390 Address

D390

D391 Address

D391

D392 Address

D392

D397 Address

D397

D399 Address

D399

D4 Category

D400 Address

D400

D401 Address

D401

D407 Address

D407

D409 Address

D409

D410 Address

D410

D411 Address

D411

D412 Address

D412

D413 Address

D413

D414 Address

D414

D417 Address

D417

D419 Address

D419

D420 Address

D420

D421 Address

D421

D429 Address

D429

D430 Address

ICD-10-Mortality Manual 2c - 2014

D430

D431 Address

D431

D432 Address

D432

D433 Address

D433

D434 Address

D434

D437 Address

D437

D439 Address

D439

D440 Address

D440

D441 Address

D441

D442 Address

D442

D443 Address

D443

D444 Address

D444

D445 Address

D445

D446 Address

D446

D447 Address

D447

D448 Address

D448

D449 Address

D449

D45 Address

D45

D460 Address

M C000 -C97
D460
M Y400 -Y599
M Y880

D461 Address

M C000 -C97
D461
M Y400 -Y599
M Y880

D462 Address

M C000 -C97
D462
M Y400 -Y599
M Y880

D463 Address

M C000 -C97
D463
M Y400 -Y599
M Y880

D464 Address

M C000 -C97
D464
M Y400 -Y599
M Y880

D467 Address

M C000 -C97
D467
M Y400 -Y599
M Y880

D469 Address

M C000 -C97
D469
M Y400 -Y599
M Y880

D470 Address

D470

D471 Address

M C000 -C969
D471

D472 Address

D472

D473 Address

D473

D477 Address

D477

D479 Address

D479

D480 Address

D480

D481 Address

D481

D482 Address

D482

D483 Address

ICD-10-Mortality Manual 2c - 2014

D483

D484 Address

D484

D485 Address

D485

D486 Address

D486

D487 Address

D487

D489 Address

D489

D5 Category

D500 Address

	A000	-E789
M	E790	
	E791	-E896
M	E898	-E899
	F010	-F169
M	F170	
	F173	-F339
M	F340	-F341
	F348	-F443
M	F444	
	F445	
M	F446	-F459
	F480	-F481
M	F488	
	F489	-F509
	F520	-F539
M	F54	
	F55	
M	F602	-F603
	F609	
	F620	-F621
	F629	
	F633	
	F640	-F680
M	F688	
	F69	-F79

ICD-10-Mortality Manual 2c - 2014

	F840	-F849
	F930	
	F940	
	F981	-F983
M	F99	
	G000	-G031
M	G038	-G039
	G040	-G440
	G448	-G474
M	G478	
	G500	-G902
M	G903	
	G908	-G969
M	G971	
	G98	
	H026	
M	H111	
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	
M	H180	
	H200	-H219
M	H278	
	H300	-H352
M	H353	
	H354	-H359
M	H404	
M	H432	
	H440	-H449
	H520	-H549
M	H55	
M	H578	
	H600	-H913
M	H918	-H919
	H920	-H933
M	H938	-H939
	H958	-I899
	I970	-I972
M	I978	-I979
	I99	-J181
M	J182	-J348
	J350	-J80
	J82	-J953
	J955	
M	J958	
	J980	
	J982	-J985

ICD-10-Mortality Manual 2c - 2014

M	J986
	J988 -K912
	K914 -K915
M	K918 -K919
	K920 -L689
	L710 -L719
M	L720
	L731 -L738
M	L739
	L740 -L852
	L858 -M009
	M021 -M100
	M102 -M121
	M125 -M167
M	M169
	M170 -M1990
M	M210
M	M218
	M219
	M242
M	M247
	M257
M	M258
	M300 -M359
	M420 -M429
M	M431
	M432 -M436
	M45 -M767
M	M768
	M769
M	M770
	M771 -M896
M	M898 -M899
	M910 -M949
	M961
	M966
	N000 -N459
M	N481 -N483
	N484 -N486
M	N488
	N490 -N909
M	N910
	N920 -N96
	N980 -N989
	N991 -N994
M	N998
	O000 -P969
M	Q019
M	Q049
	Q200 -Q246

ICD-10-Mortality Manual 2c - 2014

M	Q248	
	Q249	-Q380
	Q382	-Q453
M	Q458	
	Q459	
M	Q503	
M	Q524	
M	Q528	
	Q529	
M	Q552	
M	Q554	
M	Q556	
	Q559	
	Q600	-Q639
	Q641	-Q649
M	Q675	
M	Q678	-Q680
M	Q688	
M	Q740	-Q741
	Q750	-Q755
M	Q758	
	Q759	-Q762
M	Q764	
	Q765	-Q799
M	Q828	
	Q850	-Q868
M	Q870	-Q871
	Q872	-Q873
M	Q874	
	Q875	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
M	R012	-R02
	R040	-R042
M	R048	
	R049	
M	R065	
	R091	
M	R101	
M	R11	
	R162	
M	R18	
M	R198	
M	R233	-R238
M	R252	
M	R291	
M	R293	
M	R298	

ICD-10-Mortality Manual 2c - 2014

	R31	
M	R398	
	R410	
M	R418	
	R441	
	R457	
	R58	-R5800
M	R609	
M	R628	
M	R64	
M	R682	-R683
	R72	
	R75	
M	R771	
M	R798	
M	R897	
M	S004	-S005
	S010	-S017
M	S018	
	S019	
	S025	
	S032	
	S050	
	S053	-S057
M	S058	-S059
M	S070	
M	S078	
	S080	-S090
	S092	
M	S099	
	S110	-S119
	S150	-S159
	S170	-S18
M	S198	
	S210	-S219
	S250	-S281
	S297	
	S310	-S318
	S350	-S383
	S396	-S397
M	S398	-S399
	S410	-S418
	S450	-S459
	S47	-S489
	S510	-S519
	S550	-S559
	S570	-S589
	S610	-S619
	S650	-S659
	S670	-S689

ICD-10-Mortality Manual 2c - 2014

S710 -S718
S750 -S759
S770 -S789
S810 -S819
S850 -S859
S870 -S889
S950 -S959
S970 -S984
T012 -T019
T041 -T059
T063
T065
T091
T096
T111
T114
T116
T131
T134
T136
M T140
T141
T145
T147 -T148
T510 -T519
M T629
M T659
M T698
M T708
M T740 -T741
M T743
T748
M T749
M T752
T781
T792
T794
T800 -T816
M T818
T819
T828
M T829
T838
M T839
T848
M T849
M T858 -T859
T860 -T872
T880 -T881
T884

ICD-10-Mortality Manual 2c - 2014

T888 -T889
T97 -T983
V010 -Y899

D501 Address

A000 -F509
F530 -F59
F99 -G98
H650 -H839
I00 -J329
J340 -J341
J343 -J80
J82 -J980
J982 -K011
K040 -L309
M L400 -L449
L600 -L759
M L80 -L989
M000 -M1990
M M220 -M259
M300 -M359
N000 -N459
N480 -N909
N920 -N939
N950 -N96
O000 -Q079
Q200 -Q459
Q600 -Q649
Q750 -Q799
Q850 -Q999
R02
R040 -R049
R11
R13
R160 -R161
R31
R400 -R402
R53 -R54
R570 -R5800
R620 -R630
R633 -R634
R71
R75
M R788
R823
T510 -T519
T97
X45
X65

ICD-10-Mortality Manual 2c - 2014

Y15
Y86 -Y872

D508 Address

A000 -F509
F530 -F59
F99 -G98
H650 -H839
I00 -J329
J340 -J341
J343 -J80
J82 -J980
J982 -K011
K040 -L309
M L400 -L449
L600 -L759
M L80 -L989
M000 -M1990
M M220 -M259
M300 -M359
N000 -N459
N480 -N909
N920 -N939
N950 -N96
O000 -Q079
Q200 -Q459
Q600 -Q649
Q750 -Q799
Q850 -Q999
R02
R040 -R049
R11
R13
R160 -R161
R31
R400 -R402
R53 -R54
R570 -R5800
R620 -R630
R633 -R634
R71
R75
M R788
R823
T510 -T519
T97
X45
X65
Y15

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

D509 Address

A000 -F509
F530 -F59
F99 -G98
H650 -H839
I00 -J329
J340 -J341
J343 -J80
J82 -J980
J982 -K011
K040 -L309
M L400 -L449
L600 -L759
M L80 -L989
M000 -M1990
M M220 -M259
M300 -M359
N000 -N459
N480 -N909
N920 -N939
N950 -N96
O000 -Q079
Q200 -Q459
Q600 -Q649
Q750 -Q799
Q850 -Q999
R02
R040 -R049
R11
R13
R160 -R161
R31
R400 -R402
R53 -R54
R570 -R5800
R620 -R630
R633 -R634
R71
R75
M R788
R823
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

D510 Address

M B200 -B24
B650 -B839
C160 -C169
C788
D510
E530 -E539
R75

D511 Address

B200 -B24
D511
R75

D512 Address

B200 -B24
D512
R75

D513 Address

B200 -B24
D513
R75

D518 Address

B200 -B24
D518
R75

D519 Address

B200 -B24
D519
R75

D520 Address

A000 -D489
D510 -D599
D738 -D739
E050 -E059
E40 -E899
F100 -F169
F180 -F199
I340 -I38
K000 -K929

ICD-10-Mortality Manual 2c - 2014

O000 -O998
R75
R780
M R826
M R893
T360 -T659
T880 -T887
T96 -T97
T981
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y601
Y610 -Y611
Y620 -Y621
Y832 -Y833
M Y86 -Y872

D521 Address

A000 -D489
D510 -D599
D738 -D739
E050 -E059
E40 -E899
F100 -F169
F180 -F199
I340 -I38
K000 -K929
O000 -O998
R75
R780
M R826
M R893
T360 -T659
T880 -T887
T96 -T97
T981
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y601
Y610 -Y611
Y620 -Y621
Y832 -Y833
M Y86 -Y872

D528 Address

A000 -D489
D510 -D599
D738 -D739
E050 -E059
E40 -E899
F100 -F169
F180 -F199
I340 -I38
K000 -K929
O000 -O998
R75
R780
M R826
M R893
T360 -T659
T880 -T887
T96 -T97
T981
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y601
Y610 -Y611
Y620 -Y621
Y832 -Y833
M Y86 -Y872

D529 Address

A000 -D489
D510 -D599
D738 -D739
E050 -E059
E40 -E899
F100 -F169
F180 -F199
I340 -I38
K000 -K929
O000 -O998
R75
R780
M R826
M R893
T360 -T659
T880 -T887

ICD-10-Mortality Manual 2c - 2014

T96 -T97
T981
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y601
Y610 -Y611
Y620 -Y621
Y832 -Y833
M Y86 -Y872

D530 Address

B200 -B24
D530
R75

D531 Address

A000 -F509
F530 -F59
F70 -F79
F982 -F983
F99 -G98
H200 -H219
H300 -H359
I00 -I899
I970 -J80
J82 -L689
L710 -L719
L740 -L852
L858 -M1990
M300 -M359
M45 -M949
N000 -N459
N490 -N909
N920 -N96
N980 -P969
Q200 -Q459
Q529
Q600 -Q649
Q750 -Q799
Q860 -Q999
R02
R11
R13
R190
M R198

ICD-10-Mortality Manual 2c - 2014

R53
R620 -R64
R688
R75
S000 -Y899

D532 Address

A000 -F509
F530 -F59
F70 -F79
F982 -F983
F99 -G98
H200 -H219
H300 -H359
I00 -I899
I970 -J80
J82 -L689
L710 -L719
L740 -L852
L858 -M1990
M300 -M359
M45 -M949
N000 -N459
N490 -N909
N920 -N96
N980 -P969
Q200 -Q459
Q529
Q600 -Q649
Q750 -Q799
Q860 -Q999
R02
R11
R13
R190
M R198
R53
R620 -R64
R688
R75
S000 -Y899

D538 Address

A000 -F509
F530 -F59
F70 -F79
F982 -F983
F99 -G98

ICD-10-Mortality Manual 2c - 2014

H200 -H219
H300 -H359
I00 -I899
I970 -J80
J82 -L689
L710 -L719
L740 -L852
L858 -M1990
M300 -M359
M45 -M949
N000 -N459
N490 -N909
N920 -N96
N980 -P969
Q200 -Q459
Q529
Q600 -Q649
Q750 -Q799
Q860 -Q999
R02
R11
R13
R190
M R198
R53
R620 -R64
R688
R75
S000 -Y899

D539 Address

A000 -F509
F530 -F59
F70 -F79
F982 -F983
F99 -G98
H200 -H219
H300 -H359
I00 -I899
I970 -J80
J82 -L689
L710 -L719
L740 -L852
L858 -M1990
M300 -M359
M45 -M949
N000 -N459
N490 -N909
N920 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -P969
Q200 -Q459
Q529
Q600 -Q649
Q750 -Q799
Q860 -Q999
R02
R11
R13
R190
M R198
R53
R620 -R64
R688
R75
S000 -Y899

D550 Address

D550
E740

D551 Address

D551

D552 Address

D552

D553 Address

D553

D558 Address

D558

D559 Address

D559

D560 Address

D560

D561 Address

D561

D562 Address

D562

D563 Address

D563

D564 Address

D564

D568 Address

D568

D569 Address

D569

D570 Address

D570

D571 Address

D571

D572 Address

D572

D573 Address

D573

D578 Address

D578

D580 Address

M D571

D580

D581 Address

M D571

D581

D582 Address

D582

D588 Address

D588

D589 Address

D589
E740

D590 Address

D590

D591 Address

A000 -D489
D591
D65 -D699
D760
D800 -D899
E201
E280 -E289
E40 -E46
E700 -E899
F100 -F169
F180 -F199
G000 -G09
I00 -I519
I776
J09 -J22
K700 -K769
M000 -M359
N000 -N399
M O000 -O998
P550 -P579
Q200 -Q289
R75
R780
R823
M R826
M R893
M S000 -Y899

D592 Address

D592
T360 -T519
T880 -T887
T96 -T97
X40 -X45
X60 -X65
X85
Y10 -Y15
Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

M Y86 -Y872
Y880

D593 Address

A000 -D489
D593
D65 -D699
D760
D800 -D899
E201
E280 -E289
E40 -E46
E700 -E899
F100 -F169
F180 -F199
G000 -G09
I00 -I519
I776
J09 -J22
K700 -K769
M000 -M359
M726
N000 -N399
M O000 -O998
P550 -P579
Q200 -Q289
R75
R780
R823
M R826
M R893
M S000 -Y899

D594 Address

A000 -D489
D594
D65 -D699
D760
D800 -D899
E201
E280 -E289
E40 -E46
E700 -E899
F100 -F169
F180 -F199
G000 -G09
I00 -I519
I776

ICD-10-Mortality Manual 2c - 2014

J09 -J22
K700 -K769
M000 -M359
N000 -N399
M O000 -O998
P550 -P579
Q200 -Q289
R75
R780
R823
M R826
M R893
M S000 -Y899

D595 Address

D595
S000 -Y899

D596 Address

D596
S000 -Y899

D598 Address

A000 -D489
D598
D65 -D699
D760
D800 -D899
E201
E280 -E289
E40 -E46
E700 -E899
F100 -F169
F180 -F199
G000 -G09
I00 -I519
I776
J09 -J22
K700 -K769
M000 -M359
N000 -N399
M O000 -O998
P550 -P579
Q200 -Q289
R75
R780
R823
M R826

ICD-10-Mortality Manual 2c - 2014

M R893
M S000 -Y899

D599 Address

A000 -D489
D599
D65 -D699
D760
D800 -D899
E201
E280 -E289
E40 -E46
E700 -E899
F100 -F169
F180 -F199
G000 -G09
I00 -I519
I776
J09 -J22
K700 -K769
M000 -M359
N000 -N399
M O000 -O998
P550 -P579
Q200 -Q289
R75
R780
R823
M R826
M R893
M S000 -Y899

D6 Category

D600 Address

A000 -C97
D150
M D45
D460 -D464
M D470 -D471
D472
M D473 -D479
M D510
D511 -D539
M D582
D595 -D596
M D599
D600 -D649

ICD-10-Mortality Manual 2c - 2014

M	D70	
	D730	
M	D731	
	D732	-D739
	D751	
M	D758	
M	D760	
	D860	-D891
M	D892	
	E030	
M	E041	
	E060	-E070
M	E071	
	E078	-E079
M	E230	
M	E538	-E539
M	E740	
M	E750	-E753
M	E755	-E756
	E770	
M	E778	
M	E782	
M	E798	
M	E880	
M	E890	
M	F132	
	F182	
M	F192	
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
	K900	-K901
M	K908	
M	K913	
M	K918	-K919
	L081	
M	L448	

ICD-10-Mortality Manual 2c - 2014

M L590
M L818
L946
M021
M M023
M101
M320 -M329
M352
M M485 -M488
M M809
M810 -M816
M M818
M819
M M858
M M872
N143
N341
M O000 -O998
R75
M R771
M R897
M T360 -T659
M T814
M T818
M T96 -T97
M V930 -V949
W88 -W91
M X32
M X40 -X49
M X60 -X69
M X85 -X90
M Y14 -Y19
Y365 -Y367
Y400 -Y599
Y632 -Y633
M Y842
M Y848
M Y86 -Y883
Y891

D601 Address

A000 -C97
D150
M D45
D460 -D464
M D470 -D471
D472
M D473 -D479
M D510

ICD-10-Mortality Manual 2c - 2014

	D511	-D539
M	D582	
	D595	-D596
M	D599	
	D600	-D649
M	D70	
	D730	
M	D731	
	D732	-D739
	D751	
M	D758	
M	D760	
	D860	-D891
M	D892	
	E030	
M	E041	
	E060	-E070
M	E071	
	E078	-E079
M	E230	
M	E538	-E539
M	E740	
M	E750	-E753
M	E755	-E756
	E770	
M	E778	
M	E782	
M	E798	
M	E880	
M	E890	
M	F132	
	F182	
M	F192	
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
	K900	-K901

ICD-10-Mortality Manual 2c - 2014

M K908
M K913
M K918 -K919
L081
M L448
M L590
M L818
L946
M021
M M023
M101
M320 -M329
M352
M M485 -M488
M M809
M810 -M816
M M818
M819
M M858
M M872
N143
N341
M O000 -O998
R75
M R771
M R897
M T360 -T659
M T814
M T818
M T96 -T97
M V930 -V949
W88 -W91
M X32
M X40 -X49
M X60 -X69
M X85 -X90
M Y14 -Y19
Y365 -Y367
Y400 -Y599
Y632 -Y633
M Y842
M Y848
M Y86 -Y883
Y891

D608 Address

A000 -C97
D150
M D45

ICD-10-Mortality Manual 2c - 2014

	D460	-D464
M	D470	-D471
	D472	
M	D473	-D479
M	D510	
	D511	-D539
M	D582	
	D595	-D596
M	D599	
	D600	-D649
M	D70	
	D730	
M	D731	
	D732	-D739
	D751	
M	D758	
M	D760	
	D860	-D891
M	D892	
	E030	
M	E041	
	E060	-E070
M	E071	
	E078	-E079
M	E230	
M	E538	-E539
M	E740	
M	E750	-E753
M	E755	-E756
	E770	
M	E778	
M	E782	
M	E798	
M	E880	
M	E890	
M	F132	
	F182	
M	F192	
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	

ICD-10-Mortality Manual 2c - 2014

M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
	K900	-K901
M	K908	
M	K913	
M	K918	-K919
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
M	M023	
	M101	
	M320	-M329
	M352	
M	M485	-M488
M	M809	
	M810	-M816
M	M818	
	M819	
M	M858	
M	M872	
	N143	
	N341	
M	O000	-O998
	R75	
M	R771	
M	R897	
M	T360	-T659
M	T814	
M	T818	
M	T96	-T97
M	V930	-V949
	W88	-W91
M	X32	
M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y14	-Y19
	Y365	-Y367
	Y400	-Y599
	Y632	-Y633
M	Y842	
M	Y848	
M	Y86	-Y883
	Y891	

D609 Address

	A000 -C97
	D150
M	D45
	D460 -D464
M	D470 -D471
	D472
M	D473 -D479
M	D510
	D511 -D539
M	D582
	D595 -D596
M	D599
	D600 -D649
M	D70
	D730
M	D731
	D732 -D739
	D751
M	D758
M	D760
	D860 -D891
M	D892
	E030
M	E041
	E060 -E070
M	E071
	E078 -E079
M	E230
M	E538 -E539
M	E740
M	E750 -E753
M	E755 -E756
	E770
M	E778
M	E782
M	E798
M	E880
M	E890
M	F132
	F182
M	F192
M	G030
M	G038 -G040
M	G048
	G361
M	G92
	G933

ICD-10-Mortality Manual 2c - 2014

M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
	K900	-K901
M	K908	
M	K913	
M	K918	-K919
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
M	M023	
	M101	
	M320	-M329
	M352	
M	M485	-M488
M	M809	
	M810	-M816
M	M818	
	M819	
M	M858	
M	M872	
	N143	
	N341	
M	O000	-O998
	R75	
M	R771	
M	R897	
M	T360	-T659
M	T814	
M	T818	
M	T96	-T97
M	V930	-V949
	W88	-W91
M	X32	
M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y14	-Y19
	Y365	-Y367
	Y400	-Y599

ICD-10-Mortality Manual 2c - 2014

Y632 -Y633
M Y842
M Y848
M Y86 -Y883
Y891

D610 Address

D610

D611 Address

D611
M F132
F182
M F192
T360 -T509
M T818
M T880 -T889
T96
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
Y638 -Y639
M Y880 -Y883

D612 Address

D612
T510 -T659
T814
T97
M V930 -V949
W88 -W91
M X32
X45 -X49
X65 -X69
X86 -X90
Y15 -Y19
Y365 -Y367
Y632 -Y633
M Y842
M Y848
M Y86 -Y872
Y891

D613 Address

D613

D618 Address

	A000 -C97
	D150
M	D45
	D461 -D464
M	D470 -D471
	D472
M	D473 -D479
M	D510
	D511 -D589
M	D592
	D595 -D596
M	D599
	D600 -D649
M	D70
	D730 -D739
M	D748
	D751
M	D758
M	D760
	D860 -D891
M	D892
	E030
M	E034
M	E041
	E060 -E070
M	E071
	E078 -E079
M	E230
M	E538 -E539
M	E740
M	E750 -E753
M	E755 -E756
	E770
M	E778
M	E782
M	E798
M	E880
M	E890
M	F132
	F182
M	F192
M	G030
M	G040
M	G048
	G361
M	G92
	G933

ICD-10-Mortality Manual 2c - 2014

M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
	K900	-K901
M	K908	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
M	M023	
	M101	
	M320	-M329
	M352	
M	M485	-M488
	M810	-M816
M	M818	
	M819	
M	M858	
M	M872	
	N143	
	N341	
M	O000	-O11
M	O121	-O16
M	O209	
M	O230	-O264
M	O266	-O289
M	O296	
M	O300	
M	O309	-O310
M	O329	
M	O341	-O343
M	O345	
M	O364	-O365
M	O40	-O411
M	O419	
M	O429	
M	O431	-O438
M	O441	
M	O459	
M	O468	
M	O48	-O60

ICD-10-Mortality Manual 2c - 2014

M O623
M O639
M O720 -O721
M O759 -O868
M O881 -O882
M O903
M O908
M O923
M O95
M O980 -O998
R75
M R771
M R897

D619 Address

A000 -C97
D150
M D45
D461 -D464
M D469 -D471
D472
M D473 -D479
M D510
D511 -D589
M D592
D595 -D596
M D599
D600 -D649
M D70
D730 -D739
M D748
D751
M D758
D760 -D763
D860 -D891
M D892
E030
M E034
M E041
E060 -E070
M E071
E078 -E079
M E230
M E538 -E539
M E740
M E750 -E753
M E755 -E756
E770
M E778

ICD-10-Mortality Manual 2c - 2014

M	E782	
M	E798	
M	E880	
M	E890	
M	F132	
	F182	
M	F192	
M	G030	
M	G040	
M	G048	
	G361	
M	G92	
	G933	
M	G958	
M	I330	
M	I888	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	J848	-J8490
M	K740	-K746
	K900	-K901
M	K908	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
M	M023	
	M101	
	M320	-M329
	M352	
M	M485	-M488
	M810	-M816
M	M818	
	M819	
M	M858	
M	M872	
	N143	
	N170	-N19
	N341	
	N390	
M	O000	-O11
M	O121	-O16
M	O209	
M	O230	-O264

ICD-10-Mortality Manual 2c - 2014

M	O266	-O289
M	O296	
M	O300	
M	O309	-O310
M	O329	
M	O341	-O343
M	O345	
M	O364	-O365
M	O40	-O411
M	O419	
M	O429	
M	O431	-O438
M	O441	
M	O459	
M	O468	
M	O48	-O60
M	O623	
M	O639	
M	O720	-O721
M	O759	-O868
M	O881	-O882
M	O903	
M	O908	
M	O923	
M	O95	
M	O980	-O998
	R75	
M	R771	
M	R897	
M	T360	-T659
	T810	-T889
M	T96	-T97
	T983	
M	V930	-V949
	W88	-W91
M	X32	
M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y14	-Y19
	Y365	-Y367
	Y400	-Y599
	Y632	-Y633
M	Y842	
M	Y848	
M	Y86	-Y883
	Y891	

D62 Address

ICD-10-Mortality Manual 2c - 2014

	A000	-E789
M	E790	
	E791	-E896
M	E898	-E899
	F010	-F169
M	F170	
	F173	-F339
M	F340	-F341
	F348	-F443
M	F444	
	F445	
M	F446	-F459
	F480	-F481
M	F488	
	F489	-F509
	F520	-F539
M	F54	
	F55	
M	F602	-F603
	F609	
	F620	-F621
	F629	
	F633	
	F640	-F680
M	F688	
	F69	-F79
	F840	-F849
	F930	
	F940	
	F981	-F983
M	F99	
	G000	-G031
M	G038	-G039
	G040	-G440
	G448	-G474
M	G478	
	G500	-G902
M	G903	
	G908	-G969
M	G971	
	G98	
	H026	
M	H111	
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	
M	H180	

ICD-10-Mortality Manual 2c - 2014

	H200	-H219
M	H278	
	H300	-H352
M	H353	
	H354	-H359
M	H404	
M	H432	
	H440	-H449
	H520	-H549
M	H55	
M	H578	
	H600	-H913
M	H918	-H919
	H920	-H933
M	H938	-H939
	H958	-I899
	I970	-I972
M	I978	-I979
	I99	-J181
M	J182	-J348
	J350	-J80
	J82	-J953
	J955	
M	J958	
	J980	
	J982	-J985
M	J986	
	J988	-K912
	K914	-K915
M	K918	-K919
	K920	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M009
	M021	-M100
	M102	-M121
	M125	-M167
M	M169	
	M170	-M1990
M	M210	
M	M218	
	M219	
	M242	
M	M247	
	M257	
M	M258	
	M300	-M359

ICD-10-Mortality Manual 2c - 2014

	M420	-M429
M	M431	
	M432	-M436
	M45	-M767
M	M768	
	M769	
M	M770	
	M771	-M896
M	M898	-M899
	M910	-M949
	M961	
	M966	
	N000	-N459
M	N481	-N483
	N484	-N486
M	N488	
	N490	-N909
M	N910	
	N920	-N96
	N980	-N989
	N991	-N994
M	N998	
	O000	-P969
M	Q019	
M	Q049	
	Q200	-Q246
M	Q248	
	Q249	-Q380
	Q382	-Q453
M	Q458	
	Q459	
M	Q503	
M	Q524	
M	Q528	
	Q529	
M	Q552	
M	Q554	
M	Q556	
	Q559	
	Q600	-Q639
	Q641	-Q649
M	Q675	
M	Q678	-Q680
M	Q688	
M	Q740	-Q741
	Q750	-Q755
M	Q758	
	Q759	-Q762
M	Q764	
	Q765	-Q799

ICD-10-Mortality Manual 2c - 2014

M	Q828	
	Q850	-Q868
M	Q870	-Q871
	Q872	-Q873
M	Q874	
	Q875	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
M	R012	-R02
	R040	-R042
M	R048	
	R049	
M	R065	
	R091	
M	R101	
M	R11	
	R162	
M	R18	
M	R198	
M	R233	-R238
M	R252	
M	R291	
M	R293	
M	R298	
	R31	
M	R398	
	R410	
M	R418	
	R441	
	R457	
	R58	-R5800
M	R609	
M	R628	
M	R64	
M	R682	-R683
	R72	
	R75	
M	R771	
M	R798	
M	R897	
M	S004	-S005
	S010	-S017
M	S018	
	S019	
	S025	
	S032	
	S050	
	S053	-S057

ICD-10-Mortality Manual 2c - 2014

M	S058	-S059
M	S070	
M	S078	
	S080	-S090
	S092	
M	S099	
	S110	-S119
	S150	-S159
	S170	-S18
M	S198	
	S210	-S219
	S250	-S281
	S297	
	S310	-S318
	S350	-S383
	S396	-S397
M	S398	-S399
	S410	-S418
	S450	-S459
	S47	-S489
	S510	-S519
	S550	-S559
	S570	-S589
	S610	-S619
	S650	-S659
	S670	-S689
	S710	-S718
	S750	-S759
	S770	-S789
	S810	-S819
	S850	-S859
	S870	-S889
	S950	-S959
	S970	-S984
	T012	-T019
	T041	-T059
	T063	
	T065	
	T091	
	T096	
	T111	
	T114	
	T116	
	T131	
	T134	
	T136	
M	T140	
	T141	
	T145	
	T147	-T148

ICD-10-Mortality Manual 2c - 2014

	T510	-T519
M	T629	
M	T659	
M	T698	
M	T708	
M	T740	-T741
M	T743	
	T748	
M	T749	
M	T752	
	T781	
	T792	
	T794	
	T800	-T816
M	T818	
	T819	
	T828	
M	T829	
	T838	
M	T839	
	T848	
M	T849	
M	T858	-T859
	T860	-T872
	T880	-T881
	T884	
	T888	-T889
	T97	-T983
	V010	-Y899

D640 Address

D640

D641 Address

M	A000	-C97
M	D45	
M	D461	
M	D471	
M	D510	-D599
	D640	-D643
M	D648	
M	D731	
M	D748	
M	D758	
M	D860	-D869
M	D892	
M	E018	-E02
M	E032	-E0390

ICD-10-Mortality Manual 2c - 2014

M	E050	-E059
M	E230	
M	E531	
M	E539	
M	E798	
M	E800	-E802
M	E831	
M	E880	
M	E890	
M	F100	-F102
M	F109	-F112
M	F119	-F122
M	F130	-F132
M	F140	-F142
M	F150	-F152
M	F160	-F162
M	F180	-F182
M	F190	-F192
M	F55	
M	G030	
M	G040	
M	G361	
M	G933	
M	I330	
M	I423	
M	I729	
M	I888	
M	J00	
M	J020	
M	J030	
M	J040	-J042
M	J069	
M	J65	
	K700	-K703
	K709	
M	K721	
	K730	-K746
	K760	
M	K761	
M	K766	
M	K769	
M	K908	
M	L081	
M	L448	
M	L946	
M	M021	
M	M023	
M	M101	
M	M352	
M	N143	

ICD-10-Mortality Manual 2c - 2014

M N185 -N19
M N341
M O980 -O981
R162
M R75
M R780
M R826
M R893
M R897

D642 Address

D642
T510 -T659
T97
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y86 -Y880

D643 Address

M A000 -C97
M D45
M D461
M D471
M D510 -D599
D640 -D643
M D648
M D731
M D748
M D758
M D860 -D869
M D892
M E018 -E02
M E032 -E0390
M E050 -E059
M E230
M E531
M E539
M E798
M E800 -E802
M E831
M E880
M E890
M F100 -F102
M F109 -F112
M F119 -F122
M F130 -F132

ICD-10-Mortality Manual 2c - 2014

M	F140	-F142
M	F150	-F152
M	F160	-F162
M	F180	-F182
M	F190	-F192
M	F55	
M	G030	
M	G040	
M	G361	
M	G933	
M	I330	
M	I423	
M	I729	
M	I888	
M	J00	
M	J020	
M	J030	
M	J040	-J042
M	J069	
M	J65	
	K700	-K703
	K709	
M	K721	
	K730	-K746
	K760	
M	K761	
M	K766	
M	K769	
M	K908	
M	L081	
M	L448	
M	L946	
M	M021	
M	M023	
M	M101	
M	M352	
M	N143	
M	N185	-N19
M	N341	
M	O980	-O981
	R162	
M	R75	
M	R780	
M	R826	
M	R893	
M	R897	
M	T510	-T519
M	T560	
M	T97	
M	X45	

ICD-10-Mortality Manual 2c - 2014

M	X49	
M	X65	
M	Y15	
M	Y400	-Y599
M	Y86	-Y880

D644 Address

D644

D648 Address

M	A000	-D644
	D648	
M	D649	-F170
M	F173	-F509
M	F520	-F55
M	F602	-F603
M	F609	-F629
M	F633	
M	F640	-F680
M	F688	-F79
M	F840	-F849
M	F930	
M	F940	
M	F981	-F983
M	F99	-G440
M	G448	-G98
M	H026	
M	H111	
M	H150	-H169
M	H180	
M	H200	-H219
M	H270	-H359
M	H404	
M	H430	-H449
M	H473	
M	H490	-L689
M	L710	-L719
M	L731	-L852
M	L858	-M121
M	M125	-M1990
M	M201	
M	M218	-M219
M	M242	
M	M247	
M	M257	-M258
M	M300	-M359
M	M420	-M429
M	M431	-M436

ICD-10-Mortality Manual 2c - 2014

M	M45	-M949
M	M961	
M	M966	-M969
M	N000	-N219
M	N250	-N393
M	N398	-N459
M	N489	-N910
M	N920	-N96
M	N980	-Q999
M	R001	
M	R008	
M	R012	-R042
M	R049	
M	R065	
M	R090	-R092
M	R098	-R11
M	R13	
M	R160	-R162
M	R18	-R190
M	R193	
M	R198	
M	R233	-R238
M	R252	
M	R291	-R298
M	R31	
M	R398	-R410
M	R418	
M	R441	
M	R457	
M	R502	-R509
M	R53	-R54
M	R570	-R599
M	R609	
M	R620	-R64
M	R683	-R749
	R75	
M	R770	-R829
M	R893	
M	R897	
M	R899	
M	S000	-Y899

D649 Address

	A000	-E52
M	E538	
	E54	-E643
M	E648	
	E649	-E673
M	E678	

ICD-10-Mortality Manual 2c - 2014

	E68	-E789
M	E790	
	E791	-F169
M	F170	
	F173	-F339
M	F340	-F341
	F348	-F443
M	F444	
	F445	
M	F446	
	F447	-F452
M	F453	-F459
	F480	-F481
M	F488	
	F489	-F501
M	F502	
	F503	-F509
	F520	-F539
M	F54	
	F55	
M	F602	-F603
	F609	
M	F61	
	F620	-F621
	F629	
	F633	
	F640	-F680
M	F688	
	F69	-F79
	F840	-F849
	F930	
	F940	
	F981	-F983
M	F99	
	G000	-G129
M	G20	-G2000
	G210	-G440
	G448	-G459
M	G473	
	G474	
M	G478	
	G500	-G98
	H026	
M	H111	
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	

ICD-10-Mortality Manual 2c - 2014

M	H180	
	H200	-H219
M	H278	
	H300	-H314
M	H318	
	H319	-H352
M	H353	
	H354	-H359
M	H404	
M	H432	
	H440	-H449
	H520	-H536
M	H538	
	H539	-H549
M	H55	
M	H578	
	H590	
M	H598	-H599
	H600	-H913
M	H918	-H919
	H920	-I899
	I970	-J181
M	J182	
	J188	-J343
M	J348	
	J350	-J80
M	J81	
	J82	-J959
	J980	
	J982	
	J984	-J985
M	J986	
	K000	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M089
M	M100	-M128
	M130	-M1990
M	M201	
M	M218	-M219
	M242	
M	M247	
	M257	
M	M258	
	M300	-M359

ICD-10-Mortality Manual 2c - 2014

M	M410	-M419
	M420	-M429
M	M430	-M431
	M432	-M436
	M45	-M769
M	M770	
	M771	-M896
M	M898	
	M899	-M911
M	M912	
	M913	-M924
M	M925	
	M926	-M949
M	M960	
	M961	
M	M962	-M965
	M966	-M969
	N000	-N189
M	N19	
	N200	-N219
	N250	-N390
	N392	
M	N393	
	N398	-N459
M	N488	
	N490	-N909
M	N910	
	N920	-N96
	N980	-Q079
	Q200	-Q380
	Q382	-Q453
M	Q458	
	Q459	
M	Q503	
M	Q524	
M	Q528	
	Q529	
M	Q552	
M	Q554	
M	Q556	
	Q559	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649
M	Q675	
M	Q678	-Q680
M	Q688	
M	Q710	-Q719
	Q720	-Q738

ICD-10-Mortality Manual 2c - 2014

M	Q740	-Q741
	Q742	-Q763
M	Q764	
	Q765	-Q799
M	Q828	
	Q850	-Q868
M	Q870	-Q871
	Q872	-Q873
M	Q874	
	Q875	-Q999
	R001	
	R008	
M	R012	
	R02	
	R040	-R042
	R049	
M	R065	
	R091	
M	R101	
M	R104	
	R11	
M	R13	
	R160	-R162
M	R18	
M	R198	
M	R233	-R238
M	R252	
M	R291	
M	R293	
M	R298	
	R31	
M	R398	
	R400	-R410
M	R418	
	R441	
	R457	
M	R53	
	R570	-R578
M	R579	
	R58	-R5800
M	R609	
	R620	
M	R628	
	R629	-R630
	R633	-R634
	R64	
	R682	
M	R683	
	R71	-R72
	R75	

ICD-10-Mortality Manual 2c - 2014

M R771
M R788
M R798
M R897
S000 -T983
X45
X65
Y15
Y400 -Y599
Y842
Y86 -Y883

D65 Address

A000 -D489
D550 -D581
M D582
D588 -D589
D591
M D592
D595 -D596
M D599
M D648
D65
D683 -D689
D693 -D696
M D720
M D728
M D731
M D748
M D758
D800 -D840
M D841
D848 -D869
D891
M D892
D898 -D899
E100 -E138
M E139 -E140
E141 -E149
E240 -E279
E40
M E41
E42 -E46
E561
E619
M E639
E640
M E648
E649

ICD-10-Mortality Manual 2c - 2014

M	E713	
	E835	
	E840	-E859
M	E871	
M	E880	
	E896	
M	E898	-E899
	G000	-G048
M	G049	-G060
	G061	-G09
M	G119	
	G361	
	G373	-G374
	G450	-G452
	G454	-G459
M	G540	
M	G92	
	G933	
M	G934	
	G936	-G937
M	G938	
M	G951	
M	G958	
M	G961	
	G970	
M	G971	-G979
	H590	-H598
M	H599	
M	H833	
	I10	-I629
M	I630	-I6300
	I631	-I6310
M	I632	-I6320
	I633	-I677
M	I678	-I679
	I690	-I829
M	I868	
M	I888	
	I970	-I971
	I978	-I979
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J09	-J181
M	J182	
	J188	-J22
	J40	-J418
M	J42	

ICD-10-Mortality Manual 2c - 2014

	J430	
	J440	-J449
	J65	
	J690	-J698
	J80	
	J951	-J954
	J958	-J959
M	J980	
M	K222	
M	K229	
	K250	-K287
M	K289	
	K290	-K299
	K313	
M	K318	-K319
	K400	-K528
M	K529	
	K550	-K566
M	K567	
	K570	-K579
M	K650	-K658
M	K660	-K661
	K700	-K901
M	K902	
	K903	-K909
	K912	-K913
	K915	
M	K918	
	K919	-K921
M	K922	
	L081	
M	L448	
M	L590	
M	L818	
M	L921	
	L946	
	M020	-M022
M	M023	
	M101	
M	M219	
	M300	-M329
M	M352	
M	M628	
M	M768	
	M966	-M969
	N000	-N019
M	N029	
	N030	-N078
M	N079	
	N10	-N138

ICD-10-Mortality Manual 2c - 2014

M	N139
	N140 -N209
	N250 -N289
	N341
M	N40
	N410
M	N411
	N412 -N419
M	N428
	N700 -N709
	N730 -N735
M	N736
	N738 -N739
M	N818
	N832
	N980 -N990
	N994 -N995
M	N998
	N999 -O431
M	O438
	O439 -O998
M	P200 -P209
	P210 -P211
M	P219
	P220
	P293
	P350 -P399
	P53
	P60 -P613
M	P614
	P615 -P619
M	P916
	Q200 -Q246
M	Q248
	Q249 -Q289
M	Q792
	Q850
	R001
	R008
M	R012
	R02
	R162
M	R291
M	R31
	R570 -R578
M	R579 -R5800
M	R64
	R75
M	R897
	S000 -Y899

D66 Address

D66

D67 Address

D67

D680 Address

D680

D681 Address

D681

D682 Address

D682

D683 Address

	A000 -D489
M	D588
	D595 -D596
M	D599
M	D648
M	D65
	D683
M	D688
	D693 -D696
M	D731
M	D748
M	D758
	D860 -D869
	D891 -D892
	E101
	E111
	E121
	E131
	E141
M	E240
	E241
M	E242
	E243 -E248
M	E249
M	E349
M	E46
	E561
	E619
M	E639

ICD-10-Mortality Manual 2c - 2014

M	E648	
	E649	
M	E835	
	E840	-E859
M	E880	
M	E898	-E899
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G958	
	G970	
M	G971	-G979
	H590	-H598
M	H599	
M	H833	
	I269	
	I460	
M	I469	
	I500	-I5000
	I710	-I728
M	I729	
M	I770	
M	I888	
M	I978	
	I979	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
	J80	
	J951	-J954
M	J958	
	J959	
M	K221	
M	K227	
	K250	-K277
M	K279	
	K280	-K287
M	K289	
	K500	-K528
M	K529	
	K550	-K559
M	K650	-K658
M	K660	
	K700	-K901

ICD-10-Mortality Manual 2c - 2014

M	K902
	K903 -K909
	K912 -K913
	K915
M	K918
	K919
	L081
M	L448
M	L590
M	L818
	L946
	M020 -M022
M	M023
	M101
	M300 -M316
	M321 -M329
	M352
M	M768
	M966 -M969
M	N009
M	N019
M	N039 -N049
	N143
M	N185 -N19
	N341
M	N818
	N980 -N990
	N995
M	N998
	N999 -O431
M	O438
	O439 -O998
	P53
	P60 -P613
M	P614
	P615 -P619
	Q200 -Q202
M	Q203
	Q204 -Q210
M	Q211
	Q212 -Q246
M	Q248
	Q249
M	Q255
M	Q289
	Q850
	R162
M	R291
	R570 -R578
M	R579

ICD-10-Mortality Manual 2c - 2014

	R75	
M	R897	
	S000	-S003
M	S004	-S005
	S007	-S359
M	S360	
	S361	-S831
M	S832	
	S833	-T141
M	T142	
	T143	-T658
M	T659	
	T66	-T691
M	T698	
	T699	-T751
M	T752	
	T753	-T780
M	T781	
	T782	-T959
	T97	-T980
M	T981	
	T982	-T983
M	V010	-Y899

D684 Address

	A000	-D447
M	D448	
	D449	-D45
	D470	-D489
M	D588	
	D595	-D596
M	D599	
M	D648	
M	D65	
	D683	-D684
M	D688	
	D693	-D696
M	D731	
M	D748	
M	D758	
	D800	-D840
M	D841	
	D848	-D869
	D891	-D899
	E101	
	E111	
	E121	
	E131	
	E141	

ICD-10-Mortality Manual 2c - 2014

M	E240	
	E241	
M	E242	
	E243	-E248
M	E249	
M	E349	
M	E46	
	E561	
	E619	
M	E639	
M	E648	
	E649	
M	E835	
	E841	-E859
M	E880	
M	E898	-E899
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G936	
	G970	
M	G971	-G979
	H590	-H598
M	H599	
M	H833	
M	I269	
	I460	
M	I469	
	I500	-I5000
	I700	-I728
M	I729	
M	I770	
M	I888	
M	I978	
	I979	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
	J80	
	J951	-J954
M	J958	
	J959	
M	K221	
M	K227	

ICD-10-Mortality Manual 2c - 2014

	K250	-K277
M	K279	
	K280	-K287
M	K289	
	K500	-K528
M	K529	
	K550	-K559
M	K650	-K658
M	K660	
	K700	-K901
M	K902	
	K903	-K909
	K912	-K913
	K915	-K919
M	K922	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M020	-M023
	M101	
M	M219	
	M300	-M329
	M352	
M	M359	
M	M768	
	M966	-M969
M	N009	
M	N019	
M	N039	
	N040	-N050
M	N12	
	N143	
M	N185	-N19
	N341	
M	N818	
	N980	-N990
	N995	-O431
M	O438	
	O439	-O998
	P220	
	P293	
	P53	
	P60	-P613
M	P614	
	P615	-P619
	Q200	-Q202
M	Q203	
	Q204	-Q210

ICD-10-Mortality Manual 2c - 2014

M	Q211	
	Q212	-Q246
M	Q248	
	Q249	
M	Q289	
	Q850	
M	R104	
	R162	
M	R291	
	R570	-R578
M	R579	-R5800
M	R64	
	R75	
M	R897	
	S000	-S003
M	S004	-S005
	S007	-S359
M	S360	
	S361	-S831
M	S832	
	S833	-T141
M	T142	
	T143	-T658
M	T659	
	T66	-T691
M	T698	
	T699	-T751
M	T752	
	T753	-T780
M	T781	
	T782	-T959
	T97	-T980
M	T981	
	T982	-T983
M	V010	-Y899

D685 Address

D685

D686 Address

C000 -C969
D471
D595
D65 -D689
D752
E280
E721
F170 -F179

ICD-10-Mortality Manual 2c - 2014

N040 -N049
O000 -O998
Y424 -Y425
Y433
Y442
Y600 -Y849
Y880 -Y883

D688 Address

A000 -D489
D550 -D581
M D582
D588 -D589
M D592
D595 -D596
M D599
M D648
M D65
D682 -D689
D693 -D696
M D720
M D728
M D731
M D748
M D758
D800 -D840
M D841
D848 -D869
D891 -D899
E100 -E138
M E139 -E140
E141 -E149
M E240 -E279
M E349
E40
M E41
E42 -E46
E560 -E640
M E648
E649
M E713
M E835
E840 -E859
M E871
M E880
E896
M E898 -E899
G000 -G040
G042 -G049

ICD-10-Mortality Manual 2c - 2014

M	G060	
	G061	-G09
M	G119	
	G361	
	G373	-G374
	G450	-G452
	G454	-G459
M	G540	
M	G92	
	G933	
M	G934	
	G936	-G937
M	G938	
M	G951	
M	G958	
M	G961	
	G970	
M	G971	-G979
	H590	-H598
M	H599	
M	H833	
	I10	-I629
M	I630	-I6300
	I631	-I6310
M	I632	-I6320
	I633	-I677
M	I678	-I679
	I690	-I829
M	I868	
M	I888	
	I970	-I971
M	I978	
	I979	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J09	-J181
M	J182	
	J188	-J22
	J40	-J418
M	J42	
	J430	
	J440	-J449
	J65	
	J690	-J698
	J80	
	J951	-J954
	J958	-J959

ICD-10-Mortality Manual 2c - 2014

M	J980	
M	K221	-K222
M	K227	
	K250	-K287
M	K289	
	K290	-K299
	K313	
M	K318	-K319
	K400	-K528
M	K529	
	K550	-K565
M	K566	
	K567	-K579
M	K650	-K658
M	K660	-K661
	K700	-K901
M	K902	
	K903	-K909
	K912	-K913
	K915	
M	K918	
	K919	-K921
M	K922	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M020	-M023
	M101	
M	M219	
M	M300	
	M301	-M329
	M352	
M	M359	
M	M768	
	M966	-M969
	N000	-N019
M	N029	
	N030	-N138
M	N139	
	N140	-N189
M	N19	
	N200	-N209
	N250	-N289
	N341	
	N392	
M	N40	-N419
M	N428	
	N700	-N709

ICD-10-Mortality Manual 2c - 2014

	N730	-N735
M	N736	
	N738	-N739
M	N818	
	N980	-N990
	N995	
M	N998	
	N999	-O431
M	O438	
	O439	-O998
M	P200	-P209
	P211	
M	P219	
	P220	
	P350	-P399
	P53	
	P60	-P613
M	P614	
	P615	-P619
M	P916	
	Q200	-Q202
M	Q203	
	Q204	-Q246
M	Q248	
	Q249	-Q289
M	Q792	
	Q850	
	R001	
	R008	
M	R012	
M	R104	
	R162	
M	R291	
M	R31	
	R570	-R578
M	R579	-R5800
M	R64	
	R75	
M	R897	
	S000	-S003
M	S004	-S005
	S007	-S359
M	S360	
	S361	-S831
M	S832	
	S833	-T141
M	T142	
	T143	-T658
M	T659	
	T66	-T691

ICD-10-Mortality Manual 2c - 2014

M T698
T699 -T751
M T752
T753 -T780
M T781
T782 -T959
T97 -T980
M T981
T982 -T983
M V010 -Y899

D689 Address

A000 -D489
D550 -D581
M D582
D588 -D589
M D592
D595 -D596
M D599
D600 -D619
M D648
M D65
D683 -D684
M D688
D689
D693 -D696
M D731
M D748
M D758
D800 -D840
M D841
D848 -D869
D891 -D899
E100 -E149
M E240
E241
M E242
E243 -E248
M E249
M E349
M E46
E561
E619
M E639
M E648
E649
M E835
E841 -E859
M E880

ICD-10-Mortality Manual 2c - 2014

M	E898	-E899
M	G030	
M	G038	-G040
M	G048	
	G361	
M	G92	
	G933	
M	G936	
	G970	
M	G971	-G979
	H590	-H598
M	H599	
M	H833	
	I00	-I519
	I700	-I728
M	I729	
M	I770	
	I800	-I899
M	I978	
	I979	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J09	-J22
	J40	-J418
	J430	
	J440	-J449
	J65	
	J690	-J698
	J80	
	J951	-J954
M	J958	
	J959	
	J984	
M	K221	
M	K227	
	K250	-K277
M	K279	
	K280	-K287
M	K289	
	K500	-K528
M	K529	
	K550	-K559
M	K650	-K658
M	K660	
	K700	-K901
M	K902	
	K903	-K909

ICD-10-Mortality Manual 2c - 2014

	K912	-K913
	K915	-K919
M	K922	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M020	-M023
	M101	
M	M219	
	M300	-M329
	M352	
M	M359	
M	M768	
	M966	-M969
M	N009	
M	N019	
M	N039	
	N040	-N050
M	N12	
	N143	
M	N185	-N19
	N341	
M	N818	
	N980	-N990
	N995	-O431
M	O438	
	O439	-O998
	P220	
	P293	
	P53	
	P60	-P613
M	P614	
	P615	-P619
	Q200	-Q202
M	Q203	
	Q204	-Q210
M	Q211	
	Q212	-Q246
M	Q248	
	Q249	
M	Q289	
	Q850	
M	R104	
	R162	
M	R291	
	R570	-R578
M	R579	-R5800
M	R64	

ICD-10-Mortality Manual 2c - 2014

	R75	
M	R897	
	S000	-S003
M	S004	-S005
	S007	-S359
M	S360	
	S361	-S831
M	S832	
	S833	-T141
M	T142	
	T143	-T658
M	T659	
	T66	-T691
M	T698	
	T699	-T751
M	T752	
	T753	-T780
M	T781	
	T782	-T959
	T97	-T980
M	T981	
	T982	-T983
M	V010	-Y899

D690 Address

	A000	-C97
	D45	-D460
	D462	-D469
M	D471	
M	D510	
	D511	-D581
M	D582	
	D588	-D618
M	D619	
M	D648	
	D65	-D692
	D698	-D71
M	D720	
	D721	
M	D728	
	D729	-D759
	D860	-D869
M	D892	
M	E240	
	E241	
M	E242	
	E243	
	E248	
M	E249	

ICD-10-Mortality Manual 2c - 2014

M	E301	
	E54	
	E569	
	E642	
M	E648	
M	E703	
M	E798	
	E850	-E859
M	E871	
M	E880	
M	F100	
	F101	-F102
	F110	-F112
	F119	
M	F120	
	F121	-F122
	F130	-F132
M	F140	
	F141	-F142
M	F150	
	F151	-F152
	F160	-F162
M	F180	-F181
	F182	
M	F190	-F191
	F192	
	G000	-G032
M	G038	-G039
	G040	
	G042	-G049
M	G060	
	G061	-G09
	G312	
	G361	
	G373	-G374
M	G540	
M	G92	
	G933	
M	G958	
M	G961	
	I00	-I019
M	I10	
M	I159	
M	I308	
	I330	-I339
	I400	-I409
M	I423	
M	I729	
	I749	
M	I770	

ICD-10-Mortality Manual 2c - 2014

	I771	-I779
	I872	
M	I878	
	I879	-I889
M	I898	-I899
M	I99	-J00
	J020	
	J030	
M	J040	-J042
M	J069	
	J65	
M	K658	
M	K660	
	K700	-K769
M	K908	
	L081	
	L272	
M	L448	
	L573	
	L80	-L819
	L946	
M	L958	
	L959	
	M021	-M023
	M050	-M089
	M101	
	M120	
M	M138	
M	M159	
M	M300	
	M301	-M352
	M358	
M	M359	
M	M898	
	N000	-N078
M	N079	
	N10	-N189
M	N19	
	N200	-N219
	N250	-N311
M	N312	-N319
	N320	-N390
	N392	
	N398	-N399
M	N719	
	N897	
	N910	-N939
M	N948	
	N950	-N959
	N991	

ICD-10-Mortality Manual 2c - 2014

M	P070	-P073
M	P219	
M	P221	-P289
M	P546	
M	P916	
M	Q458	
M	Q680	
M	Q740	-Q741
M	Q758	
M	Q772	
	Q775	-Q776
M	Q778	
	Q779	-Q783
M	Q785	
M	Q788	-Q789
M	Q791	
M	Q794	-Q795
	Q796	
M	Q798	
M	Q808	
	Q810	-Q819
M	Q820	
	Q821	-Q825
M	Q828	
M	Q848	
M	Q872	-Q873
M	Q878	
M	R104	
	R162	
M	R233	
M	R238	
M	R291	
	R31	
M	R398	
	R72	
	R75	
	R780	
M	R826	
M	R893	
M	R897	
	T360	-T658
M	T659	
	T780	-T784
	T789	
	T806	
M	T818	
M	T881	
M	T885	
	T886	-T887
	T96	-T97

ICD-10-Mortality Manual 2c - 2014

M T981
X20 -X29
X40 -X48
M X49
X60 -X69
Y10 -Y19
Y400 -Y599
M Y86
Y870
M Y871
Y872

D691 Address

M C000 -C97
D691

D692 Address

A000 -C97
D45
D461 -D464
M D471
M D510
D511 -D644
M D648
D649 -D699
M D731
M D748
M D758
D860 -D892
M E240
E241
M E242
E243 -E248
M E249
M E301
M E349
E40
M E41
E42 -E519
M E52
E531
M E538
E539 -E649
M E703
M E798
E850 -E859
M E871
M E880

ICD-10-Mortality Manual 2c - 2014

M	F100	
	F101	-F102
M	F110	
	F111	-F112
	F119	
M	F120	
	F121	-F122
	F132	
M	F140	
	F141	-F142
M	F150	
	F151	-F152
M	F160	
	F161	-F162
M	F180	-F181
	F182	
M	F190	
	F191	-F192
	F55	
	G000	-G032
M	G038	-G039
	G040	
	G042	-G048
M	G049	-G060
	G061	-G09
	G312	
	G361	
	G373	-G374
M	G540	
M	G92	
	G933	
M	G934	
M	G958	
M	G961	
	I00	-I019
M	I10	
M	I159	
M	I308	
	I330	-I339
	I400	-I409
M	I423	
M	I729	
	I749	
M	I770	
	I771	-I779
	I872	
M	I878	
	I879	
M	I888	
	I99	

ICD-10-Mortality Manual 2c - 2014

M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
M	J411	-J42
M	J440	-J448
	J65	
M	K658	
M	K660	
	K700	-K742
M	K743	
	K744	-K769
	K900	-K901
M	K908	
	L081	
	L111	-L119
	L230	-L259
	L272	
M	L280	
M	L293	
	L300	
M	L304	
M	L308	
	L309	
M	L448	
M	L509	
	L550	-L569
	L571	-L573
M	L574	
	L575	-L580
M	L581	
	L589	
M	L590	-L598
	L599	
	L664	
M	L720	
M	L738	
	L80	-L819
M	L82	-L83
M	L858	-L859
	L871	
M	L872	
	L878	-L879
M	L902	
	L903	-L905
M	L908	-L909
M	L918	
M	L921	
	L922	-L923

ICD-10-Mortality Manual 2c - 2014

M	L928	
	L942	
	L944	
	L946	
M	L958	
	L959	
	L985	-L986
M	L988	
	L989	
	M021	-M023
	M050	-M089
	M101	
	M120	
M	M138	
M	M159	
M	M199	-M1990
M	M300	
	M301	-M352
	M358	
M	M359	
M	M45	
	M830	-M835
M	M838	
	M839	
M	M898	
	N000	-N078
M	N079	
	N10	-N219
	N250	-N311
M	N312	-N319
	N320	-N390
	N392	
	N398	-N399
M	N719	
	N897	
	N910	-N938
M	N939	
M	N948	
	N950	-N959
	N991	
M	O980	-O981
M	P070	-P073
M	P219	
M	P221	-P289
M	P546	
M	P916	
M	Q458	
M	Q680	
M	Q740	-Q741
M	Q758	

ICD-10-Mortality Manual 2c - 2014

M	Q772	
	Q775	-Q776
M	Q778	
	Q779	-Q783
M	Q785	
M	Q788	-Q789
M	Q791	
M	Q794	-Q795
	Q796	
M	Q798	
M	Q808	
	Q810	-Q819
M	Q820	
	Q821	-Q825
M	Q828	
M	Q848	
M	Q872	-Q874
M	Q878	
M	R104	
	R162	
M	R233	-R238
	R31	
M	R398	
M	R64	
M	R688	
	R75	
M	R771	
M	R798	
	R825	-R828
M	R829	
M	R897	
	T360	-T658
M	T659	
	T780	-T784
	T789	
	T806	
M	T818	
M	T881	
M	T885	
	T886	-T887
	T96	-T97
M	T981	
	X20	-X29
	X40	-X48
M	X49	
	X60	-X69
	Y10	-Y19
	Y400	-Y599
M	Y86	
	Y870	

ICD-10-Mortality Manual 2c - 2014

M Y871 -Y872

D693 Address

D693

D694 Address

M A33
M B91
D693 -D694
M G450 -G452
M G454 -G459
M G540
M G903
M G936
M G938
M G951
M I10 -I879
M I890 -I978
M I99
M K221
M K227
M K250 -K289
M K658 -K661
M K700 -K769
M K922
M L930 -L932
M M300 -M319
M P070 -P073
M P219
M P221 -P289
M P350 -P399
M P916
M R001
M R008
M R012
M R162
M R58 -R5800
M T752

D695 Address

A000 -D447
M D448
D449 -D509
M D510
D511 -D691
M D692
D693 -D699
D730 -D752

ICD-10-Mortality Manual 2c - 2014

M	D758	
	D759	-D763
	D814	
	D820	
M	D821	
	D840	
M	D841	-D848
	D860	-D892
	E000	-E009
	E018	-E02
	E031	-E033
M	E034	
	E035	-E0390
	E055	
M	E059	
M	E071	
M	E230	
M	E349	
M	E46	
M	E538	
	E539	-E54
	E560	-E639
	E642	
M	E648	
	E649	
M	E713	
M	E740	
M	E750	
M	E752	
	E753	
M	E755	-E756
	E768	-E779
M	E782	
M	E798	
	E803	
M	E835	
M	E871	
M	E880	
M	E888	
M	E890	
M	E898	
M	F100	
	F101	-F102
M	F110	
	F111	-F112
	F119	
M	F120	
	F121	-F122
M	F130	
	F131	-F132

ICD-10-Mortality Manual 2c - 2014

M	F140	
	F141	-F142
M	F150	
	F151	-F152
M	F160	
	F161	-F162
M	F180	-F181
	F182	
M	F190	-F191
	F192	
	F55	
	G000	-G032
M	G038	-G039
	G040	
	G042	-G048
M	G049	-G060
	G061	-G09
	G312	
	G361	
	G373	-G374
	G450	-G452
	G454	-G459
M	G540	
M	G903	
M	G92	
	G933	
M	G936	
M	G938	
M	G951	
M	G958	
M	G961	
	I00	-I019
	I10	-I629
M	I630	-I6300
	I631	-I6310
	I633	-I677
M	I678	-I679
	I690	-I891
M	I898	
	I899	-I972
M	I978	
	I99	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J09	-J118
	J65	
M	K658	

ICD-10-Mortality Manual 2c - 2014

M	K660	-K661
	K700	-K769
M	K908	
	K920	-K921
M	K922	
	L081	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
	M023	
	M050	-M089
	M101	
	M120	
M	M138	
M	M159	
M	M199	-M1990
	M219	
M	M300	
	M301	-M329
	M352	
M	M898	
	N000	-N078
M	N079	
	N10	-N219
	N250	-N311
M	N312	-N319
	N320	-N390
	N392	
	N398	-N399
	N980	-N989
	N991	
	O360	-O369
	O430	-O431
M	O438	
	O439	-O469
M	O60	
	O670	-O689
	O700	-O719
	O908	
M	O980	-O981
M	P070	-P073
M	P219	
M	P221	-P289
	P350	-P399
	P550	-P560
	P570	
	P610	
M	P614	

ICD-10-Mortality Manual 2c - 2014

M	P916	
M	Q204	-Q205
	Q206	
M	Q208	
	Q209	
M	Q210	
	Q220	-Q246
M	Q248	
	Q249	
M	Q289	
M	Q758	
	Q775	-Q776
M	Q778	
	Q779	-Q783
M	Q788	-Q789
M	Q798	
M	Q828	
	Q850	
	R001	
	R008	
M	R012	
	R161	-R162
M	R233	
M	R291	
	R31	
M	R398	
	R58	-R5800
	R75	
M	R771	
	R780	
M	R788	
M	R798	
	R825	
M	R826	
	R827	-R828
M	R829	
M	R893	
M	R897	
M	T200	
	T201	-T289
M	T300	
	T301	-T329
	T360	-T658
M	T659	
	T66	-T670
	T68	
M	T752	
	T780	-T783
M	T784	
	T788	-T789

ICD-10-Mortality Manual 2c - 2014

	T803	-T804
	T808	-T809
M	T818	
M	T881	
	T882	-T883
M	T885	
	T886	-T888
M	T889	
	T950	-T97
	T981	
	T983	
M	V010	-V99
	W00	-W53
M	W54	-W56
	W57	
M	W58	-W87
	W88	-W93
M	W94	-X19
	X20	-X32
M	X341	-X39
	X40	-X48
M	X49	-X599
M	X65	
M	X69	-Y369
	Y400	-Y601
	Y603	
	Y605	
	Y610	-Y611
	Y613	
	Y615	
	Y617	
	Y620	-Y621
	Y623	
	Y625	
	Y630	-Y633
	Y640	-Y655
M	Y658	
	Y66	-Y831
	Y840	
	Y842	
	Y848	-Y849
M	Y850	-Y872
	Y880	-Y881
M	Y890	-Y891
	Y899	

D696 Address

	A000	-C97
	D159	

ICD-10-Mortality Manual 2c - 2014

	D180	-D181
	D45	-D464
	D471	-D479
	D500	-D509
M	D510	
	D511	-D691
M	D692	
	D693	-D699
	D730	-D752
M	D758	
	D759	-D763
	D814	
	D820	
M	D821	
	D840	
M	D841	-D848
	D860	-D892
	E000	-E009
	E018	
M	E02	
	E031	-E033
M	E034	
	E035	-E0390
	E055	
M	E059	
M	E071	
M	E230	
M	E349	
M	E46	
M	E538	-E539
	E54	
	E560	-E639
	E642	
M	E648	
	E649	
	E700	-E702
M	E703	
	E708	-E710
M	E711	
	E712	
M	E713	
	E720	-E729
M	E740	
M	E750	
M	E752	
	E753	
M	E755	-E756
	E768	-E779
M	E782	
M	E798	

ICD-10-Mortality Manual 2c - 2014

	E803	
M	E835	
M	E880	
M	E888	
M	E890	
M	E898	
M	F100	
	F101	-F103
M	F110	
	F111	-F112
	F119	
M	F120	
	F121	-F122
	F130	-F132
	F140	-F142
M	F150	
	F151	-F152
M	F160	
	F161	-F162
M	F180	-F181
	F182	
M	F190	-F191
	F192	
	F55	
	G000	-G032
M	G038	-G039
	G040	
	G042	-G048
M	G049	-G060
	G061	-G09
	G312	
	G361	
	G373	-G374
	G450	-G452
	G454	-G459
M	G540	
M	G903	
M	G92	
	G933	
M	G936	
M	G938	
M	G951	
M	G958	
M	G961	
	I00	-I019
	I10	-I629
M	I630	-I6300
	I631	-I6310
M	I632	-I6320
	I633	-I677

ICD-10-Mortality Manual 2c - 2014

M	I678	-I679
	I690	-I891
M	I898	
	I899	-I972
M	I978	
	I99	
M	J00	
	J020	
	J030	
M	J040	-J042
M	J069	
	J09	-J118
	J65	
	J850	-J853
	K290	-K293
M	K294	
	K295	-K299
M	K523	
M	K529	
M	K650	-K658
	K659	
M	K660	-K661
	K700	-K742
M	K743	
	K744	-K769
M	K908	
	K920	-K921
M	K922	
	L081	
	L272	
M	L448	
M	L590	
M	L818	
	L946	
	M021	
	M023	
	M050	-M089
	M101	
	M120	
M	M138	
M	M159	
M	M199	-M1990
	M219	
M	M300	
	M301	-M329
M	M352	
M	M898	
	N000	-N078
M	N079	
	N10	-N219

ICD-10-Mortality Manual 2c - 2014

	N250	-N311
M	N312	-N319
	N320	-N390
	N392	
	N398	-N399
	N980	-N989
	N991	
	O430	-O431
M	O438	
	O439	-O469
M	O60	
	O670	-O689
	O700	-O719
	O908	
M	O980	-O981
	P007	-P008
M	P070	-P073
M	P219	
M	P221	-P289
	P350	-P399
	P550	-P560
	P570	
	P610	
M	P614	
M	P916	
M	Q204	-Q205
	Q206	
M	Q208	
	Q209	
M	Q210	
	Q220	-Q246
M	Q248	
	Q249	
M	Q289	
M	Q758	
	Q775	-Q776
M	Q778	
	Q779	-Q783
M	Q788	-Q789
M	Q798	
M	Q828	
	R001	
	R008	
M	R012	
	R161	-R162
M	R233	
M	R291	
	R31	
M	R398	
	R58	-R5800

ICD-10-Mortality Manual 2c - 2014

	R75	
M	R771	
	R780	
M	R788	
M	R798	
	R825	
M	R826	
	R827	-R828
M	R829	
M	R893	
M	R897	
M	T200	
	T201	-T289
M	T300	
	T301	-T329
	T360	-T658
M	T659	
	T66	-T670
	T68	
M	T752	
	T780	-T783
M	T784	
	T788	-T789
	T803	-T804
	T808	-T809
M	T818	
	T860	-T869
M	T881	
	T882	-T883
M	T885	
	T886	-T888
M	T889	
	T950	-T97
	T981	
	T983	
M	V899	-W52
	W53	-W54
M	W55	-W87
	W88	-W93
M	W94	-X20
	X21	-X32
M	X341	-X39
	X40	-X46
M	X47	
	X48	
M	X49	-X599
M	X65	
M	X69	-Y09
M	Y14	-Y15
M	Y20	-Y369

ICD-10-Mortality Manual 2c - 2014

	Y400	
	Y411	
M	Y423	
	Y427	
	Y430	
	Y443	
	Y449	-Y450
	Y462	
	Y484	
	Y575	
M	Y579	
	Y593	
M	Y599	
	Y600	-Y601
	Y603	
	Y605	
	Y610	-Y611
	Y613	
	Y615	
	Y617	
	Y620	-Y621
	Y623	
	Y625	
	Y630	-Y633
M	Y635	
	Y640	-Y655
M	Y658	
	Y66	
M	Y69	
	Y700	-Y831
M	Y833	
M	Y836	
	Y840	
M	Y842	
	Y848	
M	Y850	-Y872
	Y880	-Y881
M	Y890	

D698 Address

	A000	-D509
M	D510	
	D511	-D691
M	D692	
	D693	-E009
	E018	-E0390
M	E041	
	E050	-E300
M	E301	

ICD-10-Mortality Manual 2c - 2014

	E308	-E342
M	E343	
	E344	-E46
	E511	-E673
M	E678	
	E68	-E702
M	E703	
	E708	-E789
M	E790	
	E791	-E831
M	E832	
	E833	-F019
M	F03	
	F051	
	F100	-F115
	F117	-F125
	F127	-F145
	F148	-F155
	F157	-F165
	F167	-F169
M	F170	
	F173	-F175
	F177	-F185
	F187	-F195
	F197	-F199
M	F453	
M	F458	
M	F505	
M	F54	
	F55	
	G000	-G09
M	G10	
	G110	-G121
M	G122	-G1220
	G128	-G129
M	G20	-G2000
	G210	-G239
M	G240	
	G241	-G248
M	G249	
	G250	-G255
M	G256	
	G258	-G319
M	G35	
	G360	-G419
M	G473	
	G474	
M	G478	
M	G518	
M	G540	

ICD-10-Mortality Manual 2c - 2014

M	G589	-G600
M	G608	
	G610	-G611
	G620	-G622
M	G629	
	G701	
	G800	-G900
M	G901	
	G902	
M	G903	
	G908	-G92
	G933	
M	G936	
	G937	
M	G938	
	G939	-G950
M	G951	
	G952	-G959
M	G960	
	G961	
M	G968	
	G969	-G98
	H026	
M	H180	
	H590	-H598
M	H599	-H600
	H601	-H913
M	H918	-H919
	H920	-I629
M	I630	-I6300
M	I632	-I6320
	I636	-I6360
M	I638	-I6380
	I670	-I671
M	I672	
	I673	-I675
M	I676	
	I677	
M	I678	
	I679	-I698
	I710	-I731
	I770	-I779
	I830	-I864
M	I868	
	I880	-I889
M	I898	-I899
	I970	-I971
	I978	-I979
M	J00	
	J010	-J181

ICD-10-Mortality Manual 2c - 2014

M	J182	
	J188	-J339
M	J340	
	J341	-J343
M	J348	
	J350	-J393
M	J398	
	J399	-J80
	J82	-J90
M	J920	-J929
	J940	-J942
M	J948	
	J949	
	J951	-J959
M	J980	
	J982	-J983
M	J984	
	K20	-K660
M	K661	
	K668	-K915
M	K918	
	K920	-K929
	L081	
M	L448	
M	L590	
M	L818	
M	L88	
	L946	
	M000	-M120
M	M138	
M	M159	
M	M199	-M1990
M	M219	
M	M300	
	M301	-M352
	M358	-M359
M	M768	
	M830	-M835
M	M838	
	M839	
M	M850	
M	M890	
	N000	-N189
M	N19	
	N200	-N219
	N250	-N390
	N392	
M	N393	
	N398	-N459
M	N488	

ICD-10-Mortality Manual 2c - 2014

	N490 -N509
	N700 -N711
M	N719
	N72 -N765
M	N766
	N768 -N837
M	N838 -N839
	N840 -N843
M	N848
	N850 -N896
M	N898
	N899 -N906
M	N907
	N908 -N909
M	N939
	N940 -N946
M	N948
	N980 -N998
	O000 -P545
M	P546
	P548 -P941
M	P942
	P948 -P969
M	Q019
M	Q049
	Q200 -Q246
M	Q248
	Q249 -Q349
	Q380
	Q382 -Q453
M	Q458
	Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q740
M	Q792
M	Q798
M	Q828
	Q850 -Q868
M	Q870 -Q874
	Q875
M	Q878
	Q890 -Q990
M	Q991
	Q992 -Q999
	R001

ICD-10-Mortality Manual 2c - 2014

	R008	
M	R012	-R02
	R030	
	R091	
M	R101	
	R104	
M	R11	
	R162	
M	R18	
M	R198	
M	R233	
M	R291	
M	R298	
	R31	
M	R398	
	R54	
	R570	-R578
M	R579	
	R590	-R599
M	R609	
M	R628	
M	R64	
	R72	
	R75	
M	R771	
	R780	
M	R788	
M	R798	
M	R826	
M	R893	
M	R897	
	S000	-Y899

D699 Address

	A000	-D509
M	D510	
	D511	-D691
M	D692	
	D693	-E009
	E018	-E0390
M	E041	
	E050	-E300
M	E301	
	E308	-E342
M	E343	
	E344	-E46
	E511	-E673
M	E678	
	E68	-E702

ICD-10-Mortality Manual 2c - 2014

M	E703	
	E708	-E789
M	E790	
	E791	-E831
M	E832	
	E833	-F019
M	F03	
	F051	
	F100	-F115
	F117	-F125
	F127	-F145
	F148	-F155
	F157	-F165
	F167	-F169
M	F170	
	F173	-F175
	F177	-F185
	F187	-F195
	F197	-F199
M	F453	
M	F458	
M	F505	
M	F54	
	F55	
	G000	-G09
M	G10	
	G110	-G121
M	G122	-G1220
	G128	-G129
M	G20	-G2000
	G210	-G239
M	G240	
	G241	-G248
M	G249	
	G250	-G255
M	G256	
	G258	-G319
M	G35	
	G360	-G419
M	G473	
	G474	
M	G478	
M	G518	
M	G540	
M	G589	-G600
M	G608	
	G610	-G611
	G620	-G622
M	G629	
	G701	

ICD-10-Mortality Manual 2c - 2014

	G800	-G900
M	G901	
	G902	
M	G903	
	G908	-G92
	G933	
M	G936	
	G937	
M	G938	
	G939	-G950
M	G951	
	G952	-G959
M	G960	
	G961	
M	G968	
	G969	-G98
	H026	
M	H180	
	H590	-H598
M	H599	-H600
	H601	-H913
M	H918	-H919
	H920	-I629
M	I630	-I6300
M	I632	-I6320
	I636	-I6360
M	I638	-I6380
	I670	-I671
M	I672	
	I673	-I675
M	I676	
	I677	
M	I678	
	I679	-I698
	I710	-I731
	I770	-I779
	I830	-I864
M	I868	
	I871	
	I880	-I889
M	I898	-I899
	I970	-I971
	I978	-I979
M	J00	
	J010	-J181
M	J182	
	J188	-J339
M	J340	
	J341	-J343
M	J348	

ICD-10-Mortality Manual 2c - 2014

	J350	-J393
M	J398	
	J399	-J80
	J82	-J90
M	J920	-J929
	J940	-J942
M	J948	
	J949	
	J951	-J959
M	J980	
	J982	-J983
M	J984	
	K20	-K660
M	K661	
	K668	-K915
M	K918	
	K920	-K929
	L081	
M	L448	
M	L590	
M	L818	
M	L88	
	L946	
	M000	-M120
M	M138	
M	M159	
M	M199	-M1990
M	M219	
M	M300	
	M301	-M352
	M358	-M359
M	M768	
	M830	-M835
M	M838	
	M839	
M	M850	
M	M890	
	N000	-N189
M	N19	
	N200	-N219
	N250	-N390
	N392	
M	N393	
	N398	-N459
M	N488	
	N490	-N509
	N700	-N711
M	N719	
	N72	-N765
M	N766	

ICD-10-Mortality Manual 2c - 2014

	N768	-N837
M	N838	-N839
	N840	-N843
M	N848	
	N850	-N896
M	N898	
	N899	-N906
M	N907	
	N908	-N909
M	N939	
	N940	-N946
M	N948	
	N980	-N998
	O000	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P969
M	Q019	
M	Q049	
	Q200	-Q246
M	Q248	
	Q249	-Q349
	Q380	
	Q382	-Q453
M	Q458	
	Q459	
M	Q503	
M	Q524	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649
M	Q740	
M	Q792	
M	Q798	
M	Q828	
	Q850	-Q868
M	Q870	-Q874
	Q875	
M	Q878	
	Q890	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
M	R012	-R02
	R030	
	R091	
M	R101	

ICD-10-Mortality Manual 2c - 2014

	R104	
M	R11	
	R162	
M	R18	
M	R198	
M	R233	
M	R291	
M	R298	
	R31	
M	R398	
	R54	
	R570	-R578
M	R579	
	R590	-R599
M	R609	
M	R628	
M	R64	
	R72	
	R75	
M	R771	
	R780	
M	R788	
M	R798	
M	R826	
M	R893	
M	R897	
	S000	-Y899

D7 Category

D70 Address

M	A000	-A329
M	A35	-B199
	B200	-B24
M	B250	-C943
	C944	-C97
	D45	
M	D460	
M	D462	-D469
	D470	
M	D471	
	D473	-D479
M	D500	-D619
M	D648	
	D70	
M	D71	-D729
M	D731	
M	D748	
M	D752	-D759

ICD-10-Mortality Manual 2c - 2014

M	D800	
M	D810	-D813
M	D815	-D819
M	D821	-D839
M	D860	-D869
	D891	
M	D892	
M	E230	
M	E349	-E649
M	E703	
M	E798	
M	E880	
M	F100	-F102
M	F110	-F112
M	F119	-F122
M	F130	-F132
M	F140	-F142
M	F150	-F152
M	F160	-F162
M	F170	-F172
M	F180	-F182
M	F190	-F192
M	F500	-F502
M	F55	
M	G030	
M	G040	
M	G048	
M	G312	
M	G361	
M	G92	
M	G933	
M	G958	
M	H111	
M	I888	
M	I899	
M	J00	
M	J020	
M	J030	
M	J040	-J042
M	J069	-J129
M	J200	-J22
M	J40	-J418
M	J65	
M	K570	-K579
M	K700	-K703
M	K709	
M	K721	
M	K730	-K746
M	K760	-K761
M	K766	

ICD-10-Mortality Manual 2c - 2014

M K769
M K908
M L081
M L448
M L818
M L946
M M021 -M023
M M050 -M089
M M101
M M120
M M138
M M159
M M199 -M1990
M M320 -M352
M M358 -M359
M M830 -M839
M N143
M N341
M O980 -O981
Q850
M R162
M R418
M R53
M R64
R72
R75
M R897
M S360
M T360 -T789
M T818
M T885
M T950 -T97
M T981
M T983
M W88 -W91
M X32
M X40 -X50
M X53
M X60 -X69
M X85 -X90
M Y10 -Y19
M Y360 -Y599
M Y86 -Y872
M Y891

D71 Address

A150 -A153
A160 -A162
A164

ICD-10-Mortality Manual 2c - 2014

A169 -A1690
D71
J65

D720 Address

D720

D721 Address

M A000 -D489
M D510 -D589
M D648
M D692
D721
M D760 -D763
M D860 -D869
M E230
M E271 -E278
M E703
M E713
M E768 -E769
M E771 -E779
M E798
M E803
M E832
M E888
M E896 -E898
M F100 -F102
M F107
M F109 -F112
M F119 -F122
M F129 -F132
M F139 -F142
M F149 -F152
M F159 -F162
M F169 -F172
M F179 -F182
M F189 -F192
M F199
M F55
M G030
M G040 -G048
M G312
M G361
M G92
M G933
M G958
M H600
M I514

ICD-10-Mortality Manual 2c - 2014

M	I898	
M	J00	
M	J020	
M	J030	
M	J040	-J042
M	J069	
M	J300	-J304
M	J340	
M	J450	-J46
M	J65	
M	J82	
M	K122	-K130
M	K510	-K519
M	K908	
M	L00	-L989
M	M021	
M	M023	
M	M050	-M089
M	M101	
M	M120	
M	M138	
M	M159	
M	M199	-M1990
M	M300	-M359
M	N143	
M	N341	
M	O980	-O981
M	Q200	-Q249
M	Q289	
M	Q458	
M	Q800	-Q828
M	Q848	
M	Q871	
M	R02	
M	R234	-R238
M	R683	
	R75	
M	R897	
M	T360	-T66
M	T698	
M	T783	-T789
M	T818	
M	T885	
M	T887	
M	T96	-T981
M	W88	-W91
M	X32	
M	X40	-X49
M	X60	-X67
M	X85	-X90

ICD-10-Mortality Manual 2c - 2014

M Y10 -Y19
M Y400 -Y599
M Y632 -Y633
M Y842
M Y859 -Y872
M Y891

D728 Address

A000 -D65
D690 -D691
M D692
D693 -D729
M D731
M D748
M D758
D760 -D899
E050 -E059
E100 -E149
M E301
E40 -E702
M E703
E708 -E791
M E798
E799 -E899
F100 -F115
F117 -F125
F127 -F135
F137 -F145
F147 -F155
F157 -F165
F167 -F175
F177 -F185
F187 -F195
F197 -F199
G000 -G009
M G030
G031 -G032
M G038 -G040
G041 -G042
M G048
G049 -G09
M G10
G110 -G129
M G20 -G2000
G210 -G239
M G240
G241 -G248
M G249
G250 -G259

ICD-10-Mortality Manual 2c - 2014

M	G300	-G310
	G311	
M	G318	
	G319	
M	G35	
	G360	
M	G361	
	G368	-G440
	G442	
	G448	
	G453	
M	G473	
	G474	
M	G478	-G479
M	G589	
	G610	
M	G629	
	G92	
	G933	
	G958	
M	G960	
	G970	-G979
	H026	
M	H111	
M	H180	
M	H590	
	H600	-H832
M	H833	
	H838	-I029
	I300	-I309
	I330	-I339
	I400	-I409
M	I423	
M	I630	-I6300
M	I632	-I6320
M	I678	-I679
M	I729	
M	I888	
M	I898	
M	I978	-I979
	J00	-J181
M	J182	
	J188	-J709
	J82	-J860
M	J869	
	J90	-J929
	J940	-J949
	J954	-J959
	J980	-J985
	J988	-J989

ICD-10-Mortality Manual 2c - 2014

	K040	-K069
	K090	-K137
	K20	-K221
M	K222	
	K223	-K224
M	K225	
	K226	-K228
M	K229	
	K250	-K277
M	K279	
	K280	-K287
M	K289	
	K290	-K293
M	K294	
	K295	-K299
	K352	-K401
	K403	-K404
	K410	-K411
	K413	-K414
	K420	-K421
	K430	-K431
	K440	-K441
	K450	-K451
M	K460	
	K461	
	K500	-K579
M	K604	
	K610	-K614
M	K908	
	K913	
M	K918	
	K919	-K921
M	K922	
	K928	
M	K929	
	L00	-L059
M	L080	
	L081	-L109
	L120	-L449
	L510	-L569
	L578	-L599
	L661	
	L710	-L719
M	L818	
	L858	
	L88	-L899
	L920	
M	L921	
	L928	-L932
	L945	-L946

ICD-10-Mortality Manual 2c - 2014

	L951	-L958
	L97	-L984
	L988	
	M000	-M1990
	M247	
M	M300	
	M311	-M316
	M320	-M359
	M420	-M429
M	M431	-M432
M	M45	
	M460	-M478
M	M479	-M480
	M481	-M485
M	M488	-M489
	M500	-M531
M	M538	
M	M540	-M543
M	M768	
	M800	-M849
M	M850	
	M851	-M858
M	M890	
M	M898	-M899
	M910	-M949
	M966	-M969
	N000	-N189
M	N19	
	N200	-N219
	N250	-N390
	N392	
	N398	-N399
	N700	-N809
	N820	-N829
M	N888	
	N897	
M	N908	
	N910	
	N920	-N939
M	N948	
	N950	-N959
	N980	-P941
M	P942	
	P948	-P969
M	Q000	-Q999
	R02	
	R040	-R041
M	R065	
	R091	
	R100	-R104

ICD-10-Mortality Manual 2c - 2014

M	R11	
	R160	-R162
	R18	-R190
	R193	
M	R198	
M	R233	
M	R291	
M	R298	
	R31	
M	R418	
M	R53	
	R570	-R578
M	R579	
	R58	-R599
	R630	
M	R64	
	R682	
	R701	
	R72	
M	R739	
	R740	-R75
	R770	-R780
	R787	-R788
M	R789	
	R790	
M	R798	
	R799	
M	R826	
M	R893	
M	R897	
M	S004	
	S010	-S029
	S032	
M	S050	
	S052	-S057
M	S058	-S059
	S060	-S099
	S110	-S129
	S150	-S199
	S210	-S229
	S250	-S299
	S310	-S328
	S350	-S399
	S410	-S429
	S450	-S499
	S510	-S529
	S550	-S599
	S610	-S628
	S650	-S699
	S710	-S729

ICD-10-Mortality Manual 2c - 2014

	S750	-S799
	S810	-S829
	S850	-S899
M	S909	
	S910	-S925
	S929	
	S950	-S999
	T012	-T022
	T024	
M	T028	
	T041	-T059
	T063	-T08
	T091	
	T095	-T10
	T111	
	T114	-T12
	T131	
	T134	-T142
	T145	
	T147	-T149
M	T200	
	T201	-T289
M	T300	
	T301	-T658
M	T659	
	T66	-T691
M	T698	
	T700	-T751
M	T752	
	T753	-Y899

D729 Address

	A000	-D65
	D690	-D691
M	D692	
	D693	-D729
M	D731	
M	D748	
M	D758	
	D760	-D899
	E050	-E059
	E100	-E149
M	E301	
	E40	-E702
M	E703	
	E708	-E791
M	E798	
	E799	-E899
	F100	-F115

ICD-10-Mortality Manual 2c - 2014

	F117	-F125
	F127	-F135
	F137	-F145
	F147	-F155
	F157	-F165
	F167	-F175
	F177	-F185
	F187	-F195
	F197	-F199
	G000	-G009
M	G030	
	G031	-G032
M	G038	-G040
	G041	-G042
M	G048	
	G049	-G09
M	G10	
	G110	-G129
M	G20	-G2000
	G210	-G239
M	G240	
	G241	-G248
M	G249	
	G250	-G259
M	G300	-G310
	G311	
M	G318	
	G319	
M	G35	
	G360	
M	G361	
	G368	-G440
	G442	
	G448	
	G453	
M	G473	
	G474	
M	G478	-G479
M	G589	
	G610	
M	G629	
	G92	
	G933	
	G958	
M	G960	
	G970	-G979
	H026	
M	H111	
M	H180	
M	H590	

ICD-10-Mortality Manual 2c - 2014

	H600	-H832
M	H833	
	H838	-I029
	I300	-I309
	I330	-I339
	I400	-I409
M	I423	
M	I630	-I6300
M	I632	-I6320
M	I678	-I679
M	I729	
M	I888	
M	I898	
M	I978	-I979
	J00	-J181
M	J182	
	J188	-J709
	J82	-J860
M	J869	
	J90	-J929
	J940	-J949
	J954	-J959
	J980	-J985
	J988	-J989
	K040	-K069
	K090	-K137
	K20	-K221
M	K222	
	K223	-K224
M	K225	
	K226	-K228
M	K229	
	K250	-K277
M	K279	
	K280	-K287
M	K289	
	K290	-K293
M	K294	
	K295	-K299
	K352	-K401
	K403	-K404
	K410	-K411
	K413	-K414
	K420	-K421
	K430	-K431
	K440	-K441
	K450	-K451
M	K460	
	K461	
	K500	-K579

ICD-10-Mortality Manual 2c - 2014

M	K604	
	K610	-K614
M	K908	
	K913	
M	K918	
	K919	-K921
M	K922	
	K928	
M	K929	
	L00	-L059
M	L080	
	L081	-L109
	L120	-L449
	L510	-L569
	L578	-L599
	L661	
	L710	-L719
M	L818	
	L858	
	L88	-L899
	L920	
M	L921	
	L928	-L932
	L945	-L946
	L951	-L958
	L97	-L984
	L988	
	M000	-M1990
	M247	
M	M300	
	M311	-M316
	M320	-M359
	M420	-M429
M	M431	-M432
M	M45	
	M460	-M478
M	M479	-M480
	M481	-M485
M	M488	-M489
	M500	-M531
M	M538	
M	M540	-M543
M	M768	
	M800	-M849
M	M850	
	M851	-M858
M	M890	
M	M898	-M899
	M910	-M949
	M966	-M969

ICD-10-Mortality Manual 2c - 2014

	N000 -N189
M	N19
	N200 -N219
	N250 -N390
	N392
	N398 -N399
	N700 -N809
	N820 -N829
M	N888
	N897
M	N908
	N910
	N920 -N939
M	N948
	N950 -N959
	N980 -P941
M	P942
	P948 -P969
M	Q000 -Q999
	R02
	R040 -R041
M	R065
	R091
	R100 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233
M	R291
M	R298
	R31
M	R418
M	R53
	R570 -R578
M	R579
	R58 -R599
	R630
M	R64
	R682
	R701
	R72
M	R739
	R740 -R75
	R770 -R780
	R787 -R788
M	R789
	R790
M	R798

ICD-10-Mortality Manual 2c - 2014

	R799	
M	R826	
M	R893	
M	R897	
M	S004	
	S010	-S029
	S032	
M	S050	
	S052	-S057
M	S058	-S059
	S060	-S099
	S110	-S129
	S150	-S199
	S210	-S229
	S250	-S299
	S310	-S328
	S350	-S399
	S410	-S429
	S450	-S499
	S510	-S529
	S550	-S599
	S610	-S628
	S650	-S699
	S710	-S729
	S750	-S799
	S810	-S829
	S850	-S899
M	S909	
	S910	-S925
	S929	
	S950	-S999
	T012	-T022
	T024	
M	T028	
	T041	-T059
	T063	-T08
	T091	
	T095	-T10
	T111	
	T114	-T12
	T131	
	T134	-T142
	T145	
	T147	-T149
M	T200	
	T201	-T289
M	T300	
	T301	-T658
M	T659	
	T66	-T691

ICD-10-Mortality Manual 2c - 2014

M T698
T700 -T751
M T752
T753 -Y899

D730 Address

A000 -D470
M D471
D472 -F058
M F059
F060 -F169
M F170
F173 -F445
M F446
F447 -F454
M F458
F459 -F509
F520 -F530
M F54
F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933
G936 -G938
G951
G958
G960
G970 -G979
H026

ICD-10-Mortality Manual 2c - 2014

	H111	
	H150	-H159
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	
M	H180	
	H200	-H219
	H270	-H352
M	H353	
	H354	-H358
M	H404	
	H430	-H536
M	H538	
	H539	-I899
	I970	-J181
M	J182	
	J188	-J80
	J82	-J959
	J980	
	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219

ICD-10-Mortality Manual 2c - 2014

	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969
M	Q019	
M	Q049	
	Q200	-Q379
	Q382	-Q459
M	Q503	
M	Q524	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649
M	Q678	-Q680
	Q688	
M	Q740	-Q741
	Q750	-Q755
M	Q758	
	Q759	-Q762
M	Q764	
	Q765	-Q868
M	Q870	
	Q871	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
	R012	-R031
M	R065	
	R091	
M	R098	
	R101	-R104
M	R11	
	R160	-R162
	R18	-R190

ICD-10-Mortality Manual 2c - 2014

	R193	
M	R198	
M	R233	-R238
	R252	
M	R291	
	R292	-R293
M	R298	
	R31	
	R410	
	R418	
	R457	
	R502	-R509
	R54	
	R58	-R599
	R620	-R638
M	R64	
	R682	
M	R683	-R688
	R700	-R75
	R770	-R788
M	R789	
	R790	-R825
M	R826	
	R827	-R829
M	R893	
M	R897	
M	R899	
	S000	-S831
M	S832	
	S833	-Y899

D731 Address

	A000	-D470
M	D471	
	D472	-F058
M	F059	
	F060	-F169
M	F170	
	F173	-F445
M	F446	
	F447	-F454
M	F458	
	F459	-F509
	F520	-F530
M	F54	
	F55	
	F603	
	F633	
	F640	-F79

ICD-10-Mortality Manual 2c - 2014

	F930	
	F940	
	F981	-F983
	F99	-G239
M	G240	
	G241	-G248
M	G249	
	G250	-G440
	G442	
	G448	-G459
M	G473	
	G474	
M	G478	
	G540	
M	G549	
	G64	
	G710	-G729
	G903	
	G92	
	G933	
	G936	-G938
	G951	
	G958	
	G960	
	G970	-G979
	H026	
	H111	
	H150	-H159
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	
M	H180	
	H200	-H219
	H270	-H352
M	H353	
	H354	-H358
M	H404	
	H430	-H536
M	H538	
	H539	-I899
	I970	-J181
M	J182	
	J188	-J80
	J82	-J959
	J980	
	J982	-L059
M	L080	

ICD-10-Mortality Manual 2c - 2014

	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969
M	Q019	
M	Q049	
	Q200	-Q379
	Q382	-Q459
M	Q503	
M	Q524	

ICD-10-Mortality Manual 2c - 2014

	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098
	R101 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233 -R238
	R252
M	R291
	R292 -R293
M	R298
	R31
	R410
	R418
	R457
	R502 -R509
	R54
	R58 -R599
	R620 -R638
M	R64
	R682
M	R683 -R688
	R700 -R75
	R770 -R788
M	R789
	R790 -R825
M	R826
	R827 -R829

ICD-10-Mortality Manual 2c - 2014

M R893
M R897
M R899
S000 -S831
M S832
S833 -Y899

D732 Address

A000 -D470
M D471
D472 -F058
M F059
F060 -F169
M F170
F173 -F445
M F446
F447 -F454
M F458
F459 -F509
F520 -F530
M F54
F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933
G936 -G938
G951
G958
G960

ICD-10-Mortality Manual 2c - 2014

	G970 -G979
	H026
	H111
	H150 -H159
M	H160
	H161
M	H162
	H163 -H164
M	H168
	H169
M	H180
	H200 -H219
	H270 -H352
M	H353
	H354 -H358
M	H404
	H430 -H536
M	H538
	H539 -I899
	I970 -J181
M	J182
	J188 -J80
	J82 -J959
	J980
	J982 -L059
M	L080
	L081 -L689
	L710 -L719
M	L720
	L731 -L738
M	L739
	L740 -L852
	L858 -M1990
M	M201
M	M219
	M242
M	M247
	M300 -M359
	M420 -M429
M	M431
	M432
	M45 -M769
M	M770
	M771 -M849
M	M850
	M851
M	M898 -M899
	M910 -M949
	M961
	M966 -M969

ICD-10-Mortality Manual 2c - 2014

	M998
	N000 -N219
	N250 -N392
M	N393
	N398 -N459
	N488
	N490 -N910
	N920 -N96
	N980 -N989
	N991 -N994
	N998
	O000 -P285
M	P288
	P290 -P545
M	P546
	P548 -P941
M	P942
	P948 -P949
M	P960
	P961 -P969
M	Q019
M	Q049
	Q200 -Q379
	Q382 -Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098
	R101 -R104
M	R11

ICD-10-Mortality Manual 2c - 2014

	R160	-R162
	R18	-R190
	R193	
M	R198	
M	R233	-R238
	R252	
M	R291	
	R292	-R293
M	R298	
	R31	
	R410	
	R418	
	R457	
	R502	-R509
	R54	
	R58	-R599
	R620	-R638
M	R64	
	R682	
M	R683	-R688
	R700	-R75
	R770	-R788
M	R789	
	R790	-R825
M	R826	
	R827	-R829
M	R893	
M	R897	
M	R899	
	S000	-S831
M	S832	
	S833	-Y899

D733 Address

	A000	-D470
M	D471	
	D472	-F058
M	F059	
	F060	-F169
M	F170	
	F173	-F445
M	F446	
	F447	-F454
M	F458	
	F459	-F509
	F520	-F530
M	F54	
	F55	
	F603	

ICD-10-Mortality Manual 2c - 2014

	F633
	F640 -F79
	F930
	F940
	F981 -F983
	F99 -G239
M	G240
	G241 -G248
M	G249
	G250 -G440
	G442
	G448 -G459
M	G473
	G474
M	G478
	G540
M	G549
	G64
	G710 -G729
	G903
	G92
	G933
	G936 -G938
	G951
	G958
	G960
	G970 -G979
	H026
	H111
	H150 -H159
M	H160
	H161
M	H162
	H163 -H164
M	H168
	H169
M	H180
	H200 -H219
	H270 -H352
M	H353
	H354 -H358
M	H404
	H430 -H536
M	H538
	H539 -I899
	I970 -J181
M	J182
	J188 -J80
	J82 -J959
	J980

ICD-10-Mortality Manual 2c - 2014

	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969
M	Q019	
M	Q049	
	Q200	-Q379
	Q382	-Q459

ICD-10-Mortality Manual 2c - 2014

M	Q503	
M	Q524	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649
M	Q678	-Q680
	Q688	
M	Q740	-Q741
	Q750	-Q755
M	Q758	
	Q759	-Q762
M	Q764	
	Q765	-Q868
M	Q870	
	Q871	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
	R012	-R031
M	R065	
	R091	
M	R098	
	R101	-R104
M	R11	
	R160	-R162
	R18	-R190
	R193	
M	R198	
M	R233	-R238
	R252	
M	R291	
	R292	-R293
M	R298	
	R31	
	R410	
	R418	
	R457	
	R502	-R509
	R54	
	R58	-R599
	R620	-R638
M	R64	
	R682	
M	R683	-R688
	R700	-R75
	R770	-R788
M	R789	
	R790	-R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R829
M R893
M R897
M R899
S000 -S831
M S832
S833 -Y899

D734 Address

A000 -D470
M D471
D472 -F058
M F059
F060 -F169
M F170
F173 -F445
M F446
F447 -F454
M F458
F459 -F509
F520 -F530
M F54
F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933
G936 -G938
G951

ICD-10-Mortality Manual 2c - 2014

	G958	
	G960	
	G970	-G979
	H026	
	H111	
	H150	-H159
M	H160	
	H161	
M	H162	
	H163	-H164
M	H168	
	H169	
M	H180	
	H200	-H219
	H270	-H352
M	H353	
	H354	-H358
M	H404	
	H430	-H536
M	H538	
	H539	-I899
	I970	-J181
M	J182	
	J188	-J80
	J82	-J959
	J980	
	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949

ICD-10-Mortality Manual 2c - 2014

	M961
	M966 -M969
	M998
	N000 -N219
	N250 -N392
M	N393
	N398 -N459
	N488
	N490 -N910
	N920 -N96
	N980 -N989
	N991 -N994
	N998
	O000 -P285
M	P288
	P290 -P545
M	P546
	P548 -P941
M	P942
	P948 -P949
M	P960
	P961 -P969
M	Q019
M	Q049
	Q200 -Q379
	Q382 -Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098

ICD-10-Mortality Manual 2c - 2014

	R101 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233 -R238
	R252
M	R291
	R292 -R293
M	R298
	R31
	R410
	R418
	R457
	R502 -R509
	R54
	R58 -R599
	R620 -R638
M	R64
	R682
M	R683 -R688
	R700 -R75
	R770 -R788
M	R789
	R790 -R825
M	R826
	R827 -R829
M	R893
M	R897
M	R899
	S000 -S831
M	S832
	S833 -Y899

D735 Address

	A000 -D470
M	D471
	D472 -F058
M	F059
	F060 -F169
M	F170
	F173 -F445
M	F446
	F447 -F454
M	F458
	F459 -F509
	F520 -F530
M	F54

ICD-10-Mortality Manual 2c - 2014

F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933
G936 -G938
G951
G958
G960
G970 -G979
H026
H111
H150 -H159
M H160
H161
M H162
H163 -H164
M H168
H169
M H180
H200 -H219
H270 -H352
M H353
H354 -H358
M H404
H430 -H536
M H538
H539 -I899
I970 -J181
M J182
J188 -J80

ICD-10-Mortality Manual 2c - 2014

	J82	-J959
	J980	
	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969
M	Q019	
M	Q049	

ICD-10-Mortality Manual 2c - 2014

	Q200 -Q379
	Q382 -Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098
	R101 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233 -R238
	R252
M	R291
	R292 -R293
M	R298
	R31
	R410
	R418
	R457
	R502 -R509
	R54
	R58 -R599
	R620 -R638
M	R64
	R682
M	R683 -R688
	R700 -R75
	R770 -R788

ICD-10-Mortality Manual 2c - 2014

M R789
R790 -R825
M R826
R827 -R829
M R893
M R897
M R899
S000 -S831
M S832
S833 -Y899

D738 Address

A000 -D470
M D471
D472 -F058
M F059
F060 -F169
M F170
F173 -F445
M F446
F447 -F454
M F458
F459 -F509
F520 -F530
M F54
F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933

ICD-10-Mortality Manual 2c - 2014

G936 -G938
G951
G958
G960
G970 -G979
H026
H111
H150 -H159
M H160
H161
M H162
H163 -H164
M H168
H169
M H180
H200 -H219
H270 -H352
M H353
H354 -H358
M H404
H430 -H536
M H538
H539 -I899
I970 -J181
M J182
J188 -J80
J82 -J959
J980
J982 -L059
M L080
L081 -L689
L710 -L719
M L720
L731 -L738
M L739
L740 -L852
L858 -M1990
M M201
M M219
M242
M M247
M300 -M359
M420 -M429
M M431
M432
M45 -M769
M M770
M771 -M849
M M850
M851

ICD-10-Mortality Manual 2c - 2014

M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969
M	Q019	
M	Q049	
	Q200	-Q379
	Q382	-Q459
M	Q503	
M	Q524	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649
M	Q678	-Q680
	Q688	
M	Q740	-Q741
	Q750	-Q755
M	Q758	
	Q759	-Q762
M	Q764	
	Q765	-Q868
M	Q870	
	Q871	-Q990
M	Q991	
	Q992	-Q999
	R001	
	R008	
	R012	-R031
M	R065	

ICD-10-Mortality Manual 2c - 2014

	R091	
M	R098	
	R101	-R104
M	R11	
	R160	-R162
	R18	-R190
	R193	
M	R198	
M	R233	-R238
	R252	
M	R291	
	R292	-R293
M	R298	
	R31	
	R410	
	R418	
	R457	
	R502	-R509
	R54	
	R58	-R599
	R620	-R638
M	R64	
	R682	
M	R683	-R688
	R700	-R75
	R770	-R788
M	R789	
	R790	-R825
M	R826	
	R827	-R829
M	R893	
M	R897	
M	R899	
	S000	-S831
M	S832	
	S833	-Y899

D739 Address

	A000	-D470
M	D471	
	D472	-F058
M	F059	
	F060	-F169
M	F170	
	F173	-F445
M	F446	
	F447	-F454
M	F458	
	F459	-F509

ICD-10-Mortality Manual 2c - 2014

	F520 -F530
M	F54
	F55
	F603
	F633
	F640 -F79
	F930
	F940
	F981 -F983
	F99 -G239
M	G240
	G241 -G248
M	G249
	G250 -G440
	G442
	G448 -G459
M	G473
	G474
M	G478
	G540
M	G549
	G64
	G710 -G729
	G903
	G92
	G933
	G936 -G938
	G951
	G958
	G960
	G970 -G979
	H026
	H111
	H150 -H159
M	H160
	H161
M	H162
	H163 -H164
M	H168
	H169
M	H180
	H200 -H219
	H270 -H352
M	H353
	H354 -H358
M	H404
	H430 -H536
M	H538
	H539 -I899
	I970 -J181

ICD-10-Mortality Manual 2c - 2014

M	J182	
	J188	-J80
	J82	-J959
	J980	
	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P285
M	P288	
	P290	-P545
M	P546	
	P548	-P941
M	P942	
	P948	-P949
M	P960	
	P961	-P969

ICD-10-Mortality Manual 2c - 2014

M	Q019
M	Q049
	Q200 -Q379
	Q382 -Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098
	R101 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233 -R238
	R252
M	R291
	R292 -R293
M	R298
	R31
	R410
	R418
	R457
	R502 -R509
	R54
	R58 -R599
	R620 -R638
M	R64
	R682
M	R683 -R688

ICD-10-Mortality Manual 2c - 2014

	R700	-R75
	R770	-R788
M	R789	
	R790	-R825
M	R826	
	R827	-R829
M	R893	
M	R897	
M	R899	
	S000	-S831
M	S832	
	S833	-Y899

D740 Address

D740

D748 Address

	A000	-D470
M	D471	
	D472	-F058
M	F059	
	F060	-F169
M	F170	
	F173	-F445
M	F446	
	F447	-F454
M	F458	
	F459	-F509
	F520	-F530
M	F54	
	F55	
	F603	
	F633	
	F640	-F79
	F930	
	F940	
	F981	-F983
	F99	-G239
M	G240	
	G241	-G248
M	G249	
	G250	-G440
	G442	
	G448	-G459
M	G473	
	G474	
M	G478	
	G540	

ICD-10-Mortality Manual 2c - 2014

M	G549
	G64
	G710 -G729
	G903
	G92
	G933
	G936 -G938
	G951
	G958
	G960
	G970 -G979
	H026
	H111
	H150 -H159
M	H160
	H161
M	H162
	H163 -H164
M	H168
	H169
M	H180
	H200 -H219
	H270 -H352
M	H353
	H354 -H358
M	H404
	H430 -H536
M	H538
	H539 -I899
	I970 -J181
M	J182
	J188 -J80
	J82 -J959
	J980
	J982 -L059
M	L080
	L081 -L689
	L710 -L719
M	L720
	L731 -L738
M	L739
	L740 -L852
	L858 -M1990
M	M201
M	M219
	M242
M	M247
	M300 -M359
	M420 -M429
M	M431

ICD-10-Mortality Manual 2c - 2014

	M432
	M45 -M769
M	M770
	M771 -M849
M	M850
	M851
M	M898 -M899
	M910 -M949
	M961
	M966 -M969
	M998
	N000 -N219
	N250 -N392
M	N393
	N398 -N459
	N488
	N490 -N910
	N920 -N96
	N980 -N989
	N991 -N994
	N998
	O000 -P059
M	Q019
M	Q049
	Q200 -Q379
	Q382 -Q459
M	Q503
M	Q524
	Q600 -Q605
M	Q606
	Q610 -Q639
	Q641 -Q649
M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098

ICD-10-Mortality Manual 2c - 2014

	R101	-R104
M	R11	
	R160	-R162
	R18	-R190
	R193	
M	R198	
M	R233	-R238
	R252	
M	R291	
	R292	-R293
M	R298	
	R31	
	R410	
	R418	
	R457	
	R502	-R509
	R54	
	R58	-R599
	R620	-R638
M	R64	
	R682	
M	R683	-R688
	R700	-R75
	R770	-R788
M	R789	
	R790	-R825
M	R826	
	R827	-R829
M	R893	
M	R897	
M	R899	
	S000	-S831
M	S832	
	S833	-Y899

D749 Address

	A000	-D470
M	D471	
	D472	-F058
M	F059	
	F060	-F169
M	F170	
	F173	-F445
M	F446	
	F447	-F454
M	F458	
	F459	-F509
	F520	-F530
M	F54	

ICD-10-Mortality Manual 2c - 2014

F55
F603
F633
F640 -F79
F930
F940
F981 -F983
F99 -G239
M G240
G241 -G248
M G249
G250 -G440
G442
G448 -G459
M G473
G474
M G478
G540
M G549
G64
G710 -G729
G903
G92
G933
G936 -G938
G951
G958
G960
G970 -G979
H026
H111
H150 -H159
M H160
H161
M H162
H163 -H164
M H168
H169
M H180
H200 -H219
H270 -H352
M H353
H354 -H358
M H404
H430 -H536
M H538
H539 -I899
I970 -J181
M J182
J188 -J80

ICD-10-Mortality Manual 2c - 2014

	J82	-J959
	J980	
	J982	-L059
M	L080	
	L081	-L689
	L710	-L719
M	L720	
	L731	-L738
M	L739	
	L740	-L852
	L858	-M1990
M	M201	
M	M219	
	M242	
M	M247	
	M300	-M359
	M420	-M429
M	M431	
	M432	
	M45	-M769
M	M770	
	M771	-M849
M	M850	
	M851	
M	M898	-M899
	M910	-M949
	M961	
	M966	-M969
	M998	
	N000	-N219
	N250	-N392
M	N393	
	N398	-N459
	N488	
	N490	-N910
	N920	-N96
	N980	-N989
	N991	-N994
	N998	
	O000	-P059
M	Q019	
M	Q049	
	Q200	-Q379
	Q382	-Q459
M	Q503	
M	Q524	
	Q600	-Q605
M	Q606	
	Q610	-Q639
	Q641	-Q649

ICD-10-Mortality Manual 2c - 2014

M	Q678 -Q680
	Q688
M	Q740 -Q741
	Q750 -Q755
M	Q758
	Q759 -Q762
M	Q764
	Q765 -Q868
M	Q870
	Q871 -Q990
M	Q991
	Q992 -Q999
	R001
	R008
	R012 -R031
M	R065
	R091
M	R098
	R101 -R104
M	R11
	R160 -R162
	R18 -R190
	R193
M	R198
M	R233 -R238
	R252
M	R291
	R292 -R293
M	R298
	R31
	R410
	R418
	R457
	R502 -R509
	R54
	R58 -R599
	R620 -R638
M	R64
	R682
M	R683 -R688
	R700 -R75
	R770 -R788
M	R789
	R790 -R825
M	R826
	R827 -R829
M	R893
M	R897
M	R899
	S000 -S831

ICD-10-Mortality Manual 2c - 2014

M S832
S833 -Y369
Y600 -Y899

D750 Address

D750

D751 Address

A000 -D489
D510 -D619
D751
D760 -E149
E240 -E279
E65 -E678
E890
E896 -E899
F100 -F199
F55
G000 -G419
G450 -G459
G600 -G979
I00 -J989
K20 -L00
L100 -L139
L230 -L309
L500 -L599
L710 -L719
L930 -L932
L950 -L959
M000 -M1990
M300 -M359
M420 -M549
M800 -M949
M960 -M969
N000 -N399
N700 -N768
N980
N990 -Q999
R030
R040 -R049
M R090 -R098
R160 -R162
R31
R58 -R5800
R730 -R739
R75
R780
M R826

ICD-10-Mortality Manual 2c - 2014

M R893
S000 -Y899

D752 Address

A000 -F509
F530 -F59
F900 -F939
F982 -F983
F99 -G419
G450 -G459
G600 -G979
M H000 -H599
H600 -H839
H930 -I899
I970 -J80
J82 -L599
L80 -M1990
M300 -N450
N490 -N909
N920 -N96
N980 -Q998
R02 -R030
R040 -R049
M R090 -R098
R160 -R162
R31
R54
R58 -R599
R620 -R638
R730 -R739
R75
R780
M R826
M R893
S000 -Y899

D758 Address

A000 -F509
F530 -F59
F900 -F939
F982 -F983
F99 -G419
G450 -G459
G600 -G979
M H000 -H599
H600 -H839
H930 -I899
I970 -J80

ICD-10-Mortality Manual 2c - 2014

J82 -L599
L80 -M1990
M300 -N450
N490 -N909
N920 -N96
N980 -Q998
R02 -R030
R040 -R049
M R090 -R098
R160 -R162
R31
R54
R58 -R599
R620 -R638
R730 -R739
R75
R780
M R826
M R893
S000 -Y899

D759 Address

A000 -F509
F530 -F59
F900 -F939
F982 -F983
F99 -G419
G450 -G459
G600 -G979
M H000 -H599
H600 -H839
H930 -I899
I970 -J80
J82 -L599
L80 -M1990
M300 -N450
N490 -N909
N920 -N96
N980 -Q998
R02 -R030
R040 -R049
M R090 -R098
R160 -R162
R31
R54
R58 -R599
R620 -R638
R730 -R739
R75

ICD-10-Mortality Manual 2c - 2014

R780
M R826
M R893
S000 -Y899

D760 Address

D760 -D763

D761 Address

D760 -D763

D762 Address

B200 -B24
D760 -D763
R75

D763 Address

D760 -D763

D8 Category

D800 Address

D800

D801 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019

ICD-10-Mortality Manual 2c - 2014

N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D802 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850

ICD-10-Mortality Manual 2c - 2014

R75
T451
M Y422
Y431 -Y434

D803 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D804 Address

B200 -B24
C000 -D447
M D448
D449 -D45

ICD-10-Mortality Manual 2c - 2014

D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D805 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519

ICD-10-Mortality Manual 2c - 2014

L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D806 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136

ICD-10-Mortality Manual 2c - 2014

N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D807 Address

D807

D808 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75

ICD-10-Mortality Manual 2c - 2014

T451
M Y422
Y431 -Y434

D809 Address

B200 -B24
C000 -D447
M D448
D449 -D45
D470
M D471
D473 -D489
D800 -D809
D814
D820 -D821
D840 -D841
M D848
D890
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
Q850
R75
T451
M Y422
Y431 -Y434

D810 Address

B200 -B24
D810
R75

D811 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
D811
R75

D812 Address

B200 -B24
D812
R75

D813 Address

M B200 -B24
D813
M R75

D814 Address

M B200 -B24
D814
M R75

D815 Address

M B200 -B24
D815
M R75

D816 Address

B200 -B24
D816
R75

D817 Address

B200 -B24
D817
R75

D818 Address

B200 -B24
D818
R75

D819 Address

B200 -B24
D819
R75

D820 Address

B200 -B24
D820
R75

D821 Address

B200 -B24
D821
R75

D822 Address

B200 -B24
D822
R75

D823 Address

B200 -B24
D823
R75

D824 Address

B200 -B24
D824
R75

D828 Address

B200 -B24
D828
R75

D829 Address

B200 -B24
D829
R75

D830 Address

B200 -B24
D830
R75

D831 Address

B200 -B24
D831

ICD-10-Mortality Manual 2c - 2014

R75

D832 Address

B200 -B24

D832

R75

D838 Address

B200 -B24

D838

R75

D839 Address

B200 -B24

D839

R75

D840 Address

B200 -B24

C000 -C97

D460 -D467

D471

D473

D840

D899

L412

R75

D841 Address

B200 -B24

C000 -C97

D460 -D467

D471

D473

D841

D899

M E880

L412

M N170 -N19

M Q600 -Q649

R75

Y400 -Y599

D848 Address

B200 -B24

C000 -C97

ICD-10-Mortality Manual 2c - 2014

D460 -D467
D471
D473
M D800
D801 -D809
D814
D820
M D821
D840
M D841
D848
D899
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
L412
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
R75
T451
M Y422
Y431 -Y434
M Y578

D849 Address

B200 -B24
C000 -C97
D460 -D469
D471
D473
M D800
D801 -D809
D814
D820
M D821
D840

ICD-10-Mortality Manual 2c - 2014

M D841
D848 -D849
D899
E40 -E649
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
L412
M480
N000 -N019
N030 -N059
N070 -N078
M N079
N10 -N12
M N136
N140 -N142
N144 -N19
N250 -N279
M N280
M N288 -N289
R75
T451
Y400 -Y599

D860 Address

D860
U010 -U02

D861 Address

D860 -D869
U010 -U02

D862 Address

D860 -D869
U010 -U02

D863 Address

D863
U010 -U02

D868 Address

D868

ICD-10-Mortality Manual 2c - 2014

U010 -U02

D869 Address

D869

U010 -U02

D890 Address

M A481

M B052

M B080

B200 -B24

M B780

M B832

M B89

M B99 -C97

M D150

M D448

M D460 -D469

M D471 -D472

M D500 -D849

D890

M D891 -E899

M G000 -G311

M G318 -G360

M G368 -G440

M G448 -G452

M G454 -G459

M G473

M G478

M G518

M G540

M G589 -G932

M G934 -G98

M H026

M H111

M H180

M H590 -H599

M I200 -I259

M I330

M I423

M I461

M I509 -I698

M I729

M I770 -I779

M I880 -I890

M I898 -I899

M I970 -I971

M I978 -I979

ICD-10-Mortality Manual 2c - 2014

M	J029	
M	J039	
M	J050	
M	J09	-J47
M	J670	-J709
M	J81	
	J850	-J929
M	J940	-J949
M	J954	-J959
M	J980	
M	J984	
M	K223	
M	K250	-K289
M	K510	-K519
M	K560	-K599
M	K628	
M	K650	
M	K660	
M	K700	-K913
M	K915	-K922
M	L00	
M	L100	-L109
M	L120	
M	L123	-L129
M	L211	
M	L26	
M	L304	
M	L538	
M	L920	
M	L951	
M	M020	
M	M022	
M	M050	-M120
M	M138	
M	M159	
M	M199	-M1990
M	M300	-M351
M	M358	-M359
M	M431	-M432
M	M462	
M	M629	
M	M830	-M839
M	M850	
M	M860	-M869
M	M871	-M879
M	M890	
M	M898	
M	M948	
M	M966	-M969
M	N000	-N340

ICD-10-Mortality Manual 2c - 2014

M	N342	-N390
M	N392	
M	N398	-N399
M	N980	-N991
M	N995	-N999
M	P288	
M	P942	
M	Q380	
M	Q384	-Q388
M	Q675	
M	Q678	-Q680
M	Q740	-Q741
M	Q750	-Q762
M	Q764	-Q799
M	Q828	
M	Q870	
M	Q872	-Q873
M	Q878	
M	R091	
M	R104	
M	R162	
M	R198	
M	R233	
M	R238	
M	R291	
M	R298	
M	R31	
M	R398	
M	R609	
M	R628	
M	R64	
M	R72	
	R75	
M	R771	
M	R798	
M	R897	
M	S360	
M	T200	-T207
M	T260	-T269
M	T360	-T889
M	T96	
M	Y400	-Y599
M	Y880	

D891 Address

M	A481	
M	B052	
M	B080	
M	B200	-B24

ICD-10-Mortality Manual 2c - 2014

M	B780	
M	B832	
M	B89	
M	B99	-C97
M	D150	
M	D448	
M	D460	-D469
M	D471	-D472
M	D500	-D849
	D890	-D891
M	D892	-E899
M	G000	-G311
M	G318	-G360
M	G368	-G440
M	G448	-G452
M	G454	-G459
M	G473	
M	G478	
M	G518	
M	G540	
M	G589	-G932
M	G934	-G98
M	H026	
M	H111	
M	H180	
M	H590	-H599
M	I200	-I259
M	I330	
M	I423	
M	I461	
M	I509	-I698
M	I729	
M	I770	-I779
M	I880	-I890
M	I898	-I899
M	I970	-I971
M	I978	-I979
M	J029	
M	J039	
M	J050	
M	J09	-J47
M	J670	-J709
M	J81	
	J850	-J929
M	J940	-J949
M	J954	-J959
M	J980	
M	J984	
M	K223	
M	K250	-K289

ICD-10-Mortality Manual 2c - 2014

M	K510	-K519
M	K560	-K599
M	K628	
M	K650	
M	K660	
M	K700	-K913
M	K915	-K922
M	L00	
M	L100	-L109
M	L120	
M	L123	-L129
M	L211	
M	L26	
M	L304	
M	L538	
M	L920	
M	L951	
M	M020	
M	M022	
M	M050	-M120
M	M138	
M	M159	
M	M199	-M1990
M	M300	-M351
M	M358	-M359
M	M431	-M432
M	M462	
M	M629	
M	M830	-M839
M	M850	
M	M860	-M869
M	M871	-M879
M	M890	
M	M898	
M	M948	
M	M966	-M969
M	N000	-N340
M	N342	-N390
M	N392	
M	N398	-N399
M	N980	-N991
M	N995	-N999
M	P288	
M	P942	
M	Q380	
M	Q384	-Q388
M	Q675	
M	Q678	-Q680
M	Q740	-Q741
M	Q750	-Q762

ICD-10-Mortality Manual 2c - 2014

M Q764 -Q799
M Q828
M Q870
M Q872 -Q873
M Q878
M R091
M R104
M R162
M R198
M R233
M R238
M R291
M R298
M R31
M R398
M R609
M R628
M R64
M R72
M R75
M R771
M R798
M R897
M S360
M T200 -T207
M T260 -T269
M T360 -T889
M T96
M Y400 -Y599
M Y880

D892 Address

M A481
M B052
M B080
M B200 -B24
M B780
M B832
M B89
M B99 -C97
M D150
M D448
M D460 -D469
M D471 -D472
M D500 -D849
M D890
M D891
M D892
M D898 -E899

ICD-10-Mortality Manual 2c - 2014

M	G000	-G311
M	G318	-G360
M	G368	-G440
M	G448	-G452
M	G454	-G459
M	G473	
M	G478	
M	G518	
M	G540	
M	G589	-G932
M	G934	-G98
M	H026	
M	H111	
M	H180	
M	H590	-H599
M	I200	-I259
M	I330	
M	I423	
M	I461	
M	I509	-I698
M	I729	
M	I770	-I779
M	I880	-I890
M	I898	-I899
M	I970	-I971
M	I978	-I979
M	J029	
M	J039	
M	J050	
M	J09	-J47
M	J670	-J709
M	J81	
	J850	-J929
M	J940	-J949
M	J954	-J959
M	J980	
M	J984	
M	K223	
M	K250	-K289
M	K510	-K519
M	K560	-K599
M	K628	
M	K650	
M	K660	
M	K700	-K913
M	K915	-K922
M	L00	
M	L100	-L109
M	L120	
M	L123	-L129

ICD-10-Mortality Manual 2c - 2014

M	L211	
M	L26	
M	L304	
M	L538	
M	L920	
M	L951	
M	M020	
M	M022	
M	M050	-M120
M	M138	
M	M159	
M	M199	-M1990
M	M300	-M351
M	M358	-M359
M	M431	-M432
M	M462	
M	M629	
M	M830	-M839
M	M850	
M	M860	-M869
M	M871	-M879
M	M890	
M	M898	
M	M948	
M	M966	-M969
M	N000	-N340
M	N342	-N390
M	N392	
M	N398	-N399
M	N980	-N991
M	N995	-N999
M	P288	
M	P942	
M	Q380	
M	Q384	-Q388
M	Q675	
M	Q678	-Q680
M	Q740	-Q741
M	Q750	-Q762
M	Q764	-Q799
M	Q828	
M	Q870	
M	Q872	-Q873
M	Q878	
M	R091	
M	R104	
M	R162	
M	R198	
M	R233	
M	R238	

ICD-10-Mortality Manual 2c - 2014

M R291
M R298
M R31
M R398
M R609
M R628
M R64
M R72
R75
M R771
M R798
M R897
M S360
M T200 -T207
M T260 -T269
M T360 -T889
M T96
M Y400 -Y599
M Y880

D893 Address

B200 -B24
D800 -D899
R75
Y400 -Y419
Y427
Y433

D898 Address

B200 -B24
C000 -C97
M D800
D801 -D809
D814
D820
M D821
D840
M D841 -D848
D898
I890
K500 -K519
L100
M L101
L102 -L109
L120
L123 -L129
N000 -N019
M N029

ICD-10-Mortality Manual 2c - 2014

	N030	-N059
	N070	-N078
M	N079	
	N10	-N12
M	N136	
	N140	-N142
	N144	-N189
M	N19	
	N250	-N279
M	N280	
M	N288	-N289
	R75	
M	T451	
M	Y422	
M	Y431	-Y434

D899 Address

	B200	-B24
	C000	-C97
	D460	-D469
	D471	
	D473	
M	D800	
	D801	-D809
	D814	
	D820	
M	D821	
	D840	
M	D841	
	D848	-D849
	D899	
	E40	-E649
	I890	
	K500	-K519
	L100	
M	L101	
	L102	-L109
	L120	
	L123	-L129
	L412	
	M480	
	N000	-N019
	N030	-N059
	N070	-N078
M	N079	
	N10	-N12
M	N136	
	N140	-N142
	N144	-N19

ICD-10-Mortality Manual 2c - 2014

N250 -N279
M N280
M N288 -N289
R75
T451
Y400 -Y599

E

E0 Category

E000 Address

E000
M P040 -P049
M Q892

E001 Address

E001
M P040 -P049
M Q892

E002 Address

E002
M P040 -P049
M Q892

E009 Address

E009
M P040 -P049
M Q892

E010 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477

ICD-10-Mortality Manual 2c - 2014

M D760 -D899
E010
M E58 -E899
M100 -M109

E011 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E011
M E58 -E899
M100 -M109

E012 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E012
M E58 -E899
M100 -M109

E018 Address

E018
E618

E02 Address

E02
E618

E030 Address

E030
M E071
E618

E031 Address

E031
M P040 -P049
M Q892

E032 Address

E032
T880 -T887
Y400 -Y599
Y880

E033 Address

A1690
M A188
M A500 -A539
M B200 -B24
M B268
B269
M B650 -B839
M B908
B909
M B948
D860 -D869
E033
J00 -J189
J950 -J959
J980 -J989
M R75

E034 Address

M A188
M A500 -A539
B650 -B679
M B908
M B948
C73

ICD-10-Mortality Manual 2c - 2014

C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237
E40 -E46
E58 -E649
E890
M340 -M342
T66
M T981
M T983
M Y400 -Y599
Y632
Y830 -Y839
Y842
Y880
M Y881
M Y883

E035 Address

M A188
M A500 -A539
B650 -B679
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237
E40 -E46
E58 -E649
E890
M340 -M342
T66
M T981
M T983
M Y400 -Y599
Y632
Y830 -Y839
Y842

ICD-10-Mortality Manual 2c - 2014

Y880
M Y881
M Y883

E038 Address

M A188
M A500 -A539
B650 -B679
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237
E40 -E46
E58 -E649
E890
M340 -M342
T66
M T981
M T983
M Y400 -Y599
Y632
Y830 -Y839
Y842
Y880
M Y881
M Y883

E039 Address

M A188
M A500 -A539
B650 -B679
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079

ICD-10-Mortality Manual 2c - 2014

E220 -E237
E40 -E46
E58 -E649
E890
M340 -M342
T66
M T981
M T983
M Y400 -Y599
Y632
Y830 -Y839
Y842
Y880
M Y881
M Y883

E0390 Address

M A188
M A500 -A539
B650 -B679
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237
E40 -E46
E58 -E649
E890
M340 -M342
T66
M T981
M T983
M Y400 -Y599
Y632
Y830 -Y839
Y842
Y880
M Y881
M Y883

E040 Address

A1690

ICD-10-Mortality Manual 2c - 2014

M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E040
M E58 -E899
M100 -M109

E041 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E041
M E58 -E899
M100 -M109

E042 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883

ICD-10-Mortality Manual 2c - 2014

M D093
D34
D440
M D472
M D477
M D760 -D899
E042
M E58 -E899
M100 -M109

E048 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E048
M E58 -E899
M100 -M109

E049 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C73
M C798
C880 -C883
M D093
D34
D440
M D472
M D477
M D760 -D899
E049
M E58 -E899

ICD-10-Mortality Manual 2c - 2014

M100 -M109

E050 Address

E050

E051 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56
C58
C620 -C629
C73
C751
C796
M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472
M D477
M D760 -D899
E051
E060
M E58 -E899
M100 -M109

E052 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56
C58
C620 -C629

ICD-10-Mortality Manual 2c - 2014

C73
C751
C796
M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472
M D477
M D760 -D899
E052
E060
M E58 -E899
M100 -M109

E053 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56
C58
C620 -C629
C73
C751
C796
M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472

ICD-10-Mortality Manual 2c - 2014

M D477
M D760 -D899
E053
E060
M E58 -E899
M100 -M109

E054 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56
C58
C620 -C629
C73
C751
C796
M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472
M D477
M D760 -D899
E054
E060
M E58 -E899
M100 -M109

E055 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56

ICD-10-Mortality Manual 2c - 2014

C58
C620 -C629
C73
C751
C796
M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472
M D477
M D760 -D899
E055
E060
M E58 -E899
M100 -M109

E058 Address

E000 -E059
T381
T96
X44
X64
Y14
Y421
Y880

E059 Address

A1690
M A188
B650 -B839
M B908
B909
M B948
C56
C58
C620 -C629
C73
C751
C796

ICD-10-Mortality Manual 2c - 2014

M C798
C880 -C883
D073
D076
M D093
D27
D292
D34
D391 -D392
D401
D440
D443
M D472
M D477
M D760 -D899
E059 -E060
M E58 -E899
M100 -M109

E060 Address

A1690
M A188
M A500 -A539
M B200 -B24
M B268
B269
B650 -B839
B86
M B908
B909
M B948
C73
C751
M C798
M D093
D34
D440
D443
E060 -E069
J00 -J189
J950 -J959
J980 -J989
M R75

E061 Address

A1690
M A188
M A500 -A539

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
M B268
B269
B650 -B839
B86
M B908
B909
M B948
C73
C751
M C798
M D093
D34
D440
D443
E060 -E069
J00 -J189
J950 -J959
J980 -J989
M R75

E062 Address

A1690
M A188
M A500 -A539
M B200 -B24
M B268
B269
B650 -B839
B86
M B908
B909
M B948
C73
C751
M C798
M D093
D34
D440
D443
E060 -E069
J00 -J189
J950 -J959
J980 -J989
M R75

E063 Address

M A1690

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
E063
M Q870 -Q998
M R75

E064 Address

E064
T360 -T509
T880 -T887
T96
M T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
M Y86 -Y872
Y880

E065 Address

A1690
M A188
M A500 -A539
M B200 -B24
M B268
B269
B650 -B839
B86
M B908
B909
M B948
C73
C751
M C798
M D093
D34
D440
D443
E060 -E069
J00 -J189
J950 -J959
J980 -J989
M R75

E069 Address

A1690
M A188
M A500 -A539

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
M B268
B269
B650 -B839
B86
M B908
B909
M B948
C73
C751
M C798
D093
D34
D440
D443
E000 -E079
J00 -J189
J950 -J959
J980 -J989
M R75
T880 -T887
M Y400 -Y599
Y880

E070 Address

E070

E071 Address

E071

E078 Address

M A188
M A500 -A539
M B268
B269
B650 -B839
B86
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237

ICD-10-Mortality Manual 2c - 2014

E40 -E46
E58 -E68
E890
J00 -J189
J950 -J959
J980 -J989
M340 -M342
M Q892
M T455
M T457
T880 -T887
M X44
M X64
M Y14
M Y400 -Y599
Y880

E079 Address

M A188
M A500 -A539
M B268
B269
B650 -B839
B86
M B908
M B948
C73
C751
M C798
M D093
D34
D440
D443
E000 -E079
E220 -E237
E40 -E46
E58 -E68
E890
J00 -J189
J950 -J959
J980 -J989
M340 -M342
M Q892
T880 -T887
M Y400 -Y599
Y880

E1 Category

E100 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E101 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E102 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E103 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E104 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E105 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E106 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E107 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E108 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E109 Address

B252
E100 -E109
E40 -E46
E639 -E640
E649
M359
P350

E110 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E111 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E112 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E113 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E114 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640

ICD-10-Mortality Manual 2c - 2014

E649
M359
O244
P350

E115 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E116 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E117 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E118 Address

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E119 Address

ICD-10-Mortality Manual 2c - 2014

E110 -E119
E240 -E249
E40 -E46
E639 -E640
E649
M359
O244
P350

E120 Address

E120 -E129
E40 -E46
E639 -E640
E649

E121 Address

E120 -E129
E40 -E46
E639 -E640
E649

E122 Address

E120 -E129
E40 -E46
E639 -E640
E649

E123 Address

E120 -E129
E40 -E46
E639 -E640
E649

E124 Address

E120 -E129
E40 -E46
E639 -E640
E649

E125 Address

E120 -E129
E40 -E46
E639 -E640
E649

E126 Address

E120 -E129
E40 -E46
E639 -E640
E649

E127 Address

E120 -E129
E40 -E46
E639 -E640
E649

E128 Address

E120 -E129
E40 -E46
E639 -E640
E649

E129 Address

E120 -E129
E40 -E46
E639 -E640
E649

E130 Address

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861

ICD-10-Mortality Manual 2c - 2014

K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E131 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244

ICD-10-Mortality Manual 2c - 2014

P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E132 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909

ICD-10-Mortality Manual 2c - 2014

Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E133 Address

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998

ICD-10-Mortality Manual 2c - 2014

S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E134 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375

ICD-10-Mortality Manual 2c - 2014

T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E135 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465

ICD-10-Mortality Manual 2c - 2014

T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E136 Address

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413

ICD-10-Mortality Manual 2c - 2014

Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E137 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462

ICD-10-Mortality Manual 2c - 2014

Y525
Y527
Y543

E138 Address

M B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E139 Address

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E130 -E139
E220
E240 -E249
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E140 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E141 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E142 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E143 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E144 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E145 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E146 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E147 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E148 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E149 Address

ICD-10-Mortality Manual 2c - 2014

M
B252
B263
C250 -C259
C788
D136 -D137
D350
E050 -E069
E140 -E149
E220
E240 -E249
E40 -E46
E639 -E640
E649
E800 -E802
E831
E840 -E849
E891
F101 -F102
G10
G111
G258
G711
K850 -K861
K868 -K869
M359
O244
P350
Q871
Q900 -Q909
Q960 -Q969
Q980 -Q989
Q998
S362
T373
T375
T380 -T381
T420
T465
T467
T502
Y413
Y415
Y420 -Y421
Y462
Y525
Y527
Y543

E15 Address

ICD-10-Mortality Manual 2c - 2014

M	A000	-E149
	E15	
M	E160	-E899
M	F100	-F189
M	G000	-G459
M	G473	
M	G600	-G98
M	H650	-H749
M	H950	-J989
M	K20	-K929
M	M000	-M1990
M	M300	-M359
M	M420	-M429
M	M45	-M469
M	M860	-M949
M	N000	-N459
M	N47	-N959
M	O000	-P049
	P051	-P059
M	P080	-P969
	Q000	-Q079
	Q200	-Q649
	Q750	-Q799
	Q850	-Q999
M	R000	-R02
M	R098	
M	R11	-R198
M	R300	-R398
M	R570	-R579
M	R590	-R599
M	R620	-R64
M	R75	
M	T360	-T382
	T383	
M	T384	-T519
M	T97	
M	X40	-X45
M	X60	-X65
M	X85	
M	Y10	-Y15
M	Y400	-Y422
	Y423	
M	Y424	-Y599
M	Y86	-Y880

E160 Address

	E160	
M	T360	-T382
	T383	

ICD-10-Mortality Manual 2c - 2014

M	T384	-T509
M	X40	-X44
M	X60	-X64
M	X85	
M	Y10	-Y14
M	Y400	-Y422
	Y423	
M	Y424	-Y599
M	Y86	-Y880

E161 Address

M	A000	-E160
	E161	
M	E162	-E899
M	F100	-F189
M	G000	-G459
M	G473	
M	G600	-G98
M	H650	-H749
M	H950	-J989
M	K20	-K929
M	M000	-M1990
M	M300	-M359
M	M420	-M429
M	M45	-M469
M	M860	-M949
M	N000	-N459
M	N47	-N959
M	O000	-P049
	P051	-P059
M	P080	-P969
	Q000	-Q079
	Q200	-Q649
	Q750	-Q799
	Q850	-Q999
M	R000	-R02
M	R098	
M	R11	-R198
M	R300	-R398
M	R570	-R579
M	R590	-R599
M	R620	-R64
M	R75	
M	T360	-T382
	T383	
M	T384	-T519
M	T97	
M	X40	-X45
M	X60	-X65

ICD-10-Mortality Manual 2c - 2014

M	X85	
M	Y10	-Y15
M	Y400	-Y422
	Y423	
M	Y424	-Y599
M	Y86	-Y880

E162 Address

M	A000	-E161
	E162	
M	E163	-E899
M	F100	-F189
M	G000	-G459
M	G473	
M	G600	-G98
M	H650	-H749
M	H950	-J989
M	K20	-K929
M	L530	-L539
M	M000	-M1990
M	M300	-M359
M	M420	-M429
M	M45	-M469
M	M860	-M949
M	N000	-N459
M	N47	-N959
M	O000	-P049
	P051	-P059
M	P080	-P969
	Q000	-Q079
	Q200	-Q649
	Q750	-Q799
	Q850	-Q999
M	R000	-R02
M	R098	
M	R11	-R198
M	R300	-R398
M	R570	-R579
M	R590	-R599
M	R620	-R64
M	R75	
M	T360	-T382
	T383	
M	T384	-T519
M	T97	
M	X40	-X45
M	X60	-X65
M	X85	
M	Y10	-Y15

ICD-10-Mortality Manual 2c - 2014

M Y400 -Y422
Y423
M Y424 -Y599
M Y86 -Y880

E163 Address

A000 -A085
M A183
A187
M A188
M A500 -A539
B150 -B199
B370 -B49
B650 -B839
M B908
M B948
C250 -C259
M C788
C880 -C883
M D017
D136
M D377
D448
D472
D477
D760
D763
D890 -E279
E310 -E329
E349
M E40 -E46
E700 -E899
K850 -K869
Q380 -Q459
T880 -T887
T983
M Y400 -Y599
Y836
Y880

E164 Address

A000 -A085
M A183
A187
M A188
M A500 -A539
B150 -B199
B370 -B49

ICD-10-Mortality Manual 2c - 2014

	B650	-B839
M	B908	
M	B948	
	C250	-C259
M	C788	
	C880	-C883
M	D017	
	D136	
M	D377	
	D448	
	D472	
	D477	
	D760	
	D763	
	D890	-E279
	E310	-E329
	E349	
M	E40	-E46
	E700	-E899
	K850	-K869
	Q380	-Q459
M	S000	-Y899

E168 Address

	A000	-A085
M	A183	
	A187	
M	A188	
M	A500	-A539
	B150	-B199
	B370	-B49
	B650	-B839
M	B908	
M	B948	
	C250	-C259
M	C788	
	C880	-C883
M	D017	
	D136	
M	D377	
	D448	
	D472	
	D477	
	D760	
	D763	
	D890	-E279
	E310	-E329
	E349	
M	E40	-E46

ICD-10-Mortality Manual 2c - 2014

E700 -E899
K850 -K869
Q380 -Q459
M S000 -Y899

E169 Address

A000 -A085
M A183
A187
M A188
M A500 -A539
B150 -B24
B370 -B49
B650 -B839
M B908
M B948
C250 -C259
M C788
C880 -C883
M D017
D136
M D377
D448
D472
D477
D760
D763
D890 -E279
E310 -E329
E349
M E40 -E46
E700 -E899
K850 -K869
Q380 -Q459
R75
M S000 -Y899

E2 Category

E200 Address

E200

E201 Address

E201

E208 Address

M B650 -B839

ICD-10-Mortality Manual 2c - 2014

M C73 -C759
C797
C798
D093
D34 -D359
D440 -D449
D683
D688
D690 -D691
D760 -D763
D841
E000 -E279
E310 -E329
E349
M E40 -E46
E710 -E713
E750 -E807
E840 -E859
E880 -E899
J384
J390 -J398
T383
T880 -T887
T983
Y423
Y442 -Y443
Y836
Y880

E209 Address

M B650 -B839
C73 -C759
C797
M C798
D093
D34 -D359
D440 -D449
D683
D688
D690 -D691
D760 -D763
D841
E000 -E279
E310 -E329
E349
M E40 -E46
E710 -E713
E750 -E807
E840 -E859

ICD-10-Mortality Manual 2c - 2014

E880 -E899
J384
J390 -J398
T383
T880 -T887
T983
Y423
Y442 -Y443
Y836
Y880

E210 Address

M A180
A187
M A188
M B650 -B839
M B902 -B908
C250 -C259
C64 -C689
C750 -C752
M C788
C790 -C791
M C798
M C900 -C902
M D017
D090 -D091
D093
D136 -D137
D300 -D309
D351 -D353
D410 -D419
D442 -D444
E130 -E139
E15 -E215
E240 -E259
E270 -E279
E892
M880 -M889
N000 -N399
Q600 -Q649
Q770 -Q789
M Q798

E211 Address

M A180
A187
M A188
M B650 -B839

ICD-10-Mortality Manual 2c - 2014

M B902 -B908
C250 -C259
C64 -C689
C750 -C752
M C788
C790 -C791
M C798
M C900 -C902
M D017
D090 -D091
D093
D136 -D137
D300 -D309
D351 -D353
D410 -D419
D442 -D444
E130 -E139
E15 -E215
E240 -E259
E270 -E279
E892
M880 -M889
N000 -N399
Q600 -Q649
Q770 -Q789
M Q798

E212 Address

M A180
A187
M A188
M B650 -B839
M B902 -B908
C250 -C259
C64 -C689
C750 -C752
M C788
C790 -C791
M C798
M C900 -C902
M D017
D090 -D091
D093
D136 -D137
D300 -D309
D351 -D353
D410 -D419
D442 -D444
E130 -E139

ICD-10-Mortality Manual 2c - 2014

E15 -E215
E240 -E259
E270 -E279
E892
M880 -M889
N000 -N399
Q600 -Q649
Q770 -Q789
M Q798

E213 Address

M A180
A187
M A188
M B650 -B839
M B902 -B908
C250 -C259
C64 -C689
C750 -C752
M C788
C790 -C791
M C798
M C900 -C902
M D017
D090 -D091
D093
D136 -D137
D300 -D309
D351 -D353
D410 -D419
D442 -D444
E130 -E139
E15 -E215
E240 -E259
E270 -E279
E892
M880 -M889
N000 -N399
Q600 -Q649
Q770 -Q789
M Q798

E214 Address

M A180
A187
M A188
M B650 -B839
M B902 -B908

ICD-10-Mortality Manual 2c - 2014

	C250 -C259
	C64 -C689
	C750 -C752
M	C788
	C790 -C791
M	C798
M	C900 -C902
M	D017
	D090 -D091
	D093
	D136 -D137
	D300 -D309
	D351 -D353
	D410 -D419
	D442 -D444
	D683
	D688
	D690 -D699
	D760 -D763
	D841
	E000 -E279
	E310 -E329
	E349
M	E40 -E46
	E710 -E713
	E750 -E807
	E840 -E859
	E880 -E899
	J384
	J390 -J398
	M880 -M889
	N000 -N399
	Q600 -Q649
	Q770 -Q789
M	Q798
M	T455
M	T457
	T880 -T887
	T983
M	X44
M	X64
M	Y14
M	Y400 -Y599
M	Y880

E215 Address

M	A180
	A187
M	A188

ICD-10-Mortality Manual 2c - 2014

M	B650	-B839
M	B902	-B908
	C250	-C259
	C64	-C689
	C750	-C752
M	C788	
	C790	-C791
M	C798	
M	C900	-C902
M	D017	
	D090	-D091
	D093	
	D136	-D137
	D300	-D309
	D351	-D353
	D410	-D419
	D442	-D444
	D683	
	D688	
	D690	-D699
	D760	-D763
	D841	
	E000	-E279
	E310	-E329
	E349	
M	E40	-E46
	E710	-E713
	E750	-E807
	E840	-E859
	E880	-E899
	J384	
	J390	-J398
	M880	-M889
	N000	-N399
	Q600	-Q649
	Q770	-Q789
M	Q798	
	T880	-T887
	T983	
M	Y400	-Y599
M	Y880	

E220 Address

M	B200	-B24
	C170	
	C250	-C259
	C340	-C37
	C700	-C729
	C780	

ICD-10-Mortality Manual 2c - 2014

M	C784	
M	C788	
	C793	-C794
M	C798	
M	D014	
M	D017	
	D022	
M	D093	
	D132	
	D136	
	D143	
	D150	
	D320	-D339
M	D372	
M	D377	
M	D381	
	D384	
	D420	-D439
	E220	-E237
	E893	
	R75	

E221 Address

M	B200	-B24
	C170	
	C250	-C259
	C340	-C37
	C700	-C729
	C780	
M	C784	
M	C788	
	C793	-C794
M	C798	
M	D014	
M	D017	
	D022	
M	D093	
	D132	
	D136	
	D143	
	D150	
	D320	-D339
M	D372	
M	D377	
M	D381	
	D384	
	D420	-D439
	E220	-E237
	E893	

ICD-10-Mortality Manual 2c - 2014

R75

E222 Address

A169 -A179
A190 -A199
A390 -A394
M A398
A399
A800 -A89
M B200 -B24
B270 -B279
B900
M B908
B909 -B91
B941
M B948
C170
C250 -C259
C340 -C37
C700 -C729
C780
M C784
M C788
C793 -C794
M C798
M D014
M D017
D022
M D093
D132
D136
D143
D150
D320 -D339
M D372
M D377
M D381
D384
D420 -D439
E018 -E0390
E100 -E149
E220 -E237
E800 -E802
E870 -E878
G000 -G09
G230 -G239
G255
G310 -G459
G474

ICD-10-Mortality Manual 2c - 2014

G510 -G529
G580 -G589
G610 -G619
I600 -I698
J09 -J189
Q000 -Q079
R75
M S000 -Y899

E228 Address

M B200 -B24
C170
C250 -C259
C340 -C37
C700 -C729
C780
M C784
M C788
C793 -C794
M C798
M D014
M D017
D022
M D093
D132
D136
D143
D150
D320 -D339
M D372
M D377
M D381
D384
D420 -D439
E220 -E237
E893
R75

E229 Address

M B200 -B24
C170
C250 -C259
C340 -C37
C700 -C729
C780
M C784
M C788
C793 -C794

ICD-10-Mortality Manual 2c - 2014

M C798
M D014
M D017
D022
M D093
D132
D136
D143
D150
D320 -D339
M D372
M D377
M D381
D384
D420 -D439
E220 -E237
E893
R75

E230 Address

A170 -A179
A500 -A539
M B200 -B24
M B350 -B49
B900
M B948
C700 -C729
C751 -C753
C793 -C794
M C798
C80
M D093
D320 -D339
D351 -D353
D420 -D439
D442 -D444
D760 -D763
D860 -D869
E220 -E237
E713
E760 -E779
E891
G000 -G09
G931
M I728
M313
M Q860 -Q999
R75
S010 -S099

ICD-10-Mortality Manual 2c - 2014

M S150 -S159
T200 -T207
T260 -T269
T880 -T887
T900 -T910
T950
M T958
T983
M V010 -Y899

E231 Address

M B200 -B24
E231
R75
T360 -T509
T880 -T887
T96
M T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
M Y86 -Y872
Y880

E232 Address

A169 -A179
A390 -A399
M A500 -A539
A810 -A89
B003 -B004
B020 -B022
B060
M B200 -B24
B900
B941
M B948
C700 -C729
C751 -C753
C793 -C794
M C798
C80
M D093
D320 -D339
D351 -D353
D420 -D439
D442 -D444

ICD-10-Mortality Manual 2c - 2014

D760 -D763
D860 -D869
E220 -E237
E713
E760 -E779
E891
G000 -G09
G931
M I728
M313
M Q860 -Q999
R75
S010 -S099
S150 -S159
M T200 -T207
T260 -T269
T880 -T887
T900 -T910
T950
M T958
T983
M V010 -Y899

E233 Address

M B200 -B24
C710 -C719
D132
D136
D143
D150
D320 -D339
M D372
M D377
M D381
D384
D420 -D439
E018 -E0390
E100 -E149
E220 -E237
E800 -E802
E870 -E878
G000 -G09
G230 -G239
G255
G310 -G459
G474
G510 -G529
G580 -G589
G610 -G619

ICD-10-Mortality Manual 2c - 2014

G930 -G939
I600 -I698
J09 -J189
Q000 -Q079
R75
M S000 -Y899

E236 Address

A169 -A179
A390 -A399
M A500 -A539
A810 -A89
B003 -B004
B020 -B022
B060
M B200 -B24
B900
B941
M B948
C700 -C729
C751 -C753
C793 -C794
M C798
C80
M D093
D320 -D339
D351 -D353
D420 -D439
D442 -D444
D760 -D763
D860 -D869
E220 -E237
E713
E760 -E779
E891
G000 -G09
G931
M I011
M I020
M I050 -I069
M I080 -I089
M I091
M I330 -I359
M I38
M I423 -I424
M I48 -I499
M I513
M I700
M I728

ICD-10-Mortality Manual 2c - 2014

M I741
M I800 -I809
M I821 -I829
M313
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
M O60 -O849
M O871
M O879
M O994
M Q860 -Q999
R75
S010 -S099
S150 -S159
M T200 -T207
T260 -T269
M T455
M T457
M T801
M T817
M T828
M T838
M T848
M T858
T880 -T887
T900 -T910
T950
M T958
T983
M V010 -Y899

E237 Address

A169 -A179
A390 -A399
M A500 -A539
A810 -A89
B003 -B004
B020 -B022

ICD-10-Mortality Manual 2c - 2014

	B060	
M	B200	-B24
	B900	
	B941	
M	B948	
	C700	-C729
	C751	-C753
	C793	-C794
M	C798	
	C80	
M	D093	
	D320	-D339
	D351	-D353
	D420	-D439
	D442	-D444
	D760	-D763
	D860	-D869
	E220	-E237
	E713	
	E760	-E779
	E891	
	G000	-G09
	G931	
M	I728	
	M313	
M	Q860	-Q999
	R75	
	S010	-S099
	S150	-S159
M	T200	-T207
	T260	-T269
	T880	-T887
	T900	-T910
	T950	
M	T958	
	T983	
M	V010	-Y899

E240 Address

	C250	-C259
M	C341	-C349
	C37	
	C56	
	C620	-C629
	C740	-C749
	C751	-C752
	C780	
M	C788	
	C796	-C797

ICD-10-Mortality Manual 2c - 2014

M	C798	
M	D017	
	D022	
M	D073	
M	D076	
M	D093	
	D136	-D137
	D143	
	D150	
	D27	
	D292	
	D350	
	D352	-D353
M	D377	
M	D381	
	D384	
	D391	
	D401	
	D441	
	D443	-D444
	E240	-E279
	E896	
M	T380	-T389
	T880	-T887
M	T96	
M	T983	
M	X44	
M	X64	
M	Y14	
M	Y420	-Y429
M	Y86	-Y880

E241 Address

	C250	-C259
M	C341	-C349
	C37	
	C56	
	C620	-C629
	C740	-C749
	C751	-C752
	C780	
M	C788	
	C796	-C797
M	C798	
M	D017	
	D022	
M	D073	
M	D076	
M	D093	

ICD-10-Mortality Manual 2c - 2014

D136 -D137
D143
D150
D27
D292
D350
D352 -D353
M D377
M D381
D384
D391
D401
D441
D443 -D444
E240 -E279
E896
M T380 -T389
T880 -T887
M T96
M T983
M X44
M X64
M Y14
M Y420 -Y429
M Y86 -Y880

E242 Address

E242
T360 -T509
T880 -T887
T96
T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
Y86 -Y880

E243 Address

M C250 -C259
M C341 -C349
C37
C56
C620 -C629
C740 -C749
C751 -C752
C780

ICD-10-Mortality Manual 2c - 2014

M	C788	
	C796	-C797
M	C798	
M	D017	
	D022	
M	D073	
M	D076	
M	D093	
	D136	-D137
	D143	
	D150	
	D27	
	D292	
	D350	
	D352	-D353
M	D377	
M	D381	
	D384	
	D391	
	D401	
	D441	
	D443	-D444
	E240	-E279
	E896	
M	T380	-T389
	T880	-T887
M	T96	
M	T983	
M	X44	
M	X64	
M	Y14	
M	Y420	-Y429
M	Y86	-Y880

E244 Address

	E244	
M	E52	
	F100	-F109
M	G312	
	G405	
	G621	
	G721	
	I426	
	K700	-K709
	K852	
	K860	
	L278	
	T506	
	T510	-T519

ICD-10-Mortality Manual 2c - 2014

T97
M X44
X45
X65
X85
Y15
M Y86 -Y872

E248 Address

C250 -C259
M C341 -C349
C37
C56
C620 -C629
C740 -C749
C751 -C752
C780
M C788
C796 -C797
M C798
M D017
D022
M D073
M D076
M D093
D136 -D137
D143
D150
D27
D292
D350
D352 -D353
M D377
M D381
D384
D391
D401
D441
D443 -D444
E240 -E279
E896
M T380 -T389
T880 -T887
M T96
M T983
M X44
M X64
M Y14
M Y420 -Y429

ICD-10-Mortality Manual 2c - 2014

M Y86 -Y880

E249 Address

B200 -B24
C250 -C259
M C341 -C349
C37
C56
C620 -C629
C740 -C749
C751 -C752
C780
M C788
C796 -C797
M C798
M D017
D022
M D073
M D076
M D093
D136 -D137
D143
D150
D27
D292
D350
D352 -D353
M D377
M D381
D384
D391
D401
D441
D443 -D444
E240 -E279
E896
F100 -F109
R75
M T380 -T389
T510 -T519
T880 -T887
M T96 -T97
M T983
M X44
X45
M X64
X65
M Y14
Y15

ICD-10-Mortality Manual 2c - 2014

M Y420 -Y429
M Y86 -Y880

E250 Address

E250

E258 Address

M C510 -C639
M C740 -C749
M C796 -C798
M D060 -D076
M D093
M D260 -D299
M D350
M D390 -D409
M D441
E258
M T360 -T509
M T880 -T887
M T96
M T983
M X40 -X44
M X60 -X64
M X85
M Y10 -Y14
M Y400 -Y599
M Y86 -Y880

E259 Address

M C510 -C639
M C740 -C749
M C796 -C798
M D060 -D076
M D093
M D260 -D299
M D350
M D390 -D409
M D441
E259
M T360 -T509
M T880 -T887
M T96
M T983
M X40 -X44
M X60 -X64
M X85
M Y10 -Y14
M Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

M Y86 -Y880

E260 Address

C740 -C749

C797

M D093

D350

D441

E250

E260

E278

E261 Address

M A220 -A229

M B500 -B54

M B560 -B575

C740 -C749

C797

M D093

D350

D441

D448 -D449

M D840 -D849

M E000 -E249

E250 -E269

M E270 -E46

M E511 -E519

M E660 -E669

M E713

M E86

M E871

M E880

M E890

M E892

M E895 -E899

M I10 -I150

M I159

M I500 -I509

M I701

M I778

M K700 -K709

M K721 -K7210

M K730 -K746

M K850 -K851

M K853 -K859

M N000 -N399

M T360 -T659

M T783

ICD-10-Mortality Manual 2c - 2014

M	T880	-T889
M	T96	-T97
M	T983	
M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y10	-Y19
M	Y400	-Y599
M	Y86	-Y880

E268 Address

M	A220	-A229
M	B500	-B54
M	B560	-B575
	C740	-C749
	C797	
M	D093	
	D350	
	D441	
	D448	-D449
M	D840	-D849
M	E000	-E249
	E250	-E269
M	E270	-E46
M	E511	-E519
M	E660	-E669
M	E713	
M	E86	
M	E871	
M	E880	
M	E890	
M	E892	
M	E895	-E899
M	I10	-I150
M	I159	
M	I500	-I509
M	I701	
M	I778	
M	K700	-K709
M	K721	-K7210
M	K730	-K746
M	K850	-K851
M	K853	-K859
M	N000	-N399
M	T360	-T659
M	T783	
M	T880	-T889
M	T96	-T97
M	T983	

ICD-10-Mortality Manual 2c - 2014

M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y10	-Y19
M	Y400	-Y599
M	Y86	-Y880

E269 Address

M	A220	-A229
M	B500	-B54
M	B560	-B575
	C740	-C749
	C797	
M	D093	
	D350	
	D441	
	D448	-D449
M	D840	-D849
M	E000	-E249
	E250	-E269
M	E270	-E46
M	E511	-E519
M	E660	-E669
M	E713	
M	E86	
M	E871	
M	E880	
M	E890	
M	E892	
M	E895	-E899
M	I10	-I150
M	I159	
M	I500	-I509
M	I701	
M	I778	
M	K700	-K709
M	K721	-K7210
M	K730	-K746
M	K850	-K851
M	K853	-K859
M	N000	-N399
M	T360	-T659
M	T783	
M	T880	-T889
M	T96	-T97
M	T983	
M	X40	-X49
M	X60	-X69
M	X85	-X90

ICD-10-Mortality Manual 2c - 2014

M Y10 -Y19
M Y400 -Y599
M Y86 -Y880

E270 Address

A178
C340 -C349
C56
C620 -C629
C700 -C729
C740 -C749
C780
C793 -C794
C796 -C797
M C798
C80
M C97
D022
M D073
M D076
M D093
D143
D27
D292
D320 -D339
D350
M D381
D391
D401
D420 -D439
D441
E000 -E279
E320 -E329
E713
E750 -E756
E890 -E891
E896
G119
G20 -G219
G300 -G379
G910 -G919
G937

E271 Address

A1690
E271

E272 Address

ICD-10-Mortality Manual 2c - 2014

A000 -F169
F180 -F509
F530 -F59
F70 -F79
F99 -G98
H160 -H169
H440 -H441
H600 -H839
I00 -I029
I090
I098 -I10
M I110 -I289
I300 -I409
I600 -I709
M I710 -I729
I740 -I779
M I99
J00 -J219
J300 -J329
J350
J36 -J387
J40 -J47
K20 -M1990
M300 -M359
M860 -M869
N020 -N029
N130 -N139
N340 -N459
N61
N700 -N809
N990 -N999
P000 -Q079
Q200 -Q649
Q850 -Q999
R75
S000 -Y899

E273 Address

E273
T360 -T509
T880 -T889
T96
M T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
M Y86 -Y872

ICD-10-Mortality Manual 2c - 2014

Y880

E274 Address

A000 -F169
F180 -F509
F530 -F59
F70 -F79
F99 -G98
H160 -H169
H440 -H441
H600 -H839
I00 -I029
I090
I098 -I10
M I110 -I289
I300 -I409
I600 -I709
M I710 -I729
I740 -I779
M I99
J00 -J219
J300 -J329
J350
J36 -J387
J40 -J47
K20 -M1990
M300 -M359
M860 -M869
N020 -N029
N130 -N139
N340 -N459
N61
N700 -N809
N990 -N999
P000 -Q079
Q200 -Q649
Q850 -Q999
R75
S000 -Y899

E275 Address

A000 -F169
F180 -F509
F530 -F59
F70 -F79
F99 -G98
H160 -H169
H440 -H441

ICD-10-Mortality Manual 2c - 2014

	H600	-H839
	I00	-I029
	I090	
	I098	-I10
M	I110	-I289
	I300	-I409
	I600	-I709
M	I710	-I729
	I740	-I779
M	I99	
	J00	-J219
	J300	-J329
	J350	
	J36	-J387
	J40	-J47
	K20	-M1990
	M300	-M359
	M860	-M869
	N020	-N029
	N130	-N139
	N340	-N459
	N61	
	N700	-N809
	N990	-N999
	P000	-Q079
	Q200	-Q649
	Q850	-Q999
	R75	
	S000	-Y899

E278 Address

	A000	-F169
	F180	-F509
	F530	-F59
	F70	-F79
	F99	-G98
	H160	-H169
	H440	-H441
	H600	-H839
	I00	-I029
	I090	
	I098	-I10
M	I110	-I289
	I300	-I409
	I600	-I709
M	I710	-I729
	I740	-I779
M	I99	
	J00	-J219

ICD-10-Mortality Manual 2c - 2014

J300 -J329
J350
J36 -J387
J40 -J47
K20 -M1990
M300 -M359
M860 -M869
N020 -N029
N130 -N139
N340 -N459
N61
N700 -N809
N990 -N999
P000 -Q079
Q200 -Q649
Q850 -Q999
R75
S000 -Y899

E279 Address

A000 -F169
F180 -F509
F530 -F59
F70 -F79
F99 -G98
H160 -H169
H440 -H441
H600 -H839
I00 -I029
I090
I098 -I10
M I110 -I289
I300 -I409
I600 -I709
M I710 -I729
I740 -I779
M I99
J00 -J219
J300 -J329
J350
J36 -J387
J40 -J47
K20 -M1990
M300 -M359
M860 -M869
N020 -N029
N130 -N139
N340 -N459
N61

ICD-10-Mortality Manual 2c - 2014

N700 -N809
N990 -N999
P000 -Q079
Q200 -Q649
Q850 -Q999
R75
S000 -Y899

E280 Address

C500 -C689
C73 -C751
C790 -C791
C796 -C797
M C798
C80
M C97
D050 -D091
D093
D24 -D309
D34 -D352
D390 -D419
D440 -D443
D760 -D763
D860 -D869
E050 -E059
E062
E065
E100 -E149
E220 -E289
E320 -E329
E713
E768 -E769
E771 -E779
E803
E888
E893 -E894
E896 -E898
F500 -F502
M F508
M050 -M080
N030 -N039
N110 -N119
N185 -N189
N26
N700 -N768
N840 -N849
Q200 -Q249
Q500 -Q529
Q898 -Q899

ICD-10-Mortality Manual 2c - 2014

Q960 -Q969
Q999
T360 -T659
T880 -T887
T96 -T97
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y836
M Y86 -Y872
Y880

E281 Address

C500 -C689
C73 -C751
C790 -C791
C796 -C797
M C798
C80
M C97
D050 -D091
D093
D24 -D309
D34 -D352
D390 -D419
D440 -D443
D760 -D763
D860 -D869
E050 -E059
E062
E065
E100 -E149
E220 -E289
E320 -E329
E713
E768 -E769
E771 -E779
E803
E888
E893 -E894
E896 -E898
F500 -F502
M F508
M050 -M080
N030 -N039
N110 -N119

ICD-10-Mortality Manual 2c - 2014

N185 -N189
N26
N700 -N768
N840 -N849
Q200 -Q249
Q500 -Q529
Q898 -Q899
Q960 -Q969
Q999
T360 -T659
T880 -T887
T96 -T97
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y836
M Y86 -Y872
Y880

E282 Address

E282

E283 Address

C690 -C729
C740 -C749
C793 -C794
C797
M C798
D320 -D339
D420 -D439
D760 -D763
E000 -E149
E220 -E279
E283
E713
E768 -E769
E771 -E779
E803
E888
E896 -E898
G000 -G09
G931
M I728
M313
Q860 -Q999

ICD-10-Mortality Manual 2c - 2014

S000 -S099
T200 -T207
T360 -T659
T880 -T887
T900 -T909
M T950
T96 -T97
M T983 -Y899

E288 Address

C500 -C689
C73 -C751
C790 -C791
C796 -C797
M C798
C80
M C97
D050 -D091
D093
D24 -D309
D34 -D352
D390 -D419
D440 -D443
D760 -D763
D860 -D869
E050 -E059
E062
E065
E100 -E149
E220 -E289
E320 -E329
E713
E768 -E769
E771 -E779
E803
E888
E893 -E894
E896 -E898
F500 -F502
M F508
M050 -M080
N030 -N039
N110 -N119
N185 -N189
N26
N700 -N768
N840 -N849
Q200 -Q249
Q500 -Q529

ICD-10-Mortality Manual 2c - 2014

Q898 -Q899
Q960 -Q969
Q999
T360 -T659
T880 -T887
T96 -T97
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y836
M Y86 -Y872
Y880

E289 Address

C500 -C689
C73 -C751
C790 -C791
C796 -C797
M C798
C80
M C97
D050 -D091
D093
D24 -D309
D34 -D352
D390 -D419
D440 -D443
D760 -D763
D860 -D869
E050 -E059
E062
E065
E100 -E149
E220 -E289
E320 -E329
E713
E768 -E769
E771 -E779
E803
E888
E893 -E894
E896 -E898
F500 -F502
M F508
M050 -M080
N030 -N039

ICD-10-Mortality Manual 2c - 2014

N110 -N119
N185 -N189
N26
N700 -N768
N840 -N849
Q200 -Q249
Q500 -Q529
Q898 -Q899
Q960 -Q969
Q999
T360 -T659
T880 -T887
T96 -T97
T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y836
M Y86 -Y872
Y880

E290 Address

A1690
A183
A230 -A239
A300 -A309
M A500 -A549
B260
B269
B901
M B908
B909
M B948
C61 -C689
C700 -C729
C740 -C749
C751
C753
C790 -C791
C793 -C794
C797
M C798
C80
M C97
D075 -D091
M D093
D290 -D309

ICD-10-Mortality Manual 2c - 2014

D320 -D339
D350
D352
D354
D400 -D439
D441
D443
D445
D860 -D869
E220 -E279
E290 -E299
E320 -E329
E713
E840 -E849
E893
M E896
G09
G711
N450 -N459
Q351 -Q379
Q530 -Q564
Q770 -Q789
Q860 -Q999

E291 Address

A1690
A183
A230 -A239
A300 -A309
M A500 -A549
B260
B269
B901
M B908
B909
M B948
C61 -C689
C700 -C729
C740 -C749
C751
C753
C790 -C791
C793 -C794
C797
M C798
C80
M C97
D075 -D091
M D093

ICD-10-Mortality Manual 2c - 2014

D290 -D309
D320 -D339
D350
D352
D354
D400 -D439
D441
D443
D445
D860 -D869
E220 -E279
E290 -E299
E320 -E329
E713
E840 -E849
E893
M E896
G09
G711
N450 -N459
Q351 -Q379
Q530 -Q564
Q770 -Q789
Q860 -Q999

E298 Address

A1690
A183
A230 -A239
A300 -A309
M A500 -A549
B260
B269
B901
M B908
B909
M B948
C61 -C689
C700 -C729
C740 -C749
C751
C753
C790 -C791
C793 -C794
C797
M C798
C80
M C97
D075 -D091

ICD-10-Mortality Manual 2c - 2014

M D093
D290 -D309
D320 -D339
D350
D352
D354
D400 -D439
D441
D443
D445
D860 -D869
E220 -E279
E290 -E299
E320 -E329
E713
E840 -E849
E893
M E896
G09
G711
N450 -N459
Q351 -Q379
Q530 -Q564
Q770 -Q789
Q860 -Q999

E299 Address

A1690
A183
A230 -A239
A300 -A309
M A500 -A549
B260
B269
B901
M B908
B909
M B948
C61 -C689
C700 -C729
C740 -C749
C751
C753
C790 -C791
C793 -C794
C797
M C798
C80
M C97

ICD-10-Mortality Manual 2c - 2014

M D075 -D091
D093
D290 -D309
D320 -D339
D350
D352
D354
D400 -D439
D441
D443
D445
D860 -D869
E220 -E279
E290 -E299
E320 -E329
E713
E840 -E849
E893
M E896
G09
G711
N450 -N459
Q351 -Q379
Q530 -Q564
Q770 -Q789
Q860 -Q999

E3 Category

E300 Address

C700 -C729
C740 -C749
C751
C753
C793 -C794
C797
M C798
C80
M C97
M D093
D320 -D339
D350
D352
D354
D391
D420 -D439
D441
D443 -D445
E000 -E0390

ICD-10-Mortality Manual 2c - 2014

E100 -E149
E300
E840 -E849
G000 -G09
G370 -G379
G910 -G919
N030 -N059
N070 -N079
N110 -N119
N185 -N189
Q500 -Q564
M Q870 -Q959
Q960 -Q999

E301 Address

C222
C700 -C729
C740 -C749
C751
C753
C793 -C794
C797
M C798
C80
M C97
M D093
D320 -D339
D350
D352
D354
D391
D420 -D439
D441 -D443
D445
E000 -E0390
E229
E250
E301
G000 -G09
G370 -G379
G910 -G919
N830
Q500 -Q564
M Q870 -Q959
Q960 -Q999

E308 Address

C700 -C729

ICD-10-Mortality Manual 2c - 2014

C740 -C749
C751
C753
C793 -C794
C797
M C798
C80
M C97
M D093
D320 -D339
D350
D352
D354
D391
D420 -D439
D441
D443 -D445
E000 -E0390
E100 -E149
E308
E840 -E849
G000 -G09
G370 -G379
G910 -G919
N030 -N059
N070 -N079
N110 -N119
N185 -N189
Q500 -Q564
M Q870 -Q959
Q960 -Q999

E309 Address

C700 -C729
C740 -C749
C751
C753
C793 -C794
C797
M C798
C80
M C97
M D093
D320 -D339
D350
D352
D354
D391
D420 -D439

ICD-10-Mortality Manual 2c - 2014

D441
D443 -D445
E000 -E0390
E100 -E149
E309
E840 -E849
G000 -G09
G370 -G379
G910 -G919
N030 -N059
N070 -N079
N110 -N119
N185 -N189
Q500 -Q564
M Q870 -Q959
Q960 -Q999

E310 Address

B200 -B24
E310
R75

E311 Address

M B650 -B659
C73 -C759
C797
M C798
C80
M C97
D093
D34 -D359
D440 -D449
M E000 -E310
E311
M E318 -E899

E318 Address

M B650 -B659
C73 -C759
C797
M C798
C80
M C97
D093
D34 -D359
D440 -D449
M E000 -E311
E318

ICD-10-Mortality Manual 2c - 2014

M E319 -E899

E319 Address

B200 -B24
M B650 -B659
C73 -C759
C797
M C798
C80
M C97
D093
D34 -D359
D440 -D449
M E000 -E318
E319
M E320 -E899
R75

E320 Address

A150 -A179
A800 -A89
B650 -B839
B900
B909
B941
M B948
C000 -C97
M D000 -D489
D800 -E349
G700 -G709
M350 -M359
M Q892

E321 Address

A150 -A179
A800 -A89
B650 -B839
B900
B909
B941
M B948
C000 -C97
M D000 -D489
D800 -E349
G700 -G709
M350 -M359
M Q892

E328 Address

	A150	-A179
	A800	-A89
	B650	-B839
	B900	
	B909	
	B941	
M	B948	
	C000	-C97
M	D000	-D489
	D800	-E349
	G700	-G709
	M350	-M359
M	Q892	
M	T360	-T659
M	T880	-T887
M	T96	-T97
M	T983	
M	X40	-X49
M	X60	-X69
M	X85	-X90
M	Y10	-Y19
M	Y400	-Y599
M	Y86	-Y880

E329 Address

	A150	-A179
	A800	-A89
	B200	-B24
	B650	-B839
	B900	
	B909	
	B941	
M	B948	
	C000	-C97
M	D000	-D489
	D800	-E349
	G700	-G709
	M350	-M359
M	Q892	
	R75	
M	T360	-T659
M	T880	-T887
M	T96	-T97
M	T983	
M	X40	-X49
M	X60	-X69

ICD-10-Mortality Manual 2c - 2014

M X85 -X90
M Y10 -Y19
M Y400 -Y599
M Y86 -Y880

E340 Address

C150 -C399
C56
C73
C780 -C788
C796
M C798
C80
M C97
D001 -D024
M D073
M D093
D120 -D139
D27
D34
D371 -D386
D391
D440
E340

E341 Address

C150 -C399
C56
C73
C780 -C788
C796
M C798
C80
M C97
D001 -D024
M D073
M D093
D120 -D139
D27
D34
D371 -D386
D391
D440
E341

E342 Address

C64 -C65
C73 -C749

ICD-10-Mortality Manual 2c - 2014

C790
C797
M C798
M D091
M D093
D300 -D301
D34 -D350
D410 -D411
D440 -D441
E342

E343 Address

E343

E344 Address

E344

E345 Address

E345

E348 Address

M B650 -B659
C73 -C759
C797
M C798
C80
M C97
D093
D34 -D359
D440 -D449
M E000 -E345
E348
M E349 -E899

E349 Address

B200 -B24
M B650 -B659
C73 -C759
C797
M C798
C80
M C97
D093
D34 -D359
D440 -D449
M E000 -E348

ICD-10-Mortality Manual 2c - 2014

E349
M E40 -E899
R75

E4 Category

E40 Address

B200 -B24
E40
M000 -M1990
R75
M T983

E41 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F73
F920
F982 -F983
F989 -G98
I00 -J80
J82 -J989
K040 -K069
K080 -K929
L100 -L129
M L400 -L409
L510 -L539
L890 -L899
L97
L984
M000 -M1990
M300 -N399
N410 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R54
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058

ICD-10-Mortality Manual 2c - 2014

T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E42 Address

B200 -D489
E40 -E46
F03
F100 -F199
F320 -F329
F500 -F509
F982
I672
I698
K700 -K719
K740 -K746
K761
K900 -K919
M000 -M1990
P920 -P929
R54
R630
R633 -R634
R64
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889

ICD-10-Mortality Manual 2c - 2014

T97
M T983
V010 -Y899

E43 Address

B200 -D489
E40 -E46
F03
F100 -F199
F320 -F329
F500 -F509
F982
I672
I698
K020 -K029
K040 -K069
K080 -K929
M000 -M1990
P920 -P929
R54
R630
R633 -R634
R64
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E440 Address

B200 -D489
E40 -E46
F03

ICD-10-Mortality Manual 2c - 2014

F100 -F199
F320 -F329
F500 -F509
F982
I672
I698
J09 -J189
J380 -J399
K700 -K719
K740 -K746
K761
K900 -K919
M000 -M1990
P920 -P929
R54
R630
R633 -R634
R64
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E441 Address

B200 -D489
E40 -E46
F03
F100 -F199
F320 -F329
F500 -F509
F982
I672
I698

ICD-10-Mortality Manual 2c - 2014

J09 -J189
J380 -J399
K700 -K719
K740 -K746
K761
K900 -K919
M000 -M1990
P920 -P929
R54
R630
R633 -R634
R64
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E45 Address

B200 -D489
E40 -E46
F03
F100 -F199
F320 -F329
F500 -F509
F982
I672
I698
J09 -J189
J380 -J399
K700 -K719
K740 -K746
K761
K900 -K919

ICD-10-Mortality Manual 2c - 2014

M000 -M1990
P920 -P929
R54
R630
R633 -R634
R64
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E46 Address

A000 -E649
E670 -F509
F530 -F539
F608 -F609
F680 -F73
F920
F982 -F983
F989 -G98
I00 -J80
J82 -J989
K020 -K029
K040 -K069
K080 -K929
L100 -L129
M L400 -L409
L510 -L539
L890 -L899
L97
L984
M000 -M1990
M300 -N459

ICD-10-Mortality Manual 2c - 2014

N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
M T983
V010 -Y899

E5 Category

E500 Address

B200 -C97
E500
E509
E641
R75

E501 Address

B200 -C97
E501
E509
E641
R75

E502 Address

ICD-10-Mortality Manual 2c - 2014

B200 -C97
E502
E509
E641
R75

E503 Address

B200 -C97
E503
E509
E641
R75

E504 Address

B200 -C97
E504
E509
E641
R75

E505 Address

B200 -C97
E505
E509
E641
R75

E506 Address

B200 -C97
E506
E509
E641
R75

E507 Address

B200 -C97
E507
E509
E641
R75

E508 Address

B200 -C97
E508 -E509
E641
R75

E509 Address

B200 -C97
E500 -E509
E641
R75

E511 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202
F232
F250 -F259
F453
F54
K250 -K319
K500 -K529
K560 -K605
K622 -K624
K630 -K639
K700 -K769
K820
K868
K900 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81
M S000 -Y899

E512 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202
F232
F250 -F259
F453
F54
K250 -K319
K500 -K529
K560 -K605
K622 -K624
K630 -K639
K700 -K769
K820
K868
K900 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81
M S000 -Y899

E518 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232

ICD-10-Mortality Manual 2c - 2014

E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202
F232
F250 -F259
F453
F54
K250 -K319
K500 -K529
K560 -K605
K622 -K624
K630 -K639
K700 -K769
K820
K868
K900 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81
M S000 -Y899

E519 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202

ICD-10-Mortality Manual 2c - 2014

F232
F250 -F259
F453
F54
K250 -K319
K500 -K529
K560 -K605
K622 -K624
K630 -K639
K700 -K769
K820
K868
K900 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81
M S000 -Y899

E52 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E46
E52
E638 -E639
M E648
E649
E720
F100 -F199
F453
F54
K20 -K929
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75

ICD-10-Mortality Manual 2c - 2014

R81
M S000 -Y899

E530 Address

B200 -B24
E530
E539
M E648
R75

E531 Address

B200 -B24
E531
E539
M E648
R75

E538 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202
F232
F250 -F259
F453
F54
K250 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81

ICD-10-Mortality Manual 2c - 2014

M S000 -Y899

E539 Address

A000 -D489
E050 -E059
E100 -E149
E200 -E209
E232
E340
E40 -E649
E700 -E807
E831
E840 -E859
E880 -E899
F100 -F199
F201 -F202
F232
F250 -F259
F453
F54
K250 -K929
M000 -M1990
M300 -M329
M340 -M349
N251
O240 -O249
P700 -P702
Q184 -Q185
Q380 -Q459
Q900 -Q999
R730
R75
R81

M S000 -Y899

E54 Address

B200 -B24
E54
E642
R75

E550 Address

A000 -D899
E050 -E059
E062
E100 -E149
E168
E200 -E899

M

ICD-10-Mortality Manual 2c - 2014

F03
F100 -F199
F201 -F202
F232
F250 -F259
F453
F500 -F509
F54
F982
I00 -I099
I311
I500 -I509
I890 -I899
K20 -K929
L940
M300 -M349
N000 -N399
O000 -P969
Q184 -Q185
Q380 -Q459
Q820
Q900 -Q999
R11
R54
R58 -R5800
R630
R633 -R634
R64
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E559 Address

M A000 -D899
E050 -E059
E062
E100 -E149
E168
E200 -E215
E240 -E899
F03
F100 -F199
F201 -F202
F232
F250 -F259

ICD-10-Mortality Manual 2c - 2014

F453
F500 -F509
F54
F982
I00 -I099
I311
I500 -I509
I890 -I899
K20 -K929
L940
M300 -M349
N000 -N399
O000 -P969
Q184 -Q185
Q380 -Q459
Q820
Q900 -Q999
R11
R54
R58 -R5800
R630
R633 -R634
R64
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E560 Address

A000 -C97
E40 -E46
E560
E640
E648 -E649
E786
E840 -E849
K710
K831
K900 -K909
O25
P004
P050 -P052
Q445
R54
R75
T730

ICD-10-Mortality Manual 2c - 2014

Y530 -Y539
Y880

E561 Address

A000 -C97
E40 -E46
E561
E640
E648 -E649
E840 -E849
K20 -K929
O25
P004
P050 -P052
Q390 -Q459
R54
R75
T730
Y530 -Y539
Y880

E568 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -J80
J82 -J989
K040 -K069
K080 -K929
L100 -L129
L510 -L539
L890 -L899
L97
L984
M300 -N399
N410 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R54
R630
R633 -R634
R64

ICD-10-Mortality Manual 2c - 2014

R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E569 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -J80
J82 -J989
K040 -K069
K080 -K929
L100 -L129
L510 -L539
L890 -L899
L97
L984
M300 -N399
N410 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R54
R630
R633 -R634
R64
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E58 Address

A000 -C97
D140 -D141
D66 -D689
D891

ICD-10-Mortality Manual 2c - 2014

E000 -E756
E770 -E789
E835
E839
E880 -E888
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740
O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q791
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E59 Address

A000 -C97

ICD-10-Mortality Manual 2c - 2014

E40 -E46
E59
E640
E648 -E649
E786
E840 -E849
K710
K831
K900 -K909
O25
P004
P050 -P052
Q445
R54
R75
T730
Y530 -Y539
Y880

E6 Category

E60 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E756
E770 -E789
E832
E839
E880 -E888
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740

ICD-10-Mortality Manual 2c - 2014

O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E610 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E756
E770 -E789
E830
E839
E880 -E888
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45

ICD-10-Mortality Manual 2c - 2014

N000 -N399
O290
O740
O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E611 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399

ICD-10-Mortality Manual 2c - 2014

O290
O740
O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E612 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290

ICD-10-Mortality Manual 2c - 2014

O740
O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E613 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740

ICD-10-Mortality Manual 2c - 2014

O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E614 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E756
E770 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740

ICD-10-Mortality Manual 2c - 2014

O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E615 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E756
E770 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740

ICD-10-Mortality Manual 2c - 2014

O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E616 Address

A000 -C97
D140 -D141
D66 -D689
D891
E000 -E756
E770 -E889
F100 -F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I868
J00 -J989
K223
K250 -K289
K440 -K449
K560 -K599
K700 -K929
M050 -M119
M300 -M359
M45
N000 -N399
O290
O740

ICD-10-Mortality Manual 2c - 2014

O890
P220
P230 -P251
P280 -P281
P350
Q750 -Q799
Q998 -Q999
R061
R091 -R092
R54
R75
R790
S270 -S272
T200 -T329
T360 -T519
T797
T818
T950 -T97
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E617 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
K040 -K069
K080 -K929
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13

ICD-10-Mortality Manual 2c - 2014

R54
R600 -R609
R630
R633 -R634
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E618 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
K040 -K069
K080 -K929
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E619 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
K040 -K069
K080 -K929
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E630 Address

A000 -E899
G000 -G419
G450 -G459
G600 -G839
G903
G930 -G98
I600 -I698
J200 -J47
J680 -J709

ICD-10-Mortality Manual 2c - 2014

K223
K250 -K289
K560 -K599
K700 -K929
L871
L932
M050 -M120
M242
M300 -M359
M470 -M471
M500
M510
M793
N000 -N399
Q750 -Q799
Q998 -Q999
R54
R75
T200 -T329
T360 -T509
T66
T780 -T789
T800 -T889
T950 -T96
T981
T983
Y400 -Y599
Y880

E631 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824

ICD-10-Mortality Manual 2c - 2014

Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E638 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S000 -T983
X45
X65
Y15
Y400 -Y599
Y86 -Y880

E639 Address

A000 -E649
E670 -F509
F530 -F539
F680 -F72
F920
F982 -F983
F989 -G98
I00 -I979
J40 -J80
J82 -J989
K020 -K029
L100 -L129
L510 -L539
L97
L984
M300 -N459
N700 -N768
O000 -Q079
Q200 -Q824
Q850 -Q999
R11
R13
R54
R600 -R609
R630
R633 -R634
R75
S010 -S099
S110 -S199
S210 -S299
S310 -S399
T019 -T021
T029
T041
T058
T065 -T08
T091 -T099
T141
T148 -T149
T170 -T217
T270 -T329
T360 -T659
T800 -T889
T97
V010 -Y899

E640 Address

B200 -B24
E40 -E46
E640
F989 -G98
M K520
R75
M T983
M Y842
M Y883

E641 Address

B200 -B24
E500 -E509
E641
M K520
R75
M Y842
M Y883

E642 Address

B200 -B24
E54
E642
M K520
R75
M Y842
M Y883

E643 Address

B200 -B24
E550 -E559
E643
M K520
R75
M Y842
M Y883

E648 Address

B200 -B24
E511 -E539
E560 -E638
E648
M K520
R75

ICD-10-Mortality Manual 2c - 2014

M Y842
M Y883

E649 Address

B200 -B24
E639
E649
M K520
R75
M Y842
M Y883

E65 Address

C254
C788
D017
D137
M D377
E000 -E0390
E15 -E169
E240 -E249
E280 -E299
E630
E65 -E789
E880 -E882
E890 -E891
E894 -E899
P722
M Q897 -Q898
M Q998
Q999
R632

E660 Address

E660
F504
M Q871
R632

E661 Address

E661
M Q871

E662 Address

C254
C788

ICD-10-Mortality Manual 2c - 2014

D017
D137
M D377
E000 -E0390
E15 -E169
E240 -E249
E280 -E299
E630
E65 -E789
E880 -E882
E890 -E891
E894 -E899
P722
M Q871
M Q897 -Q898
M Q998
Q999
R632

E668 Address

C254
C788
D017
D137
M D377
E000 -E0390
E15 -E169
E240 -E249
E280 -E299
E630
E65 -E789
E880 -E882
E890 -E891
E894 -E899
P722
M Q871
M Q897 -Q898
M Q998
Q999
R632

E669 Address

C254
C788
D017
D137
M D377
E000 -E0390

ICD-10-Mortality Manual 2c - 2014

E15 -E169
E240 -E249
E280 -E299
E630
E65 -E789
E880 -E882
E890 -E891
E894 -E899
P722
M Q871
M Q897 -Q898
M Q998
Q999
R632

E670 Address

E670
R632
M T452
M Y577
M Y880

E671 Address

E671
R632
M T452
M Y577
M Y880

E672 Address

E672
R632
M T452
M Y577
M Y880

E673 Address

E673
R632
T452
Y577
M Y880

E678 Address

E678
R632

ICD-10-Mortality Manual 2c - 2014

M T452
M Y577
M Y880

E68 Address

E670 -E68
R632

E7 Category

E700 Address

E700
E709
E729
M Q998
Q999

E701 Address

E701
E709
E729
M Q998
Q999

E702 Address

E702
E709
E729
M Q998
Q999

E703 Address

E703
E709
E729
M Q998
Q999

E709 Address

E700 -E729
M Q998
Q999

E710 Address

E709 -E710

ICD-10-Mortality Manual 2c - 2014

E712
E729
M Q998
Q999

E711 Address

E709
E711 -E712
E729
M Q998
Q999

E712 Address

E710 -E712
M F100 -F199
M Q998
Q999
M T510 -T519
M T97
M X45
M X65
M Y15
M Y86 -Y872

E713 Address

E713
M Q998
Q999

E720 Address

C900
E700 -E729
E740 -E742
M Q998
Q999

E721 Address

E721
E729
M E742
M K700 -K769
M Q998
Q999

E722 Address

E722

ICD-10-Mortality Manual 2c - 2014

E729
Q610 -Q619
M Q998
Q999

E723 Address

E723
E729
M Q998
Q999

E724 Address

E724
E729
M Q998
Q999

E725 Address

E725
E729
M Q998
Q999

E728 Address

E728 -E729
M Q998
Q999

E729 Address

M D500 -D649
E700 -E729
M Q998
Q999

E730 Address

E730
M Q998
Q999

E731 Address

E730 -E749
K500
K508 -K510
K519 -K529
K570

ICD-10-Mortality Manual 2c - 2014

K574
K580 -K589
M K590 -K599
K630
K633
K639
K900 -K902
K912
M N200 -N209

E738 Address

E730 -E749
M K590 -K599
M N200 -N209

E739 Address

E730 -E749
M K590 -K599
M N200 -N209

E740 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999

E741 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999

E742 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999

E743 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998

ICD-10-Mortality Manual 2c - 2014

Q999

E744 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999

E748 Address

E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999

E749 Address

B200 -B24
E730 -E749
M K590 -K599
M N200 -N209
M Q998
Q999
R75

E750 Address

M A000 -E749
E750
M E751 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359

ICD-10-Mortality Manual 2c - 2014

M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
M	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E751 Address

M	A000	-E750
	E751	
M	E752	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	

ICD-10-Mortality Manual 2c - 2014

Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E752 Address

M A000 -E751
E752
M E753 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889

ICD-10-Mortality Manual 2c - 2014

M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E753 Address

M A000 -E752
E753
M E754 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

ICD-10-Mortality Manual 2c - 2014

E754 Address

E754
M Q750 -Q799
M Q998
Q999

E755 Address

M A000 -E754
E755
M E756 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E756 Address

M A000 -E749
E750 -E756
M E760 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E760 Address

E760
M Q998
Q999

E761 Address

ICD-10-Mortality Manual 2c - 2014

E761
M Q998
Q999

E762 Address

E762
M Q998
Q999

E763 Address

E763
M Q998
Q999

E768 Address

E760 -E769

E769 Address

A150 -D489
E000 -F199
F320 -F439
I10 -I259
I440 -I469
I600 -I709
I776
J00 -J329
J36 -J989
K20 -K919
N000 -N289
P000 -Q999
R630
R633 -R634
R75
S000 -Y899

E770 Address

M A000 -E769
E770
M E771 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47

ICD-10-Mortality Manual 2c - 2014

M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
M	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E771 Address

M	A000	-E770
	E771	
M	E778	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	

ICD-10-Mortality Manual 2c - 2014

M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
M	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E778 Address

M	A000	-E771
	E778	
M	E779	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	

ICD-10-Mortality Manual 2c - 2014

M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E779 Address

M A000 -E769
E770 -E779
M E780 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329

ICD-10-Mortality Manual 2c - 2014

M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E780 Address

M A000 -E779
E780
M E781 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
T800 -T889
M T950 -T96
M T981
M T983

ICD-10-Mortality Manual 2c - 2014

M Y400 -Y599
M Y880

E781 Address

M A000 -E780
E781
M E782 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E782 Address

M A000 -E781
E782

ICD-10-Mortality Manual 2c - 2014

M	E783	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E783 Address

M	A000	-E782
	E783	
M	E784	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698

ICD-10-Mortality Manual 2c - 2014

M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E784 Address

M	A000	-E783
	E784	
M	E785	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929

ICD-10-Mortality Manual 2c - 2014

M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E785 Address

M	A000	-E784
	E785	
M	E786	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	

ICD-10-Mortality Manual 2c - 2014

M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E786 Address

M	A000	-E785
	E786	
M	E788	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	

ICD-10-Mortality Manual 2c - 2014

M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	
M	T983	
M	Y400	-Y599
M	Y880	

E788 Address

M	A000	-E786
	E788	
M	E789	-E899
M	G000	-G419
M	G450	-G459
M	G600	-G839
M	G903	
M	G930	-G98
M	I600	-I698
M	J200	-J47
M	J680	-J709
M	J850	-J949
M	K223	
M	K250	-K289
M	K560	-K599
M	K700	-K929
M	L871	
M	L932	
M	M050	-M120
M	M242	
M	M300	-M359
M	M470	-M471
M	M500	
M	M510	
M	M793	
M	N000	-N399
M	Q750	-Q799
M	Q998	
	Q999	
	R75	
M	T200	-T329
M	T360	-T509
M	T66	
M	T780	-T789
	T800	-T889
M	T950	-T96
M	T981	

ICD-10-Mortality Manual 2c - 2014

M T983
M Y400 -Y599
M Y880

E789 Address

M A000 -E779
E780 -E789
M E790 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E790 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -T983
X45
X65
Y15
Y86 -Y872

E791 Address

E791
M Q998
Q999

E798 Address

E798
M Q998
Q999

E799 Address

M E790 -E798
E799
M Q998
Q999

E8 Category

E800 Address

M C229
M C787
M D015
M D134
M D376
E800
M F100 -F199
M K700 -K719
M K730 -K746
M M320 -M329
M Q998
Q999
M T510 -T519
M T97
M X45
M X65
M Y15
M Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

M Y86 -Y872

E801 Address

M C229
M C787
M D015
M D134
M D376
E800 -E801
M F100 -F199
M K700 -K719
M K730 -K746
M M320 -M329
M Q998
Q999
M T510 -T519
M T97
M X45
M X65
M Y15
M Y400 -Y599
M Y86 -Y872

E802 Address

M C229
M C787
M D015
M D134
M D376
E800 -E802
M F100 -F199
M K700 -K719
M K730 -K746
M M320 -M329
M Q998
Q999
M T510 -T519
M T97
M X45
M X65
M Y15
M Y86 -Y872

E803 Address

E800 -E807
E840 -E859

E804 Address

M B150 -B199
M B948
M C229
M C620 -C629
M C787
M C798
M D015
M D134
M D376
M D401
E803 -E807
M F100 -F109
M K720 -K769
K800 -K839
M Q440 -Q447
M Q998 -Q999
M T360 -T519
M T97
M X45
M X65
M Y15
M Y400 -Y600
M Y610
M Y620
M Y652
M Y655
M Y86 -Y872

E805 Address

M E804
E805
M E806 -E807
M Q998
Q999

E806 Address

M B150 -B199
M B948
M C620 -C629
M C787
M C798
M D015
M D134
M D376
M D401
E803 -E807

ICD-10-Mortality Manual 2c - 2014

M	F100	-F109
M	K720	-K769
	K800	-K839
M	Q440	-Q447
M	Q998	
	Q999	
M	T360	-T519
M	T97	
M	X45	
M	X65	
M	Y15	
M	Y400	-Y600
M	Y610	
M	Y620	
M	Y652	
M	Y655	
M	Y86	-Y872

E807 Address

M	B150	-B199
M	B948	
M	C620	-C629
M	C787	
M	C798	
M	D015	
M	D134	
M	D376	
M	D401	
	E803	-E807
M	F100	-F109
M	K720	-K769
	K800	-K839
M	Q440	-Q447
M	Q998	
	Q999	
M	T360	-T519
M	T97	
M	X45	
M	X65	
M	Y15	
M	Y400	-Y600
M	Y610	
M	Y620	
M	Y652	
M	Y655	
M	Y86	-Y872

E830 Address

ICD-10-Mortality Manual 2c - 2014

M	A000	-C97
M	D140	-D141
M	D66	-D689
M	D891	
M	E000	-E756
M	E770	-E789
	E830	
	E839	
M	E880	-E888
M	F100	-F109
M	G000	-G419
M	G450	-G459
M	G600	-G98
M	I600	-I698
M	I868	
M	J00	-J989
M	K223	
M	K250	-K289
M	K440	-K449
M	K560	-K599
M	K700	-K929
M	M050	-M119
M	M300	-M359
M	M45	
M	N000	-N399
M	O290	
M	O740	
M	O890	
M	P220	
M	P230	-P251
M	P280	-P281
M	P350	
M	Q750	-Q799
M	Q998	
	Q999	
M	R061	
M	R091	-R092
M	R75	
	R790	
M	S270	-S272
M	T200	-T329
M	T360	-T519
M	T797	
M	T818	
M	T950	-T97
M	X45	
M	X65	
M	Y15	
M	Y400	-Y599
M	Y86	-Y872

ICD-10-Mortality Manual 2c - 2014

E831 Address

M A000 -C97
M D140 -D141
M D66 -D689
M D891
M E000 -E756
M E770 -E789
E831
E839
M E880 -E888
M F100 -F109
M G000 -G419
M G450 -G459
M G600 -G98
M I600 -I698
M I868
M J00 -J989
M K223
M K250 -K289
M K440 -K449
M K560 -K599
M K700 -K929
M M050 -M119
M M300 -M359
M M45
M N000 -N399
M O290
M O740
M O890
M P220
M P230 -P251
M P280 -P281
M P350
M Q750 -Q799
M Q998
Q999
M R061
M R091 -R092
M R75
R790
M S270 -S272
M T200 -T329
M T360 -T519
M T797
M T818
M T950 -T97
M X45
M X65

ICD-10-Mortality Manual 2c - 2014

M Y15
M Y400 -Y599
M Y86 -Y872

E832 Address

M A000 -C97
M D140 -D141
M D66 -D689
M D891
M E000 -E756
M E770 -E789
E832
E839
M E880 -E888
M F100 -F109
M G000 -G419
M G450 -G459
M G600 -G98
M I600 -I698
M I868
M J00 -J989
M K223
M K250 -K289
M K440 -K449
M K560 -K599
M K700 -K929
M M050 -M119
M M300 -M359
M M45
M N000 -N399
M O290
M O740
M O890
M P220
M P230 -P251
M P280 -P281
M P350
M Q750 -Q799
M Q998
Q999
M R061
M R091 -R092
M R75
R790
M S270 -S272
M T200 -T329
M T360 -T519
M T797
M T818

ICD-10-Mortality Manual 2c - 2014

M	T950	-T97
M	X45	
M	X65	
M	Y15	
M	Y400	-Y599
M	Y86	-Y872

E833 Address

M	A000	-C97
M	D140	-D141
M	D66	-D689
M	D891	
M	E000	-E756
M	E770	-E789
	E833	
	E839	
M	E880	-E888
M	F100	-F109
M	G000	-G419
M	G450	-G459
M	G600	-G98
M	I600	-I698
M	I868	
M	J00	-J989
M	K223	
M	K250	-K289
M	K440	-K449
M	K560	-K599
M	K700	-K929
M	M050	-M119
M	M300	-M359
M	M45	
M	N000	-N399
M	O290	
M	O740	
M	O890	
M	P220	
M	P230	-P251
M	P280	-P281
M	P350	
M	Q750	-Q791
M	Q998	
	Q999	
M	R061	
M	R091	-R092
M	R75	
	R790	
M	S270	-S272
M	T200	-T329

ICD-10-Mortality Manual 2c - 2014

M T360 -T519
M T797
M T818
M T950 -T97
M X45
M X65
M Y15
M Y400 -Y599
M Y86 -Y872

E834 Address

M A000 -C97
M D140 -D141
M D66 -D689
M D891
M E000 -E756
M E770 -E789
E834
E839
M E880 -E888
M F100 -F109
M G000 -G419
M G450 -G459
M G600 -G98
M I600 -I698
M I868
M J00 -J989
M K223
M K250 -K289
M K440 -K449
M K560 -K599
M K700 -K929
M M050 -M119
M M300 -M359
M M45
M N000 -N399
M O290
M O740
M O890
M P220
M P230 -P251
M P280 -P281
M P350
M Q750 -Q791
M Q998
Q999
M R061
M R091 -R092
M R75

ICD-10-Mortality Manual 2c - 2014

R790
M S270 -S272
M T200 -T329
M T360 -T519
M T797
M T818
M T950 -T97
M X45
M X65
M Y15
M Y400 -Y599
M Y86 -Y872

E835 Address

M A000 -C97
M D140 -D141
D351
D377
M D66 -D689
M D891
M E000 -E756
M E770 -E789
E835
E839
E86
M E880 -E888
M F100 -F109
M G000 -G419
M G450 -G459
M G600 -G98
M I600 -I698
M I868
M J00 -J989
M K223
M K250 -K289
M K440 -K449
M K560 -K599
M K700 -K929
M M050 -M119
M M300 -M359
M M45
M N000 -N399
M O290
M O740
M O890
M P220
M P230 -P251
M P280 -P281
M P350

ICD-10-Mortality Manual 2c - 2014

M	Q750	-Q791
M	Q998	
	Q999	
M	R061	
M	R091	-R092
M	R75	
	R790	
M	S270	-S272
M	T200	-T329
M	T360	-T519
M	T797	
M	T818	
M	T950	-T97
M	X45	
M	X65	
M	Y15	
M	Y400	-Y599
M	Y86	-Y872

E838 Address

M	A000	-C97
M	D140	-D141
M	D66	-D689
M	D891	
M	E000	-E756
M	E770	-E789
	E838	-E839
M	E880	-E888
M	F100	-F109
M	G000	-G419
M	G450	-G459
M	G600	-G98
M	I600	-I698
M	I868	
M	J00	-J989
M	K223	
M	K250	-K289
M	K440	-K449
M	K560	-K599
M	K700	-K929
M	M050	-M119
M	M300	-M359
M	M45	
M	N000	-N399
M	O290	
M	O740	
M	O890	
M	P220	
M	P230	-P251

ICD-10-Mortality Manual 2c - 2014

M	P280	-P281
M	P350	
M	Q750	-Q791
M	Q998	
	Q999	
M	R061	
M	R091	-R092
M	R75	
	R790	
M	S270	-S272
M	T200	-T329
M	T360	-T97
M	X45	
M	X65	
M	Y15	
M	Y400	-Y599
M	Y86	-Y872

E839 Address

M	A000	-C97
M	D140	-D141
M	D66	-D689
M	D891	
M	E000	-E756
M	E770	-E789
	E830	-E839
M	E880	-E888
M	F100	-F109
M	G000	-G419
M	G450	-G459
M	G600	-G98
M	I600	-I698
M	I868	
M	J00	-J989
M	K223	
M	K250	-K289
M	K440	-K449
M	K560	-K599
M	K700	-K929
M	M050	-M119
M	M300	-M359
M	M45	
M	N000	-N399
M	O290	
M	O740	
M	O890	
M	P220	
M	P230	-P251
M	P280	-P281

ICD-10-Mortality Manual 2c - 2014

M P350
M Q750 -Q791
M Q998
Q999
M R061
M R091 -R092
M R75
R790
M S270 -S272
M T200 -T329
M T360 -T519
M T797
M T818
M T950 -T97
M X45
M X65
M Y15
M Y400 -Y599
M Y86 -Y872

E840 Address

E840
E849
M Q998
Q999

E841 Address

E841
E849
M Q998
Q999

E848 Address

E848 -E849
M Q998
Q999

E849 Address

E840 -E849
M Q998
Q999

E850 Address

E850
E852
E859

ICD-10-Mortality Manual 2c - 2014

M Q998
Q999

E851 Address

E851 -E852
E859
M Q998
Q999

E852 Address

E850 -E852
E854
M E858
E859
M Q998
Q999

E853 Address

A000 -D489
E850 -E859
J47 -J869
J984
K500 -K529
L890 -L899
M050 -M089
M45
M860 -M869
N000 -N399
R54
R75
Y841
M Y883

E854 Address

M A000 -D489
E850 -E859
M J47 -J869
M J984
M K500 -K529
M L890 -L899
M M050 -M089
M M45
M M860 -M869
M N000 -N399
R54
R75

E858 Address

M A000 -D489
E850 -E859
M J47 -J869
M J984
M K500 -K529
M L890 -L899
M M050 -M089
M M45
M M860 -M869
M N000 -N399
R54
R75

E859 Address

A000 -D489
E850 -E859
J47 -J869
J984
K500 -K529
L890 -L899
M050 -M089
M45
M860 -M869
N000 -N399
R54
R75

E86 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

E870 Address

A000 -A085
A183
A187
M A200 -B09
B200 -B24
B251 -B259
B263
B330 -B349
B370

ICD-10-Mortality Manual 2c - 2014

M B378 -B99
C000 -D899
E100 -E169
E222
E232
E240 -E279
E340 -E342
E40 -E649
E86 -E878
F100 -F199
F70 -F79
H600 -J989
K20 -Q999
R02
R11
R18
R75
R790 -R799
S000 -Y899

E871 Address

A000 -C97
D500 -D899
E100 -E169
E222
E232
E240 -E279
E340 -E342
E870 -E878
F100 -F199
F609
F70 -F79
G000 -G09
H600 -J989
K20 -Q999
R02
R11
R18
R75
R790 -R799
S000 -Y899

E872 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961

ICD-10-Mortality Manual 2c - 2014

R98 -Y899

E873 Address

A000 -F03
F060 -F199
F341
F489 -F500
F55
F70 -F79
G000 -G09
H600 -I899
I970 -J989
K20 -Q999
R02
R060 -R064
R068
R090 -R098
R11
R18
R570 -R579
R64
R75
R790 -R799
S000 -Y899

E874 Address

A000 -F03
F060 -F199
F341
F489 -F500
F55
F70 -F79
G000 -G09
H600 -I899
I970 -J989
K20 -Q999
R02
R060 -R064
R068
R090 -R098
R11
R18
R570 -R579
R64
R75
R790 -R799
S000 -Y899

E875 Address

A000 -F03
F100 -F199
F70 -F79
G000 -G09
H600 -J989
K20 -Q999
R02
R060 -R064
R068
R11
R18
R64
R75
R790 -R799
S000 -Y899

E876 Address

A000 -F03
F100 -F199
F70 -F79
G000 -G09
H600 -J989
K20 -Q999
R02
R060 -R064
R068
R11
R18
R64
R75
R790 -R799
S000 -Y899

E877 Address

A000 -F03
F060 -F209
F341
F489 -F500
F55
F70 -F79
G000 -G09
H600 -J989
K20 -Q999
R02
R060 -R064
R068

ICD-10-Mortality Manual 2c - 2014

R090 -R098
R18
R570 -R579
R64
R75
R790 -R799
S000 -Y899

E878 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

E880 Address

M A000 -C97
M D093
M D150
M D384
M D500 -E878
E880
M E881 -E889
M G000 -G419
M G450 -G459
M G600 -G98
M I210 -I259
M I330
M I510 -I698
M I890 -I899
M I970 -I972
M J09 -J709
M J850 -J959
M K223
M K250 -K289
M K510 -K519
K520 -K529
M K560 -K599
M K700 -K929
M L030 -L039
M L100 -L129
M L530 -L539
M M053
M M300 -M359
M M860 -M869
M Q386 -Q388
M Q750 -Q799

ICD-10-Mortality Manual 2c - 2014

M Q820
R75
M T200 -T207
M T260 -T269
M T780 -T789
M T800 -T889
M T950
M T981
M T983
M Y400 -Y599
M Y880

E881 Address

M A000 -E880
E881
M E882 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M J850 -J949
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96

ICD-10-Mortality Manual 2c - 2014

M T981
M T983
M Y400 -Y599
M Y880

E882 Address

M A000 -E881
E882
M E888 -E899
M G000 -G419
M G450 -G459
M G600 -G839
M G903
M G930 -G98
M I600 -I698
M J200 -J47
M J680 -J709
M K223
M K250 -K289
M K560 -K599
M K700 -K929
M L871
M L932
M M050 -M120
M M242
M M300 -M359
M M470 -M471
M M500
M M510
M M793
M N000 -N399
M Q750 -Q799
M Q998
Q999
R75
M T200 -T329
M T360 -T509
M T66
M T780 -T789
M T800 -T889
M T950 -T96
M T981
M T983
M Y400 -Y599
M Y880

E883 Address

C000 -C969

ICD-10-Mortality Manual 2c - 2014

E883
Y427
Y433
Y842
M Y881

E888 Address

M A000 -D489
M E000 -E882
E888
M E889 -F199
M F320 -F439
M I10 -I259
M I440 -I469
M I600 -I709
M I776
M J00 -J329
M J36 -J989
M K20 -K919
M N000 -N289
M P000 -Q999
M R630
M R633 -R634
R75
M S000 -Y899

E889 Address

A000 -D489
D750 -D759
E000 -F199
F320 -F439
G300 -G309
I10 -I259
I440 -I469
I600 -I709
I776
J00 -J329
J36 -J989
K20 -K919
L00 -L089
L200 -L309
L890 -L899
L950 -L97
L984
N000 -N289
P000 -Q999
R628
R630

ICD-10-Mortality Manual 2c - 2014

R633 -R634
R64
R75
S000 -Y899

E890 Address

E890
Y600 -Y849
Y881
Y883

E891 Address

E891
Y600 -Y849
Y881
Y883

E892 Address

E892
Y600 -Y849
Y881
Y883

E893 Address

E893
Y600 -Y849
Y881
Y883

E894 Address

E894
Y600 -Y849
Y881
Y883

E895 Address

E895
Y600 -Y849
Y881
Y883

E896 Address

E896
Y600 -Y849
Y881

ICD-10-Mortality Manual 2c - 2014

Y883

E898 Address

E898
Y600 -Y849
Y881
Y883

E899 Address

E899
Y600 -Y849
Y881
Y883

F

F0 Category

F010 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G969
M H000 -H959
I00 -J989
L020 -L039
L930 -L932
M000 -M1990
M300 -M359
M M800 -M809
M810 -M819
M M830 -M843
M844
M M848 -M851
M852 -M853
M M854 -M855
M856
M M858 -M873
M878
M M879 -M889
M890

ICD-10-Mortality Manual 2c - 2014

M M891 -M939
M940
M M941 -M949
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -Q379
Q500 -Q649
Q770 -Q789
Q850 -Q999
R001
R008
R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
R934
R938
R942
S000 -Y899

F011 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G969

ICD-10-Mortality Manual 2c - 2014

M	H000	-H959
	I00	-J989
	L020	-L039
	L930	-L932
	M000	-M1990
	M300	-M359
M	M800	-M809
	M810	-M819
M	M830	-M843
	M844	
M	M848	-M851
	M852	-M853
M	M854	-M855
	M856	
M	M858	-M873
	M878	
M	M879	-M889
	M890	
M	M891	-M939
	M940	
M	M941	-M949
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
	P000	-Q379
	Q500	-Q649
	Q770	-Q789
	Q850	-Q999
	R001	
	R008	
	R012	-R030
	R040	-R049
	R060	-R068
	R090	-R098
	R300	-R31
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91

ICD-10-Mortality Manual 2c - 2014

R930
R934
R938
R942
S000 -Y899

F012 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G969
M H000 -H959
I00 -J989
L020 -L039
L930 -L932
M000 -M1990
M300 -M359
M M800 -M809
M810 -M819
M M830 -M843
M844
M M848 -M851
M852 -M853
M M854 -M855
M856
M M858 -M873
M878
M M879 -M889
M890
M M891 -M939
M940
M M941 -M949
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -Q379
Q500 -Q649
Q770 -Q789
Q850 -Q999
R001

ICD-10-Mortality Manual 2c - 2014

R008
R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
R934
R938
R942
S000 -Y899

F013 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G969
M H000 -H959
I00 -J989
L020 -L039
L930 -L932
M000 -M1990
M300 -M359
M M800 -M809
M810 -M819
M M830 -M843
M844
M M848 -M851
M852 -M853
M M854 -M855
M856

ICD-10-Mortality Manual 2c - 2014

M M858 -M873
M878
M M879 -M889
M890
M M891 -M939
M940
M M941 -M949
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -Q379
Q500 -Q649
Q770 -Q789
Q850 -Q999
R001
R008
R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
R934
R938
R942
S000 -Y899

F018 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474

ICD-10-Mortality Manual 2c - 2014

	G600	
	G602	
	G608	
	G800	-G969
M	H000	-H959
	I00	-J989
	L020	-L039
	L930	-L932
	M000	-M1990
	M300	-M359
M	M800	-M809
	M810	-M819
M	M830	-M843
	M844	
M	M848	-M851
	M852	-M853
M	M854	-M855
	M856	
M	M858	-M873
	M878	
M	M879	-M889
	M890	
M	M891	-M939
	M940	
M	M941	-M949
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
	P000	-Q379
	Q500	-Q649
	Q770	-Q789
	Q850	-Q999
	R001	
	R008	
	R012	-R030
	R040	-R049
	R060	-R068
	R090	-R098
	R300	-R31
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	-R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R829
M R893
R900 -R91
R930
R934
R938
R942
S000 -Y899

F019 Address

A000 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G969
M H000 -H959
I00 -J989
L020 -L039
L930 -L932
M000 -M1990
M300 -M359
M M800 -M809
M810 -M819
M M830 -M843
M844
M M848 -M851
M852 -M853
M M854 -M855
M856
M M858 -M873
M878
M M879 -M889
M890
M M891 -M939
M940
M M941 -M949
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -Q379

ICD-10-Mortality Manual 2c - 2014

Q500 -Q649
Q770 -Q789
Q850 -Q999
R001
R008
R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
R934
R938
R942
S000 -Y899

F03 Address

A521
A523 -A527
A529
A539
A810 -A819
B200 -B24
E000 -E0390
E52
M E538
E754
E830
E890
F03
F101 -F109
F111 -F119
F121 -F129
F131 -F139
F141 -F149
F151 -F159
F161 -F169

ICD-10-Mortality Manual 2c - 2014

F181 -F189
F191 -F209
G10
G20 -G2000
G300 -G360
G370 -G409
G450 -G452
G454 -G459
I600 -I698
I709
K721
M300 -M301
M308
Q900 -Q909
R54
R75
S020 -S029
S060 -S099
S150 -S159
T020
T040
M T060
T520 -T539
T900 -T909

F04 Address

A000 -D591
M D592
D593 -D610
M D611
D612 -E243
E248 -E519
M E52
E530 -F09
F200 -G311
G318 -G619
M G620
M G622
G628 -G720
G722 -G98
I00 -I4250
I427 -J989
K20 -K291
K293 -K669
K710 -K851
K853 -K859
K861 -L109
L129 -L449
L510 -L599

ICD-10-Mortality Manual 2c - 2014

L710 -L719
L88
L920
M L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T399
T410 -T422
T425 -T426
M T427
T428
T440 -T509

ICD-10-Mortality Manual 2c - 2014

	T520	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-X40
	X43	-X44
	X46	-Y449
	Y451	-Y468
	Y480	-Y485
	Y500	-Y899

F050 Address

	A000	-B99
	E000	-F069
	F09	-F349
	F840	-F849
	G000	-G09
	H600	-H709
	I00	-I019
	J09	-J189
	J300	-J329
	J340	-J341
	J348	-J350
	J36	-J371
	J385	-J392
	J40	-J42
	N000	-N10
	N12	
	N136	
	N140	-N159
M	N288	
	N300	-N309
	N340	-N343
	N351	

ICD-10-Mortality Manual 2c - 2014

N410 -N419
N450 -N459
N61
N700 -N809
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y86 -Y872

F051 Address

F010 -F03
F051
F100 -F199
G311
R54
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y86 -Y872

F058 Address

A000 -B99
E000 -F069
F09 -F349
F840 -F849
G000 -G09
H600 -H709
I00 -I019
J09 -J189
J300 -J329
J340 -J341
J348 -J350
J36 -J371
J385 -J392
J40 -J42
N000 -N10
N12
N136
N140 -N159
M N288
N300 -N309

ICD-10-Mortality Manual 2c - 2014

N340 -N343
N351
N410 -N419
N450 -N459
N61
N700 -N809
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y86 -Y872

F059 Address

A000 -B99
E000 -F069
F09 -F349
F449
F840 -F849
G000 -G09
G300 -G419
H600 -H709
I00 -I019
J09 -J189
J300 -J329
J340 -J341
J348 -J350
J36 -J371
J385 -J392
J40 -J42
N000 -N10
N12
N136
N140 -N159
N288
N300 -N309
N340 -N343
N351
N410 -N419
N450 -N459
N61
N700 -N809
R75
S017 -S019
S060 -S069
T360 -T659
T905

M

ICD-10-Mortality Manual 2c - 2014

T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y86 -Y872

F060 Address

M A000 -E519
E52
E530 -F079
F110 -G620
G622 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -K669
K710 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -T509
T520 -X44
X46 -Y899

F061 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989

ICD-10-Mortality Manual 2c - 2014

K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -Y899

F062 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54

ICD-10-Mortality Manual 2c - 2014

R600 -R609
R75
S000 -Y899

F063 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -Y899

F064 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459

ICD-10-Mortality Manual 2c - 2014

N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -Y899

F065 Address

A000 -E899
F065
G000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -Y899

F066 Address

A000 -G98
H600 -H709

ICD-10-Mortality Manual 2c - 2014

H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -Y899

F068 Address

A000 -E899
F068
G000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065

ICD-10-Mortality Manual 2c - 2014

M R068
R090 -R091
R291
R54
R600 -R609
R75

F069 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
S000 -S199
T019
M T028
T029
T049
M T062
M T064
T07 -T08
T093 -T094
T140 -T149
T200 -T207
T340 -T341
T350 -T352
T510 -T519
T66 -T68

ICD-10-Mortality Manual 2c - 2014

T698 -T758
T790 -T799
T900 -T911
T913
T918 -T919
T940 -T950
T958 -T959
T97
T981 -T982
V010 -Y872

F070 Address

A000 -E899
F070
G000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899

ICD-10-Mortality Manual 2c - 2014

S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T922
T924 -T932
T934 -Y899

F071 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433

ICD-10-Mortality Manual 2c - 2014

N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

F072 Address

F072
S000 -S199
T019
M T028
T029
T049
M T062
M T064
T07 -T08
T093 -T094
T140 -T149
T200 -T207
T340 -T341
T350 -T352
T66 -T68
T698 -T758
T790 -T799
T900 -T911
T913
T918 -T919
T940 -T950
T958 -T959
T981 -T982
V010 -Y872

F078 Address

A000 -F328
F339 -F489
F530 -F639
F680 -F69
F99 -G98
H600 -H709
H720 -H739
I00 -I309
I340 -I38
I420 -J80
J82 -J989
K7290
M300 -M359
N000 -N399

ICD-10-Mortality Manual 2c - 2014

N990 -N992
N994 -N999
Q000 -Q079
Q851
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
M S000 -Y899

F079 Address

A000 -F328
F339 -F489
F530 -F639
F680 -F69
F99 -G98
H600 -H709
H720 -H739
I00 -I309
I340 -I38
I420 -J80
J82 -J989
K7290
M300 -M359
N000 -N399
N990 -N992
N994 -N999
Q000 -Q079
Q851
R02
R042 -R048
R060 -R065
M R068
R090 -R091
R291
R54
R600 -R609
R75
M S000 -Y899

F09 Address

A000 -E899
F09

ICD-10-Mortality Manual 2c - 2014

G000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N950 -N959
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349

ICD-10-Mortality Manual 2c - 2014

	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F1 Category

F100 Address

	F100	-F109
	T510	-T519
M	T97	
	X45	
	X65	
	Y15	
M	Y86	-Y872

F101 Address

	F100	-F109
	T510	-T519
M	T97	
	X45	
	X65	
	Y15	
M	Y86	-Y872

F102 Address

F102

F103 Address

	F100	-F109
	T510	-T519

ICD-10-Mortality Manual 2c - 2014

M T97
X45
X65
Y15
M Y86 -Y872

F104 Address

F100 -F109
T510 -T519
M T97
X45
X65
Y15
M Y86 -Y872

F105 Address

F100 -F109
T510 -T519
M T97
X45
X65
Y15
M Y86 -Y872

F106 Address

F100 -F109
T510 -T519
M T97
X45
X65
Y15
M Y86 -Y872

F107 Address

F100 -F109
T510 -T519
M T97
X45
X65
Y15
M Y86 -Y872

F108 Address

F100 -F109
T510 -T519
M T97

ICD-10-Mortality Manual 2c - 2014

X45
X65
Y15
M Y86 -Y872

F109 Address

F100 -F109
T510 -T519
M T97
X45
X65
Y15
M Y86 -Y872

F110 Address

F110 -F119
F190 -F199
Y450

F111 Address

F111
F191
Y450

F112 Address

F112
F192
Y450

F113 Address

F110 -F119
F190 -F199
Y450

F115 Address

F110 -F119
F190 -F199
Y450

F118 Address

F110 -F119
F190 -F199
Y450

F119 Address

ICD-10-Mortality Manual 2c - 2014

F110 -F119
F190 -F199
Y450

F120 Address

F120 -F129
F190 -F199
Y496

F121 Address

F121
F191
Y496

F122 Address

F122
F192
Y496

F123 Address

F120 -F129
F190 -F199
Y496

F125 Address

F120 -F129
F190 -F199
Y496

F128 Address

F120 -F129
F190 -F199
Y496

F129 Address

F120 -F129
F190 -F199
Y496

F130 Address

F130 -F139
F190 -F199
Y470 -Y479

F131 Address

F131
F191
Y470 -Y479

F132 Address

F132
F192
Y470 -Y479

F133 Address

F130 -F139
F190 -F199
Y470 -Y479

F135 Address

F130 -F139
F190 -F199
Y470 -Y479

F138 Address

F130 -F139
F190 -F199
Y470 -Y479

F139 Address

F130 -F139
F190 -F199
Y470 -Y479

F140 Address

F140 -F149
F190 -F199
M Y483

F141 Address

F141
F191
M Y483

F142 Address

F142
F192

ICD-10-Mortality Manual 2c - 2014

M Y483

F143 Address

F140 -F149

F190 -F199

M Y483

F145 Address

F140 -F149

F190 -F199

M Y483

F148 Address

F140 -F149

F190 -F199

M Y483

F149 Address

F140 -F149

F190 -F199

M Y483

F150 Address

F150 -F159

F190 -F199

Y500 -Y509

F151 Address

F151

F191

Y500 -Y509

F152 Address

F152

F192

Y500 -Y509

F153 Address

F150 -F159

F190 -F199

Y500 -Y509

F155 Address

F150 -F159

ICD-10-Mortality Manual 2c - 2014

F190 -F199
Y500 -Y509

F158 Address

F150 -F159
F190 -F199
Y500 -Y509

F159 Address

F150 -F159
F190 -F199
Y500 -Y509

F160 Address

F160 -F169
F190 -F199
Y496

F161 Address

F161
F191
Y496

F162 Address

F162
F192
Y496

F163 Address

F160 -F169
F190 -F199
Y496

F165 Address

F160 -F169
F190 -F199
Y496

F168 Address

F160 -F169
F190 -F199
Y496

F169 Address

ICD-10-Mortality Manual 2c - 2014

F160 -F169
F190 -F199
Y496

F170 Address

F170 -F179

F171 Address

F171 -F179

F172 Address

F172
F192

F173 Address

F173
F177 -F179

F175 Address

F175
F177 -F179

F178 Address

F177 -F179

F179 Address

F177 -F179

F190 Address

F100 -F199
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F191 Address

M F101
F102
F111
F121
F131
F141

ICD-10-Mortality Manual 2c - 2014

F151
F161
F171
F181
F191

F192 Address

F102
F112
F122
F132
F142
F152
F162
F172
F182
F192

F193 Address

M F102
F103
F105
F108 -F109
F113
F115
F118 -F119
F123
F125
F128 -F129
F135
F138 -F139
F143
F145
F148 -F149
F153
F155
F158 -F159
F163
F165
F168 -F169
F173
F175
F178 -F179
F183
F185
F188 -F199
Y400 -Y599

F194 Address

M F102
F194

F195 Address

M F102
F103
F105
F108 -F109
F113
F115
F118 -F119
F123
F125
F128 -F129
F135
F138 -F139
F143
F145
F148 -F149
F153
F155
F158 -F159
F163
F165
F168 -F169
F173
F175
F178 -F179
F183
F185
F188 -F199
Y400 -Y599

F196 Address

M F102
F196

F197 Address

M F102
F197

F198 Address

M F102
F103

ICD-10-Mortality Manual 2c - 2014

F105
F108 -F109
F113
F115
F118 -F119
F123
F125
F128 -F129
F135
F138 -F139
F143
F145
F148 -F149
F153
F155
F158 -F159
F163
F165
F168 -F169
F173
F175
F178 -F179
F183
F185
F188 -F199
Y400 -Y599

F199 Address

M F102
F103
F105
F108 -F109
F113
F115
F118 -F119
F123
F125
F128 -F129
F135
F138 -F139
F143
F145
F148 -F149
F153
F155
F158 -F159
F163
F165
F168 -F169

ICD-10-Mortality Manual 2c - 2014

F173
F175
F178 -F179
F183
F185
F188 -F199
Y400 -Y599

F2 Category

F200 Address

F200 -F209

F201 Address

F200 -F209

F202 Address

F200 -F209

F203 Address

F200 -F209
R54

F204 Address

F200 -F209

F205 Address

F200 -F209

F206 Address

F200 -F209

F208 Address

F200 -F209

F209 Address

F200 -F209

F21 Address

F21

F220 Address

F100 -F109

ICD-10-Mortality Manual 2c - 2014

M F119
M F129
M F139
M F149
M F159
M F169
M F179
M F189
M F199
F209
F220 -F229
R54
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F228 Address

F100 -F109
F220 -F229
R54
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F229 Address

F100 -F109
F220 -F229
R54
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F230 Address

F230

F231 Address

F231

F232 Address

F232

F233 Address

F233

M R54

F238 Address

F238

F239 Address

F239

F449

F24 Address

F220 -F229

F24

F250 Address

F250 -F259

F251 Address

F250 -F259

F252 Address

F250 -F259

F258 Address

F250 -F259

F259 Address

F250 -F259

F28 Address

M F119

M F129

M F139

M F149

M F159

M F169

M F179

M F189

ICD-10-Mortality Manual 2c - 2014

M F199
F28

F29 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139

ICD-10-Mortality Manual 2c - 2014

	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F3 Category

F300 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F301 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319

ICD-10-Mortality Manual 2c - 2014

F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F302 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F308 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F309 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F449
M R54

ICD-10-Mortality Manual 2c - 2014

M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F310 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F311 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F312 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65

ICD-10-Mortality Manual 2c - 2014

M Y15
M Y86 -Y872

F313 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F314 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F315 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F316 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F317 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F318 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F319 Address

ICD-10-Mortality Manual 2c - 2014

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F320 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F320
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F321 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F321	
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F322 Address

	E160	-E162
	E891	

ICD-10-Mortality Manual 2c - 2014

	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F322	
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F323 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F323	
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F328 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F328	
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F329 Address

	A000	-G98
	I00	-J989

ICD-10-Mortality Manual 2c - 2014

K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
T904

M

ICD-10-Mortality Manual 2c - 2014

	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F330 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F331 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F332 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F333 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F334 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F338 Address

ICD-10-Mortality Manual 2c - 2014

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F339 Address

	E160	-E162
	E891	
	F010	-F069
	F09	
M	F100	-F199
	F200	-F319
	F330	-F339
M	R54	
M	S000	-T983
M	X45	
M	X65	
M	Y15	
M	Y86	-Y872

F340 Address

F340

F341 Address

	A000	-G98
	I00	-J989
	K20	-L109
	L120	-L449
	L510	-L599
	L710	-L719
	L88	
	L920	
	L928	-L932
	L951	
	L980	-L981
	M000	-N459
	N490	-N809
	N990	-N992
	N994	-Q999

ICD-10-Mortality Manual 2c - 2014

R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939

ICD-10-Mortality Manual 2c - 2014

M T940 -T953
T954
M T958 -T959
T96 -Y899

F348 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F348
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F349 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F349
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F380 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F380
M R54
M S000 -T983

ICD-10-Mortality Manual 2c - 2014

M X45
M X65
M Y15
M Y86 -Y872

F381 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F381
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F388 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F388
M R54
M S000 -T983
M X45
M X65
M Y15
M Y86 -Y872

F39 Address

E160 -E162
E891
F010 -F069
F09
M F100 -F199
F200 -F319
F330 -F339
F39
M R54
M S000 -T983

ICD-10-Mortality Manual 2c - 2014

M X45
M X65
M Y15
M Y86 -Y872

F4 Category

F400 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F401 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452

ICD-10-Mortality Manual 2c - 2014

F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F402 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F408 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429

ICD-10-Mortality Manual 2c - 2014

F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F409 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F410 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F349

ICD-10-Mortality Manual 2c - 2014

F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F411 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F412 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F349

ICD-10-Mortality Manual 2c - 2014

F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F413 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F418 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F349

ICD-10-Mortality Manual 2c - 2014

F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F419 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F179 -F180
F183 -F190
F193 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F420 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328

ICD-10-Mortality Manual 2c - 2014

F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F421 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F422 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180

ICD-10-Mortality Manual 2c - 2014

F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F428 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F429 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160

ICD-10-Mortality Manual 2c - 2014

F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F430 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L569
L580 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M L982 -L984
M L988 -L989
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S000 -Y899

F431 Address

F431
S000 -Y899

F432 Address

F432
S000 -Y899

F438 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L569
L580 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M L982 -L984
M L988 -L989
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S000 -Y899

F439 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L569
L580 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M L982 -L984
M L988 -L989
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S000 -Y899

F440 Address

ICD-10-Mortality Manual 2c - 2014

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F441 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F442 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F443 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65

ICD-10-Mortality Manual 2c - 2014

Y15
Y86 -Y872

F444 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F445 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97

ICD-10-Mortality Manual 2c - 2014

X45
X65
Y15
Y86 -Y872

F446 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F447 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849

ICD-10-Mortality Manual 2c - 2014

T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F448 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F449 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452

ICD-10-Mortality Manual 2c - 2014

F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F450 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029

ICD-10-Mortality Manual 2c - 2014

T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F451 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75

ICD-10-Mortality Manual 2c - 2014

S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954

ICD-10-Mortality Manual 2c - 2014

M T958 -T959
T96 -Y899

F452 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131

ICD-10-Mortality Manual 2c - 2014

	T133	-T139
	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F453 Address

A000	-G98
I00	-J989
K20	-L109
L120	-L449
L510	-L599
L710	-L719
L88	
L920	
L928	-L932
L951	
L980	-L981
M000	-N459
N490	-N809
N990	-N992
N994	-Q999
R54	
R75	
S010	-S029
S040	-S050
S052	-S099
S110	-S129
S140	-S199
S210	-S229

ICD-10-Mortality Manual 2c - 2014

S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F454 Address

A000 -G98

ICD-10-Mortality Manual 2c - 2014

I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903

ICD-10-Mortality Manual 2c - 2014

M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F458 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529

ICD-10-Mortality Manual 2c - 2014

S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F459 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88

ICD-10-Mortality Manual 2c - 2014

L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915

ICD-10-Mortality Manual 2c - 2014

M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F480 Address

A000 -G98
H600 -H709
H720 -H739
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928
L951
L980 -L981
M000 -N459
N600 -N959
N990 -Q079
Q200 -Q349
Q410 -Q649
Q900 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -T983
X45
X65
Y15
Y86 -Y872

F481 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120

ICD-10-Mortality Manual 2c - 2014

F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F488 Address

F010 -F069
F09 -F100
F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F489 Address

F010 -F069
F09 -F100

ICD-10-Mortality Manual 2c - 2014

F103 -F110
F113 -F120
F123 -F130
F133 -F150
F153 -F160
F163 -F169
F180
F183 -F190
F193 -F328
F330 -F349
F400 -F429
F440 -F449
F452
F480 -F489
F840 -F849
R54
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F5 Category

F500 Address

M C000 -D489
E280 -E289
E894
F010 -F03
F067
M F068 -F069
F079 -F109
F111 -F112
F121 -F122
F131 -F132
F141 -F142
F151 -F152
F161 -F162
F170 -F179
F181 -F182
F191 -F192
F200 -F319
F329 -F429
F440 -F449
F480 -F500
F520 -F524
F526 -F529
F55

ICD-10-Mortality Manual 2c - 2014

M
F600 -F629
F640 -F688
F69
F99
G300 -G309
I600 -I698
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

F501 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829

ICD-10-Mortality Manual 2c - 2014

	S840	-S899
	S910	-S929
	S940	-S999
	T012	-T029
	T041	-T08
	T091	
	T093	-T10
	T111	
	T113	-T12
	T131	
	T133	-T139
	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F502 Address

	A000	-G98
	I00	-J989
	K20	-L109
	L120	-L449
	L510	-L599
	L710	-L719
	L88	
	L920	
	L928	-L932
	L945	-L949
	L951	
	L980	-L981
	M000	-N459

ICD-10-Mortality Manual 2c - 2014

N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936

ICD-10-Mortality Manual 2c - 2014

M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F503 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091

ICD-10-Mortality Manual 2c - 2014

T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F504 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050

ICD-10-Mortality Manual 2c - 2014

	S052	-S099
	S110	-S129
	S140	-S199
	S210	-S229
	S240	-S299
	S310	-S328
	S340	-S399
	S410	-S429
	S440	-S499
	S510	-S529
	S540	-S599
	S610	-S628
	S640	-S699
	S710	-S729
	S740	-S799
	S810	-S829
	S840	-S899
	S910	-S929
	S940	-S999
	T012	-T029
	T041	-T08
	T091	
	T093	-T10
	T111	
	T113	-T12
	T131	
	T133	-T139
	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F505 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142

ICD-10-Mortality Manual 2c - 2014

	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F508 Address

A000	-G98
I00	-J989
K20	-L109
L120	-L449
L510	-L599
L710	-L719
L88	
L920	
L928	-L932
L945	-L949
L951	
L980	-L981
M000	-N459
N490	-N809
N990	-N992
N994	-Q999
R628	
R64	
R75	
S010	-S029
S040	-S050
S052	-S099
S110	-S129
S140	-S199
S210	-S229

ICD-10-Mortality Manual 2c - 2014

S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F509 Address

A000 -G98

ICD-10-Mortality Manual 2c - 2014

I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903

ICD-10-Mortality Manual 2c - 2014

M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932
T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

F520 Address

F520

F521 Address

C600 -C639
F521

F522 Address

F522

F523 Address

F523

F524 Address

F524

F526 Address

F526

F527 Address

F527

F528 Address

F528

F529 Address

F529

F531 Address

A000 -B99
E000 -F069
F09
F200 -F349
F531
F840 -F849
G000 -G09
H600 -H709
I00 -I019
J09 -J189
J300 -J329
J340 -J341
J348 -J350
J36 -J371
J385 -J392
J40 -J42
N000 -N10
N12
N136
N140 -N159
M N288
N300 -N309
N340 -N343
N351
N410 -N419
N450 -N459
N61
N700 -N809
R75

F55 Address

F55

M Y400 -Y599

F6 Category

F601 Address

F601

F602 Address

F602

F603 Address

F603

F604 Address

F604

F605 Address

F605

F606 Address

F606

F607 Address

F607

F608 Address

F608

F609 Address

F609

F61 Address

F61

F620 Address

F620

F621 Address

F621

F628 Address

F628

F629 Address

F629

F630 Address

F630

F631 Address

ICD-10-Mortality Manual 2c - 2014

F631

F632 Address

F632

F633 Address

F633

F638 Address

F638

F639 Address

F639

F640 Address

F640

F641 Address

F641

F642 Address

F642

F648 Address

F648

F649 Address

F649

F650 Address

F650

F651 Address

F651

F652 Address

F652

F653 Address

F653

F654 Address

F654

F655 Address

F655

F656 Address

F656

F658 Address

F658

F659 Address

F659

F680 Address

F010 -F069

F09

F109 -F319

F330 -F349

F400 -F429

F440 -F449

F452

F480 -F489

F680

F840 -F849

F688 Address

F688

F69 Address

F69

F7 Category

F70 Address

A170 -A179

M A180

A185 -A186

A278 -A279

A390 -A399

A500 -A509

A521 -A523

ICD-10-Mortality Manual 2c - 2014

	A529	-A539
	A800	-A819
	A830	-A89
	A91	-A924
M	A928	-A929
	A930	-A932
M	A938	
	A94	
	A980	-A984
M	A988	
	B010	-B019
	B03	
	B050	-B069
	B580	-B589
	B900	
	B902	
	B91	
	B940	-B941
	B948	-B949
	C410	
	C412	
	C431	-C434
	C441	-C444
	C700	-C759
	C793	-C794
	C80	-C902
	D330	-D359
	D420	-D449
	E030	-E0390
	E160	-E162
	E700	-E891
	F102	
	F112	
	F122	
	F132	
	F142	
	F152	
	F162	
	F172	
	F182	
	F192	
	F70	-F79
	G000	-G09
	G20	-G219
	G300	-G319
	G360	-G419
	G800	-G809
	G930	-G939
	I600	-I698
	J118	

ICD-10-Mortality Manual 2c - 2014

P000 -P073 *
P100 -P129
P159 -P509
P520 -P529
P550 -P560
P570 -P579 *
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R55 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F71 Address

A170 -A179
M A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924
M A928 -A929
A930 -A932
M A938
A94
A980 -A984
M A988
B010 -B019
B03
B050 -B069
B580 -B589
B900
B902
B91
B940 -B941

ICD-10-Mortality Manual 2c - 2014

B948 -B949
C410
C412
C431 -C434
C441 -C444
C700 -C759
C793 -C794
C80 -C902
D330 -D359
D420 -D449
E030 -E0390
E160 -E162
E700 -E891
F102
F112
F122
F132
F142
F152
F162
F172
F182
F192
F70 -F79
G000 -G09
G20 -G219
G300 -G319
G360 -G419
G800 -G809
G930 -G939
I600 -I698
J118
P000 -P073 *
P100 -P129
P159 -P509
P520 -P529
P550 -P560
P570 -P579 *
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R54 -R568
S020 -S029
S060 -S079
T360 -T670

ICD-10-Mortality Manual 2c - 2014

T703
T96 -T97
X40 -X49
Y400 -Y599

F72 Address

A170 -A179
M A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924
M A928 -A929
A930 -A932
M A938
A94
A980 -A984
M A988
B010 -B019
B03
B050 -B069
B580 -B589
B900
B902
B91
B940 -B941
B948 -B949
C410
C412
C431 -C434
C441 -C444
C700 -C759
C793 -C794
C80 -C902
D330 -D359
D420 -D449
E030 -E0390
E160 -E162
E700 -E891
F102
F112
F122
F132
F142

ICD-10-Mortality Manual 2c - 2014

F152
F162
F172
F182
F192
F70 -F79
G000 -G09
G20 -G219
G300 -G319
G360 -G419
G800 -G809
G930 -G939
I600 -I698
J118
P000 -P073 *
P100 -P129
P159 -P509
P520 -P529
P550 -P560
P570 -P579 *
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R55 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F73 Address

M A170 -A179
A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924

ICD-10-Mortality Manual 2c - 2014

M	A928	-A929
	A930	-A932
M	A938	
	A94	
	A980	-A984
M	A988	
	B010	-B019
	B03	
	B050	-B069
	B580	-B589
	B900	
	B902	
	B91	
	B940	-B941
	B948	-B949
	C410	
	C412	
	C431	-C434
	C441	-C444
	C700	-C759
	C793	-C794
	C80	-C902
	D330	-D359
	D420	-D449
	E030	-E0390
	E160	-E162
	E700	-E891
	F102	
	F112	
	F122	
	F132	
	F142	
	F152	
	F162	
	F172	
	F182	
	F192	
	F70	-F79
	G000	-G09
	G20	-G219
	G300	-G319
	G360	-G419
	G800	-G809
	G930	-G939
	I600	-I698
	J118	
	P000	-P073 *
	P100	-P129
	P159	-P509
	P520	-P529

ICD-10-Mortality Manual 2c - 2014

P550 -P560
P570 -P579 *
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R55 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F78 Address

M A170 -A179
A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924
M A928 -A929
A930 -A932
M A938
A94
A980 -A984
M A988
B010 -B019
B03
B050 -B069
B580 -B589
B900
B902
B91
B940 -B941
B948 -B949
C410
C412
C431 -C434

ICD-10-Mortality Manual 2c - 2014

C441 -C444
C700 -C759
C793 -C794
C80 -C902
D330 -D359
D420 -D449
E030 -E0390
E160 -E162
E700 -E891
F102
F112
F122
F132
F142
F152
F162
F172
F182
F192
F70 -F79
G000 -G09
G20 -G219
G300 -G319
G360 -G419
G800 -G809
G930 -G939
I600 -I698
J118
P000 -P073
P100 -P129
P159 -P509
P520 -P529
P550 -P560
P570 -P579 *
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R54 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F79 Address

A170 -A179
M A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924
M A928 -A929
A930 -A932
M A938
A94
A980 -A984
M A988
B010 -B019
B03
B050 -B069
B580 -B589
B900
B902
B91
B940 -B941
B948 -B949
C410
C412
C431 -C434
C441 -C444
C700 -C759
C793 -C794
C80 -C902
D330 -D359
D420 -D449
E030 -E0390
E160 -E162
E700 -E891
F102
F112
F122
F132
F142
F152
F162
F172
F182

ICD-10-Mortality Manual 2c - 2014

F192
F70 -F79
G000 -G09
G20 -G219
G300 -G319
G360 -G419
G800 -G809
G930 -G939
I600 -I698
J118
P000 -P073
P100 -P129
P159 -P509
P520 -P529
P550 -P560
P570 -P579
P700 -P749
P90 -P919
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R55 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F8 Category

F82 Address

A170 -A179
M A180
A185 -A186
A278 -A279
A390 -A399
A500 -A509
A521 -A523
A529 -A539
A800 -A819
A830 -A89
A91 -A924
M A928 -A929
A930 -A932

ICD-10-Mortality Manual 2c - 2014

M A938
A94
A980 -A984
M A988
B010 -B019
B03
B050 -B069
B580 -B589
B900
B902
B91
B940 -B941
B948 -B949
C410
C412
C431 -C434
C441 -C444
C700 -C759
C793 -C794
C80 -C902
D330 -D359
D420 -D449
E030 -E0390
E160 -E162
E700 -E891
F102
F112
F122
F132
F142
F152
F162
F172
F182
F192
F70 -F79
F82
G000 -G09
G20 -G219
G300 -G319
G360 -G419
G800 -G809
G930 -G939
I600 -I698
J118
P020 -P039
P100 -P129
P200 -P509
P520 -P529
P550 -P560

ICD-10-Mortality Manual 2c - 2014

P570
P700 -P749
P916
Q000 -Q079
Q670 -Q674
Q900 -Q999
R400 -R402
R440 -R448
R502 -R509
R55 -R568
S020 -S029
S060 -S079
T360 -T670
T703
T96 -T97
X40 -X49
Y400 -Y599

F840 Address

F840

F841 Address

F840 -F849

F843 Address

A800 -A809
B010 -B019
B050 -B052
B059 -B060
B069
E15 -E162
M E750 -E756
E891
F840 -F849
G000 -G119
G230 -G419
G800 -G809
G903
G910 -G939
Q000 -Q079

F848 Address

F840 -F849

F849 Address

F840 -F849

F89 Address

E45 -E46
F89

F9 Category

F910 Address

F910

F911 Address

F911

F912 Address

F912

F913 Address

F913

F918 Address

F918

F919 Address

F919

F920 Address

F920

F928 Address

F928

F929 Address

F929

F930 Address

F930

F931 Address

F931

F932 Address

F932

F933 Address

F933

F938 Address

F938

F939 Address

F939

F940 Address

F940

F941 Address

F941

F942 Address

F942

F948 Address

F948

F949 Address

F949

F982 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029

ICD-10-Mortality Manual 2c - 2014

	S040	-S050
	S052	-S099
	S110	-S129
	S140	-S199
	S210	-S229
	S240	-S299
	S310	-S328
	S340	-S399
	S410	-S429
	S440	-S499
	S510	-S529
	S540	-S599
	S610	-S628
	S640	-S699
	S710	-S729
	S740	-S799
	S810	-S829
	S840	-S899
	S910	-S929
	S940	-S999
	T012	-T029
	T041	-T08
	T091	
	T093	-T10
	T111	
	T113	-T12
	T131	
	T133	-T139
	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959

ICD-10-Mortality Manual 2c - 2014

T96 -Y899

F983 Address

A000 -G98
I00 -J989
K20 -L109
L120 -L449
L510 -L599
L710 -L719
L88
L920
L928 -L932
L951
L980 -L981
M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R54
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139

ICD-10-Mortality Manual 2c - 2014

	T141	-T142
	T144	-T329
	T340	-T349
	T351	-T889
	T901	-T903
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	-T922
	T924	-T926
M	T928	
	T929	-T932
	T934	-T936
M	T938	
	T939	
M	T940	-T953
	T954	
M	T958	-T959
	T96	-Y899

F988 Address

	E889	
	F988	
	G809	
M	I00	-I698

F989 Address

	E889	
	F988	-F989
	G809	
M	I00	-I698

F99 Address

	A000	-G98
	I00	-J989
	K20	-L109
	L120	-L449
	L510	-L599
	L710	-L719
	L88	
	L920	
	L928	-L932
	L951	
	L980	-L981

ICD-10-Mortality Manual 2c - 2014

M000 -N459
N490 -N809
N990 -N992
N994 -Q999
R75
S010 -S029
S040 -S050
S052 -S099
S110 -S129
S140 -S199
S210 -S229
S240 -S299
S310 -S328
S340 -S399
S410 -S429
S440 -S499
S510 -S529
S540 -S599
S610 -S628
S640 -S699
S710 -S729
S740 -S799
S810 -S829
S840 -S899
S910 -S929
S940 -S999
T012 -T029
T041 -T08
T091
T093 -T10
T111
T113 -T12
T131
T133 -T139
T141 -T142
T144 -T329
T340 -T349
T351 -T889
T901 -T903
M T904
T905
M T908
T909
M T910
T911 -T915
M T918
T919 -T922
T924 -T926
M T928
T929 -T932

ICD-10-Mortality Manual 2c - 2014

T934 -T936
M T938
T939
M T940 -T953
T954
M T958 -T959
T96 -Y899

G

G0 Category

G000 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

G001 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G002 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803

ICD-10-Mortality Manual 2c - 2014

F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G003 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331

ICD-10-Mortality Manual 2c - 2014

H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G008 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419

ICD-10-Mortality Manual 2c - 2014

M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G009 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G030 Address

A000 -A418

ICD-10-Mortality Manual 2c - 2014

M A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G031 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051

ICD-10-Mortality Manual 2c - 2014

H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G032 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989

ICD-10-Mortality Manual 2c - 2014

K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G038 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75

ICD-10-Mortality Manual 2c - 2014

R788
S000 -Y899

G039 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G040 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79

ICD-10-Mortality Manual 2c - 2014

F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G041 Address

M A000 -B99
G041
R75

G042 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044

ICD-10-Mortality Manual 2c - 2014

H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G048 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80

ICD-10-Mortality Manual 2c - 2014

J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G049 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051
H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R75
R788
S000 -Y899

G060 Address

A000 -A014
A060 -A069
A169 -A179
M A180
A200 -C97
D320 -D339
D420 -D439
D45 -D479
D482
D489
E750 -E756
G000 -G09
H000 -H010
H600 -H739
I300 -I309
I330 -I339
I400 -I409
I600 -I698
I720
J00 -J80
J82 -J989
K040 -K056
K102 -K103
K20 -K229
L021 -L022
L032
M L038
L040
M300 -M319
M860 -M894
N110 -N119
P350 -P399
Q000 -Q159
Q200 -Q289
Q674
Q750 -Q769
R75
S010 -S299
T800 -T909
M T910 -T919
V010 -Y899

G061 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -A014
A060 -A069
A169 -A179
A180
A200 -C97
D320 -D339
D420 -D439
D45 -D479
D482
D489
E750 -E756
G000 -G09
H000 -H010
H600 -H739
I300 -I309
I330 -I339
I400 -I409
I600 -I698
I720
J00 -J80
J82 -J989
K040 -K056
K102 -K103
K20 -K229
L021 -L022
L032
M L038
L040
M300 -M319
M860 -M894
N110 -N119
P350 -P399
Q000 -Q159
Q200 -Q289
Q674
Q750 -Q769
R75
S010 -S299
T800 -T909
M T910 -T919
V010 -Y899

G062 Address

M A000 -A014
A060 -A069
A169 -A179
A180
A200 -C97
D320 -D339

ICD-10-Mortality Manual 2c - 2014

D420 -D439
D45 -D479
D482
D489
E750 -E756
G000 -G09
H000 -H010
H600 -H739
I300 -I309
I330 -I339
I400 -I409
I600 -I698
I720
J00 -J80
J82 -J989
K040 -K056
K102 -K103
K20 -K229
L021 -L022
L032
M L038
L040
M300 -M319
M860 -M894
N110 -N119
P350 -P399
Q000 -Q159
Q200 -Q289
Q674
Q750 -Q769
R75
S010 -S299
T800 -T909
M T910 -T919
V010 -Y899

G08 Address

M A000 -A418
A419
A420 -F489
F530 -F629
F633 -F638
F680 -F79
F803
F840 -G419
G600 -H010
H018 -H019
H043 -H044
H050 -H051

ICD-10-Mortality Manual 2c - 2014

H058
H150 -H151
H200 -H209
H213
H300 -H309
H331
H353
H440 -H441
H600 -H739
H950 -J80
J82 -J989
K040 -K069
K091 -K099
K102 -K116
K120 -K122
K140
K20 -L419
M340 -N433
N700 -N889
O000 -Q999
R02
R75
R788
S000 -Y899

G09 Address

M A000 -A014
M A060 -A069
M A169 -A180
M A200 -C97
M D320 -D339
M D420 -D439
M D45 -D479
M D482
M D489
M E750 -E756
M G000 -G08
G09
M H000 -H010
M H600 -H739
M I300 -I309
M I330 -I339
M I400 -I409
M I600 -I698
M I720
M J00 -J80
M J82 -J989
M K040 -K056
M K102 -K103

ICD-10-Mortality Manual 2c - 2014

M K20 -K229
M L021 -L022
M L032
M L038
M L040
M M300 -M359
M M860 -M894
M P350 -P399
M Q000 -Q159
M Q200 -Q289
M Q674
M Q750 -Q769
R75
M S010 -S299
M T800 -T919
M V010 -Y899

G1 Category

G10 Address

G10

G110 Address

G110

G111 Address

G111

G112 Address

G110 -G119

G312 -G319

G113 Address

G110 -G119

G312 -G319

Y400 -Y599

G114 Address

G114

G118 Address

G118

G119 Address

M A810

ICD-10-Mortality Manual 2c - 2014

M F100 -F109
G119
M T510 -T519
M T97
M X45
M X65
M Y15
M Y86 -Y872

G120 Address

G120

G121 Address

G121

G122 Address

M A521
M A539
M A810 -A819
M B900 -B949
M C471
M C700
M C715
M C717
M C719
M C793
M C798
M D320
M D330 -D332
M D361
M D420
M D430 -D432
M D482
G122 -G1220
M G20 -G219
M G35 -G379
M G800 -G809

G1220 Address

M A521
M A539
M A810 -A819
M B900 -B949
M C471
M C700
M C715
M C717

ICD-10-Mortality Manual 2c - 2014

M	C719	
M	C793	
M	C798	
M	D320	
M	D330	-D332
M	D361	
M	D420	
M	D430	-D432
M	D482	
	G122	-G1220
M	G20	-G219
M	G35	-G379
M	G800	-G809

G128 Address

G128

G129 Address

G129

G14 Address

M	A800	-A809
	B91	
	G14	

G2 Category

G20 Address

M	A170	-A179
M	A504	-A539
M	A810	-A819
M	A830	-A89
M	B900	
M	B902	
M	B91	
M	B941	
M	B949	
M	G000	-G062
M	G09	
	G20	-G2000
M	I672	-I673
M	I698	
	I700	-I708
M	I709	
M	I950	-I959
M	S017	-Y899

G2000 Address

M A170 -A179
M A504 -A539
M A810 -A819
M A830 -A89
M B900
M B902
M B91
M B941
M B949
M G000 -G062
M G09
G20 -G2000
M I672 -I673
M I698
I700 -I708
M I709
M I950 -I959
M S017 -Y899

G210 Address

G210
T428
T433 -T435
T983
X41
X61
M X85
Y11
Y467
Y493 -Y495
M Y86 -Y872
Y880

G211 Address

G211
T360 -T427
T430 -T432
T436 -T509
X40
X42 -X44
X60
X62 -X64
M X85
Y10
Y12 -Y14
Y400 -Y466

ICD-10-Mortality Manual 2c - 2014

Y468 -Y492
Y496 -Y599
M Y86 -Y872
Y880

G212 Address

G212
T510 -T659
T97
X45 -X49
X65 -X69
X86 -X90
Y15 -Y19
M Y86 -Y872

G213 Address

M A178
M A321
M A398
M A428
M A504
M A521
A809 -A811
A830 -A86
A872
A922
B004
B011
B020
B050
M B060
B262
M B451
B560 -B569
M B574
B582
B602
B75
B889 -B89
B941
B948
B99
G040
G042 -G049
G213
M G370
M G375
M G92

ICD-10-Mortality Manual 2c - 2014

M H664
M J108
M J118
M321
P371
T560

G214 Address

G214
I672 -I673
I678 -I679
I698
I709

G218 Address

A170 -A179
A504 -A539
A810 -A819
A870 -A89
B003
B010
B021 -B022
B051
B060
B200 -B24
B261
B375
B900
B902
B91
B941
B949
G000 -G039
G041 -G09
G20 -G2000
G218 -G219
I672 -I673
I698
I709
I950 -I959
R75
S000 -T357
T66 -T876
T900 -T982
M T983
X50 -X599
X70 -X84
X91 -Y09

ICD-10-Mortality Manual 2c - 2014

Y20 -Y369
Y600 -Y849
M Y850 -Y872
Y881 -Y899

G219 Address

A170 -A179
A504 -A539
A810 -A819
A870 -A89
B003
B010
B021 -B022
B051
B060
B200 -B24
B261
B375
B900
B902
B91
B941
B949
F200 -F209
G000 -G039
G041 -G09
G20 -G2000
G218 -G219
G300 -G309
I672 -I673
I678 -I679
I698
I709
I950 -I959
R75
S000 -T357
T66 -T876
T900 -T982
M T983
X50 -X599
X70 -X84
X91 -Y09
Y20 -Y369
Y600 -Y849
M Y850 -Y872
Y881 -Y899

G230 Address

ICD-10-Mortality Manual 2c - 2014

G230

G231 Address

G231

G232 Address

G232

G238 Address

B200 -B24

G238

R75

G239 Address

B200 -B24

G239

R75

G240 Address

G240

T360 -T659

X40 -X49

X60 -Y19

G241 Address

G241

G242 Address

G242

G243 Address

G243

Y400 -Y599

G244 Address

G244

M Y490 -Y499

G245 Address

G245

Y400 -Y599

G248 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G249 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G250 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G251 Address

G251
Y400 -Y599

G252 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G253 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G254 Address

G254
Y400 -Y599

G255 Address

B200 -B24
M F449
G255
I00 -I099
R75
Y400 -Y599

G256 Address

G256
Y400 -Y599

G258 Address

G258
Y400 -Y599

G259 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G3 Category

G300 Address

G300
Q900 -Q909 *

G301 Address

G301
Q900 -Q909 *

G308 Address

G308
Q900 -Q909 *

G309 Address

G309
Q900 -Q909 *
M R54

G310 Address

B200 -B24
G310
R75

G311 Address

G311

G312 Address

F100 -F109
G312
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

G318 Address

A000 -A014
M A021 -A028
M A1690
A170 -A179
A200 -A211
A217 -A220
A227 -A309
A321 -A419
A422 -A429
A431 -A99
B003 -B004
B010 -B011
B050 -B051
B068
B200 -B24
B261 -B262
B451
B574
B582
B602
B690
B900
B941
C000 -D489
E000 -F199
F500
G000 -G318

ICD-10-Mortality Manual 2c - 2014

G35 -G98
I10 -I259
I600 -I709
J09 -J118
M300 -M359
O000 -P965
Q000 -Q079
Q271 -Q289
Q890 -Q999
R090 -R092
R54
R75
S000 -Y899

G319 Address

A000 -A014
M A021 -A028
M A1690
A170 -A179
A200 -A211
A217 -A220
A227 -A309
A321 -A419
A422 -A429
A431 -A99
B003 -B004
B010 -B011
B050 -B051
B068
B200 -B24
B261 -B262
B451
B574
B582
B602
B690
B900
B941
C000 -D489
E000 -F199
F500
G000 -G312
G319 -G98
I10 -I259
I600 -I709
J09 -J118
M300 -M359
O000 -P965
Q000 -Q079

ICD-10-Mortality Manual 2c - 2014

Q271 -Q289
Q890 -Q999
R090 -R092
R54
R75
S000 -Y899

G35 Address

M A500
A501 -A502
A504
A506 -A523
A528 -A539
G35

G360 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948

ICD-10-Mortality Manual 2c - 2014

B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G361 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379

ICD-10-Mortality Manual 2c - 2014

G900 -G909
R54
R75

G368 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G369 Address

ICD-10-Mortality Manual 2c - 2014

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G370 Address

A179
A321
M A328
M A398
A399
M A500

ICD-10-Mortality Manual 2c - 2014

A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G371 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549

ICD-10-Mortality Manual 2c - 2014

A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G372 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060

ICD-10-Mortality Manual 2c - 2014

B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G373 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451

ICD-10-Mortality Manual 2c - 2014

B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G374 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900

ICD-10-Mortality Manual 2c - 2014

M B941
B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G375 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339

ICD-10-Mortality Manual 2c - 2014

D420 -D439
G35 -G379
G900 -G909
R54
R75

G378 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G379 Address

A179
A321
M A328
M A398
A399
M A500
A501 -A502
A504
A506 -A523
A528 -A539
M A548
A549
A810 -A819
A830 -A99
B003 -B004
B020 -B021
B050 -B051
B060
B200 -B24
B261 -B262
B375
B384
B431
B451
B500
B574
B582
B602
B690
B900
B941
M B948
B949
C710 -C729
C793 -C794
D320 -D339
D420 -D439
G35 -G379
G900 -G909
R54
R75

G4 Category

G400 Address

A170 -A179

ICD-10-Mortality Manual 2c - 2014

A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
I600 -I698

ICD-10-Mortality Manual 2c - 2014

M J108
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G401 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99

ICD-10-Mortality Manual 2c - 2014

	C700 -C729
	C793 -C794
	C810 -C97
M	D180 -D181
	D320 -D339
	D369
	D420 -D439
	D489
	E15 -E169
	E220 -E249
	E511 -E539
M	E648
	E649
	E720 -E899
	F019 -F03
	F050 -F059
	F068 -F109
	G000 -G419
	G443 -G479
	G800 -G809
	G900 -G98
	I600 -I698
M	J108
	P000 -P965
	Q000 -Q079
	Q278 -Q289
	Q750 -Q759
	Q900 -Q999
	R75
	S017 -S029
	S040 -S049
	S060 -S099
	S120 -S199
	S220 -S246
M	T07 -T08
	T093 -T094
	T141 -T149
	T360 -T913
	T918 -T919
	T96 -Y899

G402 Address

	A170 -A179
	A321
	A35
	A390
M	A398
	A504
M	A514

ICD-10-Mortality Manual 2c - 2014

	A521	-A523
	A539	
M	A548	
	A680	-A99
	B003	-B004
	B010	-B011
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B261	-B262
	B330	-B349
	B375	
	B384	
	B431	
	B451	
	B457	
	B461	
	B500	-B64
	B690	
	B900	
	B91	-B99
	C700	-C729
	C793	-C794
	C810	-C97
M	D180	-D181
	D320	-D339
	D369	
	D420	-D439
	D489	
	E15	-E169
	E220	-E249
	E511	-E539
M	E648	
	E649	
	E720	-E899
	F019	-F03
	F050	-F059
	F068	-F109
	G000	-G419
	G443	-G479
	G800	-G809
	G900	-G98
	I600	-I698
M	J108	
	P000	-P965
	Q000	-Q079
	Q278	-Q289
	Q750	-Q759
	Q900	-Q999

ICD-10-Mortality Manual 2c - 2014

R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G403 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369

ICD-10-Mortality Manual 2c - 2014

D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
I600 -I698
M J108
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G404 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011

ICD-10-Mortality Manual 2c - 2014

	B050	-B051
	B060	
M	B200	-B24
	B258	
	B261	-B262
	B330	-B349
	B375	
	B384	
	B431	
	B451	
	B457	
	B461	
	B500	-B64
	B690	
	B900	
	B91	-B99
	C700	-C729
	C793	-C794
	C810	-C97
M	D180	-D181
	D320	-D339
	D369	
	D420	-D439
	D489	
	E15	-E169
	E220	-E249
	E511	-E539
M	E648	
	E649	
	E720	-E899
	F019	-F03
	F050	-F059
	F068	-F109
	G000	-G419
	G443	-G479
	G800	-G809
	G900	-G98
	I600	-I698
M	J108	
	P000	-P965
	Q000	-Q079
	Q278	-Q289
	Q750	-Q759
	Q900	-Q999
	R75	
	S017	-S029
	S040	-S049
	S060	-S099
	S120	-S199
	S220	-S246

ICD-10-Mortality Manual 2c - 2014

M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G405 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648

ICD-10-Mortality Manual 2c - 2014

E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
I600 -I698
M J108
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G406 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349

ICD-10-Mortality Manual 2c - 2014

B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F169
F180 -F199
G000 -G419
G443 -G479
G800 -G809
G900 -G98
M I600 -I698
J108
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919

ICD-10-Mortality Manual 2c - 2014

T96 -Y899

G407 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F169

ICD-10-Mortality Manual 2c - 2014

	F180	-F199
	G000	-G419
	G443	-G479
	G800	-G809
	G900	-G98
	I600	-I698
M	J108	
	P000	-P965
	Q000	-Q079
	Q278	-Q289
	Q750	-Q759
	Q900	-Q999
	R75	
	S017	-S029
	S040	-S049
	S060	-S099
	S120	-S199
	S220	-S246
M	T07	-T08
	T093	-T094
	T141	-T149
	T360	-T913
	T918	-T919
	T96	-Y899

G408 Address

	A170	-A179
	A321	
	A35	
	A390	
M	A398	
	A504	
M	A514	
	A521	-A523
	A539	
M	A548	
	A680	-A99
	B003	-B004
	B010	-B011
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B261	-B262
	B330	-B349
	B375	
	B384	
	B431	
	B451	

ICD-10-Mortality Manual 2c - 2014

B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
M I600 -I698
J108
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G409 Address

A170 -A179

ICD-10-Mortality Manual 2c - 2014

A321
A35
A390
M A398
A504
M A514
A521 -A523
A539
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F169
F180 -F199
G000 -G419
G443 -G479
G800 -G809
G900 -G98

ICD-10-Mortality Manual 2c - 2014

	I600	-I698
M	J108	
	N185	-N189
	P000	-P965
	Q000	-Q079
	Q278	-Q289
	Q750	-Q759
	Q900	-Q999
M	R54	
	R75	
	S017	-S029
	S040	-S049
	S060	-S099
	S120	-S199
	S220	-S246
M	T07	-T08
	T093	-T094
	T141	-T149
	T360	-T913
	T918	-T919
	T96	-Y899

G410 Address

	A170	-A179
	A321	
	A35	
	A390	
M	A398	
	A504	
M	A514	
	A521	-A523
M	A548	
	A680	-A99
	B003	-B004
	B010	-B011
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B261	-B262
	B330	-B349
	B375	
	B384	
	B431	
	B451	
	B457	
	B461	
	B500	-B64
	B690	

ICD-10-Mortality Manual 2c - 2014

B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
M I600 -I698
J108
N185 -N189
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G411 Address

A170 -A179
A321
A35
A390

ICD-10-Mortality Manual 2c - 2014

M	A398
	A504
M	A514
	A521 -A523
M	A548
	A680 -A99
	B003 -B004
	B010 -B011
	B050 -B051
	B060
	B200 -B24
M	B258
	B261 -B262
	B330 -B349
	B375
	B384
	B431
	B451
	B457
	B461
	B500 -B64
	B690
	B900
	B91 -B99
	C700 -C729
	C793 -C794
	C810 -C97
M	D180 -D181
	D320 -D339
	D369
	D420 -D439
	D489
	E15 -E169
	E220 -E249
	E511 -E539
M	E648
	E649
	E720 -E899
	F019 -F03
	F050 -F059
	F068 -F109
	G000 -G419
	G443 -G479
	G800 -G809
	G900 -G98
	I600 -I698
M	J108
	N185 -N189
	P000 -P965
	Q000 -Q079

ICD-10-Mortality Manual 2c - 2014

Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G412 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181

ICD-10-Mortality Manual 2c - 2014

D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249
E511 -E539
M E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
M I600 -I698
J108
N185 -N189
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G418 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
M A548
A680 -A99

ICD-10-Mortality Manual 2c - 2014

	B003	-B004
	B010	-B011
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B261	-B262
	B330	-B349
	B375	
	B384	
	B431	
	B451	
	B457	
	B461	
	B500	-B64
	B690	
	B900	
	B91	-B99
	C700	-C729
	C793	-C794
	C810	-C97
M	D180	-D181
	D320	-D339
	D369	
	D420	-D439
	D489	
	E15	-E169
	E220	-E249
	E511	-E539
M	E648	
	E649	
	E720	-E899
	F019	-F03
	F050	-F059
	F068	-F109
	G000	-G419
	G443	-G479
	G800	-G809
	G900	-G98
	I600	-I698
M	J108	
	N185	-N189
	P000	-P965
	Q000	-Q079
	Q278	-Q289
	Q750	-Q759
	Q900	-Q999
	R75	
	S017	-S029
	S040	-S049

ICD-10-Mortality Manual 2c - 2014

S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G419 Address

A170 -A179
A321
A35
A390
M A398
A504
M A514
A521 -A523
M A548
A680 -A99
B003 -B004
B010 -B011
B050 -B051
B060
B200 -B24
M B258
B261 -B262
B330 -B349
B375
B384
B431
B451
B457
B461
B500 -B64
B690
B900
B91 -B99
C700 -C729
C793 -C794
C810 -C97
M D180 -D181
D320 -D339
D369
D420 -D439
D489
E15 -E169
E220 -E249

ICD-10-Mortality Manual 2c - 2014

M E511 -E539
E648
E649
E720 -E899
F019 -F03
F050 -F059
F068 -F109
G000 -G419
G443 -G479
G800 -G809
G900 -G98
I600 -I698
M J108
N185 -N189
P000 -P965
Q000 -Q079
Q278 -Q289
Q750 -Q759
Q900 -Q999
R75
S017 -S029
S040 -S049
S060 -S099
S120 -S199
S220 -S246
M T07 -T08
T093 -T094
T141 -T149
T360 -T913
T918 -T919
T96 -Y899

G430 Address

G430 -G459

G431 Address

G430 -G459

G432 Address

G430 -G459

G433 Address

G430 -G459

G438 Address

G430 -G459

G439 Address

G430 -G459

G440 Address

G430 -G459

G441 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

G442 Address

F430 -F439

G442

G443 Address

F072

G443

S000 -Y899

G444 Address

G444

T360 -T509

T96

Y400 -Y599

G448 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

G450 Address

A000 -A099

A170 -A180

A199 -E899

F019 -F03

F069

F100 -F199

ICD-10-Mortality Manual 2c - 2014

	G000	-G419
	G450	-G459
	G474	
	G600	
	G602	
	G608	
	G800	-G809
M	G810	-G839
	G900	-G969
M	H000	-H959
	I00	-I029
	I090	
	I092	-I150
	I159	
	I400	-I899
	I970	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800

ICD-10-Mortality Manual 2c - 2014

R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
S000 -Y899

G451 Address

A000 -A099
A170 -A180
A199 -E899
F019 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I029
I090
I092 -I150
I159
I400 -I899
I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399

ICD-10-Mortality Manual 2c - 2014

N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
S000 -Y899

G452 Address

A000 -A099
A170 -A180
A199 -E899
F019 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839

ICD-10-Mortality Manual 2c - 2014

M	G900	-G969
	H000	-H959
	I00	-I029
	I090	
	I092	-I150
	I159	
	I400	-I899
	I970	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829

ICD-10-Mortality Manual 2c - 2014

M R893
R900 -R91
R930
S000 -Y899

G453 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G454 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G458 Address

A000 -A099
A170 -A180
A199 -E899
F019 -F03
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I029
I090
I092 -I150
I159
I400 -I899
I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
S000 -Y899

G459 Address

A000 -A099
A170 -A180
A199 -E899
F019 -F03
F069

ICD-10-Mortality Manual 2c - 2014

F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I029
I090
I092 -I150
I159
I400 -I899
I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54

ICD-10-Mortality Manual 2c - 2014

R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
S000 -Y899

G470 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G471 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G472 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G473 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G474 Address

G474

G478 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G479 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G5 Category

G500 Address

A539
B001
B009
B029
B200 -B24
G500
I600 -I698
R75

G501 Address

A022
A066
A170 -A179
M A180
M A188
A321
M A328
A329
A390
M A398
A399
M A500 -A539
A544
A548

ICD-10-Mortality Manual 2c - 2014

M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159

ICD-10-Mortality Manual 2c - 2014

M P350 -P399
M P910 -P919
M P940 -P949
Q000 -Q189
Q670 -Q999
R270 -R298
R75
M S000 -Y899

G508 Address

A022
A066
A170 -A179
M A180
M A188
A321
M A328
A329
A390
M A398
A399
M A500 -A539
A544
A548
M A800 -B09
M B200 -B24
M B258
B259
B261 -B262
M B333 -B349
B375
B384
B451
B461
B500
B574
B582
M B672
B690
B832
B89 -B900
M B902
M B91 -B940
B941
M B948
B949
M C000 -C97
M D100 -D489
M D868 -D869

ICD-10-Mortality Manual 2c - 2014

M E713
E750 -E752
E754 -E755
E830
E871
M G000 -G500
G501 -G508
M G509 -G98
I10
I159
M I600 -I709
M I748 -I749
M J108
M J118
M L946
M M430 -M549
M M960 -M969
M N000 -N399
M N990 -N999
M O100 -O16
M O290 -O299
M O740 -O749
M O85 -O998
P049
P100 -P159
M P350 -P399
M P910 -P919
M P940 -P949
Q000 -Q189
Q670 -Q999
R270 -R298
R75
M S000 -Y899

G509 Address

A022
A066
A170 -A179
M A180
M A188
A321
M A328
A329
A390
M A398
A399
M A500 -A539
A544
A548

ICD-10-Mortality Manual 2c - 2014

M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	
	G509	
M	G510	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998

ICD-10-Mortality Manual 2c - 2014

	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G510 Address

	A022	
	A066	
	A170	-A179
M	A180	
M	A188	
	A321	
M	A328	
	A329	
	A390	
M	A398	
	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97

ICD-10-Mortality Manual 2c - 2014

M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G509
	G510	
M	G511	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G511 Address

	A022	
	A066	
	A170	-A179
M	A180	
M	A188	
	A321	
M	A328	
	A329	
	A390	
M	A398	

ICD-10-Mortality Manual 2c - 2014

	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G510
	G511	
M	G512	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999

ICD-10-Mortality Manual 2c - 2014

M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G512 Address

	A022	
	A066	
	A170	-A179
M	A180	
M	A188	
	A321	
M	A328	
	A329	
	A390	
M	A398	
	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940

ICD-10-Mortality Manual 2c - 2014

	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G511
	G512	
M	G513	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G513 Address

	A022	
	A066	
	A170	-A179
M	A180	
M	A188	
	A321	

ICD-10-Mortality Manual 2c - 2014

M	A328	
	A329	
	A390	
M	A398	
	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G512
	G513	
M	G514	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	

ICD-10-Mortality Manual 2c - 2014

M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G514 Address

	A022	
	A066	
	A170	-A179
M	A180	
M	A188	
	A321	
M	A328	
	A329	
	A390	
M	A398	
	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	

ICD-10-Mortality Manual 2c - 2014

	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G513
	G514	
M	G518	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G518 Address

A022
A066

ICD-10-Mortality Manual 2c - 2014

	A170	-A179
M	A180	
M	A188	
	A321	
M	A328	
	A329	
	A390	
M	A398	
	A399	
M	A500	-A539
	A544	
	A548	
M	A800	-B09
M	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B333	-B349
	B375	
	B384	
	B451	
	B461	
	B500	
	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G514
	G518	
M	G519	-G98
	I10	
	I159	
M	I600	-I709

ICD-10-Mortality Manual 2c - 2014

M I748 -I749
M J108
M J118
M L946
M M430 -M549
M M960 -M969
M N000 -N399
M N990 -N999
M O100 -O16
M O290 -O299
M O740 -O749
M O85 -O998
P049
P100 -P159
M P350 -P399
M P910 -P919
M P940 -P949
Q000 -Q189
Q670 -Q999
R270 -R298
R75
M S000 -Y899

G519 Address

A022
A066
A170 -A179
M A180
M A188
A321
M A328
A329
A390
M A398
A399
M A500 -A539
A544
A548
M A800 -B09
M B200 -B24
M B258
B259
B261 -B262
M B333 -B349
B375
B384
B451
B461
B500

ICD-10-Mortality Manual 2c - 2014

	B574	
	B582	
M	B672	
	B690	
	B832	
	B89	-B900
M	B902	
M	B91	-B940
	B941	
M	B948	
	B949	
M	C000	-C97
M	D100	-D489
M	D868	-D869
M	E713	
	E750	-E752
	E754	-E755
	E830	
	E871	
M	G000	-G500
	G501	
M	G508	-G518
	G519	
M	G520	-G98
	I10	
	I159	
M	I600	-I709
M	I748	-I749
M	J108	
M	J118	
M	L946	
M	M430	-M549
M	M960	-M969
M	N000	-N399
M	N990	-N999
M	O100	-O16
M	O290	-O299
M	O740	-O749
M	O85	-O998
	P049	
	P100	-P159
M	P350	-P399
M	P910	-P919
M	P940	-P949
	Q000	-Q189
	Q670	-Q999
	R270	-R298
	R75	
M	S000	-Y899

G520 Address

A539
B200 -B24
G520
I600 -I698
R75

G521 Address

A539
B200 -B24
G521
I600 -I698
R75

G522 Address

A539
B200 -B24
G522
I600 -I698
R75

G523 Address

A539
B200 -B24
G523
I600 -I698
R75

G527 Address

A539
B200 -B24
D869
G527
I600 -I698
R75

G528 Address

A539
B200 -B24
G528
I600 -I698
R75

G529 Address

ICD-10-Mortality Manual 2c - 2014

A539
B200 -B24
G529
I600 -I698
R75

G540 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G540
G600 -G64
R75
M S000 -Y899

G541 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G541
G600 -G64
R75
M S000 -Y899

G542 Address

A010 -A014

ICD-10-Mortality Manual 2c - 2014

A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G542
G600 -G64
R75
M S000 -Y899

G543 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G543
G600 -G64
R75
M S000 -Y899

G544 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80

ICD-10-Mortality Manual 2c - 2014

D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G544
G600 -G64
R75
M S000 -Y899

G545 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G545
G600 -G64
R75
M S000 -Y899

G546 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G546
G600 -G64
R75

ICD-10-Mortality Manual 2c - 2014

M S000 -Y899

G547 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G547
G600 -G64
R75

M S000 -Y899

G548 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G548
G600 -G64
R75

M S000 -Y899

G549 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333

ICD-10-Mortality Manual 2c - 2014

C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D380 -D386
G122 -G1220
G549
G600 -G64
R75
M S000 -Y899

G560 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G560
G600 -G64
R75
M S000 -Y899

G561 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220

ICD-10-Mortality Manual 2c - 2014

G561
G600 -G64
R75
M S000 -Y899

G562 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G562
G600 -G64
R75
M S000 -Y899

G563 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G563
G600 -G64
R75
M S000 -Y899

G564 Address

A010 -A014
A33 -A369

ICD-10-Mortality Manual 2c - 2014

B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G061
G122 -G1220
G564
G600 -G64
R75
M S000 -Y899

G568 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80
D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G568
G600 -G64
R75
M S000 -Y899

G569 Address

A010 -A014
A33 -A369
B050 -B069
B200 -B24
B333
C300 -C399
C450
C780 -C783
C80

ICD-10-Mortality Manual 2c - 2014

D020 -D024
D140 -D159
D190 -D199
D380 -D386
G122 -G1220
G569
G600 -G64
R75
M S000 -Y899

G570 Address

A000 -C97
E100 -E149
E160 -E162
E40 -E899
F100 -F109
G570
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N289
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G571 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G571
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659

ICD-10-Mortality Manual 2c - 2014

T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G572 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G572
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G573 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G573
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49

ICD-10-Mortality Manual 2c - 2014

X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G574 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G574
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G575 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G575
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90

ICD-10-Mortality Manual 2c - 2014

Y10 -Y19
Y400 -Y599
Y86 -Y872

G576 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G576
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G578 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G578
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

G579 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G579
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G580 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G580
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G587 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G587
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G588 Address

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G588
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G589 Address

ICD-10-Mortality Manual 2c - 2014

A000 -C97
E100 -E149
E162
E40 -E899
F100 -F109
G589 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N399
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G6 Category

G600 Address

G600

G601 Address

G601

G602 Address

G602

G603 Address

G603

G608 Address

G608

G609 Address

G609

G610 Address

A000 -D489
G610
J00 -J989

ICD-10-Mortality Manual 2c - 2014

K20 -K929
R75
Y580 -Y599

G611 Address

M B200 -B24
G611
M R75
T388
T458
T509
X44
X64
Y14
Y428
Y446
Y593

G618 Address

A000 -D489
G618
J00 -J989
K20 -K929
R75
Y580 -Y599

G619 Address

A000 -D489
G619
J00 -J989
K20 -K929
R75
Y580 -Y599

G620 Address

G620
T360 -T509
X40 -X49
X60 -X64
X85
Y10 -Y14
Y400 -Y599

G621 Address

F100 -F109
G621

ICD-10-Mortality Manual 2c - 2014

M T510 -T519
T598
T97
M X40 -X45
X47
X60 -X65
M X67
Y15
M Y17
Y573
Y86 -Y872

G622 Address

G622
T520 -T659
T97
X46 -X49
X66 -X69
X86 -X90
Y16 -Y19

G628 Address

A000 -C97
E100 -E149
E160 -E162
E40 -E899
F100 -F109
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N289
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G629 Address

A000 -C97
D869
E100 -E149
E160 -E162

ICD-10-Mortality Manual 2c - 2014

E40 -E899
F100 -F109
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N289
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G64 Address

A000 -C97
E100 -E149
E160 -E162
E40 -E899
F100 -F109
G600 -G64
J00 -J989
K20 -K929
M050 -M089
M300 -M359
N000 -N289
R75
T360 -T659
T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G7 Category

G700 Address

C000 -D489
E050 -E069
E100 -E149
E320 -E329
G700 -G702

ICD-10-Mortality Manual 2c - 2014

T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G701 Address

G701
T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G702 Address

G702

G708 Address

C000 -D489
E050 -E069
E100 -E149
E320 -E329
G300 -G319
G700 -G709
M I600 -I698
T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G709 Address

A810
B91
M B948
C000 -D489
E050 -E069
E100 -E149
E320 -E329
G20 -G219
G300 -G319
G700 -G709
M I600 -I698
T360 -T659

ICD-10-Mortality Manual 2c - 2014

X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G710 Address

G710

G711 Address

M C000 -D489
M E050 -E069
M E100 -E149
M E320 -E329
M G700 -G710
G711
M G712 -G729
T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G712 Address

G712

G713 Address

G713

G718 Address

E100 -E149
G718

G719 Address

G719

G720 Address

G720
T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G721 Address

F100 -F109
G721
T510 -T519
T598
T97
X40 -X45
M X47
X60 -X65
X67
Y15
M Y17
Y573
Y86 -Y872

G722 Address

G722
T520 -T659
T97
X46 -X49
X66 -X69
X86 -X90
Y16 -Y19

G723 Address

G723

G724 Address

C000 -D489
D800 -D899
E010 -E079
E200 -E249
E271 -E279
E850 -E859
G110 -G129
G35 -G379
G600 -G629
G701 -G719
G724
M300 -M359
T360 -T659
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G728 Address

B200 -B24
C000 -D489
D800 -D899
E010 -E079
E200 -E249
E271 -E279
E850 -E859
G110 -G129
G35 -G379
G600 -G629
G701 -G719
G728
M300 -M359
R75
S010 -S099
T360 -T659
T68
T699
T901 -T909
T96 -T97
X31
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599

G729 Address

B200 -B24
C000 -D489
D800 -D899
E010 -E079
E200 -E249
E271 -E279
E850 -E859
F100 -F109
G110 -G129
G35 -G379
G600 -G629
G701 -G719
G729
M300 -M359
R75
T360 -T659
T97
X40 -X49

ICD-10-Mortality Manual 2c - 2014

X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y86 -Y872

G8 Category

G800 Address

A33
A500 -A509
G800
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G801 Address

A33
A500 -A509
G801
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G802 Address

A33
A500 -A509
G802
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G803 Address

A33
A500 -A509

ICD-10-Mortality Manual 2c - 2014

G803
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G804 Address

A33
A500 -A509
G804
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G808 Address

A33
A500 -A509
G808
G901
P000 -Q079
M Q758
Q860
Q897
M T871
M T981

G809 Address

A33
A500 -A509
G809
G901
P000 -Q079
M Q758
Q860
Q897
M R270
M T871
M T981

G810 Address

ICD-10-Mortality Manual 2c - 2014

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	

ICD-10-Mortality Manual 2c - 2014

M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G810	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	

ICD-10-Mortality Manual 2c - 2014

P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G811 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022
M B03 -B04
B050 -B051
B060
B200 -B24
M B258
B259
B261 -B262
M B268
B270 -B279
M B334 -B338
B375
B384
M B428
B450 -B459
B461

ICD-10-Mortality Manual 2c - 2014

M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G811	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990

ICD-10-Mortality Manual 2c - 2014

M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G819 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022
M B03 -B04
B050 -B051
B060
B200 -B24
M B258
B259

ICD-10-Mortality Manual 2c - 2014

	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	F449	
	G000	-G239
	G300	-G379
	G450	-G459

ICD-10-Mortality Manual 2c - 2014

	G540	-G729
	G819	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999
	R270	-R278
	R75	
M	S000	-Y899

G820 Address

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982

ICD-10-Mortality Manual 2c - 2014

M	A988
	B003 -B004
	B010 -B011
	B020 -B022
M	B03 -B04
	B050 -B051
	B060
	B200 -B24
M	B258
	B259
	B261 -B262
M	B268
	B270 -B279
M	B334 -B338
	B375
	B384
M	B428
	B450 -B459
	B461
M	B49 -B64
M	B673
M	B676
M	B679
	B690
M	B719
M	B75
M	B832
M	B888
M	B89 -B99
	C470
	C479
	C700 -C729
	C751
	C754
M	C758
M	C760
	C770
	C793 -C794
M	C798 -C97
M	D170
M	D180 -D181
M	D210
M	D233 -D234
	D320 -D339
	D352
	D355
M	D360 -D367
	D420 -D439
	D443
	D446

ICD-10-Mortality Manual 2c - 2014

M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G820	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999
	R270	-R278
	R75	
M	S000	-Y899

G821 Address

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394

ICD-10-Mortality Manual 2c - 2014

M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181

ICD-10-Mortality Manual 2c - 2014

M D210
M D233 -D234
D320 -D339
D352
D355
M D360 -D367
D420 -D439
D443
D446
M D448
M D45 -D479
M D487
D489
E713
E750 -E756
G000 -G239
G300 -G379
G450 -G459
G540 -G729
G821
G900 -G98
I10
I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G822 Address

M A022
M A040
A066
A078

ICD-10-Mortality Manual 2c - 2014

	A1690 -A179
M	A180
M	A190 -A191
	A203
	A228
	A260 -A289
M	A321 -A329
M	A368
	A390 -A394
M	A398 -A399
M	A428
M	A440 -A539
M	A544
M	A548
M	A680 -A689
M	A692
	A800 -A959
M	A981 -A982
M	A988
	B003 -B004
	B010 -B011
	B020 -B022
M	B03 -B04
	B050 -B051
	B060
	B200 -B24
M	B258
	B259
	B261 -B262
M	B268
	B270 -B279
M	B334 -B338
	B375
	B384
M	B428
	B450 -B459
	B461
M	B49 -B64
M	B673
M	B676
M	B679
	B690
M	B719
M	B75
M	B832
M	B888
M	B89 -B99
	C470
	C479
	C700 -C729

ICD-10-Mortality Manual 2c - 2014

	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	F449	
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G822	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M840	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999

ICD-10-Mortality Manual 2c - 2014

R270 -R278
R75
M S000 -Y899

G823 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022
M B03 -B04
B050 -B051
B060
B200 -B24
M B258
B259
B261 -B262
M B268
B270 -B279
M B334 -B338
B375
B384
M B428
B450 -B459
B461
M B49 -B64
M B673
M B676

ICD-10-Mortality Manual 2c - 2014

M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G823	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949

ICD-10-Mortality Manual 2c - 2014

N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G824 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022
M B03 -B04
B050 -B051
B060
B200 -B24
M B258
B259
B261 -B262
M B268
B270 -B279

ICD-10-Mortality Manual 2c - 2014

M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G824	
	G900	-G98
	I10	

ICD-10-Mortality Manual 2c - 2014

I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G825 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022

ICD-10-Mortality Manual 2c - 2014

M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
	D166	
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	

ICD-10-Mortality Manual 2c - 2014

D489
E713
E750 -E756
G000 -G239
G300 -G379
G450 -G459
G540 -G729
G825
G900 -G98
I10
I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G830 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539

ICD-10-Mortality Manual 2c - 2014

M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339

ICD-10-Mortality Manual 2c - 2014

D352
D355
M D360 -D367
D420 -D439
D443
D446
M D448
M D45 -D479
M D487
D489
E713
E750 -E756
G000 -G239
G300 -G379
G450 -G459
G540 -G729
G830
G900 -G98
I10
I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G831 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191

ICD-10-Mortality Manual 2c - 2014

	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	

ICD-10-Mortality Manual 2c - 2014

M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	F449	
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G831	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999
	R270	-R278
	R75	
M	S000	-Y899

ICD-10-Mortality Manual 2c - 2014

G832 Address

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	

ICD-10-Mortality Manual 2c - 2014

M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	F449	
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G832	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16

ICD-10-Mortality Manual 2c - 2014

O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G833 Address

M A022
M A040
A066
A078
A170 -A179
M A180
M A190 -A191
A203
A228
A260 -A289
M A321 -A329
M A368
A390 -A394
M A398 -A399
M A428
M A440 -A539
M A544
M A548
M A680 -A689
M A692
A800 -A959
M A981 -A982
M A988
B003 -B004
B010 -B011
B020 -B022
M B03 -B04
B050 -B051
B060
B200 -B24
M B258
B259
B261 -B262
M B268
B270 -B279
M B334 -B338
B375

ICD-10-Mortality Manual 2c - 2014

	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	
	E750	-E756
	F449	
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G833	
	G900	-G98
	I10	
	I159	

ICD-10-Mortality Manual 2c - 2014

	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999
	R270	-R278
	R75	
M	S000	-Y899

G834 Address

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04

ICD-10-Mortality Manual 2c - 2014

	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234
	D320	-D339
	D352	
	D355	
M	D360	-D367
	D420	-D439
	D443	
	D446	
M	D448	
M	D45	-D479
M	D487	
	D489	
	E713	

ICD-10-Mortality Manual 2c - 2014

	E750	-E756
	G000	-G239
	G300	-G379
	G450	-G459
	G540	-G729
	G834	
	G900	-G98
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M949
	N000	-N399
	O100	-O16
	O740	-O749
	O900	-O909
	O95	
	O994	
	P000	-Q079
	Q750	-Q799
	Q860	-Q999
	R270	-R278
	R75	
M	S000	-Y899

G838 Address

M	A022	
M	A040	
	A066	
	A078	
	A170	-A179
M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	

ICD-10-Mortality Manual 2c - 2014

M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	-B99
	C340	
	C349	
	C470	
	C479	
	C700	-C729
	C751	
	C754	
M	C758	
M	C760	
	C770	
	C780	
	C793	-C794
M	C798	-C97
M	D170	
M	D180	-D181
M	D210	
M	D233	-D234

ICD-10-Mortality Manual 2c - 2014

D320 -D339
D352
D355
M D360 -D367
D420 -D439
D443
D446
M D448
M D45 -D479
M D487
D489
E713
E750 -E756
G000 -G239
G300 -G379
G450 -G459
G540 -G729
G838
G900 -G98
I10
I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95
O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75
M S000 -Y899

G839 Address

M A022
M A040
A051
A066
A078
A170 -A179

ICD-10-Mortality Manual 2c - 2014

M	A180	
M	A190	-A191
	A203	
	A228	
	A260	-A289
M	A321	-A329
M	A368	
	A390	-A394
M	A398	-A399
M	A428	
M	A440	-A539
M	A544	
M	A548	
M	A680	-A689
M	A692	
	A800	-A959
M	A981	-A982
M	A988	
	B003	-B004
	B010	-B011
	B020	-B022
M	B03	-B04
	B050	-B051
	B060	
	B200	-B24
M	B258	
	B259	
	B261	-B262
M	B268	
	B270	-B279
M	B334	-B338
	B375	
	B384	
M	B428	
	B450	-B459
	B461	
M	B49	-B64
M	B673	
M	B676	
M	B679	
	B690	
M	B719	
M	B75	
M	B832	
M	B888	
M	B89	
	B900	
M	B901	-B909
	B91	
M	B92	-B940

ICD-10-Mortality Manual 2c - 2014

B941
B948 -B949
C470
C479
C700 -C729
C751
C754
M C758
M C760
C770
C793 -C794
M C798 -C97
M D170
M D180 -D181
M D210
M D233 -D234
D320 -D339
D352
D355
M D360 -D367
D420 -D439
D443
D446
M D448
M D45 -D479
M D487
D489
E713
E750 -E756
F449
G000 -G239
G300 -G379
G450 -G459
G540 -G729
G839 -G98
I10
I159
I600 -I709
M I748
M J108
M J118
M000 -M1990
M420 -M429
M45 -M519
M860 -M949
N000 -N399
O100 -O16
O740 -O749
O900 -O909
O95

ICD-10-Mortality Manual 2c - 2014

O994
P000 -Q079
Q750 -Q799
Q860 -Q999
R270 -R278
R75

G9 Category

G900 Address

G900

G901 Address

G901

G902 Address

A520
M C000 -C33
C340 -C349
M C37 -D489
E049
M G08
G902
M G951
I630 -I6300
I633 -I6330
I676
I829
S000 -S199
M S345
M T062
T093
M T094
T144
M V010 -Y899

G903 Address

B200 -B24
G903
R75

G904 Address

G904
S120 -S127
S129 -S131
S134
S140 -S142

ICD-10-Mortality Manual 2c - 2014

S220 -S221
S240 -S242
T08
T093

G908 Address

A810
B200 -B24
E050 -E059
E104
E114
E124
E134
E144
E147 -E149
E349
E850 -E859
E880 -E889
G908
M100 -M109
R75

G909 Address

B200 -B24
E050 -E059
E100 -E149
E349
E850 -E859
E880 -E889
G20 -G219
G909
M100 -M109
R75

G910 Address

M A000 -B99
C710 -C729
C793 -C794
C80
M C810 -C97
D320 -D339
D369
D420 -D439
D489
E713
E750 -E756
G000 -G379
G450 -G459

ICD-10-Mortality Manual 2c - 2014

M G600
G608
G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969
Q000 -Q079
Q281
Q2830
Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G911 Address

M A000 -B99
C710 -C729
C793 -C794
C80
M C810 -C97
D320 -D339
D369
D420 -D439
D489
E713
E750 -E756
G000 -G379
G450 -G459
G600
M G608
G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969
Q000 -Q079
Q281
Q2830

ICD-10-Mortality Manual 2c - 2014

Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G912 Address

M A000 -B99
C710 -C729
C793 -C794
C80
M C810 -C97
D320 -D339
D369
D420 -D439
D489
E713
E750 -E756
G000 -G379
G450 -G459
G600
M G608
G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969
Q000 -Q079
Q281
Q2830
Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G913 Address

M A000 -B99
C710 -C729

ICD-10-Mortality Manual 2c - 2014

C793 -C794
C80
M C810 -C97
D320 -D339
D369
D420 -D439
D489
E713
E750 -E756
G000 -G379
G450 -G459
G600
M G608
G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969
Q000 -Q079
Q281
Q2830
Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G918 Address

M A000 -B99
C710 -C729
C793 -C794
C80
M C810 -C97
D320 -D339
D369
D420 -D439
D489
E713
E750 -E756
G000 -G379
G450 -G459
G600
M G608

ICD-10-Mortality Manual 2c - 2014

G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969
Q000 -Q079
Q281
Q2830
Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G919 Address

M A000 -B99
C710 -C729
C751
C793 -C794
M C798
C80
M C810 -C97
M D093
D320 -D339
D352
D369
D420 -D439
D443
D489
E713
E750 -E756
G000 -G379
G450 -G459
G600
M G608
G712
G800 -G809
G900 -G98
I600 -I709
I720
I728
M300 -M359
M P000 -P969

ICD-10-Mortality Manual 2c - 2014

Q000 -Q079
Q281
Q2830
Q760 -Q799
Q860 -Q999
R298
R75
S000 -S199
T900 -T909
M T910 -T919
M V010 -Y899

G92 Address

G92
N19
T360 -T659
T880 -T887
T96 -T97
M T983
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
M Y86 -Y872
Y880

G930 Address

B200 -B24
G930
K700 -K769
R75

G931 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

G932 Address

A000 -F199
M F200 -F99
G000 -G98
H600 -H749
H950 -J80

ICD-10-Mortality Manual 2c - 2014

M J82 -J989
K700 -K769
L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G933 Address

A800 -A89
B200 -B24
B348
G933
K700 -K769
R75

G934 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -J80
J82 -J989
K700 -K769
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609

ICD-10-Mortality Manual 2c - 2014

R630
R75
S000 -Y899

G935 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -J80
J82 -J989
K700 -K769
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G936 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -J80
J82 -J989
K700 -K769
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54

ICD-10-Mortality Manual 2c - 2014

R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G937 Address

B010 -B019
B948
E700 -E899
G937
J09 -J118
K700 -K769
T64
X49
X69
Y19
Y451

G938 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -I029
I090
I092 -I319
I400 -J80
J82 -J989
K700 -K769
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -T750
M T751
T752 -Y899

ICD-10-Mortality Manual 2c - 2014

G939 Address

	A000	-F199
M	F200	-F99
	G000	-G98
	H600	-H749
	H950	-J80
	J82	-J989
	K700	-K769
M	L00	-L989
	M000	-N399
	N700	-N889
	O000	-Q999
	R02	
	R040	-R049
	R060	-R068
	R090	-R092
	R291	
	R400	-R402
	R54	
	R560	-R5800
	R600	-R609
	R630	
	R75	
	S000	-Y899

G950 Address

G950

G951 Address

M	A000	-B99
	C000	-D489
M	D510	-D539
M	E530	-E539
	G000	-G129
	G950	-G959
	G961	
M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	
	I10	-I150
	I159	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499

ICD-10-Mortality Manual 2c - 2014

M	I513	
	I600	-I698
M	I700	
	I701	-I709
M	I741	
	I749	
M	I800	-I809
M	I821	-I829
M	M000	-M1990
	M300	-M359
	M45	-M549
	M800	-M819
	M840	-M844
	M870	
	M890	-M899
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-Q079
	Q250	-Q289
	Q850	-Q999
	R75	
M	S000	-Y899

G952 Address

M	A000	-B99
	C000	-D489
M	D510	-D539
M	E530	-E539
	G000	-G129
	G950	-G959
	G961	
	I10	-I150
	I159	
	I600	-I709

ICD-10-Mortality Manual 2c - 2014

I749
M M000 -M1990
M300 -M359
M45 -M549
M800 -M819
M840 -M844
M870
M890 -M899
P000 -Q079
Q250 -Q289
Q850 -Q999
R75
M S000 -Y899

G958 Address

M A000 -B99
C000 -D489
M D510 -D539
M E530 -E539
M F110 -F169
M F180 -F199
G000 -G129
G950 -G959
G961
I10 -I150
I159
I600 -I709
I749
M J390
M M000 -M1990
M300 -M359
M45 -M549
M800 -M819
M840 -M844
M870
M890 -M899
P000 -Q079
Q250 -Q289
Q850 -Q999
R75
M S000 -Y899

G959 Address

M A000 -B99
C000 -D489
M D510 -D539
M E530 -E539
G000 -G129

ICD-10-Mortality Manual 2c - 2014

G950 -G959
G961
I10 -I150
I159
I600 -I709
I749
M M000 -M1990
M300 -M359
M45 -M549
M800 -M819
M840 -M844
M870
M890 -M899
P000 -Q079
Q250 -Q289
Q850 -Q999
R75
M S000 -Y899

G960 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -I029
I090
I092 -I319
I400 -J80
J82 -J989
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G961 Address

A1690 -A179

ICD-10-Mortality Manual 2c - 2014

B200 -B24
G961
R75

G968 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -I029
I090
I092 -I319
I400 -J80
J82 -J989
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068
R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G969 Address

M A000 -F199
F200 -F99
G000 -G98
H600 -H749
H950 -I029
I090
I092 -I319
I400 -J80
J82 -J989
M L00 -L989
M000 -N399
N700 -N889
O000 -Q999
R02
R040 -R049
R060 -R068

ICD-10-Mortality Manual 2c - 2014

R090 -R092
R291
R400 -R402
R54
R560 -R5800
R600 -R609
R630
R75
S000 -Y899

G970 Address

G970
M Y848
M Y883

G971 Address

G971
M Y848
M Y883

G972 Address

G972
Y831 -Y832
M Y883

G978 Address

G978
Y600 -Y849
Y881
Y883

G979 Address

G979
Y600 -Y849
Y881
Y883

G98 Address

M A000 -F199
M F200 -F99
G000 -G98
H600 -H749
H950 -I029
I090
I092 -I319
I400 -J80

ICD-10-Mortality Manual 2c - 2014

	J82	-J989
M	L00	-L989
	M000	-N399
	N700	-N889
	O000	-Q999
	R02	
	R040	-R049
	R060	-R068
	R090	-R092
	R291	
	R400	-R402
	R54	
	R560	-R5800
	R600	-R609
	R630	
	R75	
	S000	-Y899

H

H0 Category

H050 Address

	A000	-F319
M	F320	-F339
	F340	-F429
M	F431	
M	F440	-F449
	F480	-F489
M	F531	
M	F54	
	F55	
M	F59	
	F600	-F61
	F680	-F79
	F840	-F849
	F99	-G419
	G450	-G459
M	G588	-G589
	G600	-H000
	H010	
M	H018	
	H050	
M	H058	
	H600	-H709
	H720	-H739
	H950	-J181
	J188	-J80

ICD-10-Mortality Manual 2c - 2014

J82 -J989
K050 -K054
K060
K102 -K103
K112 -K115
K140
K20 -L109
L120 -L279
L300 -L42
L440
L444
M L448 -L449
L510 -L569
L580 -L599
L710 -L719
L88
L920
L928 -L932
L945 -L949
L951
L980
M L982 -L984
M L988 -L989
M000 -N434
N700 -N889
N990 -Q999
R02
R75
M R788
S000 -Y899

H051 Address

B200 -B24
H051
R75

H052 Address

B200 -B24
H052
R75
M T455
M T457
M X44
M X64
M Y14

H053 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

H053
R75

H054 Address

B200 -B24
H054
R75

H055 Address

B200 -B24
H055
R75

H058 Address

B200 -B24
H058
R75

H059 Address

B200 -B24
H059
R75

H1 Category

H100 Address

H100
H161 -H162

H101 Address

H101
H161 -H162

H102 Address

H102
H161 -H162

H103 Address

H103
H161 -H162

H104 Address

H104
H161 -H162

H105 Address

H105
H161 -H162

H108 Address

H108
H161 -H162

H109 Address

H109
H161 -H162

H111 Address

E509
H111

H160 Address

B059
E509
H160

H161 Address

B059
H161

H162 Address

B059
H162

H163 Address

B059
H163

H164 Address

B059
H164

H168 Address

B059
E509
H168

H169 Address

B059
H169

H178 Address

E100 -E149
E509
H178

H179 Address

E100 -E149
H179

H184 Address

E509
H184

H188 Address

E509
H188

H2 Category

H200 Address

B589
E100 -E149
H200

H201 Address

B589
E100 -E149
H201

H202 Address

B589
H202

H208 Address

B589
E100 -E149
H208

H209 Address

B589
E100 -E149
H209

H262 Address

M A1690
M B200 -B24
H200 -H209
H262
M R75

H264 Address

M A1690
M B200 -B24
E100 -E149
E160 -E162
E711
E742
E830
E835
H264
H269
H579
R54
M R75
T66
Y493
Y540
Y576

H268 Address

H268
H409

H269 Address

M A1690
M B200 -B24
E100 -E149
E160 -E162
E711
E742
E830
E835
H269

ICD-10-Mortality Manual 2c - 2014

M R54
R75
T66
Y493
Y540
Y576

H3 Category

H300 Address

M A165
A1690
A185
A500
A502
A509
M A514
A519
M A527
A529
A539
M B200 -B24
E100 -E149
H300
H302 -H309
M R75

H301 Address

M A165
A1690
A185
A500
A502
A509
M A514
A519
M A527
A529
A539
M B200 -B24
E100 -E149
H301 -H309
M R75

H302 Address

M A165
A1690
A185

ICD-10-Mortality Manual 2c - 2014

A500
A502
A509
M A514
A519
M A527
A529
A539
M B200 -B24
E100 -E149
H302 -H309
M R75

H308 Address

A165
M A1690
A185
A500
A502
A509
M A514
A519
M A527
A529
A539
M B200 -B24
E100 -E149
H302 -H309
M R75

H309 Address

A165
M A1690
A185
A500
A502
A509
M A514
A519
M A527
A529
A539
M B200 -B24
E100 -E149
H302 -H309
I700 -I702
I709
M R75

H332 Address

H332
H352

H340 Address

E100 -E149
H340
M I011
M I020
M I050 -I069
M I080 -I089
M I091
M I330 -I359
M I38
M I423 -I424
M I48 -I499
M I513
M I700
M I741
M I800 -I809
M I821 -I829
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
M O60 -O849
M O871
M O879
M O994
M T801
M T817
M T828
M T838
M T848
M T858
M Y600 -Y849

H341 Address

ICD-10-Mortality Manual 2c - 2014

	E100	-E149
	H341	
M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
M	I741	
M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
M	T801	
M	T817	
M	T828	
M	T838	
M	T848	
M	T858	
M	Y600	-Y849

H342 Address

	E100	-E149
	H342	
M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	

ICD-10-Mortality Manual 2c - 2014

M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
M	I741	
M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
M	T801	
M	T817	
M	T828	
M	T838	
M	T848	
M	T858	
M	Y600	-Y849

H348 Address

	E100	-E149
	H348	
M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
M	I741	

ICD-10-Mortality Manual 2c - 2014

M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
M	T801	
M	T817	
M	T828	
M	T838	
M	T848	
M	T858	
M	Y600	-Y849

H349 Address

	E100	-E149
	H349	
M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
M	I741	
M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	

ICD-10-Mortality Manual 2c - 2014

M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
M 060 -O849
M 0871
M 0879
M 0994
M T801
M T817
M T828
M T838
M T848
M T858
M Y600 -Y849

H350 Address

A1690
A185
B200 -B24
E100 -E149
H350
I10
I159
I700 -I709
R75

H352 Address

A1690
A185
B200 -B24
E100 -E149
H352
I10
I159
I700 -I709
R75

H356 Address

E100 -E149
H356
M T455
M T457
M X44

ICD-10-Mortality Manual 2c - 2014

M X64
M Y14

H359 Address

A1690
A185
B200 -B24
E100 -E149
H359
I10
I159
I700 -I709
R75

H4 Category

H409 Address

A1690
A539
M B200 -B24
H209
H409
H440
M R75

H440 Address

A010 -C148
C300 -C329
C410 -C411
C430 -C434
C440 -C444
C462
M C467
C490
C690 -C729
C792 -C794
M C795 -C798
D100 -D119
D164 -D165
D210
D220 -D224
D230 -D234
D310 -D339
D860 -D869
H000 -H019
H160 -H169
H200 -H209
H300 -H319

ICD-10-Mortality Manual 2c - 2014

H440 -H441
M H600
M J340
M K122
L020 -L021
L032
M L038
L890 -L899
M320 -M359
R75

H441 Address

B200 -B24
H441
R75

H442 Address

B200 -B24
H442
R75

H443 Address

B200 -B24
H443
R75

H444 Address

B200 -B24
H444
R75

H445 Address

B200 -B24
H445
R75

H446 Address

B200 -B24
H446
R75

H447 Address

B200 -B24
H447
R75

H448 Address

B200 -B24
H448
R75
M T455
M T457
M X44
M X64
M Y14

H449 Address

B200 -B24
H449
R75

H471 Address

M A1690
M A520 -A521
M A527
A539
M B200 -B24
G910 -G919
H471
M R75

H490 Address

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329
A390 -A419
A440 -A449
A500 -A539
A548
A680 -A689
A750 -A99
B003 -B004
M B010 -B019
B020 -B022
B03
B050 -B051
B060

ICD-10-Mortality Manual 2c - 2014

	B200	-B24
	B261	-B262
	B451	
	B457	
	B500	-B64
	B89	-B908
	B91	
	B941	
	B948	-B99
M	C000	-C699
	C700	-C729
M	C73	-C792
	C793	-C795
M	C798	
	C80	-C969
M	C97	
	D166	
	D320	-D339
	D420	-D439
M	D480	-D481
M	D487	
	D489	
M	D860	-D869
	G000	-G379
	G450	-G459
	G520	-G98
	H490	-H499
M	H590	-H599
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M889
	M894	
	M910	-M939
	M961	
	N000	-N399
	N990	-N991
	N994	-N999
	O100	-O11
	O13	-O16
	O225	
	O292	
	O743	
	O873	

ICD-10-Mortality Manual 2c - 2014

O892
M O970 -O979
P000 -Q079
Q750 -Q999
R270 -R278
R75
S010 -S029
S040 -S049
S060 -S091
S097 -S099
S110 -S129
S140 -S199
S220 -S221
S230 -S231
S240 -S242
S310
S320 -S322
S328
S340 -S348
S381
S383 -S390
S397 -S398
T07 -T08
T093 -T094
T560
T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H491 Address

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329
A390 -A419
A440 -A449
A500 -A539
A548
A680 -A689
A750 -A99
B003 -B004
M B010 -B019

ICD-10-Mortality Manual 2c - 2014

	B020	-B022
	B03	
	B050	-B051
	B060	
	B200	-B24
	B261	-B262
	B451	
	B457	
	B500	-B64
	B89	-B908
	B91	
	B941	
	B948	-B99
M	C000	-C699
	C700	-C729
M	C73	-C792
	C793	-C795
M	C798	
	C80	-C969
M	C97	
	D166	
	D320	-D339
	D420	-D439
M	D480	-D481
M	D487	
	D489	
M	D860	-D869
	G000	-G379
	G450	-G459
	G520	-G98
	H490	-H499
M	H590	-H599
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M889
	M894	
	M910	-M939
	M961	
	N000	-N399
	N990	-N991
	N994	-N999
	O100	-O11
	O13	-O16

ICD-10-Mortality Manual 2c - 2014

O225
O292
O743
O873
O892
M O970 -O979
P000 -Q079
Q750 -Q999
R270 -R278
R75
S010 -S029
S040 -S049
S060 -S091
S097 -S099
S110 -S129
S140 -S199
S220 -S221
S230 -S231
S240 -S242
S310
S320 -S322
S328
S340 -S348
S381
S383 -S390
S397 -S398
T07 -T08
T093 -T094
T560
T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H492 Address

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329
A390 -A419
A440 -A449
A500 -A539
A548

ICD-10-Mortality Manual 2c - 2014

	A680	-A689
	A750	-A99
M	B003	-B004
	B010	-B019
	B020	-B022
	B03	
	B050	-B051
	B060	
	B200	-B24
	B261	-B262
	B451	
	B457	
	B500	-B64
	B89	-B908
	B91	
	B941	
	B948	-B99
M	C000	-C699
	C700	-C729
M	C73	-C792
	C793	-C795
M	C798	
	C80	-C969
M	C97	
	D166	
	D320	-D339
	D420	-D439
M	D480	-D481
M	D487	
	D489	
M	D860	-D869
	G000	-G379
	G450	-G459
	G520	-G98
	H490	-H499
M	H590	-H599
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M889
	M894	
	M910	-M939
	M961	
	N000	-N399

ICD-10-Mortality Manual 2c - 2014

N990 -N991
N994 -N999
O100 -O11
O13 -O16
O225
O292
O743
O873
O892
M O970 -O979
P000 -Q079
Q750 -Q999
R270 -R278
R75
S010 -S029
S040 -S049
S060 -S091
S097 -S099
S110 -S129
S140 -S199
S220 -S221
S230 -S231
S240 -S242
S310
S320 -S322
S328
S340 -S348
S381
S383 -S390
S397 -S398
T07 -T08
T093 -T094
T560
T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H493 Address

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329

ICD-10-Mortality Manual 2c - 2014

	A390	-A419
	A440	-A449
	A500	-A539
	A548	
	A680	-A689
	A750	-A99
M	B003	-B004
	B010	-B019
	B020	-B022
	B03	
	B050	-B051
	B060	
	B200	-B24
	B261	-B262
	B451	
	B457	
	B500	-B64
	B89	-B908
	B91	
	B941	
M	B948	-B99
M	C000	-C699
	C700	-C729
M	C73	-C792
	C793	-C795
M	C798	
	C80	-C969
M	C97	
	D166	
	D320	-D339
	D420	-D439
M	D480	-D481
M	D487	
	D489	
M	D860	-D869
	G000	-G379
	G450	-G459
	G520	-G98
	H490	-H499
M	H590	-H599
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M889

ICD-10-Mortality Manual 2c - 2014

M894
M910 -M939
M961
N000 -N399
N990 -N991
N994 -N999
O100 -O11
O13 -O16
O225
O292
O743
O873
O892
M O970 -O979
P000 -Q079
Q750 -Q999
R270 -R278
R75
S010 -S029
S040 -S049
S060 -S091
S097 -S099
S110 -S129
S140 -S199
S220 -S221
S230 -S231
S240 -S242
S310
S320 -S322
S328
S340 -S348
S381
S383 -S390
S397 -S398
T07 -T08
T093 -T094
T560
T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H494 Address

A022
A066
M A1690
A170 -A179

ICD-10-Mortality Manual 2c - 2014

M	A180
	A260 -A269
	A280 -A289
	A320 -A329
	A390 -A419
	A440 -A449
	A500 -A539
	A548
	A680 -A689
	A750 -A99
	B003 -B004
M	B010 -B019
	B020 -B022
	B03
	B050 -B051
	B060
	B200 -B24
	B261 -B262
	B451
	B457
	B500 -B64
	B89 -B908
	B91
	B941
	B948 -B99
M	C000 -C699
	C700 -C729
M	C73 -C792
	C793 -C795
M	C798
	C80 -C969
M	C97
	D166
	D320 -D339
	D420 -D439
M	D480 -D481
M	D487
	D489
M	D860 -D869
	G000 -G379
	G450 -G459
	G520 -G98
	H490 -H499
M	H590 -H599
	I10
	I159
	I600 -I709
M	I748
M	J108
M	J118

ICD-10-Mortality Manual 2c - 2014

M000 -M1990
M420 -M429
M45 -M519
M860 -M889
M894
M910 -M939
M961
N000 -N399
N990 -N991
N994 -N999
O100 -O11
O13 -O16
O225
O292
O743
O873
O892
M O970 -O979
P000 -Q079
Q750 -Q999
R270 -R278
R75
S010 -S029
S040 -S049
S060 -S091
S097 -S099
S110 -S129
S140 -S199
S220 -S221
S230 -S231
S240 -S242
S310
S320 -S322
S328
S340 -S348
S381
S383 -S390
S397 -S398
T07 -T08
T093 -T094
T560
T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H498 Address

ICD-10-Mortality Manual 2c - 2014

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329
A390 -A419
A440 -A449
A500 -A539
A548
A680 -A689
A750 -A99
M B003 -B004
B010 -B019
B020 -B022
B03
B050 -B051
B060
B200 -B24
B261 -B262
B451
B457
B500 -B64
B89 -B908
B91
B941
B948 -B99
M C000 -C699
C700 -C729
M C73 -C792
C793 -C795
M C798
C80 -C969
M C97
D166
D320 -D339
D420 -D439
M D480 -D481
M D487
D489
M D860 -D869
G000 -G379
G450 -G459
G520 -G98
M H490 -H499
H590 -H599
I10
I159

ICD-10-Mortality Manual 2c - 2014

	I600 -I709
M	I748
M	J108
M	J118
	M000 -M1990
	M420 -M429
	M45 -M519
	M860 -M889
	M894
	M910 -M939
	M961
	N000 -N399
	N990 -N991
	N994 -N999
	O100 -O11
	O13 -O16
	O225
	O292
	O743
	O873
	O892
M	O970 -O979
	P000 -Q079
	Q750 -Q999
	R270 -R278
	R75
	S010 -S029
	S040 -S049
	S060 -S091
	S097 -S099
	S110 -S129
	S140 -S199
	S220 -S221
	S230 -S231
	S240 -S242
	S310
	S320 -S322
	S328
	S340 -S348
	S381
	S383 -S390
	S397 -S398
	T07 -T08
	T093 -T094
	T560
	T800 -T911
	T913
	T918 -T919
M	T97
	T983

ICD-10-Mortality Manual 2c - 2014

M V010 -Y899

H499 Address

A022
A066
M A1690
A170 -A179
M A180
A260 -A269
A280 -A289
A320 -A329
A390 -A419
A440 -A449
A500 -A539
A548
A680 -A689
A750 -A99
B003 -B004
M B010 -B019
B020 -B022
B03
B050 -B051
B060
B200 -B24
B261 -B262
B451
B457
B500 -B64
B89 -B908
B91
B941
B948 -B99
M C000 -C699
C700 -C729
M C73 -C792
C793 -C795
M C798
C80 -C969
M C97
D166
D320 -D339
D420 -D439
M D480 -D481
M D487
D489
M D860 -D869
E100 -E149
G000 -G379
G450 -G459

ICD-10-Mortality Manual 2c - 2014

	G520	-G98
	H490	-H499
M	H590	-H599
	I10	
	I159	
	I600	-I709
M	I748	
M	J108	
M	J118	
	M000	-M1990
	M420	-M429
	M45	-M519
	M860	-M889
	M894	
	M910	-M939
	M961	
	N000	-N399
	N990	-N991
	N994	-N999
	O100	-O11
	O13	-O16
	O225	
	O292	
	O743	
	O873	
	O892	
M	O970	-O979
	P000	-Q079
	Q750	-Q999
	R270	-R278
	R75	
	S010	-S029
	S040	-S049
	S060	-S091
	S097	-S099
	S110	-S129
	S140	-S199
	S220	-S221
	S230	-S231
	S240	-S242
	S310	
	S320	-S322
	S328	
	S340	-S348
	S381	
	S383	-S390
	S397	-S398
	T07	-T08
	T093	-T094
	T560	

ICD-10-Mortality Manual 2c - 2014

T800 -T911
T913
T918 -T919
M T97
T983
M V010 -Y899

H5 Category

H531 Address

E509
H531

H534 Address

M A1690
M A539
M B200 -B24
H534
I600 -I698
M R75

H536 Address

E509
H536

H540 Address

M A1690
B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
F449
H400 -H409
H540
R54
R75

H541 Address

B200 -B24
C690 -C729
C793 -C794

ICD-10-Mortality Manual 2c - 2014

C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H541
R75

H542 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H542
R75

H543 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H543
R75

H544 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489

ICD-10-Mortality Manual 2c - 2014

E100 -E149
H544
R75

H545 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H545
R75

H546 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H546
R75

H549 Address

B200 -B24
C690 -C729
C793 -C794
C80
D092
D310 -D339
D369
D420 -D439
D489
E100 -E149
H549
R75

H590 Address

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
H590
M R75
Y830 -Y832
Y834
Y836 -Y839
M Y883

H598 Address

M B200 -B24
H598
M R75
Y600 -Y849
Y881
Y883

H599 Address

M B200 -B24
H599
M R75
Y600 -Y849
Y881
Y883

H6 Category

H650 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836

ICD-10-Mortality Manual 2c - 2014

M	C838	-C841
M	C857	-C859
M	C914	
M	C960	-C969
M	D023	
M	D140	
M	D385	-D386
	H600	-H709
	H720	-H739
	H950	-H959
	J00	-J989
M	R75	
	R788	
	Y400	-Y599

H651 Address

M	A150	-A153
M	A160	-A162
M	A164	
M	A169	
	A1690	
	A186	
	A35	-A419
	A46	
	A70	
	B050	-B059
	B084	-B085
M	B088	
M	B200	-B24
	B260	-B279
	B330	-B332
M	B341	
	C300	-C319
M	C783	
M	C798	
M	C820	-C829
M	C836	
M	C838	-C841
M	C857	-C859
M	C914	
M	C960	-C969
M	D023	
M	D140	
M	D385	-D386
	H600	-H709
	H720	-H739
	H950	-H959
	J00	-J989
M	R75	

ICD-10-Mortality Manual 2c - 2014

R788
Y400 -Y599

H652 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H653 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419

ICD-10-Mortality Manual 2c - 2014

A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H654 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798

ICD-10-Mortality Manual 2c - 2014

M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H659 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959

ICD-10-Mortality Manual 2c - 2014

M J00 -J989
R75
R788
Y400 -Y599

H660 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H661 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690

ICD-10-Mortality Manual 2c - 2014

A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H662 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319

ICD-10-Mortality Manual 2c - 2014

M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H663 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709

ICD-10-Mortality Manual 2c - 2014

H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H664 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H669 Address

M A150 -A153
M A160 -A162
M A164

ICD-10-Mortality Manual 2c - 2014

M A169
A1690
A186
A35 -A419
A46
A70
B050 -B059
B084 -B085
M B088
M B200 -B24
B260 -B279
B330 -B332
M B341
C300 -C319
M C783
M C798
M C820 -C829
M C836
M C838 -C841
M C857 -C859
M C914
M C960 -C969
M D023
M D140
M D385 -D386
H600 -H709
H720 -H739
H950 -H959
J00 -J989
M R75
R788
Y400 -Y599

H680 Address

B200 -B24
H680
R75

H681 Address

B200 -B24
H681
R75

H690 Address

B200 -B24
H690
R75

H698 Address

B200 -B24
H698
R75

H699 Address

B200 -B24
H699
R75

H7 Category

H700 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457
C462
M C470
M C810 -C969
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836

H701 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457

ICD-10-Mortality Manual 2c - 2014

C462
M C470
M C810 -C969
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836

H702 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457
C462
M C470
M C810 -C969
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836

H708 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457
C462
M C470

ICD-10-Mortality Manual 2c - 2014

M C810 -C969
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836

H709 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457
C462
M C470
M C810 -C969
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836

H71 Address

B200 -B24
H71
R75

H720 Address

B200 -B24
H720
R75

H721 Address

B200 -B24
H721
R75

H722 Address

B200 -B24
H722
R75

H728 Address

B200 -B24
H728
R75

H729 Address

B200 -B24
H729
R75

H730 Address

B200 -B24
H730
R75

H731 Address

B200 -B24
H731
R75

H738 Address

B200 -B24
H738
R75

H739 Address

B200 -B24
H739
R75

H740 Address

B200 -B24
H740
R75

H741 Address

B200 -B24
H741

ICD-10-Mortality Manual 2c - 2014

R75

H742 Address

B200 -B24
H742
R75

H743 Address

B200 -B24
H743
R75

H744 Address

B200 -B24
H744
R75

H748 Address

B200 -B24
H748
R75

H749 Address

B200 -B24
H749
R75

H8 Category

H810 Address

B200 -B24
H810
R75

H811 Address

B200 -B24
H811
R75

H812 Address

B200 -B24
H812
R75

H813 Address

B200 -B24
H813
R75

H814 Address

B200 -B24
H814
R75

H818 Address

B200 -B24
H818
R75

H819 Address

B200 -B24
H819
R75

H830 Address

M A1690
A539
M B200 -B24
H700 -H709
H830
H950 -H951
M H958
M R75

H831 Address

B200 -B24
H831
R75

H832 Address

B200 -B24
H832
R75

H9 Category

H950 Address

M B200 -B24

ICD-10-Mortality Manual 2c - 2014

H950
M R75
M Y836
M Y883

H951 Address

M A150 -A153
M A160 -A162
M A164
M A169
A1690
M A180
B200 -B24
C000 -C148
M C411
M C457
C462
M C470
H600 -H709
H720 -H739
H950 -H959
J00
J060 -J069
J399
R75
M Y836
M Y883

H958 Address

M B200 -B24
H958
M R75
Y600 -Y849
Y881
Y883

H959 Address

M B200 -B24
H959
M R75
Y600 -Y849
Y881
Y883

I

I0 Category

I00 Address

A38
A400 -A409
M B948
I00
J020
J030
J039

I010 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I011 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I012 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I018 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I019 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I020 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I029 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I050 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I051 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I052 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I058 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I059 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I060 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I061 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I062 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I068 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I069 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I070 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I071 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I072 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I078 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I079 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I080 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I081 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I082 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I083 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I088 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I089 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I090 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I091 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I092 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I098 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I099 Address

A38
A400 -A409
M B948
I00 -I099
J020
J030
J039

I1 Category

I10 Address

A181
A187
M A188
M A500 -A539
B200 -B24
B901
M C000 -C639

ICD-10-Mortality Manual 2c - 2014

	C64	-C65
M	C66	-C688
	C689	
M	C690	-C729
	C73	-C768
	C790	-C791
	C797	
M	C798	
	C880	
M	C97	-D092
	D093	
M	D097	-D299
	D300	-D301
M	D302	-D307
	D309	
M	D310	-D339
	D34	-D359
M	D360	-D409
	D410	-D411
M	D412	-D417
	D419	
M	D420	-D439
	D440	-D45
M	D472	
M	D487	-D489
	D800	-E279
	E660	-E669
	E700	-E839
	E880	-E889
	F100	-F109
	I10	
	I159	
	I250	-I259
	I270	-I279
	I514	-I516
	I700	-I709
	I722	
	I788	
	J430	-J439
	K800	-K801
	K803	-K804
	K810	-K819
	K830	
	L930	-L932
	M300	-M308
	M320	-M359
	N000	-N289
	N390	
	Q200	-Q289
	Q600	-Q649

ICD-10-Mortality Manual 2c - 2014

Q891 -Q892
R54
R75
T887
X44

I110 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10 -I110
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830

ICD-10-Mortality Manual 2c - 2014

L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I119 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10
I119
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709

ICD-10-Mortality Manual 2c - 2014

I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I120 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889

ICD-10-Mortality Manual 2c - 2014

I10
I120
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I129 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439

ICD-10-Mortality Manual 2c - 2014

D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10
I129
I150
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I130 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307

ICD-10-Mortality Manual 2c - 2014

D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10
I130
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I131 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791

ICD-10-Mortality Manual 2c - 2014

M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10
I131
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I132 Address

ICD-10-Mortality Manual 2c - 2014

	A181	
	A187	
M	A188	
M	A500	-A539
	B901	
M	C000	-C768
M	C790	-C791
M	C797	-C798
M	C880	
M	C97	-D092
	D093	
M	D097	-D299
	D300	-D301
M	D302	-D307
	D309	
M	D310	-D339
	D34	-D359
M	D360	-D409
	D410	-D411
M	D412	-D417
	D419	
M	D420	-D439
	D440	-D45
M	D472	
M	D487	-D489
	D800	-E279
	E660	-E669
	E700	-E839
	E880	-E889
	I10	
	I132	
	I159	
	I250	-I259
	I270	-I279
	I514	-I516
	I700	-I709
	I722	
	I788	
	J430	-J439
	K800	-K801
	K803	-K804
	K810	-K819
	K830	
	L930	-L932
	M300	-M308
	M320	-M359
	N000	-N289
	N390	
	Q200	-Q289
	Q600	-Q649

ICD-10-Mortality Manual 2c - 2014

Q891 -Q892
R54
T887
X44

I139 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C768
M C790 -C791
M C797 -C798
M C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10
I139
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830

ICD-10-Mortality Manual 2c - 2014

L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I150 Address

A181
A187
M A188
M A500 -A539
B901
M C000 -C639
C64 -C65
M C66 -C688
C689
M C690 -C729
C73 -C768
C790 -C791
C797
M C798
C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
I10 -I150

ICD-10-Mortality Manual 2c - 2014

I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
T887
X44

I151 Address

C64 -C65
C790
M D091
D300 -D301
D410 -D411
I151
N000 -N289
Q600 -Q619
M Q623
Q630 -Q639

I152 Address

C73 -C759
C797
M C798
D093
D34 -D359
D440 -D449
E000 -E349
I152
Q891 -Q892

I158 Address

A181

ICD-10-Mortality Manual 2c - 2014

	A187	
M	A188	
M	A500	-A539
	B200	-B24
	B901	
M	C000	-C639
	C64	-C65
M	C66	-C688
	C689	
M	C690	-C729
	C73	-C768
	C790	-C791
	C797	
M	C798	
	C880	
M	C97	-D092
	D093	
M	D097	-D299
	D300	-D301
M	D302	-D307
	D309	
M	D310	-D339
	D34	-D359
M	D360	-D409
	D410	-D411
M	D412	-D417
	D419	
M	D420	-D439
	D440	-D45
M	D472	
M	D487	-D489
	D800	-E279
	E660	-E669
	E700	-E839
	E880	-E889
	I10	
	I158	
	I250	-I259
	I270	-I279
	I514	-I516
	I700	-I709
	I722	
	I788	
	J430	-J439
	K800	-K801
	K803	-K804
	K810	-K819
	K830	
	L930	-L932
	M300	-M308

ICD-10-Mortality Manual 2c - 2014

M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
R75
T887
X44

I159 Address

A181
A187
M A188
M A500 -A539
B200 -B24
B901
M C000 -C639
C64 -C65
M C66 -C688
C689
M C690 -C729
C73 -C768
C790 -C791
C797
M C798
C880
M C97 -D092
D093
M D097 -D299
D300 -D301
M D302 -D307
D309
M D310 -D339
D34 -D359
M D360 -D409
D410 -D411
M D412 -D417
D419
M D420 -D439
D440 -D45
M D472
M D487 -D489
D800 -E279
E660 -E669
E700 -E839
E880 -E889
F100 -F109

ICD-10-Mortality Manual 2c - 2014

I110 -I139
I159
I250 -I259
I270 -I279
I514 -I516
I700 -I709
I722
I788
J430 -J439
K800 -K801
K803 -K804
K810 -K819
K830
L930 -L932
M300 -M308
M320 -M359
N000 -N289
N390
Q200 -Q289
Q600 -Q649
Q891 -Q892
R54
R75
T887
X44

I2 Category

I200 Address

M A000 -A099
A181
A200 -B89
B908 -B949
D500 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97

ICD-10-Mortality Manual 2c - 2014

L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I201 Address

M A000 -A099
M A181
A200 -B89
B908 -B949
D500 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I519
I700 -J80
J82 -J989
K20 -K929

ICD-10-Mortality Manual 2c - 2014

L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I208 Address

M A000 -A099
A181
A200 -B89
B908 -B949
D500 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I519
I700 -J80

ICD-10-Mortality Manual 2c - 2014

	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	
	R688	-R799
M	R826	
M	R893	
	S000	-Y899

I209 Address

	A000	-A099
M	A181	
	A200	-B89
	B908	-B949
	D500	-E899
	F100	-F199
	G000	-G419
	G450	-G459
	G500	-G729
	G900	-G98
	H650	-H839
	I00	-I069
	I080	-I083
	I10	-I359

ICD-10-Mortality Manual 2c - 2014

I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
M R688 -R799
M R826
M R893
S000 -Y899

I210 Address

M A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
F430 -F439
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I010

ICD-10-Mortality Manual 2c - 2014

M	I011	
	I012	-I019
M	I020	
	I029	
M	I050	-I069
M	I080	-I089
M	I091	
	I10	-I319
M	I330	-I359
M	I38	
	I400	-I4220
M	I423	-I424
	I425	-I479
	I500	-I512
M	I513	
	I514	-I669
	I690	-I698
M	I700	
	I701	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849

ICD-10-Mortality Manual 2c - 2014

M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	
	R688	-R799
M	R826	
M	R893	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y599
M	Y600	-Y849
	Y850	-Y899

I211 Address

	A000	-A099
M	A181	
	A200	-B89
	B908	-E899
	F100	-F199
	F430	-F439
	G000	-G419
	G450	-G459

ICD-10-Mortality Manual 2c - 2014

	G500	-G729
	G900	-G98
	H650	-H839
	I00	-I010
M	I011	
	I012	-I019
M	I020	
	I029	
M	I050	-I069
M	I080	-I089
M	I091	
	I10	-I319
M	I330	-I359
M	I38	
	I400	-I4220
M	I423	-I424
	I425	-I479
	I500	-I512
M	I513	
	I514	-I669
	I690	-I698
M	I700	
	I701	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	

ICD-10-Mortality Manual 2c - 2014

M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	
	R688	-R799
M	R826	
M	R893	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y599
M	Y600	-Y849
	Y850	-Y899

I212 Address

	A000	-A099
M	A181	
	A200	-B89
	B908	-E899

ICD-10-Mortality Manual 2c - 2014

	F100	-F199
	F430	-F439
	G000	-G419
	G450	-G459
	G500	-G729
	G900	-G98
	H650	-H839
	I00	-I010
M	I011	
	I012	-I019
M	I020	
	I029	
M	I050	-I069
M	I080	-I089
M	I091	
	I10	-I319
M	I330	-I359
M	I38	
	I400	-I4220
M	I423	-I424
	I425	-I479
	I500	-I512
M	I513	
	I514	-I669
	I690	-I698
M	I700	
	I701	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	

ICD-10-Mortality Manual 2c - 2014

M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
M 060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y599
M Y600 -Y849
Y850 -Y899

I213 Address

ICD-10-Mortality Manual 2c - 2014

	A000	-A099
M	A181	
	A200	-B89
	B908	-E899
	F100	-F199
	F430	-F439
	G000	-G419
	G450	-G459
	G500	-G729
	G900	-G98
	H650	-H839
	I00	-I010
M	I011	
	I012	-I019
M	I020	
	I029	
M	I050	-I069
M	I080	-I089
M	I091	
	I10	-I319
M	I330	-I359
M	I38	
	I400	-I4220
M	I423	-I424
	I425	-I479
	I500	-I512
M	I513	
	I514	-I669
	I690	-I698
M	I700	
	I701	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
M	O033	
M	O038	

ICD-10-Mortality Manual 2c - 2014

M 0043
M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
M 060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y599
M Y600 -Y849

ICD-10-Mortality Manual 2c - 2014

Y850 -Y899

I214 Address

A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
F430 -F439
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I010
M I011
I012 -I019
M I020
I029
M I050 -I069
M I080 -I089
M I091
I10 -I319
M I330 -I359
M I38
I400 -I4220
M I423 -I424
I425 -I479
I500 -I512
M I513
I514 -I669
I690 -I698
M I700
I701 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399

ICD-10-Mortality Manual 2c - 2014

	N600	-N96
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	
	R688	-R799
M	R826	
M	R893	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	

ICD-10-Mortality Manual 2c - 2014

M T849 -T857
T858
T859 -Y599
M Y600 -Y849
Y850 -Y899

I219 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
F430 -F439
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I010
I012 -I019
I029
I10 -I319
I400 -I4220
I425 -I479
I500 -I512
I514 -I669
I690 -I698
I701 -I740
I742 -I789
I81 -I820
I830 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799

ICD-10-Mortality Manual 2c - 2014

Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y599
Y850 -Y899

I2190 Address

B200 -B24
I011
I020
I050 -I069
I080 -I089
I091
I2190
M I330 -I339
I340 -I359
I38
I423 -I424
I48 -I499
M I513
I700
M I741
M I800 -I809
M I821 -I829
M O033
M O038
M O043

ICD-10-Mortality Manual 2c - 2014

M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
O60 -O849
M 0871
M 0879
M 0994
R75
M T801
M T817
M T828
M T838
M T848
M T858
Y600 -Y849

I220 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I669
I690 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96

ICD-10-Mortality Manual 2c - 2014

N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I221 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I669
I690 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399

ICD-10-Mortality Manual 2c - 2014

N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I228 Address

A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I669
I690 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959

ICD-10-Mortality Manual 2c - 2014

N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I229 Address

M A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I669
I690 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549

ICD-10-Mortality Manual 2c - 2014

M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I230 Address

I210 -I2190
I230

I231 Address

I210 -I2190
I231

I232 Address

I210 -I2190
I232

I233 Address

I210 -I2190
I233

I234 Address

I210 -I2190
I234

I235 Address

I210 -I2190
I235

I236 Address

I210 -I2190
I236

I238 Address

I210 -I2190
I238

I240 Address

A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
F430 -F439
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I010
M I011
I012 -I019
M I020
I029
M I050 -I069
M I080 -I089
M I091
I10 -I319
M I330 -I359
M I38
I400 -I4220
M I423 -I424
I425 -I479
M I48 -I499
I500 -I512
M I513
I514 -I669
I690 -I698
M I700
I701 -I740
M I741

ICD-10-Mortality Manual 2c - 2014

	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q079
	Q200	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	

ICD-10-Mortality Manual 2c - 2014

	R688	-R799
M	R826	
M	R893	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y599
M	Y600	-Y849
	Y850	-Y899

I241 Address

	A000	-A099
M	A181	
	A200	-B89
	B908	-E899
	F100	-F199
	G000	-G419
	G450	-G459
	G500	-G729
	G900	-G98
	H650	-H839
	I00	-I029
	I10	-I339
	I400	-I519
	I700	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246

ICD-10-Mortality Manual 2c - 2014

M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I248 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I029
I10 -I339
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246

ICD-10-Mortality Manual 2c - 2014

M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I249 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I029
I10 -I339
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246

ICD-10-Mortality Manual 2c - 2014

M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I250 Address

M A000 -A539
A679
E000 -E0390
E050 -E279
E320 -E329
E660 -E669
M E678
E700 -E859
M E880 -E889
E890
E892 -E893
F170 -F179
I10 -I150
I159
I250
M I270
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109
M300 -M359
N000 -N289
N390
M Q200 -Q219
M Q240 -Q279
M Q288 -Q289
Q600 -Q639
R54

I251 Address

M A500 -A539
A679
E000 -E0390
E050 -E279
E320 -E329
E660 -E669
M E678
E700 -E859
M E880 -E889
E890
E892 -E893
F170 -F179
I10 -I150
I159
I251
I259
M I270
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109
M300 -M359
N000 -N289
N390
M Q200 -Q219
M Q240 -Q279
M Q288 -Q289
Q600 -Q639
R54

I252 Address

A000 -A099
M A181
A200 -B89
B908 -C148
C300 -C783
C790 -D000
D020 -D119
D140 -D370
D380 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839

ICD-10-Mortality Manual 2c - 2014

	I00	-I069
	I080	-I083
	I10	-I359
	I400	-I519
	I700	-J80
	J82	-J989
	K20	-K929
	L890	-L899
	L97	
	L984	
	M000	-M1990
	M300	-M549
	M800	-M959
	N000	-N399
	N600	-N96
	N990	-N999
	P000	-P049
	P100	-Q079
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q349
	Q380	-Q459
	Q600	-Q799
	Q850	-R098
	R11	
	R160	-R18
	R222	
	R300	-R398
	R502	-R509
	R53	-R54
	R560	-R609
	R634	-R635
	R64	
	R688	-R799
M	R826	
M	R893	
	S000	-Y899

I253 Address

M	A500	-A539
	A679	
	E000	-E0390
	E050	-E279
	E320	-E329
	E660	-E669
M	E678	
	E700	-E859
M	E880	-E889

ICD-10-Mortality Manual 2c - 2014

E890
E892 -E893
F170 -F179
I050 -I069
I080 -I083
I10 -I150
I159
I250 -I259
I270
I340 -I359
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109
M300 -M359
N000 -N289
N390
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q279
M Q288 -Q289
Q600 -Q639
R54

I254 Address

M A500 -A539
A679
E000 -E0390
E050 -E279
E320 -E329
E660 -E669
M E678
E700 -E859
M E880 -E889
E890
E892 -E893
F170 -F179
I050 -I069
I080 -I083
I10 -I150
I159
I250 -I259
I270
I340 -I359
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109

ICD-10-Mortality Manual 2c - 2014

M300 -M359
N000 -N289
N390
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q279
M Q288 -Q289
Q600 -Q639
R54

I255 Address

M A500 -A539
A679
B200 -B24
E000 -E0390
E050 -E279
E320 -E329
E660 -E669
M E678
E700 -E859
M E880 -E889
E890
E892 -E893
F170 -F179
I050 -I069
I080 -I083
I10 -I150
I159
I250 -I259
I270
I340 -I359
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109
M300 -M359
N000 -N289
N390
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q279
M Q288 -Q289
Q600 -Q639
R54
R75

I256 Address

M A500 -A539
A679
B200 -B24
E000 -E0390
E050 -E279
E320 -E329
E660 -E669
M E678
E700 -E859
M E880 -E889
E890
E892 -E893
F170 -F179
I050 -I069
I080 -I083
I10 -I150
I159
I250 -I259
I270
I340 -I359
I420 -I4290
I514 -I5140
I700 -I709
M100 -M109
M300 -M359
N000 -N289
N390
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q279
M Q288 -Q289
Q600 -Q639
R54
R75

I258 Address

M A000 -A099
A181
A200 -B89
B908 -C148
C300 -C783
C790 -D000
D020 -D119
D140 -D370
D380 -E899

ICD-10-Mortality Manual 2c - 2014

F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I069
I080 -I083
I10 -I359
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
M R688 -R799
M R826
M R893
S000 -Y899

I259 Address

M A500 -A539
A679
B200 -B24

ICD-10-Mortality Manual 2c - 2014

	E000	-E0390
	E050	-E279
	E320	-E329
	E660	-E669
M	E678	
	E700	-E859
M	E880	-E889
	E890	
	E892	-E893
	F170	-F179
	I050	-I069
	I080	-I083
	I10	-I150
	I159	
	I250	-I259
	I270	
	I340	-I359
	I420	-I4290
	I514	-I5140
	I700	-I709
	I773	*
	M100	-M109
	M300	-M359
	N000	-N289
	N390	
	Q200	-Q219
	Q240	-Q246
M	Q248	
	Q249	-Q279
M	Q288	-Q289
	Q600	-Q639
	R54	
	R75	

I260 Address

	A000	-A198
M	A199	
	A200	-A427
	A429	-A599
	A601	-A70
	A748	-B001
	B003	-B004
	B007	
	B009	-B069
	B080	
	B082	-B085
	B09	-B279
	B330	-B349
	B370	-B839

ICD-10-Mortality Manual 2c - 2014

	B86	-C97
M	D000	-D489
	D810	-D819
	D860	-D869
M	E000	-E02
	E030	-E038
	E0390	
	E050	-E059
	E100	-E15
	E40	-E43
	E46	
	E640	
	E660	-E669
	E750	-E756
	E840	-E849
	F010	-F03
	F202	
	F322	-F323
	F332	-F333
	F500	-F503
	F505	-F509
	F73	
	G000	-G09
M	G10	
	G110	-G129
	G2000	
M	G210	-G259
	G300	-G35
M	G360	-G379
	G600	-G629
M	G64	
	G700	-G729
M	G800	-G819
	G820	-G825
M	G830	-G909
	G910	-G919
M	G92	-G931
M	G934	
	G935	-G936
M	G937	-G939
	G950	-G959
M	G960	-G98
M	I00	-I069
	I070	-I079
M	I080	
	I081	-I083
M	I088	
	I089	
	I091	
	I098	

ICD-10-Mortality Manual 2c - 2014

	I210	-I229
	I250	-I289
M	I330	-I359
	I360	-I38
	I48	-I512
M	I513	
	I514	-I698
	I800	-I809
	I821	-I829
	J09	-J219
	J40	-J989
M	K500	-K519
	K550	-K559
	K700	-K719
	K730	-K746
M	K750	-K761
	K762	
M	K763	-K769
M	K860	-K869
	K900	-K919
M	L400	-L409
	M000	-M009
M	M020	-M029
	M050	-M089
M	M100	-M128
	M130	-M169
M	M170	-M198
	M1990	
	M320	-M329
	M340	-M349
	M400	-M539
M	M610	-M619
M	M623	-M624
M	M800	-M849
	M860	-M869
M	M870	-M879
M	M910	-M949
M	M960	-M969
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
	O223	

ICD-10-Mortality Manual 2c - 2014

O229
O60 -O849
O871
O879
M O994
P270 -P279
M Q000 -Q079
Q200 -Q359
Q370 -Q379
Q678 -Q680
M Q710 -Q719
Q720 -Q759
M Q760 -Q769
Q770 -Q799
Q850 -Q999
R090 -R098
R75
S017
S019 -S029
S057
S060 -S090
S097 -S099
S110 -S134
S136 -S141
S146 -S159
S170 -S179
S197 -S199
S210 -S231
S233
S235 -S241
S250 -S299
S310 -S311
S317 -S321
S323 -S331
S335
S337 -S341
S343
S350 -S399
S410 -S418
S427
S450 -S451
S457
S459
S47 -S497
S499
S510 -S519
S550 -S551
S557
S559
S570 -S597

ICD-10-Mortality Manual 2c - 2014

	S599	
M	S617	-S619
M	S650	-S651
M	S657	
M	S659	
M	S684	-S699
	S710	-S729
	S750	-S759
	S770	-S799
	S810	-S829
	S850	-S859
	S870	-S899
	S910	
	S917	
	S927	
	S950	-S951
	S957	
	S959	
	S970	-S999
	T012	-T013
	T021	-T023
	T028	-T029
	T031	
	T033	-T034
M	T038	
	T039	-T08
	T091	
	T093	
M	T098	
	T099	-T10
	T111	
	T114	
	T116	
M	T118	
	T119	-T12
	T131	
	T134	
	T136	
M	T138	
	T139	
	T141	-T142
	T145	
	T147	
M	T148	
	T149	
	T172	-T179
	T181	-T200
	T203	-T204
	T207	-T210
	T213	-T214

ICD-10-Mortality Manual 2c - 2014

	T217	-T220
	T223	-T224
	T227	
M	T230	
M	T233	-T234
M	T237	
	T240	
	T243	-T244
	T247	
M	T250	
M	T253	-T254
M	T257	
	T270	-T300
	T303	-T304
	T307	
	T313	-T319
	T323	-T329
	T340	-T344
	T346	-T349
	T351	-T68
M	T698	
	T699	
	T703	-T704
M	T708	
	T709	-T741
	T749	-T751
	T754	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	
M	T840	-T859
	T860	-T889
M	T901	
	T902	
M	T904	
	T905	
M	T908	
	T909	
M	T910	
	T911	-T915
M	T918	
	T919	
M	T920	
M	T926	-T928
	T929	

ICD-10-Mortality Manual 2c - 2014

M T930
T931
M T932
T936
M T938
T939
M T940 -T959
T96 -T983
Y600 -Y849

I269 Address

A000 -F04
F060 -F069
F100 -F199
F202
F205
F29
F322 -F323
F332 -F333
F500 -F503
F505 -F509
F70 -F79
G000 -G419
G450 -G98
H600 -H709
I00 -I010
M I011
I012 -I019
M I020
I029
M I050 -I069
I070 -I079
M I080
I081 -I083
M I088
I089 -I319
M I330 -I359
I360 -I512
M I513
I514 -I899
I970 -J989
K040 -N459
N480 -N96
N990 -O032
M O033
M O038
M O043
M O048
M O053

ICD-10-Mortality Manual 2c - 2014

M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
O223
O229
O60 -O849
O871
O879
M O994
P100 -Q999
R02
R060 -R068
R090 -R092
R33
R400 -R402
R53 -R54
R560 -R571
R579
R600 -R609
R75
R788
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I270 Address

I270

I271 Address

M A180
A514
A800 -A809
B902
B91
C412 -C413

ICD-10-Mortality Manual 2c - 2014

C419
C795
D166 -D167
D169
D480
D489
E643
G710 -G719
I271
M400 -M439
P201 -P289
P916
Q675
Q760 -Q769

I272 Address

A150 -A1690
A310 -A319
A370 -A379
B200 -B250
B380 -B399
B59
B650 -B659
B909 -B91
B948
C220 -C229
C33 -C399
C780 -C783
C787
C810 -C969
D020 -D024
D141 -D159
D860 -D869
E840 -E849
F110 -F169
F180 -F199
G110 -G129
G300 -G319
G473
I050 -I080
I091
I098 -I150
I159
I210 -I229
I241 -I279
I330 -I38
I700 -I709
I730
I749

ICD-10-Mortality Manual 2c - 2014

I776
J00 -J989
K440 -K449
K700 -K769
L930 -L932
M050 -M069
M300 -M539
P020 -P029
P201 -P289
P293
P916
Q200 -Q349
Q790
Q794
Q897
Q909
Q917
R090
R54
R75
T800 -T889
M T983
Y400 -Y599
M Y883

I278 Address

A150 -A1690
A310 -A319
A800 -A809
M B200 -B24
B380 -B399
B650 -B659
B909 -B91
B948
C33 -C399
C780 -C783
C810 -C969
D020 -D024
D141 -D159
D860 -D869
G110 -G129
G300 -G319
G700 -G729
I050 -I080
I091
I098
I260 -I279
M I330 -I38
I517

ICD-10-Mortality Manual 2c - 2014

I700 -I709
I730
J09 -J118
J40 -J80
J82 -J980
J982 -J989
M300 -M539
P201 -P289
P916
Q200 -Q289
R54
M R75

I279 Address

A150 -A1690
M A199
A310 -A319
A800 -A809
M B200 -B24
B380 -B399
M B440 -B449
B650 -B659
B909 -B91
B948
C33 -C399
C500 -C509
C780 -C783
M C798
C810 -C969
D020 -D024
D050 -D059
D141 -D159
D24
M D381
D486
D860 -D869
E660 -E669
G110 -G129
G300 -G319
G700 -G729
I050 -I080
I091
I098
M I110 -I119
M I130 -I139
I200 -I209
M I210 -I249
I250 -I279
M I330 -I38

ICD-10-Mortality Manual 2c - 2014

	I420	-I4290
	I500	-I519
	I700	-I709
	I730	
	J09	-J80
	J82	-J989
	M300	-M539
	P201	-P289
	P916	
	Q200	-Q289
	Q675	
	Q760	-Q789
M	Q871	
	Q893	
	Q897	
	R54	
M	R75	
	T66	
M	T800	-T889
	Y632	-Y633
M	Y780	-Y788
	Y842	
M	Y882	-Y883

I281 Address

M	A500	-A539
M	B650	-B659
	I281	
	I700	-I729
	Q870	-Q999
M	S069	
	S090	
	S150	-S159
	S250	-S259
	S350	-S359
	S450	-S459
	S550	-S559
	S650	-S659
	S750	-S759
	S850	-S859
	S950	-S959
	T063	
	T114	
	T145	

I288 Address

	A150	-A1690
M	A500	-A539

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
B650 -B659
C000 -C97
E100 -E149
F110 -F169
F180 -F199
I010 -I899
I970 -I99
M300 -M359
Q200 -Q289
R75
M S069
S090
S150 -S159
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T063
T114
T145

I289 Address

A150 -A1690
B200 -B24
I289
Q200 -Q289
R75

I3 Category

I300 Address

I300

I301 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709

ICD-10-Mortality Manual 2c - 2014

I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I308 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I309 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I310 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459

ICD-10-Mortality Manual 2c - 2014

N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I311 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I312 Address

A000 -E899
M F03
M F069
F100 -F199

ICD-10-Mortality Manual 2c - 2014

M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I313 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799

ICD-10-Mortality Manual 2c - 2014

Q850 -Q999
R02
R54
R75
M S000 -Y899

I318 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I319 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80

ICD-10-Mortality Manual 2c - 2014

J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I330 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I339 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I340 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65

ICD-10-Mortality Manual 2c - 2014

C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I210 -I229
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
M I700 -I710
I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75
M T983
M Y400 -Y599
M Y883

I341 Address

M A028

ICD-10-Mortality Manual 2c - 2014

	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	
	B909	
M	B948	
	C64	-C65
	C73	-C759
	C790	-C791
	C797	-C798
M	C810	-C969
	D300	-D301
	D309	
	D34	-D359
	D440	-D45
M	D800	-D809
	E02	-E0390
	E050	-E349
	E65	-E678
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	-E889
	F110	-F169
	F180	-F199
	I10	-I150
	I159	
	I210	-I229
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	

ICD-10-Mortality Manual 2c - 2014

M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I342 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259

ICD-10-Mortality Manual 2c - 2014

I330 -I339
I341 -I38
I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I348 Address

M A028
A1690
M A188
M A329
A38
A399
M A490 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349

ICD-10-Mortality Manual 2c - 2014

	E65	-E678
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	-E889
	F110	-F169
	F180	-F199
	I10	-I150
	I159	
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	
M	K000	-K149
	M100	-M109
	M300	-M359
	N000	-N289
	N340	-N399
	Q200	-Q289
M	Q789	
M	Q870	-Q999
	R75	
M	T827	
M	Y832	

I349 Address

M	A028	
	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	

ICD-10-Mortality Manual 2c - 2014

M B909
B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I210 -I229
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I350 Address

M A028

ICD-10-Mortality Manual 2c - 2014

	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500 -A549	
	B200 -B24	
M	B376	
M	B379	
M	B560 -B575	
	B901	
M	B908	
	B909	
M	B948	
	C64 -C65	
	C73 -C759	
	C790 -C791	
	C797 -C798	
M	C810 -C969	
	D300 -D301	
	D309	
	D34 -D359	
	D440 -D45	
M	D800 -D809	
	E02 -E0390	
	E050 -E349	
	E65 -E678	
	E760 -E769	
	E790 -E799	
	E802	
	E804 -E806	
	E840 -E859	
	E880 -E889	
	F110 -F169	
	F180 -F199	
	I10 -I150	
	I159	
	I250 -I259	
	I330 -I38	
	I420 -I4290	
	I511	
	I514 -I5150	
	I700 -I710	
M	I711 -I719	
	J00	
	J020	
	J030	
	J040 -J042	
	J069	
	M100 -M109	

ICD-10-Mortality Manual 2c - 2014

M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75
M T983
M Y400 -Y599
M Y883

I351 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150

ICD-10-Mortality Manual 2c - 2014

	I159	
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	
	M100	-M109
	M300	-M359
	N000	-N289
	N340	-N399
	Q200	-Q289
M	Q789	
M	Q870	-Q999
	R75	

I352 Address

M	A028	
	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	
	B909	
M	B948	
	C64	-C65
	C73	-C759
	C790	-C791
	C797	-C798
M	C810	-C969
	D300	-D301
	D309	
	D34	-D359
	D440	-D45
M	D800	-D809
	E02	-E0390

ICD-10-Mortality Manual 2c - 2014

E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I358 Address

M A028
A1690
M A188
M A329
A38
A399
M A490 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948

ICD-10-Mortality Manual 2c - 2014

C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
M I700 -I710
I711 -I719
J00
J020
J030
J040 -J042
J069
M K000 -K149
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75
M T827
M Y832

I359 Address

M A028

ICD-10-Mortality Manual 2c - 2014

	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500 -A549	
	B200 -B24	
M	B376	
M	B379	
M	B560 -B575	
	B901	
M	B908	
	B909	
M	B948	
	C64 -C65	
	C73 -C759	
	C790 -C791	
	C797 -C798	
M	C810 -C969	
	D300 -D301	
	D309	
	D34 -D359	
	D440 -D45	
M	D800 -D809	
	E02 -E0390	
	E050 -E349	
	E65 -E678	
	E760 -E769	
	E790 -E799	
	E802	
	E804 -E806	
	E840 -E859	
	E880 -E889	
	F110 -F169	
	F180 -F199	
	I10 -I150	
	I159	
	I250 -I259	
	I330 -I38	
	I420 -I4290	
	I511	
	I514 -I5150	
	I700 -I710	
M	I711 -I719	
	J00	
	J020	
	J030	
	J040 -J042	
	J069	
	M100 -M109	

ICD-10-Mortality Manual 2c - 2014

M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I360 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38

ICD-10-Mortality Manual 2c - 2014

I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I361 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769

ICD-10-Mortality Manual 2c - 2014

E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I210 -I229
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I362 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759

ICD-10-Mortality Manual 2c - 2014

	C790 -C791
	C797 -C798
M	C810 -C969
	D300 -D301
	D309
	D34 -D359
	D440 -D45
M	D800 -D809
	E02 -E0390
	E050 -E349
	E65 -E678
	E760 -E769
	E790 -E799
	E802
	E804 -E806
	E840 -E859
	E880 -E889
	F110 -F169
	F180 -F199
	I10 -I150
	I159
	I250 -I259
	I330 -I38
	I420 -I4290
	I511
	I514 -I5150
	I700 -I710
M	I711 -I719
	J00
	J020
	J030
	J040 -J042
	J069
	M100 -M109
	M300 -M359
	N000 -N289
	N340 -N399
	Q200 -Q289
M	Q789
M	Q870 -Q999
	R75

I368 Address

M	A028
	A1690
M	A188
M	A329
	A38
	A399

ICD-10-Mortality Manual 2c - 2014

M	A490 -A549
	B200 -B24
M	B376
M	B379
M	B560 -B575
	B901
M	B908
	B909
M	B948
	C64 -C65
	C73 -C759
	C790 -C791
	C797 -C798
M	C810 -C969
	D300 -D301
	D309
	D34 -D359
	D440 -D45
M	D800 -D809
	E02 -E0390
	E050 -E349
	E65 -E678
	E760 -E769
	E790 -E799
	E802
	E804 -E806
	E840 -E859
	E880 -E889
	F110 -F169
	F180 -F199
	I10 -I150
	I159
	I250 -I259
	I330 -I38
	I420 -I4290
	I511
	I514 -I5150
	I700 -I710
M	I711 -I719
	J00
	J020
	J030
	J040 -J042
	J069
M	K000 -K149
	M100 -M109
	M300 -M359
	N000 -N289
	N340 -N399
	Q200 -Q289

ICD-10-Mortality Manual 2c - 2014

M Q789
M Q870 -Q999
R75
M T827
M Y832

I369 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38
I420 -I4290
I511

ICD-10-Mortality Manual 2c - 2014

	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	
	M100	-M109
	M300	-M359
	N000	-N289
	N340	-N399
	Q200	-Q289
M	Q789	
M	Q870	-Q999
	R75	

I370 Address

M	A028	
	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	
	B909	
M	B948	
	C64	-C65
	C73	-C759
	C790	-C791
	C797	-C798
M	C810	-C969
	D300	-D301
	D309	
	D34	-D359
	D440	-D45
M	D800	-D809
	E02	-E0390
	E050	-E349
	E65	-E678
	E760	-E769
	E790	-E799
	E802	

ICD-10-Mortality Manual 2c - 2014

	E804	-E806
	E840	-E859
	E880	-E889
	F110	-F169
	F180	-F199
	I10	-I150
	I159	
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	
	M100	-M109
	M300	-M359
	N000	-N289
	N340	-N399
	Q200	-Q289
M	Q789	
M	Q870	-Q999
	R75	

I371 Address

M	A028	
	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A500	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	
	B909	
M	B948	
	C64	-C65
	C73	-C759
	C790	-C791
	C797	-C798
M	C810	-C969

ICD-10-Mortality Manual 2c - 2014

D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859
E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
M I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75

I372 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376

ICD-10-Mortality Manual 2c - 2014

M	B379
M	B560 -B575
	B901
M	B908
	B909
M	B948
	C64 -C65
	C73 -C759
	C790 -C791
	C797 -C798
M	C810 -C969
	D300 -D301
	D309
	D34 -D359
	D440 -D45
M	D800 -D809
	E02 -E0390
	E050 -E349
	E65 -E678
	E760 -E769
	E790 -E799
	E802
	E804 -E806
	E840 -E859
	E880 -E889
	F110 -F169
	F180 -F199
	I10 -I150
	I159
	I250 -I259
	I330 -I38
	I420 -I4290
	I511
	I514 -I5150
	I700 -I710
M	I711 -I719
	J00
	J020
	J030
	J040 -J042
	J069
	M100 -M109
	M300 -M359
	N000 -N289
	N340 -N399
	Q200 -Q289
M	Q789
M	Q870 -Q999
	R75

I378 Address

M	A028	
	A1690	
M	A188	
M	A329	
	A38	
	A399	
M	A400	-A549
	B200	-B24
M	B376	
M	B379	
M	B560	-B575
	B901	
M	B908	
	B909	
M	B948	
	C64	-C65
	C73	-C759
	C790	-C791
	C797	-C798
M	C810	-C969
	D300	-D301
	D309	
	D34	-D359
	D440	-D45
M	D800	-D809
	E02	-E0390
	E050	-E349
	E65	-E678
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	-E889
	F110	-F169
	F180	-F199
	I10	-I150
	I159	
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	

ICD-10-Mortality Manual 2c - 2014

J030
J040 -J042
J069
M K000 -K149
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75
M T827
M Y832

I379 Address

M A028
A1690
M A188
M A329
A38
A399
M A500 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969
D300 -D301
D309
D34 -D359
D440 -D45
M D800 -D809
E02 -E0390
E050 -E349
E65 -E678
E760 -E769
E790 -E799
E802
E804 -E806
E840 -E859

ICD-10-Mortality Manual 2c - 2014

E880 -E889
F110 -F169
F180 -F199
I10 -I150
I159
I250 -I259
I330 -I38
I420 -I4290
I511
I514 -I5150
I700 -I710
M I711 -I719
J00
J020
J030
J040 -J042
J069
M100 -M109
M300 -M359
N000 -N289
N340 -N399
Q200 -Q289
M Q789
M Q870 -Q999
R75
M T827
M Y832

I38 Address

M A028
A1690
M A188
M A329
A38
A399
M A490 -A549
B200 -B24
M B376
M B379
M B560 -B575
B901
M B908
B909
M B948
C64 -C65
C73 -C759
C790 -C791
C797 -C798
M C810 -C969

ICD-10-Mortality Manual 2c - 2014

	D300	-D301
	D309	
	D34	-D359
	D440	-D45
M	D800	-D809
	E02	-E0390
	E050	-E349
	E65	-E678
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	-E889
	F110	-F169
	F180	-F199
	I10	-I150
	I159	
	I250	-I259
	I330	-I38
	I420	-I4290
	I511	
	I514	-I5150
	I700	-I710
M	I711	-I719
	J00	
	J020	
	J030	
	J040	-J042
	J069	
M	K000	-K149
	M100	-M109
	M300	-M359
	N000	-N289
	N340	-N399
	Q200	-Q289
M	Q789	
M	Q870	-Q999
	R75	
M	T827	
M	Y832	

I4 Category

I400 Address

	A000	-E899
M	F03	
M	F069	
	F100	-F199

ICD-10-Mortality Manual 2c - 2014

M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I401 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799

ICD-10-Mortality Manual 2c - 2014

Q850 -Q999
R02
R54
R75
M S000 -Y899

I408 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I409 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80

ICD-10-Mortality Manual 2c - 2014

J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I420 Address

A150 -A1690
M A178
M A181
M A188
B200 -B24
B332
B560 -B575
M B948
M C000 -C97
D151
D467 -D469
D500 -D649
D758
D860 -D869
E000 -E0390
E050 -E059
E100 -E149
E220
E40 -E519
E639
E641
E648 -E669
E740
E760 -E769
E831
E850 -E878
F100 -F199
G111
G600
G700 -G729

ICD-10-Mortality Manual 2c - 2014

I00 -I259
I300 -I309
I330 -I4290
I514 -I5150
I700 -I709
K700 -K709
K721
K730 -K739
K743
K745 -K746
K760
K768 -K769
M069
M100 -M109
M300 -M359
N000 -N399
P200 -P220
P916
Q200 -Q249
R31
R54
R75
T360 -T66
T880 -T887
T96 -T97
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
M Y400 -Y599
Y842
Y86 -Y880
M Y883

I4200 Address

I4200

I421 Address

A150 -A1690
M A178
M A181
M A188
B200 -B24
B332
B560 -B575
M B948
M C000 -C97
D151

ICD-10-Mortality Manual 2c - 2014

D467 -D469
D500 -D649
D758
D860 -D869
E000 -E0390
E050 -E059
E100 -E149
E220
E40 -E519
E639
E641
E648 -E649
E660 -E669
E740
E760 -E769
E831
E850 -E859
F100 -F199
G111
G600
G700 -G729
I00 -I259
I300 -I309
I330 -I4290
I514 -I5150
I700 -I709
K700 -K709
K721
K730 -K739
K743
K745 -K746
K760
K768 -K769
M100 -M109
M300 -M359
N000 -N399
P200 -P220
P916
Q200 -Q249
R31
R54
R75
T360 -T66
T97
X45
X65
Y15
M Y400 -Y599
Y842
Y86 -Y872

ICD-10-Mortality Manual 2c - 2014

M Y883

I4210 Address

I4210

I422 Address

A150 -A1690
M A178
M A181
M A188
B200 -B24
B332
B560 -B575
M B948
M C000 -C97
D151
D467 -D469
D500 -D649
D758
D860 -D869
E000 -E0390
E050 -E059
E100 -E149
E220
E40 -E519
E639
E641
E648 -E649
E660 -E669
E740
E760 -E769
E831
E850 -E859
F100 -F199
G111
G600
G700 -G729
I00 -I259
I300 -I309
I330 -I4290
I514 -I5150
I700 -I709
K700 -K709
K721
K730 -K739
K743
K745 -K746
K760

ICD-10-Mortality Manual 2c - 2014

K768 -K769
M100 -M109
M300 -M359
N000 -N399
P200 -P220
P916
Q200 -Q249
R31
R54
R75
T360 -T66
T97
X45
X65
Y15
M Y400 -Y599
Y842
Y86 -Y872
M Y883

I4220 Address

I4220

I423 Address

B200 -B24
M B948
M I250 -I259
I423
R75

I424 Address

E888
I424

I425 Address

M B948
I425 -I4250
M349

I4250 Address

I4250

I426 Address

F100 -F109
I426
K700 -K709

ICD-10-Mortality Manual 2c - 2014

M K746
M T506
T510 -T519
T97
M X44
X45
X65
M X85
Y15
Y86 -Y872

I427 Address

I427
T360 -T66
X40 -X49
X60 -X69
X85 -X90
Y10 -Y19
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y842
Y86 -Y880
M Y883

I428 Address

A150 -A1690
M A178
M A181
M A188
B200 -B24
B332
B560 -B575
M B948
M C000 -C97
D151
D467 -D469
D500 -D649
D758
D860 -D869
E000 -E0390
E050 -E059
E100 -E149
E220
E40 -E519
E639
E641
E648 -E649

ICD-10-Mortality Manual 2c - 2014

E660 -E669
E740
E760 -E769
E831
E850 -E859
F100 -F199
G111
G600
G700 -G729
I00 -I259
I300 -I309
I330 -I4290
I514 -I5150
I700 -I709
K700 -K709
K721
K730 -K739
K743
K745 -K746
K760
K768 -K769
M100 -M109
M300 -M359
N000 -N399
P200 -P220
P916
Q200 -Q249
R31
R54
R75
T360 -T66
T97
X45
X65
Y15
M Y400 -Y599
Y842
Y86 -Y872
M Y883

I4280 Address

I4280

I429 Address

A150 -A1690
M A178
M A181
M A188

ICD-10-Mortality Manual 2c - 2014

	B200	-B24
	B332	
	B560	-B575
M	B948	
M	C000	-C97
	D151	
	D467	-D469
	D500	-D649
	D758	
	D860	-D869
	E000	-E0390
	E050	-E059
	E100	-E149
	E220	
	E40	-E519
	E639	
	E641	
	E648	-E649
	E660	-E669
	E740	
	E760	-E769
	E831	
	E850	-E859
	E880	-E889
	F100	-F199
	G111	
	G600	
	G700	-G729
	I00	-I259
	I300	-I4290
	I514	-I5150
	I700	-I709
	K700	-K709
	K721	
	K730	-K739
	K743	
	K745	-K746
	K760	
	K768	-K769
	M069	
	M100	-M109
	M300	-M359
	M625	
	N000	-N399
	P200	-P220
	P916	
	Q200	-Q249
	R31	
	R54	
	R75	

ICD-10-Mortality Manual 2c - 2014

T360 -T66
T97
X45
X65
Y15
M Y400 -Y599
Y842
Y86 -Y872
M Y883

I4290 Address

I4290

I440 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I441 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198

ICD-10-Mortality Manual 2c - 2014

R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I442 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I443 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

I444 Address

M A000 -G98
H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I445 Address

M A000 -G98
H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

ICD-10-Mortality Manual 2c - 2014

I446 Address

	A000 -G98
M	H000 -H959
	I00 -L599
M	L88 -L929
	L930 -L989
M	M000 -M259
	M300 -M679
M	M700 -M799
	M800 -N459
	N480 -N959
	N990 -N999
	P000 -R198
	R290 -R458
	R463
	R502 -R825
M	R826
	R827 -R892
M	R893
	R894 -R961
	R98 -Y899

I447 Address

	A000 -G98
M	H000 -H959
	I00 -L599
M	L88 -L929
	L930 -L989
M	M000 -M259
	M300 -M679
M	M700 -M799
	M800 -N459
	N480 -N959
	N990 -N999
	P000 -R198
	R290 -R458
	R463
	R502 -R825
M	R826
	R827 -R892
M	R893
	R894 -R961
	R98 -Y899

I450 Address

	A000 -G98
M	H000 -H959

ICD-10-Mortality Manual 2c - 2014

	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I451 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I452 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259

ICD-10-Mortality Manual 2c - 2014

	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I453 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I454 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959

ICD-10-Mortality Manual 2c - 2014

N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I455 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I456 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463

ICD-10-Mortality Manual 2c - 2014

R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I458 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I459 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

I460 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I461 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I469 Address

ICD-10-Mortality Manual 2c - 2014

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I470 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I471 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929

ICD-10-Mortality Manual 2c - 2014

	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I472 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I479 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799

ICD-10-Mortality Manual 2c - 2014

	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I48 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I490 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198

ICD-10-Mortality Manual 2c - 2014

R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I491 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I492 Address

A000 -G98
M H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

I493 Address

M A000 -G98
H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I494 Address

M A000 -G98
H000 -H959
I00 -L599
M L88 -L929
L930 -L989
M M000 -M259
M300 -M679
M M700 -M799
M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

ICD-10-Mortality Manual 2c - 2014

I495 Address

	A000 -G98
M	H000 -H959
	I00 -L599
M	L88 -L929
	L930 -L989
M	M000 -M259
	M300 -M679
M	M700 -M799
	M800 -N459
	N480 -N959
	N990 -N999
	P000 -R198
	R290 -R458
	R463
	R502 -R825
M	R826
	R827 -R892
M	R893
	R894 -R961
	R98 -Y899

I498 Address

	A000 -G98
M	H000 -H959
	I00 -L599
M	L88 -L929
	L930 -L989
M	M000 -M259
	M300 -M679
M	M700 -M799
	M800 -N459
	N480 -N959
	N990 -N999
	P000 -R198
	R290 -R458
	R463
	R502 -R825
M	R826
	R827 -R892
M	R893
	R894 -R961
	R98 -Y899

I499 Address

	A000 -G98
M	H000 -H959

ICD-10-Mortality Manual 2c - 2014

	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

15 Category

1500 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

15000 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929

ICD-10-Mortality Manual 2c - 2014

	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I501 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799
	M800	-N459
	N480	-N959
	N990	-N999
	P000	-R198
	R290	-R458
	R463	
	R502	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

I509 Address

	A000	-G98
M	H000	-H959
	I00	-L599
M	L88	-L929
	L930	-L989
M	M000	-M259
	M300	-M679
M	M700	-M799

ICD-10-Mortality Manual 2c - 2014

M800 -N459
N480 -N959
N990 -N999
P000 -R198
R290 -R458
R463
R502 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

I510 Address

M A000 -A099
A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419
G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I029
I10 -I339
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q240 -Q249
Q260 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222

ICD-10-Mortality Manual 2c - 2014

R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I511 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R75
M S000 -Y899

I512 Address

A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419

ICD-10-Mortality Manual 2c - 2014

G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I029
I10 -I339
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I513 Address

M A000 -A099
M A181
A200 -B89
B908 -E899
F100 -F199
G000 -G419

ICD-10-Mortality Manual 2c - 2014

G450 -G459
G500 -G729
G900 -G98
H650 -H839
I00 -I029
I10 -I339
I400 -I519
I700 -J80
J82 -J989
K20 -K929
L890 -L899
L97
L984
M000 -M1990
M300 -M549
M800 -M959
N000 -N399
N600 -N96
N990 -N999
P000 -P049
P100 -Q079
Q200 -Q219
Q240 -Q246
M Q248
Q249 -Q349
Q380 -Q459
Q600 -Q799
Q850 -R098
R11
R160 -R18
R222
R300 -R398
R502 -R509
R53 -R54
R560 -R609
R634 -R635
R64
R688 -R799
M R826
M R893
S000 -Y899

I514 Address

M A000 -D489
D500 -E899
F03
F100 -F109
G000 -G09
G35 -G379

ICD-10-Mortality Manual 2c - 2014

G700 -G729
I00 -I259
I270 -I279
I310 -I4290
I500 -I5000
I510 -I519
I700 -I729
M J09
J1010
J1110
M J200 -J219
J40 -J668
J848 -J8490
J90
J9840
K700 -K808
K850 -K869
L930 -L932
M000 -M359
N000 -N399
P200 -P219
P350
P916
P942
Q200 -Q289
Q330 -Q349
Q600 -Q649
R091
R33
R54
R688
R75
R99
M S000 -Y899

I5140 Address

M A500 -A539
D760
D763
D890 -E069
E100 -E149
E320 -E329
E700 -E839
E880 -E889
E891
E893
I10 -I209
I250 -I259
I5140

ICD-10-Mortality Manual 2c - 2014

I700 -I709
M100 -M109
M300 -M359
N000 -N399
Q200 -Q289
Q600 -Q639
R33
R54
T383

I515 Address

M A000 -D489
D500 -E899
F03
F100 -F109
G000 -G09
G35 -G379
G700 -G729
I00 -I259
I270 -I279
I310 -I4290
I500 -I5000
I510 -I519
I700 -I729
J1010
J1110
M J200 -J219
J40 -J668
J848 -J8490
J90
J9840
K700 -K808
K850 -K869
L930 -L932
M000 -M359
N000 -N399
P200 -P219
P350
P916
P942
Q200 -Q289
Q330 -Q349
Q600 -Q649
R091
R33
R54
R688
R75
R99

ICD-10-Mortality Manual 2c - 2014

M S000 -Y899

I5150 Address

M A500 -A539
D760
D763
D890 -E069
E100 -E149
E320 -E329
E700 -E839
E880 -E889
E891
E893
I10 -I209
I250 -I259
I5150
I700 -I709
M100 -M109
M300 -M359
N000 -N399
Q200 -Q289
Q600 -Q639
R33
R54
T383

I516 Address

M A000 -D489
D500 -E899
F03
F100 -F109
G000 -G09
G35 -G379
G700 -G729
I00 -I259
I270 -I279
I310 -I4290
M I48 -I499
I500 -I5000
I510 -I519
I700 -I729
M J09 -J118
J120 -J189
M J200 -J219
J40 -J668
M J841
J848 -J8490
J90

ICD-10-Mortality Manual 2c - 2014

M J984
J9840
K700 -K808
K850 -K869
L930 -L932
M000 -M359
N000 -N399
P200 -P219
P350
P916
P942
Q200 -Q289
Q330 -Q349
Q600 -Q649
R091
R33
R54
R688
R75
R99
M S000 -Y899

I517 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54

ICD-10-Mortality Manual 2c - 2014

R64
R75
M S000 -Y899

I518 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980
J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
R02
R54
R64
R75
M S000 -Y899

I519 Address

A000 -E899
M F03
M F069
F100 -F199
M F29
F55
G000 -G419
G450 -G98
H600 -H709
I00 -I899
I970 -J80
J82 -J980

ICD-10-Mortality Manual 2c - 2014

J982 -J989
K040 -M1990
M300 -M949
N000 -N459
N600 -N959
N980 -N999
P000 -P049
P100 -Q079
Q200 -Q349
Q380 -Q680
Q750 -Q799
Q850 -Q999
M R000 -R012
R02
R54
R64
R75
M S000 -Y899

I6 Category

I600 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199

ICD-10-Mortality Manual 2c - 2014

	G000	-G060
	G08	
	G910	-G939
M	I00	-I150
M	I159	
	I250	-I259
	I270	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	
M	T828	
	T97	

ICD-10-Mortality Manual 2c - 2014

M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6000 Address

A500 -A509
M A510
A511 -A539
M A630
M A871 -A872
M B200 -B24
M E830
M I050 -I080
M I089 -I099
M I341
I6000
M I6060
M I6070
M I6080 -I6090
M I671
M I700
I701 -I709
M I729
M I770
M L678
M Q019
M Q049
M Q185
M Q740
M Q742
M Q798
M Q860
Q861 -Q868
M Q870 -Q874
M Q878
M Q898 -Q899
M Q999
M R75
S090
S150 -S153
S159

I601 Address

ICD-10-Mortality Manual 2c - 2014

	A170 -A179
M	A180
	A181
M	A187 -A188
	A190 -C97
	D020 -D024
	D076 -D091
	D093 -D119
	D140 -D159
	D164
M	D173
	D174
M	D177
	D180 -D190
M	D197
	D199
	D213
	D219
	D320 -D359
	D369
	D380 -D386
	D420 -D479
M	D486 -D487
	D489 -E899
	F069
	F100 -F169
	F180 -F199
	G000 -G060
	G08
	G910 -G939
M	I00 -I150
M	I159
	I250 -I259
	I270 -I789
	I950 -I959
M	J440 -J449
	J450 -J46
	J960 -J969
	J982 -J989
	M300 -M359
	N000 -N289
	N390
	P200 -P220
	P916
	Q000 -Q289
	Q600 -Q649
	Q770 -Q789
	Q870
	Q900 -Q999
	R02 -R030

ICD-10-Mortality Manual 2c - 2014

R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I602 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174

ICD-10-Mortality Manual 2c - 2014

M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G910 -G939
M I00 -I150
M I159
I250 -I259
I270 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609

ICD-10-Mortality Manual 2c - 2014

R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I603 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899

ICD-10-Mortality Manual 2c - 2014

F069
F100 -F169
F180 -F199
G000 -G060
G08
G910 -G939
M I00 -I150
M I159
I250 -I259
I270 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810

ICD-10-Mortality Manual 2c - 2014

	T812	
M	T828	
	T97	
M	X44	
	X45	
M	X64	
	X65	
M	Y14	
	Y15	
	Y400	-Y599
	Y86	-Y872

I604 Address

	A170	-A179
M	A180	
	A181	
M	A187	-A188
	A190	-C97
	D020	-D024
	D076	-D091
	D093	-D119
	D140	-D159
	D164	
M	D173	
	D174	
M	D177	
	D180	-D190
M	D197	
	D199	
	D213	
	D219	
	D320	-D359
	D369	
	D380	-D386
	D420	-D479
M	D486	-D487
	D489	-E899
	F069	
	F100	-F169
	F180	-F199
	G000	-G060
	G08	
	G910	-G939
M	I00	-I150
M	I159	
	I250	-I259
	I270	-I789
	I950	-I959
M	J440	-J449

ICD-10-Mortality Manual 2c - 2014

	J450	-J46
	J960	-J969
	J982	-J989
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	
M	T828	
	T97	
M	X44	
	X45	
M	X64	
	X65	
M	Y14	
	Y15	
	Y400	-Y599
	Y86	-Y872

ICD-10-Mortality Manual 2c - 2014

I605 Address

	A170 -A179
M	A180
	A181
M	A187 -A188
	A190 -C97
	D020 -D024
	D076 -D091
	D093 -D119
	D140 -D159
	D164
M	D173
	D174
M	D177
	D180 -D190
M	D197
	D199
	D213
	D219
	D320 -D359
	D369
	D380 -D386
	D420 -D479
M	D486 -D487
	D489 -E899
	F069
	F100 -F169
	F180 -F199
	G000 -G060
	G08
	G910 -G939
M	I00 -I150
M	I159
	I250 -I259
	I270 -I789
	I950 -I959
M	J440 -J449
	J450 -J46
	J960 -J969
	J982 -J989
	M300 -M359
	N000 -N289
	N390
	P200 -P220
	P916
	Q000 -Q289
	Q600 -Q649
	Q770 -Q789

ICD-10-Mortality Manual 2c - 2014

Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I606 Address

M A170 -A179
A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159

ICD-10-Mortality Manual 2c - 2014

	D164	
M	D173	
	D174	
M	D177	
	D180 -D190	
M	D197	
	D199	
	D213	
	D219	
	D320 -D359	
	D369	
	D380 -D386	
	D420 -D479	
M	D486 -D487	
	D489 -E899	
	F069	
	F100 -F169	
	F180 -F199	
	G000 -G060	
	G08	
	G910 -G939	
M	I00 -I150	
M	I159	
	I250 -I259	
	I270 -I789	
	I950 -I959	
M	J440 -J449	
	J450 -J46	
	J960 -J969	
	J982 -J989	
	M300 -M359	
	N000 -N289	
	N390	
	P200 -P220	
	P916	
	Q000 -Q289	
	Q600 -Q649	
	Q770 -Q789	
	Q870	
	Q900 -Q999	
	R02 -R030	
	R040 -R049	
	R060 -R068	
	R090	
	R092	
	R098	
	R31	
	R33 -R34	
	R392	
	R502 -R509	

ICD-10-Mortality Manual 2c - 2014

R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6060 Address

A500 -A539
M B200 -B24
I6060
M I671
M I700 -I709
M I729
M I770
P013
P350 -P359
P370 -P379
Q2820
Q2830
M Q870 -Q999
M R75
M S090
M S150 -S159

I607 Address

A170 -A179
M A180

ICD-10-Mortality Manual 2c - 2014

	A181
M	A187 -A188
	A190 -C97
	D020 -D024
	D076 -D091
	D093 -D119
	D140 -D159
	D164
M	D173
	D174
M	D177
	D180 -D190
M	D197
	D199
	D213
	D219
	D320 -D359
	D369
	D380 -D386
	D420 -D479
M	D486 -D487
	D489 -E899
	F069
	F100 -F169
	F180 -F199
	G000 -G060
	G08
	G910 -G939
M	I00 -I150
M	I159
	I250 -I259
	I270 -I789
	I950 -I959
M	J440 -J449
	J450 -J46
	J960 -J969
	J982 -J989
	M300 -M359
	N000 -N289
	N390
	P200 -P220
	P916
	Q000 -Q289
	Q600 -Q649
	Q770 -Q789
	Q870
	Q900 -Q999
	R02 -R030
	R040 -R049
	R060 -R068

ICD-10-Mortality Manual 2c - 2014

R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6070 Address

A500 -A539
M B200 -B24
I6070
M I671
M I700 -I709
M I729
M I770
P013
P350 -P359
P370 -P379
Q2820
Q2830
M Q870 -Q999
M R75

ICD-10-Mortality Manual 2c - 2014

M S090
M S150 -S159
T810

I608 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G910 -G939
M I00 -I150
M I159
I250 -I259
I270 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
M300 -M359
N000 -N289
N390
P200 -P220
P916

ICD-10-Mortality Manual 2c - 2014

Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6080 Address

A500 -A539
M B200 -B24
I6080
M I671
M I700 -I709
M I729

ICD-10-Mortality Manual 2c - 2014

M I770
P013
P350 -P359
P370 -P379
Q2820
Q2830
M Q870 -Q999
M R75
M S090
M S150 -S159

I609 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G910 -G939
M I00 -I150
M I159
I250 -I259
I270 -I789
I950 -I959
M J440 -J449
J450 -J46

ICD-10-Mortality Manual 2c - 2014

J960 -J969
J982 -J989
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6090 Address

A500 -A539
M B200 -B24
I6090
M I671
M I700 -I709
M I729
M I770
P013
P350 -P359
P370 -P379
Q2820
Q2830
M Q870 -Q999
M R75
M S090
M S150 -S159

I610 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060

ICD-10-Mortality Manual 2c - 2014

	G08	
	G10	-G379
	G910	-G939
	I00	-I150
	I159	
	I210	-I229
	I250	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	K700	-K769
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	
M	T828	

ICD-10-Mortality Manual 2c - 2014

M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6100 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449

ICD-10-Mortality Manual 2c - 2014

J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

I611 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916

ICD-10-Mortality Manual 2c - 2014

Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6110 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97

ICD-10-Mortality Manual 2c - 2014

D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090

ICD-10-Mortality Manual 2c - 2014

R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I612 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190

ICD-10-Mortality Manual 2c - 2014

M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609

ICD-10-Mortality Manual 2c - 2014

R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6120 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487

ICD-10-Mortality Manual 2c - 2014

D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91

ICD-10-Mortality Manual 2c - 2014

	R930	
	T360	-T659
	T810	
	T812	
M	T828	
M	T850	-T853
	T97	
M	X44	
	X45	
M	X64	
	X65	
M	Y14	
	Y15	
	Y400	-Y599
	Y86	-Y872

I613 Address

	A170	-A179
M	A180	
	A181	
M	A187	-A188
	A190	-C97
	D020	-D024
	D076	-D091
	D093	-D119
	D140	-D159
	D164	
M	D173	
	D174	
M	D177	
	D180	-D190
M	D197	
	D199	
	D213	
	D219	
	D320	-D359
	D369	
	D380	-D386
	D420	-D479
M	D486	-D487
	D489	-E899
	F069	
	F100	-F169
	F180	-F199
	G000	-G060
	G08	
	G10	-G379
	G910	-G939
	I00	-I150

ICD-10-Mortality Manual 2c - 2014

I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45

ICD-10-Mortality Manual 2c - 2014

M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6130 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769

ICD-10-Mortality Manual 2c - 2014

M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I614 Address

ICD-10-Mortality Manual 2c - 2014

	A170 -A179
M	A180
	A181
M	A187 -A188
	A190 -C97
	D020 -D024
	D076 -D091
	D093 -D119
	D140 -D159
	D164
M	D173
	D174
M	D177
	D180 -D190
M	D197
	D199
	D213
	D219
	D320 -D359
	D369
	D380 -D386
	D420 -D479
M	D486 -D487
	D489 -E899
	F069
	F100 -F169
	F180 -F199
	G000 -G060
	G08
	G10 -G379
	G910 -G939
	I00 -I150
	I159
	I210 -I229
	I250 -I789
	I950 -I959
M	J440 -J449
	J450 -J46
	J960 -J969
	J982 -J989
	K700 -K769
	M300 -M359
	N000 -N289
	N390
	P200 -P220
	P916
	Q000 -Q289
	Q600 -Q649
	Q770 -Q789
	Q870

ICD-10-Mortality Manual 2c - 2014

Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6140 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159

ICD-10-Mortality Manual 2c - 2014

	D164	
M	D173	
	D174	
M	D177	
	D180	-D190
M	D197	
	D199	
	D213	
	D219	
	D320	-D359
	D369	
	D380	-D386
	D420	-D479
M	D486	-D487
	D489	-E899
	F069	
	F100	-F169
	F180	-F199
	G000	-G060
	G08	
	G10	-G379
	G910	-G939
	I00	-I150
	I159	
	I210	-I229
	I250	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	K700	-K769
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34

ICD-10-Mortality Manual 2c - 2014

R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I615 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219

ICD-10-Mortality Manual 2c - 2014

M D320 -D359
D369
D380 -D386
D420 -D479
D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790

ICD-10-Mortality Manual 2c - 2014

	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	
M	T828	
M	T850	-T853
	T97	
M	X44	
	X45	
M	X64	
	X65	
M	Y14	
	Y15	
	Y400	-Y599
	Y86	-Y872

I6150 Address

	A170	-A179
M	A180	
	A181	
M	A187	-A188
	A190	-C97
	D020	-D024
	D076	-D091
	D093	-D119
	D140	-D159
	D164	
M	D173	
	D174	
M	D177	
	D180	-D190
M	D197	
	D199	
	D213	
	D219	
	D320	-D359
	D369	
	D380	-D386
	D420	-D479
M	D486	-D487
	D489	-E899
	F069	
	F100	-F169
	F180	-F199

ICD-10-Mortality Manual 2c - 2014

	G000	-G060
	G08	
	G10	-G379
	G910	-G939
	I00	-I150
	I159	
	I210	-I229
	I250	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	K700	-K769
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	

ICD-10-Mortality Manual 2c - 2014

M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I616 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449

ICD-10-Mortality Manual 2c - 2014

J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

I618 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916

ICD-10-Mortality Manual 2c - 2014

Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6180 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97

ICD-10-Mortality Manual 2c - 2014

	D020 -D024
	D076 -D091
	D093 -D119
	D140 -D159
	D164
M	D173
	D174
M	D177
	D180 -D190
M	D197
	D199
	D213
	D219
	D320 -D359
	D369
	D380 -D386
	D420 -D479
M	D486 -D487
	D489 -E899
	F069
	F100 -F169
	F180 -F199
	G000 -G060
	G08
	G10 -G379
	G910 -G939
	I00 -I150
	I159
	I210 -I229
	I250 -I789
	I950 -I959
M	J440 -J449
	J450 -J46
	J960 -J969
	J982 -J989
	K700 -K769
	M300 -M359
	N000 -N289
	N390
	P200 -P220
	P916
	Q000 -Q289
	Q600 -Q649
	Q770 -Q789
	Q870
	Q900 -Q999
	R02 -R030
	R040 -R049
	R060 -R068
	R090

ICD-10-Mortality Manual 2c - 2014

R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I619 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190

ICD-10-Mortality Manual 2c - 2014

M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609

ICD-10-Mortality Manual 2c - 2014

R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I6190 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487

ICD-10-Mortality Manual 2c - 2014

D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
K700 -K769
M300 -M359
N000 -N289
N390
P200 -P220
P916
Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91

ICD-10-Mortality Manual 2c - 2014

R930
T360 -T659
T810
T812
M T828
M T850 -T853
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I620 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G000 -G060
G08
G10 -G379
G910 -G939
I00 -I150

ICD-10-Mortality Manual 2c - 2014

	I159	
	I210	-I229
	I250	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
	T360	-T659
	T810	
	T812	
M	T828	
M	T850	-T853
	T97	
M	X44	
	X45	
M	X64	

ICD-10-Mortality Manual 2c - 2014

X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I621 Address

A170 -A179
M A180
A181
M A187 -A188
A190 -C97
D020 -D024
D076 -D091
D093 -D119
D140 -D159
D164
M D173
D174
M D177
D180 -D190
M D197
D199
D213
D219
D320 -D359
D369
D380 -D386
D420 -D479
M D486 -D487
D489 -E899
F069
F100 -F169
F180 -F199
G10 -G379
I00 -I150
I159
I210 -I229
I250 -I789
I950 -I959
M J440 -J449
J450 -J46
J960 -J969
J982 -J989
M300 -M359
N000 -N289
N390
P200 -P220
P916

ICD-10-Mortality Manual 2c - 2014

Q000 -Q289
Q600 -Q649
Q770 -Q789
Q870
Q900 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T850 -T853
M T856
T97
M T983
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I629 Address

A170 -A179
M A180
A181

ICD-10-Mortality Manual 2c - 2014

M	A187	-A188
	A190	-C97
	D020	-D024
	D076	-D091
	D093	-D119
	D140	-D159
	D164	
M	D173	
	D174	
M	D177	
	D180	-D190
M	D197	
	D199	
	D213	
	D219	
	D320	-D359
	D369	
	D380	-D386
	D420	-D479
M	D486	-D487
	D489	-E899
	F069	
	F100	-F169
	F180	-F199
	G000	-G060
	G08	
	G10	-G379
	G910	-G939
	I00	-I150
	I159	
	I210	-I229
	I250	-I789
	I950	-I959
M	J440	-J449
	J450	-J46
	J960	-J969
	J982	-J989
	M300	-M359
	N000	-N289
	N390	
	P200	-P220
	P916	
	Q000	-Q289
	Q600	-Q649
	Q770	-Q789
	Q870	
	Q900	-Q999
	R02	-R030
	R040	-R049
	R060	-R068

ICD-10-Mortality Manual 2c - 2014

R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
T360 -T659
T810
T812
M T828
T97
M X44
X45
M X64
X65
M Y14
Y15
Y400 -Y599
Y86 -Y872

I630 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319

ICD-10-Mortality Manual 2c - 2014

	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049

ICD-10-Mortality Manual 2c - 2014

	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I6300 Address

	A000	-A099
	A170	-A180
	A199	-E899
	F069	
	F100	-F199
	G000	-G060
	G08	-G09
	G473	
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989

ICD-10-Mortality Manual 2c - 2014

L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609

ICD-10-Mortality Manual 2c - 2014

	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I631 Address

	I011	
	I020	
	I050	-I069
	I080	-I089
	I091	
M	I330	-I339
	I340	-I359
	I38	
	I423	-I424
	I48	-I499
M	I513	
	I631	-I6310
	I650	
	I652	
	I700	
M	I741	
M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
M	T801	

ICD-10-Mortality Manual 2c - 2014

M T817
M T828
M T838
M T848
M T858
Y600 -Y849

I6310 Address

I011
I020
I050 -I069
I080 -I089
I091
M I330 -I339
I340 -I359
I38
I423 -I424
I48 -I499
M I513
I631 -I6310
I650
I652
I700
M I741
M I800 -I809
M I821 -I829
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
M T801
M T817
M T828
M T838
M T848
M T858

ICD-10-Mortality Manual 2c - 2014

Y600 -Y849

I632 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053

ICD-10-Mortality Manual 2c - 2014

M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6320 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09

ICD-10-Mortality Manual 2c - 2014

	G473	
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	

ICD-10-Mortality Manual 2c - 2014

M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I633 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741

ICD-10-Mortality Manual 2c - 2014

	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	

ICD-10-Mortality Manual 2c - 2014

	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I6330 Address

	A000	-A099
	A170	-A180
	A199	-E899
	F069	
	F100	-F199
	G000	-G060
	G08	-G09
	G473	
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819

ICD-10-Mortality Manual 2c - 2014

M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790

ICD-10-Mortality Manual 2c - 2014

M R80 -R825
R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I634 Address

I011
I020
I050 -I069
I080 -I089
I091
M I330 -I339
I340 -I359
I38
I423 -I424
I48 -I499
M I513
I634 -I6340
I650
I652
I700
M I741
M I800 -I809
M I821 -I829
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
M T801
M T817
M T828
M T838
M T848

ICD-10-Mortality Manual 2c - 2014

M T858
Y600 -Y849

I6340 Address

I011
I020
I050 -I069
I080 -I089
I091
M I330 -I339
I340 -I359
I38
I423 -I424
I48 -I499
M I513
I634 -I6340
I650
I652
I700
M I741
M I800 -I809
M I821 -I829
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
M T801
M T817
M T828
M T838
M T848
M T858
Y600 -Y849

I635 Address

ICD-10-Mortality Manual 2c - 2014

	A000 -A099
	A170 -A180
	A199 -E899
	F069
	F100 -F199
	G000 -G060
	G08 -G09
	G473
	G934 -G936
	G938 -G939
M	H000 -H959
	I00 -I029
	I090
	I092 -I319
	I400 -I512
M	I513
	I514 -I740
M	I741
	I742 -I789
M	I800 -I809
	I81 -I820
M	I821 -I829
	I830 -J80
	J82 -J980
	J982 -J989
	L020 -L039
	M000 -M1990
	M320 -M359
	M810 -M819
	M844
	M852 -M853
	M856
	M878
	M890
	M940
	N000 -N399
	N430 -N434
	N450 -N459
	N47 -N489
	N600 -N959
	N990 -N999
M	O033
M	O038
M	O043
M	O048
M	O053
M	O058
M	O063
M	O068
M	O073

ICD-10-Mortality Manual 2c - 2014

M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6350 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959

ICD-10-Mortality Manual 2c - 2014

	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649

ICD-10-Mortality Manual 2c - 2014

Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I636 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829

ICD-10-Mortality Manual 2c - 2014

	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509

ICD-10-Mortality Manual 2c - 2014

R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6360 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878

ICD-10-Mortality Manual 2c - 2014

M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893

ICD-10-Mortality Manual 2c - 2014

R900 -R91
R930
M S000 -Y899

I638 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043

ICD-10-Mortality Manual 2c - 2014

M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6380 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199

ICD-10-Mortality Manual 2c - 2014

	G000	-G060
	G08	-G09
	G473	
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849

ICD-10-Mortality Manual 2c - 2014

M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I639 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513

ICD-10-Mortality Manual 2c - 2014

	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	

ICD-10-Mortality Manual 2c - 2014

R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6390 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780

ICD-10-Mortality Manual 2c - 2014

	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I64 Address

	A000	-A099
	A170	-A180
	A199	-E899
	F069	
	F100	-F199
	G000	-G060
	G08	-G09
	G473	
	G910	-G92
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434

ICD-10-Mortality Manual 2c - 2014

	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I6400 Address

	A000 -A099
	A170 -A180
	A199 -E899
	F069
	F100 -F199
	G000 -G060
	G08 -G09
	G473
	G910 -G92
	G934 -G936
	G938 -G939
M	H000 -H959
	I00 -I029
	I090
	I092 -I319
	I400 -I512
M	I513
	I514 -I740
M	I741
	I742 -I789
M	I800 -I809
	I81 -I820
M	I821 -I829
	I830 -J80
	J82 -J980
	J982 -J989
	L020 -L039
	M000 -M1990
	M320 -M359
	M810 -M819
	M844
	M852 -M853
	M856
	M878
	M890
	M940
	N000 -N399
	N430 -N434
	N450 -N459
	N47 -N489
	N600 -N959
	N990 -N999
M	O033
M	O038
M	O043
M	O048
M	O053

ICD-10-Mortality Manual 2c - 2014

M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I650 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09

ICD-10-Mortality Manual 2c - 2014

G473
G934 -G936
G938 -G939
H000 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879

ICD-10-Mortality Manual 2c - 2014

M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I651 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473

ICD-10-Mortality Manual 2c - 2014

	G934	-G936
	G938	-G939
	H000	-I090
M	I091	
	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	

ICD-10-Mortality Manual 2c - 2014

P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I652 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936

ICD-10-Mortality Manual 2c - 2014

	G938	-G939
	H000	-I090
M	I091	
	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049

ICD-10-Mortality Manual 2c - 2014

P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I653 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939

ICD-10-Mortality Manual 2c - 2014

	H000	-I090
M	I091	
	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379

ICD-10-Mortality Manual 2c - 2014

Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I658 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
H000 -I090

ICD-10-Mortality Manual 2c - 2014

M	I091	
	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649

ICD-10-Mortality Manual 2c - 2014

Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I659 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
H000 -I090
M I091

ICD-10-Mortality Manual 2c - 2014

	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999

ICD-10-Mortality Manual 2c - 2014

R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R829
R893
R900 -R91
R930
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I660 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091

ICD-10-Mortality Manual 2c - 2014

	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999

ICD-10-Mortality Manual 2c - 2014

R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I661 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829

ICD-10-Mortality Manual 2c - 2014

	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509

ICD-10-Mortality Manual 2c - 2014

R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I662 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856

ICD-10-Mortality Manual 2c - 2014

	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829

ICD-10-Mortality Manual 2c - 2014

M R893
R900 -R91
R930
M S000 -Y899

I663 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033

ICD-10-Mortality Manual 2c - 2014

M 0038
M 0043
M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I664 Address

A000 -A099
A170 -A180
A199 -E899

ICD-10-Mortality Manual 2c - 2014

F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087

ICD-10-Mortality Manual 2c - 2014

M O223
M O229
O60 -O849
M O871
M O879
M O994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I668 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091

ICD-10-Mortality Manual 2c - 2014

	I092	-I319
M	I330	-I38
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999

ICD-10-Mortality Manual 2c - 2014

R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I669 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I090
M I091
I092 -I319
M I330 -I38
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829

ICD-10-Mortality Manual 2c - 2014

	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509

ICD-10-Mortality Manual 2c - 2014

R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I670 Address

A500 -A539
A800 -A819
A839 -A89
B003 -B004
B020 -B022
B200 -B24
B900
B909
B941
M C000 -D489
E000 -E349
E660 -E669
E700 -E839
M E870 -E878
M E890 -E899
F069
I00 -I029
I090
I092 -I289
I310 -I319
I400 -I789
I970 -I979
J09 -J209
J410 -J459
J60
J80 -J853
J960 -J989
M069
M100 -M109
M300 -M359
M M800 -M949
N000 -N399
P000 -Q079

ICD-10-Mortality Manual 2c - 2014

Q200 -Q289
Q600 -Q619
Q630 -Q639
Q890 -Q892
R001
R008
R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R309
R33 -R34
R502 -R509
R54
R560 -R579
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R91
R934
R938
R942
M S000 -Y899

I671 Address

A500 -A539
G060
G08 -G09
G910 -G931
G934
G938 -G939
I6090
I671
M I700 -I709
M I729
M I770
M358 -M359
P013
P350 -P359
P370 -P379
Q2820
Q2830
M Q870 -Q999
M S090
M S150 -S159

I672 Address

M A500 -A539
E000 -E349
E660 -E669
E700 -E839
M E890 -E899
I10 -I150
I159
I672
I700 -I709
M I770
I99
M100 -M109
M300 -M359
N000 -N289
N390
Q600 -Q619
Q630 -Q639
Q890 -Q892
R54
T383
Y423

I673 Address

A150 -A199
A500 -A539
A800 -A819
A839 -A89
B003 -B004
B020 -B022
B200 -B24
B900
B909
B941
M C000 -D489
E000 -E349
E660 -E669
E700 -E839
M E870 -E878
M E890 -E899
F069
I00 -I029
I090
I092 -I289
I310 -I319
I400 -I789
I970 -I979

ICD-10-Mortality Manual 2c - 2014

	J09	-J209
	J410	-J459
	J60	
	J80	-J853
	J960	-J989
	M069	
	M100	-M109
	M300	-M359
M	M800	-M949
	N000	-N399
	P000	-Q079
	Q200	-Q289
	Q600	-Q619
	Q630	-Q639
	Q890	-Q892
	R001	
	R008	
	R012	-R030
	R040	-R049
	R060	-R068
	R090	-R098
	R300	-R309
	R33	-R34
	R502	-R509
	R54	
	R560	-R579
	R600	-R609
	R75	
	R780	-R825
M	R826	
	R827	-R829
M	R893	
	R91	
	R934	
	R938	
	R942	
M	S000	-Y899

I674 Address

M	A187	-A188
	A500	-A539
	B908	
	C64	-C65
	C740	-C759
	C790	
	C797	
M	C798	
M	C810	-C97
M	D091	

ICD-10-Mortality Manual 2c - 2014

M D093
D300 -D301
D350 -D359
D410 -D411
D440 -D449
D472
D477
D570 -D578
D760 -E0390
E100 -E237
E250 -E279
E660 -E678
E700 -E899
I00 -I029
I090
I092 -I259
I600 -I709
L930 -L932
M100 -M109
M320 -M359
N000 -N399
Q600 -Q619
Q630 -Q639
Q890 -Q892
R31
R54
Y400 -Y599

I675 Address

A170 -A179
A500 -A539
C880 -C883
D472
D477
D760
D763
D890 -E279
E320 -E329
E660 -E678
E700 -E839
E880 -E889
I00 -I029
I090
I092 -I150
I159
I250 -I259
I670 -I679
I700 -I789
M100 -M109

ICD-10-Mortality Manual 2c - 2014

M320 -M359
N000 -N399
Q600 -Q619
Q630 -Q639
Q890 -Q892
R31
R54

I676 Address

A150 -A199
A500 -A539
A800 -A819
A839 -A89
B003 -B004
B020 -B022
B200 -B24
B900
B909
B941
M C000 -D489
E000 -E349
E660 -E669
E700 -E839
M E870 -E878
M E890 -E899
F069
I00 -I029
I090
I092 -I289
I310 -I319
I400 -I789
I970 -I979
J09 -J209
J410 -J459
J60
J80 -J853
J960 -J989
M069
M100 -M109
M300 -M359
M M800 -M949
N000 -N399
P000 -Q079
Q200 -Q289
Q600 -Q619
Q630 -Q639
Q890 -Q892
R001
R008

ICD-10-Mortality Manual 2c - 2014

R012 -R030
R040 -R049
R060 -R068
R090 -R098
R300 -R309
R33 -R34
R502 -R509
R54
R560 -R579
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R91
R934
R938
R942
M S000 -Y899

I677 Address

A1690 -A179
A329
A500 -A539
M B200 -B24
C880 -C883
D472
D477
D760
D763
D890 -E279
E320 -E329
E660 -E678
E700 -E839
E880 -E889
I00 -I029
I090
I092 -I150
I159
I250 -I259
I670 -I679
I700 -I789
M100 -M109
M320 -M359
N000 -N399
Q600 -Q619
Q630 -Q639
Q890 -Q892

ICD-10-Mortality Manual 2c - 2014

R31
R54
M R75

I678 Address

A150 -A199
A500 -A539
A800 -A819
A839 -A89
B003 -B004
B020 -B022
B200 -B24
B900
B909
B941
M C000 -D489
E000 -E349
E660 -E669
E700 -E839
M E870 -E878
M E890 -E899
F069
G935 -G936
I00 -I029
I090
I092 -I289
I310 -I319
I400 -I789
I950 -I979
J09 -J209
J410 -J459
J60
J80 -J853
J960 -J989
M069
M100 -M109
M300 -M359
M M800 -M949
N000 -N399
P000 -Q079
Q200 -Q289
Q600 -Q619
Q630 -Q639
Q890 -Q892
R001
R008
R012 -R030
R040 -R049
R060 -R068

ICD-10-Mortality Manual 2c - 2014

R090 -R098
R300 -R309
R33 -R34
R502 -R509
R54
R560 -R579
R600 -R609
R75
R780 -R825
M R826
R827 -R829
M R893
R91
R934
R938
R942
M S000 -Y899

I679 Address

A150 -A199
A500 -A539
A800 -A819
A839 -A89
B003 -B004
B020 -B022
B200 -B24
B900
B909
B941
M C000 -D489
E000 -E349
E660 -E669
E700 -E839
M E870 -E878
M E890 -E899
F069
G935 -G936
I00 -I029
I090
I092 -I289
I310 -I319
I400 -I789
I970 -I979
J09 -J209
J410 -J459
J60
J80 -J853
J960 -J989
M069

ICD-10-Mortality Manual 2c - 2014

	M100	-M109
	M300	-M359
M	M800	-M949
	N000	-N399
	P000	-Q079
	Q200	-Q289
	Q600	-Q619
	Q630	-Q639
	Q890	-Q892
	R001	
	R008	
	R012	-R030
	R040	-R049
	R060	-R068
	R090	-R098
	R300	-R309
	R33	-R34
	R502	-R509
	R54	
	R560	-R579
	R600	-R609
	R75	
	R780	-R825
M	R826	
	R827	-R829
M	R893	
	R91	
	R934	
	R938	
	R942	
M	S000	-Y899

I690 Address

	A000	-A099
	A170	-A180
	A199	-E899
	F069	
	F100	-F199
	G000	-G419
	G450	-G459
	G474	
	G600	
	G602	
	G608	
	G800	-G809
M	G810	-G839
	G900	-G969
M	H000	-H959
	I00	-I899

ICD-10-Mortality Manual 2c - 2014

I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I691 Address

ICD-10-Mortality Manual 2c - 2014

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I899
I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54

ICD-10-Mortality Manual 2c - 2014

R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6910 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I899
I970 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959

ICD-10-Mortality Manual 2c - 2014

N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I692 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G419
G450 -G459
G474
G600
G602
G608
G800 -G809
M G810 -G839
G900 -G969
M H000 -H959
I00 -I899
I970 -J80
J82 -J980

ICD-10-Mortality Manual 2c - 2014

J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I693 Address

A000 -A099
A170 -A180

ICD-10-Mortality Manual 2c - 2014

	A199	-E899
	F019	-F03
	F069	
	F100	-F199
	G000	-G419
	G450	-G459
	G474	
	G600	
	G602	
	G608	
	G800	-G809
M	G810	-G839
	G900	-G969
M	H000	-I010
	I011	
M	I012	-I019
	I020	
M	I029	-I422
	I423	-I424
M	I425	-I479
	I48	-I499
M	I500	-I6400
	I650	
M	I651	
	I652	
M	I653	-I692
	I693	-I6930
M	I694	-I698
	I700	
M	I701	-I899
	I970	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	

ICD-10-Mortality Manual 2c - 2014

M 0038
M 0043
M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6930 Address

A000 -A099
A170 -A180
A199 -E899

ICD-10-Mortality Manual 2c - 2014

	F019	-F03
	F069	
	F100	-F199
	G000	-G419
	G450	-G459
	G474	
	G600	
	G602	
	G608	
	G800	-G809
M	G810	-G839
	G900	-G969
M	H000	-I010
	I011	
M	I012	-I019
	I020	
M	I029	
	I050	-I069
M	I070	-I079
	I080	-I089
M	I090	
	I091	
M	I092	-I339
	I340	-I359
M	I360	-I379
	I38	
M	I400	-I422
	I423	-I424
M	I425	-I479
	I48	-I499
M	I500	-I6400
	I650	
M	I651	
	I652	
M	I653	-I692
	I693	-I6930
M	I694	-I698
	I700	
M	I701	-I899
	I970	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	

ICD-10-Mortality Manual 2c - 2014

M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M 0033
M 0038
M 0043
M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M 826
R827 -R829
M 893

ICD-10-Mortality Manual 2c - 2014

R900 -R91
R930
M S000 -Y899

I694 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199
G000 -G060
G08 -G09
G473
G934 -G936
G938 -G939
M H000 -H959
I00 -I029
I090
I092 -I319
I400 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -J80
J82 -J980
J982 -J989
L020 -L039
M000 -M1990
M320 -M359
M810 -M819
M844
M852 -M853
M856
M878
M890
M940
N000 -N399
N430 -N434
N450 -N459
N47 -N489
N600 -N959
N990 -N999
M O033
M O038
M O043

ICD-10-Mortality Manual 2c - 2014

M 0048
M 0053
M 0058
M 0063
M 0068
M 0073
M 0078
M 0087
M 0223
M 0229
060 -O849
M 0871
M 0879
M 0994
P000 -P049
P100 -Q379
Q500 -Q649
Q850 -Q999
R02 -R030
R040 -R049
R060 -R068
R090
R092
R098
R31
R33 -R34
R392
R502 -R509
R54
R560 -R5800
R600 -R609
R75
R780
R788
R790
R80 -R825
M R826
R827 -R829
M R893
R900 -R91
R930
M S000 -Y899

I6940 Address

A000 -A099
A170 -A180
A199 -E899
F069
F100 -F199

ICD-10-Mortality Manual 2c - 2014

	G000	-G060
	G08	-G09
	G473	
	G934	-G936
	G938	-G939
M	H000	-H959
	I00	-I029
	I090	
	I092	-I319
	I400	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-J80
	J82	-J980
	J982	-J989
	L020	-L039
	M000	-M1990
	M320	-M359
	M810	-M819
	M844	
	M852	-M853
	M856	
	M878	
	M890	
	M940	
	N000	-N399
	N430	-N434
	N450	-N459
	N47	-N489
	N600	-N959
	N990	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849

ICD-10-Mortality Manual 2c - 2014

M	O871	
M	O879	
M	O994	
	P000	-P049
	P100	-Q379
	Q500	-Q649
	Q850	-Q999
	R02	-R030
	R040	-R049
	R060	-R068
	R090	
	R092	
	R098	
	R31	
	R33	-R34
	R392	
	R502	-R509
	R54	
	R560	-R5800
	R600	-R609
	R75	
	R780	
	R788	
	R790	
	R80	-R825
M	R826	
	R827	-R829
M	R893	
	R900	-R91
	R930	
M	S000	-Y899

I698 Address

M	A000	-A099
M	A170	-A180
M	A199	-E899
M	F069	
M	F100	-F199
M	G000	-G419
M	G450	-G459
M	G474	
M	G600	
M	G602	
M	G608	
M	G800	-G969
M	H000	-I029
	I090	
M	I092	-I319
M	I400	-I6940

ICD-10-Mortality Manual 2c - 2014

	I698	
M	I700	-I899
M	I970	-J80
M	J82	-J980
M	J982	-J989
M	L020	-L039
M	M000	-M1990
M	M320	-M359
M	M810	-M819
M	M844	
M	M852	-M853
M	M856	
M	M878	
M	M890	
M	M940	
M	N000	-N399
M	N430	-N434
M	N450	-N459
M	N47	-N489
M	N600	-N959
M	N990	-N999
M	P000	-P049
M	P100	-Q379
M	Q500	-Q649
M	Q850	-Q999
M	R02	-R030
M	R040	-R049
M	R060	-R068
M	R090	
M	R092	
M	R098	
M	R31	
M	R33	-R34
M	R392	
M	R502	-R509
M	R54	
M	R560	-R5800
M	R600	-R609
	R75	
M	R780	
M	R788	
M	R790	
M	R80	-R829
M	R893	
M	R900	-R91
M	R930	
M	S000	-Y899

I7 Category

I700 Address

M A500 -A539
E000 -E059
E100 -E279
E660 -E669
E700 -E859
E880 -E889
M E890 -E899
I10 -I150
I159
I700 -I709
I99
M100 -M109
M320 -M329
N000 -N289
N390
Q600 -Q639
Q890 -Q892
R54

I701 Address

M A500 -A539
E000 -E059
E100 -E279
E660 -E669
E700 -E859
E880 -E889
M E890 -E899
I10 -I150
I159
I700 -I709
I99
M100 -M109
M320 -M329
N000 -N289
N390
Q600 -Q639
Q890 -Q892
R54

I702 Address

M A500 -A539
E000 -E059
E100 -E279
E660 -E669
E700 -E859
E880 -E889

ICD-10-Mortality Manual 2c - 2014

M E890 -E899
I10 -I150
I159
I700 -I709
I99
M100 -M109
M320 -M329
N000 -N289
N390
Q600 -Q639
Q890 -Q892
R54

I708 Address

M A500 -A539
E000 -E059
E100 -E279
E660 -E669
E700 -E859
E880 -E889
M E890 -E899
I10 -I150
I159
I700 -I709
I99
M100 -M109
M320 -M329
N000 -N289
N390
Q600 -Q639
Q890 -Q892
R54

I709 Address

M A500 -A539
E000 -E059
E100 -E279
E660 -E669
E700 -E859
E880 -E889
M E890 -E899
I10 -I150
I159
I700 -I709
I99
M100 -M109
M320 -M329
N000 -N289

ICD-10-Mortality Manual 2c - 2014

N390
Q600 -Q639
Q890 -Q892
R54

I710 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350
T812

I711 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I712 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I713 Address

M A500 -A539
I10
I700 -I719
I729

ICD-10-Mortality Manual 2c - 2014

M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I714 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I715 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I716 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I718 Address

M A500 -A539
I10
I700 -I719

ICD-10-Mortality Manual 2c - 2014

I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I719 Address

M A500 -A539
I10
I700 -I719
I729
M315 -M316
Q251
M Q252 -Q254
Q874
S250
S350

I720 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I721 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I722 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I723 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I724 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I725 Address

M A500 -A539
I700 -I729
Q898

ICD-10-Mortality Manual 2c - 2014

S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I728 Address

M A500 -A539
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I729 Address

M A500 -A539
I330
I700 -I729
Q898
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T145

I730 Address

C880
I700 -I709
I730
M300 -M359

I731 Address

I700 -I709

ICD-10-Mortality Manual 2c - 2014

I731

I738 Address

A520
A527
E100 -E149
I10 -I150
I159
I250 -I259
I700 -I709
I730 -I809
I820 -I839
M300 -M319
Q270 -Q289
R54

I739 Address

A520
A527
M A539
B200 -B24
M C000 -C97
E100 -E149
E660 -E669
E780 -E789
G35
G800 -G839
I10 -I150
I159
I250 -I259
I700 -I709
I730 -I809
I820 -I839
M300 -M319
Q270 -Q289
R54
R75

I740 Address

A500 -A539
B200 -B24
C000 -C97
D45
D760
D763
E100 -E149
E660 -E669
E740

ICD-10-Mortality Manual 2c - 2014

	E750	-E756
	E770	-E789
	E880	-E889
	F110	-F169
	F180	-F199
	I00	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I519
	I700	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I870	-I879
	I99	
	K400	-K909
	M300	-M359
	N000	-N399
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	Q200	-Q289
	Q410	-Q559
	Q600	-Q649
	R31	
	R53	-R54
	R58	-R5800
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827

ICD-10-Mortality Manual 2c - 2014

M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -T983
Y400 -Y849

I741 Address

A500 -A539
B200 -B24
C000 -C97
D45
D760
D763
E100 -E149
E660 -E669
E740
E750 -E756
E770 -E789
E880 -E889
F110 -F169
F180 -F199
I00 -I319
M I330 -I339
I340 -I512
M I513
I514 -I519
I700 -I789
M I800 -I809
I81 -I820
M I821 -I829
I870 -I879
I99
K400 -K909
M300 -M359
N000 -N399
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078

ICD-10-Mortality Manual 2c - 2014

M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	Q200	-Q289
	Q410	-Q559
	Q600	-Q649
	R31	
	R53	-R54
	R58	-R5800
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-T983
	Y400	-Y849

I742 Address

	A000	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-O032
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	

ICD-10-Mortality Manual 2c - 2014

M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P760	-Q999
	R02	
	R53	-R54
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y899

I743 Address

	A000	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-O032
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	

ICD-10-Mortality Manual 2c - 2014

M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P760	-Q999
	R02	
	R53	-R54
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y899

I744 Address

	A000	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-O032
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	

ICD-10-Mortality Manual 2c - 2014

M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P760	-Q999
	R02	
	R53	-R54
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y899

I745 Address

	A000	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-O032
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849

ICD-10-Mortality Manual 2c - 2014

M	O871	
M	O879	
M	O994	
	P760	-Q999
	R02	
	R53	-R54
	R75	
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y899

I748 Address

	A000	-I319
M	I330	-I339
	I340	-I512
M	I513	
	I514	-I740
M	I741	
	I742	-I789
M	I800	-I809
	I81	-I820
M	I821	-I829
	I830	-O032
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	

ICD-10-Mortality Manual 2c - 2014

M O994
P760 -Q999
R02
R53 -R54
R75
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I749 Address

A000 -I319
M I330 -I339
I340 -I512
M I513
I514 -I740
M I741
I742 -I789
M I800 -I809
I81 -I820
M I821 -I829
I830 -O032
M O033
M O038
M O043
M O048
M O053
M O058
M O063
M O068
M O073
M O078
M O087
M O223
M O229
O60 -O849
M O871
M O879
M O994
P760 -Q999

ICD-10-Mortality Manual 2c - 2014

R02
R53 -R54
R75
S000 -T800
M T801
T802 -T816
M T817
T818 -T827
M T828
T829 -T836
M T838
T839 -T847
M T848
T849 -T857
M T858
T859 -Y899

I770 Address

A200 -A269
A280 -A329
A35 -A439
A46 -A499
B350 -B49
C000 -C97
I300 -I309
I330 -I339
I400 -I409
I700 -I709
I740 -I771
I775
J13 -J189
M S069
S090
S150 -S159
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T063
T114
T134
T145
M T918
M T928
M T938

ICD-10-Mortality Manual 2c - 2014

M T940 -T941

I771 Address

M A500 -A539
B200 -B24
C000 -C97
D448
D472
D477
D760 -D899
E100 -E899
I00 -I99
M100 -M109
M320 -M359
Q200 -Q289
R75
M S069
S090
S150 -S159
S250 -S259
S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T063
T114
T134
T145
T383
Y423

I772 Address

A020 -A029
A150 -A1690
M A500 -A539
B200 -B24
C000 -C97
D472
D477
D489
D760 -D899
E100 -E349
E660 -E899
I00 -I99
J449

ICD-10-Mortality Manual 2c - 2014

	J860	
	K228	
M	K250	-K289
	K630	-K639
	K850	-K869
	L00	
	L26	
	L304	
	L530	-L539
	L710	-L719
	L930	-L932
	M100	-M109
	M320	-M359
	Q796	
	R75	
M	S069	
	S090	
	S150	-S159
	S250	-S259
	S350	-S359
	S450	-S459
	S550	-S559
	S650	-S659
	S750	-S759
	S850	-S859
	S950	-S959
	T063	
	T114	
	T135	
	T145	
	T383	
	T800	-T889
M	T918	
M	T928	
M	T938	
M	T940	-T941
	T983	
	Y423	

I773 Address

M	A500	-A539
	B200	-B24
	C000	-C97
	D448	
	D472	
	D477	
	D760	-D899
	E100	-E899
	I00	-I99

ICD-10-Mortality Manual 2c - 2014

M050 -M139
M320 -M359
N000 -N399
Q200 -Q289
Q600 -Q649
R33
R75
T383
Y423

I774 Address

M A500 -A539
B200 -B24
C000 -C97
D448
D472
D477
D760 -D899
E100 -E899
I00 -I99
M050 -M139
M320 -M359
N000 -N399
Q200 -Q289
Q600 -Q649
R33
R75
T383
Y423

I775 Address

M A500 -A539
B200 -B24
C000 -C97
D448
D472
D477
D760 -D899
E100 -E899
I00 -I99
M100 -M109
M320 -M359
Q200 -Q289
R75
M S069
S090
S150 -S159
S250 -S259

ICD-10-Mortality Manual 2c - 2014

S350 -S359
S450 -S459
S550 -S559
S650 -S659
S750 -S759
S850 -S859
S950 -S959
T063
T114
T134 -T135
T145
T383
Y423

I776 Address

A1690
M A188
M A500 -A539
A770
M B200 -B24
M B650 -B659
C000 -C97
D448
D472
D477
D760 -D899
E100 -E899
F106
I00 -I99
M050 -M139
M300 -M359
N000 -N399
Q200 -Q289
Q600 -Q649
R33
R54
M R75
T360 -T509
Y400 -Y599

I778 Address

M A500 -A539
B200 -B24
C000 -C97
D448
D472
D477
D760 -D899

ICD-10-Mortality Manual 2c - 2014

E100 -E899
I00 -I99
M000 -M1990
M320 -M359
N000 -N399
Q200 -Q289
Q600 -Q649
R33
R75
T383
Y423

I779 Address

M A500 -A539
B200 -B24
C000 -C97
D448
D472
D477
D760 -D899
E100 -E899
I00 -I99
M000 -M1990
M320 -M359
N000 -N399
Q200 -Q289
Q600 -Q649
R33
R75
T383
Y423

I780 Address

I700 -I709
I780

I781 Address

I700 -I709
I780 -I789
M R270

I788 Address

B200 -B24
M I011
M I020
M I050 -I069
M I080 -I089

ICD-10-Mortality Manual 2c - 2014

M	I091	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
	I701	-I709
M	I741	
	I780	-I789
M	I800	-I809
M	I821	-I829
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	R75	
M	T455	
M	T457	
M	T801	
M	T817	
M	T828	
M	T838	
M	T848	
M	T858	
M	X44	
M	X64	
M	Y14	
M	Y600	-Y849

I789 Address

B200	-B24
I700	-I709
I780	-I789
R75	

I8 Category

I800 Address

A000 -D649
E000 -E899
F03
F100 -F169
F180 -F199
G35
I00 -I99
J09 -J989
K220 -K929
L890 -L899
L97
L984
M000 -M1990
M478
M800 -M809
M M840 -M849
M860 -M869
N000 -N999
Q200 -Q349
Q380 -Q459
Q600 -Q649
Q870 -Q999
R02
R31
R53 -R54
R75
M S000 -Y899

I801 Address

A000 -D649
D810 -D819
D860
E000 -F03
F100 -F169
F180 -F199
F202
F322 -F323
F332 -F333
F500 -F503
F505 -F509
F73
G09
M G10 -G121
G1220

ICD-10-Mortality Manual 2c - 2014

M	G128 -G129
	G2000
M	G210 -G259
	G300 -G309
M	G310 -G319
	G35
M	G360 -G379
	G600 -G629
M	G64 -G819
	G820 -G825
M	G830 -G931
M	G934
	G935 -G936
M	G937 -G939
	G950 -G959
M	G960 -G98
	I00 -I99
	J09 -J989
	K220 -K929
M	L400 -L409
	L890 -L899
	L97
	L984
	M000 -M1990
	M320 -M329
	M340 -M349
M	M410 -M435
M	M45 -M472
	M478
M	M479
M	M481 -M519
M	M610 -M619
M	M623 -M624
	M800 -M809
M	M810 -M849
	M860 -M869
M	M870 -M879
M	M910 -M949
M	M960 -M969
	N000 -N999
M	Q000 -Q079
	Q200 -Q359
	Q370 -Q459
	Q600 -Q649
M	Q710 -Q719
	Q720 -Q799
	Q850 -Q999
	R02
	R31
	R53 -R54

ICD-10-Mortality Manual 2c - 2014

R75
M S000 -Y899

I802 Address

A000 -D649
D810 -D819
D860
E000 -F03
F100 -F169
F180 -F199
F202
F322 -F323
F332 -F333
F500 -F503
F505 -F509
F73
G09
M G10 -G121
G1220
M G128 -G129
G2000
M G210 -G259
G300 -G309
M G310 -G319
G35
M G360 -G379
G600 -G629
M G64 -G819
G820 -G825
M G830 -G931
M G934
G935 -G936
M G937 -G939
G950 -G959
M G960 -G98
I00 -I99
J09 -J989
K220 -K929
M L400 -L409
L890 -L899
L97
L984
M000 -M1990
M320 -M329
M340 -M349
M M410 -M435
M M45 -M472
M478
M M479

ICD-10-Mortality Manual 2c - 2014

M	M481	-M519
M	M610	-M619
M	M623	-M624
	M800	-M809
M	M810	-M849
	M860	-M869
M	M870	-M879
M	M910	-M949
M	M960	-M969
	N000	-N999
M	Q000	-Q079
	Q200	-Q359
	Q370	-Q459
	Q600	-Q649
M	Q710	-Q719
	Q720	-Q799
	Q850	-Q999
	R02	
	R31	
	R53	-R54
	R75	
M	S000	-Y899

I803 Address

	A000	-D649
	D810	-D819
	D860	
	E000	-F03
	F100	-F169
	F180	-F199
	F202	
	F322	-F323
	F332	-F333
	F500	-F503
	F505	-F509
	F73	
	G09	
M	G10	-G121
	G1220	
M	G128	-G129
	G2000	
M	G210	-G259
	G300	-G309
M	G310	-G319
	G35	
M	G360	-G379
	G600	-G629
M	G64	-G819
	G820	-G825

ICD-10-Mortality Manual 2c - 2014

M G830 -G931
M G934
G935 -G936
M G937 -G939
G950 -G959
M G960 -G98
I00 -I99
J09 -J989
K220 -K929
M L400 -L409
L890 -L899
L97
L984
M000 -M1990
M320 -M329
M340 -M349
M M410 -M435
M M45 -M472
M478
M M479
M M481 -M519
M M610 -M619
M M623 -M624
M800 -M809
M M810 -M849
M860 -M869
M M870 -M879
M M910 -M949
M M960 -M969
N000 -N999
M Q000 -Q079
Q200 -Q359
Q370 -Q459
Q600 -Q649
M Q710 -Q719
Q720 -Q799
Q850 -Q999
R02
R31
R53 -R54
R75
M S000 -Y899

I808 Address

A000 -D649
E000 -E899
F03
F100 -F169
F180 -F199

ICD-10-Mortality Manual 2c - 2014

G35
I00 -I99
J09 -J989
K220 -K929
L890 -L899
L97
L984
M000 -M1990
M478
M844
M860 -M869
N000 -N999
Q200 -Q349
Q380 -Q459
Q600 -Q649
Q870 -Q999
R02
R31
R53 -R54
R75
M S000 -Y899

I809 Address

A000 -D649
D810 -D819
D860
E000 -F03
F100 -F169
F180 -F199
F202
F322 -F323
F332 -F333
F500 -F503
F505 -F509
F73
G09
M G10 -G121
G1220
M G128 -G129
G2000
M G210 -G308
G309
M G310 -G319
G35
M G360 -G379
G600 -G629
M G64 -G819
G820 -G825
M G830 -G931

ICD-10-Mortality Manual 2c - 2014

M G934
G935 -G936
M G937 -G939
G950 -G959
M G960 -G98
I00 -I99
J09 -J989
K220 -K929
M L400 -L409
L890 -L899
L97
L984
M000 -M1990
M320 -M329
M340 -M349
M M410 -M435
M M45 -M472
M478
M M479
M M481 -M519
M M610 -M619
M M623 -M624
M M800 -M843
M844
M M848 -M849
M860 -M869
M M870 -M879
M M910 -M949
M M960 -M969
N000 -N999
M Q000 -Q079
Q200 -Q359
Q370 -Q459
Q600 -Q649
M Q710 -Q719
Q720 -Q799
Q850 -Q999
R02
R31
R53 -R54
R75
M S000 -Y899

I81 Address

A060 -A061
A064
A069
A539
M B150 -B199

ICD-10-Mortality Manual 2c - 2014

B200 -B24
B650 -B659
B663
C220 -C249
C33 -C349
M C457
C780
C783
C787
M C788
M C798
C80
M C810 -C959
D015
D021 -D022
D134 -D135
D142 -D143
D376
D381
E840 -E849
I00 -I99
K650 -K659
K700 -K909
Q200 -Q289
Q440 -Q447
R75
S361
T385
T915 -T918
Y400 -Y599

I820 Address

A060 -A061
A064
A069
M B150 -B199
B200 -B24
B663
C220 -C249
C787
M C788
C80 -C959
D015
D134 -D135
D142 -D143
D376
D500 -D899
E660 -E669
E840 -E849

ICD-10-Mortality Manual 2c - 2014

I00 -I99
K650 -K659
K700 -K869
Q200 -Q289
Q440 -Q447
R75
S361
T915 -T918
Y400 -Y599

I821 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I822 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I823 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I828 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I829 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I830 Address

ICD-10-Mortality Manual 2c - 2014

C414
C419
M C457
M C467
C765 -C767
C795
M C798
M D097
D099
D168 -D169
D171 -D172
M D173
M D177
D179
D212
D214 -D219
M D480 -D481
M D487
E660 -E669
I800 -I809
I830 -I839
I872

I831 Address

C414
C419
M C457
M C467
C765 -C767
C795
M C798
M D097
D099
D168 -D169
D171 -D172
M D173
M D177
D179
D212
D214 -D219
M D480 -D481
M D487
E660 -E669
I800 -I809
I830 -I839

I832 Address

C414

ICD-10-Mortality Manual 2c - 2014

C419
M C457
M C467
C765 -C767
C795
M C798
M D097
D099
D168 -D169
D171 -D172
M D173
M D177
D179
D212
D214 -D219
M D480 -D481
M D487
E660 -E669
I800 -I809
I830 -I839

I839 Address

C414
C419
M C457
M C467
C765 -C767
C795
M C798
M D097
D099
D168 -D169
D171 -D172
M D173
M D177
D179
D212
D214 -D219
M D480 -D481
M D487
E660 -E669
I800 -I809
I830 -I839

I840 Address

I840 -I849

I841 Address

ICD-10-Mortality Manual 2c - 2014

I840 -I849

I842 Address

I840 -I849

I843 Address

I840 -I849

I844 Address

I840 -I849

I845 Address

I840 -I849

I846 Address

I840 -I849

I847 Address

I840 -I849

I848 Address

I840 -I849

I849 Address

I840 -I849

I850 Address

B150 -B199

B251

M B650 -B659

B942

C150 -C159

C220 -C229

C320 -C329

C457

C494

M C785

C787

M C788

D001

D100

D130

D376

M D377

ICD-10-Mortality Manual 2c - 2014

D860 -D869
E780
E831
F100 -F109
I850 -I859
K20 -K219
K221
K227
K440 -K449
K700 -K769
M P788
Q390 -Q399
Q442 -Q447
Q459
T510 -T519
T97
X45
X65
Y15
Y599
Y86 -Y872

I859 Address

B150 -B199
B251
M B650 -B659
B942
C150 -C159
C220 -C229
C320 -C329
C457
C494
M C785
C787
M C788
D001
D100
D130
D376
M D377
D860 -D869
E780
E831
F100 -F109
I850 -I859
K20 -K219
K221
K227
K440 -K449

ICD-10-Mortality Manual 2c - 2014

M K700 -K769
P788
Q390 -Q399
Q442 -Q447
Q459
T510 -T519
T97
X45
X65
Y15
Y599
Y86 -Y872

I860 Address

I860

I861 Address

I861

I862 Address

I862

I863 Address

I863

I864 Address

M B150 -B199
M B650 -B659
M C000 -D489
F100 -F109
I864
M K700 -K769
P780 -P789
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

I868 Address

M B150 -B199
M B650 -B659
M C000 -D489
I868
M K700 -K769

ICD-10-Mortality Manual 2c - 2014

P780 -P789

I870 Address

B200 -B24
I870
R75

I871 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I872 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I878 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I879 Address

A000 -Q999
R02
R53 -R54
R75
S000 -Y899

I880 Address

A000 -C97
D180 -D181
D472
D477
D489
D760 -E079
E660 -E899
G000 -G09
I770 -I779
I880

ICD-10-Mortality Manual 2c - 2014

M I890 -I899
J00 -K929
L00 -M999
N000 -N429
N700 -N768
P550 -P579
R31
R75
T805 -T806
Y400 -Y599
Y848

I881 Address

A1690
A182
A369
A519
A529
A549
B200 -B24
I881
R75

I888 Address

A000 -C97
D180 -D181
D472
D477
D489
D760 -E079
E660 -E899
G000 -G09
I770 -I779
I880
I888
I890 -I899
J00 -K929
M L00 -M999
N000 -N429
N700 -N768
P550 -P579
R31
R75
T805 -T806
Y400 -Y599
Y848

I889 Address

ICD-10-Mortality Manual 2c - 2014

A000 -C97
D180 -D181
D472
D477
D489
D760 -E079
E660 -E899
G000 -G09
I770 -I779
I880
I889 -I899
J00 -K929
M L00 -M999
N000 -N429
N700 -N768
P550 -P579
R31
R75
T805 -T806
Y400 -Y599
Y848

I890 Address

A1690
A182
A184
A281
A400 -A409
A500 -A539
B200 -B24
B350 -B49
B72 -B749
B908 -B909
M B948
C000 -D489
D869
G000 -G09
I800 -I809
I830 -I839
I890 -I899
I972
L020 -L039
L890 -L899
L97
L984
Q260 -Q269
Q442
R75
T66

ICD-10-Mortality Manual 2c - 2014

W88 -W91
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y836
Y842
M Y882 -Y883

I891 Address

A1690
A182
A184
A281
A400 -A409
A500 -A539
M B200 -B24
B350 -B49
B72 -B749
B908 -B909
M B948
C000 -D489
D869
G000 -G09
I800 -I809
I830 -I839
I890 -I899
I972
L020 -L039
L890 -L899
L97
L984
M R75
T66
W88 -W91
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y836
Y842
M Y882 -Y883

I898 Address

A1690
A182
A184
A281
A400 -A409
A500 -A539

ICD-10-Mortality Manual 2c - 2014

B200 -B24
B350 -B49
B72 -B749
B908 -B909
M B948
C000 -D489
D869
G000 -G09
I800 -I809
I830 -I839
I871
I890 -I899
I972
L020 -L039
L890 -L899
L97
L984
R75
T66
W88 -W91
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y836
Y842
M Y882 -Y883

I899 Address

A1690
A182
A184
A281
A400 -A409
A500 -A539
B200 -B24
B350 -B49
B72 -B749
B908 -B909
M B948
C000 -D489
D869
G000 -G09
I800 -I809
I830 -I839
I890 -I899
I972
L020 -L039
L890 -L899
L97

ICD-10-Mortality Manual 2c - 2014

L984
R75
T66
W88 -W91
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y836
Y842
M Y882 -Y883

I9 Category

I950 Address

I950

I951 Address

M A000 -Q999
R02
R090 -R098
R54
R58 -R5800
R75
S000 -Y899

I952 Address

I952
T360 -T519
T880 -T887
X40 -X45
X60 -X65
X85
Y10 -Y15
Y400 -Y599
M Y86 -Y872
Y880

I958 Address

M A000 -Q999
R02
R090 -R098
R54
R58 -R5800
R75
S000 -Y899

I959 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -Q999
R02
R090 -R098
R54
R58 -R5800
R75
S000 -Y899

I970 Address

I970
Y838
M Y883

I971 Address

I971
Y830 -Y832
Y834
Y836 -Y839
M Y883

I972 Address

I972
Y834
M Y836 -Y839
M Y883

I978 Address

I978
Y600 -Y849
Y881
Y883

I979 Address

I979
Y600 -Y849
Y881
Y883

I99 Address

M A000 -R825
R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J

J0 Category

J00 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J010 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J011 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J012 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J013 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J014 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J018 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J019 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J020 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J028 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J029 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

J030 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J038 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J039 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J040 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J041 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J042 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

R827 -R892
M R893
R894 -R961
R98 -Y899

J050 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J051 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J060 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J068 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J069 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J09 Address

ICD-10-Mortality Manual 2c - 2014

J09 -J118

J1 Category

J100 Address

J09 -J118

J101 Address

J09 -J118

J1010 Address

J09 -J118

J108 Address

J09 -J118

J110 Address

J09 -J118

J111 Address

J09 -J118

J1110 Address

J09 -J118

J118 Address

J09 -J118

J120 Address

A000 -R262

R268 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

J121 Address

A000 -R262

R268 -R825

M R826

R827 -R892

M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

J122 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J123 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J128 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J129 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J13 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961

ICD-10-Mortality Manual 2c - 2014

R98 -Y899

J14 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J150 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J151 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J152 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J153 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J154 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J155 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J156 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J157 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J158 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J159 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J160 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J168 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J180 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J181 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J182 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J188 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J189 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J2 Category

J200 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J201 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J202 Address

A000 -R262
R268 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

R827 -R892
M R893
R894 -R961
R98 -Y899

J203 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J204 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J205 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J206 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J207 Address

A000 -R262
R268 -R825
M R826
R827 -R892

ICD-10-Mortality Manual 2c - 2014

M R893
R894 -R961
R98 -Y899

J208 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J209 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J210 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J211 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J218 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

J219 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J22 Address

A000 -R262
R268 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J3 Category

J300 Address

M A429
M A439
E840 -E849
E859
J300 -J304
T780 -T789
T885 -T887

J301 Address

M A429
M A439
E840 -E849
E859
J300 -J304
T780 -T789
T885 -T887

J302 Address

M A429
M A439
E840 -E849
E859
J300 -J304

ICD-10-Mortality Manual 2c - 2014

T780 -T789
T885 -T887

J303 Address

M A429
M A439
E840 -E849
E859
J300 -J304
T780 -T789
T885 -T887

J304 Address

M A429
M A439
E840 -E849
E859
J300 -J304
T780 -T789
T885 -T887

J310 Address

A164
A168
A1690
A360 -A369
M A429
M A439
A502
A509
A527
A539
B200 -B24
M B650 -B659
E840 -E849
E859
F100 -F109
F170 -F172
F179
F190
J00 -J989
K040 -K069
K102 -K103
R75
T360 -T659
T97
M X44
X45 -X49

ICD-10-Mortality Manual 2c - 2014

X65
Y15
Y86 -Y872

J311 Address

A164
A168
A1690
A360 -A369
M A429
M A439
A527
A539
B200 -B24
M B650 -B659
E840 -E849
E859
F100 -F109
F170 -F172
F179
F190
J00 -J989
K040 -K069
K102 -K103
R75
T360 -T659
T97
M X44
X45 -X49
X65
Y15
Y86 -Y872

J312 Address

A164
A168
A1690
A360 -A369
M A429
M A439
A509
A527
A539
B200 -B24
M B650 -B659
E840 -E849
E859
F100 -F109

ICD-10-Mortality Manual 2c - 2014

F170 -F172
F179
F190
J00 -J989
K040 -K069
K102 -K103
R75
T360 -T659
T97
M X44
X45 -X49
X65
Y15
Y86 -Y872

J320 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J321 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849

ICD-10-Mortality Manual 2c - 2014

E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J322 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J323 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682

ICD-10-Mortality Manual 2c - 2014

K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J324 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J328 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702

ICD-10-Mortality Manual 2c - 2014

W94
M Y86

J329 Address

A164
A168
A1690
M A429
M A439
A527
A539
B200 -B24
B420 -B49
E840 -E849
E859
J00 -J118
J300 -J399
J682
K040 -K069
K102 -K103
R75
T701 -T702
W94
M Y86

J330 Address

M A429
M A439
C300 -C319
M C783
E840 -E849
E859
J00 -J069
J300 -J399
J682

J331 Address

M A429
M A439
C300 -C319
M C783
E840 -E849
E859
J00 -J069
J300 -J399
J682

J338 Address

M A429
M A439
C300 -C319
M C783
E840 -E849
E859
J00 -J069
J300 -J399
J682

J339 Address

M A429
M A439
C300 -C319
M C783
E840 -E849
E859
J00 -J069
J300 -J399
J682

J340 Address

M A429
M A439
B200 -B24
M C000 -D019
D020
M D021 -D022
D023 -D024
M D030 -D140
D141 -D144
M D150 -D489
E840 -E849
E859
J00 -J069
J300 -J399
J682
J989
R75

J341 Address

M A429
M A439
B200 -B24
M C000 -D019

ICD-10-Mortality Manual 2c - 2014

D020
M D021 -D022
D023 -D024
M D030 -D140
D141 -D144
M D150 -D489
E840 -E849
E859
J00 -J069
J300 -J399
J682
J989
R75

J342 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J342
R75

J343 Address

M A429
M A439
B200 -B24
M C000 -D489
E840 -E849
E859
J300 -J399
J682
R75

J348 Address

M A429
M A439
M A509
M A539
B200 -B24
M C000 -D019
D020
M D021 -D022
D023 -D024
M D030 -D140
D141 -D144
M D150 -D489
E840 -E849

ICD-10-Mortality Manual 2c - 2014

E859
J00 -J069
J300 -J399
J682
J989
R75

J350 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J020 -J039
J320 -J329
J350
R75

J351 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J020 -J039
J320 -J329
J351 -J353
R75

J352 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J020 -J039
J320 -J329
J351 -J353
R75

J353 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J020 -J039

ICD-10-Mortality Manual 2c - 2014

J320 -J329
J351 -J353
R75

J358 Address

A360 -A369
M A429
M A439
A513
A539
B200 -B24
C090 -C109
C111
M C798
D000
D370
E840 -E849
E859
J010 -J039
J320 -J329
J358
R75
M T455
M T457
M X44
M X64
M Y14

J359 Address

M A429
M A439
B200 -B24
E840 -E849
E859
J010 -J039
J320 -J329
J359
R75

J36 Address

A164
A168
A1690
A360 -A38
M A429
M A439
B200 -B24
B270 -B279

ICD-10-Mortality Manual 2c - 2014

E320 -E329
E840 -E849
E859
J00 -J189
J350 -J36
J682
R75

J370 Address

A150 -A1690
A300 -A309
M A429
M A439
A500 -A539
B200 -B24
B390 -B399
E840 -E849
E859
J00 -J399
J60 -J709
R75
T360 -T659
M X44
X45 -X49
M Y86

J371 Address

A150 -A1690
A300 -A309
M A429
M A439
A500 -A539
B200 -B24
B390 -B399
E840 -E849
E859
J00 -J399
J60 -J709
R75
T360 -T659
M X44
X45 -X49
M Y86

J380 Address

A360 -A369
M A429
M A439

ICD-10-Mortality Manual 2c - 2014

M A521 -A523
A800 -A809
B200 -B24
C000 -D489
D898 -E079
E233
E320 -E329
E65 -E68
E713
E750 -E779
E790 -E807
E840 -E859
E880 -E890
E898 -F519
F530 -F629
F633
F640 -F800
F808
F840 -F849
F930
F940 -G459
G473 -G478
G510
G514 -G518
G527
G588 -G600
G608
G629
G710 -G712
G800 -G969
G971
G98
I020 -I029
I600 -I698
I772
I99 -J989
M890
N312 -N319
P579
Q000 -Q159
Q180 -Q189
Q300 -Q459
Q670 -Q675
Q678 -Q680
Q740
Q742
Q750 -Q799
Q851 -Q999
R220 -R221
R400 -R402

ICD-10-Mortality Manual 2c - 2014

R418
R440
R442 -R443
R455 -R456
R502 -R509
R54 -R568
R579
M R75
R838
R900
S000 -Y899

J381 Address

M A429
M A439
M B200 -B24
M C000 -D489
E840 -E849
E859
J09 -J189
J300 -J399
J60 -J709
J988 -J989
M R75

J382 Address

M A429
M A439
B200 -B24
M C000 -D019
D020
M D021 -D022
D023 -D024
M D030 -D140
D141
M D142 -D143
D144
M D150 -D489
E840 -E849
E859
J040 -J189
J300 -J399
J60 -J709
J988 -J989
R75

J383 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
B200 -B24
M C000 -D019
D020
M D021 -D022
D023 -D024
M D030 -D140
D141
M D142 -D143
D144
M D150 -D489
E840 -E849
E859
J040 -J189
J300 -J399
J60 -J709
J988 -J989
R75

J384 Address

A000 -F29
F320 -F509
F525 -F526
F530 -F54
F59
F603
F633
F680
F70 -F800
F808
F840 -F849
F930
F940
F942
F982
F984
F988 -H519
H55 -H739
H920 -K069
K090 -L00
L011 -L081
L089 -L109
L120 -L138
L200 -L279
L300
L302 -L303
L305 -L42
L510 -L569
L590 -L599

ICD-10-Mortality Manual 2c - 2014

L710 -L719
L88 -L899
L930 -L932
L945 -L949
L97
M000 -N459
N480 -N96
N980 -Q999
R02
R040 -R070
R090 -R098
R11
R13
R196
R220 -R229
R290 -R291
R298
R400 -R410
R418
R452 -R458
R502 -R509
R53 -R5800
R600 -R609
R620 -R630
R633
R64
R688
R75
R788
R798
R80 -R829
R900
S000 -Y899

J385 Address

A000 -F29
F320 -F509
F525 -F526
F530 -F54
F59
F603
F633
F680
F70 -F800
F808
F840 -F849
F930
F940
F942

ICD-10-Mortality Manual 2c - 2014

F982
F984
F988 -H519
H55 -H739
H920 -K069
K090 -L00
L011 -L081
L089 -L109
L120 -L138
L200 -L279
L300
L302 -L303
L305 -L42
L510 -L569
L590 -L599
L710 -L719
L88 -L899
L930 -L932
L945 -L949
L97
M000 -N459
N480 -N96
N980 -Q999
R02
R040 -R070
R090 -R098
R11
R13
R196
R220 -R229
R290 -R291
R298
R400 -R410
R418
R452 -R458
R502 -R509
R53 -R5800
R600 -R609
R620 -R630
R633
R64
R688
R75
R788
R798
R80 -R829
R900
S000 -Y899

J386 Address

A000 -F29
F320 -F509
F525 -F526
F530 -F54
F59
F603
F633
F680
F70 -F800
F808
F840 -F849
F930
F940
F942
F982
F984
F988 -H519
H55 -H739
H920 -K069
K090 -L00
L011 -L081
L089 -L109
L120 -L138
L200 -L279
L300
L302 -L303
L305 -L42
L510 -L569
L590 -L599
L710 -L719
L88 -L899
L930 -L932
L945 -L949
L97
M000 -N459
N480 -N96
N980 -Q999
R02
R040 -R070
R090 -R098
R11
R13
R196
R220 -R229
R290 -R291
R298
R400 -R410

ICD-10-Mortality Manual 2c - 2014

R418
R452 -R458
R502 -R509
R53 -R5800
R600 -R609
R620 -R630
R633
R64
R688
R75
R788
R798
R80 -R829
R900
S000 -Y899

J387 Address

A000 -F29
F320 -F509
F525 -F526
F530 -F54
F59
F603
F633
F680
F70 -F800
F808
F840 -F849
F930
F940
F942
F982
F984
F988 -H519
H55 -H739
H920 -K069
K090 -L00
L011 -L081
L089 -L109
L120 -L138
L200 -L279
L300
L302 -L303
L305 -L42
L510 -L569
L590 -L599
L710 -L719
L88 -L899
L930 -L932

ICD-10-Mortality Manual 2c - 2014

L945 -L949
L97
M000 -N459
N480 -N96
N980 -Q999
R02
R040 -R070
R090 -R098
R11
R13
R196
R220 -R229
R290 -R291
R298
R400 -R410
R418
R452 -R458
R502 -R509
R53 -R5800
R600 -R609
R620 -R630
R633
R64
R688
R75
R788
R798
R80 -R829
R900
S000 -Y899

J390 Address

A164
A168
A1690
A369
M A429
M A439
B200 -B24
B332 -B333
B340 -B349
B909
C000 -D489
E840 -E849
E859
F100 -F199
M G08
M G450 -G459
M G819

ICD-10-Mortality Manual 2c - 2014

M	G936	
M	G938	
M	I600	-I698
M	I772	
M	I99	
	J040	-J189
	J310	-J329
	J340	-J371
	J390	
	J398	-J399
M	J690	-J698
M	J848	-J8490
	J950	-J959
	J988	-J989
	K040	-K049
	K20	-K219
M	P230	-P239
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y86	-Y872

J391 Address

	A164	
	A168	
	A1690	
	A369	
M	A429	
M	A439	
	B200	-B24
	B332	-B333
	B340	-B349
	B909	
	C000	-D489
	E840	-E849
	E859	
	F100	-F199
M	G08	
M	G450	-G459
M	G819	
M	G936	
M	G938	
M	I600	-I698
M	I772	
M	I99	
	J040	-J189

ICD-10-Mortality Manual 2c - 2014

	J310	-J329
	J340	-J371
	J390	-J391
	J398	-J399
M	J690	-J698
M	J848	-J8490
	J950	-J959
	J988	-J989
	K040	-K049
	K20	-K219
M	P230	-P239
	R75	
	S000	-Y899

J392 Address

	A164	
	A168	
	A1690	
	A369	
M	A429	
M	A439	
M	A539	
	B200	-B24
	B332	-B333
	B340	-B349
	B909	
	C000	-D489
	E840	-E849
	E859	
M	F03	
M	F09	
	F100	-F199
M	F29	
M	F449	
M	F99	
	G000	-G219
	G300	-G309
M	G450	-G459
M	G819	
M	G936	
M	G938	
M	I600	-I698
M	I772	
M	I99	
	J040	-J189
	J310	-J329
	J340	-J371
	J390	
	J392	

ICD-10-Mortality Manual 2c - 2014

	J398	-J399
M	J690	-J698
M	J848	-J8490
	J950	-J959
	J988	-J989
	K040	-K049
	K20	-K219
M	P230	-P239
	R75	
	S000	-Y899

J393 Address

M	A429	
M	A439	
M	A539	
	B200	-B24
	C000	-D020
M	D021	-D022
	D023	-D024
M	D030	-D140
	D141	
M	D142	-D143
	D144	
M	D150	-D489
	E840	-E849
	E859	
	F100	-F199
	J00	-J189
	J300	-J399
	J60	-J709
	J988	-J989
	K20	-K219
	R75	
	T360	-T659
	T97	
	X40	-X49
	X65	
	Y15	
	Y400	-Y599
	Y86	-Y872

J398 Address

	A000	-R825
M	R826	
	R827	-R892
M	R893	
	R894	-R961
	R98	-Y899

ICD-10-Mortality Manual 2c - 2014

J399 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J4 Category

J40 Address

A150 -A199
A219
A310 -A319
A420 -A439
A500 -A539
A699
A800 -A809
B200 -B24
B349
B370 -B49
B909 -B91
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D380 -D386
D460 -D469
D500 -D699
D720
D728
D760 -D849

ICD-10-Mortality Manual 2c - 2014

D898 -D899
E100 -E149
E240 -E249
E340
E40 -E46
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G419
G450 -G459
G610 -G619
G700 -G839
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I679
J00 -J989
K20 -K299
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
N185 -N19
P200 -P289
P916
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769
Q790 -Q799
Q870 -Q999
R54

ICD-10-Mortality Manual 2c - 2014

R75
M S000 -S127
S128
M S129 -S219
S220 -S229
M S230 -S259
S260 -S299
M S300 -T171
T172 -T179
M T180 -T983
W78 -W80
W84
M Y86

J410 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
B900 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D460 -D469
D500 -D699
D720
D728
D760 -D849
D898 -D899
E40 -E46
E660 -E669
E672

ICD-10-Mortality Manual 2c - 2014

E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G419
G610 -G839
G950 -G959
I010 -I099
I110 -I119
I130 -I209
I250 -I269
I271
M I278 -I279
I280 -I519
J00 -J989
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
N185 -N19
P200 -P289
P916
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
R54
R75
T172 -T179
T900 -T983
W78 -W80
Y600 -Y86

J411 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
B900 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D460 -D469
D500 -D699
D720
D728
D760 -D849
D898 -D899
E40 -E46
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G419
G610 -G839
G950 -G959

ICD-10-Mortality Manual 2c - 2014

I010 -I099
I110 -I119
I130 -I209
I250 -I269
I271
M I278 -I279
I280 -I519
J00 -J989
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
N185 -N19
P200 -P289
P916
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
R54
R75
T172 -T179
T900 -T983
W78 -W80
Y600 -Y86

J418 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
B900 -B949
C150 -C159
C320 -C399
C450

ICD-10-Mortality Manual 2c - 2014

	C457	-C459
	C468	-C469
	C473	
	C771	
	C780	-C783
M	C788	
M	C798	
	C80	-C97
	D001	
	D020	-D024
	D130	
	D141	-D159
	D190	
	D197	
M	D377	
	D460	-D469
	D500	-D699
	D720	
	D728	
	D760	-D849
	D898	-D899
	E40	-E46
	E660	-E669
	E672	
	E678	-E68
	E713	
	E760	-E769
	E771	-E779
	E789	
	E791	-E807
	E840	-E859
	E880	-E889
	E898	-E899
	F170	-F179
	G120	-G419
	G610	-G839
	G950	-G959
	I010	-I099
	I110	-I119
	I130	-I209
	I250	-I269
	I271	
M	I278	-I279
	I280	-I519
	J00	-J989
	K20	-K229
	M050	-M089
	M300	-M419
	M430	-M432
	M438	-M45

ICD-10-Mortality Manual 2c - 2014

M478
M954
M962 -M965
N185 -N19
P200 -P289
P916
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
R54
R75
T172 -T179
T900 -T983
W78 -W80
Y600 -Y86

J42 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
B900 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C771
C780 -C783
C788
C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190

M
M

ICD-10-Mortality Manual 2c - 2014

M D197
D377
D460 -D469
D500 -D699
D720
D728
D760 -D849
D898 -D899
E40 -E46
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G419
G610 -G839
G950 -G959
I010 -I099
I110 -I119
I130 -I209
I250 -I269
I271
M I278 -I279
I280 -I519
J00 -J989
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
N185 -N19
P200 -P289
P916
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769

ICD-10-Mortality Manual 2c - 2014

Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
R54
R75
T172 -T179
T900 -T983
W78 -W80
Y600 -Y86

J430 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B830
M B900 -B908
B909
M B91 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D720
D728
D760 -D869
D898 -D899
E240 -E249
E340

ICD-10-Mortality Manual 2c - 2014

E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
M G450 -G459
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I600
M I6000 -I698
J300 -J80
J82 -J929
J940 -J989
M K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769
Q772
Q785

ICD-10-Mortality Manual 2c - 2014

Q788
Q790 -Q799
M Q858 -Q859
Q870 -Q999
R54
R75
T172 -T179
M T980
W78 -W80
W84
M Y86
Y891

J431 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B830
M B900 -B908
B909
M B91 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D720
D728
D760 -D869
D898 -D899
E240 -E249

ICD-10-Mortality Manual 2c - 2014

E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
M G450 -G459
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I600
M I6000 -I698
J300 -J80
J82 -J929
J940 -J989
K20 -K229
M M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769
Q772

ICD-10-Mortality Manual 2c - 2014

Q785
Q788
M Q790 -Q799
Q858 -Q859
Q870 -Q999
R54
R75
T172 -T179
M T980
W78 -W80
W84
M Y86
Y891

J432 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B830
M B900 -B908
B909
M B91 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D720
D728
D760 -D869
D898 -D899

ICD-10-Mortality Manual 2c - 2014

E240 -E249
E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
M G450 -G459
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I600
M I6000 -I698
J300 -J80
J82 -J929
J940 -J989
K20 -K229
M M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769

ICD-10-Mortality Manual 2c - 2014

Q772
Q785
Q788
Q790 -Q799
M Q858 -Q859
Q870 -Q999
R54
R75
T172 -T179
M T980
W78 -W80
W84
M Y86
Y891

J438 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B830
M B900 -B908
B909
M B91 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D720
D728
D760 -D869

ICD-10-Mortality Manual 2c - 2014

D898 -D899
E240 -E249
E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
M G450 -G459
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I600
M I6000 -I698
J300 -J80
J82 -J929
J938
J940 -J989
K20 -K229
M M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678

ICD-10-Mortality Manual 2c - 2014

Q758
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
M Q858 -Q859
Q870 -Q999
R54
R75
T172 -T179
M T980
W78 -W80
W84
M Y86
Y891

J439 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B830
M B900 -B908
B909
M B91 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D720

ICD-10-Mortality Manual 2c - 2014

D728
D760 -D869
D898 -D899
E240 -E249
E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
M G450 -G459
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I269
I271
M I278 -I279
I280 -I600
M I6000 -I698
J300 -J80
J82 -J929
J940 -J989
K20 -K229
M K918
M M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349

ICD-10-Mortality Manual 2c - 2014

Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
M Q858 -Q859
Q870 -Q999
R54
R75
T172 -T179
M T543
M T980
W78 -W80
W84
M Y832
M Y86
Y891

J441 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B370 -B49
M B650 -B839
M B900 -B909
B91 -B949
C000 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
M C493
C500 -C509
C761
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190

ICD-10-Mortality Manual 2c - 2014

M D197
D377
D380 -D386
D45
D720
D728
D760 -D869
D898 -D899
E240 -E249
E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I209
I250 -I259
I269
I271
M I278 -I279
I280 -I499
I510 -I600
M I6000 -I698
J00
J060 -J069
J200 -J80
J82 -J929
J940 -J989
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954

ICD-10-Mortality Manual 2c - 2014

M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
M T911 -T912
T913 -T914
M T915 -T919
M T940 -T941
T96 -T980
T982
Y400 -Y599
Y880
Y899

J448 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
B900 -B949
C000 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130

ICD-10-Mortality Manual 2c - 2014

M D141 -D159
D190
D197
D377
D380 -D386
D460 -D469
D500 -D699
D720
D728
D760 -D849
D898 -D899
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
G610 -G619
G700 -G839
G950 -G959
I010 -I099
I110 -I119
I130 -I209
I250 -I269
I271
M I278 -I279
I280 -I499
I510 -I519
J00
J060 -J069
J448
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q185
Q200 -Q269

ICD-10-Mortality Manual 2c - 2014

Q310 -Q349
Q390 -Q399
Q410 -Q459
Q675 -Q678
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
R54
R75
M T910
T914
T96 -T983
Y400 -Y599
M Y880

J449 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B370 -B49
M B650 -B839
M B900 -B909
B91 -B949
C000 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
M C493
C500 -C509
C761
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D380 -D386

ICD-10-Mortality Manual 2c - 2014

D45
D720
D728
D760 -D869
D898 -D899
E240 -E249
E340
E643
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I209
I269
I271
M I278 -I279
I280 -I499
I510 -I600
M I6000 -I698
J00
J060 -J069
J200 -J80
J82 -J929
J940 -J989
K20 -K229
M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049

ICD-10-Mortality Manual 2c - 2014

Q060 -Q079
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q761 -Q769
Q772
Q785
Q788
Q790 -Q799
Q870 -Q999
M T911 -T912
T913 -T914
M T915 -T919
M T940 -T941
T96 -T980
T982
M T983
Y400 -Y599
Y880
Y899

J450 Address

M A429
M A439
E840 -E849
E859
F170 -F179
J300 -J304
J40 -J42
J450
J60 -J709
T784
T789
T818
T885 -T887
Y400 -Y599

J451 Address

M A000 -A099
A150 -A1690
M A170 -A188
A190 -A199
M A200 -B949
E840 -E849
E859
F170 -F179

ICD-10-Mortality Manual 2c - 2014

J00 -J47
R75

J458 Address

M A000 -A099
A150 -A199
M A200 -B949
E840 -E849
E859
F170 -F179
J00 -J709
R75
T784
T789
T818
T885 -T887
Y400 -Y599

J459 Address

M A000 -A099
A150 -A1690
M A170 -A188
A190 -A199
M A200 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
C771
C780 -C783
C788
C80 -C97
D001
D020 -D024
D130
D140 -D159
D190
D197
D380 -D386
D720
D728
D760 -D899
E340
E660 -E669
E672
E678 -E68

ICD-10-Mortality Manual 2c - 2014

E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
F410 -F419
G120 -G129
G700 -G719
I010 -I099
I110 -I119
I130 -I269
I271
I280 -I519
J00 -J989
L272
M301
M310
M312 -M313
M320 -M329
M359
P200 -P289
P916
Q200 -Q269
Q310 -Q349
Q893
R75
T780 -T789
T809
T885 -T887
T96 -T983
X20 -X29
Y400 -Y599
Y86
Y891

J46 Address

M A000 -A099
A150 -A1690
M A170 -A188
A190 -A199
M A200 -B949
C150 -C159
C320 -C399
C450
C457 -C459

ICD-10-Mortality Manual 2c - 2014

C468 -C469
C473
C771
C780 -C783
C788
C80 -C97
D001
D020 -D024
D130
D140 -D159
D190
D197
D380 -D386
D720
D728
D760 -D899
E340
E660 -E669
E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
F410 -F419
G120 -G129
G700 -G719
I010 -I099
I110 -I119
I130 -I269
I271
I280 -I519
J00 -J989
L272
M301
M310
M312 -M313
M320 -M329
M359
P200 -P289
P916
Q200 -Q269
Q310 -Q349
Q893
R75

ICD-10-Mortality Manual 2c - 2014

T780 -T789
T809
T885 -T887
T96 -T983
X20 -X29
Y400 -Y599
Y86
Y891

J47 Address

A150 -A199
A310 -A319
A420 -A439
A500 -A539
B200 -B24
B370 -B49
M B650 -B839
M B900 -B908
B909 -B949
C150 -C159
C320 -C399
C450
C457 -C459
C468 -C469
C473
M C493
C500 -C509
C771
C780 -C783
M C788
M C798
C80 -C97
D001
D020 -D024
D130
D141 -D159
D190
D197
M D377
D380 -D386
D45
D720
D728
D760 -D869
D898 -D899
E240 -E249
E340
E643
E660 -E669

ICD-10-Mortality Manual 2c - 2014

E672
E678 -E68
E713
E760 -E769
E771 -E779
E789
E791 -E807
E840 -E859
E880 -E889
E898 -E899
F170 -F179
G120 -G129
G610 -G619
G700 -G839
G901
G950 -G959
I010 -I099
I110 -I119
I130 -I248
M I249
I250 -I269
I271
M I278 -I279
I280 -I447
M I450 -I459
I460 -I600
M I6000 -I698
J00 -J989
K20 -K229
M M050 -M089
M300 -M419
M430 -M432
M438 -M45
M478
M954
M962 -M965
P200 -P289
P916
Q010 -Q049
Q060 -Q079
Q185
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q678
Q758
Q772
Q785
Q788
Q790 -Q799

ICD-10-Mortality Manual 2c - 2014

Q870 -Q999
R54
R75
T172 -T179
T270 -T273
T300
M T941
M T958 -T959
M T980
W78 -W80
W84
Y632 -Y633
M Y86
M Y881
Y891

J6 Category

J60 Address

M A429
M A439
J60

J61 Address

M A429
M A439
J61

J620 Address

M A429
M A439
J620

J628 Address

M A429
M A439
J628

J630 Address

M A429
M A439
J630

J631 Address

M A429
M A439

ICD-10-Mortality Manual 2c - 2014

J631

J632 Address

M A429
M A439
J632

J633 Address

M A429
M A439
J633

J634 Address

M A429
M A439
J634

J635 Address

M A429
M A439
J635

J638 Address

M A429
M A439
J638

J64 Address

M A429
M A439
J64

J660 Address

M A429
M A439
J660

J661 Address

M A429
M A439
J661

J662 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
J662

J668 Address

M A429
M A439
J668

J670 Address

M A429
M A439
J670

J671 Address

M A429
M A439
J671

J672 Address

M A429
M A439
J672

J673 Address

M A429
M A439
J673

J674 Address

M A429
M A439
J674

J675 Address

M A429
M A439
J675

J676 Address

M A429
M A439
J676

J677 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M A439
J677

J678 Address

M A429
M A439
J678

J679 Address

M A429
M A439
J679

J680 Address

M A429
M A439
J680
W40
W93
X00 -X09
X13 -X14
X45 -X49
X65 -X69
X86 -X90
Y15 -Y19
M Y400 -Y599
M Y880

J681 Address

M A429
M A439
J681
W40
W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J682 Address

M A429
M A439
J682
W40

ICD-10-Mortality Manual 2c - 2014

W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J683 Address

M A429
M A439
J683
W40
W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J684 Address

M A429
M A439
J684
W40
W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J688 Address

M A429
M A439
J688
W40
W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J689 Address

M A429
M A439
J689

ICD-10-Mortality Manual 2c - 2014

W40
W92 -W93
X00 -X09
X13 -X14
X45 -X49
M Y400 -Y599
M Y880

J690 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J691 Address

M A429
M A439
B200 -B24
J691
R75
T170 -T179
W80
W84

J698 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J7 Category

J700 Address

M A429
M A439
J700 -J701
T66
W88
W90 -W91
Y632 -Y633
Y780 -Y788
Y842
M Y86

ICD-10-Mortality Manual 2c - 2014

M Y883
M Y899

J701 Address

M A429
M A439
J700 -J701
T66
W88
W90 -W91
Y632 -Y633
Y780 -Y788
Y842
M Y86
M Y883
M Y899

J702 Address

M A429
M A439
J702 -J704
Y400 -Y599
Y880

J703 Address

M A429
M A439
J702 -J704
Y400 -Y599
Y880

J704 Address

M A429
M A439
J702 -J704
Y400 -Y599
Y880

J708 Address

M A429
M A439
J708 -J709
W50 -X09

J8 Category

J80 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J81 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J82 Address

M A061
M A230 -A239
M A429
M A439
M A65
M A692 -A698
M B650 -B829
M C000 -D489
M D721
M D760 -D763
M E700 -E899
F100 -F169
F180 -F199
M I00
M I200 -I201
M I241 -I249
M I269
J09 -J189
J450 -J459
J670 -J689
J82
M L239
M L249
M L259
M L280 -L282
M L300 -L309
M L590 -L599
M L890 -L899
M L97
M L983 -L984

ICD-10-Mortality Manual 2c - 2014

M M300 -M308
M M317 -M329
M M350 -M359
M S000 -T983
X45
X65
Y15
M Y431 -Y434
Y86 -Y872

J840 Address

M A429
M A439
M B200 -B24
D471
M E840 -E849
J09 -J1010
J110 -J1110
J840
M320 -M329
M R75
M Y400 -Y599
M Y880

J841 Address

M A000 -B99
C340 -C349
C780
D022
D143
M D381
D860
D862
D869
M E840 -E849
M E854
M E859
M J00 -J840
J841
M J848 -J989
M050 -M069
M300 -M359
R75
T170 -T179
T270 -T277
T360 -T509
T520 -T609
T650 -T66

ICD-10-Mortality Manual 2c - 2014

T780 -T789
T820 -T829
T885 -T887
T96
T981
W78 -W80
X40 -X44
X46 -X49
X64
X66 -X69
X85 -X90
Y14
Y16 -Y19
Y400 -Y599
Y632 -Y633
Y830 -Y832
Y842
M Y86
Y880

J848 Address

M A429
M A439
B200 -B24
B59
M E840 -E849
J848 -J8490
M320 -M329
R75

J849 Address

M A000 -B99
C340 -C349
C780
D022
D143
M D381
D860
D862
D869
M E840 -E849
M E854
M E859
M J47
M J672 -J709
J841 -J8490
J984
M050 -M069

ICD-10-Mortality Manual 2c - 2014

M300 -M359
R75
T170 -T179
T270 -T277
T360 -T509
T520 -T609
T650 -T66
T780 -T789
T820 -T829
T885 -T887
T96
T981
W78 -W80
X40 -X44
X46 -X49
X64
X66 -X69
X85 -X90
Y14
Y16 -Y19
Y400 -Y599
Y632 -Y633
Y830 -Y832
Y842
M Y86
Y880

J8490 Address

A000 -R961
R98 -Y899

J850 Address

M A000 -D489
D70
D800 -D899
E039 -E0390
E100 -E15
E840 -E859
E890 -E899
F100 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169
F180 -F182
F189 -F192

ICD-10-Mortality Manual 2c - 2014

F199
F55
G400 -G419
G970 -G979
H590 -H599
I269
I281
I330 -I339
I710 -I729
I740 -I749
M I778
I779
I800 -I829
I970 -I979
J00 -J989
K20 -K229
K352 -K37
K440 -K449
M K523
M K529
K650 -K659
K700 -K869
K910 -K919
L022
L033
M022
M300 -M329
M340 -M349
M400 -M402
M410 -M419
M462
M860 -M879
M960 -M969
N980 -N999
O220 -O229
O870 -O879
P200 -P289
P350 -P399
P916
Q2780
Q2820 -Q2830
Q311 -Q349
Q390 -Q399
Q401
Q675
Q763 -Q764
Q790 -Q795
Q850 -Q899
R160 -R161
R18

ICD-10-Mortality Manual 2c - 2014

R400 -R402
R75
R788
S100 -S101
S110 -S119
S128
S170
S18
S198
S210 -S219
S222 -S229
S260 -S299
S310 -S311
S317 -S318
S368
S390
T019
T058
T065
T091
T141 -T142
T147 -T149
T172 -T179
T270 -T329
T510 -T519
T810 -T876
T97
T983 -Y899

J851 Address

M A000 -D489
D70
D800 -D899
E039 -E0390
E100 -E15
E840 -E859
E890 -E899
F100 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169
F180 -F182
F189 -F192
F199
F55
G400 -G419

ICD-10-Mortality Manual 2c - 2014

G970 -G979
H590 -H599
I269
I281
I330 -I339
I710 -I729
I740 -I749
M I778
I779
I800 -I829
I970 -I979
J00 -J989
K20 -K229
K352 -K37
K440 -K449
M K523
M K529
K650 -K659
K700 -K869
K910 -K919
L022
L033
M300 -M329
M340 -M349
M400 -M402
M410 -M419
M462
M860 -M879
M960 -M969
N990 -N999
O220 -O229
O870 -O879
P200 -P289
P350 -P399
P916
Q2780
Q2820 -Q2830
Q311 -Q349
Q390 -Q399
Q401
Q675
Q763 -Q764
Q790 -Q795
Q850 -Q899
R160 -R161
R18
R400 -R402
R75
R788
S100 -S101

ICD-10-Mortality Manual 2c - 2014

S110 -S119
S128
S170
S18
S198
S210 -S219
S222 -S229
S260 -S299
S310 -S311
S317 -S318
S368
S390
T019
T058
T065
T091
T141
T147 -T149
T172 -T179
T270 -T329
T510 -T519
T810 -T876
T97
T983 -Y899

J852 Address

M A000 -D489
D70
D800 -D899
E039 -E0390
E100 -E15
E840 -E859
E890 -E899
F100 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169
F180 -F182
F189 -F192
F199
F55
G400 -G419
G970 -G979
H590 -H599
I269
I281

ICD-10-Mortality Manual 2c - 2014

I330 -I339
I710 -I729
I740 -I749
M I778
I779
I800 -I829
I970 -I979
J00 -J989
K20 -K229
K352 -K37
K440 -K449
M K523
M K529
K650 -K659
K700 -K869
K910 -K919
L022
L033
M300 -M329
M340 -M349
M400 -M402
M410 -M419
M462
M860 -M879
M960 -M969
N990 -N999
O220 -O229
O870 -O879
P200 -P289
P350 -P399
P916
Q2780
Q2820 -Q2830
Q311 -Q349
Q390 -Q399
Q401
Q675
Q763 -Q764
Q790 -Q795
Q850 -Q899
R160 -R161
R18
R400 -R402
R75
R788
S100 -S101
S110 -S119
S128
S170
S18

ICD-10-Mortality Manual 2c - 2014

S198
S210 -S219
S222 -S229
S260 -S299
S310 -S311
S317 -S318
S368
S390
T019
T058
T065
T091
T141
T147 -T149
T172 -T179
T270 -T329
T510 -T519
T810 -T876
T97
T983 -Y899

J853 Address

M A000 -D489
D70
D800 -D899
E039 -E0390
E100 -E15
E840 -E859
E890 -E899
F100 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169
F180 -F182
F189 -F192
F199
F55
G400 -G419
G970 -G979
H590 -H599
I269
I281
I330 -I339
I710 -I729
I740 -I749
M I778

ICD-10-Mortality Manual 2c - 2014

I779
I800 -I829
I970 -I979
J00 -J989
K20 -K229
K352 -K37
K440 -K449
M
M
K523
K529
K650 -K659
K700 -K869
K910 -K919
L022
L033
M300 -M329
M340 -M349
M400 -M402
M410 -M419
M462
M860 -M879
M960 -M969
N990 -N999
O220 -O229
O870 -O879
P200 -P289
P350 -P399
P916
Q2780
Q2820 -Q2830
Q311 -Q349
Q390 -Q399
Q401
Q675
Q763 -Q764
Q790 -Q795
Q850 -Q899
R160 -R161
R18
R400 -R402
R75
R788
S100 -S101
S110 -S119
S128
S170
S18
S198
S210 -S219
S222 -S229
S260 -S299

ICD-10-Mortality Manual 2c - 2014

S310 -S311
S317 -S318
S368
S390
T019
T058
T065
T091
T141
T147 -T149
T172 -T179
T270 -T329
T510 -T519
T810 -T876
T97
T983 -Y899

J860 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J869 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J9 Category

J90 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J929 Address

A000 -R825
M R826
R827 -R892

ICD-10-Mortality Manual 2c - 2014

M R893
R894 -R961
R98 -Y899

J930 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J931 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J938 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J939 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J940 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J941 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J942 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J948 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J949 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J950 Address

M A429
M A439
J950
Y833
M Y883

J951 Address

M A429
M A439
J951 -J953
Y702 -Y703
Y712 -Y713
Y722 -Y723
Y732 -Y733
Y742 -Y743

ICD-10-Mortality Manual 2c - 2014

	Y752	-Y753
	Y762	-Y763
	Y772	-Y773
	Y782	-Y783
	Y792	-Y793
	Y802	-Y803
	Y812	-Y813
	Y822	-Y823
M	Y830	-Y834
M	Y836	-Y839
M	Y883	

J952 Address

M	A429	
M	A439	
	J951	-J953
	Y702	-Y703
	Y712	-Y713
	Y722	-Y723
	Y732	-Y733
	Y742	-Y743
	Y752	-Y753
	Y762	-Y763
	Y772	-Y773
	Y782	-Y783
	Y792	-Y793
	Y802	-Y803
	Y812	-Y813
	Y822	-Y823
M	Y830	-Y834
M	Y836	-Y839
M	Y883	

J953 Address

M	A429	
M	A439	
	J951	-J953
	Y702	-Y703
	Y712	-Y713
	Y722	-Y723
	Y732	-Y733
	Y742	-Y743
	Y752	-Y753
	Y762	-Y763
	Y772	-Y773
	Y782	-Y783
	Y792	-Y793
	Y802	-Y803

ICD-10-Mortality Manual 2c - 2014

Y812 -Y813
Y822 -Y823
M Y830 -Y839
M Y883

J954 Address

M A429
M A439
J954 -J959
M Y830 -Y839
M Y883

J955 Address

M A429
M A439
J954 -J959
Y830 -Y849
Y883

J958 Address

M A429
M A439
J954 -J959
Y600 -Y849
Y881
Y883

J959 Address

M A429
M A439
J954 -J959
Y600 -Y849
Y881
Y883

J960 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J961 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

R827 -R892
M R893
R894 -R961
R98 -Y899

J969 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J980 Address

A000 -E349
E660 -E678
E700 -E899
F100 -F199
F410 -F419
F500 -F509
G000 -G98
M H590 -H599
I00 -I099
I110 -I269
I280 -I519
M I600 -I698
M I710
I711 -I712
M I728
M I970 -I979
J00 -J989
K20 -K229
K440 -K449
M K910 -K919
M000 -M009
M M020
M021
M M022
M023 -M959
M M960 -M969
M990 -M999
N143
M N980 -N999
O240 -O25
O266
O268
O280 -O289
O740 -O749

ICD-10-Mortality Manual 2c - 2014

	O908
	O980 -O998
	P070 -P073
	P200 -P289
	P350 -P399
	P916
	Q200 -Q269
	Q310 -Q349
	Q390 -Q399
M	Q675 -Q678
	Q680
	Q760 -Q767
	Q772
	Q790 -Q798
	Q850 -Q999
	R75
	S100 -S101
	S110 -S119
	S128
	S170 -S199
	S202 -S219
	S222 -S229
	S250 -S299
	T021
	T041
M	T048
M	T07
	T090 -T092
	T095 -T099
	T172 -T182
M	T188
M	T210 -T217
	T270 -T289
	T319
	T330 -T739
M	T740 -T749
	T750 -T758
M	T780 -T789
M	T800 -T889
	T910
	T912
M	T914
M	T918 -T919
	T940 -T941
M	T951
M	T958
	T96 -T97
M	T980
	V010 -Y369
M	Y400 -Y599

ICD-10-Mortality Manual 2c - 2014

Y850 -Y872
Y890 -Y899

J981 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

J982 Address

M A429
M A439
M B200 -B24
E840 -E849
J40 -J47
J670 -J679
J850 -J949
J982
M K223
K226
P220
P240
M R75
M S000 -T983

J983 Address

M A429
M A439
M B200 -B24
E840 -E849
J430 -J449
J80
J841
J860 -J869
J930 -J939
J951 -J953
J981
J983 -J984
M R75
T811
T814
T818 -T819
T884
T889
Y836
Y839

J984 Address

A000 -F39
F531
F55
F71 -F79
F840 -F849
F99 -G419
G459 -G98
H650 -H709
H720 -H739
H950 -L599
L930 -L932
M000 -N459
N480 -N96
N980 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -R99
M S000 -Y899

J9840 Address

A000 -E349
E660 -E678
E700 -E899
F100 -F199
F410 -F419
F444
M F453 -F458
F500 -F509
F70 -F79
G000 -G98
I00 -I099
I110 -I269
I280 -I698
I710 -I712
I728
I772
I800 -I829
J00 -J989
K20 -K229
K440 -K449
M050 -M109
M300 -M310
M312 -M313
M320 -M419

ICD-10-Mortality Manual 2c - 2014

M438 -M45
M478
M954
M962 -M965
O240 -O25
O266
O268
O280 -O289
O740 -O749
O908
O980 -O998
P200 -P289
P350 -P399
P916
Q200 -Q269
Q310 -Q349
Q390 -Q399
Q675 -Q680
Q760 -Q798
Q850 -Q999
R570 -R579
R75
M S000 -Y899

J985 Address

A000 -E349
E660 -E678
E700 -E899
F100 -F199
F410 -F419
F500 -F509
G000 -G98
H590 -H599
I00 -I099
I110 -I269
I280 -I519
M I600 -I698
M I710
I711 -I712
M I728
I970 -I979
J00 -J989
K20 -K289
K440 -K449
K910 -K919
M020
M050 -M109
M300 -M310
M312 -M313

ICD-10-Mortality Manual 2c - 2014

M320 -M419
M438 -M45
M478
M954
M962 -M965
N143
O240 -O25
O266
O268
O280 -O289
O740 -O749
O908
O980 -O998
P115
P140 -P149
P159 -P289
P350 -P399
P916
Q200 -Q269
Q310 -Q349
Q387 -Q459
Q675 -Q680
Q760 -Q769
Q772
Q790 -Q798
Q850 -Q999
R400 -R402
R75
S100 -S101
S110 -S119
S128
S170 -S199
S202 -S219
S222 -S229
S250 -S299
T021
T041
T048
T07
T090 -T092
T095 -T099
T172 -T179
T188
T210 -T217
T270 -T289
T319
T330 -T758
T800 -T889
T910
T912

M
M

ICD-10-Mortality Manual 2c - 2014

M T914
M T918 -T919
T940 -T941
M T951
M T958
T96 -T97
M T980
V010 -X39
X45 -X599
X65
X67
X70 -X84
X86 -Y09
Y15 -Y369
M Y400 -Y599
Y604
Y614
Y624
Y658
Y850 -Y899

J986 Address

A000 -E349
E660 -E678
E700 -E899
F100 -F169
F180 -F189
F410 -F419
F500 -F509
G000 -G98
H590 -H599
I00 -I099
I280 -I519
M I710
M I728
I81 -I820
I822
I970 -I979
J00 -J989
K20 -K289
K352 -K37
K440 -K449
K523
K529
K630
K650 -K659
K700 -K869
K910 -K919
M020

ICD-10-Mortality Manual 2c - 2014

M022
M050 -M109
M300 -M310
M312 -M313
M320 -M419
M438 -M45
M478
M954
M960 -M969
N143
N980 -N999
O240 -O25
O266
O268
O280 -O289
O740 -O749
O908
O980 -O998
Q200 -Q269
Q310 -Q349
Q387 -Q459
Q675 -Q680
Q760 -Q769
Q772
Q790 -Q798
Q850 -Q999
R75
S100 -S101
S110 -S119
S128
S170 -S199
S202 -S219
S222 -S299
S310 -S311
S317 -S318
S368
S390
T019 -T021
T041
M T048
T058
M T07
T090 -T092
T095 -T099
T141
T147 -T149
T172 -T182
M T188
M T210 -T217
T270 -T289

ICD-10-Mortality Manual 2c - 2014

	T318	-T319
	T330	-T758
	T800	-T889
	T910	-T913
M	T914	
M	T918	-T919
M	T940	-T941
M	T951	
M	T958	
	T96	-T97
M	T980	
	X45	
	X65	
	Y15	
	Y86	-Y872

J988 Address

	A000	-E349
	E660	-E678
	E700	-F03
	F051	
	F100	-F199
	F410	-F419
	F500	-F509
	F70	-F79
	G000	-G98
	I00	-I099
	I110	-I269
	I280	-I519
M	I600	-I698
M	I710	
	I711	-I712
M	I728	
	J00	-J989
	K20	-K229
	K440	-K449
M	K700	-K769
	M050	-M109
	M300	-M310
	M312	-M313
	M320	-M419
	M438	-M45
	M478	
	M954	
	M962	-M965
	N170	-N19
	O240	-O25
	O266	
	O268	

ICD-10-Mortality Manual 2c - 2014

O280 -O289
O740 -O749
O908
O980 -O998
P024
P219 -P289
P350 -P399
P916
M Q010 -Q048
M Q060 -Q079
Q200 -Q269
Q300 -Q349
Q390 -Q399
Q674
M Q675 -Q678
Q680
Q750 -Q769
Q772
Q790 -Q798
Q850 -Q999
R040 -R041
R060 -R068
R090 -R098
R13
R220 -R222
M R227 -R229
R53 -R54
R560 -R568
R64
R75
R900
S000 -Y899

J989 Address

A000 -E349
E660 -E678
E700 -E899
F100 -F199
F410 -F419
F500 -F509
F70 -F79
G000 -G98
I00 -I099
I110 -I269
I280 -I519
M I600 -I698
M I710
I711 -I712
M I728

ICD-10-Mortality Manual 2c - 2014

	I770	-J989
	K20	-K229
	K440	-K449
	M050	-M109
	M300	-M419
	M438	-M45
	M478	
	M954	
	M962	-M965
	O240	-O25
	O266	
	O268	
	O280	-O289
	O740	-O749
	O908	
	O980	-O998
	P200	-P289
	P350	-P399
	P916	
	Q200	-Q269
	Q310	-Q349
	Q390	-Q399
	Q674	
M	Q675	-Q678
	Q680	
	Q750	-Q769
	Q772	
	Q790	-Q798
	Q850	-Q999
	R048	
	R579	-R5800
	R64	
	R75	
	S100	-S101
	S110	-S119
	S128	
	S170	-S199
	S202	-S219
	S222	-S229
	S250	-S299
	T021	
	T041	
M	T048	
M	T07	
	T090	-T092
	T095	-T099
	T172	-T182
M	T188	
M	T210	-T217
	T270	-T289

ICD-10-Mortality Manual 2c - 2014

T318 -T319
T510 -T519
T71
T910
T912
M T914
M T918 -T919
M T940 -T941
M T951
M T958
T96 -T980
V010 -Y899

K

K0 Category

K000 Address

B059
B572
B779
E840
E849
K000

K001 Address

B059
B572
B779
E840
E849
K001

K002 Address

B059
B572
B779
E840
E849
K002

K003 Address

B059
B572
B779
E840
E849

ICD-10-Mortality Manual 2c - 2014

K003

K004 Address

B059
B572
B779
E840
E849
K004

K005 Address

B059
B572
B779
E840
E849
K005

K006 Address

B059
B572
B779
E840
E849
K006

K007 Address

B059
B572
B779
E840
E849
K007

K008 Address

B059
B572
B779
E840
E849
K008

K009 Address

B059
B572
B779

ICD-10-Mortality Manual 2c - 2014

E840
E849
K009

K010 Address

B059
B572
B779
E840
E849
K010

K011 Address

B059
B572
B779
E840
E849
K011

K020 Address

B059
B572
B779
E840
E849
K020

K021 Address

B059
B572
B779
E840
E849
K021

K022 Address

B059
B572
B779
E840
E849
K022

K023 Address

B059

ICD-10-Mortality Manual 2c - 2014

B572
B779
E840
E849
K023

K024 Address

B059
B572
B779
E840
E849
K024

K028 Address

B059
B572
B779
E840
E849
K028

K029 Address

B059
B572
B779
E840
E849
K029

K030 Address

B059
B572
B779
E840
E849
K030

K031 Address

B059
B572
B779
E840
E849
K031

K032 Address

B059
B572
B779
E840
E849
K032

K033 Address

B059
B572
B779
E840
E849
K033

K034 Address

B059
B572
B779
E840
E849
K034

K035 Address

B059
B572
B779
E840
E849
K035

K036 Address

B059
B572
B779
E840
E849
K036

K037 Address

B059
B572
B779
E840

ICD-10-Mortality Manual 2c - 2014

E849
K037

K038 Address

B059
B572
B779
E840
E849
K038

K039 Address

B059
B572
B779
E840
E849
K039

K040 Address

B059
B572
B779
E840
E849
K040

K041 Address

B059
B572
B779
E840
E849
K041

K042 Address

B059
B572
B779
E840
E849
K042

K043 Address

B059
B572

ICD-10-Mortality Manual 2c - 2014

B779
E840
E849
K043

K044 Address

B059
B572
B779
E840
E849
K044

K045 Address

B059
B572
B779
E840
E849
K045

K046 Address

B059
B572
B779
E840
E849
K046

K047 Address

B059
B572
B779
E840
E849
K047

K048 Address

B059
B572
B779
E840
E849
K048

K049 Address

ICD-10-Mortality Manual 2c - 2014

B059
B572
B779
E840
E849
K049

K050 Address

B059
B572
B779
E840
E849
K050

K051 Address

B059
B572
B779
E840
E849
K051

K052 Address

M A429
B200 -B24
C000 -C148
M C798
C910 -C959
D000
D100 -D119
D370
E840 -E849
M G08
G450 -G452
G454 -G459
M G819
M G936
M G938
M G951
I600 -I698
K052
R75

K053 Address

B059
B572

ICD-10-Mortality Manual 2c - 2014

B779
E840
E849
K053

K054 Address

B059
B572
B779
E840
E849
K054

K055 Address

M A429
B200 -B24
M C000 -C80
M C910 -C959
E840 -E849
K055
R75

K056 Address

B059
B572
B779
E840
E849
K056

K060 Address

B059
B572
B779
E840
E849
K060

K061 Address

M A429
B200 -B24
M C000 -C80
M C910 -C959
E840 -E849
K061
R75

K062 Address

M A429
M C000 -C80
M C910 -C959
E840 -E849
K062

K068 Address

M A429
B200 -B24
M C000 -C80
M C910 -C959
E840 -E849
K068
R75
M T455
M T457
M X44
M X64
M Y14

K069 Address

B059
B572
B779
E840
E849
K069

K070 Address

B059
B572
B779
E840
E849
K070

K071 Address

B059
B572
B779
E840
E849
K071

K072 Address

B059
B572
B779
E840
E849
K072

K073 Address

B059
B572
B779
E840
E849
K073

K074 Address

B059
B572
B779
E840
E849
K074
K081

K075 Address

B059
B572
B779
E840
E849
K075

K076 Address

B059
B572
B779
E840
E849
K076

K078 Address

B059
B572
B779

ICD-10-Mortality Manual 2c - 2014

E840
E849
K078

K079 Address

B059
B572
B779
E840
E849
K079

K080 Address

B059
B572
B779
E840
E849
K080

K081 Address

B059
B572
B779
E840
E849
K081

K082 Address

B059
B572
B779
E840
E849
K082

K083 Address

B059
B572
B779
E840
E849
K083

K088 Address

M A429

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C000 -C148
M C798
C910 -C959
D000
D100 -D119
D370
E840 -E849
K088
R75
M T455
M T457
M X44
M X64
M Y14

K089 Address

M A429
B200 -B24
C000 -C148
M C798
C910 -C959
D000
D100 -D119
D370
E840 -E849
K089
R75

K090 Address

M A429
B200 -B24
M C000 -C80
M C910 -C959
E840 -E849
K090
R75

K091 Address

B059
B572
B779
E840
E849
K091

K092 Address

ICD-10-Mortality Manual 2c - 2014

B059
B572
B779
E840
E849
K092

K098 Address

B059
B572
B779
E840
E849
K098

K099 Address

B059
B572
B779
E840
E849
K099

K1 Category

K100 Address

B059
B572
B779
E840
E849
K100

K101 Address

B059
B572
B779
E840
E849
K101

K102 Address

M A429
M C000 -C148
M C798
C910 -C959
D000

ICD-10-Mortality Manual 2c - 2014

D100 -D119
D370
E840 -E849
K102

K103 Address

B059
B572
B779
E840
E849
K103

K108 Address

B059
B572
B779
E840
E849
K108

K109 Address

B059
B572
B779
E840
E849
K109

K110 Address

B059
B572
B779
E840
E849
K110

K111 Address

B059
B572
B779
E840
E849
K111

K112 Address

ICD-10-Mortality Manual 2c - 2014

A000 -D489
E100 -E149
E840 -E849
G000 -G09
H650 -H749
I00
I330 -I339
I400 -I409
I600 -I6400
J00 -J069
J200 -J219
J312 -J42
J680
J682
J690 -J700
J850 -J853
K040 -K042
K044 -K047
K050 -K053
K102 -K103
K110 -K140
K20
K750 -K751
K800 -K801
K803 -K804
K810 -K819
K850 -K861
M000 -M009
M050 -M069
M300 -M355
M45 -M469
M600 -M609
M650 -M659
M793
M860 -M869
N000 -N009
N030 -N059
N10 -N12
N19
N250 -N309
N340 -N343
N390
N410 -N419
N430 -N433
N450 -N459
N481 -N482
N600 -N61
N700 -N768
Q409
R75

M

ICD-10-Mortality Manual 2c - 2014

R788
S099
S199
T560 -T579
T800 -T889
X49
Y830 -Y849

K113 Address

A000 -D489
E100 -E149
E840 -E849
G000 -G09
H650 -H749
I00
I330 -I339
I400 -I409
I600 -I6400
J00 -J069
J200 -J219
J312 -J42
J680
J682
J690 -J700
J850 -J853
K040 -K042
K044 -K047
K050 -K053
K102 -K103
K110 -K140
K20
K750 -K751
K800 -K801
K803 -K804
K810 -K819
K850 -K861
M000 -M009
M050 -M069
M300 -M355
M45 -M469
M600 -M609
M650 -M659
M793
M860 -M869
N000 -N009
N030 -N059
N10 -N12
N19
N250 -N309

ICD-10-Mortality Manual 2c - 2014

N340 -N343
N390
N410 -N419
N430 -N433
N450 -N459
N481 -N482
N600 -N61
N700 -N768
M Q409
R75
R788
S099
S199
T560 -T579
T800 -T889
X49
Y830 -Y849

K114 Address

B059
B572
B779
E840
E849
K114
R64

K115 Address

B059
B572
B779
E840
E849
K115

K116 Address

B059
B572
B779
E840
E849
K116

K117 Address

B059
B572
B779

ICD-10-Mortality Manual 2c - 2014

E840
E849
K117

K118 Address

B059
B572
B779
E840
E849
K118

K119 Address

M A429
B200 -B24
E840 -E849
K119
R75

K120 Address

B059
B200 -B24
B572
B779
E840
E849
K120
R75

K121 Address

M A150 -A153
M A160 -A162
M A169
A1690
A360
A369
A38
M A429
M A500 -A549
A690 -A691
B002
B009
M B058
B059
B084
M B088
B200 -B24

ICD-10-Mortality Manual 2c - 2014

B270 -B279
B370
B379
B500 -B550
M B909
B92
B942 -B949
C000 -C148
M C798
C810 -C959
D000
D100 -D109
D370
D500 -D899
E500 -E649
E840 -E849
F100 -F109
F170 -F179
K120 -K149
L100 -L109
M L272 -L278
L430 -L439
L510 -L519
L930 -L932
Q351 -Q409
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y599
Y842
Y86 -Y872

K122 Address

M A150 -A153
M A160 -A162
M A169
A1690
A360
A369
A38
M A429
M A500 -A549
A690 -A691
B002
B009
B029

ICD-10-Mortality Manual 2c - 2014

M B058
B059
B084
M B088
B200 -B24
B270 -B279
B370
B379
B500 -B550
M B909
B92
B942 -B949
C000 -C148
M C798
C810 -C959
D000
D100 -D109
D370
D500 -D899
E500 -E649
E840 -E849
F100 -F109
F170 -F179
K120 -K149
L100 -L109
M L272 -L278
L430 -L439
L510 -L519
L930 -L932
Q351 -Q409
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y599
Y842
Y86 -Y872

K123 Address

M A150 -A153
M A160 -A162
M A169
A1690
A360
A369
A38
M A429

ICD-10-Mortality Manual 2c - 2014

M	A500	-A549
	A690	-A691
	B002	
	B009	
M	B058	
	B059	
	B084	
M	B088	
	B200	-B24
	B270	-B279
	B370	
	B379	
	B500	-B550
M	B909	
	B92	
	B942	-B949
	C000	-C148
M	C798	
	C810	-C959
	D000	
	D100	-D109
	D370	
	D500	-D899
	E500	-E649
	E840	-E849
	F100	-F109
	F170	-F179
	K120	-K149
	L100	-L109
M	L272	-L278
	L430	-L439
	L510	-L519
	L930	-L932
	Q351	-Q409
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y400	-Y599
	Y842	
	Y86	-Y872

K130 Address

M	A150	-A153
M	A160	-A162
M	A169	
	A1690	

ICD-10-Mortality Manual 2c - 2014

A360
A369
A38
M A429
M A500 -A549
A690 -A691
B002
B009
M B058
B059
B084
M B088
B200 -B24
B270 -B279
B370
B379
B500 -B550
M B909
B92
B942 -B949
M C000 -C148
C798
C810 -C959
D000
D100 -D109
D370
D500 -D899
E500 -E649
E840 -E849
F100 -F109
F170 -F179
K120 -K149
M L100 -L109
L272 -L278
L430 -L439
L510 -L519
L930 -L932
Q351 -Q409
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y599
Y842
Y86 -Y872

K131 Address

ICD-10-Mortality Manual 2c - 2014

A369
M A429
M A500 -A539
B001 -B002
B007
B009
M B200 -B24
C000 -C148
M C798
M C810 -C97
D000
D100 -D109
D370
E41 -E43
E840 -E849
I850 -I860
M I868
K050 -K069
K098 -K099
K120 -K137
K700 -K769
R162
M R75

K132 Address

M A429
B200 -B24
E840 -E849
K132
R75

K133 Address

M A429
B200 -B24
E840 -E849
K133
R75

K134 Address

A369
M A429
M A500 -A539
B001 -B002
B007
B009
M B200 -B24
C000 -C148
M C798

ICD-10-Mortality Manual 2c - 2014

M C810 -C97
D000
D100 -D109
D370
E41 -E43
E840 -E849
I850 -I860
M I868
K050 -K069
K098 -K099
K120 -K137
K700 -K769
R162
M R75

K135 Address

B059
B200 -B24
B572
B779
E840
E849
K135
R75

K136 Address

A369
M A429
M A500 -A539
B001 -B002
B007
B009
M B200 -B24
C000 -C148
M C798
M C810 -C97
D000
D100 -D109
D370
E41 -E43
E840 -E849
I850 -I860
M I868
K050 -K069
K098 -K099
K120 -K137
K700 -K769
R162

ICD-10-Mortality Manual 2c - 2014

M R75

K137 Address

A369
M A429
M A500 -A539
B001 -B002
B007
B009
M B200 -B24
C000 -C148
M C798
M C810 -C97
D000
D100 -D109
D370
E41 -E43
E840 -E849
I850 -I860
M I868
K050 -K069
K098 -K099
K120 -K137
K700 -K769
R162
M R75
M T455
M T457
M X44
M X64
M Y14

K140 Address

M A164
A1690
M A429
M B200 -B24
C000 -C148
M C798
E840 -E849
K140
M R75

K141 Address

B059
B572
B779
E840

ICD-10-Mortality Manual 2c - 2014

E849
K141

K142 Address

B059
B572
B779
E840
E849
K142

K143 Address

B059
B572
B779
E840
E849
K143

K144 Address

B059
B572
B779
E840
E849
K144

K145 Address

B059
B572
B779
E840
E849
K145

K146 Address

B059
B572
B779
E840
E849
K146

K148 Address

M A429
M B200 -B24

ICD-10-Mortality Manual 2c - 2014

	C000	-C399
	C450	-C451
	C457	
	C480	-C488
	C710	-C719
	C780	-C788
M	C793	
M	C798	
M	C810	-C97
	D000	-D022
M	D023	
	D024	
	D100	-D159
	D330	-D332
	D370	-D386
	D430	-D432
	E840	-E849
M	E850	-E859
	I600	-I698
	K098	-K099
	K120	-K137
	K148	
	Q351	-Q409
M	R75	
M	T455	
M	T457	
M	X44	
M	X64	
M	Y14	

K149 Address

M	A429	
M	A500	-A539
M	B001	
	B002	
	B007	
	B009	
	B200	-B24
	B370	
	B379	
	C020	-C029
M	D000	
	D101	
	D370	
	D500	-D510
	E100	-E149
	E500	-E649
	E840	-E849
	F100	-F109

ICD-10-Mortality Manual 2c - 2014

M F170 -F179
K070 -K089
K117
K120
K132
K149
L100
L430 -L439
L510 -L519
M352
Q381 -Q383
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y419
Y86 -Y872

K2 Category

K20 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009
B200 -B24
B370 -B49
B560 -B575
B908
C090 -C269
C320 -C349
M C435
M C445
C450 -C451
M C457
M C463 -C467
M C474
C480 -C488
C494
C73
C762
C772

ICD-10-Mortality Manual 2c - 2014

	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98
	I710	-I719
	I730	
	I850	-I859
	J00	-J069
	J950	-J959
	K20	-K3190
	K400	-K469
	K700	-K769
	K850	-K869
	K910	-K919
	M300	-M359
	Q000	-Q079
	Q380	-Q409
	Q790	-Q791
	R11	
	R75	
	S279	
	S362	-S366
M	S368	

ICD-10-Mortality Manual 2c - 2014

	S369	
	T170	-T189
	T360	-T66
M	T820	-T889
	T96	-T983
	W44	
	W49	
	W78	-W80
	X40	-X49
	X60	-X69
	Y10	-Y19
	Y400	-Y599
	Y632	-Y633
	Y635	
	Y830	-Y849
M	Y86	-Y899

K210 Address

	A010	-A014
	A1690	
	A188	
	A360	-A369
	A38	
M	A429	
M	A500	-A539
	B001	-B002
	B008	-B009
	B200	-B24
	B370	-B49
	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	

ICD-10-Mortality Manual 2c - 2014

D024
M D035
M D045
D099 -D139
D141 -D159
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369 -D384
M D385
D386
M D481
D483 -D484
M D485
M D487
D489 -E079
E500 -E539
E840 -E849
F100 -F109
G000 -G98
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44

ICD-10-Mortality Manual 2c - 2014

W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K219 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009
B200 -B24
B370 -B49
B560 -B575
B908
C090 -C269
C320 -C349
M C435
M C445
C450 -C451
M C457
M C463 -C467
M C474
C480 -C488
C494
C73
C762
C772
C780 -C788
M C792
M C798 -C97
D000 -D022
M D023
D024
M D035
M D045
D099 -D139
D141 -D159
D175

ICD-10-Mortality Manual 2c - 2014

M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E149
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98
	I710	-I719
	I730	
	I850	-I859
	J00	-J069
	J950	-J959
	K20	-K3190
	K400	-K469
	K700	-K769
	K910	-K919
	M300	-M359
	Q000	-Q079
	Q380	-Q409
	Q790	-Q791
	R11	
	R75	
	S279	
	S362	-S366
M	S368	
	S369	
	T170	-T189
	T360	-T66
M	T820	-T889
	T909	
	T96	-T983
	W44	
	W49	
	W78	-W80
	X40	-X49
	X60	-X69
	Y10	-Y19

ICD-10-Mortality Manual 2c - 2014

Y400 -Y599
Y632 -Y633
Y635
Y830 -Y899

K220 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009
B200 -B252
M B258
B259
B370 -B49
B560 -B575
B908
C01 -C069
C090 -C269
C320 -C349
M C435
M C445
C450 -C451
M C457
M C463 -C467
M C474
C480 -C488
C494
C73
C762
C772
C780 -C788
M C792
M C798 -C97
D000 -D022
M D023
D024
M D035
M D045
D099 -D139
D141 -D159
D175
M D177
M D180 -D181
D191

ICD-10-Mortality Manual 2c - 2014

M	D197
	D200 -D201
	D214
M	D225
M	D235
	D369 -D384
M	D385
	D386
M	D481
	D483 -D484
M	D485
M	D487
	D489 -E079
	E500 -E539
	E840 -E849
	F100 -F109
	G000 -G98
	I710 -I719
	I730
	I850 -I859
	J00 -J069
	J950 -J959
	K20 -K3190
	K400 -K469
	K700 -K769
	K910 -K919
	M300 -M359
	Q000 -Q079
	Q380 -Q409
	Q790 -Q791
	R11
	R75
	S279
	S362 -S366
M	S368
	S369
	T170 -T189
	T360 -T66
M	T820 -T889
	T96 -T983
	W44
	W49
	W78 -W80
	X40 -X49
	X60 -X69
	Y10 -Y19
	Y400 -Y599
	Y632 -Y633
	Y635
	Y830 -Y849

ICD-10-Mortality Manual 2c - 2014

M Y86 -Y899

K221 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009
B200 -B252
M B258
B259
B370 -B49
B560 -B575
B908
C090 -C269
C320 -C349
M C435
M C445
C450 -C451
M C457
M C463 -C467
M C474
C480 -C488
C494
C73
C762
C772
C780 -C788
M C792
M C798 -C97
D000 -D022
M D023
D024
M D035
M D045
D099 -D139
D141 -D159
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225

ICD-10-Mortality Manual 2c - 2014

M D235
D369 -D384
M D385
D386
M D481
D483 -D484
M D485
M D487
D489 -E079
E500 -E539
E840 -E849
F100 -F109
G000 -G98
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K222 Address

ICD-10-Mortality Manual 2c - 2014

	A010	-A014
	A1690	
	A188	
	A360	-A369
	A38	
M	A429	
M	A500	-A539
	B001	-B002
	B008	-B009
	B200	-B252
M	B258	
	B259	
	B370	-B49
	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	

ICD-10-Mortality Manual 2c - 2014

M D481
D483 -D484
M D485
M D487
D489 -E079
E500 -E539
E840 -E849
F100 -F109
G000 -G98
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K223 Address

A010 -A014
A1690
A188
A360 -A369

ICD-10-Mortality Manual 2c - 2014

	A38
M	A429
M	A500 -A539
	B001 -B002
	B008 -B009
	B200 -B252
M	B258
	B259
	B370 -B49
	B560 -B575
	B908
	C090 -C269
	C320 -C349
M	C435
M	C445
	C450 -C451
M	C457
M	C463 -C467
M	C474
	C480 -C488
	C494
	C73
	C762
	C772
	C780 -C788
M	C792
M	C798 -C97
	D000 -D022
M	D023
	D024
M	D035
M	D045
	D099 -D139
	D141 -D159
	D175
M	D177
M	D180 -D181
	D191
M	D197
	D200 -D201
	D214
M	D225
M	D235
	D369 -D384
M	D385
	D386
M	D481
	D483 -D484
M	D485
M	D487

ICD-10-Mortality Manual 2c - 2014

D489 -E079
E500 -E539
E840 -E849
F100 -F109
G000 -G98
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K224 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002

ICD-10-Mortality Manual 2c - 2014

	B008	-B009
	B200	-B252
M	B258	
	B259	
	B370	-B49
	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109

ICD-10-Mortality Manual 2c - 2014

G000 -G98
M I600
M I601 -I606
M I607
M I608
M I609
M I610 -I698
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K570 -K579
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K225 Address

A010 -A014
A1690
A188
A360 -A369
A38

ICD-10-Mortality Manual 2c - 2014

M	A429
M	A500 -A539
	B001 -B002
	B008 -B009
	B200 -B252
M	B258
	B259
	B370 -B49
	B560 -B575
	B908
	C090 -C269
	C320 -C349
M	C435
M	C445
	C450 -C451
M	C457
M	C463 -C467
M	C474
	C480 -C488
	C494
	C73
	C762
	C772
	C780 -C788
M	C792
M	C798 -C97
	D000 -D022
M	D023
	D024
M	D035
M	D045
	D099 -D139
	D141 -D159
	D175
M	D177
M	D180 -D181
	D191
M	D197
	D200 -D201
	D214
M	D225
M	D235
	D369 -D384
M	D385
	D386
M	D481
	D483 -D484
M	D485
M	D487
	D489 -E079

ICD-10-Mortality Manual 2c - 2014

E500 -E539
E840 -E849
F100 -F109
G000 -G98
I710 -I719
I730
I850 -I859
J00 -J069
J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K226 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009

ICD-10-Mortality Manual 2c - 2014

	B200	-B252
M	B258	
	B259	
	B370	-B49
	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98

ICD-10-Mortality Manual 2c - 2014

	I710	-I719
	I730	
	I850	-I859
	J00	-J069
	J950	-J959
	K20	-K3190
	K400	-K469
	K700	-K769
	K910	-K919
	M300	-M359
	Q000	-Q079
	Q380	-Q409
	Q790	-Q791
	R11	
	R75	
	S279	
	S362	-S366
M	S368	
	S369	
	T170	-T189
	T360	-T66
M	T820	-T889
	T96	-T983
	W44	
	W49	
	W78	-W80
	X40	-X49
	X60	-X69
	Y10	-Y19
	Y400	-Y599
	Y632	-Y633
	Y635	
	Y830	-Y849
M	Y86	-Y899

K227 Address

	A010	-A014
	A1690	
	A188	
	A360	-A369
	A38	
M	A429	
M	A500	-A539
	B001	-B002
	B008	-B009
	B200	-B252
M	B258	
	B259	
	B370	-B49

ICD-10-Mortality Manual 2c - 2014

	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98
	I710	-I719
	I730	
	I850	-I859
	J00	-J069

ICD-10-Mortality Manual 2c - 2014

J950 -J959
K20 -K3190
K400 -K469
K700 -K769
K910 -K919
M300 -M359
Q000 -Q079
Q380 -Q409
Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K228 Address

A010 -A014
A1690
A188
A360 -A369
A38
M A429
M A500 -A539
B001 -B002
B008 -B009
B200 -B252
M B258
B259
B370 -B49
B560 -B575
B908
C090 -C269
C320 -C349

ICD-10-Mortality Manual 2c - 2014

M	C435	
M	C445	
	C450	-C451
M	C457	
M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98
	I710	-I719
	I730	
	I850	-I859
	J00	-J069
	J950	-J959
	K20	-K3190
	K400	-K469
	K700	-K769

ICD-10-Mortality Manual 2c - 2014

	K910	-K919
	M300	-M359
	Q000	-Q079
	Q380	-Q409
	Q790	-Q791
	R11	
	R75	
	S279	
	S362	-S366
M	S368	
	S369	
	T170	-T189
	T360	-T66
M	T820	-T889
	T96	-T983
	W44	
	W49	
	W78	-W80
	X40	-X49
	X60	-X69
	Y10	-Y19
	Y400	-Y599
	Y632	-Y633
	Y635	
	Y830	-Y849
M	Y86	-Y899

K229 Address

	A010	-A014
	A1690	
	A188	
	A360	-A369
	A38	
M	A429	
M	A500	-A539
	B001	-B002
	B008	-B009
	B200	-B252
M	B258	
	B259	
	B370	-B49
	B560	-B575
	B908	
	C090	-C269
	C320	-C349
M	C435	
M	C445	
	C450	-C451
M	C457	

ICD-10-Mortality Manual 2c - 2014

M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C73	
	C762	
	C772	
	C780	-C788
M	C792	
M	C798	-C97
	D000	-D022
M	D023	
	D024	
M	D035	
M	D045	
	D099	-D139
	D141	-D159
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	-D384
M	D385	
	D386	
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	-E079
	E500	-E539
	E840	-E849
	F100	-F109
	G000	-G98
	I710	-I719
	I730	
	I850	-I859
	J00	-J069
	J950	-J959
	K20	-K3190
	K400	-K469
	K700	-K769
	K910	-K919
	M300	-M359
	Q000	-Q079
	Q380	-Q409

ICD-10-Mortality Manual 2c - 2014

Q790 -Q791
R11
R75
S279
S362 -S366
M S368
S369
T170 -T189
T360 -T66
M T820 -T889
T96 -T983
W44
W49
W78 -W80
X40 -X49
X60 -X69
Y10 -Y19
Y400 -Y599
Y632 -Y633
Y635
Y830 -Y849
M Y86 -Y899

K250 Address

A000 -Q999
R75
S000 -Y899

K251 Address

A000 -Q999
R75
S000 -Y899

K252 Address

A000 -Q999
R75
S000 -Y899

K253 Address

A000 -Q999
R75
S000 -Y899

K254 Address

A000 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

K255 Address

A000 -Q999

R75

S000 -Y899

K256 Address

A000 -Q999

R75

S000 -Y899

K257 Address

A000 -Q999

R75

S000 -Y899

K259 Address

A000 -Q999

R75

S000 -Y899

K260 Address

A000 -Q999

R75

S000 -Y899

K261 Address

A000 -Q999

R75

S000 -Y899

K262 Address

A000 -Q999

R75

S000 -Y899

K263 Address

A000 -Q999

R75

S000 -Y899

K264 Address

A000 -Q999

ICD-10-Mortality Manual 2c - 2014

R75
S000 -Y899

K265 Address

A000 -Q999
R75
S000 -Y899

K266 Address

A000 -Q999
R75
S000 -Y899

K267 Address

A000 -Q999
R75
S000 -Y899

K269 Address

A000 -Q999
R75
S000 -Y899

K270 Address

A000 -Q999
R75
S000 -Y899

K271 Address

A000 -Q999
R75
S000 -Y899

K272 Address

A000 -Q999
R75
S000 -Y899

K273 Address

A000 -Q999
R75
S000 -Y899

K274 Address

ICD-10-Mortality Manual 2c - 2014

A000 -Q999
R75
S000 -Y899

K275 Address

A000 -Q999
R75
S000 -Y899

K276 Address

A000 -Q999
R75
S000 -Y899

K277 Address

A000 -Q999
R75
S000 -Y899

K279 Address

A000 -Q999
R75
S000 -Y899

K280 Address

A000 -Q999
R75
S000 -Y899

K281 Address

A000 -Q999
R75
S000 -Y899

K282 Address

A000 -Q999
R75
S000 -Y899

K283 Address

A000 -Q999
R75
S000 -Y899

K284 Address

A000 -Q999
R75
S000 -Y899

K285 Address

A000 -Q999
R75
S000 -Y899

K286 Address

A000 -Q999
R75
S000 -Y899

K287 Address

A000 -Q999
R75
S000 -Y899

K289 Address

A000 -Q999
R75
S000 -Y899

K290 Address

A000 -Q999
R75
S000 -Y899

K291 Address

A000 -Q999
R75
S000 -Y899

K292 Address

M A429
B200 -B24
M B659
M B789
E52
F100 -F109
G312
G405

ICD-10-Mortality Manual 2c - 2014

G621
G721
I426
K292
K700 -K709
L278
R75
T510 -T519
T97
X45
X65
X85
Y15
M Y86 -Y872

K293 Address

A000 -Q999
R75
S000 -Y899

K294 Address

A000 -Q999
R75
S000 -Y899

K295 Address

A000 -Q999
R75
S000 -Y899

K296 Address

A000 -Q999
R75
S000 -Y899

K297 Address

A000 -Q999
R75
S000 -Y899

K298 Address

A000 -Q999
R75
S000 -Y899

K299 Address

A000 -Q999
R75
S000 -Y899

K3 Category

K30 Address

A000 -Q999
R75
S000 -Y899

K310 Address

A000 -Q999
R75
S000 -Y899

K311 Address

A000 -Q999
R75
S000 -Y899

K312 Address

A000 -Q999
R75
S000 -Y899

K313 Address

A000 -Q999
R75
S000 -Y899

K314 Address

A000 -Q999
R75
S000 -Y899

K315 Address

A000 -Q999
R75
S000 -Y899

K316 Address

ICD-10-Mortality Manual 2c - 2014

A000 -Q999
R75
S000 -Y899

K317 Address

M A539
B200 -B24
D131
E840 -E849
K317
R75

K318 Address

A000 -Q999
R75
S000 -Y899

K319 Address

A000 -Q999
R75
S000 -Y899

K3190 Address

A000 -Q999
R75
S000 -Y899

K352 Address

A000 -A009
A047
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768

ICD-10-Mortality Manual 2c - 2014

C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
D70 -D729
M E000 -F99
M K000 -K3190
K352
M K353 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K353 Address

A000 -A009
A047
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451

ICD-10-Mortality Manual 2c - 2014

M C457
M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
D70 -D729
M E000 -F99
M K000 -K352
K353
M K358 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K358 Address

A000 -A009
A047
A068 -A069
A1690

ICD-10-Mortality Manual 2c - 2014

	A183
	A200 -A799
	A99 -B99
	C150 -C269
M	C435
M	C445
	C451
M	C457
M	C463 -C467
	C474
	C480 -C488
	C494
	C762
M	C767 -C768
	C772
	C784 -C788
M	C792
M	C798
M	C810 -C97
	D001 -D019
M	D035
M	D045
	D097
	D120 -D139
	D175
M	D177
M	D180 -D181
	D191
M	D197
	D200 -D201
	D214
M	D225
M	D235
M	D360 -D369
	D370 -D379
	D483 -D484
M	D485
M	D487
	D70 -D729
M	E000 -F99
M	K000 -K352
	K358
M	K36 -K929
	N40 -N509
	N700 -N909
	Q410 -Q559
M	Q900 -Q999
	R54
	R75
M	S000 -Y899

K36 Address

A000 -A009
A047
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
D70 -D729
M E000 -F99
M K000 -K358
K36
M K37 -K929

ICD-10-Mortality Manual 2c - 2014

N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K37 Address

A000 -A009
A047
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C749
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379

ICD-10-Mortality Manual 2c - 2014

D483 -D484
M D485
M D487
D70 -D729
M E000 -F99
M K000 -K36
K37
M K380 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R72
R75
M S000 -Y899

K380 Address

A000 -A009
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191

ICD-10-Mortality Manual 2c - 2014

M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
M E000 -F99
M K000 -K37
K380
M K381 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K381 Address

A000 -A009
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097

ICD-10-Mortality Manual 2c - 2014

	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
M	D360	-D369
	D370	-D379
	D483	-D484
M	D485	
M	D487	
M	E000	-F99
M	K000	-K380
	K381	
M	K382	-K929
	N40	-N509
	N700	-N909
	Q410	-Q559
M	Q900	-Q999
	R54	
	R75	
M	S000	-Y899

K382 Address

	A000	-A009
	A068	-A069
	A1690	
	A183	
	A200	-A799
	A99	-B99
	C150	-C269
M	C435	
M	C445	
	C451	
M	C457	
M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	
M	C767	-C768
	C772	
	C784	-C788
M	C792	
M	C798	

ICD-10-Mortality Manual 2c - 2014

M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
M E000 -F99
M K000 -K381
K382
M K383 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K383 Address

A000 -A009
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457
M C463 -C467
C474
C480 -C488
C494
C762

ICD-10-Mortality Manual 2c - 2014

M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
M E000 -F99
M K000 -K382
K383
M K388 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K388 Address

A000 -A009
A068 -A069
A1690
A183
A200 -A799
A99 -B99
C150 -C269
M C435
M C445
C451
M C457

ICD-10-Mortality Manual 2c - 2014

M C463 -C467
C474
C480 -C488
C494
C762
M C767 -C768
C772
C784 -C788
M C792
M C798
M C810 -C97
D001 -D019
M D035
M D045
D097
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
M D360 -D369
D370 -D379
D483 -D484
M D485
M D487
M E000 -F99
M K000 -K383
K388
M K389 -K929
N40 -N509
N700 -N909
Q410 -Q559
M Q900 -Q999
R54
R75
M S000 -Y899

K389 Address

A000 -A009
A068 -A069
A1690
A183
A200 -A799
A90 -B99

ICD-10-Mortality Manual 2c - 2014

	C150	-C269
M	C435	
M	C445	
	C451	
M	C457	
M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	
M	C767	-C768
	C772	
	C784	-C788
M	C792	
M	C798	
M	C810	-C97
	D001	-D019
M	D035	
M	D045	
	D097	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
M	D360	-D369
	D370	-D379
	D483	-D484
M	D485	
M	D487	
M	E000	-F99
M	K000	-K388
	K389	
M	K400	-K929
	N40	-N909
	Q410	-Q559
M	Q900	-Q999
	R54	
	R75	
M	S000	-Y899

K4 Category

K400 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K409

K401 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K409

K402 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K409

K403 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K409

K404 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669

ICD-10-Mortality Manual 2c - 2014

K400 -K409

K409 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K409

K410 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K410

K411 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K411

K412 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K412

K413 Address

M A429
M B659
M B789

ICD-10-Mortality Manual 2c - 2014

M E039 -E0390
M E236
M E349
E660 -E669
K413

K414 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K414

K419 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K419

K420 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K420

K421 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K421

K429 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K429

K430 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K430
Y830 -Y834
Y836 -Y839
Y883

K431 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K431
Y830 -Y834
Y836 -Y839
Y883

K439 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K439
Y830 -Y834

ICD-10-Mortality Manual 2c - 2014

Y836 -Y839
Y883

K440 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K440
M S200 -S399
T914 -T915
M T941

K441 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K441
M S200 -S399
T914 -T915
M T941

K449 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K449
M S200 -S399
T914 -T915
M T941

K450 Address

M A429
M B659
M B789
M E039 -E0390

ICD-10-Mortality Manual 2c - 2014

M E236
M E349
E660 -E669
K450

K451 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K451

K458 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K458

K460 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K400 -K469

K461 Address

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K461

K469 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M B659
M B789
M E039 -E0390
M E236
M E349
E660 -E669
K469

K5 Category

K500 Address

M A429
B200 -B24
M B659
M B789
E840 -E849
K500
R75

K501 Address

M A429
B200 -B24
M B659
M B789
E840 -E849
K501
R75

K508 Address

M A429
B200 -B24
M B659
M B789
E840 -E849
K508
R75

K509 Address

M A429
B200 -B24
M B659
M B789
E840 -E849
K509
R75

K510 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K512 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K513 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K514 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566

ICD-10-Mortality Manual 2c - 2014

K593

K515 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K518 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K519 Address

A060 -A063
A068 -A069
A400 -A419
M A429
M B659
M B789
E840 -E849
K510 -K529
M K566
K593

K520 Address

M A429
M B659
M B789
C000 -D489
K520
T66
W88 -W91
M X32

ICD-10-Mortality Manual 2c - 2014

M X39
M Y365
M Y367
Y632 -Y633
Y842

K521 Address

A000 -K929
L272
M000 -N999
P000 -Q999
R75
S000 -Y899

K522 Address

A000 -K929
L272
M000 -N999
P000 -Q999
R75
S000 -Y899

K523 Address

K523

K528 Address

A000 -K929
L272
M000 -N999
P000 -Q999
R75
S000 -Y899

K529 Address

C000 -K929
L272
M000 -N999
P000 -R749
R760 -Y430
Y435 -Y631
Y633 -Y841
Y843 -Y899

K550 Address

M A000 -A182
A183

ICD-10-Mortality Manual 2c - 2014

M	A184	-A199
	A400	-A419
M	A429	
M	A500	-A539
M	B200	-B24
M	B659	
M	B789	
	C000	-D899
	E100	-E899
	G35	
	G810	-G839
	I010	-I519
	I630	-I839
	I870	-I99
	K250	-K929
	M300	-M359
	M628	
	N700	-N768
	N835	
	P77	
	Q200	-Q249
	Q410	-Q459
	Q790	-Q795
	Q999	
	R02	
M	R198	
	R54	
M	R75	
M	S000	-T876
	T880	-T889
M	T900	-T983
	X40	-X49
M	Y400	-Y599
	Y842	
M	Y880	

K5500 Address

M	A000	-A182
	A183	
M	A184	-A199
	A400	-A419
M	A429	
M	A500	-A539
M	B200	-B24
M	B659	
M	B789	
	B900	-D899
M	E000	-E02
	E030	-E038

ICD-10-Mortality Manual 2c - 2014

	E0390	
	E050 -E059	
	E100 -F03	
	F202	
	F322 -F323	
	F332 -F333	
	F500 -F503	
	F505 -F509	
	F73	
	G09	
M	G10 -G121	
	G1220	
M	G128 -G129	
	G2000	
M	G210 -G308	
	G309	
M	G310 -G319	
	G35	
M	G360 -G379	
	G600 -G629	
M	G64 -G809	
	G810 -G839	
M	G900 -G931	
M	G934	
	G935 -G936	
M	G937 -G939	
	G950 -G959	
M	G960 -G98	
	I010 -I319	
M	I330 -I339	
	I340 -I512	
M	I513	
	I514 -I740	
M	I741	
	I742 -I789	
M	I800 -I809	
	I81 -I820	
M	I821 -I829	
	I830 -I839	
	I870 -I99	
	K250 -K929	
M	L400 -L409	
M	M020 -M029	
	M050 -M089	
M	M100 -M128	
	M130 -M169	
M	M170 -M198	
	M1990	
	M300 -M359	
M	M410 -M435	

ICD-10-Mortality Manual 2c - 2014

M	M45	-M479
M	M481	-M519
M	M610	-M619
M	M623	-M624
	M628	
M	M800	-M849
M	M870	-M879
M	M910	-M949
M	M960	-M969
	N700	-N768
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
M	O994	
	P77	
M	Q000	-Q079
	Q200	-Q249
	Q310	-Q359
	Q370	-Q379
	Q410	-Q459
M	Q710	-Q719
	Q720	-Q799
	Q850	-Q999
	R02	
	R54	
M	R75	
M	S000	-T876
	T880	-T889
M	T900	-T983
	X40	-X49
M	Y400	-Y599
	Y600	-Y849
M	Y880	

K551 Address

M	A000	-A182
---	------	-------

ICD-10-Mortality Manual 2c - 2014

A183
M A184 -A199
A400 -A419
M A429
M A500 -A539
M B200 -B24
M B659
M B789
C000 -D899
E100 -E899
G35
G810 -G839
I010 -I519
I630 -I839
I870 -I99
K250 -K929
M300 -M359
M628
N700 -N768
P77
Q200 -Q249
Q410 -Q459
Q790 -Q795
Q999
R02
M R198
R54
M R75
M S000 -T876
T880 -T889
M T900 -T983
X40 -X49
M Y400 -Y599
Y842
M Y880

K552 Address

M A000 -A182
A183
M A184 -A199
A400 -A419
M A429
M A500 -A539
M B200 -B24
M B659
M B789
C000 -D899
E100 -E899
G35

ICD-10-Mortality Manual 2c - 2014

G810 -G839
I010 -I519
I630 -I839
I870 -I99
K250 -K929
M300 -M359
M628
N700 -N768
P77
Q200 -Q249
Q410 -Q459
Q790 -Q795
Q999
R02
R54
M R75
M S000 -T876
T880 -T889
M T900 -T983
X40 -X49
M Y400 -Y599
Y842
M Y880

K558 Address

M A000 -A182
A183
M A184 -A199
A400 -A419
M A429
M A500 -A539
M B200 -B24
M B659
M B789
C000 -D899
E100 -E899
G35
G810 -G839
I010 -I519
I630 -I839
I870 -I99
K250 -K929
M300 -M359
M628
N700 -N768
P77
Q200 -Q249
Q410 -Q459
Q790 -Q795

ICD-10-Mortality Manual 2c - 2014

Q999
R02
R54
M R75
M S000 -T876
T880 -T889
M T900 -T983
X40 -X49
M Y400 -Y599
Y842
M Y880

K559 Address

M A000 -A182
A183
M A184 -A199
A400 -A419
M A429
M A500 -A539
M B200 -B24
M B659
M B789
C000 -D899
E100 -E899
G35
G810 -G839
I010 -I519
I630 -I839
I870 -I99
K250 -K929
M300 -M359
M628
N700 -N768
P77
Q200 -Q249
Q410 -Q459
Q790 -Q795
Q999
R02
M R198
R54
M R75
M S000 -T876
T880 -T889
M T900 -T983
X40 -X49
M Y400 -Y599
Y842
M Y880

K560 Address

M A000 -D489
M E000 -E899
M G000 -G98
M I00 -J989
M K20 -K559
K560
M K561 -K929
M L120 -L139
M L930
M M000 -M1990
M M300 -M359
M N000 -N999
M P000 -Q079
M Q200 -Q289
M Q390 -Q459
Q870 -Q878
M Q900 -Q999
M R75
M S000 -T983
Y842
M Y883

K561 Address

A000 -D489
E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

K562 Address

A000 -D489

ICD-10-Mortality Manual 2c - 2014

E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

K563 Address

A000 -D489
E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

K564 Address

A000 -D489
D810 -D819
D860
E000 -F03
F202

ICD-10-Mortality Manual 2c - 2014

F322 -F323
F332 -F333
F500 -F503
F505 -F509
F73
G000 -G98
I00 -J989
K20 -K929
L120 -L139
M L400 -L409
L930
M000 -M1990
M300 -M359
M M410 -M435
M M45 -M479
M M481 -M519
M M610 -M619
M M623 -M624
M M800 -M849
M M870 -M879
M M910 -M949
M M960 -M969
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q310 -Q359
Q370 -Q379
Q390 -Q459
M Q710 -Q719
Q720 -Q799
Q850 -Q999
R75
S000 -T983
Y842
M Y883

K565 Address

A000 -D489
E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969

ICD-10-Mortality Manual 2c - 2014

Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

K566 Address

A000 -D489
E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

K567 Address

A000 -D489
E000 -E899
G000 -G98
I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878

ICD-10-Mortality Manual 2c - 2014

Q900 -Q999
R75
S000 -T983
Y842
M Y883

K570 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K570
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K571 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849

ICD-10-Mortality Manual 2c - 2014

K500 -K519
K571
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K572 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K572
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K573 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798

ICD-10-Mortality Manual 2c - 2014

M C810 -C97
E840 -E849
K500 -K519
K573
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K574 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K574
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K575 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488

ICD-10-Mortality Manual 2c - 2014

C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K575
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K578 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457
C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K578
K580 -K599
K909
M300 -M319
Q428 -Q439
R54

K579 Address

A1690
A183
M A429
M A500 -A539
M A546 -A548
M B659
M B789
C160 -C269
C451
C457

ICD-10-Mortality Manual 2c - 2014

C474
C480 -C488
C784 -C788
M C798
M C810 -C97
E840 -E849
K500 -K519
K570 -K599
K909
M300 -M319
Q428 -Q439
R54

K580 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
C474
C480 -C488
C494
C762
C772
C784 -C788
M C792
M C798
C80
M C810 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485

ICD-10-Mortality Manual 2c - 2014

M	D487	
	D489	
	E40	-E649
	E840	-E849
	F100	-F199
	F430	-F439
	K352	-K929
	Q390	-Q459
M	Q900	-Q999
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y400	-Y849
	Y86	-Y872

K589 Address

M	A000	-B99
	C150	-C269
M	C435	
M	C445	
M	C457	
M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	
	C772	
	C784	-C788
M	C792	
M	C798	
	C80	
M	C810	-C97
	D001	-D019
M	D035	
M	D045	
	D099	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	

ICD-10-Mortality Manual 2c - 2014

D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
E40 -E649
E840 -E849
F100 -F199
F430 -F439
K352 -K929
Q390 -Q459
M Q900 -Q999
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y849
Y86 -Y872

K590 Address

A000 -D489
D810 -D819
D860
E000 -F03
F202
F322 -F323
F332 -F333
F500 -F503
F505 -F509
F73
G000 -G98
I00 -J989
K20 -K929
L120 -L139
M L400 -L409
L930
M000 -M1990
M300 -M359
M M410 -M435
M M45 -M479
M M481 -M519
M M610 -M619
M M623 -M624
M M800 -M849
M M870 -M879

ICD-10-Mortality Manual 2c - 2014

M M910 -M949
M M960 -M969
N000 -N999
M P000 -P969
Q000 -Q079
Q200 -Q289
Q310 -Q359
Q370 -Q379
Q390 -Q459
M Q710 -Q719
Q720 -Q799
Q850 -Q999
R75
S000 -T983
Y400 -Y599
Y880

K591 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
C474
C480 -C488
C494
C762
C772
C784 -C788
M C792
M C798
C80
M C810 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369

ICD-10-Mortality Manual 2c - 2014

	D371	-D379
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	E40	-E649
	E840	-E849
	F100	-F199
	F430	-F439
	J440	-J449
	K352	-K929
	Q390	-Q459
M	Q900	-Q999
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y400	-Y849
	Y86	-Y880

K592 Address

M	A000	-B99
	C150	-C269
M	C435	
M	C445	
M	C457	
M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	
	C772	
	C784	-C788
M	C792	
M	C798	
	C80	
M	C810	-C97
	D001	-D019
M	D035	
M	D045	
	D099	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	

ICD-10-Mortality Manual 2c - 2014

M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
E40 -E649
E840 -E849
F100 -F199
F430 -F439
K352 -K929
Q390 -Q459
M Q900 -Q999
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y849
Y86 -Y880

K593 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
C474
C480 -C488
C494
C762
C772
C784 -C788
M C792
M C798
C80
M C810 -C97
D001 -D019
M D035
M D045
D099

ICD-10-Mortality Manual 2c - 2014

D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
E40 -E649
E840 -E849
F100 -F199
F430 -F439
K352 -K929
Q390 -Q459
M Q900 -Q999
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y849
Y86 -Y880

K594 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
C474
C480 -C488
C494
C762
C772
C784 -C788
M C792
M C798
C80

ICD-10-Mortality Manual 2c - 2014

M	C810	-C97
	D001	-D019
M	D035	
M	D045	
	D099	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	
	D371	-D379
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	E40	-E649
	E840	-E849
	F100	-F199
	F430	-F439
	K352	-K929
	Q390	-Q459
M	Q900	-Q999
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y400	-Y849
	Y86	-Y880

K598 Address

M	A000	-B99
	C150	-C269
M	C435	
M	C445	
M	C457	
M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	

ICD-10-Mortality Manual 2c - 2014

C772
C784 -C788
M C792
M C798
C80
M C810 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
E40 -E649
E840 -E849
F100 -F199
F430 -F439
K352 -K929
Q390 -Q459
M Q900 -Q999
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y849
Y86 -Y880

K599 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457

ICD-10-Mortality Manual 2c - 2014

M	C463	-C467
	C474	
	C480	-C488
	C494	
	C762	
	C772	
	C784	-C788
M	C792	
M	C798	
	C80	
M	C810	-C97
	D001	-D019
M	D035	
M	D045	
	D099	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	
	D371	-D379
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	E40	-E649
	E840	-E849
	F100	-F199
	F430	-F439
	K352	-K929
	Q390	-Q459
M	Q900	-Q999
	R75	
	T510	-T519
	T97	
	X45	
	X65	
	Y15	
	Y400	-Y849
	Y86	-Y880

K6 Category

K600 Address

A1690
A183
M A429
B200 -B24
C19 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
M C763
C775
C783
M C785
M C792
M C798
C80
M C810 -C97
D011 -D013
M D035
M D045
M D097
D099
D127 -D129
M D177
M D180 -D181
M D197
D215
M D225
M D235
D369
D375
M D377
M D481
M D485
D489
E840 -E849
I840 -I849
K590
K600 -K639
R75

K601 Address

A1690
A183

ICD-10-Mortality Manual 2c - 2014

M A429
B200 -B24
C19 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
M C763
C775
C783
M C785
M C792
M C798
C80
M C810 -C97
D011 -D013
M D035
M D045
M D097
D099
D127 -D129
M D177
M D180 -D181
M D197
D215
M D225
M D235
D369
D375
M D377
M D481
M D485
D489
E840 -E849
I840 -I849
K590
K600 -K639
R75

K602 Address

A1690
A183
M A429
B200 -B24
C19 -C218
M C435
M C445

ICD-10-Mortality Manual 2c - 2014

M C457
M C463 -C467
C475
M C495
M C763
C775
C783
M C785
M C792
M C798
C80
M C810 -C97
D011 -D013
M D035
M D045
M D097
D099
D127 -D129
M D177
M D180 -D181
M D197
D215
M D225
M D235
D369
D375
M D377
M D481
M D485
D489
E840 -E849
I840 -I849
K590
K600 -K639
R75

K603 Address

A000 -A099
A1690
A183
M A429
B200 -B24
B650 -B839
M B908 -B909
M B948
C170 -C218
M C435
M C445
M C457

ICD-10-Mortality Manual 2c - 2014

M C463 -C467
C475
M C495
M C763
C775
C784 -C785
M C792
M C798
C80
M C810 -C97
D010 -D014
M D035
M D045
M D097
D099
D120 -D129
D132 -D133
M D139
M D177
M D180 -D181
M D197
D214 -D215
M D225
M D235
D369
D372 -D375
M D377
M D481
M D485
D489
E840 -E849
I840 -I849
K500 -K929
R75
M S300 -S399
T810 -T819
T855
T868
M T915 -T919
M T983
Y842

K604 Address

A000 -A099
A1690
A183
M A429
B200 -B24
B650 -B839

ICD-10-Mortality Manual 2c - 2014

M	B908	-B909
M	B948	
	C170	-C218
M	C435	
M	C445	
M	C457	
M	C463	-C467
	C475	
M	C495	
M	C763	
	C775	
	C784	-C785
M	C792	
M	C798	
	C80	
M	C810	-C97
	D010	-D014
M	D035	
M	D045	
M	D097	
	D099	
	D120	-D129
	D132	-D133
M	D139	
M	D177	
M	D180	-D181
M	D197	
	D214	-D215
M	D225	
M	D235	
	D369	
	D372	-D375
M	D377	
M	D481	
M	D485	
	D489	
	E840	-E849
	I840	-I849
	K500	-K929
	R75	
M	S300	-S399
	T810	-T819
	T855	
	T868	
M	T915	-T919
M	T983	
	Y842	

K605 Address

ICD-10-Mortality Manual 2c - 2014

	A000 -A099
	A1690
	A183
M	A429
	B200 -B24
	B650 -B839
M	B908 -B909
M	B948
	C170 -C218
M	C435
M	C445
M	C457
M	C463 -C467
	C475
M	C495
M	C763
	C775
	C784 -C785
M	C792
M	C798
	C80
M	C810 -C97
	D010 -D014
M	D035
M	D045
M	D097
	D099
	D120 -D129
	D132 -D133
M	D139
M	D177
M	D180 -D181
M	D197
	D214 -D215
M	D225
M	D235
	D369
	D372 -D375
M	D377
M	D481
M	D485
	D489
	E840 -E849
	I840 -I849
	K500 -K929
	R75
M	S300 -S399
	T810 -T819
	T855
	T868

ICD-10-Mortality Manual 2c - 2014

M T915 -T919
M T983
Y842

K610 Address

A1690
A183
A400 -A419
M A429
M A500 -A549
B200 -B24
C160 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
C600 -C639
M C763
C775
M C784 -C788
M C792
M C798
C80
M C810 -C97
D002 -D014
M D035
M D045
M D097
D099
D120 -D129
D131 -D133
M D139
M D177
M D180 -D181
M D197
D214 -D215
M D225
M D235
D369
D371 -D375
M D377
M D481
M D485
D489
E106
E116
E126

ICD-10-Mortality Manual 2c - 2014

E136
E146
E840 -E849
I840 -I849
I890 -I899
I972
K250 -K289
K500 -K639
K760 -K929
M000 -M359
N000 -N999
R75
M S300 -S399
T360 -T509
X40 -X45
X60 -X65
X85
Y10 -Y15
Y420
Y842
M Y86 -Y872

K611 Address

A1690
A183
A400 -A419
M A429
M A500 -A549
B200 -B24
C160 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
M C763
C775
M C784 -C788
M C792
M C798
C80
M C810 -C97
D002 -D014
M D035
M D045
M D097
D099
D120 -D129

ICD-10-Mortality Manual 2c - 2014

	D131	-D133
M	D139	
M	D177	
M	D180	-D181
M	D197	
	D214	-D215
M	D225	
M	D235	
	D369	
	D371	-D375
M	D377	
M	D481	
M	D485	
	D489	
	E106	
	E116	
	E126	
	E136	
	E146	
	E840	-E849
	I840	-I849
	I890	-I899
	I972	
	K250	-K289
	K500	-K639
	K760	-K929
	M000	-M359
	N000	-N999
	R75	
M	S300	-S399
	T360	-T509
	X40	-X45
	X60	-X65
	X85	
	Y10	-Y15
	Y842	
M	Y86	-Y872

K612 Address

	A1690	
	A183	
	A400	-A419
M	A429	
M	A500	-A549
	B200	-B24
	C160	-C218
M	C435	
M	C445	
M	C457	

ICD-10-Mortality Manual 2c - 2014

M	C463	-C467
	C475	
M	C495	
M	C763	
	C775	
M	C784	-C788
M	C792	
M	C798	
	C80	
M	C810	-C97
	D002	-D014
M	D035	
M	D045	
M	D097	
	D099	
	D120	-D129
	D131	-D133
M	D139	
M	D177	
M	D180	-D181
M	D197	
	D214	-D215
M	D225	
M	D235	
	D369	
	D371	-D375
M	D377	
M	D481	
M	D485	
	D489	
	E106	
	E116	
	E126	
	E136	
	E146	
	E840	-E849
	I840	-I849
	I890	-I899
	I972	
	K250	-K289
	K500	-K639
	K760	-K929
	M000	-M359
	N000	-N999
	R75	
M	S300	-S399
	T360	-T509
	X40	-X45
	X60	-X65
	X85	

ICD-10-Mortality Manual 2c - 2014

Y10 -Y15
Y842
M Y86 -Y872

K613 Address

A1690
A183
A400 -A419
M A429
M A500 -A549
B200 -B24
C160 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
M C763
C775
M C784 -C788
M C792
M C798
C80
M C810 -C97
D002 -D014
M D035
M D045
M D097
D099
D120 -D129
D131 -D133
M D139
M D177
M D180 -D181
M D197
D214 -D215
M D225
M D235
D369
D371 -D375
M D377
M D481
M D485
D489
E106
E116
E126
E136

ICD-10-Mortality Manual 2c - 2014

E146
E840 -E849
I840 -I849
I890 -I899
I972
K250 -K289
K500 -K639
K760 -K929
M000 -M359
N000 -N999
R75
M S300 -S399
T360 -T509
X40 -X45
X60 -X65
X85
Y10 -Y15
Y842
M Y86 -Y872

K614 Address

A1690
A183
M A400 -A419
M A429
M A500 -A549
B200 -B24
C160 -C218
M C435
M C445
M C457
M C463 -C467
C475
M C495
M C763
C775
M C784 -C788
M C792
M C798
C80
M C810 -C97
D002 -D014
M D035
M D045
M D097
D099
D120 -D129
D131 -D133
M D139

ICD-10-Mortality Manual 2c - 2014

M D177
M D180 -D181
M D197
D214 -D215
M D225
M D235
D369
D371 -D375
M D377
M D481
M D485
D489
E106
E116
E126
E136
E146
E840 -E849
I840 -I849
I890 -I899
I972
K250 -K289
K500 -K639
K760 -K929
M000 -M359
N000 -N999
R75
M S300 -S399
T360 -T509
X40 -X45
X60 -X65
X85
Y10 -Y15
Y842
M Y86 -Y872

K620 Address

M A429
B200 -B24
E840 -E849
K620
R75

K621 Address

M A429
B200 -B24
E840 -E849
K621

ICD-10-Mortality Manual 2c - 2014

R75

K622 Address

M A000 -C148
C150 -C269
M C300 -C783
C784 -C788
M C790 -C798
C80
M C810 -D000
D001 -D019
M D020 -D119
D120 -D139
M D140 -D370
D371 -D379
M D380 -D487
D489
E100 -E149
E840 -E849
I840 -I849
I890 -I899
K20 -K929
N800 -N829
Q390 -Q459
M Q900 -Q999
R75
M S300 -S399
T149
T182 -T189
T210 -T217
M T282
M T287
T66
Y632 -Y633
M Y780 -Y788
Y842
Y882 -Y883

K623 Address

M A000 -C148
C150 -C269
M C300 -C783
C784 -C788
M C790 -C798
C80
M C810 -D000
D001 -D019
M D020 -D119

ICD-10-Mortality Manual 2c - 2014

	D120	-D139
M	D140	-D370
	D371	-D379
M	D380	-D487
	D489	
	E100	-E149
	E840	-E849
	I840	-I849
	I890	-I899
	K20	-K929
	N800	-N829
	Q390	-Q459
M	Q900	-Q999
	R75	
M	S300	-S399
	T149	
	T182	-T189
	T210	-T217
M	T282	
M	T287	
	T66	
	Y632	-Y633
M	Y780	-Y788
	Y842	
	Y882	-Y883

K624 Address

M	A000	-C148
	C150	-C269
M	C300	-C783
	C784	-C788
M	C790	-C798
	C80	
M	C810	-D000
	D001	-D019
M	D020	-D119
	D120	-D139
M	D140	-D370
	D371	-D379
M	D380	-D487
	D489	
	E100	-E149
	E840	-E849
	I840	-I849
	I890	-I899
	K20	-K929
	N800	-N829
	Q390	-Q459
M	Q900	-Q999

ICD-10-Mortality Manual 2c - 2014

	R75	
M	S300	-S399
	T149	
	T182	-T189
	T210	-T217
M	T282	
M	T287	
	T66	
	Y632	-Y633
M	Y780	-Y788
	Y842	
	Y882	-Y883

K625 Address

M	A000	-C148
	C150	-C269
M	C300	-C783
	C784	-C788
M	C790	-C798
	C80	
M	C810	-D000
	D001	-D019
M	D020	-D119
	D120	-D139
M	D140	-D370
	D371	-D379
M	D380	-D487
	D489	
	E100	-E149
	E840	-E849
	I840	-I849
	I890	-I899
	K20	-K929
	N800	-N829
	Q390	-Q459
M	Q900	-Q999
	R75	
M	S300	-S399
	T149	
	T182	-T189
	T210	-T217
M	T282	
M	T287	
M	T455	
M	T457	
	T66	
M	X44	
M	X64	
M	Y14	

ICD-10-Mortality Manual 2c - 2014

M Y632 -Y633
Y780 -Y788
Y842
Y882 -Y883

K626 Address

M A000 -C148
C150 -C269
M C300 -C783
C784 -C788
M C790 -C798
C80
M C810 -D000
D001 -D019
M D020 -D119
D120 -D139
M D140 -D370
D371 -D379
M D380 -D487
D489
E100 -E149
E840 -E849
I840 -I849
I890 -I899
K20 -K929
N800 -N829
Q390 -Q459
M Q900 -Q999
R75
M S300 -S399
T149
T182 -T189
T210 -T217
M T282
M T287
T66
Y632 -Y633
M Y780 -Y788
Y842
Y882 -Y883

K627 Address

M A429
E840 -E849
K627
T66
Y632 -Y633
M Y780 -Y788

ICD-10-Mortality Manual 2c - 2014

Y842
M Y882 -Y883

K628 Address

M A000 -C148
C150 -C269
M C300 -C783
C784 -C788
M C790 -C798
C80
M C810 -D000
D001 -D019
M D020 -D119
D120 -D139
M D140 -D370
D371 -D379
M D380 -D487
D489
E100 -E149
E840 -E849
I840 -I849
I890 -I899
K20 -K929
N800 -N829
Q390 -Q459
M Q900 -Q999
R75
M S300 -S399
T149
T182 -T189
T210 -T217
M T282
M T287
T66
Y632 -Y633
M Y780 -Y788
Y842
Y882 -Y883

K629 Address

M A000 -C148
C150 -C269
M C300 -C783
C784 -C788
M C790 -C798
C80
M C810 -D000
D001 -D019

ICD-10-Mortality Manual 2c - 2014

M D020 -D119
D120 -D139
M D140 -D370
D371 -D379
M D380 -D487
D489
E100 -E149
E840 -E849
I840 -I849
I890 -I899
K20 -K929
N800 -N829
Q390 -Q459
M Q900 -Q999
R75
M S300 -S399
T149
T182 -T189
T210 -T217
M T282
M T287
T66
Y632 -Y633
M Y780 -Y788
Y842
Y882 -Y883

K630 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K631 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11

ICD-10-Mortality Manual 2c - 2014

M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K6310 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K632 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K633 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64

ICD-10-Mortality Manual 2c - 2014

M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K634 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K635 Address

B200 -B24
D126
E840 -E849
K635
R75

K638 Address

A000 -Q999
R060 -R090
R092
M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K639 Address

A000 -Q999
R060 -R090
R092

ICD-10-Mortality Manual 2c - 2014

M R100 -R104
R11
M R12 -R198
R53 -R54
R628 -R64
M R700 -R799
M R826
M R893
M S000 -T983
V010 -Y899

K650 Address

A000 -A099
A1690
A181
A183
A210 -A219
A360 -A369
A400 -A439
M A500 -A549
A749
B150 -B24
B379
B470 -B479
B650 -B839
B942
C000 -C269
C320 -C399
M C435
C439
M C445
C450
C452
M C457
C459
M C463 -C467
C473 -C475
M C476
C480 -C488
C493 -C494
M C498
C499
C510 -C689
C740 -C749
C761 -C763
M C768
C771 -C772
C780 -C791
M C792

ICD-10-Mortality Manual 2c - 2014

M	C798	
	C80	
M	C810	-C97
	D000	-D024
M	D035	
M	D038	
	D039	
M	D045	
M	D048	
	D060	-D091
M	D097	
	D099	-D139
	D141	-D159
M	D171	
	D174	-D176
M	D177	
	D179	
M	D180	-D181
	D191	-D197
	D200	-D201
	D213	-D215
M	D216	
M	D225	
	D229	
M	D235	
	D250	-D309
	D350	
M	D360	-D369
	D370	-D419
	D441	
	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	D730	-D739
	D841	
	E100	-E169
	E250	-E279
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	
	E888	-E889
	F100	-F109
	I00	-I019
	I330	
	I710	-I719

ICD-10-Mortality Manual 2c - 2014

M I730 -I739
I776
I81
K20 -K929
L010 -L011
M320 -M329
N000 -N459
N700 -N889
M P140 -P149
P150 -P151
P155 -P159
P350 -P399
P510 -P519
P53 -P789
P920 -P93
Q380 -Q559
Q600 -Q649
Q790 -Q795
Q900 -Q999
R18
R58 -R5800
R75
M R98
S300 -S399
T07
T090 -T099
T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915 -T919
T941
T951
T954 -T97
M T980 -T983
V010 -Y899

K658 Address

A000 -A099
A1690
A181
A183
A210 -A219
A360 -A369

ICD-10-Mortality Manual 2c - 2014

	A400	-A439
M	A500	-A549
	A749	
	B150	-B24
	B379	
	B470	-B479
	B650	-B839
	B942	
	C000	-C269
	C320	-C399
M	C435	
	C439	
M	C445	
	C450	
	C452	
M	C457	
	C459	
M	C463	-C467
	C473	-C475
M	C476	
	C480	-C488
	C493	-C494
M	C498	
	C499	
	C510	-C689
	C740	-C749
	C761	-C763
M	C768	
	C771	-C772
	C780	-C791
M	C792	
M	C798	
	C80	
M	C810	-C97
	D000	-D024
M	D035	
M	D038	
	D039	
M	D045	
M	D048	
	D060	-D091
M	D097	
	D099	-D139
	D141	-D159
M	D171	
	D174	-D176
M	D177	
	D179	
M	D180	-D181
	D191	-D197

ICD-10-Mortality Manual 2c - 2014

	D200	-D201
	D213	-D215
M	D216	
M	D225	
	D229	
M	D235	
	D250	-D309
	D350	
M	D360	-D369
	D370	-D419
	D441	
	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	D730	-D739
	D841	
	E100	-E169
	E250	-E279
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	
	E888	-E889
	F100	-F109
	I00	-I019
	I330	
	I710	-I719
M	I730	-I739
	I776	
	I81	
	K20	-K929
	L010	-L011
	M320	-M329
	N000	-N459
	N700	-N889
M	P140	-P149
	P150	-P151
	P155	-P159
	P350	-P399
	P510	-P519
	P53	-P789
	P920	-P93
	Q380	-Q559
	Q600	-Q649
	Q790	-Q795
	Q900	-Q999

ICD-10-Mortality Manual 2c - 2014

	R18	
	R58	-R5800
	R75	
M	R98	
	S300	-S399
	T07	
	T090	-T099
	T149	
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889
	T912	
	T915	-T919
	T941	
	T951	
	T954	-T97
M	T980	-T983
	V010	-Y899

K659 Address

	A000	-A099
	A1690	
	A181	
	A183	
	A210	-A219
	A360	-A369
	A400	-A439
M	A500	-A549
	A749	
	B150	-B24
	B379	
	B470	-B479
	B650	-B839
	B942	
	C000	-C269
	C320	-C399
M	C435	
	C439	
M	C445	
	C450	
	C452	
M	C457	
	C459	
M	C463	-C467
	C473	-C475

ICD-10-Mortality Manual 2c - 2014

M	C476
	C480 -C488
	C493 -C494
M	C498
	C499
	C510 -C689
	C740 -C749
	C761 -C763
M	C768
	C771 -C772
	C780 -C791
M	C792
M	C798
	C80
M	C810 -C97
	D000 -D024
M	D035
M	D038
	D039
M	D045
M	D048
	D060 -D091
M	D097
	D099 -D139
	D141 -D159
M	D171
	D174 -D176
M	D177
	D179
M	D180 -D181
	D191 -D197
	D200 -D201
	D213 -D215
M	D216
M	D225
	D229
M	D235
	D250 -D309
	D350
M	D360 -D369
	D370 -D419
	D441
	D481
	D483 -D484
M	D485
M	D487
	D489
	D730 -D739
	D841
	E100 -E169

ICD-10-Mortality Manual 2c - 2014

	E250	-E279
	E760	-E769
	E790	-E799
	E802	
	E804	-E806
	E840	-E859
	E880	
	E888	-E889
	F100	-F109
	I00	-I019
	I330	
M	I710	-I719
	I730	-I739
	I776	
	I81	
	K20	-K929
	L010	-L011
	M320	-M329
	N000	-N459
	N700	-N889
M	P140	-P149
	P150	-P151
	P155	-P159
	P350	-P399
	P510	-P519
	P53	-P789
	P920	-P93
	Q380	-Q559
	Q600	-Q649
	Q790	-Q795
	Q900	-Q999
	R18	
	R198	
	R58	-R5800
	R75	
M	R98	
	S300	-S399
	T07	
	T090	-T099
	T149	
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889
	T912	
	T915	-T919
	T941	

ICD-10-Mortality Manual 2c - 2014

T951
T954 -T97
M T980 -T983
V010 -Y899

K660 Address

A000 -A099
A1690
A183
A200 -D489
E840 -E849
I710 -I719
M I728
I729
K20 -K929
L930 -L932
M300 -M359
N000 -N459
N481 -N482
N485 -N489
N700 -N909
P150 -P151
P155 -P156
M P158
P159
P393
P60
Q270 -Q279
Q380 -Q649
Q900 -Q999
R75
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915 -T919
T941
T951
T954 -T97
M T980 -T983
V010 -Y899

K661 Address

A000 -A099
A1690
A183
A200 -D489
D65 -D699
E840 -E849
I710 -I719
M I728
I729
M I770 -I779
K20 -K929
L930 -L932
M300 -M359
M726 -M729
N000 -N459
N481 -N482
N485 -N489
N700 -N909
P150 -P151
P155 -P156
M P158
P159
P393
P60
Q270 -Q279
Q380 -Q649
Q900 -Q999
R75
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915 -T919
T941
T951
T954 -T97
M T980 -T983
V010 -Y899

K668 Address

A000 -A099
A1690
A183
A200 -D489
E840 -E849
I710 -I719
M I728
I729
K20 -K929
L930 -L932
M300 -M359
N000 -N459
N481 -N482
N485 -N489
N700 -N909
P150 -P151
P155 -P156
M P158
P159
P393
P60
Q270 -Q279
Q380 -Q649
Q900 -Q999
R75
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915 -T919
T941
T951
T954 -T97
M T980 -T983
V010 -Y899

K669 Address

A000 -A099

ICD-10-Mortality Manual 2c - 2014

A1690
A183
A200 -D489
E840 -E849
I710 -I719
M I728
I729
K20 -K929
L930 -L932
M300 -M359
N000 -N459
N481 -N482
N485 -N489
N700 -N909
P150 -P151
P155 -P156
M P158
P159
P393
P60
Q270 -Q279
Q380 -Q649
Q900 -Q999
R75
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915 -T919
T941
T951
T954 -T97
M T980 -T983
V010 -Y899

K7 Category

K700 Address

F100 -F109
K700 -K709
R780

ICD-10-Mortality Manual 2c - 2014

M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K701 Address

F100 -F109
K700 -K709
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K702 Address

F100 -F109
K700 -K709
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K703 Address

F100 -F109
K700 -K709
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K704 Address

F100 -F109
K700 -K709
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K709 Address

F100 -F109
K700 -K709
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

K710 Address

M A000 -B99
C000 -D899
M E018
E02 -E0390
E050 -E059
E100 -E149
E40 -E899
F100 -F169
F180 -F199
G710 -G729
G937
I10
I159
I740 -I749
I81 -I820
K30 -K929
M320 -M329
P550 -P579
Q390 -Q459
M Q900 -Q999

ICD-10-Mortality Manual 2c - 2014

R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K711 Address

B059
B572
B779
E840
E849
K711
T360 -T519
X40 -X45
Y400 -Y599
M Y86 -Y872
Y880

K712 Address

B059
B572
B779
E840
E849
K712

K713 Address

B059

ICD-10-Mortality Manual 2c - 2014

B572
B779
E840
E849
K713

K714 Address

B059
B572
B779
E840
E849
K714

K715 Address

B059
B572
B779
E840
E849
K715

K716 Address

M A000 -B99
C000 -D899
M E018
E02 -E0390
E050 -E059
E100 -E149
E40 -E899
F100 -F169
F180 -F199
G710 -G729
G937
I10
I159
I740 -I749
I81 -I820
K30 -K929
M320 -M329
P550 -P579
Q390 -Q459
M Q900 -Q999
R75
R780
M R826
M R893
S300 -S399

ICD-10-Mortality Manual 2c - 2014

T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K717 Address

B059
B572
B779
E840
E849
K717

K718 Address

B059
B572
B779
E840
E849
K718

K719 Address

M A000 -B99
C000 -D899
M E018
E02 -E0390
E050 -E059
E100 -E149
E40 -E899
F100 -F169
F180 -F199
G710 -G729
G937

ICD-10-Mortality Manual 2c - 2014

I10
I159
I740 -I749
I81 -I820
K30 -K929
M320 -M329
P550 -P579
Q390 -Q459
M Q900 -Q999
R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K720 Address

A000 -E899
F100 -F169
F180 -F199
G000 -G129
G35 -G379
G937
I10 -K929
M000 -M1990
M300 -M359
M720 -M729
N000 -N999
P000 -Q999
R02
R18

ICD-10-Mortality Manual 2c - 2014

R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -Y899

K7200 Address

A000 -E899
F100 -F169
F180 -F199
G000 -G129
G35 -G379
G937
I00 -K929
M000 -M1990
M300 -M359
M M628
M720 -M729
N000 -N999
P000 -Q999
R02
R18
R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099

ICD-10-Mortality Manual 2c - 2014

T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -Y899

K721 Address

A000 -E899
F100 -F169
F180 -F199
G000 -G129
G35 -G379
G937
I10 -K929
M000 -M1990
M300 -M359
M720 -M729
N000 -N999
P000 -Q999
R02
R18
R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915

ICD-10-Mortality Manual 2c - 2014

M T918 -T919
M T941
T951
T954 -Y899

K7210 Address

A000 -E899
F100 -F169
F180 -F199
G000 -G129
G35 -G379
G937
I00 -K929
M000 -M1990
M300 -M359
M M628
M720 -M729
N000 -N999
P000 -Q999
R02
R18
R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -Y899

K729 Address

A000 -E899
F100 -F169

ICD-10-Mortality Manual 2c - 2014

F180 -F199
G000 -G129
G35 -G379
G937
I10 -K929
M000 -M1990
M300 -M359
M720 -M729
N000 -N999
P000 -Q999
R02
R18
R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -Y899

K7290 Address

A000 -E899
F100 -F169
F180 -F199
G000 -G129
G35 -G379
G937
I00 -K929
M000 -M1990
M300 -M359
M M628
M720 -M729
N000 -N999

ICD-10-Mortality Manual 2c - 2014

P000 -Q999
R02
R18
R64
R75
R780
M R826
M R893
S300 -S399
T065
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352 -T353
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -Y899

K730 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999

ICD-10-Mortality Manual 2c - 2014

R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K731 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K732 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K738 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119

ICD-10-Mortality Manual 2c - 2014

I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K739 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780

ICD-10-Mortality Manual 2c - 2014

M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K740 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K741 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K742 Address

B059
B572
B779
E840
E849
F100 -F109
K709
K719
K742
T510 -T519

ICD-10-Mortality Manual 2c - 2014

M T97
X45
X65
Y15
M Y86 -Y872

K743 Address

M A429
E840 -E849
K743

K744 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K745 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K746 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E519
M E52
E530 -E849
M F100 -F109
F110 -F169
F180 -F199
I050 -I099
I110 -I119

ICD-10-Mortality Manual 2c - 2014

	I130	-I4250
M	I426	
	I427	-I519
	I81	
	K500	-K519
	K630	-K639
M	K700	-K709
	K710	-K718
	K730	-K760
M	K761	
	K763	
	K768	-K851
M	K852	
	K853	-K859
M	K860	
	K861	-K909
	Q410	-Q459
	Q900	-Q999
	R75	
M	R780	
	T360	-T509
M	T510	-T519
	T520	-T659
M	T97	
	X40	-X44
M	X45	
	X46	-X49
M	X65	
M	Y15	
	Y400	-Y572
M	Y573	
	Y574	-Y599
	Y640	
	Y86	
M	Y870	-Y872
	Y880	
M	Y881	

K750 Address

M	A000	-B99
	C000	-D539
	D730	-D739
	E02	-E0390
	E100	-E149
	E500	-E849
	F100	-F169
	F180	-F199
	I050	-I099
	I110	-I119

ICD-10-Mortality Manual 2c - 2014

I130 -I519
I81
K500 -K519
K630 -K659
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K751 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780

ICD-10-Mortality Manual 2c - 2014

M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K752 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K753 Address

M A000 -B99
C000 -D539
D730 -D739
D869
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K754 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099

ICD-10-Mortality Manual 2c - 2014

	I110	-I119
	I130	-I519
	I81	
	K500	-K519
	K630	-K639
	K700	-K718
	K730	-K760
M	K761	
	K763	
	K768	-K909
	Q410	-Q459
	Q900	-Q999
	R75	
	R780	
M	R826	
M	R893	
	T360	-T659
	T97	
	X40	-X49
	X65	
	Y15	
	Y400	-Y599
	Y640	
	Y86	-Y880
M	Y881	

K758 Address

M	A000	-B99
	C000	-D539
	D730	-D739
	E02	-E0390
	E100	-E149
	E500	-E849
	F100	-F169
	F180	-F199
	I050	-I099
	I110	-I119
	I130	-I519
	I81	
	K500	-K519
	K630	-K639
	K700	-K718
	K730	-K760
M	K761	
	K763	
	K768	-K909
	Q410	-Q459
	Q900	-Q999
	R75	

ICD-10-Mortality Manual 2c - 2014

R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K759 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K760 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119
I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K761 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I050 -I099
I110 -I119

ICD-10-Mortality Manual 2c - 2014

I130 -I519
I81
K500 -K519
K630 -K639
K700 -K718
K730 -K761
K763
K768 -K909
Q410 -Q459
Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K762 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E050 -E059
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I10
I159
I740 -I749
I81
K20 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K762 -K763
K768 -K909
P550 -P599
Q410 -Q459
Q900 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K763 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E050 -E059
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I10
I159
I740 -I749
I81
K20 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K768 -K909
P550 -P599
Q410 -Q459
Q900 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K764 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E050 -E059
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I10
I159
I740 -I749
I81
K20 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763 -K764
K768 -K909
P550 -P599
Q410 -Q459
Q900 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K765 Address

M A000 -B99
C000 -D539
D730 -D739
E02 -E0390
E050 -E059
E100 -E149
E500 -E849
F100 -F169
F180 -F199
I10
I159
I740 -I749
I81
K20 -K519
K630 -K639
K700 -K718
K730 -K760
M K761
K763
K765
K768 -K909
P550 -P599
Q410 -Q459
Q900 -Q999

ICD-10-Mortality Manual 2c - 2014

	R75	
	R780	
M	R826	
M	R893	
	S300	-S399
	T07	
	T090	-T099
	T140	-T149
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889
	T912	
	T915	
M	T918	-T919
M	T941	
	T951	
	T954	-T959
	T97	
M	T980	-T983
	V010	-Y899

K766 Address

M	A000	-B99
	C000	-D539
	D595	-D596
	D695	-D696
	D730	-D739
	E02	-E0390
	E100	-E149
	E500	-E849
	F100	-F169
	F180	-F199
	I050	-I099
	I110	-I119
	I130	-I519
	I81	
	K500	-K519
	K630	-K639
	K700	-K718
	K730	-K760
M	K761	
	K763	
	K766	
	K768	-K909
	Q410	-Q459

ICD-10-Mortality Manual 2c - 2014

Q900 -Q999
R75
R780
M R826
M R893
T360 -T659
T97
X40 -X49
X65
Y15
Y400 -Y599
Y640
Y86 -Y880
M Y881

K767 Address

A000 -E899
F100 -F199
G000 -G979
I00 -I99
M J00 -J989
K20 -K929
M000 -M1990
M300 -M359
N000 -N999
Q000 -Q999
R02
R18
R570 -R579
R75
R780
R788
M R826
M R893
S000 -Y899

K768 Address

M A000 -E899 *
M F100 -F199 *
M G000 -G979 *
M I00 -I99 *
M K20 -K767 *
K768 *
M K769 -K929 *
M M000 -M1990 *
M M300 -M359 *
M N000 -N999 *
M Q000 -Q999 *

*

ICD-10-Mortality Manual 2c - 2014

M	R02	*
M	R18	*
M	R570 -R579	*
M	R75	*
M	R780	*
M	R788	*
M	R826	
M	R893	
M	S000 -Y899	*

K769 Address

M	A000 -B99
	C000 -D539
	D730 -D739
	E02 -E0390
	E100 -E149
	E500 -E849
	F100 -F169
	F180 -F199
	I050 -I099
	I110 -I119
	I130 -I519
	I81
	K500 -K519
	K630 -K639
	K700 -K718
	K730 -K760
M	K761
	K763 -K909
	Q410 -Q459
	Q900 -Q999
	R75
	R780
M	R826
M	R893
	T360 -T659
	T97
	X40 -X49
	X65
	Y15
	Y400 -Y599
	Y640
	Y86 -Y880
M	Y881

K8 Category

K800 Address

ICD-10-Mortality Manual 2c - 2014

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K801 Address

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K802 Address

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K803 Address

ICD-10-Mortality Manual 2c - 2014

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K804 Address

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K805 Address

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K808 Address

ICD-10-Mortality Manual 2c - 2014

M A429
C23 -C249
M C788
D550 -D599
E65 -E669
E750 -E756
E770 -E771
E780 -E789
E804 -E806
E840 -E849
E881 -E888
K700 -K719
M K720 -K7290
K730 -K839

K810 Address

A010 -A029
M A429
B150 -B24
C220 -C259
C787 -C788
C80
M C97
D015
M D017
D134 -D137
D376
M D377
E100 -E149
E750 -E756
E770 -E771
E780 -E789
E840 -E849
E881 -E888
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
R75

K811 Address

A010 -A029
M A429
B150 -B24
C220 -C259
C787 -C788
C80
M C97

ICD-10-Mortality Manual 2c - 2014

D015
M D017
D134 -D137
D376
M D377
E100 -E149
E750 -E756
E770 -E771
E780 -E789
E840 -E849
E881 -E888
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
R75

K818 Address

A010 -A029
M A429
B150 -B24
C220 -C259
C787 -C788
C80
M C97
D015
M D017
D134 -D137
D376
M D377
E100 -E149
E750 -E756
E770 -E771
E780 -E789
E840 -E849
E881 -E888
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
R75

K819 Address

A010 -A029
M A429
B150 -B24
C220 -C259
C787 -C788

ICD-10-Mortality Manual 2c - 2014

C80
M C97
D015
M D017
D134 -D137
D376
M D377
E100 -E149
E750 -E756
E770 -E771
E780 -E789
E840 -E849
E881 -E888
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
R75

K820 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K821 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779

ICD-10-Mortality Manual 2c - 2014

K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K822 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K823 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788

ICD-10-Mortality Manual 2c - 2014

Y842
M Y882 -Y883

K824 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K828 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K829 Address

A010 -A029
M A429
M A500 -A539
B150 -B24

ICD-10-Mortality Manual 2c - 2014

M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K830 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K831 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999

ICD-10-Mortality Manual 2c - 2014

R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K832 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K833 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K834 Address

ICD-10-Mortality Manual 2c - 2014

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K835 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K838 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779

ICD-10-Mortality Manual 2c - 2014

K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K839 Address

A010 -A029
M A429
M A500 -A539
B150 -B24
M B250 -B99
C000 -D489
E840 -E849
I770 -I779
K700 -K869
M300 -M319
Q440 -Q453
Q900 -Q999
R75
T66
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K851 Address

M A000 -B99
C000 -D489
D730 -D739
E100 -E149
E210 -E213
E250 -E279
E40 -E859
F100 -F109
I210 -I229
M I708
M I748
I770 -I779
I81
M I99
K250 -K299
K352 -K37

ICD-10-Mortality Manual 2c - 2014

M K638
K700 -K869
M300 -M329
Q440 -Q453
R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K852 Address

F100 -F109
K292
K700 -K709
K852
K860
R780
M R826
M R893
T510 -T519
T97
X45
X65
Y15
M Y86
Y870 -Y872

K853 Address

F110 -F169

ICD-10-Mortality Manual 2c - 2014

F180 -F199
K853
T360 -T509
T880 -T883
T885 -T887
T96
M T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
Y870 -Y880

K858 Address

M A000 -B99
C000 -D489
D730 -D739
E100 -E149
E210 -E213
E250 -E279
E40 -E859
F100 -F109
I210 -I229
M I708
M I748
I770 -I779
I81
M I99
K250 -K299
K352 -K37
M K638
K700 -K869
K918
M300 -M329
Q440 -Q453
R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352

ICD-10-Mortality Manual 2c - 2014

	T360	-T66
M	T670	-T889
	T912	
	T915	
M	T918	-T919
M	T941	
	T951	
	T954	-T959
	T97	
M	T980	-T983
	V010	-Y899

K859 Address

M	A000	-B99
	C000	-D489
	D730	-D739
	E100	-E149
	E210	-E213
	E250	-E279
	E40	-E859
	F100	-F109
	I210	-I229
M	I708	
M	I748	
	I770	-I779
	I81	
M	I99	
	K250	-K299
	K352	-K37
M	K638	
	K700	-K869
	K918	
	M300	-M329
	Q440	-Q453
	R75	
	R780	
M	R826	
M	R893	
	S300	-S399
	T07	
	T090	-T099
	T140	-T149
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889

ICD-10-Mortality Manual 2c - 2014

T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K860 Address

M A429
B200 -B24
E52
F100 -F109
G312
G405
G621
G721
I426
K700 -K709
K852
K860
L278
R75
T510 -T519
T97
X45
X65
X85
Y15
M Y86 -Y872

K861 Address

M A000 -B99
C000 -D489
D730 -D739
E100 -E149
E210 -E213
E250 -E279
E40 -E859
F100 -F109
I210 -I229
M I708
M I748
I770 -I779
I81
M I99

ICD-10-Mortality Manual 2c - 2014

	K250	-K299
M	K638	
	K700	-K869
	M300	-M329
	Q440	-Q453
	R75	
	R780	
M	R826	
M	R893	
	S300	-S399
	T07	
	T090	-T099
	T140	-T149
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889
	T912	
	T915	
M	T918	-T919
M	T941	
	T951	
	T954	-T959
	T97	
M	T980	-T983
	V010	-Y899

K862 Address

M	A000	-B99
	C000	-D489
	D730	-D739
	E100	-E149
	E210	-E213
	E250	-E279
	E40	-E859
	F100	-F109
	I210	-I229
M	I708	
	I770	-I779
	I81	
M	I99	
	K250	-K299
M	K638	
	K700	-K869
	M300	-M329
	Q440	-Q453

ICD-10-Mortality Manual 2c - 2014

	R75	
	R780	
M	R826	
M	R893	
	S300	-S399
	T07	
	T090	-T099
	T140	-T149
	T180	-T199
	T210	-T217
	T280	-T329
	T342	
	T352	
	T360	-T66
M	T670	-T889
	T912	
	T915	
M	T918	-T919
M	T941	
	T951	
	T954	-T959
	T97	
M	T980	-T983
	V010	-Y899

K863 Address

M	A000	-B99
	C000	-D489
	D730	-D739
	E100	-E149
	E210	-E213
	E250	-E279
	E40	-E859
	F100	-F109
	I210	-I229
M	I708	
	I770	-I779
	I81	
M	I99	
	K250	-K299
M	K638	
	K700	-K869
	M300	-M329
	Q440	-Q453
	R75	
	R780	
M	R826	
M	R893	
	S300	-S399

ICD-10-Mortality Manual 2c - 2014

T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K868 Address

M A000 -B99
C000 -D489
D730 -D739
E100 -E149
E210 -E213
E250 -E279
E40 -E859
F100 -F109
I210 -I229
M I708
I770 -I779
I81
M I99
K250 -K299
M K638
K700 -K869
M300 -M329
Q440 -Q453
R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217

ICD-10-Mortality Manual 2c - 2014

T280 -T329
T342
T352
T360 -T66
M T670 -T889
T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K869 Address

M A000 -B99
C000 -D489
D730 -D739
E100 -E149
E210 -E213
E250 -E279
E40 -E859
F100 -F109
I210 -I229
M I708
I770 -I779
I81
M I99
K250 -K299
M K638
K700 -K869
M300 -M329
Q440 -Q453
R75
R780
M R826
M R893
S300 -S399
T07
T090 -T099
T140 -T149
T180 -T199
T210 -T217
T280 -T329
T342
T352
T360 -T66
M T670 -T889

ICD-10-Mortality Manual 2c - 2014

T912
T915
M T918 -T919
M T941
T951
T954 -T959
T97
M T980 -T983
V010 -Y899

K9 Category

K900 Address

M A429
B659
B789
E840 -E849
K900

K901 Address

M A429
B659
B789
E840 -E849
K901

K902 Address

A1690
M A183
M A429
B659
B789
E840 -E849
K316
K520 -K579
K598
K632
K902
Q793
T66
M T940 -T941
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K903 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
M C474
C480 -C488
C494
C762
C772
C784 -C788
C792
M C798 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
D800 -E279
E310 -E319
E340 -E349
E700 -E889
I311
K903
R75

K904 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457

ICD-10-Mortality Manual 2c - 2014

M	C463	-C467
M	C474	
	C480	-C488
	C494	
	C762	
	C772	
	C784	-C788
	C792	
M	C798	-C97
	D001	-D019
M	D035	
M	D045	
	D099	
	D120	-D139
	D175	
M	D177	
M	D180	-D181
	D191	
M	D197	
	D200	-D201
	D214	
M	D225	
M	D235	
	D369	
	D371	-D379
M	D481	
	D483	-D484
M	D485	
M	D487	
	D489	
	D800	-E279
	E310	-E319
	E340	-E349
	E700	-E889
	I311	
	I770	-I779
	I890	-I899
	K20	-K929
	M300	-M359
	P591	
	Q410	-Q459
	Q790	-Q795
	R75	
	S000	-T983
	Y400	-Y599
	Y632	-Y633
M	Y780	-Y788
	Y842	
M	Y882	-Y883

ICD-10-Mortality Manual 2c - 2014

K908 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
M C474
C480 -C488
C494
C762
C772
C784 -C788
C792
M C798 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
D800 -E279
E310 -E319
E340 -E349
E700 -E889
I311
I770 -I779
I890 -I899
K20 -K929
M300 -M359
P591
Q410 -Q459
Q790 -Q795

ICD-10-Mortality Manual 2c - 2014

R75
S000 -T983
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K909 Address

M A000 -B99
C150 -C269
M C435
M C445
M C457
M C463 -C467
M C474
C480 -C488
C494
C762
C772
C784 -C788
C792
M C798 -C97
D001 -D019
M D035
M D045
D099
D120 -D139
D175
M D177
M D180 -D181
D191
M D197
D200 -D201
D214
M D225
M D235
D369
D371 -D379
M D481
D483 -D484
M D485
M D487
D489
D800 -E279
E310 -E319
E340 -E349
E700 -E889
I311

ICD-10-Mortality Manual 2c - 2014

I770 -I779
I890 -I899
K20 -K929
M300 -M359
P591
Q410 -Q459
Q790 -Q795
R75
S000 -T983
Y400 -Y599
Y632 -Y633
M Y780 -Y788
Y842
M Y882 -Y883

K910 Address

M A429
K910
Y712 -Y713
Y722 -Y723
Y732 -Y733
Y752 -Y753
Y762 -Y763
Y772 -Y773
Y792 -Y793
Y812 -Y813
M Y830 -Y834
M Y836 -Y839
M Y883

K911 Address

M A429
K911
Y712 -Y713
Y722 -Y723
Y732 -Y733
Y752 -Y753
Y762 -Y763
Y772 -Y773
Y792 -Y793
Y812 -Y813
M Y830 -Y834
M Y836 -Y839
M Y883

K912 Address

M A429
K912

ICD-10-Mortality Manual 2c - 2014

Y712 -Y713
Y722 -Y723
Y732 -Y733
Y752 -Y753
Y762 -Y763
Y772 -Y773
Y792 -Y793
Y812 -Y813
M Y830 -Y834
M Y836 -Y839
M Y883

K913 Address

M A429
K913
Y712 -Y713
Y722 -Y723
Y732 -Y733
Y752 -Y753
Y762 -Y763
Y772 -Y773
Y792 -Y793
Y812 -Y813
Y830 -Y839
M Y883

K914 Address

M A429
K914
M Y833
M Y883

K915 Address

M A429
K915
Y836
M Y883

K918 Address

M A429
K918
Y600 -Y849
Y881
Y883

K919 Address

ICD-10-Mortality Manual 2c - 2014

M A429
 K919
 Y600 -Y849
 Y881
 Y883

K920 Address

A000 -Q999
R457
R75
S000 -Y899

K921 Address

A000 -Q999
R457
R75
S000 -Y899

K922 Address

A000 -Q999
R457
R75
S000 -Y899

K928 Address

A000 -Q999
R457
R75
S000 -Y899

K929 Address

A000 -Q999
R457
R75
S000 -Y899

L

L0 Category

L00 Address

M A429
M A439
M A679
 B200 -B24

ICD-10-Mortality Manual 2c - 2014

M B389
M B789
E669
L00
M320 -M359
R75
T887

L010 Address

M A429
M A439
M A679
B200 -B24
B389
M B789
L010 -L011
R75
M S000 -Y899

L011 Address

M A429
M A439
M A679
B200 -B24
B389
M B789
L010 -L011
R75
M S000 -Y899

L020 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L021 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L022 Address

A000 -P049

ICD-10-Mortality Manual 2c - 2014

P100 -Q999
R02
R75
S000 -Y899

L023 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L024 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L028 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L029 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L030 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L031 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L032 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L033 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L038 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L039 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L040 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L041 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L042 Address

A000 -P049

ICD-10-Mortality Manual 2c - 2014

P100 -Q999
R02
R75
S000 -Y899

L043 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L048 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L049 Address

A000 -P049
P100 -Q999
R02
R75
S000 -Y899

L050 Address

M A429
M A439
M A679
M B200 -B24
B389
M B789
L050 -L059
M R75

L059 Address

M A429
M A439
M A679
M B200 -B24
B389
M B789
L050 -L059
M R75

L080 Address

A000 -G98
H650 -H832
H950 -J989
K20 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
S000 -Y899

L081 Address

A000 -G98
H650 -H832
H950 -J989
K20 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
S000 -Y899

L088 Address

A000 -G98
H650 -H832
H950 -J989
K20 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
S000 -Y899

L089 Address

ICD-10-Mortality Manual 2c - 2014

A000 -G98
H650 -H832
H950 -J989
K20 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
S000 -Y899

L1 Category

L100 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L100

L101 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L101

L102 Address

M A429
M A439
A500

ICD-10-Mortality Manual 2c - 2014

A502
A509
A513
A519
A539
M A679
B389
M B789
L102

L103 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L103

L104 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L104

L105 Address

M A429
M A439
M A679
B389
M B789
L105
T360 -T509
T881
T885

ICD-10-Mortality Manual 2c - 2014

T887
T96
X40 -X44
X60 -X64
X85
Y10 -Y14
M Y355
Y400 -Y599
M Y86 -Y872
Y880

L108 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L108

L109 Address

M A429
M A439
A500
A502
A509
A513
A519
A539
M A679
B389
M B789
L100 -L109

L110 Address

M A429
M A439
A548 -A549
M A679
B389
M B789
L110
R54

L120 Address

M A429
M A439
M A679
B389
M B789
L120

L121 Address

M A429
M A439
M A679
B389
M B789
L121

L122 Address

M A429
M A439
M A679
B389
M B789
L122

L123 Address

A000 -A199
M A429
M A439
M A679
B389
M B789
C900 -C902
E100 -E149
E850 -E859
K510 -K529
L123
Y572

L128 Address

M A429
M A439
M A679
B389
M B789
L128

L129 Address

M A429
M A439
M A679
B389
M B789
L120 -L129

L130 Address

M A429
M A439
M A679
B389
M B789
L130
R54

L131 Address

M A429
M A439
M A679
B389
M B789
L131

L138 Address

M A429
M A439
M A679
B389
M B789
L138

L139 Address

M A429
M A439
M A679
B389
M B789
L130 -L139

L2 Category

L200 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
M A679
B389
M B789
L200

L208 Address

M A429
M A439
M A679
B389
M B789
L208

L209 Address

M A429
M A439
M A679
B389
M B789
L200 -L209

L210 Address

M A429
M A439
M A679
B389
M B789
L210

L211 Address

M A429
M A439
M A679
B389
M B789
L211

L22 Address

M A429
M A439
M A679
B389
M B789
L22

L230 Address

M A429
M A439
M A679
B389
M B789
L230

L231 Address

M A429
M A439
M A679
B389
M B789
L231

L232 Address

M A429
M A439
M A679
B389
M B789
L232

L233 Address

M A429
M A439
M A679
B389
M B789
L233

L234 Address

M A429
M A439
M A679
B389
M B789
L234

L235 Address

M A429
M A439
M A679
B389

ICD-10-Mortality Manual 2c - 2014

M B789
L235

L236 Address

M A429
M A439
M A679
B389
M B789
L236

L237 Address

M A429
M A439
M A679
B389
M B789
L237

L238 Address

M A429
M A439
M A679
B389
M B789
L238

L239 Address

M A429
M A439
M A679
B389
M B789
L230 -L259

L240 Address

M A429
M A439
M A679
B389
M B789
L240

L242 Address

M A429
M A439

ICD-10-Mortality Manual 2c - 2014

M A679
B389
M B789
L242

L243 Address

M A429
M A439
M A679
B389
M B789
L243

L244 Address

M A429
M A439
M A679
B389
M B789
L244

L245 Address

M A429
M A439
M A679
B389
M B789
L245

L246 Address

M A429
M A439
M A679
B389
M B789
L246

L247 Address

M A429
M A439
M A679
B389
M B789
L247

L248 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M A439
M A679
B389
M B789
L248

L249 Address

M A429
M A439
M A679
B389
M B789
L230 -L259

L250 Address

M A429
M A439
M A679
B389
M B789
L250

L251 Address

M A429
M A439
M A679
B389
M B789
L251

L252 Address

M A429
M A439
M A679
B389
M B789
L252

L253 Address

M A429
M A439
M A679
B389
M B789
L253

L254 Address

M A429
M A439
M A679
B389
M B789
L254

L255 Address

M A429
M A439
M A679
B389
M B789
L255

L258 Address

M A429
M A439
M A679
B389
M B789
L258

L259 Address

M A429
M A439
M A679
B389
M B789
L230 -L259

L26 Address

M A429
M A439
M A679
B389
M B789
E669
L26
M320 -M359
T887

L270 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
M A679
B389
M B789
L270
T887

L271 Address

M A429
M A439
M A679
B389
M B789
L271
T887

L278 Address

M A429
M A439
M A679
B389
M B789
L278

L280 Address

E859
L280

L282 Address

M A429
M A439
M A679
B389
M B650 -B659
M B789
L282

L290 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789
L290

ICD-10-Mortality Manual 2c - 2014

R54
M R75

L291 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789
L291
R54
M R75

L292 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789
L292
R54
M R75

L293 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789
L293
R54
M R75

L298 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789

ICD-10-Mortality Manual 2c - 2014

L298
R54
M R75

L299 Address

M A429
M A439
M A679
M B200 -B24
B389
M B650 -B659
M B789
L290 -L299
R54
M R75

L3 Category

L300 Address

A363 -A369
M A429
M A439
A600 -A609
M A679
B000 -B009
B020 -B029
B200 -B24
B389
M B789
E100 -E149
M L120
L230 -L259
L300 -L309
L550 -L599
R75
Y400 -Y599

L301 Address

M L120
L301

L302 Address

M A429
M A439
M A679
B389
M B789

ICD-10-Mortality Manual 2c - 2014

M L120
L302

L303 Address

B200 -B24
M L120
L303
R75

L304 Address

A363 -A369
M A429
M A439
A600 -A609
M A679
B000 -B009
B020 -B029
B200 -B24
B389
M B789
E100 -E149
E669
M L120
L230 -L259
L300 -L309
L550 -L599
M320 -M359
R75
T887
Y400 -Y599

L305 Address

M A429
M A439
M A679
B389
M B789
M L120
L305

L308 Address

A363 -A369
M A429
M A439
A600 -A609
M A679
B000 -B009

ICD-10-Mortality Manual 2c - 2014

B020 -B029
B200 -B24
B389
M B789
E100 -E149
M L120
L230 -L259
L300 -L309
L550 -L599
R75
Y400 -Y599

L309 Address

A069
A363 -A369
M A429
M A439
A600 -A609
M A679
B000 -B009
B020 -B029
B200 -B24
B389
B409
M B789
E100 -E149
F100 -F109
M L120
L230 -L259
L300 -L309
L550 -L599
M R02
M R238
R75
T510 -T519
T97
X45
X65
Y15
Y400 -Y599
Y86 -Y872

L4 Category

L400 Address

M A429
M A439
M A679

ICD-10-Mortality Manual 2c - 2014

B389
M B789
L400
M000 -M1990

L401 Address

M A429
M A439
M A679
B389
M B789
L401
M000 -M1990

L402 Address

M A429
M A439
M A679
B389
M B789
L402
M000 -M1990

L403 Address

M A429
M A439
M A679
B389
M B789
L403
M000 -M1990

L404 Address

M A429
M A439
M A679
B389
M B789
L404
M000 -M1990

L405 Address

M A429
M A439
M A679
B389

ICD-10-Mortality Manual 2c - 2014

M B789
L400 -L409

L408 Address

M A429
M A439
M A679
B389
M B789
L408
M000 -M1990

L409 Address

M A429
M A439
M A679
B389
M B789
L400 -L409
M000 -M1990

L410 Address

M A429
M A439
M A679
B389
M B789
L410

L411 Address

M A429
M A439
M A679
B389
M B789
L411

L412 Address

M A429
M A439
M A679
B389
M B789
L412

L413 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M A439
M A679
B389
M B789
L413

L414 Address

M A429
M A439
M A679
B389
M B789
L414

L415 Address

M A429
M A439
M A679
B389
M B789
L415

L418 Address

M A429
M A439
M A679
B389
M B789
L418

L42 Address

M A429
M A439
M A679
B389
M B789
L42

L440 Address

M A429
M A439
M A679
B389
M B789
L440

L444 Address

M A429
M A439
M A679
B389
M B789
L444

L448 Address

M A429
M A439
M A679
B389
M B789
L448

L5 Category

L500 Address

M A429
M A439
M A679
B389
B650 -B659
M B789
L500

L506 Address

M A429
M A439
M A679
B389
B650 -B659
M B789
L506

L508 Address

M A429
M A439
M A679
B389
B650 -B659
M B789
L508

L509 Address

M A429
M A439
M A679
B389
B650 -B659
M B789
L500
L506 -L509

L510 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L511 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L512 Address

A000 -D489
E240 -E249
G000 -G09

ICD-10-Mortality Manual 2c - 2014

J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L518 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L519 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L52 Address

A000 -D489
E240 -E249
G000 -G09

ICD-10-Mortality Manual 2c - 2014

J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L530 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L531 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L532 Address

A000 -D489
E240 -E249
G000 -G09

ICD-10-Mortality Manual 2c - 2014

J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L533 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L538 Address

A000 -D489
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L539 Address

A000 -D489
E240 -E249
G000 -G09

ICD-10-Mortality Manual 2c - 2014

J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L550 Address

M A429
M A439
M A679
B389
M B789
L550

L551 Address

M A429
M A439
M A679
B389
M B789
L551

L552 Address

M A429
M A439
M A679
B389
M B789
L552

L558 Address

M A429
M A439
M A679
B389
M B789
L558

L559 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
M A679
B389
M B789
L550 -L559

L560 Address

M A429
M A439
M A679
B389
M B789
L560

L561 Address

M A429
M A439
M A679
B389
M B789
L561

L562 Address

M A429
M A439
M A679
B389
M B789
L562

L563 Address

M A429
M A439
M A679
B389
M B789
L563

L564 Address

M A429
M A439
M A679
B389
M B789
L564

L568 Address

M A429
M A439
M A679
B389
M B789
L568

L569 Address

M A429
M A439
M A679
B389
M B789
L569

L570 Address

M A429
M A439
A548 -A549
M A679
B200 -B24
B389
M B789
L570
R54
R75

L574 Address

M A429
M A439
M A679
B389
M B789
L574
R54

L578 Address

M A429
M A439
M A679
B389
M B789
L578

L579 Address

M A429
M A439
M A679
B389
M B789
L579

L580 Address

M A429
M A439
M A679
B389
M B789
L580

L581 Address

M A429
M A439
M A679
B389
M B789
L581

L589 Address

M A429
M A439
M A679
B389
M B789
L580 -L589

L590 Address

M A429
M A439
M A679
B389
M B789
L590

L598 Address

M A429
M A439
M A679
B389

ICD-10-Mortality Manual 2c - 2014

M B789
L598

L599 Address

M A429
M A439
M A679
B389
M B789
L599

L7 Category

L744 Address

G810 -G819
L744
S140 -S146
T093
T144
T913

L8 Category

L82 Address

M A429
M A439
M A679
B200 -B24
B389
M B659
M B789
L82
R75

L850 Address

M A429
M A439
A548 -A549
M A679
B389
M B659
M B789
L850
R54

L851 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
A548 -A549
M A679
B389
M B659
M B789
L851
R54

L852 Address

M A429
M A439
A548 -A549
M A679
B389
M B659
M B789
L852
R54

L858 Address

M A429
M A439
A548 -A549
M A679
B200 -B24
B389
M B659
M B789
L858
R54
R75

L859 Address

M A429
M A439
A548 -A549
A669
M A679
B389
M B659
M B789
L850 -L859
R54

L870 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
A548 -A549
M A679
B389
M B659
M B789
L870
R54

L871 Address

M A429
M A439
A548 -A549
M A679
B389
M B659
M B789
L871
R54

L872 Address

M A429
M A439
A548 -A549
M A679
B389
M B659
M B789
L872
R54

L88 Address

A000 -G98
H650 -H839
I00 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
R788
S000 -Y899

L890 Address

ICD-10-Mortality Manual 2c - 2014

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L891 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L892 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

L893 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L899 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L9 Category

L902 Address

M A429
M A439
A513
A539
M A679
B389
M B659
M B789
L902

ICD-10-Mortality Manual 2c - 2014

R54

L906 Address

M A429
M A439
A513
A539
M A679
B389
M B659
M B789
L906
R54

L908 Address

M A429
M A439
A513
A539
M A679
B389
M B659
M B789
L908
R54

L920 Address

M A429
M A439
M A679
B389
M B659
M B789
E669
L920
M320 -M359
T887

L921 Address

E100 -E149
L921

L928 Address

A000 -G98
H650 -H839
I00 -Q999

ICD-10-Mortality Manual 2c - 2014

R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
R788
S000 -Y899

L929 Address

A000 -G98
H209
H650 -H839
I00 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
R788
S000 -Y899

L930 Address

A1690
M A429
M A439
M A679
B389
M B659
M B789
L930

L931 Address

M A429
M A439
M A679
B389
M B659
M B789
L931

L932 Address

ICD-10-Mortality Manual 2c - 2014

M A429
M A439
M A679
B389
M B659
M B789
L932

L945 Address

M A429
M A439
M A679
B389
M B659
M B789
L945

L946 Address

M A429
M A439
M A679
B389
M B659
M B789
L946

L948 Address

M A429
M A439
M A679
B389
M B659
M B789
L948

L949 Address

M A429
M A439
M A679
B389
M B659
M B789
L940 -L949

L950 Address

M A429

ICD-10-Mortality Manual 2c - 2014

M A439
A513
A539
M A679
M B200 -B24
B389
M B659
M B789
D869
L950
R54
M R75

L951 Address

M A429
M A439
M A679
M B200 -B24
B389
M B659
M B789
D869
E669
L951
M320 -M359
M R75
T887

L958 Address

A000 -D489
D869
E240 -E249
G000 -G09
J09 -J189
L00 -L989
M320 -M359
R75
T360 -T659
T780 -T889
W53 -W64
W88 -W91
X20 -X29
X32
Y400 -Y599

L959 Address

B200 -B24
L959

ICD-10-Mortality Manual 2c - 2014

R75
Y400 -Y599
Y880

L97 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L980 Address

A000 -G98
H650 -H839
I00 -Q999
R02
R15
R17
R21
R32
R400 -R402
R570 -R609
R75
R788
S000 -Y899

L982 Address

M A429
M A439
M A679
B200 -B24
B389
M B659
M B789
D45
D869
M E835
L982

ICD-10-Mortality Manual 2c - 2014

R75

L984 Address

A000 -G98
H650 -H839
I00 -Q999
R011
R02
R098
R21
R400 -R402
R418
R53
R570 -R599
R64
R688
R75
S000 -Y899

L986 Address

M A429
M A439
M A679
B200 -B24
B389
M B659
M B789
D869
M E835
L986
R54
R75

L988 Address

A000 -G98
H650 -H839
I00 -Q999
R02
R15
R17
R21
R32
R400 -R402
R54
R570 -R609
R75
R788
S000 -Y899

ICD-10-Mortality Manual 2c - 2014

L989 Address

M A429
M A439
A549
M A679
B200 -B24
B389
M B659
M B789
C430 -C449
C460
C792
D030 -D049
D220 -D239
D485
D869
M E835
L989
R54
R75

M

M0 Category

M000 Address

A000 -A029
A040 -A049
M A078
A080 -A085
A150 -A540
A544
A590 -A599
A65 -A70
A750 -A99
B007 -B008
B010 -B03
B050 -B069
B084 -B085
M B088
B150 -B279
B330 -B349
B370 -B54
B580 -B59
B602
B72
B749

ICD-10-Mortality Manual 2c - 2014

B888
B89
B99
E850 -E859
G000 -G09
G810 -G839
I00 -I029
J09 -J189
K650 -K659
K7210 -K7290
K750 -K751
K766 -K767
M K769
M000 -M1990
M230 -M351
M M359
M420 -M429
M45 -M479
M482 -M483
M M488
M600
M860 -M889
M894
M910 -M939
N110 -N12
N136
N151
N159
M N288
N700 -N768
R54
R75
T857

M001 Address

A000 -A029
A040 -A049
M A078
A080 -A085
A150 -A540
A544
A590 -A599
A65 -A70
A750 -A99
B007 -B008
B010 -B03
B050 -B069
B084 -B085
M B088

ICD-10-Mortality Manual 2c - 2014

B150 -B279
B330 -B349
B370 -B54
B580 -B59
B602
B72
B749
B888
B89
B99
E850 -E859
G000 -G09
G810 -G839
I00 -I029
J09 -J189
K650 -K659
K7210 -K7290
K750 -K751
K766 -K767
M K769
M000 -M1990
M230 -M351
M M359
M420 -M429
M45 -M479
M482 -M483
M M488
M600
M860 -M889
M894
M910 -M939
N110 -N12
N136
N151
N159
M N288
N700 -N768
R54
R75
T857

M002 Address

A000 -A029
A040 -A049
M A078
A080 -A085
A150 -A540
A544
A590 -A599

ICD-10-Mortality Manual 2c - 2014

A65 -A70
A750 -A99
B007 -B008
B010 -B03
B050 -B069
B084 -B085
M B088
B150 -B279
B330 -B349
B370 -B54
B580 -B59
B602
B72
B749
B888
B89
B99
E850 -E859
G000 -G09
G810 -G839
I00 -I029
J09 -J189
K650 -K659
K7210 -K7290
K750 -K751
K766 -K767
M K769
M000 -M1990
M230 -M351
M M359
M420 -M429
M45 -M479
M482 -M483
M M488
M600
M860 -M889
M894
M910 -M939
N110 -N12
N136
N151
N159
M N288
N700 -N768
R54
R75
T857

M008 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -A029
A040 -A049
A078
A080 -A085
A150 -A540
A544
A590 -A599
A65 -A70
A750 -A99
B007 -B008
B010 -B03
B050 -B069
B084 -B085
M B088
B150 -B279
B330 -B349
B370 -B54
B580 -B59
B602
B72
B749
B888
B89
B99
E850 -E859
G000 -G09
G810 -G839
I00 -I029
J09 -J189
K650 -K659
K7210 -K7290
K750 -K751
K766 -K767
M K769
M000 -M1990
M230 -M351
M M359
M420 -M429
M45 -M479
M482 -M483
M M488
M600
M860 -M889
M894
M910 -M939
N110 -N12
N136
N151
N159
M N288

ICD-10-Mortality Manual 2c - 2014

N700 -N768
R54
R75
T857

M009 Address

M A000 -A029
A040 -A049
A078
A080 -A085
A150 -A540
A544
A590 -A599
A65 -A70
A750 -A99
B007 -B008
B010 -B03
B050 -B069
B084 -B085
M B088
B150 -B279
B330 -B349
B370 -B54
B580 -B59
B602
B72
B749
B888
B89
B99
E850 -E859
G000 -G09
G810 -G839
I00 -I029
J09 -J189
K650 -K659
K7210 -K7290
K750 -K751
K766 -K767
M K769
M000 -M1990
M230 -M351
M M359
M420 -M429
M45 -M479
M482 -M483
M M488
M600
M860 -M889

ICD-10-Mortality Manual 2c - 2014

M894
M910 -M939
N110 -N12
N136
N151
N159
M N288
N700 -N768
R54
R75
T857

M020 Address

M B200 -B24
M020
M R75
M Y832
M Y883

M021 Address

A090 -A099
M B200 -B24
K523
K529
M021 -M022
M R75
Y580 -Y599

M022 Address

B200 -B24
M022
R75

M023 Address

A64
M B200 -B24
M023
M R75

M028 Address

B200 -B24
M028
R75

M029 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

M029
R75

M050 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M051 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M052 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M053 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M058 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M059 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M060 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M061 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M062 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M063 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M064 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M068 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M069 Address

M B200 -B24
M050 -M080
M082 -M083
M R75

M080 Address

M B200 -B24
M050 -M060
M062 -M080
M082 -M083
M R75

M081 Address

ICD-10-Mortality Manual 2c - 2014

M B200 -B24
M081
M R75

M082 Address

M B200 -B24
M050 -M060
M062 -M080
M082 -M083
M R75

M083 Address

M B200 -B24
M050 -M060
M062 -M080
M082 -M083
M R75

M084 Address

B200 -B24
M084
R75

M088 Address

B200 -B24
M088
R75

M089 Address

B200 -B24
M089
R75

M1 Category

M100 Address

M B200 -B24
M100
M R75

M101 Address

M B200 -B24
M101
M R75
T492

ICD-10-Mortality Manual 2c - 2014

T560
T570
Y562

M102 Address

M B200 -B24
M102
M R75
T360 -T509
Y400 -Y599

M103 Address

M B200 -B24
I120 -I150
M103
N030 -N039
N118 -N119
N136
Q610 -Q619
M R75

M104 Address

M B200 -B24
C880 -C959
D45
D550 -D599
D751
D758
E168
E740
F100 -F102
F109
K700 -K769
L100 -L109
L120 -L449
L510 -L569
L578 -L589
L930 -L932
L945
L951
L981
M100 -M109
M R75
T510 -T519
T97
X45
X65
Y15

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

M109 Address

A539
M B200 -B24
C880 -C959
D45
D550 -D599
D751
D758
E168
E740
F100 -F102
F109
K700 -K769
L100 -L109
L120 -L449
L510 -L569
L578 -L589
L930 -L932
L945
L951
L981
M100 -M109
M R75
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

M110 Address

B200 -B24
M110
R75

M111 Address

B200 -B24
M111
R75

M112 Address

A000 -E899
F100 -F102
F109
G000 -G419

ICD-10-Mortality Manual 2c - 2014

	G450	-G459
	G600	-G98
	I600	-I698
	I720	-I729
M	I978	-I979
	J09	-J181
	J188	-J47
	J670	-J709
	J860	-J90
	J940	-J949
M	J950	-J959
	K223	
	K250	-K289
	K520	-K529
	K560	-K599
	K700	-K929
	M050	-M080
	M082	-M083
	M110	-M120
	M310	-M351
	M359	
M	M960	-M969
	N000	-N399
M	N990	-N991
M	N995	-N999
	Q750	-Q799
	Q990	-Q999
	R75	
M	S000	-Y899

M118 Address

	A000	-E899
	F100	-F102
	F109	
	G000	-G419
	G450	-G459
	G600	-G98
	I600	-I698
	I720	-I729
M	I978	-I979
	J09	-J181
	J188	-J47
	J670	-J709
	J860	-J90
	J940	-J949
M	J950	-J959
	K223	
	K250	-K289
	K520	-K529

ICD-10-Mortality Manual 2c - 2014

K560 -K599
K700 -K929
M050 -M080
M082 -M083
M110 -M120
M310 -M351
M359
M M960 -M969
N000 -N399
M N990 -N991
M N995 -N999
Q750 -Q799
Q990 -Q999
R75
M S000 -Y899

M119 Address

A000 -E899
F100 -F102
F109
G000 -G419
G450 -G459
G600 -G98
I600 -I698
I720 -I729
M I978 -I979
J09 -J181
J188 -J47
J670 -J709
J860 -J90
J940 -J949
M J950 -J959
K223
K250 -K289
K520 -K529
K560 -K599
K700 -K929
M050 -M080
M082 -M083
M110 -M120
M310 -M351
M359
M M960 -M969
N000 -N399
M N990 -N991
M N995 -N999
Q750 -Q799
Q990 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

M S000 -Y899

M120 Address

M B200 -B24
M050 -M080
M082 -M083
M120
M R75

M121 Address

B200 -B24
M121
R75

M122 Address

B200 -B24
M122
R75

M123 Address

B200 -B24
M123
R75

M124 Address

B200 -B24
M124
R75

M125 Address

M B200 -B24
M125
M139
M R75
S000 -T983

M128 Address

B200 -B24
M128
R75

M130 Address

A1690
A399
A509

ICD-10-Mortality Manual 2c - 2014

A529
A539
A549
B200 -B24
B269
B429
C400 -C419
C795
C810 -C969
D550 -D589
D66 -D67
D681
D690
D869
E000 -E899
G000 -G09
G120
G810 -G839
I00 -I029
J09 -J189
J40 -J989
K500 -K519
K650 -K659
K7210 -K7290
K750 -K751
K753
K766 -K767
L405
L510 -L532
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M479
M481 -M483
M600
M860 -M889
M894
M910 -M939
N10 -N12
N136
N151
N159
N288
N700 -N768
N924
N950 -N959
R54
R75

M
M

M131 Address

A1690
A399
A509
A529
A539
A549
B200 -B24
B269
B429
C400 -C419
C795
C810 -C969
D550 -D589
D66 -D67
D681
D690
D869
E000 -E899
G000 -G09
G120
G810 -G839
I00 -I029
J09 -J189
J40 -J989
K500 -K519
K650 -K659
K7210 -K7290
K750 -K751
K753
K766 -K767
L405
L510 -L532
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M479
M481 -M483
M600
M860 -M889
M894
M910 -M939
N10 -N12
N136
N151
M N159
M N288

ICD-10-Mortality Manual 2c - 2014

N700 -N768
N924
N950 -N959
R54
R75

M138 Address

A029
B069
B200 -B24
E100 -E149
E859
M138
R75

M139 Address

A010 -A022
A029
A040 -A049
A080 -A168
A1690 -A269
A280 -A488
A500 -A540
A544
A549
A590 -A599
A680 -A689
A750 -A819
A850 -A851
A858 -A89
A960 -A969
A983
A985
B003 -B004
B007
B008
B010 -B03
B050 -B069
B200 -B259
B269
B340 -B349
B370 -B64
B72
B749
B89
B99
C400 -C419
C795

M

ICD-10-Mortality Manual 2c - 2014

C810 -C969
D550 -D589
D66 -D67
D681
D690
D759
D860 -D869
E000 -E899
G000 -G09
G120
G810 -G839
G98
I00 -I029
J09 -J189
J40 -J989
K500 -K519
K650 -K659
K7210 -K7290
K750 -K751
K753
K766 -K767
K929
L405
L510 -L532
L989 -M1990
M320 -M352
M359
M420 -M429
M45 -M479
M481 -M483
M600
M860 -M889
M894
M910 -M939
N10 -N12
N136
N151
N159
N288
N700 -N768
N924
N950 -N959
R293
R54
R75
T784
T803

M
M

M150 Address

ICD-10-Mortality Manual 2c - 2014

A399
M B200 -B24
M150
M R75

M151 Address

A399
M B200 -B24
M151
M R75

M152 Address

B200 -B24
M152
R75

M153 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M1990
N924
N950 -N959
R54
M R75
M S000 -T983

M154 Address

B200 -B24
M154
R75

M158 Address

B200 -B24
M158
R75

M159 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M1990
N924
N950 -N959

ICD-10-Mortality Manual 2c - 2014

R54
M R75
M S000 -T983

M160 Address

A399
M B200 -B24
M160
M R75

M161 Address

A399
M B200 -B24
M161
M R75

M162 Address

B200 -B24
M162
R75

M163 Address

B200 -B24
M163
R75

M164 Address

A399
M B200 -B24
M164 -M165
M R75
S710 -S799
M T930 -T939

M165 Address

A399
M B200 -B24
M164 -M165
M R75
S710 -S799
M T930 -T939

M166 Address

A399
M B200 -B24

ICD-10-Mortality Manual 2c - 2014

E660 -E669
G810 -G839
M150 -M161
M166 -M1990
N924
N950 -N959
R54
M R75

M167 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M161
M166 -M1990
N924
N950 -N959
R54
M R75

M169 Address

A1690
A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M1990
N924
N950 -N959
R54
M R75
S710 -S799
M T930 -T939

M170 Address

A399
M B200 -B24
M170
M R75

M171 Address

A399
M B200 -B24
M171
M R75

M172 Address

A399
M B200 -B24
M172 -M173
M R75
S810 -S821
S829 -S837
S850 -S859
S870
S897
S899
M T930 -T939

M173 Address

A399
M B200 -B24
M172 -M173
M R75
S810 -S821
S829 -S837
S850 -S859
S870
S897
S899
M T930 -T939

M174 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M171
M174 -M1990
N924
N950 -N959
R54
M R75

M175 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M171
M174 -M1990
N924

ICD-10-Mortality Manual 2c - 2014

N950 -N959
R54
M R75

M179 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M1990
N924
N950 -N959
R54
M R75
S810 -S821
S829 -S837
S850 -S859
S870
S897
S899
M T930 -T939

M180 Address

A399
M B200 -B24
M180
M R75

M181 Address

A399
M B200 -B24
M181
M R75

M182 Address

A399
M B200 -B24
M182
M R75
S610 -S699
M T920 -T929

M183 Address

A399
M B200 -B24
M183

ICD-10-Mortality Manual 2c - 2014

M R75
S610 -S699
M T920 -T929

M184 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M181
M184 -M1990
N924
N950 -N959
R54
M R75

M185 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M181
M184 -M1990
N924
N950 -N959
R54
M R75

M189 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M1990
N924
N950 -N959
R54
M R75
S610 -S699
M T920 -T929

M190 Address

A399
M B200 -B24
M190
M R75

M191 Address

A399
M B200 -B24
M191
M R75
M S000 -T983

M192 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M190
M192 -M1990
N924
N950 -N959
R54
M R75

M198 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M189
M198 -M1990
N924
N950 -N959
R54
M R75
M S000 -T983

M199 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M189
M198 -M1990
N924
N950 -N959
R54
M R75
M S000 -T983

M1990 Address

A399
M B200 -B24
E660 -E669
G810 -G839
M150 -M189
M198 -M1990
N924
N950 -N959
R54
M R75
M S000 -T983

M2 Category

M218 Address

E100 -E149
I702
I709
I730 -I739
I742 -I744
M218
R02

M219 Address

E100 -E149
I702
I709
I730 -I739
I742 -I744
M000 -M259
R02

M229 Address

A1690
A180
A527
A539
M000 -M1990
M229
M259
M T840 -T849

M240 Address

F03
M240

M242 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
F03
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
I972
I99
L890 -L899
L97
L984
M000 -M999
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75
M S000 -Y899

M243 Address

F03
M000 -M1990
M243
M320 -M351
M359

M245 Address

F03
F449
M000 -M1990
M245
M320 -M351
M359

M246 Address

M050 -M089
M120 -M1990

ICD-10-Mortality Manual 2c - 2014

M246

M45 -M489

M249 Address

F03

I748

M240 -M249

M250 Address

A1690

A180

A527

A539

B200 -B24

M000 -M1990

M250

M259

R75

M T455

M T457

M T840 -T849

M X44

M X64

M Y14

M251 Address

A1690

A180

B200 -B24

M251

M860 -M869

R75

M254 Address

A1690

A180

M A509

A527

M A529

A539

A549

A669

B200 -B24

M254

R75

M258 Address

A1690
A180
B200 -B24
M258
M860 -M869
R75

M259 Address

A1690
A180
A527
A539
B200 -B24
M000 -M1990
M259
R75
M T840 -T849

M3 Category

M300 Address

A200 -A499
A800 -B349
I700 -I709
J1110
M000 -M1990
M300 -M351
M359
R75
T360 -T509
T784
T887
Y400 -Y579

M301 Address

A200 -A499
A800 -B349
I700 -I709
J1110
M000 -M1990
M300 -M351
M359
R75
T360 -T509
T784

ICD-10-Mortality Manual 2c - 2014

T887
Y400 -Y579

M302 Address

A200 -A499
A800 -B349
I700 -I709
J1110
M000 -M1990
M300 -M351
M359
R75
T360 -T509
T784
T887
Y400 -Y579

M303 Address

M B200 -B24
I700 -I709
M303
M R75

M308 Address

A200 -A499
A800 -B349
I700 -I709
J1110
M000 -M1990
M300 -M351
M359
R75
T360 -T509
T784
T887
Y400 -Y579

M310 Address

B200 -B24
I700 -I709
M310
R75

M311 Address

B200 -B24
B340 -B349

ICD-10-Mortality Manual 2c - 2014

E100 -E149
I700 -I709
M311
R75

M312 Address

B200 -B24
I700 -I709
M312
R75

M313 Address

B200 -B24
I700 -I709
M313
R75

M314 Address

A520 -A539
B200 -B24
I700 -I709
M300 -M319
R75
S099
S128
S197 -S199
S210 -S219
S222 -S225
S260 -S281
S297 -S299
S397 -S399
S497 -S499
S597 -S599
S697 -S699
S797 -S799
S897 -S899
S997 -S999
T098 -T099
T118 -T119
T138 -T139
T148 -T149

M315 Address

B200 -B24
I700 -I709
M242
M315 -M316

ICD-10-Mortality Manual 2c - 2014

M353
M356 -M357
M541
M600 -M799
R54
R75

M316 Address

B200 -B24
I700 -I709
M316
R75

M317 Address

B200 -B24
M317
R75

M318 Address

B200 -B24
M318
R75

M319 Address

B200 -B24
M317
M319
R75

M320 Address

M320
T360 -T509
Y400 -Y599

M321 Address

B200 -B24
M320 -M329
M359
R75

M328 Address

B200 -B24
M320 -M329
M359
R75

M329 Address

B200 -B24
M320 -M329
M359
R75

M330 Address

M B200 -B24
M330 -M339
M359
M R75

M331 Address

M B200 -B24
M330 -M339
M359
M R75

M332 Address

M B200 -B24
C000 -D489
M332
M359
M R75

M339 Address

M B200 -B24
M330 -M339
M359
M R75

M340 Address

B200 -B24
M330 -M349
M359
R75

M341 Address

B200 -B24
M330 -M349
M359
R75

M342 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
M330 -M349
M359
R75

M348 Address

B200 -B24
M330 -M349
M359
R75

M349 Address

B200 -B24
M330 -M349
M359
R75

M350 Address

B200 -B24
M350
M359
R75

M351 Address

B200 -B24
M351
M359
R75

M352 Address

B200 -B24
B99
M352
R75

M353 Address

B200 -B24
M242
M353
M356 -M357
M
M541
M600 -M799
R54
R75

M354 Address

B200 -B24
M354
R75

M355 Address

B200 -B24
M355
R75

M356 Address

M B200 -B24
M356
M R75

M357 Address

B200 -B24
M357
R75

M358 Address

B200 -B24
M358 -M359
R75

M359 Address

B200 -B24
M359
R75

M4 Category

M400 Address

A1690
M400

M401 Address

A1690
A180
B902
B91
C400 -C419
C490 -C499
C795

ICD-10-Mortality Manual 2c - 2014

D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120
M150 -M1990
M320 -M351
M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M402 Address

A1690
A180
A509
B902
B91
C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120
M150 -M1990
M320 -M351

ICD-10-Mortality Manual 2c - 2014

M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M403 Address

A1690
A180
B902
B91
C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120
M150 -M1990
M320 -M351
M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M404 Address

A1690
A180
B902
B91

ICD-10-Mortality Manual 2c - 2014

C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120
M150 -M1990
M320 -M351
M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M405 Address

A1690
A180
B902
B91
C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120

ICD-10-Mortality Manual 2c - 2014

M150 -M1990
M320 -M351
M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M410 Address

M410

M411 Address

M411

M412 Address

M412

M414 Address

A800 -A809
B91
G111
G700 -G709
G800 -G809
M414

M415 Address

A1690
A180
B902
C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G09
G20 -G2000
G360 -G379
G540 -G549
G600 -G64

ICD-10-Mortality Manual 2c - 2014

	G950 -G959
M	G970 -G979
	M000 -M120
	M150 -M1990
	M320 -M351
	M359 -M413
	M415 -M489
	M800 -M949
M	M960 -M969
	Q050 -Q059
	Q760 -Q799
	Q850
	Q870 -Q878
	Q893 -Q999
M	S000 -Y899

M418 Address

	A1690
	A180
	B902
	B91
	C400 -C419
	C490 -C499
	C795
	D166
	D480
	E200 -E215
	E550 -E559
M	E890 -E899
	G110 -G119
	G20 -G2000
	G35 -G379
	G540 -G549
	G600 -G839
	G950 -G959
M	G970 -G979
	M000 -M120
	M150 -M1990
	M320 -M351
	M359 -M489
	M800 -M949
M	M960 -M969
	Q050 -Q059
	Q760 -Q799
	Q850
	Q870 -Q878
	Q893 -Q999
M	S000 -Y899

M419 Address

A1690
A180
B902
B91
C400 -C419
C490 -C499
C795
D166
D480
E200 -E215
E550 -E559
M E890 -E899
G110 -G119
G20 -G2000
G35 -G379
G540 -G549
G600 -G839
G950 -G959
M G970 -G979
M000 -M120
M150 -M1990
M320 -M351
M359 -M489
M800 -M949
M M960 -M969
Q050 -Q059
Q760 -Q799
Q850
Q870 -Q878
Q893 -Q999
M S000 -Y899

M420 Address

M420

M421 Address

M421

M429 Address

M429

M436 Address

B941
C412

ICD-10-Mortality Manual 2c - 2014

C490
M C795
M C798
M D166
M D210
M D480 -D481
M E750 -E752
M E754
M F010 -F99
G10 -G319
G900 -G919
G937
G950 -G959
M000 -M1990
M320 -M351
M359
M436
M800 -M949
Q760 -Q764
M Q798 -Q799
M T510 -T519
M T97
M X45
M X65
M Y15
M Y86 -Y872

M45 Address

M B200 -B24
M45
M R75

M460 Address

B200 -B24
M460
R75

M461 Address

B200 -B24
M461
R75

M462 Address

M A1690
M A180
A400 -A419
A500

ICD-10-Mortality Manual 2c - 2014

A509
A527
A539
B200 -B24
B89
B902
B99
C412
C760
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
M H950 -H959
J00 -J399
M J950 -J959
K650 -K659
M K910 -K919
L00 -L089
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M860 -M889
M894
M910 -M939
M M960 -M969
N10 -N12
N136
N151
N159
N288
N340 -N343
N390
N700 -N768
M N990 -N999
R75
S000 -T983

M463 Address

B200 -B24
M463
R75

M464 Address

B200 -B24
M464
R75

M465 Address

B200 -B24
M465
R75

M468 Address

B200 -B24
M468
R75

M469 Address

M A000 -B99
C400 -C419
C795
C810 -C969
D160 -D169
D480
M000 -M949
M960 -M969
R54
R75
M S000 -T983

M470 Address

M B200 -B24
E660 -E669
M470
M M471 -M479
N924
N950 -N959
R54
M R75
M S000 -T983

M471 Address

M A000 -A169
A1690
M A170 -A179
A180
M A181 -B99

ICD-10-Mortality Manual 2c - 2014

	C000	-D489
M	D510	-D539
M	E530	-E539
	E660	-E669
	G000	-G129
	G950	-G959
	G961	
M	G970	-G979
	I10	-I150
	I159	
	I600	-I709
	I749	
M	M000	-M1990
	M300	-M359
	M45	-M549
	M800	-M819
	M840	-M844
	M870	
	M890	-M899
	N924	
	N950	-N959
M	N990	-N999
	P000	-Q079
	Q250	-Q289
	Q850	-Q999
	R54	
	R75	
M	S000	-Y899

M472 Address

	A000	-D489
	E210	-E215
	E660	-E669
M	E890	-E899
M	F458	
	I00	-I029
	M000	-M999
	N924	
	N950	-N959
	Q650	-Q799
	Q898	
	R54	
	R75	
M	S000	-T983

M478 Address

M	B200	-B24
	E660	-E669

ICD-10-Mortality Manual 2c - 2014

M M470 -M472
M478
M M479
N924
N950 -N959
R54
M R75
M S000 -T983

M479 Address

A1690
A180
M B200 -B24
E660 -E669
M M470 -M478
M479
N924
N950 -N959
R54
M R75
M S000 -T983

M480 Address

A1690
A180
A190 -A199
A527
A539
B200 -B24
B902
C412
C760
C763
C770
C795
C810 -C969
D166
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969

ICD-10-Mortality Manual 2c - 2014

Q650 -Q799
R75
S120 -S133
S199
S220 -S232
S299
S320 -S322
S327 -S333
M S399
T021
M T028
T029 -T031
M T038
T039
T07 -T08
T099
T142 -T143
T149
M T910
T911
M T912
M T918 -T919
M T940 -T941
M V010 -Y899

M481 Address

B200 -B24
M481
R75

M482 Address

B200 -B24
E660 -E669
M482
N924
N950 -N959
R54
R75
M S000 -T983

M483 Address

B200 -B24
M483
M489
R75
M S000 -T983

M484 Address

M A180
A500 -A509
A527 -A539
A666
B200 -B24
C000 -C97
D166
D169
D480
D489
E210 -E215
E550 -E559
M E896 -E899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M800 -M839
M843 -M851
M854 -M889
M893 -M895
M898 -M939
M941 -M949
M960
M M966 -M969
Q770 -Q789
Q799
R54
R75
M T800 -T819
T840 -T849
M T873 -T881
M T888 -T889

M485 Address

M A180
A500 -A509
A527 -A539
A666
B200 -B24
C000 -C97
D166
D169
D480

ICD-10-Mortality Manual 2c - 2014

D489
E210 -E215
E550 -E559
M E896 -E899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M800 -M839
M843 -M851
M854 -M889
M893 -M895
M898 -M939
M941 -M949
M960
M M966 -M969
Q770 -Q789
Q799
R54
R75
M T800 -T819
T840 -T849
M T873 -T881
M T888 -T889

M488 Address

A1690
A180
A190 -A199
A527
A539
B200 -B24
B902
C412
C760
C763
C770
C795
C810 -C969
D166
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851

ICD-10-Mortality Manual 2c - 2014

M853 -M859
M870 -M899
M932 -M949
M960 -M969
R75
S120 -S133
S199
S220 -S232
S299
S320 -S322
S327 -S333
M S399
T021
M T028
T029 -T031
M T038
T039
T07 -T08
T099
T142 -T143
T149
M T910
T911
M T912
M T918 -T919
M T940 -T941
M V010 -Y899

M489 Address

A1690
A180
A190 -A199
A527
A539
B200 -B24
B902
C412
C760
C763
C770
C795
C810 -C969
D166
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629

ICD-10-Mortality Manual 2c - 2014

M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
R75
S120 -S133
S199
S220 -S232
S299
S320 -S322
S327 -S333
M S399
T021
M T028
T029 -T031
M T038
T039
T07 -T08
T099
T142 -T143
T149
M T910
T911
M T912
M T918 -T919
M T940 -T941
M V010 -Y899

M5 Category

M502 Address

M502
M S000 -T983

M503 Address

M150 -M1990
M470 -M479
M503
M M898 -M899
M M948 -M949
R54
M S000 -T983

M512 Address

M512
M S000 -T983

M513 Address

M150 -M1990
M470 -M479
M513
M M898 -M899
M M948 -M949
R54
M S000 -T983

M514 Address

M514
M S000 -T983

M540 Address

M45 -M549
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M541 Address

M A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M542 Address

M45 -M549
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M543 Address

M45 -M549
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M544 Address

M B200 -B24
M45 -M549
M800 -M819
R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M545 Address

M M000 -M052
M053
M058 -M089
M110 -M179
M190 -M1990
M45 -M549
M800 -M819
M840 -M899
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M546 Address

M45 -M549
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M548 Address

M B200 -B24
M I710 -I719

ICD-10-Mortality Manual 2c - 2014

M45 -M549
M R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M549 Address

M B200 -B24
M I710 -I719
M45 -M549
M M800 -M819
M R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M6 Category

M600 Address

M A000 -B99
D869
M600
R75
M S000 -T983

M601 Address

A1690
A529
A539
B200 -B24
B91
C000 -D489
D869
E230
E511 -E52
E639
M E750 -E752
M E754
M E890 -E899
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709

ICD-10-Mortality Manual 2c - 2014

	I730	-I959
M	I970	-I979
	I99	
	K650	
	L890	-L899
	L97	
	L984	
	M000	-M999
	Q000	-Q079
	Q650	-Q799
	Q900	-Q999
	R75	
M	S000	-Y899

M602 Address

	B200	-B24
	B91	
	C000	-D489
	E230	
	E511	-E52
	E639	
M	E750	-E752
M	E754	
M	E890	-E899
	F100	-F102
	F109	
	G10	-G419
	G450	-G98
	I600	-I709
	I730	-I959
M	I970	-I979
	I99	
	K650	
	L890	-L899
	L97	
	L984	
	M000	-M999
	Q000	-Q079
	Q650	-Q799
	Q900	-Q999
	R75	
M	S000	-Y899

M608 Address

	A000	-D489
	D869	
	E210	-E215
M	F458	

ICD-10-Mortality Manual 2c - 2014

I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M609 Address

M A000 -D489
D869
E210 -E215
F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T982
V010 -Y369
Y850 -Y872
Y890 -Y899

M610 Address

M610
T092
T911 -T912
T921 -T923
T925 -T926
T931 -T933
T935 -T936
T940 -T941

M611 Address

E100 -E149
M611

M612 Address

G810 -G839
M612

M613 Address

M613
T200 -T257
T300 -T329
M T950 -T959

M614 Address

E100 -E149
M614

M615 Address

E100 -E149
M615

M619 Address

B200 -B24
E100 -E149
M619
R75

M620 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
M E890 -E899
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
M I970 -I979
I99
K650
M K910 -K919
L890 -L899
L97
L984
M000 -M999
Q000 -Q079

ICD-10-Mortality Manual 2c - 2014

Q650 -Q799
Q900 -Q999
R75
M S000 -Y899

M621 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
I99
K650
L890 -L899
L97
L984
M000 -M999
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

M622 Address

A530 -A539
B200 -B24
B91
C000 -D489
D610 -D699
E000 -E039
E230 -E237
E40 -E46
E511 -E52
E630 -E649

ICD-10-Mortality Manual 2c - 2014

E750 -E752
E754
E872
E890 -E899
F100 -F102
F109
F449
G10 -G419
G450 -G98
I250 -I259
I48
I600 -I99
K310 -K389
K560 -K567
K590 -K599
K650 -K659
K850 -K869
K910 -K919
L890 -L899
L97 -M999
N040 -N049
N170 -N19
Q000 -Q079
Q250 -Q269
Q650 -Q799
Q900 -Q999
R190
R198
R263
R402
R58 -R5800
R75

M623 Address

B200 -B24
G820 -G825
M623
R75

M624 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754

ICD-10-Mortality Manual 2c - 2014

E890 -E899
F100 -F102
F109
F449
G10 -G419
G450 -G98
I600 -I709
I730 -I959
M I970 -I979
I99
K650
M K910 -K919
L890 -L899
L97
L984
M000 -M999
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75
M S000 -Y899

M625 Address

A539
B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
M E890 -E899
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
M I970 -I979
I99
L890 -L899
L97
L984
M000 -M999
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75

ICD-10-Mortality Manual 2c - 2014

M S000 -Y899

M626 Address

B200 -B24
M626
R75

M628 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
M E890 -E899
F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
M I970 -I979
I99
K650
M K910 -K919
L890 -L899
L97
L984
M000 -M999
M N170 -N19
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75
M S000 -Y899

M629 Address

B200 -B24
B91
C000 -D489
E230
E511 -E52
E639
M E750 -E752
M E754
M E890 -E899

ICD-10-Mortality Manual 2c - 2014

F100 -F102
F109
G10 -G419
G450 -G98
I600 -I709
I730 -I959
M I970 -I979
I99
L890 -L899
L97
L984
M000 -M999
Q000 -Q079
Q650 -Q799
Q900 -Q999
R75
M S000 -Y899

M651 Address

A1690
A180
A500
A509
A540 -A541
A544
B200 -B24
M650 -M659
R75

M652 Address

A1690
A180
A500
A509
A540 -A541
A544
B200 -B24
M650 -M659
R75

M653 Address

A1690
A180
A500
A509
A540 -A541
A544
B200 -B24

ICD-10-Mortality Manual 2c - 2014

M650 -M659
R75

M654 Address

A1690
A180
A500
A509
A540 -A541
A544
B200 -B24
M650 -M659
R75

M658 Address

A1690
A180
A500
A509
A540 -A541
A544
B200 -B24
M650 -M659
R75

M659 Address

A1690
A180
A500
A502
A509
A529
A539 -A541
A544
A549
B200 -B24
M650 -M659
R75

M7 Category

M720 Address

B200 -B24
M720
R75

M721 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
M721
R75

M722 Address

B200 -B24
M722
R75

M724 Address

B200 -B24
M724
R75

M726 Address

A000 -D489
E100 -E149
E210 -E215
E660 -E669
M F110 -F199
M F458
I00 -I029
I700 -I709
I730 -I739
K570 -K579
K610 -K614
K630 -K639
L00 -L089
M L400 -L409
L890 -L899
L97
M000 -M999
N340
N390
N490 -N499
Q650 -Q799
Q898
R02
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M728 Address

	A000	-D489
	E100	-E149
	E210	-E215
M	F110	-F199
M	F458	
	I00	-I029
	I700	-I709
	I730	-I739
	K570	-K579
	K610	-K614
	K630	-K639
	L00	-L089
M	L400	-L409
	L890	-L899
	L97	
	M000	-M999
	N170	-N19
	N340	
	N490	-N499
	Q650	-Q799
	Q898	
	R02	
	R54	
	R75	
	S000	-T149
	T200	-T758
	T790	-T799
	V010	-Y369
	Y850	-Y872
	Y890	-Y899

M729 Address

	A000	-D489
	E100	-E149
	E210	-E215
M	F110	-F199
M	F458	
	I00	-I029
	I700	-I709
	I730	-I739
	K570	-K579
	K610	-K614
	K630	-K639
	L00	-L089
M	L400	-L409
	L890	-L899

ICD-10-Mortality Manual 2c - 2014

L97
M000 -M999
N170 -N19
N340
N490 -N499
Q650 -Q799
Q898
R02
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M758 Address

A1690
A180
M B200 -B24
M258
M758
M860 -M869
M R75

M759 Address

A1690
A180
A527
A539
M B200 -B24
M000 -M1990
M259
M759
M R75
M T840 -T849

M790 Address

A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75

ICD-10-Mortality Manual 2c - 2014

S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M791 Address

A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M792 Address

A000 -D489
E100 -E149
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M793 Address

M B200 -B24
M C000 -C969
M D059
M D24
M D486

ICD-10-Mortality Manual 2c - 2014

M793
M N600 -N649
M R75

M794 Address

M B200 -B24
M793 -M794
M R75

M796 Address

A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M797 Address

A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M798 Address

A000 -D489
E210 -E215
M F458

ICD-10-Mortality Manual 2c - 2014

M I00 -I519
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M799 Address

A000 -D489
E210 -E215
M F458
I00 -I029
M000 -M999
Q650 -Q799
Q898
R54
R75
S000 -T149
T200 -T758
T790 -T799
V010 -Y369
Y850 -Y872
Y890 -Y899

M8 Category

M800 Address

M800
M N924
N950 -N959

M803 Address

K912
M803

M804 Address

M804
T360 -T509
Y400 -Y599

M805 Address

ICD-10-Mortality Manual 2c - 2014

M805

M808 Address

A180
A527
A539
C400 -C419
C795
C810 -C969
E050 -E059
E100 -E149
E210 -E213
E220
E240 -E249
E280 -E299
E40 -E649
E740 -E749
K500 -K509
K700 -K719
K7210 -K769
K900 -K901
M000 -M1990
M320 -M351
M359
M800 -M859
M870
M878
M890 -M899
M940 -M949
N924
N950 -N959
Q500 -Q503
Q528 -Q529
Q560 -Q564
Q773
Q776
Q780 -Q783
Q788 -Q789
Q969
R54
Y427

M

M809 Address

A180
A527
A539
B200 -B24
C400 -C419

ICD-10-Mortality Manual 2c - 2014

C795
C80 -C969
E050 -E059
E100 -E149
E210 -E213
E220
E240 -E249
E280 -E299
E40 -E649
E740 -E749
K500 -K509
K700 -K719
K7210 -K769
K900 -K901
M000 -M1990
M320 -M351
M359
M800 -M859
M870
M M878
M890 -M899
M940 -M949
N924
N950 -N959
Q500 -Q503
Q528 -Q529
Q560 -Q564
Q773
Q776
Q780 -Q783
Q788 -Q789
Q969
R54
R75
Y427

M810 Address

M800
M810
M N924
N950 -N959

M813 Address

K912
M803
M813

M814 Address

ICD-10-Mortality Manual 2c - 2014

M804
M814
T360 -T509
Y400 -Y599

M815 Address

M805
M815

M816 Address

B200 -B24
M816
R75

M818 Address

A180
A527
A539
B200 -B24
C400 -C419
C795
C810 -C969
E050 -E059
E100 -E149
E210 -E213
E220
E240 -E249
E280 -E299
E40 -E649
E740 -E749
K500 -K509
K700 -K719
K7210 -K769
K900 -K901
M000 -M1990
M320 -M351
M359
M800 -M859
M870
M878
M890 -M899
M940 -M949
N924
N950 -N959
Q500 -Q503
Q528 -Q529
Q560 -Q564
Q773

M

ICD-10-Mortality Manual 2c - 2014

Q776
Q780 -Q783
Q788 -Q789
Q969
R54
R75
Y427

M819 Address

A180
A527
A539
B200 -B24
C400 -C419
C795
C810 -C969
E050 -E059
E100 -E149
E210 -E213
E220
E240 -E249
E280 -E299
E40 -E649
E740 -E749
K500 -K509
K700 -K719
K7210 -K769
K900 -K901
M000 -M1990
M320 -M351
M359
M800 -M859
M870
M878
M890 -M899
M940 -M949
N924
N950 -N959
Q500 -Q503
Q528 -Q529
Q560 -Q564
Q773
Q776
Q780 -Q783
Q788 -Q789
Q969
R54
R75
Y427

M

M830 Address

M830
O000 -O998

M831 Address

M831
R54

M832 Address

K900 -K909
K912
M832

M833 Address

B200 -B24
E40 -E46
E550 -E559
M833
R75

M834 Address

M834
Y451
Y527
Y531
Y536
Y560
Y562

M835 Address

M835
T360 -T509
Y400 -Y599

M838 Address

A000 -D489
D891 -D892
E050 -E059
E100 -E149
E168
E210 -E213
E240 -E279
E340
E500 -E54

ICD-10-Mortality Manual 2c - 2014

E560 -E889
E896 -E899
F100 -F102
F109 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169 -F172
F179 -F182
F189 -F192
F199
M F453
F500 -F503
F505 -F509
F55
I00 -I099
I311
I500 -I509
I890
M I970 -I979
K20 -K929
L850 -L852
L940
M100 -M109
M300 -M319
M838 -M839
M M960 -M969
N000 -N399
M N990 -N999
P000 -P969
Q380 -Q459
Q900 -Q999
R11
R58 -R5800
R630
R632
R75
S000 -T357
T510 -Y369
Y600 -Y899

M839 Address

A000 -D489
D891 -D892
E050 -E059
E100 -E149
E168

ICD-10-Mortality Manual 2c - 2014

E210 -E213
E240 -E279
E340
E500 -E54
E560 -E889
E896 -E899
F100 -F102
F109 -F112
F119 -F122
F129 -F132
F139 -F142
F149 -F152
F159 -F162
F169 -F172
F179 -F182
F189 -F192
F199
M F453
F500 -F503
F505 -F509
F55
I00 -I099
I311
I500 -I509
I890
M I970 -I979
K20 -K929
L850 -L852
L940
M100 -M109
M300 -M319
M838 -M839
M M960 -M969
N000 -N399
M N990 -N999
P000 -P969
Q380 -Q459
Q900 -Q999
R11
M R54
R58 -R5800
R630
R632
R75
S000 -T357
T510 -Y369
Y600 -Y899

M840 Address

ICD-10-Mortality Manual 2c - 2014

M840 -M849
T902
M T908
T911 -T912
M T918
T921 -T923
T925 -T926
T931 -T933
T935 -T936
M Y850 -Y872
M Y890 -Y899

M841 Address

M840 -M849
T902
M T908
T911 -T912
M T918
T921 -T923
T925 -T926
T931 -T933
T935 -T936
M Y850 -Y872
M Y890 -Y899

M842 Address

M840 -M849
T902
M T908
T911 -T912
M T918
T921 -T923
T925 -T926
T931 -T933
T935 -T936
M Y850 -Y872
M Y890 -Y899

M843 Address

A180
A500 -A509
A527 -A539
A666
C000 -C97
D160 -D169
D480
D489
E210 -E215

ICD-10-Mortality Manual 2c - 2014

M E550 -E559
E896 -E899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M800 -M839
M843 -M851
M854 -M889
M893 -M895
M898 -M939
M941 -M949
M960
M M966 -M969
Q770 -Q789
Q799
R54
M T810 -T819
M T840 -T849
M T870 -T889

M844 Address

A180
A500 -A509
A521
A527 -A539
A666
C000 -C97
D160 -D169
D480
D489
E210 -E215
E550 -E559
M E896 -E899
G120 -G129
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M800 -M839
M843 -M851
M854 -M889
M893 -M895
M898 -M939
M941 -M949

ICD-10-Mortality Manual 2c - 2014

M960
M M966 -M969
Q770 -Q789
Q799
R54
M T810 -T819
M T840 -T849
M T870 -T889

M848 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730

ICD-10-Mortality Manual 2c - 2014

S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M849 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899

ICD-10-Mortality Manual 2c - 2014

M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M853 Address

M853

M858 Address

A1690

ICD-10-Mortality Manual 2c - 2014

A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
T132
T139

M

M

ICD-10-Mortality Manual 2c - 2014

T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M859 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499

ICD-10-Mortality Manual 2c - 2014

S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M860 Address

A1690
A180
A400 -A419
A502
A509
A539
A549
A669
B200 -B24
B679
B89
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169

ICD-10-Mortality Manual 2c - 2014

D480
D550 -D589
G20 -G2000
H650 -H669
M H950 -H959
J00 -J399
M J950 -J959
K650 -K659
M K910 -K919
L00 -L089
L890 -L899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M479
M600
M860 -M889
M894
M910 -M939
M M960 -M969
N10 -N12
N136
N151
N159
N288
N340 -N343
N390
N700 -N768
M N990 -N999
R75
M S000 -T983

M861 Address

A1690
A180
A400 -A419
A502
A509
A539
A549
A669
B200 -B24
B679
B89
B99
C400 -C419
C763
C795

ICD-10-Mortality Manual 2c - 2014

	C810	-C969
	D160	-D169
	D480	
	D550	-D589
	G20	-G2000
	H650	-H669
M	H950	-H959
	J00	-J399
M	J950	-J959
	K650	-K659
M	K910	-K919
	L00	-L089
	L890	-L899
	M000	-M1990
	M320	-M351
	M359	
	M420	-M429
	M45	-M479
	M600	
	M860	-M889
	M894	
	M910	-M939
M	M960	-M969
	N10	-N12
	N136	
	N151	
	N159	
	N288	
	N340	-N343
	N390	
	N700	-N768
M	N990	-N999
	R75	
M	S000	-T983

M862 Address

	A1690	
	A180	
	A400	-A419
	A502	
	A509	
	A539	
	A549	
	A669	
	B200	-B24
	B679	
	B89	
	B99	
	C400	-C419

ICD-10-Mortality Manual 2c - 2014

C763
C795
C810 -C969
D160 -D169
D480
D550 -D589
G20 -G2000
H650 -H669
M H950 -H959
J00 -J399
M J950 -J959
K650 -K659
M K910 -K919
L00 -L089
L890 -L899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M479
M600
M860 -M889
M894
M910 -M939
M M960 -M969
N10 -N12
N136
N151
N159
N288
N340 -N343
N390
N700 -N768
M N990 -N999
R75
M S000 -T983

M863 Address

M A000 -A399
A400 -A419
M A420 -B889
B89
M B900 -B949
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169

ICD-10-Mortality Manual 2c - 2014

D480
D550 -D589
H650 -H669
J00 -J399
M L00 -L089
L890 -L899
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479
M M600
M860 -M869
M M870 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75
M S000 -T983

M864 Address

M A000 -A399
A400 -A419
M A420 -B889
B89
M B900 -B949
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
J00 -J399
M L00 -L089
L890 -L899
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479

ICD-10-Mortality Manual 2c - 2014

M M600
M860 -M869
M M870 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75
M S000 -T983

M865 Address

M A000 -A399
A400 -A419
M A420 -B889
B89
M B900 -B949
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
J00 -J399
M L00 -L089
L890 -L899
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479
M M600
M860 -M869
M M870 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75
M S000 -T983

M866 Address

ICD-10-Mortality Manual 2c - 2014

M A000 -A399
A400 -A419
M A420 -B889
B89
M B900 -B949
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
J00 -J399
M L00 -L089
L890 -L899
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479
M M600
M860 -M869
M M870 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75
M S000 -T983

M868 Address

A1690
A180
A400 -A419
A500
A502
A509
A527
A539
A549
A669
B200 -B24
B679
B89

ICD-10-Mortality Manual 2c - 2014

B902
B99
C410 -C419
C760
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
M H950 -H959
J00 -J399
M J950 -J959
K650 -K659
M K910 -K919
L00 -L089
L890 -L899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M860 -M889
M894
M910 -M939
M M960 -M969
N10 -N12
N136
N151
N159
N288
N340 -N343
N390
N700 -N768
M N990 -N999
R75
S000 -T983

M869 Address

A1690
A180
A400 -A419
A500
A502
A509
A514
A527
A539

ICD-10-Mortality Manual 2c - 2014

A549
A669
B200 -B24
B679
B89
B902
B99
C410 -C419
C760
C795
C810 -C969
D160 -D169
D480
D550 -D589
E100 -E149
H650 -H669
M H950 -H959
J00 -J399
M J950 -J959
K650 -K659
M K910 -K919
L00 -L089
L890 -L899
M000 -M1990
M320 -M351
M359
M420 -M429
M45 -M519
M600
M860 -M889
M894
M910 -M939
M M960 -M969
N10 -N12
N136
N151
N159
N288
N340 -N343
N390
N700 -N768
M N990 -N999
R75
S000 -T983

M870 Address

M870

ICD-10-Mortality Manual 2c - 2014

M871 Address

M871
T360 -T509
Y400 -Y599

M872 Address

M872
M S000 -T983

M873 Address

M A000 -A399
A400 -A419
M A420 -B889
B89
M B900 -B949
B99
C400 -C419
C763
C795
C810 -C969
D160 -D169
D480
D550 -D589
H650 -H669
J00 -J399
M L00 -L089
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479
M M600
M860 -M870
M873
M M878 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75

M878 Address

M A000 -A399

ICD-10-Mortality Manual 2c - 2014

	A400	-A419
M	A420	-B889
	B89	
M	B900	-B949
	B99	
	C400	-C419
	C763	
	C795	
	C810	-C969
	D160	-D169
	D480	
	D550	-D589
	H650	-H669
	J00	-J399
M	L00	-L089
M	M000	-M1990
M	M320	-M351
M	M359	
M	M420	-M429
M	M45	-M461
	M462	
M	M463	-M479
M	M600	
	M860	-M869
M	M870	-M873
	M878	
M	M879	-M889
M	M894	
M	M910	-M939
M	N340	-N343
M	N390	
M	N700	-N768
	R75	
M	S000	-T983

M879 Address

M	A000	-A399
	A400	-A419
M	A420	-B889
	B89	
M	B900	-B949
	B99	
	C400	-C419
	C763	
	C795	
	C810	-C969
	D160	-D169
	D480	
	D550	-D589

ICD-10-Mortality Manual 2c - 2014

H650 -H669
J00 -J399
M L00 -L089
M M000 -M1990
M M320 -M351
M M359
M M420 -M429
M M45 -M461
M462
M M463 -M479
M M600
M860 -M869
M M870 -M878
M879
M M880 -M889
M M894
M M910 -M939
M N340 -N343
M N390
M N700 -N768
R75
M S000 -T983

M880 Address

M880 -M889

M888 Address

M880 -M889

M889 Address

M880 -M889

M891 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45

ICD-10-Mortality Manual 2c - 2014

	D470	-D480
	D860	-D869
	E40	-E559
	M000	-M1990
	M250	-M629
	M800	-M851
	M853	-M859
	M870	-M899
	M932	-M949
	M960	-M969
	Q650	-Q799
	S020	-S033
	S120	-S133
	S199	
	S220	-S232
	S299	
	S320	-S333
M	S399	
	S420	-S433
	S499	
	S520	-S531
	S599	
	S620	-S632
	S699	
	S720	-S730
	S799	
	S820	-S831
	S899	
	S920	-S931
	S933	
	S999	
	T021	-T039
	T07	-T08
	T099	-T10
	T12	
M	T132	
	T139	
	T142	-T143
	T149	
	T902	
M	T908	
	T911	
M	T912	
M	T918	-T919
	T921	-T923
	T929	
	T931	-T933
	T939	
M	T940	-T941
M	V010	-Y899

M892 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
G09
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039

M

ICD-10-Mortality Manual 2c - 2014

	T07	-T08
	T099	-T10
	T12	
M	T132	
	T139	
	T142	-T143
	T149	
	T902	
M	T908	
	T911	
M	T912	
M	T918	-T919
	T921	-T923
	T929	
	T931	-T933
	T939	
M	T940	-T941
M	V010	-Y899

M893 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232

ICD-10-Mortality Manual 2c - 2014

S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M894 Address

M894

M895 Address

A180
A527
A539
C400 -C419
C795
C810 -C969
E050 -E059
E100 -E149

ICD-10-Mortality Manual 2c - 2014

E210 -E213
E220
E240 -E249
E280 -E299
E40 -E649
E740 -E749
K500 -K509
K700 -K719
K7210 -K769
K900 -K901
M000 -M1990
M320 -M351
M359
M800 -M859
M870
M M878
M890 -M899
M940 -M949
N924
N950 -N959
Q500 -Q503
Q528 -Q529
Q560 -Q564
Q773
Q776
Q780 -Q783
Q788 -Q789
Q969
R54
Y427

M896 Address

A800 -A809
B91
M896

M898 Address

A1690
A180
A190 -A199
A527
A539
B902
M C400 -C419
C760
C763
C770
M C795

ICD-10-Mortality Manual 2c - 2014

M	C80
	C810 -C969
M	D160 -D169
	D45
M	D470 -D480
	D860 -D869
	E40 -E559
	M000 -M1990
	M250 -M629
	M800 -M851
	M853 -M859
	M870 -M899
	M932 -M949
	M960 -M969
	Q650 -Q799
	S020 -S033
	S120 -S133
	S199
	S220 -S232
	S299
	S320 -S333
M	S399
	S420 -S433
	S499
	S520 -S531
	S599
	S620 -S632
	S699
	S720 -S730
	S799
	S820 -S831
	S899
	S920 -S931
	S933
	S999
	T021 -T039
	T07 -T08
	T099 -T10
	T12
M	T132
	T139
	T142 -T143
	T149
M	T455
M	T457
	T902
M	T908
	T911
M	T912
M	T918 -T919

ICD-10-Mortality Manual 2c - 2014

T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M899 Address

A1690
A180
A190 -A199
A527
A539
A549
B200 -B24
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E100 -E149
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
R75
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632

ICD-10-Mortality Manual 2c - 2014

S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M9 Category

M910 Address

A1690
M910 -M929

M911 Address

A1690
M910 -M929

M912 Address

A1690
M910 -M929

M913 Address

A1690
M910 -M929

M918 Address

ICD-10-Mortality Manual 2c - 2014

A1690
M910 -M929

M919 Address

A1690
M910 -M929

M920 Address

A1690
M910 -M929

M921 Address

A1690
M910 -M929

M922 Address

A1690
M910 -M929

M923 Address

A1690
M910 -M929

M924 Address

A1690
M910 -M929

M925 Address

A1690
M910 -M929

M927 Address

A1690
M910 -M929

M928 Address

A1690
M910 -M929

M929 Address

A1690
M910 -M929

M930 Address

A1690
M930

M931 Address

A1690
M931

M932 Address

A1690
M932
S799
S899
S999
T939

M938 Address

A1690
M938

M939 Address

A1690
A500
A502
A509
A539
M B200 -B24
M939
M R75

M940 Address

A1690
M940

M941 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763

ICD-10-Mortality Manual 2c - 2014

C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923

ICD-10-Mortality Manual 2c - 2014

T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M942 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899

ICD-10-Mortality Manual 2c - 2014

S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M943 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799

ICD-10-Mortality Manual 2c - 2014

	S020	-S033
	S120	-S133
	S199	
	S220	-S232
	S299	
	S320	-S333
M	S399	
	S420	-S433
	S499	
	S520	-S531
	S599	
	S620	-S632
	S699	
	S720	-S730
	S799	
	S820	-S831
	S899	
	S920	-S931
	S933	
	S999	
	T021	-T039
	T07	-T08
	T099	-T10
	T12	
M	T132	
	T139	
	T142	-T143
	T149	
	T902	
M	T908	
	T911	
M	T912	
M	T918	-T919
	T921	-T923
	T929	
	T931	-T933
	T939	
M	T940	-T941
M	V010	-Y899

M948 Address

A1690
A180
A190 -A199
A527
A539
B902
C410 -C419
C760

ICD-10-Mortality Manual 2c - 2014

C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730
S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
M T12
T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919

ICD-10-Mortality Manual 2c - 2014

T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M949 Address

A1690
A180
A190 -A199
A527
A539
M B200 -B24
B902
C410 -C419
C760
C763
C770
C795
C810 -C969
D160 -D169
D45
D470 -D480
D860 -D869
E40 -E559
M000 -M1990
M250 -M629
M800 -M851
M853 -M859
M870 -M899
M932 -M949
M960 -M969
Q650 -Q799
M R75
S020 -S033
S120 -S133
S199
S220 -S232
S299
S320 -S333
M S399
S420 -S433
S499
S520 -S531
S599
S620 -S632
S699
S720 -S730

ICD-10-Mortality Manual 2c - 2014

S799
S820 -S831
S899
S920 -S931
S933
S999
T021 -T039
T07 -T08
T099 -T10
T12
M T132
T139
T142 -T143
T149
T902
M T908
T911
M T912
M T918 -T919
T921 -T923
T929
T931 -T933
T939
M T940 -T941
M V010 -Y899

M954 Address

A150 -A169
A180
A500 -A539
A800 -A809
B902
B909 -B91
C300 -C419
C780 -C783
C795
M C798
E643
G120 -G129
G35 -G379
G710 -G729
G810 -G839
G950 -G959
M G970 -G979
M J00 -J989
M000 -M1990
M220 -M259
M320 -M351
M359 -M531

ICD-10-Mortality Manual 2c - 2014

M540 -M549
M800 -M839
M843 -M844
M850
M854 -M856
M860 -M889
M894 -M896
M910 -M939
M950 -M959
M M960 -M969
Q311 -Q349
Q760 -Q795
M S000 -Y899

M959 Address

B91
M000 -M959

M960 Address

M960
M Y831 -Y832
M Y834
M Y836 -Y838
M Y883

M961 Address

M961
Y836
M Y883

M962 Address

M962
Y842
M Y883

M963 Address

M963
Y836
M Y883

M964 Address

M964
M Y831 -Y832
M Y834
M Y836 -Y838
M Y883

M965 Address

M965
Y842
M Y883

M966 Address

M966
M Y831 -Y832
M Y883

M968 Address

M968
Y600 -Y849
Y881
Y883

M969 Address

M969
Y600 -Y849
Y881
Y883

N

N0 Category

N000 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N001 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N002 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N003 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N004 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N005 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N006 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N007 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N008 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N009 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N010 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N011 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N012 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N013 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N014 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N015 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N016 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N017 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N018 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N019 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N020 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N021 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N022 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N023 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N024 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N025 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N026 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N027 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N028 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N029 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N030 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999

ICD-10-Mortality Manual 2c - 2014

P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N031 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N032 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899

ICD-10-Mortality Manual 2c - 2014

I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N033 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N034 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N035 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N036 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N037 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679

ICD-10-Mortality Manual 2c - 2014

I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N038 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N039 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I519
M I600 -I679
I690 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N040 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N041 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N042 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N043 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N044 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N045 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N046 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N047 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N048 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N049 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
M R090
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N050 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N051 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N052 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N053 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N054 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N055 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N056 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N057 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N058 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N059 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
M R609
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N060 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N061 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N062 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N063 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N064 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N065 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N066 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N067 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N068 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N069 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N070 Address

M B659
N070

N071 Address

M B659
N071

N072 Address

M B659
N072

N073 Address

M B659

ICD-10-Mortality Manual 2c - 2014

N073

N074 Address

M B659
N074

N075 Address

M B659
N075

N076 Address

M B659
N076

N077 Address

M B659
N077

N078 Address

M B659
N078 -N079

N079 Address

M B659
N079

N1 Category

N10 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999

ICD-10-Mortality Manual 2c - 2014

R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N110 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N111 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I899
I970 -J069
J200 -J80
J82 -J989

ICD-10-Mortality Manual 2c - 2014

M K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N118 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N119 Address

M A000 -B99
C000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I899
I970 -J069
J200 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N12 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N130 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N131 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N132 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N133 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N134 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N135 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N136 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N137 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N138 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N139 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02

ICD-10-Mortality Manual 2c - 2014

R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N140 Address

M B659
N140
T390 -T407
M T96
X40
M X42
X60
M X62
M X85
Y10
M Y12
Y450 -Y459
M Y86 -Y880

N141 Address

M B659
N141
T360 -T389
T408 -T508
M T509
T880 -T887
M T96
X41
M X42
X43
M X44
X61
M X62
X63
M X64
M X85
Y11
M Y12
Y13
M Y14
Y400 -Y449
Y460 -Y578
Y580 -Y599
Y86 -Y872

ICD-10-Mortality Manual 2c - 2014

M Y880

N142 Address

M B659
N142
M T509
T880 -T887
M T96
M X44
M X64
M X85
M Y14
Y579
M Y86 -Y872
Y880

N143 Address

M B659
N143
T560 -T569
M T97
M X49
M X69
M X89
M Y19
M Y86 -Y872

N144 Address

M B659
N144
T360 -T509
T560 -T569
T880 -T887
T96
M T97
X40 -X44
M X49
X60 -X64
M X69
X85
M X89
Y10 -Y14
M Y19
Y400 -Y599
M Y86 -Y872
Y880

N150 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N151 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N158 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N159 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N170 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N171 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601

ICD-10-Mortality Manual 2c - 2014

R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N172 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N178 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999

ICD-10-Mortality Manual 2c - 2014

P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N179 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N181 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989

ICD-10-Mortality Manual 2c - 2014

K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N182 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989
K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N183 Address

A000 -F169

ICD-10-Mortality Manual 2c - 2014

F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989
K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N184 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989
K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829

ICD-10-Mortality Manual 2c - 2014

R960 -R961
S000 -Y899

N185 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989
K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N189 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J069
J200 -J80
J82 -J989
K20 -L299
M000 -M179
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54

ICD-10-Mortality Manual 2c - 2014

R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N19 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R17
R53 -R54
R570 -R5800
R601
R64
R75
R798
R820 -R829
R960 -R961
S000 -Y899

N2 Category

N200 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N201 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N202 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N209 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N210 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N211 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N218 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N219 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N23 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990

ICD-10-Mortality Manual 2c - 2014

M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N250 Address

M B200 -B24
B659
N000 -N399
R31
R75

N251 Address

M B200 -B24
B659
N000 -N399
R31
R75
Y495

N258 Address

M A000 -C959
D500 -D899
E030 -E0390
E100 -E899
F100 -F109
I00 -I779
I950 -I959
K352 -K389
M300 -M359
N000 -N420
Q850
R31
R75
T510 -T519
T97
X45
X65
Y15

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

N259 Address

A000 -C959
D500 -D899
E100 -E899
F100 -F109
I00 -I779
I950 -I959
K352 -K389
M300 -M359
N000 -N420
Q850
R31
R75
T510 -T519
T97
X45
X65
Y15
Y86 -Y872

N26 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N270 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

M B659
N270
R75

N271 Address

B200 -B24
M B659
N271
R75

N279 Address

B200 -B24
M B659
N279
R75

N280 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -I010
M I011
I012 -I019
M I020
I029
M I050 -I069
I070 -I079
M I080 -I089
I090
M I091
I092 -I319
M I330 -I359
I360 -I379
M I38
I400 -I4220
M I423 -I424
I425 -I479
M I48 -I499
I500 -I512
M I513
I514 -I698
M I700
I701 -I739
M I740 -I741
I742 -I789
M I800 -I809
I81 -I820

ICD-10-Mortality Manual 2c - 2014

M	I821	-I829
	I830	-J80
	J82	-J989
	K20	-K929
M	L00	-L989
	M000	-M1990
	M300	-M949
	M954	-N459
	N480	-N96
	N980	-N999
M	O033	
M	O038	
M	O043	
M	O048	
M	O053	
M	O058	
M	O063	
M	O068	
M	O073	
M	O078	
M	O087	
M	O223	
M	O229	
M	O60	-O849
M	O871	
M	O879	
M	O994	
	P000	-Q999
	R02	
	R53	-R54
	R570	-R579
	R64	
	R75	
	R820	-R829
	R960	-R961
	S000	-T800
M	T801	
	T802	-T816
M	T817	
	T818	-T827
M	T828	
	T829	-T836
M	T838	
	T839	-T847
M	T848	
	T849	-T857
M	T858	
	T859	-Y599
M	Y600	-Y849
	Y850	-Y899

N281 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N288 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N289 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N3 Category

N300 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64

ICD-10-Mortality Manual 2c - 2014

R75
R820 -R829
R960 -R961
S000 -Y899

N301 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N302 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999

ICD-10-Mortality Manual 2c - 2014

R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N303 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N304 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999

ICD-10-Mortality Manual 2c - 2014

R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N308 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N309 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709

ICD-10-Mortality Manual 2c - 2014

O715
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N310 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N311 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N312 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N318 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N319 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N320 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N321 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N322 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N323 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N324 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N328 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N329 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N340 Address

A1690
A181
M A500 -A539
A549
B200 -B24
M B659
C600 -C689
F010 -F03
G040 -G041
G049
G10
G114
G120
G300 -G35
G361 -G370
G373 -G379
M G544
G800 -G825
M G834
G913
G935 -G936
G950 -G952
M G958
G959
I600 -I698
M471
M510
N10 -N509
N991
O701 -O709
O715
Q050 -Q069
Q642 -Q643
R75
S020 -S021
S027 -S029
S060 -S063

ICD-10-Mortality Manual 2c - 2014

S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241
S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027
T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915
Y846

N341 Address

A1690
A181
M A500 -A539
B200 -B24
M B659
C600 -C689
F010 -F03
G040 -G041
G049
G10
G114
G120
G300 -G35
G361 -G370
G373 -G379
M G544
G800 -G825
M G834
G913
G935 -G936

ICD-10-Mortality Manual 2c - 2014

M G950 -G952
G958
G959
I600 -I698
M471
M510
N10 -N509
N991
O701 -O709
O715
Q050 -Q069
Q642 -Q643
R75
S020 -S021
S027 -S029
S060 -S063
S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241
S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027
T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915
Y846

N342 Address

A1690
A181
M A500 -A539
A549

ICD-10-Mortality Manual 2c - 2014

A599
A749
B200 -B24
B379
M B659
C600 -C689
F010 -F03
G040 -G041
G049
G10
G114
G120
G300 -G35
G361 -G370
G373 -G379
M G544
G800 -G825
M G834
G913
G935 -G936
G950 -G952
M G958
G959
I600 -I698
M471
M510
N10 -N509
N991
O701 -O709
O715
Q050 -Q069
Q642 -Q643
R75
S020 -S021
S027 -S029
S060 -S063
S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241
S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027

ICD-10-Mortality Manual 2c - 2014

T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915
Y846

N343 Address

A1690
A181
M A500 -A539
B200 -B24
M B659
C600 -C689
M G834
M G958
N10 -N509
R75
Y846

N350 Address

M B659
N350
M S300
M S302 -S310
S312 -S315
M S317
S321 -S325
M S327 -S328
S332
M S333
S334
S336
M S337
M S342 -S348
M S357 -S359
S370 -S380
M S381 -S397
M T021
M T031
M T038

ICD-10-Mortality Manual 2c - 2014

M T041
M T065
T190 -T199
T288
M T353
M T910 -T918
V010 -Y899

N351 Address

M A500 -A64
B200 -B24
M B659
C61
C670 -C680
C688
F010 -F03
G040 -G041
G049
G10
G114
G120
G300 -G35
G361 -G370
G373 -G379
M G544
G800 -G825
G834
G913
G935 -G936
G950 -G959
I600 -I698
M471
M510
N10 -N509
N991
O701 -O709
O715
Q050 -Q069
Q642 -Q643
R75
S020 -S021
S027 -S029
S060 -S063
S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241

ICD-10-Mortality Manual 2c - 2014

S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027
T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915

N358 Address

A181
A400 -A419
M A500 -A64
B200 -B24
M B659
C510 -C689
D060 -D091
D250 -D309
D390 -D419
F010 -F03
M F069
G040 -G041
G049
G10
G114
G120
G122 -G1220
G231
G300 -G35
G361 -G370
G373 -G379
M G544
G800 -G809
M G810 -G839
G913
G935 -G936
G938

ICD-10-Mortality Manual 2c - 2014

M
G950 -G959
I600 -I698
M471
M510
N10 -N139
N150 -N159
N200 -N219
N280 -N289
N310 -N322
N324 -N329
N350 -N390
N399 -N40
N410 -N429
N991
O701 -O709
O715
Q050 -Q069
Q642 -Q643
R75
S020 -S021
S027 -S029
S060 -S063
S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241
S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027
T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915

N359 Address

	A181
	A400 -A419
M	A500 -A64
	B200 -B24
M	B659
	C510 -C689
	D060 -D091
	D250 -D309
	D390 -D419
	F010 -F03
M	F069
	G040 -G041
	G049
	G10
	G114
	G120
	G122 -G1220
	G231
	G300 -G35
	G361 -G370
	G373 -G379
M	G544
	G800 -G809
M	G810 -G839
	G913
	G935 -G936
	G938
	G950 -G959
	I600 -I698
	M471
	M510
	N10 -N139
	N150 -N159
	N200 -N219
	N280 -N289
	N310 -N322
	N324 -N329
	N350 -N390
	N399 -N40
M	N410 -N429
	N991
	O701 -O709
	O715
	Q050 -Q069
	Q642 -Q643
	R75
	S020 -S021

ICD-10-Mortality Manual 2c - 2014

S027 -S029
S060 -S063
S067 -S069
S097
S120 -S129
S140 -S141
S220 -S221
S240 -S241
S320 -S321
S327 -S328
S340 -S348
S372 -S373
S396 -S397
T011
T021
T027
T041
T060 -T068
T08
T210 -T217
T284
T288
T830 -T839
T905
T909
T911
T913
T915

N360 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75

ICD-10-Mortality Manual 2c - 2014

R820 -R829
R960 -R961
S000 -Y899

N361 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N362 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75

ICD-10-Mortality Manual 2c - 2014

R820 -R829
R960 -R961
S000 -Y899

N363 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N368 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75

ICD-10-Mortality Manual 2c - 2014

R820 -R829
R960 -R961
S000 -Y899

N369 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N390 Address

A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
M L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
O701 -O709
O715
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N391 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N392 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N393 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N394 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N398 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579
R64
R75
R820 -R829
R960 -R961
S000 -Y899

N399 Address

M A000 -F169
F180 -G419
G440 -G98
H650 -H749
I00 -J80
J82 -J989
K20 -K929
L00 -L989
M000 -M1990
M300 -M949
M954 -N459
N480 -N96
N980 -N999
P000 -Q999
R02
R53 -R54
R570 -R579

ICD-10-Mortality Manual 2c - 2014

R64
R75
R820 -R829
R960 -R961
S000 -Y899

N4 Category

N40 Address

M B200 -B24
B389
C61
C798
D075
D291
D400
E290
N40
R75
T880 -T887
Y400 -Y599
Y880

N410 Address

M A1690
A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
C798
D075
D291
E100 -E149
N40 -N410
R75

N411 Address

A1690
A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775

ICD-10-Mortality Manual 2c - 2014

M C798
D075
D291
E100 -E149
N40
N411
R75

N412 Address

A1690
A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
D075
D291
E100 -E149
N40
N412
R75

N413 Address

A1690
A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
D075
D291
E100 -E149
N40
N413
R75

N418 Address

A1690
A181
A540 -A549
A590 -A599
B200 -B24

ICD-10-Mortality Manual 2c - 2014

B389
C600 -C639
C775
M C798
D075
D291
E100 -E149
N40
N418
R75

N419 Address

A1690
A549
A599
B200 -B24
B389
E100 -E149
N40
N419
R75

N420 Address

A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
M C810 -C959
D075
D291
D390 -D419
N420
Q530 -Q559
R75

N421 Address

A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798

ICD-10-Mortality Manual 2c - 2014

M C810 -C959
D075
D291
D390 -D419
N421
Q530 -Q559
R75
M T455
M T457
M X44
M X64
M Y14

N422 Address

A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
M C810 -C959
D075
D291
D390 -D419
N422
Q530 -Q559
R75

N423 Address

B200 -B24
N423
R75

N428 Address

A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
M C810 -C959
D075
D291
D390 -D419

ICD-10-Mortality Manual 2c - 2014

N428
Q530 -Q559
R75

N429 Address

A181
A540 -A549
A590 -A599
B200 -B24
B389
C600 -C639
C775
M C798
M C810 -C959
D075
D291
D390 -D419
N429
Q530 -Q559
R75

N430 Address

B200 -B24
N430
R75

N432 Address

B200 -B24
N432
R75

N433 Address

B200 -B24
N433
R75

N434 Address

B200 -B24
N434
R75

N44 Address

B200 -B24
N44
R75

N450 Address

A1690
A181
M A500 -A64
B200 -B24
B260
B269
N450
R75

N459 Address

A1690
A181
M A500 -A64
B200 -B24
B260
B269
N459
R75

N480 Address

A181
M A500 -A64
B200 -B24
M B650 -B659
C600 -C639
M C798
C80
D038
D074
D290
D390 -D419
N40 -N429
N480
N488
R75

N481 Address

B200 -B24
N481
R75

N482 Address

A181
M A500 -A64

ICD-10-Mortality Manual 2c - 2014

B200 -B24
C600 -C639
M C798
C80
N350 -N359
N40 -N429
N482
R75

N483 Address

N40 -N429
N450 -N459
N483

N484 Address

N40 -N429
N450 -N459
N484

N485 Address

B200 -B24
C600 -C609
M C798
D074
D290
M D407
N485
R75

N486 Address

B200 -B24
N486
R75

N488 Address

A181
M A500 -A64
B200 -B24
M B650 -B659
C600 -C639
M C798
C80
D038
D074
D290
D390 -D419

ICD-10-Mortality Manual 2c - 2014

M	I011	
M	I020	
M	I050	-I069
M	I080	-I089
M	I091	
M	I330	-I359
M	I38	
M	I423	-I424
M	I48	-I499
M	I513	
M	I700	
M	I740	-I741
M	I800	-I809
M	I821	-I829
	N40	-N429
	N488	
	R75	
M	T455	
M	T457	
M	T801	
M	T817	
M	T828	
M	T838	
M	T848	
M	T858	
M	X44	
M	X64	
M	Y14	
M	Y600	-Y849

N489 Address

	A181	
M	A500	-A64
	B200	-B24
M	B650	-B659
	C600	-C639
M	C798	
	C80	
	D038	
	D074	
	D290	
	D390	-D419
	N40	-N429
	N480	
	N488	-N489
	R75	

N490 Address

ICD-10-Mortality Manual 2c - 2014

A069
A1690
A181
M A500 -A64
A749
B200 -B24
C600 -C639
C80
E100 -E149
N350 -N359
N40 -N429
N490 -N499
N991
R75
M S300
M S302 -S310
S312 -S315
M S317
S321 -S325
M S327 -S328
S332
M S333
S334
S336
M S337
M S342 -S348
M S357 -S359
S370 -S380
M S381 -S397
M T021
M T031
M T038
M T041
M T065
T190 -T199
T288
M T353
M T910 -T918

N491 Address

A1690
A181
M A500 -A64
A749
B200 -B24
C600 -C639
C80
E100 -E149
N350 -N359

ICD-10-Mortality Manual 2c - 2014

	N40	-N429
	N490	-N499
	N991	
	R75	
M	S300	
M	S302	-S310
	S312	-S315
M	S317	
	S321	-S325
M	S327	-S328
	S332	
M	S333	
	S334	
	S336	
M	S337	
M	S342	-S348
M	S357	-S359
	S370	-S380
M	S381	-S397
M	T021	
M	T031	
M	T038	
M	T041	
M	T065	
	T190	-T199
	T288	
M	T353	
M	T910	-T918

N492 Address

	A1690	
	A181	
M	A500	-A64
	A749	
	B200	-B24
	C600	-C639
	C80	
	E100	-E149
	N350	-N359
	N40	-N429
	N490	-N499
	N991	
	R75	
M	S300	
M	S302	-S310
	S312	-S315
M	S317	
	S321	-S325
M	S327	-S328

ICD-10-Mortality Manual 2c - 2014

	S332	
M	S333	
	S334	
	S336	
M	S337	
M	S342	-S348
M	S357	-S359
	S370	-S380
M	S381	-S397
M	T021	
M	T031	
M	T038	
M	T041	
M	T065	
	T190	-T199
	T288	
M	T353	
M	T910	-T918

N498 Address

	A1690	
	A181	
M	A500	-A64
	A749	
	B200	-B24
	C600	-C639
	C80	
	E100	-E149
	N350	-N359
	N40	-N429
	N490	-N499
	N991	
	R75	
M	S300	
M	S302	-S310
	S312	-S315
M	S317	
	S321	-S325
M	S327	-S328
	S332	
M	S333	
	S334	
	S336	
M	S337	
M	S342	-S348
M	S357	-S359
	S370	-S380
M	S381	-S397
M	T021	

ICD-10-Mortality Manual 2c - 2014

M T031
M T038
M T041
M T065
T190 -T199
T288
M T353
M T910 -T918

N499 Address

A1690
A181
M A500 -A64
A749
B200 -B24
C600 -C639
C80
E100 -E149
N350 -N359
N40 -N429
N490 -N499
N991
R75
M S300
M S302 -S310
S312 -S315
M S317
S321 -S325
M S327 -S328
S332
M S333
S334
S336
M S337
M S342 -S348
M S357 -S359
S370 -S380
M S381 -S397
M T021
M T031
M T038
M T041
M T065
T190 -T199
T288
M T353
M T910 -T918

N5 Category

ICD-10-Mortality Manual 2c - 2014

N500 Address

B200 -B24
N500
R75

N501 Address

B200 -B24
N501
R75
M T455
M T457
M X44
M X64
M Y14

N508 Address

A1690
A181
M A500 -A64
A749
B200 -B24
C600 -C639
C763
C798 -C80
D076
D097
D292 -D297
D367
D401 -D407
D487
E100 -E149
N350 -N359
N40 -N459
N490 -N499
N508
N991
Q530 -Q539
R75
M S300
M S302 -S310
S312 -S315
M S317
S321 -S325
M S327 -S328
S332
M S333
S334

ICD-10-Mortality Manual 2c - 2014

S336
M S337
M S342 -S348
M S357 -S359
S370 -S380
M S381 -S397
M T021
M T031
M T038
M T041
M T065
T190 -T199
T288
M T353
M T455
M T457
M T910 -T918
M X44
M X64
M Y14

N509 Address

A1690
A181
M A500 -A64
A749
B200 -B24
C600 -C639
C80
E100 -E149
N350 -N359
N40 -N429
N490 -N499
N509
N991
R75
M S300
M S302 -S310
S312 -S315
M S317
S321 -S325
M S327 -S328
S332
M S333
S334
S336
M S337
M S342 -S348
M S357 -S359

ICD-10-Mortality Manual 2c - 2014

S370 -S380
M S381 -S397
M T021
M T031
M T038
M T041
M T065
T190 -T199
T288
M T353
M T910 -T918

N6 Category

N600 Address

C500 -C509
M C798
D050 -D059
D24
D486
N600

N601 Address

C500 -C509
M C798
D050 -D059
D24
D486
N601

N602 Address

C500 -C509
M C798
D050 -D059
D24
D486
N602

N603 Address

C500 -C509
M C798
D050 -D059
D24
D486
N603

N604 Address

ICD-10-Mortality Manual 2c - 2014

M C500 -C509
C798
D050 -D059
D24
D486
N604

N608 Address

M C500 -C509
C798
D050 -D059
D24
D486
N608

N609 Address

M C500 -C509
C798
D050 -D059
D24
D486
N609

N61 Address

A1690
M A188
M A500 -A539
M B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N61
M R75

N62 Address

M B650 -B659
C500 -C509
M C798
D050 -D059
D24
D486
N62

N63 Address

ICD-10-Mortality Manual 2c - 2014

C500 -C509
M C798
D050 -D059
D24
D486
N63

N640 Address

A1690
M A188
M A500 -A539
B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N61
N640
R75

N641 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N641
R75

N642 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N642
R75

N643 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24

ICD-10-Mortality Manual 2c - 2014

D486
N643
R75

N644 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N644
R75

N645 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N61 -N649
R75
M T455
M T457
M X44
M X64
M Y14

N648 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N648
R75

N649 Address

B200 -B24
C500 -C509
M C798
D050 -D059
D24
D486
N649

R75

N7 Category

N700 Address

B200 -B24
N700
N832
R75

N701 Address

B200 -B24
N701
N832
R75

N709 Address

B200 -B24
N709
N832
R75

N710 Address

A078
A1690
A181
A190 -A199
A500 -A64
A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C510 -C58
L946
M352
N700 -N829
R75

N711 Address

A078
A1690
A181
A190 -A199
A500 -A64

ICD-10-Mortality Manual 2c - 2014

A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C510 -C58
L946
M352
N700 -N829
R75

N719 Address

A078
A1690
A181
A190 -A199
A500 -A64
A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C510 -C58
L946
M352
N700 -N829
R75

N72 Address

A1690
A181
A190 -A199
A500 -A64
A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149

ICD-10-Mortality Manual 2c - 2014

L946
M352
N700 -N819
R75

N730 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N731 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24

ICD-10-Mortality Manual 2c - 2014

C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N732 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289

ICD-10-Mortality Manual 2c - 2014

D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N733 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75

ICD-10-Mortality Manual 2c - 2014

M S000 -S399
M T800 -T889

N734 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N735 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58

ICD-10-Mortality Manual 2c - 2014

	C64	-C689
	C762	-C763
	C784	-C791
	C796	-C797
M	C798	
	C80	-C97
	D001	-D019
	D038	
	D070	-D073
	D090	-D091
	D250	-D289
	D300	-D309
	D390	-D399
	D410	-D419
	E100	-E149
	K250	-K289
	K560	-K579
	K631	-K6310
	K638	-K639
M	N19	
	N300	-N399
	N700	-N809
	N820	-N829
	R75	
M	S000	-S399
M	T800	-T889

N736 Address

	A1690	
	A181	
	A190	-A199
	A500	-A64
	A749	
	B200	-B24
	C160	-C269
	C500	-C58
	C64	-C689
	C762	-C763
	C784	-C791
	C796	-C797
M	C798	
	C80	-C97
	D001	-D019
	D038	
	D070	-D073
	D090	-D091
	D250	-D289
	D300	-D309
	D390	-D399

ICD-10-Mortality Manual 2c - 2014

D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N738 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N739 Address

A1690
A181
A190 -A199
A500 -A64
A749
B200 -B24
C160 -C269
C500 -C58
C64 -C689
C762 -C763
C784 -C791
C796 -C797
M C798
C80 -C97
D001 -D019
D038
D070 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
E100 -E149
K250 -K289
K560 -K579
K631 -K6310
K638 -K639
M N19
N300 -N399
N700 -N809
N820 -N829
R75
M S000 -S399
M T800 -T889

N750 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99

ICD-10-Mortality Manual 2c - 2014

C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N751 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N758 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N759 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N760 Address

A069
A1690
A181
A190 -A199
A500 -A64
A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
M R54
R75

N761 Address

A1690
A181
A190 -A199

ICD-10-Mortality Manual 2c - 2014

A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N762 Address

A1690
A181
A190 -A199
A500 -A64
A749
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N763 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99

ICD-10-Mortality Manual 2c - 2014

C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N764 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N765 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N766 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N768 Address

A1690
A181
A190 -A199
A500 -A64
B000 -B009
B200 -B24
B370 -B379
B59 -B64
B80
B99
C19 -C218
C510 -C58
D390 -D409
E100 -E149
L946
M352
N700 -N819
R75

N8 Category

N800 Address

B200 -B24
N800 -N809
R75

N801 Address

B200 -B24
N800 -N809
R75

N802 Address

B200 -B24
N800 -N809
R75

N803 Address

B200 -B24
N800 -N809
R75

N804 Address

B200 -B24
N800 -N809
R75

N805 Address

B200 -B24
N800 -N809
R75

N806 Address

B200 -B24
N800 -N809
R75

N808 Address

B200 -B24
N800 -N809
R75

N809 Address

B200 -B24
N800 -N809
R75

N810 Address

B200 -B24
C510 -C58

ICD-10-Mortality Manual 2c - 2014

N810 -N819
R75

N811 Address

B200 -B24
C510 -C58
N810 -N819
R75

N812 Address

B200 -B24
C510 -C58
N810 -N819
R75

N813 Address

B200 -B24
C510 -C58
N810 -N819
R75

N814 Address

B200 -B24
C510 -C58
N810 -N819
R75

N815 Address

B200 -B24
M C510 -C58
N810 -N815
M N816 -N819
R75

N816 Address

B200 -B24
C510 -C58
N810 -N819
R75

N818 Address

B200 -B24
C510 -C58
N818
R75

ICD-10-Mortality Manual 2c - 2014

M T910 -T919
M T940 -T941
M T983
M Y850 -Y899

N819 Address

B200 -B24
C510 -C58
N810 -N819
R75

N820 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N821 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149

ICD-10-Mortality Manual 2c - 2014

K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N822 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N823 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374

ICD-10-Mortality Manual 2c - 2014

B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N824 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N825 Address

A1690
A181

ICD-10-Mortality Manual 2c - 2014

A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N828 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N829 Address

A1690
A181
A183
A500 -A64
M B200 -B24
B373 -B374
B901
B908
C000 -C80
E100 -E149
K352 -K929
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
Q792 -Q795
Q870 -Q999
M R75
T66
W88 -W91
M Y632 -Y633
M Y780 -Y788
Y842
M Y883

N830 Address

A1690
A181
B200 -B24
E282
N830 -N832
R75
M T880 -T887
M Y400 -Y599
M Y880

N831 Address

B200 -B24
C510 -C58
C796
M C798
M D038
D060 -D073
D250 -D289
D390 -D399
N700 -N96

ICD-10-Mortality Manual 2c - 2014

N980 -N999
Q500 -Q529
R75
M T455
M T457
M T880 -T887
M X44
M X64
M Y14
M Y400 -Y599
M Y880

N832 Address

A1690
B200 -B24
E282
N830 -N832
N838
R75
M T880 -T887
M Y400 -Y599
M Y880

N833 Address

B200 -B24
N833
R75

N834 Address

B200 -B24
N834
R75

N835 Address

B200 -B24
N835
R75

N836 Address

B200 -B24
N836
R75
M T455
M T457
M X44
M X64

ICD-10-Mortality Manual 2c - 2014

M Y14

N837 Address

B200 -B24
M C19 -C218
C510 -C58
C64 -C689
C796
M C798
M D038
D060 -D073
D250 -D289
D390 -D399
E282
N700 -N96
N980 -N999
R75

N838 Address

B200 -B24
M C19 -C218
C510 -C58
C64 -C689
C785
C792
C796
M C798
D011 -D013
M D038
D060 -D073
D127 -D129
D235
D27
D375
D377
D390 -D399
D485
E282
N700 -N96
N980 -N999
R75
M T455
M T457
M X44
M X64
M Y14

N839 Address

ICD-10-Mortality Manual 2c - 2014

B200 -B24
N839
R75

N857 Address

C510 -C58
C763
C796
M C798
D060 -D073
M D097
D250 -D289
M D367
D390 -D399
M D487
N700 -N858
N86 -N889
Q500 -Q519
M T455
M T457
M X44
M X64
M Y14

N858 Address

M A500 -A539
B200 -B24
C510 -C579
C64 -C689
C790 -C791
C796
C798
D060 -D073
D090 -D091
D250 -D289
D300 -D309
D390 -D399
D410 -D419
N858
R75

N859 Address

B200 -B24
C510 -C58
C796
M C798
D060 -D073
M D093

ICD-10-Mortality Manual 2c - 2014

D250 -D289
D390 -D399
N700 -N96
N980 -N999
R75

N880 Address

C530 -C55
M C798
D060 -D069
D260 -D269
D390
N880

N888 Address

B200 -B24
C510 -C58
C796
M C798
D060 -D073
M D093
D250 -D289
D390 -D399
N700 -N96
N980 -N999
R75
M T455
M T457
M X44
M X64
M Y14

N889 Address

B200 -B24
C510 -C58
C796
M C798
D060 -D073
M D093
D250 -D289
D390 -D399
N700 -N96
N980 -N999
R75

N894 Address

C52

ICD-10-Mortality Manual 2c - 2014

M C798
D072
D281
D397
N894

N898 Address

A181
M A500 -A64
B200 -B24
B901
M C000 -D489
D860 -D869
N000 -N399
N600 -N949
Q500 -Q529
R31
R75
T812

N899 Address

C510 -C519
C530 -C58
C763
C796
D060 -D073
M D097
D250 -D280
D282 -D289
M D367
D390 -D399
M D487
N700 -N889
N899
N910 -N959
Q500 -Q519
Q525 -Q529

N9 Category

N904 Address

C510 -C519
M C798
D071
D280
D397
N904

N908 Address

B200 -B24
C510 -C519
N908
R75
M T455
M T457
M X44
M X64
M Y14

N912 Address

B650 -B659
N912

N926 Address

C510 -C58
C763
C796
M C798
D060 -D073
M D097
D250 -D289
M D367
D390 -D399
M D487
N700 -N709
M N710 -N909
N926
Q500 -Q529

N930 Address

C510 -C58
C64 -C689
C763
M C768
C790 -C791
C796
M C798
C80 -C959
D060 -D073
M D097
M D197
D260 -D269
D280 -D289
D300 -D309

ICD-10-Mortality Manual 2c - 2014

M D367
D390 -D399
D410 -D419
M D481
M D487
D489
E280 -E289
E894
N700 -N939
N950 -N96
N980 -N999
Q500 -Q529
M T455
M T457
M X44
M X64
M Y14

N938 Address

C510 -C58
C64 -C689
C763
M C768
C790 -C791
C796
M C798
C80 -C959
D060 -D073
M D097
M D197
D260 -D269
D280 -D289
D300 -D309
M D367
D390 -D399
D410 -D419
M D481
M D487
D489
E280 -E289
E894
N700 -N939
N950 -N96
N980 -N999
Q500 -Q529
M T455
M T457
M X44
M X64

ICD-10-Mortality Manual 2c - 2014

M Y14

N939 Address

C510 -C58
C64 -C689
C763
M C768
C790 -C791
C796
M C798
C80 -C959
D060 -D073
M D097
M D197
D260 -D269
D280 -D289
D300 -D309
M D367
D390 -D399
D410 -D419
M D481
M D487
D489
E280 -E289
E894
N700 -N939
N950 -N96
N980 -N999
Q500 -Q529
M T455
M T457
M X44
M X64
M Y14

N940 Address

N700 -N909
N940

N941 Address

N700 -N909
N941

N945 Address

C530 -C55
C798
D060 -D069

ICD-10-Mortality Manual 2c - 2014

D073
D250 -D269
D390
N710 -N739
N800 -N809
N840 -N841
N850 -N889
N945
Q510 -Q519
Q528

N946 Address

N700 -N909
N946

N948 Address

C510 -C58
C763
C796
M C798
D060 -D073
M D097
D250 -D289
M D367
D390 -D399
M D487
N700 -N948
N950 -N959
Q500 -Q529
M T455
M T457
M X44
M X64
M Y14

N949 Address

M A000 -B99
C180 -C189
C510 -C58
C64 -C689
C785
C790 -C791
C796
M C798
C80
M D038
D060 -D073
D090 -D091

ICD-10-Mortality Manual 2c - 2014

D250 -D289
D300 -D309
D390 -D399
D410 -D419
M D481
M D487
E280 -E289
N000 -N399
N700 -N999
Q500 -Q529
Q600 -Q649
R31
R75

N950 Address

N950
M Y833
M Y883

N971 Address

N971
Q506

N972 Address

N972
Q519

N979 Address

N979
Q506
Q519

N990 Address

N990
M Y600 -Y69
Y830 -Y849
Y881
Y883

N991 Address

N991
M Y600 -Y69
Y830 -Y849
Y881
Y883

N992 Address

N992
M Y831 -Y832
M Y834
M Y836 -Y839
M Y883

N993 Address

C510 -C58
N993
Y600
Y610
Y620
Y652
Y655 -Y658
Y69
M Y836
M Y883

N994 Address

N994
M Y600 -Y69
M Y830 -Y849
Y881
M Y883

N995 Address

N995
Y833
Y883

N998 Address

N998
Y600 -Y849
Y881
Y883

N999 Address

N999
Y600 -Y849
Y881
Y883

Q

00 Category

0000 Address

0000

0001 Address

0001

0002 Address

0002

0008 Address

0008

0009 Address

0009

0010 Address

0010

0011 Address

0011

0019 Address

0019

0020 Address

0020

0021 Address

0021

0028 Address

0028

0029 Address

0029

0030 Address

0030 -0039

0100 -0219

ICD-10-Mortality Manual 2c - 2014

O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O031 Address

O030 -O039
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O032 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O032 -O033
O038
O043
O048
O053
O058
O063

ICD-10-Mortality Manual 2c - 2014

O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *

O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O033 Address

O030 -O039
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O034 Address

O030 -O039
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

ICD-10-Mortality Manual 2c - 2014

0035 Address

0030 -0039
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0036 Address

0030 -0039
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0037 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O037 -O038
O043

ICD-10-Mortality Manual 2c - 2014

0048
0053
0058
0063
0068
0073
0078
0087
M 0223
M 0229
060 -O849
M 0871
M 0879
095
0987 *0994
T801
T817
T828
T838
T848
T858
Y600 -Y849

0038 Address

0030 -O039
0100 -O219
0230 -O239
0260 -O264
0266 -O269
0310
0440 -O469
0670 -O679
095
M 0980 -O986 *
0987 *
M 0988 -O998 *

0039 Address

0030 -O039
0100 -O219
0230 -O239
0260 -O264
0266 -O269
0310
0440 -O469
0670 -O679
095

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *

M 0988 -0998 *

0040 Address

0040 -0049

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0320

0440 -0469

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0041 Address

0040 -0049

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0320

0440 -0469

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0042 Address

M I011

M I020

M I050 -I080

I081 -I089

I091

I330 -I339

M I340 -I379

I38

M I423 -I424

I48 -I499

I513

M I700

M I740 -I741

M I800 -I809

M I821 -I829

ICD-10-Mortality Manual 2c - 2014

0033
0038
0042 -0043
0048
0053
0058
0063
0068
0073
0078
0087
M 0223
M 0229
060 -0849
M 0871
M 0879
095
0987 *0994
T801
T817
T828
T838
T848
T858
Y600 -Y849

0043 Address

0040 -0049
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0320
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0044 Address

0040 -0049
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0320

ICD-10-Mortality Manual 2c - 2014

O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *M O988 -O998 *

O045 Address

O040 -O049
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O320
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O046 Address

O040 -O049
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O320
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O047 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700

ICD-10-Mortality Manual 2c - 2014

M	I740	-I741
M	I800	-I809
M	I821	-I829
	O033	
	O038	
	O043	
	O047	-O048
	O053	
	O058	
	O063	
	O068	
	O073	
	O078	
	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
	O95	
	O987	*
	O994	
	T801	
	T817	
	T828	
	T838	
	T848	
	T858	
	Y600	-Y849

O048 Address

	O040	-O049
	O100	-O219
	O230	-O239
	O260	-O264
	O266	-O269
	O320	
	O440	-O469
	O670	-O679
	O95	
M	O980	-O986 *
	O987	*
M	O988	-O998 *

O049 Address

	O040	-O049
	O100	-O219
	O230	-O239

ICD-10-Mortality Manual 2c - 2014

O260 -O264
O266 -O269
O320
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O050 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O051 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O052 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O052 -O053
O058
O063
O068
O073
O078

ICD-10-Mortality Manual 2c - 2014

O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O053 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O054 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O055 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O056 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O057 Address

M I011
M I020
M I050 -I080
I081 -I089

ICD-10-Mortality Manual 2c - 2014

I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O057 -O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O058 Address

O050 -O059
M O980 -O986 *
O987 *
M O988 -O998 *

O059 Address

O050 -O059
M O980 -O986 *
O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

0060 Address

0030 -0039

0060

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0310

0440 -0469

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0061 Address

0030 -0039

0061

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0310

0440 -0469

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0062 Address

M I011

M I020

M I050 -I080

I081 -I089

I091

I330 -I339

M I340 -I379

I38

M I423 -I424

I48 -I499

I513

M I700

M I740 -I741

M I800 -I809

M I821 -I829

ICD-10-Mortality Manual 2c - 2014

0033
0038
0043
0048
0053
0058
0062 -0063
0068
0073
0078
0087
M 0223
M 0229
060 -0849
M 0871
M 0879
095
0987 *0994
T801
T817
T828
T838
T848
T858
Y600 -Y849

0063 Address

0030 -0039
0063
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0064 Address

0030 -0039
0064
0100 -0219
0230 -0239
0260 -0264

ICD-10-Mortality Manual 2c - 2014

O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O065 Address

O030 -O039
O065
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O066 Address

O030 -O039
O066
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O067 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38

ICD-10-Mortality Manual 2c - 2014

M	I423	-I424
	I48	-I499
	I513	
M	I700	
M	I740	-I741
M	I800	-I809
M	I821	-I829
	O033	
	O038	
	O043	
	O048	
	O053	
	O058	
	O063	
	O067	-O068
	O073	
	O078	
	O087	
M	O223	
M	O229	
	O60	-O849
M	O871	
M	O879	
	O95	
	O987	*
	O994	
	T801	
	T817	
	T828	
	T838	
	T848	
	T858	
	Y600	-Y849

0068 Address

	O030	-O039
	O068	
	O100	-O219
	O230	-O239
	O260	-O264
	O266	-O269
	O310	
	O440	-O469
	O670	-O679
	O95	
M	O980	-O986 *
	O987	*
M	O988	-O998 *

0069 Address

0030 -0039
0069
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0070 Address

0070 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0071 Address

0070 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0440 -0469
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0072 Address

M I011
M I020

ICD-10-Mortality Manual 2c - 2014

M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O072 -O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *
O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O073 Address

O070 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679

ICD-10-Mortality Manual 2c - 2014

O95
M O980 -O986 *
O987 *
M O988 -O998 *

O074 Address

O070 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O075 Address

O070 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O076 Address

O070 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

ICD-10-Mortality Manual 2c - 2014

O077 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O077 -O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *
O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O078 Address

O070 -O079
O100 -O219
O230 -O239

ICD-10-Mortality Manual 2c - 2014

O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O079 Address

O070 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O440 -O469
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O080 Address

O000 -O089
O987 *

O081 Address

O000 -O089
O987 *

O082 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809

ICD-10-Mortality Manual 2c - 2014

M I821 -I829
O032 -O034
O037 -O039
O042 -O044
O047 -O049
O052 -O054
O057 -O059
O062 -O064
O067 -O069
O072 -O074
O077 -O079
O082
O087
M O223
M O229
O60 -O849
M O871
M O879
O95
O987 *O994
T801
T817
T828
T838
T848
T858
Y600 -Y849

O083 Address

O000 -O089
O987 *

O084 Address

O000 -O089
O987 *

O085 Address

O000 -O089
O987 *

O086 Address

O000 -O089
O987 *

O087 Address

ICD-10-Mortality Manual 2c - 2014

O000 -O089
O987 *

O088 Address

O000 -O089
O987 *

O089 Address

O000 -O089
O987 *

O1 Category

O100 Address

O100 -O16
M O980 -O986 *
O987 *
M O988 -O998 *

O101 Address

O100 -O16
M O980 -O986 *
O987 *
M O988 -O998 *

O102 Address

O100 -O16
M O980 -O986 *
O987 *
M O988 -O998 *

O103 Address

O100 -O16
M O980 -O986 *
O987 *
M O988 -O998 *

O104 Address

O100 -O16
M O980 -O986 *
O987 *
M O988 -O998 *

O109 Address

O100 -O16

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *

M 0988 -0998 *

O11 Address

0100 -016
M 0980 -0986 *
0987 *

M 0988 -0998 *

O120 Address

0100 -016
0260
0300 -0309
M 0980 -0986 *
0987 *

M 0988 -0998 *

O121 Address

0100 -016
0260
0300 -0309
M 0980 -0986 *
0987 *

M 0988 -0998 *

O122 Address

0100 -016
0260
0300 -0309
M 0980 -0986 *
0987 *

M 0988 -0998 *

O13 Address

0100 -016
0260
0300 -0309
M 0980 -0986 *
0987 *

M 0988 -0998 *

O140 Address

0100 -016
0260
0300 -0309

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *

M 0988 -0998 *

O141 Address

0100 -016
0260
0300 -0309

M 0980 -0986 *
0987 *

M 0988 -0998 *

O142 Address

0100 -016
0260
0300 -0309

M 0980 -0986 *
0987 *

M 0988 -0998 *

O149 Address

0100 -016
0260
0300 -0309

M 0980 -0986 *
0987 *

M 0988 -0998 *

O150 Address

0100 -016
0260
0300 -0309

M 0980 -0986 *
0987 *

M 0988 -0998 *

O151 Address

0100 -016
0260
0300 -0309

M 0980 -0986 *
0987 *

M 0988 -0998 *

O152 Address

0100 -016

ICD-10-Mortality Manual 2c - 2014

O260
O300 -O309
M O750 -O759
M O980 -O986 *
O987 *
M O988 -O998 *

O159 Address

O100 -O16
O260
O300 -O309
M O980 -O986 *
O987 *
M O988 -O998 *

O16 Address

O100 -O16
O260
O300 -O309
M O980 -O986 *
O987 *
M O988 -O998 *

O2 Category

O200 Address

O100 -O209
O440 -O469
O670 -O679
M O980 -O986 *
O987 *
M O988 -O998 *

O208 Address

O100 -O209
O440 -O469
O670 -O679
M O980 -O986 *
O987 *
M O988 -O998 *

O209 Address

O100 -O209
O440 -O469
O670 -O679
M O980 -O986 *
O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

O210 Address

O210

O980 -0998

O211 Address

O211

O980 -0998

O212 Address

O212

O980 -0998

O218 Address

O218

O980 -0998

O219 Address

O219

O980 -0998

O220 Address

O100 -016

O220

O265

O440 -0469

O670 -0679

O750 -085

O904

M 0980 -0986 *

0987 *

M 0988 -0998 *

O221 Address

O100 -016

O221

O265

O440 -0469

O670 -0679

O750 -085

O904

M 0980 -0986 *

0987 *

M 0988 -0998 *

O222 Address

O100 -O16
O222
O265
O440 -O469
O670 -O679
O750 -O85
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O223 Address

O100 -O16
O223
O265
O440 -O469
O670 -O679
O750 -O85
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O224 Address

O100 -O16
O224
O265
O440 -O469
O670 -O679
O750 -O85
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O225 Address

O100 -O16
O225
O265
O440 -O469
O670 -O679
O750 -O85
O904
M O980 -O986 *
O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

O228 Address

0100 -016

0228

0265

0440 -0469

0670 -0679

0750 -085

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

O229 Address

0100 -016

0229

0265

0440 -0469

0670 -0679

0750 -085

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

O230 Address

0230

0980 -0989

M 0990 -0998

O231 Address

0231

0980 -0989

M 0990 -0998

O232 Address

0232

0980 -0989

M 0990 -0998

O233 Address

0233

0980 -0989

M 0990 -0998

O234 Address

O234
O980 -O989
M O990 -O998

O235 Address

O235
O980 -O989
M O990 -O998

O239 Address

O239
O980 -O989
M O990 -O998

O240 Address

O240
O25
M O992
M O996
M O998

O241 Address

O241
O25
M O992
M O996
M O998

O242 Address

O242
O25
M O992
M O996
M O998

O243 Address

O243
O25
M O992
M O996
M O998

O244 Address

ICD-10-Mortality Manual 2c - 2014

O244
O25
M O992
M O996
M O998

O249 Address

O249 -O25
M O992
M O996
M O998

O25 Address

O25
M O980 -O986 *
O987 *
M O988 -O998 *

O260 Address

M O100 -O16
O200 -O299
M O300 -O48
O980 -O998

O261 Address

M O100 -O16
O200 -O299
M O300 -O48
O980 -O998

O262 Address

M O100 -O16
O200 -O299
M O300 -O48
O980 -O998

O263 Address

M O100 -O16
O200 -O299
M O300 -O48
O980 -O998

O264 Address

M O100 -O16
O200 -O299

ICD-10-Mortality Manual 2c - 2014

M 0300 -048
0980 -0998

O265 Address

0100 -0719
0740 -0759
0910 -0927
0980 -0998

O266 Address

0100 -016
0266
0300 -0309
0440 -0469
0670 -0679
0720 -0723
M 0980 -0986 *
0987 *
M 0988 -0998 *

O267 Address

M 0100 -016
0200 -0299
M 0300 -048
0980 -0998

O268 Address

M 0100 -016
0200 -0299
M 0300 -048
0980 -0998

O269 Address

M 0100 -016
0200 -0299
M 0300 -048
0980 -0998

O280 Address

0280
M 0980 -0986 *
0987 *
M 0988 -0998 *

O281 Address

ICD-10-Mortality Manual 2c - 2014

O281
M O980 -O986 *
O987 *
M O988 -O998 *

O282 Address

O282
M O980 -O986 *
O987 *
M O988 -O998 *

O283 Address

O283
M O980 -O986 *
O987 *
M O988 -O998 *

O284 Address

O284
M O980 -O986 *
O987 *
M O988 -O998 *

O285 Address

O285
M O980 -O986 *
O987 *
M O988 -O998 *

O288 Address

O288
M O980 -O986 *
O987 *
M O988 -O998 *

O289 Address

O289
M O980 -O986 *
O987 *
M O988 -O998 *

O290 Address

O290
O365
O740 -O759

ICD-10-Mortality Manual 2c - 2014

O904
M O980 -O986 *
O987 *
M O988 -O998 *

O291 Address

O291
O365
O740 -O759
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O292 Address

O292
O365
O740 -O759
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O293 Address

O293
O365
O740 -O759
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O294 Address

O294
O365
O740 -O759
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O295 Address

O295
O365
O740 -O759
O904

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *
M 0988 -0998 *

0296 Address

0296
0365
0740 -0759
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0298 Address

0298
0365
0740 -0759
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0299 Address

0299
0365
0740 -0759
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

03 Category

0300 Address

0300

0301 Address

0301

0302 Address

0302

0308 Address

0308

0309 Address

0309

0310 Address

0310

M 0980 -0986 *
0987 *
M 0988 -0998 *

0330 Address

0330

0331 Address

0331

0332 Address

0332

0333 Address

0333

0334 Address

0334

0335 Address

0335

0336 Address

0336

0337 Address

0337

0338 Address

0338

0339 Address

0339

0340 Address

ICD-10-Mortality Manual 2c - 2014

O340

O341 Address

O341

O342 Address

O342

O343 Address

O343

O344 Address

O344

O345 Address

O345

O346 Address

O346

O347 Address

O347

O348 Address

O348

O349 Address

O349

O353 Address

O353

M O980 -O986 *

O987 *

M O988 -O998 *

O358 Address

O358

M O980 -O986 *

O987 *

M O988 -O998 *

O359 Address

ICD-10-Mortality Manual 2c - 2014

O359
M O980 -O986 *
O987 *
M O988 -O998 *

O360 Address

O030 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O360
O430 -O60
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O361 Address

O030 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O361
O430 -O60
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O362 Address

O030 -O079
O100 -O219
O230 -O239
O260 -O264
O266 -O269
O310
O362
O430 -O60
O670 -O679
O95
M O980 -O986 *
O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

0363 Address

0030 -0079

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0310

0363

0430 -060

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0364 Address

0030 -0079

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0310

0364

0430 -060

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0365 Address

0030 -0079

0100 -0219

0230 -0239

0260 -0264

0266 -0269

0310

0365

0430 -060

0670 -0679

095

M 0980 -0986 *

0987 *

M 0988 -0998 *

O366 Address

0030 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0366
0430 -060
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O367 Address

0030 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0367
0430 -060
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O368 Address

0030 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0368
0430 -060
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O369 Address

ICD-10-Mortality Manual 2c - 2014

	0030	-0079	
	0100	-0219	
	0230	-0239	
	0260	-0264	
	0266	-0269	
	0310		
	0369		
	0430	-060	
	0670	-0679	
	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O4 Category

O40 Address

M	0120	-0121	
M	0200	-0209	
M	0230	-0249	
M	0260	-0264	
M	0266	-0269	
M	0310		
	040		
M	0440	-0469	
M	0670	-0679	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O410 Address

M	0070	-0079	
M	0100	-0209	
M	0230	-0249	
M	0260	-0264	
M	0266	-0269	
M	0310		
M	0350	-040	
	0410		
M	0430	-060	
M	0670	-0679	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O411 Address

ICD-10-Mortality Manual 2c - 2014

M	0070	-0079	
M	0100	-0209	
M	0230	-0249	
M	0260	-0264	
M	0266	-0269	
M	0310		
M	0350	-040	
	0411		
M	0430	-060	
M	0670	-0679	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O418 Address

M	0070	-0079	
M	0100	-0209	
M	0230	-0249	
M	0260	-0264	
M	0266	-0269	
M	0310		
M	0350	-040	
	0418		
M	0430	-060	
M	0670	-0679	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O419 Address

M	0070	-0079	
M	0100	-0209	
M	0230	-0249	
M	0260	-0264	
M	0266	-0269	
M	0310		
M	0350	-040	
	0419		
M	0430	-060	
M	0670	-0679	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O420 Address

ICD-10-Mortality Manual 2c - 2014

M	0070	-0079
M	0100	-0209
M	0230	-0249
M	0260	-0264
M	0266	-0269
M	0310	
M	0350	-040
	0420	
M	0430	-060
M	0670	-0679
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O421 Address

M	0070	-0079
M	0100	-0209
M	0230	-0249
M	0260	-0264
M	0266	-0269
M	0310	
M	0350	-040
	0421	
M	0430	-060
M	0670	-0679
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O422 Address

M	0070	-0079
M	0100	-0209
M	0230	-0249
M	0260	-0264
M	0266	-0269
M	0310	
M	0350	-040
	0422	
M	0430	-060
M	0670	-0679
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O429 Address

ICD-10-Mortality Manual 2c - 2014

M	0070	-0079
M	0100	-0209
M	0230	-0249
M	0260	-0264
M	0266	-0269
M	0310	
M	0350	-040
	0429	
M	0430	-060
M	0670	-0679
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O430 Address

	0030	-0079
	0100	-0219
	0230	-0239
	0260	-0264
	0266	-0269
	0310	
	0430	-060
	0670	-0679
	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O431 Address

	0030	-0079
	0100	-0219
	0230	-0239
	0260	-0264
	0266	-0269
	0310	
	0430	-060
	0670	-0679
	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O432 Address

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264

ICD-10-Mortality Manual 2c - 2014

M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439
0440
M 0980 -0986 *
0987 *
M 0988 -0998 *

0438 Address

0030 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0430 -060
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0439 Address

0030 -0079
0100 -0219
0230 -0239
0260 -0264
0266 -0269
0310
0430 -060
0670 -0679
095
M 0980 -0986 *
0987 *
M 0988 -0998 *

0440 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439

ICD-10-Mortality Manual 2c - 2014

O440
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O441 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439
0441
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O450 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439
0450
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O458 Address

ICD-10-Mortality Manual 2c - 2014

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264
M	0266	-0269
	0300	-0309
M	0310	
M	0360	-040
M	0430	-0439
	0458	
M	0690	-0699
M	0710	-0723
	0880	-0883
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

0459 Address

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264
M	0266	-0269
	0300	-0309
M	0310	
M	0360	-040
M	0430	-0439
	0459	
M	0690	-0699
M	0710	-0723
	0880	-0883
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

0460 Address

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264
M	0266	-0269
	0300	-0309
M	0310	
M	0360	-040
M	0430	-0439
	0460	

ICD-10-Mortality Manual 2c - 2014

M	0690	-0699
M	0710	-0723
	0880	-0883
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O468 Address

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264
M	0266	-0269
	0300	-0309
M	0310	
M	0360	-040
M	0430	-0439
	0468	
M	0690	-0699
M	0710	-0723
	0880	-0883
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O469 Address

	0000	-0009
M	0100	-016
M	0230	-0249
M	0260	-0264
M	0266	-0269
	0300	-0309
M	0310	
M	0360	-040
M	0430	-0439
	0469	
M	0690	-0699
M	0710	-0723
	0880	-0883
M	095	
M	0980	-0986 *
	0987	*
M	0988	-0998 *

O470 Address

0470

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *

M 0988 -0998 *

O471 Address

0471

M 0980 -0986 *
0987 *

M 0988 -0998 *

O479 Address

0479
0980 -0998

O48 Address

048
0980 -0998

O6 Category

O60 Address

060
0980 -0998

O600 Address

0100 -0209
0230 -0249
0260 -0264
0266 -0269
0300 -0310
0318
0330 -0349
040 -0469
0600
0621
0670 -0679
095

M 0980 -0986 *
0987 *

M 0988 -0998 *

O601 Address

0100 -0209
0230 -0249
0260 -0264
0266 -0269

ICD-10-Mortality Manual 2c - 2014

O300 -O310
O318
O330 -O349
O40 -O469
O601
O621
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O602 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O300 -O310
O318
O330 -O349
O40 -O469
O602
O621
O670 -O679
M O980 -O986 *
O987 *
M O988 -O998 *

O603 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O300 -O310
O318
O330 -O349
O40 -O469
O603
O621
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O620 Address

O100 -O209
O230 -O249

ICD-10-Mortality Manual 2c - 2014

O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O620
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O621 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O621
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O622 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O622
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O623 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310

ICD-10-Mortality Manual 2c - 2014

O330 -O349
O440 -O469
O623
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O624 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O624
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O628 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O628
O670 -O679
O95
M O980 -O986 *
O987 *
M O988 -O998 *

O629 Address

O100 -O209
O230 -O249
O260 -O264
O266 -O269
O310
O330 -O349
O440 -O469
O629

ICD-10-Mortality Manual 2c - 2014

0670 -0679
095
M 0980 -0986 *
0987 *M 0988 -0998 *

O630 Address

0361 -0369
0430 -0469
0630
0670 -0679
M 0980 -0986 *
0987 *
M 0988 -0998 *

O631 Address

0361 -0369
0430 -0469
0631
0670 -0679
M 0980 -0986 *
0987 *
M 0988 -0998 *

O632 Address

0361 -0369
0430 -0469
0632
0670 -0679
M 0980 -0986 *
0987 *
M 0988 -0998 *

O639 Address

0361 -0369
0430 -0469
0639
0670 -0679
M 0980 -0986 *
0987 *
M 0988 -0998 *

O640 Address

0640

O641 Address

ICD-10-Mortality Manual 2c - 2014

O321

O641

O642 Address

O323

O642

O643 Address

O323

O643

O644 Address

O322

O644

O645 Address

O326

O645

O648 Address

O328

O648

O649 Address

O320 -O329

O640 -O649

O650 Address

O330

O650

O651 Address

O331

O651

O652 Address

O332

O652

O653 Address

O333

O653

O654 Address

O339
O654
O659

O655 Address

O340 -O349
O655

O658 Address

O348
O658

O659 Address

O330 -O349
O650 -O659

O660 Address

O660

O661 Address

O661

O662 Address

O662

O663 Address

O663

O664 Address

O664

O665 Address

O665

O668 Address

O668

O669 Address

O320 -O349
O640 -O669

O670 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439
0670
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O678 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040
M 0430 -0439
0678
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O679 Address

0000 -0009
M 0100 -016
M 0230 -0249
M 0260 -0264
M 0266 -0269
0300 -0309
M 0310
M 0360 -040

ICD-10-Mortality Manual 2c - 2014

M 0430 -0439
0679
M 0690 -0699
M 0710 -0723
0880 -0883
M 095
M 0980 -0986 *
0987 *
M 0988 -0998 *

O680 Address

0680
0980 -0998

O681 Address

0681
0980 -0998

O682 Address

0682
0980 -0998

O683 Address

0683
0980 -0998

O688 Address

0688
0980 -0998

O689 Address

0689
0980 -0998

O690 Address

0690

O691 Address

0691

O692 Address

0692

O693 Address

O693

O694 Address

O694

O695 Address

O695

O698 Address

O698

O699 Address

O699

O7 Category

O700 Address

M O265
O700
M O750 -O759
M O904

O701 Address

M O265
O701
M O750 -O759
M O904

O702 Address

M O265
O702
M O750 -O759
M O904

O703 Address

M O265
O703
M O750 -O759
M O904

O709 Address

ICD-10-Mortality Manual 2c - 2014

M 0265
0709
M 0750 -0759
M 0904

0710 Address

0100 -016
0265
0340 -0349
0610 -0619
M 0620 -0629
0710
0720 -0731
0750 -0759
0904

0711 Address

0100 -016
0265
0340 -0349
0610 -0619
M 0620 -0629
0711
0720 -0731
0750 -0759
0904

0712 Address

0100 -016
0265
0340 -0349
0610 -0619
M 0620 -0629
0712
0720 -0731
0750 -0759
0904

0713 Address

0100 -016
0265
0340 -0349
0610 -0619
M 0620 -0629
0713
0720 -0731
0750 -0759

ICD-10-Mortality Manual 2c - 2014

O904

O714 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O714
O720 -O731
O750 -O759
O904

O715 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O715
O720 -O731
O750 -O759
O904

O716 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O716
O720 -O731
O750 -O759
O904

O717 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O640 -O649
O717
O720 -O731
O750 -O759
O904

0718 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O718
O720 -O731
O750 -O759
O904

0719 Address

O100 -O16
O265
O340 -O349
O610 -O619
M O620 -O629
O719 -O731
O750 -O759
O904

0720 Address

O100 -O16
O220 -O229
O265
O360 -O369
M O40 -O469
M O620 -O629
M O670 -O679
O720 -O723
O750 -O909
M O980 -O986 *
O987 *
M O988 -O998 *

0721 Address

O100 -O16
O220 -O229
O265
O360 -O369
M O40 -O469
M O620 -O629
M O670 -O679
O721 -O723
O750 -O909
M O980 -O986 *

ICD-10-Mortality Manual 2c - 2014

O987 *

M O988 -O998 *

O722 Address

O100 -O16

O220 -O229

O265

O360 -O369

M O40 -O469

M O620 -O629

M O670 -O679

O722 -O723

O750 -O909

M O980 -O986 *

O987 *

M O988 -O998 *

O723 Address

O100 -O16

O220 -O229

O265

O360 -O369

M O40 -O469

M O620 -O629

M O670 -O679

O723

O750 -O909

M O980 -O986 *

O987 *

M O988 -O998 *

O730 Address

O440 -O469

O670 -O679

O700 -O719

O730

M O980 -O986 *

O987 *

M O988 -O998 *

O731 Address

O440 -O469

O670 -O679

O700 -O719

O731

M O980 -O986 *

O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

0740 Address

0265

0740 -0750

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0741 Address

0265

0741 -0750

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0742 Address

0265

0742 -0750

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0743 Address

0265

0743 -0750

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0744 Address

0265

0744 -0750

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0745 Address

0265

0745 -0750

0904

ICD-10-Mortality Manual 2c - 2014

M 0980 -0986 *
0987 *
M 0988 -0998 *

0746 Address

0265
0746 -0750
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0747 Address

0265
0747 -0750
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0748 Address

0748 -0750
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0749 Address

0265
0749 -0750
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

0750 Address

0100 -0719
0740 -0759
0910 -0927
0980 -0998

0751 Address

0100 -0719
0740 -0759
0910 -0927
0980 -0998

O752 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O753 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O754 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O755 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O756 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O757 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O758 Address

O100 -O719
O740 -O759
O910 -O927
O980 -O998

O759 Address

O100 -O719

ICD-10-Mortality Manual 2c - 2014

0740 -0759
0910 -0927
0980 -0998

08 Category

0800 Address

0100 -0998

0801 Address

0100 -0998

0808 Address

0100 -0998

0809 Address

0100 -0998

0810 Address

0100 -0719
0740 -0759
0810
0910 -0927
0980 -0998

0811 Address

0100 -0719
0740 -0759
0811
0910 -0927
0980 -0998

0812 Address

0100 -0719
0740 -0759
0812
0910 -0927
0980 -0998

0813 Address

0100 -0719
0740 -0759
0813
0910 -0927
0980 -0998

O814 Address

O100 -O719
O740 -O759
O814
O910 -O927
O980 -O998

O815 Address

O100 -O719
O740 -O759
O815
O910 -O927
O980 -O998

O820 Address

O100 -O719
O740 -O759
O820
O910 -O927
O980 -O998

O821 Address

O100 -O719
O740 -O759
O821
O910 -O927
O980 -O998

O822 Address

O100 -O719
O740 -O759
O822
O910 -O927
O980 -O998

O828 Address

O100 -O719
O740 -O759
O828
O910 -O927
O980 -O998

O829 Address

O100 -O719

ICD-10-Mortality Manual 2c - 2014

O740 -O759
O829
O910 -O927
O980 -O998

O830 Address

O100 -O719
O740 -O759
O830
O910 -O927
O980 -O998

O831 Address

O100 -O719
O740 -O759
O831
O910 -O927
O980 -O998

O832 Address

O100 -O719
O740 -O759
O832
O910 -O927
O980 -O998

O833 Address

O100 -O719
O740 -O759
O833
O910 -O927
O980 -O998

O834 Address

O100 -O719
O740 -O759
O834
O910 -O927
O980 -O998

O838 Address

O100 -O719
O740 -O759
O838
O910 -O927
O980 -O998

O839 Address

O100 -O719
O740 -O759
O839
O910 -O927
O980 -O998

O840 Address

O100 -O719
O740 -O759
O840
O910 -O927
O980 -O998

O841 Address

O100 -O719
O740 -O759
O841
O910 -O927
O980 -O998

O842 Address

O100 -O719
O740 -O759
O842
O910 -O927
O980 -O998

O848 Address

O100 -O719
O740 -O759
O848
O910 -O927
O980 -O998

O849 Address

O100 -O719
O740 -O759
O849
O910 -O927
O980 -O998

O85 Address

M O120 -O121

ICD-10-Mortality Manual 2c - 2014

M 0200 -0209
M 0230 -0239
M 0260 -0269
M 0310
040 -0469
0620 -0629
0670 -0679
0700 -0731
M 0750 -0759
085
M 0904
M 095
0980 -0989

0860 Address

M 0100 -016
M 0240 -0249
M 0265
0440 -0469
0670 -0679
M 0700 -0723
0740 -0749
M 0750 -0759
085 -0879
M 0880 -0888
0890 -0903
M 0904
0905 -0927
M 0980 -0986 *
0987 *
M 0988 -0998 *

0864 Address

0864
0980 -0998

0870 Address

0100 -016
0265
0440 -0469
0670 -0679
0750 -085
0870
0904
M 0980 -0986 *
0987 *
M 0988 -0998 *

O871 Address

O100 -O16
O265
O440 -O469
O670 -O679
O750 -O85
O871
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O872 Address

O100 -O16
O265
O440 -O469
O670 -O679
O750 -O85
O872
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O873 Address

O100 -O16
O265
O440 -O469
O670 -O679
O750 -O85
O873
O904
M O980 -O986 *
O987 *
M O988 -O998 *

O878 Address

O100 -O16
O265
O440 -O469
O670 -O679
O750 -O85
O878
O904
M O980 -O986 *
O987 *

ICD-10-Mortality Manual 2c - 2014

M 0988 -0998 *

0879 Address

0100 -016

0265

0440 -0469

0670 -0679

0750 -085

0879

0904

M 0980 -0986 *

0987 *

M 0988 -0998 *

0880 Address

0100 -016

0220 -0229

0265

0300 -0309

0340 -0349

0360 -0369

0430 -0439

M 0440 -0469

M 0620 -0629

M 0670 -0679

0710 -0723

0750 -085

M 0860

M 0870 -0879

0880

M 0900 -0909

M 095

M 0980 -0986 *

0987 *

M 0988 -0998 *

0881 Address

0100 -016

0220 -0229

0265

0300 -0309

0340 -0349

0360 -0369

0430 -0439

M 0440 -0469

M 0620 -0629

M 0670 -0679

0710 -0723

ICD-10-Mortality Manual 2c - 2014

	0750	-085	
M	0860		
M	0870	-0879	
	0881		
M	0900	-0909	
M	095		
M	0980	-0986	*
	0987		*
M	0988	-0998	*

O882 Address

M	I011		
M	I020		
M	I050	-I080	
	I081	-I089	
	I091		
	I330	-I339	
M	I340	-I379	
	I38		
M	I423	-I424	
	I48	-I499	
	I513		
M	I700		
M	I740	-I741	
M	I800	-I809	
M	I821	-I829	
	O033		
	O038		
	O043		
	O048		
	O053		
	O058		
	O063		
	O068		
	O073		
	O078		
	O087		
M	O223		
M	O229		
	O60	-O849	
M	O871		
M	O879		
	O882		
M	O95		
	O987		*
	O994		
	T801		
	T817		
	T828		

ICD-10-Mortality Manual 2c - 2014

T838
T848
T858
Y600 -Y849

O883 Address

O100 -O16
O220 -O229
O265
O300 -O309
O340 -O349
O360 -O369
O430 -O439
M O440 -O469
M O620 -O629
M O670 -O679
O710 -O723
O750 -O85
M O860
M O870 -O879
O883
M O900 -O909
M O95
M O980 -O986 *
O987 *
M O988 -O998 *

O888 Address

O100 -O16
O220 -O229
O265
O300 -O309
O340 -O349
O360 -O369
O430 -O439
M O440 -O469
M O620 -O629
M O670 -O679
O710 -O723
O750 -O85
M O860
M O870 -O879
O888
M O900 -O909
M O95
M O980 -O986 *
O987 *
M O988 -O998 *

0890 Address

A34
M O100 -O888
O890
M O891 -O986 *
O987 *
M O988 -O998 *

0891 Address

A34
M O100 -O890
O891
M O892 -O986 *
O987 *
M O988 -O998 *

0892 Address

A34
M O100 -O891
O892
M O893 -O986 *
O987 *
M O988 -O998 *

0893 Address

A34
M O100 -O892
O893
M O894 -O986 *
O987 *
M O988 -O998 *

0894 Address

A34
M O100 -O893
O894
M O895 -O986 *
O987 *
M O988 -O998 *

0895 Address

A34
M O100 -O894
O895
M O896 -O986 *

ICD-10-Mortality Manual 2c - 2014

0987 *

M 0988 -0998 *

0896 Address

A34

M 0100 -0895

0896

M 0898 -0986 *

0987 *

M 0988 -0998 *

0898 Address

A34

M 0100 -0896

0898

M 0899 -0986 *

0987 *

M 0988 -0998 *

0899 Address

A34

M 0100 -0898

0899

M 0900 -0986 *

0987 *

M 0988 -0998 *

09 Category

0900 Address

M 0100 -016

M 0240 -0249

M 0265

0440 -0469

0670 -0679

M 0700 -0723

0740 -0749

M 0750 -0759

085 -0879

M 0880 -0888

0890 -0900

M 0904

0905 -0927

M 0980 -0986 *

0987 *

M 0988 -0998 *

O901 Address

M	O100	-O16	
M	O240	-O249	
M	O265		
	O440	-O469	
	O670	-O679	
M	O700	-O723	
	O740	-O749	
M	O750	-O759	
	O85	-O879	
M	O880	-O888	
	O890	-O903	
M	O904		
	O905	-O927	
M	O980	-O986	*
	O987		*
M	O988	-O998	*

O902 Address

M	O100	-O16	
M	O240	-O249	
M	O265		
	O440	-O469	
	O670	-O679	
M	O700	-O723	
	O740	-O749	
M	O750	-O759	
	O85	-O879	
M	O880	-O888	
	O890	-O903	
M	O904		
	O905	-O927	
M	O980	-O986	*
	O987		*
M	O988	-O998	*

O903 Address

M	O100	-O16	
M	O240	-O249	
M	O265		
	O440	-O469	
	O670	-O679	
M	O700	-O723	
	O740	-O749	
M	O750	-O759	
	O85	-O879	
M	O880	-O888	

ICD-10-Mortality Manual 2c - 2014

0890 -0903
M 0904
0905 -0927
M 0980 -0986 *
0987 *
M 0988 -0998 *

0904 Address

M 0100 -016
M 0240 -0249
M 0265
0440 -0469
0670 -0679
M 0700 -0723
0740 -0749
M 0750 -0759
085 -0879
M 0880 -0888
0890 -0927
M 0980 -0986 *
0987 *
M 0988 -0998 *

0905 Address

M 0100 -016
M 0240 -0249
M 0265
0440 -0469
0670 -0679
M 0700 -0723
0740 -0749
M 0750 -0759
085 -0879
M 0880 -0888
0892 -0927
M 0980 -0986 *
0987 *
M 0988 -0998 *

0908 Address

0100 -0998

0909 Address

0100 -0998

0910 Address

ICD-10-Mortality Manual 2c - 2014

M	O120	-O121	
M	O200	-O209	
M	O230	-O239	
M	O260	-O264	
M	O266	-O269	
M	O310		
	O40	-O429	
	O700	-O719	
	O85		
	O910		
	O920	-O927	
M	O95		
M	O980	-O986	*
	O987		*
M	O988	-O989	*

O911 Address

M	O120	-O121	
M	O200	-O209	
M	O230	-O239	
M	O260	-O264	
M	O266	-O269	
M	O310		
	O40	-O429	
	O700	-O719	
	O85		
	O911		
	O920	-O927	
M	O95		
M	O980	-O986	*
	O987		*
M	O988	-O989	*

O912 Address

M	O120	-O121	
M	O200	-O209	
M	O230	-O239	
M	O260	-O264	
M	O266	-O269	
M	O310		
	O40	-O429	
	O700	-O719	
	O85		
	O912	-O927	
M	O95		
M	O980	-O986	*
	O987		*
M	O988	-O989	*

O95 Address

O100 -O998

O960 Address

O080 -O089

O220 -O239

O244 -O249

O260 -O912

O960

O961 Address

O100 -O11

O16

O240 -O243

O249 -O25

O961

O980 -O998

O969 Address

O000 -O998

O970 Address

O080 -O089

O220 -O239

O244 -O249

O260 -O912

O960

O970

O971 Address

O100 -O11

O16

O240 -O243

O249 -O25

O971

O980 -O998

O979 Address

O000 -O998

O980 Address

O980

O987 *

O981 Address

O981
O987 *

O982 Address

O982
O987 *

O983 Address

O983
O987 *

O984 Address

O984
O987 *

O985 Address

O985
O987 *

O986 Address

O986 -O987 *

O987 Address

O987

O988 Address

M O000 -O986
O987 -O988 *
M O989 -O998

O989 Address

M O000 -O986 *
O987 *
M O988 -O988 *
O989
M O990 -O998

O990 Address

M O000 -O986 *
O987 *
M O988 -O989 *

ICD-10-Mortality Manual 2c - 2014

O990
M O991 -O998

O991 Address

M O000 -O986 *
O987 *
M O988 -O990 *
O991
M O992 -O998

O992 Address

M O000 -O986 *
O987 *
M O988 -O991 *
O992
M O993 -O998

O993 Address

M O000 -O986 *
O987 *
M O988 -O992 *
O993
M O994 -O998

O994 Address

M O000 -O986 *
O987 *
M O988 -O993 *
O994
M O995 -O998
M T170 -T179

O995 Address

M O000 -O986 *
O987 *
M O988 -O994 *
O995
M O996 -O998

O996 Address

M O000 -O986 *
O987 *
M O988 -O995 *
O996
M O997 -O998

O997 Address

M 0000 -O986 *
0987 *
M 0988 -O996 *
0997
M 0998

O998 Address

M 0000 -O986 *
0987 *
M 0988 -O996 *
0998

P

P0 Category

P000 Address

P000

P001 Address

P001

P002 Address

P002

P003 Address

P003
P005

P004 Address

P004

P005 Address

P005

P006 Address

P006

P007 Address

P007
P011

P008 Address

P008

M P011

P009 Address

P009

P010 Address

P010

P011 Address

P000 -P019

P027

M P038

Q600 -Q611

Q613 -Q619

Q621

Q623 -Q624

P012 Address

P005

P011 -P012

Q600 -Q628

Q638 -Q639

Q642 -Q643

Q647 -Q649

P013 Address

P013

P015

Q600 -Q606

P014 Address

P014

P015 Address

P015

P016 Address

P016

P017 Address

ICD-10-Mortality Manual 2c - 2014

P017

P018 Address

P000 -P029

P040

P700 -P701

P019 Address

P019

P020 Address

P020

P021 Address

P000

P005

M P010

P011

M P013

M P015

P018

P020 -P021

P023

M P026

P027

P038

P022 Address

P000

P002

M P003

P004 -P006

P011

P015

P018

P020 -P023

P082

P550 -P579

P700 -P701

P023 Address

P015

P018

P020 -P029

P024 Address

P010 -P011
P013
P015
P024
P026
P030 -P031
P038

P025 Address

P013
P015
P017
P020 -P030
P965 -P968

P026 Address

P015
P024 -P026

P027 Address

P002
P010 -P011
P018 -P022
P027
P036

P028 Address

P028

P029 Address

P002
P011
P018
P020 -P022
P027 -P029

P030 Address

P030
P038
Q000 -Q079
Q180 -Q189
Q330 -Q349
Q390 -Q409

ICD-10-Mortality Manual 2c - 2014

Q600 -Q688
Q740 -Q799
Q851
Q860 -Q878

P031 Address

P031
M P038

P032 Address

P032
M P038
P200 -P209

P033 Address

P033

P034 Address

P000 -P049
P200 -P209

P035 Address

P010
P035
P038

P036 Address

P000 -P013
P036
P080 -P082
P200 -P201
P550 -P560
P700 -P701

P038 Address

P000 -P039
P080 -P082
P200 -P201
P550 -P579
P700 -P701

P039 Address

P000 -P039
P080 -P082
P200 -P201

ICD-10-Mortality Manual 2c - 2014

P550 -P579
P700 -P701

P040 Address

P000 -P040

P041 Address

P000 -P039
P041
P044
P046 -P049

P042 Address

P042

P043 Address

P043

P044 Address

P044

P045 Address

P045

P046 Address

P046

P048 Address

P048

P049 Address

P040 -P049

P050 Address

P000 -P009
P011
P018 -P019
P022 -P023
P050
P350 -P359
P371 -P374
P378
Q000 -Q079

ICD-10-Mortality Manual 2c - 2014

Q200 -Q283
Q390 -Q393
Q399 -Q459
Q560 -Q688
Q710 -Q999

P051 Address

P000 -P009
P011
P018 -P019
P022 -P023
P040 -P049
P051
P370 -P379
Q000 -Q079
Q200 -Q289
Q380 -Q459
Q560 -Q688
Q710 -Q999

P052 Address

P000 -P009
P011
P018 -P019
P022 -P023
P040 -P049
P052
P350 -P359
P370 -P379
Q000 -Q079
Q200 -Q289
Q380 -Q459
Q560 -Q688
Q710 -Q999

P059 Address

P000 -P009
P011
P018 -P019
P022 -P023
P040 -P049
P059
P350 -P359
P370 -P379
Q000 -Q079
Q200 -Q289
Q380 -Q459
Q560 -Q688

ICD-10-Mortality Manual 2c - 2014

Q710 -Q999

P070 Address

M B200 -B24
K400 -K469
P000 -P029
P040 -P049
P070
P350 -P399
P550 -P579
P700 -P701
Q000 -Q999
R75

P071 Address

M B200 -B24
K400 -K469
P000 -P029
P040 -P049
P071
P350 -P399
P550 -P579
P700 -P701
Q000 -Q999
R75

P072 Address

B200 -B24
K400 -K469
P000 -P029
P070 -P073
P350 -P399
P550 -P579
P700 -P701
P940 -Q999
R75

P073 Address

B200 -B24
K400 -K469
P000 -P029
P040 -P049
P073
P350 -P399
P550 -P579
P700 -P701
Q000 -Q999

R75

P080 Address

P080
P700 -P701

P081 Address

P081
P560 -P569
P700 -P701

P082 Address

P082

P1 Category

P100 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P101 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P102 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P103 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P104 Address

ICD-10-Mortality Manual 2c - 2014

P030 -P039
P100 -P112
P119
P130 -P131
P159

P108 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P109 Address

P030 -P039
P100 -P112
P119
P130 -P131
P159

P110 Address

P030 -P039
P110
P159

P111 Address

P030 -P039
P111
P159

P112 Address

P030 -P039
P112
P159

P113 Address

P030 -P039
P113
P159

P114 Address

P030 -P039
P114
P159

P115 Address

P030 -P039
P115
P159

P119 Address

P030 -P039
P119
P159

P120 Address

P030 -P039
P120
P159

P121 Address

P030 -P039
P121
P159

P122 Address

P030 -P039
P122
P159

P123 Address

P030 -P039
P123
P159

P124 Address

P030 -P039
P124
P159

P128 Address

P030 -P039
P128
P159

P130 Address

P030 -P039
P130

ICD-10-Mortality Manual 2c - 2014

P159

P131 Address

P030 -P039

P131

P159

P132 Address

P030 -P039

P132

P159

P133 Address

P030 -P039

P133

P159

P134 Address

P030 -P039

P134

P159

P138 Address

P030 -P039

P138

P159

P139 Address

P030 -P039

P139

P159

P140 Address

P030 -P039

P140

P159

P141 Address

P030 -P039

P141

P159

P142 Address

P030 -P039

ICD-10-Mortality Manual 2c - 2014

P142

P159

P143 Address

P030 -P039

P143

P159

P148 Address

P030 -P039

P148

P159

P149 Address

P030 -P039

P149

P159

P150 Address

P030 -P039

P150

P159

P151 Address

P030 -P039

P151

P159

P152 Address

P030 -P039

P152

P159

P153 Address

P030 -P039

P153

P159

P154 Address

P030 -P039

P154

P159

P155 Address

ICD-10-Mortality Manual 2c - 2014

P030 -P039
P155
P159

P156 Address

P030 -P039
P156
P159

P158 Address

P030 -P039
P158 -P159

P159 Address

P030 -P039
P159

P2 Category

P200 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981
J984 -J989
K400 -K469
N000 -N399
P000 -Q999
R75

P201 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981
J984 -J989
K400 -K469

ICD-10-Mortality Manual 2c - 2014

N000 -N399
P000 -Q999
R75

P209 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981
J984 -J989
K400 -K469
N000 -N399
P000 -Q999
R75

P210 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P211 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P219 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P220 Address

M A000 -B89

ICD-10-Mortality Manual 2c - 2014

M B99 -E899
M G000 -G98
M I260
M I270 -I309
M I400 -I409
M I99 -J22
M J81 -J853
M J950 -J981
M J984
J9840 -J989
K400 -K469
M N000 -N399
M P000 -P009
P010 -P073
M P080 -P219
P220
M P221 -Q999
R75

P221 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981
J984 -J989
K400 -K469
K550 -K559
N000 -N399
P000 -Q999
R75
T810 -T889
Y600 -Y849

P228 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981

ICD-10-Mortality Manual 2c - 2014

J984 -J989
K400 -K469
K550 -K559
N000 -N399
P000 -Q999
R75
T810 -T889
Y600 -Y849

P229 Address

A000 -B89
B99 -E899
G000 -G98
I260
I270 -I309
I400 -I409
I99 -J22
J81 -J853
J950 -J981
J984 -J989
K400 -K469
K550 -K559
N000 -N399
P000 -Q999
R75
T810 -T889
Y600 -Y849

P230 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P231 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P232 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

P233 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P234 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P235 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P236 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P238 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P239 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P240 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P242 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P243 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P248 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P249 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P250 Address

B200 -B24
K440 -K449
P005 -P006
P020 -P039
P070 -P073
M P138
P152
M P158
P159 -P399
P550 -P569
P612
P700 -P702
P800 -P809
P832
P916
Q200 -Q349
Q870 -Q999
R75

P251 Address

B200 -B24
K440 -K449
P005 -P006
P020 -P039
P070 -P073
M P138
P152
M P158
P159 -P399
P550 -P569
P612
P700 -P702
P800 -P809
P832
P916
Q200 -Q349
Q870 -Q999
R75

P252 Address

B200 -B24
K440 -K449
P005 -P006
P020 -P039
P070 -P073
M P138

ICD-10-Mortality Manual 2c - 2014

M P152
P158
P159 -P399
P550 -P569
P612
P700 -P702
P800 -P809
P832
P916
Q200 -Q349
Q870 -Q999
R75

P253 Address

B200 -B24
K440 -K449
P005 -P006
P020 -P039
P070 -P073
M P138
P152
M P158
P159 -P399
P550 -P569
P612
P700 -P702
P800 -P809
P832
P916
Q200 -Q349
Q870 -Q999
R75

P258 Address

B200 -B24
K440 -K449
P005 -P006
P020 -P039
P070 -P073
M P138
P152
M P158
P159 -P399
P550 -P569
P612
P700 -P702
P800 -P809
P832

ICD-10-Mortality Manual 2c - 2014

P916
Q200 -Q349
Q870 -Q999
R75

P260 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P261 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P268 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P269 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P270 Address

P050 -P073
P220 -P229
P270

P271 Address

P050 -P073
P220 -P229
P271

ICD-10-Mortality Manual 2c - 2014

Q300 -Q349

P278 Address

P050 -P073
P220 -P229
P278

P279 Address

P050 -P073
P220 -P229
P279 -P280

P280 Address

A500 -A509
B200 -B24
P000 -P009
P011 -P013
P050 -P073
P220 -P229
P280
M P350 -P399
P612
Q600 -Q611
Q613 -Q649
R75

P281 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P282 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P283 Address

P070 -P073
P283

P284 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P285 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P288 Address

M A000 -P285
P288
M P289 -R961
M R98 -Y899

P289 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P290 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P291 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P292 Address

A000 -B89
C000 -E899
G000 -G259
G310 -G98
I00 -I519
I700 -J329
J81 -J959
J984
K070 -K929
N000 -N19
P000 -Q999
R75

P293 Address

A000 -B89
C000 -E899
G000 -G259
G310 -G98
I00 -I519
I700 -J329
J81 -J959
J984
K070 -K929
N000 -N19
P000 -Q999
R75

P294 Address

A000 -B89
C000 -E899
G000 -G259
G310 -G98
I00 -I519
I700 -J329
J81 -J959
J984
K070 -K929
N000 -N19
P000 -Q999
R75

P298 Address

A000 -B89
C000 -E899
G000 -G259

ICD-10-Mortality Manual 2c - 2014

G310 -G98
I00 -I519
I700 -J329
J81 -J959
J984
K070 -K929
N000 -N19
P000 -Q999
R75

P299 Address

A000 -B89
C000 -E899
G000 -G259
G310 -G98
I00 -I519
I700 -J329
J81 -J959
J984
K070 -K929
N000 -N19
P000 -Q999
R75

P3 Category

P350 Address

P002
P350

P351 Address

P002
P351

P352 Address

P002
P352

P353 Address

P002
P353

P358 Address

P002
P358

P359 Address

P002
P359

P360 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P361 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P362 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P363 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P364 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P365 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P368 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P369 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P370 Address

P370

P371 Address

P371

P372 Address

P372

P373 Address

P373

P374 Address

P374

P375 Address

P375

P378 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P379 Address

P379

P38 Address

P38

P390 Address

P390

P391 Address

A540 -A549
P391

P392 Address

P002
P011
P027
P392

P393 Address

P390 -P399

P394 Address

P390 -P399

P398 Address

P390 -P399

P399 Address

P399

P5 Category

P500 Address

ICD-10-Mortality Manual 2c - 2014

P026
P500

P501 Address

P026
P501
P509

P502 Address

P020 -P022
P502

P503 Address

P503

P504 Address

P021 -P022
P504

P505 Address

P505

P508 Address

P508

P509 Address

P026
P500 -P509

P510 Address

P510 -P519
P53
P60
Q792

P518 Address

P510 -P519
P53
P60
Q792

P519 Address

P510 -P519

ICD-10-Mortality Manual 2c - 2014

P53

P60

P520 Address

N000 -N289

P000 -Q999

P521 Address

N000 -N289

P000 -Q999

P522 Address

N000 -N289

P000 -Q999

P523 Address

N000 -N289

P000 -Q999

P524 Address

N000 -N289

P000 -Q999

P525 Address

N000 -N289

P000 -Q999

P526 Address

N000 -N289

P000 -Q999

P528 Address

N000 -N289

P000 -Q999

P529 Address

N000 -N289

P000 -Q999

P53 Address

P050 -P073

P53

P540 Address

M C810 -C969
K250 -K260
K280
N000 -N289
P000 -Q999

P541 Address

M C810 -C969
K250 -K260
K280
N000 -N289
P000 -Q999

P542 Address

M C810 -C969
K250 -K260
K280
N000 -N289
P000 -Q999

P543 Address

M C810 -C969
K250 -K260
K280
N000 -N289
P000 -Q999

P544 Address

N000 -N289
P000 -Q999

P545 Address

N000 -N289
P000 -Q999

P546 Address

P546
Q500 -Q529

P548 Address

N000 -N289
P000 -Q999

P549 Address

N000 -N289
P000 -Q999

P550 Address

P550

P551 Address

P551

P558 Address

P550 -P559

P559 Address

P550 -P559

P560 Address

P550 -P560
P60

P569 Address

P550 -P559
P569
P614

P570 Address

P550 -P560
P570
P614

P578 Address

A500 -A599
D550 -D589
E030 -E0390
E740
E742
E800 -E807
E840 -E849
E880 -E889
P070 -P073
P350 -P359
P53
P545

ICD-10-Mortality Manual 2c - 2014

P550 -P560
P578
P580 -P619
Q440 -Q447

P579 Address

P550 -P560
P579
P614

P580 Address

M P070 -P109
M P120 -P129
M P150 -P151
M P230 -P239
M P350 -P399
P53
P545
P580 -P589
P60 -P619
P782

P581 Address

P581
P60

P582 Address

P350 -P399
P582

P583 Address

P583
P611

P584 Address

P040 -P049
P584
X40 -X49
Y400 -Y599

P585 Address

P585

P588 Address

P588

P589 Address

P550 -P569
P589

P590 Address

P070 -P073
P590

P591 Address

E849
P591

P592 Address

P592

P593 Address

P040 -P049
P593

P598 Address

E030 -E031
E800 -E807
E840 -E849
P598
Q440 -Q447

P599 Address

A500 -A509
D550 -D699
E030 -E031
E800 -E807
E840 -E849
P070 -P073
P350 -P399
P53
P550 -P560
P570 -P589
P599 -P619
Q200 -Q289
Q440 -Q447

P6 Category

P60 Address

ICD-10-Mortality Manual 2c - 2014

A000 -A099
A33
B200 -B24
P070 -P073
P200 -P619
P77 -P789
P916
Q200 -Q289
Q870 -Q899
R75

P610 Address

P070 -P073
P60 -P610

P611 Address

P200 -P299
P611
P916

P612 Address

P015
P070 -P073
P612

P613 Address

P020
P023
P100 -P109
P120 -P129
P260 -P269
P500 -P549
P60
P613

P614 Address

A000 -A099
A33
B200 -B24
K400 -K469
P000 -P073
P100 -P159
P230 -P239
P260 -P269
P293 -P619
P760 -P789

ICD-10-Mortality Manual 2c - 2014

P920 -P923
P925 -P93
P960 -P962
P965 -Q999
R75

P615 Address

P015
P070 -P073
P615

P616 Address

P616

P618 Address

P015
P070 -P073
P618

P619 Address

P015
P070 -P073
P619

P7 Category

P700 Address

P000 -Q999

P701 Address

P000 -Q999

P703 Address

P000 -Q999
T629
X40 -X49
Y400 -Y599

P704 Address

P000 -Q999

P708 Address

P000 -Q999

P709 Address

P000 -Q999

P710 Address

P000 -Q999

P711 Address

P000 -Q999

P712 Address

P000 -Q999

P713 Address

P000 -Q999

P714 Address

P000 -Q999

P718 Address

P000 -Q999

P719 Address

P000 -Q999

P720 Address

P000 -Q999

P722 Address

P000 -Q999

P728 Address

P000 -Q999

P740 Address

A000 -R961
R98 -Y899

P741 Address

A000 -R961
R98 -Y899

P742 Address

P000 -Q999

P743 Address

P000 -Q999

P744 Address

A000 -R961
R98 -Y899

P745 Address

P000 -Q999

P748 Address

A000 -R961
R98 -Y899

P749 Address

A000 -R961
R98 -Y899

P760 Address

E840 -E849
P760

P762 Address

P762

P768 Address

K400 -K439
K450 -K469
P378
P768
Q400 -Q439
Q790 -Q799
Q860 -Q878
Q900 -Q909

P769 Address

A000 -D489
E000 -E899
G000 -G98

ICD-10-Mortality Manual 2c - 2014

I00 -J989
K20 -K929
L120 -L139
L930
M000 -M1990
M300 -M359
N000 -N999
M P000 -P768
P769
M P77 -P969
Q000 -Q079
Q200 -Q289
Q390 -Q459
Q870 -Q878
Q900 -Q999
R75
S000 -T983
Y842
M Y883

P77 Address

P050 -P073
P230 -P239
P350 -P509
P77
Q200 -Q249
Q410 -Q459
Q790 -Q795
Q870 -Q899

P780 Address

E840 -E849
P378
P77 -P780

P781 Address

A000 -A099
B200 -B24
K20 -K929
M P140 -P151
P155 -P159
P350 -P399
P510 -P519
P53 -P789
P920 -P93
Q380 -Q559
Q600 -Q649
Q790 -Q795

ICD-10-Mortality Manual 2c - 2014

Q870 -Q999
R75

P782 Address

P782

P783 Address

A000 -K929
M000 -N999
P000 -Q999
R75
S000 -Y899

P788 Address

E840 -E849
K400 -K439
K450 -K469
P760 -P789
Q380 -Q459
Q860 -Q999

P8 Category

P800 Address

M P070 -P073
P800 -P809
T68 -T699
W93
X31
Y060 -Y069

P808 Address

M P070 -P073
P800 -P809
T68 -T699
W93
X31
Y060 -Y069

P809 Address

P070 -P073
P800 -P809
T68 -T699
X31
Y060 -Y069

P810 Address

P810
T670 -T679
W92
X30
Y060 -Y069

P818 Address

P050 -P073
P818

P819 Address

P050 -P073
P819

P830 Address

P050 -P073
P800 -P809
P830

P832 Address

A500
A502
A509
D550 -D551
D560 -D563
D568 -D569
D580
E880
N009
N019
N049
P000 -P001
P023
P550 -P570
P614
P832
Q200 -Q279
Q600 -Q623
Q628 -Q639
Q897

P833 Address

P550 -P570
P614

ICD-10-Mortality Manual 2c - 2014

P833
Q200 -Q289
Q600 -Q639
Q642 -Q649
Q820

P834 Address

P834

P835 Address

P835

P838 Address

P838

P9 Category

P90 Address

E000 -E899
G400 -G409
G800 -G809
P000 -Q999

P910 Address

P100 -P109
P200 -P219
P520 -P529
P910
P916
Q000 -Q079
Q200 -Q289

P911 Address

P100 -P109
P200 -P219
P520 -P529
P911
P916
Q000 -Q079

P912 Address

P100 -P109
P200 -P219
P520 -P529
P912

ICD-10-Mortality Manual 2c - 2014

P916
Q000 -Q079

P913 Address

E700 -E789
E791 -E849
G938
P000 -Q999

P914 Address

P100 -P109
P200 -P219
P520 -P529
P914
P916
Q000 -Q079

P915 Address

P100 -P109
P200 -P219
P520 -P529
P915 -P916
Q000 -Q079

P916 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P918 Address

P100 -P109
P200 -P219
P520 -P529
P916 -P918
Q000 -Q079

P919 Address

P100 -P109
P200 -P219
P520 -P529
P916
P919
Q000 -Q079

P920 Address

A000 -A099
E000 -E899
P000 -P969
Q390 -Q459

P921 Address

P921

P922 Address

P922

P923 Address

P923

P924 Address

P924

P925 Address

P925

P928 Address

P928

P929 Address

P040 -P049
P929
Y400 -Y599

P93 Address

P040 -P049
P93
T360 -T509
Y400 -Y599

P941 Address

G120 -G129
G800 -G809
P941

P942 Address

E000 -E899

ICD-10-Mortality Manual 2c - 2014

G120 -G129
G800 -G809
P000 -Q999

P948 Address

E000 -E899
G120 -G129
G800 -G809
P000 -Q999

P949 Address

E000 -E899
G120 -G129
G800 -G809
P000 -Q999

P95 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P960 Address

A000 -A099
A33
B200 -B24
K400 -K469
N000 -N999
P000 -Q999
R75
S000 -Y899

P961 Address

P044
P961

P962 Address

P962
Y400 -Y599

P963 Address

P963

P964 Address

P964
Q000 -Q999

P965 Address

P550 -P559
P965
Q000 -Q999

P968 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

P969 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

Q

Q0 Category

Q000 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q000
Q851 -Q999

Q001 Address

A500 -A509
M P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q001
Q851 -Q999

Q002 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q002
Q851 -Q999

Q010 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q010
Q851 -Q999

Q011 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q011
Q851 -Q999

Q012 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q012
Q851 -Q999

Q018 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q018
Q851 -Q999

Q019 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q019
Q851 -Q999

Q02 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q02
Q851 -Q999

Q030 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q030
Q851 -Q999

Q031 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q031
Q851 -Q999

Q038 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q038
Q851 -Q999

Q039 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q039
Q851 -Q999

Q040 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q040
Q851 -Q999

Q041 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q041
Q851 -Q999

Q042 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q042
Q851 -Q999

Q043 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q043
Q851 -Q999

Q044 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q044
Q851 -Q999

Q045 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q045
Q851 -Q999

Q046 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q046
Q851 -Q999

Q048 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q048
Q851 -Q999

Q049 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q049
Q851 -Q999

Q050 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q050
Q851 -Q999

Q051 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q051
Q851 -Q999

Q052 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q052
Q851 -Q999

Q053 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q053
Q851 -Q999

Q054 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q054
Q851 -Q999

Q055 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q055
Q851 -Q999

Q056 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q056
Q851 -Q999

Q057 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q057
Q851 -Q999

Q058 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q058
Q851 -Q999

Q059 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q059
Q851 -Q999

Q060 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q060
Q851 -Q999

Q061 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q061
Q851 -Q999

Q062 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q062
Q851 -Q999

Q063 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q063
Q851 -Q999

Q064 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q064
Q851 -Q999

Q068 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q068
Q851 -Q999

Q069 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q069
Q851 -Q999

Q070 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q070
Q851 -Q999

Q078 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q078
Q851 -Q999

Q079 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q079
Q851 -Q999

Q1 Category

Q100 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q100
Q851 -Q999

Q101 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379

ICD-10-Mortality Manual 2c - 2014

Q101
Q851 -Q999

Q102 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q102
Q851 -Q999

Q103 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q103
Q851 -Q999

Q104 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q104
Q851 -Q999

Q105 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q105
Q851 -Q999

Q106 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q106
Q851 -Q999

Q107 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q107
Q851 -Q999

Q110 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q110
Q851 -Q999

Q111 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q111
Q851 -Q999

Q112 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q112
Q851 -Q999

Q113 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q113
Q851 -Q999

Q120 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q120
Q851 -Q999

Q121 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q121
Q851 -Q999

Q122 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q122
Q851 -Q999

Q123 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q123
Q851 -Q999

Q124 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q124
Q851 -Q999

Q128 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q128
Q851 -Q999

Q129 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q129
Q851 -Q999

Q130 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q130
Q851 -Q999

Q131 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q131
Q851 -Q999

Q132 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q132
Q851 -Q999

Q133 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q133
Q851 -Q999

Q134 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q134
Q851 -Q999

Q135 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q135
Q851 -Q999

Q138 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q138
Q851 -Q999

Q139 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q139
Q851 -Q999

Q140 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q140
Q851 -Q999

Q141 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q141
Q851 -Q999

Q142 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q142
Q851 -Q999

Q143 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q143
Q851 -Q999

Q148 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q148
Q851 -Q999

Q149 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q149
Q851 -Q999

Q150 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q150
Q851 -Q999

Q158 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q158
Q851 -Q999

Q159 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q159
Q851 -Q999

Q160 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q160
Q851 -Q999

Q161 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q161
Q851 -Q999

Q162 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q162
Q851 -Q999

Q163 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q163
Q851 -Q999

Q164 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q164
Q851 -Q999

Q165 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q165
Q851 -Q999

Q169 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q169
Q851 -Q999

Q170 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q170
Q851 -Q999

Q171 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q171
Q851 -Q999

Q172 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q172
Q851 -Q999

Q173 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q173
Q851 -Q999

Q174 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q174
Q851 -Q999

Q175 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q175
Q851 -Q999

Q178 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q178
Q851 -Q999

Q179 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q179
Q851 -Q999

Q180 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q180
Q851 -Q999

Q181 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q181
Q851 -Q999

Q182 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q182
Q851 -Q999

Q183 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q183
Q851 -Q999

Q184 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q184
Q851 -Q999

Q185 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q185
Q851 -Q999

Q186 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q186
Q851 -Q999

Q187 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q187
Q851 -Q999

Q188 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q188
Q851 -Q999

Q189 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q189
Q851 -Q999

Q2 Category

Q200 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q200
Q851 -Q999

Q201 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q201
Q851 -Q999

Q202 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q202
Q851 -Q999

Q203 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q203
Q851 -Q999

Q204 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q204
Q851 -Q999

Q205 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q205
Q851 -Q999

Q206 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q206
Q851 -Q999

Q208 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q208
Q851 -Q999

Q209 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q209
Q851 -Q999

Q210 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q210
Q851 -Q999

Q211 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q211
Q851 -Q999

Q212 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q212
Q851 -Q999

Q213 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q213
Q851 -Q999

Q214 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q214
Q851 -Q999

Q218 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q218
Q851 -Q999

Q219 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q219
Q851 -Q999

Q220 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q220
Q851 -Q999

Q221 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q221
Q851 -Q999

Q222 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q222
Q851 -Q999

Q223 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q223
Q851 -Q999

Q224 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q224
Q851 -Q999

Q225 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q225
Q851 -Q999

Q226 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q226
Q851 -Q999

Q228 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q228
Q851 -Q999

Q229 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q229
Q851 -Q999

Q230 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q230
Q851 -Q999

Q231 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q231
Q851 -Q999

Q232 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q232
Q851 -Q999

Q233 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q233
Q851 -Q999

Q234 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q234
Q851 -Q999

Q238 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q238
Q851 -Q999

Q239 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q239
Q851 -Q999

Q240 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q240
Q851 -Q999

Q241 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q241
Q851 -Q999

Q242 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q242
Q851 -Q999

Q243 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q243
Q851 -Q999

Q244 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q244
Q851 -Q999

Q245 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q245
Q851 -Q999

Q246 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q246
Q851 -Q999

Q248 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q248
Q851 -Q999

Q249 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q249
Q851 -Q999

Q250 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q250
Q851 -Q999

Q251 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q251
Q851 -Q999

Q252 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q252
Q851 -Q999

Q253 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q253
Q851 -Q999

Q254 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q254
Q851 -Q999

Q255 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q255
Q851 -Q999

Q256 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q256
Q851 -Q999

Q257 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q257
Q851 -Q999

Q258 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q258
Q851 -Q999

Q259 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q259
Q851 -Q999

Q260 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q260
Q851 -Q999

Q261 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q261
Q851 -Q999

Q262 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q262
Q851 -Q999

Q263 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q263
Q851 -Q999

Q264 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q264
Q851 -Q999

Q265 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q265
Q851 -Q999

Q266 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q266
Q851 -Q999

Q268 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q268
Q851 -Q999

Q269 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q269
Q851 -Q999

Q270 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q270
Q851 -Q999

Q271 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q271
Q851 -Q999

Q272 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q272
Q851 -Q999

Q273 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q273
Q851 -Q999

Q274 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q274
Q851 -Q999

Q278 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q278
Q851 -Q999

Q2780 Address

A500 -A509
A539
P012 -P013
P350 -P359
P370 -P374
P378 -P379
Q2780
Q870 -Q999

Q279 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q279
Q851 -Q999

Q280 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q280
Q851 -Q999

Q281 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q281
Q851 -Q999

Q282 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q282
Q851 -Q999

Q2820 Address

A500 -A509
A539
P012 -P013
P350 -P359
P370 -P374
P378 -P379
Q2820
Q870 -Q999

Q283 Address

A500 -A509

ICD-10-Mortality Manual 2c - 2014

M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q283
Q851 -Q999

Q2830 Address

A500 -A509
A539
P012 -P013
P350 -P359
P370 -P374
P378 -P379
Q2830
Q870 -Q999

Q288 Address

M A500 -A509 *
M P000 -P009
M P012 -P013 *
M P041 -P049 *
M P350 -P359 *
M P370 -P374 *
M P378 -P379 *
Q288
M Q851 -Q999 *

Q289 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q289
Q851 -Q999

Q3 Category

Q300 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q300
Q851 -Q999

Q301 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q301
Q851 -Q999

Q302 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q302
Q851 -Q999

Q303 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q303
Q851 -Q999

Q308 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q308
Q851 -Q999

Q309 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q309
Q851 -Q999

Q310 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q310
Q851 -Q999

Q311 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q311
Q851 -Q999

Q312 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q312
Q851 -Q999

Q313 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q313
Q851 -Q999

Q315 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q315
Q851 -Q999

Q318 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q318
Q851 -Q999

Q319 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q319
Q851 -Q999

Q320 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q320
Q851 -Q999

Q321 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q321
Q851 -Q999

Q322 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q322
Q851 -Q999

Q323 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q323
Q851 -Q999

Q324 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q324
Q851 -Q999

Q330 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q330
Q851 -Q999

Q331 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q331
Q851 -Q999

Q332 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q332
Q851 -Q999

Q333 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q333
Q851 -Q999

Q334 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q334
Q851 -Q999

Q335 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q335
Q851 -Q999

Q336 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q000 -Q999

Q338 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q338
Q851 -Q999

Q339 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q339
Q851 -Q999

Q340 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q340
Q851 -Q999

Q341 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q341
Q851 -Q999

Q348 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q348
Q851 -Q999

Q349 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q349
Q851 -Q999

Q351 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q351
Q851 -Q999

Q353 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q353
Q851 -Q999

Q355 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q355
Q851 -Q999

Q357 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q357
Q851 -Q999

Q359 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q359
Q851 -Q999

Q360 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q360
Q851 -Q999

Q361 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q361
Q851 -Q999

Q369 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q369
Q851 -Q999

Q370 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q370
Q851 -Q999

Q371 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q371
Q851 -Q999

Q372 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q372
Q851 -Q999

Q373 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q373
Q851 -Q999

Q374 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q374
Q851 -Q999

Q375 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q375
Q851 -Q999

Q378 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q378
Q851 -Q999

Q379 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q379
Q851 -Q999

Q380 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q380
Q851 -Q999

Q381 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q381
Q851 -Q999

Q382 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q382
Q851 -Q999

Q383 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q383
Q851 -Q999

Q384 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q384
Q851 -Q999

Q385 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q385
Q851 -Q999

Q386 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q386
Q851 -Q999

Q387 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q387
Q851 -Q999

Q388 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q388
Q851 -Q999

Q390 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q390
Q851 -Q999

Q391 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q391
Q851 -Q999

Q392 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q392
Q851 -Q999

Q393 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q393
Q851 -Q999

Q394 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q394
Q851 -Q999

Q395 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q395
Q851 -Q999

Q396 Address

A500 -A501
M P000 -P009
P012 -P013
P041 -P049
M P293
P350 -P359
P370 -P374
P378 -P379
Q396
Q851 -Q999

Q398 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q398
Q851 -Q999

Q399 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q399
Q851 -Q999

Q4 Category

Q400 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q400
Q851 -Q999

Q401 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q401
Q851 -Q999

Q402 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q402
Q851 -Q999

Q403 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q403
Q851 -Q999

Q408 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q408
Q851 -Q999

Q409 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q409
Q851 -Q999

Q410 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q410
Q851 -Q999

Q411 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q411
Q851 -Q999

Q412 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q412
Q851 -Q999

Q418 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q418
Q851 -Q999

Q419 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q419
Q851 -Q999

Q420 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q420
Q851 -Q999

Q421 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q421
Q851 -Q999

Q422 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q422
Q851 -Q999

Q423 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q423
Q851 -Q999

Q428 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q428
Q851 -Q999

Q429 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q429
Q851 -Q999

Q430 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q430
Q851 -Q999

Q431 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q431
Q851 -Q999

Q432 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q432
Q851 -Q999

Q433 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q433
Q851 -Q999

Q434 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q434
Q851 -Q999

Q435 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q435
Q851 -Q999

Q436 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q436
Q851 -Q999

Q437 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q437
Q851 -Q999

Q438 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q438
Q851 -Q999

Q439 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q439
Q851 -Q999

Q440 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q440
Q851 -Q999

Q441 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q441
Q851 -Q999

Q442 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q442
Q851 -Q999

Q443 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q443
Q851 -Q999

Q444 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q444
Q851 -Q999

Q445 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q445
Q851 -Q999

Q446 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q446
Q851 -Q999

Q447 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q447
Q851 -Q999

Q450 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q450
Q851 -Q999

Q451 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q451
Q851 -Q999

Q452 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q452
Q851 -Q999

Q453 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q453
Q851 -Q999

Q458 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q458
Q851 -Q999

Q459 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q459
Q851 -Q999

Q5 Category

Q500 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q500
Q851 -Q999

Q501 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q501
Q851 -Q999

Q502 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q502
Q851 -Q999

Q503 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q503
Q851 -Q999

Q504 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q504
Q851 -Q999

Q505 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q505
Q851 -Q999

Q506 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q506
Q851 -Q999

Q510 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q510
Q851 -Q999

Q511 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q511
Q851 -Q999

Q512 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q512
Q851 -Q999

Q513 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q513
Q851 -Q999

Q514 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q514
Q851 -Q999

Q515 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q515
Q851 -Q999

Q516 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q516
Q851 -Q999

Q517 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q517
Q851 -Q999

Q518 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q518
Q851 -Q999

Q519 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q519
Q851 -Q999

Q520 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q520
Q851 -Q999

Q521 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q521
Q851 -Q999

Q522 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q522
Q851 -Q999

Q523 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q523
Q851 -Q999

Q524 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q524
Q850 -Q999

Q525 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q525
Q851 -Q999

Q526 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q526
Q851 -Q999

Q527 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q527
Q851 -Q999

Q528 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q528
Q851 -Q999

Q529 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q529
Q851 -Q999

Q530 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q530
Q851 -Q999

Q531 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q531
Q851 -Q999

Q532 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q532
Q851 -Q999

Q539 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q539
Q851 -Q999

Q540 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q540
Q851 -Q999

Q541 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q541
Q851 -Q999

Q542 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q542
Q851 -Q999

Q543 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q543
Q851 -Q999

Q544 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q544
Q851 -Q999

Q548 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q548
Q851 -Q999

Q549 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q549
Q851 -Q999

Q550 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q550
Q851 -Q999

Q551 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q551
Q851 -Q999

Q552 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q552
Q851 -Q999

Q553 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q553
Q851 -Q999

Q554 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q554
Q851 -Q999

Q555 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q555
Q851 -Q999

Q556 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q556
Q851 -Q999

Q558 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q558
Q851 -Q999

Q559 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q559
Q851 -Q999

Q560 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q560
Q851 -Q999

Q561 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q561
Q851 -Q999

Q562 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q562
Q851 -Q999

Q563 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q563
Q851 -Q999

Q564 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q564
Q851 -Q999

Q6 Category

Q600 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q600
Q851 -Q999

Q601 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q601
Q851 -Q999

Q602 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q602
Q851 -Q999

Q603 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q603
Q851 -Q999

Q604 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q604
Q851 -Q999

Q605 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q605
Q851 -Q999

Q606 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q606
Q851 -Q999

Q610 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q610
Q851 -Q999

Q611 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q611
Q851 -Q999

Q612 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q612
Q851 -Q999

Q613 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q613
Q851 -Q999

Q614 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q614
Q851 -Q999

Q615 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q615
Q851 -Q999

Q618 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q618
Q851 -Q999

Q619 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q619
Q851 -Q999

Q620 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q620
Q851 -Q999

Q621 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q621
Q851 -Q999

Q622 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q622
Q851 -Q999

Q623 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q623
Q851 -Q999

Q624 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q624
Q851 -Q999

Q625 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q625
Q851 -Q999

Q626 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q626
Q851 -Q999

Q627 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q627
Q851 -Q999

Q628 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q628
Q851 -Q999

Q630 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q630
Q851 -Q999

Q631 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q631
Q851 -Q999

Q632 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q632
Q851 -Q999

Q633 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q633
Q851 -Q999

Q638 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q638
Q851 -Q999

Q639 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q639
Q851 -Q999

Q640 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q640
Q851 -Q999

Q641 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q641
Q851 -Q999

Q642 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q642
Q851 -Q999

Q643 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q643
Q851 -Q999

Q644 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q644
Q851 -Q999

Q645 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q645
Q851 -Q999

Q646 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q646
Q851 -Q999

Q647 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q647
Q851 -Q999

Q648 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q648
Q851 -Q999

Q649 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q649
Q851 -Q999

Q650 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q650
Q851 -Q999

Q651 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q651
Q851 -Q999

Q652 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q652
Q851 -Q999

Q653 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q653
Q851 -Q999

Q654 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q654
Q851 -Q999

Q655 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q655
Q851 -Q999

Q656 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q656
Q851 -Q999

Q658 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q658
Q851 -Q999

Q659 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q659
Q851 -Q999

Q660 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q660
Q851 -Q999

Q661 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q661
Q851 -Q999

Q662 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q662
Q851 -Q999

Q663 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q663
Q851 -Q999

Q664 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q664
Q851 -Q999

Q665 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q665
Q851 -Q999

Q666 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q666
Q851 -Q999

Q667 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q667
Q851 -Q999

Q668 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q668
Q851 -Q999

Q669 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q669
Q851 -Q999

Q670 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q670
Q851 -Q999

Q671 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q671
Q851 -Q999

Q672 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q672
Q851 -Q999

Q673 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q673
Q851 -Q999

Q674 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q674
Q851 -Q999

Q675 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q675
Q851 -Q999

Q676 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q676
Q851 -Q999

Q677 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q677
Q851 -Q999

Q678 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q678
Q851 -Q999

Q680 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q680
Q851 -Q999

Q681 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q681
Q851 -Q999

Q682 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q682
Q851 -Q999

Q683 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q683
Q851 -Q999

Q684 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q684
Q851 -Q999

Q685 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q685
Q851 -Q999

Q688 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q688
Q851 -Q999

Q690 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q690
Q851 -Q999

Q691 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q691
Q851 -Q999

Q692 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q692
Q851 -Q999

Q699 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q699
Q851 -Q999

Q7 Category

Q700 Address

A500 -A509

ICD-10-Mortality Manual 2c - 2014

M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q700
Q851 -Q999

Q701 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q701
Q851 -Q999

Q702 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q702
Q851 -Q999

Q703 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q703
Q851 -Q999

Q704 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049

ICD-10-Mortality Manual 2c - 2014

P350 -P359
P370 -P374
P378 -P379
Q704
Q851 -Q999

Q709 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q709
Q851 -Q999

Q710 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q710
Q851 -Q999

Q711 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q711
Q851 -Q999

Q712 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379

ICD-10-Mortality Manual 2c - 2014

Q712
Q851 -Q999

Q713 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q713
Q851 -Q999

Q714 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q714
Q851 -Q999

Q715 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q715
Q851 -Q999

Q716 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q716
Q851 -Q999

Q718 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q718
Q851 -Q999

Q719 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q719
Q851 -Q999

Q720 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q720
Q851 -Q999

Q721 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q721
Q851 -Q999

Q722 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q722
Q851 -Q999

Q723 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q723
Q851 -Q999

Q724 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q724
Q851 -Q999

Q725 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q725
Q851 -Q999

Q726 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q726
Q851 -Q999

Q727 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q727
Q851 -Q999

Q728 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q728
Q851 -Q999

Q729 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q729
Q851 -Q999

Q730 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q730
Q851 -Q999

Q731 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q731
Q851 -Q999

Q738 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q738
Q851 -Q999

Q740 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q740
Q851 -Q999

Q741 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q741
Q851 -Q999

Q742 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q742
Q851 -Q999

Q743 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q743
Q851 -Q999

Q748 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q748
Q851 -Q999

Q749 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q749
Q851 -Q999

Q750 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q750
Q851 -Q999

Q751 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q751
Q851 -Q999

Q752 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q752
Q851 -Q999

Q753 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q753
Q851 -Q999

Q754 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q754
Q851 -Q999

Q755 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q755
Q851 -Q999

Q758 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q758
Q851 -Q999

Q759 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q759
Q851 -Q999

Q760 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q760
Q851 -Q999

Q761 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q761
Q851 -Q999

Q762 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q762
Q851 -Q999

Q763 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q763
Q851 -Q999

Q764 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q764
Q851 -Q999

Q765 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q765
Q851 -Q999

Q766 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q766
Q851 -Q999

Q767 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q767
Q851 -Q999

Q768 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q768
Q851 -Q999

Q769 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q769
Q851 -Q999

Q770 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q770
Q851 -Q999

Q771 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q771
Q851 -Q999

Q772 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q772
Q851 -Q999

Q773 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q773
Q851 -Q999

Q774 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q774
Q851 -Q999

Q775 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q775
Q851 -Q999

Q776 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q776
Q851 -Q999

Q777 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q777
Q851 -Q999

Q778 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q778
Q851 -Q999

Q779 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q779
Q851 -Q999

Q780 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q780
Q851 -Q999

Q781 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q781
Q851 -Q999

Q782 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q782
Q851 -Q999

Q783 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q783
Q851 -Q999

Q784 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q784
Q851 -Q999

Q785 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
M Q758
Q775 -Q776
M Q778
Q779 -Q783
Q785

ICD-10-Mortality Manual 2c - 2014

M Q788 -Q789
Q851 -Q999

Q786 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q786
Q851 -Q999

Q788 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
M Q778
Q788
Q851 -Q999

Q789 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q789
Q851 -Q999

Q790 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q790
Q851 -Q999

Q791 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
M Q758
Q775 -Q776
M Q778
Q779 -Q783
M Q788 -Q789
Q791
Q851 -Q999

Q792 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q792
Q851 -Q999

Q793 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q793
Q851 -Q999

Q794 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379

ICD-10-Mortality Manual 2c - 2014

Q794
Q851 -Q999

Q795 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q795
Q851 -Q999

Q796 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q796
Q851 -Q999

Q798 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q798
Q851 -Q999

Q799 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q799
Q851 -Q999

Q8 Category

Q800 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q800
Q851 -Q999

Q801 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q801
Q851 -Q999

Q802 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q802
Q851 -Q999

Q803 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q803
Q851 -Q999

Q804 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q804
Q851 -Q999

Q808 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q808
Q851 -Q999

Q809 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q809
Q851 -Q999

Q810 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q810
Q851 -Q999

Q811 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q811
Q851 -Q999

Q812 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q812
Q851 -Q999

Q818 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q818
Q851 -Q999

Q819 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q819
Q851 -Q999

Q820 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q820
Q851 -Q999

Q821 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q821
Q851 -Q999

Q822 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q822
Q851 -Q999

Q823 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q823
Q851 -Q999

Q824 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q824
Q851 -Q999

Q825 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q825
Q851 -Q999

Q828 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q828
Q851 -Q999

Q829 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q829
Q851 -Q999

Q830 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q830
Q851 -Q999

Q831 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q831
Q851 -Q999

Q832 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q832
Q851 -Q999

Q833 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q833
Q851 -Q999

Q838 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q838
Q851 -Q999

Q839 Address

ICD-10-Mortality Manual 2c - 2014

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q839
Q851 -Q999

Q840 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q840
Q851 -Q999

Q841 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q841
Q851 -Q999

Q842 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q842
Q851 -Q999

Q843 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q843
Q851 -Q999

Q844 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q844
Q851 -Q999

Q845 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q845
Q851 -Q999

Q846 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q846
Q851 -Q999

Q848 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q848
Q851 -Q999

Q849 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q849
Q851 -Q999

Q850 Address

P012
Q850
Q870 -Q999

Q851 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851
Q870 -Q999

Q858 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q858
Q870 -Q999

Q859 Address

M A500 -A509
P000 -P009
P012 -P013

ICD-10-Mortality Manual 2c - 2014

P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q859
Q870 -Q999

Q860 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q860
Q870 -Q999

Q861 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q861
Q870 -Q999

Q862 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q862
Q870 -Q999

Q868 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374

ICD-10-Mortality Manual 2c - 2014

P378 -P379
Q868 -Q999

Q870 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851 -Q999

Q871 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851 -Q999

Q872 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851 -Q999

Q873 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851 -Q999

Q874 Address

M A500 -A509
P000 -P009

ICD-10-Mortality Manual 2c - 2014

P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q875 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q878 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q851 -Q999

Q890 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q891 Address

A500 -A509
M P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q892 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q893 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q894 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q897 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q860 -Q999

Q898 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049

ICD-10-Mortality Manual 2c - 2014

P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q899 Address

M A500 -A509
P000 -P009
P012 -P013
P041 -P049
P350 -P359
P370 -P374
P378 -P379
Q870 -Q999

Q9 Category

Q900 Address

M P961 -P962
Q870 -Q999

Q901 Address

M P961 -P962
Q870 -Q999

Q902 Address

M P961 -P962
Q870 -Q999

Q909 Address

M P961 -P962
Q870 -Q999

Q910 Address

M P961 -P962
Q870 -Q999

Q911 Address

M P961 -P962
Q870 -Q999

Q912 Address

M P961 -P962
Q870 -Q999

Q913 Address

M P961 -P962
Q870 -Q999

Q914 Address

M P961 -P962
Q870 -Q999

Q915 Address

M P961 -P962
Q870 -Q999

Q916 Address

M P961 -P962
Q870 -Q999

Q917 Address

M P961 -P962
Q870 -Q999

Q920 Address

M P961 -P962
Q870 -Q999

Q921 Address

M P961 -P962
Q870 -Q999

Q922 Address

M P961 -P962
Q870 -Q999

Q923 Address

M P961 -P962
Q870 -Q999

Q924 Address

M P961 -P962
Q870 -Q999

Q925 Address

M P961 -P962

ICD-10-Mortality Manual 2c - 2014

Q870 -Q999

Q926 Address

M P961 -P962
Q870 -Q999

Q927 Address

M P961 -P962
Q870 -Q999

Q928 Address

M P961 -P962
Q870 -Q999

Q929 Address

M P961 -P962
Q870 -Q999

Q930 Address

M P961 -P962
Q870 -Q999

Q931 Address

M P961 -P962
Q870 -Q999

Q932 Address

M P961 -P962
Q870 -Q999

Q933 Address

M P961 -P962
Q870 -Q999

Q934 Address

M P961 -P962
Q870 -Q999

Q935 Address

M P961 -P962
Q870 -Q999

Q936 Address

ICD-10-Mortality Manual 2c - 2014

M P961 -P962
Q870 -Q999

Q937 Address

M P961 -P962
Q870 -Q999

Q938 Address

M P961 -P962
Q870 -Q999

Q939 Address

M P961 -P962
Q870 -Q999

Q950 Address

M P961 -P962
Q870 -Q999

Q951 Address

M P961 -P962
Q870 -Q999

Q952 Address

M P961 -P962
Q870 -Q999

Q953 Address

M P961 -P962
Q870 -Q999

Q954 Address

M P961 -P962
Q870 -Q999

Q955 Address

M P961 -P962
Q870 -Q999

Q958 Address

M P961 -P962
Q870 -Q999

Q959 Address

M P961 -P962
Q870 -Q999

Q960 Address

M P961 -P962
Q870 -Q999

Q961 Address

M P961 -P962
Q870 -Q999

Q962 Address

M P961 -P962
Q870 -Q999

Q963 Address

M P961 -P962
Q870 -Q999

Q964 Address

M P961 -P962
Q870 -Q999

Q968 Address

M P961 -P962
Q870 -Q999

Q969 Address

M P961 -P962
Q870 -Q999

Q970 Address

M P961 -P962
Q870 -Q999

Q971 Address

M P961 -P962
Q870 -Q999

Q972 Address

M P961 -P962

ICD-10-Mortality Manual 2c - 2014

Q870 -Q999

Q973 Address

M P961 -P962
Q870 -Q999

Q978 Address

M P961 -P962
Q870 -Q999

Q979 Address

M P961 -P962
Q870 -Q999

Q980 Address

M P961 -P962
Q870 -Q999

Q981 Address

M P961 -P962
Q870 -Q999

Q982 Address

M P961 -P962
Q870 -Q999

Q983 Address

M P961 -P962
Q870 -Q999

Q984 Address

M P961 -P962
Q870 -Q999

Q985 Address

M P961 -P962
Q870 -Q999

Q986 Address

M P961 -P962
Q870 -Q999

Q987 Address

ICD-10-Mortality Manual 2c - 2014

M P961 -P962
Q870 -Q999

Q988 Address

M P961 -P962
Q870 -Q999

Q989 Address

M P961 -P962
Q870 -Q999

Q990 Address

M P961 -P962
Q870 -Q999

Q991 Address

M P961 -P962
Q870 -Q999

Q992 Address

M P961 -P962
Q870 -Q999

Q998 Address

M P961 -P962
Q870 -Q999

Q999 Address

M P961 -P962
Q870 -Q999

R

R0 Category

R000 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R001 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R002 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R008 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R010 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R011 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R012 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R02 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R030 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R031 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R040 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R041 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R042 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R048 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R049 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R05 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R060 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R061 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R062 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R063 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R064 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R065 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R066 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R067 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R068 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R070 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R071 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R072 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R073 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R074 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R090 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R091 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R092 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R093 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R098 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R1 Category

R100 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R101 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R102 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R103 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R104 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R11 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R12 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R13 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R14 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R15 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R160 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R161 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R162 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R17 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R18 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R190 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R191 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R192 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R193 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R194 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R195 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R196 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R198 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R2 Category

R200 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R201 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R202 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R203 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R208 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R21 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R220 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R221 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R222 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R223 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R224 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R227 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R229 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R230 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R231 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R232 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R233 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
T510 -T519
T97
X45

ICD-10-Mortality Manual 2c - 2014

X65
Y15
Y86 -Y872

R234 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R238 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R250 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R251 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R252 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R253 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R258 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R260 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R261 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R262 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R263 Address

A000 -R961
R98 -Y899

R268 Address

A000 -R825
M R826
R827 -R892

ICD-10-Mortality Manual 2c - 2014

M R893
R894 -R961
R98 -Y899

R270 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R278 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R290 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R291 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R292 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R293 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R294 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R296 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R298 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R3 Category

R300 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R301 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R309 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R31 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R32 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R33 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R34 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R35 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R36 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R390 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R391 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R392 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R398 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R4 Category

R400 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R401 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R402 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R410 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R411 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R412 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R413 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R418 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R42 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R430 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R431 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R432 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R438 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R440 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R441 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R442 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R443 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R448 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R450 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R451 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R452 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R453 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R454 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R455 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R456 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R457 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R458 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R460 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R461 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R462 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R463 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R464 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R465 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R466 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R467 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R468 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R470 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R471 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R478 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R480 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R481 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R482 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R488 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R490 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R491 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R492 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R498 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R5 Category

R502 Address

F110 -F169
F180 -F199
R502
T360 -T509
T880 -T883
T885 -T887
T96
M T983
X40 -X44
X60 -X64
X85
Y10 -Y14
Y400 -Y599
Y870 -Y880

R508 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R509 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R51 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961

ICD-10-Mortality Manual 2c - 2014

R98 -Y899

R520 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R521 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R522 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R529 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R53 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R54 Address

R54

R55 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R560 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R568 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R570 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R571 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R572 Address

A000 -R829
R893 -R948
R961
R98 -Y899

R578 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R579 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R58 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
T455
T457
T510 -T519
T97
X44 -X45
X64 -X65
Y14 -Y15
Y442
Y86 -Y872

R5800 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
T455
T457
T510 -T519
T97
X44 -X45
X64 -X65
Y14 -Y15
Y442

ICD-10-Mortality Manual 2c - 2014

Y86 -Y872

R590 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R591 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R599 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R6 Category

R600 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R601 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R609 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R610 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R611 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R619 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R620 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R628 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R629 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R630 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R631 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R632 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R633 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R634 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R635 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R636 Address

A000 -R961
R98 -Y899

R638 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R64 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R650 Address

A000 -R829
R893 -R948
R961
R98 -Y899

R651 Address

A000 -R829
R893 -R948
R961
R98 -Y899

R652 Address

B200 -B24

ICD-10-Mortality Manual 2c - 2014

C000 -R829
R893 -R948
R961 -Y899

R653 Address

B200 -B24
C000 -R829
R893 -R948
R961
R98 -Y899

R659 Address

A000 -R829
R893 -R948
R961
R98 -Y899

R680 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R681 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R682 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R683 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R688 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R69 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R7 Category

R700 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R701 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R71 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R72 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R730 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R739 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R740 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R748 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R749 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R75 Address

B200 -B24
R75

R760 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R761 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R762 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R768 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R769 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R770 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R771 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R772 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R778 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R779 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R780 Address

F101 -F109
R780
M R826
M R893

ICD-10-Mortality Manual 2c - 2014

T510 -T519

R781 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R782 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R783 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R784 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R785 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R786 Address

A000 -R825
M R826
R827 -R892

ICD-10-Mortality Manual 2c - 2014

M R893
R894 -R961
R98 -Y899

R787 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R788 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R789 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R790 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R798 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R799 Address

A000 -R825

ICD-10-Mortality Manual 2c - 2014

M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R8 Category

R80 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R81 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R820 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R821 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R822 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R823 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R824 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R825 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R826 Address

A000 -R892
M R893
R894 -R961
R98 -Y899

R827 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R828 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R829 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R830 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R831 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R832 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R833 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R834 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R835 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R836 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R837 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R838 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R839 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R840 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R841 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R842 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R843 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R844 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R845 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R846 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R847 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R848 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R849 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R850 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R851 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R852 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R853 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R854 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R855 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R856 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R857 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R858 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R859 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R860 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R861 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R862 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R863 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

R827 -R892
M R893
R894 -R961
R98 -Y899

R864 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R865 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R866 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R867 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R868 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R869 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R870 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R871 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R872 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R873 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R874 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R875 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R876 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R877 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R878 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R879 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R890 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R891 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R892 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R893 Address

A000 -R825
M R826
R827 -R961
R98 -Y899

R894 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R895 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R896 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R897 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R898 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R899 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R9 Category

R900 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R908 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R91 Address

ICD-10-Mortality Manual 2c - 2014

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R92 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R930 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R931 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R932 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R933 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R934 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R935 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R936 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R937 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R938 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R940 Address

A000 -R825
M R826
R827 -R892
M R893

ICD-10-Mortality Manual 2c - 2014

R894 -R961
R98 -Y899

R941 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R942 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R943 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R944 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R945 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R946 Address

A000 -R825
M R826

ICD-10-Mortality Manual 2c - 2014

M R827 -R892
R893
R894 -R961
R98 -Y899

R947 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R948 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R95 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R960 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R961 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R97 Address

ICD-10-Mortality Manual 2c - 2014

R97

R98 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

R99 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

S

S0 Category

S000 Address

G400 -G419
S000 -Y899

S001 Address

G400 -G419
S000 -Y899

S002 Address

G400 -G419
S000 -Y899

S003 Address

G400 -G419
S000 -Y899

S004 Address

G400 -G419
S000 -Y899

S005 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S007 Address

G400 -G419

S000 -Y899

S008 Address

G400 -G419

S000 -Y899

S009 Address

G400 -G419

S000 -Y899

S010 Address

G400 -G419

S000 -Y899

S011 Address

G400 -G419

S000 -Y899

S012 Address

G400 -G419

S000 -Y899

S013 Address

G400 -G419

S000 -Y899

S014 Address

G400 -G419

S000 -Y899

S015 Address

G400 -G419

S000 -Y899

S017 Address

G400 -G419

S000 -Y899

S018 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S019 Address

G400 -G419
S000 -Y899

S020 Address

G400 -G419
S000 -Y899

S021 Address

G400 -G419
S000 -Y899

S022 Address

G400 -G419
S000 -Y899

S023 Address

G400 -G419
S000 -Y899

S024 Address

G400 -G419
S000 -Y899

S025 Address

G400 -G419
S000 -Y899

S026 Address

G400 -G419
S000 -Y899

S027 Address

G400 -G419
S000 -Y899

S028 Address

G400 -G419
S000 -Y899

S029 Address

G400 -G419
S000 -Y899

S030 Address

G400 -G419
S000 -Y899

S031 Address

G400 -G419
S000 -Y899

S032 Address

G400 -G419
S000 -Y899

S033 Address

G400 -G419
S000 -Y899

S034 Address

G400 -G419
S000 -Y899

S035 Address

G400 -G419
S000 -Y899

S040 Address

G400 -G419
S000 -Y899

S041 Address

G400 -G419
S000 -Y899

S042 Address

G400 -G419
S000 -Y899

S043 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S044 Address

G400 -G419

S000 -Y899

S045 Address

G400 -G419

S000 -Y899

S046 Address

G400 -G419

S000 -Y899

S047 Address

G400 -G419

S000 -Y899

S048 Address

G400 -G419

S000 -Y899

S049 Address

G400 -G419

S000 -Y899

S050 Address

G400 -G419

S000 -Y899

S051 Address

G400 -G419

S000 -Y899

S052 Address

G400 -G419

S000 -Y899

S053 Address

G400 -G419

S000 -Y899

S054 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S055 Address

G400 -G419
S000 -Y899

S056 Address

G400 -G419
S000 -Y899

S057 Address

G400 -G419
S000 -Y899

S058 Address

G400 -G419
S000 -Y899

S059 Address

G400 -G419
S000 -Y899

S060 Address

G400 -G419
S000 -Y899

S061 Address

G400 -G419
S000 -Y899

S062 Address

G400 -G419
S000 -Y899

S063 Address

G400 -G419
S000 -Y899

S064 Address

G400 -G419
S000 -Y899

S065 Address

G400 -G419
S000 -Y899

S066 Address

G400 -G419
S000 -Y899

S067 Address

G400 -G419
S000 -Y899

S068 Address

G400 -G419
S000 -Y899

S069 Address

G400 -G419
S000 -Y899

S070 Address

G400 -G419
S000 -Y899

S071 Address

G400 -G419
S000 -Y899

S078 Address

G400 -G419
S000 -Y899

S079 Address

G400 -G419
S000 -Y899

S080 Address

G400 -G419
S000 -Y899

S081 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S088 Address

G400 -G419

S000 -Y899

S089 Address

G400 -G419

S000 -Y899

S090 Address

G400 -G419

S000 -Y899

S091 Address

G400 -G419

S000 -Y899

S092 Address

G400 -G419

S000 -Y899

S097 Address

G400 -G419

S000 -Y899

S098 Address

G400 -G419

S000 -Y899

S099 Address

G400 -G419

S000 -Y899

S1 Category

S100 Address

G400 -G419

S000 -Y899

S101 Address

G400 -G419

S000 -Y899

S107 Address

G400 -G419
S000 -Y899

S108 Address

G400 -G419
S000 -Y899

S109 Address

G400 -G419
S000 -Y899

S110 Address

G400 -G419
S000 -Y899

S111 Address

G400 -G419
S000 -Y899

S112 Address

G400 -G419
S000 -Y899

S117 Address

G400 -G419
S000 -Y899

S118 Address

G400 -G419
S000 -Y899

S119 Address

G400 -G419
S000 -Y899

S120 Address

G400 -G419
S000 -Y899

S121 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S122 Address

G400 -G419

S000 -Y899

S127 Address

G400 -G419

S000 -Y899

S128 Address

G400 -G419

S000 -Y899

S129 Address

G400 -G419

S000 -Y899

S130 Address

G400 -G419

S000 -Y899

S131 Address

G400 -G419

S000 -Y899

S132 Address

G400 -G419

S000 -Y899

S133 Address

G400 -G419

S000 -Y899

S134 Address

G400 -G419

S000 -Y899

S135 Address

G400 -G419

S000 -Y899

S136 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S140 Address

G400 -G419
S000 -Y899

S141 Address

G400 -G419
S000 -Y899

S142 Address

G400 -G419
S000 -Y899

S143 Address

G400 -G419
S000 -Y899

S144 Address

G400 -G419
S000 -Y899

S145 Address

G400 -G419
S000 -Y899

S146 Address

G400 -G419
S000 -Y899

S150 Address

G400 -G419
S000 -Y899

S151 Address

G400 -G419
S000 -Y899

S152 Address

G400 -G419
S000 -Y899

S153 Address

G400 -G419
S000 -Y899

S157 Address

G400 -G419
S000 -Y899

S158 Address

G400 -G419
S000 -Y899

S159 Address

G400 -G419
S000 -Y899

S16 Address

G400 -G419
S000 -Y899

S170 Address

G400 -G419
S000 -Y899

S178 Address

G400 -G419
S000 -Y899

S179 Address

G400 -G419
S000 -Y899

S18 Address

G400 -G419
S000 -Y899

S197 Address

G400 -G419
S000 -Y899

S198 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S199 Address

G400 -G419

S000 -Y899

S2 Category

S200 Address

G400 -G419

S000 -Y899

S201 Address

G400 -G419

S000 -Y899

S202 Address

G400 -G419

S000 -Y899

S203 Address

G400 -G419

S000 -Y899

S204 Address

G400 -G419

S000 -Y899

S207 Address

G400 -G419

S000 -Y899

S208 Address

G400 -G419

S000 -Y899

S210 Address

G400 -G419

S000 -Y899

S211 Address

G400 -G419

S000 -Y899

S212 Address

G400 -G419
S000 -Y899

S217 Address

G400 -G419
S000 -Y899

S218 Address

G400 -G419
S000 -Y899

S219 Address

G400 -G419
S000 -Y899

S220 Address

G400 -G419
S000 -Y899

S221 Address

G400 -G419
S000 -Y899

S222 Address

G400 -G419
S000 -Y899

S223 Address

G400 -G419
S000 -Y899

S224 Address

G400 -G419
S000 -Y899

S225 Address

G400 -G419
S000 -Y899

S228 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S229 Address

G400 -G419

S000 -Y899

S230 Address

G400 -G419

S000 -Y899

S231 Address

G400 -G419

S000 -Y899

S232 Address

G400 -G419

S000 -Y899

S233 Address

G400 -G419

S000 -Y899

S234 Address

G400 -G419

S000 -Y899

S235 Address

G400 -G419

S000 -Y899

S240 Address

G400 -G419

S000 -Y899

S241 Address

G400 -G419

S000 -Y899

S242 Address

G400 -G419

S000 -Y899

S243 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S244 Address

G400 -G419
S000 -Y899

S245 Address

G400 -G419
S000 -Y899

S246 Address

G400 -G419
S000 -Y899

S250 Address

G400 -G419
S000 -Y899

S251 Address

G400 -G419
S000 -Y899

S252 Address

G400 -G419
S000 -Y899

S253 Address

G400 -G419
S000 -Y899

S254 Address

G400 -G419
S000 -Y899

S255 Address

G400 -G419
S000 -Y899

S257 Address

G400 -G419
S000 -Y899

S258 Address

G400 -G419
S000 -Y899

S259 Address

G400 -G419
S000 -Y899

S260 Address

G400 -G419
S000 -Y899

S268 Address

G400 -G419
S000 -Y899

S269 Address

G400 -G419
S000 -Y899

S270 Address

G400 -G419
S000 -Y899

S271 Address

G400 -G419
S000 -Y899

S272 Address

G400 -G419
S000 -Y899

S273 Address

G400 -G419
S000 -Y899

S274 Address

G400 -G419
S000 -Y899

S275 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S276 Address

G400 -G419

S000 -Y899

S277 Address

G400 -G419

S000 -Y899

S278 Address

G400 -G419

S000 -Y899

S279 Address

G400 -G419

S000 -Y899

S280 Address

G400 -G419

S000 -Y899

S281 Address

G400 -G419

S000 -Y899

S290 Address

G400 -G419

S000 -Y899

S297 Address

G400 -G419

S000 -Y899

S298 Address

G400 -G419

S000 -Y899

S299 Address

G400 -G419

S000 -Y899

S3 Category

S300 Address

G400 -G419
S000 -Y899

S301 Address

G400 -G419
S000 -Y899

S302 Address

G400 -G419
S000 -Y899

S307 Address

G400 -G419
S000 -Y899

S308 Address

G400 -G419
S000 -Y899

S309 Address

G400 -G419
S000 -Y899

S310 Address

G400 -G419
S000 -Y899

S311 Address

G400 -G419
S000 -Y899

S312 Address

G400 -G419
S000 -Y899

S313 Address

G400 -G419
S000 -Y899

S314 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S315 Address

G400 -G419

S000 -Y899

S317 Address

G400 -G419

S000 -Y899

S318 Address

G400 -G419

S000 -Y899

S320 Address

G400 -G419

S000 -Y899

S321 Address

G400 -G419

S000 -Y899

S322 Address

G400 -G419

S000 -Y899

S323 Address

G400 -G419

S000 -Y899

S324 Address

G400 -G419

S000 -Y899

S325 Address

G400 -G419

S000 -Y899

S327 Address

G400 -G419

S000 -Y899

S328 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S330 Address

G400 -G419
S000 -Y899

S331 Address

G400 -G419
S000 -Y899

S332 Address

G400 -G419
S000 -Y899

S333 Address

G400 -G419
S000 -Y899

S334 Address

G400 -G419
S000 -Y899

S335 Address

G400 -G419
S000 -Y899

S336 Address

G400 -G419
S000 -Y899

S337 Address

G400 -G419
S000 -Y899

S340 Address

G400 -G419
S000 -Y899

S341 Address

G400 -G419
S000 -Y899

S342 Address

G400 -G419
S000 -Y899

S343 Address

G400 -G419
S000 -Y899

S344 Address

G400 -G419
S000 -Y899

S345 Address

G400 -G419
S000 -Y899

S346 Address

G400 -G419
S000 -Y899

S348 Address

G400 -G419
S000 -Y899

S350 Address

G400 -G419
S000 -Y899

S351 Address

G400 -G419
S000 -Y899

S352 Address

G400 -G419
S000 -Y899

S353 Address

G400 -G419
S000 -Y899

S354 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S355 Address

G400 -G419

S000 -Y899

S357 Address

G400 -G419

S000 -Y899

S358 Address

G400 -G419

S000 -Y899

S359 Address

G400 -G419

S000 -Y899

S360 Address

G400 -G419

S000 -Y899

S361 Address

G400 -G419

S000 -Y899

S362 Address

G400 -G419

S000 -Y899

S363 Address

G400 -G419

S000 -Y899

S364 Address

G400 -G419

S000 -Y899

S365 Address

G400 -G419

S000 -Y899

S366 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S367 Address

G400 -G419
S000 -Y899

S368 Address

G400 -G419
S000 -Y899

S369 Address

G400 -G419
S000 -Y899

S370 Address

G400 -G419
S000 -Y899

S371 Address

G400 -G419
S000 -Y899

S372 Address

G400 -G419
S000 -Y899

S373 Address

G400 -G419
S000 -Y899

S374 Address

G400 -G419
S000 -Y899

S375 Address

G400 -G419
S000 -Y899

S376 Address

G400 -G419
S000 -Y899

S377 Address

G400 -G419
S000 -Y899

S378 Address

G400 -G419
S000 -Y899

S379 Address

G400 -G419
S000 -Y899

S380 Address

G400 -G419
S000 -Y899

S381 Address

G400 -G419
S000 -Y899

S382 Address

G400 -G419
S000 -Y899

S383 Address

G400 -G419
S000 -Y899

S390 Address

G400 -G419
S000 -Y899

S396 Address

G400 -G419
S000 -Y899

S397 Address

G400 -G419
S000 -Y899

S398 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S399 Address

G400 -G419

S000 -Y899

S4 Category

S400 Address

G400 -G419

S000 -Y899

S407 Address

G400 -G419

S000 -Y899

S408 Address

G400 -G419

S000 -Y899

S409 Address

G400 -G419

S000 -Y899

S410 Address

G400 -G419

S000 -Y899

S411 Address

G400 -G419

S000 -Y899

S417 Address

G400 -G419

S000 -Y899

S418 Address

G400 -G419

S000 -Y899

S420 Address

G400 -G419

S000 -Y899

S421 Address

G400 -G419
S000 -Y899

S422 Address

G400 -G419
S000 -Y899

S423 Address

G400 -G419
S000 -Y899

S424 Address

G400 -G419
S000 -Y899

S427 Address

G400 -G419
S000 -Y899

S428 Address

G400 -G419
S000 -Y899

S429 Address

G400 -G419
S000 -Y899

S430 Address

G400 -G419
S000 -Y899

S431 Address

G400 -G419
S000 -Y899

S432 Address

G400 -G419
S000 -Y899

S433 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S434 Address

G400 -G419

S000 -Y899

S435 Address

G400 -G419

S000 -Y899

S436 Address

G400 -G419

S000 -Y899

S437 Address

G400 -G419

S000 -Y899

S440 Address

G400 -G419

S000 -Y899

S441 Address

G400 -G419

S000 -Y899

S442 Address

G400 -G419

S000 -Y899

S443 Address

G400 -G419

S000 -Y899

S444 Address

G400 -G419

S000 -Y899

S445 Address

G400 -G419

S000 -Y899

S447 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S448 Address

G400 -G419
S000 -Y899

S449 Address

G400 -G419
S000 -Y899

S450 Address

G400 -G419
S000 -Y899

S451 Address

G400 -G419
S000 -Y899

S452 Address

G400 -G419
S000 -Y899

S453 Address

G400 -G419
S000 -Y899

S457 Address

G400 -G419
S000 -Y899

S458 Address

G400 -G419
S000 -Y899

S459 Address

G400 -G419
S000 -Y899

S460 Address

G400 -G419
S000 -Y899

S461 Address

G400 -G419
S000 -Y899

S462 Address

G400 -G419
S000 -Y899

S463 Address

G400 -G419
S000 -Y899

S467 Address

G400 -G419
S000 -Y899

S468 Address

G400 -G419
S000 -Y899

S469 Address

G400 -G419
S000 -Y899

S47 Address

G400 -G419
S000 -Y899

S480 Address

G400 -G419
S000 -Y899

S481 Address

G400 -G419
S000 -Y899

S489 Address

G400 -G419
S000 -Y899

S497 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S498 Address

G400 -G419

S000 -Y899

S499 Address

G400 -G419

S000 -Y899

S5 Category

S500 Address

G400 -G419

S000 -Y899

S501 Address

G400 -G419

S000 -Y899

S507 Address

G400 -G419

S000 -Y899

S508 Address

G400 -G419

S000 -Y899

S509 Address

G400 -G419

S000 -Y899

S510 Address

G400 -G419

S000 -Y899

S517 Address

G400 -G419

S000 -Y899

S518 Address

G400 -G419

S000 -Y899

S519 Address

G400 -G419
S000 -Y899

S520 Address

G400 -G419
S000 -Y899

S521 Address

G400 -G419
S000 -Y899

S522 Address

G400 -G419
S000 -Y899

S523 Address

G400 -G419
S000 -Y899

S524 Address

G400 -G419
S000 -Y899

S525 Address

G400 -G419
S000 -Y899

S526 Address

G400 -G419
S000 -Y899

S527 Address

G400 -G419
S000 -Y899

S528 Address

G400 -G419
S000 -Y899

S529 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S530 Address

G400 -G419

S000 -Y899

S531 Address

G400 -G419

S000 -Y899

S532 Address

G400 -G419

S000 -Y899

S533 Address

G400 -G419

S000 -Y899

S534 Address

G400 -G419

S000 -Y899

S540 Address

G400 -G419

S000 -Y899

S541 Address

G400 -G419

S000 -Y899

S542 Address

G400 -G419

S000 -Y899

S543 Address

G400 -G419

S000 -Y899

S547 Address

G400 -G419

S000 -Y899

S548 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S549 Address

G400 -G419
S000 -Y899

S550 Address

G400 -G419
S000 -Y899

S551 Address

G400 -G419
S000 -Y899

S552 Address

G400 -G419
S000 -Y899

S557 Address

G400 -G419
S000 -Y899

S558 Address

G400 -G419
S000 -Y899

S559 Address

G400 -G419
S000 -Y899

S560 Address

G400 -G419
S000 -Y899

S561 Address

G400 -G419
S000 -Y899

S562 Address

G400 -G419
S000 -Y899

S563 Address

G400 -G419
S000 -Y899

S564 Address

G400 -G419
S000 -Y899

S565 Address

G400 -G419
S000 -Y899

S567 Address

G400 -G419
S000 -Y899

S568 Address

G400 -G419
S000 -Y899

S570 Address

G400 -G419
S000 -Y899

S578 Address

G400 -G419
S000 -Y899

S579 Address

G400 -G419
S000 -Y899

S580 Address

G400 -G419
S000 -Y899

S581 Address

G400 -G419
S000 -Y899

S589 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S597 Address

G400 -G419

S000 -Y899

S598 Address

G400 -G419

S000 -Y899

S599 Address

G400 -G419

S000 -Y899

S6 Category

S600 Address

G400 -G419

S000 -Y899

S601 Address

G400 -G419

S000 -Y899

S602 Address

G400 -G419

S000 -Y899

S607 Address

G400 -G419

S000 -Y899

S608 Address

G400 -G419

S000 -Y899

S609 Address

G400 -G419

S000 -Y899

S610 Address

G400 -G419

S000 -Y899

S611 Address

G400 -G419
S000 -Y899

S617 Address

G400 -G419
S000 -Y899

S618 Address

G400 -G419
S000 -Y899

S619 Address

G400 -G419
S000 -Y899

S620 Address

G400 -G419
S000 -Y899

S621 Address

G400 -G419
S000 -Y899

S622 Address

G400 -G419
S000 -Y899

S623 Address

G400 -G419
S000 -Y899

S624 Address

G400 -G419
S000 -Y899

S625 Address

G400 -G419
S000 -Y899

S626 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S627 Address

G400 -G419

S000 -Y899

S628 Address

G400 -G419

S000 -Y899

S630 Address

G400 -G419

S000 -Y899

S631 Address

G400 -G419

S000 -Y899

S632 Address

G400 -G419

S000 -Y899

S633 Address

G400 -G419

S000 -Y899

S634 Address

G400 -G419

S000 -Y899

S635 Address

G400 -G419

S000 -Y899

S636 Address

G400 -G419

S000 -Y899

S637 Address

G400 -G419

S000 -Y899

S640 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S641 Address

G400 -G419
S000 -Y899

S642 Address

G400 -G419
S000 -Y899

S643 Address

G400 -G419
S000 -Y899

S644 Address

G400 -G419
S000 -Y899

S647 Address

G400 -G419
S000 -Y899

S648 Address

G400 -G419
S000 -Y899

S649 Address

G400 -G419
S000 -Y899

S650 Address

G400 -G419
S000 -Y899

S651 Address

G400 -G419
S000 -Y899

S652 Address

G400 -G419
S000 -Y899

S653 Address

G400 -G419
S000 -Y899

S654 Address

G400 -G419
S000 -Y899

S655 Address

G400 -G419
S000 -Y899

S657 Address

G400 -G419
S000 -Y899

S658 Address

G400 -G419
S000 -Y899

S659 Address

G400 -G419
S000 -Y899

S660 Address

G400 -G419
S000 -Y899

S661 Address

G400 -G419
S000 -Y899

S662 Address

G400 -G419
S000 -Y899

S663 Address

G400 -G419
S000 -Y899

S664 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S665 Address

G400 -G419

S000 -Y899

S666 Address

G400 -G419

S000 -Y899

S667 Address

G400 -G419

S000 -Y899

S668 Address

G400 -G419

S000 -Y899

S669 Address

G400 -G419

S000 -Y899

S670 Address

G400 -G419

S000 -Y899

S678 Address

G400 -G419

S000 -Y899

S680 Address

G400 -G419

S000 -Y899

S681 Address

G400 -G419

S000 -Y899

S682 Address

G400 -G419

S000 -Y899

S683 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S684 Address

G400 -G419
S000 -Y899

S688 Address

G400 -G419
S000 -Y899

S689 Address

G400 -G419
S000 -Y899

S697 Address

G400 -G419
S000 -Y899

S698 Address

G400 -G419
S000 -Y899

S699 Address

G400 -G419
S000 -Y899

S7 Category

S700 Address

G400 -G419
S000 -Y899

S701 Address

G400 -G419
S000 -Y899

S707 Address

G400 -G419
S000 -Y899

S708 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S709 Address

G400 -G419

S000 -Y899

S710 Address

G400 -G419

S000 -Y899

S711 Address

G400 -G419

S000 -Y899

S717 Address

G400 -G419

S000 -Y899

S718 Address

G400 -G419

S000 -Y899

S720 Address

G400 -G419

S000 -Y899

S721 Address

G400 -G419

S000 -Y899

S722 Address

G400 -G419

S000 -Y899

S723 Address

G400 -G419

S000 -Y899

S724 Address

G400 -G419

S000 -Y899

S727 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S728 Address

G400 -G419
S000 -Y899

S729 Address

G400 -G419
S000 -Y899

S730 Address

G400 -G419
S000 -Y899

S731 Address

G400 -G419
S000 -Y899

S740 Address

G400 -G419
S000 -Y899

S741 Address

G400 -G419
S000 -Y899

S742 Address

G400 -G419
S000 -Y899

S747 Address

G400 -G419
S000 -Y899

S748 Address

G400 -G419
S000 -Y899

S749 Address

G400 -G419
S000 -Y899

S750 Address

G400 -G419
S000 -Y899

S751 Address

G400 -G419
S000 -Y899

S752 Address

G400 -G419
S000 -Y899

S757 Address

G400 -G419
S000 -Y899

S758 Address

G400 -G419
S000 -Y899

S759 Address

G400 -G419
S000 -Y899

S760 Address

G400 -G419
S000 -Y899

S761 Address

G400 -G419
S000 -Y899

S762 Address

G400 -G419
S000 -Y899

S763 Address

G400 -G419
S000 -Y899

S764 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S767 Address

G400 -G419

S000 -Y899

S770 Address

G400 -G419

S000 -Y899

S771 Address

G400 -G419

S000 -Y899

S780 Address

G400 -G419

S000 -Y899

S781 Address

G400 -G419

S000 -Y899

S789 Address

G400 -G419

S000 -Y899

S797 Address

G400 -G419

S000 -Y899

S798 Address

G400 -G419

S000 -Y899

S799 Address

G400 -G419

S000 -Y899

S8 Category

S800 Address

G400 -G419

S000 -Y899

S801 Address

G400 -G419
S000 -Y899

S807 Address

G400 -G419
S000 -Y899

S808 Address

G400 -G419
S000 -Y899

S809 Address

G400 -G419
S000 -Y899

S810 Address

G400 -G419
S000 -Y899

S817 Address

G400 -G419
S000 -Y899

S818 Address

G400 -G419
S000 -Y899

S819 Address

G400 -G419
S000 -Y899

S820 Address

G400 -G419
S000 -Y899

S821 Address

G400 -G419
S000 -Y899

S822 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S823 Address

G400 -G419

S000 -Y899

S824 Address

G400 -G419

S000 -Y899

S825 Address

G400 -G419

S000 -Y899

S826 Address

G400 -G419

S000 -Y899

S827 Address

G400 -G419

S000 -Y899

S828 Address

G400 -G419

S000 -Y899

S829 Address

G400 -G419

S000 -Y899

S830 Address

G400 -G419

S000 -Y899

S831 Address

G400 -G419

S000 -Y899

S832 Address

G400 -G419

S000 -Y899

S833 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S834 Address

G400 -G419
S000 -Y899

S835 Address

G400 -G419
S000 -Y899

S836 Address

G400 -G419
S000 -Y899

S837 Address

G400 -G419
S000 -Y899

S840 Address

G400 -G419
S000 -Y899

S841 Address

G400 -G419
S000 -Y899

S842 Address

G400 -G419
S000 -Y899

S847 Address

G400 -G419
S000 -Y899

S848 Address

G400 -G419
S000 -Y899

S849 Address

G400 -G419
S000 -Y899

S850 Address

G400 -G419
S000 -Y899

S851 Address

G400 -G419
S000 -Y899

S852 Address

G400 -G419
S000 -Y899

S853 Address

G400 -G419
S000 -Y899

S854 Address

G400 -G419
S000 -Y899

S855 Address

G400 -G419
S000 -Y899

S857 Address

G400 -G419
S000 -Y899

S858 Address

G400 -G419
S000 -Y899

S859 Address

G400 -G419
S000 -Y899

S860 Address

G400 -G419
S000 -Y899

S861 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S862 Address

G400 -G419

S000 -Y899

S863 Address

G400 -G419

S000 -Y899

S867 Address

G400 -G419

S000 -Y899

S868 Address

G400 -G419

S000 -Y899

S869 Address

G400 -G419

S000 -Y899

S870 Address

G400 -G419

S000 -Y899

S878 Address

G400 -G419

S000 -Y899

S880 Address

G400 -G419

S000 -Y899

S881 Address

G400 -G419

S000 -Y899

S889 Address

G400 -G419

S000 -Y899

S897 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S898 Address

G400 -G419
S000 -Y899

S899 Address

G400 -G419
S000 -Y899

S9 Category

S900 Address

G400 -G419
S000 -Y899

S901 Address

G400 -G419
S000 -Y899

S902 Address

G400 -G419
S000 -Y899

S903 Address

G400 -G419
S000 -Y899

S907 Address

G400 -G419
S000 -Y899

S908 Address

G400 -G419
S000 -Y899

S909 Address

G400 -G419
S000 -Y899

S910 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S911 Address

G400 -G419

S000 -Y899

S912 Address

G400 -G419

S000 -Y899

S913 Address

G400 -G419

S000 -Y899

S917 Address

G400 -G419

S000 -Y899

S920 Address

G400 -G419

S000 -Y899

S921 Address

G400 -G419

S000 -Y899

S922 Address

G400 -G419

S000 -Y899

S923 Address

G400 -G419

S000 -Y899

S924 Address

G400 -G419

S000 -Y899

S925 Address

G400 -G419

S000 -Y899

S927 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S929 Address

G400 -G419
S000 -Y899

S930 Address

G400 -G419
S000 -Y899

S931 Address

G400 -G419
S000 -Y899

S932 Address

G400 -G419
S000 -Y899

S933 Address

G400 -G419
S000 -Y899

S934 Address

G400 -G419
S000 -Y899

S935 Address

G400 -G419
S000 -Y899

S936 Address

G400 -G419
S000 -Y899

S940 Address

G400 -G419
S000 -Y899

S941 Address

G400 -G419
S000 -Y899

S942 Address

G400 -G419
S000 -Y899

S943 Address

G400 -G419
S000 -Y899

S947 Address

G400 -G419
S000 -Y899

S948 Address

G400 -G419
S000 -Y899

S949 Address

G400 -G419
S000 -Y899

S950 Address

G400 -G419
S000 -Y899

S951 Address

G400 -G419
S000 -Y899

S952 Address

G400 -G419
S000 -Y899

S957 Address

G400 -G419
S000 -Y899

S958 Address

G400 -G419
S000 -Y899

S959 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

S960 Address

G400 -G419

S000 -Y899

S961 Address

G400 -G419

S000 -Y899

S962 Address

G400 -G419

S000 -Y899

S967 Address

G400 -G419

S000 -Y899

S968 Address

G400 -G419

S000 -Y899

S969 Address

G400 -G419

S000 -Y899

S970 Address

G400 -G419

S000 -Y899

S971 Address

G400 -G419

S000 -Y899

S978 Address

G400 -G419

S000 -Y899

S980 Address

G400 -G419

S000 -Y899

S981 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

S982 Address

G400 -G419
S000 -Y899

S983 Address

G400 -G419
S000 -Y899

S984 Address

G400 -G419
S000 -Y899

S997 Address

G400 -G419
S000 -Y899

S998 Address

G400 -G419
S000 -Y899

S999 Address

G400 -G419
S000 -Y899

I

T0 Category

T000 Address

G400 -G419
S000 -Y899

T001 Address

G400 -G419
S000 -Y899

T002 Address

G400 -G419
S000 -Y899

T003 Address

G400 -G419
S000 -Y899

T006 Address

G400 -G419
S000 -Y899

T008 Address

G400 -G419
S000 -Y899

T009 Address

G400 -G419
S000 -Y899

T010 Address

G400 -G419
S000 -Y899

T011 Address

G400 -G419
S000 -Y899

T012 Address

G400 -G419
S000 -Y899

T013 Address

G400 -G419
S000 -Y899

T016 Address

G400 -G419
S000 -Y899

T018 Address

G400 -G419
S000 -Y899

T019 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T020 Address

G400 -G419

S000 -Y899

T021 Address

G400 -G419

S000 -Y899

T022 Address

G400 -G419

S000 -Y899

T023 Address

G400 -G419

S000 -Y899

T024 Address

G400 -G419

S000 -Y899

T025 Address

G400 -G419

S000 -Y899

T026 Address

G400 -G419

S000 -Y899

T027 Address

G400 -G419

S000 -Y899

T028 Address

G400 -G419

S000 -Y899

T029 Address

G400 -G419

S000 -Y899

T030 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T031 Address

G400 -G419
S000 -Y899

T032 Address

G400 -G419
S000 -Y899

T033 Address

G400 -G419
S000 -Y899

T034 Address

G400 -G419
S000 -Y899

T038 Address

G400 -G419
S000 -Y899

T039 Address

G400 -G419
S000 -Y899

T040 Address

G400 -G419
S000 -Y899

T041 Address

G400 -G419
S000 -Y899

T042 Address

G400 -G419
S000 -Y899

T043 Address

G400 -G419
S000 -Y899

T044 Address

G400 -G419
S000 -Y899

T047 Address

G400 -G419
S000 -Y899

T048 Address

G400 -G419
S000 -Y899

T049 Address

G400 -G419
S000 -Y899

T050 Address

G400 -G419
S000 -Y899

T051 Address

G400 -G419
S000 -Y899

T052 Address

G400 -G419
S000 -Y899

T053 Address

G400 -G419
S000 -Y899

T054 Address

G400 -G419
S000 -Y899

T055 Address

G400 -G419
S000 -Y899

T056 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T058 Address

G400 -G419

S000 -Y899

T059 Address

G400 -G419

S000 -Y899

T060 Address

G400 -G419

S000 -Y899

T061 Address

G400 -G419

S000 -Y899

T062 Address

G400 -G419

S000 -Y899

T063 Address

G400 -G419

S000 -Y899

T064 Address

G400 -G419

S000 -Y899

T065 Address

G400 -G419

S000 -Y899

T068 Address

G400 -G419

S000 -Y899

T07 Address

G400 -G419

S000 -Y899

T08 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T090 Address

G400 -G419
S000 -Y899

T091 Address

G400 -G419
S000 -Y899

T092 Address

G400 -G419
S000 -Y899

T093 Address

G400 -G419
S000 -Y899

T094 Address

G400 -G419
S000 -Y899

T095 Address

G400 -G419
S000 -Y899

T096 Address

G400 -G419
S000 -Y899

T098 Address

G400 -G419
S000 -Y899

T099 Address

G400 -G419
S000 -Y899

T1 Category

T10 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T110 Address

G400 -G419

S000 -Y899

T111 Address

G400 -G419

S000 -Y899

T112 Address

G400 -G419

S000 -Y899

T113 Address

G400 -G419

S000 -Y899

T114 Address

G400 -G419

S000 -Y899

T115 Address

G400 -G419

S000 -Y899

T116 Address

G400 -G419

S000 -Y899

T118 Address

G400 -G419

S000 -Y899

T119 Address

G400 -G419

S000 -Y899

T12 Address

G400 -G419

S000 -Y899

T130 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T131 Address

G400 -G419
S000 -Y899

T132 Address

G400 -G419
S000 -Y899

T133 Address

G400 -G419
S000 -Y899

T134 Address

G400 -G419
S000 -Y899

T135 Address

G400 -G419
S000 -Y899

T136 Address

G400 -G419
S000 -Y899

T138 Address

G400 -G419
S000 -Y899

T139 Address

G400 -G419
S000 -Y899

T140 Address

G400 -G419
S000 -Y899

T141 Address

G400 -G419
S000 -Y899

T142 Address

G400 -G419
S000 -Y899

T143 Address

G400 -G419
S000 -Y899

T144 Address

G400 -G419
S000 -Y899

T145 Address

G400 -G419
S000 -Y899

T146 Address

G400 -G419
S000 -Y899

T147 Address

G400 -G419
S000 -Y899

T148 Address

G400 -G419
S000 -Y899

T149 Address

G400 -G419
S000 -Y899

T150 Address

G400 -G419
S000 -Y899

T151 Address

G400 -G419
S000 -Y899

T158 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T159 Address

G400 -G419

S000 -Y899

T16 Address

G400 -G419

S000 -Y899

T170 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

T171 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

T172 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

T173 Address

A000 -R825

M R826

R827 -R892

M R893

R894 -R961

R98 -Y899

T174 Address

A000 -R825

M R826

ICD-10-Mortality Manual 2c - 2014

R827 -R892
M R893
R894 -R961
R98 -Y899

T175 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

T178 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

T179 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

T180 Address

G400 -G419
S000 -Y899

T181 Address

G400 -G419
S000 -Y899

T182 Address

G400 -G419
S000 -Y899

T183 Address

G400 -G419
S000 -Y899

T184 Address

G400 -G419
S000 -Y899

T185 Address

G400 -G419
S000 -Y899

T188 Address

G400 -G419
S000 -Y899

T189 Address

G400 -G419
S000 -Y899

T190 Address

G400 -G419
S000 -Y899

T191 Address

G400 -G419
S000 -Y899

T192 Address

G400 -G419
S000 -Y899

T193 Address

G400 -G419
S000 -Y899

T198 Address

G400 -G419
S000 -Y899

T199 Address

G400 -G419
S000 -Y899

T2 Category

T200 Address

G400 -G419
S000 -Y899

T201 Address

G400 -G419
S000 -Y899

T202 Address

G400 -G419
S000 -Y899

T203 Address

G400 -G419
S000 -Y899

T204 Address

G400 -G419
S000 -Y899

T205 Address

G400 -G419
S000 -Y899

T206 Address

G400 -G419
S000 -Y899

T207 Address

G400 -G419
S000 -Y899

T210 Address

G400 -G419
S000 -Y899

T211 Address

G400 -G419
S000 -Y899

T212 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T213 Address

G400 -G419

S000 -Y899

T214 Address

G400 -G419

S000 -Y899

T215 Address

G400 -G419

S000 -Y899

T216 Address

G400 -G419

S000 -Y899

T217 Address

G400 -G419

S000 -Y899

T220 Address

G400 -G419

S000 -Y899

T221 Address

G400 -G419

S000 -Y899

T222 Address

G400 -G419

S000 -Y899

T223 Address

G400 -G419

S000 -Y899

T224 Address

G400 -G419

S000 -Y899

T225 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T226 Address

G400 -G419
S000 -Y899

T227 Address

G400 -G419
S000 -Y899

T230 Address

G400 -G419
S000 -Y899

T231 Address

G400 -G419
S000 -Y899

T232 Address

G400 -G419
S000 -Y899

T233 Address

G400 -G419
S000 -Y899

T234 Address

G400 -G419
S000 -Y899

T235 Address

G400 -G419
S000 -Y899

T236 Address

G400 -G419
S000 -Y899

T237 Address

G400 -G419
S000 -Y899

T240 Address

G400 -G419
S000 -Y899

T241 Address

G400 -G419
S000 -Y899

T242 Address

G400 -G419
S000 -Y899

T243 Address

G400 -G419
S000 -Y899

T244 Address

G400 -G419
S000 -Y899

T245 Address

G400 -G419
S000 -Y899

T246 Address

G400 -G419
S000 -Y899

T247 Address

G400 -G419
S000 -Y899

T250 Address

G400 -G419
S000 -Y899

T251 Address

G400 -G419
S000 -Y899

T252 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T253 Address

G400 -G419

S000 -Y899

T254 Address

G400 -G419

S000 -Y899

T255 Address

G400 -G419

S000 -Y899

T256 Address

G400 -G419

S000 -Y899

T257 Address

G400 -G419

S000 -Y899

T260 Address

G400 -G419

S000 -Y899

T261 Address

G400 -G419

S000 -Y899

T262 Address

G400 -G419

S000 -Y899

T263 Address

G400 -G419

S000 -Y899

T264 Address

G400 -G419

S000 -Y899

T265 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T266 Address

G400 -G419
S000 -Y899

T267 Address

G400 -G419
S000 -Y899

T268 Address

G400 -G419
S000 -Y899

T269 Address

G400 -G419
S000 -Y899

T270 Address

G400 -G419
S000 -Y899

T271 Address

G400 -G419
S000 -Y899

T272 Address

G400 -G419
S000 -Y899

T273 Address

G400 -G419
S000 -Y899

T274 Address

G400 -G419
S000 -Y899

T275 Address

G400 -G419
S000 -Y899

T276 Address

G400 -G419
S000 -Y899

T277 Address

G400 -G419
S000 -Y899

T280 Address

G400 -G419
S000 -Y899

T281 Address

G400 -G419
S000 -Y899

T282 Address

G400 -G419
S000 -Y899

T283 Address

G400 -G419
S000 -Y899

T284 Address

G400 -G419
S000 -Y899

T285 Address

G400 -G419
S000 -Y899

T286 Address

G400 -G419
S000 -Y899

T287 Address

G400 -G419
S000 -Y899

T288 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T289 Address

G400 -G419

S000 -Y899

T290 Address

G400 -G419

S000 -Y899

T291 Address

G400 -G419

S000 -Y899

T292 Address

G400 -G419

S000 -Y899

T293 Address

G400 -G419

S000 -Y899

T294 Address

G400 -G419

S000 -Y899

T295 Address

G400 -G419

S000 -Y899

T296 Address

G400 -G419

S000 -Y899

T297 Address

G400 -G419

S000 -Y899

T3 Category

T300 Address

G400 -G419

S000 -Y899

T301 Address

G400 -G419
S000 -Y899

T302 Address

G400 -G419
S000 -Y899

T303 Address

G400 -G419
S000 -Y899

T304 Address

G400 -G419
S000 -Y899

T305 Address

G400 -G419
S000 -Y899

T306 Address

G400 -G419
S000 -Y899

T307 Address

G400 -G419
S000 -Y899

T310 Address

G400 -G419
S000 -Y899

T311 Address

G400 -G419
S000 -Y899

T312 Address

G400 -G419
S000 -Y899

T313 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T314 Address

G400 -G419

S000 -Y899

T315 Address

G400 -G419

S000 -Y899

T316 Address

G400 -G419

S000 -Y899

T317 Address

G400 -G419

S000 -Y899

T318 Address

G400 -G419

S000 -Y899

T319 Address

G400 -G419

S000 -Y899

T320 Address

G400 -G419

S000 -Y899

T321 Address

G400 -G419

S000 -Y899

T322 Address

G400 -G419

S000 -Y899

T323 Address

G400 -G419

S000 -Y899

T324 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T325 Address

G400 -G419
S000 -Y899

T326 Address

G400 -G419
S000 -Y899

T327 Address

G400 -G419
S000 -Y899

T328 Address

G400 -G419
S000 -Y899

T329 Address

G400 -G419
S000 -Y899

T330 Address

G400 -G419
S000 -Y899

T331 Address

G400 -G419
S000 -Y899

T332 Address

G400 -G419
S000 -Y899

T333 Address

G400 -G419
S000 -Y899

T334 Address

G400 -G419
S000 -Y899

T335 Address

G400 -G419
S000 -Y899

T336 Address

G400 -G419
S000 -Y899

T337 Address

G400 -G419
S000 -Y899

T338 Address

G400 -G419
S000 -Y899

T339 Address

G400 -G419
S000 -Y899

T340 Address

G400 -G419
S000 -Y899

T341 Address

G400 -G419
S000 -Y899

T342 Address

G400 -G419
S000 -Y899

T343 Address

G400 -G419
S000 -Y899

T344 Address

G400 -G419
S000 -Y899

T345 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T346 Address

G400 -G419

S000 -Y899

T347 Address

G400 -G419

S000 -Y899

T348 Address

G400 -G419

S000 -Y899

T349 Address

G400 -G419

S000 -Y899

T350 Address

G400 -G419

S000 -Y899

T351 Address

G400 -G419

S000 -Y899

T352 Address

G400 -G419

S000 -Y899

T353 Address

G400 -G419

S000 -Y899

T354 Address

G400 -G419

S000 -Y899

T355 Address

G400 -G419

S000 -Y899

T356 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T357 Address

G400 -G419
S000 -Y899

T360 Address

S000 -Y899

T361 Address

S000 -Y899

T362 Address

S000 -Y899

T363 Address

S000 -Y899

T364 Address

S000 -Y899

T365 Address

S000 -Y899

T366 Address

S000 -Y899

T367 Address

S000 -Y899

T368 Address

S000 -Y899

T369 Address

S000 -Y899

T370 Address

S000 -Y899

T371 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T372 Address

S000 -Y899

T373 Address

S000 -Y899

T374 Address

S000 -Y899

T375 Address

S000 -Y899

T378 Address

S000 -Y899

T379 Address

S000 -Y899

T380 Address

S000 -Y899

T381 Address

S000 -Y899

T382 Address

S000 -Y899

T383 Address

S000 -Y899

T384 Address

S000 -Y899

T385 Address

S000 -Y899

T386 Address

S000 -Y899

T387 Address

S000 -Y899

T388 Address

S000 -Y899

T389 Address

S000 -Y899

T390 Address

S000 -Y899

T391 Address

S000 -Y899

T392 Address

S000 -Y899

T393 Address

S000 -Y899

T394 Address

S000 -Y899

T398 Address

S000 -Y899

T399 Address

S000 -Y899

T4 Category

T400 Address

S000 -Y899

T401 Address

S000 -Y899

T402 Address

S000 -Y899

T403 Address

S000 -Y899

T404 Address

S000 -Y899

T405 Address

S000 -Y899

T406 Address

S000 -Y899

T407 Address

S000 -Y899

T408 Address

S000 -Y899

T409 Address

S000 -Y899

T410 Address

S000 -Y899

T411 Address

S000 -Y899

T412 Address

S000 -Y899

T413 Address

S000 -Y899

T414 Address

S000 -Y899

T415 Address

S000 -Y899

T420 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T421 Address

S000 -Y899

T422 Address

S000 -Y899

T423 Address

S000 -Y899

T424 Address

S000 -Y899

T425 Address

S000 -Y899

T426 Address

S000 -Y899

T427 Address

S000 -Y899

T428 Address

S000 -Y899

T430 Address

S000 -Y899

T431 Address

S000 -Y899

T432 Address

S000 -Y899

T433 Address

S000 -Y899

T434 Address

S000 -Y899

T435 Address

S000 -Y899

T436 Address

S000 -Y899

T438 Address

S000 -Y899

T439 Address

S000 -Y899

T440 Address

S000 -Y899

T441 Address

S000 -Y899

T442 Address

S000 -Y899

T443 Address

S000 -Y899

T444 Address

S000 -Y899

T445 Address

S000 -Y899

T446 Address

S000 -Y899

T447 Address

S000 -Y899

T448 Address

S000 -Y899

T449 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T450 Address

S000 -Y899

T451 Address

S000 -Y899

T452 Address

S000 -Y899

T453 Address

S000 -Y899

T454 Address

S000 -Y899

T455 Address

S000 -Y899

T456 Address

S000 -Y899

T457 Address

S000 -Y899

T458 Address

S000 -Y899

T459 Address

S000 -Y899

T460 Address

S000 -Y899

T461 Address

S000 -Y899

T462 Address

S000 -Y899

T463 Address

S000 -Y899

T464 Address

S000 -Y899

T465 Address

S000 -Y899

T466 Address

S000 -Y899

T467 Address

S000 -Y899

T468 Address

S000 -Y899

T469 Address

S000 -Y899

T470 Address

S000 -Y899

T471 Address

S000 -Y899

T472 Address

S000 -Y899

T473 Address

S000 -Y899

T474 Address

S000 -Y899

T475 Address

S000 -Y899

T476 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T477 Address

S000 -Y899

T478 Address

S000 -Y899

T479 Address

S000 -Y899

T480 Address

S000 -Y899

T481 Address

S000 -Y899

T482 Address

S000 -Y899

T483 Address

S000 -Y899

T484 Address

S000 -Y899

T485 Address

S000 -Y899

T486 Address

S000 -Y899

T487 Address

S000 -Y899

T490 Address

S000 -Y899

T491 Address

S000 -Y899

T492 Address

S000 -Y899

T493 Address

S000 -Y899

T494 Address

S000 -Y899

T495 Address

S000 -Y899

T496 Address

S000 -Y899

T497 Address

S000 -Y899

T498 Address

S000 -Y899

T499 Address

S000 -Y899

T5 Category

T500 Address

S000 -Y899

T501 Address

S000 -Y899

T502 Address

S000 -Y899

T503 Address

S000 -Y899

T504 Address

S000 -Y899

T505 Address

S000 -Y899

T506 Address

S000 -Y899

T507 Address

S000 -Y899

T508 Address

S000 -Y899

T509 Address

S000 -Y899

T510 Address

S000 -Y899

T511 Address

S000 -Y899

T512 Address

S000 -Y899

T513 Address

S000 -Y899

T518 Address

S000 -Y899

T519 Address

S000 -Y899

T520 Address

S000 -Y899

T521 Address

S000 -Y899

T522 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T523 Address

S000 -Y899

T524 Address

S000 -Y899

T528 Address

S000 -Y899

T529 Address

S000 -Y899

T530 Address

S000 -Y899

T531 Address

S000 -Y899

T532 Address

S000 -Y899

T533 Address

S000 -Y899

T534 Address

S000 -Y899

T535 Address

S000 -Y899

T536 Address

S000 -Y899

T537 Address

S000 -Y899

T539 Address

S000 -Y899

T540 Address

S000 -Y899

T541 Address

S000 -Y899

T542 Address

S000 -Y899

T543 Address

S000 -Y899

T549 Address

S000 -Y899

T55 Address

S000 -Y899

T560 Address

S000 -Y899

T561 Address

S000 -Y899

T562 Address

S000 -Y899

T563 Address

S000 -Y899

T564 Address

S000 -Y899

T565 Address

S000 -Y899

T566 Address

S000 -Y899

T567 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T568 Address

S000 -Y899

T569 Address

S000 -Y899

T570 Address

S000 -Y899

T571 Address

S000 -Y899

T572 Address

S000 -Y899

T573 Address

S000 -Y899

T578 Address

S000 -Y899

T579 Address

S000 -Y899

T58 Address

S000 -Y899

T590 Address

S000 -Y899

T591 Address

S000 -Y899

T592 Address

S000 -Y899

T593 Address

S000 -Y899

T594 Address

S000 -Y899

T595 Address

S000 -Y899

T596 Address

S000 -Y899

T597 Address

S000 -Y899

T598 Address

S000 -Y899

T599 Address

S000 -Y899

T6 Category

T600 Address

S000 -Y899

T601 Address

S000 -Y899

T602 Address

S000 -Y899

T603 Address

S000 -Y899

T604 Address

S000 -Y899

T608 Address

S000 -Y899

T609 Address

S000 -Y899

T610 Address

S000 -Y899

T611 Address

S000 -Y899

T612 Address

S000 -Y899

T618 Address

S000 -Y899

T619 Address

S000 -Y899

T620 Address

S000 -Y899

T621 Address

S000 -Y899

T622 Address

S000 -Y899

T628 Address

S000 -Y899

T629 Address

S000 -Y899

T630 Address

S000 -Y899

T631 Address

S000 -Y899

T632 Address

S000 -Y899

T633 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T634 Address

S000 -Y899

T635 Address

S000 -Y899

T636 Address

S000 -Y899

T638 Address

S000 -Y899

T639 Address

S000 -Y899

T64 Address

S000 -Y899

T650 Address

S000 -Y899

T651 Address

S000 -Y899

T652 Address

S000 -Y899

T653 Address

S000 -Y899

T654 Address

S000 -Y899

T655 Address

S000 -Y899

T656 Address

S000 -Y899

T658 Address

S000 -Y899

T659 Address

S000 -Y899

T66 Address

S000 -Y899

T670 Address

G400 -G419

S000 -Y899

T671 Address

G400 -G419

S000 -Y899

T672 Address

G400 -G419

S000 -Y899

T673 Address

G400 -G419

S000 -Y899

T674 Address

G400 -G419

S000 -Y899

T675 Address

G400 -G419

S000 -Y899

T676 Address

G400 -G419

S000 -Y899

T677 Address

G400 -G419

S000 -Y899

T678 Address

G400 -G419
S000 -Y899

T679 Address

G400 -G419
S000 -Y899

T68 Address

G400 -G419
S000 -Y899

T690 Address

G400 -G419
S000 -Y899

T691 Address

G400 -G419
S000 -Y899

T698 Address

G400 -G419
S000 -Y899

T699 Address

G400 -G419
S000 -Y899

T7 Category

T700 Address

S000 -Y899

T701 Address

S000 -Y899

T702 Address

S000 -Y899

T703 Address

S000 -Y899

T704 Address

S000 -Y899

T708 Address

S000 -Y899

T709 Address

S000 -Y899

T71 Address

G400 -G419

S000 -Y899

T730 Address

G400 -G419

S000 -Y899

T731 Address

G400 -G419

S000 -Y899

T732 Address

G400 -G419

S000 -Y899

T733 Address

S000 -Y899

T738 Address

G400 -G419

S000 -Y899

T739 Address

G400 -G419

S000 -Y899

T740 Address

S000 -Y899

T741 Address

S000 -Y899

T742 Address

S000 -Y899

T743 Address

S000 -Y899

T748 Address

S000 -Y899

T749 Address

S000 -Y899

T750 Address

S000 -Y899

T751 Address

G400 -G419

P035

S000 -Y899

T752 Address

S000 -Y899

T753 Address

S000 -Y899

T754 Address

G400 -G419

S000 -Y899

T758 Address

G400 -G419

S000 -Y899

T780 Address

S000 -Y899

T781 Address

S000 -Y899

T782 Address

S000 -Y899

T783 Address

S000 -Y899

T784 Address

S000 -Y899

T788 Address

S000 -Y899

T789 Address

S000 -Y899

T790 Address

S000 -Y899

T791 Address

S000 -Y899

T792 Address

S000 -Y899

T793 Address

S000 -Y899

T794 Address

S000 -Y899

T795 Address

S000 -Y899

T796 Address

S000 -Y899

T797 Address

S000 -Y899

T798 Address

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T799 Address

S000 -Y899

T8 Category

T800 Address

T800
Y600 -Y849
Y881
Y883

T801 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O994
T801
T817

ICD-10-Mortality Manual 2c - 2014

T828
T838
T848
T858
Y600 -Y849
Y881
Y883

T802 Address

T802
Y600 -Y849
Y881
Y883

T803 Address

T803
Y600 -Y849
Y881
Y883

T804 Address

T804
Y600 -Y849
Y881
Y883

T805 Address

T805
Y600 -Y849
Y881
Y883

T806 Address

T806
Y600 -Y849
Y881
Y883

T808 Address

T808
Y600 -Y849
Y881
Y883

T809 Address

ICD-10-Mortality Manual 2c - 2014

T809
Y600 -Y849
Y881
Y883

T810 Address

T810
Y600 -Y849
Y881
Y883

T811 Address

T811
Y600 -Y849
Y881
Y883

T812 Address

T812
Y600 -Y849
Y881
Y883

T813 Address

T813
Y600 -Y849
Y881
Y883

T814 Address

T814
Y600 -Y849
Y881
Y883

T815 Address

T815
Y600 -Y849
Y881
Y883

T816 Address

T816
Y600 -Y849
Y881

ICD-10-Mortality Manual 2c - 2014

Y883

T817 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O994
T801
T817
T828
T838
T848
T858
Y600 -Y849
Y881
Y883

T818 Address

T818
Y600 -Y849

ICD-10-Mortality Manual 2c - 2014

Y881
Y883

T819 Address

T819
Y600 -Y849
Y881
Y883

T820 Address

T820
Y600 -Y849
Y881
Y883

T821 Address

T821
Y600 -Y849
Y881
Y883

T822 Address

T822
Y600 -Y849
Y881
Y883

T823 Address

T823
Y600 -Y849
Y881
Y883

T824 Address

T824
Y600 -Y849
Y881
Y883

T825 Address

T825
Y600 -Y849
Y881
Y883

T826 Address

T826
Y600 -Y849
Y881
Y883

T827 Address

T827
Y600 -Y849
Y881
Y883

T828 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O994
T801
T817

ICD-10-Mortality Manual 2c - 2014

T828
T838
T848
T858
Y600 -Y849
Y881
Y883

T829 Address

T829
Y600 -Y849
Y881
Y883

T830 Address

T830
Y600 -Y849
Y881
Y883

T831 Address

T831
Y600 -Y849
Y881
Y883

T832 Address

T832
Y600 -Y849
Y881
Y883

T833 Address

T833
Y600 -Y849
Y881
Y883

T834 Address

T834
Y600 -Y849
Y881
Y883

T835 Address

ICD-10-Mortality Manual 2c - 2014

T835
Y600 -Y849
Y881
Y883

T836 Address

T836
Y600 -Y849
Y881
Y883

T838 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O994
T801
T817
T828
T838

ICD-10-Mortality Manual 2c - 2014

T848
T858
Y600 -Y849
Y881
Y883

T839 Address

T839
Y600 -Y849
Y881
Y883

T840 Address

T840
Y600 -Y849
Y881
Y883

T841 Address

T841
Y600 -Y849
Y881
Y883

T842 Address

T842
Y600 -Y849
Y881
Y883

T843 Address

T843
Y600 -Y849
Y881
Y883

T844 Address

T844
Y600 -Y849
Y881
Y883

T845 Address

T845
Y600 -Y849

ICD-10-Mortality Manual 2c - 2014

Y881
Y883

T846 Address

T846
Y600 -Y849
Y881
Y883

T847 Address

T847
Y600 -Y849
Y881
Y883

T848 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223
M O229
O60 -O849
M O871
M O879
O994

ICD-10-Mortality Manual 2c - 2014

T801
T817
T828
T838
T848
T858
Y600 -Y849
Y881
Y883

T849 Address

T849
Y600 -Y849
Y881
Y883

T850 Address

T850
Y600 -Y849
Y881
Y883

T851 Address

T851
Y600 -Y849
Y881
Y883

T852 Address

T852
Y600 -Y849
Y881
Y883

T853 Address

T853
Y600 -Y849
Y881
Y883

T854 Address

T854
Y600 -Y849
Y881
Y883

T855 Address

T855
Y600 -Y849
Y881
Y883

T856 Address

T856
Y600 -Y849
Y881
Y883

T857 Address

T857
Y600 -Y849
Y881
Y883

T858 Address

M I011
M I020
M I050 -I080
I081 -I089
I091
I330 -I339
M I340 -I379
I38
M I423 -I424
I48 -I499
I513
M I700
M I740 -I741
M I800 -I809
M I821 -I829
O033
O038
O043
O048
O053
O058
O063
O068
O073
O078
O087
M O223

ICD-10-Mortality Manual 2c - 2014

M O229
O60 -O849
M O871
M O879
O994
T801
T817
T828
T838
T848
T858
Y600 -Y849
Y881
Y883

T859 Address

T859
Y600 -Y849
Y881
Y883

T860 Address

T860
Y600 -Y849
Y881
Y883

T861 Address

T861
Y600 -Y847
M Y848
Y849
Y881
Y883

T862 Address

T862
Y600 -Y849
Y881
Y883

T863 Address

T863
Y600 -Y849
Y881
Y883

T864 Address

T864
Y600 -Y849
Y881
Y883

T868 Address

T868
Y600 -Y849
Y881
Y883

T869 Address

T869
Y600 -Y849
Y881
Y883

T870 Address

T870
Y600 -Y849
Y881
Y883

T871 Address

T871
Y600 -Y849
Y881
Y883

T872 Address

T872
Y600 -Y849
Y881
Y883

T873 Address

T873
Y600 -Y849
Y881
Y883

T874 Address

T874

ICD-10-Mortality Manual 2c - 2014

Y600 -Y849
Y881
Y883

T875 Address

T875
Y600 -Y849
Y881
Y883

T876 Address

T876
Y600 -Y849
Y881
Y883

T880 Address

T880
Y600 -Y849
Y881
Y883

T881 Address

T881
Y600 -Y849
Y881
Y883

T882 Address

T882
Y600 -Y849
Y881
Y883

T883 Address

T883
Y600 -Y849
Y881
Y883

T884 Address

T884
Y600 -Y849
Y881
Y883

T885 Address

T885
Y600 -Y849
Y881
Y883

T886 Address

T886
Y400 -Y849
Y881
Y883

T887 Address

T887
Y400 -Y849
Y881
Y883

T888 Address

T888
Y600 -Y849
Y881
Y883

T889 Address

T889
Y600 -Y849
Y881
Y883

T9 Category

T900 Address

G400 -G419
S000 -Y899

T901 Address

G400 -G419
S000 -Y899

T902 Address

G400 -G419
S000 -Y899

T903 Address

G400 -G419
S000 -Y899

T904 Address

G400 -G419
S000 -Y899

T905 Address

G400 -G419
S000 -Y899

T908 Address

G400 -G419
S000 -Y899

T909 Address

G400 -G419
S000 -Y899

T910 Address

G400 -G419
S000 -Y899

T911 Address

G400 -G419
S000 -Y899

T912 Address

G400 -G419
S000 -Y899

T913 Address

G400 -G419
S000 -Y899

T914 Address

G400 -G419
S000 -Y899

T915 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

S000 -Y899

T918 Address

G400 -G419

S000 -Y899

T919 Address

G400 -G419

S000 -Y899

T920 Address

G400 -G419

S000 -Y899

T921 Address

G400 -G419

S000 -Y899

T922 Address

G400 -G419

S000 -Y899

T923 Address

G400 -G419

S000 -Y899

T924 Address

G400 -G419

S000 -Y899

T925 Address

G400 -G419

S000 -Y899

T926 Address

G400 -G419

S000 -Y899

T928 Address

G400 -G419

S000 -Y899

T929 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
S000 -Y899

T930 Address

G400 -G419
S000 -Y899

T931 Address

G400 -G419
S000 -Y899

T932 Address

G400 -G419
S000 -Y899

T933 Address

G400 -G419
S000 -Y899

T934 Address

G400 -G419
S000 -Y899

T935 Address

G400 -G419
S000 -Y899

T936 Address

G400 -G419
S000 -Y899

T938 Address

G400 -G419
S000 -Y899

T939 Address

G400 -G419
S000 -Y899

T940 Address

G400 -G419
S000 -Y899

T941 Address

G400 -G419
S000 -Y899

T950 Address

G400 -G419
S000 -Y899

T951 Address

G400 -G419
S000 -Y899

T952 Address

G400 -G419
S000 -Y899

T953 Address

G400 -G419
S000 -Y899

T954 Address

G400 -G419
S000 -Y899

T958 Address

G400 -G419
S000 -Y899

T959 Address

G400 -G419
S000 -Y899

T96 Address

G400 -G419
S000 -Y899

T97 Address

G400 -G419
S000 -Y899

T980 Address

A000 -O998

ICD-10-Mortality Manual 2c - 2014

Q000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

T981 Address

G400 -G419
S000 -Y899

T982 Address

G400 -G419
S000 -Y899

T983 Address

G400 -G419
S000 -Y899

V

V0 Category

V010 Address

G400 -G419
V010

V011 Address

G400 -G419
V011

V019 Address

G400 -G419
V019

V020 Address

G400 -G419
V020

V021 Address

G400 -G419
V021

V029 Address

G400 -G419
V029

V030 Address

G400 -G419
V030

V031 Address

G400 -G419
V031

V039 Address

G400 -G419
V039

V040 Address

G400 -G419
V040

V041 Address

G400 -G419
V041

V049 Address

G400 -G419
V049

V050 Address

G400 -G419
V050

V051 Address

G400 -G419
V051

V059 Address

G400 -G419
V059

V060 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V060

V061 Address

G400 -G419
V061

V069 Address

G400 -G419
V069

V090 Address

G400 -G419
V090

V091 Address

G400 -G419
V091

V092 Address

G400 -G419
V092

V093 Address

G400 -G419
V093

V099 Address

G400 -G419
V099

V1 Category

V100 Address

G400 -G419
V100

V101 Address

G400 -G419
V101

V102 Address

G400 -G419
V102

V103 Address

G400 -G419
V103

V104 Address

G400 -G419
V104

V105 Address

G400 -G419
V105

V109 Address

G400 -G419
V109

V110 Address

G400 -G419
V110

V111 Address

G400 -G419
V111

V112 Address

G400 -G419
V112

V113 Address

G400 -G419
V113

V114 Address

G400 -G419
V114

V115 Address

G400 -G419
V115

V119 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V119

V120 Address

G400 -G419
V120

V121 Address

G400 -G419
V121

V122 Address

G400 -G419
V122

V123 Address

G400 -G419
V123

V124 Address

G400 -G419
V124

V125 Address

G400 -G419
V125

V129 Address

G400 -G419
V129

V130 Address

G400 -G419
V130

V131 Address

G400 -G419
V131

V132 Address

G400 -G419
V132

V133 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V133

V134 Address

G400 -G419
V134

V135 Address

G400 -G419
V135

V139 Address

G400 -G419
V139

V140 Address

G400 -G419
V140

V141 Address

G400 -G419
V141

V142 Address

G400 -G419
V142

V143 Address

G400 -G419
V143

V144 Address

G400 -G419
V144

V145 Address

G400 -G419
V145

V149 Address

G400 -G419
V149

V150 Address

G400 -G419
V150

V151 Address

G400 -G419
V151

V152 Address

G400 -G419
V152

V153 Address

G400 -G419
V153

V154 Address

G400 -G419
V154

V155 Address

G400 -G419
V155

V159 Address

G400 -G419
V159

V160 Address

G400 -G419
V160

V161 Address

G400 -G419
V161

V162 Address

G400 -G419
V162

V163 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V163

V164 Address

G400 -G419
V164

V165 Address

G400 -G419
V165

V169 Address

G400 -G419
V169

V170 Address

G400 -G419
V170

V171 Address

G400 -G419
V171

V172 Address

G400 -G419
V172

V173 Address

G400 -G419
V173

V174 Address

G400 -G419
V174

V175 Address

G400 -G419
V175

V179 Address

G400 -G419
V179

V180 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V180

V181 Address

G400 -G419
V181

V182 Address

G400 -G419
V182

V183 Address

G400 -G419
V183

V184 Address

G400 -G419
V184

V185 Address

G400 -G419
V185

V189 Address

G400 -G419
V189

V190 Address

G400 -G419
V190

V191 Address

G400 -G419
V191

V192 Address

G400 -G419
V192

V193 Address

G400 -G419
V193

V194 Address

G400 -G419
V194

V195 Address

G400 -G419
V195

V196 Address

G400 -G419
V196

V198 Address

G400 -G419
V198

V199 Address

G400 -G419
V199

V2 Category

V200 Address

G400 -G419
V200

V201 Address

G400 -G419
V201

V202 Address

G400 -G419
V202

V203 Address

G400 -G419
V203

V204 Address

G400 -G419
V204

V205 Address

G400 -G419
V205

V209 Address

G400 -G419
V209

V210 Address

G400 -G419
V210

V211 Address

G400 -G419
V211

V212 Address

G400 -G419
V212

V213 Address

G400 -G419
V213

V214 Address

G400 -G419
V214

V215 Address

G400 -G419
V215

V219 Address

G400 -G419
V219

V220 Address

G400 -G419
V220

V221 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V221

V222 Address

G400 -G419
V222

V223 Address

G400 -G419
V223

V224 Address

G400 -G419
V224

V225 Address

G400 -G419
V225

V229 Address

G400 -G419
V229

V230 Address

G400 -G419
V230

V231 Address

G400 -G419
V231

V232 Address

G400 -G419
V232

V233 Address

G400 -G419
V233

V234 Address

G400 -G419
V234

V235 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V235

V239 Address

G400 -G419
V239

V240 Address

G400 -G419
V240

V241 Address

G400 -G419
V241

V242 Address

G400 -G419
V242

V243 Address

G400 -G419
V243

V244 Address

G400 -G419
V244

V245 Address

G400 -G419
V245

V249 Address

G400 -G419
V249

V250 Address

G400 -G419
V250

V251 Address

G400 -G419
V251

V252 Address

G400 -G419
V252

V253 Address

G400 -G419
V253

V254 Address

G400 -G419
V254

V255 Address

G400 -G419
V255

V259 Address

G400 -G419
V259

V260 Address

G400 -G419
V260

V261 Address

G400 -G419
V261

V262 Address

G400 -G419
V262

V263 Address

G400 -G419
V263

V264 Address

G400 -G419
V264

V265 Address

G400 -G419

V265

V269 Address

G400 -G419
V269

V270 Address

G400 -G419
V270

V271 Address

G400 -G419
V271

V272 Address

G400 -G419
V272

V273 Address

G400 -G419
V273

V274 Address

G400 -G419
V274

V275 Address

G400 -G419
V275

V279 Address

G400 -G419
V279

V280 Address

G400 -G419
V280

V281 Address

G400 -G419
V281

V282 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V282

V283 Address

G400 -G419
V283

V284 Address

G400 -G419
V284

V285 Address

G400 -G419
V285

V289 Address

G400 -G419
V289

V290 Address

G400 -G419
V290

V291 Address

G400 -G419
V291

V292 Address

G400 -G419
V292

V293 Address

G400 -G419
V293

V294 Address

G400 -G419
V294

V295 Address

G400 -G419
V295

V296 Address

G400 -G419
V296

V298 Address

G400 -G419
V298

V299 Address

G400 -G419
V299

V3 Category

V300 Address

G400 -G419
V300

V301 Address

G400 -G419
V301

V302 Address

G400 -G419
V302

V303 Address

G400 -G419
V303

V304 Address

G400 -G419
V304

V305 Address

G400 -G419
V305

V306 Address

G400 -G419
V306

V307 Address

G400 -G419
V307

V309 Address

G400 -G419
V309

V310 Address

G400 -G419
V310

V311 Address

G400 -G419
V311

V312 Address

G400 -G419
V312

V313 Address

G400 -G419
V313

V314 Address

G400 -G419
V314

V315 Address

G400 -G419
V315

V316 Address

G400 -G419
V316

V317 Address

G400 -G419
V317

V319 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V319

V320 Address

G400 -G419
V320

V321 Address

G400 -G419
V321

V322 Address

G400 -G419
V322

V323 Address

G400 -G419
V323

V324 Address

G400 -G419
V324

V325 Address

G400 -G419
V325

V326 Address

G400 -G419
V326

V327 Address

G400 -G419
V327

V329 Address

G400 -G419
V329

V330 Address

G400 -G419
V330

V331 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V331

V332 Address

G400 -G419
V332

V333 Address

G400 -G419
V333

V334 Address

G400 -G419
V334

V335 Address

G400 -G419
V335

V336 Address

G400 -G419
V336

V337 Address

G400 -G419
V337

V339 Address

G400 -G419
V339

V340 Address

G400 -G419
V340

V341 Address

G400 -G419
V341

V342 Address

G400 -G419
V342

V343 Address

G400 -G419
V343

V344 Address

G400 -G419
V344

V345 Address

G400 -G419
V345

V346 Address

G400 -G419
V346

V347 Address

G400 -G419
V347

V349 Address

G400 -G419
V349

V350 Address

G400 -G419
V350

V351 Address

G400 -G419
V351

V352 Address

G400 -G419
V352

V353 Address

G400 -G419
V353

V354 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V354

V355 Address

G400 -G419
V355

V356 Address

G400 -G419
V356

V357 Address

G400 -G419
V357

V359 Address

G400 -G419
V359

V360 Address

G400 -G419
V360

V361 Address

G400 -G419
V361

V362 Address

G400 -G419
V362

V363 Address

G400 -G419
V363

V364 Address

G400 -G419
V364

V365 Address

G400 -G419
V365

V366 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V366

V367 Address

G400 -G419
V367

V369 Address

G400 -G419
V369

V370 Address

G400 -G419
V370

V371 Address

G400 -G419
V371

V372 Address

G400 -G419
V372

V373 Address

G400 -G419
V373

V374 Address

G400 -G419
V374

V375 Address

G400 -G419
V375

V376 Address

G400 -G419
V376

V377 Address

G400 -G419
V377

V379 Address

G400 -G419
V379

V380 Address

G400 -G419
V380

V381 Address

G400 -G419
V381

V382 Address

G400 -G419
V382

V383 Address

G400 -G419
V383

V384 Address

G400 -G419
V384

V385 Address

G400 -G419
V385

V386 Address

G400 -G419
V386

V387 Address

G400 -G419
V387

V389 Address

G400 -G419
V389

V390 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V390

V391 Address

G400 -G419
V391

V392 Address

G400 -G419
V392

V393 Address

G400 -G419
V393

V394 Address

G400 -G419
V394

V395 Address

G400 -G419
V395

V396 Address

G400 -G419
V396

V398 Address

G400 -G419
V398

V399 Address

G400 -G419
V399

V4 Category

V400 Address

G400 -G419
V400

V401 Address

G400 -G419
V401

V402 Address

G400 -G419
V402

V403 Address

G400 -G419
V403

V404 Address

G400 -G419
V404

V405 Address

G400 -G419
V405

V406 Address

G400 -G419
V406

V407 Address

G400 -G419
V407

V409 Address

G400 -G419
V409

V410 Address

G400 -G419
V410

V411 Address

G400 -G419
V411

V412 Address

G400 -G419
V412

V413 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V413

V414 Address

G400 -G419
V414

V415 Address

G400 -G419
V415

V416 Address

G400 -G419
V416

V417 Address

G400 -G419
V417

V419 Address

G400 -G419
V419

V420 Address

G400 -G419
V420

V421 Address

G400 -G419
V421

V422 Address

G400 -G419
V422

V423 Address

G400 -G419
V423

V424 Address

G400 -G419
V424

V425 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V425

V426 Address

G400 -G419
V426

V427 Address

G400 -G419
V427

V429 Address

G400 -G419
V429

V430 Address

G400 -G419
V430

V431 Address

G400 -G419
V431

V432 Address

G400 -G419
V432

V433 Address

G400 -G419
V433

V434 Address

G400 -G419
V434

V435 Address

G400 -G419
V435

V436 Address

G400 -G419
V436

V437 Address

G400 -G419
V437

V439 Address

G400 -G419
V439

V440 Address

G400 -G419
V440

V441 Address

G400 -G419
V441

V442 Address

G400 -G419
V442

V443 Address

G400 -G419
V443

V444 Address

G400 -G419
V444

V445 Address

G400 -G419
V445

V446 Address

G400 -G419
V446

V447 Address

G400 -G419
V447

V449 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V449

V450 Address

G400 -G419
V450

V451 Address

G400 -G419
V451

V452 Address

G400 -G419
V452

V453 Address

G400 -G419
V453

V454 Address

G400 -G419
V454

V455 Address

G400 -G419
V455

V456 Address

G400 -G419
V456

V457 Address

G400 -G419
V457

V459 Address

G400 -G419
V459

V460 Address

G400 -G419
V460

V461 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V461

V462 Address

G400 -G419
V462

V463 Address

G400 -G419
V463

V464 Address

G400 -G419
V464

V465 Address

G400 -G419
V465

V466 Address

G400 -G419
V466

V467 Address

G400 -G419
V467

V469 Address

G400 -G419
V469

V470 Address

G400 -G419
V470

V471 Address

G400 -G419
V471

V472 Address

G400 -G419
V472

V473 Address

G400 -G419
V473

V474 Address

G400 -G419
V474

V475 Address

G400 -G419
V475

V476 Address

G400 -G419
V476

V477 Address

G400 -G419
V477

V479 Address

G400 -G419
V479

V480 Address

G400 -G419
V480

V481 Address

G400 -G419
V481

V482 Address

G400 -G419
V482

V483 Address

G400 -G419
V483

V484 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V484

V485 Address

G400 -G419
V485

V486 Address

G400 -G419
V486

V487 Address

G400 -G419
V487

V489 Address

G400 -G419
V489

V490 Address

G400 -G419
V490

V491 Address

G400 -G419
V491

V492 Address

G400 -G419
V492

V493 Address

G400 -G419
V493

V494 Address

G400 -G419
V494

V495 Address

G400 -G419
V495

V496 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V496

V498 Address

G400 -G419
V498

V499 Address

G400 -G419
V499

V5 Category

V500 Address

G400 -G419
V500

V501 Address

G400 -G419
V501

V502 Address

G400 -G419
V502

V503 Address

G400 -G419
V503

V504 Address

G400 -G419
V504

V505 Address

G400 -G419
V505

V506 Address

G400 -G419
V506

V507 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V507

V509 Address

G400 -G419
V509

V510 Address

G400 -G419
V510

V511 Address

G400 -G419
V511

V512 Address

G400 -G419
V512

V513 Address

G400 -G419
V513

V514 Address

G400 -G419
V514

V515 Address

G400 -G419
V515

V516 Address

G400 -G419
V516

V517 Address

G400 -G419
V517

V519 Address

G400 -G419
V519

V520 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V520

V521 Address

G400 -G419
V521

V522 Address

G400 -G419
V522

V523 Address

G400 -G419
V523

V524 Address

G400 -G419
V524

V525 Address

G400 -G419
V525

V526 Address

G400 -G419
V526

V527 Address

G400 -G419
V527

V529 Address

G400 -G419
V529

V530 Address

G400 -G419
V530

V531 Address

G400 -G419
V531

V532 Address

G400 -G419
V532

V533 Address

G400 -G419
V533

V534 Address

G400 -G419
V534

V535 Address

G400 -G419
V535

V536 Address

G400 -G419
V536

V537 Address

G400 -G419
V537

V539 Address

G400 -G419
V539

V540 Address

G400 -G419
V540

V541 Address

G400 -G419
V541

V542 Address

G400 -G419
V542

V543 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V543

V544 Address

G400 -G419
V544

V545 Address

G400 -G419
V545

V546 Address

G400 -G419
V546

V547 Address

G400 -G419
V547

V549 Address

G400 -G419
V549

V550 Address

G400 -G419
V550

V551 Address

G400 -G419
V551

V552 Address

G400 -G419
V552

V553 Address

G400 -G419
V553

V554 Address

G400 -G419
V554

V555 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V555

V556 Address

G400 -G419
V556

V557 Address

G400 -G419
V557

V559 Address

G400 -G419
V559

V560 Address

G400 -G419
V560

V561 Address

G400 -G419
V561

V562 Address

G400 -G419
V562

V563 Address

G400 -G419
V563

V564 Address

G400 -G419
V564

V565 Address

G400 -G419
V565

V566 Address

G400 -G419
V566

V567 Address

G400 -G419
V567

V569 Address

G400 -G419
V569

V570 Address

G400 -G419
V570

V571 Address

G400 -G419
V571

V572 Address

G400 -G419
V572

V573 Address

G400 -G419
V573

V574 Address

G400 -G419
V574

V575 Address

G400 -G419
V575

V576 Address

G400 -G419
V576

V577 Address

G400 -G419
V577

V579 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V579

V580 Address

G400 -G419
V580

V581 Address

G400 -G419
V581

V582 Address

G400 -G419
V582

V583 Address

G400 -G419
V583

V584 Address

G400 -G419
V584

V585 Address

G400 -G419
V585

V586 Address

G400 -G419
V586

V587 Address

G400 -G419
V587

V589 Address

G400 -G419
V589

V590 Address

G400 -G419
V590

V591 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V591

V592 Address

G400 -G419
V592

V593 Address

G400 -G419
V593

V594 Address

G400 -G419
V594

V595 Address

G400 -G419
V595

V596 Address

G400 -G419
V596

V598 Address

G400 -G419
V598

V599 Address

G400 -G419
V599

V6 Category

V600 Address

G400 -G419
V600

V601 Address

G400 -G419
V601

V602 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V602

V603 Address

G400 -G419
V603

V604 Address

G400 -G419
V604

V605 Address

G400 -G419
V605

V606 Address

G400 -G419
V606

V607 Address

G400 -G419
V607

V609 Address

G400 -G419
V609

V610 Address

G400 -G419
V610

V611 Address

G400 -G419
V611

V612 Address

G400 -G419
V612

V613 Address

G400 -G419
V613

V614 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V614

V615 Address

G400 -G419
V615

V616 Address

G400 -G419
V616

V617 Address

G400 -G419
V617

V619 Address

G400 -G419
V619

V620 Address

G400 -G419
V620

V621 Address

G400 -G419
V621

V622 Address

G400 -G419
V622

V623 Address

G400 -G419
V623

V624 Address

G400 -G419
V624

V625 Address

G400 -G419
V625

V626 Address

G400 -G419
V626

V627 Address

G400 -G419
V627

V629 Address

G400 -G419
V629

V630 Address

G400 -G419
V630

V631 Address

G400 -G419
V631

V632 Address

G400 -G419
V632

V633 Address

G400 -G419
V633

V634 Address

G400 -G419
V634

V635 Address

G400 -G419
V635

V636 Address

G400 -G419
V636

V637 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V637

V639 Address

G400 -G419
V639

V640 Address

G400 -G419
V640

V641 Address

G400 -G419
V641

V642 Address

G400 -G419
V642

V643 Address

G400 -G419
V643

V644 Address

G400 -G419
V644

V645 Address

G400 -G419
V645

V646 Address

G400 -G419
V646

V647 Address

G400 -G419
V647

V649 Address

G400 -G419
V649

V650 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V650

V651 Address

G400 -G419
V651

V652 Address

G400 -G419
V652

V653 Address

G400 -G419
V653

V654 Address

G400 -G419
V654

V655 Address

G400 -G419
V655

V656 Address

G400 -G419
V656

V657 Address

G400 -G419
V657

V659 Address

G400 -G419
V659

V660 Address

G400 -G419
V660

V661 Address

G400 -G419
V661

V662 Address

G400 -G419
V662

V663 Address

G400 -G419
V663

V664 Address

G400 -G419
V664

V665 Address

G400 -G419
V665

V666 Address

G400 -G419
V666

V667 Address

G400 -G419
V667

V669 Address

G400 -G419
V669

V670 Address

G400 -G419
V670

V671 Address

G400 -G419
V671

V672 Address

G400 -G419
V672

V673 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V673

V674 Address

G400 -G419
V674

V675 Address

G400 -G419
V675

V676 Address

G400 -G419
V676

V677 Address

G400 -G419
V677

V679 Address

G400 -G419
V679

V680 Address

G400 -G419
V680

V681 Address

G400 -G419
V681

V682 Address

G400 -G419
V682

V683 Address

G400 -G419
V683

V684 Address

G400 -G419
V684

V685 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V685

V686 Address

G400 -G419
V686

V687 Address

G400 -G419
V687

V689 Address

G400 -G419
V689

V690 Address

G400 -G419
V690

V691 Address

G400 -G419
V691

V692 Address

G400 -G419
V692

V693 Address

G400 -G419
V693

V694 Address

G400 -G419
V694

V695 Address

G400 -G419
V695

V696 Address

G400 -G419
V696

V698 Address

G400 -G419
V698

V699 Address

G400 -G419
V699

V7 Category

V700 Address

G400 -G419
V700

V701 Address

G400 -G419
V701

V702 Address

G400 -G419
V702

V703 Address

G400 -G419
V703

V704 Address

G400 -G419
V704

V705 Address

G400 -G419
V705

V706 Address

G400 -G419
V706

V707 Address

G400 -G419
V707

V709 Address

G400 -G419
V709

V710 Address

G400 -G419
V710

V711 Address

G400 -G419
V711

V712 Address

G400 -G419
V712

V713 Address

G400 -G419
V713

V714 Address

G400 -G419
V714

V715 Address

G400 -G419
V715

V716 Address

G400 -G419
V716

V717 Address

G400 -G419
V717

V719 Address

G400 -G419
V719

V720 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V720

V721 Address

G400 -G419
V721

V722 Address

G400 -G419
V722

V723 Address

G400 -G419
V723

V724 Address

G400 -G419
V724

V725 Address

G400 -G419
V725

V726 Address

G400 -G419
V726

V727 Address

G400 -G419
V727

V729 Address

G400 -G419
V729

V730 Address

G400 -G419
V730

V731 Address

G400 -G419
V731

V732 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V732

V733 Address

G400 -G419
V733

V734 Address

G400 -G419
V734

V735 Address

G400 -G419
V735

V736 Address

G400 -G419
V736

V737 Address

G400 -G419
V737

V739 Address

G400 -G419
V739

V740 Address

G400 -G419
V740

V741 Address

G400 -G419
V741

V742 Address

G400 -G419
V742

V743 Address

G400 -G419
V743

V744 Address

G400 -G419
V744

V745 Address

G400 -G419
V745

V746 Address

G400 -G419
V746

V747 Address

G400 -G419
V747

V749 Address

G400 -G419
V749

V750 Address

G400 -G419
V750

V751 Address

G400 -G419
V751

V752 Address

G400 -G419
V752

V753 Address

G400 -G419
V753

V754 Address

G400 -G419
V754

V755 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V755

V756 Address

G400 -G419
V756

V757 Address

G400 -G419
V757

V759 Address

G400 -G419
V759

V760 Address

G400 -G419
V760

V761 Address

G400 -G419
V761

V762 Address

G400 -G419
V762

V763 Address

G400 -G419
V763

V764 Address

G400 -G419
V764

V765 Address

G400 -G419
V765

V766 Address

G400 -G419
V766

V767 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V767

V769 Address

G400 -G419
V769

V770 Address

G400 -G419
V770

V771 Address

G400 -G419
V771

V772 Address

G400 -G419
V772

V773 Address

G400 -G419
V773

V774 Address

G400 -G419
V774

V775 Address

G400 -G419
V775

V776 Address

G400 -G419
V776

V777 Address

G400 -G419
V777

V779 Address

G400 -G419
V779

V780 Address

G400 -G419
V780

V781 Address

G400 -G419
V781

V782 Address

G400 -G419
V782

V783 Address

G400 -G419
V783

V784 Address

G400 -G419
V784

V785 Address

G400 -G419
V785

V786 Address

G400 -G419
V786

V787 Address

G400 -G419
V787

V789 Address

G400 -G419
V789

V790 Address

G400 -G419
V790

V791 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V791

V792 Address

G400 -G419
V792

V793 Address

G400 -G419
V793

V794 Address

G400 -G419
V794

V795 Address

G400 -G419
V795

V796 Address

G400 -G419
V796

V798 Address

G400 -G419
V798

V799 Address

G400 -G419
V799

V8 Category

V800 Address

G400 -G419
V800

V801 Address

G400 -G419
V801

V802 Address

G400 -G419
V802

V803 Address

G400 -G419
V803

V804 Address

G400 -G419
V804

V805 Address

G400 -G419
V805

V806 Address

G400 -G419
V806

V807 Address

G400 -G419
V807

V808 Address

G400 -G419
V808

V809 Address

G400 -G419
V809

V810 Address

G400 -G419
V810

V811 Address

G400 -G419
V811

V812 Address

G400 -G419
V812

V813 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V813

V814 Address

G400 -G419
V814

V815 Address

G400 -G419
V815

V816 Address

G400 -G419
V816

V817 Address

G400 -G419
V817

V818 Address

G400 -G419
V818

V819 Address

G400 -G419
V819

V820 Address

G400 -G419
V820

V821 Address

G400 -G419
V821

V822 Address

G400 -G419
V822

V823 Address

G400 -G419
V823

V824 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V824

V825 Address

G400 -G419
V825

V826 Address

G400 -G419
V826

V827 Address

G400 -G419
V827

V828 Address

G400 -G419
V828

V829 Address

G400 -G419
V829

V830 Address

G400 -G419
V830

V831 Address

G400 -G419
V831

V832 Address

G400 -G419
V832

V833 Address

G400 -G419
V833

V834 Address

G400 -G419
V834

V835 Address

G400 -G419
V835

V836 Address

G400 -G419
V836

V837 Address

G400 -G419
V837

V839 Address

G400 -G419
V839

V840 Address

G400 -G419
V840

V841 Address

G400 -G419
V841

V842 Address

G400 -G419
V842

V843 Address

G400 -G419
V843

V844 Address

G400 -G419
V844

V845 Address

G400 -G419
V845

V846 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V846

V847 Address

G400 -G419
V847

V849 Address

G400 -G419
V849

V850 Address

G400 -G419
V850

V851 Address

G400 -G419
V851

V852 Address

G400 -G419
V852

V853 Address

G400 -G419
V853

V854 Address

G400 -G419
V854

V855 Address

G400 -G419
V855

V856 Address

G400 -G419
V856

V857 Address

G400 -G419
V857

V859 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V859

V860 Address

G400 -G419
V860

V861 Address

G400 -G419
V861

V862 Address

G400 -G419
V862

V863 Address

G400 -G419
V863

V864 Address

G400 -G419
V864

V865 Address

G400 -G419
V865

V866 Address

G400 -G419
V866

V867 Address

G400 -G419
V867

V869 Address

G400 -G419
V869

V870 Address

G400 -G419
V870

V871 Address

G400 -G419
V871

V872 Address

G400 -G419
V872

V873 Address

G400 -G419
V873

V874 Address

G400 -G419
V874

V875 Address

G400 -G419
V875

V876 Address

G400 -G419
V876

V877 Address

G400 -G419
V877

V878 Address

G400 -G419
V878

V879 Address

G400 -G419
V879

V880 Address

G400 -G419
V880

V881 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V881

V882 Address

G400 -G419
V882

V883 Address

G400 -G419
V883

V884 Address

G400 -G419
V884

V885 Address

G400 -G419
V885

V886 Address

G400 -G419
V886

V887 Address

G400 -G419
V887

V888 Address

G400 -G419
V888

V889 Address

G400 -G419
V889

V890 Address

G400 -G419
V890

V891 Address

G400 -G419
V891

V892 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V892

V893 Address

G400 -G419
V893

V899 Address

G400 -G419
V899

V9 Category

V900 Address

G400 -G419
V900

V901 Address

G400 -G419
V901

V902 Address

G400 -G419
V902

V903 Address

G400 -G419
V903

V904 Address

G400 -G419
V904

V905 Address

G400 -G419
V905

V906 Address

G400 -G419
V906

V907 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V907

V908 Address

G400 -G419
V908

V909 Address

G400 -G419
V909

V910 Address

G400 -G419
V910

V911 Address

G400 -G419
V911

V912 Address

G400 -G419
V912

V913 Address

G400 -G419
V913

V914 Address

G400 -G419
V914

V915 Address

G400 -G419
V915

V916 Address

G400 -G419
V916

V917 Address

G400 -G419
V917

V918 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V918

V919 Address

G400 -G419
V919

V920 Address

G400 -G419
V920

V921 Address

G400 -G419
V921

V922 Address

G400 -G419
V922

V923 Address

G400 -G419
V923

V924 Address

G400 -G419
V924

V925 Address

G400 -G419
V925

V926 Address

G400 -G419
V926

V927 Address

G400 -G419
V927

V928 Address

G400 -G419
V928

V929 Address

G400 -G419
V929

V930 Address

G400 -G419
V930

V931 Address

G400 -G419
V931

V932 Address

G400 -G419
V932

V933 Address

G400 -G419
V933

V934 Address

G400 -G419
V934

V935 Address

G400 -G419
V935

V936 Address

G400 -G419
V936

V937 Address

G400 -G419
V937

V938 Address

G400 -G419
V938

V939 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

V939

V940 Address

G400 -G419
V940

V941 Address

G400 -G419
V941

V942 Address

G400 -G419
V942

V943 Address

G400 -G419
V943

V944 Address

G400 -G419
V944

V945 Address

G400 -G419
V945

V946 Address

G400 -G419
V946

V947 Address

G400 -G419
V947

V948 Address

G400 -G419
V948

V949 Address

G400 -G419
V949

V950 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
V950

V951 Address

G400 -G419
V951

V952 Address

G400 -G419
V952

V953 Address

G400 -G419
V953

V954 Address

G400 -G419
V954

V958 Address

G400 -G419
V958

V959 Address

G400 -G419
V959

V960 Address

G400 -G419
V960

V961 Address

G400 -G419
V961

V962 Address

G400 -G419
V962

V968 Address

G400 -G419
V968

V969 Address

G400 -G419
V969

V970 Address

G400 -G419
V970

V971 Address

G400 -G419
V971

V972 Address

G400 -G419
V972

V973 Address

G400 -G419
V973

V978 Address

G400 -G419
V978

V98 Address

G400 -G419
V98

V99 Address

G400 -G419
V99

W

W0 Category

W00 Address

G400 -G419
M800 -M859
W00

W01 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
M800 -M859
W01

W02 Address

G400 -G419
M800 -M859
W02

W03 Address

G400 -G419
M800 -M859
W03

W04 Address

G400 -G419
M800 -M859
W04

W05 Address

G400 -G419
M800 -M859
W05

W06 Address

G400 -G419
M800 -M859
W06

W07 Address

G400 -G419
M800 -M859
W07

W08 Address

G400 -G419
M800 -M859
W08

W09 Address

G400 -G419
M800 -M859
W09

W1 Category

W10 Address

G400 -G419
M800 -M859
W10

W11 Address

G400 -G419
M800 -M859
W11

W12 Address

G400 -G419
M800 -M859
W12

W13 Address

G400 -G419
M800 -M859
W13

W14 Address

G400 -G419
M800 -M859
W14

W15 Address

G400 -G419
M800 -M859
W15

W16 Address

G400 -G419
M800 -M859
W16

W17 Address

G400 -G419
M800 -M859
W17

W18 Address

G400 -G419
M800 -M859

ICD-10-Mortality Manual 2c - 2014

W18

W19 Address

G400 -G419

M800 -M859

W19

W2 Category

W20 Address

G400 -G419

W20

W21 Address

G400 -G419

W21

W22 Address

G400 -G419

W22

W23 Address

G400 -G419

W23

W24 Address

G400 -G419

W24

W25 Address

G400 -G419

W25

W26 Address

G400 -G419

W26

W27 Address

G400 -G419

W27

W28 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

W28

W29 Address

G400 -G419
W29

W3 Category

W30 Address

G400 -G419
W30

W31 Address

G400 -G419
W31

W32 Address

G400 -G419
W32

W33 Address

G400 -G419
W33

W34 Address

G400 -G419
W34

W35 Address

G400 -G419
W35

W36 Address

G400 -G419
W36

W37 Address

G400 -G419
W37

W38 Address

G400 -G419
W38

W39 Address

G400 -G419
W39

W4 Category

W40 Address

G400 -G419
W40

W41 Address

G400 -G419
W41

W42 Address

G400 -G419
W42

W43 Address

G400 -G419
W43

W44 Address

G400 -G419
W44

W45 Address

G400 -G419
W45

W46 Address

G400 -G419
W46

W49 Address

G400 -G419
W49

W5 Category

W50 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

W50

W51 Address

G400 -G419
W51

W52 Address

G400 -G419
W52

W53 Address

G400 -G419
W53

W54 Address

G400 -G419
W54

W55 Address

G400 -G419
W55

W56 Address

G400 -G419
W56

W57 Address

G400 -G419
W57

W58 Address

G400 -G419
W58

W59 Address

G400 -G419
W59

W6 Category

W60 Address

G400 -G419
W60

W64 Address

G400 -G419
W64

W65 Address

G400 -G419
P035
W65

W66 Address

G400 -G419
W66

W67 Address

G400 -G419
W67

W68 Address

G400 -G419
W68

W69 Address

G400 -G419
W69

W7 Category

W70 Address

G400 -G419
W70

W73 Address

G400 -G419
P035
W73

W74 Address

G400 -G419
P035
W74

W75 Address

ICD-10-Mortality Manual 2c - 2014

G400 -G419
W75

W76 Address

G400 -G419
W76

W77 Address

G400 -G419
W77

W78 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

W79 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

W8 Category

W80 Address

A000 -R825
M R826
R827 -R892
M R893
R894 -R961
R98 -Y899

W81 Address

G400 -G419
W81

W83 Address

G400 -G419
W83

W84 Address

G400 -G419
W84

W85 Address

G400 -G419
W85

W86 Address

G400 -G419
W86

W87 Address

G400 -G419
W87

W88 Address

G400 -G419
W88

W89 Address

G400 -G419
W89

W9 Category

W90 Address

G400 -G419
W90

W91 Address

G400 -G419
W91

W92 Address

G400 -G419
W92

W93 Address

G400 -G419
W93

W94 Address

G400 -G419
W94

W99 Address

G400 -G419
W99

X

X0 Category

X00 Address

G400 -G419
X00

X01 Address

G400 -G419
X01

X02 Address

G400 -G419
X02

X03 Address

G400 -G419
X03

X04 Address

G400 -G419
X04

X05 Address

G400 -G419
X05

X06 Address

G400 -G419
X06

X08 Address

G400 -G419

ICD-10-Mortality Manual 2c - 2014

X08

X09 Address

G400 -G419
X09

X1 Category

X10 Address

G400 -G419
X10

X11 Address

G400 -G419
X11

X12 Address

G400 -G419
X12

X13 Address

G400 -G419
X13

X14 Address

G400 -G419
X14

X15 Address

G400 -G419
X15

X16 Address

G400 -G419
X16

X17 Address

G400 -G419
X17

X18 Address

G400 -G419
X18

X19 Address

G400 -G419
X19

X2 Category

X20 Address

X20

X21 Address

X21

X22 Address

X22

X23 Address

X23

X24 Address

X24

X25 Address

X25

X26 Address

X26

X27 Address

X27

X28 Address

X28

X29 Address

X29

X3 Category

X30 Address

X30

X31 Address

X31

X32 Address

X32

X33 Address

X33

X340 Address

X340

X341 Address

X341

X348 Address

X348

X349 Address

X349

X35 Address

X35

X36 Address

X36

X37 Address

X37

X38 Address

X38

X39 Address

X39

X4 Category

X40 Address

X40

X41 Address

X41

X42 Address

X42

X43 Address

X43

X44 Address

X44

X45 Address

X45

X46 Address

X46

X47 Address

X47

X48 Address

X48

X49 Address

X49

X5 Category

X50 Address

G400 -G419

X50

X51 Address

G400 -G419

X51

X52 Address

G400 -G419

X52

X53 Address

G400 -G419
X53

X54 Address

G400 -G419
X54

X57 Address

G400 -G419
X57

X58 Address

G400 -G419
X58

X590 Address

G400 -G419
X590

X599 Address

G400 -G419
X599

X6 Category

X60 Address

X60

X61 Address

X61

X62 Address

X62

X63 Address

X63

X64 Address

X64

X65 Address

X65

X66 Address

X66

X67 Address

X67

X68 Address

X68

X69 Address

X69

X7 Category

X70 Address

X70

X71 Address

X71

X72 Address

X72

X73 Address

X73

X74 Address

X74

X75 Address

X75

X76 Address

X76

X77 Address

X77

X78 Address

X78

X79 Address

X79

X8 Category

X80 Address

X80

X81 Address

X81

X82 Address

X82

X83 Address

X83

X84 Address

X84

X85 Address

X85

X86 Address

X86

X87 Address

X87

X88 Address

X88

X89 Address

X89

X9 Category

X90 Address

ICD-10-Mortality Manual 2c - 2014

X90

X91 Address

X91

X92 Address

X92

X93 Address

X93

X94 Address

X94

X95 Address

X95

X96 Address

X96

X97 Address

X97

X98 Address

X98

X99 Address

X99

Y

Y0 Category

Y00 Address

Y00

Y01 Address

Y01

Y02 Address

Y02

Y03 Address

Y03

Y04 Address

Y04

Y05 Address

Y05

Y060 Address

Y060

Y061 Address

Y061

Y062 Address

Y062

Y068 Address

Y068

Y069 Address

Y069

Y070 Address

Y070

Y071 Address

Y071

Y072 Address

Y072

Y073 Address

Y073

Y078 Address

Y078

Y079 Address

ICD-10-Mortality Manual 2c - 2014

Y079

Y08 Address

Y08

Y09 Address

Y09

Y1 Category

Y10 Address

Y10

Y11 Address

Y11

Y12 Address

Y12

Y13 Address

Y13

Y14 Address

Y14

Y15 Address

Y15

Y16 Address

Y16

Y17 Address

Y17

Y18 Address

Y18

Y19 Address

Y19

Y2 Category

Y20 Address

Y20

Y21 Address

Y21

Y22 Address

Y22

Y23 Address

Y23

Y24 Address

Y24

Y25 Address

Y25

Y26 Address

Y26

Y27 Address

Y27

Y28 Address

Y28

Y29 Address

Y29

Y3 Category

Y30 Address

Y30

Y31 Address

Y31

Y32 Address

Y32

Y33 Address

Y33

Y34 Address

Y34

Y350 Address

Y350

Y351 Address

Y351

Y352 Address

Y352

Y353 Address

Y353

Y354 Address

Y354

Y355 Address

Y355

Y356 Address

Y356

Y357 Address

Y357

Y360 Address

Y360

Y361 Address

Y361

Y362 Address

Y362

Y363 Address

ICD-10-Mortality Manual 2c - 2014

Y363

Y364 Address

Y364

Y365 Address

Y365

Y366 Address

Y366

Y367 Address

Y367

Y368 Address

Y368

Y369 Address

Y369

Y4 Category

Y400 Address

Y400

Y401 Address

Y401

Y402 Address

Y402

Y403 Address

Y403

Y404 Address

Y404

Y405 Address

Y405

Y406 Address

Y406

Y407 Address

Y407

Y408 Address

Y408

Y409 Address

Y409

Y410 Address

Y410

Y411 Address

Y411

Y412 Address

Y412

Y413 Address

Y413

Y414 Address

Y414

Y415 Address

Y415

Y418 Address

Y418

Y419 Address

Y419

Y420 Address

Y420

Y421 Address

Y421

Y422 Address

ICD-10-Mortality Manual 2c - 2014

Y422

Y423 Address

Y423

Y424 Address

Y424

Y425 Address

Y425

Y426 Address

Y426

Y427 Address

Y427

Y428 Address

Y428

Y429 Address

Y429

Y430 Address

Y430

Y431 Address

Y431

Y432 Address

Y432

Y433 Address

Y433

Y434 Address

Y434

Y435 Address

Y435

Y436 Address

Y436

Y438 Address

Y438

Y439 Address

Y439

Y440 Address

Y440

Y441 Address

Y441

Y442 Address

Y442

Y443 Address

Y443

Y444 Address

Y444

Y445 Address

Y445

Y446 Address

Y446

Y447 Address

Y447

Y449 Address

Y449

Y450 Address

Y450

Y451 Address

ICD-10-Mortality Manual 2c - 2014

Y451

Y452 Address

Y452

Y453 Address

Y453

Y454 Address

Y454

Y455 Address

Y455

Y458 Address

Y458

Y459 Address

Y459

Y460 Address

Y460

Y461 Address

Y461

Y462 Address

Y462

Y463 Address

Y463

Y464 Address

Y464

Y465 Address

Y465

Y466 Address

Y466

Y467 Address

Y467

Y468 Address

Y468

Y470 Address

Y470

Y471 Address

Y471

Y472 Address

Y472

Y473 Address

Y473

Y474 Address

Y474

Y475 Address

Y475

Y478 Address

Y478

Y479 Address

Y479

Y480 Address

Y480

Y481 Address

Y481

Y482 Address

Y482

Y483 Address

ICD-10-Mortality Manual 2c - 2014

Y483

Y484 Address

Y484

Y485 Address

Y485

Y490 Address

Y490

Y491 Address

Y491

Y492 Address

Y492

Y493 Address

Y493

Y494 Address

Y494

Y495 Address

Y495

Y496 Address

Y496

Y497 Address

Y497

Y498 Address

Y498

Y499 Address

Y499

Y5 Category

Y500 Address

Y500

Y501 Address

Y501

Y502 Address

Y502

Y508 Address

Y508

Y509 Address

Y509

Y510 Address

Y510

Y511 Address

Y511

Y512 Address

Y512

Y513 Address

Y513

Y514 Address

Y514

Y515 Address

Y515

Y516 Address

Y516

Y517 Address

Y517

Y518 Address

Y518

Y519 Address

ICD-10-Mortality Manual 2c - 2014

Y519

Y520 Address

Y520

Y521 Address

Y521

Y522 Address

Y522

Y523 Address

Y523

Y524 Address

Y524

Y525 Address

Y525

Y526 Address

Y526

Y527 Address

Y527

Y528 Address

Y528

Y529 Address

Y529

Y530 Address

Y530

Y531 Address

Y531

Y532 Address

Y532

Y533 Address

Y533

Y534 Address

Y534

Y535 Address

Y535

Y536 Address

Y536

Y537 Address

Y537

Y538 Address

Y538

Y539 Address

Y539

Y540 Address

Y540

Y541 Address

Y541

Y542 Address

Y542

Y543 Address

Y543

Y544 Address

Y544

Y545 Address

Y545

Y546 Address

ICD-10-Mortality Manual 2c - 2014

Y546

Y547 Address

Y547

Y548 Address

Y548

Y549 Address

Y549

Y550 Address

Y550

Y551 Address

Y551

Y552 Address

Y552

Y553 Address

Y553

Y554 Address

Y554

Y555 Address

Y555

Y556 Address

Y556

Y557 Address

Y557

Y560 Address

Y560

Y561 Address

Y561

Y562 Address

Y562

Y563 Address

Y563

Y564 Address

Y564

Y565 Address

Y565

Y566 Address

Y566

Y567 Address

Y567

Y568 Address

Y568

Y569 Address

Y569

Y570 Address

Y570

Y571 Address

Y571

Y572 Address

Y572

Y573 Address

Y573

Y574 Address

Y574

Y575 Address

ICD-10-Mortality Manual 2c - 2014

Y575

Y576 Address

Y576

Y577 Address

Y577

Y578 Address

Y578

Y579 Address

Y579

Y580 Address

Y580

Y581 Address

Y581

Y582 Address

Y582

Y583 Address

Y583

Y584 Address

Y584

Y585 Address

Y585

Y586 Address

Y586

Y588 Address

Y588

Y589 Address

Y589

Y590 Address

Y590

Y591 Address

Y591

Y592 Address

Y592

Y593 Address

Y593

Y598 Address

Y598

Y599 Address

Y599

Y6 Category

Y600 Address

Y600

Y601 Address

Y601

Y602 Address

Y602

Y603 Address

Y603

Y604 Address

Y604

Y605 Address

Y605

Y606 Address

Y606

Y607 Address

Y607

Y608 Address

Y608

Y609 Address

Y609

Y610 Address

Y610

Y611 Address

Y611

Y612 Address

Y612

Y613 Address

Y613

Y614 Address

Y614

Y615 Address

Y615

Y616 Address

Y616

Y617 Address

Y617

Y618 Address

Y618

Y619 Address

Y619

Y620 Address

ICD-10-Mortality Manual 2c - 2014

Y620

Y621 Address

Y621

Y622 Address

Y622

Y623 Address

Y623

Y624 Address

Y624

Y625 Address

Y625

Y626 Address

Y626

Y628 Address

Y628

Y629 Address

Y629

Y630 Address

Y630

Y631 Address

Y631

Y632 Address

Y632

Y633 Address

Y633

Y634 Address

Y634

Y635 Address

Y635

Y636 Address

Y636

Y638 Address

Y638

Y639 Address

Y639

Y640 Address

Y640

Y641 Address

Y641

Y648 Address

Y648

Y649 Address

Y649

Y650 Address

Y650

Y651 Address

Y651

Y652 Address

Y652

Y653 Address

Y653

Y654 Address

Y654

Y655 Address

ICD-10-Mortality Manual 2c - 2014

Y655

Y658 Address

Y658

Y66 Address

Y66

Y69 Address

Y69

Y7 Category

Y700 Address

Y700

Y701 Address

Y701

Y702 Address

Y702

Y703 Address

Y703

Y708 Address

Y708

Y710 Address

Y710

Y711 Address

Y711

Y712 Address

Y712

Y713 Address

Y713

Y718 Address

Y718

Y720 Address

Y720

Y721 Address

Y721

Y722 Address

Y722

Y723 Address

Y723

Y728 Address

Y728

Y730 Address

Y730

Y731 Address

Y731

Y732 Address

Y732

Y733 Address

Y733

Y738 Address

Y738

Y740 Address

Y740

Y741 Address

Y741

Y742 Address

Y742

Y743 Address

ICD-10-Mortality Manual 2c - 2014

Y743

Y748 Address

Y748

Y750 Address

Y750

Y751 Address

Y751

Y752 Address

Y752

Y753 Address

Y753

Y758 Address

Y758

Y760 Address

Y760

Y761 Address

Y761

Y762 Address

Y762

Y763 Address

Y763

Y768 Address

Y768

Y770 Address

Y770

Y771 Address

Y771

Y772 Address

Y772

Y773 Address

Y773

Y778 Address

Y778

Y780 Address

Y780

Y781 Address

Y781

Y782 Address

Y782

Y783 Address

Y783

Y788 Address

Y788

Y790 Address

Y790

Y791 Address

Y791

Y792 Address

Y792

Y793 Address

Y793

Y798 Address

Y798

Y8 Category

Y800 Address

Y800

Y801 Address

Y801

Y802 Address

Y802

Y803 Address

Y803

Y808 Address

Y808

Y810 Address

Y810

Y811 Address

Y811

Y812 Address

Y812

Y813 Address

Y813

Y818 Address

Y818

Y820 Address

Y820

Y821 Address

Y821

Y822 Address

Y822

Y823 Address

ICD-10-Mortality Manual 2c - 2014

Y823

Y828 Address

Y828

Y830 Address

Y830

Y831 Address

Y831

Y832 Address

Y832

Y833 Address

Y833

Y834 Address

Y834

Y835 Address

Y835

Y836 Address

Y836

Y838 Address

Y838

Y839 Address

Y839

Y840 Address

Y840

Y841 Address

Y841

Y842 Address

Y842

Y843 Address

Y843

Y844 Address

Y844

Y845 Address

Y845

Y846 Address

Y846

Y847 Address

Y847

Y848 Address

Y848

Y849 Address

Y849

Y850 Address

G400 -G419

Y850

Y859 Address

G400 -G419

Y859

Y86 Address

G400 -G419

Y86

Y870 Address

G400 -G419

Y870

Y871 Address

G400 -G419

Y871

Y872 Address

G400 -G419
Y872

Y880 Address

Y880

Y881 Address

Y881

Y882 Address

Y882

Y883 Address

Y883

Y890 Address

G400 -G419
Y890

Y891 Address

G400 -G419
Y891

Y899 Address

G400 -G419
Y899

Table E
MODIFICATION: SELECTION RULE 3, MODIFICATION RULES A, C, AND D

A

A000 Address

DSC	B24	B201
DSC	R75	B201

A001 Address

DSC	B24	B201
DSC	R75	B201

A009 Address

SMP	A000 -A001	
DSC	B24	B201
DSC	R75	B201

A010 Address

DSC	B24	B201
DSC	R75	B201

A011 Address

DSC	B24	B201
DSC	R75	B201

A012 Address

DSC	B24	B201
DSC	R75	B201

A013 Address

DSC	B24	B201
DSC	R75	B201

A014 Address

SMP	A010 -A013	
DSC	B24	B201
DSC	R75	B201

A020 Address

DSC	B24	B201
DSC	R75	B201

A021 Address

DSC	B24	B201
DSC	R75	B201

A022 Address

DSC	B24	B201
DSC	R75	B201

A028 Address

DSC	B24	B201
DSC	R75	B201

A029 Address

SMP	A020	-A028	
LMC	A090	-A099	A020
LMC	A400	-A419	A021
DSC	B24		B201
LMC	G030	-G039	A022
LMC	J13	-J189	A022
LMC	K529		A020
LMC	M130	-M139	A022
LMC	M860	-M869	A022
LMC	N12		A022
DSC	R75		B201

A030 Address

DSC	B24	B201
DSC	R75	B201

A031 Address

DSC	B24	B201
DSC	R75	B201

A032 Address

DSC	B24	B201
DSC	R75	B201

A033 Address

DSC	B24	B201
DSC	R75	B201

A038 Address

DSC	B24	B201
DSC	R75	B201

A039 Address

SMP	A030	-A038	
DSC	B24		B201
DSC	R75		B201

A040 Address

DSC	B24	B201
DSC	R75	B201

ICD-10-Mortality Manual 2c - 2014

A041 Address

DSC	B24	B201
DSC	R75	B201

A042 Address

DSC	B24	B201
DSC	R75	B201

A043 Address

DSC	B24	B201
DSC	R75	B201

A044 Address

DSC	B24	B201
DSC	R75	B201

A045 Address

DSC	B24	B201
DSC	R75	B201

A046 Address

DSC	B24	B201
DSC	R75	B201

A047 Address

DSC	B24	B201
DSC	R75	B201
DS	Y400 -Y409	*
DS	Y433	*
DS	Y560 -Y569	*

A048 Address

DSC	B24	B201
DSC	R75	B201

A049 Address

SMP	A040 -A048	
DSC	B24	B201
DSC	R75	B201

A050 Address

DSC	B24	B201
DSC	R75	B201

A051 Address

DSC	B24	B201
DSC	R75	B201

A052 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B201
DSC	R75	B201

A053 Address

DSC	B24	B201
DSC	R75	B201

A054 Address

DSC	B24	B201
DSC	R75	B201

A058 Address

DSC	B24	B201
DSC	R75	B201

A059 Address

SMP	A050	-A058
DSC	B24	B201
DSC	R75	B201

A060 Address

DSC	B24	B208
DSC	R75	B208

A061 Address

DSC	B24	B208
LMC	D733	A068
LMC M	G060	A066
LMC	J852	A065
LMC	K750	A064
LMC M	L020	-L029 A064
DSC	R75	B208

A062 Address

DSC	B24	B208
LMC M	G060	A066
DSC	R75	B208

A063 Address

DSC	B24	B208
LMC M	G060	A066
DSC	R75	B208

A064 Address

SMP	A065	-A066
DSC	B24	B208
LMC	G060	A066
LMC	J852	A065
DSC	R75	B208

ICD-10-Mortality Manual 2c - 2014***A065 Address***

SMP	A066	
DSC	B24	B208
LMC	G060	A066
DSC	R75	B208

A066 Address

DSC	B24	B208
DSC	R75	B208

A067 Address

DSC	B24	B208
DSC	R75	B208

A068 Address

DSC	B24	B208
DSC	R75	B208

A069 Address

SMP	A060	-A068		
SDC	A090	-A099	A060	
DSC	B24		B208	
LMC	D733		A068	
LMC	M	G060	A066	
LMC		J852	A065	
SDC		K352	-K37	A068
SDC		K529		A060
SDC	M	K628		A060
SDC		K633		A061
LMC		K750		A064
SDC		K759		A064
LMC	M	L020	-L029	A067
SDC		L309		A067
SDC		L984		A067
SDC		N300	-N303	A068
SDC		N308	-N309	A068
SDC		N481		A068
SDC		N490		A068
SDC		N760		A068
DSC		R75		B208

A070 Address

DSC	B24	B208
DSC	R75	B208

A071 Address

DSC	B24	B208
DSC	R75	B208

A072 Address

DSC	B24	B208
DSC	R75	B208

A073 Address

DSC	B24	B208
DSC	R75	B208

A078 Address

DSC	B24	B208
DSC	R75	B208

A079 Address

DSC	B24	B208
DSC	R75	B208

A080 Address

DSC	B24	B203
DSC	R75	B203

A081 Address

DSC	B24	B203
DSC	R75	B203

A082 Address

DSC	B24	B203
DSC	R75	B203

A083 Address

DSC	B24	B203
DS	J09	
DSC	J1010	J108
DSC	J1110	J118
DSC	R75	B203

A084 Address

DSC	B24	B203
DS	J09	
DSC	J1010	J108
DSC	J1110	J118
DSC	R75	B203

A085 Address

DSC	B24	B203
DS	J09	
DSC	J1010	J108
DSC	J1110	J118
DSC	R75	B203

A090 Address

DSC		A029	A020
SMP	M	A183	
SMP	M	A222	
DSC	M	B059	B054
DSC		B24	B208
SMP	M	B378	
SMP		B462	
SMP	M	B49	-B54
DSC	M	B572	B573
DSC	M	B779	B770
SMP		B780	
SMP		B829	
DSC		R75	B208

A150 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A151 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A152 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A153 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A154 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A155 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

A156 Address

DSC		B24	B200
LMC		J60	-J64
DSC		R75	B200

ICD-10-Mortality Manual 2c - 2014

A157 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A158 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A159 Address

SMP	A150	-A158	
DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A160 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A161 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A162 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A163 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A164 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A165 Address

DSC	B24		B200
LMC	J60	-J64	J65
DSC	R75		B200

A167 Address

DSC	B24		B200
LMC	J60	-J64	J65

ICD-10-Mortality Manual 2c - 2014

DSC R75 B200

A168 Address

DSC B24 B200

LMC J60 -J64 J65

DSC R75 B200

A169 Address

SMP A150 -A168

DSC B24 B200

LMC J60 -J64 J65

DSC R75 B200

A1690 Address

SMP A150 -A169

SMP A170 -A199

SDC M A527 A184

SDC M B07 A184

DSC B24 B200

SDC D649 A188

SDC M D738 A188

SDC M E060 -E063 A188

SDC M E065 -E069 A188

SDC E271 A187

SDC M E274 A187

SDC G030 -G039 A170

SDC G042 -G061 A178

SDC M G062 A170

SDC M G318 -G319 A178

SDC M G629 A178

SDC G822 A180

SDC M G961 A170

SDC M H000 -H579 A185

SDC M H600 -H939 A186

SDC I310 -I319 A188

SDC I340 -I4220 A188

SDC I428 -I4290 A188

SDC I514 A188

SDC I519 A188

SDC I677 A188

SDC I776 A188

SDC I880 A183

SDC I881 -I889 A182

SDC I891 A182

SDC J029 A168

SDC J039 A168

SDC J040 -J042 A164

SDC J13 -J189 A162

SDC J209 A164

SDC J219 A164

ICD-10-Mortality Manual 2c - 2014

SDC		J310	-J329	A168
SDC	M	J387		A164
SDC		J390	-J392	A168
SDC	M	J398		A164
SDC		J399		A168
SDC		J40	-J42	A164
SDC		J459	-J47	A162
SDC		J841		A162
SDC		J850	-J853	A162
SDC	M	J860		A162
SDC	M	J860		A164
SDC		J869	-J90	A165
SDC		J930	-J939	A162
SDC		J942	-J949	A165
SDC		J980		A164
SDC		J981		A162
SDC	M	J984		A162
SDC	M	J985		A168
SDC		J989		A162
SDC		K20		A188
SDC		K290	-K291	A188
SDC		K293	-K299	A188
SDC		K316		A183
SDC		K352	-K37	A183
SDC		K529		A183
SDC		K603	-K614	A183
SDC		K624		A183
SDC		K626		A183
SDC	M	K628		A183
SDC		K630		A183
SDC		K632	-K633	A183
SDC		K650	-K660	A183
SDC	M	K720	-K729	A188
SDC		K759		A188
SDC	M	K868		A188
SDC		L020	-L039	A182
SDC		L040	-L049	A183
SDC		L089		A184
SDC	M	L280		A184
SDC		L52		A184
SDC		L539		A184
SDC		L930		A184
SDC		L984		A184
SDC		M130	-M139	A180
SDC		M169		A180
SDC		M255		A180
SDC		M259		A180
SDC		M400	-M405	A180
SDC		M415	-M419	A180
SDC		M439		A180

ICD-10-Mortality Manual 2c - 2014

SDC		M469		A180
SDC		M489		A180
SDC		M600		A188
SDC		M601		A180
SDC		M608	-M609	A180
SDC		M650	-M652	A180
SDC		M658	-M659	A180
SDC		M674		A180
SDC	M	M710	-M713	A180
SDC	M	M715	-M719	A180
SDC		M790		A180
SDC		M797		A180
SDC		M860	-M869	A180
SDC		M910	-M940	A180
SDC	M	M948		A180
SDC		N000	-N019	A181
SDC		N030	-N039	A181
SDC		N050	-N059	A181
SDC		N12		A181
SDC		N133		A181
SDC		N136		A181
SDC		N151		A181
SDC		N159		A181
SDC		N26		A181
SDC	M	N288		A181
SDC		N289	-N303	A181
SDC		N308	-N309	A181
SDC	M	N328		A181
SDC		N360		A181
SDC		N390		A181
SDC		N410	-N419	A181
SDC		N450	-N459	A181
SDC		N490	-N499	A181
SDC	M	N508		A181
SDC		N760	-N768	A181
SDC		N820	-N829	A181
SDC		N832		A181
SDC		R048		A162
SDC		R091		A165
SDC		R18		A183
SDC		R31		A181
SDC		R590	-R599	A182
DSC		R75		B200

A170 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A171 Address

ICD-10-Mortality Manual 2c - 2014

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A178 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A179 Address

LMP	M	A150	-A1690	
SMP		A170	-A178	
DSC		B24		B200
DSC		R75		B200

A180 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A181 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A182 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A183 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A184 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A185 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A186 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

ICD-10-Mortality Manual 2c - 2014

A187 Address

LMP	M	A150	-A1690	
DSC		B24		B200
DSC		R75		B200

A188 Address

LMP	M	A150	-A1690	
SMP		A180	-A187	
DSC		B24		B200
DSC		R75		B200

A190 Address

DSC		B24		B200
DSC		R75		B200

A191 Address

DSC		B24		B200
DSC		R75		B200

A192 Address

DSC		B24		B200
DSC		R75		B200

A198 Address

DSC		B24		B200
DSC		R75		B200

A199 Address

SMP		A190	-A198	
DSC		B24		B200
DSC		R75		B200

A200 Address

DSC		B24		B201
DSC		R75		B201

A201 Address

DSC		B24		B201
DSC		R75		B201

A202 Address

DSC		B24		B201
DSC		R75		B201

A203 Address

DSC		B24		B201
DSC		R75		B201

A207 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B201
DSC	R75	B201

A208 Address

DSC	B24	B201
DSC	R75	B201

A209 Address

SMP	A200	-A208	
DSC	B24		B201
DSC	R75		B201

A210 Address

DSC	B24	B201
DSC	R75	B201

A211 Address

DSC	B24	B201
DSC	R75	B201

A212 Address

DSC	B24	B201
DSC	R75	B201

A213 Address

DSC	B24	B201
DSC	R75	B201

A217 Address

DSC	B24	B201
DSC	R75	B201

A218 Address

DSC	B24	B201
DSC	R75	B201

A219 Address

SMP	A210	-A218	
SDC	A400	-A419	A217
DSC	B24		B201
SDC	H100	-H109	A211
SDC	J13	-J189	A212
SDC	J40		A218
DSC	R75		B201

A220 Address

DSC	B24	B201
DSC	R75	B201
LMP	U016	
LMP	X58	

ICD-10-Mortality Manual 2c - 2014

LMP	X83
LMP	Y08
LMP	Y33

A221 Address

DSC	B24	B201
DSC	R75	B201
LMP	U016	
LMP	X58	
LMP	X83	
LMP	Y08	
LMP	Y33	

A222 Address

DSC	B24	B201
DSC	R75	B201
LMP	U016	
LMP	X58	
LMP	X83	
LMP	Y08	
LMP	Y33	

A227 Address

DSC	B24	B201
DSC	R75	B201
LMP	U016	
LMP	X58	
LMP	X83	
LMP	Y08	
LMP	Y33	

A228 Address

DSC	B24	B201
DSC	R75	B201
LMP	U016	
LMP	X58	
LMP	X83	
LMP	Y08	
LMP	Y33	

A229 Address

SDC	A090	-A099	A222
SMP	A220	-A228	
SDC	A400	-A419	A227
DSC	B24		B201
SDC	G030	-G039	A228
LMC	J13	-J189	A221
SDC	K529		A222
SDC	L020	-L029	A220
SDC	L089		A220

ICD-10-Mortality Manual 2c - 2014

DSC	R75	B201
LMP	U016	
LMP	X58	
LMP	X83	
LMP	Y08	
LMP	Y33	

A230 Address

DSC	B24	B201
DSC	R75	B201

A231 Address

DSC	B24	B201
DSC	R75	B201

A232 Address

DSC	B24	B201
DSC	R75	B201

A233 Address

DSC	B24	B201
DSC	R75	B201

A238 Address

DSC	B24	B201
DSC	R75	B201

A239 Address

SMP	A230 -A238	
DSC	B24	B201
DSC	R75	B201

A240 Address

DSC	B24	B201
DSC	R75	B201

A241 Address

DSC	B24	B201
DSC	R75	B201

A242 Address

DSC	B24	B201
DSC	R75	B201

A243 Address

DSC	B24	B201
DSC	R75	B201

A244 Address

SMP	A240 -A243	
-----	------------	--

ICD-10-Mortality Manual 2c - 2014

SDC	A400	-A419	A241
DSC	B24		B201
SDC	J13	-J189	A241
DSC	R75		B201

A250 Address

DSC	B24		B201
DSC	R75		B201

A251 Address

DSC	B24		B201
DSC	R75		B201

A259 Address

SMP	A250	-A251	
DSC	B24		B201
DSC	R75		B201

A260 Address

DSC	B24		B201
DSC	R75		B201

A267 Address

DSC	B24		B201
DSC	R75		B201

A268 Address

DSC	B24		B201
DSC	R75		B201

A269 Address

SMP	A260	-A268	
SDC	A400	-A419	A267
DSC	B24		B201
SDC	R21		A260
DSC	R75		B201

A270 Address

DSC	B24		B201
DSC	R75		B201

A278 Address

DSC	B24		B201
DSC	R75		B201

A279 Address

SMP	A270	-A278	
DSC	B24		B201
DSC	R75		B201

A280 Address

DSC	B24	B201
DSC	R75	B201

A281 Address

DSC	B24	B201
DSC	R75	B201

A282 Address

DSC	B24	B201
DSC	R75	B201

A288 Address

DSC	B24	B201
DSC	R75	B201

A289 Address

SMP	A280 -A288	
DSC	B24	B201
DSC	R75	B201

A300 Address

DSC	B24	B201
DSC	R75	B201

A301 Address

DSC	B24	B201
DSC	R75	B201

A302 Address

DSC	B24	B201
DSC	R75	B201

A303 Address

DSC	B24	B201
DSC	R75	B201

A304 Address

DSC	B24	B201
DSC	R75	B201

A305 Address

DSC	B24	B201
DSC	R75	B201

A308 Address

DSC	B24	B201
DSC	R75	B201

ICD-10-Mortality Manual 2c - 2014

A309 Address

SMP	A300	-A308	
DSC	B24		B201
DSC	R75		B201

A310 Address

DSC	B24		B200
DSC	R75		B200

A318 Address

DSC	B24		B200
DSC	R75		B200

A319 Address

SMP	A310	-A318	
DSC	B24		B200
DSC	R75		B200

A320 Address

DSC	B24		B201
DSC	R75		B201

A321 Address

DSC	B24		B201
DSC	R75		B201

A327 Address

DSC	B24		B201
DSC	R75		B201

A328 Address

DSC	B24		B201
DSC	R75		B201

A329 Address

SMP	A320	-A328	
SDC	A400	-A419	A327
DSC	B24		B201
SDC	G030	-G039	A321
SDC	G042	-G049	A321
SDC M	I340	-I38	A328
SDC	I677		A328
SDC	L929		A328
DSC	R75		B201

A33 Address

DSC	B24		B201
DSC	R75		B201

ICD-10-Mortality Manual 2c - 2014***A34 Address***

DSC	B24	B201
DSC	R75	B201

A35 Address

DSC	B24	B201
DSC	R75	B201

A360 Address

DSC	B24	B201
DSC	R75	B201

A361 Address

DSC	B24	B201
DSC	R75	B201

A362 Address

DSC	B24	B201
DSC	R75	B201

A363 Address

DSC	B24	B201
DSC	R75	B201

A368 Address

DSC	B24	B201
DSC	R75	B201

A369 Address

SMP	A360	-A368	
DSC	B24		B201
SDC	G042	-G049	A368
SDC	G629		A368
SDC	G810	-G839	A368 *
SDC	H100	-H109	A368
SDC	H570		A368
SDC	I400	-I409	A368
SDC	I514		A368
SDC	I880	-I889	A368
SDC	J020	-J039	A360
SDC	J040	-J051	A362
SDC	J312		A360
SDC	J380		A362
SDC	J385		A362
SDC	M	J387	A362
SDC	M	J392	A360
SDC	K121		A368
SDC	K137		A360
SDC	K650	-K659	A368

ICD-10-Mortality Manual 2c - 2014

SDC	L309	A363	
SDC	M792	A368	*
SDC	N12	A368	
SDC	N151 -N159	A368	
SDC	N300 -N303	A368	
SDC	N308 -N309	A368	
DSC	R75	B201	

A370 Address

DSC	B24	B201	
DSC	R75	B201	

A371 Address

DSC	B24	B201	
DSC	R75	B201	

A378 Address

DSC	B24	B201	
DSC	R75	B201	

A379 Address

SMP	A370 -A378		
DSC	B24	B201	
DSC	R75	B201	

A38 Address

DSC	B24	B201	
DSC	R75	B201	

A390 Address

DSC	B24	B201	
DSC	R75	B201	

A391 Address

DSC	B24	B201	
DSC	R75	B201	

A392 Address

LMP	A390 -A391		
DSC	B24	B201	
DSC	R75	B201	

A393 Address

LMP	A390 -A391		
DSC	B24	B201	
DSC	R75	B201	

A394 Address

LMP	A390 -A391		
DSC	B24	B201	

ICD-10-Mortality Manual 2c - 2014

DSC	R75	B201
-----	-----	------

A395 Address

DSC	B24	B201
DSC	R75	B201

A398 Address

DSC	B24	B201
DSC	R75	B201

A399 Address

SMP	A390	-A398	
SDC	M	A400	-A418 A392
SDC	M	A400	-A418 A393
SDC	M	A400	-A418 A394
SDC	M	A419	A392
SDC	M	A419	A393
SDC	M	A419	A394
SDC		A499	A394
DSC		B24	B201
SDC		G030	-G039 A390
SDC		G042	-G049 A398
SDC		H100	-H109 A398
SDC		H46	A398
SDC	M	I319	A395
SDC	M	I340	-I38 A395
SDC		I400	-I409 A395
SDC		I514	A395
SDC		I518	-I519 A395
SDC		M130	-M1990 A398
DSC		R75	B201

A400 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	

ICD-10-Mortality Manual 2c - 2014

DS		C810	-C969	
DS	M	K6310		
DSC		R75		B201
DS		T200	-T327	

A401 Address

SMP		A021		
DSC		A029		A021
SMP	M	A039		
SMP	M	A217		
SMP		A227		
SMP	M	A239		
SMP	M	A241		
SMP		A267		
SMP	M	A280		
SMP	M	A282		
SMP		A327		
SMP	M	A391	-A394	
SMP		A427		
SMP		A548		
SMP	M	B007		
DSC		B24		B201
SMP		B377		
DS		C810	-C969	
DS	M	K6310		
DSC		R75		B201
DS		T200	-T327	

A402 Address

SMP		A021		
DSC		A029		A021
SMP	M	A039		
SMP	M	A217		
SMP		A227		
SMP	M	A239		
SMP	M	A241		
SMP		A267		
SMP	M	A280		
SMP	M	A282		
SMP		A327		
SMP	M	A391	-A394	
SMP		A427		
SMP		A548		
SMP	M	B007		
DSC		B24		B201
SMP		B377		
DS		C810	-C969	
DS	M	K6310		
DSC		R75		B201
DS		T200	-T327	

ICD-10-Mortality Manual 2c - 2014

A403 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A408 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A409 Address

SMP		A021	
DSC		A029	A021

ICD-10-Mortality Manual 2c - 2014

SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A400	-A408
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A410 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A411 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	

ICD-10-Mortality Manual 2c - 2014

SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A412 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A413 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	

ICD-10-Mortality Manual 2c - 2014

SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A414 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A415 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	

ICD-10-Mortality Manual 2c - 2014

SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A418 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201
SMP		B377	
DS		C810	-C969
DS	M	K6310	
DSC		R75	B201
DS		T200	-T327

A419 Address

SMP		A021	
DSC		A029	A021
SMP	M	A039	
SMP	M	A217	
SMP		A227	
SMP	M	A239	
SMP	M	A241	
SMP		A267	
SMP	M	A280	
SMP	M	A282	
SMP		A327	
SMP	M	A391	-A394
SMP		A400	-A418
SMP		A427	
SMP		A548	
SMP	M	B007	
DSC		B24	B201

ICD-10-Mortality Manual 2c - 2014

SMP	B377	
DS	C810	-C969
DS M	K6310	
DSC	R75	B201
DS	T200	-T327

A420 Address

DSC	B24	B201
DSC	R75	B201

A421 Address

DSC	B24	B201
DSC	R75	B201

A422 Address

DSC	B24	B201
DSC	R75	B201

A427 Address

DSC	B24	B201
DSC	R75	B201

A429 Address

SDC	A400	-A419	A427
SMP	A420	-A428	
DSC	B24		B201
SDC	G030	-G049	A428
SDC	H043		A428
SDC M	J00	-J069	A420
SDC M	J120	-J129	A420
LMC	J13	-J189	A420
SDC M	J200	-J989	A420
SDC M	K000	-K929	A421
SDC M	L00	-L989	A428
DSC	R75		B201

A430 Address

DSC	B24	B201
DSC	R75	B201

A431 Address

DSC	B24	B201
DSC	R75	B201

A438 Address

DSC	B24	B201
DSC	R75	B201

A439 Address

SMP	A430	-A438
-----	------	-------

ICD-10-Mortality Manual 2c - 2014

DSC		B24		B201
SDC	M	J00	-J069	A430
SDC	M	J120	-J129	A430
SDC		J13	-J189	A430
SDC	M	J200	-J989	A430
SDC	M	L00	-L989	A431
DSC		R75		B201

A440 Address

DSC		B24		B201
DSC		R75		B201

A441 Address

DSC		B24		B201
DSC		R75		B201

A448 Address

DSC		B24		B201
DSC		R75		B201

A449 Address

SMP		A440	-A448	
DSC		B24		B201
DSC		R75		B201

A46 Address

DSC		B24		B201
DSC		R75		B201

A480 Address

SDC	M	A419		A414
DSC		B24		B201
DSC		R75		B201

A481 Address

DSC		B24		B201
DSC		R75		B201

A482 Address

DSC		B24		B201
DSC		R75		B201

A483 Address

DSC		B24		B201
DSC		R75		B201

A484 Address

DSC		B24		B201
DSC		R75		B201

ICD-10-Mortality Manual 2c - 2014

A488 Address

DSC	B24	B201
DSC	R75	B201

A490 Address

LMP	A400 -A419	
DSC	B24	B201
DSC	R75	B201

A491 Address

LMP	A400 -A419	
DSC	B24	B201
DSC	R75	B201

A492 Address

LMP	A400 -A419	
DSC	B24	B201
DSC	R75	B201

A493 Address

LMP	A400 -A419	
DSC	B24	B201
DSC	R75	B201

A498 Address

LMP	A400 -A419	
DSC	B24	B201
DSC	R75	B201

A499 Address

LMP	A400 -A419	
SMP	A490 -A498	
DSC	B24	B201
DSC	R75	B201

A500 Address

DSC	B24	B201
DSC	R75	B201

A501 Address

DSC	B24	B201
DSC	R75	B201

A502 Address

DSC	B24	B201
SDC	H043	A500
SDC	H200 -H201	A500
SDC	H208 -H209	A500
SDC	H300 -H309	A500

ICD-10-Mortality Manual 2c - 2014

SDC	H579	A500
SDC	J029	A500
SDC	J040	-J042 A500
SDC	J13	-J189 A500
SDC	J310	A500
SDC	K029	A500
SDC	M K759	A500
SDC	M659	A500
SDC	M860	-M869 A500
SDC	M939	A500
SDC	R161	A500
DSC	R75	B201

A503 Address

DSC	B24	B201
DSC	R75	B201

A504 Address

DSC	B24	B201
DSC	R75	B201

A505 Address

DSC	B24	B201
DSC	R75	B201

A506 Address

DSC	B24	B201
DSC	R75	B201

A507 Address

DSC	B24	B201
DSC	R75	B201

A509 Address

SMP	A500	-A507
LMC	A521	A504
SDC	A630	A500
DSC	B24	B201
SDC	G030	-G039 A504
SDC	G042	-G049 A504
SDC	G629	A504
SDC	G809	A504
SDC	G830	-G838 A504
LMC	G839	A504
SDC	H043	A500
SDC	H200	-H201 A500
SDC	H208	-H209 A500
SDC	H300	-H309 A500
SDC	H472	A504
SDC	H913	A500

ICD-10-Mortality Manual 2c - 2014

SDC	I519		A505	
SDC	I720	-I729	A505	
SDC	I776		A505	
SDC	I99		A505	
SDC	J029		A500	
SDC	J040	-J042	A500	
SDC	J13	-J189	A500	
SDC	J310		A500	
SDC	J312		A500	
SDC	M	J348	A505	
SDC	M	J386	-J387	A505
SDC		K029	A500	
SDC	M	K222	A505	
SDC		K650	-K659	A500
SDC	M	K759	A500	
SDC		L109	A500	
SDC		M130	-M139	A505
SDC	M	M254	A505	
SDC		M402	A505	
SDC		M659	A500	
SDC		M860	-M869	A500
SDC		M939	A500	
SDC		M950	A505	
SDC		N050	-N059	A505
SDC		Q019	A504	
SDC	M	Q359	A505	
SDC		Q750	A500	
SDC		R065	A500	
SDC		R161	A500	
DSC		R75	B201	

A510 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

A511 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

A512 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

A513 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

ICD-10-Mortality Manual 2c - 2014

A514 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

A515 Address

SMP	A520	-A529	
DSC	B24		B201
DSC	R75		B201

A519 Address

SMP	A510	-A515	
SMP	A520	-A529	
DSC	B24		B201
SDC	H300	-H309	A514
SDC	H579		A514
SDC	I880	-I889	A514
SDC	L984		A513
SDC	N050	-N059	A514
SDC	N760	-N763	A510
SDC	R591		A514
DSC	R75		B201

A520 Address

DSC	B24		B201
DSC	R75		B201

A521 Address

DSC	B24		B201
DSC	R75		B201

A522 Address

DSC	B24		B201
DSC	R75		B201

A523 Address

LMP	A504		
LMP	A521		
DSC	B24		B201
LMC	G839		A521
LMC	R270		A521
DSC	R75		B201

A527 Address

DSC	B24		B201
DSC	R75		B201

A528 Address

DSC	B24		B201
-----	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DSC R75 B201

A529 Address

SMP A520 -A528
DSC B24 B201
SDC D649 A527
SDC G030 -G039 A521
SDC G042 -G049 A521
SDC G629 A521
SDC H150 -H151 A527
SDC H200 -H201 A527
SDC H208 -H209 A527
SDC H300 -H309 A527
SDC M H432 A527
SDC I880 -I889 A527
SDC J040 -J042 A527
SDC M K759 A527
SDC L815 A527
SDC L984 A527
SDC M130 -M139 A521
SDC M M254 A527
SDC M600 -M601 A527
SDC M608 -M609 A527
SDC M659 A527
SDC M792 A527
SDC M950 A527
SDC N040 -N059 A527
SDC N300 -N303 A527
SDC N308 -N309 A527
SDC N760 -N763 A527
DSC R75 B201

A530 Address

DSC B24 B201
DSC R75 B201

A539 Address

SMP A500 -A530
SDC M A630 A513
DSC B24 B201
SDC M B99 A527
SDC M D131 A527
SDC D649 A527
SDC F03 A521
SDC G030 -G039 A521
SDC G042 -G049 A521
SDC M G122 -G1220 A521
SDC G219 A521
SDC M G318 A521
SDC G400 -G409 A521

ICD-10-Mortality Manual 2c - 2014

SDC		G500 -G529	A521
SDC		G580 -G589	A521
SDC		G629	A521
SDC		G810 -G839	A521
SDC		G934	A521
SDC		G951	A520
SDC	M	G958	A521
SDC	M	H018	A527
SDC		H043	A527
SDC		H108 -H109	A527
SDC		H150 -H159	A527
SDC		H163	A503
SDC		H169	A503
SDC	M	H200 -H201	A514
SDC	M	H208	A514
SDC	M	H209	A503
SDC	M	H209	A514
SDC		H300 -H309	A514
SDC		H400 -H409	A527
SDC	M	H432	A527
SDC		H46 -H470	A521
SDC		H472	A521
SDC		H490 -H492	A521
SDC	M	H534	A527
SDC		H579	A527
SDC		H830	A527
SDC		H919	A521
SDC		H933	A521
SDC		I210 -I2190	A520
SDC		I250 -I259	A520
SDC		I281	A520
SDC	M	I319	A520
SDC		I340 -I409	A520
SDC		I470 -I48	A520
SDC		I500 -I509	A520
SDC		I514	A520
SDC		I515 -I516	A520
SDC		I519	A520
SDC		I6090	A520
SDC		I619 -I6190	A520
SDC		I633 -I6330	A520
SDC	M	I671	A520
SDC		I677	A520
SDC		I710 -I729	A520
SDC	M	I739	A520
SDC		I771	A520
SDC		I776	A520
SDC		I779	A520
SDC		I809 -I81	A520
SDC	M	I888	A510

ICD-10-Mortality Manual 2c - 2014

SDC		I99	A520
SDC		J040 -J042	A527
SDC		J310	A527
SDC		J312	A527
SDC	M	J348	A527
SDC	M	J386 -J387	A527
SDC	M	J392 -J398	A527
SDC		J980	A527
SDC	M	J985	A527
SDC		K029	A527
SDC		K137	A527
SDC	M	K222	A527
SDC		K3190	A527
SDC		K624	A527
SDC		K650 -K659	A527
SDC	M	K746	A527
SDC	M	K759	A527
SDC		K760	A527
SDC		K829	A527
SDC		K851	A527
SDC		K858 -K859	A527
SDC	M	L089	A527
SDC		L109	A500
SDC		L659	A513
SDC		L815	A513
SDC		L906 -L908	A513
SDC	M	L929	A521
SDC		L97	A521
SDC	M	L984	A513
SDC	M	L984	A527
SDC		M109	A527
SDC		M130 -M139	A521
SDC	M	M254	A527
SDC		M541	A521
SDC		M600 -M601	A527
SDC		M608 -M609	A527
SDC		M625	A527
SDC		M659	A527
SDC		M710 -M719	A527
SDC		M792	A527
SDC		M844	A527
SDC		M860 -M869	A527
SDC	M	M898 -M899	A521
SDC	M	M898 -M899	A527
SDC		M939	A500
SDC		M950	A527
SDC		N040 -N059	A527
SDC		N12	A527
SDC		N300 -N303	A527
SDC		N308 -N309	A527

ICD-10-Mortality Manual 2c - 2014

SDC	M	N312	A521
SDC		N351 -N359	A527
SDC		N450 -N459	A527
SDC	M	N508	A527
SDC		N72	A527
SDC		N760 -N763	A510
SDC		R000	A520
SDC		R065	A500
SDC		R161	A527
SDC		R18	A527
SDC	M	R200	A521
SDC	M	R470	A521
SDC		R590 -R599	A514
DSC		R75	B201

A540 Address

LMP		A541	
DSC		B24	B201
LMC		N340	A541
LMC		N751	A541
DSC		R75	B201

A541 Address

DSC		B24	B201
DSC		R75	B201

A542 Address

DSC		B24	B201
DSC		R75	B201

A543 Address

DSC		B24	B201
DSC		R75	B201

A544 Address

DSC		B24	B201
DSC		R75	B201

A545 Address

DSC		B24	B201
DSC		R75	B201

A546 Address

DSC		B24	B201
DSC		R75	B201

A548 Address

DSC		B24	B201
DSC		R75	B201

ICD-10-Mortality Manual 2c - 2014***A549 Address***

SDC	A400	-A419	A548	
SMP	A540	-A548		
DSC	B24		B201	
SDC	G030	-G039	A548	
SDC	G060		A548	
SDC	H100	-H109	A543	
SDC	H200	-H209	A543	
SDC	H440		A543	
SDC	I319		A548	
SDC	M	I340	-I38	A548
SDC	I400	-I409	A548	
SDC	I514		A548	
SDC	I519		A548	
SDC	I880	-I889	A548	
SDC	J029		A545	
SDC	J13	-J189	A548	
SDC	K624		A546	
SDC	K628		A546	
SDC	K650	-K659	A548	
SDC	L020	-L039	A548	
SDC	L570		A548	
SDC	L989		A548	
SDC	M130	-M139	A544	
SDC	M254		A544	
SDC	M469		A544	
SDC	M659		A544	
SDC	M719		A544	
SDC	M779		A544	
SDC	M860	-M869	A544	
SDC	M899		A544	
SDC	N288		A542	
SDC	N300	-N303	A540	
SDC	N308	-N309	A540	
SDC	N340		A541	
SDC	N342		A541	
SDC	N359		A540	
SDC	N412		A542	
SDC	N419		A542	
SDC	N459		A542	
SDC	N482		A541	
SDC	N490	-N491	A542	
SDC	N700	-N719	A542	
SDC	N72		A540	
SDC	N735		A542	
SDC	N751	-N758	A541	
SDC	N760		A540	
SDC	N762		A540	
SDC	N949		A542	

ICD-10-Mortality Manual 2c - 2014

SDC	N971	A542
DSC	R75	B201

A55 Address

DSC	B24	B201
DSC	R75	B201

A560 Address

DSC	B24	B201
DSC	R75	B201

A561 Address

DSC	B24	B201
DSC	R75	B201

A562 Address

DSC	B24	B201
DSC	R75	B201

A563 Address

DSC	B24	B201
DSC	R75	B201

A564 Address

DSC	B24	B201
DSC	R75	B201

A568 Address

DSC	B24	B201
DSC	R75	B201

A57 Address

DSC	B24	B201
DSC	R75	B201

A58 Address

DSC	B24	B201
DSC	R75	B201

A590 Address

DSC	B24	B208
DSC	R75	B208

A598 Address

DSC	B24	B208
DSC	R75	B208

A599 Address

SMP	A590 -A598	
DSC	B24	B208

ICD-10-Mortality Manual 2c - 2014

SDC	N300	-N303	A590
SDC	N308	-N309	A590
SDC	N342		A590
SDC	N410	-N419	A590
SDC	N490		A590
SDC	N72		A590
SDC	N760		A590
SDC	N762		A590
SDC	M	N898	A590
DSC	R75		B208

A601 Address

DSC	B24		B203
DSC	R75		B203

A609 Address

SMP	A600	-A601	
DSC	B24		B203
SDC	M	K628	A601
SDC	N72		A600
SDC	N760		A600
SDC	N766		A600
DSC	R75		B203

A630 Address

DSC	B24		B208
DSC	R75		B208

A638 Address

DSC	B24		B208
DSC	R75		B208

A64 Address

SMP	A500	-A638	
DSC	B24		B208
DSC	R75		B208

A65 Address

DSC	B24		B201
DSC	R75		B201

A660 Address

DSC	B24		B201
DSC	R75		B201

A661 Address

DSC	B24		B201
DSC	R75		B201

A662 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B201
DSC	R75	B201

A663 Address

DSC	B24	B201
DSC	R75	B201

A664 Address

DSC	B24	B201
DSC	R75	B201

A665 Address

DSC	B24	B201
DSC	R75	B201

A666 Address

DSC	B24	B201
DSC	R75	B201

A667 Address

DSC	B24	B201
DSC	R75	B201

A668 Address

DSC	B24	B201
DSC	R75	B201

A669 Address

SDC	M	A527	A664
SMP		A660	-A668
DSC		B24	B201
SDC		L859	A663
SDC		L984	A664
SDC		M254	A666
SDC		M674	A666
SDC		M860	-M869 A666
DSC		R75	B201

A670 Address

DSC	B24	B201
DSC	R75	B201

A671 Address

DSC	B24	B201
DSC	R75	B201

A672 Address

DSC	B24	B201
DSC	R75	B201

A673 Address

DSC	B24	B201
DSC	R75	B201

A679 Address

SMP	A670	-A673	
DSC	B24		B201
SDC	I200	-I259	A672
SDC	I516		A672
SDC	M L00	-L989	A672
DSC	R75		B201

A680 Address

DSC	B24	B201
DSC	R75	B201

A681 Address

DSC	B24	B201
DSC	R75	B201

A689 Address

SMP	A680	-A681	
DSC	B24		B201
DSC	R75		B201

A690 Address

DSC	B24	B201
DSC	R75	B201

A691 Address

DSC	B24	B201
DSC	R75	B201

A692 Address

DSC	B24	B201
DSC	R75	B201

A698 Address

DSC	B24	B201
DSC	R75	B201

A699 Address

SMP	A690	-A698	
DSC	B24		B201
SDC	J13	-J189	A698
SDC	J40		A698
DSC	R75		B201

A70 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B201
DSC	R75	B201

A719 Address

SMP	A710	-A711	
SDC	H043		A711
SDC	H100	-H109	A711
SDC	H164		A711
SDC	H169		A711

A748 Address

DSC	B24	B201
DSC	R75	B201

A749 Address

SMP	A55	-A568	
SMP	A740	-A748	
DSC	B24		B201
SDC	H100	-H109	A740
SDC	H119		A740
SDC	J020	-J029	A564
SMP	J160		
SDC	M K628		A563
SDC	K650	-K659	A748
SDC	N300	-N303	A560
SDC	N308	-N309	A560
SDC	N342		A560
SDC	N490	-N499	A561
SDC	N700	-N719	A561
SDC	N72		A560
SDC	N730	-N739	A561
SDC	N760		A560
SDC	N762		A560
DSC	R75		B201

A750 Address

DSC	B24	B201
DSC	R75	B201

A751 Address

DSC	B24	B201
DSC	R75	B201

A752 Address

DSC	B24	B201
DSC	R75	B201

A753 Address

DSC	B24	B201
DSC	R75	B201

ICD-10-Mortality Manual 2c - 2014

A759 Address

SMP	A750	-A753	
DSC	B24		B201
DSC	R75		B201

A770 Address

DSC	B24		B201
DSC	R75		B201

A771 Address

DSC	B24		B201
DSC	R75		B201

A772 Address

DSC	B24		B201
DSC	R75		B201

A773 Address

DSC	B24		B201
DSC	R75		B201

A778 Address

DSC	B24		B201
DSC	R75		B201

A779 Address

SMP	A770	-A778	
DSC	B24		B201
DSC	R75		B201

A78 Address

DSC	B24		B201
DSC	R75		B201

A790 Address

DSC	B24		B201
DSC	R75		B201

A791 Address

DSC	B24		B201
DSC	R75		B201

A798 Address

DSC	B24		B201
DSC	R75		B201

A799 Address

SMP	A750	-A798	
DSC	B24		B201

ICD-10-Mortality Manual 2c - 2014

DSC R75 B201

A800 Address

DSC B24 B203

DSC R75 B203

A801 Address

DSC B24 B203

DSC R75 B203

A802 Address

DSC B24 B203

DSC R75 B203

A803 Address

DSC B24 B203

DSC R75 B203

A804 Address

DSC B24 B203

DSC R75 B203

A809 Address

SMP A800 -A804

DSC B24 B203

LMC M G122 -G1220 A803

LMC G810 -G839 A803

DSC R75 B203

A810 Address

DSC B24 B203

DSC R75 B203

A811 Address

DSC B24 B203

DSC R75 B203

A812 Address

DSC B24 B203

DSC R75 B203

A818 Address

DSC B24 B203

DSC R75 B203

A819 Address

SMP A810 -A818

DSC B24 B203

DSC R75 B203

A820 Address

DSC	B24	B203
DSC	R75	B203

A821 Address

DSC	B24	B203
DSC	R75	B203

A829 Address

SMP	A820 -A821	
DSC	B24	B203
DSC	R75	B203

A830 Address

DSC	B24	B203
DSC	R75	B203

A831 Address

DSC	B24	B203
DSC	R75	B203

A832 Address

DSC	B24	B203
DSC	R75	B203

A833 Address

DSC	B24	B203
DSC	R75	B203

A834 Address

DSC	B24	B203
DSC	R75	B203

A835 Address

DSC	B24	B203
DSC	R75	B203

A836 Address

DSC	B24	B203
DSC	R75	B203

A838 Address

DSC	B24	B203
DSC	R75	B203

A839 Address

SMP	A830 -A838	
DSC	B24	B203
DSC	R75	B203

A840 Address

DSC	B24	B203
DSC	R75	B203

A841 Address

DSC	B24	B203
DSC	R75	B203

A848 Address

DSC	B24	B203
DSC	R75	B203

A849 Address

SMP	A840 -A848	
DSC	B24	B203
DSC	R75	B203

A850 Address

DSC	B24	B203
DSC	R75	B203

A851 Address

DSC	B24	B203
DSC	R75	B203

A852 Address

DSC	B24	B203
DSC	R75	B203

A858 Address

DSC	B24	B203
DSC	R75	B203

A86 Address

SMP	A830 -A858	
DSC	B24	B203
DSC	R75	B203

A870 Address

DSC	B24	B203
DSC	R75	B203

A871 Address

DSC	B24	B203
DSC	R75	B203

A872 Address

DSC	B24	B203
DSC	R75	B203

A878 Address

DSC	B24	B203
DSC	R75	B203

A879 Address

SMP	A870 -A878	
DSC	B24	B203
DSC	R75	B203

A880 Address

DSC	B24	B203
DSC	R75	B203

A881 Address

DSC	B24	B203
DSC	R75	B203

A888 Address

DSC	B24	B203
DSC	R75	B203

A89 Address

SMP	A800 -A888	
DSC	B24	B203
DSC	R75	B203

A90 Address

DSC	B24	B203
DSC	R75	B203

A91 Address

DSC	B24	B203
DSC	R75	B203

A920 Address

DSC	B24	B203
DSC	R75	B203

A921 Address

DSC	B24	B203
DSC	R75	B203

A922 Address

DSC	B24	B203
DSC	R75	B203

A923 Address

DSC	B24	B203
DSC	R75	B203

A924 Address

DSC	B24	B203
DSC	R75	B203

A928 Address

DSC	B24	B203
DSC	R75	B203

A929 Address

SMP	A920 -A928	
DSC	B24	B203
DSC	R75	B203

A930 Address

DSC	B24	B203
DSC	R75	B203

A931 Address

DSC	B24	B203
DSC	R75	B203

A932 Address

DSC	B24	B203
DSC	R75	B203

A938 Address

DSC	B24	B203
DSC	R75	B203

A94 Address

DSC	B24	B203
LMC	N040 -N049	A985
DSC	R75	B203

A950 Address

DSC	B24	B203
DSC	R75	B203

A951 Address

DSC	B24	B203
DSC	R75	B203

A959 Address

SMP	A950 -A951	
DSC	B24	B203
DSC	R75	B203

A960 Address

DSC	B24	B203
-----	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC R75 B203

A961 Address

DSC B24 B203

DSC R75 B203

A962 Address

DSC B24 B203

DSC R75 B203

A968 Address

DSC B24 B203

DSC R75 B203

A969 Address

SMP A960 -A968

DSC B24 B203

DSC R75 B203

A980 Address

DSC B24 B203

DSC R75 B203

A981 Address

DSC B24 B203

DSC R75 B203

A982 Address

DSC B24 B203

DSC R75 B203

A983 Address

DSC B24 B203

DSC R75 B203

A984 Address

DSC B24 B203

DSC R75 B203

A985 Address

DSC B24 B203

DSC R75 B203

A988 Address

DSC B24 B203

DSC R75 B203

A99 Address

SMP M A90 -A988

DSC B24 B203

ICD-10-Mortality Manual 2c - 2014

DSC	R75	B203
-----	-----	------

B***B000 Address***

DSC	B24	B203
DSC	R75	B203

B001 Address

DSC	B24	B203
DSC	R75	B203

B003 Address

DSC	B24	B203
DSC	R75	B203

B004 Address

DSC	B24	B203
DSC	R75	B203

B007 Address

DSC	B24	B203
DSC	R75	B203

B009 Address

SDC	A400 -A419	B007
SDC	A86	B004
SMP	B000 -B008	
DSC	B24	B203
SDC	G030 -G039	B003
SDC	G042 -G049	B004
SDC	H010 -H011	B005
SDC	H100 -H109	B005
SDC	H160 -H169	B005
SDC	H200 -H209	B005
SDC	H600 -H609	B001
SDC	J020 -J029	B002
SDC	J068	B002
SDC	K051	B002
SDC	K121	B002
SDC	K759	B008
SDC	L030	B008
DSC	R75	B203

B010 Address

DSC	B24	B203
DSC	R75	B203

B011 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B203
DSC	R75	B203

B012 Address

DSC	B24	B203
DSC	R75	B203

B018 Address

DSC	B24	B203
DSC	R75	B203

B019 Address

LMC	B005	B018
SMP	B010 -B018	
DSC	B24	B203
LMC	G030 -G039	B010
LMC	G042 -G049	B011
LMC	J120 -J129	B012
LMC	J180 -J189	B012
DSC	R75	B203

B020 Address

DSC	B24	B203
DSC	R75	B203

B021 Address

DSC	B24	B203
DSC	R75	B203

B022 Address

DSC	B24	B203
DSC	R75	B203

B023 Address

DSC	B24	B203
DSC	R75	B203

B027 Address

DSC	B24	B203
DSC	R75	B203

B028 Address

DSC	B24	B203
DSC	R75	B203

B029 Address

SMP	B020 -B028	
DSC	B24	B203
SDC	G030 -G039	B021
SDC	G042 -G049	B020

ICD-10-Mortality Manual 2c - 2014

SDC	G500		B022
SDC	G511		B022
SDC	G629		B022
SDC	H010	-H011	B023
SDC	H100	-H109	B023
SDC	H150		B023
SDC	H160	-H169	B023
SDC	H200	-H209	B023
SDC	H600	-H609	B028
LDC	K122		B028
SDC	M792		B022
DSC	R75		B203

B03 Address

DSC	B24		B203
DSC	R75		B203

B04 Address

DSC	B24		B203
DSC	R75		B203

B050 Address

DSC	B24		B203
DSC	R75		B203

B051 Address

DSC	B24		B203
DSC	R75		B203

B052 Address

DSC	B24		B203
DSC	R75		B203

B053 Address

DSC	B24		B203
DSC	R75		B203

B054 Address

DSC	B24		B203
DSC	R75		B203

B058 Address

DSC	B24		B203
DSC	R75		B203

B059 Address

SMP	B050	-B058	
DSC	B24		B203
LMC	G030	-G039	B051
LMC	G042	-G049	B050

ICD-10-Mortality Manual 2c - 2014

LMC	H160	-H169	B058
LMC	H660	-H669	B053
LMC	J120	-J129	B052
LMC	J180	-J189	B052
LMC M	K260	-K599	B054
LMC	K630	-K639	B054
LMC	K900	-K909	B054
LMC	K920	-K929	B054
DSC	R75		B203

B060 Address

DSC	B24		B203
DSC	R75		B203

B068 Address

DSC	B24		B203
DSC	R75		B203

B069 Address

SMP	B060	-B068	
DSC	B24		B203
LMC	G030	-G039	B060
LMC	G042	-G049	B060
LMC	J120	-J129	B068
LMC	J180	-J189	B068
LMC	M130	-M139	B068
DSC	R75		B203

B080 Address

DSC	B24		B203
DSC	R75		B203

B082 Address

DSC	B24		B203
DSC	R75		B203

B083 Address

DSC	B24		B203
DSC	R75		B203

B084 Address

DSC	B24		B203
DSC	R75		B203

B085 Address

DSC	B24		B203
DSC	R75		B203

B09 Address

SMP	B080	-B088	
-----	------	-------	--

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B203
DSC	R75	B203

B150 Address

DSC	B24	B203
DSC	R75	B203

B159 Address

SMP	B150	
DSC	B24	B203
LMC M	K729	B150
DSC	R75	B203

B160 Address

DSC	B24	B203
DSC	R75	B203

B161 Address

SMP	B160	
DSC	B24	B203
LMC M	K729	B160
DSC	R75	B203

B162 Address

DSC	B24	B203
DSC	R75	B203

B169 Address

SMP	B160	-B162
DSC	B24	B203
LMC M	K729	B162
DSC	R75	B203

B170 Address

DSC	B24	B203
DSC	R75	B203

B171 Address

DSC	B24	B203
DSC	R75	B203

B172 Address

DSC	B24	B203
DSC	R75	B203

B178 Address

SMP	B170	-B172
DSC	B24	B203
DSC	R75	B203

ICD-10-Mortality Manual 2c - 2014

B179 Address

SMP	B150	-B178	
DSC	B24		B203
DSC	R75		B203

B180 Address

DSC	B24		B203
DSC	R75		B203

B181 Address

SMP	B180		
DSC	B24		B203
DSC	R75		B203

B182 Address

DSC	B24		B203
DSC	R75		B203

B188 Address

DSC	B24		B203
DSC	R75		B203

B189 Address

SMP	B180	-B188	
DSC	B24		B203
DSC	R75		B203

B190 Address

DSC	B24		B203
DSC	R75		B203

B199 Address

SMP	B150	-B190	
DSC	B24		B203
LMC M	K729		B190
DSC	R75		B203

B200 Address

LMC	A000	-A099	B207
LMC	A200	-A309	B207
LMC	A320	-A427	B207
LMC	A429	-A599	B207
LMC	A601	-A70	B207
LMC	A748	-B001	B207
LMC	B003	-B004	B207
LMC	B007		B207
LMC	B009	-B069	B207
LMC	B080		B207
LMC	B082	-B085	B207

ICD-10-Mortality Manual 2c - 2014

LMC		B09 -B199	B207
LMC		B250 -B279	B207
LMC		B330 -B349	B207
LMC		B370 -B64	B207
LMC		C000 -C97	B227
LMC		D738	B207
LMC		E033	B207
LMC		E060 -E063	B207
LMC		E065 -E069	B207
LMC		F03	B227
LMC		G000 -G039	B207
LMC		G042 -G09	B207
LMC		G218 -G219	B227
LMC		G238 -G239	B227
LMC		G249	B227
LMC		G255	B227
LMC		G259	B227
LMC		G319	B227
LMC		G369	B227
LMC		G373 -G374	B207
LMC		G379	B227
LMC		G520 -G529	B227
LMC	M	G589	B207
LMC	M	G589	B227
LMC		G610 -G619	B207
LMC	M	G628 -G629	B207
LMC	M	G628 -G629	B227
LMC		G64	B227
LMC		G728 -G729	B227
LMC		G903 -G912	B227
LMC		G918 -G919	B227
LMC		G930 -G936	B227
LMC	M	G938	B227
LMC		G939	B227
LMC		G951 -G952	B227
LMC	M	G958	B227
LMC		G959 -G969	B227
LMC		G98	B227
LMC	M	H050 -H059	B207
LMC	M	H440 -H449	B207
LMC	M	H590 -H599	B207
LMC	M	H650 -H749	B207
LMC	M	H810 -H832	B207
LMC	M	H950 -H959	B207
LMC		I301 -I311	B207
LMC		I319 -I409	B207
LMC		I514	B207
LMC		I518	B207
LMC		I677	B207
LMC		I776	B207

ICD-10-Mortality Manual 2c - 2014

LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207
LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207
LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207
LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207

ICD-10-Mortality Manual 2c - 2014

LMC		M880 -M889	B207
LMC	M	M939	B207
LMC		N000 -N019	B207
LMC		N030 -N039	B207
LMC		N050 -N059	B207
LMC		N10 -N12	B207
LMC		N136	B207
LMC		N151	B207
LMC		N159	B207
LMC		N288	B207
LMC		N300 -N303	B207
LMC		N308 -N309	B207
LMC		N321 -N322	B207
LMC		N340 -N342	B207
LMC		N351	B207
LMC		N360	B207
LMC		N390	B207
LMC		N410 -N419	B207
LMC		N431	B207
LMC		N450 -N459	B207
LMC		N481 -N482	B207
LMC		N490 -N499	B207
LMC		N61	B207
LMC		N700 -N768	B207
LMC		N820 -N829	B207
LMC		R591	B227
LMC		R628	B227
LMC		R64	B227

B201 Address

LMC		A060 -A199	B207
LMC		A310	B207
LMC		A318 -A319	B207
LMC		A590 -A599	B207
LMC		A601 -A64	B207
LMC		A800 -B001	B207
LMC		B003 -B004	B207
LMC		B007	B207
LMC		B009 -B069	B207
LMC		B080	B207
LMC		B082 -B085	B207
LMC		B09 -B199	B207
LMC		B250 -B279	B207
LMC		B330 -B349	B207
LMC		B370 -B64	B207
LMC		C000 -C97	B227
LMC	M	D738	B207
LMC	M	E033	B207
LMC	M	E060 -E063	B207
LMC	M	E065 -E069	B207

ICD-10-Mortality Manual 2c - 2014

LMC		F03		B227
LMC		G030	-G039	B207
LMC	M	G048	-G09	B207
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC	M	G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC	M	G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC	M	I301	-I311	B207
LMC	M	I319	-I409	B207
LMC	M	I514		B207
LMC	M	I518		B207
LMC	M	I677		B207
LMC	M	I776		B207
LMC	M	I800	-I809	B207
LMC	M	I821		B207
LMC	M	I880	-I889	B207
LMC	M	I891		B207
LMC	M	J010	-J019	B207
LMC	M	J028	-J029	B207
LMC	M	J038	-J051	B207
LMC		J120	-J129	B207
LMC		J168	-J189	B207

ICD-10-Mortality Manual 2c - 2014

LMC		J203	-J207	B207
LMC	M	J208	-J209	B207
LMC	M	J218	-J219	B207
LMC	M	J310	-J329	B207
LMC	M	J340		B207
LMC	M	J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC	M	J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC	M	J851	-J869	B207
LMC	M	J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC	M	K121	-K122	B207
LMC	M	K20	-K210	B207
LMC	M	K290	-K291	B207
LMC	M	K293	-K299	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC	M	K580		B207
LMC	M	K610	-K614	B207
LMC	M	K628		B207
LMC	M	K630		B207
LMC	M	K632		B207
LMC	M	K638		B207
LMC	M	K650	-K659	B207
LMC	M	K750	-K759	B207
LMC	M	K810	-K819	B207
LMC	M	K830		B207
LMC	M	K851		B207
LMC	M	K858	-K859	B207
LMC	M	K861		B207
LMC	M	L00		B207
LMC	M	L020	-L029	B207
LMC	M	L031	-L039	B207
LMC	M	L089		B207
LMC	M	L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC	M	M300	-M319	B207
LMC	M	M330	-M339	B207
LMC	M	M354		B207
LMC	M	M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC	M	M860	-M869	B207
LMC	M	M939		B207
LMC	M	N000	-N019	B207
LMC	M	N030	-N039	B207

ICD-10-Mortality Manual 2c - 2014

LMC	M	N050	-N059	B207
LMC	M	N10	-N12	B207
LMC	M	N136		B207
LMC	M	N151		B207
LMC	M	N159		B207
LMC	M	N288		B207
LMC	M	N300	-N303	B207
LMC	M	N308	-N309	B207
LMC	M	N340	-N342	B207
LMC	M	N390		B207
LMC	M	N410	-N419	B207
LMC	M	N450	-N459	B207
LMC	M	N481	-N482	B207
LMC	M	N490	-N499	B207
LMC	M	N61		B207
LMC	M	N700	-N768	B207
LMC	M	N820	-N829	B207
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B202 Address

LMC		A000	-A310	B207
LMC		A318	-A427	B207
LMC		A429	-A599	B207
LMC		A601	-A70	B207
LMC		A748	-B001	B207
LMC		B003	-B004	B207
LMC		B007		B207
LMC		B009	-B069	B207
LMC		B080		B207
LMC		B082	-B085	B207
LMC		B09	-B199	B207
LMC		B260	-B279	B207
LMC		B330	-B349	B207
LMC		B370	-B64	B207
LMC		C000	-C97	B227
LMC		D738		B207
LMC		E033		B207
LMC		E060	-E063	B207
LMC		E065	-E069	B207
LMC		F03		B227
LMC		G000	-G039	B207
LMC		G042	-G09	B207
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227

ICD-10-Mortality Manual 2c - 2014

LMC		G369		B227
LMC		G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC		G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC		I301	-I311	B207
LMC		I319	-I409	B207
LMC		I514		B207
LMC		I518		B207
LMC		I677		B207
LMC		I776		B207
LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207
LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207

ICD-10-Mortality Manual 2c - 2014

LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207
LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207
LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207
LMC		M880	-M889	B207
LMC	M	M939		B207
LMC		N000	-N019	B207
LMC		N030	-N039	B207
LMC		N050	-N059	B207
LMC		N10	-N12	B207
LMC		N136		B207
LMC		N151		B207
LMC		N159		B207
LMC		N288		B207
LMC		N300	-N303	B207
LMC		N308	-N309	B207
LMC		N321	-N322	B207
LMC		N340	-N342	B207
LMC		N351		B207
LMC		N360		B207
LMC		N390		B207
LMC		N410	-N419	B207

ICD-10-Mortality Manual 2c - 2014

LMC	N431		B207
LMC	N450	-N459	B207
LMC	N481	-N482	B207
LMC	N490	-N499	B207
LMC	N61		B207
LMC	N700	-N768	B207
LMC	N820	-N829	B207
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B203 Address

LMC	A000	-A079	B207	
LMC	A090	-A310	B207	
LMC	A318	-A427	B207	
LMC	A429	-A599	B207	
LMC	A630	-A70	B207	
LMC	A748	-A799	B207	
LMC	B250	-B259	B207	
LMC	B370	-B64	B207	
LMC	C000	-C97	B227	
LMC	M	D738	B207	
LMC	M	E033	B207	
LMC	M	E060	-E063	B207
LMC	M	E065	-E069	B207
LMC		G030	-G039	B207
LMC	M	G048	-G09	B207
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC	M	G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC	M	G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC	M	I301	-I311	B207
LMC	M	I319	-I409	B207
LMC	M	I514		B207
LMC	M	I518		B207
LMC	M	I677		B207
LMC	M	I776		B207
LMC	M	I800	-I809	B207
LMC	M	I821		B207
LMC	M	I880	-I889	B207
LMC	M	I891		B207
LMC	M	J010	-J019	B207
LMC	M	J028	-J029	B207
LMC	M	J038	-J051	B207
LMC		J13	-J159	B207
LMC		J168	-J202	B207
LMC	M	J208	-J209	B207
LMC	M	J218	-J219	B207
LMC	M	J310	-J329	B207
LMC	M	J340		B207
LMC	M	J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC	M	J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC	M	J851	-J869	B207
LMC	M	J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC	M	K121	-K122	B207
LMC	M	K20	-K210	B207
LMC	M	K290	-K291	B207
LMC	M	K293	-K299	B207
LMC	M	K528	-K559	B207
LMC	M	K580		B207
LMC	M	K610	-K614	B207
LMC	M	K628		B207
LMC	M	K630		B207
LMC	M	K632		B207
LMC	M	K638		B207
LMC	M	K650	-K659	B207

ICD-10-Mortality Manual 2c - 2014

LMC	M	K750	-K759	B207
LMC	M	K810	-K819	B207
LMC	M	K830		B207
LMC	M	K851		B207
LMC	M	K858	-K859	B207
LMC	M	K861		B207
LMC	M	L00		B207
LMC	M	L020	-L029	B207
LMC	M	L031	-L039	B207
LMC	M	L089		B207
LMC	M	L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC	M	M300	-M319	B207
LMC	M	M330	-M339	B207
LMC	M	M354		B207
LMC	M	M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC	M	M860	-M869	B207
LMC	M	M939		B207
LMC	M	N000	-N019	B207
LMC	M	N030	-N039	B207
LMC	M	N050	-N059	B207
LMC	M	N10	-N12	B207
LMC	M	N136		B207
LMC	M	N151		B207
LMC	M	N159		B207
LMC	M	N288		B207
LMC	M	N300	-N303	B207
LMC	M	N308	-N309	B207
LMC	M	N340	-N342	B207
LMC	M	N390		B207
LMC	M	N410	-N419	B207
LMC	M	N450	-N459	B207
LMC	M	N481	-N482	B207
LMC	M	N490	-N499	B207
LMC	M	N61		B207
LMC	M	N700	-N768	B207
LMC	M	N820	-N829	B207
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B204 Address

LMC		A000	-A310	B207
LMC		A318	-A427	B207
LMC		A429	-A599	B207
LMC		A601	-A70	B207
LMC		A748	-B001	B207
LMC		B003	-B004	B207

ICD-10-Mortality Manual 2c - 2014

LMC		B007		B207
LMC		B009	-B069	B207
LMC		B080		B207
LMC		B082	-B085	B207
LMC		B09	-B199	B207
LMC		B250	-B279	B207
LMC		B330	-B349	B207
LMC		B380	-B64	B207
LMC		C000	-C97	B227
LMC		D738		B207
LMC		E033		B207
LMC		E060	-E063	B207
LMC		E065	-E069	B207
LMC		F03		B227
LMC		G000	-G039	B207
LMC		G042	-G09	B207
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC		G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC		G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC		I301	-I311	B207
LMC		I319	-I409	B207

ICD-10-Mortality Manual 2c - 2014

LMC		I514		B207
LMC		I518		B207
LMC		I677		B207
LMC		I776		B207
LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207
LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207
LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207

ICD-10-Mortality Manual 2c - 2014

LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207
LMC		M880	-M889	B207
LMC	M	M939		B207
LMC		N000	-N019	B207
LMC		N030	-N039	B207
LMC		N050	-N059	B207
LMC		N10	-N12	B207
LMC		N136		B207
LMC		N151		B207
LMC		N159		B207
LMC		N288		B207
LMC		N300	-N303	B207
LMC		N308	-N309	B207
LMC		N321	-N322	B207
LMC		N340	-N342	B207
LMC		N351		B207
LMC		N360		B207
LMC		N390		B207
LMC		N410	-N419	B207
LMC		N431		B207
LMC		N450	-N459	B207
LMC		N481	-N482	B207
LMC		N490	-N499	B207
LMC		N61		B207
LMC		N700	-N768	B207
LMC		N820	-N829	B207
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B205 Address

LMC		A000	-A310	B207
LMC		A318	-A427	B207
LMC		A429	-A599	B207
LMC		A601	-A70	B207
LMC		A748	-B001	B207
LMC		B003	-B004	B207
LMC		B007		B207
LMC		B009	-B069	B207
LMC		B080		B207
LMC		B082	-B085	B207
LMC		B09	-B199	B207
LMC		B250	-B279	B207
LMC		B330	-B349	B207
LMC		B370	-B379	B207
LMC		B500	-B64	B207
LMC		C000	-C97	B227

ICD-10-Mortality Manual 2c - 2014

LMC		D738		B207
LMC		E033		B207
LMC		E060	-E063	B207
LMC		E065	-E069	B207
LMC		F03		B227
LMC		G000	-G039	B207
LMC		G042	-G09	B207
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC		G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC		G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC		I301	-I311	B207
LMC		I319	-I409	B207
LMC		I514		B207
LMC		I518		B207
LMC		I677		B207
LMC		I776		B207
LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207

ICD-10-Mortality Manual 2c - 2014

LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207
LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207
LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207
LMC		M880	-M889	B207
LMC	M	M939		B207
LMC		N000	-N019	B207
LMC		N030	-N039	B207
LMC		N050	-N059	B207

ICD-10-Mortality Manual 2c - 2014

LMC	N10	-N12	B207
LMC	N136		B207
LMC	N151		B207
LMC	N159		B207
LMC	N288		B207
LMC	N300	-N303	B207
LMC	N308	-N309	B207
LMC	N321	-N322	B207
LMC	N340	-N342	B207
LMC	N351		B207
LMC	N360		B207
LMC	N390		B207
LMC	N410	-N419	B207
LMC	N431		B207
LMC	N450	-N459	B207
LMC	N481	-N482	B207
LMC	N490	-N499	B207
LMC	N61		B207
LMC	N700	-N768	B207
LMC	N820	-N829	B207
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B206 Address

LMC	A000	-A310	B207
LMC	A318	-A427	B207
LMC	A429	-A599	B207
LMC	A601	-A70	B207
LMC	A748	-B001	B207
LMC	B003	-B004	B207
LMC	B007		B207
LMC	B009	-B069	B207
LMC	B080		B207
LMC	B082	-B085	B207
LMC	B09	-B199	B207
LMC	B250	-B279	B207
LMC	B330	-B349	B207
LMC	B370	-B589	B207
LMC	B600	-B64	B207
LMC	C000	-C97	B227
LMC	D738		B207
LMC	E033		B207
LMC	E060	-E063	B207
LMC	E065	-E069	B207
LMC	F03		B227
LMC	G000	-G039	B207
LMC	G042	-G09	B207
LMC	G218	-G219	B227
LMC	G238	-G239	B227

ICD-10-Mortality Manual 2c - 2014

LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC		G373	-G374	B207
LMC		G379		B227
LMC		G520	-G529	B227
LMC	M	G589		B207
LMC	M	G589		B227
LMC		G610	-G619	B207
LMC	M	G628	-G629	B207
LMC	M	G628	-G629	B227
LMC		G64		B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B207
LMC	M	H440	-H449	B207
LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC		I301	-I311	B207
LMC		I319	-I409	B207
LMC		I514		B207
LMC		I518		B207
LMC		I677		B207
LMC		I776		B207
LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207
LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227

ICD-10-Mortality Manual 2c - 2014

LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207
LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207
LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207
LMC		M880	-M889	B207
LMC	M	M939		B207
LMC		N000	-N019	B207
LMC		N030	-N039	B207
LMC		N050	-N059	B207
LMC		N10	-N12	B207
LMC		N136		B207
LMC		N151		B207
LMC		N159		B207
LMC		N288		B207
LMC		N300	-N303	B207
LMC		N308	-N309	B207
LMC		N321	-N322	B207
LMC		N340	-N342	B207

ICD-10-Mortality Manual 2c - 2014

LMC	N351		B207
LMC	N360		B207
LMC	N390		B207
LMC	N410	-N419	B207
LMC	N431		B207
LMC	N450	-N459	B207
LMC	N481	-N482	B207
LMC	N490	-N499	B207
LMC	N61		B207
LMC	N700	-N768	B207
LMC	N820	-N829	B207
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B207 Address

LMC	C000	-C97	B227	
LMC	F03		B227	
LMC	G218	-G219	B227	
LMC	G238	-G239	B227	
LMC	G249		B227	
LMC	G255		B227	
LMC	G259		B227	
LMC	G319		B227	
LMC	G369		B227	
LMC	G379		B227	
LMC	G520	-G529	B227	
LMC	M	G589	B227	
LMC	M	G628	-G629	B227
LMC	G64		B227	
LMC	G728	-G729	B227	
LMC	G903	-G912	B227	
LMC	G918	-G919	B227	
LMC	G930	-G936	B227	
LMC	M	G938	B227	
LMC	G939		B227	
LMC	G951	-G952	B227	
LMC	M	G958	B227	
LMC	G959	-G969	B227	
LMC	G98		B227	
LMC	M	J849	-J8490	B227
LMC	R591		B227	
LMC	R628		B227	
LMC	R64		B227	

B208 Address

LMC	A000	-A059	B207
LMC	A080	-A085	B207
LMC	A150	-A310	B207
LMC	A318	-A427	B207

ICD-10-Mortality Manual 2c - 2014

LMC		A429 -A58	B207
LMC		A601 -A609	B207
LMC		A65 -A70	B207
LMC		A748 -B001	B207
LMC		B003 -B004	B207
LMC		B007	B207
LMC		B009 -B069	B207
LMC		B080	B207
LMC		B082 -B085	B207
LMC		B09 -B199	B207
LMC		B250 -B279	B207
LMC		B330 -B349	B207
LMC		B370 -B49	B207
LMC		B59	B207
LMC		C000 -C97	B227
LMC		D738	B207
LMC		E033	B207
LMC		E060 -E063	B207
LMC		E065 -E069	B207
LMC		F03	B227
LMC		G000 -G039	B207
LMC		G042 -G09	B207
LMC		G218 -G219	B227
LMC		G238 -G239	B227
LMC		G249	B227
LMC		G255	B227
LMC		G259	B227
LMC		G319	B227
LMC		G369	B227
LMC		G373 -G374	B207
LMC		G379	B227
LMC		G520 -G529	B227
LMC	M	G589	B207
LMC	M	G589	B227
LMC		G610 -G619	B207
LMC	M	G628 -G629	B207
LMC	M	G628 -G629	B227
LMC		G64	B227
LMC		G728 -G729	B227
LMC		G903 -G912	B227
LMC		G918 -G919	B227
LMC		G930 -G936	B227
LMC	M	G938	B227
LMC		G939	B227
LMC		G951 -G952	B227
LMC	M	G958	B227
LMC		G959 -G969	B227
LMC		G98	B227
LMC	M	H050 -H059	B207
LMC	M	H440 -H449	B207

ICD-10-Mortality Manual 2c - 2014

LMC	M	H590	-H599	B207
LMC	M	H650	-H749	B207
LMC	M	H810	-H832	B207
LMC	M	H950	-H959	B207
LMC		I301	-I311	B207
LMC		I319	-I409	B207
LMC		I514		B207
LMC		I518		B207
LMC		I677		B207
LMC		I776		B207
LMC		I800	-I809	B207
LMC		I821		B207
LMC		I880	-I889	B207
LMC		I891		B207
LMC		J010	-J051	B207
LMC		J120	-J219	B207
LMC		J310	-J329	B207
LMC		J340		B207
LMC		J36	-J371	B207
LMC	M	J382	-J383	B207
LMC	M	J387	-J391	B207
LMC		J40	-J42	B207
LMC	M	J840	-J848	B207
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B207
LMC		J984		B207
LMC	M	J985		B207
LMC	M	J988		B207
LMC		K121	-K122	B207
LMC		K20	-K219	B207
LMC		K290	-K291	B207
LMC		K528	-K529	B207
LMC	M	K550	-K559	B207
LMC		K580		B207
LMC		K610	-K614	B207
LMC		K628		B207
LMC		K630	-K632	B207
LMC		K638		B207
LMC		K650	-K659	B207
LMC	M	K720	-K729	B207
LMC	M	K730	-K739	B207
LMC		K750	-K759	B207
LMC		K810	-K819	B207
LMC		K830		B207
LMC		K851		B207
LMC		K858	-K859	B207
LMC		K861		B207
LMC		L00		B207
LMC		L020	-L029	B207
LMC		L031	-L039	B207

ICD-10-Mortality Manual 2c - 2014

LMC		L089		B207
LMC		L950	-L959	B207
LMC	M	M000	-M1990	B207
LMC		M300	-M319	B207
LMC		M330	-M339	B207
LMC		M354		B207
LMC		M356		B207
LMC	M	M45	-M479	B207
LMC	M	M720	-M729	B207
LMC		M860	-M869	B207
LMC		M880	-M889	B207
LMC	M	M939		B207
LMC		N000	-N019	B207
LMC		N030	-N039	B207
LMC		N050	-N059	B207
LMC		N10	-N12	B207
LMC		N136		B207
LMC		N151		B207
LMC		N159		B207
LMC		N288		B207
LMC		N300	-N303	B207
LMC		N308	-N309	B207
LMC		N321	-N322	B207
LMC		N340	-N342	B207
LMC		N351		B207
LMC		N360		B207
LMC		N390		B207
LMC		N410	-N419	B207
LMC		N431		B207
LMC		N450	-N459	B207
LMC		N481	-N482	B207
LMC		N490	-N499	B207
LMC		N61		B207
LMC		N700	-N768	B207
LMC		N820	-N829	B207
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B209 Address

SMC		A000	-A059	B201
SMC		A060	-A079	B208
SMC		A080	-A085	B203
SMC		A090	-A099	B208
SMC		A150	-A199	B200
SMC		A200	-A309	B201
SMC		A318	-A319	B200
SMC		A320	-A427	B201
SMC		A429	-A58	B201
SMC		A590	-A599	B208

ICD-10-Mortality Manual 2c - 2014

SMC	A601	-A609	B203	
SMC	A630	-A64	B208	
SMC	A65	-A70	B201	
SMC	A748	-A799	B201	
SMC	A800	-B001	B203	
SMC	B003	-B004	B203	
SMC	B007		B203	
SMC	B009	-B069	B203	
SMC	B080		B203	
SMC	B082	-B085	B203	
SMC	B09	-B199	B203	
SMC	B250	-B259	B202	
SMC	B370	-B379	B204	
SMC	B380	-B49	B205	
SMC	B500	-B589	B208	
SMC	B59		B206	
SMC	B600	-B64	B208	
LMC	C000	-C97	B227	
LMC	F03		B227	
LMC	G218	-G219	B227	
LMC	G238	-G239	B227	
LMC	G249		B227	
LMC	G255		B227	
LMC	G259		B227	
LMC	G319		B227	
LMC	G369		B227	
LMC	G379		B227	
LMC	G520	-G529	B227	
LMC	M	G589	B227	
LMC	M	G628	-G629	B227
LMC		G64	B227	
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	J849	-J8490	B227
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B210 Address

LMC	A000	-A310	B227
LMC	A318	-A427	B227
LMC	A429	-A599	B227

ICD-10-Mortality Manual 2c - 2014

LMC	A601	-A70	B227	
LMC	A748	-B001	B227	
LMC	B003	-B004	B227	
LMC	B007		B227	
LMC	B009	-B069	B227	
LMC	B080		B227	
LMC	B082	-B085	B227	
LMC	B09	-B199	B227	
LMC	B250	-B279	B227	
LMC	B330	-B349	B227	
LMC	B370	-B64	B227	
LMC	B99		B227	
LMC	C000	-C459	B217	
LMC	C470	-C969	B217	
LMC	D738		B227	
LMC	E033		B227	
LMC	E060	-E063	B227	
LMC	E065	-E069	B227	
LMC	F03		B227	
LMC	G000	-G039	B227	
LMC	G042	-G09	B227	
LMC	G218	-G219	B227	
LMC	G238	-G239	B227	
LMC	G249		B227	
LMC	G255		B227	
LMC	G259		B227	
LMC	G319		B227	
LMC	G369		B227	
LMC	G373	-G374	B227	
LMC	G379		B227	
LMC	G520	-G529	B227	
LMC	G589		B227	
LMC	G610	-G619	B227	
LMC	G628	-G64	B227	
LMC	G728	-G729	B227	
LMC	G903	-G912	B227	
LMC	G918	-G919	B227	
LMC	G930	-G936	B227	
LMC	M	G938	B227	
LMC		G939	B227	
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227

ICD-10-Mortality Manual 2c - 2014

LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387		B227
LMC		J390	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227

ICD-10-Mortality Manual 2c - 2014

LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227
LMC		N450	-N459	B227
LMC		N481	-N482	B227
LMC		N490	-N499	B227
LMC		N61		B227
LMC		N700	-N768	B227
LMC		N820	-N829	B227
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B211 Address

LMC		A000	-A310	B227
LMC		A318	-A427	B227
LMC		A429	-A599	B227
LMC		A601	-A70	B227
LMC		A748	-B001	B227
LMC		B003	-B004	B227
LMC		B007		B227
LMC		B009	-B069	B227
LMC		B080		B227
LMC		B082	-B085	B227
LMC		B09	-B199	B227

ICD-10-Mortality Manual 2c - 2014

LMC		B250 -B279	B227
LMC		B330 -B349	B227
LMC		B370 -B64	B227
LMC		B99	B227
LMC		C000 -C836	B217
LMC		C838 -C969	B217
LMC		D738	B227
LMC		E033	B227
LMC		E060 -E063	B227
LMC		E065 -E069	B227
LMC		F03	B227
LMC		G000 -G039	B227
LMC		G042 -G09	B227
LMC		G218 -G219	B227
LMC		G238 -G239	B227
LMC		G249	B227
LMC		G255	B227
LMC		G259	B227
LMC		G319	B227
LMC		G369	B227
LMC		G373 -G374	B227
LMC		G379	B227
LMC		G520 -G529	B227
LMC		G589	B227
LMC		G610 -G619	B227
LMC		G628 -G64	B227
LMC		G728 -G729	B227
LMC		G903 -G912	B227
LMC		G918 -G919	B227
LMC		G930 -G936	B227
LMC	M	G938	B227
LMC		G939	B227
LMC		G951 -G952	B227
LMC	M	G958	B227
LMC		G959 -G969	B227
LMC		G98	B227
LMC	M	H050 -H059	B227
LMC	M	H440 -H449	B227
LMC	M	H590 -H599	B227
LMC	M	H650 -H749	B227
LMC	M	H810 -H832	B227
LMC	M	H950 -H959	B227
LMC		I301 -I311	B227
LMC		I319 -I409	B227
LMC		I514	B227
LMC		I518	B227
LMC		I677	B227
LMC		I776	B227
LMC		I800 -I809	B227
LMC		I821	B227

ICD-10-Mortality Manual 2c - 2014

LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227
LMC		J40	-J42	B227
LMC	M	J840	-J848	B227
LMC		J849	-J8490	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	M939	B227
LMC		N000 -N019	B227
LMC		N030 -N039	B227
LMC		N050 -N059	B227
LMC		N10 -N12	B227
LMC		N136	B227
LMC		N151	B227
LMC		N159	B227
LMC		N288	B227
LMC		N300 -N303	B227
LMC		N308 -N309	B227
LMC		N321 -N322	B227
LMC		N340 -N342	B227
LMC		N351	B227
LMC		N360	B227
LMC		N390	B227
LMC		N410 -N419	B227
LMC		N431	B227
LMC		N450 -N459	B227
LMC		N481 -N482	B227
LMC		N490 -N499	B227
LMC		N61	B227
LMC		N700 -N768	B227
LMC		N820 -N829	B227
LMC		R591	B227
LMC		R628	B227
LMC		R64	B227

B212 Address

LMC		A000 -A310	B227
LMC		A318 -A427	B227
LMC		A429 -A599	B227
LMC		A601 -A70	B227
LMC		A748 -B001	B227
LMC		B003 -B004	B227
LMC		B007	B227
LMC		B009 -B069	B227
LMC		B080	B227
LMC		B082 -B085	B227
LMC		B09 -B199	B227
LMC		B250 -B279	B227
LMC		B330 -B349	B227
LMC		B370 -B64	B227
LMC		B99	B227
LMC		C000 -C819	B217
LMC		C880 -C969	B217
LMC		D738	B227
LMC		E033	B227
LMC		E060 -E063	B227
LMC		E065 -E069	B227

ICD-10-Mortality Manual 2c - 2014

LMC		F03		B227
LMC		G000	-G039	B227
LMC		G042	-G09	B227
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC		G373	-G374	B227
LMC		G379		B227
LMC		G520	-G529	B227
LMC		G589		B227
LMC		G610	-G619	B227
LMC		G628	-G64	B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387		B227
LMC		J390	-J391	B227

ICD-10-Mortality Manual 2c - 2014

LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227

ICD-10-Mortality Manual 2c - 2014

LMC	N288		B227
LMC	N300	-N303	B227
LMC	N308	-N309	B227
LMC	N321	-N322	B227
LMC	N340	-N342	B227
LMC	N351		B227
LMC	N360		B227
LMC	N390		B227
LMC	N410	-N419	B227
LMC	N431		B227
LMC	N450	-N459	B227
LMC	N481	-N482	B227
LMC	N490	-N499	B227
LMC	N61		B227
LMC	N700	-N768	B227
LMC	N820	-N829	B227
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B213 Address

LMC	A000	-A310	B227
LMC	A318	-A427	B227
LMC	A429	-A599	B227
LMC	A601	-A70	B227
LMC	A748	-B001	B227
LMC	B003	-B004	B227
LMC	B007		B227
LMC	B009	-B069	B227
LMC	B080		B227
LMC	B082	-B085	B227
LMC	B09	-B199	B227
LMC	B250	-B279	B227
LMC	B330	-B349	B227
LMC	B370	-B64	B227
LMC	B99		B227
LMC	C000	-C859	B217
LMC	D738		B227
LMC	E033		B227
LMC	E060	-E063	B227
LMC	E065	-E069	B227
LMC	F03		B227
LMC	G000	-G039	B227
LMC	G042	-G09	B227
LMC	G218	-G219	B227
LMC	G238	-G239	B227
LMC	G249		B227
LMC	G255		B227
LMC	G259		B227
LMC	G319		B227

ICD-10-Mortality Manual 2c - 2014

LMC		G369		B227
LMC		G373	-G374	B227
LMC		G379		B227
LMC		G520	-G529	B227
LMC		G589		B227
LMC		G610	-G619	B227
LMC		G628	-G64	B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227

ICD-10-Mortality Manual 2c - 2014

LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227

ICD-10-Mortality Manual 2c - 2014

LMC	N450	-N459	B227
LMC	N481	-N482	B227
LMC	N490	-N499	B227
LMC	N61		B227
LMC	N700	-N768	B227
LMC	N820	-N829	B227
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B217 Address

LMC	A000	-A310	B227
LMC	A318	-A427	B227
LMC	A429	-A599	B227
LMC	A601	-A70	B227
LMC	A748	-B001	B227
LMC	B003	-B004	B227
LMC	B007		B227
LMC	B009	-B069	B227
LMC	B080		B227
LMC	B082	-B085	B227
LMC	B09	-B199	B227
LMC	B250	-B279	B227
LMC	B330	-B349	B227
LMC	B370	-B64	B227
LMC	B99		B227
LMC	D738		B227
LMC	E033		B227
LMC	E060	-E063	B227
LMC	E065	-E069	B227
LMC	F03		B227
LMC	G000	-G039	B227
LMC	G042	-G09	B227
LMC	G218	-G219	B227
LMC	G238	-G239	B227
LMC	G249		B227
LMC	G255		B227
LMC	G259		B227
LMC	G319		B227
LMC	G369		B227
LMC	G373	-G374	B227
LMC	G379		B227
LMC	G520	-G529	B227
LMC	G589		B227
LMC	G610	-G619	B227
LMC	G628	-G64	B227
LMC	G728	-G729	B227
LMC	G903	-G912	B227
LMC	G918	-G919	B227
LMC	G930	-G936	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227
LMC		N450	-N459	B227
LMC		N481	-N482	B227
LMC		N490	-N499	B227
LMC		N61		B227
LMC		N700	-N768	B227
LMC		N820	-N829	B227
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B218 Address

ICD-10-Mortality Manual 2c - 2014

LMC		A000 -A310	B227
LMC		A318 -A427	B227
LMC		A429 -A599	B227
LMC		A601 -A70	B227
LMC		A748 -B001	B227
LMC		B003 -B004	B227
LMC		B007	B227
LMC		B009 -B069	B227
LMC		B080	B227
LMC		B082 -B085	B227
LMC		B09 -B199	B227
LMC		B250 -B279	B227
LMC		B330 -B349	B227
LMC		B370 -B64	B227
LMC		B99	B227
LMC		C460 -C469	B217
LMC		C810 -C969	B217
LMC		D738	B227
LMC		E033	B227
LMC		E060 -E063	B227
LMC		E065 -E069	B227
LMC		F03	B227
LMC		G000 -G039	B227
LMC		G042 -G09	B227
LMC		G218 -G219	B227
LMC		G238 -G239	B227
LMC		G249	B227
LMC		G255	B227
LMC		G259	B227
LMC		G319	B227
LMC		G369	B227
LMC		G373 -G374	B227
LMC		G379	B227
LMC		G520 -G529	B227
LMC		G589	B227
LMC		G610 -G619	B227
LMC		G628 -G64	B227
LMC		G728 -G729	B227
LMC		G903 -G912	B227
LMC		G918 -G919	B227
LMC		G930 -G936	B227
LMC	M	G938	B227
LMC		G939	B227
LMC		G951 -G952	B227
LMC	M	G958	B227
LMC		G959 -G969	B227
LMC		G98	B227
LMC	M	H050 -H059	B227
LMC	M	H440 -H449	B227
LMC	M	H590 -H599	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227

ICD-10-Mortality Manual 2c - 2014

LMC		L031 -L039	B227
LMC		L089	B227
LMC		L950 -L959	B227
LMC	M	M000 -M1990	B227
LMC		M300 -M319	B227
LMC		M330 -M339	B227
LMC		M354	B227
LMC		M356	B227
LMC	M	M45 -M479	B227
LMC	M	M720 -M729	B227
LMC		M860 -M869	B227
LMC		M880 -M889	B227
LMC	M	M939	B227
LMC		N000 -N019	B227
LMC		N030 -N039	B227
LMC		N050 -N059	B227
LMC		N10 -N12	B227
LMC		N136	B227
LMC		N151	B227
LMC		N159	B227
LMC		N288	B227
LMC		N300 -N303	B227
LMC		N308 -N309	B227
LMC		N321 -N322	B227
LMC		N340 -N342	B227
LMC		N351	B227
LMC		N360	B227
LMC		N390	B227
LMC		N410 -N419	B227
LMC		N431	B227
LMC		N450 -N459	B227
LMC		N481 -N482	B227
LMC		N490 -N499	B227
LMC		N61	B227
LMC		N700 -N768	B227
LMC		N820 -N829	B227
LMC		R591	B227
LMC		R628	B227
LMC		R64	B227

B219 Address

LMC		A000 -A310	B227
LMC		A318 -A427	B227
LMC		A429 -A599	B227
LMC		A601 -A70	B227
LMC		A748 -B001	B227
LMC		B003 -B004	B227
LMC		B007	B227
LMC		B009 -B069	B227
LMC		B080	B227

ICD-10-Mortality Manual 2c - 2014

LMC		B082 -B085	B227
LMC		B09 -B199	B227
LMC		B250 -B279	B227
LMC		B330 -B349	B227
LMC		B370 -B64	B227
LMC		B99	B227
LMC	M	C80	B217
LMC		C97	B217
LMC		D738	B227
LMC		E033	B227
LMC		E060 -E063	B227
LMC		E065 -E069	B227
LMC		F03	B227
LMC		G000 -G039	B227
LMC		G042 -G09	B227
LMC		G218 -G219	B227
LMC		G238 -G239	B227
LMC		G249	B227
LMC		G255	B227
LMC		G259	B227
LMC		G319	B227
LMC		G369	B227
LMC		G373 -G374	B227
LMC		G379	B227
LMC		G520 -G529	B227
LMC		G589	B227
LMC		G610 -G619	B227
LMC		G628 -G64	B227
LMC		G728 -G729	B227
LMC		G903 -G912	B227
LMC		G918 -G919	B227
LMC		G930 -G936	B227
LMC	M	G938	B227
LMC		G939	B227
LMC		G951 -G952	B227
LMC	M	G958	B227
LMC		G959 -G969	B227
LMC		G98	B227
LMC	M	H050 -H059	B227
LMC	M	H440 -H449	B227
LMC	M	H590 -H599	B227
LMC	M	H650 -H749	B227
LMC	M	H810 -H832	B227
LMC	M	H950 -H959	B227
LMC		I301 -I311	B227
LMC		I319 -I409	B227
LMC		I514	B227
LMC		I518	B227
LMC		I677	B227
LMC		I776	B227

ICD-10-Mortality Manual 2c - 2014

LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387		B227
LMC		J390	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227
LMC		N450	-N459	B227
LMC		N481	-N482	B227
LMC		N490	-N499	B227
LMC		N61		B227
LMC		N700	-N768	B227
LMC		N820	-N829	B227
LMC		R591		B227
LMC		R628		B227
LMC		R64		B227

B220 Address

LMC		A000	-A310	B227
LMC		A318	-A427	B227
LMC		A429	-A599	B227
LMC		A601	-A70	B227
LMC		A748	-B001	B227
LMC		B003	-B004	B227
LMC		B007		B227
LMC		B009	-B069	B227
LMC		B080		B227
LMC		B082	-B085	B227
LMC		B09	-B199	B227
LMC		B250	-B279	B227
LMC		B330	-B349	B227
LMC		B370	-B64	B227
LMC		B99	-C97	B227
LMC		D738		B227
LMC		E033		B227

ICD-10-Mortality Manual 2c - 2014

LMC		E060	-E063	B227
LMC		E065	-E069	B227
LMC		G000	-G039	B227
LMC		G042	-G09	B227
LMC		G218	-G219	B227
LMC		G238	-G239	B227
LMC		G249		B227
LMC		G255		B227
LMC		G259		B227
LMC		G319		B227
LMC		G369		B227
LMC		G373	-G374	B227
LMC		G379		B227
LMC		G520	-G529	B227
LMC		G589		B227
LMC		G610	-G619	B227
LMC		G628	-G64	B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227

ICD-10-Mortality Manual 2c - 2014

LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227

ICD-10-Mortality Manual 2c - 2014

LMC	N288		B227
LMC	N300	-N303	B227
LMC	N308	-N309	B227
LMC	N321	-N322	B227
LMC	N340	-N342	B227
LMC	N351		B227
LMC	N360		B227
LMC	N390		B227
LMC	N410	-N419	B227
LMC	N431		B227
LMC	N450	-N459	B227
LMC	N481	-N482	B227
LMC	N490	-N499	B227
LMC	N61		B227
LMC	N700	-N768	B227
LMC	N820	-N829	B227
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B221 Address

LMC	A000	-A310	B227
LMC	A318	-A427	B227
LMC	A429	-A599	B227
LMC	A601	-A70	B227
LMC	A748	-B001	B227
LMC	B003	-B004	B227
LMC	B007		B227
LMC	B009	-B069	B227
LMC	B080		B227
LMC	B082	-B085	B227
LMC	B09	-B199	B227
LMC	B250	-B279	B227
LMC	B330	-B349	B227
LMC	B370	-B64	B227
LMC	B99	-C97	B227
LMC	D738		B227
LMC	E033		B227
LMC	E060	-E063	B227
LMC	E065	-E069	B227
LMC	F03		B227
LMC	G000	-G039	B227
LMC	G042	-G09	B227
LMC	G218	-G219	B227
LMC	G238	-G239	B227
LMC	G249		B227
LMC	G255		B227
LMC	G259		B227
LMC	G319		B227
LMC	G369		B227

ICD-10-Mortality Manual 2c - 2014

LMC		G373	-G374	B227
LMC		G379		B227
LMC		G520	-G529	B227
LMC		G589		B227
LMC		G610	-G619	B227
LMC		G628	-G64	B227
LMC		G728	-G729	B227
LMC		G903	-G912	B227
LMC		G918	-G919	B227
LMC		G930	-G936	B227
LMC	M	G938		B227
LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227

ICD-10-Mortality Manual 2c - 2014

LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227
LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227
LMC		N450	-N459	B227

ICD-10-Mortality Manual 2c - 2014

LMC	N481	-N482	B227
LMC	N490	-N499	B227
LMC	N61		B227
LMC	N700	-N768	B227
LMC	N820	-N829	B227
LMC	R591		B227
LMC	R628		B227
LMC	R64		B227

B222 Address

LMC	A000	-A310	B227
LMC	A318	-A427	B227
LMC	A429	-A599	B227
LMC	A601	-A70	B227
LMC	A748	-B001	B227
LMC	B003	-B004	B227
LMC	B007		B227
LMC	B009	-B069	B227
LMC	B080		B227
LMC	B082	-B085	B227
LMC	B09	-B199	B227
LMC	B250	-B279	B227
LMC	B330	-B349	B227
LMC	B370	-B64	B227
LMC	B99	-C97	B227
LMC	D738		B227
LMC	E033		B227
LMC	E060	-E063	B227
LMC	E065	-E069	B227
LMC	F03		B227
LMC	G000	-G039	B227
LMC	G042	-G09	B227
LMC	G218	-G219	B227
LMC	G238	-G239	B227
LMC	G249		B227
LMC	G255		B227
LMC	G259		B227
LMC	G319		B227
LMC	G369		B227
LMC	G373	-G374	B227
LMC	G379		B227
LMC	G520	-G529	B227
LMC	G589		B227
LMC	G610	-G619	B227
LMC	G628	-G64	B227
LMC	G728	-G729	B227
LMC	G903	-G912	B227
LMC	G918	-G919	B227
LMC	G930	-G936	B227
LMC	M	G938	B227

ICD-10-Mortality Manual 2c - 2014

LMC		G939		B227
LMC		G951	-G952	B227
LMC	M	G958		B227
LMC		G959	-G969	B227
LMC		G98		B227
LMC	M	H050	-H059	B227
LMC	M	H440	-H449	B227
LMC	M	H590	-H599	B227
LMC	M	H650	-H749	B227
LMC	M	H810	-H832	B227
LMC	M	H950	-H959	B227
LMC		I301	-I311	B227
LMC		I319	-I409	B227
LMC		I514		B227
LMC		I518		B227
LMC		I677		B227
LMC		I776		B227
LMC		I800	-I809	B227
LMC		I821		B227
LMC		I880	-I889	B227
LMC		I891		B227
LMC		J010	-J051	B227
LMC		J120	-J219	B227
LMC		J310	-J329	B227
LMC		J340		B227
LMC		J36	-J371	B227
LMC	M	J382	-J383	B227
LMC	M	J387		B227
LMC		J390	-J391	B227
LMC		J40	-J42	B227
LMC		J840	-J848	B227
LMC	M	J849	-J8490	B227
LMC		J851	-J869	B227
LMC		J984		B227
LMC	M	J985		B227
LMC	M	J988		B227
LMC		K121	-K122	B227
LMC		K20	-K219	B227
LMC		K290	-K291	B227
LMC		K293	-K299	B227
LMC		K528	-K529	B227
LMC	M	K550	-K559	B227
LMC		K580		B227
LMC		K610	-K614	B227
LMC		K628		B227
LMC		K630		B227
LMC		K632		B227
LMC		K638		B227
LMC		K650	-K659	B227
LMC	M	K720	-K729	B227

ICD-10-Mortality Manual 2c - 2014

LMC	M	K730	-K739	B227
LMC		K750	-K759	B227
LMC		K810	-K819	B227
LMC		K830		B227
LMC		K851		B227
LMC		K858	-K859	B227
LMC		K861		B227
LMC		L00		B227
LMC		L020	-L029	B227
LMC		L031	-L039	B227
LMC		L089		B227
LMC		L950	-L959	B227
LMC	M	M000	-M1990	B227
LMC		M300	-M319	B227
LMC		M330	-M339	B227
LMC		M354		B227
LMC		M356		B227
LMC	M	M45	-M479	B227
LMC	M	M720	-M729	B227
LMC		M860	-M869	B227
LMC		M880	-M889	B227
LMC	M	M939		B227
LMC		N000	-N019	B227
LMC		N030	-N039	B227
LMC		N050	-N059	B227
LMC		N10	-N12	B227
LMC		N136		B227
LMC		N151		B227
LMC		N159		B227
LMC		N288		B227
LMC		N300	-N303	B227
LMC		N308	-N309	B227
LMC		N321	-N322	B227
LMC		N340	-N342	B227
LMC		N351		B227
LMC		N360		B227
LMC		N390		B227
LMC		N410	-N419	B227
LMC		N431		B227
LMC		N450	-N459	B227
LMC		N481	-N482	B227
LMC		N490	-N499	B227
LMC		N61		B227
LMC		N700	-N768	B227
LMC		N820	-N829	B227
LMC		R591		B227
LMC		R628		B227

B24 Address

LMC		A000	-A059	B201
-----	--	------	-------	------

ICD-10-Mortality Manual 2c - 2014

LMC		A060 -A079	B208
LMC		A080 -A085	B203
LMC		A090 -A099	B208
LMC		A150 -A199	B200
LMC		A200 -A309	B201
LMC		A310	B200
LMC		A318 -A319	B200
LMC		A320 -A427	B201
LMC		A429 -A58	B201
LMC		A590 -A599	B208
LMC		A601 -A609	B203
LMC		A630 -A64	B208
LMC		A65 -A70	B201
LMC		A748 -A799	B201
LMC		A800 -B001	B203
LMC		B003 -B004	B203
LMC		B007	B203
LMC		B009 -B069	B203
LMC		B080	B203
LMC		B082 -B085	B203
LMC		B09 -B199	B203
LMC		B250 -B259	B202
LMC		B260 -B279	B203
LMC		B330 -B349	B203
LMC		B370 -B379	B204
LMC		B380 -B49	B205
LMC		B580 -B589	B208
LMC		B59	B206
LMC		B600 -B64	B208
LMC		B99	B209
LMC		C000 -C459	B218
LMC		C460 -C469	B210
LMC		C470 -C798	B218
LMC		C80	B219
LMC		C810 -C819	B213
LMC		C820 -C836	B212
LMC		C837	B211
LMC		C838 -C859	B212
LMC		C880 -C969	B213
LMC		C97	B217
LMC		D500	B232
LMC	M	D501 -D508	B232
LMC		D509	B232
LMC		D519 -D520	B232
LMC	M	D528	B232
LMC		D529	B232
LMC	M	D530 -D539	B232
LMC		D591	B232
LMC		D593	B232
LMC	M	D598	B232

ICD-10-Mortality Manual 2c - 2014

LMC		D599 -D609	B232
LMC	M	D618	B232
LMC		D619 -D62	B232
LMC		D641	B232
LMC	M	D643	B232
LMC	M	D648	B232
LMC		D649 -D65	B232
LMC		D684	B232
LMC	M	D688	B232
LMC		D689	B232
LMC	M	D695 -D70	B232
LMC	M	D728	B232
LMC		D729 -D735	B232
LMC	M	D738	B201
LMC	M	D738	B203
LMC	M	D738	B208
LMC	M	D738	B232
LMC		D739	B232
LMC	M	D748	B232
LMC		D749	B232
LMC	M	D751	B232
LMC	M	D758	B232
LMC		D759	B232
LMC		D762	B232
LMC		D801 -D806	B232
LMC	M	D808 -D819	B232
LMC	M	D830 -D848	B232
LMC		D849	B232
LMC		D890	B232
LMC	M	D891	B232
LMC		D892	B232
LMC	M	D898	B232
LMC		D899	B232
LMC	M	E033	B201
LMC	M	E033	B203
LMC	M	E033	B208
LMC	M	E060	B201
LMC	M	E060	B203
LMC	M	E060	B208
LMC	M	E061	B201
LMC	M	E061	B203
LMC	M	E061	B208
LMC	M	E062 -E063	B201
LMC	M	E062 -E063	B203
LMC	M	E062 -E063	B208
LMC	M	E065	B201
LMC	M	E065	B203
LMC	M	E065	B208
LMC	M	E069	B201
LMC	M	E069	B203

ICD-10-Mortality Manual 2c - 2014

LMC	M	E069		B208
LMC	M	E15		B238
LMC	M	E161	-E162	B238
LMC		E169		B238
LMC	M	E220	-E237	B238
LMC		E249		B238
LMC		E272		B238
LMC		E274	-E279	B238
LMC		E310		B238
LMC		E319		B238
LMC		E329		B238
LMC		E349	-E649	B238
LMC		E749		B238
LMC		E756		B238
LMC		E86	-E878	B238
LMC		E889		B238
LMC		F03		B220
LMC		G000	-G009	B201
LMC		G030	-G039	B208
LMC		G042		B201
LMC		G048	-G049	B208
LMC	M	G060	-G09	B201
LMC	M	G060	-G09	B203
LMC	M	G060	-G09	B208
LMC		G218	-G219	B220
LMC		G238	-G239	B220
LMC		G249		B220
LMC		G255		B220
LMC		G259		B220
LMC		G319		B220
LMC		G369		B220
LMC	M	G373	-G374	B201
LMC	M	G373	-G374	B203
LMC	M	G373	-G374	B208
LMC		G379		B220
LMC		G520	-G529	B220
LMC	M	G589		B201
LMC	M	G589		B203
LMC	M	G589		B208
LMC	M	G589		B220
LMC	M	G610	-G619	B201
LMC	M	G610	-G619	B203
LMC	M	G610	-G619	B208
LMC	M	G628		B201
LMC	M	G628		B203
LMC	M	G628		B208
LMC	M	G628	-G629	B220
LMC		G64		B220
LMC		G728	-G729	B220
LMC		G903	-G912	B220

ICD-10-Mortality Manual 2c - 2014

LMC		G918	-G919	B220
LMC		G930	-G936	B220
LMC	M	G938		B220
LMC		G939		B220
LMC		G951	-G952	B220
LMC	M	G958		B220
LMC		G959	-G969	B220
LMC		G98		B220
LMC	M	H050	-H059	B203
LMC	M	H050	-H059	B208
LMC	M	H050	-H059	B238
LMC	M	H440	-H449	B203
LMC	M	H440	-H449	B208
LMC	M	H440	-H449	B238
LMC	M	H590	-H599	B203
LMC	M	H590	-H599	B208
LMC	M	H590	-H599	B238
LMC	M	H650	-H749	B203
LMC	M	H650	-H749	B208
LMC	M	H650	-H749	B238
LMC	M	H810	-H832	B203
LMC	M	H810	-H832	B208
LMC	M	H810	-H832	B238
LMC	M	H950	-H959	B203
LMC	M	H950	-H959	B208
LMC	M	H950	-H959	B238
LMC		I210	-I249	B238
LMC		I252		B238
LMC		I255	-I269	B238
LMC	M	I278	-I279	B238
LMC		I288	-I289	B238
LMC	M	I301	-I309	B201
LMC	M	I301	-I309	B203
LMC	M	I301	-I311	B208
LMC	M	I310	-I311	B201
LMC	M	I310	-I311	B203
LMC	M	I312	-I319	B238
LMC	M	I319		B201
LMC	M	I319		B203
LMC	M	I319		B208
LMC	M	I330	-I339	B201
LMC	M	I330	-I339	B203
LMC	M	I330	-I339	B208
LMC	M	I340	-I38	B201
LMC	M	I340	-I38	B203
LMC	M	I340	-I38	B208
LMC	M	I340	-I38	B238
LMC	M	I400	-I409	B201
LMC	M	I400	-I409	B203
LMC	M	I400	-I409	B208

ICD-10-Mortality Manual 2c - 2014

LMC		I420		B238
LMC		I421		B238
LMC		I422		B238
LMC		I423		B238
LMC		I428		B238
LMC		I429		B238
LMC		I440	-I460	B238
LMC		I470	-I513	B238
LMC	M	I514		B208
LMC		I515		B238
LMC		I516	-I517	B238
LMC	M	I518		B201
LMC	M	I518		B208
LMC	M	I518		B238
LMC		I519		B238
LMC	M	I600	-I6400	B238
LMC	M	I676	-I698	B238
LMC	M	I677		B201
LMC	M	I677		B203
LMC	M	I677		B208
LMC		I739	-I749	B238
LMC		I771	-I775	B238
LMC	M	I776		B201
LMC	M	I776		B203
LMC	M	I776		B208
LMC		I778	-I779	B238
LMC		I788	-I789	B238
LMC	M	I800	-I809	B201
LMC	M	I800	-I809	B203
LMC	M	I800	-I809	B208
LMC		I81	-I820	B238
LMC	M	I821		B201
LMC	M	I821		B203
LMC	M	I821		B208
LMC		I822	-I829	B238
LMC		I870	-I879	B238
LMC	M	I880	-I889	B201
LMC	M	I880	-I889	B203
LMC	M	I880	-I889	B208
LMC		I890		B238
LMC	M	I891		B201
LMC	M	I891		B203
LMC	M	I891		B208
LMC		I898	-I899	B238
LMC		I951		B238
LMC		I958		B238
LMC	M	J010	-J019	B201
LMC	M	J010	-J019	B203
LMC	M	J010	-J019	B208
LMC		J020		B201

ICD-10-Mortality Manual 2c - 2014

LMC	M	J028	-J029	B201
LMC	M	J028	-J029	B203
LMC	M	J028	-J029	B208
LMC		J030		B201
LMC	M	J038	-J051	B201
LMC	M	J038	-J051	B203
LMC	M	J038	-J051	B208
LMC		J120	-J129	B203
LMC		J13	-J160	B201
LMC		J168	-J189	B208
LMC		J200	-J202	B201
LMC		J203	-J207	B203
LMC	M	J208	-J209	B201
LMC	M	J208	-J209	B203
LMC	M	J208	-J209	B208
LMC		J210		B203
LMC	M	J218	-J219	B201
LMC	M	J218	-J219	B203
LMC	M	J218	-J219	B208
LMC	M	J310	-J329	B201
LMC	M	J310	-J329	B203
LMC	M	J310	-J329	B208
LMC	M	J340		B201
LMC	M	J340		B203
LMC	M	J340		B208
LMC		J341		B238
LMC		J343	-J348	B238
LMC	M	J36	-J371	B201
LMC	M	J36	-J371	B203
LMC	M	J36	-J371	B208
LMC	M	J380	-J387	B238
LMC	M	J382	-J383	B201
LMC	M	J382	-J383	B203
LMC	M	J382	-J383	B208
LMC	M	J387	-J391	B201
LMC	M	J387	-J391	B203
LMC	M	J387	-J391	B208
LMC		J392	-J399	B238
LMC	M	J40	-J42	B201
LMC	M	J40	-J42	B203
LMC	M	J40	-J42	B208
LMC		J47		B238
LMC		J690	-J698	B238
LMC		J80	-J81	B238
LMC	M	J840	-J841	B238
LMC	M	J840	-J848	B201
LMC	M	J840	-J848	B203
LMC	M	J840	-J848	B208
LMC	M	J848		B238
LMC	M	J849	-J8490	B208

ICD-10-Mortality Manual 2c - 2014

LMC	M	J850		B201
LMC	M	J850		B203
LMC	M	J850		B208
LMC	M	J851	-J869	B201
LMC	M	J851	-J869	B203
LMC	M	J851	-J869	B208
LMC		J929	-J949	B238
LMC	M	J961		B238
LMC	M	J980	-J989	B238
LMC	M	J984		B201
LMC	M	J984		B208
LMC	M	J985		B201
LMC	M	J985		B203
LMC	M	J985		B208
LMC	M	J988		B201
LMC	M	J988		B203
LMC	M	J988		B208
LMC	M	K120	-K137	B238
LMC	M	K121	-K122	B201
LMC	M	K121	-K122	B203
LMC	M	K121	-K122	B208
LMC	M	K20	-K210	B201
LMC	M	K20	-K210	B203
LMC	M	K20	-K210	B208
LMC		K220		B238
LMC	M	K221		B238
LMC		K222	-K289	B238
LMC	M	K290	-K291	B201
LMC	M	K290	-K291	B203
LMC	M	K290	-K291	B208
LMC	M	K293	-K299	B201
LMC	M	K293	-K299	B203
LMC	M	K293	-K299	B208
LMC		K30	-K3190	B238
LMC		K500	-K509	B238
LMC		K528	-K529	B208
LMC	M	K550	-K559	B201
LMC	M	K550	-K559	B203
LMC	M	K550	-K559	B208
LMC	M	K550	-K559	B238
LMC	M	K580		B201
LMC	M	K580		B203
LMC	M	K580		B208
LMC		K589	-K605	B238
LMC	M	K610	-K614	B201
LMC	M	K610	-K614	B203
LMC	M	K610	-K614	B208
LMC		K620	-K626	B238
LMC	M	K628		B201
LMC	M	K628		B203

ICD-10-Mortality Manual 2c - 2014

LMC	M	K628		B208
LMC	M	K628		B238
LMC		K629		B238
LMC	M	K630		B201
LMC	M	K630		B203
LMC	M	K630		B208
LMC		K631	-K6310	B238
LMC	M	K632		B201
LMC	M	K632		B203
LMC	M	K632		B208
LMC		K633	-K634	B238
LMC	M	K638		B201
LMC	M	K638		B203
LMC	M	K638		B208
LMC	M	K638		B238
LMC		K639		B238
LMC	M	K650	-K659	B201
LMC	M	K650	-K659	B203
LMC	M	K650	-K659	B208
LMC		K660	-K669	B238
LMC	M	K720	-K729	B201
LMC	M	K720	-K7290	B238
LMC	M	K750	-K759	B201
LMC	M	K750	-K759	B203
LMC	M	K750	-K759	B208
LMC		K760	-K769	B238
LMC	M	K810	-K819	B201
LMC	M	K810	-K819	B203
LMC	M	K810	-K819	B208
LMC		K820	-K822	B238
LMC		K824	-K829	B238
LMC	M	K830		B201
LMC	M	K830		B203
LMC	M	K830		B208
LMC		K831	-K832	B238
LMC		K834	-K839	B238
LMC	M	K851		B201
LMC	M	K851		B203
LMC	M	K851		B208
LMC	M	K858		B201
LMC	M	K858		B203
LMC	M	K858		B208
LMC	M	K859		B201
LMC	M	K859		B203
LMC	M	K859		B208
LMC	M	K861		B201
LMC	M	K861		B203
LMC	M	K861		B208
LMC		K862	-K869	B238
LMC		K908	-K909	B238

ICD-10-Mortality Manual 2c - 2014

LMC		K920	-K929	B238
LMC	M	L00		B201
LMC	M	L00		B203
LMC	M	L00		B208
LMC	M	L020	-L029	B201
LMC	M	L020	-L029	B203
LMC	M	L020	-L029	B208
LMC	M	L031	-L039	B201
LMC	M	L031	-L039	B203
LMC	M	L031	-L039	B208
LMC	M	L089		B201
LMC	M	L089		B203
LMC	M	L089		B208
LMC		L890	-L899	B238
LMC	M	L950	-L959	B201
LMC	M	L950	-L959	B203
LMC	M	L950	-L959	B208
LMC		L97		B238
LMC		L984		B238
LMC	M	M000	-M1990	B201
LMC	M	M000	-M1990	B203
LMC	M	M000	-M1990	B208
LMC	M	M300	-M308	B201
LMC	M	M300	-M308	B203
LMC	M	M300	-M308	B208
LMC	M	M310	-M319	B238
LMC		M321	-M329	B238
LMC	M	M330	-M339	B201
LMC	M	M330	-M339	B203
LMC	M	M330	-M339	B208
LMC		M340	-M352	B238
LMC	M	M354		B201
LMC	M	M354		B203
LMC	M	M354		B208
LMC		M355		B238
LMC	M	M356		B201
LMC	M	M356		B203
LMC	M	M356		B208
LMC		M357	-M359	B238
LMC	M	M45	-M479	B201
LMC	M	M45	-M479	B203
LMC	M	M45	-M479	B208
LMC		M481	-M489	B238
LMC		M619	-M629	B238
LMC	M	M720	-M729	B201
LMC	M	M720	-M729	B203
LMC	M	M720	-M729	B208
LMC	M	M720	-M729	B238
LMC		M809		B238
LMC		M816	-M819	B238

ICD-10-Mortality Manual 2c - 2014

LMC		M833		B238
LMC		M839		B238
LMC	M	M860	-M869	B201
LMC	M	M860	-M869	B203
LMC	M	M860	-M869	B208
LMC		M873	-M879	B238
LMC		M899		B238
LMC	M	M939		B201
LMC	M	M939		B203
LMC	M	M939		B208
LMC	M	M939		B238
LMC	M	M949		B238
LMC	M	N000	-N019	B201
LMC	M	N000	-N019	B208
LMC		N020	-N029	B238
LMC	M	N030	-N039	B201
LMC	M	N030	-N039	B208
LMC		N040	-N049	B238
LMC	M	N050	-N059	B201
LMC	M	N050	-N059	B208
LMC		N060	-N069	B238
LMC	M	N10	-N12	B201
LMC	M	N10	-N12	B208
LMC		N130	-N135	B238
LMC	M	N136		B201
LMC	M	N136		B208
LMC		N137	-N139	B238
LMC		N150		B238
LMC	M	N151		B201
LMC	M	N151		B208
LMC	M	N158	-N159	B238
LMC	M	N159		B201
LMC	M	N159		B208
LMC		N170	-N184	B238
LMC	M	N185		B238
LMC		N189	-N281	B238
LMC	M	N288		B201
LMC	M	N288		B208
LMC	M	N288		B238
LMC		N289		B238
LMC	M	N300	-N303	B201
LMC	M	N300	-N303	B208
LMC	M	N308	-N309	B201
LMC	M	N308	-N309	B208
LMC		N310	-N320	B238
LMC		N323	-N329	B238
LMC	M	N340	-N342	B201
LMC	M	N340	-N342	B208
LMC		N343		B238
LMC		N358	-N359	B238

ICD-10-Mortality Manual 2c - 2014

LMC		N361 -N369	B238
LMC	M	N390	B201
LMC	M	N390	B208
LMC		N391 -N392	B238
LMC		N394 -N40	B238
LMC	M	N410 -N419	B201
LMC		N420 -N430	B238
LMC		N432 -N44	B238
LMC	M	N450 -N459	B201
LMC		N480	B238
LMC	M	N481 -N482	B201
LMC		N485 -N489	B238
LMC	M	N490 -N499	B201
LMC		N500 -N509	B238
LMC	M	N61	B208
LMC		N640 -N649	B238
LMC	M	N700 -N768	B208
LMC		N800 -N819	B238
LMC	M	N820 -N829	B208
LMC	M	N820 -N829	B238
LMC		N830 -N839	B238
LMC		P230	B203
LMC		P231 -P236	B201
LMC		P238 -P239	B208
LMC		P350 -P359	B203
LMC		P360 -P369	B201
LMC		P370	B200
LMC		P371 -P374	B208
LMC		P375	B204
LMC		P378	B208
LMC		P379	B209
LMC		P38 -P398	B208
LMC		P399	B209
LMC		P60 -P619	B232
LMC		R591	B231
LMC		R628	B222
LMC		R64	B222

B250 Address

DSC		B24	B202
DSC		R75	B202

B251 Address

DSC		B24	B202
DSC		R75	B202

B252 Address

DSC		B24	B202
DSC		R75	B202

ICD-10-Mortality Manual 2c - 2014***B258 Address***

DSC	B24	B202
DSC	R75	B202

B259 Address

SDC	B199	B251
DSC	B24	B202
SMP	B250 -B258	
SDC	G042 -G049	B258
SDC	J120 -J129	B250
SDC	J180 -J189	B250
SDC	K759	B251
SDC	K851	B252
SDC	K858 -K859	B252
SDC M	K861	B252
DSC	R75	B202

B260 Address

DSC	B24	B203
DSC	R75	B203

B261 Address

DSC	B24	B203
DSC	R75	B203

B262 Address

DSC	B24	B203
DSC	R75	B203

B263 Address

DSC	B24	B203
DSC	R75	B203

B268 Address

DSC	B24	B203
DSC	R75	B203

B269 Address

DSC	B24	B203
SMP	B260 -B268	
SDC	G030 -G039	B261
SDC	G042 -G049	B262
SDC	G629	B268
SDC	I400 -I409	B268
SDC	I514	B268
SDC	K759	B268
SDC	K851	B263
SDC	K858 -K859	B263
SDC	K861	B263

ICD-10-Mortality Manual 2c - 2014

SDC	M130	-M139	B268
SDC	N000	-N009	B268
SDC	N051	-N059	B268
SDC	N450	-N459	B260
SDC	N700	-N709	B268
DSC	R75		B203

B270 Address

DSC	B24		B203
DSC	R75		B203

B271 Address

DSC	B24		B203
DSC	R75		B203

B278 Address

DSC	B24		B203
DSC	R75		B203

B279 Address

DSC	B24		B203
SMP	B270	-B278	
SDC	R160		B270
DSC	R75		B203

B309 Address

SMP	B300	-B308	
-----	------	-------	--

B330 Address

DSC	B24		B203
DSC	R75		B203

B331 Address

DSC	B24		B203
DSC	R75		B203

B332 Address

DSC	B24		B203
DSC	R75		B203

B333 Address

DSC	B24		B203
DSC	R75		B203

B334 Address

DSC	B24		B203
DSC	R75		B203

B338 Address

DSC	B24		B203
-----	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DSC R75 B203

B340 Address

DSC B24 B203

DSC R75 B203

B341 Address

DSC B24 B203

SDC J020 -J029 B085

DSC R75 B203

B342 Address

DSC B24 B203

DSC R75 B203

B343 Address

DSC B24 B203

DSC R75 B203

B344 Address

DSC B24 B203

DSC R75 B203

B348 Address

DSC B24 B203

DSC R75 B203

B349 Address

SMP A080 -A085

SMP A600 -A609

SMP A800 -B199

SMP B230

DSC B24 B203

SMP B250 -B348

SMP M I301

SMP M I400

SMP M J00

SMP M J069 -J129

SMP J203 -J208

SMP J210

SMP M J988

DSC R75 B203

B359 Address

SMP B350 -B358

B369 Address

SMP B360 -B368

B370 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B204
DSC	R75	B204

B371 Address

DSC	B24	B204
DSC	R75	B204

B372 Address

DSC	B24	B204
DSC	R75	B204

B373 Address

DSC	B24	B204
DSC	R75	B204

B374 Address

DSC	B24	B204
DSC	R75	B204

B375 Address

DSC	B24	B204
DSC	R75	B204

B376 Address

DSC	B24	B204
DSC	R75	B204

B377 Address

DSC	B24	B204
DSC	R75	B204

B378 Address

DSC	B24	B204
DSC	R75	B204

B379 Address

SDC	A400	-A419	B377	
DSC	B24		B204	
SDC	M	B369	B378	
SMP		B370	-B378	
SDC	M	B49	B378	
SDC		G030	-G039	B375
SDC		H609	B372	
SDC		I340	-I38	B376
SDC		J180	-J189	B371
SDC		K121	B370	
SDC	M	K130	B378	
SDC		K529	B378	
SDC		K650	-K659	B378
SDC		L030	-L039	B372

ICD-10-Mortality Manual 2c - 2014

SDC	L929	B372
SDC	N342	B374
SDC	N481	B374
SDC	N760	B373
SDC	N762	B373
DSC	R75	B204

B380 Address

DSC	B24	B205
DSC	R75	B205

B381 Address

DSC	B24	B205
DSC	R75	B205

B382 Address

DSC	B24	B205
DSC	R75	B205

B383 Address

DSC	B24	B205
DSC	R75	B205

B384 Address

DSC	B24	B205
DSC	R75	B205

B387 Address

DSC	B24	B205
DSC	R75	B205

B388 Address

DSC	B24	B205
DSC	R75	B205

B389 Address

DSC	B24	B205
SMP	B380 -B388	
SDC	G030 -G039	B384
SDC	J180 -J189	B382
SDC	J841	B381
SDC	J984	B381
SDC	L00 -L989	B383
SDC	N40 -N429	B388
DSC	R75	B205

B390 Address

DSC	B24	B205
DSC	R75	B205

B391 Address

DSC	B24	B205
DSC	R75	B205

B392 Address

DSC	B24	B205
DSC	R75	B205

B393 Address

DSC	B24	B205
DSC	R75	B205

B394 Address

DSC	B24	B205
DSC	R75	B205

B395 Address

DSC	B24	B205
DSC	R75	B205

B399 Address

DSC	B24	B205
SMP	B390 -B395	
LMC	J180 -J189	B392
DSC	R75	B205

B400 Address

DSC	B24	B205
DSC	R75	B205

B401 Address

DSC	B24	B205
DSC	R75	B205

B402 Address

DSC	B24	B205
DSC	R75	B205

B403 Address

DSC	B24	B205
DSC	R75	B205

B407 Address

DSC	B24	B205
DSC	R75	B205

B408 Address

DSC	B24	B205
DSC	R75	B205

B409 Address

DSC	B24		B205
SMP	B400	-B408	
SDC	G042	-G048	B408
SDC	L309		B403
DSC	R75		B205

B410 Address

DSC	B24		B205
DSC	R75		B205

B417 Address

DSC	B24		B205
DSC	R75		B205

B418 Address

DSC	B24		B205
DSC	R75		B205

B419 Address

DSC	B24		B205
SMP	B410	-B418	
SDC	L929		B418
DSC	R75		B205

B420 Address

DSC	B24		B205
DSC	R75		B205

B421 Address

DSC	B24		B205
DSC	R75		B205

B427 Address

DSC	B24		B205
DSC	R75		B205

B428 Address

DSC	B24		B205
DSC	R75		B205

B429 Address

DSC	B24		B205
SMP	B420	-B428	
SDC	G030	-G039	B428
SDC	M130	-M139	B428
DSC	R75		B205

B430 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B205
DSC	R75	B205

B431 Address

DSC	B24	B205
DSC	R75	B205

B432 Address

DSC	B24	B205
DSC	R75	B205

B438 Address

DSC	B24	B205
DSC	R75	B205

B439 Address

DSC	B24	B205
SMP	B430	-B438
LDC	G060	B431
SDC	L029	B432
DSC	R75	B205

B440 Address

DSC	B24	B205
DSC	R75	B205

B441 Address

DSC	B24	B205
DSC	R75	B205

B442 Address

DSC	B24	B205
DSC	R75	B205

B447 Address

DSC	B24	B205
DSC	R75	B205

B448 Address

DSC	B24	B205
DSC	R75	B205

B449 Address

DSC	B24	B205	
SDC	B369	B448	
SMP	B440	-B448	
SDC	H600	-H609	B448
LMC	J180	-J189	B441
DSC	R75	B205	

ICD-10-Mortality Manual 2c - 2014

B450 Address

DSC	B24	B205
DSC	R75	B205

B451 Address

DSC	B24	B205
DSC	R75	B205

B452 Address

DSC	B24	B205
DSC	R75	B205

B453 Address

DSC	B24	B205
DSC	R75	B205

B457 Address

DSC	B24	B205
DSC	R75	B205

B458 Address

DSC	B24	B205
DSC	R75	B205

B459 Address

DSC	B24	B205
SMP	B450 -B458	
SDC	G030 -G039	B451
SDC	G042 -G049	B451
DSC	R75	B205

B460 Address

DSC	B24	B205
DSC	R75	B205

B461 Address

DSC	B24	B205
DSC	R75	B205

B462 Address

DSC	B24	B205
DSC	R75	B205

B463 Address

DSC	B24	B205
DSC	R75	B205

B464 Address

DSC	B24	B205
-----	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC R75 B205

B465 Address

DSC B24 B205

DSC R75 B205

B468 Address

DSC B24 B205

DSC R75 B205

B469 Address

DSC B24 B205

SMP B460 -B468

DSC R75 B205

B470 Address

DSC B24 B205

DSC R75 B205

B471 Address

DSC B24 B205

DSC R75 B205

B479 Address

DSC B24 B205

SMP B470 -B471

DSC R75 B205

B480 Address

DSC B24 B205

DSC R75 B205

B481 Address

DSC B24 B205

DSC R75 B205

B482 Address

DSC B24 B205

DSC R75 B205

B483 Address

DSC B24 B205

DSC R75 B205

B484 Address

DSC B24 B205

DSC R75 B205

B487 Address

DSC B24 B205

ICD-10-Mortality Manual 2c - 2014

DSC R75 B205

B488 Address

DSC B24 B205

DSC R75 B205

B49 Address

DSC B24 B205

SMP B350 -B488

DSC M N130 -N135 N136

DSC M N138 -N139 N136

DSC R75 B205

B509 Address

SMP B500 -B508

B519 Address

SMP B510 -B518

B529 Address

SMP B520 -B528

LMC N000 -N059 B520

B54 Address

SMP B500 -B538

LMC R31 B508

LMC R823 B508

B559 Address

SMP B550 -B552

B569 Address

SMP B560 -B561

B571 Address

LMC I400 -I409 B570

LMC I429 B570

LMC I514 B570

LMC I516 B570

B572 Address

SMP B570 -B571

SMP B573 -B575

LMC M G000 -G98 B574

LMC M K000 -K929 B573

B580 Address

DSC B24 B208

DSC R75 B208

ICD-10-Mortality Manual 2c - 2014

B581 Address

DSC	B24	B208
DSC	R75	B208

B582 Address

DSC	B24	B208
DSC	R75	B208

B583 Address

DSC	B24	B208
DSC	R75	B208

B588 Address

DSC	B24	B208
DSC	R75	B208

B589 Address

DSC	B24	B208
SMP	B580 -B588	
LMC	G042 -G049	B582
LMC	H200 -H209	B580
LMC	H300 -H309	B580
LMC	I400 -I409	B588
LMC	I514	B588
LMC	J180 -J189	B583
LMC	K759	B581
LMC	M600 -M601	B588
LMC	M608 -M609	B588
LMC	N12	B588
LMC	N159	B588
LMC	R591	B588
DSC	R75	B208

B59 Address

DSC	B24	B206
DSC	R75	B206

B600 Address

DSC	B24	B208
DSC	R75	B208

B601 Address

DSC	B24	B208
DSC	R75	B208

B602 Address

DSC	B24	B208
DSC	R75	B208

B608 Address

DSC	B24		B208
DSC	R75		B208

B64 Address

DSC	B24		B208
SMP	B500	-B608	
DSC	R75		B208

B650 Address

LMC	B651	-B813	B814
LMC	B818		B814

B651 Address

LMC	B650		B814
LMC	B652	-B813	B814
LMC	B818		B814

B652 Address

LMC	B650	-B651	B814
LMC	B653	-B813	B814
LMC	B818		B814

B653 Address

LMC	B650	-B652	B814
LMC	B658	-B813	B814
LMC	B818		B814

B658 Address

LMC	B650	-B653	B814
LMC	B659	-B813	B814
LMC	B818		B814

B659 Address

SMP	B650	-B658		
LMC	B650	-B658	B814	
LMC	B818		B814	
LDC	M	K260	-K599	B651
LDC		K630	-K639	B651
LDC		K900	-K909	B651
LDC		K920	-K929	B651
LDC	M	L80	-L989	B653
LDC	M	N000	-N399	B650
LDC		R820		B650

B660 Address

LMC	B650	-B659	B814
LMC	B661	-B813	B814
LMC	B818		B814

ICD-10-Mortality Manual 2c - 2014

B661 Address

LMC	B650	-B660	B814
LMC	B662	-B813	B814
LMC	B818		B814

B662 Address

LMC	B650	-B661	B814
LMC	B663	-B813	B814
LMC	B818		B814

B663 Address

LMC	B650	-B662	B814
LMC	B664	-B813	B814
LMC	B818		B814

B664 Address

LMC	B650	-B663	B814
LMC	B665	-B813	B814
LMC	B818		B814

B665 Address

LMC	B650	-B664	B814
LMC	B668	-B813	B814
LMC	B818		B814

B668 Address

LMC	B650	-B665	B814
LMC	B669	-B813	B814
LMC	B818		B814

B669 Address

LMC	B650	-B668	B814
SMP	B660	-B668	
LMC	B670	-B813	B814
LMC	B818		B814

B670 Address

LMC	B650	-B669	B814
LMC	B671	-B813	B814
LMC	B818		B814

B671 Address

LMC	B650	-B670	B814
LMC	B672	-B813	B814
LMC	B818		B814

B672 Address

LMC	B650	-B671	B814
LMC	B673	-B813	B814

ICD-10-Mortality Manual 2c - 2014

LMC B818 B814

B673 Address

LMC B650 -B672 B814

LMC B674 -B813 B814

LMC B818 B814

B674 Address

LMC B650 -B673 B814

SMP B670 -B673

LMC B675 -B813 B814

LMC B818 B814

B675 Address

LMC B650 -B674 B814

LMC B680 -B813 B814

LMC B818 B814

B676 Address

LMC B650 -B675 B814

LMC B677 -B813 B814

LMC B818 B814

B677 Address

LMC B650 -B676 B814

SMP B675 -B676

LMC B678 -B813 B814

LMC B818 B814

B678 Address

LMC B650 -B677 B814

SMP B670

SMP B675

LMC B679 -B813 B814

LMC B818 B814

B679 Address

LMC B650 -B678 B814

LMC B680 -B813 B814

LMC B818 B814

SDC M860 -M869 B672

B680 Address

LMC B650 -B679 B814

LMC B681 -B813 B814

LMC B818 B814

B681 Address

LMC B650 -B680 B814

LMC B689 -B813 B814

ICD-10-Mortality Manual 2c - 2014

LMC	B818		B814
-----	------	--	------

B689 Address

LMC	B650	-B681	B814
SMP	B680	-B681	
LMC	B690	-B813	B814
LMC	B818		B814

B690 Address

LMC	B650	-B689	B814
LMC	B691	-B813	B814
LMC	B818		B814

B691 Address

LMC	B650	-B690	B814
LMC	B698	-B813	B814
LMC	B818		B814

B698 Address

LMC	B650	-B691	B814
LMC	B699	-B813	B814
LMC	B818		B814

B699 Address

LMC	B650	-B698	B814
SMP	B690	-B698	
LMC	B700	-B813	B814
LMC	B818		B814
LMC	G400	-G409	B690
LMC	H440		B691
LMC	M600	-M601	B698
LMC	M608	-M609	B698

B700 Address

LMC	B650	-B699	B814
LMC	B701	-B813	B814
LMC	B818		B814

B701 Address

LMC	B650	-B700	B814
LMC	B710	-B813	B814

B710 Address

LMC	B650	-B701	B814
LMC	B711	-B813	B814
LMC	B818		B814

B711 Address

LMC	B650	-B710	B814
LMC	B718	-B813	B814

ICD-10-Mortality Manual 2c - 2014

LMC	B818		B814
-----	------	--	------

B718 Address

LMC	B650	-B711	B814
-----	------	-------	------

LMC	B719	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B719 Address

LMC	B650	-B718	B814
-----	------	-------	------

SMP	B710	-B718	
-----	------	-------	--

LMC	B72	-B813	B814
-----	-----	-------	------

LMC	B818		B814
-----	------	--	------

B72 Address

LMC	B650	-B719	B814
-----	------	-------	------

LMC	B73	-B813	B814
-----	-----	-------	------

LMC	B818		B814
-----	------	--	------

B73 Address

LMC	B650	-B72	B814
-----	------	------	------

LMC	B740	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B740 Address

LMC	B650	-B73	B814
-----	------	------	------

LMC	B741	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B741 Address

LMC	B650	-B740	B814
-----	------	-------	------

LMC	B742	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B742 Address

LMC	B650	-B741	B814
-----	------	-------	------

LMC	B743	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B743 Address

LMC	B650	-B742	B814
-----	------	-------	------

LMC	B744	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B744 Address

LMC	B650	-B743	B814
-----	------	-------	------

LMC	B748	-B813	B814
-----	------	-------	------

LMC	B818		B814
-----	------	--	------

B748 Address

LMC	B650	-B744	B814
-----	------	-------	------

ICD-10-Mortality Manual 2c - 2014

LMC	B749	-B813	B814
LMC	B818		B814

B749 Address

LMC	B650	-B748	B814
SMP	B740	-B748	
LMC	B75	-B813	B814
LMC	B818		B814

B75 Address

LMC	B650	-B749	B814
LMC	B760	-B813	B814
LMC	B818		B814

B760 Address

LMC	B650	-B75	B814
LMC	B761	-B813	B814
LMC	B818		B814

B761 Address

LMC	B650	-B760	B814
LMC	B768	-B813	B814
LMC	B818		B814

B768 Address

LMC	B650	-B761	B814
LMC	B769	-B813	B814
LMC	B818		B814

B769 Address

LMC	B650	-B768	B814
SMP	B760	-B768	
LMC	B770	-B813	B814
LMC	B818		B814

B770 Address

LMC	B650	-B769	B814
LMC	B778	-B813	B814
LMC	B818		B814

B778 Address

LMC	B650	-B770	B814
LMC	B779	-B813	B814
LMC	B818		B814

B779 Address

LMC	B650	-B778	B814
SMP	B770	-B778	
LMC	B780	-B813	B814
LMC	B818		B814

ICD-10-Mortality Manual 2c - 2014

LMC	J180	-J189	B778
LMC M	K260	-K599	B770
LMC	K630	-K639	B770
LMC	K900	-K909	B770
LMC	K920	-K929	B770

B780 Address

LMC	B650	-B779	B814
LMC	B781	-B813	B814
LMC	B818		B814

B781 Address

LMC	B650	-B780	B814
LMC	B787	-B813	B814
LMC	B818		B814

B787 Address

LMC	B650	-B781	B814
LMC	B789	-B813	B814
LMC	B818		B814

B789 Address

SDC	A400	-A419	B787
LMC	B650	-B787	B814
SMP	B780	-B787	
LMC	B79	-B813	B814
LMC	B818		B814
SDC M	K260	-K599	B780
SDC	K630	-K639	B780
SDC	K900	-K909	B780
SDC	K920	-K929	B780
SDC M	L00	-L989	B781

B79 Address

LMC	B650	-B789	B814
LMC	B80	-B813	B814
LMC	B818		B814

B80 Address

LMC	B650	-B79	B814
LMC	B810	-B813	B814
LMC	B818		B814

B810 Address

LMC	B650	-B80	B814
LMC	B811	-B813	B814
LMC	B818		B814

B811 Address

LMC	B650	-B810	B814
-----	------	-------	------

ICD-10-Mortality Manual 2c - 2014

LMC	B812	-B813	B814
LMC	B818		B814

B812 Address

LMC	B650	-B811	B814
LMC	B813		B814

B813 Address

LMC	B650	-B812	B814
LMC	B818		B814

B818 Address

LMC	B650	-B813	B814
-----	------	-------	------

B829 Address

SMP	B820		
-----	------	--	--

B839 Address

SMP	B810	-B820	
SMP	B830	-B838	

B850 Address

LMC	B851	-B853	B854
DS	B854		

B851 Address

LMC	B850		B854
LMC	B852	-B853	B854
DS	B854		

B852 Address

SMP	B850	-B851	
LMC	B850	-B851	B854
LMC	B853		B854
DS	B854		

B853 Address

LMC	B850	-B852	B854
DS	B854		

B879 Address

SMP	B870	-B878	
-----	------	-------	--

B889 Address

SMP	B880	-B888	
-----	------	-------	--

B89 Address

SMP	B650	-B889	*
-----	------	-------	---

B909 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	B900	-B908	
SDC	M	E274		B908
SDC	M	I898		B908
SDC	M	L905		B908
SDC	M	N288		B901

B949 Address

SMP		B900	-B948	
-----	--	------	-------	--

B99 Address

SMP		A000	-B199	
SMP		B230		
DSC		B24		B209
SMP		B24	-B949	
DSC		R75		B209

C

C000 Address

LMC		C001		C002
LMC		C003	-C008	C009
LMC		C01	-C068	C97
LMC		C07	-C768	C97
LMC		C810	-C969	C97

C001 Address

LMC		C000		C002
LMC		C003	-C008	C009
LMC		C01	-C068	C97
LMC		C07	-C768	C97
LMC		C810	-C969	C97

C002 Address

SMP		C000	-C001	
LMC		C003	-C008	C009
LMC		C01	-C068	C97
LMC		C07	-C768	C97
LMC		C810	-C969	C97

C003 Address

LMC		C000	-C002	C009
LMC		C004		C009
LMC		C006	-C008	C009
LMC		C01	-C068	C97
LMC		C07	-C768	C97
LMC		C810	-C969	C97

C004 Address

LMC		C000	-C003	C009
-----	--	------	-------	------

ICD-10-Mortality Manual 2c - 2014

LMC	C006	-C008	C009
LMC	C01	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C005 Address

LMC	C000	-C002	C009
SMP	C003	-C004	
LMC	C006	-C008	C009
LMC	C01	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C006 Address

LMC	C000	-C005	C009
LMC	C008		C009
LMC	C01	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C008 Address

LMC	C000	-C006	C009
LMC	C01	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C009 Address

SMP	C000	-C008	
LMC	C01	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C01 Address

LMC	C000	-C009	C97
LMC	C020	-C028	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C020 Address

LMC	C000	-C009	C97
LMC	C01		C029
LMC	C021	-C022	C023
LMC	C024	-C028	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C021 Address

LMC	C000	-C009	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C01		C029
LMC	C020		C023
LMC	C022		C023
LMC	C024	-C028	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C022 Address

LMC	C000	-C009	C97
LMC	C01		C029
LMC	C020	-C021	C023
LMC	C024	-C028	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C023 Address

LMC	C000	-C009	C97
LMC	C01		C029
SMP	C020	-C022	
LMC	C024	-C028	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C024 Address

LMC	C000	-C009	C97
LMC	C01	-C023	C029
LMC	C028		C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C028 Address

LMC	C000	-C009	C97
LMC	C01	-C024	C029
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C029 Address

LMC	C000	-C009	C97
SMP	C01	-C028	
LMC	C030	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C030 Address

LMC	C000	-C029	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C031		C039
LMC	C040	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C031 Address

LMC	C000	-C029	C97
LMC	C030		C039
LMC	C040	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C039 Address

LMC	C000	-C029	C97
SMP	C030	-C031	
LMC	C040	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C040 Address

LMC	C000	-C039	C97
LMC	C041	-C048	C049
LMC	C050	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C041 Address

LMC	C000	-C039	C97
LMC	C040		C049
LMC	C050	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C048 Address

LMC	C000	-C039	C97
LMC	C040	-C041	C049
LMC	C050	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C049 Address

LMC	C000	-C039	C97
SMP	C040	-C048	
LMC	C050	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C050 Address

LMC	C000	-C049	C97
LMC	C051	-C058	C059

ICD-10-Mortality Manual 2c - 2014

LMC	C060	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C051 Address

LMC	C000	-C049	C97
LMC	C050		C059
LMC	C052	-C058	C059
LMC	C060	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C052 Address

LMC	C000	-C049	C97
LMC	C050	-C051	C059
LMC	C058		C059
LMC	C060	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C058 Address

LMC	C000	-C049	C97
LMC	C050	-C052	C059
LMC	C060	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C059 Address

LMC	C000	-C049	C97
SMP	C050	-C058	
LMC	C060	-C068	C97
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C060 Address

LMC	C000	-C059	C97
LMC	C061	-C068	C069
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C061 Address

LMC	C000	-C059	C97
LMC	C060		C069
LMC	C062	-C068	C069
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C062 Address

LMC	C000	-C059	C97
LMC	C060	-C061	C069

ICD-10-Mortality Manual 2c - 2014

LMC	C068		C069
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C068 Address

LMC	C000	-C059	C97
LMC	C060	-C062	C069
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C069 Address

SMP	C000	-C068	
LMC	C07	-C768	C97
LMC	C810	-C969	C97

C07 Address

LMC	C000	-C069	C97
LMC	C080	-C088	C089
LMC	C090	-C768	C97
LMC	C810	-C969	C97

C080 Address

LMC	C000	-C069	C97
LMC	C07		C089
LMC	C081	-C088	C089
LMC	C090	-C768	C97
LMC	C810	-C969	C97

C081 Address

LMC	C000	-C069	C97
LMC	C07	-C080	C089
LMC	C088		C089
LMC	C090	-C768	C97
LMC	C810	-C969	C97

C088 Address

LMC	C000	-C069	C97
LMC	C07	-C081	C089
LMC	C090	-C768	C97
LMC	C810	-C969	C97

C089 Address

LMC	C000	-C069	C97
SMP	C07	-C088	
LMC	C090	-C768	C97
LMC	C810	-C969	C97

C090 Address

LMC	C000	-C089	C97
LMC	C091	-C098	C099

ICD-10-Mortality Manual 2c - 2014

LMC	C100	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C091 Address

LMC	C000	-C089	C97
LMC	C090		C099
LMC	C098		C099
LMC	C100	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C098 Address

LMC	C000	-C089	C97
LMC	C090	-C091	C099
LMC	C100	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C099 Address

LMC	C000	-C089	C97
SMP	C090	-C098	
LMC	C100	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C100 Address

LMC	C000	-C099	C97
LMC	C101	-C108	C109
LMC	C119	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C101 Address

LMC	C000	-C099	C97
LMC	C100		C109
LMC	C102	-C108	C109
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C102 Address

LMC	C000	-C099	C97
LMC	C100	-C101	C109
LMC	C103	-C108	C109
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C103 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C099	C97
LMC	C100	-C102	C109
LMC	C104	-C108	C109
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C104 Address

LMC	C000	-C099	C97
LMC	C100	-C103	C109
LMC	C108		C109
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C108 Address

LMC	C000	-C099	C97
LMC	C100	-C104	C109
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C109 Address

LMC	C000	-C099	C97
SMP	C100	-C108	
LMC	C110	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C110 Address

LMC	C000	-C109	C97
LMC	C111	-C118	C119
LMC	C12	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C111 Address

LMC	C000	-C109	C97
LMC	C110		C119
LMC	C112	-C118	C119
LMC	C12	-C139	C97
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C112 Address

LMC	C000	-C109	C97
LMC	C110	-C111	C119
LMC	C113	-C118	C119
LMC	C12	-C139	C97
LMC	C142	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C113 Address

LMC C000 -C109 C97
LMC C110 -C112 C119
LMC C118 C119
LMC C12 -C139 C97
LMC C142 -C768 C97
LMC C810 -C969 C97

C118 Address

LMC C000 -C109 C97
LMC C110 -C113 C119
LMC C12 -C139 C97
LMC C142 -C768 C97
LMC C810 -C969 C97

C119 Address

LMC C000 -C109 C97
SMP C110 -C118
LMC C12 -C768 C97
LMC C810 -C969 C97

C12 Address

LMC C000 -C119 C97
LMC C130 -C768 C97
LMC C810 -C969 C97

C130 Address

LMC C000 -C12 C97
LMC C131 -C138 C139
LMC C142 -C768 C97
LMC C810 -C969 C97

C131 Address

LMC C000 -C12 C97
LMC C130 C139
LMC C132 -C138 C139
LMC C142 -C768 C97
LMC C810 -C969 C97

C132 Address

LMC C000 -C12 C97
LMC C130 -C131 C139
LMC C138 C139
LMC C142 -C768 C97
LMC C810 -C969 C97

C138 Address

LMC C000 -C12 C97

ICD-10-Mortality Manual 2c - 2014

LMC	C130	-C132	C139
LMC	C142	-C768	C97
LMC	C810	-C969	C97

C139 Address

LMC	C000	-C12	C97
SMP	C130	-C138	
LMC	C140	-C768	C97
LMC	C810	-C969	C97

C140 Address

LMC	C000	-C089	C97
SMP	C090	-C139	
LMC	C142		C148
LMC	C150	-C768	C97
LMC	C810	-C969	C97

C142 Address

LMC	C000	-C139	C97
LMC	C140		C148
LMC	C150	-C768	C97
LMC	C810	-C969	C97

C148 Address

LMC	C000	-C139	C97
LMC	C150	-C768	C97
LMC	C810	-C969	C97

C150 Address

LMC	C000	-C148	C97
LMC	C151	-C152	C159
LMC	C154	-C158	C159
LMC	C160	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C151 Address

LMC	C000	-C148	C97
LMC	C150		C159
LMC	C152	-C153	C159
LMC	C155	-C158	C159
LMC	C160	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C152 Address

LMC	C000	-C148	C97
LMC	C150	-C151	C159
LMC	C153	-C154	C159
LMC	C158		C159

ICD-10-Mortality Manual 2c - 2014

LMP	#	C160		
LMC		C161	-C168	C269
LMC	#	C169		C160
LMC		C170	-C268	C269
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C153 Address

LMC		C000	-C148	C97
LMC		C151	-C152	C159
LMC		C154	-C158	C159
LMC		C160	-C268	C269
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C154 Address

LMC		C000	-C148	C97
LMC		C150		C159
LMC		C152	-C153	C159
LMC		C155	-C158	C159
LMC		C160	-C268	C269
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C155 Address

LMC		C000	-C148	C97
LMC		C150	-C151	C159
LMC		C153	-C154	C159
LMC		C158		C159
LMP	#	C160		
LMC		C161	-C168	C269
LMC	#	C169		C160
LMC		C170	-C268	C269
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C158 Address

LMC		C000	-C148	C97
LMC		C150	-C155	C269
LMC		C160	-C268	C269
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C159 Address

LMC		C000	-C148	C97
SMP		C150	-C158	
LMC		C160	-C168	C269
LMC	#	C169		C160
LMC		C170	-C268	C269
LMC		C300	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C160 Address

LMC C000 -C148 C97
LMC C150 -C151 C269
LMC C153 -C154 C269
LMC C158 C269
LMC C161 -C168 C169
LMC C170 -C268 C269
LMC C300 -C768 C97
LMC C810 -C969 C97

C161 Address

LMC C000 -C148 C97
LMC C150 -C159 C269
LMC C160 C169
LMC C162 -C168 C169
LMC C170 -C268 C269
LMC C300 -C768 C97
LMC C810 -C969 C97

C162 Address

LMC C000 -C148 C97
LMC C150 -C159 C269
LMC C160 -C161 C169
LMC C163 -C168 C169
LMC C170 -C268 C269
LMC C300 -C768 C97
LMC C810 -C969 C97

C163 Address

LMC C000 -C148 C97
LMC C150 -C159 C269
LMC C160 -C162 C169
LMC C164 -C168 C169
LMC C170 -C268 C269
LMC C300 -C768 C97
LMC C810 -C969 C97

C164 Address

LMC C000 -C148 C97
LMC C150 -C159 C269
LMC C160 -C163 C169
LMC C165 -C168 C169
LMC C170 -C268 C269
LMC C300 -C768 C97
LMC C810 -C969 C97

C165 Address

LMC C000 -C148 C97

ICD-10-Mortality Manual 2c - 2014

LMC	C150	-C159	C269
LMC	C160	-C164	C169
LMC	C166	-C168	C169
LMC	C170	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C166 Address

LMC	C000	-C148	C97
LMC	C150	-C159	C269
LMC	C160	-C165	C169
LMC	C168		C169
LMC	C170	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C168 Address

LMC	C000	-C148	C97
LMC	C150	-C159	C269
LMC	C160	-C166	C169
LMC	C170	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C169 Address

LMC	C000	-C148	C97
LMC	C150	-C151	C269
LMC	C153	-C154	C269
LMC	C158		C269
LMC	# C159		C160
SMP	C160	-C168	
LMC	C170	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C170 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C171	-C178	C179
LMC	C180	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C171 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C170		C179
LMC	C172	-C178	C179
LMC	C180	-C259	C269

ICD-10-Mortality Manual 2c - 2014

LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C172 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C170	-C171	C179
LMC	C173	-C178	C179
LMC	C180	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C173 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C170	-C172	C179
LMC	C178		C179
LMC	C180	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C178 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C170	-C173	C179
LMC	C180	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C179 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
SMP	C170	-C178	
LMC	C180	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C180 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C181	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

ICD-10-Mortality Manual 2c - 2014

C181 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180		C189
LMC	C182	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C182 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C181	C189
LMC	C183	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C183 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C182	C189
LMC	C184	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C184 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C183	C189
LMC	C185	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C185 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C184	C189
LMC	C186	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C186 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C185	C189
LMC	C187	-C188	C189
LMC	C19	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C187 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C186	C189
LMC	C188		C189
LMP	# C19		
LMC	# C20		C19
LMC	C210	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C188 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
LMC	C180	-C187	C189
LMC	C210	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C189 Address

LMC	C000	-C148	C97
LMC	C150	-C179	C269
SMP	C180	-C188	
LMP	# C19		
LMC	# C20		C19
LMC	C210	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C19 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
LMC	C180	-C186	C269
LMC	C188		C269
LMC	C210	-C259	C269
LMC	C261	-C268	C269

ICD-10-Mortality Manual 2c - 2014

LMC	C300	-C768	C97
LMC	C810	-C969	C97

C20 Address

LMC	C000	-C148	C97
LMC	C150	-C186	C269
LMC	# C187		C19
LMC	C188		C269
LMC	# C189		C19
LMC	C210	-C212	C218
LMC	C220	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C210 Address

LMC	C000	-C148	C97
LMC	C150	-C19	C269
LMC	C20		C218
SMP	C211		
LMC	C220	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C211 Address

LMC	C000	-C148	C97
LMC	C150	-C19	C269
LMC	C20		C218
LMC	C220	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C212 Address

LMC	C000	-C148	C97
LMC	C150	-C19	C269
LMC	C20		C218
LMC	C220	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C218 Address

LMC	C000	-C148	C97
LMC	C150	-C19	C269
SMP	C20	-C212	
LMC	C220	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C220 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269

ICD-10-Mortality Manual 2c - 2014

LMC	C222	-C227	C97
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C221 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMP	# C220		
LMC	C222	-C227	C97
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C222 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C221	C97
LMC	C223	-C227	C97
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C223 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C222	C97
LMC	C224	-C227	C97
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C224 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C223	C97
LMC	C227		C97
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C227 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C224	C97

ICD-10-Mortality Manual 2c - 2014

LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C229 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
SMP M	C220	-C227	
LMC	C23	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C23 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C229	C249
LMC	C240	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C240 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C23	C249
LMC	C241	-C248	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C241 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C240	C249
LMC	C248		C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C248 Address

LMC	C000	-C148	C97
LMC	C150	-C218	C269
LMC	C220	-C241	C249
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C249 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C148	C97
LMC	C150	-C218	C269
SMP	C220	-C248	
LMC	C250	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C250 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C251	-C258	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C251 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250		C259
LMC	C252	-C258	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C252 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250	-C251	C259
LMC	C253	-C258	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C253 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250	-C252	C259
LMC	C254	-C258	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C254 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250	-C253	C259
LMC	C257	-C258	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C257 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250	-C254	C259
LMC	C258		C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C258 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
LMC	C250	-C257	C259
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C259 Address

LMC	C000	-C148	C97
LMC	C150	-C249	C269
SMP	C250	-C258	
LMC	C260	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C260 Address

LMC	C000	-C148	C97
LMC	C150	-C169	C269
SMP	C170	-C218	
LMC	C220	-C259	C269
LMC	C261	-C268	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C261 Address

LMC	C000	-C148	C97
LMC	C150	-C260	C269
LMC	C268		C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C268 Address

LMC	C000	-C148	C97
LMC	C150	-C261	C269
LMC	C300	-C768	C97
LMC	C810	-C969	C97

C269 Address

LMC	C000	-C148	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

SMP	M	C150	-C268	
LMC		C300	-C768	C97
LMC		C810	-C969	C97

C300 Address

LMC		C000	-C269	C97
LMC		C301	-C398	C399
LMC		C400	-C768	C97
LMC		C810	-C969	C97

C301 Address

LMC		C000	-C269	C97
LMC		C300		C399
LMC	#	C310	-C398	C399
LMC		C400	-C768	C97
LMC		C810	-C969	C97

C310 Address

LMC		C000	-C269	C97
LMC		C300	-C301	C399
LMC		C311	-C318	C319
LMC		C320	-C398	C399
LMC		C400	-C768	C97
LMC		C810	-C969	C97

C311 Address

LMC		C000	-C269	C97
LMC		C300	-C301	C399
LMC		C310		C319
LMC		C312	-C318	C319
LMC		C320	-C398	C399
LMC		C400	-C768	C97
LMC		C810	-C969	C97

C312 Address

LMC		C000	-C269	C97
LMC		C300	-C301	C399
LMC		C310	-C311	C319
LMC		C313		C319
LMC		C320	-C398	C399
LMC		C400	-C768	C97
LMC		C810	-C969	C97

C313 Address

LMC		C000	-C269	C97
LMC		C300	-C301	C399
LMC		C310	-C312	C319
LMC		C318		C319
LMC		C320	-C398	C399
LMC		C400	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C318 Address

LMC C000 -C269 C97
LMC C300 -C301 C399
LMC C310 -C313 C319
LMC C320 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C319 Address

LMC C000 -C269 C97
LMC C300 -C301 C399
SMP C310 -C318
LMC C320 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C320 Address

LMC C000 -C269 C97
LMC C300 -C319 C399
LMC C321 -C328 C329
LMC C33 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C321 Address

LMC C000 -C269 C97
LMC C300 -C319 C399
LMC C320 C329
LMC C322 -C328 C329
LMC C33 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C322 Address

LMC C000 -C269 C97
LMC C300 -C319 C399
LMC C320 -C321 C329
LMC C323 -C328 C329
LMC C33 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C323 Address

LMC C000 -C269 C97
LMC C300 -C319 C399
LMC C320 -C322 C329
LMC C328 C329
LMC C33 -C398 C399

ICD-10-Mortality Manual 2c - 2014

LMC	C400	-C768	C97
LMC	C810	-C969	C97

C328 Address

LMC	C000	-C269	C97
LMC	C300	-C319	C399
LMC	C320	-C323	C329
LMC	C33	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C329 Address

LMC	C000	-C269	C97
LMC	C300	-C319	C399
SMP	C320	-C328	
LMC	C33	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C33 Address

LMC	C000	-C269	C97
LMC	C300	-C329	C399
LMC	C340	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C340 Address

LMC	C000	-C269	C97
LMC	C300	-C33	C399
LMC	C341	-C348	C349
LMC	C37	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C341 Address

LMC	C000	-C269	C97
LMC	C300	-C33	C399
LMC	C340		C349
LMC	C342	-C348	C349
LMC	C37	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C342 Address

LMC	C000	-C269	C97
LMC	C300	-C33	C399
LMC	C340	-C341	C349
LMC	C343	-C348	C349
LMC	C37	-C398	C399
LMC	C400	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C343 Address

LMC C000 -C269 C97
LMC C300 -C33 C399
LMC C340 -C342 C349
LMC C348 C349
LMC C37 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C348 Address

LMC C000 -C269 C97
LMC C300 -C33 C399
LMC C340 -C343 C349
LMC C37 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C349 Address

LMC C000 -C269 C97
LMC C300 -C33 C399
SMP C340 -C348
LMC C37 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C37 Address

LMC C000 -C269 C97
LMC C300 -C349 C399
LMC C380 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C380 Address

LMC C000 -C269 C97
LMC C300 -C37 C399
LMC C381 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C381 Address

LMC C000 -C269 C97
LMC C300 -C380 C399
LMC C382 C383
LMC C384 -C398 C399
LMC C400 -C768 C97
LMC C810 -C969 C97

C382 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C269	C97
LMC	C300	-C380	C399
LMC	C381		C383
LMC	C384	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C383 Address

LMC	C000	-C269	C97
LMC	C300	-C380	C399
SMP	C381	-C382	
LMC	C384	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C384 Address

LMC	C000	-C269	C97
LMC	C300	-C383	C399
LMC	C388	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C388 Address

LMC	C000	-C269	C97
LMC	C300	-C384	C399
LMC	C390	-C398	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C390 Address

LMC	C000	-C269	C97
SMP	C300	-C33	
LMC	C300	-C388	C399
LMC	C398		C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C398 Address

LMC	C000	-C269	C97
LMC	C300	-C390	C399
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C399 Address

LMC	C000	-C269	C97
SMP	C300	-C398	
LMC	C400	-C768	C97
LMC	C810	-C969	C97

C400 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C399	C97
LMC	C401	-C408	C409
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C401 Address

LMC	C000	-C399	C97
LMC	C400		C409
LMC	C402	-C408	C409
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C402 Address

LMC	C000	-C399	C97
LMC	C400	-C401	C409
LMC	C403	-C408	C409
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C403 Address

LMC	C000	-C399	C97
LMC	C400	-C402	C409
LMC	C408		C409
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C408 Address

LMC	C000	-C399	C97
LMC	C400	-C403	C409
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C409 Address

LMC	C000	-C399	C97
SMP	C400	-C408	
LMC	C410	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C410 Address

LMC	C000	-C399	C97
LMC	C401	-C408	C419
LMC	C411	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C411 Address

LMC	C000	-C399	C97
LMC	C401	-C408	C419
LMC	C410		C419
LMC	C412	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C412 Address

LMC	C000	-C399	C97
LMC	C401	-C411	C419
LMC	C413	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C413 Address

LMC	C000	-C399	C97
LMC	C401	-C412	C419
LMC	C414	-C418	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C414 Address

LMC	C000	-C399	C97
LMC	C401	-C413	C419
LMC	C418		C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C418 Address

LMC	C000	-C399	C97
LMC	C401	-C414	C419
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C419 Address

LMC	C000	-C399	C97
SMP	C400	-C418	
LMC	C430	-C768	C97
LMC	C810	-C969	C97

C430 Address

LMC	C000	-C419	C97
LMC	C431	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C431 Address

LMC	C000	-C419	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C430		C439
LMC	C432	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C432 Address

LMC	C000	-C419	C97
LMC	C430	-C431	C439
LMC	C433	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C433 Address

LMC	C000	-C419	C97
SMP	C430	-C432	
LMC	C430	-C432	C439
LMC	C434	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C434 Address

LMC	C000	-C419	C97
LMC	C430	-C433	C439
LMC	C435	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C435 Address

LMC	C000	-C419	C97
LMC	C430	-C434	C439
LMC	C436	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C436 Address

LMC	C000	-C419	C97
LMC	C430	-C435	C439
LMC	C437	-C438	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C437 Address

LMC	C000	-C419	C97
LMC	C430	-C436	C439
LMC	C438		C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C438 Address

LMC	C000	-C419	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C430	-C437	C439
LMC	C449	-C768	C97
LMC	C810	-C969	C97

C439 Address

SMP	M	C000	-C399	
LMC		C000	-C419	C97
SMP		C430	-C438	
LMC		C449	-C768	C97
SMP		C450	-C469	
SMP	M	C470	-C488	
SMP		C490	-C499	
SMP	M	C500	-C759	
LMC		C810	-C969	C97

C440 Address

LMC		C000	-C439	C97
LMC		C441	-C448	C449
LMC		C450	-C768	C97
LMC		C810	-C969	C97

C441 Address

LMC		C000	-C439	C97
LMC		C440		C449
LMC		C442	-C448	C449
LMC		C450	-C768	C97
LMC		C810	-C969	C97

C442 Address

LMC		C000	-C439	C97
LMC		C440	-C441	C449
LMC		C443	-C448	C449
LMC		C450	-C768	C97
LMC		C810	-C969	C97

C443 Address

LMC		C000	-C439	C97
SMP		C440	-C442	
LMC		C440	-C442	C449
LMC		C444	-C448	C449
LMC		C450	-C768	C97
LMC		C810	-C969	C97

C444 Address

LMC		C000	-C439	C97
LMC		C440	-C443	C449
LMC		C445	-C448	C449
LMC		C450	-C768	C97
LMC		C810	-C969	C97

C445 Address

LMC	C000	-C439	C97
LMC	C440	-C444	C449
LMC	C446	-C448	C449
LMC	C450	-C768	C97
LMC	C810	-C969	C97

C446 Address

LMC	C000	-C439	C97
LMC	C440	-C445	C449
LMC	C447	-C448	C449
LMC	C450	-C768	C97
LMC	C810	-C969	C97

C447 Address

LMC	C000	-C439	C97
LMC	C440	-C446	C449
LMC	C448		C449
LMC	C450	-C768	C97
LMC	C810	-C969	C97

C448 Address

LMC	C000	-C439	C97
LMC	C440	-C447	C449
LMC	C450	-C768	C97
LMC	C810	-C969	C97

C449 Address

SMP	M	C000	-C399	
LMC		C000	-C439	C97
SMP		C440	-C448	
LMC		C450	-C768	C97
SMP	M	C470	-C488	
SMP	M	C500	-C759	
LMC		C810	-C969	C97

C450 Address

LMC	C000	-C449	C97
LMC	C451	-C457	C459
LMC	C460	-C768	C97
LMC	C810	-C969	C97

C451 Address

LMC	C000	-C449	C97
LMC	C450		C459
LMC	C452	-C457	C459
LMC	C460	-C768	C97
LMC	C810	-C969	C97

ICD-10-Mortality Manual 2c - 2014***C452 Address***

LMC	C000	-C449	C97
LMC	C450	-C451	C459
LMC	C457		C459
LMC	C460	-C768	C97
LMC	C810	-C969	C97

C457 Address

LMC	C000	-C449	C97
LMC	C450	-C452	C459
LMC	C460	-C768	C97
LMC	C810	-C969	C97

C459 Address

LMC	C000	-C449	C97
SMP	C450	-C457	
LMC	C460	-C768	C97
LMC	C810	-C969	C97

C460 Address

DSC	B24		B210
LMC	C000	-C459	C97
LMC	# C461	-C467	C468
LMC	C479	-C768	C97
LMC	C810	-C969	C97
DSC	R75		B210

C461 Address

DSC	B24		B210
LMC	C000	-C459	C97
LMC	# C460		C468
LMC	# C462	-C467	C468
LMC	C479	-C768	C97
LMC	C810	-C969	C97
DSC	R75		B210

C462 Address

DSC	B24		B210
LMC	C000	-C459	C97
LMC	# C460	-C461	C468
LMC	# C463	-C467	C468
LMC	C479	-C768	C97
LMC	C810	-C969	C97
DSC	R75		B210

C463 Address

DSC	B24		B210
LMC	C000	-C459	C97
LMC	# C460	-C462	C468

ICD-10-Mortality Manual 2c - 2014

LMC	#	C467	C468
LMC		C479 -C768	C97
LMC		C810 -C969	C97
DSC		R75	B210

C467 Address

DSC		B24	B210
LMC		C000 -C459	C97
LMC	#	C460 -C463	C468
LMC		C479 -C768	C97
LMC		C810 -C969	C97
DSC		R75	B210

C468 Address

DSC		B24	B210
LMC		C000 -C459	C97
LMC		C479 -C768	C97
LMC		C810 -C969	C97
DSC		R75	B210

C469 Address

DSC		B24	B210
LMC		C000 -C459	C97
SMP		C460 -C468	
LMC		C479 -C768	C97
LMC		C810 -C969	C97
DSC		R75	B210

C470 Address

LMC		C000 -C469	C97
LMC		C471 -C478	C479
LMC		C480 -C768	C97
LMC		C810 -C969	C97

C471 Address

LMC		C000 -C469	C97
LMC		C470	C479
LMC		C472 -C478	C479
LMC		C480 -C768	C97
LMC		C810 -C969	C97

C472 Address

LMC		C000 -C469	C97
LMC		C470 -C471	C479
LMC		C473 -C478	C479
LMC		C480 -C768	C97
LMC		C810 -C969	C97

C473 Address

LMC		C000 -C469	C97
-----	--	------------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C470	-C472	C479
LMC	C474	-C478	C479
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C474 Address

LMC	C000	-C469	C97
LMC	C470	-C473	C479
LMC	C475	-C478	C479
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C475 Address

LMC	C000	-C469	C97
LMC	C470	-C474	C479
LMC	C476	-C478	C479
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C476 Address

LMC	C000	-C469	C97
LMC	C470	-C475	C479
LMC	C478		C479
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C478 Address

LMC	C000	-C469	C97
LMC	C470	-C476	C479
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C479 Address

LMC	C000	-C469	C97
SMP	C470	-C478	
LMC	C480	-C768	C97
LMC	C810	-C969	C97

C480 Address

LMC	C000	-C479	C97
LMC	C481		C482
LMC	C490	-C768	C97
LMC	C810	-C969	C97

C481 Address

LMC	C000	-C479	C97
LMC	C480		C482
LMC	C490	-C768	C97
LMC	C810	-C969	C97

C482 Address

LMC	C000	-C479	C97
SMP	C480	-C481	
LMC	C490	-C768	C97
LMC	C810	-C969	C97

C488 Address

LMC	C000	-C479	C97
LMC	C490	-C768	C97
LMC	C810	-C969	C97

C490 Address

LMC	C000	-C488	C97
LMC	C491	-C498	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C491 Address

LMC	C000	-C488	C97
LMC	C490		C499
LMC	C492	-C498	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C492 Address

LMC	C000	-C488	C97
LMC	C490	-C491	C499
LMC	C493	-C498	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C493 Address

LMC	C000	-C488	C97
LMC	C490	-C492	C499
LMC	C494	-C498	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C494 Address

LMC	C000	-C488	C97
LMC	C490	-C493	C499
LMC	C495	-C498	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C495 Address

LMC	C000	-C488	C97
LMC	C490	-C494	C499
LMC	C496	-C498	C499

ICD-10-Mortality Manual 2c - 2014

LMC	C500	-C768	C97
LMC	C810	-C969	C97

C496 Address

LMC	C000	-C488	C97
LMC	C490	-C495	C499
LMC	C498		C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C498 Address

LMC	C000	-C488	C97
LMC	C490	-C496	C499
LMC	C500	-C768	C97
LMC	C810	-C969	C97

C499 Address

SMP	M	C000	-C399	
LMC		C000	-C488	C97
SMP	M	C470	-C488	
SMP		C490	-C498	
SMP	M	C500	-C759	
LMC		C500	-C768	C97
LMC		C810	-C969	C97

C500 Address

LMC	C000	-C499	C97
LMC	C501	-C508	C509
LMC	C510	-C768	C97
LMC	C810	-C969	C97

C501 Address

LMC	C000	-C499	C97
LMC	C500		C509
LMC	C502	-C508	C509
LMC	C510	-C768	C97
LMC	C810	-C969	C97

C502 Address

LMC	C000	-C499	C97
LMC	C500	-C501	C509
LMC	C503	-C508	C509
LMC	C510	-C768	C97
LMC	C810	-C969	C97

C503 Address

LMC	C000	-C499	C97
LMC	C500	-C502	C509
LMC	C504	-C508	C509
LMC	C510	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C504 Address

LMC C000 -C499 C97
LMC C500 -C503 C509
LMC C505 -C508 C509
LMC C510 -C768 C97
LMC C810 -C969 C97

C505 Address

LMC C000 -C499 C97
LMC C500 -C504 C509
LMC C506 -C508 C509
LMC C510 -C768 C97
LMC C810 -C969 C97

C506 Address

LMC C000 -C499 C97
LMC C500 -C505 C509
LMC C508 C509
LMC C510 -C768 C97
LMC C810 -C969 C97

C508 Address

LMC C000 -C499 C97
LMC C500 -C506 C509
LMC C510 -C768 C97
LMC C810 -C969 C97

C509 Address

LMC C000 -C499 C97
SMP C500 -C508
LMC C510 -C768 C97
LMC C810 -C969 C97

C510 Address

LMC C000 -C509 C97
LMC C511 -C518 C519
LMC C52 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C511 Address

LMC C000 -C509 C97
LMC C510 C519
LMC C512 -C518 C519
LMC C52 -C578 C579
LMC C58 C97
LMC C64 -C768 C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C512 Address

LMC C000 -C509 C97
LMC C510 -C511 C519
LMC C518 C519
LMC C52 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C518 Address

LMC C000 -C509 C97
LMC C510 -C512 C519
LMC C52 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C519 Address

LMC C000 -C509 C97
SMP C510 -C518
LMC C52 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C52 Address

LMC C000 -C509 C97
LMC C510 -C519 C579
LMC C530 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C530 Address

LMC C000 -C509 C97
LMC C510 -C52 C579
LMC C531 -C538 C539
LMC C540 -C549 C579
LMC C56 -C578 C579
LMC C58 C97
LMC C64 -C768 C97
LMC C810 -C969 C97

C531 Address

LMC C000 -C509 C97
LMC C510 -C52 C579
LMC C530 C539
LMC C538 C539

ICD-10-Mortality Manual 2c - 2014

LMC	C540	-C549	C579
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C538 Address

LMC	C000	-C509	C97
LMC	C510	-C52	C579
LMC	C530	-C531	C539
LMC	C540	-C549	C579
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C539 Address

LMC	C000	-C509	C97
LMC	C510	-C52	C579
SMP	C530	-C538	
LMC	C540	-C549	C579
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C540 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
LMC	C541	-C548	C549
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C541 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
LMC	C540		C549
LMC	C542	-C548	C549
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C542 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
LMC	C540	-C541	C549
LMC	C543	-C548	C549

ICD-10-Mortality Manual 2c - 2014

LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C543 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
LMC	C540	-C542	C549
LMC	C548		C549
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C548 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
LMC	C540	-C543	C549
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C549 Address

LMC	C000	-C509	C97
LMC	C510	-C539	C579
SMP	C540	-C548	
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C55 Address

LMC	C000	-C509	C97
LMC	C510	-C52	C579
SMP	C530	-C549	
LMC	C56	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C56 Address

LMC	C000	-C509	C97
LMC	C510	-C55	C579
LMC	C570	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C570 Address

LMC	C000	-C509	C97
LMC	C510	-C56	C579
LMC	C571	-C573	C579
LMC	C577	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C571 Address

LMC	C000	-C509	C97
LMC	C510	-C570	C579
LMC	C572	-C573	C579
LMC	C577	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C572 Address

LMC	C000	-C509	C97
LMC	C510	-C571	C579
LMC	C573		C579
LMC	C577	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C573 Address

LMC	C000	-C509	C97
LMC	C510	-C572	C579
LMC	C577	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C574 Address

LMC	C000	-C509	C97
LMC	C510	-C55	C579
SMP	C56	-C573	
LMC	C577	-C578	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C577 Address

LMC	C000	-C509	C97
LMC	C510	-C574	C579
LMC	C578		C579
LMC	C58		C97

ICD-10-Mortality Manual 2c - 2014

LMC	C64	-C768	C97
LMC	C810	-C969	C97

C578 Address

LMC	C000	-C509	C97
LMC	C510	-C577	C579
LMC	C58		C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C579 Address

LMC	C000	-C509	C97
SMP M	C510	-C578	
LMC	C58		C97
SMP M	C64	-C689	
LMC M	C64	-C689	C97
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C58 Address

LMC	C000	-C579	C97
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C600 Address

LMC	C000	-C509	C97
LMC	C601	-C608	C609
LMC	C61	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C601 Address

LMC	C000	-C509	C97
LMC	C600		C609
LMC	C602	-C608	C609
LMC	C61	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C602 Address

LMC	C000	-C509	C97
LMC	C600	-C601	C609
LMC	C608		C609
LMC	C61	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C608 Address

LMC	C000	-C509	C97
LMC	C600	-C602	C609

ICD-10-Mortality Manual 2c - 2014

LMC	C61	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C609 Address

LMC	C000	-C509	C97
SMP	C600	-C608	
LMC	C61	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C61 Address

LMC	C000	-C509	C97
LMC	C600	-C609	C639
LMC	C620	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C620 Address

LMC	C000	-C509	C97
LMC	C600	-C61	C639
LMC	C630	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C621 Address

LMC	C000	-C509	C97
LMC	C600	-C61	C639
LMC	C630	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C629 Address

LMC	C000	-C509	C97
LMC	C600	-C61	C639
SMP	C620	-C621	
LMC	C630	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C630 Address

LMC	C000	-C509	C97
LMC	C600	-C629	C639
LMC	C631	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C631 Address

LMC	C000	-C509	C97
LMC	C600	-C630	C639

ICD-10-Mortality Manual 2c - 2014

LMC	C632	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C632 Address

LMC	C000	-C509	C97
LMC	C600	-C631	C639
LMC	C637	-C638	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C637 Address

LMC	C000	-C509	C97
LMC	C600	-C632	C639
LMC	C638		C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C638 Address

LMC	C000	-C509	C97
LMC	C600	-C637	C639
LMC	C64	-C768	C97
LMC	C810	-C969	C97

C639 Address

LMC	C000	-C509	C97
SMP	C600	-C638	
LMC M	C64	-C689	C97
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C64 Address

LMC	C000	-C638	C97
LMC	C65	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C65 Address

LMC	C000	-C638	C97
LMC #	C64		C689
LMC #	C66	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C66 Address

LMC	C000	-C638	C97
LMC	C64	-C65	C689
LMC	C670	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

ICD-10-Mortality Manual 2c - 2014

C670 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C671	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C671 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670		C679
LMC	C672	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C672 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C671	C679
LMC	C673	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C673 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C672	C679
LMC	C674	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C674 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C673	C679
LMC	C675	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C675 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C674	C679
LMC	C676	-C678	C679

ICD-10-Mortality Manual 2c - 2014

LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C676 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C675	C679
LMC	C677	-C678	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C677 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C676	C679
LMC	C678		C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C678 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
LMC	C670	-C677	C679
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C679 Address

LMC	C000	-C638	C97
LMC	C64	-C66	C689
SMP	C670	-C678	
LMC	C680	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C680 Address

LMC	C000	-C638	C97
LMC	C64	-C678	C689
LMC	C681	-C688	C689
LMC	C690	-C768	C97
LMC	C810	-C969	C97

C681 Address

LMC	C000	-C638	C97
LMC	C64	-C680	C689
LMC	C688		C689
LMC	C690	-C768	C97

ICD-10-Mortality Manual 2c - 2014

LMC C810 -C969 C97

C688 Address

LMC C000 -C638 C97
LMC C64 -C678 C689
LMC C680 -C681 C689
LMC C690 -C768 C97
LMC C810 -C969 C97

C689 Address

LMC C000 -C638 C97
SMP M C64 -C688
LMC C690 -C768 C97
LMC C810 -C969 C97

C690 Address

LMC C000 -C689 C97
LMC C691 -C698 C699
LMC C700 -C768 C97
LMC C810 -C969 C97

C691 Address

LMC C000 -C689 C97
LMC C690 C699
LMC C692 -C698 C699
LMC C700 -C768 C97
LMC C810 -C969 C97

C692 Address

LMC C000 -C689 C97
LMC C690 -C691 C699
LMC C693 -C698 C699
LMC C700 -C768 C97
LMC C810 -C969 C97

C693 Address

LMC C000 -C689 C97
LMC C690 -C692 C699
LMC C694 -C698 C699
LMC C700 -C768 C97
LMC C810 -C969 C97

C694 Address

LMC C000 -C689 C97
LMC C690 -C693 C699
LMC C695 -C698 C699
LMC C700 -C768 C97
LMC C810 -C969 C97

C695 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C689	C97
LMC	C690	-C694	C699
LMC	C696	-C698	C699
LMC	C700	-C768	C97
LMC	C810	-C969	C97

C696 Address

LMC	C000	-C689	C97
LMC	C690	-C695	C699
LMC	C698		C699
LMC	C700	-C768	C97
LMC	C810	-C969	C97

C698 Address

LMC	C000	-C689	C97
LMC	C690	-C696	C699
LMC	C700	-C768	C97
LMC	C810	-C969	C97

C699 Address

LMC	C000	-C689	C97
SMP	C690	-C698	
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C700 Address

LMC	C000	-C699	C97
LMC	C701		C709
LMC	C710	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C701 Address

LMC	C000	-C699	C97
LMC	C700		C709
LMC	C710	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C709 Address

LMC	C000	-C699	C97
SMP	C700	-C701	
LMC	C710	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C710 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C711	-C718	C719

ICD-10-Mortality Manual 2c - 2014

LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C711 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710		C719
LMC	C712	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C712 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C711	C719
LMC	C713	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C713 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C712	C719
LMC	C714	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C714 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C713	C719
LMC	C715	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C715 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C714	C719
LMC	C716	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C716 Address

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C715	C719
LMC	C717	-C718	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C717 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C716	C719
LMC	C718		C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C718 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
LMC	C710	-C717	C719
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C719 Address

LMC	C000	-C699	C97
LMC	C700	-C709	C729
SMP	C710	-C718	
LMC	C720	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C720 Address

LMC	C000	-C699	C97
LMC	C700	-C719	C729
LMC	C721	-C728	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C721 Address

LMC	C000	-C699	C97
LMC	C700	-C720	C729
LMC	C722	-C724	C725
LMC	C728		C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C722 Address

LMC	C000	-C699	C97
-----	------	-------	-----

ICD-10-Mortality Manual 2c - 2014

LMC	C700	-C720	C729
LMC	C721		C725
LMC	C723	-C724	C725
LMC	C728		C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C723 Address

LMC	C000	-C699	C97
LMC	C700	-C720	C729
LMC	C721	-C722	C725
LMC	C724		C725
LMC	C728		C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C724 Address

LMC	C000	-C699	C97
LMC	C700	-C720	C729
LMC	C721	-C723	C725
LMC	C728		C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C725 Address

LMC	C000	-C699	C97
LMC	C700	-C720	C729
SMP	C721	-C724	
LMC	C728		C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C728 Address

LMC	C000	-C699	C97
LMC	C700	-C725	C729
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C729 Address

LMC	C000	-C699	C97
SMP	C700	-C728	
LMC	C73	-C768	C97
LMC	C810	-C969	C97

C73 Address

LMC	C000	-C729	C97
LMC	C740	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

ICD-10-Mortality Manual 2c - 2014

C740 Address

LMC	C000	-C729	C97
LMC	C73		C759
LMC	C741		C749
LMC	C750	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C741 Address

LMC	C000	-C729	C97
LMC	C73		C759
LMC	C740		C749
LMC	C750	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C749 Address

LMC	C000	-C729	C97
LMC	C73		C759
SMP	C740	-C741	
LMC	C750	-C755	C759
LMC	C760	-C768	C759
LMC	C810	-C969	C97

C750 Address

LMC	C000	-C729	C97
LMC	C73	-C749	C759
LMC	C751	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C751 Address

LMC	C000	-C729	C97
LMC	C73	-C750	C759
LMC	C752	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C752 Address

LMC	C000	-C729	C97
LMC	C73	-C751	C759
LMC	C753	-C755	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C753 Address

LMC	C000	-C729	C97
LMC	C73	-C752	C759
LMC	C754	-C755	C759

ICD-10-Mortality Manual 2c - 2014

LMC	C760	-C768	C97
LMC	C810	-C969	C97

C754 Address

LMC	C000	-C729	C97
LMC	C73	-C753	C759
LMC	C755		C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C755 Address

LMC	C000	-C729	C97
LMC	C73	-C754	C759
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C758 Address

LMC	C000	-C729	C97
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C759 Address

LMC	C000	-C729	C97
SMP	C73	-C758	
LMC	C760	-C768	C97
LMC	C810	-C969	C97

C760 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C761 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C762 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C763 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C764 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C765 Address

LMC	C000	-C759	C97
LMC	C810	-C969	C97

C767 Address

LMC C000 -C759 C97
LMC C810 -C969 C97

C768 Address

LMC C000 -C759 C97
LMC C810 -C969 C97

C770 Address

LMP # C000 -C768
LMC # C771 -C775 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C771 Address

LMP # C000 -C768
LMC # C770 C778
LMC # C772 -C775 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C772 Address

LMP # C000 -C768
LMC # C770 -C771 C778
LMC # C773 -C775 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C773 Address

LMP # C000 -C768
LMC # C770 -C772 C778
LMC # C774 -C775 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C774 Address

LMP # C000 -C768
LMC # C770 -C773 C778
LMC # C775 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C775 Address

LMP # C000 -C768
LMC # C770 -C774 C778
LMC # C780 -C798 C80
LMP # C810 -C969

C778 Address

ICD-10-Mortality Manual 2c - 2014

LMP # C000 -C768
LMC # C780 -C798 C80
LMP # C810 -C969

C779 Address

LMP # C000 -C768
SMP C770 -C778
LMC # C780 -C798 C80
LMP # C810 -C969

C780 Address

LMP # C000 -C768
LMC # C770 -C779 C80
LMC # C781 -C798 C80
LMP # C810 -C969

C781 Address

LMP # C000 -C768
LMC # C770 -C780 C80
LMC # C782 -C798 C80
LMP # C810 -C969

C782 Address

LMP # C000 -C768
LMC # C770 -C781 C80
LMC # C783 -C798 C80
LMP # C810 -C969

C783 Address

LMP # C000 -C768
LMC # C770 -C782 C80
LMC # C784 -C798 C80
LMP # C810 -C969

C784 Address

LMP # C000 -C768
LMC # C770 -C783 C80
LMC # C785 -C798 C80
LMP # C810 -C969

C785 Address

LMP # C000 -C768
LMC # C770 -C784 C80
LMC # C786 -C798 C80
LMP # C810 -C969

C786 Address

LMP # C000 -C768
LMC # C770 -C785 C80
LMC # C787 -C798 C80

ICD-10-Mortality Manual 2c - 2014

LMP # C810 -C969

C787 Address

LMP # C000 -C768
LMC # C770 -C786 C80
LMC # C788 -C798 C80
LMP # C810 -C969

C788 Address

LMP # C000 -C768
LMC # C770 -C787 C80
LMC # C790 -C798 C80
LMP # C810 -C969

C790 Address

LMP # C000 -C768
LMC # C770 -C788 C80
LMC # C791 -C798 C80
LMP # C810 -C969

C791 Address

LMP # C000 -C768
LMC # C770 -C790 C80
LMC # C792 -C798 C80
LMP # C810 -C969

C792 Address

LMP # C000 -C768
LMC # C770 -C791 C80
LMC # C793 -C798 C80
LMP # C810 -C969

C793 Address

LMP # C000 -C768
LMC # C770 -C792 C80
LMC # C794 -C798 C80
LMP # C810 -C969

C794 Address

LMP # C000 -C768
LMC # C770 -C793 C80
LMC # C795 -C798 C80
LMP # C810 -C969

C795 Address

LMP # C000 -C768
LMC # C770 -C794 C80
LMC # C796 -C798 C80
LMP # C810 -C969

C796 Address

LMP	#	C000	-C768	
LMC	#	C770	-C795	C80
LMC	#	C797	-C798	C80
LMP	#	C810	-C969	

C797 Address

LMP	#	C000	-C768	
LMC	#	C770	-C796	C80
LMC	#	C798		C80
LMP	#	C810	-C969	

C798 Address

LMP	#	C000	-C768	
LMC	#	C770	-C797	C80
LMP	#	C810	-C969	

C80 Address

DSC		B24		B219
SMP		C000	-C768	
SMP		C810	-C969	
DSC		R75		B219

C810 Address

DSC		B24		B213
LMC		C000	-C768	C97
DSC		R75		B213

C811 Address

DSC		B24		B213
LMC		C000	-C768	C97
DSC		R75		B213

C812 Address

DSC		B24		B213
LMC		C000	-C768	C97
DSC		R75		B213

C813 Address

DSC		B24		B213
LMC		C000	-C768	C97
DSC		R75		B213

C817 Address

DSC		B24		B213
LMC		C000	-C768	C97
DSC		R75		B213

C819 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C810	-C817	
DSC	R75		B213

C820 Address

DSC	B24		B212
LMC	C000	-C768	C97
LMC	# C822		C821
DSC	R75		B212

C821 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C822 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C827 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C829 Address

DSC	B24		B212
LMC	C000	-C768	C97
SMP	C820	-C827	
DSC	R75		B212

C830 Address

DSC	B24		B212
LMC	C000	-C768	C97
LMC	# C833		C832
DSC	R75		B212

C831 Address

DSC	B24		B212
LMC	C000	-C768	C97
LMC	# C822		C821
DSC	R75		B212

C832 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C833 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B212
LMC	C000	-C768	C97
LMC	# C830		C832
DSC	R75		B212

C834 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C835 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C836 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C837 Address

DSC	B24		B211
LMC	C000	-C768	C97
DSC	R75		B211

C838 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C839 Address

DSC	B24		B212
LMC	C000	-C768	C97
SMP	C830	-C838	
DSC	R75		B212

C840 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C841 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C842 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

ICD-10-Mortality Manual 2c - 2014

C843 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C844 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C845 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C850 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C851 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C857 Address

DSC	B24		B212
LMC	C000	-C768	C97
DSC	R75		B212

C859 Address

DSC	B24		B212
LMC	C000	-C768	C97
SMP	C820	-C857	
SMP	C963		
DSC	R75		B212

C880 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C881 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C882 Address

DSC	B24		B213
-----	-----	--	------

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C768	C97
DSC	R75		B213

C883 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C887 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C889 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C880	-C887	
DSC	R75		B213

C900 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C901 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C902 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C910 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C911		
DSC	R75		B213

C911 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C912 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

ICD-10-Mortality Manual 2c - 2014

C913 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C914 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C915 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C917 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C919 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C910	-C917	
DSC	R75		B213

C920 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C921		
DSC	R75		B213

C921 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C922 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C923 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C924 Address

DSC	B24		B213
-----	-----	--	------

ICD-10-Mortality Manual 2c - 2014

LMC	C000	-C768	C97
DSC	R75		B213

C925 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C927 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C929 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C920	-C927	
DSC	R75		B213

C930 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C931		
DSC	R75		B213

C931 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C932 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C937 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C939 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C930	-C937	
DSC	R75		B213

C940 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP M	C941		

ICD-10-Mortality Manual 2c - 2014

DSC R75 B213

C941 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C942 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C943 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C944 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C945 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C947 Address

DSC B24 B213

LMC C000 -C768 C97

DSC R75 B213

C950 Address

DSC B24 B213

LMC C000 -C768 C97

SMP C910 -C947

SMP C951

DSC R75 B213

C951 Address

DSC B24 B213

LMC C000 -C768 C97

SMP C910 -C947

DSC R75 B213

C952 Address

DSC B24 B213

LMC C000 -C768 C97

SMP C910 -C947

DSC R75 B213

C957 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C959 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C910	-C957	
DSC	R75		B213

C960 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C961 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C962 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C963 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C967 Address

DSC	B24		B213
LMC	C000	-C768	C97
DSC	R75		B213

C969 Address

DSC	B24		B213
LMC	C000	-C768	C97
SMP	C810	-C967	
DSC	R75		B213

D

D014 Address

SMP	D010	-D013	
-----	------	-------	--

D019 Address

ICD-10-Mortality Manual 2c - 2014

SMP D001 -D017

D024 Address

SMP D020 -D023

D039 Address

SMP D030 -D038

D049 Address

SMP D030 -D048

D059 Address

SMP D050 -D057

D069 Address

SMP D060 -D067

D073 Address

SMP M C56

D099 Address

SMP D000 -D097

D103 Address

SMP D100 -D102

D109 Address

SMP D104 -D107

D119 Address

SMP D110 -D117

D126 Address

SMP D120 -D125

D139 Address

SMP D120 -D137

D144 Address

SMP D140 -D143

D159 Address

SMP D141 -D157

D169 Address

SMP D160 -D168

D179 Address

SMP D170 -D177

D199 Address

SMP D190 -D197

D219 Address

SMP D170 -D216

D229 Address

SMP D220 -D227

D239 Address

SMP D230 -D237

D259 Address

SMP D250 -D252

D269 Address

SMP D250 -D267

D27 Address

SMP C56

D289 Address

SMP D250 -D287

D299 Address

SMP D290 -D297

D309 Address

SMP D300 -D307

D319 Address

SMP D310 -D316

D329 Address

SMP D320 -D321

D332 Address

SMP D330 -D331

D339 Address

SMP D320 -D337

D359 Address

SMP D34 -D357

D369 Address

SMP D100 -D367

D370 Address

ICD-10-Mortality Manual 2c - 2014

SMP M C000 -C148
SMP M D000
SMP M D100 -D119

D371 Address

SMP C160 -C169
SMP D002
SMP D131

D372 Address

SMP C170 -C179
SMP M D014
SMP D133

D373 Address

SMP C181
SMP D010
SMP D121

D374 Address

SMP C180 -C189
SMP D010
SMP D120 -D126

D375 Address

SMP C19 -C20
SMP D011 -D012
SMP D127 -D128

D376 Address

SMP M C220 -C259
SMP M D015
SMP M D134 -D137

D377 Address

SMP M C150 -C159
SMP M C210 -C218
SMP M C260 -C268
SMP M D001
SMP M D017 -D019
SMP M D130
SMP M D139

D379 Address

SMP C000 -C269
SMP D000 -D019
SMP D100 -D139
SMP D370 -D377

D380 Address

ICD-10-Mortality Manual 2c - 2014

SMP C320 -C329
SMP D020
SMP D141

D381 Address

SMP M C33 -C349
SMP M D021 -D022
SMP M D142 -D143

D382 Address

SMP C384
SMP M D097
SMP M D157

D383 Address

SMP C381 -C383
SMP M D097
SMP D152

D384 Address

SMP C37
SMP M D093
SMP D150

D385 Address

SMP C390 -C398
SMP M D023
SMP D144

D386 Address

SMP C300 -C399
SMP D020 -D024
SMP D140 -D159
SMP D380 -D385

D390 Address

SMP M C530 -C55
SMP M D060 -D069
SMP D073
SMP D250 -D269

D391 Address

SMP C56
SMP D073
SMP D27

D392 Address

SMP C58
SMP M D073
SMP M D267

D397 Address

SMP M C510 -C52
SMP M C570 -C578
SMP M D070 -D073
SMP M D280 -D287

D399 Address

SMP C510 -C579
SMP D060 -D073
SMP D250 -D289
SMP D390 -D397

D400 Address

SMP C61
SMP D075
SMP D291

D401 Address

SMP C620 -C629
SMP M D076
SMP D292

D407 Address

SMP M C600 -C609
SMP M C630 -C639
SMP M D076
SMP M D290
SMP M D293 -D297

D409 Address

SMP C600 -C639
SMP D074 -D076
SMP D290 -D299
SMP D400 -D407

D410 Address

SMP C64
SMP M D091
SMP D300

D411 Address

SMP C65
SMP M D091
SMP D301

D412 Address

SMP C66
SMP M D091
SMP D302

D413 Address

SMP C680
SMP M D091
SMP D304

D414 Address

SMP C670 -C679
SMP D090
SMP D303

D417 Address

SMP M C680 -C689
SMP M D091
SMP M D304 -D307

D419 Address

SMP C64 -C689
SMP D090 -D091
SMP D300 -D309
SMP D410 -D417

D420 Address

SMP C700
SMP M D097
SMP D320

D421 Address

SMP C701
SMP M D097
SMP D321

D429 Address

SMP C700 -C709
SMP M D097
SMP D320 -D329
SMP D420 -D421

D430 Address

SMP C710 -C714
SMP M D097
SMP M D181
SMP D330

D431 Address

SMP C715 -C717
SMP M D097
SMP M D181
SMP D331

D432 Address

SMP C710 -C719
SMP M D097
SMP M D181
SMP D320
SMP D330 -D332
SMP D430 -D431

D433 Address

SMP C721 -C725
SMP M D097
SMP D333

D434 Address

SMP C720
SMP M D097
SMP D334

D437 Address

SMP M C728 -C729
SMP M D097
SMP D337

D439 Address

SMP C710 -C729
SMP M D097
SMP D320 -D339
SMP D420 -D437

D440 Address

SMP C73
SMP M D093
SMP D34

D441 Address

SMP C740 -C749
SMP M D093
SMP D350

D442 Address

SMP C750
SMP M D093
SMP D351

D443 Address

SMP C751
SMP M D093
SMP D352

D444 Address

SMP C752
SMP M D093
SMP D353

D445 Address

SMP C753
SMP M D093
SMP D354

D446 Address

SMP C754
SMP M D093
SMP D355

D447 Address

SMP C755
SMP M D093
SMP D356

D449 Address

SMP C73 -C759
SMP D093
SMP D34 -D359
SMP D377
SMP D384
SMP D391
SMP D401
SMP D440 -D448

D469 Address

DS M C900 -C969
SMP D460 -D467
SMP M D471

D479 Address

SMP C810 -D477

D480 Address

SMP C400 -C419
SMP D160 -D169

D481 Address

SMP C450 -C499
SMP D170 -D219

D482 Address

SMP C470 -C479
SMP D361

D483 Address

SMP C480
SMP D200

D484 Address

SMP C481 -C488
SMP D201

D485 Address

SMP C430 -C449
SMP D030 -D049
SMP D220 -D239

D486 Address

SMP C500 -C509
SMP D050 -D059
SMP D24

D487 Address

SMP M C380
SMP M C700 -C709
SMP M C760 -C768
SMP M D092
SMP M D097
SMP M D151
SMP M D360 -D367

D489 Address

SMP C000 -D487

D500 Address

DSC B24 B232
DS C000 -C97
DS D45 -D479
DSC R75 B232

D501 Address

DSC M B24 B232
DS C000 -C97
DS D45 -D479
DSC M R75 B232

D508 Address

DSC M B24 B232
DS C000 -C97
DS D45 -D479
DSC M R75 B232

D509 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B232
DS	C000	-C97	
DS	D45	-D479	
SMP	D500	-D508	
DSC	R75		B232

D519 Address

DSC	B24		B232
SMP	D511	-D518	
DSC	R75		B232

D520 Address

DSC	B24		B232
DSC	R75		B232

D528 Address

DSC M	B24		B232
DSC M	R75		B232

D529 Address

DSC	B24		B232
SMP	D520	-D528	
DSC	R75		B232

D530 Address

DSC M	B24		B232
DSC M	R75		B232

D531 Address

DSC M	B24		B232
DSC M	R75		B232

D532 Address

DSC M	B24		B232
DSC M	R75		B232

D538 Address

DSC M	B24		B232
DSC M	R75		B232

D539 Address

DSC M	B24		B232
SMP	D500	-D538	
LMC	E60	-E610	D538
LMC	E615		D538
DSC M	R75		B232

D569 Address

SMP	D560	-D568	
-----	------	-------	--

ICD-10-Mortality Manual 2c - 2014

D571 Address

LMC	M	D569	D568
LMP		D570	
LMP		D572	
SDC	M	D580 -D581	D578

D582 Address

LMP	M	D569	
LMC	M	D569	D563
LMP	M	D581	

D589 Address

SMP		D580 -D588	
SMP	M	D590 -D599	

D591 Address

DSC		B24	B232
DSC		R75	B232

D593 Address

DSC		B24	B232
DSC		R75	B232

D598 Address

DSC	M	B24	B232
DSC	M	R75	B232

D599 Address

DSC		B24	B232
DS		C810 -C969	
DS		D45 -D479	
SMP		D590 -D595	
LMP		D596	
SMP		D598	
DSC		R75	B232

D600 Address

DSC		B24	B232
DSC		R75	B232

D601 Address

DSC		B24	B232
DSC		R75	B232

D608 Address

DSC		B24	B232
DSC		R75	B232

D609 Address

ICD-10-Mortality Manual 2c - 2014

DSC		B24		B232
SMP		D600	-D608	
DSC		R75		B232

D618 Address

DSC	M	B24		B232
DS		C810	-C969	
DS	M	D45		
DS		D461	-D464	
DS	M	D470	-D471	
DS		D472		
DS	M	D473	-D479	
DSC	M	R75		B232

D619 Address

DSC		B24		B232
DS	M	D470	-D479	
SMP		D600	-D618	
LMC	M	I6000		D610
LMC	M	I6060		D610
LMC	M	I6070		D610
LMC	M	I6080		D610
LMC	M	I6090		D610
LMC	M	Q000	-Q999	D610
DSC		R75		B232

D62 Address

DSC		B24		B232
DS		C810	-C969	
DS		D45	-D479	
DS		D65	-D699	
DS	M	D735		
DS	M	E214		
DS	M	E236		
DS	M	E274		
DS	M	G951		
DS	M	I312		
DS	M	I518		
DS		I600	-I629	
DS		I850		
DS	M	J392		
DS	M	K228		
DS		K250		
DS		K252		
DS		K254		
DS		K256		
DS		K260		
DS		K262		
DS		K264		
DS		K266		

ICD-10-Mortality Manual 2c - 2014

DS		K270	
DS		K272	
DS		K274	
DS		K276	
DS		K280	
DS		K282	
DS		K284	
DS		K286	
DS		K625	
DS	M	K661	
DS	M	K768	
DS	M	K868	
DS		K922	
DS	M	N288	
DS	M	N328	
DS	M	N368	
DS		N421	
DS	M	N488	
DS	M	N501	
DS		N836	-N837
DS	M	N838	
DS	M	N908	
DS		N939	
DS		P100	-P109
DS		P122	
DS		P500	-P549
DSC		R75	B232
DS	M	S025	
DS	M	S210	-S219
DS	M	S250	-S281
DS	M	S297	
DS	M	S310	-S318
DS		S350	-S383
DS		S396	-S397
DS	M	S398	-S399

D641 Address

DSC	M	B24	B232
DSC	M	R75	B232

D643 Address

DSC	M	B24	B232
DSC	M	R75	B232

D648 Address

DSC	M	B24	B232
DSC	M	R75	B232

D649 Address

SMP	M	A070	
-----	---	------	--

ICD-10-Mortality Manual 2c - 2014

SMP	M	A188	
SMP	M	A527	
DSC		B24	B232
SMP	M	B54	
SMP	M	B700	
SMP	M	B769	
DS		B900	-C97
DS		D320	-D339
DS		D370	-D479
SMP		D500	-D550
LMP		D551	-D552
SMP		D553	-D648
DS		D810	-D819
DS		D860	
DS	M	E000	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DSC	M	E46	D539
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936

ICD-10-Mortality Manual 2c - 2014

DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B232
LMC		R80		D511

D65 Address

DSC		B24		B232
DSC		R75		B232

D66 Address

ICD-10-Mortality Manual 2c - 2014

LMC	I99		D680
LMC	Q279		D680

D684 Address

DSC	B24		B232
DSC	R75		B232

D688 Address

DSC	M	B24	B232
DSC	M	R75	B232

D689 Address

DSC	B24		B232
SMP	D65	-D688	
DSC	R75		B232

D692 Address

SMP	D690		
SMP	D693		
SMP	M	D698	
SMP	M	D890	-D891
SMP	M	E54	
SMP	M	M311	

D695 Address

DSC	M	B24	B232
DS	C000	-C97	
DSC	M	R75	B232

D696 Address

DSC	M	B24	B232
DS	C000	-C97	
SDC	D692		D694
DSC	M	R75	B232

D698 Address

DSC	M	B24	B232
DSC	M	R75	B232

D699 Address

DSC	M	B24	B232
DS	C810	-C969	
DS	D45	-D479	
SMP	D690	-D698	
DSC	M	R75	B232

D70 Address

DSC	M	B24	B232
DS	M	C810	-C943
DS		C944	-C969

ICD-10-Mortality Manual 2c - 2014

DS		D45	
DS	M	D460	
DS	M	D462	-D469
DS		D470	
DS	M	D471	
DS		D473	-D479
DSC	M	R75	B232

D728 Address

DSC	M	B24	B232
DSC	M	D801	D819
DS		D819	
DSC	M	R75	B232

D729 Address

DSC		B24	B232
SMP		D70	-D728
DSC		R75	B232

D730 Address

DSC		B24	B232
DS		C810	-C969
DS	M	E854	
DSC	M	E859	E854
DSC		R75	B232

D731 Address

DSC		B24	B232
DS		C810	-C969
DS		D45	-D470
DS	M	D471	
DS		D472	-D479
DS		Q890	
DSC		R75	B232

D732 Address

DSC		B24	B232
DS		C810	-C969
DS		Q890	
DSC		R75	B232

D733 Address

DSC		A061	A068
DSC		A069	A068
DSC		B24	B232
DS		C810	-C969
DS		Q890	
DSC		R75	B232

D734 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B232
DS	C810	-C969	
DS	Q890		
DSC	R75		B232

D735 Address

DSC	B24		B232
DS	C810	-C969	
DS	Q890		
DSC	R75		B232
DS	M	T455	

D738 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B232
DS		C810	-C969
DS		Q890	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B232

D739 Address

DSC		B24	B232
SMP		C261	
SMP	M	C788	
DS		C810	-C969
SMP	M	D139	
SMP	M	D377	
SMP		D730	-D738
DS		E854	
DSC		E859	E854
DS		Q890	
DSC		R75	B232

D748 Address

DSC	M	B24	B232
DS	M	C810	-C969
DSC	M	R75	B232

D749 Address

DSC		B24	B232
DS		C810	-C969
SMP		D740	-D748
DSC		R75	B232

D751 Address

DSC	M	B24	B232
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B232

D758 Address

DSC M B24 B232

DSC M R75 B232

D759 Address

DSC B24 B232

SMP D500 -D758

DSC R75 B232

D801 Address

DSC B24 B232

LMC M D728 D819

DSC R75 B232

D802 Address

DSC B24 B232

DSC R75 B232

D803 Address

DSC B24 B232

DSC R75 B232

D804 Address

DSC B24 B232

DSC R75 B232

D805 Address

DSC B24 B232

DSC R75 B232

D806 Address

DSC B24 B232

DSC R75 B232

D808 Address

DSC M B24 B232

DSC M R75 B232

D809 Address

DSC M B24 B232

SMP D800 -D808

DSC M R75 B232

D810 Address

DSC M B24 B232

DSC M R75 B232

D811 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B232
DSC	M	R75	B232

D812 Address

DSC	M	B24	B232
DSC	M	R75	B232

D816 Address

DSC	M	B24	B232
DSC	M	R75	B232

D817 Address

DSC	M	B24	B232
DSC	M	R75	B232

D818 Address

DSC	M	B24	B232
DSC	M	R75	B232

D819 Address

DSC	M	B24	B232
LMC	M	D720	D810
LMP		D811	-D812
SMP		D813	-D818
DSC	M	R75	B232

D829 Address

SMP		D820	-D828
-----	--	------	-------

D830 Address

DSC	M	B24	B232
DSC	M	R75	B232

D831 Address

DSC	M	B24	B232
DSC	M	R75	B232

D832 Address

DSC	M	B24	B232
DSC	M	R75	B232

D838 Address

DSC	M	B24	B232
DSC	M	R75	B232

D839 Address

DSC	M	B24	B232
LMP		D830	-D832
SMP		D838	
DSC	M	R75	B232

ICD-10-Mortality Manual 2c - 2014***D840 Address***

DSC	M	B24	B232
DSC	M	R75	B232

D841 Address

DSC	M	B24	B232
DSC	M	R75	B232

D848 Address

DSC	M	B24	B232
DSC	M	R75	B232

D849 Address

DSC		B24	B232
LMC		D696	D820
SMP		D800	-D804
LMP		D805	-D806
SMP		D807	-D808
LMP		D809	
SMP		D810	-D848
LMC	M	E703	D828
LMC	M	L309	D820
DSC		R75	B232

D860 Address

SMC		D861	D862
SMP		D862	
SMC		D863	D868
SMP	M	D868	
SMC		G527	D868
SMC		G629	D868
SMC		G729	D868
SMC		H200	-H201 D868
SMC		H208	-H209 D868
SMC		I400	-I4220 D868
SMC		I428	-I4290 D868
SMC		I514	D868
SMC		I890	-I899 D862
SMC		K111	D868
SMC		K753	D868
SMC		L950	-L989 D868
SMC		M130	-M139 D868
SMC		M600	-M601 D868
SMC		M608	-M609 D868
SMC		N12	D868
SMC		N159	D868
SMC		R590	-R599 D862

D861 Address

ICD-10-Mortality Manual 2c - 2014

SMC	D860	D862
SMP	D862	
SMC	D863	D868
SMP M	D868	
SMC	G527	D868
SMC	G629	D868
SMC	G729	D868
SMC	H200 -H201	D868
SMC	H208 -H209	D868
SMC	I400 -I4220	D868
SMC	I428 -I4290	D868
SMC	I514	D868
SMC	J9840	D862
SMC	K111	D868
SMC	K753	D868
SMC	L950 -L989	D868
SMC	M130 -M139	D868
SMC	M600 -M601	D868
SMC	M608 -M609	D868
SMC	N12	D868
SMC	N159	D868

D862 Address

SMP	D868	
SMC	G527	D868
SMC	G629	D868
SMC	G729	D868
SMC	H200 -H201	D868
SMC	H208 -H209	D868
SMC	I400 -I4220	D868
SMC	I428 -I4290	D868
SMC	I514	D868
SMC	K111	D868
SMC	K753	D868
SMC	L950 -L989	D868
SMC	M130 -M139	D868
SMC	M600 -M601	D868
SMC	M608 -M609	D868
SMC	N12	D868
SMC	N159	D868
SMC	R590 -R599	D868

D863 Address

SMC	D860 -D862	D868
SMC	G527	D868

D869 Address

SMP	D860 -D868	
SDC	G527	D868
SDC	G629	D868

ICD-10-Mortality Manual 2c - 2014

SDC	G729		D868
SDC	H200	-H201	D868
SDC	H208	-H209	D868
SDC	I400	-I4220	D868
SDC	I428	-I4290	D868
SDC	I514		D868
SDC	I890	-I899	D861
SDC	J9840		D860
SDC	K111		D868
SDC	K753		D868
SDC	L950	-L989	D863
SDC	M130	-M139	D868
SDC	M600	-M601	D868
SDC	M608	-M609	D868
SDC	N12		D868
SDC	N159		D868
SDC	R590	-R599	D861

D892 Address

SDC	D692		D890
-----	------	--	------

D893 Address

DSC	B200	-B24	B232
DS	D800	-D892	
DS	D898	-D899	
DSC	R75		B232
DS	Y400	-Y419	

D898 Address

DSC	M	B24	B232
DSC	M	R75	B232

D899 Address

DSC		B24	B232
SMP		D800 -D898	
DSC		R75	B232

E***E009 Address***

SMP		E000 -E002	
-----	--	------------	--

E012 Address

SMP		E010 -E011	
-----	--	------------	--

E018 Address

SMP	M	E009	
SMP		E02	

ICD-10-Mortality Manual 2c - 2014

E031 Address

LMC E049 E030

E034 Address

LMC E009 E031

E039 Address

SMP M E009
SMP E02 -E038
SMP P722
SDC R402 E035

E0390 Address

SMP M E009
SMP E02 -E038
SMP P722
SDC R402 E035

E041 Address

LMC E059 E051

E042 Address

LMC E059 E052

E049 Address

SMP E010 -E012
SMP E030
SMP E040 -E048
SMP E050 -E052
LMC M E059 E050
LMC M E059 E052
SMP E063
SMP E071
SMP P720

E059 Address

LMC E041 E051
LMC E042 E052
LMC M E049 E050
LMC M E049 E051
LMC M E049 E052
SMP E050 -E058
LDC H052 E050
SMP P721

E065 Address

LMP E062

E069 Address

ICD-10-Mortality Manual 2c - 2014

SMP M A188
SMP E060 -E065

E078 Address

DS C73
DS M C798
DS M D093
DS D34
DS M D440
DS E000 -E071
DS M T455

E079 Address

SMP C73
SMP M C798
SMP M D093
SMP D34
SMP D440
SMP E000 -E078

E100 Address

LMC E102 -E106 E107
LMP E107
LMC E108 E107
LMC E142 -E148 E107
LMC G580 -G589 E107
LMC G629 -G64 E107
LDC G709 E107
LMC M G718 E107
LMC G909 E107
LDC G98 E107
LMC H209 E107
LMC H269 E107
LMC H309 E107
LMC H340 -H350 E107
LMC H352 E107
LMC H356 E107
LMC H359 E107
LDC H499 E107
LDC H540 -H549 E107
LMC I702 E107
LMC I739 E107
LDC M I99 E107
LDC M K318 E107
LDC L309 E107
LMC L921 E107
LMC L97 E107
LDC L984 E107
LMC M139 E107
LMC M792 E107

ICD-10-Mortality Manual 2c - 2014

LDC	M899		E107
LMC	N030	-N059	E107
LMC	N181	-N19	E107
LMC	N26		E107
LMC	N289		E107
LDC	N390		E107
LMC	N391		E107
LMC	R02		E107

E101 Address

LMP		E100	
LMC		E102	-E106 E107
LMP		E107	
LMC		E108	E107
LMC		E140	E100
LMC		E142	-E148 E107
LDC	M	E15	E100
LMC		G580	-G589 E107
LMC		G629	-G64 E107
LDC		G709	E107
LMC	M	G718	E107
LMC		G909	E107
LDC		G98	E107
LMC		H209	E107
LMC		H269	E107
LMC		H309	E107
LMC		H340	-H350 E107
LMC		H352	E107
LMC		H356	E107
LMC		H359	E107
LDC		H499	E107
LDC		H540	-H549 E107
LMC		I702	E107
LMC		I739	E107
LDC	M	I99	E107
LDC	M	K318	E107
LDC		L309	E107
LMC		L921	E107
LMC		L97	E107
LDC		L984	E107
LMC		M139	E107
LMC		M792	E107
LDC		M899	E107
LMC		N030	-N059 E107
LMC		N181	-N19 E107
LMC		N26	E107
LMC		N289	E107
LDC		N390	E107
LMC		N391	E107
LMC		R02	E107

ICD-10-Mortality Manual 2c - 2014

LMC R402 E100

E102 Address

LMC E100 -E101 E107
LMC E103 -E106 E107
LMP E107
LMC E108 E107
LMC E140 -E148 E107
LDC M E15 E107
LMC E872 E107
LMC M E888 E107
LMC G580 -G589 E107
LMC G629 -G64 E107
LDC G709 E107
LMC M G718 E107
LMC G909 E107
LDC G98 E107
LMC H209 E107
LMC H269 E107
LMC H309 E107
LMC H340 -H350 E107
LMC H352 E107
LMC H356 E107
LMC H359 E107
LDC H499 E107
LDC H540 -H549 E107
LMC I702 E107
LMC I739 E107
LDC M I99 E107
LDC M K318 E107
LDC L309 E107
LMC L921 E107
LMC L97 E107
LDC L984 E107
LMC M139 E107
LMC M792 E107
LDC M899 E107
LDC N390 E107
LMC R02 E107
LMC R402 E107
LMC M R798 E107

E103 Address

LMC E100 -E102 E107
LMC E104 -E106 E107
LMP E107
LMC E108 E107
LMC E140 -E142 E107
LMC E144 -E148 E107
LDC M E15 E107

ICD-10-Mortality Manual 2c - 2014

LMC		E872	E107
LMC	M	E888	E107
LMC		G580 -G589	E107
LMC		G629 -G64	E107
LDC		G709	E107
LMC	M	G718	E107
LMC		G909	E107
LDC		G98	E107
LMC		I702	E107
LMC		I739	E107
LDC	M	I99	E107
LDC	M	K318	E107
LDC		L309	E107
LMC		L921	E107
LMC		L97	E107
LDC		L984	E107
LMC		M139	E107
LMC		M792	E107
LDC		M899	E107
LMC		N030 -N059	E107
LMC		N181 -N19	E107
LMC		N26	E107
LMC		N289	E107
LMC		N390 -N391	E107
LMC		R02	E107
LMC		R402	E107
LMC	M	R798	E107

E104 Address

LMC		E100 -E103	E107
LMC		E105 -E106	E107
LMP		E107	
LMC		E108	E107
LMC		E140 -E143	E107
LMC		E145 -E148	E107
LDC	M	E15	E107
LMC		E872	E107
LMC	M	E888	E107
LDC	M	G98	E107
LMC		H209	E107
LMC		H269	E107
LMC		H309	E107
LMC		H340 -H350	E107
LMC		H352	E107
LMC		H356	E107
LMC		H359	E107
LDC		H499	E107
LDC		H540 -H549	E107
LMC		I702	E107
LMC		I739	E107

ICD-10-Mortality Manual 2c - 2014

LDC	M	I99	E107
LDC		L309	E107
LMC		L921	E107
LMC		L97	E107
LDC		L984	E107
LMC		M139	E107
LDC		M899	E107
LMC		N030 -N059	E107
LMC		N181 -N19	E107
LMC		N26	E107
LMC		N289	E107
LDC		N390	E107
LMC		N391	E107
LMC		R02	E107
LMC		R402	E107
LMC	M	R798	E107

E105 Address

LMC		E100 -E104	E107
LMC		E106	E107
LMP		E107	
LMC		E108	E107
LMC		E140 -E144	E107
LMC		E146 -E148	E107
LDC	M	E15	E107
LMC		E872	E107
LMC	M	E888	E107
LMC		G580 -G589	E107
LMC		G629 -G64	E107
LDC		G709	E107
LMC	M	G718	E107
LMC		G909	E107
LDC		G98	E107
LMC		H209	E107
LMC		H269	E107
LMC		H309	E107
LMC		H340 -H350	E107
LMC		H352	E107
LMC		H356	E107
LMC		H359	E107
LDC		H499	E107
LDC		H540 -H549	E107
LDC	M	K318	E107
LDC		L309	E107
LMC		L921	E107
LMC		M139	E107
LMC		M792	E107
LDC		M899	E107
LMC		N030 -N059	E107
LMC		N181 -N19	E107

ICD-10-Mortality Manual 2c - 2014

LMC	N26	E107
LMC	N289	E107
LDC	N390	E107
LMC	N391	E107
LMC	R402	E107
LMC M	R798	E107

E106 Address

LMC	E100	-E105	E107
LMP	E107		
LMC	E108		E107
LMC	E140	-E145	E107
LMC	E147	-E148	E107
LDC M	E15		E107
LMC	E872		E107
LMC M	E888		E107
LMC	G580	-G589	E107
LMC	G629	-G64	E107
LDC	G709		E107
LMC M	G718		E107
LMC	G909		E107
LDC M	G98		E107
LMC	H209		E107
LMC	H269		E107
LMC	H309		E107
LMC	H340	-H350	E107
LMC	H352		E107
LMC	H356		E107
LMC	H359		E107
LDC	H499		E107
LDC	H540	-H549	E107
LMC	I702		E107
LMC	I739		E107
LMC M	I99		E107
LDC	K318		E107
LMC	L97		E107
LDC	L984		E107
LMC	M792		E107
LMC	N030	-N059	E107
LMC	N181	-N19	E107
LMC	N26		E107
LMC	N289		E107
LMC	N391		E107
LMC	R02		E107
LMC	R402		E107
LMC M	R798		E107

E108 Address

LMC	E100	-E106	E107
SMP	E107		

ICD-10-Mortality Manual 2c - 2014

LMC		E140	-E147	E107
LDC	M	E15		E107
LMC		E872		E107
LMC	M	E888		E107
LMC		G580	-G589	E107
LMC		G629	-G64	E107
LDC		G709		E107
LMC	M	G718		E107
LMC		G909		E107
LDC		G98		E107
LMC		H209		E107
LMC		H269		E107
LMC		H309		E107
LMC		H340	-H350	E107
LMC		H352		E107
LMC		H356		E107
LMC		H359		E107
LDC		H499		E107
LDC		H540	-H549	E107
LMC		I702		E107
LMC		I739		E107
LDC	M	I99		E107
LDC	M	K318		E107
LDC		L309		E107
LMC		L921		E107
LMC		L97		E107
LDC		L984		E107
LMC		M139		E107
LMC		M792		E107
LDC		M899		E107
LMC		N030	-N059	E107
LMC		N181	-N19	E107
LMC		N26		E107
LMC		N289		E107
LDC		N390		E107
LMC		N391		E107
LMC		R02		E107
LMC		R402		E107
LMC	M	R798		E107

E109 Address

SMP		E100	-E108	
LMC		E140		E100
LMC		E141		E101
LMC		E142		E102
LMC		E143		E103
LMC		E144		E104
LMC		E145		E105
LMC		E146		E106
LMC		E147		E107

ICD-10-Mortality Manual 2c - 2014

LMC		E148	E108
LDC	M	E15	E100
LMC		E872	E101
LMC		E888	E101
LMC		G580 -G589	E104
LMC		G629 -G64	E104
LDC		G709	E104
LMC	M	G718	E104
LMC		G909	E104
LDC	M	G98	E104
LDC	M	G98	E106
LMC		H209	E103
LMC		H269	E103
LMC		H309	E103
LMC		H340 -H350	E103
LMC		H352	E103
LMC		H356	E103
LMC		H359	E103
LDC		H499	E103
LDC		H540 -H549	E103
LMC		I702	E105
LMC		I739	E105
LDC	M	I99	E105
LDC	M	K318	E104
LDC		L309	E106
LMC		L921	E106
LMC		L97	E105
LDC		L984	E105
LMC		M139	E106
LMC		M792	E104
LDC		M899	E106
LMC		N030 -N059	E102
LMC		N181 -N19	E102
LMC		N26	E102
LMC		N289	E102
LDC		N390	E106
LMC		N391	E102
LMC		R02	E105
LMC		R402	E100
LMC		R798	E101

E110 Address

LMC		E112 -E116	E117
LMP		E117	
LMC		E118	E117
LMC		E142 -E148	E117
LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117

ICD-10-Mortality Manual 2c - 2014

LMC		G909	E117
LDC		G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340	-H350 E117
LMC		H352	E117
LMC		H356	E117
LMC		H359	E117
LDC		H499	E117
LDC		H540	-H549 E117
LMC		I702	E117
LMC		I739	E117
LDC	M	I99	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		L97	E117
LDC		L984	E117
LMC		M139	E117
LMC		M792	E117
LDC		M899	E117
LMC		N030	-N059 E117
LMC		N181	-N19 E117
LMC		N26	E117
LMC		N289	E117
LDC		N390	E117
LMC		N391	E117
LMC		R02	E117

E111 Address

LMP		E110	
LMC		E112	-E116 E117
LMP		E117	
LMC		E118	E117
LMC		E140	E110
LMC		E142	-E148 E117
LDC	M	E15	E110
LMC		G580	-G589 E117
LMC		G629	-G64 E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC		G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340	-H350 E117
LMC		H352	E117
LMC		H356	E117

ICD-10-Mortality Manual 2c - 2014

LMC		H359	E117
LDC		H499	E117
LDC		H540 -H549	E117
LMC		I702	E117
LMC		I739	E117
LDC	M	I99	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		L97	E117
LDC		L984	E117
LMC		M139	E117
LMC		M792	E117
LDC		M899	E117
LMC		N030 -N059	E117
LMC		N181 -N19	E117
LMC		N26	E117
LMC		N289	E117
LDC		N390	E117
LMC		N391	E117
LMC		R02	E117
LMC		R402	E110

E112 Address

LMC		E110 -E111	E117
LMC		E113 -E116	E117
LMP		E117	
LMC		E118	E117
LMC		E140 -E141	E117
LMC		E143 -E148	E117
LDC	M	E15	E117
LMC		E872	E117
LMC	M	E888	E117
LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC		G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340 -H350	E117
LMC		H352	E117
LMC		H356	E117
LMC		H359	E117
LDC		H499	E117
LDC		H540 -H549	E117
LMC		I702	E117
LMC		I739	E117

ICD-10-Mortality Manual 2c - 2014

LDC	M	I99	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		L97	E117
LDC		L984	E117
LMC		M139	E117
LMC		M792	E117
LDC		M899	E117
LDC		N390	E117
LMC		R02	E117
LMC		R402	E117
LMC		R798	E117

E113 Address

LMC		E110 -E112	E117
LMC		E114 -E116	E117
LMP		E117	
LMC		E118	E117
LMC		E140 -E142	E117
LMC		E144 -E148	E117
LDC	M	E15	E117
LMC		E872	E117
LMC	M	E888	E117
LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC		G98	E117
LMC		I702	E117
LMC		I739	E117
LDC	M	I99	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		L97	E117
LDC		L984	E117
LMC		M139	E117
LMC		M792	E117
LDC		M899	E117
LMC		N030 -N059	E117
LMC		N181 -N19	E117
LMC		N26	E117
LMC		N289	E117
LDC		N390	E117
LMC		N391	E117
LMC		R02	E117
LMC		R402	E117
LMC		R798	E117

ICD-10-Mortality Manual 2c - 2014***E114 Address***

LMC	E110	-E113	E117
LMC	E115	-E116	E117
LMP	E117		
LMC	E118		E117
LMC	E140	-E143	E117
LMC	E145	-E148	E117
LDC	M	E15	E117
LMC	E872		E117
LMC	E888		E117
LDC	M	G98	E117
LMC	H209		E117
LMC	H269		E117
LMC	H309		E117
LMC	H340	-H350	E117
LMC	H352		E117
LMC	H356		E117
LMC	H359		E117
LDC	H499		E117
LDC	H540	-H549	E117
LMC	I702		E117
LMC	I739		E117
LDC	M	I99	E117
LDC	L309		E117
LMC	L921		E117
LMC	L97		E117
LDC	L984		E117
LMC	M139		E117
LDC	M899		E117
LMC	N030	-N059	E117
LMC	N181	-N19	E117
LMC	N26		E117
LMC	N289		E117
LDC	N390		E117
LMC	N391		E117
LMC	R02		E117
LMC	R402		E117
LMC	M	R798	E117

E115 Address

LMC	E110	-E114	E117
LMC	E116		E117
LMP	E117		
LMC	E118		E117
LMC	E140	-E144	E117
LMC	E146	-E148	E117
LDC	M	E15	E117
LMC	E872		E117
LMC	M	E888	E117

ICD-10-Mortality Manual 2c - 2014

LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC		G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340 -H350	E117
LMC		H352	E117
LMC		H356	E117
LMC		H359	E117
LDC		H499	E117
LDC		H540 -H549	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		M139	E117
LMC		M792	E117
LDC		M899	E117
LMC		N030 -N059	E117
LMC		N181 -N19	E117
LMC		N26	E117
LMC		N289	E117
LDC		N390	E117
LMC		N391	E117
LMC		R402	E117
LMC	M	R798	E117

E116 Address

LMC		E110 -E115	E117
LMP		E117	
LMC		E118	E117
LMC		E140 -E145	E117
LMC		E147 -E148	E117
LDC	M	E15	E117
LMC		E872	E117
LMC	M	E888	E117
LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC	M	G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340 -H350	E117
LMC		H352	E117

ICD-10-Mortality Manual 2c - 2014

LMC		H356	E117
LMC		H359	E117
LDC		H499	E117
LDC		H540 -H549	E117
LMC		I702	E117
LMC		I739	E117
LDC	M	I99	E117
LDC	M	K318	E117
LMC		L97	E117
LDC		L984	E117
LMC		M792	E117
LMC		N030 -N059	E117
LMC		N181 -N19	E117
LMC		N26	E117
LMC		N289	E117
LMC		N391	E117
LMC		R02	E117
LMC		R402	E117
LMC	M	R798	E117

E118 Address

LMC		E110 -E116	E117
SMP		E117	
LMC		E140 -E147	E117
LDC	M	E15	E117
LMC		E872	E117
LMC	M	E888	E117
LMC		G580 -G589	E117
LMC		G629 -G64	E117
LDC		G709	E117
LMC	M	G718	E117
LMC		G909	E117
LDC		G98	E117
LMC		H209	E117
LMC		H269	E117
LMC		H309	E117
LMC		H340 -H350	E117
LMC		H352	E117
LMC		H356	E117
LMC		H359	E117
LDC		H499	E117
LDC		H540 -H549	E117
LMC		I702	E117
LMC		I739	E117
LDC	M	I99	E117
LDC	M	K318	E117
LDC		L309	E117
LMC		L921	E117
LMC		L97	E117
LDC		L984	E117

ICD-10-Mortality Manual 2c - 2014

LMC	M139	E117
LMC	M792	E117
LDC	M899	E117
LMC	N030 -N059	E117
LMC	N181 -N19	E117
LMC	N26	E117
LMC	N289	E117
LDC	N390	E117
LMC	N391	E117
LMC	R02	E117
LMC	R402	E117
LMC M	R798	E117

E119 Address

SMP	E110 -E118	
LMC	E140	E110
LMC	E141	E111
LMC	E142	E112
LMC	E143	E113
LMC	E144	E114
LMC	E145	E115
LMC	E146	E116
LMC	E147	E117
LMC	E148	E118
LDC M	E15	E110
LMC	E872	E111
LMC M	E888	E111
LMC	G580 -G589	E114
LMC	G629 -G64	E114
LDC	G709	E114
LMC M	G718	E114
LMC	G909	E114
LDC M	G98	E114
LDC M	G98	E116
LMC	H209	E113
LMC	H269	E113
LMC	H309	E113
LMC	H340 -H350	E113
LMC	H352	E113
LMC	H356	E113
LMC	H359	E113
LDC	H499	E113
LDC	H540 -H549	E113
LMC	I702	E115
LMC	I739	E115
LDC M	I99	E115
LDC M	K318	E114
LDC	L309	E116
LMC	L921	E116
LMC	L97	E115

ICD-10-Mortality Manual 2c - 2014

LDC	L984		E115
LMC	M139		E116
LMC	M792		E114
LDC	M899		E116
LMC	N030	-N059	E112
LMC	N181	-N19	E112
LMC	N26		E112
LMC	N289		E112
LDC	N390		E116
LMC	N391		E112
LMC	R02		E115
LMC	R402		E110
LMC	M R798		E111

E120 Address

LMC	E122	-E126	E127
LMP	E127		
LMC	E128		E127
LMC	E142	-E148	E127
LMC	G580	-G589	E127
LMC	G629	-G64	E127
LDC	G709		E127
LMC	M G718		E127
LMC	G909		E127
LDC	G98		E127
LMC	H209		E127
LMC	H269		E127
LMC	H309		E127
LMC	H340	-H350	E127
LMC	H352		E127
LMC	H356		E127
LMC	H359		E127
LDC	H499		E127
LDC	H540	-H549	E127
LMC	I702		E127
LMC	I739		E127
LDC	M I99		E127
LDC	M K318		E127
LDC	L309		E127
LMC	L921		E127
LMC	L97		E127
LDC	L984		E127
LMC	M139		E127
LMC	M792		E127
LDC	M899		E127
LMC	N030	-N059	E127
LMC	N181	-N19	E127
LMC	N26		E127
LMC	N289		E127
LDC	N390		E127

ICD-10-Mortality Manual 2c - 2014

LMC	N391	E127
LMC	R02	E127

E121 Address

LMP	E120		
LMC	E122	-E126	E127
LMP	E127		
LMC	E128		E127
LMC	E140		E120
LMC	E142	-E148	E127
LDC	M	E15	E120
LMC	G580	-G589	E127
LMC	G629	-G64	E127
LDC	G709		E127
LMC	M	G718	E127
LMC	G909		E127
LDC	G98		E127
LMC	H209		E127
LMC	H269		E127
LMC	H309		E127
LMC	H340	-H350	E127
LMC	H352		E127
LMC	H356		E127
LMC	H359		E127
LDC	H499		E127
LDC	H540	-H549	E127
LMC	I702		E127
LMC	I739		E127
LDC	M	I99	E127
LDC	M	K318	E127
LDC	L309		E127
LMC	L921		E127
LMC	L97		E127
LDC	L984		E127
LMC	M139		E127
LMC	M792		E127
LDC	M899		E127
LMC	N030	-N059	E127
LMC	N181	-N19	E127
LMC	N26		E127
LMC	N289		E127
LDC	N390		E127
LMC	N391		E127
LMC	R02		E127
LMC	R402		E120

E122 Address

LMC	E120	-E121	E127
LMC	E123	-E126	E127
LMP	E127		

ICD-10-Mortality Manual 2c - 2014

LMC		E128	E127
LMC		E140 -E141	E127
LMC		E143 -E148	E127
LDC	M	E15	E127
LMC		E872	E127
LMC	M	E888	E127
LMC		G580 -G589	E127
LMC		G629 -G64	E127
LDC		G709	E127
LMC	M	G718	E127
LMC		G909	E127
LDC		G98	E127
LMC		H209	E127
LMC		H269	E127
LMC		H309	E127
LMC		H340 -H350	E127
LMC		H352	E127
LMC		H356	E127
LMC		H359	E127
LDC		H499	E127
LDC		H540 -H549	E127
LMC		I702	E127
LMC		I739	E127
LDC	M	I99	E127
LDC	M	K318	E127
LDC		L309	E127
LMC		L921	E127
LMC		L97	E127
LDC		L984	E127
LMC		M139	E127
LMC		M792	E127
LDC		M899	E127
LDC		N390	E127
LMC		R02	E127
LMC		R402	E127
LMC	M	R798	E127

E123 Address

LMC		E120 -E122	E127
LMC		E124 -E126	E127
LMP		E127	
LMC		E128	E127
LMC		E140 -E142	E127
LMC		E144 -E148	E127
LDC	M	E15	E127
LMC		E872	E127
LMC	M	E888	E127
LMC		G580 -G589	E127
LMC		G629 -G64	E127
LDC		G709	E127

ICD-10-Mortality Manual 2c - 2014

LMC	M	G718	E127
LMC		G909	E127
LDC		G98	E127
LMC		I702	E127
LMC		I739	E127
LDC	M	I99	E127
LDC	M	K318	E127
LDC		L309	E127
LMC		L921	E127
LMC		L97	E127
LDC		L984	E127
LMC		M139	E127
LMC		M792	E127
LDC		M899	E127
LMC		N030 -N059	E127
LMC		N181 -N19	E127
LMC		N26	E127
LMC		N289	E127
LDC		N390	E127
LMC		N391	E127
LMC		R02	E127
LMC		R402	E127
LMC	M	R798	E127

E124 Address

LMC		E120 -E123	E127
LMC		E125 -E126	E127
LMP		E127	
LMC		E128	E127
LMC		E140 -E143	E127
LMC		E145 -E148	E127
LDC	M	E15	E127
LMC		E872	E127
LMC	M	E888	E127
LDC	M	G98	E127
LMC		H209	E127
LMC		H269	E127
LMC		H309	E127
LMC		H340 -H350	E127
LMC		H352	E127
LMC		H356	E127
LMC		H359	E127
LDC		H499	E127
LDC		H540 -H549	E127
LMC		I702	E127
LMC		I739	E127
LDC	M	I99	E127
LDC		L309	E127
LMC		L921	E127
LMC		L97	E127

ICD-10-Mortality Manual 2c - 2014

LDC	L984	E127
LMC	M139	E127
LDC	M899	E127
LMC	N030 -N059	E127
LMC	N181 -N19	E127
LMC	N26	E127
LMC	N289	E127
LDC	N390	E127
LMC	N391	E127
LMC	R02	E127
LMC	R402	E127
LMC M	R798	E127

E125 Address

LMC	E120 -E124	E127
LMC	E126	E127
LMP	E127	
LMC	E128	E127
LMC	E140 -E144	E127
LMC	E146 -E148	E127
LDC M	E15	E127
LMC	E872	E127
LMC M	E888	E127
LMC	G580 -G589	E127
LMC	G629 -G64	E127
LDC	G709	E127
LMC M	G718	E127
LMC	G909	E127
LDC	G98	E127
LMC	H209	E127
LMC	H269	E127
LMC	H309	E127
LMC	H340 -H350	E127
LMC	H352	E127
LMC	H356	E127
LMC	H359	E127
LDC	H499	E127
LDC	H540 -H549	E127
LDC M	K318	E127
LDC	L309	E127
LMC	L921	E127
LMC	M139	E127
LMC	M792	E127
LDC	M899	E127
LMC	N030 -N059	E127
LMC	N181 -N19	E127
LMC	N26	E127
LMC	N289	E127
LDC	N390	E127
LMC	N391	E127

ICD-10-Mortality Manual 2c - 2014

LMC		R402	E127
LMC	M	R798	E127

E126 Address

LMC		E120	-E125	E127
LMP		E127		
LMC		E128		E127
LMC		E140	-E145	E127
LMC		E147	-E148	E127
LDC	M	E15		E127
LMC		E872		E127
LMC	M	E888		E127
LMC		G580	-G589	E127
LMC		G629	-G64	E127
LDC		G709		E127
LMC	M	G718		E127
LMC		G909		E127
LDC	M	G98		E127
LMC		H209		E127
LMC		H269		E127
LMC		H309		E127
LMC		H340	-H350	E127
LMC		H352		E127
LMC		H356		E127
LMC		H359		E127
LDC		H499		E127
LDC		H540	-H549	E127
LMC		I702		E127
LMC		I739		E127
LDC	M	I99		E127
LDC	M	K318		E127
LMC		L97		E127
LDC		L984		E127
LMC		M792		E127
LMC		N030	-N059	E127
LMC		N181	-N19	E127
LMC		N26		E127
LMC		N289		E127
LMC		N391		E127
LMC		R02		E127
LMC		R402		E127
LMC	M	R798		E127

E128 Address

LMC		E120	-E126	E127
SMP		E127		
LMC		E140	-E147	E127
LDC	M	E15		E127
LMC		E872		E127
LMC	M	E888		E127

ICD-10-Mortality Manual 2c - 2014

LMC		G580 -G589	E127
LMC		G629 -G64	E127
LDC		G709	E127
LMC	M	G718	E127
LMC		G909	E127
LDC		G98	E127
LMC		H209	E127
LMC		H269	E127
LMC		H309	E127
LMC		H340 -H350	E127
LMC		H352	E127
LMC		H356	E127
LMC		H359	E127
LDC		H499	E127
LDC		H540 -H549	E127
LMC		I702	E127
LMC		I739	E127
LDC	M	I99	E127
LDC	M	K318	E127
LDC		L309	E127
LMC		L921	E127
LMC		L97	E127
LDC		L984	E127
LMC		M139	E127
LMC		M792	E127
LDC		M899	E127
LMC		N030 -N059	E127
LMC		N181 -N19	E127
LMC		N26	E127
LMC		N289	E127
LDC		N390	E127
LMC		N391	E127
LMC		R02	E127
LMC		R402	E127
LMC	M	R798	E127

E129 Address

SMP		E120 -E128	
LMC		E140	E120
LMC		E141	E121
LMC		E142	E122
LMC		E143	E123
LMC		E144	E124
LMC		E145	E125
LMC		E146	E126
LMC		E147	E127
LMC		E148	E128
LDC	M	E15	E120
LMC		E872	E121
LMC	M	E888	E121

ICD-10-Mortality Manual 2c - 2014

LMC		G580 -G589	E124
LMC		G629 -G64	E124
LDC		G709	E124
LMC	M	G718	E124
LMC		G909	E124
LDC	M	G98	E124
LDC	M	G98	E126
LMC		H209	E123
LMC		H269	E123
LMC		H309	E123
LMC		H340 -H350	E123
LMC		H352	E123
LMC		H356	E123
LMC		H359	E123
LDC		H499	E123
LDC		H540 -H549	E123
LMC		I702	E125
LMC		I739	E125
LDC	M	I99	E125
LDC	M	K318	E124
LDC		L309	E126
LMC		L921	E126
LMC		L97	E125
LDC		L984	E125
LMC		M139	E126
LMC		M792	E124
LDC		M899	E126
LMC		N030 -N059	E122
LMC		N181 -N19	E122
LMC		N26	E122
LMC		N289	E122
LDC		N390	E126
LMC		N391	E122
LMC		R02	E125
LMC		R402	E120
LMC	M	R798	E121

E130 Address

LMC		E132 -E136	E137
LMP		E137	
LMC		E138	E137
LMC		E142 -E148	E137
LMC		G580 -G589	E137
LMC		G629 -G64	E137
LDC		G709	E137
LMC	M	G718	E137
LMC		G909	E137
LDC		G98	E137
LMC		H209	E137
LMC		H269	E137

ICD-10-Mortality Manual 2c - 2014

LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137
LMC		I702	E137
LMC		I739	E137
LDC	M	I99	E137
LDC	M	K318	E137
LDC		L309	E137
LMC		L921	E137
LMC		L97	E137
LDC		L984	E137
LMC		M139	E137
LMC		M792	E137
LDC		M899	E137
LMC		N030 -N059	E137
LMC		N181 -N19	E137
LMC		N26	E137
LMC		N289	E137
LDC		N390	E137
LMC		N391	E137
LMC		R02	E137

E131 Address

LMP		E130	
LMC		E132 -E136	E137
LMP		E137	
LMC		E138	E137
LMC		E140	E130
LMC		E142 -E148	E137
LDC	M	E15	E130
LMC		G580 -G589	E137
LMC		G629 -G64	E137
LDC		G709	E137
LMC	M	G718	E137
LMC		G909	E137
LDC		G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137
LMC		I702	E137

ICD-10-Mortality Manual 2c - 2014

LMC		I739	E137
LDC	M	I99	E137
LDC	M	K318	E137
LDC		L309	E137
LMC		L921	E137
LMC		L97	E137
LDC		L984	E137
LMC		M139	E137
LMC		M792	E137
LDC		M899	E137
LMC		N030 -N059	E137
LMC		N181 -N19	E137
LMC		N26	E137
LMC		N289	E137
LDC		N390	E137
LMC		N391	E137
LMC		R02	E137
LMC		R402	E130

E132 Address

LMC		E130 -E131	E137
LMC		E133 -E136	E137
LMP		E137	
LMC		E138	E137
LMC		E140 -E141	E137
LMC		E143 -E148	E137
LDC	M	E15	E137
LMC		E872	E137
LMC	M	E888	E137
LMC		G580 -G589	E137
LMC		G629 -G64	E137
LDC		G709	E137
LMC	M	G718	E137
LMC		G909	E137
LDC		G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137
LMC		I702	E137
LMC		I739	E137
LDC	M	I99	E137
LDC	M	K318	E137
LDC		L309	E137
LMC		L921	E137

ICD-10-Mortality Manual 2c - 2014

LMC	L97	E137
LDC	L984	E137
LMC	M139	E137
LMC	M792	E137
LDC	M899	E137
LDC	N390	E137
LMC	R02	E137
LMC	R402	E137
LMC M	R798	E137

E133 Address

LMC	E130	-E132	E137
LMC	E134	-E136	E137
LMP	E137		
LMC	E138		E137
LMC	E140	-E142	E137
LMC	E144	-E148	E137
LDC M	E15		E137
LMC	E872		E137
LMC M	E888		E137
LMC	G580	-G589	E137
LMC	G629	-G64	E137
LDC	G709		E137
LMC M	G718		E137
LMC	G909		E137
LDC	G98		E137
LMC	I702		E137
LMC	I739		E137
LDC M	I99		E137
LDC M	K318		E137
LDC	L309		E137
LMC	L921		E137
LMC	L97		E137
LDC	L984		E137
LMC	M139		E137
LMC	M792		E137
LDC	M899		E137
LMC	N030	-N059	E137
LMC	N181	-N19	E137
LMC	N26		E137
LMC	N289		E137
LDC	N390		E137
LMC	N391		E137
LMC	R02		E137
LMC	R402		E137
LMC M	R798		E137

E134 Address

LMC	E130	-E133	E137
LMC	E135	-E136	E137

ICD-10-Mortality Manual 2c - 2014

LMP		E137	
LMC		E138	E137
LMC		E140	-E143 E137
LMC		E145	-E148 E137
LDC	M	E15	E137
LMC		E872	E137
LMC	M	E888	E137
LDC	M	G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340	-H350 E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540	-H549 E137
LMC		I702	E137
LMC		I739	E137
LDC	M	I99	E137
LDC		L309	E137
LMC		L921	E137
LMC		L97	E137
LDC		L984	E137
LMC		M139	E137
LDC		M899	E137
LMC		N030	-N059 E137
LMC		N181	-N19 E137
LMC		N26	E137
LMC		N289	E137
LDC		N390	E137
LMC		N391	E137
LMC		R02	E137
LMC		R402	E137
LMC	M	R798	E137

E135 Address

LMC		E130	-E134 E137
LMC		E136	E137
LMP		E137	
LMC		E138	E137
LMC		E140	-E144 E137
LMC		E146	-E148 E137
LDC	M	E15	E137
LMC		E872	E137
LMC	M	E888	E137
LMC		G580	-G589 E137
LMC		G629	-G64 E137
LDC		G709	E137
LMC	M	G718	E137

ICD-10-Mortality Manual 2c - 2014

LMC		G909	E137
LDC		G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137
LDC	M	K318	E137
LDC		L309	E137
LMC		L921	E137
LMC		M139	E137
LMC		M792	E137
LDC		M899	E137
LMC		N030 -N059	E137
LMC		N181 -N19	E137
LMC		N26	E137
LMC		N289	E137
LDC		N390	E137
LMC		N391	E137
LMC		R402	E137
LMC	M	R798	E137

E136 Address

LMC		E130 -E135	E137
LMP		E137	
LMC		E138	E137
LMC		E140 -E145	E137
LMC		E147 -E148	E137
LDC	M	E15	E137
LMC		E872	E137
LMC	M	E888	E137
LMC		G580 -G589	E137
LMC		G629 -G64	E137
LDC		G709	E137
LMC	M	G718	E137
LMC		G909	E137
LDC	M	G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137

ICD-10-Mortality Manual 2c - 2014

LMC		I702	E137
LMC		I739	E137
LDC	M	I99	E137
LDC	M	K318	E137
LMC		L97	E137
LDC		L984	E137
LMC		M792	E137
LMC		N030 -N059	E137
LMC		N181 -N19	E137
LMC		N26	E137
LMC		N289	E137
LMC		N391	E137
LMC		R02	E137
LMC		R402	E137
LMC	M	R798	E137

E138 Address

LMC		E130 -E136	E137
SMP		E137	
LMC		E140 -E147	E137
LDC	M	E15	E137
LMC		E872	E137
LMC	M	E888	E137
LMC		G580 -G589	E137
LMC		G629 -G64	E137
LDC		G709	E137
LMC	M	G718	E137
LMC		G909	E137
LDC		G98	E137
LMC		H209	E137
LMC		H269	E137
LMC		H309	E137
LMC		H340 -H350	E137
LMC		H352	E137
LMC		H356	E137
LMC		H359	E137
LDC		H499	E137
LDC		H540 -H549	E137
LMC		I702	E137
LMC		I739	E137
LDC	M	I99	E137
LDC	M	K318	E137
LDC		L309	E137
LMC		L921	E137
LMC		L97	E137
LDC		L984	E137
LMC		M139	E137
LMC		M792	E137
LDC		M899	E137
LMC		N030 -N059	E137

ICD-10-Mortality Manual 2c - 2014

LMC	N181	-N19	E137
LMC	N26		E137
LMC	N289		E137
LDC	N390		E137
LMC	N391		E137
LMC	R02		E137
LMC	R402		E137
LMC	M	R798	E137

E139 Address

SMP	E130	-E138	
LMC	E140		E130
LMC	E141		E131
LMC	E142		E132
LMC	E143		E133
LMC	E144		E134
LMC	E145		E135
LMC	E146		E136
LMC	E147		E137
LMC	E148		E138
LDC	M	E15	E130
LMC	E872		E131
LMC	M	E888	E131
LMC	G580	-G589	E134
LMC	G629	-G64	E134
LDC	G709		E134
LMC	M	G718	E134
LMC	G909		E134
LDC	M	G98	E134
LDC	M	G98	E136
LMC	H209		E133
LMC	H269		E133
LMC	H309		E133
LMC	H340	-H350	E133
LMC	H352		E133
LMC	H356		E133
LMC	H359		E133
LDC	H499		E133
LDC	H540	-H549	E133
LMC	I702		E135
LMC	I739		E135
LDC	M	I99	E135
LDC	M	K318	E134
LDC	L309		E136
LMC	L921		E136
LMC	L97		E135
LDC	L984		E135
LMC	M139		E136
LMC	M792		E134
LDC	M899		E136

ICD-10-Mortality Manual 2c - 2014

LMC	N030	-N059	E132
LMC	N181	-N19	E132
LMC	N26		E132
LMC	N289		E132
LDC	N390		E136
LMC	N391		E132
LMC	R02		E135
LMC	R402		E130
LMC M	R798		E131

E140 Address

SMP	E100		
SMC	E101		E100
SMC	E102	-E106	E107
SMP	E107		
SMC	E108		E107
SMC	E109		E100
SMP	E110		
SMC	E111		E110
SMC	E112	-E116	E117
SMP	E117		
SMC	E118		E117
SMC	E119		E110
SMP	E120		
SMC	E121		E120
SMC	E122	-E126	E127
SMP	E127		
SMC	E128		E127
SMC	E129		E120
SMP	E130		
SMC	E131		E130
SMC	E132	-E136	E137
SMP	E137		
SMC	E138		E137
SMC	E139		E130
LMC	E142	-E146	E147
LMP	E147		
SMC	E148		E147
LMC	G580	-G589	E147
LMC	G629	-G64	E147
LDC	G709		E147
LMC M	G718		E147
LMC	G909		E147
LDC	G98		E147
LMC	H209		E147
LMC	H269		E147
LMC	H309		E147
LMC	H340	-H350	E147
LMC	H352		E147
LMC	H356		E147

ICD-10-Mortality Manual 2c - 2014

LMC		H359	E147
LDC		H499	E147
LDC		H540 -H549	E147
LMC		I702	E147
LMC		I739	E147
LDC	M	I99	E147
LDC	M	K318	E147
LDC		L309	E147
LMC		L921	E147
LMC		L97	E147
LDC		L984	E147
LMC		M139	E147
LMC		M792	E147
LDC		M899	E147
LMC		N030 -N059	E147
LMC		N181 -N19	E147
LMC		N26	E147
LMC		N289	E147
LDC		N390	E147
LMC		N391	E147
LMC		R02	E147

E141 Address

SMP		E100 -E101	
SMC		E102 -E106	E107
SMP		E107	
SMC		E108	E107
SMC		E109	E101
SMP		E110 -E111	
SMC		E112 -E116	E117
SMP		E117	
SMC		E118	E117
SMC		E119	E111
SMP		E120 -E121	
SMC		E122 -E126	E127
SMP		E127	
SMC		E128	E127
SMC		E129	E121
SMP		E130 -E131	
SMC		E132 -E136	E137
SMP		E137	
SMC		E138	E137
SMC		E139	E131
LMP		E140	
LMC		E142 -E146	E147
SMP		E147	
SMC		E148	E147
LDC	M	E15	E140
LMC		G580 -G589	E147
LMC		G629 -G64	E147

ICD-10-Mortality Manual 2c - 2014

LDC		G709	E147
LMC	M	G718	E147
LMC		G909	E147
LDC		G98	E147
LMC		H209	E147
LMC		H269	E147
LMC		H309	E147
LMC		H340 -H350	E147
LMC		H352	E147
LMC		H356	E147
LMC		H359	E147
LDC		H499	E147
LDC		H540 -H549	E147
LMC		I702	E147
LMC		I739	E147
LDC	M	I99	E147
LDC	M	K318	E147
LDC		L309	E147
LMC		L921	E147
LMC		L97	E147
LDC		L984	E147
LMC		M139	E147
LMC		M792	E147
LDC		M899	E147
LMC		N030 -N059	E147
LMC		N181 -N19	E147
LMC		N26	E147
LMC		N289	E147
LDC		N390	E147
LMC		N391	E147
LMC		R02	E147
LMC		R402	E140

E142 Address

SMC		E100 -E101	E107
SMP		E102	
SMC		E103 -E106	E107
SMP		E107	
SMC		E108	E107
SMC		E109	E102
SMC		E110 -E111	E117
SMP		E112	
SMC		E113 -E116	E117
SMP		E117	
SMC		E118	E117
SMC		E119	E112
SMC		E120 -E126	E127
SMP		E122	
SMP		E127	
SMC		E128	E127

ICD-10-Mortality Manual 2c - 2014

SMC		E129		E122
SMC		E130	-E131	E137
SMP		E132		
SMC		E133	-E136	E137
SMP		E137		
SMC		E138		E137
SMC		E139		E132
LMC		E140	-E141	E147
LMC		E143	-E146	E147
SMP		E147		
SMC		E148		E147
LDC	M	E15		E147
LMC		E872		E147
LMC	M	E888		E147
LMC		G580	-G589	E147
LMC		G629	-G64	E147
LDC		G709		E147
LMC	M	G718		E147
LMC		G909		E147
LDC		G98		E147
LMC		H209		E147
LMC		H269		E147
LMC		H309		E147
LMC		H340	-H350	E147
LMC		H352		E147
LMC		H356		E147
LMC		H359		E147
LDC		H499		E147
LDC		H540	-H549	E147
LMC		I702		E147
LMC		I739		E147
LDC	M	I99		E147
LDC	M	K318		E147
LDC		L309		E147
LMC		L921		E147
LMC		L97		E147
LDC		L984		E147
LMC		M139		E147
LMC		M792		E147
LDC		M899		E147
LDC		N390		E147
LMC		R02		E147
LMC		R402		E147
LMC	M	R798		E147

E143 Address

SMC		E100	-E102	E107
SMP		E103		
SMC		E104	-E106	E107
SMP		E107		

ICD-10-Mortality Manual 2c - 2014

SMC		E108		E107
SMC		E109		E103
SMC		E110	-E112	E117
SMP		E113		
SMC		E114	-E116	E117
SMP		E117		
SMC		E118		E117
SMC		E119		E113
SMC		E120	-E122	E127
SMP		E123		
SMC		E124	-E126	E127
SMP		E127		
SMC		E128		E127
SMC		E129		E123
SMC		E130	-E132	E137
SMP		E133		
SMC		E134	-E136	E137
SMP		E137		
SMC		E138		E137
SMC		E139		E133
LMC		E140	-E142	E147
LMC		E144	-E146	E147
SMP		E147		
SMC		E148		E147
LDC	M	E15		E147
LMC		E872		E147
LMC	M	E888		E147
LMC		G580	-G589	E147
LMC		G629	-G64	E147
LDC		G709		E147
LMC	M	G718		E147
LMC		G909		E147
LDC		G98		E147
LMC		I702		E147
LMC		I739		E147
LDC	M	I99		E147
LDC	M	K318		E147
LDC		L309		E147
LMC		L921		E147
LMC		L97		E147
LDC		L984		E147
LMC		M139		E147
LMC		M792		E147
LDC		M899		E147
LMC		N030	-N059	E147
LMC		N181	-N19	E147
LMC		N26		E147
LMC		N289		E147
LDC		N390		E147
LMC		N391		E147

ICD-10-Mortality Manual 2c - 2014

LMC	R02	E147
LMC	R402	E147
LMC M	R798	E147

E144 Address

SMC	E100	-E103	E107
SMP	E104		
SMC	E105	-E106	E107
SMP	E107		
SMC	E108		E107
SMC	E109		E104
SMC	E110	-E113	E117
SMP	E114		
SMC	E115	-E116	E117
SMP	E117		
SMC	E118		E117
SMC	E119		E114
SMC	E120	-E123	E127
SMP	E124		
SMC	E125	-E126	E127
SMP	E127		
SMC	E128		E127
SMC	E129		E124
SMC	E130	-E133	E137
SMP	E134		
SMC	E135	-E136	E137
SMP	E137		
SMC	E138		E137
SMC	E139		E134
LMC	E140	-E143	E147
LMC	E145	-E146	E147
SMP	E147		
SMC	E148		E147
LDC M	E15		E147
LMC	E872		E147
LMC M	E888		E147
LDC M	G98		E147
LMC	H209		E147
LMC	H269		E147
LMC	H309		E147
LMC	H340	-H350	E147
LMC	H352		E147
LMC	H356		E147
LMC	H359		E147
LDC	H499		E147
LDC	H540	-H549	E147
LMC	I702		E147
LMC	I739		E147
LDC M	I99		E147
LDC	L309		E147

ICD-10-Mortality Manual 2c - 2014

LMC	L921		E147
LMC	L97		E147
LDC	L984		E147
LMC	M139		E147
LDC	M899		E147
LMC	N030	-N059	E147
LMC	N181	-N19	E147
LMC	N26		E147
LMC	N289		E147
LDC	N390		E147
LMC	N391		E147
LMC	R02		E147
LMC	R402		E147
LMC M	R798		E147

E145 Address

SMC	E100	-E104	E107
SMP	E105		
SMC	E106		E107
SMP	E107		
SMC	E108		E107
SMC	E109		E105
SMC	E110	-E114	E117
SMP	E115		
SMC	E116		E117
SMP	E117		
SMC	E118		E117
SMC	E119		E115
SMC	E120	-E124	E127
SMP	E125		
SMC	E126		E127
SMP	E127		
SMC	E128		E127
SMC	E129		E125
SMC	E130	-E134	E137
SMP	E135		
SMC	E136		E137
SMP	E137		
SMC	E138		E137
SMC	E139		E135
LMC	E140	-E144	E147
LMC	E146		E147
LMP	E147		
SMC	E148		E147
LDC M	E15		E147
LMC	E872		E147
LMC M	E888		E147
LMC	G580	-G589	E147
LMC	G629	-G64	E147
LDC	G709		E147

ICD-10-Mortality Manual 2c - 2014

LMC	M	G718	E147
LMC		G909	E147
LDC		G98	E147
LMC		H209	E147
LMC		H269	E147
LMC		H309	E147
LMC		H340 -H350	E147
LMC		H352	E147
LMC		H356	E147
LMC		H359	E147
LDC		H499	E147
LDC		H540 -H549	E147
LDC	M	K318	E147
LDC		L309	E147
LMC		L921	E147
LMC		M139	E147
LMC		M792	E147
LDC		M899	E147
LMC		N030 -N059	E147
LMC		N181 -N19	E147
LMC		N26	E147
LMC		N289	E147
LDC		N390	E147
LMC		N391	E147
LMC		R402	E147
LMC	M	R798	E147

E146 Address

SMC		E100 -E105	E107
SMP		E106 -E107	
SMC		E108	E107
SMC		E109	E106
SMC		E110 -E115	E117
SMP		E116 -E117	
SMC		E118	E117
SMC		E119	E116
SMC		E120 -E125	E127
SMP		E126 -E127	
SMC		E128	E127
SMC		E129	E126
SMC		E130 -E135	E137
SMP		E136 -E137	
SMC		E138	E137
SMC		E139	E136
LMC		E140 -E145	E147
LMP		E147	
SMC		E148	E147
LDC	M	E15	E147
LMC		E872	E147
LMC	M	E888	E147

ICD-10-Mortality Manual 2c - 2014

LMC		G580 -G589	E147
LMC		G629 -G64	E147
LDC		G709	E147
LMC	M	G718	E147
LMC		G909	E147
LDC	M	G98	E147
LMC		H209	E147
LMC		H269	E147
LMC		H309	E147
LMC		H340 -H350	E147
LMC		H352	E147
LMC		H356	E147
LMC		H359	E147
LDC		H499	E147
LDC		H540 -H549	E147
LMC		I702	E147
LMC		I739	E147
LDC	M	I99	E147
LDC		K318	E147
LMC		L97	E147
LDC		L984	E147
LMC		M792	E147
LMC		N030 -N059	E147
LMC		N181 -N19	E147
LMC		N26	E147
LMC		N289	E147
LMC		N391	E147
LMC		R02	E147
LMC		R402	E147
LMC	M	R798	E147

E147 Address

SMC		E100 -E106	E107
SMP		E107	
SMC		E109	E107
SMC		E110 -E116	E117
SMP		E117	
SMC		E119	E117
SMC		E120 -E126	E127
SMP		E127	
SMC		E129	E127
SMC		E130 -E136	E137
SMP		E137	
SMC		E139	E137

E148 Address

LMC		E100 -E106	E107
SMP		E107 -E108	
SMC		E109	E108
LMC		E110 -E116	E117

ICD-10-Mortality Manual 2c - 2014

SMP		E117 -E118	
SMC		E119	E118
LMC		E120 -E126	E127
SMP		E127 -E128	
SMC		E129	E128
LMC		E130 -E136	E137
SMP		E137 -E138	
SMC		E139	E138
LMC		E140 -E146	E147
SMP		E147	
LDC	M	E15	E147
LMC		E872	E147
LMC	M	E888	E147
LMC		G580 -G589	E147
LMC		G629 -G64	E147
LDC		G709	E147
LMC	M	G718	E147
LMC		G909	E147
LDC		G98	E147
LMC		H209	E147
LMC		H269	E147
LMC		H309	E147
LMC		H340 -H350	E147
LMC		H352	E147
LMC		H356	E147
LMC		H359	E147
LDC		H499	E147
LDC		H540 -H549	E147
LMC		I702	E147
LMC		I739	E147
LDC	M	I99	E147
LDC	M	K318	E147
LDC		L309	E147
LMC		L921	E147
LMC		L97	E147
LDC		L984	E147
LMC		M139	E147
LMC		M792	E147
LDC		M899	E147
LMC		N030 -N059	E147
LMC		N181 -N19	E147
LMC		N26	E147
LMC		N289	E147
LDC		N390	E147
LMC		N391	E147
LMC		R02	E147
LMC		R402	E147
LMC	M	R798	E147

E149 Address

ICD-10-Mortality Manual 2c - 2014

SMP		E100	-E148	
LDC	M	E15		E140
LMC		E872		E141
LMC	M	E888		E141
LMC		G580	-G589	E144
LMC		G629	-G64	E144
LDC		G709		E144
LMC	M	G718		E144
LMC		G909		E144
LDC	M	G98		E144
LDC	M	G98		E146
LMC		H209		E143
LMC		H269		E143
LMC		H309		E143
LMC		H340	-H350	E143
LMC		H352		E143
LMC		H356		E143
LMC		H359		E143
LDC		H499		E143
LDC		H540	-H549	E143
LMC		I702		E145
LMC		I739		E145
LDC	M	I99		E145
LDC	M	K318		E144
LDC		L309		E146
LMC		L921		E146
LMC		L97		E145
LDC		L984		E145
LMC		M139		E146
LMC		M792		E144
LDC		M899		E146
LMC		N030	-N059	E142
LMC		N181	-N19	E142
LMC		N26		E142
LMC		N289		E142
LDC		N390		E146
LMC		N391		E142
LMC		R02		E145
LMC		R402		E140
LMC	M	R798		E141

E15 Address

DSC	M	B24		B238
DSC	M	R75		B238

E160 Address

LMC		R402		E15
DS	M	T360	-T382	
DS		T383		
DS	M	T384	-T509	

ICD-10-Mortality Manual 2c - 2014

DS	M	X40	-X44	
DS	M	X60	-X64	
DS	M	X85		
DS	M	Y10	-Y14	
DS	M	Y400	-Y422	
DS		Y423		
DS	M	Y424	-Y599	

E161 Address

DSC	M	B24		B238
LMP		E15		
LMC		R402		E15
DSC	M	R75		B238

E162 Address

DSC	M	B24		B238
DS	M	E100	-E149	
LMC		R402		E15
DSC	M	R75		B238

E169 Address

SMP		E160	-E168	
-----	--	------	-------	--

E209 Address

SMP		E200	-E208	
-----	--	------	-------	--

E214 Address

DS	M	T455		
----	---	------	--	--

E215 Address

SMP		E210	-E214	
-----	--	------	-------	--

E220 Address

DSC	M	B24		B238
DS	M	C798		
DS	M	D093		
DSC	M	R75		B238

E221 Address

DSC	M	B24		B238
DS	M	C798		
DS	M	D093		
DSC	M	R75		B238

E222 Address

DSC	M	B24		B238
DS	M	C798		
DS	M	D093		
DSC	M	R75		B238

ICD-10-Mortality Manual 2c - 2014

E228 Address

DSC	M	B24	B238
DS	M	C798	
DS	M	D093	
DSC	M	R75	B238

E229 Address

DSC	M	B24	B238
DS	M	C798	
DS	M	D093	
SMP		E220	-E228
LDC		E301	E228
DSC	M	R75	B238

E230 Address

DSC	M	B24	B238
DS		C751	-C753
DS	M	C798	
DS	M	D093	
DS		D352	-D353
DS	M	D443	-D444
DSC	M	R75	B238

E231 Address

DSC	M	B24	B238
DSC	M	R75	B238

E232 Address

DSC	M	B24	B238
DSC	M	R75	B238

E233 Address

DSC	M	B24	B238
DSC	M	R75	B238

E236 Address

DSC	M	B24	B238
DS		C751	-C753
DS	M	C798	
DS	M	D093	
DS		D352	-D353
DS	M	D443	-D444
DS	M	I011	
DS	M	I020	
DS	M	I050	-I069
DS	M	I080	-I089
DS	M	I091	
DS	M	I330	-I359
DS	M	I38	

ICD-10-Mortality Manual 2c - 2014

DS	M	I48	-I499	
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T455		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

E237 Address

DSC	M	B24		B238
SMP		C751		
DS		C752	-C753	
SMP	M	C798		
SMP	M	D093		
SMP		D352		
DS		D353		
SMP		D443		
DS	M	D444		
SMP		E220	-E236	
SMP	M	Q892		
DSC	M	R75		B238

E240 Address

DS		C740	-C749	
DS		C797		
DS	M	D093		
DS		D350		
DS	M	D441		

E241 Address

DS		C740	-C749	
DS		C797		

ICD-10-Mortality Manual 2c - 2014

DS M D093
DS D350
DS D441

E243 Address

DS C740 -C749
DS C797
DS M D093
DS D350
DS D441

E248 Address

DS C740 -C749
DS C797
DS M D093
DS D350
DS D441

E249 Address

DS C740 -C749
DS C797
DS M D093
DS D350
DS M D441
SMP E240 -E248
LMP M E270

E259 Address

SMP E250 -E258

E269 Address

SMP E260 -E268

E272 Address

DS A391
DSC B24 B238
DS C740 -C749
DS C797
DS D093
DS D350
DS D441
DS Q891
DSC R75 B238

E274 Address

DS A391
DSC B24 B238
DS C740 -C749
DS C797
DS D093

ICD-10-Mortality Manual 2c - 2014

DS		D350	
DS		D441	
DS		Q891	
DSC		R75	B238
DS	M	T455	

E275 Address

DS		A391	
DSC		B24	B238
DS		C740	-C749
DS		C797	
DS		D093	
DS		D350	
DS		D441	
DS		Q891	
DSC		R75	B238

E278 Address

DS		A391	
DSC		B24	B238
DS		C740	-C749
DS		C797	
DS		D093	
DS		D350	
DS		D441	
LMP	M	E250	
LDC	M	E269	E260
LMC	M	E301	E250
DS		Q891	
DSC		R75	B238
DS	M	T455	

E279 Address

DS		A391	
DSC		B24	B238
SMP		C740	-C749
SMP		C797	
SMP	M	D093	
SMP		D350	
SMP		D441	
SMP		E270	-E278
DSC		Q561	E258
DSC		Q563	E258
SMP		Q891	
DSC		R75	B238

E288 Address

DS		C56	
DS		C796	
DS		D073	

ICD-10-Mortality Manual 2c - 2014

DS D27
DS D391

E289 Address

DS C56
DS C796
DS D073
DS D27
DS D391
SMP E280 -E288

E290 Address

DS C620 -C629
DS M C798
DS M D076
DS D292
DS D401
DS Q552

E291 Address

DS M C620 -C629
DS M C798
DS M D076
DS M D292
DS M D401
DS M Q552

E298 Address

DS C620 -C629
DS M C798
DS M D076
DS D292
DS D401
DS Q552

E299 Address

DS C620 -C629
DS M C798
DS M D076
DS D292
DS D401
SMP E290
DS Q552

E309 Address

SMP E300 -E308

E319 Address

SMP E310 -E318

E320 Address

DS C37
 DS M C798
 DS M D093
 DS M D150
 DS M D384
 DS M Q892

E321 Address

DS C37
 DS M C798
 DS M D093
 DS M D150
 DS M D384
 DS M Q892

E328 Address

DS C37
 DS M C798
 DS M D093
 DS M D150
 DS M D384
 DS M Q892
 DS M T455

E329 Address

SMP C37
 SMP M C798
 SMP M D093
 SMP D150
 SMP D384
 SMP E320 -E328
 SMP Q892

E349 Address

SMP C750 -C759
 SMP M C798
 SMP M D093
 SMP D34 -D359
 SMP D440 -D449
 SMP E000 -E348
 SMP Q892

E40 Address

DSC B24 B238
 SDC D539 D530
 SDC M D649 D530
 SDC M D649 D539
 LDC E100 E120

ICD-10-Mortality Manual 2c - 2014

LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
LMC	E41	E42
DSC	R75	B238

E41 Address

DS	A000	-A099
DS	A183	
DSC	B24	B238
DS	B573	
DS	B900	-C97
DS	D320	-D339
DS	D370	-D479
DS	D810	-D819
DS	D860	
DS	M E000	-E02
DS	E030	-E038
DS	E0390	
DS	E050	-E059
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123

ICD-10-Mortality Manual 2c - 2014

LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
DS	E15	
DSC	E40	E42
DS	E42	-E43
DS	E46	
DS	E640	
DS	E840	-E859
DS	F010	-F03
DS	F100	-F199
DS	F202	
DS	F322	-F323
DS	F332	-F333
DS	F500	-F503
DS	F505	-F509
DS	F73	
DS	G09	
DS	M	G10 -G121
DS		G1220
DS	M	G128 -G129
DS		G2000
DS	M	G210 -G259
DS		G300 -G319
DS		G600 -G629
DS	M	G64 -G819
DS		G820 -G825

ICD-10-Mortality Manual 2c - 2014

DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K529	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K929	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q390	-Q459	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC	M	R75		B238
DS		X53		
DS		Y060	-Y069	

ICD-10-Mortality Manual 2c - 2014***E42 Address***

DSC	B24	B238
SDC	D539	D530
SDC M	D649	D530
SDC M	D649	D539
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
LMP	E41	
DSC	R75	B238

E43 Address

DSC	B24	B238
DS	C000 -C97	
SDC	D539	D530
SDC M	D649	D530
SDC M	D649	D539
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124

ICD-10-Mortality Manual 2c - 2014

LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
LMP	E41	
DSC	R75	B238

E440 Address

DSC	B24	B238
SDC	D539	D530
SDC	M D649	D530
SDC	M D649	D539
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126

ICD-10-Mortality Manual 2c - 2014

LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
DSC	R75	B238

E441 Address

DSC	B24	B238
DS	C000 -C97	
SDC	D539	D530
SDC M	D649	D530
SDC M	D649	D539
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128

ICD-10-Mortality Manual 2c - 2014

LDC	E149	E129
DSC	R75	B238

E45 Address

DSC	B24	B238
DS	C000 -C97	
LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
DSC	R75	B238

E46 Address

DS	A000 -A099	
DS	A183	
DS	A188	
DSC	B24	B238
DS	B573	
DS	B900 -C97	
DS	D320 -D339	
DS	D370 -D479	
SMP M	D530	
SMP M	D539	
SDC M	D539	D530

ICD-10-Mortality Manual 2c - 2014

SDC	M	D649		D530
SDC	M	D649		D539
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
LDC		E100		E120
LDC		E101		E121
LDC		E102		E122
LDC		E103		E123
LDC		E104		E124
LDC		E105		E125
LDC		E106		E126
LDC		E107		E127
LDC		E108		E128
LDC		E109		E129
LDC		E110		E120
LDC		E111		E121
LDC		E112		E122
LDC		E113		E123
LDC		E114		E124
LDC		E115		E125
LDC		E116		E126
LDC		E117		E127
LDC		E118		E128
LDC		E119		E129
LDC		E140		E120
LDC		E141		E121
LDC		E142		E122
LDC		E143		E123
LDC		E144		E124
LDC		E145		E125
LDC		E146		E126
LDC		E147		E127
LDC		E148		E128
LDC		E149		E129
DS		E15		
LMC		E343		E45
DS		E40	-E45	
DS		E640		
DS		E750	-E756	
DS		E840	-E859	
DS		F010	-F03	
DS		F100	-F199	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	

ICD-10-Mortality Manual 2c - 2014

DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		K20	-K229
DS	M	K500	-K529
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K929
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879

ICD-10-Mortality Manual 2c - 2014

DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q390	-Q459	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
LDC		R628		E45
DSC	M	R75		B238
DS		X53		
DS		Y060	-Y069	

E500 Address

DSC		B24		B238
DSC		R75		B238

E501 Address

DSC		B24		B238
DSC		R75		B238

E502 Address

DSC		B24		B238
DSC		R75		B238

E503 Address

DSC		B24		B238
DSC		R75		B238

E504 Address

DSC		B24		B238
DSC		R75		B238

E505 Address

DSC		B24		B238
DSC		R75		B238

E506 Address

DSC		B24		B238
DSC		R75		B238

E507 Address

DSC		B24		B238
DSC		R75		B238

E508 Address

DSC		B24		B238
DSC		R75		B238

ICD-10-Mortality Manual 2c - 2014***E509 Address***

DSC		B24		B238
SMP		E500	-E508	
LMC	M	H111		E501
LMC		H160		E503
LMC	M	H168		E504
LMC	M	H178		E506
LMC	M	H184		E504
LMC	M	H188		E502
LMC		H531		E505
LMC		H536		E505
LMC		Q809		E508
LMC	M	Q828		E508
DSC		R75		B238

E511 Address

DSC		B24		B238
DSC		R75		B238

E512 Address

DSC		B24		B238
DSC		R75		B238

E518 Address

DSC		B24		B238
DSC		R75		B238

E519 Address

DSC		B24		B238
SMP		E511	-E518	
DSC		R75		B238

E52 Address

DSC		B24		B238
DSC		R75		B238

E530 Address

DSC		B24		B238
DSC		R75		B238

E531 Address

DSC		B24		B238
DSC		R75		B238

E538 Address

DSC		B24		B238
SMP	M	D510	-D529	
SDC	M	D539		D520
SDC	M	D539		D521

ICD-10-Mortality Manual 2c - 2014

SDC	M	D539	D529
SDC	M	D649	D510
SDC	M	D649	D511
SDC	M	D649	D513
SDC	M	D649	D518
SDC	M	D649	D519
DSC		R75	B238

E539 Address

DSC		B24	B238
LMP		E511	
LMP		E52	
SMP		E530	-E538
DSC		R75	B238

E54 Address

DSC		B24	B238
SDC		D539	D532
SDC		D649	D532
DSC		R75	B238

E550 Address

DSC		B24	B238
DSC		R75	B238

E559 Address

DSC		B24	B238
LMP		E550	
DSC		R75	B238

E560 Address

DSC		B24	B238
DSC		R75	B238

E561 Address

DSC		B24	B238
DSC		R75	B238

E568 Address

DSC		B24	B238
DSC		R75	B238

E569 Address

DSC		B24	B238
SMP		E500	-E568
DSC		R75	B238

E58 Address

DSC		B24	B238
LMC		E59	-E616 E617

ICD-10-Mortality Manual 2c - 2014

DS	E617	
DSC	R75	B238

E59 Address

DSC	B24	B238
LMC	E60 -E616	E617
DSC	R75	B238

E60 Address

DSC	B24	B238
SDC	D649	D538
LMC	E58 -E59	E617
LMC	E610 -E616	E617
DSC	R75	B238

E610 Address

DSC	B24	B238
SDC	D649	D538
LMC	E58 -E60	E617
LMC	E611 -E616	E617
DSC	R75	B238

E611 Address

DSC	B24	B238
SDC	D539	D509
SDC	D649	D509
LMC	E58 -E610	E617
LMC	E612 -E616	E617
DS	E617	
DSC	R75	B238

E612 Address

DSC	B24	B238
LMC	E58 -E611	E617
LMC	E613 -E616	E617
DSC	R75	B238

E613 Address

DSC	B24	B238
LMC	E58 -E612	E617
LMC	E614 -E616	E617
DSC	R75	B238

E614 Address

DSC	B24	B238
LMC	E58 -E613	E617
LMC	E615 -E616	E617
DSC	R75	B238

E615 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B238
SDC	D649		D538
LMC	E58	-E614	E617
LMC	E616		E617
DSC	R75		B238

E616 Address

DSC	B24		B238
LMC	E58	-E615	E617
DSC	R75		B238

E617 Address

DSC	B24		B238
DSC	R75		B238

E618 Address

DSC	B24		B238
LDC	E039	-E0390	E018
LDC	E042		E011
LDC	E049		E012
LMC	E58	-E616	E617
DS	E617		
DSC	R75		B238

E619 Address

DSC	B24		B238
SMP	E58	-E618	
DSC	R75		B238

E630 Address

DSC	B24		B238
DSC	R75		B238

E631 Address

DSC	B24		B238
DSC	R75		B238

E638 Address

DSC	B24		B238
DSC	R75		B238

E639 Address

DSC	B24		B238
DS	C000	-C97	
SMP	D500	-D539	
SDC	D649		D539
LDC	E100		E120
LDC	E101		E121
LDC	E102		E122
LDC	E103		E123

ICD-10-Mortality Manual 2c - 2014

LDC	E104		E124
LDC	E105		E125
LDC	E106		E126
LDC	E107		E127
LDC	E108		E128
LDC	E109		E129
LDC	E110		E120
LDC	E111		E121
LDC	E112		E122
LDC	E113		E123
LDC	E114		E124
LDC	E115		E125
LDC	E116		E126
LDC	E117		E127
LDC	E118		E128
LDC	E119		E129
LDC	E140		E120
LDC	E141		E121
LDC	E142		E122
LDC	E143		E123
LDC	E144		E124
LDC	E145		E125
LDC	E146		E126
LDC	E147		E127
LDC	E148		E128
LDC	E149		E129
SMP	E40	-E638	
DS	F100	-F109	
SMP	M	K746	
SDC	R600	-R609	E43
DSC	R75		B238

E640 Address

LDC	E100		E120
LDC	E101		E121
LDC	E102		E122
LDC	E103		E123
LDC	E104		E124
LDC	E105		E125
LDC	E106		E126
LDC	E107		E127
LDC	E108		E128
LDC	E109		E129
LDC	E110		E120
LDC	E111		E121
LDC	E112		E122
LDC	E113		E123
LDC	E114		E124
LDC	E115		E125
LDC	E116		E126

ICD-10-Mortality Manual 2c - 2014

LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129

E649 Address

LDC	E100	E120
LDC	E101	E121
LDC	E102	E122
LDC	E103	E123
LDC	E104	E124
LDC	E105	E125
LDC	E106	E126
LDC	E107	E127
LDC	E108	E128
LDC	E109	E129
LDC	E110	E120
LDC	E111	E121
LDC	E112	E122
LDC	E113	E123
LDC	E114	E124
LDC	E115	E125
LDC	E116	E126
LDC	E117	E127
LDC	E118	E128
LDC	E119	E129
LDC	E140	E120
LDC	E141	E121
LDC	E142	E122
LDC	E143	E123
LDC	E144	E124
LDC	E145	E125
LDC	E146	E126
LDC	E147	E127
LDC	E148	E128
LDC	E149	E129
SMP	E640	-E648

E668 Address

SMP	M	E662
-----	---	------

ICD-10-Mortality Manual 2c - 2014

E669 Address

SMP M E039 -E0390
SMP M E236
SMP E660 -E668

E709 Address

SMP E700 -E708

E712 Address

SMP E710 -E711

E729 Address

SDC D539 D530
SDC D649 D530
SMP E720 -E728

E739 Address

SMP E730 -E738

E749 Address

SMP E740 -E748

E756 Address

DSC M B24 B238
SMP E750 -E755
DSC M R75 B238

E769 Address

SMP E760 -E768

E779 Address

SMP E770 -E778

E780 Address

LMC E781 E782
DS M E782

E781 Address

LMC E780 E782
DS M E782

E789 Address

SMP E780 -E788

E799 Address

SMP E790 -E798

E802 Address

SMP E800 -E801

ICD-10-Mortality Manual 2c - 2014

E807 Address

SMP E803 -E806

E835 Address

DS M E200 -E215

E839 Address

SMP E830 -E838

E840 Address

LMC	E841	E848
LMC	I519	E848
LMC	J00 -J069	E848
LMC	J22 -J399	E848
LMC	J853 -J90	E848
LMC	J929 -J949	E848
LMC	J960 -J969	E848
LMC	J985 -K291	E848
LMC	K293 -K389	E848
LMC	K500 -K519	E848
LMC	K521 -K669	E848
LMC	K710 -K839	E848
LMC	K851	E848
LMC	K858 -K859	E848
LMC	K861 -K909	E848
LMC	K920 -K929	E848

E841 Address

LMC	E840	E848
LMC	J00 -J069	E848
LMC	J120 -J47	E848
LMC	J690	E848
LMC	J698	E848
LMC	J80 -J949	E848
LMC	J960 -K259	E848
LMC	K270 -K279	E848
LMC	K290 -K291	E848
LMC	K293 -K297	E848
LMC	K30 -K314	E848
LMC M	K316 -K319	E848
LMC	K3190 -K389	E848
LMC	K650 -K669	E848
LMC	K720 -K839	E848
LMC	K861 -K869	E848

E849 Address

SMP	E840	*
LMP	E841	*
SMP	E848	*

ICD-10-Mortality Manual 2c - 2014

LMC		I519	E848
LMC		J00 -J069	E848
LMC		J120 -J219	E840
LMC		J22 -J399	E848
LMC		J40 -J439	E840
LMC		J441 -J47	E840
LMC		J690	E840
LMC		J698	E840
LMC		J80 -J852	E840
LMC		J853 -J90	E848
LMC		J929 -J949	E848
LMC		J960 -J969	E848
LMC		J980 -J9840	E840
LMC		J985 -K259	E848
LMC		K260 -K269	E841
LMC		K270 -K279	E848
LMC		K280 -K289	E841
LMC		K290 -K291	E848
LMC		K293 -K297	E848
LMC		K298 -K299	E841
LMC		K30 -K314	E848
LMC		K315	E841
LMC	M	K316 -K319	E841
LMC	M	K316 -K319	E848
LMC		K3190 -K389	E848
LMC		K500 -K519	E841
LMC		K528 -K639	E841
LMC		K650 -K669	E848
LMC		K720 -K839	E848
LMC		K851	E848
LMC		K858 -K859	E848
LMC		K861 -K869	E848
LMC		K900 -K909	E841
LMC	M	K922	E841
LMC	M	K922	E848
LMC		K928 -K929	E848

E853 Address

DS		C900	
DSC		M069	M053

E854 Address

DSC	M	M069	M053
-----	---	------	------

E858 Address

DSC	M	M069	M053
-----	---	------	------

E859 Address

LMC	M	D730	E854
LMC		D739	E854

ICD-10-Mortality Manual 2c - 2014

SMP		E850	-E858	
LMC	M	G318	-G319	E854
LMC		G629		E851
LMC		G729		E854
LMC		G909		E854
LMC		I420		E854
LMC		I421		E854
LMC		I422		E854
LMC		I428		E854
LMC		I429		E854
LMC		I515		E854
LMC		I519		E854
LMC	M	I679		E854
LMC		I788		E858
LMC		J00	-J069	E854
LMC		J120	-J64	E854
LMC	M	J660	-J708	E854
LMC	M	J80	-J989	E854
LMC	M	K768		E854
LMC		K929		E854
LMC	M	L280		E854
LMC	M	L988		E854
DSC		M069		M053
LMC		M130	-M139	E854
LMC	M	M792		E854
LMC		N040	-N059	E854
LMC	M	N288		E854

E86 Address

DS		A000	-A009	
LMP		A000	-A099	
DS		A183		
DSC		B24		B238
DS		B573		
DS		B900	-B949	
DS		C000	-D019	
DS		D100	-D139	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	

ICD-10-Mortality Manual 2c - 2014

DS		E15	
DS		E40	-E46
DS		E639	-E640
DS		E840	-E849
DS		F010	-F03
DS		F100	-F109
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G09
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K520	-K559
DS		K591	
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128

ICD-10-Mortality Manual 2c - 2014

DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS		M889		
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S120	-S199	
DS		T670	-T679	
DS		T730	-T731	
DS	M	T740	-T749	

E871 Address

DSC		B24		B238
DSC		R75		B238

E872 Address

DSC		B24		B238
DS		E100		
SMP	M	E101		
DSC		E102	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E101
DS		E110		
SMP	M	E111		
DSC		E112	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E111
DS		E120		
SMP	M	E121		
DSC		E122	-E126	E127
DS		E127		

ICD-10-Mortality Manual 2c - 2014

DSC	E128		E127
DSC	E129		E121
DS	E130		
SMP M	E131		
DSC	E132	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E131
DS	E140		
SMP M	E141		
DSC	E142	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E141
SMP M	N258		
DSC	R75		B238

E873 Address

DSC	B24		B238
DSC	R75		B238

E874 Address

DSC	B24		B238
DSC	R75		B238

E875 Address

DSC	B24		B238
DS	N000	-N19	
DSC	R75		B238

E876 Address

DSC	B24		B238
DSC	R75		B238

E877 Address

DSC	B24		B238
DSC	R75		B238

E878 Address

DSC	B24		B238
SMP M	E870	-E877	
DS	M889		
DSC	R75		B238

E883 Address

DS	C000	-C969	
----	------	-------	--

E888 Address

DS M	E100	-E101	
DSC M	E102	-E106	E107

ICD-10-Mortality Manual 2c - 2014

DS	M	E107	
DSC	M	E108	E107
DSC	M	E109	E101
DS	M	E110	-E111
DSC	M	E112	-E116 E117
DS	M	E117	
DSC	M	E118	E117
DSC	M	E119	E111
DS	M	E120	-E121
DSC	M	E122	-E126 E127
DS	M	E127	
DSC	M	E128	E127
DSC	M	E129	E121
DS	M	E130	-E131
DSC	M	E132	-E136 E137
DS	M	E137	
DSC	M	E138	E137
DSC	M	E139	E131
DS	M	E140	-E141
DSC	M	E142	-E146 E147
DS	M	E147	
DSC	M	E148	E147
DSC	M	E149	E141

E889 Address

DSC		B24	B238
SMP		E700	-E888
DSC		R75	B238

E890 Address

DS		Y600	-Y849
DS		Y881	
DS		Y883	

E891 Address

DS		Y600	-Y849
DS		Y881	
DS		Y883	

E892 Address

DS		Y600	-Y849
DS		Y881	
DS		Y883	

E893 Address

DS		Y600	-Y849
DS		Y881	
DS		Y883	

E894 Address

ICD-10-Mortality Manual 2c - 2014

DS Y600 -Y849
DS Y881
DS Y883

E895 Address

DS Y600 -Y849
DS Y881
DS Y883

E896 Address

DS Y600 -Y849
DS Y881
DS Y883

E898 Address

DS Y600 -Y849
DS Y881
DS Y883

E899 Address

SMP E890 -E898
DS Y600 -Y849
DS Y881
DS Y883

E

F019 Address

SMP F010 -F018

F03 Address

DS A521
DS A523 -A527
DS A529
DS A539
DS A810 -A819
SMP B220
DSC B24 B220
DS E52
DS M E538
DS E754
DS E830
SMP F010 -F019
LMC F059 F051
DSC F101 -F106 F107
SMP M F107
DSC F108 -F109 F107
DSC F111 -F116 F117
SMP M F117

ICD-10-Mortality Manual 2c - 2014

DSC		F118 -F119	F117
DSC		F121 -F126	F127
SMP	M	F127	
DSC		F128 -F129	F127
DSC		F131 -F136	F137
SMP	M	F137	
DSC		F138 -F139	F137
DS		F141 -F146	
SMP	M	F147	
DSC		F148 -F149	F147
DSC		F151 -F156	F157
SMP	M	F157	
DSC		F158 -F159	F157
DSC		F161 -F166	F167
SMP	M	F167	
DSC		F168 -F169	F167
SMP	M	F177	
DSC		F181 -F186	F187
SMP	M	F187	
DSC		F188 -F189	F187
DSC		F191 -F196	F197
SMP		F197	
DSC		F198 -F199	F197
SMP	M	F843	
DS		G10	
DS		G20 -G2000	
DS		G300 -G360	
DS		G370 -G379	
DSC		I6100	F011
DSC		I6110	F011
DSC		I6120	F011
DSC		I6130	F011
DSC		I6140	F011
DSC		I6150 -I616	F011
DSC		I6180	F011
DSC		I6190	F011
DSC		I6300	F011
DSC		I6310	F011
DSC		I6320	F011
DSC		I6330	F011
DSC		I6340	F011
DSC		I6350	F011
DSC		I6360	F011
DSC		I6380	F011
DSC		I6390	F011
DSC		I6400	F011
DSC		I6910	F011
DSC	M	I6930	F011
DSC		I6940	F011
DS		Q900 -Q909	*

ICD-10-Mortality Manual 2c - 2014

DSC	R75		B220
DS	T520	-T539	

F059 Address

DSC	F03		F051
SMP	F050	-F058	
SMP M	F104		
DSC	F109		F104

F069 Address

DS	M	A188	
DS	M	A328	
DS		A390	
DS	M	A398	
DS		A521	-A523
DS	M	A548	
DS		A810	-A819
DS		A830	-A89
DS	M	A90	-A99
DS		B010	-B011
DS		B020	-B022
DS		B050	-B051
DS		B060	
DS	M	B258	
DS		B261	-B262
DS		B900	
DS		B941	
DS		C700	-C719
DS		C793	-C794
DS	M	C830	-C859
DS	M	D180	-D181
DS		D320	-D339
DS		D420	-D439
SMP		F060	-F068
DS		F071	-F072
DS		F100	-F101
DSC		F102	F107
DS		F103	-F106
SMP M		F107	
DS		F108	
DSC		F109	F107
DS		F110	-F199
DS		G09	-G10
DS		G230	-G239
DS		G35	-G379
DS		I600	-I698
DS	M	M321	

F079 Address

SMP	F070	-F078	
-----	------	-------	--

ICD-10-Mortality Manual 2c - 2014

F09 Address

LMP	#	A000	-A310
LMP	#	A318	-A427
LMP	#	A429	-A599
LMP	#	A601	-A70
LMP	#	A748	-B001
LMP	#	B003	-B004
LMP	#	B007	
LMP	#	B009	-B068
LMP	#	B080	
LMP	#	B082	-B085
LMP	#	B09	-B279
LMP	#	B330	-B349
LMP	#	B370	-B839
LMP	#	B86	-E899
SMP		F010	-F079
LMP	#	G000	-G419
LMP	#	G450	-G479
LMP	#	G520	-G529
LMP	#	G580	
LMP	#	G588	-G98
LMP	#	I00	-I461
LMP	#	I470	-I958
LMP	#	I970	-I979
LMP	#	J010	-J051
LMP	#	J09	-J22
LMP	#	J310	-J329
LMP	#	J340	-J341
LMP	#	J343	-J348
LMP	#	J36	-J959
LMP	#	J961	
LMP	#	J980	-J989
LMP	#	K120	-K137
LMP	#	K20	-K929
LMP	#	L100	-L139
LMP	#	L270	-L279
LMP	#	L500	-L539
LMP	#	L710	-L719
LMP	#	L82	
LMP	#	L88	-L899
LMP	#	L930	-L932
LMP	#	L950	-L97
LMP	#	M000	-M1990
LMP	#	M300	-M352
LMP	#	M354	-M359
LMP	#	M410	-M435
LMP	#	M460	-M479
LMP	#	M481	-M519
LMP	#	M610	-M629

ICD-10-Mortality Manual 2c - 2014

LMP	#	M720	-M724
LMP	#	M728	-M729
LMP	#	M800	-M949
LMP	#	M960	-M969
LMP	#	N000	-N392
LMP	#	N394	-N459
LMP	#	N480	-N509
LMP	#	N61	-N839
LMP	#	N950	-N959
LMP	#	N980	-N999
LMP	#	Q000	-Q079
LMP	#	Q200	-Q380
LMP	#	Q382	-Q649
LMP	#	Q750	-Q799
LMP	#	Q850	-Q999
LMP	#	S010	-S049
LMP	#	S052	-S057
LMP	#	S059	-S099
LMP	#	S110	-S199
LMP	#	S210	-S299
LMP	#	S310	-S399
LMP	#	S410	-S499
LMP	#	S510	-S599
LMP	#	S610	-S699
LMP	#	S710	-S799
LMP	#	S810	-S899
LMP	#	S910	-T08
LMP	#	T091	-T10
LMP	#	T111	-T12
LMP	#	T131	-T139
LMP	#	T141	-T200
LMP	#	T202	-T210
LMP	#	T212	-T220
LMP	#	T222	-T230
LMP	#	T232	-T240
LMP	#	T242	-T250
LMP	#	T252	-Y899

F100 Address

LMP		E244	
LDC		E249	E244
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312

ICD-10-Mortality Manual 2c - 2014

LDC	I420		I426	
LDC	I425		I426	
LMP	I426			
LDC	I428		I426	
LDC	I429		I426	
LDC	K290	-K291	K292	
LMP	K292			
LDC	K293	-K297	K292	
LMP	K700	-K709		
LMC	M	K720	K701	
LMC		K7200	K704	
LMC		K7210	K704	
LMC		K7290	K704	
LMC		K730	-K739	K701
LMC		K740	-K742	K702
LMC		K746		K703
LMC		K759		K701
LMC		K760		K700
LMC		K769		K709
LDC		K851		K852
LMP		K852		
LDC		K858	-K859	K852
LMP		K860		
LDC		K861	-K869	K860
LMP		O354		
LMP		X40	-X49	
LMP		X60	-X69	
LMP		X85	-X90	
LMP		Y10	-Y19	

F101 Address

LMP		E244		
LDC		E249		E244
LDC	M	G119		G312
LMP		G312		
LDC	M	G318		G312
LDC		G319		G312
LMP		G621		
LDC		G629		G621
LMP		G721		
LDC		G729		G721
LDC		G934		G312
LDC		I420		I426
LDC		I425		I426
LMP		I426		
LDC		I428		I426
LDC		I429		I426
LDC		K290	-K291	K292
LMP		K292		
LDC		K293	-K297	K292

ICD-10-Mortality Manual 2c - 2014

LMP		K700	-K709	
LMC	M	K720		K701
LMC		K7200		K704
LMC		K7210		K704
LMC		K7290		K704
LMC		K730	-K739	K701
LMC		K740	-K742	K702
LMC		K746		K703
LMC		K759		K701
LMC		K760		K700
LMC		K769		K709
LDC		K851		K852
LMP		K852		
LDC		K858	-K859	K852
LMP		K860		
LDC		K861	-K869	K860
LMP		O354		
LMP		X40	-X49	
LMP		X60	-X69	
LMP		X85	-X90	
LMP		Y10	-Y19	

F102 Address

LMP		E244		
LDC		E249		E244
LMC		F069		F107
LMP		F104		
LMP		F106	-F107	
LDC	M	G119		G312
LMP		G312		
LDC	M	G318		G312
LDC		G319		G312
LMP		G621		
LDC		G629		G621
LMP		G721		
LDC		G729		G721
LDC		G934		G312
LDC		I420		I426
LDC		I425		I426
LMP		I426		
LDC		I428		I426
LDC		I429		I426
LDC		K290	-K291	K292
LMP		K292		
LDC		K293	-K297	K292
LMP		K700	-K709	
LMC	M	K720		K701
LMC		K7200		K704
LMC		K7210		K704
LMC		K7290		K704

ICD-10-Mortality Manual 2c - 2014

LMC	K730	-K739	K701
LMC	K740	-K742	K702
LMC	K746		K703
LMC	K759		K701
LMC	K760		K700
LMC	K769		K709
LDC	K851		K852
LMP	K852		
LDC	K858	-K859	K852
LMP	K860		
LDC	K861	-K869	K860
LMP	O354		
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F103 Address

LMP		E244	
LDC		E249	E244
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426
LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290	-K291 K292
LMP		K292	
LDC		K293	-K297 K292
LMP		K700	-K709
LMC	M	K720	K701
LMC		K7200	K704
LMC		K7210	K704
LMC		K7290	K704
LMC		K730	-K739 K701
LMC		K740	-K742 K702
LMC		K746	K703
LMC		K759	K701
LMC		K760	K700
LMC		K769	K709
LDC		K851	K852
LMP		K852	

ICD-10-Mortality Manual 2c - 2014

LDC	K858	-K859	K852
LMP	K860		
LDC	K861	-K869	K860
LMP	O354		
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F104 Address

LMP	E244		
LDC	E249		E244
LDC	M	G119	G312
LMP	G312		
LDC	M	G318	G312
LDC	G319		G312
LMP	G621		
LDC	G629		G621
LMP	G721		
LDC	G729		G721
LDC	G934		G312
LDC	I420		I426
LDC	I425		I426
LMP	I426		
LDC	I428		I426
LDC	I429		I426
LDC	K290	-K291	K292
LMP	K292		
LDC	K293	-K297	K292
LMP	K700	-K709	
LMC	M	K720	K701
LMC	K7200		K704
LMC	K7210		K704
LMC	K7290		K704
LMC	K730	-K739	K701
LMC	K740	-K742	K702
LMC	K746		K703
LMC	K759		K701
LMC	K760		K700
LMC	K769		K709
LDC	K851		K852
LMP	K852		
LDC	K858	-K859	K852
LMP	K860		
LDC	K861	-K869	K860
LMP	O354		
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

ICD-10-Mortality Manual 2c - 2014***F105 Address***

LMP		E244	
LDC		E249	E244
LMP		F102	
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426
LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290 -K291	K292
LMP		K292	
LDC		K293 -K297	K292
LMP		K700 -K709	
LMC	M	K720	K701
LMC		K7200	K704
LMC		K7210	K704
LMC		K7290	K704
LMC		K730 -K739	K701
LMC		K740 -K742	K702
LMC		K746	K703
LMC		K759	K701
LMC		K760	K700
LMC		K769	K709
LDC		K851	K852
LMP		K852	
LDC		K858 -K859	K852
LMP		K860	
LDC		K861 -K869	K860
LMP		O354	
LMP		X40 -X49	
LMP		X60 -X69	
LMP		X85 -X90	
LMP		Y10 -Y19	

F106 Address

LMP		E244	
LDC		E249	E244
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312

ICD-10-Mortality Manual 2c - 2014

LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426
LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290 -K291	K292
LMP		K292	
LDC		K293 -K297	K292
LMP		K700 -K709	
LMC	M	K720	K701
LMC		K7200	K704
LMC		K7210	K704
LMC		K7290	K704
LMC		K730 -K739	K701
LMC		K740 -K742	K702
LMC		K746	K703
LMC		K759	K701
LMC		K760	K700
LMC		K769	K709
LDC		K851	K852
LMP		K852	
LDC		K858 -K859	K852
LMP		K860	
LDC		K861 -K869	K860
LMP		O354	
LMP		X40 -X49	
LMP		X60 -X69	
LMP		X85 -X90	
LMP		Y10 -Y19	

F107 Address

LMP		E244	
LDC		E249	E244
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426

ICD-10-Mortality Manual 2c - 2014

LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290	-K291 K292
LMP		K292	
LDC		K293	-K297 K292
LMP		K700	-K709
LMC	M	K720	K701
LMC		K7200	K704
LMC		K7210	K704
LMC		K7290	K704
LMC		K730	-K739 K701
LMC		K740	-K742 K702
LMC		K746	K703
LMC		K759	K701
LMC		K760	K700
LMC		K769	K709
LDC		K851	K852
LMP		K852	
LDC		K858	-K859 K852
LMP		K860	
LDC		K861	-K869 K860
LMP		O354	
LMP		X40	-X49
LMP		X60	-X69
LMP		X85	-X90
LMP		Y10	-Y19

F108 Address

LMP		E244	
LDC		E249	E244
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426
LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290	-K291 K292
LMP		K292	
LDC		K293	-K297 K292
LMP		K700	-K709
LMC	M	K720	K701

ICD-10-Mortality Manual 2c - 2014

LMC	K7200		K704
LMC	K7210		K704
LMC	K7290		K704
LMC	K730	-K739	K701
LMC	K740	-K742	K702
LMC	K746		K703
LMC	K759		K701
LMC	K760		K700
LMC	K769		K709
LDC	K851		K852
LMP	K852		
LDC	K858	-K859	K852
LMP	K860		
LDC	K861	-K869	K860
LMP	O354		
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F109 Address

LMP		E244	
LDC		E249	E244
LMC		F03	F107
LMC		F059	F104
LMC		F069	F107
SMP		F100	-F108
LMC		F29	F105
LDC	M	G119	G312
LMP		G312	
LDC	M	G318	G312
LDC		G319	G312
SDC		G479	F108
LMP		G621	
LDC		G629	G621
LMP		G721	
LDC		G729	G721
LDC		G934	G312
LDC		I420	I426
LDC		I425	I426
LMP		I426	
LDC		I428	I426
LDC		I429	I426
LDC		K290	-K291 K292
LMP		K292	
LDC		K293	-K297 K292
LMP		K700	-K709
LMC	M	K720	K701
LMC		K7200	K704
LMC		K7210	K704

ICD-10-Mortality Manual 2c - 2014

LMC	K7290		K704
LMC	K730	-K739	K701
LMC	K740	-K742	K702
LMC	K746		K703
LMC	K759		K701
LMC	K760		K700
LMC	K769		K709
LDC	K851		K852
LMP	K852		
LDC	K858	-K859	K852
LMP	K860		
LDC	K861	-K869	K860
LMP	O354		
LMC	R413		F106
LMC M	R418		F107
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F110 Address

LMP	F112		
LMC	F29		F115
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F111 Address

LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F112 Address

LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F113 Address

LMC	F059		F114
SMP	F114		
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F114 Address

LMP	X40	-X49	
-----	-----	------	--

ICD-10-Mortality Manual 2c - 2014

LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F115 Address

LMP	F112	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F116 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F117 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F118 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F119 Address

SDC	F03		F117
SDC	F059		F114
SMP	F110	-F118	
SDC	M	F220	F115
SDC	M	F28	F115
LMC		F29	F115
SDC	M	F39	F118
SDC		F419	F118
SDC		R413	F116
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F120 Address

LMP	F122		
LMC	F29		F125
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	

ICD-10-Mortality Manual 2c - 2014

LMP Y10 -Y19

F121 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F122 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F123 Address

LMC F059 F124
SMP F124
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F124 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F125 Address

LMP F122
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F126 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F127 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F128 Address

LMP X40 -X49
LMP X60 -X69

ICD-10-Mortality Manual 2c - 2014

LMP X85 -X90
LMP Y10 -Y19

F129 Address

SDC F03 F127
SDC F059 F124
SMP F120 -F128
SDC M F220 F125
SDC M F28 F125
LMC F29 F125
SDC M F39 F128
SDC F419 F128
SDC R413 F126
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F130 Address

LMP F132
LMC F29 F135
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F131 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F132 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F133 Address

LMC F059 F134
SMP F134
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F134 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90

ICD-10-Mortality Manual 2c - 2014

LMP Y10 -Y19

F135 Address

LMP F132
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F136 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F137 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F138 Address

LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F139 Address

SDC F03 F137
SDC F059 F134
SMP F130 -F138
SDC M F220 F135
SDC M F28 F135
LMC F29 F135
SDC M F39 F138
SDC F419 F138
SDC R413 F136
SDC R418 F137
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F140 Address

LMP F142
LMC F29 F145
LMP X40 -X49
LMP X60 -X69
LMP X85 -X90
LMP Y10 -Y19

F141 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F142 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F143 Address

LMC	F059	F144
SMP	F144	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F144 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F145 Address

LMP	F142	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F146 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F147 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F148 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90

ICD-10-Mortality Manual 2c - 2014

LMP Y10 -Y19

F149 Address

SDC	F03	F147
SDC	F059	F144
SMP	F140	-F148
SDC M	F220	F145
SDC M	F28	F145
LMC	F29	F145
SDC M	F39	F148
SDC	F419	F148
SDC	R413	F146
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F150 Address

LMP	F152	
LMC	F29	F155
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F151 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F152 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F153 Address

LMC	F059	F154
SMP	F154	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F154 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F155 Address

LMP	F152	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F156 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F157 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F158 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F159 Address

SDC	F03		F157
SDC	F059		F154
SMP	F150	-F158	
SDC M	F220		F155
SDC M	F28		F155
LMC	F29		F155
SDC M	F39		F158
SDC	F419		F158
SDC	R413		F156
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F160 Address

LMP	F162		
LMC	F29		F165
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F161 Address

ICD-10-Mortality Manual 2c - 2014

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F162 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F163 Address

LMC	F059	F164
SMP	F164	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F164 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F165 Address

LMP	F162	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F166 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F167 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F168 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F169 Address

SDC	F03		F167
SDC	F059		F164
SMP	F160	-F168	
SDC M	F220		F165
SDC M	F28	-F29	F165
SDC M	F39		F168
SDC	F419		F168
SDC	R413		F166
SDC	R418		F167
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F170 Address

LDP	C340	-C349	
LMP	F172		
LMC	F29		F175
LDP	I200	-I259	
LDP	J40	-J47	

F171 Address

LDP	C340	-C349	
LDP	I200	-I259	
LDP	J40	-J47	

F172 Address

LDP	C340	-C349	
LDP	I200	-I259	
LDP	J40	-J47	

F173 Address

LDP	C340	-C349	
LMC	F059		F174
LDP	I200	-I259	
LDP	J40	-J47	

F174 Address

LDP	C340	-C349	
LDP	I200	-I259	
LDP	J40	-J47	

F175 Address

LDP	C340	-C349	
LMP	F172		
LDP	I200	-I259	
LDP	J40	-J47	

ICD-10-Mortality Manual 2c - 2014

F176 Address

LDP	C340	-C349
LDP	I200	-I259
LDP	J40	-J47

F177 Address

LDP	C340	-C349
LDP	I200	-I259
LDP	J40	-J47

F178 Address

LDP	C340	-C349
LDP	I200	-I259
LDP	J40	-J47

F179 Address

LDP	C340	-C349	
SDC	F03		F177
SDC	F059		F174
SMP	F170	-F178	
SDC M	F220		F175
SDC M	F28		F175
LMC	F29		F175
SDC M	F39		F178
SDC	F419		F178
LDP	I200	-I259	
LDP	J40	-J47	
SDC	R413		F176

F180 Address

LMP	F182		
LMC	F29		F185
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F181 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F182 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

ICD-10-Mortality Manual 2c - 2014

F183 Address

LMC	F059	F184
SMP	F184	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F184 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F185 Address

LMP	F182	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F186 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F187 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F188 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F189 Address

SDC	F03	F187
SDC	F059	F184
SMP	F180	-F188
SDC M	F220	F185
SDC M	F28	F185
LMC	F29	F185
SDC M	F39	F188
SDC	F419	F188
SDC	R413	F186

ICD-10-Mortality Manual 2c - 2014

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F190 Address

LMP	F192	
LMC	F29	F195
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F191 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F192 Address

SMP	F112	
SMP	F122	
SMP	F132	
SMP	F142	
SMP	F152	
SMP	F162	
SMP	F182	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F193 Address

LMC	F059	F194
SMP	F194	
LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F194 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F195 Address

LMP	F192	
LMP	X40	-X49
LMP	X60	-X69

ICD-10-Mortality Manual 2c - 2014

LMP	X85	-X90
LMP	Y10	-Y19

F196 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F197 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F198 Address

LMP	X40	-X49
LMP	X60	-X69
LMP	X85	-X90
LMP	Y10	-Y19

F199 Address

SDC	F03		F197
SDC	F059		F194
SMP	M	F100	-F198
SDC	M	F220	F195
SDC	M	F28	F195
LMC		F29	F195
SDC	M	F39	F198
SDC		F419	F198
SDC		R413	F196
LMP	X40	-X49	
LMP	X60	-X69	
LMP	X85	-X90	
LMP	Y10	-Y19	

F209 Address

SMP	F200	-F208	
SDC	F220		F200
SDC	F329		F204
SDC	F442		F202

F220 Address

SMP	M	F105	
DSC	M	F109	F105

F229 Address

SMP	F220	-F228	
-----	------	-------	--

F239 Address

ICD-10-Mortality Manual 2c - 2014

SMP F230 -F238

F259 Address

SMP F250 -F258

F28 Address

SMP M F105

F29 Address

LMP # A000 -A310

LMP # A318 -A427

LMP # A429 -A599

LMP # A601 -A70

LMP # A748 -B001

LMP # B003 -B004

LMP # B007

LMP # B009 -B068

LMP # B080

LMP # B082 -B085

LMP # B09 -B279

LMP # B330 -B349

LMP # B370 -B839

LMP # B86 -E899

DSC F100 F105

DSC F102 F105

SMP M F105

DSC F109 F105

DSC F110 F115

DS F115

DSC F119 F115

DSC F120 F125

DS F125

DSC F129 F125

DSC F130 F135

DS M F135

DSC F139 F135

DSC F140 F145

DS M F145

DSC F149 F145

DSC F150 F155

DSC F159 F155

DSC F160 F165

DS M F165

DSC F169 F165

DSC F170 F175

DS M F175

DSC F179 F175

DSC F180 F185

DS M F185

DSC F189 F185

ICD-10-Mortality Manual 2c - 2014

DSC		F190	F195
DS	M	F195	
DSC		F199	F195
DS	M	F302	
DSC		F309	F302
DSC		F311	F312
DS	M	F312	
DSC		F314	F315
DS	M	F315	
DS	M	F323	
SDC		F329	F323
LMP	#	G000	-G419
LMP	#	G450	-G479
LMP	#	G520	-G529
LMP	#	G580	
LMP	#	G588	-G98
LMP	#	I00	-I461
LMP	#	I470	-I958
LMP	#	I970	-I979
LMP	#	J010	-J051
LMP	#	J09	-J22
LMP	#	J310	-J329
LMP	#	J340	-J341
LMP	#	J343	-J348
LMP	#	J36	-J959
LMP	#	J961	
LMP	#	J980	-J989
LMP	#	K120	-K137
LMP	#	K20	-K929
LMP	#	L100	-L139
LMP	#	L270	-L279
LMP	#	L500	-L539
LMP	#	L710	-L719
LMP	#	L82	
LMP	#	L88	-L899
LMP	#	L930	-L932
LMP	#	L950	-L97
LMP	#	M000	-M1990
LMP	#	M300	-M352
LMP	#	M354	-M359
LMP	#	M410	-M435
LMP	#	M460	-M479
LMP	#	M481	-M519
LMP	#	M610	-M629
LMP	#	M720	-M724
LMP	#	M728	-M729
LMP	#	M800	-M949
LMP	#	M960	-M969
LMP	#	N000	-N392
LMP	#	N394	-N459

ICD-10-Mortality Manual 2c - 2014

LMP	#	N480	-N509
LMP	#	N61	-N839
LMP	#	N950	-N959
LMP	#	N980	-N999
LMP	#	Q000	-Q079
LMP	#	Q200	-Q380
LMP	#	Q382	-Q649
LMP	#	Q750	-Q799
LMP	#	Q850	-Q999
LMP	#	S010	-S049
LMP	#	S052	-S057
LMP	#	S059	-S099
LMP	#	S110	-S199
LMP	#	S210	-S299
LMP	#	S310	-S399
LMP	#	S410	-S499
LMP	#	S510	-S599
LMP	#	S610	-S699
LMP	#	S710	-S799
LMP	#	S810	-S899
LMP	#	S910	-T08
LMP	#	T091	-T10
LMP	#	T111	-T12
LMP	#	T131	-T139
LMP	#	T141	-T200
LMP	#	T202	-T210
LMP	#	T212	-T220
LMP	#	T222	-T230
LMP	#	T232	-T240
LMP	#	T242	-T250
LMP	#	T252	-Y899

F301 Address

SMP	F302
-----	------

F309 Address

DS	M	F105	
DSC	M	F109	F105
LMC		F29	F302
SMP		F300	-F308
LDC		R401	F302

F311 Address

LMC	F29	F312
SMP	F312	

F314 Address

LMC	F29	F315
SMP	F315	

F319 Address

SMP F310 -F318

F329 Address

SMP F320 -F328
DS F412
SDC F419 F412

F339 Address

SMP F330 -F338

F349 Address

SMP F340 -F348
LMC F919 F929

F39 Address

SMP M F108
DSC M F109 F108
SMP F300 -F388

F409 Address

SMP F400 -F408

F410 Address

LMP F400

F419 Address

SMP M F108
DSC F109 F108
LMC F329 F412
SMP F410 -F411
LMP F412
SMP F413 -F418

F429 Address

LMP F420 -F421
SMP F422 -F428

F432 Address

LMP F940

F439 Address

SMP F430 -F438

F440 Address

LMC F441 -F445 F447
DS F447

F441 Address

ICD-10-Mortality Manual 2c - 2014

LMC	F440		F447
LMC	F442	-F445	F447
DS	F447		

F442 Address

LMC	F440	-F441	F447
LMC	F443	-F445	F447
DS	F447		

F443 Address

LMC	F440	-F442	F447
LMC	F444	-F445	F447
DS	F447		

F444 Address

LMC	F440	-F443	F447
LMC	F445		F447
DS	F447		

F445 Address

LMC	F440	-F444	F447
LMC	F446		F447
DS	F447		

F446 Address

DSC	F445		F447
DS	F447		

F449 Address

SDC	F059		F448
SDC	F239		F448
SDC	F309		F448
SDC	F329		F448
SMP	F440	-F448	
SDC M	F453		F444
SDC	F513		F448
SDC M	G255		F444
SDC	G259		F444
SDC	G819		F444
SDC	G822		F444
SDC	G831	-G833	F444
SDC	G839		F444
SDC M	H525		F448
SDC	H530		F446
SDC M	H531		F446
SDC M	H538		F446
SDC	H539	-H540	F446
SDC	H913		F446
SDC	H919		F446
SDC	J385		F444

ICD-10-Mortality Manual 2c - 2014

SDC	M	J387	F448
SDC	M	J392	F448
SDC		M245	F444
SDC		M436	F444
SDC		M624	F444
SDC		R064	F445
SDC		R068	F445
SDC		R13	F444
SDC		R200	F446
SDC		R208	F446
SDC		R251	F444
SDC	M	R252	F444
SDC		R260	F444
SDC		R262 -R268	F444
SDC		R290	F445
SDC		R413	F440
SDC		R418	F443
SDC		R42	F448
SDC		R430	F446
SDC		R470	F444
SDC		R490 -R491	F444
SDC	M	R53	F444
SDC		R55	F448
SDC		R568	F445
SDC		R630	F448
SDC	M	R688	F441

F459 Address

SMP		F450 -F458	
SDC	M	R498	F444

F489 Address

SMP		F341	
SMP		F400 -F480	
SDC		F419	F411
LMP		F481	
SMP		F488	

F508 Address

DS		F320 -F329	
----	--	------------	--

F509 Address

SMP		F500 -F508	
-----	--	------------	--

F519 Address

SMP		F510 -F518	
-----	--	------------	--

F529 Address

SMP		F520 -F528	
-----	--	------------	--

F539 Address

SMP F530 -F538

F59 Address

SMP F500 -F55

F609 Address

SMP F600 -F608

F629 Address

SMP F620 -F628

F639 Address

SMP F630 -F638

F649 Address

SMP F640 -F648

F659 Address

SMP F650 -F658

F669 Address

SMP F660 -F668

F69 Address

SMP F600 -F688

F70 Address

LMP	F841		
DS	P000	-P073	*
DS	P100	-P112	*
DS	P119		*
DS	P159	-P219	*
DS	P350	-P359	*
DS	P370	-P379	*
DS	P520	-P529	*
DS	P570	-P579	*
DS	P90	-P919	*
DS	Q000	-Q079	

F71 Address

LMP	F841		
DS	P000	-P073	*
DS	P100	-P112	*
DS	P119		*
DS	P159	-P219	*
DS	P350	-P359	*
DS	P370	-P379	*
DS	P520	-P529	*

ICD-10-Mortality Manual 2c - 2014

DS	P570	-P579	*
DS	P90	-P919	*
DS	Q000	-Q079	

F72 Address

LMP	F841		
DS	P000	-P073	*
DS	P100	-P112	*
DS	P119		*
DS	P159	-P219	*
DS	P350	-P359	*
DS	P370	-P379	*
DS	P520	-P529	*
DS	P570	-P579	*
DS	P90	-P919	*
DS	Q000	-Q079	

F73 Address

LMP	F841		
DS	P000	-P073	*
DS	P100	-P112	*
DS	P119		*
DS	P159	-P219	*
DS	P350	-P359	*
DS	P370	-P379	*
DS	P520	-P529	*
DS	P570	-P579	*
DS	P90	-P919	*
DS	Q000	-Q079	

F78 Address

LMP	F841		
DS	P000	-P073	*
DS	P100	-P112	*
DS	P119		*
DS	P159	-P219	*
DS	P350	-P359	*
DS	P370	-P379	*
DS	P520	-P529	*
DS	P570	-P579	*
DS	P90	-P919	*
DS	Q000	-Q079	

F79 Address

SMP	F70	-F78	
LMP	F841		
DS	P000	-P073	
DS	P100	-P112	
DS	P119		
DS	P159	-P219	

ICD-10-Mortality Manual 2c - 2014

DS	P350	-P359	
DS	P370	-P379	
DS	P520	-P529	
DS	P570	-P579	
DS	P90	-P919	
DS	Q000	-Q079	

F809 Address

SMP	F800	-F808	
-----	------	-------	--

F811 Address

LMC	F810		F813
-----	------	--	------

F819 Address

SMP	F810	-F818	
-----	------	-------	--

F849 Address

SMP	F840	-F848	
-----	------	-------	--

F89 Address

SMP	F800	-F88	
-----	------	------	--

F909 Address

LMC	F70	-F79	F844
SMP	F900	-F908	
LMC	F919		F901

F919 Address

LMC	F349		F929
SDC	F909		F901
SMP	F910	-F918	

F929 Address

SMP	F920	-F928	
-----	------	-------	--

F939 Address

SMP	F930	-F938	
-----	------	-------	--

F949 Address

SMP	F940	-F948	
-----	------	-------	--

F959 Address

SMP	F950	-F958	
-----	------	-------	--

F989 Address

SMP	F900	-F988	
-----	------	-------	--

F99 Address

LMC	A000	-A310	F54
LMC	A318	-A427	F54

ICD-10-Mortality Manual 2c - 2014

LMC	A429	-A599	F54
LMC	A601	-A70	F54
LMC	A748	-B001	F54
LMC	B003	-B004	F54
LMC	B007		F54
LMC	B009	-B068	F54
LMC	B080		F54
LMC	B082	-B085	F54
LMC	B09	-B199	F54
LMC	B250	-B279	F54
LMC	B330	-B349	F54
LMC	B370	-B839	F54
LMC	B86	-E899	F54
SMP	F010	-F989	
LMC	G000	-G419	F54
LMC	G450	-G479	F54
LMC	G520	-G529	F54
LMC	G580		F54
LMC	G588	-G98	F54
LMC	I00	-I99	F54
LMC	J010	-J051	F54
LMC	J100	-J22	F54
LMC	J310	-J329	F54
LMC	J340	-J341	F54
LMC	J343	-J348	F54
LMC	J36	-J989	F54
LMC	K120	-K137	F54
LMC	K20	-K929	F54
LMC	L100	-L139	F54
LMC	L270	-L279	F54
LMC	L500	-L539	F54
LMC	L710	-L719	F54
LMC	L82		F54
LMC	L88	-L899	F54
LMC	L930	-L932	F54
LMC	L950	-L97	F54
LMC	M000	-M1990	F54
LMC	M300	-M352	F54
LMC	M354	-M359	F54
LMC	M410	-M435	F54
LMC	M460	-M479	F54
LMC	M481	-M519	F54
LMC	M610	-M629	F54
LMC	M720	-M724	F54
LMC	M728	-M729	F54
LMC	M800	-M949	F54
LMC	M960	-M969	F54
LMC	N000	-N392	F54
LMC	N394	-N459	F54
LMC	N480	-N509	F54

ICD-10-Mortality Manual 2c - 2014

LMC	N61	-N839	F54
LMC	N950	-N959	F54
LMC	N980	-N999	F54
LMC	Q000	-Q079	F54
LMC	Q200	-Q380	F54
LMC	Q382	-Q649	F54
LMC	Q750	-Q799	F54
LMC	Q850	-Q999	F54
LMC	S010	-S049	F54
LMC	S052	-S057	F54
LMC	S059	-S099	F54
LMC	S110	-S199	F54
LMC	S210	-S299	F54
LMC	S310	-S399	F54
LMC	S410	-S499	F54
LMC	S510	-S599	F54
LMC	S610	-S699	F54
LMC	S710	-S799	F54
LMC	S810	-S899	F54
LMC	S910	-T08	F54
LMC	T091	-T10	F54
LMC	T111	-T12	F54
LMC	T131	-T139	F54
LMC	T141	-T200	F54
LMC	T202	-T210	F54
LMC	T212	-T220	F54
LMC	T222	-T230	F54
LMC	T232	-T240	F54
LMC	T242	-T250	F54
LMC	T252	-Y899	F54

G

G000 Address

DSC	B24	B201
DSC M	B572	B574
DS	Q000 -Q079	
DSC	R75	B201

G001 Address

DSC	B24	B201
DSC M	B572	B574
DS	Q000 -Q079	
DSC	R75	B201

G002 Address

DSC	B24	B201
DSC M	B572	B574
DS	Q000 -Q079	

ICD-10-Mortality Manual 2c - 2014

DSC R75 B201

G003 Address

DSC M B24 B201
DSC M B24 B202
DSC M B572 B574
DS Q000 -Q079
DSC M R75 B201
DSC M R75 B202

G008 Address

DSC B24 B201
DSC M B572 B574
DS Q000 -Q079
DSC R75 B201

G009 Address

SMP M A010
SMP M A022
SMP A170
SMP A203
SMP M A228
SMP M A270 -A279
SMP M A321
SMP A390
SMP M A504
SMP M A514
SMP M A521
SMP M A548
SMP M A692
DSC B24 B201
DSC M B572 B574
SMP G000 -G008
DS Q000 -Q079
DSC R75 B201

G030 Address

SMP M A809
SMP A870 -A879
SMP B003
SMP B010
DSC B019 B010
SMP B021
SMP B051
DSC B059 B051
SMP M B060
DSC B069 B060
DSC B24 B208
SMP B261
SMP M B270 -B279

ICD-10-Mortality Manual 2c - 2014

SMP		B375		
SMP		B384		
SMP	M	B428		
SMP	M	B451		
SMP	M	B49		
SMP	M	B560	-B569	
DSC	M	B572		B574
SMP	M	B574		
SMP	M	B832		
SMP	M	B89		
DS		Q000	-Q079	
DSC		R75		B208

G031 Address

SMP	M	A010		
SMP	M	A022		
DSC		A029		A022
SMP		A170		
SMP		A203		
SMP	M	A228		
SMP	M	A270	-A279	
SMP	M	A321		
SMP		A390		
SMP	M	A504		
SMP	M	A514		
SMP	M	A521		
SMP	M	A548		
SMP	M	A692		
SMP	M	A809		
SMP		A870	-A879	
SMP		B003		
SMP		B010		
DSC		B019		B010
SMP		B021		
SMP		B051		
DSC		B059		B051
SMP	M	B060		
DSC		B069		B060
DSC		B24		B208
SMP		B261		
SMP	M	B270	-B279	
SMP		B375		
SMP		B384		
SMP	M	B428		
SMP	M	B451		
SMP	M	B49		
SMP	M	B560	-B569	
DSC	M	B572		B574
SMP	M	B574		
SMP	M	B832		

ICD-10-Mortality Manual 2c - 2014

SMP	M	B89		
SMP		G000	-G030	
SMP		G032	-G038	
DS		Q000	-Q079	
DSC		R75		B208

G032 Address

SMP	M	A010		
SMP	M	A022		
DSC		A029		A022
SMP		A170		
SMP		A203		
SMP	M	A228		
SMP	M	A270	-A279	
SMP	M	A321		
SMP		A390		
SMP	M	A504		
SMP	M	A514		
SMP	M	A521		
SMP	M	A548		
SMP	M	A692		
SMP	M	A809		
SMP		A870	-A879	
SMP		B003		
SMP		B010		
DSC		B019		B010
SMP		B021		
SMP		B051		
DSC		B059		B051
SMP	M	B060		
DSC		B069		B060
DSC		B24		B208
SMP		B261		
SMP	M	B270	-B279	
SMP		B375		
SMP		B384		
SMP	M	B428		
SMP	M	B451		
SMP	M	B49		
SMP	M	B560	-B569	
DSC	M	B572		B574
SMP	M	B574		
SMP	M	B832		
SMP	M	B89		
SMP		G000	-G030	
SMP		G038		
DS		Q000	-Q079	
DSC		R75		B208

G039 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A010	
SMP	M	A022	
DSC		A029	A022
SMP		A170	
SMP		A203	
SMP	M	A228	
SMP	M	A270	-A279
SMP	M	A321	
SMP		A390	
SMP	M	A504	
SMP	M	A514	
SMP	M	A521	
SMP	M	A548	
SMP	M	A692	
SMP	M	A809	
SMP		A870	-A879
SMP		B003	
SMP		B010	
DSC		B019	B010
SMP		B021	
SMP		B051	
DSC		B059	B051
SMP	M	B060	
DSC		B069	B060
DSC		B24	B208
SMP		B261	
SMP	M	B270	-B279
SMP		B375	
SMP		B384	
SMP	M	B428	
SMP	M	B451	
SMP	M	B49	
SMP	M	B560	-B569
DSC	M	B572	B574
SMP	M	B574	
SMP	M	B832	
SMP	M	B89	
SMP		G000	-G038
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
DS		Q000	-Q079
DSC		R75	B208

G041 Address

DSC	M	B572	B574
-----	---	------	------

G042 Address

SMP	M	A178	
SMP	M	A321	

ICD-10-Mortality Manual 2c - 2014

SMP	M	A398	
SMP	M	A504	
SMP	M	A521	
DSC		B019	B011
DSC		B059	B050
DSC		B069	B060
DSC		B24	B201
DSC	M	B572	B574
DSC		B589	B582
DS		Q000	-Q079
DSC		R75	B201

G048 Address

SMP	M	A923	
DSC		B019	B011
DSC		B059	B050
DSC		B069	B060
DSC		B24	B208
DSC	M	B572	B574
DSC		B589	B582
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
DS		Q000	-Q079
DSC		R75	B208

G049 Address

SMP	M	A178	
SMP	M	A321	
SMP	M	A398	
SMP	M	A504	
SMP	M	A521	
SMP		A850	-A858
SMP	M	A923	
SMP		B004	
SMP		B011	
DSC		B019	B011
SMP		B020	
SMP		B050	
DSC		B059	B050
SMP		B060	
DSC		B069	B060
DSC		B24	B208
SMP	M	B258	
SMP		B262	
SMP	M	B560	-B569
DSC	M	B572	B574
SMP	M	B574	
SMP		B582	
DSC		B589	B582

ICD-10-Mortality Manual 2c - 2014

SMP	M	B602	
SMP	M	B832	
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
SMP	M	M321	
DS		Q000	-Q079
DSC		R75	B208

G060 Address

DSC	M	A061	-A063	A066
DSC		A064	-A065	A066
SMP		A066		
DSC	M	A069		A066
SMP	M	A178		
SMP	M	A548		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B574
SMP	M	B650	-B659	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

G061 Address

SMP	M	A178		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B574
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

G062 Address

SMP	M	A171		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B574
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

G08 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B574

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

G09 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B574
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

G110 Address

LMC		G589	G602
-----	--	------	------

G111 Address

LMC		G589	G602
-----	--	------	------

G112 Address

LMC		G589	G602
-----	--	------	------

G113 Address

DSC		G119	G602
LMC		G589	G602

G114 Address

LMC		G589	G602
-----	--	------	------

G118 Address

LMC		G589	G602
-----	--	------	------

G119 Address

SMP		G110 -G118	
LMC		G589	G602

G122 Address

DS	M	B91	
----	---	-----	--

G1220 Address

DS	M	B91	
----	---	-----	--

G129 Address

SMP		G120 -G128	
-----	--	------------	--

G14 Address

DS		B91	
----	--	-----	--

G20 Address

SMP	M	A521	
-----	---	------	--

ICD-10-Mortality Manual 2c - 2014

LMC I951 G903

G2000 Address

SMP M A521

LMC I951 G903

G218 Address

DSC B24 B220

DSC R75 B220

G219 Address

SMP M A521

DSC B24 B220

SMP G210 -G218

DSC R75 B220

G239 Address

SMP G20 -G238

G248 Address

DSC M B572 B574

G249 Address

DSC B24 B220

DSC M B572 B574

SMP G240 -G248

DSC R75 B220

G250 Address

DSC M B572 B574

G252 Address

DSC M B572 B574

G253 Address

DSC M B572 B574

G255 Address

LMC I00 I029

LMC I010 -I019 I020

LMP I020 -I029

LMC I050 -I099 I020

G259 Address

DSC B24 B220

DSC M B572 B574

SMP G240 -G258

DSC R75 B220

G300 Address

ICD-10-Mortality Manual 2c - 2014

DS	Q900	-Q909	*
----	------	-------	---

G301 Address

DS	Q900	-Q909	*
----	------	-------	---

G308 Address

DS	Q900	-Q909	*
----	------	-------	---

G309 Address

SMP	G300	-G308	
DS	Q900	-Q909	*

G318 Address

DSC	M	E859	E854
-----	---	------	------

G319 Address

DS	A810		
DSC	B24		B220
DSC	M	E859	E854
SMP	G300	-G318	
DS	J09		
DSC	J1010		J108
DSC	J1110		J118
DS	Q000	-Q079	
DSC	R75		B220

G369 Address

DSC	B24		B220
SMP	G360	-G368	
DSC	R75		B220

G373 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

G374 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

G379 Address

DSC	B24		B220
SMP	G35	-G378	

ICD-10-Mortality Manual 2c - 2014

DSC R75 B220

G400 Address

DSC M B572 B574

G401 Address

DSC M B572 B574

G402 Address

DSC M B572 B574

G403 Address

DSC M B572 B574

G404 Address

DSC M B572 B574

DS G800 -G809

G405 Address

DSC M B572 B574

DS G800 -G809

G406 Address

DSC M B572 B574

DS G800 -G809

G407 Address

DSC M B572 B574

LMP G406

DS G800 -G809

G408 Address

DSC M B572 B574

LMP G401 -G402

DS G800 -G809

G409 Address

DSC M B572 B574

LMP G400 -G404

SMP G405 -G408

DS G800 -G809

LDC R42 G408

G410 Address

DSC M B572 B574

DS G800 -G809

G411 Address

DSC M B572 B574

DS G800 -G809

G412 Address

DSC M B572 B574
DS G800 -G809

G418 Address

DSC M B572 B574
DS G800 -G809

G419 Address

DSC M B572 B574
SMP G410 -G418
DS G800 -G809

G439 Address

SMP G430
LMP G431
SMP G432 -G438

G441 Address

DSC M B572 B574

G448 Address

DSC M B572 B574

G450 Address

DSC M B572 B574

G451 Address

DSC M B572 B574

G452 Address

DSC M B572 B574

G453 Address

DSC M B572 B574

G454 Address

DSC M B572 B574

G458 Address

DSC M B572 B574

G459 Address

DSC M B572 B574
SMP G450 -G458

G470 Address

DSC M B572 B574

ICD-10-Mortality Manual 2c - 2014

G471 Address

DSC M B572 B574

G472 Address

DSC M B572 B574

G473 Address

DSC M B572 B574

G478 Address

DSC M B572 B574

G479 Address

DSC M B572 B574
DSC F109 F108
SMP G470 -G478

G509 Address

SMP G500 -G508

G519 Address

SMP G510 -G518

G520 Address

LMC G521 -G523 G527
LMC G528 G527

G521 Address

LMC G520 G527
LMC G522 -G523 G527
LMC G528 G527

G522 Address

LMC G520 -G521 G527
LMC G523 G527
LMC G528 G527

G523 Address

LMC G520 -G522 G527
LMC G528 G527

G528 Address

LMC G520 -G523 G527

G529 Address

SMP G500 -G528

G547 Address

LMC M796 G546

ICD-10-Mortality Manual 2c - 2014

LMC R529 G546

G549 Address

SMP G540 -G548

G569 Address

SMP G560 -G568

G570 Address

DSC M B572 B574

G571 Address

DSC M B572 B574

G572 Address

DSC M B572 B574

G573 Address

DSC M B572 B574

G574 Address

DSC M B572 B574

G575 Address

DSC M B572 B574

G576 Address

DSC M B572 B574

G578 Address

DSC M B572 B574

G579 Address

DSC M B572 B574
SMP G570 -G578

G580 Address

DSC M B572 B574
DSC E100 -E103 E107
DS E104
DSC E105 -E106 E107
DS E107
DSC E108 E107
DSC E109 E104
DSC E110 -E113 E117
DS E114
DSC E115 -E116 E117
DS E117
DSC E118 E117
DSC E119 E114

ICD-10-Mortality Manual 2c - 2014

DSC	E120	-E123	E127
DS	E124		
DSC	E125	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E124
DSC	E130	-E133	E137
DS	E134		
DSC	E135	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E134
DSC	E140	-E143	E147
DS	E144		
DSC	E145	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E144

G587 Address

DSC	M	B572	B574
DSC		E100	-E103 E107
DS		E104	
DSC		E105	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E104
DSC		E110	-E113 E117
DS		E114	
DSC		E115	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E114
DSC		E120	-E123 E127
DS		E124	
DSC		E125	-E126 E127
DS		E127	
DSC		E128	E127
DSC		E129	E124
DSC		E130	-E133 E137
DS		E134	
DSC		E135	-E136 E137
DS		E137	
DSC		E138	E137
DSC		E139	E134
DSC		E140	-E143 E147
DS		E144	
DSC		E145	-E146 E147
DS		E147	
DSC		E148	E147

ICD-10-Mortality Manual 2c - 2014

DSC E149 E144

G588 Address

DSC M B572 B574
DSC E100 -E103 E107
DS E104
DSC E105 -E106 E107
DS E107
DSC E108 E107
DSC E109 E104
DSC E110 -E113 E117
DS E114
DSC E115 -E116 E117
DS E117
DSC E118 E117
DSC E119 E114
DSC E120 -E123 E127
DS E124
DSC E125 -E126 E127
DS E127
DSC E128 E127
DSC E129 E124
DSC E130 -E133 E137
DS E134
DSC E135 -E136 E137
DS E137
DSC E138 E137
DSC E139 E134
DSC E140 -E143 E147
DS E144
DSC E145 -E146 E147
DS E147
DSC E148 E147
DSC E149 E144

G589 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B220
DSC M B572 B574
DSC E100 -E103 E107
DS E104
DSC E105 -E106 E107
DS E107
DSC E108 E107
DSC E109 E104
DSC E110 -E113 E117
DS E114
DSC E115 -E116 E117

ICD-10-Mortality Manual 2c - 2014

DS	E117		
DSC	E118		E117
DSC	E119		E114
DSC	E120	-E123	E127
DS	E124		
DSC	E125	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E124
DSC	E130	-E133	E137
DS	E134		
DSC	E135	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E134
DSC	E140	-E143	E147
DS	E144		
DSC	E145	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E144
LMC	G119		G602
SMP	G560	-G588	
DSC M	R75		B201
DSC M	R75		B203
DSC M	R75		B208
DSC M	R75		B220

G609 Address

SMP	G600	-G608	
-----	------	-------	--

G610 Address

DSC M	B24		B201
DSC M	B24		B203
DSC M	B24		B208
DSC M	B572		B574
DSC M	R75		B201
DSC M	R75		B203
DSC M	R75		B208

G618 Address

DSC M	B24		B201
DSC M	B24		B203
DSC M	B24		B208
DSC M	B572		B574
DSC M	R75		B201
DSC M	R75		B203
DSC M	R75		B208

G619 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B574
SMP		G610 -G618	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

G628 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B220
DSC	M	B572	B574
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B220

G629 Address

DSC	M	B24	B220
DSC	M	B572	B574
DSC		E100 -E103	E107
DS		E104	
DSC		E105 -E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E104
DSC		E110 -E113	E117
DS		E114	
DSC		E115 -E116	E117
DS		E117	
DSC		E118	E117
DSC		E119	E114
DSC		E120 -E123	E127
DS		E124	
DSC		E125 -E126	E127
DS		E127	
DSC		E128	E127
DSC		E129	E124
DSC		E130 -E133	E137
DS		E134	
DSC		E135 -E136	E137
DS		E137	
DSC		E138	E137
DSC		E139	E134
DSC		E140 -E143	E147
DS		E144	
DSC		E145 -E146	E147

ICD-10-Mortality Manual 2c - 2014

DS	E147	
DSC	E148	E147
DSC	E149	E144
DSC	E859	E851
SMP	G600	-G628
DSC M	M069	M053
DSC M	R75	B220

G64 Address

DSC	B24	B220
DSC M	B572	B574
DSC	E100	-E103 E107
DS	E104	
DSC	E105	-E106 E107
DS	E107	
DSC	E108	E107
DSC	E109	E104
DSC	E110	-E113 E117
DS	E114	
DSC	E115	-E116 E117
DS	E117	
DSC	E118	E117
DSC	E119	E114
DSC	E120	-E123 E127
DS	E124	
DSC	E125	-E126 E127
DS	E127	
DSC	E128	E127
DSC	E129	E124
DSC	E130	-E133 E137
DS	E134	
DSC	E135	-E136 E137
DS	E137	
DSC	E138	E137
DSC	E139	E134
DSC	E140	-E143 E147
DS	E144	
DSC	E145	-E146 E147
DS	E147	
DSC	E148	E147
DSC	E149	E144
SMP	G600	-G629
DSC	R75	B220

G709 Address

SMP	G700	-G708
-----	------	-------

G710 Address

LMP	G712	
-----	------	--

ICD-10-Mortality Manual 2c - 2014

G718 Address

DSC	M	E100	-E103	E107
DS	M	E104		
DSC	M	E105	-E106	E107
DS	M	E107		
DSC	M	E108		E107
DSC	M	E109		E104
DSC	M	E110	-E113	E117
DS	M	E114		
DSC	M	E115	-E116	E117
DS	M	E117		
DSC	M	E118		E117
DSC	M	E119		E114
DSC	M	E120	-E123	E127
DS	M	E124		
DSC	M	E125	-E126	E127
DS	M	E127		
DSC	M	E128		E127
DSC	M	E129		E124
DSC	M	E130	-E133	E137
DS	M	E134		
DSC	M	E135	-E136	E137
DS	M	E137		
DSC	M	E138		E137
DSC	M	E139		E134
DSC	M	E140	-E143	E147
DS	M	E144		
DSC	M	E145	-E146	E147
DS	M	E147		
DSC	M	E148		E147
DSC	M	E149		E144

G719 Address

SMP		G710	-G718	
-----	--	------	-------	--

G729 Address

DSC		E859		E854
SMP		G700	-G728	
DSC		M349		M348

G801 Address

DS		Q000	-Q079	
----	--	------	-------	--

G802 Address

DS		Q000	-Q079	
----	--	------	-------	--

G803 Address

DS		Q000	-Q079	
----	--	------	-------	--

ICD-10-Mortality Manual 2c - 2014

G804 Address

DS Q000 -Q079

G808 Address

DS Q000 -Q079

G809 Address

SMC G249 G803
SMP G800 -G808
SMC G810 -G819 G802
SMC G820 G808
SMC G821 G801
SMC G822 -G825 G808
SMC G830 G801
SMC G831 -G833 G808
DS Q000 -Q079
SMC R270 G804

G810 Address

DS M A180
DS A390
DS M A398
DS M A521
DS M A548
DS M A800 -A804
DSC A809 A803
DS M A810 -A819
DS A830 -A89
DS B004
DS B010 -B011
DS B020 -B021
DS B060
DS B261 -B262
DS B375
DS M B384
DS B451
DSC M B572 B574
DS M B574
DS M B582
DS B690
DS M B900
DS C700 -C729
DS C793
DS D320 -D339
DS D420 -D439
DS G000 -G239
DS G300 -G379
DS G610 -G629
DS G700 -G729

ICD-10-Mortality Manual 2c - 2014

DS		G930	-G938	
DS		G950	-G968	
DS		G970	-G979	
DS		I600	-I698	
DS	M	M480		
DS		Q000	-Q079	

G811 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G000	-G239	
DS		G300	-G379	
DS		G610	-G629	
DS		G700	-G729	
DS		G930	-G938	
DS		G950	-G968	
DS		G970	-G979	
DS		I600	-I698	
DS	M	M480		
DS		Q000	-Q079	

G819 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		

ICD-10-Mortality Manual 2c - 2014

DS	M	A548	
DS	M	A800	-A804
DSC		A809	A803
DS	M	A810	-A819
DS		A830	-A89
DS		B004	
DS		B010	-B011
DS		B020	-B021
DS		B060	
DS		B261	-B262
DS		B375	
DS	M	B384	
DS		B451	
DSC	M	B572	B574
DS	M	B574	
DS	M	B582	
DS		B690	
DS	M	B900	
DS		C700	-C729
DS		C793	
DS		D320	-D339
DS		D420	-D439
DS		G000	-G239
DS		G300	-G379
DS		G610	-G629
DS		G700	-G729
SMP		G810	-G811
DS		G930	-G938
DS		G950	-G968
DS		G970	-G979
DS		I600	-I698
DS	M	M480	
DS		Q000	-Q079

G820 Address

DSC		A809	A803
DSC	M	B572	B574
DS	M	B91	
DS	M	M480	

G821 Address

DSC		A809	A803
DSC	M	B572	B574
DS	M	B91	
DS	M	M480	

G822 Address

DS	M	A180	
DS		A390	
DS	M	A398	

ICD-10-Mortality Manual 2c - 2014

DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G09		
SMP		G820	-G821	
DS		I600	-I698	
DS	M	M480		

G823 Address

DSC		A809		A803
DSC	M	B572		B574
DS	M	B91		
DS	M	M480		

G824 Address

DSC		A809		A803
DSC	M	B572		B574
DS	M	B91		
DS	M	M480		

G825 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	

ICD-10-Mortality Manual 2c - 2014

DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G09		
SMP		G823	-G824	
DS		I600	-I698	
DS	M	M480		

G830 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		

ICD-10-Mortality Manual 2c - 2014

DS D320 -D339
DS D420 -D439
DS G09
DS I600 -I698
DS M M480

G831 Address

DS M A180
DS A390
DS M A398
DS M A521
DS M A548
DS M A800 -A804
DSC A809 A803
DS M A810 -A819
DS A830 -A89
DS B004
DS B010 -B011
DS B020 -B021
DS B060
DS B261 -B262
DS B375
DS M B384
DS B451
DSC M B572 B574
DS M B574
DS M B582
DS B690
DS M B900
DS M B91
DS C700 -C729
DS C793
DS D320 -D339
DS D420 -D439
DS G09
DS I600 -I698
DS M M480

G832 Address

DS M A180
DS A390
DS M A398
DS M A521
DS M A548
DS M A800 -A804
DSC A809 A803
DS M A810 -A819
DS A830 -A89
DS B004
DS B010 -B011

ICD-10-Mortality Manual 2c - 2014

DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G09		
DS		I600	-I698	
DS	M	M480		

G833 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G09		
DS		I600	-I698	

ICD-10-Mortality Manual 2c - 2014

DS M M480

G834 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	
DS		B375		
DS	M	B384		
DS		B451		
DSC	M	B572		B574
DS	M	B574		
DS	M	B582		
DS		B690		
DS	M	B900		
DS	M	B91		
DS		C700	-C729	
DS		C793		
DS		D320	-D339	
DS		D420	-D439	
DS		G09		
DS		G35	-G379	
DS		I600	-I698	
DS	M	M480		

G838 Address

DS	M	A180		
DS		A390		
DS	M	A398		
DS	M	A521		
DS	M	A548		
DS	M	A800	-A804	
DSC		A809		A803
DS	M	A810	-A819	
DS		A830	-A89	
DS		B004		
DS		B010	-B011	
DS		B020	-B021	
DS		B060		
DS		B261	-B262	

ICD-10-Mortality Manual 2c - 2014

DS		B375	
DS	M	B384	
DS		B451	
DSC	M	B572	B574
DS	M	B574	
DS	M	B582	
DS		B690	
DS	M	B900	
DS	M	B91	
DS		C700	-C729
DS		C793	
DS		D320	-D339
DS		D420	-D439
DS		G09	
DS		I600	-I698
DS	M	M480	
DS	M	S000	-Y899

G839 Address

DS	M	A180	
DS	M	A328	
DS		A390	
DS	M	A398	
DSC	M	A509	A504
DS	M	A520	-A521
DSC	M	A523	A521
LMC		A539	A521
DS	M	A548	
DS	M	A800	-A804
DSC		A809	A803
DS	M	A810	-A819
DS		A830	-A89
DS		B003	-B004
DS		B010	-B011
DS		B020	-B021
DS	M	B022	
DS		B060	
DS	M	B24	
DS	M	B258	
DS		B261	-B262
DS	M	B268	
DS		B375	
DS	M	B384	
DS		B451	
DSC	M	B572	B574
DS	M	B574	
DS	M	B582	
DS		B690	
DS	M	B900	
DS	M	B91	

ICD-10-Mortality Manual 2c - 2014

DS		C700	-C729	
DS		C793		
DS	M	C80		
DS		D320	-D339	
DS		D420	-D439	
DS	M	D489		
DS	M	E713		
DS	M	E750	-E756	
DS		G09	-G239	
DS		G300	-G319	
DS		G540	-G629	
DS		G700	-G729	
SMP		G810	-G838	
DS		I600	-I698	
DS		M470	-M471	
DS	M	M480		
DS		M500		
DS		M510		
DS	M	N185		
DSC		N19		N185
DS	M	R75		

G904 Address

DS		S120	-S127	
DS		S129	-S131	
DS		S134		
DS		S140	-S142	
DS		S220	-S221	
DS		S240	-S242	
DS		T08		
DS		T093		

G909 Address

DSC		E100	-E103	E107
DS		E104		
DSC		E105	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E104
DSC		E110	-E113	E117
DS		E114		
DSC		E115	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E114
DSC		E120	-E123	E127
DS		E124		
DSC		E125	-E126	E127
DS		E127		
DSC		E128		E127

ICD-10-Mortality Manual 2c - 2014

DSC	E129		E124
DSC	E130	-E133	E137
DS	E134		
DSC	E135	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E134
DSC	E140	-E143	E147
DS	E144		
DSC	E145	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E144
DSC	E859		E854
SMP	G900	-G908	

G910 Address

SMP	M	A504	
DSC	M	B24	B220
DSC	M	B572	B574
SMP		Q030	-Q039
SMP		Q050	-Q054
DSC	M	R75	B220

G911 Address

SMP	M	A504	
DSC	M	B24	B220
DSC	M	B572	B574
SMP		Q030	-Q039
SMP		Q050	-Q054
DSC	M	R75	B220

G912 Address

SMP	M	A504	
DSC	M	B24	B220
DSC	M	B572	B574
SMP		Q030	-Q039
SMP		Q050	-Q054
DSC	M	R75	B220

G913 Address

SMP	M	A504	
DSC	M	B572	B574
SMP		Q030	-Q039
SMP		Q050	-Q054

G918 Address

SMP	M	A504	
DSC	M	B24	B220
DSC	M	B572	B574

ICD-10-Mortality Manual 2c - 2014

SMP		Q030	-Q039	
SMP		Q050	-Q054	
DSC	M	R75		B220

G919 Address

SMP	M	A504		
DSC	M	B24		B220
DSC	M	B572		B574
SMP		G910	-G918	
SMP		Q030	-Q039	
SMP		Q050	-Q054	
DSC	M	R75		B220

G931 Address

DS		A066		
DS		A170	-A179	
DS	M	A188		
DS		A321		
DS	M	A328		
DS		A390		
DS	M	A398		
DS		A504		
DS	M	A514		
DS	M	A520	-A521	
DS		A522	-A523	
DS	M	A548		
DS		A810	-A819	
DS		A830	-A89	
DS		A922	-A923	
DS		B003	-B004	
DS		B010	-B011	
DS		B020	-B022	
DS		B050	-B051	
DS		B060		
DSC	M	B24		B201
DSC	M	B24		B220
DS	M	B258		
DS		B261	-B262	
DS		B451		
DS		B500		
DS	M	B560	-B569	
DSC	M	B572		B574
DS		B574		
DS		B582		
DS	M	B602		
DS	M	B650	-B659	
DS	M	B673		
DS	M	B676		
DS	M	B679		
DS		B690		

ICD-10-Mortality Manual 2c - 2014

DS	M	B832	
DS		B900	
DS	M	B91	-B92
DS		B941	
DS		C700	-C729
DS		C793	-C794
DS	M	C80	-C859
DS	M	D036	
DS	M	D099	
DS		D320	-D339
DS		D420	-D439
DS	M	D489	
DS		E104	
DS		E114	
DS		E124	
DS		E134	
DS		E144	
DS	M	E200	-E213
DS	M	E740	
DS	M	E750	-E756
DS	M	E850	-E859
DS		G000	-G319
DS		G400	-G419
DS		G610	-G619
DS		G700	-G809
DS		G910	-G919
DS		G960	-G968
DS		G970	-G979
DS		I600	-I698
DS	M	J09	
DS	M	J108	
DS	M	J118	
DS	M	M050	-M069
DS	M	M321	
DS	M	M348	
DS	M	M350	
DS	M	M470	-M471
DS	M	M500	
DS	M	M510	
DS		Q000	-Q079
DSC	M	R75	B201
DSC	M	R75	B220
DS		S000	-S049
DS		S060	-S299
DS		T200	-T207
DS		T270	-T289
DS		T360	-T659
DS		T71	
DS		T750	-T789
DS		T981	

ICD-10-Mortality Manual 2c - 2014

G932 Address

DS		A066		
DS		A170	-A179	
DS	M	A188		
DS		A321		
DS	M	A328		
DS		A390		
DS	M	A398		
DS		A504		
DS	M	A514		
DS	M	A520	-A521	
DS		A522	-A523	
DS	M	A548		
DS		A810	-A819	
DS		A830	-A89	
DS		A922		
DS		B003	-B004	
DS		B010	-B011	
DS		B020	-B022	
DS		B050	-B051	
DS		B060		
DSC	M	B24		B201
DSC	M	B24		B220
DS	M	B258		
DS		B261	-B262	
DS		B451		
DS		B500		
DS	M	B560	-B569	
DSC	M	B572		B574
DS		B574		
DS		B582		
DS	M	B602		
DS	M	B650	-B659	
DS	M	B673		
DS	M	B676		
DS	M	B679		
DS		B690		
DS	M	B832		
DS		B900		
DS	M	B91	-B92	
DS		B941		
DS		C700	-C729	
DS		C793	-C794	
DS	M	C80	-C859	
DS	M	D036		
DS	M	D099		
DS		D320	-D339	
DS		D420	-D439	
DS	M	D489		

ICD-10-Mortality Manual 2c - 2014

DS		E104	
DS		E114	
DS		E124	
DS		E134	
DS		E144	
DS	M	E200	-E213
DS	M	E740	
DS	M	E750	-E756
DS	M	E850	-E859
DS		G000	-G319
DS		G400	-G419
DS		G610	-G619
DS		G700	-G809
DS		G960	-G968
DS		G970	-G979
DS		I600	-I698
DS	M	J09	
DS	M	J108	
DS	M	J118	
DS	M	M050	-M069
DS	M	M321	
DS	M	M348	
DS	M	M350	
DS	M	M470	-M471
DS	M	M500	
DS	M	M510	
DS		Q000	-Q079
DSC	M	R75	B201
DSC	M	R75	B220
DS		S000	-S049
DS		S060	-S299
DS		T200	-T207
DS		T270	-T289
DS		T360	-T659
DS		T780	-T789

G933 Address

DSC		B24	B220
DSC		R75	B220

G934 Address

DS		A066	
DS		A170	-A179
DS	M	A188	
DS		A321	
DS	M	A328	
DS		A390	
DS	M	A398	
DS		A504	
DS	M	A514	

ICD-10-Mortality Manual 2c - 2014

DS	M	A520	-A521	
DS		A522	-A523	
DS	M	A548		
DS		A810	-A819	
DS		A830	-A89	
DS		A922		
DS		B003	-B004	
DS		B010	-B011	
DS		B020	-B022	
DS		B050	-B051	
DS		B060		
DSC	M	B24		B201
DSC	M	B24		B220
DS	M	B258		
DS		B261	-B262	
DS		B451		
DS		B500		
DS	M	B560	-B569	
DSC	M	B572		B574
DS		B574		
DS		B582		
DS	M	B602		
DS	M	B650	-B659	
DS	M	B673		
DS	M	B676		
DS	M	B679		
DS		B690		
DS	M	B832		
DS		B900		
DS	M	B91	-B92	
DS		B941		
DS		C700	-C729	
DS		C793	-C794	
DS	M	C80	-C859	
DS	M	D036		
DS	M	D099		
DS		D320	-D339	
DS		D420	-D439	
DS	M	D489		
DS		E104		
DS		E114		
DS		E124		
DS		E134		
DS		E144		
DS	M	E200	-E213	
DS	M	E740		
DS	M	E750	-E756	
DS	M	E850	-E859	
DS		G000	-G319	
DS		G400	-G419	

ICD-10-Mortality Manual 2c - 2014

DS		G610	-G619	
DS		G700	-G809	
DS		G960	-G968	
DS		G970	-G979	
DS		I600	-I698	
DS	M	J09		
DSC		J1010		J108
DS	M	J108		
DSC		J1110		J118
DS	M	J118		
DS	M	M050	-M069	
DS	M	M321		
DS	M	M348		
DS	M	M350		
DS	M	M470	-M471	
DS	M	M500		
DS	M	M510		
DS		Q000	-Q079	
DSC	M	R75		B201
DSC	M	R75		B220

G935 Address

DS		A066		
DS		A170	-A179	
DS	M	A188		
DS		A321		
DS	M	A328		
DS		A390		
DS	M	A398		
DS		A504		
DS	M	A514		
DS	M	A520	-A521	
DS		A522	-A523	
DS	M	A548		
DS		A810	-A819	
DS		A830	-A89	
DS		A922		
DS		B003	-B004	
DS		B010	-B011	
DS		B020	-B022	
DS		B050	-B051	
DS		B060		
DSC	M	B24		B201
DSC	M	B24		B220
DS	M	B258		
DS		B261	-B262	
DS		B451		
DS		B500		
DS	M	B560	-B569	
DSC	M	B572		B574

ICD-10-Mortality Manual 2c - 2014

DS		B574	
DS		B582	
DS	M	B602	
DS	M	B650	-B659
DS	M	B673	
DS	M	B676	
DS	M	B679	
DS		B690	
DS	M	B832	
DS		B900	
DS	M	B91	-B92
DS		B941	
DS		C700	-C729
DS		C793	-C794
DS	M	C80	-C859
DS	M	D036	
DS	M	D099	
DS		D320	-D339
DS		D420	-D439
DS	M	D489	
DS		E104	
DS		E114	
DS		E124	
DS		E134	
DS		E144	
DS	M	E200	-E213
DS	M	E740	
DS	M	E750	-E756
DS	M	E850	-E859
DS		G000	-G319
DS		G400	-G419
DS		G610	-G619
DS		G700	-G809
DS		G960	-G968
DS		G970	-G979
DS		I600	-I698
DS	M	J09	
DS	M	J108	
DS	M	J118	
DS	M	M050	-M069
DS	M	M321	
DS	M	M348	
DS	M	M350	
DS	M	M470	-M471
DS	M	M500	
DS	M	M510	
DS		Q000	-Q079
DSC	M	R75	B201
DSC	M	R75	B220
DS		S000	-S049

ICD-10-Mortality Manual 2c - 2014

DS		S060	-S299
DS		T200	-T207
DS		T270	-T289
DS		T360	-T659
DS		T780	-T789
DS		T900	-T909
DS	M	T910	-T919

G936 Address

DS		A066	
DS		A170	-A179
DS	M	A188	
DS		A321	
DS	M	A328	
DS		A390	
DS	M	A398	
DS		A504	
DS	M	A514	
DS	M	A520	-A521
DS		A522	-A523
DS	M	A548	
DS		A810	-A819
DS		A830	-A89
DS		A922	
DS		B003	-B004
DS		B010	-B011
DS		B020	-B022
DS		B050	-B051
DS		B060	
DSC	M	B24	B201
DSC	M	B24	B220
DS	M	B258	
DS		B261	-B262
DS		B451	
DS		B500	
DS	M	B560	-B569
DSC	M	B572	B574
DS		B574	
DS		B582	
DS	M	B602	
DS	M	B650	-B659
DS	M	B673	
DS	M	B676	
DS	M	B679	
DS		B690	
DS	M	B832	
DS		B900	
DS	M	B91	-B92
DS		B941	
DS		C700	-C729

ICD-10-Mortality Manual 2c - 2014

DS		C793	-C794	
DS	M	C80	-C859	
DS	M	D036		
DS	M	D099		
DS		D320	-D339	
DS		D420	-D439	
DS	M	D489		
DS		E104		
DS		E114		
DS		E124		
DS		E134		
DS		E144		
DS	M	E200	-E213	
DS	M	E740		
DS	M	E750	-E756	
DS	M	E850	-E859	
DS		G000	-G319	
DS		G400	-G419	
DS		G610	-G619	
DS		G700	-G809	
DS		G960	-G968	
DS		G970	-G979	
DS		I600	-I698	
DS	M	J09		
DS	M	J108		
DS	M	J118		
DS	M	M050	-M069	
DS	M	M321		
DS	M	M348		
DS	M	M350		
DS	M	M470	-M471	
DS	M	M500		
DS	M	M510		
DS		Q000	-Q079	
DSC	M	R75		B201
DSC	M	R75		B220
DS		S000	-S049	
DS		S060	-S299	
DS		T200	-T207	
DS		T270	-T289	
DS		T360	-T659	
DS		T780	-T789	

G937 Address

DS		Y451		
----	--	------	--	--

G938 Address

DS		A066		
DS		A170	-A179	
DS	M	A188		

ICD-10-Mortality Manual 2c - 2014

DS		A321		
DS	M	A328		
DS		A390		
DS	M	A398		
DS		A504		
DS	M	A514		
DS	M	A520	-A521	
DS		A522	-A523	
DS	M	A548		
DS		A810	-A819	
DS		A830	-A89	
DS		A922		
DS		B003	-B004	
DS		B010	-B011	
DS		B020	-B022	
DS		B050	-B051	
DS		B060		
DSC	M	B24		B201
DSC	M	B24		B220
DS	M	B258		
DS		B261	-B262	
DS		B451		
DS		B500		
DS	M	B560	-B569	
DSC	M	B572		B574
DS		B574		
DS		B582		
DS	M	B602		
DS	M	B650	-B659	
DS	M	B673		
DS	M	B676		
DS	M	B679		
DS		B690		
DS	M	B832		
DS		B900		
DS	M	B91	-B92	
DS		B941		
DS		C700	-C729	
DS		C793	-C794	
DS	M	C80	-C859	
DS	M	D036		
DS	M	D099		
DS		D320	-D339	
DS		D420	-D439	
DS	M	D489		
DS		E104		
DS		E114		
DS		E124		
DS		E134		
DS		E144		

ICD-10-Mortality Manual 2c - 2014

DS	M	E200	-E213	
DS	M	E740		
DS	M	E750	-E756	
DS	M	E850	-E859	
DS		G000	-G319	
DS		G400	-G419	
DS		G610	-G619	
DS		G700	-G809	
DS		G960	-G968	
DS		G970	-G979	
DS		I600	-I698	
DS	M	J09		
DS	M	J108		
DS	M	J118		
DS	M	M050	-M069	
DS	M	M321		
DS	M	M348		
DS	M	M350		
DS	M	M470	-M471	
DS	M	M500		
DS	M	M510		
DS		Q000	-Q079	
DSC	M	R75		B201
DSC	M	R75		B220
DS		T900	-T919	

G939 Address

SMP	M	A010		
SMP	M	A022		
SMP		A066		
SMP		A170	-A171	
SMP	M	A178		
SMP	M	A228		
SMP	M	A270	-A279	
SMP		A321		
SMP		A390		
SMP	M	A398		
SMP	M	A428		
SMP	M	A504		
SMP	M	A514		
SMP	M	A521		
SMP	M	A548		
SMP	M	A692		
SMP	M	A800	-A89	
SMP	M	A922		
SMP		B003	-B004	
SMP		B010	-B011	
SMP		B020	-B021	
SMP		B050	-B051	
SMP	M	B060		

ICD-10-Mortality Manual 2c - 2014

DSC		B24		B220
SMP	M	B258		
SMP		B261	-B262	
SMP	M	B270	-B279	
SMP		B375		
SMP		B384		
SMP		B451		
SMP	M	B49		
SMP	M	B560	-B569	
DSC	M	B572		B574
SMP	M	B574		
SMP		B582		
SMP	M	B602		
SMP	M	B650	-B659	
SMP	M	B719		
SMP	M	B75		
SMP	M	B832		
SMP	M	B89		
SMP		C700		
SMP		C710	-C719	
SMP		C793		
SMP	M	C810	-C97	
SMP		D320		
SMP		D330	-D333	
SMP		D420		
SMP		D430	-D433	
SMP		G000	-G062	
SMP	M	G08	-G09	
SMP		G10	-G119	
SMP		G20	-G529	
SMP		G800	-G833	
SMP		G838	-G839	
SMP		G910	-G938	
SMP	M	I600	-I698	
SMP	M	J09		
SMP	M	J108		
SMP	M	J118		
SMP	M	M321		
SMP		Q000	-Q059	
DSC		R75		B220

G951 Address

DSC	M	B24		B220
DSC	M	B572		B574
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
DS	M	I330	-I359	

ICD-10-Mortality Manual 2c - 2014

DS	M	I38	
DS	M	I48	-I499
DS	M	I513	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS	M	O60	-O849
DS	M	O994	
DSC	M	R75	B220
DS	M	T455	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

G952 Address

DSC	M	B24	B220
DSC	M	B572	B574
DSC	M	R75	B220

G958 Address

DSC	M	B24	B220
DSC	M	B572	B574
DSC	M	R75	B220

G959 Address

SMP	M	A178	
SMP	M	A321	
SMP	M	A398	
SMP	M	A504	
SMP	M	A521	
SMP	M	A850	-A851
SMP	M	B004	
SMP	M	B011	
SMP	M	B020	
SMP	M	B050	
SMP	M	B060	
DSC	M	B24	B220

ICD-10-Mortality Manual 2c - 2014

SMP	M	B262		
SMP	M	B560	-B569	
DSC	M	B572		B574
SMP	M	B574		
SMP	M	B582		
SMP	M	B602		
SMP	M	B832		
SMP		C720		
SMP	M	C793		
SMP	M	C810	-C97	
SMP		D334		
SMP		D434		
SMP		G120	-G129	
SMP	M	G370	-G379	
SMP		G540	-G629	
SMP		G700	-G729	
SMP		G900	-G909	
SMP		G950	-G958	
SMP	M	J09		
SMP	M	J108		
SMP	M	J118		
SMP	M	M321		
DSC	M	M478	-M479	M471
SMP	M	M500		
DSC	M	M502	-M509	M500
SMP	M	M510		
DSC	M	M512	-M513	M510
DSC	M	M518	-M519	M510
SMP		Q050	-Q069	
DSC	M	R75		B220

G960 Address

DSC		B24		B220
DSC	M	B572		B574
DSC		R75		B220

G961 Address

DSC		B24		B220
DSC		R75		B220

G968 Address

DSC		B24		B220
DSC	M	B572		B574
DSC		R75		B220

G969 Address

DSC		B24		B220
DSC	M	B572		B574
SMP		G000	-G529	
SMP		G800	-G968	

ICD-10-Mortality Manual 2c - 2014

DSC R75 B220

G970 Address

DS M Y848

G971 Address

DS M Y848

G972 Address

DS Y831 -Y832

G978 Address

DS Y600 -Y849

DS Y881

DS Y883

G979 Address

DS Y600 -Y849

DS Y881

DS Y883

G98 Address

DSC B24 B220

DSC M B572 B574

SMP C470 -C479

SMP C700 -C729

SMP C793 -C794

SMP M C798

SMP M C810 -C97

SMP D320 -D339

SMP D361

SMP D420 -D439

SMP D482

SMP G000 -G969

SMP Q000 -Q079

DSC R75 B220

H

H019 Address

SMP H000 -H018

H029 Address

SMP H000 -H028

H049 Address

SMP H040 -H048

H050 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H051 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H052 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	T455	

H053 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H054 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

H055 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H058 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H059 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H050	-H058
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H100 Address

SMP		A185	
SMP		A211	
SMP	M	A368	
SMP	M	A398	
SMP	M	A527	
SMP		A543	
SMP	M	A711	
SMP		A740	
SMP		B005	
SMP		B023	
SMP		B301	-B309
SMP	M	B601	
SMP	M	B740	-B749
SMP	M	B89	
DSC		H161	H162
SMP	M	L120	-L129
SMP	M	L710	-L719

ICD-10-Mortality Manual 2c - 2014

H101 Address

SMP		A185	
SMP		A211	
SMP	M	A368	
SMP	M	A398	
SMP	M	A527	
SMP		A543	
SMP	M	A711	
SMP		A740	
SMP		B005	
SMP		B023	
SMP		B301	-B309
SMP	M	B601	
SMP	M	B740	-B749
SMP	M	B89	
DSC		H161	H162
SMP	M	L120	-L129
SMP	M	L710	-L719

H102 Address

SMP		A185	
SMP		A211	
SMP	M	A368	
SMP	M	A398	
SMP	M	A527	
SMP		A543	
SMP	M	A711	
SMP		A740	
SMP		B005	
SMP		B023	
SMP		B301	-B309
SMP	M	B601	
SMP	M	B740	-B749
SMP	M	B89	
DSC		H161	H162
SMP	M	L120	-L129
SMP	M	L710	-L719

H103 Address

SMP		A185	
SMP		A211	
SMP	M	A368	
SMP	M	A398	
SMP	M	A527	
SMP		A543	
SMP	M	A711	
SMP		A740	
SMP		B005	
SMP		B023	

ICD-10-Mortality Manual 2c - 2014

SMP		B301	-B309	
SMP	M	B601		
SMP	M	B740	-B749	
SMP	M	B89		
DSC		H161		H162
SMP	M	L120	-L129	
SMP	M	L710	-L719	

H104 Address

SMP		A185		
SMP		A211		
SMP	M	A368		
SMP	M	A398		
SMP	M	A527		
SMP		A543		
SMP	M	A711		
SMP		A740		
SMP		B005		
SMP		B023		
SMP		B301	-B309	
SMP	M	B601		
SMP	M	B740	-B749	
SMP	M	B89		
DSC		H161		H162
SMP	M	L120	-L129	
SMP	M	L710	-L719	

H105 Address

SMP		A185		
SMP		A211		
SMP	M	A368		
SMP	M	A398		
SMP	M	A527		
SMP		A543		
SMP	M	A711		
SMP		A740		
SMP		B005		
SMP		B023		
SMP		B301	-B309	
SMP	M	B601		
SMP	M	B740	-B749	
SMP	M	B89		
DSC		H161		H162
SMP	M	L120	-L129	
SMP	M	L710	-L719	

H108 Address

SMP		A185		
SMP		A211		
SMP	M	A368		

ICD-10-Mortality Manual 2c - 2014

SMP	M	A398		
SMP	M	A527		
SMP		A543		
SMP	M	A711		
SMP		A740		
SMP		B005		
SMP		B023		
SMP		B301	-B309	
SMP	M	B601		
SMP	M	B740	-B749	
SMP	M	B89		
DSC		H161		H162
SMP	M	L120	-L129	
SMP	M	L710	-L719	

H109 Address

SMP		A185		
SMP		A211		
SMP	M	A368		
SMP	M	A398		
SMP	M	A527		
SMP		A543		
SMP	M	A711		
SMP		A740		
SMP		B005		
SMP		B023		
SMP		B301	-B309	
SMP	M	B601		
SMP	M	B740	-B749	
SMP	M	B89		
SMP		H100	-H108	
DSC		H161		H162
SMP	M	L120	-L129	
SMP	M	L710	-L719	

H111 Address

DSC	M	E509		E501
-----	---	------	--	------

H119 Address

SMP		H100	-H118	
-----	--	------	-------	--

H159 Address

SMP		H150	-H158	
-----	--	------	-------	--

H160 Address

DSC		B059		B058
DSC		E509		E503

H161 Address

DSC		B059		B058
-----	--	------	--	------

ICD-10-Mortality Manual 2c - 2014

LMC H100 -H109 H162

H162 Address

DSC B059 B058

H163 Address

DSC B059 B058

H164 Address

DSC B059 B058

H168 Address

DSC B059 B058

DSC M E509 E504

H169 Address

DSC B059 B058

SMP H160 -H168

H178 Address

DSC M E509 E506

H179 Address

LMC M E507 H178

SMP H170 -H178

H184 Address

DSC M E509 E504

H188 Address

DSC M E509 E502

LMP M H160

H189 Address

SMP H160 -H188

H200 Address

DSC B589 B580

H201 Address

DSC B589 B580

H202 Address

DSC B589 B580

H208 Address

DSC B589 B580

H209 Address

DSC B589 B580

ICD-10-Mortality Manual 2c - 2014

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
SMP	H200	-H208	
LDC	H409		H404
LDC	L929		H201

H211 Address

LDP M H405

H219 Address

SMP H200 -H218

H259 Address

SMP H250 -H258

H268 Address

DSC H409 H401

H269 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107

ICD-10-Mortality Manual 2c - 2014

DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
SMP	H250	-H268	

H271 Address

LDP	H405
-----	------

H279 Address

SMP	H250	-H278
-----	------	-------

H300 Address

SMP	A185		
SMP	M	A300	-A309
SMP	M	A500	
SMP	M	A514	
SMP	M	A521	
SMP	M	A527	
SMP	M	B399	
SMP		B580	
SMP		H355	
SMP	M	I708	
SMP	M	N185	

H301 Address

SMP	A185
-----	------

ICD-10-Mortality Manual 2c - 2014

SMP	M	A300	-A309
SMP	M	A500	
SMP	M	A514	
SMP	M	A521	
SMP	M	A527	
SMP	M	B399	
SMP		B580	
SMP		H355	
SMP	M	I708	
SMP	M	N185	

H302 Address

SMP		A185	
SMP	M	A300	-A309
SMP	M	A500	
SMP	M	A514	
SMP	M	A521	
SMP	M	A527	
SMP	M	B399	
SMP		B580	
SMP		H355	
SMP	M	I708	
SMP	M	N185	

H309 Address

SMP		A185	
SMP	M	A300	-A309
SMP	M	A500	
SMP	M	A514	
SMP	M	A521	
SMP	M	A527	
SMP	M	B399	
SMP		B580	
DSC		E100	-E102 E107
DS		E103	
DSC		E104	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E103
DSC		E110	-E112 E117
DS		E113	
DSC		E114	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E113
DSC		E120	-E122 E127
DS		E123	
DSC		E124	-E126 E127
DS		E127	
DSC		E128	E127

ICD-10-Mortality Manual 2c - 2014

DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
SMP	H300	-H308	
SMP	H355		
SMP M	I708		
SMP M	N185		

H319 Address

SMP	H300	-H318	
-----	------	-------	--

H332 Address

SMP	H330	-H331	
LMC	H333		H330
DSC	H352		H334

H333 Address

LMC	H332		H330
-----	------	--	------

H340 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		

ICD-10-Mortality Manual 2c - 2014

DSC		E134	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E133
DSC		E140	-E142	E147
DS		E143		
DSC		E144	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E143
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
DS	M	I330	-I359	
DS	M	I38		
DS	M	I48	-I499	
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

H341 Address

DSC		E100	-E102	E107
DS		E103		
DSC		E104	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E103
DSC		E110	-E112	E117
DS		E113		

ICD-10-Mortality Manual 2c - 2014

DSC		E114	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E113
DSC		E120	-E122	E127
DS		E123		
DSC		E124	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E123
DSC		E130	-E132	E137
DS		E133		
DSC		E134	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E133
DSC		E140	-E142	E147
DS		E143		
DSC		E144	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E143
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
DS	M	I330	-I359	
DS	M	I38		
DS	M	I48	-I499	
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		

ICD-10-Mortality Manual 2c - 2014

DS M T858
DS M Y600 -Y849

H342 Address

DSC E100 -E102 E107
DS E103
DSC E104 -E106 E107
DS E107
DSC E108 E107
DSC E109 E103
DSC E110 -E112 E117
DS E113
DSC E114 -E116 E117
DS E117
DSC E118 E117
DSC E119 E113
DSC E120 -E122 E127
DS E123
DSC E124 -E126 E127
DS E127
DSC E128 E127
DSC E129 E123
DSC E130 -E132 E137
DS E133
DSC E134 -E136 E137
DS E137
DSC E138 E137
DSC E139 E133
DSC E140 -E142 E147
DS E143
DSC E144 -E146 E147
DS E147
DSC E148 E147
DSC E149 E143
DS M I011
DS M I020
DS M I050 -I069
DS M I080 -I089
DS M I091
DS M I330 -I359
DS M I38
DS M I48 -I499
DS M I513
DS M I741
DS M O033
DS M O038
DS M O043
DS M O048
DS M O053
DS M O058

ICD-10-Mortality Manual 2c - 2014

DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS	M	O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

H348 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
LDP	H405		

H349 Address

DSC	E100	-E102	E107
-----	------	-------	------

ICD-10-Mortality Manual 2c - 2014

DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
SMP	H340	-H348	

H350 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123

ICD-10-Mortality Manual 2c - 2014

DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
LMC	P070	-P073	H351

H352 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
LMC	H332		H334

H356 Address

DSC	E100	-E102	E107
DS	E103		

ICD-10-Mortality Manual 2c - 2014

DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E137
DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
DS	M	T455	

H359 Address

DSC	E100	-E102	E107
DS	E103		
DSC	E104	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E103
DSC	E110	-E112	E117
DS	E113		
DSC	E114	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E113
DSC	E120	-E122	E127
DS	E123		
DSC	E124	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E123
DSC	E130	-E132	E133

ICD-10-Mortality Manual 2c - 2014

DS	E133		
DSC	E134	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E133
DSC	E140	-E142	E147
DS	E143		
DSC	E144	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E143
SMP	H330	-H358	

H409 Address

LMC	H268		H401
SMP	H400	-H408	

H439 Address

SMP	H430	-H438	
-----	------	-------	--

H440 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC		B699	B691
LDC		H409	H404
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H441 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H442 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238

H443 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

H444 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

H445 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

H446 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

H447 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238

H448 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238
DS M T455

H449 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
SMP H440 -H448
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

H477 Address

SMP H46 -H476

H499 Address

SMP H490 -H498

H509 Address

SMP H500 -H505
LMP H506
SMP H508

H519 Address

SMP H510 -H518

H527 Address

SMP H520 -H526

H531 Address

DSC E509 E505

H536 Address

DSC E509 E505

H539 Address

SMP H530 -H538

ICD-10-Mortality Manual 2c - 2014

H549 Address

SMP H540 -H546

H579 Address

SMP A185
SMP A211
SMP M A300 -A309
SMP M A368
SMP M A398
SMP M A500
SMP M A514
SMP M A521
SMP M A527
SMP A543
SMP M A711
SMP A740
SMP B005
SMP B023
SMP B301 -B309
SMP M B399
SMP B580
SMP M B601
SMP M B740 -B749
SMP M B89
SMP C690 -C699
SMP M C794
SMP M C80 -C97
SMP D092
SMP D310 -D319
SMP M D487
SMP E103
SMP E113
SMP E123
SMP E133
SMP E143
SMP H000 -H578
LDC H264 H262
SMP M I708
SMP M L120 -L129
SMP M L710 -L719
SMP M N185
SMP Q100 -Q159

H590 Address

DSC M B24 B203
DSC M R75 B203
DS Y830 -Y832
DS Y834
DS Y836 -Y839

ICD-10-Mortality Manual 2c - 2014

DS M Y883

H598 Address

DSC M B24 B203
DSC M R75 B203
DS Y600 -Y849
DS Y881
DS Y883

H599 Address

DSC M B24 B203
SMP H590 -H598
DSC M R75 B203
DS Y600 -Y849
DS Y881
DS Y883

H609 Address

SMP H600 -H608

H619 Address

SMP H610 -H618

H650 Address

DSC M B24 B203
DSC M R75 B203

H651 Address

DSC M B24 B203
DSC M R75 B203

H652 Address

DSC M B24 B203
DSC M R75 B203

H653 Address

DSC M B24 B203
DSC M R75 B203

H654 Address

DSC M B24 B203
DSC M R75 B203

H659 Address

DSC M B24 B203
SMP H650 -H654
DSC M R75 B203

H660 Address

DSC B059 B053

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
DSC	M	R75	B203

H661 Address

DSC		B059	B053
DSC	M	B24	B203
DSC	M	R75	B203

H662 Address

DSC		B059	B053
DSC	M	B24	B203
DSC	M	R75	B203

H663 Address

DSC		B059	B053
DSC	M	B24	B203
DSC	M	R75	B203

H664 Address

DSC		B059	B053
DSC	M	B24	B203
DSC	M	R75	B203

H669 Address

DSC		B059	B053
DSC	M	B24	B203
SMP		H600	-H609
SMP		H650	-H664
DS		J09	
DSC	M	J1010	J108
DSC	M	J1110	J118
DSC	M	R75	B203

H680 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H681 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H690 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H698 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H699 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H690 -H698	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H700 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H701 Address

DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H702 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H708 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H709 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H700 -H708	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H71 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H720 Address

DSC	M	B24	B201
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H721 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H722 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H728 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H729 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H720 -H728	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H730 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H731 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H738 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H739 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H720 -H738	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H740 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

H741 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H742 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H743 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H744 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H748 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

H749 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H740 -H748	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H809 Address

SMP		H800 -H808	
-----	--	------------	--

H810 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H811 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H812 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H813 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H814 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H818 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H819 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		H810 -H818	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H830 Address

DSC	M	B24	B203
DSC	M	R75	B203

H831 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

H832 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

H839 Address

SMP		H800	-H838
-----	--	------	-------

H905 Address

SMP		H900	-H904
SMP		H906	-H908

H919 Address

SMP		H900	-H918
-----	--	------	-------

H939 Address

SMP		C301	
SMP		C432	
SMP		C442	
SMP	M	C490	
SMP	M	C783	
SMP	M	C798	-C97
SMP	M	D032	
SMP		D042	
SMP	M	D140	
SMP	M	D210	
SMP		D232	
SMP	M	D385	
SMP	M	D481	
SMP	M	D485	
SMP		H600	-H938
SMP		Q160	-Q179

H950 Address

DSC	M	B24	B203
DSC	M	R75	B203
DS	M	Y836	
DS	M	Y883	

H951 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	Y836	
DS	M	Y883	

H958 Address

DSC	M	B24	B203
DSC	M	R75	B203
DS		Y600	-Y849
DS		Y881	
DS		Y883	

H959 Address

DSC	M	B24	B203
SMP		H950	-H958
DSC	M	R75	B203
DS		Y600	-Y849
DS		Y881	
DS		Y883	

I

I00 Address

LMP		I010	-I099
-----	--	------	-------

I010 Address

LMC		I011	-I012	I018
LMC		I019		I018
DSC		I029		I020

I011 Address

LMC		I010		I018
LMC		I012		I018
LMC		I019		I018
DSC		I029		I020

I012 Address

LMC		I010	-I011	I018
LMC		I019		I018
DSC		I029		I020

I018 Address

DSC		I029		I020
-----	--	------	--	------

I019 Address

LMC		I010	-I012	I018
SMP		I018		

ICD-10-Mortality Manual 2c - 2014

DSC I029 I020

I029 Address

LMC I010 -I019 I020
SMP I020

I050 Address

LMC I051 I052
SMP I052
LMC I060 -I069 I080
LMC I070 -I079 I081
LMP I080 -I081
DSC I082 I083
SMP I083
LMP M I088
LMC M I098 I088

I051 Address

LMC I050 I052
SMP I052
LMC I060 -I069 I080
LMC I070 -I079 I081
LMP I080 -I081
DSC I082 I083
SMP I083
LMP M I088
DSC M I098 I088
LMC M I098 I098

I052 Address

LMC I060 -I069 I080
LMC I070 -I079 I081
LMP I080 -I081
DSC I082 I083
SMP I083
LMP M I088
LMC M I098 I088

I058 Address

LMC I060 -I069 I080
LMC I070 -I079 I081
LMP I080 -I081
DSC I082 I083
SMP I083
LMP M I088
LMC M I098 I088
LMP I340 -I349

I059 Address

SMP I050 -I058

ICD-10-Mortality Manual 2c - 2014

LMC	I060	-I069	I080
LMC	I070	-I079	I081
LMP	I080	-I081	
DSC	I082		I083
SMP	I083		
LMP M	I088		
LMC M	I098		I088
LMP	I340	-I349	

I060 Address

LMC	I050	-I059	I080
LMC	I061		I062
SMP	I062		
LMC	I070	-I079	I082
LMP	I080		
DSC	I081		I083
LMP	I082		
SMP	I083		
LMP M	I088		
LMC M	I098		I088

I061 Address

LMC	I050	-I059	I080
LMC	I060		I062
SMP	I062		
LMC	I070	-I079	I082
LMP	I080		
DSC	I081		I083
LMP	I082		
SMP	I083		
LMP M	I088		
LMC M	I098		I088

I062 Address

LMC	I050	-I059	I080
LMC	I070	-I079	I082
LMP	I080		
DSC	I081		I083
LMP	I082		
SMP	I083		
LMP M	I088		
LMC M	I098		I088

I068 Address

LMC	I050	-I059	I080
LMC	I070	-I079	I082
LMP	I080		
DSC	I081		I083
LMP	I082		
SMP	I083		

ICD-10-Mortality Manual 2c - 2014

LMP	M	I088	
LMC	M	I098	I088

I069 Address

LMC		I050	-I059	I080
SMP		I060	-I068	
LMC		I070	-I079	I082
LMP		I080		
DSC		I081		I083
LMP		I082		
SMP		I083		
LMP	M	I088		
LMC	M	I098		I088

I070 Address

LMC		I050	-I059	I081
LMC		I060	-I069	I082
LMC		I071		I072
SMP		I072		
DSC		I080		I083
LMP		I081	-I082	
SMP		I083		
LMP	M	I088		
LMC	M	I098		I088

I071 Address

LMC		I050	-I059	I081
LMC		I060	-I069	I082
LMC		I070		I072
SMP		I072		
DSC		I080		I083
LMP		I081	-I082	
SMP		I083		
LMP	M	I088		
LMC	M	I098		I088

I072 Address

LMC		I050	-I059	I081
LMC		I060	-I069	I082
DSC		I080		I083
LMP		I081	-I082	
SMP		I083		
LMP	M	I088		
LMC	M	I098		I088

I078 Address

LMC		I050	-I059	I081
LMC		I060	-I069	I082
DSC		I080		I083
LMP		I081	-I082	

ICD-10-Mortality Manual 2c - 2014

SMP		I083	
LMP	M	I088	
LMC	M	I098	I088

I079 Address

LMC		I050	-I059	I081
LMC		I060	-I069	I082
SMP		I070	-I078	
DSC		I080		I083
LMP		I081	-I082	
SMP		I083		
LMP	M	I088		
LMC	M	I098		I088

I080 Address

LMC		I070	-I079	I083
SMP		I083		
DSC	M	I098		I088

I081 Address

LMC		I060	-I069	I083
SMP		I083		
DSC	M	I098		I088

I082 Address

LMC		I050	-I059	I083
SMP		I083		
DSC	M	I098		I088

I083 Address

DSC	M	I098		I088
-----	---	------	--	------

I089 Address

SMP		I080	-I088	
-----	--	------	-------	--

I090 Address

SMP	M	I050	-I089	
-----	---	------	-------	--

I091 Address

LMP		I050	-I089	
-----	--	------	-------	--

I092 Address

SMP	M	I050	-I080	
-----	---	------	-------	--

I098 Address

SMP	M	I050	-I080	
LMC	M	I050	-I083	I088

I099 Address

LMP		I050	-I089	
-----	--	------	-------	--

ICD-10-Mortality Manual 2c - 2014

SMP M I090 -I098

I10 Address

SDC		G934	I674
LDP		H350	
LDC	M	I050	I342
LDC	M	I052	I342
LDC	M	I058	I348
LDC	M	I059	I349
LDC	M	I070	I360
LDC	M	I071	I361
LDC	M	I072	I362
LDC	M	I078	I368
LDC	M	I079	I369
LDC	M	I089	I38
LMP		I110	-I150
LMP		I200	-I229
LMP		I241	-I259
LDP		I340	-I38
SDC		I420	I119
SDC		I421	I119
SDC		I422	I119
SDC		I423	I119
SDC		I428	I119
SDC		I429	I119
LDC		I500	-I501 I110
LDC	M	I509	I110
LDC	M	I509	I132
LDC		I514	I119
LDC		I515	I119
LDC		I516	-I519 I119
LMP		I600	-I698
LMP		N000	-N019
LMP		N030	-N059
LMC		N181	-N19 I120
LMC		N26	I129
SDC		N289	I129

I110 Address

LMC		I120	I132
LMC		I129	I130
LMP		I130	
LMC		I131	I132
LMP		I132	
LMC		I139	-I150 I130
LMP		I200	-I229
LMP		I241	-I259
LMC		N181	-N19 I132
LMC		N26	I130

ICD-10-Mortality Manual 2c - 2014

I119 Address

SMP	I110		
LMC	I120		I131
LMC	I129		I139
LMP	I130	-I139	
LMC	I150		I139
LMP	I200	-I229	
LMP	I241	-I259	
LMC	I500	-I509	I110
LMC	N181	-N19	I131
LMC	N26		I139

I120 Address

LMC	I110		I132
LMC	I119		I131
LMP	I130	-I132	
LMC	I139		I131
LMP	I200	-I229	
LMP	I241	-I259	
LDC	I500	-I509	I132
LDC	I514	-I519	I131

I129 Address

LMC	I110		I130
LMC	I119		I139
SMP	I120		
LMP	I130	-I139	
LMP	I200	-I229	
LMP	I241	-I259	
LDC	I500	-I509	I130
LDC	I514	-I519	I139
LMC	N181	-N19	I120

I130 Address

LMP	I200	-I229	
LMP	I241	-I259	
LMC	N181	-N19	I132

I131 Address

LMP	I200	-I229	
LMP	I241	-I259	
LMC	I500	-I509	I132

I132 Address

LMP	I200	-I229	
LMP	I241	-I259	

I139 Address

SMP	I130	-I132	
-----	------	-------	--

ICD-10-Mortality Manual 2c - 2014

LMP	I200	-I229	
LMP	I241	-I259	
LMC	I500	-I509	I130
LMC	N181	-N19	I131

I150 Address

LMC	I110		I130
LMC	I119		I139
SMP	I120		
LMP	I130	-I139	
LMP	I200	-I229	
LMP	I241	-I259	
LDC	I500	-I509	I130
LDC	I514	-I519	I139
LMC	N181	-N19	I120

I159 Address

SMP	I150	-I158	
-----	------	-------	--

I200 Address

LMP	I210	-I229	
-----	------	-------	--

I201 Address

LMP	I210	-I229	
-----	------	-------	--

I208 Address

LMP	I210	-I229	
-----	------	-------	--

I209 Address

SMP	I200	-I208	
LMP	I210	-I229	

I210 Address

DSC		B24	B238
DS	M	I011	
DS	M	I020	
DS	M	I050	-I069
DS	M	I080	-I089
DS	M	I091	
LMP		I220	-I229
DS	M	I330	-I359
DS	M	I38	
DS	M	I513	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	

ICD-10-Mortality Manual 2c - 2014

DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

I211 Address

DSC		B24		B238
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
LMP		I220	-I229	
DS	M	I330	-I359	
DS	M	I38		
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

ICD-10-Mortality Manual 2c - 2014

I212 Address

DSC		B24		B238
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
LMP		I220	-I229	
DS	M	I330	-I359	
DS	M	I38		
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS	M	O60	-O849	
DS	M	O994		
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

I213 Address

DSC		B24		B238
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
LMP		I220	-I229	
DS	M	I330	-I359	
DS	M	I38		
DS	M	I513		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		

ICD-10-Mortality Manual 2c - 2014

DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS	M	O60	-O849
DS	M	O994	
DSC		R75	B238
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I214 Address

DSC		B24	B238
DS	M	I011	
DS	M	I020	
DS	M	I050	-I069
DS	M	I080	-I089
DS	M	I091	
LMP		I220	-I229
DS	M	I330	-I359
DS	M	I38	
DS	M	I513	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS	M	O60	-O849
DS	M	O994	
DSC		R75	B238
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	

ICD-10-Mortality Manual 2c - 2014

DS M T858
DS M Y600 -Y849

I219 Address

DSC B24 B238
SMP I210 -I214
LMP I220 -I229
DSC R75 B238
DS M T455

I2190 Address

DSC B24 B238
DS I011
DS I020
DS I050 -I069
DS I080 -I089
DS I091
SMP I210 -I214
LMP I220 -I229
DS M I330 -I339
DS I340 -I359
DS I38
DS I48 -I499
DS M I513
DS M I741
DS M O033
DS M O038
DS M O043
DS M O048
DS M O053
DS M O058
DS M O063
DS M O068
DS M O073
DS M O078
DS M O087
DS O60 -O849
DS M O994
DSC R75 B238

I220 Address

DSC B24 B238
DSC R75 B238

I221 Address

DSC B24 B238
DSC R75 B238

I228 Address

DSC B24 B238

ICD-10-Mortality Manual 2c - 2014

DSC R75 B238

I229 Address

DSC B24 B238

SMP I220 -I228

DSC R75 B238

I240 Address

DS M I011

DS M I020

DS M I050 -I069

DS M I080 -I089

DS M I091

DS M I330 -I359

DS M I38

DS M I48 -I499

DS M I513

DS M I741

DS M O033

DS M O038

DS M O043

DS M O048

DS M O053

DS M O058

DS M O063

DS M O068

DS M O073

DS M O078

DS M O087

DS M O60 -O849

DS M O994

DS M T801

DS M T817

DS M T828

DS M T838

DS M T848

DS M T858

DS M Y600 -Y849

I241 Address

DSC B24 B238

LMP I210 -I229

DSC R75 B238

I248 Address

DSC B24 B238

LMP I210 -I229

DSC R75 B238

I249 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B238
LMP	I210	-I229	
SMP	I241	-I248	
DSC	R75		B238

I250 Address

LMP	I210	-I229	
-----	------	-------	--

I251 Address

LMP	I210	-I229	
-----	------	-------	--

I252 Address

DSC	B24		B238
LMP	I210	-I229	
DSC	R75		B238

I253 Address

LMP	I210	-I229	
-----	------	-------	--

I254 Address

LMP	I210	-I229	
-----	------	-------	--

I255 Address

LMP	I210	-I229	
-----	------	-------	--

I256 Address

LMP	I210	-I229	
-----	------	-------	--

I258 Address

DSC	B24		B238
LMP	I210	-I229	
DSC	R75		B238
DS	M	T455	

I259 Address

LMP	I210	-I229	
SMP	I250	-I258	

I260 Address

DS	A000	-A310	
DS	A318	-A427	
DS	A429	-A599	
DS	A601	-A70	
DS	A748	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B069	
DS	B080		
DS	B082	-B085	
DS	B09	-B238	

ICD-10-Mortality Manual 2c - 2014

DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I070	-I079	
DS		I081	-I083	

ICD-10-Mortality Manual 2c - 2014

DS	M	I088	
DS		I089	
DS		I091	
DS	M	I330	-I339
DS		I360	-I38
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		I800	-I809
DS		I821	-I829
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS		M000	-M009
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M328
DSC		M329	M321
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS		M860	-M869
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	

ICD-10-Mortality Manual 2c - 2014

DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O223	
DS		O229	
DS		O60	-O849
DS		O871	
DS		O879	
DS	M	O994	
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS	M	Q710	-Q719
DS		Q720	-Q799
DS		Q850	-Q999
DSC		R75	B238
DS		S017	
DS		S019	-S029
DS		S057	
DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	

ICD-10-Mortality Manual 2c - 2014

DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210

ICD-10-Mortality Manual 2c - 2014

DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T800
DS	M	T801	
DS		T802	-T816
DS	M	T817	
DS		T818	-T827
DS	M	T828	
DS		T829	-T836
DS	M	T838	
DS		T839	-T847
DS	M	T848	
DS		T849	-T857
DS	M	T858	
DS		T859	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915

ICD-10-Mortality Manual 2c - 2014

DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983
DS		Y600	-Y849

I269 Address

DS		A000	-A310
DS		A318	-A427
DS		A429	-A599
DS		A601	-A70
DS		A748	-B001
DS		B003	-B004
DS		B007	
DS		B009	-B069
DS		B080	
DS		B082	-B085
DS		B09	-B238
DSC		B24	B238
DS		B250	-B279
DS		B330	-B349
DS		B370	-B839
DS		B86	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849

ICD-10-Mortality Manual 2c - 2014

DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G09
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I070	-I079
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
LMP	M	I260	
DS	M	I330	-I339
DS		I360	-I38
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		I800	-I829
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869

ICD-10-Mortality Manual 2c - 2014

DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M328	
DSC		M329		M321
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O223		
DS		O229		
DS		O60	-O849	
DS		O871		
DS		O879		
DS	M	O994		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		

ICD-10-Mortality Manual 2c - 2014

DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013

ICD-10-Mortality Manual 2c - 2014

DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68

ICD-10-Mortality Manual 2c - 2014

DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T800
DS	M	T801	
DS		T802	-T816
DS	M	T817	
DS		T818	-T827
DS	M	T828	
DS		T829	-T836
DS	M	T838	
DS		T839	-T847
DS	M	T848	
DS		T849	-T857
DS	M	T858	
DS		T859	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983
DS		Y600	-Y849

I272 Address

DSC	M	M300		M301
DSC	M	M349		M348
DS	M	Q201	-Q204	

I279 Address

ICD-10-Mortality Manual 2c - 2014

DS		A150	-A153	
DS		A160	-A162	
DS		A164		
DS		A169	-A1690	
DS		C340	-C349	
DS		C780		
DS	M	I200	-I259	
DS		I269		
SMP		I270	-I278	
DS		J13	-J22	
DS		J40	-J709	
DS		J82	-J841	
DS		J948		
DS		J980		
DS		J984	-J9840	
DS		J988		
LMC		M410	-M419	I271
DS		P270	-P279	

I289 Address

SMP		I260	-I288	
-----	--	------	-------	--

I301 Address

SMP	M	A188		
SMP	M	A395		
SMP	M	A520		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
SMP	M	B332		
SMP	M	B570		
SMP	M	B572		
SMP	M	B908		
SMP	M	B948		
SMP	M	M321		
DSC		M349		M348
SMP	M	N185		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

I308 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		M349		M348
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

ICD-10-Mortality Manual 2c - 2014***I309 Address***

SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I300	-I308
SMP	M	M321	
DSC		M349	M348
SMP	M	N185	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I310 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I311 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I312 Address

DSC	M	B24	B238
DSC		M349	M348
DSC	M	R75	B238
DS		T455	

I313 Address

DSC	M	B24	B238
DSC		M349	M348
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014***I318 Address***

DSC	M	B24	B238
DSC		M349	M348
DSC	M	R75	B238

I319 Address

SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B332	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I300 -I318	
DSC	M	M069	M053
SMP	M	M321	
DSC		M349	M348
SMP	M	N185	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	S200 -S299	

I330 Address

SMP	M	A010	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B948	
DS		F112	
DS		F122	
DS		F132	
DS		F142	
DS		F152	
DS		F162	
DS		F182	

ICD-10-Mortality Manual 2c - 2014

DS		F192	
DS		I010	-I099
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I339 Address

SMP	M	A010	
SMP	M	A395	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B948	
SMP		I330	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I340 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I341 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I342 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I348 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I349 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I340 -I348	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I350 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	

ICD-10-Mortality Manual 2c - 2014

SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
LMC		I351	I352
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I351 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
LMC		I350	I352
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I352 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	

ICD-10-Mortality Manual 2c - 2014

DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I358 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I359 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I350	-I351
SMP		I358	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238

I360 Address

SMP M A010
SMP M A188
SMP M A395
SMP M A520
SMP M A548
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
SMP M B376
SMP M B570
SMP M B572
SMP M B908
SMP M B948
LMC I361 I362
SMP M M321
DSC M349 M348
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

I361 Address

SMP M A010
SMP M A188
SMP M A395
SMP M A520
SMP M A548
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B24 B238
SMP M B376
SMP M B570
SMP M B572
SMP M B908
SMP M B948
LMC I360 I362
SMP M M321
DSC M349 M348
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208
DSC M R75 B238

I362 Address

SMP M A010

ICD-10-Mortality Manual 2c - 2014

SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I368 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I369 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I360	-I361
SMP		I368	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I370 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
LMC		I371	I372
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I371 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	

ICD-10-Mortality Manual 2c - 2014

SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
LMC		I370	I372
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I372 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I378 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP	M	M321	

ICD-10-Mortality Manual 2c - 2014

DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I379 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I370	-I371
SMP		I378	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I38 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	B376	
SMP	M	B570	
SMP	M	B572	
SMP	M	B908	
SMP	M	B948	
SMP		I050	-I099
SMP	M	I330	-I339
SMP		I340	-I378
SMP	M	M321	
DSC		M349	M348

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

I400 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A395	
SMP	M	A520	
SMP	M	A750	
SMP	M	A759	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
DSC		B571	B570
SMP	M	B572	
SMP	M	B588	
DSC		B589	B588
SMP	M	B908	
SMP	M	B948	
SMP	M	J108	
SMP	M	J118	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I401 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A395	
SMP	M	A520	
SMP	M	A750	
SMP	M	A759	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
DSC		B571	B570
SMP	M	B572	
SMP	M	B588	
DSC		B589	B588

ICD-10-Mortality Manual 2c - 2014

SMP	M	B908	
SMP	M	B948	
SMP	M	J108	
SMP	M	J118	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I408 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A395	
SMP	M	A520	
SMP	M	A750	
SMP	M	A759	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
DSC		B571	B570
SMP	M	B572	
SMP	M	B588	
DSC		B589	B588
SMP	M	B908	
SMP	M	B948	
SMP	M	J108	
SMP	M	J118	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I409 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A520	
SMP	M	A750	
SMP	M	A759	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
DSC		B571	B570

ICD-10-Mortality Manual 2c - 2014

SMP	M	B572	
SMP	M	B588	
DSC		B589	B588
SMP	M	B908	
SMP	M	B948	
SMP		I400	-I408
DS	M	J09	
DSC		J1010	J108
SMP	M	J108	
DSC		J1110	J118
SMP	M	J118	
SMP	M	M321	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I420 Address

DSC		M349	M348
-----	--	------	------

I421 Address

DSC		M349	M348
-----	--	------	------

I422 Address

DSC		M349	M348
-----	--	------	------

I425 Address

DSC		M349	M348
-----	--	------	------

I428 Address

DSC		M349	M348
-----	--	------	------

I429 Address

DS	M	A188	
DSC		B24	B238
DS	M	B332	
DS	M	B570	
LMC		B571	B570
LMP		B572	
LMC		B573	-B575 B572
DS	M	D868	
DS	M	E059	
DS	M	E511	
DS	M	E639	
DS	M	E740	
DS	M	E854	
DSC		E859	E854
SMP		I420	-I4280
DS	M	M321	
DSC		M349	M348

ICD-10-Mortality Manual 2c - 2014

DS	M	N185		
DS	M	Q200	-Q249	
DSC		R75		B238

I440 Address

DS		A520		
DSC		B24		B238
DS		B332		
LMP		B570		
LMC		B571		B570
LMP		B572		
LMC		B573	-B575	B572
DS		I010	-I099	
DS		I110	-I119	
DS		I130	-I139	
LMP		I200	-I2190	
LMP		I241	-I259	
DS		I260	-I4290	
DS		I510	-I518	
DSC		M349		M348
DS		P293		
DS		Q200	-Q269	
DSC		R75		B238

I441 Address

DS		A520		
DSC		B24		B238
DS		B332		
LMP		B570		
LMC		B571		B570
LMP		B572		
LMC		B573	-B575	B572
DS		I010	-I099	
DS		I110	-I119	
DS		I130	-I139	
LMP		I200	-I2190	
LMP		I241	-I259	
DS		I260	-I4290	
DS		I510	-I518	
DSC		M349		M348
DS		P293		
DS		Q200	-Q269	
DSC		R75		B238

I442 Address

DS		A520		
DSC		B24		B238
DS		B332		
LMP		B570		
LMC		B571		B570

ICD-10-Mortality Manual 2c - 2014

LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I443 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I444 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348

ICD-10-Mortality Manual 2c - 2014

DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I445 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I446 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I447 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570

ICD-10-Mortality Manual 2c - 2014

LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
SMP	I440	-I446	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I450 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I451 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	

ICD-10-Mortality Manual 2c - 2014

DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I452 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I453 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I454 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		

ICD-10-Mortality Manual 2c - 2014

LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I455 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I456 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B572
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	

ICD-10-Mortality Manual 2c - 2014

DSC	M349	M348
DS	P293	
DS	Q200	-Q269
DSC	R75	B238

I458 Address

DS	A520	
DSC	B24	B238
DS	B332	
LMP	B570	
LMC	B571	B572
LMP	B572	
LMC	B573	-B575 B572
DS	I010	-I099
DS	I110	-I119
DS	I130	-I139
LMP	I200	-I2190
LMP	I241	-I259
DS	I260	-I4290
DS	I510	-I518
DSC	M349	M348
DS	P293	
DS	Q200	-Q269
DSC	R75	B238

I459 Address

DS	A520	
DSC	B24	B238
DS	B332	
LMP	B570	
LMC	B571	B570
LMP	B572	
LMC	B573	-B575 B572
DS	I010	-I099
DS	I110	-I119
DS	I130	-I139
LMP	I200	-I2190
LMP	I241	-I259
DS	I260	-I4290
SMP	I440	-I458
DS	I510	-I518
DSC	M349	M348
DS	P293	
DS	Q200	-Q269
DSC	R75	B238

I460 Address

DS	A520	
DSC	B24	B238
DS	B332	

ICD-10-Mortality Manual 2c - 2014

LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I461 Address

DS	A520		
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	

I469 Address

DS	I200	-I249	
DSC	M349		M348

I470 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	

ICD-10-Mortality Manual 2c - 2014

LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I471 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I472 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I479 Address

DS	A520		
----	------	--	--

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
SMP	I470	-I472	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I48 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I490 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	

ICD-10-Mortality Manual 2c - 2014

LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I491 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I492 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I493 Address

ICD-10-Mortality Manual 2c - 2014

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I494 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I495 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	

ICD-10-Mortality Manual 2c - 2014

LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I498 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

I499 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
LMC	B571		B570
LMP	B572		
LMC	B573	-B575	B572
DS	I010	-I099	
DS	I110	-I119	
DS	I130	-I139	
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I260	-I4290	
SMP	I460	-I461	
SMP	I470	-I498	
DS	I510	-I518	
DSC	M349		M348
DS	P293		
DS	Q200	-Q269	
DSC	R75		B238

ICD-10-Mortality Manual 2c - 2014***I500 Address***

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
DS	B570		
DSC	B571		B570
LMC	B571		B570
DS	B572		
LMP	B572		
LMC	B573	-B575	B572
DS	D500	-D649	
DS	E40	-E46	
DS	I010	-I099	
DS	I110		
DSC	I119		I110
DSC	I120		I132
DSC	I129		I130
DS	I130		
DSC	I131		I132
DS	I132		
DSC	I139		I130
DSC	I139		I132
DSC	I150		I130
LMP	I200	-I2190	
DS	I200	-I499	
LMP	I241	-I259	
DS	I510	-I518	
DSC	M349		M348
LMC	M410	-M419	I271
DS	P293		
DS	Q200	-Q259	
DS	Q262	-Q265	
DSC	R75		B238

I5000 Address

DS	A520		
DSC	B24		B238
DS	B332		
DS	B570		
LMP	B570		
LMC	B571		B570
DSC	B571		B570
LMP	B572		
DS	B572		
LMC	B573	-B575	B572
DS	D500	-D649	
DS	E40	-E46	
DS	I010	-I099	

ICD-10-Mortality Manual 2c - 2014

DS	I110		
DSC	I119		I110
DSC	I120		I132
DSC	I129		I130
DS	I130		
DSC	I131		I132
DS	I132		
DSC	I139		I130
DSC	I139		I132
DSC	I150		I130
LMP	I200	-I2190	
DS	I200	-I499	
LMP	I241	-I259	
DS	I510	-I518	
DSC	M349		M348
LMC	M410	-M419	I271
DS	P293		
DS	Q200	-Q259	
DS	Q262	-Q265	
DSC	R75		B238

I501 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
DSC	B571		B570
LMC	B571		B570
LMP	B572		
DS	B572		
LMC	B573	-B575	B572
DS	D500	-D649	
DS	E40	-E46	
DS	I010	-I099	
DS	I110		
DSC	I119		I110
DSC	I120		I132
DSC	I129		I130
DS	I130		
DSC	I131		I132
DS	I132		
DSC	I139		I130
DSC	I139		I132
DSC	I150		I130
LMP	I200	-I2190	
DS	I200	-I499	
LMP	I241	-I259	
LDP	I500	-I5000	
DS	I510	-I518	
DSC	M349		M348

ICD-10-Mortality Manual 2c - 2014

LMC	M410	-M419	I271
DS	P293		
DS	Q200	-Q259	
DS	Q262	-Q265	
DSC	R75		B238

I509 Address

DS	A520		
DSC	B24		B238
DS	B332		
LMP	B570		
DSC	B571		B570
LMC	B571		B570
LMP	B572		
DS	B572		
LMC	B573	-B575	B572
DS	D500	-D649	
DS	E40	-E46	
DS	I010	-I099	
DS	I110		
DSC	I119		I110
DSC	I120		I132
DSC	I129		I130
DS	I130		
DSC	I131		I132
DS	I132		
DSC	I139		I130
DSC	I139		I132
DSC	I150		I130
LMP	I200	-I2190	
DS	I200	-I501	
LMP	I241	-I259	
SMP	I500	-I501	
DS	I510	-I518	
LMC	I517		I519
LMC	J81		I501
DSC	M349		M348
LMC	M410	-M419	I271
DS	P293		
DS	Q200	-Q259	
DS	Q262	-Q265	
DSC	R75		B238

I510 Address

DSC	B24		B238
DSC	M349		M348
LMC	M410	-M419	I271
DSC	R75		B238

I511 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24		B238
DSC	M349		M348
LMC	M410	-M419	I271
DSC	R75		B238

I512 Address

DSC	B24		B238
DSC	M349		M348
LMC	M410	-M419	I271
DSC	R75		B238

I513 Address

DSC	B24		B238
DSC	M349		M348
LMC	M410	-M419	I271
DSC	R75		B238

I514 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A520	
SMP	M	A750	
SMP	M	A759	
DSC	M	B24	B208
SMP	M	B332	
SMP	M	B570	
LMC		B571	B570
LMP		B572	
LMC		B573	-B575 B572
SMP	M	B588	
DSC	M	B589	B588
SMP	M	B908	
SMP	M	B948	
DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
LMP		I200	-I2190
LMP		I241	-I259
SMP	M	I400	-I409
DS	M	J09	
DSC	M	J1010	J108
SMP	M	J108	
DSC	M	J1110	J118
SMP	M	J118	
DSC	M	M069	M053
SMP	M	M321	
DSC		M349	M348
LMC		M410	-M419 I271

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208
-----	---	-----	------

I5140 Address

DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
DSC		M349	M348

I515 Address

DSC	M	B24	B238
LMP		B570	
LMC		B571	B570
LMP		B572	
LMC		B573 -B575	B572
DSC		E859	E854
DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
LMP		I200 -I2190	
LMP		I241 -I259	
DSC		M349	M348
LMC		M410 -M419	I271
DSC	M	R75	B238

I5150 Address

DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
DSC		M349	M348

I516 Address

DSC	M	B24	B238
LMP		B570	
LMC		B571	B570
LMP		B572	
LMC		B573 -B575	B572
DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
LMP		I200 -I2190	
LMP		I241 -I259	
DSC		M349	M348
LMC		M410 -M419	I271
DSC	M	R75	B238

I517 Address

DSC		B24	B238
LMP		B570	
LMC		B571	B570
LMP		B572	

ICD-10-Mortality Manual 2c - 2014

LMC	B573	-B575	B572
DS	I110	-I119	
DSC	I120		I131
DSC	I129		I139
DS	I130	-I139	
DSC	I150		I139
LMP	I200	-I2190	
LMP	I241	-I259	
DS	I271		
DS	I300	-I4290	
DSC	I509		I519
DSC	M349		M348
LMC	M410	-M419	I271
DS	Q200	-Q249	
DSC	R75		B238

I518 Address

DSC	M	B24	B201
DSC	M	B24	B208
DSC	M	B24	B238
LMP		B570	
LMC		B571	B570
LMP		B572	
LMC		B573	-B575 B572
DSC		I120	I131
DSC		I129	I139
DSC		I150	I139
LMP		I200	-I2190
LMP		I241	-I259
DSC		M069	M053
DSC		M349	M348
LMC		M410	-M419 I271
DS		Q200	-Q249
DSC	M	R75	B201
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	T455	

I519 Address

SMP	M	A010	
SMP	M	A188	
SMP	M	A368	
SMP	M	A38	
SMP	M	A395	
SMP	M	A520	
SMP	M	A548	
SMP	M	A750	
SMP	M	A759	
DSC		B24	B238
SMP		B332	

ICD-10-Mortality Manual 2c - 2014

SMP		B570	
LMC		B571	B570
LMP		B572	
LMC		B573	-B575 B572
SMP	M	B588	
SMP	M	B908	
SMP	M	B948	
SMP	M	D868	
SMP	M	E059	
SMP	M	E511	
SMP	M	E639	
SMP	M	E740	
DSC		E840	E848
DSC		E849	E848
SMP	M	E854	
DSC		E859	E854
DS		I010	-I099
SMP		I110	-I150
DSC		I120	I131
DSC		I129	I139
LMP		I200	-I2190
DS		I200	-I518
SMP		I220	-I229
LMP		I241	-I259
SMP		I260	-I279
SMP		I300	-I461
SMP		I470	-I518
SMP	M	J09	
SMP	M	J108	
SMP	M	J118	
LMC		J81	I501
DSC		M069	M053
SMP	M	M321	
DSC		M349	M348
LMC		M410	-M419 I271
SMP		Q200	-Q268
DSC		R75	B238

I600 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019

ICD-10-Mortality Manual 2c - 2014

LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6000 Address

LDP		F010	-F019
LDC		F03	F019

I601 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358

ICD-10-Mortality Manual 2c - 2014

DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I602 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I603 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019

ICD-10-Mortality Manual 2c - 2014

LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I604 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

DS T455

I605 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I606 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	

ICD-10-Mortality Manual 2c - 2014

DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6060 Address

LDP	F010	-F019	
LDC	F03		F019

I607 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP	F010	-F019	
LDC	F03		F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014

DS T455

I6070 AddressLDP F010 -F019
LDC F03 F019***I608 Address***DSC M B24 B238
DS B690
DS C700
DS C710 -C719
DS C793
DS M C794
DS C810 -C969
DS D320
DS D330 -D332
DS D420 -D434
LDP F010 -F019
LDC F03 F019
DS I6000
DS I6060
DS I6070
DS I6080
DS I6090
DSC M I671 I6060
DSC M I671 I6070
DSC M I671 I6080
DSC M I671 I6090
DSC I720 I6000
DSC I725 I6000
DSC M I770 I6080
DSC M359 M358
DSC Q2780 I6090
DSC Q2820 I6080
DSC Q2830 I6090
DSC M R75 B238
DS T455***I6080 Address***LDP F010 -F019
LDC F03 F019***I609 Address***DSC M B24 B238
DS B690
DS C700
DS C710 -C719
DS C793
DS M C794
DS C810 -C969

ICD-10-Mortality Manual 2c - 2014

DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
SMP		I600	-I608
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6090 Address

LDP		F010	-F019
LDC		F03	F019

I610 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000

ICD-10-Mortality Manual 2c - 2014

DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6100 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I611 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332

ICD-10-Mortality Manual 2c - 2014

DS		D420	-D434	
LDP		F010	-F019	
LDC		F03		F019
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090
DSC		Q2820		I6080
DSC		Q2830		I6090
DSC	M	R75		B238
DS		T455		

I6110 Address

DSC	M	B24		B238
DS		B690		
DS		C700		
DS		C710	-C719	
DS		C793		
DS	M	C794		
DS		C810	-C969	
DS		D320		
DS		D330	-D332	
DS		D420	-D434	
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090
DSC		Q2820		I6080

ICD-10-Mortality Manual 2c - 2014

DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I612 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6120 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	

ICD-10-Mortality Manual 2c - 2014

DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I613 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

ICD-10-Mortality Manual 2c - 2014***I6130 Address***

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I614 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	

ICD-10-Mortality Manual 2c - 2014

DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6140 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I615 Address

DSC	M	B24	B238
DS		B690	

ICD-10-Mortality Manual 2c - 2014

DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6150 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080

ICD-10-Mortality Manual 2c - 2014

DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I616 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F018
LDC		F019	-F03 F011
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I618 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	

ICD-10-Mortality Manual 2c - 2014

DS		C810	-C969	
DS		D320		
DS		D330	-D332	
DS		D420	-D434	
LDP		F010	-F019	
LDC		F03		F019
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090
DSC		Q2820		I6080
DSC		Q2830		I6090
DSC	M	R75		B238
DS		T455		

I6180 Address

DSC	M	B24		B238
DS		B690		
DS		C700		
DS		C710	-C719	
DS		C793		
DS	M	C794		
DS		C810	-C969	
DS		D320		
DS		D330	-D332	
DS		D420	-D434	
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080

ICD-10-Mortality Manual 2c - 2014

DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I619 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DS		I6000	
DS		I6060	
DS		I6070	
DS		I6080	
DS		I6090	
SMP		I610	-I6180
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I6190 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332

ICD-10-Mortality Manual 2c - 2014

DS		D420	-D434	
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
SMP		I610	-I6180	
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090
DSC		Q2820		I6080
DSC		Q2830		I6090
DSC	M	R75		B238
DS		T455		

I620 Address

DSC	M	B24		B238
DS		B690		
DS		C700		
DS		C710	-C719	
DS		C793		
DS	M	C794		
DS		C810	-C969	
DS		D320		
DS		D330	-D332	
DS		D420	-D434	
LDP		F010	-F019	
LDC		F03		F019
DS		I6000		
DS		I6060		
DS		I6070		
DS		I6080		
DS		I6090		
DSC	M	I671		I6060
DSC	M	I671		I6070
DSC	M	I671		I6080
DSC	M	I671		I6090
DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090

ICD-10-Mortality Manual 2c - 2014

DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I621 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090
DSC		I720	I6000
DSC		I725	I6000
DSC	M	I770	I6080
DSC		M359	M358
DSC		Q2780	I6090
DSC		Q2820	I6080
DSC		Q2830	I6090
DSC	M	R75	B238
DS		T455	

I629 Address

DSC	M	B24	B238
DS		B690	
DS		C700	
DS		C710	-C719
DS		C793	
DS	M	C794	
DS		C810	-C969
DS		D320	
DS		D330	-D332
DS		D420	-D434
LDP		F010	-F019
LDC		F03	F019
SMP		I600	-I621
DSC	M	I671	I6060
DSC	M	I671	I6070
DSC	M	I671	I6080
DSC	M	I671	I6090

ICD-10-Mortality Manual 2c - 2014

DSC		I720		I6000
DSC		I725		I6000
DSC	M	I770		I6080
DSC		M359		M358
DSC		Q2780		I6090
DSC		Q2820		I6080
DSC		Q2830		I6090
DSC	M	R75		B238
DS		T455		

I630 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6300 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		

ICD-10-Mortality Manual 2c - 2014

DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I631 Address

LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS		I050	-I069	
DS		I080	-I089	
DS		I091		
DS	M	I330	-I339	
DS		I340	-I359	
DS		I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		

ICD-10-Mortality Manual 2c - 2014

DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

I6310 Address

LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS		I050	-I069	
DS		I080	-I089	
DS		I091		
DS	M	I330	-I339	
DS		I340	-I359	
DS		I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I632 Address

DSC	M	B24		B238
-----	---	-----	--	------

ICD-10-Mortality Manual 2c - 2014

LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6320 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		

ICD-10-Mortality Manual 2c - 2014

DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I633 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6330 Address

DSC	M	B24		B238
LDP		F010	-F018	

ICD-10-Mortality Manual 2c - 2014

LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I634 Address

LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS		I050	-I069	
DS		I080	-I089	
DS		I091		
DS	M	I330	-I339	
DS		I340	-I359	
DS		I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		

ICD-10-Mortality Manual 2c - 2014

DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

I6340 Address

LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS		I050	-I069	
DS		I080	-I089	
DS		I091		
DS	M	I330	-I339	
DS		I340	-I359	
DS		I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		

ICD-10-Mortality Manual 2c - 2014

DS Y600 -Y849

I635 Address

DSC M B24 B238

LDP F010 -F019

LDC F03 F019

DS I011

DS I020

DS M I513

DS I650

DS I652

DS M I741

DSC M359 M358

DS M O033

DS M O038

DS M O043

DS M O048

DS M O053

DS M O058

DS M O063

DS M O068

DS M O073

DS M O078

DS M O087

DS O60 -O849

DS M O994

DSC M R75 B238

DS M T801

DS M T817

DS M T828

DS M T838

DS M T848

DS M T858

DS Y600 -Y849

I6350 Address

DSC M B24 B238

LDP F010 -F018

LDC F019 -F03 F011

DS I011

DS I020

DS M I513

DS I650

DS I652

DS M I741

DSC M359 M358

DS M O033

DS M O038

DS M O043

DS M O048

ICD-10-Mortality Manual 2c - 2014

DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I636 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

ICD-10-Mortality Manual 2c - 2014***I6360 Address***

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I638 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		

ICD-10-Mortality Manual 2c - 2014

DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6380 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

ICD-10-Mortality Manual 2c - 2014

I639 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
SMP		I630	-I6380	
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6390 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
SMP		I630	-I6380	
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		

ICD-10-Mortality Manual 2c - 2014

DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I64 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
SMP		I600	-I6390	
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238

I6400 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011

ICD-10-Mortality Manual 2c - 2014

DS		I011		
DS		I020		
DS	M	I513		
SMP		I600	-I6390	
DS		I650		
DS		I652		
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238

I650 Address

DS	M	I011		
DS	M	I020		
DS	M	I48		
DS	M	I513		
DS	M	I652		
DS	M	I741		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

ICD-10-Mortality Manual 2c - 2014

I651 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I652 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	

ICD-10-Mortality Manual 2c - 2014

DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I653 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I658 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	

ICD-10-Mortality Manual 2c - 2014

DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I659 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I660 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	

ICD-10-Mortality Manual 2c - 2014

DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I661 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	

ICD-10-Mortality Manual 2c - 2014

DS M T858
DS M Y600 -Y849

I662 Address

DS M I011
DS M I020
DS M I48
DS M I513
DS M I650
DS M I652
DS M I741
DS M O033
DS M O038
DS M O043
DS M O048
DS M O053
DS M O058
DS M O063
DS M O068
DS M O073
DS M O078
DS M O087
DS O60 -O849
DS M O994
DS M T801
DS M T817
DS M T828
DS M T838
DS M T848
DS M T858
DS M Y600 -Y849

I663 Address

DS M I011
DS M I020
DS M I48
DS M I513
DS M I650
DS M I652
DS M I741
DS M O033
DS M O038
DS M O043
DS M O048
DS M O053
DS M O058
DS M O063
DS M O068
DS M O073
DS M O078

ICD-10-Mortality Manual 2c - 2014

DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I664 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I668 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	

ICD-10-Mortality Manual 2c - 2014

DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I669 Address

DS	M	I011	
DS	M	I020	
DS	M	I48	
DS	M	I513	
DS	M	I650	
DS	M	I652	
DS	M	I741	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I670 Address

LDP		F010	-F019
-----	--	------	-------

ICD-10-Mortality Manual 2c - 2014

LDC	F03	F019
DSC	M359	M358

I671 Address

LDP	F010	-F019	
LDC	F03		F019
SMC	I600		I6090
SMC	I601	-I606	I6090
SMP	I6060		
SMC	I607		I6090
SMP	I6070		
SMC	I608		I6090
SMP	I6080		
SMC	I609		I6090
SMP	I6090		
SMC	I610	-I629	I6090

I672 Address

LDP	F010	-F019	
LDC	F03		F019
LDC	G219		G218
LMP	I600	-I6400	
DSC	M359		M358

I673 Address

LDP	F010	-F019	
LDC	F03		F019
DSC	M359		M358

I674 Address

LDP	F010	-F019	
LDC	F03		F019
DSC	M359		M358

I675 Address

LDP	F010	-F019	
LDC	F03		F019
DSC	M359		M358

I676 Address

DSC	M	B24	B238
LDP		F010	-F019
LDC		F03	F019
DSC		M359	M358
DSC	M	R75	B238
DS	M	S010	
DS	M	S017	-S019
DS	M	S060	-S099
DS	M	T360	-T659

ICD-10-Mortality Manual 2c - 2014***I677 Address***

LDP	F010	-F019	
LDC	F03		F019
DSC	M359		M358

I678 Address

DSC	M	B24		B238
LDP	F010	-F019		
LDC	F03			F019
DSC	M359			M358
DSC	M	R75		B238
DS	M	S010		
DS	M	S017	-S019	
DS	M	S060	-S099	
DS	M	T360	-T659	
DS	M	T71		

I679 Address

DSC	M	B24		B238
LDP	F010	-F019		
LDC	F03			F019
SMP	I600	-I678		
DSC	M359			M358
DSC	M	R75		B238

I690 Address

DSC	M	B24		B238
LDP	F010	-F019		
LDC	F03			F019
DSC	M359			M358
DSC	M	R75		B238

I691 Address

DSC	M	B24		B238
LDP	F010	-F019		
LDC	F03			F019
DSC	M359			M358
DSC	M	R75		B238

I6910 Address

DSC	M	B24		B238
LDP	F010	-F018		
LDC	F019	-F03		F011
DSC	M359			M358
DSC	M	R75		B238

I692 Address

DSC	M	B24		B238
LDP	F010	-F019		

ICD-10-Mortality Manual 2c - 2014

LDC		F03		F019
SMP		I690	-I6910	
DSC		M359		M358
DSC	M	R75		B238

I693 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	
DS	M	I080	-I089	
DS	M	I091		
DS	M	I330	-I359	
DS	M	I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC	M	M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I6930 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS	M	I011		
DS	M	I020		
DS	M	I050	-I069	

ICD-10-Mortality Manual 2c - 2014

DS	M	I080	-I089	
DS	M	I091		
DS	M	I330	-I359	
DS	M	I38		
DS	M	I513		
DS		I650		
DS		I652		
DS	M	I741		
DSC	M	M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I694 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
SMP		I690	-I6930	
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		

ICD-10-Mortality Manual 2c - 2014

DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238

I6940 Address

DSC	M	B24		B238
LDP		F010	-F018	
LDC		F019	-F03	F011
DS		I011		
DS		I020		
DS	M	I513		
DS		I650		
DS		I652		
SMP		I690	-I6930	
DS	M	I741		
DSC		M359		M358
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DSC	M	R75		B238

I698 Address

DSC	M	B24		B238
LDP		F010	-F019	
LDC		F03		F019
SMP		I690	-I6940	
DSC	M	M359		M358
DSC	M	R75		B238

I700 Address

SDC		G20	-G2000	G218
SDC	M	G319		I672
SDC		G934		I672
SDC		G938		I638
SDC		G939		I672
SDC		H309		I708

ICD-10-Mortality Manual 2c - 2014

SDC		H350		I708
LDC	M	I050		I342
LDC	M	I051		I340
LDC	M	I052		I342
LDC	M	I058	-I059	I348
LDC	M	I060		I350
LDC	M	I061		I351
LDC	M	I062		I352
LDC	M	I068	-I069	I358
LDC	M	I070		I360
LDC	M	I071		I361
LDC	M	I072		I362
LDC	M	I078	-I079	I368
LDC	M	I089		I38
LMP		I10	-I259	
LDP		I340	-I38	
SDC		I429		I251
LMP		I500	-I509	
LMP		I514	-I516	
LMP		I518		
LDC		I519		I251
LMP		I600	-I698	
SDC	M	I678	-I679	I672
LDP		I710	-I789	
LDP		K550	-K559	
LDC		N030	-N039	I129
SDC		N050	-N059	I129
SDC		N12		I129
LDC		N26		I129

I701 Address

SDC		G20	-G2000	G218
SDC	M	G319		I672
SDC		G934		I672
SDC		G938		I638
SDC		G939		I672
SDC		H309		I708
SDC		H350		I708
LDC	M	I050		I342
LDC	M	I051		I340
LDC	M	I052		I342
LDC	M	I058	-I059	I348
LDC	M	I060		I350
LDC	M	I061		I351
LDC	M	I062		I352
LDC	M	I068	-I069	I358
LDC	M	I070		I360
LDC	M	I071		I361
LDC	M	I072		I362
LDC	M	I078	-I079	I368

ICD-10-Mortality Manual 2c - 2014

LDC	M	I089		I38
LMP		I10	-I259	
LDP		I340	-I38	
SDC		I429		I251
LMP		I500	-I509	
LMP		I514	-I516	
LMP		I518		
LDC		I519		I251
LMP		I600	-I698	
SDC	M	I678	-I679	I672
LDP		I710	-I789	
LDP		K550	-K559	
LDC		N030	-N039	I129
SDC		N050	-N059	I129
SDC		N12		I129
LDC		N26		I129

I702 Address

DSC		E100	-E104	E107
DS		E105		
DSC		E106		E107
DS		E107		
DSC		E108		E107
DSC		E109		E105
DSC		E110	-E114	E117
DS		E115		
DSC		E116		E117
DS		E117		
DSC		E118		E117
DSC		E119		E115
DSC		E120	-E124	E127
DS		E125		
DSC		E126		E127
DS		E127		
DSC		E128		E127
DSC		E129		E125
DSC		E130	-E134	E137
DS		E135		
DSC		E136		E137
DS		E137		
DSC		E138		E137
DSC		E139		E135
DSC		E140	-E144	E147
DS		E145		
DSC		E146		E147
DS		E147		
DSC		E148		E147
DSC		E149		E145
SDC		G20	-G2000	G218
SDC	M	G319		I672

ICD-10-Mortality Manual 2c - 2014

SDC		G934		I672
SDC		G938		I638
SDC		G939		I672
SDC		H309		I708
SDC		H350		I708
LDC	M	I050		I342
LDC	M	I051		I340
LDC	M	I052		I342
LDC	M	I058	-I059	I348
LDC	M	I060		I350
LDC	M	I061		I351
LDC	M	I062		I352
LDC	M	I068	-I069	I358
LDC	M	I070		I360
LDC	M	I071		I361
LDC	M	I072		I362
LDC	M	I078	-I079	I368
LDC	M	I089		I38
LMP		I10	-I259	
LDP		I340	-I38	
SDC		I429		I251
LMP		I500	-I509	
LMP		I514	-I516	
LMP		I518		
LDC		I519		I251
LMP		I600	-I698	
SDC	M	I678	-I679	I672
LDP		I710	-I789	
LDP		K550	-K559	
LDC		N030	-N039	I129
SDC		N050	-N059	I129
SDC		N12		I129
LDC		N26		I129

I708 Address

SDC		G20	-G2000	G218
SDC	M	G319		I672
SDC		G934		I672
SDC		G938		I638
SDC		G939		I672
LDC	M	I050		I342
LDC	M	I051		I340
LDC	M	I052		I342
LDC	M	I058	-I059	I348
LDC	M	I060		I350
LDC	M	I061		I351
LDC	M	I062		I352
LDC	M	I068	-I069	I358
LDC	M	I070		I360
LDC	M	I071		I361

ICD-10-Mortality Manual 2c - 2014

LDC	M	I072		I362
LDC	M	I078	-I079	I368
LDC	M	I089		I38
LMP		I10	-I259	
LDP		I340	-I38	
SDC		I429		I251
LMP		I500	-I509	
LMP		I514	-I516	
LMP		I518		
LDC		I519		I251
LMP		I600	-I698	
SDC	M	I678	-I679	I672
LDP		I710	-I789	
LDP		K550	-K559	
LDC		N030	-N039	I129
SDC		N050	-N059	I129
SDC		N12		I129
LDC		N26		I129

I709 Address

LDP		F010	-F019	
LDC		F03		F019
LDP		G214		
SDC	M	G319		I672
SDC		G934		I672
SDC		G938		I638
SDC		G939		I672
SDC		H309		I708
LDC		H350		I708
LDC	M	I050		I342
LDC	M	I051		I340
LDC	M	I052		I342
LDC	M	I058	-I059	I348
LDC	M	I060		I350
LDC	M	I061		I351
LDC	M	I062		I352
LDC	M	I068	-I069	I358
LDC	M	I070		I360
LDC	M	I071		I361
LDC	M	I072		I362
LDC	M	I078	-I079	I368
LDC	M	I089		I38
LMP		I10	-I259	
LDP		I340	-I38	
SDC		I420		I251
SDC		I421		I251
SDC		I422		I251
SDC		I428		I251
SDC		I429		I251
LMP		I500	-I509	

ICD-10-Mortality Manual 2c - 2014

LMP		I514	-I516	
LMP		I518		
LDC		I519		I251
LMP		I600	-I698	
SDC	M	I678	-I679	I672
SMP		I700	-I708	
LDP		I710	-I789	
LDP		K550	-K559	
LDC		N030	-N039	I129
SDC		N050	-N059	I129
SDC		N12		I129
LDC		N26		I129
LMC		R02		I702

I711 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		

I712 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		
LMP		I711		
LMC		I718		I711

I713 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		

I714 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		
LMP		I713		
LMC		I718		I713

I715 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		

I716 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710		
LMP		I715		
LMC		I718		I715

ICD-10-Mortality Manual 2c - 2014

I718 Address

SMP	M	A520		
SMP	M	B948		
SMP		I710	-I711	
DSC		I712		I711
SMP		I713		
DSC		I714		I713
SMP		I715		
DSC		I716		I715

I719 Address

SMP	M	A520		
SMP	M	B948		
LMP		I710	-I718	

I720 Address

SMC		I600		I6000
SMP		I6000		
SMC		I601	-I606	I6000
SMC		I607		I6000
SMC		I608		I6000
SMC		I609		I6000
SMC		I610	-I629	I6000

I725 Address

SMC		I600		I6000
SMP		I6000		
SMC		I601	-I606	I6000
SMC		I607		I6000
SMC		I608		I6000
SMC		I609		I6000
SMC		I610	-I629	I6000

I729 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
SMP	M	A505		
SMP	M	A520		
SMP	M	B908		
SMP	M	B948		
SMP	M	E143		
SMP	M	H114		
SMP	M	H350		
SMP	M	I078		
SMP	M	I219	-I2190	
SMP		I253		
SMP	M	I254		
SMP	M	I258		
SMP	M	I280		

ICD-10-Mortality Manual 2c - 2014

SMP		I281	
SMP	M	I348	
SMP	M	I358	
SMP	M	I378	
SMP	M	I38	
SMP		I6000	
SMP		I6060	
SMP		I6070	
SMP		I6080	
SMP		I6090	
SMP	M	I671	
SMP		I710	-I728
SMP	M	I770	
SMP	M	I868	
SMP	M	Q141	
SMP	M	Q245	
SMP	M	Q257	
SMP	M	Q273	
SMP		Q2780	
SMP	M	Q280	-Q281
SMP		Q2820	
SMP		Q2830	

I730 Address

DS	M	C880	
DS	M	I700	-I709
DS	M	M300	-M328
DS	M	M330	-M359

I739 Address

DSC		E100	-E104	E107
DS		E105		
DSC		E106		E107
DS		E107		
DSC		E108		E107
DSC		E109		E105
DSC		E110	-E114	E117
DS		E115		
DSC		E116		E117
DS		E117		
DSC		E118		E117
DSC		E119		E115
DSC		E120	-E124	E127
DS		E125		
DSC		E126		E127
DS		E127		
DSC		E128		E127
DSC		E129		E125
DSC		E130	-E134	E137
DS		E135		

ICD-10-Mortality Manual 2c - 2014

DSC	E136	E137
DS	E137	
DSC	E138	E137
DSC	E139	E135
DSC	E140	-E144 E147
DS	E145	
DSC	E146	E147
DS	E147	
DSC	E148	E147
DSC	E149	E145
SMP	I730	-I738

I740 Address

DS	I010	-I099
DS	M	I330 -I339
DS	I340	-I38
DS	I48	-I499
DS	M	I513
DS	M	I741
DS	I800	-I829
DS	M	O033
DS	M	O038
DS	M	O043
DS	M	O048
DS	M	O053
DS	M	O058
DS	M	O063
DS	M	O068
DS	M	O073
DS	M	O078
DS	M	O087
DS	O60	-O849
DS	M	O994
DS	M	T801
DS	M	T817
DS	M	T828
DS	M	T838
DS	M	T848
DS	M	T858
DS	Y600	-Y849

I741 Address

DS	I010	-I099
DS	M	I330 -I339
DS	I340	-I38
DS	I48	-I499
DS	M	I513
SMP	M	I740
DS	I800	-I829
DS	M	O033

ICD-10-Mortality Manual 2c - 2014

DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

I742 Address

DSC		B24	B238
DS		B900	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121

ICD-10-Mortality Manual 2c - 2014

DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I010	-I099
DS	M	I330	-I339
DS		I340	-I38
DS		I48	-I499
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	I741	
DS		I800	-I829
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519

ICD-10-Mortality Manual 2c - 2014

DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I743 Address

DSC		B24		B238
DS		B900	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	

ICD-10-Mortality Manual 2c - 2014

DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I010	-I099
DS	M	I330	-I339
DS		I340	-I38
DS		I48	-I499
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		I740	
DS	M	I741	
DS		I800	-I829
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761

ICD-10-Mortality Manual 2c - 2014

DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS	M	Q710	-Q719
DS		Q720	-Q799
DS		Q850	-Q999
DSC		R75	B238
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

ICD-10-Mortality Manual 2c - 2014***I744 Address***

DS	M	A010	
DS	M	A188	
DS	M	A328	
DS	M	A395	
DS	M	A520	
DS	M	A548	
DS	M	A78	
DSC		B24	B238
DS	M	B332	
DS	M	B376	
DS	M	B570	
DS	M	B572	
DS		B900	-C97
DS		D320	-D339
DS		D370	-D479
DS	M	D735	
DS		D810	-D819
DS		D860	
DS	M	E000	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS	M	G08	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	

ICD-10-Mortality Manual 2c - 2014

DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	H348	
DS	M	H350	
DS		I010	-I099
DS	M	I269	
DS	M	I330	-I339
DS		I340	-I38
DS	M	I423	-I424
DS		I48	-I499
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		I740	
DS	M	I741	
SMP		I742	-I743
DS	M	I788	
DS		I800	-I829
DS	M	I831	
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479

ICD-10-Mortality Manual 2c - 2014

DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	N501		
DS	M	N719		
DS	M	N948		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I745 Address

DSC		B24		B238
DS		I010	-I099	
DS	M	I330	-I339	
DS		I340	-I38	
DS		I48	-I499	
DS	M	I513		
DS		I740		
DS	M	I741		
DS		I800	-I829	
DS	M	O033		

ICD-10-Mortality Manual 2c - 2014

DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DSC		R75	B238
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

I748 Address

DS	M	A010	
DS	M	A188	
DS	M	A328	
DS	M	A395	
DS	M	A520	
DS	M	A548	
DS	M	A78	
DSC		B24	B238
DS	M	B332	
DS	M	B376	
DS	M	B570	
DS	M	B572	
DS	M	B908	
DS	M	B948	
DS	M	D735	
DS	M	G08	
DS	M	G951	
DS	M	H348	
DS	M	H350	
DS		I010	-I099
DS	M	I269	
DS	M	I330	-I339
DS		I340	-I38
DS	M	I423	-I424
DS		I48	-I499
DS	M	I513	
DS		I630	-I6300
DS		I633	-I6330

ICD-10-Mortality Manual 2c - 2014

DS		I636	-I6360	
DS		I676		
DS	M	I741		
DS	M	I788		
DS		I800	-I829	
DS	M	I831		
DS	M	K550		
DS		K751		
DS	M	M321		
DS	M	N501		
DS	M	N719		
DS	M	N948		
DS	M	O033		
DS	M	O038		
DS	M	O043		
DS	M	O048		
DS	M	O053		
DS	M	O058		
DS	M	O063		
DS	M	O068		
DS	M	O073		
DS	M	O078		
DS	M	O087		
DS		O60	-O849	
DS	M	O994		
DS		Q220	-Q239	
DSC		R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS		Y600	-Y849	

I749 Address

DS	M	A010		
DS	M	A188		
DS	M	A328		
DS	M	A395		
DS	M	A520		
DS	M	A548		
DS	M	A78		
DSC		B24		B238
DS	M	B332		
DS	M	B376		
DS	M	B570		
DS	M	B572		
DS	M	B908		
DS	M	B948		

ICD-10-Mortality Manual 2c - 2014

DS	M	D735	
SMP	M	G061	
DS	M	G08	
DS	M	G951	
SMP	M	H342	
DS	M	H348	
DS	M	H350	
DS		I010	-I099
SMP		I210	-I229
SMP	M	I269	
DS	M	I330	-I339
DS		I340	-I38
DS	M	I423	-I424
DS		I48	-I499
DS	M	I513	
DS		I630	-I6300
SMP		I631	-I6310
DS		I633	-I6330
SMP		I634	-I6340
DS		I636	-I6360
DS		I676	
SMP		I740	-I748
DS	M	I741	
DS	M	I788	
DS		I800	-I829
DS	M	I831	
SMP	M	K5500	
DS		K751	
DS	M	M321	
SMP	M	N280	
DS	M	N501	
DS	M	N719	
DS	M	N948	
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS		Q220	-Q239
DSC		R75	B238
DS	M	T801	
DS	M	T817	

ICD-10-Mortality Manual 2c - 2014

DS M T828
DS M T838
DS M T848
DS M T858
DS Y600 -Y849

I771 Address

DS M C000 -C959

I776 Address

SMP M A505
SMP M A520
SMP M B948
SMP M I258
SMP I677
DSC M M069 M052
SMP M M313 -M316

I779 Address

SMP M A520
SMP M B948
SMP M I210 -I289
SMP M I514 -I5150
SMP M I600 -I629
SMP I630 -I6390
SMP M I64 -I6400
SMP I670
SMP M I671
SMP I672
SMP M I673 -I676
SMP I677
SMP M I678 -I698
SMP I770 -I778
SMP M300 -M319

I788 Address

DS M I011
DS M I020
DS M I050 -I069
DS M I080 -I089
DS M I091
DS M I330 -I359
DS M I38
DS M I48 -I499
DS M I513
DS M I741
DS M O033
DS M O038
DS M O043
DS M O048

ICD-10-Mortality Manual 2c - 2014

DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS	M	O60	-O849
DS	M	O994	
DS	M	T455	
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS	M	Y600	-Y849

I789 Address

SMP		I780	-I788
-----	--	------	-------

I800 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		I830	I832
DSC		I839	I831
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DS	M	S700	-S999
DS	M	T003	
DS	M	T013	
DS	M	T023	
DS	M	T025	
DS	M	T033	
DS	M	T043	
DS	M	T053	
DS	M	T12	-T139
DS	M	T240	-T257
DS	M	T336	-T339
DS	M	T346	-T349
DS	M	T930	-T940
DS	M	T953	
DS	M	T959	

I801 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208

ICD-10-Mortality Manual 2c - 2014

DS		B900	-B949
DS		C000	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	

ICD-10-Mortality Manual 2c - 2014

DS		I600	-I698	
DSC		I830		I832
DSC		I839		I831
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	S700	-S999	
DS	M	T003		
DS	M	T013		
DS	M	T023		
DS	M	T025		
DS	M	T033		
DS	M	T043		
DS	M	T053		
DS	M	T12	-T139	
DS	M	T240	-T257	

ICD-10-Mortality Manual 2c - 2014

DS	M	T336	-T339
DS	M	T346	-T349
DS	M	T930	-T940
DS	M	T953	
DS	M	T959	

I802 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS		B900	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G309	
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	

ICD-10-Mortality Manual 2c - 2014

DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DSC		I830		I832
DSC		I839		I831
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	S700	-S999	

ICD-10-Mortality Manual 2c - 2014

DS	M	T003	
DS	M	T013	
DS	M	T023	
DS	M	T025	
DS	M	T033	
DS	M	T043	
DS	M	T053	-T055
DS	M	T12	-T139
DS	M	T240	-T257
DS	M	T336	-T339
DS	M	T346	-T349
DS	M	T930	-T940
DS	M	T953	
DS	M	T959	

I803 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		B900	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	

ICD-10-Mortality Manual 2c - 2014

DS	M	G210	-G259	
DS		G300	-G309	
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
SMP		I800	-I802	
DSC		I830		I832
DSC		I839		I831
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	

ICD-10-Mortality Manual 2c - 2014

DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	S700	-S999	
DS	M	T003		
DS	M	T013		
DS	M	T023		
DS	M	T025		
DS	M	T033		
DS	M	T043		
DS	M	T053	-T055	
DS	M	T12	-T139	
DS	M	T240	-T257	
DS	M	T336	-T339	
DS	M	T346	-T349	
DS	M	T930	-T940	
DS	M	T953		
DS	M	T959		

I808 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

I809 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS		B900	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	

ICD-10-Mortality Manual 2c - 2014

DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
SMP		G08		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
SMP		I800	-I808	
DSC		I830		I832
DSC		I839		I831
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

I821 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

I822 Address

DSC		B24		B238
DSC		R75		B238

I823 Address

DSC		B24		B238
DSC		R75		B238

I828 Address

DSC		B24		B238
DSC	M	I842		I840
DSC	M	I845		I843
DSC	M	I849		I847

ICD-10-Mortality Manual 2c - 2014

DSC R75 B238

I829 Address

DSC B24 B238

DS B900 -C97

DS D320 -D339

DS D370 -D479

SMP M D735

DS D810 -D819

DS D860

DS M E000 -E02

DS E030 -E038

DS E0390

DS E050 -E059

DS E100 -E107

DS E110 -E117

DS E120 -E127

DS E130 -E137

DS E140 -E147

DS E15

DS E40 -E43

DS E46

DS E640

DS E840 -E849

DS F010 -F03

DS F202

DS F322 -F323

DS F332 -F333

DS F500 -F503

DS F505 -F509

DS F73

SMP M G08

DS G09

DS M G10 -G121

DS G1220

DS M G128 -G129

DS G2000

DS M G210 -G308

DS G309

DS M G310 -G319

DS G35

DS M G360 -G379

DS G600 -G629

DS M G64 -G819

DS G820 -G825

DS M G830 -G931

DS M G934

DS G935 -G936

DS M G937 -G939

DS G950 -G959

ICD-10-Mortality Manual 2c - 2014

DS	M	G960	-G98	
SMP	M	I078		
SMP	M	I210	-I229	
SMP	M	I269		
SMP	M	I348		
SMP	M	I358		
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
SMP		I800	-I828	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238

I830 Address

LMC		I800	-I803	I832
-----	--	------	-------	------

ICD-10-Mortality Manual 2c - 2014

LMC	I809		I832
LMC	I831		I832
LMP	I832		
LMC M	L080	-L089	I832

I831 Address

LMC	I830		I832
LMP	I832		
LMC	L97		I832
LMC M	L984		I832

I839 Address

LMC	I800	-I803	I831
LMC	I809		I831
LMP	I830	-I832	
SMP M	I850	-I868	
LMC M	L080	-L089	I831
LMC	L97		I830
LMC M	L984		I830

I842 Address

LMC M	I828		I840
SMP	I840	-I841	
LMC M	K623		I841
LMC M	K625	-K626	I841

I845 Address

LMC M	I828		I843
SMP	I843	-I844	
LMC M	K623		I844
LMC M	K625	-K626	I844

I847 Address

SMP	I840		
SMP	I843		

I848 Address

SMP	I841		
SMP	I844		

I849 Address

LMC M	I828		I847
SMP	I840	-I848	
LMC M	K623		I848
LMC M	K625	-K626	I848

I850 Address

DS	B180	-B189	*
DS	F100	-F109	
DS	K700	-K709	

ICD-10-Mortality Manual 2c - 2014

DS	M	K721	
DS		K730	-K746
DS		K760	
DS		K766	
DS		K768	-K769

I859 Address

DS		B180	-B189	*
DS		F100	-F109	
SMP		I850		
LMC	M	K228		I850
DS		K700	-K709	
DS	M	K721		
DS		K730	-K746	
DS		K760		
DS		K766		
DS		K768	-K769	
LMC		K920	-K922	I850

I868 Address

DS	M	B150	-B199
DS	M	K700	-K769

I871 Address

DSC		B24	B238
DSC		R75	B238

I872 Address

DSC		B24	B238
DSC		R75	B238

I878 Address

DSC		B24	B238
DSC		R75	B238

I879 Address

DSC		B24	B238
SMP		I800	-I878
DSC		R75	B238

I880 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I881 Address

DSC	M	B24	B201
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I888 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I889 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		I880	-I888
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

I890 Address

DS	M	A182	
DS	M	A184	
DS	M	A281	
DS	M	A400	-A409
DS	M	A500	-A539
DS	M	B350	-B49
DS	M	B72	
DS	M	B740	-B749
DS	M	B908	
DS	M	B948	
DS	M	C000	-D489
DS	M	I800	-I809
DS	M	I830	-I839
DS	M	I891	-I898
DS	M	L020	-L039
DS	M	L890	-L899
DS	M	L97	
DS	M	L984	
DS	M	T66	
DS	M	W88	-W91
DS	M	Y400	-Y599
DS	M	Y632	-Y633
DS	M	Y836	
DS	M	Y842	

I899 Address

ICD-10-Mortality Manual 2c - 2014

SMP I890 -I898

I951 Address

DSC B24 B238
DSC G20 -G2000 G903
DSC R75 B238

I958 Address

DSC B24 B238
DSC R75 B238

I970 Address

DS Y838
DS M Y883

I971 Address

DS Y830 -Y832
DS Y834
DS Y836 -Y839
DS M Y883

I972 Address

DS Y834
DS M Y836 -Y839
DS M Y883

I978 Address

DS Y600 -Y849
DS Y881
DS Y883

I979 Address

SMP I970 -I978
DS Y600 -Y849
DS Y881
DS Y883

J

J00 Address

DSC E841 E848
DSC E849 E848
DS M E854
DSC E859 E854
LDP G038
LDP G060
LDP H650 -H669
LDP H700 -H709
LMP J09 -J101

ICD-10-Mortality Manual 2c - 2014

LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
LDP		J120	-J219	
SMP	M	J311		
LDP		J40	-J42	
LDP		J440	-J449	
LDP		N000	-N009	

J010 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J011 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J012 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854

ICD-10-Mortality Manual 2c - 2014

LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J013 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J014 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J018 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101

ICD-10-Mortality Manual 2c - 2014

LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J019 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
SMP		J010	-J018	
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J020 Address

DSC		B24		B201
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC		R75		B201

J028 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC		E841		E848
DSC		E849		E848
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J108	-J111	
LMC		J1110		J111
LMP		J118		
DSC	M	R75		B201
DSC	M	R75		B203

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B208

J029 Address

SMP M A168
SMP M A360
SMP M A500
SMP A545
SMP A564
SMP M A691
SMP M B002
SMP M B085
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DSC E859 E854
SMP J020 -J028
LMP J09 -J118
LMC J1010 J101
LMC J1110 J111
SMP J312
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

J030 Address

DSC B24 B201
DSC E841 E848
DSC E849 E848
DSC E859 E854
LMP J09 -J101
LMC J1010 J101
LMP J108 -J111
LMC J1110 J111
LMP J118
DSC R75 B201

J038 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DSC E859 E854
LMP J09 -J101
LMC J1010 J101
LMP J108 -J111
LMC J1110 J111
LMP J118

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J039 Address

SMP	M	A168	
SMP	M	A360	
SMP	M	A691	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DSC		E859	E854
SMP		J030	-J038
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111
LMC		J1110	J111
LMP		J118	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J040 Address

SMP	M	A164	
SMP	M	A362	
SMP	M	A505	
SMP	M	A527	
SMP	M	A691	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
LMC		J041	J042
DS		J042	
SMP		J050	
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111
LMC		J1110	J111
LMP		J118	
SMP	M	J370	
DS		J371	
LMP		J42	
DSC	M	R75	B201
DSC	M	R75	B203

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B208

J041 Address

LMP M A164
SMP M A368
SMP M A527
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DS M E854
DSC E859 E854
LMC J040 J042
DS J042
LMP J09 -J101
LMC J1010 J101
LMP J108 -J111
LMC J1110 J111
LMP J118
LMP J200 -J209
LMC M J370 J371
DS J371
LMP J40
LMP J42
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

J042 Address

SMP M A164
SMP A362
SMP M A527
SMP M A691
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DS M E854
DSC E859 E854
LMP J09 -J101
LMC J1010 J101
LMP J108 -J111
LMC J1110 J111
LMP J118
SMP J371
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

ICD-10-Mortality Manual 2c - 2014***J050 Address***

SMP		A362	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111
LMC		J1110	J111
LMP		J118	
SMP	M	J200	-J209
SMP	M	J385	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J051 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111
LMC		J1110	J111
LMP		J118	
SMP		J370	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J060 Address

DSC		E841	E848
DSC		E849	E848
DSC		E859	E854
LDP		G038	
LDP		G060	
LDP		H650	-H669
LDP		H700	-H709
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111

ICD-10-Mortality Manual 2c - 2014

LMC	J1110		J111
LMP	J118		
LDP	J120	-J219	
SMP	J370		
LDP	J40	-J42	
LDP	J440	-J449	
LDP	N000	-N009	

J068 Address

SMP	M	B002	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
LDP		G038	
LDP		G060	
LDP		H650	-H669
LDP		H700	-H709
LMP		J09	-J101
LMC		J1010	J101
LMP		J110	-J111
LMC		J1110	J111
LMP		J118	
LDP		J120	-J219
LDP		J40	-J42
SMP	M	J42	
LDP		J440	-J449
LDP		N000	-N009

J069 Address

DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
LDP		G038	
LDP		G060	
LDP		H650	-H669
LDP		H700	-H709
SMP		J00	-J068
LMP		J09	-J101
LMC		J1010	J101
LMP		J108	-J111
LMC		J1110	J111
LMP		J118	
LDP		J120	-J219
LDP		J40	-J42
LDP		J440	-J449
LDP		N000	-N009

J1010 Address

ICD-10-Mortality Manual 2c - 2014

LMC	A083	-A085	J108
LMC	G039		J108
LMC	G048	-G049	J108
LMC	G319		J108
LMC	G934		J108
LMC	H660		J108
LMC	M	H669	J108
LMC	I409		J108
LMC	M	I514	J108
LMC	J010	-J029	J101
LMC	J040	-J042	J101
LMC	J060	-J069	J101
SMP	J09	-J101	
SMP	J108		
LMC	J120	-J189	J100
LMC	J320	-J329	J101
LMC	J690		J100
LMC	J90		J101
LMC	K290	-K291	J108
LMC	K296	-K299	J108
LMC	K529		J108
LMC	K920	-K922	J108
LMC	R05		J101
LMC	R11		J108
LMC	R291		J108

J1110 Address

LMC	A083	-A085	J118
LMC	G039		J118
LMC	G048	-G049	J118
LMC	G319		J118
LMC	G934		J118
LMC	H660		J118
LMC	M	H669	J118
LMC	I409		J118
LMC	M	I514	J118
LMC	J010	-J029	J111
LMC	J040	-J042	J111
LMC	J060	-J069	J111
SMP	J09	-J111	
SMP	J118		
LMC	J120	-J189	J110
LMC	J320	-J329	J111
LMC	J690		J110
LMC	J90		J111
LMC	K290	-K291	J118
LMC	K296	-K299	J118
LMC	K529		J118
LMC	K920	-K922	J118
LMC	R05		J111

ICD-10-Mortality Manual 2c - 2014

LMC	R11		J118
LMC	R291		J118

J120 Address

DSC	B24		B203
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC	M	M300	M301
DS	M	M301	-M319
DSC	R75		B203
DS	T451		

J121 Address

DSC	B24		B203
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC	M	M300	M301
DS	M	M301	-M319
DSC	R75		B203
DS	T451		

J122 Address

DSC	B24		B203
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840

ICD-10-Mortality Manual 2c - 2014

LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC	M	M300	M301
DS	M	M301	-M319
DSC	R75		B203
DS	T451		

J123 Address

DSC	B24		B203
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC	M	M300	M301
DS	M	M301	-M319
DSC	R75		B203
DS	T451		

J128 Address

DSC	B24		B203
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC	M	M300	M301
DS	M	M301	-M319
DSC	R75		B203
DS	T451		

J129 Address

DSC	B24		B203
-----	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
SMP	J120	-J128	
DSC	J448	-J449	J440
DSC M	M300		M301
DS M	M302	-M319	
DSC	R75		B203
DS	T451		

J13 Address

DSC	B24		B201
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110
DSC	J448	-J449	J440
DSC M	M300		M301
DS M	M302	-M319	
DSC	R75		B201
DS	T451		

J14 Address

DSC	B24		B201
DS	D45	-D469	
DS	D70		
DS	D800	-D849	
DS	D890	-D899	
DS	E840		
DSC	E841		E848
DSC	E849		E840
LMP	J09	-J100	
LMC	J101	-J108	J100
LMP	J110		
LMC	J111	-J118	J110

ICD-10-Mortality Manual 2c - 2014

DSC		J448 -J449	J440
DSC	M	M300	M301
DS	M	M302 -M319	
DSC		R75	B201
DS		T451	

J150 Address

DS		A000 -A028	
DSC		A029	A022
DS		A030 -A218	
DSC		A219	A212
DS		A220 -A228	
DSC		A229	A221
DS		A230 -A243	
DSC		A244	A241
DS		A250 -A310	
DS		A318 -A427	
DSC		A429	A420
DS		A430 -A599	
DS		A601 -A70	
DS		A748	
DSC		A749	J160
DS		A750 -B001	
DS		B003 -B004	
DS		B007	
DS		B009 -B018	
DSC		B019	B012
DS		B020 -B058	
DSC		B059	B052
DS		B060 -B068	
DSC		B069	B068
DS		B080	
DS		B082 -B085	
DS		B09 -B199	
DSC		B24	B208
DS		B250 -B279	
DS		B330 -B349	
DS		B370 -B395	
DSC		B399	B392
DS		B400 -B448	
DSC		B449	B441
DS		B450 -B588	
DSC		B589	B583
DS		B59 -B778	
DSC		B779	B778
DS		B780 -B839	
DS		B86 -B949	
SMP	M	B99	
DS		C000 -C97	
DS		D320 -D339	

ICD-10-Mortality Manual 2c - 2014

DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	

ICD-10-Mortality Manual 2c - 2014

DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	

ICD-10-Mortality Manual 2c - 2014

DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	
DS		S710	-S729	
DS		S750	-S759	
DS		S770	-S799	
DS		S810	-S829	

ICD-10-Mortality Manual 2c - 2014

DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300

ICD-10-Mortality Manual 2c - 2014

DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J151 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420

ICD-10-Mortality Manual 2c - 2014

DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B395	
DSC	B399		B392
DS	B400	-B448	
DSC	B449		B441
DS	B450	-B588	
DSC	B589		B583
DS	B59	-B778	
DSC	B779		B778
DS	B780	-B839	
DS	B86	-B949	
SMP	M	B99	
DS	C000	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M	E000	-E038
DS	E0390		
DS	E050	-E059	
DS	E100	-E107	
DS	E110	-E117	
DS	E120	-E127	
DS	E130	-E137	
DS	E140	-E147	
DS	E15		
DS	E40	-E43	
DS	E46		
DS	E640		
DS	E840		
DSC	E841		E848
DSC	E849		E840

ICD-10-Mortality Manual 2c - 2014

DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	

ICD-10-Mortality Manual 2c - 2014

DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	

ICD-10-Mortality Manual 2c - 2014

DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	

ICD-10-Mortality Manual 2c - 2014

DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	

ICD-10-Mortality Manual 2c - 2014

DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J152 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	

ICD-10-Mortality Manual 2c - 2014

DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		

ICD-10-Mortality Manual 2c - 2014

DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	

ICD-10-Mortality Manual 2c - 2014

DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	

ICD-10-Mortality Manual 2c - 2014

DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210

ICD-10-Mortality Manual 2c - 2014

DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959

ICD-10-Mortality Manual 2c - 2014

DS T96 -T983

J153 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B395	
DSC	B399		B392
DS	B400	-B448	
DSC	B449		B441
DS	B450	-B588	
DSC	B589		B583
DS	B59	-B778	
DSC	B779		B778
DS	B780	-B839	
DS	B86	-B949	
SMP	M	B99	
DS	C000	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M	E000	-E038

ICD-10-Mortality Manual 2c - 2014

DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100

ICD-10-Mortality Manual 2c - 2014

DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	

ICD-10-Mortality Manual 2c - 2014

DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	
DS		S710	-S729	
DS		S750	-S759	
DS		S770	-S799	
DS		S810	-S829	
DS		S850	-S859	
DS		S870	-S899	
DS		S910		
DS		S917		

ICD-10-Mortality Manual 2c - 2014

DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329

ICD-10-Mortality Manual 2c - 2014

DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J154 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160

ICD-10-Mortality Manual 2c - 2014

DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		

ICD-10-Mortality Manual 2c - 2014

DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	

ICD-10-Mortality Manual 2c - 2014

DS	M	K852	
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS		M000	-M009
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DSC	M	M300	M301
DS	M	M302	-M319
DS		M320	-M329
DS		M340	-M349
DS	M	M350	-M352
DS	M	M354	-M359
DS		M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS		M800	-M849
DS		M860	-M869
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS		P270	-P279
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS		Q750	-Q799
DS		Q850	-Q999
DSC		R75	B208
DS		S017	
DS		S019	-S029
DS		S057	
DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311

ICD-10-Mortality Manual 2c - 2014

DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12

ICD-10-Mortality Manual 2c - 2014

DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	

ICD-10-Mortality Manual 2c - 2014

DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J155 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A218	
DSC		A219		A212
DS		A220	-A228	
DSC		A229		A221
DS		A230	-A243	
DSC		A244		A241
DS		A250	-A310	
DS		A318	-A427	
DSC		A429		A420
DS		A430	-A599	
DS		A601	-A70	
DS		A748		
DSC		A749		J160
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	

ICD-10-Mortality Manual 2c - 2014

DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		

ICD-10-Mortality Manual 2c - 2014

DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	

ICD-10-Mortality Manual 2c - 2014

DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	

ICD-10-Mortality Manual 2c - 2014

DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	

ICD-10-Mortality Manual 2c - 2014

DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J156 Address

DS		A000	-A028
----	--	------	-------

ICD-10-Mortality Manual 2c - 2014

DSC		A029		A022
DS		A030	-A218	
DSC		A219		A212
DS		A220	-A228	
DSC		A229		A221
DS		A230	-A243	
DSC		A244		A241
DS		A250	-A310	
DS		A318	-A427	
DSC		A429		A420
DS		A430	-A599	
DS		A601	-A70	
DS		A748		
DSC		A749		J160
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	

ICD-10-Mortality Manual 2c - 2014

DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		

ICD-10-Mortality Manual 2c - 2014

DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		

ICD-10-Mortality Manual 2c - 2014

DS		S019	-S029
DS		S057	
DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	

ICD-10-Mortality Manual 2c - 2014

DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	

ICD-10-Mortality Manual 2c - 2014

DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J157 Address

DSC		B24		B201
DS		D45	-D469	
DS		D70		
DS		D800	-D849	
DS		D890	-D899	
DS		E840		
DSC		E841		E848
DSC		E849		E840
LMP		J09	-J100	
LMC		J101	-J108	J100
LMP		J110		
LMC		J111	-J118	J110
DSC		J448	-J449	J440
DSC	M	M300		M301
DS	M	M302	-M319	
DSC		R75		B201
DS		T451		

J158 Address

ICD-10-Mortality Manual 2c - 2014

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B395	
DSC	B399		B392
DS	B400	-B448	
DSC	B449		B441
DS	B450	-B588	
DSC	B589		B583
DS	B59	-B778	
DSC	B779		B778
DS	B780	-B839	
DS	B86	-B949	
SMP	M	B99	
DS	C000	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M	E000	-E038
DS	E0390		
DS	E050	-E059	
DS	E100	-E107	

ICD-10-Mortality Manual 2c - 2014

DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	

ICD-10-Mortality Manual 2c - 2014

DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208

ICD-10-Mortality Manual 2c - 2014

DS		S017	
DS		S019	-S029
DS		S057	
DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	

ICD-10-Mortality Manual 2c - 2014

DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68

ICD-10-Mortality Manual 2c - 2014

DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J159 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		

ICD-10-Mortality Manual 2c - 2014

DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		

ICD-10-Mortality Manual 2c - 2014

DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		

ICD-10-Mortality Manual 2c - 2014

DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	

ICD-10-Mortality Manual 2c - 2014

DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	

ICD-10-Mortality Manual 2c - 2014

DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J160 Address

DSC		B24		B208
DS		D45	-D469	
DS		D70		
DS		D800	-D849	
DS		D890	-D899	
DS		E840		
DSC		E841		E848
DSC		E849		E840
LMP		J09	-J100	
LMC		J101	-J108	J100
LMP		J110		
LMC		J111	-J118	J110
DSC		J448	-J449	J440
DSC	M	M300		M301
DS	M	M302	-M319	
DSC		R75		B208
DS		T451		

J168 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A218	
DSC		A219		A212
DS		A220	-A228	
DSC		A229		A221
DS		A230	-A243	
DSC		A244		A241
DS		A250	-A310	
DS		A318	-A427	
DSC		A429		A420
DS		A430	-A599	
DS		A601	-A70	
DS		A748		
DSC		A749		J160
DS		A750	-B001	
DS		B003	-B004	

ICD-10-Mortality Manual 2c - 2014

DS		B007	
DS		B009 -B018	
DSC		B019	B012
DS		B020 -B058	
DSC		B059	B052
DS		B060 -B068	
DSC		B069	B068
DS		B080	
DS		B082 -B085	
DS		B09 -B199	
DSC		B24	B208
DS		B250 -B279	
DS		B330 -B349	
DS		B370 -B395	
DSC		B399	B392
DS		B400 -B448	
DSC		B449	B441
DS		B450 -B588	
DSC		B589	B583
DS		B59 -B778	
DSC		B779	B778
DS		B780 -B839	
DS		B86 -B949	
SMP	M	B99	
DS		C000 -C97	
DS		D320 -D339	
DS		D370 -D479	
DS		D70	
DS		D800 -D899	
DS	M	E000 -E038	
DS		E0390	
DS		E050 -E059	
DS		E100 -E107	
DS		E110 -E117	
DS		E120 -E127	
DS		E130 -E137	
DS		E140 -E147	
DS		E15	
DS		E40 -E43	
DS		E46	
DS		E640	
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E850 -E858	
DSC	M	E859	E854
DS		F010 -F03	
DS		F202	
DS		F322 -F323	
DS		F332 -F333	

ICD-10-Mortality Manual 2c - 2014

DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	

ICD-10-Mortality Manual 2c - 2014

DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	

ICD-10-Mortality Manual 2c - 2014

DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	

ICD-10-Mortality Manual 2c - 2014

DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915

ICD-10-Mortality Manual 2c - 2014

DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J180 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B395	
DSC	B399		B392
DS	B400	-B448	
DSC	B449		B441
DS	B450	-B588	

ICD-10-Mortality Manual 2c - 2014

DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	

ICD-10-Mortality Manual 2c - 2014

DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J120	-J168	
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	

ICD-10-Mortality Manual 2c - 2014

DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
LMC		R263		J182
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	

ICD-10-Mortality Manual 2c - 2014

DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234

ICD-10-Mortality Manual 2c - 2014

DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J181 Address

SMP	M	A010	
SMP	M	A022	
SMP	M	A150	-A153

ICD-10-Mortality Manual 2c - 2014

SMP	M	A160	-A162	
SMP	M	A202		
SMP	M	A212		
SMP	M	A221		
SMP		A370		
SMP		A420		
SMP		A430		
SMP	M	A548		
SMP	M	A698		
SMC		A70		J160
SMC		A749		J160
SMP		A78		
SMP		B012		
SMP		B052		
SMP	M	B068		
DSC		B24		B208
SMP		B250		
SMP	M	B371		
SMP	M	B380		
SMP	M	B382		
SMP		B390		
SMP	M	B440		
SMP		B583		
SMP	M	B59		
SMP	M	B658		
SMP	M	B778		
SMP	M	B99		
DS		D45	-D469	
DS		D70		
DS		D800	-D849	
DS		D890	-D899	
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS		F102		
SMP	M	I00		
LMP		J09	-J100	
LMC		J101		J100
LMP		J110		
LMC		J111		J110
SMP		J120		
DSC		J448	-J449	J440
SMP		J690		
SMP	M	J700		
SMP	M	J82		
SMP	M	J841		
SMP	M	J850		
SMP		J851		
LMC		J852		J851
SMP	M	J984		

ICD-10-Mortality Manual 2c - 2014

DSC	M	M300		M301
DS	M	M302	-M319	
DSC		R75		B208
DS		T451		

J182 Address

DS		A000	-A310	
DS		A318	-A427	
DS		A429	-A599	
DS		A601	-A70	
DS		A748	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B069	
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B839	
DS		B86	-B949	
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E859	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		

ICD-10-Mortality Manual 2c - 2014

DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J689	
DS		J700	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	

ICD-10-Mortality Manual 2c - 2014

DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300		
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	

ICD-10-Mortality Manual 2c - 2014

DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	

ICD-10-Mortality Manual 2c - 2014

DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	

ICD-10-Mortality Manual 2c - 2014

DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J188 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A218	
DSC		A219		A212
DS		A220	-A228	
DSC		A229		A221
DS		A230	-A243	
DSC		A244		A241
DS		A250	-A310	
DS		A318	-A427	
DSC		A429		A420
DS		A430	-A599	
DS		A601	-A70	
DS		A748		
DSC		A749		J160
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	

ICD-10-Mortality Manual 2c - 2014

DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	

ICD-10-Mortality Manual 2c - 2014

DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J120	-J168	
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	

ICD-10-Mortality Manual 2c - 2014

DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
LMC		R263		J182
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		

ICD-10-Mortality Manual 2c - 2014

DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244

ICD-10-Mortality Manual 2c - 2014

DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J189 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221

ICD-10-Mortality Manual 2c - 2014

DS		A230	-A243	
DSC		A244		A241
DS		A250	-A310	
DS		A318	-A427	
DSC		A429		A420
DS		A430	-A599	
DS		A601	-A70	
DS		A748		
DSC		A749		J160
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B012
DS		B020	-B058	
DSC		B059		B052
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B208
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B395	
DSC		B399		B392
DS		B400	-B448	
DSC		B449		B441
DS		B450	-B588	
DSC		B589		B583
DS		B59	-B778	
DSC		B779		B778
DS		B780	-B839	
DS		B86	-B949	
SMP	M	B99		
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	

ICD-10-Mortality Manual 2c - 2014

DS		E46		
DS		E640		
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G122	-G1220	
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	*
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
DS		J09	-J100	
DSC		J101	-J108	J100
DS		J110		
DSC		J111	-J118	J110
DS		J120	-J188	
DS		J200	-J22	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851

ICD-10-Mortality Manual 2c - 2014

DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
LMC		R263		J182
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	

ICD-10-Mortality Manual 2c - 2014

DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	

ICD-10-Mortality Manual 2c - 2014

DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	

ICD-10-Mortality Manual 2c - 2014

DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J200 Address

DSC		B24		B201
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
LMP		J09	-J101	
LMC		J1010		J101
LMP		J110	-J111	
LMC		J1110		J111
LMP		J410	-J42	
LMP		J440	-J441	
LMC		J448	-J449	J440
DSC		M300		M301
DSC		M349		M348
DSC		R75		B201

J201 Address

DSC		B24		B201
DS		E840		
DSC		E841		E848
DSC		E849		E840

ICD-10-Mortality Manual 2c - 2014

DS	M	E854	
DSC		E859	E854
LMP		J09	-J101
LMC		J1010	J101
LMP		J110	-J111
LMC		J1110	J111
LMP		J410	-J42
LMP		J440	-J441
LMC		J448	-J449
			J440
DSC		M300	M301
DSC		M349	M348
DSC		R75	B201

J202 Address

DSC		B24	B201
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMP		J09	-J101
LMC		J1010	J101
LMP		J110	-J111
LMC		J1110	J111
LMP		J410	-J42
LMP		J440	-J441
LMC		J448	-J449
			J440
DSC		M300	M301
DSC		M349	M348
DSC		R75	B201

J203 Address

DSC		B24	B203
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMP		J09	-J101
LMC		J1010	J101
LMP		J110	-J111
LMC		J1110	J111
LMP		J410	-J42
LMP		J440	-J441
LMC		J448	-J449
			J440
DSC		M300	M301
DSC		M349	M348
DSC		R75	B203

J204 Address

ICD-10-Mortality Manual 2c - 2014

DSC	B24	B203
DS	E840	
DSC	E841	E848
DSC	E849	E840
DS	M E854	
DSC	E859	E854
LMP	J09 -J101	
LMC	J1010	J101
LMP	J110 -J111	
LMC	J1110	J111
LMP	J410 -J42	
LMP	J440 -J441	
LMC	J448 -J449	J440
DSC	M300	M301
DSC	M349	M348
DSC	R75	B203

J205 Address

DSC	B24	B203
DS	E840	
DSC	E841	E848
DSC	E849	E840
DS	M E854	
DSC	E859	E854
LMP	J09 -J101	
LMC	J1010	J101
LMP	J110 -J111	
LMC	J1110	J111
LMP	J410 -J42	
LMP	J440 -J441	
LMC	J448 -J449	J440
DSC	M300	M301
DSC	M349	M348
DSC	R75	B203

J206 Address

DSC	B24	B203
DS	E840	
DSC	E841	E848
DSC	E849	E840
DS	M E854	
DSC	E859	E854
LMP	J09 -J101	
LMC	J1010	J101
LMP	J110 -J111	
LMC	J1110	J111
LMP	J410 -J42	
LMP	J440 -J441	
LMC	J448 -J449	J440
DSC	M300	M301

ICD-10-Mortality Manual 2c - 2014

DSC	M349	M348
DSC	R75	B203

J207 Address

DSC	B24	B203
DS	E840	
DSC	E841	E848
DSC	E849	E840
DSC	E859	E854
LMP	J09 -J101	
LMC	J1010	J101
LMP	J110 -J111	
LMC	J1110	J111
LMP	J410 -J42	
LMP	J440 -J441	
LMC	J448 -J449	J440
DSC	M300	M301
DSC	M349	M348
DSC	R75	B203

J208 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMP		J09 -J101	
LMC		J1010	J101
LMP		J110 -J111	
LMC		J1110	J111
LMP		J410 -J42	
LMP		J440 -J441	
LMC		J448 -J449	J440
DSC		M300	M301
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J209 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	

ICD-10-Mortality Manual 2c - 2014

DSC	E859		E854
LMP	J09	-J101	
LMC	J1010	-J108	J101
LMP	J110	-J111	
LMC	J1110	-J118	J111
SMP	J200	-J208	
LMP	J410	-J42	
LMP	J440	-J441	
LMC	J448	-J449	J440
SMP	M	J680	
DSC	M300		M301
DSC	M349		M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J210 Address

DSC	B24		B203
DS	E840		
DSC	E841		E848
DSC	E849		E840
DS	M	E854	
DSC	E859		E854
LMP	J09	-J101	
LMC	J1010	-J108	J101
LMP	J110	-J111	
LMC	J1110	-J118	J111
DS	J440		
DSC	J448	-J449	J440
DSC	M300		M301
DS	M301	-M319	
DSC	M349		M348
DSC	R75		B203

J211 Address

DSC	B24		B203
DS	E840		
DSC	E841		E848
DSC	E849		E840
DS	M	E854	
DSC	E859		E854
LMP	J09	-J101	
LMC	J1010	-J108	J101
LMP	J110	-J111	
LMC	J1110	-J118	J111
DS	J440		
DSC	J448	-J449	J440
DSC	M300		M301
DS	M301	-M319	
DSC	M349		M348

ICD-10-Mortality Manual 2c - 2014

DSC	R75		B203
-----	-----	--	------

J218 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMP		J09 -J101	
LMC		J1010 -J108	J101
LMP		J110 -J111	
LMC		J1110 -J118	J111
DS		J440	
DSC		J448 -J449	J440
DSC		M300	M301
DS		M301 -M319	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J219 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMP		J09 -J101	
LMC		J1010 -J108	J101
LMP		J110 -J111	
LMC		J1110 -J118	J111
SMP		J210 -J218	
DS		J440	
DSC		J448 -J449	J440
SMP	M	J684	
DSC		M300	M301
DS		M301 -M319	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J22 Address

DS	A000	-A028	
----	------	-------	--

ICD-10-Mortality Manual 2c - 2014

DSC	A029		A022
DS	A030	-A218	
DSC	A219		A212
DS	A220	-A228	
DSC	A229		A221
DS	A230	-A243	
DSC	A244		A241
DS	A250	-A310	
DS	A318	-A427	
DSC	A429		A420
DS	A430	-A599	
DS	A601	-A70	
DS	A748		
DSC	A749		J160
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B012
DS	B020	-B058	
DSC	B059		B052
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B208
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B395	
DSC	B399		B392
DS	B400	-B448	
DSC	B449		B441
DS	B450	-B588	
DSC	B589		B583
DS	B59	-B778	
DSC	B779		B778
DS	B780	-B839	
DS	B86	-B949	
DS	C000	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M	E000	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127

ICD-10-Mortality Manual 2c - 2014

DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500		
DS		F502		
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G309	
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G419	
DS	M	G521		
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	J010	-J019	
DS		J020	-J051	
LMP		J09	-J100	
DS		J09	-J100	
SMP		J101		
DSC		J101	-J108	J100
LMC		J1010		J101
LMP		J110		

ICD-10-Mortality Manual 2c - 2014

DS		J110		
SMP		J111		
DSC		J111	-J118	J110
LMC		J1110		J111
DS		J120	-J219	
SMP		J200	-J219	
DS		J392		
DS		J40	-J441	
DSC		J448	-J449	J440
DS		J450	-J851	
DSC		J852		J851
DS		J853	-J869	
DS	M	J930	-J949	
DS		J984		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K852		
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DSC	M	M300		M301
DS	M	M302	-M319	
DS		M320	-M329	
DS		M340	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		P270	-P279	
DS	M	Q000	-Q079	

ICD-10-Mortality Manual 2c - 2014

DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B208
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	
DS		S710	-S729	
DS		S750	-S759	
DS		S770	-S799	
DS		S810	-S829	
DS		S850	-S859	

ICD-10-Mortality Manual 2c - 2014

DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304

ICD-10-Mortality Manual 2c - 2014

DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

J300 Address

DSC	E841		E848
DSC	E849		E848
LMC	J459	-J46	J450

J301 Address

DSC	E841		E848
DSC	E849		E848
LMC	J459	-J46	J450

J302 Address

DSC	E841		E848
DSC	E849		E848

ICD-10-Mortality Manual 2c - 2014

LMC J459 -J46 J450

J303 Address

DSC E841 E848
DSC E849 E848
LMC J459 -J46 J450

J304 Address

DSC E841 E848
DSC E849 E848
SMP J300 -J303
LMC J459 -J46 J450

J310 Address

SMP M A168
SMP M A527
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

J311 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

J312 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E841 E848
DSC E849 E848
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

J320 Address

SMP M A168
DSC M B24 B201
DSC M B24 B203
DSC M B24 B208

ICD-10-Mortality Manual 2c - 2014

SMP	M	C310	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J321 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C312	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J322 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C311	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848

ICD-10-Mortality Manual 2c - 2014

DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J323 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C313	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J324 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C310 -C319	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111

ICD-10-Mortality Manual 2c - 2014

SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J328 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C310	-C319
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J329 Address

SMP	M	A168	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	C319	
SMP	M	C783	
SMP	M	D023	
SMP	M	D140	
SMP	M	D385	
DSC		E841	E848
DSC		E849	E848
DS		J09	
SMP		J101	
DSC		J1010	J101
SMP		J111	
DSC		J1110	J111
SMP		J303	
SMP		J320	-J328
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014**J330 Address**

DSC	E841	E848
DSC	E849	E848

J331 Address

DSC	E841	E848
DSC	E849	E848

J338 Address

DSC	E841	E848
DSC	E849	E848

J339 Address

DSC	E841	E848
DSC	E849	E849
SMP	J330	-J338

J340 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J341 Address

DSC	B24	B238
DSC	E841	E848
DSC	E849	E848
DSC	R75	B238

J342 Address

DSC	E841	E848
DSC	E849	E848

J343 Address

DSC	E841	E848
DSC	E849	E848

J348 Address

DSC	B24	B238	
DSC	E841	E848	
DSC	E849	E848	
SMP	M	J310	
SMP	M	J320	-J343
DSC	R75	B238	

ICD-10-Mortality Manual 2c - 2014**J350 Address**

DSC	E841	E848
DSC	E849	E848

J351 Address

DSC	E841	E848
DSC	E849	E848
LMC	J352	J353
DS	J353	

J352 Address

DSC	E841	E848
DSC	E849	E848
LMC	J351	J353
DS	J353	

J353 Address

DSC	E841	E848
DSC	E849	E848

J358 Address

DS	C090	-C099	
DS	M	C111	
DS	M	C798	
DS	M	D000	
DS	M	D370	
DSC	E841	E848	
DSC	E849	E848	
DS	M	T455	

J359 Address

SMP	M	C024	
SMP	M	C090	-C091
SMP	M	C099	
SMP	M	C111	
SMP	M	D000	
SMP	M	D101	
SMP	M	D104	-D106
SMP	M	D370	
DSC	E841	E848	
DSC	E849	E848	
SMP	M	J350	-J358
SMP	M	J36	

J36 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	E841	E848	

ICD-10-Mortality Manual 2c - 2014

DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J370 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
LMC	M	J041	J371
DS		J371	
LMC		J42	J371
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J371 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J380 Address

DS		A362	
DS		C320	-C329
DS		C783	
DS		D020	
DS		D141	
DS		D380	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
DS		I600	-I698
DS		J040	-J042

J381 Address

DSC		E841	E848
DSC		E849	E848

J382 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238
DSC		E841	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

J383 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DS	M	C320	-C321
DS	M	C783	
DS		D020	
DS		D141	
DS	M	D380	
DSC		E841	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

J384 Address

DSC	M	B24	B238
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
DS		J040	-J050
DSC	M	R75	B238
DS		T172	-T179
DS		T270	-T280
DS		T285	
DS		T360	-T66
DS		T782	-T783
DS		T886	-T887

J385 Address

DSC	M	B24	B238
DS		C320	-C329
DS		C783	
DS		D020	
DS		D141	
DS		D380	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	

ICD-10-Mortality Manual 2c - 2014

DSC		E859	E854
DSC	M	R75	B238
DS		T172 -T179	

J386 Address

DSC	M	B24	B238
DS		C320 -C329	
DS		C783	
DS		D020	
DS		D141	
DS		D380	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
DSC	M	R75	B238

J387 Address

SMP	M	A164	
SMP	M	A362	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DS		C320 -C329	
DS		C783	
DS		D020	
DS		D141	
DS		D380	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC		E859	E854
SMP	M	J040	
SMP	M	J042 -J060	
SMP		J09	
SMP	M	J101	
SMP	M	J111	
SMP	M	J370 -J386	
SMP	M	Q310 -Q319	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	T172 -T175	
DS	M	T455	

J390 Address

DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B208
DS	M	C111	-C113	
DS		C140	-C148	
DSC		E841		E848
DSC		E849		E848
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J391 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS	M	C111	-C113	
DS		C140	-C148	
DSC		E841		E848
DSC		E849		E848
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

J392 Address

DSC		B24		B238
DS	M	C111	-C113	
DS		C140	-C148	
DSC		E841		E848
DSC		E849		E848
DS	M	I600	-I698	
SMP	M	J020	-J029	
SMP		J09		
SMP	M	J101		
SMP	M	J111		
SMP	M	J312		
DSC		R75		B238
DS	M	T172	-T179	
DS	M	T270	-T280	
DS	M	T285		
DS	M	T360	-T456	
DS	M	T458	-T66	
DS	M	T782	-T783	
DS	M	T886	-T887	

J393 Address

DSC		E841		E848
DSC		E849		E848
DS		T360	-T659	

J398 Address

DSC		B24		B238
DSC		E841		E848

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E848
DSC	E859	E854
DSC	R75	B238

J399 Address

DSC	B24	B238
DSC	E841	E848
DSC	E849	E848
DS M	E854	
DSC	E859	E854
SMP	J010	-J09
SMP	J101	
SMP	J111	
SMP	J300	-J398
DSC	R75	B238

J40 Address

SMP M	A164	
SMP M	A698	
DSC M	B24	B201
DSC M	B24	B203
DSC M	B24	B208
DS	E840	
DSC	E841	E848
DSC	E849	E840
DS M	E854	
DSC	E859	E854
LMP	J09	-J101
LMC	J1010	J101
LMP	J110	-J111
LMC	J1110	J111
SMP	J200	-J209
SMP	J410	-J42
LMC	J430	-J441 J448
LMP	J448	
DSC	J449	J448
LDC	J450	-J46 J448
SMP M	J680	
LMC M	J984	J448
LMC M	J988	J448
DSC	M300	M301
DS	M301	
DS M	M348	
DSC	M349	M348
DSC M	R75	B201
DSC M	R75	B203
DSC M	R75	B208

J410 Address

DSC M	B24	B201
-------	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMC		J411	J418
DS		J418	
LMC		J430	-J441 J448
LMP		J448	
LMC		J449	J448
LDC		J450	-J46 J448
DSC	M	J988	J448
DSC		M300	M301
DS		M301	
DS	M	M348	
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J411 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E840
DSC		E859	E854
LMC		J410	J418
LMC		J430	-J441 J448
LMP		J448	
LMC		J449	J448
LDC		J450	-J46 J448
DSC	M	J988	J448
DSC		M300	M301
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J418 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E840
DSC		E859	E854
LMC		J430	-J441 J448
LMP		J448	

ICD-10-Mortality Manual 2c - 2014

LMC		J449	J448
LDC		J450 -J46	J448
DSC	M	J988	J448
DSC		M300	M301
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J42 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E841	E848
DSC		E849	E840
DSC		E859	E854
DSC		J370	J371
SMP		J410 -J418	
LMC		J430 -J439	J448
LMP		J448	
LMC		J449	J448
LDC		J450 -J46	J448
SMP	M	J684	
SMP	M	J701	
LMC	M	J988	J448
DSC		M300	M301
DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J430 Address

DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854
LMC		J40 -J42	J448
DS	M	J448	
DSC		M300	M301
DS		M301	
DS	M	M348	
DSC		M349	M348

J431 Address

DS		E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E854	
DSC		E859	E854

ICD-10-Mortality Manual 2c - 2014

LMC		J40	-J42	J448
DS	M	J448		
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348

J432 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
LMC		J40	-J42	J448
DS	M	J448		
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348

J438 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
LMC		J40	-J42	J448
DS	M	J448		
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348

J439 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
LMC		J40	-J42	J448
SMP		J430	-J438	
DS	M	J448		
SMP	M	J982		
SMP		J983		
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348

J441 Address

ICD-10-Mortality Manual 2c - 2014

DS	E840	
DSC	E841	E848
DSC	E849	E840
DS M	E854	
DSC	E859	E854
DS M	J448	
DSC	M300	M301
DS	M301	
DS M	M348	
DSC	M349	M348

J448 Address

DS	E840	
DSC	E841	E848
DSC	E849	E840
DS M	E854	
DSC	E859	E854
LMC	J120 -J22	J440
SMP	J440 -J441	
DSC	M300	M301
DS	M301	
DS M	M348	
DSC	M349	M348

J449 Address

DS	E840	
DSC	E841	E848
DSC	E849	E840
DS M	E854	
DSC	E859	E854
LMC	J120 -J22	J440
LMC	J40 -J42	J448
LMP	J430 -J439	
SMP	J440 -J448	
LMC	J450 -J46	J448
LMP	J670 -J679	
DSC	M300	M301
DS	M301	
DS M	M348	
DSC	M349	M348

J450 Address

DS	E840	
DSC	E841	E848
DSC	E849	E840
LMC	J451	J458

J451 Address

DS	E840	
DSC	E841	E848

ICD-10-Mortality Manual 2c - 2014

DSC		E849		E840
DS	M	J448		
LMC		J450		J458
DS		J458		

J458 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	J448		

J459 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
DSC		J300		J450
LMC		J301	-J304	J450
SMP	M	J385		
DS	M	J448		
SMP		J450	-J458	
SMP		J46		
SMP	M	J60		
SMP	M	J628		
SMP	M	J64		
SMP	M	J82		

J46 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854
DSC		J300		J450
LMC		J301	-J304	J450
DS	M	J448		
DSC		J449		J448
DS		J450		

J47 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC		E859		E854

ICD-10-Mortality Manual 2c - 2014

DSC	M300	M301
DS	M301	
DS	M	M348
DSC	M349	M348

J60 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J61 Address

LMC	A150	-A1690	J65
SMP	J920		
SMC	J929		J920

J620 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J628 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J630 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J631 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J632 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J633 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J634 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J635 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J638 Address

LMC	A150	-A1690	J65
-----	------	--------	-----

J64 Address

LMC	A150	-A1690	J65
SMP	J60	-J638	
SMP	J660	-J671	

J668 Address

SMP	J660	-J662	
-----	------	-------	--

J679 Address

SMP	J670	-J678	
-----	------	-------	--

ICD-10-Mortality Manual 2c - 2014***J689 Address***

SMP J680 -J688

J690 Address

DSC E841 E848
DSC E849 E840
DS G400 -G419
DS G521
DS I600 -I698
DS J392
DS K210 -K229

J698 Address

DSC E841 E848
DSC E849 E840
DS G400 -G419
DS G521
DS I600 -I698
DS J392
DS K210 -K229

J80 Address

DSC B24 B238
DS E840
DSC E841 E848
DSC E849 E840
DS M E854
DSC M E859 E854
DSC M300 M301
DS M301
DS M M348
DSC M349 M348
DSC R75 B238

J81 Address

DS A000 -A188
DS M A190 -A199
DS A200 -A310
DS A318 -A427
DS A429 -A599
DS A601 -A70
DS A748 -A779
DS M A78
DS A790 -B001
DS B003 -B004
DS B007
DS B009 -B060
DS M B068
DS B069

ICD-10-Mortality Manual 2c - 2014

DS		B080	
DS		B082	-B085
DS		B09	-B200
DS	M	B201	
DS	M	B203	
DS	M	B205	
DS		B206	
DS	M	B207	
DS	M	B218	
DS		B221	
DS	M	B227	
DS	M	B238	
DS		B250	-B269
DS	M	B270	-B279
DS		B330	-B349
DS		B370	-B377
DS	M	B378	
DS		B379	-B394
DS	M	B395	
DS		B399	-B410
DS	M	B417	
DS		B418	-B421
DS	M	B427	
DS		B428	-B442
DS	M	B447	
DS		B448	-B453
DS	M	B457	
DS		B458	-B463
DS	M	B464	
DS		B465	
DS	M	B468	
DS		B469	-B484
DS	M	B487	
DS		B488	-B582
DS	M	B583	
DS		B588	-B672
DS	M	B673	
DS		B674	-B675
DS	M	B676	
DS		B677	-B678
DS	M	B679	
DS		B680	-B839
DS		B86	-B942
DS	M	B948	
DS		B949	-C390
DS	M	C398	
DS		C399	-C463
DS	M	C467	
DS		C468	-C969
DS	M	C97	

ICD-10-Mortality Manual 2c - 2014

DS		D000	-D173	
DS	M	D174		
DS		D175	-D380	
DS	M	D381		
DS		D382	-D863	
DS	M	D868		
DS		D869	-E840	
DS	M	E848		
DSC		E849		E840
DS	M	E850	-E859	
DS		E86	-E878	
DS	M	E880		
DS		E881	-F452	
DS		F480	-F489	
DS		F530	-F59	
DS		F70	-F949	
DS		G000	-G419	
DS		G450	-G479	
DS		G520	-G529	
DS		G580		
DS		G588	-G98	
DS		H050	-H059	
DS		H440	-H449	
DS		H590	-H599	
DS		H650	-H749	
DS		H810	-H832	
DS		H950	-I501	
LMC		I509		I501
DS		I510	-I518	
LMC		I519		I501
DS		I600	-I958	
DS		I970	-I979	
DS		J010	-J051	
DS		J100	-J22	
DS		J310	-J329	
DS		J340	-J341	
DS		J343	-J348	
DS		J36	-J441	
DS	M	J448		
DS		J449	-J80	
DS		J82	-J959	
DS		J961		
DS		J984		
DS		K120	-K137	
DS		K20	-K929	
DS		L100	-L139	
DS		L26	-L279	
DS		L500	-L539	
DS		L710	-L719	
DS		L82		

ICD-10-Mortality Manual 2c - 2014

DS		L88	-L899
DS		L930	-L932
DS		L950	-L97
DS		M000	-M081
DS	M	M082	
DS		M083	-M1990
DS		M301	-M320
DS	M	M321	
DS		M328	
DS		M330	-M342
DS	M	M348	
DS	M	M350	-M352
DS		M354	-M359
DS		M410	-M435
DS		M460	-M479
DS		M481	-M519
DS		M610	-M629
DS		M720	-M724
DS		M728	-M729
DS		M800	-M949
DS		M960	-M969
DS		N000	-N392
DS		N394	-N459
DS		N480	-N509
DS		N61	-N839
DS		N950	-N959
DS		N980	-O031
DS	M	O032	
DS		O033	-O036
DS	M	O037	
DS		O038	-O041
DS	M	O042	
DS		O043	-O046
DS	M	O047	
DS		O048	-O051
DS	M	O052	
DS		O053	-O056
DS	M	O057	
DS		O058	-O061
DS	M	O062	
DS		O063	-O066
DS	M	O067	
DS		O068	-O071
DS	M	O072	
DS		O073	-O076
DS	M	O077	
DS		O078	-O081
DS	M	O082	
DS		O083	-O225
DS	M	O228	

ICD-10-Mortality Manual 2c - 2014

DS		O229	-O880
DS	M	O881	-O888
DS		O890	-O979
DS	M	O980	
DS		O981	-O984
DS	M	O985	-O986
DS	M	O988	
DS		O989	-O990
DS	M	O991	-O992
DS		O993	
DS	M	O994	-O995
DS		O996	-O997
DS	M	O998	
DS		P000	-P059
DS		P100	-P284
DS		P288	-P831
DS	M	P832	
DS		P833	-Q079
DS		Q200	-Q380
DS		Q382	-Q649
DS		Q750	-Q799
DS		Q850	-Q999
DS		S010	-S049
DS		S052	-S057
DS		S059	-S099
DS		S110	-S199
DS		S210	-S299
DS		S310	-S399
DS		S410	-S499
DS		S510	-S599
DS		S610	-S699
DS		S710	-S799
DS		S810	-S899
DS		S910	-T010
DS	M	T011	
DS		T012	-T016
DS	M	T018	
DS		T019	-T040
DS	M	T041	
DS		T042	-T044
DS	M	T047	-T048
DS		T049	-T065
DS	M	T068	
DS		T07	-T08
DS		T091	-T10
DS		T111	-T12
DS		T131	-T139
DS		T141	-T175
DS	M	T178	
DS		T179	-T200

ICD-10-Mortality Manual 2c - 2014

DS		T202	-T210
DS		T212	-T220
DS		T222	-T230
DS		T232	-T240
DS		T242	-T250
DS		T252	-T271
DS	M	T272	
DS		T273	-T275
DS	M	T276	
DS		T277	-T289
DS	M	T290	-T297
DS		T300	-T659
DS	M	T66	
DS		T670	-T701
DS	M	T702	
DS		T703	-T797
DS	M	T798	
DS		T799	-T800
DS	M	T801	
DS		T802	-T816
DS	M	T817	
DS		T818	-T827
DS	M	T828	
DS		T829	-T836
DS	M	T838	
DS		T839	-T847
DS	M	T848	
DS		T849	-T857
DS	M	T858	
DS		T859	-T983
DS		U049	
DS		W65	-W78
DS	M	W88	
DS	M	W91	-W94
DS	M	X00	-X09
DS	M	X13	-X14
DS	M	X20	-X29
DS	M	X31	
DS		X70	-X71
DS	M	X76	-X77
DS		X91	-X92
DS	M	X97	-X98
DS		Y20	-Y21
DS	M	Y26	-Y27
DS		Y352	
DS	M	Y363	
DS	M	Y367	

J82 Address

DS	M	E840	
----	---	------	--

ICD-10-Mortality Manual 2c - 2014

DSC	M	E841	E848
DSC	M	E849	E840
DS	M	E854	
DSC	M	E859	E854

J840 Address

DS		E840	
DSC		E841	E848
DSC		E849	E840

J841 Address

DS	M	A150	-A167	
DSC	M	B24		B203
DSC	M	B24		B238
DS	M	B909		
DS	M	E840		
DSC	M	E841		E848
DSC	M	E849		E840
DS	M	E854		
DSC	M	E859		E854
DS	M	J47		
LMP	M	J60	-J61	
LMP	M	J628	-J630	
LMP	M	J632	-J635	
LMP	M	J64		
LMP	M	J660		
LMP	M	J670	-J671	
DS	M	J672	-J709	
DSC	M	M300		M301
DS	M	M301		
DSC		M329		M321
DS	M	M348		
DSC	M	M349		M348
DSC	M	R75		B203
DSC	M	R75		B238

J848 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DS		B59	
DS		E840	
DSC	M	E841	E848
DSC	M	E849	E840
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

ICD-10-Mortality Manual 2c - 2014***J849 Address***

DSC	M	B24	B238
DS		E840	
DSC	M	E841	E848
DSC	M	E849	E840
DS	M	J848	
DSC	M	R75	B238

J8490 Address

DSC		B24	B208
SMP		B59	
DS		E840	
DSC		E841	E848
DSC		E849	E840
DSC	M	E859	E854
DSC		M300	M301
DSC		M329	M321
DSC		M349	M348
DSC		R75	B208

J850 Address

DS	M	A164	-A167	
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS	M	C33	-C349	
DS	M	C384	-C388	
DS	M	C398		
DS	M	C780		
DS	M	C782	-C783	
DS	M	D021	-D022	
DS	M	D142	-D143	
DS	M	D381	-D382	
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J8490	
DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS		T818		

ICD-10-Mortality Manual 2c - 2014***J851 Address***

DS	M	A164	-A167	
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS	M	C33	-C349	
DS	M	C384	-C388	
DS	M	C398		
DS	M	C780		
DS	M	C782	-C783	
DS	M	D021	-D022	
DS	M	D142	-D143	
DS	M	D381	-D382	
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J8490	
DS		J980	-J984	
DSC		M300		M301
DS	M	M301		
DS	M	M348		
DSC		M349		M348
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS		T818		

J852 Address

DSC	M	A061		A065
DSC	M	A064		A065
SMP		A065		
DSC	M	A069		A065
DS	M	A164	-A167	
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS	M	C33	-C349	
DS	M	C384	-C388	
DS	M	C398		
DS	M	C780		
DS	M	C782	-C783	
DS	M	D021	-D022	
DS	M	D142	-D143	
DS	M	D381	-D382	
DS		E840		
DSC		E841		E848

ICD-10-Mortality Manual 2c - 2014

DSC		E849		E840
DS	M	E854		
DSC	M	E859		E854
LMC		J180	-J189	J851
DS		J40	-J709	
DS		J82	-J8490	
SMP		J851		
DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS		T818		

J853 Address

DS	M	A164	-A167	
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS	M	C33	-C349	
DS	M	C384	-C388	
DS	M	C398		
DS	M	C780		
DS	M	C782	-C783	
DS	M	D021	-D022	
DS	M	D142	-D143	
DS	M	D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J8490	
DS		J980	-J984	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS		T818		

J860 Address

SMP	M	A165		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DS		C340	-C349	
DS		C780		
DS	M	C810	-C960	

ICD-10-Mortality Manual 2c - 2014

DS		D022	
DS		D143	
DS		D381	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC	M	E859	E854
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J869 Address

SMP		A165	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS		C340	-C349
DS		C780	
DS	M	C810	-C960
DS		D022	
DS		D143	
DS		D381	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC	M	E859	E854
LMP		J860	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

J90 Address

SMP		A156	
DSC		A159	A156
SMP		A165	
DSC		A169	A165
SMP		A190	-A199
SMP		A481	
SMP		A70	
DS		B012	
DS		B052	
DS		B068	
DS		B250	
DS		B371	
SMP		B380	-B382
DSC		B389	B382
SMP		B400	-B402
DSC		B409	B402
DS		B59	
DS		C160	-C169

ICD-10-Mortality Manual 2c - 2014

DS		C180	-C189	
DS		C250	-C259	
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS		C450		
DS	M	C451	-C459	
DS		C500	-C509	
DS		C55		
DS	M	C56		
DS		C64		
DS		C780		
DS		C782		
DS		C810	-C839	
DS		C850	-C859	
DS		D021	-D022	
DS		D142	-D143	
DS		D190		
DS		D381	-D382	
DS		E001	-E002	
DS		E010	-E018	
DS		E030	-E039	
DSC		E849		E848
DS		I260	-I279	
DS		I500	-I509	
SMP		J09	-J1010	
LMC		J108		J101
SMP		J110	-J1110	
LMC		J118		J111
DS		J120	-J189	
SMP		J410	-J418	
SMP		J61		
SMP		J65		
DS		J670	-J698	
DS		J702	-J704	
SMP		J81		
SMP		J851	-J852	
SMP		J860	-J869	
SMP		J920		
SMP		J940		
SMP		J942	-J949	
LMP		K702	-K704	
LMP		K717		
LMP		K721		
LMP		K740	-K746	
LMP		K850	-K859	
DS		M050	-M051	
DS		M059		
DS		M061		
DS		M069		

ICD-10-Mortality Manual 2c - 2014

DSC		M300		M301
DS		M301		
DS		M320	-M329	
DS	M	M348		
DSC		M349		M348
DS		N040	-N049	
DS		N181	-N19	
DS		P230	-P239	
SMP		P240	-P249	
SMP		P260	-P269	
SMP		P350		
SMP		S270	-S279	
SMP		U049		

J929 Address

DSC		B24		B238
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
LMC		J61		J920
SMP		J920		
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238

J930 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS	M	A163	-A1690	
DSC		B24		B238
DS	M	B909		
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J853	

ICD-10-Mortality Manual 2c - 2014

DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238
DS		T797		
DS		T818		

J931 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS	M	A163	-A1690	
DSC		B24		B238
DS	M	B909		
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J853	
DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238
DS		T797		
DS		T818		

J938 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS	M	A163	-A1690	
DSC		B24		B238
DS	M	B909		
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		

ICD-10-Mortality Manual 2c - 2014

DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J853	
DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238
DS		T797		
DS		T818		

J939 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS	M	A163	-A1690	
DSC		B24		B238
DS	M	B909		
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DS		J40	-J709	
DS		J82	-J853	
SMP		J930	-J938	
DS		J980	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238

ICD-10-Mortality Manual 2c - 2014

DS T797
DS T818

J940 Address

DSC B24 B238
DS C33 -C349
DS C384
DS M C388
DS M C398
DS C780
DS C782
DS M C783
DS D021 -D022
DS D142 -D143
DS D381 -D382
DSC E841 E848
DSC E849 E848
DS M E854
DSC M E859 E854
DSC M300 M301
DS M301
DS M M348
DSC M349 M348
DSC R75 B238

J941 Address

DSC B24 B238
DS C33 -C349
DS C384
DS M C388
DS M C398
DS C780
DS C782
DS M C783
DS D021 -D022
DS D142 -D143
DS D381 -D382
DSC E841 E848
DSC E849 E848
DS M E854
DSC M E859 E854
DSC M300 M301
DS M301
DS M M348
DSC M349 M348
DSC R75 B238

J942 Address

SMP M A165
DSC B24 B238

ICD-10-Mortality Manual 2c - 2014

DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238

J948 Address

DSC		B24		B238
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238

J949 Address

DSC		B24		B238
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		

ICD-10-Mortality Manual 2c - 2014

DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DSC		E841		E848
DSC		E849		E848
DS	M	E854		
DSC	M	E859		E854
SMP	M	J860	-J869	
SMP		J90	-J929	
SMP		J940	-J948	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC		R75		B238

J950 Address

DS		Y833		
DS	M	Y883		

J951 Address

DS	M	Y830	-Y834	
DS	M	Y836	-Y839	
DS	M	Y883		

J952 Address

DS	M	Y830	-Y834	
DS	M	Y836	-Y839	
DS	M	Y883		

J953 Address

DS	M	Y830	-Y839	
DS	M	Y883		

J954 Address

DS	M	Y830	-Y839	
DS	M	Y883		

J955 Address

DS		Y830	-Y849	
DS		Y883		

J958 Address

DS		Y600	-Y849	
DS		Y881		
DS		Y883		

J959 Address

DS		Y600	-Y849	
----	--	------	-------	--

ICD-10-Mortality Manual 2c - 2014

DS Y881
DS Y883

J960 Address

DSC E841 E848
DSC E849 E848

J961 Address

DS A150 -A169
DS A190 -A199
DS A310
DS A318 -A319
DSC B24 B238
DS B909
DS M B948 -B949
DS M D140
DS D141 -D159
DS M D367
DS D380 -D384
DS M D385
DS D386
DS M D487
DSC E841 E848
DSC E849 E848
DS E850 -E853
DS M E854
DS E858 -E859
DS F171 -F179
DS M G10 -G129
DS M G230 -G239
DS M G35 -G379
DS G580
DS M G600 -G610
DS M G700 -G722
DS M G724 -G729
DS G800 -G809
DS I690 -I698
DS J40 -J679
DS M J680 -J689
DS J701
DS J703
DS M J704 -J709
DS J840 -J8490
DS J953
DS J980 -J981
DS J984 -J9840
DS J986
DS M050 -M089
DS M300 -M432
DS M439

ICD-10-Mortality Manual 2c - 2014

DS		M954	
DS		P100	-P119
DS		P270	-P279
DS		Q010	-Q079
DS		Q320	-Q349
DS		Q611	
DS		Q675	-Q678
DS		Q765	-Q767
DS		Q771	-Q772
DS		Q780	-Q782
DS		Q790	-Q791
DSC		R75	B238
DS	M	T900	-T983

J969 Address

DSC		E841	E848
DSC		E849	E848

J980 Address

DS		A150	-A163
SMP	M	A164	
DS		A165	-A1690
SMP	M	A527	
DSC	M	B24	B238
DS	M	B909	
DS		C33	-C349
DS		C384	
DS	M	C388	
DS	M	C398	
DS		C780	
DS		C782	
DS	M	C783	
DS		D021	-D022
DS		D142	-D143
DS		D381	-D382
DS	M	E840	
DSC		E841	E848
DSC		E849	E840
DS	M	E850	-E858
DSC	M	E859	E854
SMP		J09	
SMP	M	J100	-J101
SMP		J1010	
SMP	M	J110	-J111
SMP		J1110	
SMP	M	J120	-J180
SMP	M	J200	-J219
SMP	M	J40	-J42
DS	M	J430	-J46
SMP	M	J47	

ICD-10-Mortality Manual 2c - 2014

DS	M	J60	-J679	
SMP	M	J680		
DS	M	J681	-J709	
DSC		M300		M301
DS		M301		
DS	M	M321	-M328	
DS	M	M332		
DS	M	M348		
DSC		M349		M348
SMP	M	P220	-P239	
SMP	M	P271		
SMP	M	Q322	-Q324	
DSC	M	R75		B238

J981 Address

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DSC	M	B24		B238
DS		E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC	M	E859		E854
DS		J430	-J439	
DS	M	J448		
DS		J684		
DS		J982	-J984	
DSC		M300		M301
DS		M301		
DS	M	M348		
DSC		M349		M348
DSC	M	R75		B238
DS		T797		
DS		T818		

J982 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840

J983 Address

DS		E840		
DSC		E841		E848
DSC		E849		E840

J984 Address

SMP	M	A022		
SMP	M	A060		
SMP	M	A065		
SMP	M	A069		

ICD-10-Mortality Manual 2c - 2014

SMP	M	A150	-A153	
SMP	M	A160	-A162	
DS	M	A163	-A1690	
SMP	M	A212		
SMP	M	A221		
SMP	M	A310		
SMP	M	A420		
SMP	M	A527		
SMP	M	A548		
SMP	M	B052		
SMP	M	B068		
DSC	M	B24		B201
DSC	M	B24		B208
DSC	M	B24		B238
SMP	M	B371		
SMP	M	B390	-B392	
SMP	M	B664		
SMP	M	B671		
SMP	M	B676		
SMP	M	B679		
SMP	M	B909		
DS		C33	-C349	
DS		C384		
DS	M	C388		
DS	M	C398		
DS		C780		
DS		C782		
DS	M	C783		
DS		D021	-D022	
DS		D142	-D143	
DS		D381	-D382	
DS	M	E840		
DSC		E841		E848
DSC		E849		E840
DS	M	E850	-E858	
DSC	M	E859		E854
DS		J09		
SMP	M	J100		
DS		J1010		
SMP	M	J110		
DS		J1110		
SMP	M	J120	-J189	
DSC	M	J40		J448
DS		J82	-J8490	
SMP	M	J850	-J852	
DS		J853		
DS		J980	-J983	
DSC		M300		M301
DS		M301		
DS	M	M348		

ICD-10-Mortality Manual 2c - 2014

DSC		M349	M348
DSC	M	R75	B201
DSC	M	R75	B208
DSC	M	R75	B238
DS	M	T797	
DS	M	T818	

J9840 Address

SMP	M	A010	
SMP	M	A022	
SMP		A065	
SMP		A150	-A153
SMP		A160	-A162
DS		A163	-A1690
SMP		A212	
SMP		A221	
SMP		A310	
SMP		A420	
SMP		A430	
SMP	M	A527	
SMP	M	A548	
SMP	M	A698	
SMP	M	A70	
SMP	M	A78	
SMP		B012	
SMP		B052	
SMP	M	B068	
DSC	M	B24	B238
SMP		B250	
SMP		B371	
SMP		B380	-B382
SMP		B390	-B392
SMP		B440	-B441
SMP		B583	
SMP		B59	
SMP	M	B650	-B659
SMP	M	B778	
DS		B909	
SMP	M	B99	
DS		C33	
SMP		C340	-C349
DS		C384	-C388
DS		C398	
SMP		C780	
DS		C782	-C783
DS		D021	
SMP		D022	
DS		D142	
SMP		D143	
SMP	M	D381	

ICD-10-Mortality Manual 2c - 2014

DS		D382	
DS		E840	
DSC		E841	E848
DSC		E849	E840
DS		E850	-E858
DSC	M	E859	E854
SMP	M	I00	
SMP		I260	-I269
SMP		J100	
SMP		J110	
SMP		J120	-J219
SMP		J40	-J681
DS		J682	
SMP	M	J683	-J689
SMP		J690	-J80
SMP		J82	-J949
SMP		J951	-J954
SMP		J980	-J984
DS		M051	
DSC		M069	M051
DSC		M300	M301
DS		M301	
DS	M	M321	
DS		M328	
DS		M332	
DS	M	M348	
DSC		M349	M348
SMP		P200	-P284
SMP		P288	-P289
SMP	M	P350	
SMP		P916	
SMP		Q330	-Q339
DSC	M	R75	B238
DS	M	T797	
DS	M	T818	

J985 Address

SMP	M	A168	
SMP	M	A527	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP	M	C381	-C383
SMP	M	C781	
SMP	M	D152	
SMP	M	D383	
DSC		E841	E848
DSC		E849	E848
DS	M	E854	

ICD-10-Mortality Manual 2c - 2014

DSC	M	E859	E854
SMP	M	J853	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

J986 Address

DSC	M	B24	B238
DSC		E841	E848
DSC		E849	E848
DS	M	E854	
DSC	M	E859	E854
DSC	M	R75	B238

J988 Address

DSC	M	B24	B201	
DSC	M	B24	B203	
DSC	M	B24	B208	
DSC	M	B24	B238	
DSC		E841	E848	
DSC		E849	E848	
DS	M	E854		
DSC	M	E859	E854	
SMP	M	J00	-J101	
SMP		J1010		
SMP	M	J110	-J111	
SMP		J1110		
SMP	M	J120	-J329	
SMP	M	J350		
SMP	M	J36	-J371	
SMP	M	J390	-J391	
SMP	M	J40	-J42	
LMC	M	J40	-J42	J448
LMP	M	J430	-J439	
SMP	M	J440	-J448	
LMP	M	J450	-J47	
LMP	M	J679		
SMP	M	J680		
SMP	M	J682		
SMP	M	J690	-J698	
SMP	M	J850	-J869	
DSC	M	R75	B201	
DSC	M	R75	B203	
DSC	M	R75	B208	
DSC	M	R75	B238	

J989 Address

SMP	M	A022	
SMP		A065	

ICD-10-Mortality Manual 2c - 2014

SMP		A150	-A169	
SMC		A1690		A169
DSC	M	B24		B238
SMP		C310	-C398	
SMP		C780	-C783	
SMP	M	D140		
SMP		D141	-D159	
SMP		D380	-D383	
SMP		D385	-D386	
DSC		E841		E848
DSC		E849		E840
DS	M	E854		
DSC	M	E859		E854
SMP		I260	-I269	
SMP		J00	-J959	
SMP		J961		
SMP		J980	-J988	
DSC	M	R75		B238

K***K000 Address***

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K001 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
LDP		K073		

K002 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K003 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K004 Address

DSC	M	B572		B573
DSC	M	B779		B770

ICD-10-Mortality Manual 2c - 2014

DSC	E840	E848
DSC	E849	E848

K005 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K006 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMP		K073	

K007 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K008 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K009 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K000	-K008

K010 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMP		K073	

K011 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMP		K073	

K020 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K021 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K022 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K023 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K024 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K028 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K029 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K020	-K028

K030 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K031 Address

DSC	M	B572	B573
-----	---	------	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K032 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K033 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K034 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K035 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K036 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K037 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K038 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K039 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E848
SMP	K030 -K038	

K040 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K041 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K042 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K043 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K044 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K045 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K046 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K047 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

ICD-10-Mortality Manual 2c - 2014

LMP K046

K048 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K049 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K040	-K048

K050 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K051 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K052 Address

DSC		E840	E848
DSC		E849	E848

K053 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K054 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K055 Address

DSC		E840	E848
DSC		E849	E848

K056 Address

DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

SMP		C030	-C039	
SMP	M	C798		
SMP	M	D000		
SMP	M	D103		
SMP	M	D370		
DSC		E840		E848
DSC		E849		E848
SMP		K050	-K055	
SMP	M	Q386		

K060 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K061 Address

DSC		E840		E848
DSC		E849		E848

K062 Address

DSC		E840		E848
DSC		E849		E848

K068 Address

DSC		E840		E848
DSC		E849		E848
DS	M	T455		

K069 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
SMP		K060	-K068	

K070 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K071 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848

K072 Address

DSC	M	B572		B573
-----	---	------	--	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K073 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K074 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K070	-K073
SMP		K075	-K078
DSC		K081	K073

K075 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K076 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K078 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K079 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K070	-K078

K080 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

ICD-10-Mortality Manual 2c - 2014

K081 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		K074	K073

K082 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K083 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K088 Address

DSC		E840	E848
DSC		E849	E848
DS	M	T455	

K089 Address

DSC		E840	E848
DSC		E849	E848
SMP		K080	-K088

K090 Address

DSC		E840	E848
DSC		E849	E848

K091 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K092 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K098 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848

ICD-10-Mortality Manual 2c - 2014

DSC E849 E848

K099 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848
SMP K090 -K098

K100 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848

K101 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848

K102 Address

DSC E840 E848
DSC E849 E848

K103 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848

K108 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848

K109 Address

SMP M A180
DSC M B572 B573
DSC M B779 B770
SMP M B902
SMP M C030 -C039
SMP M C410
SMP C411
SMP M C433
SMP M C443
SMP M C760
SMP M C795
SMP M C798

ICD-10-Mortality Manual 2c - 2014

SMP	M	D043	
SMP	M	D097	
SMP	M	D103	
SMP	M	D164	
SMP		D165	
SMP	M	D223	
SMP	M	D233	
SMP	M	D367	
SMP	M	D370	
SMP	M	D480	
SMP	M	D485	
SMP	M	D487	
DSC		E840	E848
DSC		E849	E848
SMP		K070	-K078
SMP		K090	-K108

K110 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K111 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K112 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K113 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K114 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K115 Address

DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DSC	E840	E848
DSC	E849	E848

K116 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K117 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K118 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K119 Address

DSC		E840	E848
DSC		E849	E848
SMP		K110 -K118	

K120 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K121 Address

LMP		B084	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

K122 Address

DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
DSC	M	B24	B238
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

K123 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

K130 Address

DSC	M	B24	B238
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K131 Address

DSC		E840	E848
DSC		E849	E848

K132 Address

DSC	M	B24	B238
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K133 Address

DSC	M	B24	B238
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K134 Address

DSC		E840	E848
DSC		E849	E848

K135 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DSC	E840	E848
DSC	E849	E848
DSC M	R75	B238

K136 Address

DSC	E840	E848
DSC	E849	E848

K137 Address

DSC	E840	E848
DSC	E849	E848
SMP M	K130	-K136
DS M	T455	

K140 Address

DSC	E840	E848
DSC	E849	E848

K141 Address

DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848

K142 Address

DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848

K143 Address

DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848

K144 Address

DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848

K145 Address

DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848

K146 Address

DSC M	B572	B573
-------	------	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

K148 Address

DSC		E840	E848
DSC		E849	E848
DS	M	T455	

K149 Address

DSC		E840	E848
DSC		E849	E848
SMP		K140	-K148

K20 Address

SMP	M	A188	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
SMP	M	B573	
DS		C160	
DS	M	C788	
DS		D001	-D002
DS		D130	-D131
DS		D371	
DS	M	D377	
DSC		E840	E848
DSC		E849	E848
DSC		K219	K210
DS		K440	-K449
DS		Q390	-Q399
DS		Q401	
DS		Q790	-Q791
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DS	M	T360	-T659
DS	M	T96	-T97

K210 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DS		C150	-C160
DS	M	C788	
DS		D001	-D002
DS		D371	
DS	M	D377	

ICD-10-Mortality Manual 2c - 2014

DSC		E840		E848
DSC		E849		E848
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	T360	-T659	
DS	M	T96	-T97	

K219 Address

DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
LMC		K20		K210
SMP		K210		
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DS	M	T360	-T659	
DS	M	T96	-T97	

K220 Address

DSC		B24		B238
DSC	M	B572		B573
SMP	M	B573		
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC		R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

ICD-10-Mortality Manual 2c - 2014***K221 Address***

DSC	M	B24		B238
DSC	M	B572		B573
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
LDC		K219		K210
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC	M	R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

K222 Address

DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC		R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

K223 Address

DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848

ICD-10-Mortality Manual 2c - 2014

DS		K225	-K226	
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC		R75		B238
DS	M	T96	-T97	

K224 Address

DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DS		G122	-G1220	
DS		G700	-G709	
DS		K225		
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC		R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

K225 Address

DSC		B24		B238
DSC	M	B572		B573
DSC		E840		E848
DSC		E849		E848
DSC		R75		B238

K226 Address

DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DS		F100	-F109	
DSC		R75		B238

ICD-10-Mortality Manual 2c - 2014***K227 Address***

DSC	M	B24		B238
DSC	M	B572		B573
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC	M	R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

K228 Address

DS	M	A188		
DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C160	
DS	M	C788		
DS		D001	-D002	
DS		D130	-D131	
DS		D371		
DS	M	D377		
DSC		E840		E848
DSC		E849		E848
DSC	M	I859		I850
DS	M	K20	-K227	
DS		K440	-K449	
DS		Q390	-Q399	
DS		Q401		
DS		Q790	-Q791	
DSC		R75		B238
DS	M	T360	-T659	
DS	M	T96	-T97	

K229 Address

DSC		B24		B238
DSC	M	B572		B573
SMP		C150	-C160	
SMP	M	C788		
SMP	M	D001	-D002	
SMP		D130		
SMP	M	D131		
SMP	M	D371		

ICD-10-Mortality Manual 2c - 2014

SMP	M	D377	
DSC		E840	E848
DSC		E849	E848
SMP		K20	-K228
SMP		K440	-K449
SMP		Q390	-Q399
SMP		Q401	
DSC		R75	B238

K250 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		K251	K252
LMP		K252	
LMC		K255	-K256 K252
DSC		K257	K254
LMC		K271	-K272 K252
LMC		K275	-K276 K252
LMC	M	K318	K252
LMC		K6310	K252
DSC		R75	B238

K251 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		K250	K252
LMP		K252	
LMC		K254	K252
LMC		K256	K252
DSC		K257	K255
LMC		K270	K252
LMC		K272	K252
LMC		K274	K252
LMC		K276	K252
LMC		K920	-K922 K252
LMC		R58	-R5800 K252
DSC		R75	B238

K252 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848

ICD-10-Mortality Manual 2c - 2014

DSC	K257	K256
DSC	R75	B238

K253 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848
SMP	K250 -K252	
LMC	K254	K250
LMC	K255	K251
LMC	K256	K252
LMC	K270	K250
LMC	K271	K251
LMC	K272	K252
LMC	K274	K250
LMC	K275	K251
LMC	K276	K252
LMC M	K318	K251
LMC	K6310	K251
LMC	K920 -K922	K250
LMC	R58 -R5800	K250
DSC	R75	B238

K254 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848
SMP	K250	
LMC	K251	K252
LMP	K252	
LMC	K253	K250
LMC	K255	K256
LMP	K256	
LMC	K270	K250
LMC	K271 -K272	K252
LMC	K273	K250
LMC	K275 -K276	K256
LMC M	K318	K256
LMC	K6310	K256
DSC	R75	B238

K255 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E848
LMC	K250	K252
SMP	K251	
LMP	K252	
LMC	K253	K251
LMC	K254	K256
LMP	K256	
LMC	K270	K252
LMC	K271	K251
LMC	K272	K252
LMC	K273	K251
LMC	K274	K256
LMC	K276	K256
DSC	K280	K282
DSC	K283	K281
DSC	K284	K286
DSC	K287	-K289 K285
LMC	K920	-K922 K256
LMC	R58	-R5800 K256
DSC	R75	B238

K256 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848
LMC	K250	-K251 K252
SMP	K252	
LMC	K253	K252
LMC	K270	-K271 K252
SMC	K272	K252
LMC	K273	K252
DSC	R75	B238

K257 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DSC	E840	E848
DSC	E849	E848
LMC	K250	K254
LMC	K251	K255
LMC	K252	K256
LMP	K254	-K256
LMC	K270	K254
LMC	K271	K255
LMC	K272	K256
LMC	K274	K254
LMC	K275	K255

ICD-10-Mortality Manual 2c - 2014

LMC		K276		K256
LMC	M	K318		K255
LMC		K6310		K255
LMC		K920	-K922	K254
LMC		R58	-R5800	K254
DSC		R75		B238

K259 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
SMP		K250	-K257	
LMC		K270		K250
LMC		K271		K251
LMC		K272		K252
LMC		K273		K253
LMC		K274		K254
LMC		K275		K255
LMC		K276		K256
LMC		K277		K257
LMC	M	K318		K255
LMC		K6310		K255
LMC		K920	-K922	K254
LMC		R58	-R5800	K254
DSC		R75		B238

K260 Address

DSC	M	B059		B054
DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E841
LMC		K261		K262
LMP		K262		
LMC		K265	-K266	K262
DSC		K267		K264
LMC		K271	-K272	K262
LMC		K275	-K276	K262
LMC	M	K318		K262
LMC		K6310		K262
DSC		R75		B238

K261 Address

DSC	M	B059		B054
DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770

ICD-10-Mortality Manual 2c - 2014

DSC	E840		E848
DSC	E849		E841
LMC	K260		K262
LMP	K262		
LMC	K264		K262
LMC	K266		K262
DSC	K267		K265
LMC	K270		K262
LMC	K272		K262
LMC	K274		K262
LMC	K276		K262
DSC	K764		K262
LMC	K920	-K922	K262
LMC	R58	-R5800	K262
DSC	R75		B238

K262 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		K267	K266
DSC		R75	B238

K263 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMP		K260	-K262
LMC		K264	K260
LMC		K265	K261
LMC		K266	K262
LMC		K270	K260
LMC		K271	K261
LMC		K272	K262
LMC		K274	K260
LMC		K275	K261
LMC		K276	K262
LMC	M	K318	K261
LMC		K6310	K261
LMC		K920	-K922 K260
LMC		R58	-R5800 K260
DSC		R75	B238

K264 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
SMP		K260	
LMC		K261	K262
LMP		K262	
LMC		K263	K260
LMC		K265	K266
LMP		K266	
LMC		K270	K260
LMC		K271 -K272	K262
LMC		K273	K260
LMC		K275 -K276	K266
LMC	M	K318	K266
LMC		K6310	K266
DSC		R75	B238

K265 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K260	K262
SMP		K261	
LMP		K262	
LMC		K263	K261
LMC		K264	K266
LMP		K266	
LMC		K270	K262
LMC		K271	K261
LMC		K272	K262
LMC		K273	K261
LMC		K274	K266
LMC		K276	K266
DSC		K280	K282
DSC		K283	K281
DSC		K284	K286
DSC		K287 -K289	K285
LMC		K920 -K922	K266
LMC		R58 -R5800	K266
DSC		R75	B238

K266 Address

DSC	M	B059	B054
DSC		B24	B238

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K260 -K261	K262
SMP		K262	
LMC		K263	K262
LMC		K270 -K273	K262
DSC		R75	B238

K267 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K260	K264
LMC		K261	K265
LMC		K262	K266
LMP		K264 -K266	
LMC		K270	K264
LMC		K271	K265
LMC		K272	K266
LMC		K274	K264
LMC		K275	K265
LMC		K276	K266
LMC	M	K318	K265
LMC		K6310	K265
LMC		K920 -K922	K264
LMC		R58 -R5800	K264
DSC		R75	B238

K269 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
SMP		K260 -K267	
LMC		K270	K260
LMC		K271	K261
LMC		K272	K262
LMC		K273	K263
LMC		K274	K264
LMC		K275	K265
LMC		K276	K266
LMC		K277	K267
LMC	M	K318	K265

ICD-10-Mortality Manual 2c - 2014

LMC	M	K631	K265
LMC		K6310	K265
LMC		K920 -K922	K264
LMC		R58 -R5800	K264
DSC		R75	B238

K270 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K250	
SMC		K251	K252
SMP		K252	
SMC		K253 -K254	K250
SMC		K255 -K256	K252
DSC		K257	K254
SMC		K259	K250
SMP		K260	
SMC		K261	K262
SMP		K262	
SMC		K263 -K264	K260
SMC		K265 -K266	K262
DSC		K267	K264
DSC		K269	K260
LMC		K271	K272
LMP		K272	
LMC		K275 -K276	K272
DSC		K277	K274
SMP		K280	
SMC		K281	K282
SMP		K282	
SMC		K283 -K284	K280
SMC		K285 -K286	K282
DSC		K287	K284
SMC		K289	K280
LMC	M	K318	K272
LMC		K6310	K272
DSC		R75	B238

K271 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMC		K250	K252
SMP		K251 -K252	
SMC		K253	K251

ICD-10-Mortality Manual 2c - 2014

SMC	K254		K252
SMC	K255		K251
SMC	K256		K252
DSC	K257		K255
SMC	K259		K251
SMC	K260		K262
SMP	K261	-K262	
SMC	K263		K261
SMC	K264		K262
SMC	K265		K261
SMC	K266		K262
DSC	K267		K265
SMC	K269		K261
LMC	K270		K272
LMP	K272		
LMC	K274		K272
LMC	K276		K272
DSC	K277		K275
SMC	K280		K282
SMP	K281	-K282	
SMC	K283		K281
SMC	K284		K282
SMC	K285		K281
SMC	K286		K282
DSC	K287		K285
SMC	K289		K281
LMC	K920	-K922	K272
LMC	R58	-R5800	K272
DSC	R75		B238

K272 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMC		K250	-K251 K252
SMP		K252	
SMC		K253	-K256 K252
DSC		K257	K256
SMC		K259	K252
SMC		K260	-K261 K262
SMP		K262	
SMC		K263	-K266 K262
DSC		K267	K266
SMC		K269	K262
DSC		K277	K276
SMC		K280	-K281 K282
SMP		K282	
SMC		K283	-K286 K282

ICD-10-Mortality Manual 2c - 2014

DSC	K287	K286
SMC	K289	K282
DSC	R75	B238

K273 Address

DSC	B24	B238
DSC	M B572	B573
DSC	M B779	B770
DSC	E840	E848
DSC	E849	E848
SMP	K250 -K253	
SMC	K254	K250
SMC	K255	K251
SMC	K256	K252
SMC	K259	K253
SMP	K260 -K263	
SMC	K264	K260
SMC	K265	K261
SMC	K266	K262
SMC	K269	K263
SMP	K270 -K272	
DSC	K274	K270
LMC	K275	K271
LMC	K276	K272
SMP	K280 -K283	
SMC	K284	K280
SMC	K285	K281
SMC	K286	K282
SMC	K289	K283
LMC	M K318	K271
LMC	K6310	K271
LMC	K920 -K922	K270
LMC	R58 -R5800	K270
DSC	R75	B238

K274 Address

DSC	B24	B238
DSC	M B572	B573
DSC	M B779	B770
DSC	E840	E848
DSC	E849	E848
SMP	K250	
SMC	K251	K252
SMP	K252	
SMC	K253	K250
SMP	K254	
SMC	K255	K256
SMP	K256	
SMC	K257 -K259	K254
SMP	K260	

ICD-10-Mortality Manual 2c - 2014

SMC		K261		K262
SMP		K262		
SMC		K263		K260
SMP		K264		
SMC		K265		K266
SMP		K266		
SMC		K267	-K269	K264
SMP		K270		
LMC		K271		K272
LMC		K273		K270
LMC		K275		K276
LMP		K276		
SMP		K280		
SMC		K281		K282
SMP		K282		
SMC		K283		K280
SMP		K284		
SMC		K285		K286
SMP		K286		
SMC		K287	-K289	K284
LMC	M	K318		K276
LMC		K6310		K276
DSC		R75		B238

K275 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
SMC		K250		K252
SMP		K251	-K252	
SMC		K253		K251
SMC		K254		K256
SMP		K255	-K256	
SMC		K257	-K259	K255
SMC		K260		K262
SMP		K261	-K262	
SMC		K263		K261
SMC		K264		K266
SMP		K265	-K266	
SMC		K267	-K269	K265
LMC		K270		K272
LMP		K271	-K272	
LMC		K273		K271
LMC		K274		K276
LMP		K276		
SMC		K280		K282
SMP		K281	-K282	
SMC		K283		K281

ICD-10-Mortality Manual 2c - 2014

SMC	K284		K286
SMC	K287	-K289	K285
LMC	K920	-K922	K276
LMC	R58	-R5800	K276
DSC	R75		B238

K276 Address

DSC	B24		B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC	E840		E848
DSC	E849		E848
SMC	K250	-K251	K252
SMP	K252		
SMC	K253		K252
SMC	K254	-K255	K256
SMP	K256		
SMC	K257	-K259	K256
SMC	K260	-K261	K262
SMP	K262		
SMC	K263		K262
SMC	K264	-K265	K266
SMP	K266		
SMC	K267	-K269	K266
DSC	K270	-K271	K272
DSC	K273		K272
SMC	K280	-K281	K282
SMP	K282		
SMC	K283		K282
SMC	K284	-K285	K286
SMP	K286		
SMC	K287	-K289	K286
DSC	R75		B238

K277 Address

DSC	B24		B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC	E840		E848
DSC	E849		E848
SMC	K250		K254
SMC	K251		K255
SMC	K252		K256
SMC	K253		K257
SMP	K254	-K257	
SMC	K259		K257
SMC	K260		K264
SMC	K261		K265
SMC	K262		K266
SMC	K263		K267

ICD-10-Mortality Manual 2c - 2014

SMP	K264	-K267	
SMC	K269		K267
LMC	K270		K274
LMC	K271		K275
LMC	K272		K276
SMP	K274	-K276	
SMC	K280		K284
SMC	K281		K285
SMC	K282		K286
SMC	K283		K287
SMP	K284	-K287	
SMC	K289		K287
LMC M	K318		K275
LMC	K6310		K275
LMC	K920	-K922	K274
LMC	R58	-R5800	K274
DSC	R75		B238

K279 Address

DSC	B24		B238
DSC M	B572		B573
DSC M	B779		B770
DSC	E840		E848
DSC	E849		E848
SMP	K250	-K277	
SMP	K280	-K289	
LMC M	K318		K275
LMC	K6310		K275
LMC	K920	-K922	K274
LMC	R58	-R5800	K274
DSC	R75		B238

K280 Address

DSC M	B059		B054
DSC	B24		B238
DSC M	B572		B573
DSC M	B779		B770
DSC	E840		E848
DSC	E849		E841
LMC	K255		K282
LMC	K265		K282
LMC	K271	-K272	K282
LMC	K275	-K276	K282
LMC	K281		K282
LMP	K282		
LMC	K285	-K286	K282
DSC	K287		K284
LMC M	K318		K282
LMC	K6310		K282
DSC	R75		B238

ICD-10-Mortality Manual 2c - 2014***K281 Address***

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K270	K282
LMC		K272	K282
LMC		K274	K282
LMC		K276	K282
LMC		K280	K282
LMP		K282	
DSC		K284	K282
LMC		K286	K282
DSC		K287	K285
LMC		K920 -K922	K282
LMC		R58 -R5800	K282
DSC		R75	B238

K282 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		K287	K286
DSC		R75	B238

K283 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K255	K281
LMC		K265	K281
LMC		K270	K280
LMC		K271	K281
LMC		K272	K282
LMC		K274	K280
LMC		K275	K281
LMC		K276	K282
SMP		K280 -K282	
LMC		K284	K280
LMC		K285	K281
LMC		K286	K282

ICD-10-Mortality Manual 2c - 2014

LMC	M	K318	K281
LMC		K6310	K281
LMC		K920 -K922	K280
LMC		R58 -R5800	K280
DSC		R75	B238

K284 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K255	K286
LMC		K265	K286
LMC		K270	K280
LMC		K271 -K272	K282
LMC		K273	K280
LMC		K275 -K276	K286
SMP		K280	
LMC		K281	K282
LMP		K282	
LMC		K283	K280
LMC		K285	K286
LMP		K286	
LMC	M	K318	K286
LMC		K6310	K286
DSC		R75	B238

K285 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K270	K282
LMC		K271	K281
LMC		K272	K282
LMC		K273	K281
LMC		K274	K286
LMC		K276	K286
LMC		K280	K282
SMP		K281	
LMP		K282	
LMC		K283	K281
LMC		K284	K286
LMP		K286	
LMC		K920 -K922	K286
LMC		R58 -R5800	K286

ICD-10-Mortality Manual 2c - 2014

DSC R75 B238

K286 Address

DSC M B059 B054
DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E841
LMC K270 -K273 K282
LMC K280 -K281 K282
SMP K282
LMC K283 K282
DSC R75 B238

K287 Address

DSC M B059 B054
DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E841
LMC K255 K285
LMC K265 K285
LMC K270 K284
LMC K271 K285
LMC K272 K286
LMC K274 K284
LMC K275 K285
LMC K276 K286
LMC K280 K284
LMC K281 K285
LMC K282 K286
LMP K284 -K286
LMC M K318 K285
LMC K6310 K285
LMC K920 -K922 K284
LMC R58 -R5800 K284
DSC R75 B238

K289 Address

DSC M B059 B054
DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E841
LMC K255 K285
LMC K265 K285
LMC K270 K280

ICD-10-Mortality Manual 2c - 2014

LMC		K271		K281
LMC		K272		K282
LMC		K273		K283
LMC		K274		K284
LMC		K275		K285
LMC		K276		K286
LMC		K277		K287
SMP		K280	-K287	
LMC	M	K318		K285
LMC		K6310		K285
LMC		K920	-K922	K284
LMC		R58	-R5800	K284
DSC		R75		B238

K290 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DS		J09		
DSC		J1010		J108
DSC		J1110		J118
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

K291 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DS		J09		
DSC		J1010		J108
DSC		J1110		J118
LMC		K920	-K922	K290
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

K293 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B573

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K294 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K295 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K296 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K297 Address

SMP	M	A188	
DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
SMP		K290 -K296	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K298 Address

DSC	M	B059	B054
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K299 Address

DSC	M	B059	B054
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DS		J09	
DSC		J1010	J108
DSC		J1110	J118
SMP		K290 -K298	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K30 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DS		C160	-C169	
DS	M	C788		
DS		D002		
DS		D131		
DS		D371		
DS		D510		
DSC		E840		E848
DSC		E849		E848
DS		K250	-K289	
DS		K440	-K449	
DS		Q400	-Q402	
DS		Q790	-Q791	
DSC		R75		B238

K310 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DSC		R75		B238

K311 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
SMP		Q400		
DSC		R75		B238

K312 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DSC		R75		B238

K313 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DSC		R75		B238

K314 Address

DSC		B24		B238
DSC	M	B572		B573

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP	M	Q402	
DSC		R75	B238

K315 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		C170	-C179
DS		C784	
DS		D014	
DS		D372	
DSC		E840	E848
DSC		E849	E841
DS		K260	-K289
DS		K500	
DS		K508	
DS		K570	-K571
DS		K574	-K575
DS		Q410	-Q419
DS		Q430	
DS	M	Q433	
DS	M	Q438	
DSC		R75	B238

K316 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		C160	-C179
DS		C784	
DS	M	C788	
DS		D002	
DS	M	D014	
DS		D131	-D133
DS		D372	
DSC		E840	E848
DSC	M	E849	E841
DSC	M	E849	E848
DS		K250	-K289
DSC		R75	B238

K317 Address

DSC		B24	B238
DSC		E840	E848
DSC	M	E849	E841
DSC	M	E849	E848

ICD-10-Mortality Manual 2c - 2014

DSC	R75	B238
-----	-----	------

K318 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
DS	C160	-C169
DS M	C788	
DS	D002	
DS	D131	
DS	D371	
DS	D510	
SDC M	D649	D508
DSC	E840	E848
DSC M	E849	E841
DSC M	E849	E848
DSC M	K250	K252
DS	K251	-K252
DSC M	K253	K251
DSC M	K254	K256
DS	K255	-K256
DSC M	K257	-K259 K255
DSC M	K260	K262
DS	K261	-K262
DSC M	K263	K261
DSC M	K264	K266
DS	K265	-K266
DSC M	K267	-K269 K265
DSC M	K270	K272
DS	K271	-K272
DSC M	K273	K271
DSC M	K274	K276
DS	K275	-K276
DSC M	K277	-K279 K275
DSC M	K280	K282
DS	K281	-K282
DSC M	K283	K281
DSC M	K284	K286
DS	K285	-K286
DSC M	K287	-K289 K285
DS	K440	-K449
DS	Q400	-Q402
DS	Q790	-Q791
DSC	R75	B238

K319 Address

DSC	B24	B238
DSC M	B572	B573
DSC M	B779	B770
SMP	C170	

ICD-10-Mortality Manual 2c - 2014

SMP	M	C784	
SMP	M	C810	-C902
SMP	M	D014	
SMP		D132	
DSC		E840	E848
DSC	M	E849	E841
DSC	M	E849	E848
SMP		K260	-K269
SMP	M	K270	-K289
SMP		K298	-K299
SMP		K315	
SMP	M	K316	-K318
SMP	M	K500	-K571
SMP	M	K574	-K575
SMP	M	K630	
SMP		Q410	
SMP	M	Q438	
DSC		R75	B238

K3190 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
SMP		C160	-C169
SMP	M	C788	
SMP	M	C810	-C902
SMP		D002	
SMP		D131	
SMP		D371	
DSC		E840	E848
DSC		E849	E848
SMP		K250	-K259
SMP	M	K270	-K289
SMP		K290	-K297
SMP		K310	-K314
SMP	M	K316	-K318
SMP		Q400	-Q403
DSC		R75	B238

K358 Address

DSC		E849	E848
LMP	M	K352	-K353
SMP		K352	-K353
LMC	M	K650	K352
LMC	M	K650	K353

K36 Address

DSC	M	B572	B573
DSC	M	B779	B770
DSC	M	E840	E848

ICD-10-Mortality Manual 2c - 2014

DSC E849 E848

K37 Address

SMP M A068
SMP M A183
DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848
LMP M K352 -K353
SMP K352 -K36
LMC M K650 K352
LMC M K650 K353
LMC K658 -K659 K353

K380 Address

DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848

K381 Address

DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848

K382 Address

DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848

K383 Address

DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848

K388 Address

DSC M B572 B573
DSC M B779 B770
DSC M E840 E848
DSC E849 E848

K389 Address

DSC M B572 B573
DSC M B779 B770
SMP C181
SMP M C785

ICD-10-Mortality Manual 2c - 2014

SMP	M	D010	
SMP		D121	
SMP		D373	
DSC	M	E840	E848
DSC		E849	E848
SMP		K352	-K388
SMP	M	Q438	

K400 Address

SMP		K401	
LMC	M	K550	K401
LMC	M	R02	K401

K402 Address

SMP		K400	-K401
LMC	M	K550	K401
LMC		K560	-K567 K400
LMC		R02	K401

K403 Address

SMP		K404	
LMC	M	K550	K404
LMC	M	R02	K404

K409 Address

SMP		K400	-K404
LMC	M	K550	K404
LMC		K560	-K567 K403
LMC	M	R02	K404

K410 Address

SMP		K411	
LMC	M	K550	K411
LMC	M	R02	K411

K412 Address

SMP		K410	-K411
LMC	M	K550	K411
LMC		K560	-K567 K410
LMC	M	R02	K411

K413 Address

SMP		K414	
LMC	M	K550	K414
LMC	M	R02	K414

K419 Address

SMP		K410	-K414
LMC	M	K550	K414
LMC		K560	-K567 K413

ICD-10-Mortality Manual 2c - 2014

LMC M R02 K414

K420 Address

SMP K421
LMC M K550 K421
LMC M R02 K421

K429 Address

SMP K420 -K421
LMC M K550 K421
LMC K560 -K567 K420
LMC M R02 K421

K430 Address

SMP K431
LMC M K550 K431
LMC M R02 K431

K439 Address

SMP K430 -K431
LMC M K550 K431
LMC K560 -K567 K430
LMC M R02 K431

K440 Address

SMP K441
LMC M K550 K441
LMC M R02 K441
DS M T941

K449 Address

SMP K440 -K441
LMC M K550 K441
LMC K560 -K567 K440
LMC M R02 K441
DS T914
DS M T941

K450 Address

SMP K451
LMC M K550 K451
LMC M R02 K451

K458 Address

SMP K450 -K451
LMC M K550 K451
LMC K560 -K567 K450
LMC M R02 K451

K460 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	K400	
SMP	M	K403	
SMP	M	K410	
SMP	M	K413	
SMP	M	K420	
SMP	M	K430	
SMP	M	K440	
SMP	M	K450	
LMC	M	K550	K461
LMC	M	R02	K461

K461 Address

SMP	M	K401	
SMP	M	K404	
SMP	M	K411	
SMP	M	K414	
SMP	M	K421	
SMP	M	K431	
SMP	M	K441	
SMP	M	K451	

K469 Address

SMP		K400	-K461	
LMC	M	K550		K461
LMC		K560	-K567	K460
SMP	M	Q792		
LMC	M	R02		K461

K500 Address

DSC		B24		B238
DSC		E840		E848
DSC		E849		E841
LMC		K501		K508
DSC		R75		B238

K501 Address

DSC		B24		B238
DSC		E840		E848
DSC		E849		E841
LMC		K500		K508
DSC		R75		B238

K508 Address

DSC		B24		B238
DSC		E840		E848
DSC		E849		E841
DSC		R75		B238

K509 Address

DSC		B24		B238
-----	--	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DSC	E840	E848
DSC	E849	E841
SMP	K500 -K508	
DSC	R75	B238

K510 Address

DSC	E840	E848
DSC	E849	E841

K512 Address

DSC	E840	E848
DSC	E849	E841

K513 Address

DSC	E840	E848
DSC	E849	E841

K514 Address

DSC	E840	E848
DSC	E849	E841

K515 Address

DSC	E840	E848
DSC	E849	E841

K518 Address

DSC	E840	E848
DSC	E849	E841

K519 Address

DSC	E840	E848
DSC	E849	E841
SMP	K510 -K518	

K520 Address

DS	C000 -D489	
----	------------	--

K521 Address

DSC	M B572	B573
DSC	M B779	B770
DSC	E840	E848

K522 Address

DSC	M B059	B054
DSC	M B572	B573
DSC	M B779	B770
DSC	E840	E848
DSC	K589	K580

K528 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B059	B054
DSC		B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		K589	K580
DSC		R75	B208

K529 Address

DSC		E840	E848
DSC		E849	E841
DS		J09	
DSC		J1010	J108
SMP	M	J108	
DSC		J1110	J118
SMP	M	J118	
SMP	M	K318	
SMP		K500	-K528
SMP		K580	
DSC		K589	K580
SMP		K591	
SMP		K901	

K550 Address

DSC		E840	E848
DSC		E849	E841
DSC	M	K400	K401
DSC	M	K402	K401
DSC	M	K403	K404
DSC	M	K409	K404
DSC	M	K410	K411
DSC	M	K412	K411
DSC	M	K413	K414
DSC	M	K419	K414
DSC	M	K420	K421
DSC	M	K429	K421
DSC	M	K430	K431
DSC	M	K439	K431
DSC	M	K440	K441
DSC	M	K449	K441
DSC	M	K450	K451
DSC	M	K458	K451
DSC	M	K460	K461
DSC	M	K469	K461
LMP	M	K560	-K565
LMP	M	K567	
DS		K570	-K579
DS		Q410	-Q439
DS	M	Q458	-Q459

ICD-10-Mortality Manual 2c - 2014***K5500 Address***

DS	M	A010	
DS	M	A188	
DS	M	A520	
DSC		B24	B238
DS		B900	-C97
DS		D320	-D339
DS		D370	-D479
DS	M	D735	
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DSC		E840	E848
DS		E841	-E848
DSC		E849	E841
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	

ICD-10-Mortality Manual 2c - 2014

DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I010	-I099
DS	M	I269	
DS	M	I330	-I339
DS		I340	-I38
DS	M	I423	-I424
DS		I48	-I499
DS		I5000	
DS	M	I501	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS		I740	
DS	M	I741	
DS	M	I788	
DS		I800	-I829
DS	M	I831	
DS	M	K500	-K519
DS		K550	
DS		K551	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	N719	

ICD-10-Mortality Manual 2c - 2014

DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	
DS		O60	-O849
DS	M	O994	
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS	M	Q710	-Q719
DS		Q720	-Q799
DS		Q850	-Q999
DSC		R75	B238
DS	M	T801	
DS	M	T817	
DS	M	T828	
DS	M	T838	
DS	M	T848	
DS	M	T858	
DS		Y600	-Y849

K551 Address

DSC		E840	E848
DSC		E849	E841

K552 Address

DSC		E840	E848
DSC		E849	E841

K558 Address

DSC		E840	E848
DSC		E849	E841

K559 Address

DSC		E840	E848
DSC		E849	E841
SMP		K550	-K558

K560 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DS	M	C150	-C269	
DS	M	C762		
DS	M	C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS	M	D000	-D019	
DS	M	D120	-D139	
DS	M	D371	-D379	
DSC	M	E840		E848
DSC		E849		E841
LMP		K400	-K401	
LMC		K402		K400
LMP		K403	-K404	
LMC		K409		K403
LMP		K410	-K411	
LMC		K412		K410
LMP		K413	-K414	
LMC		K419		K413
LMP		K420	-K421	
LMC		K429		K420
LMP		K430	-K431	
LMC		K439		K430
LMP		K440	-K441	
LMC		K449		K440
LMP		K450	-K451	
LMC		K458		K450
LMP		K460	-K461	
LMC		K469		K460
DS	M	K510	-K520	
DS	M	K570	-K579	
DS	M	K593		
DSC	M	K660		K565
DS	M	K824		
DS	M	Q400	-Q459	
DS	M	Y842		
DS	M	Y883		

K561 Address

DSC	M	B059		B054
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848

ICD-10-Mortality Manual 2c - 2014

DSC		E849	E841
LMP		K400 -K401	
LMC		K402	K400
LMP		K403 -K404	
LMC		K409	K403
LMP		K410 -K411	
LMC		K412	K410
LMP		K413 -K414	
LMC		K419	K413
LMP		K420 -K421	
LMC		K429	K420
LMP		K430 -K431	
LMC		K439	K430
LMP		K440 -K441	
LMC		K449	K440
LMP		K450 -K451	
LMC		K458	K450
LMP		K460 -K461	
LMC		K469	K460
DS		K510 -K520	
DS		K570 -K579	
DS		K593	
DSC		K660	K565
DS		K824	
DS		Q400 -Q459	
DS	M	Y842	
DS	M	Y883	

K562 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770
DS		C150 -C269	
DS		C762	
DS		C784 -C788	
DS	M	C798	
DS	M	C810 -C969	
DS		D000 -D019	
DS		D120 -D139	
DS		D371 -D379	
DSC		E840	E848
DSC		E849	E841
LMP		K400 -K401	
LMC		K402	K400
LMP		K403 -K404	
LMC		K409	K403
LMP		K410 -K411	
LMC		K412	K410
LMP		K413 -K414	
LMC		K419	K413

ICD-10-Mortality Manual 2c - 2014

LMP	K420	-K421	
LMC	K429		K420
LMP	K430	-K431	
LMC	K439		K430
LMP	K440	-K441	
LMC	K449		K440
LMP	K450	-K451	
LMC	K458		K450
LMP	K460	-K461	
LMC	K469		K460
DS	K510	-K520	
DS	K570	-K579	
DS	K593		
DSC	K660		K565
DS	K824		
DS	Q400	-Q459	
DS	M	Y842	
DS	M	Y883	

K563 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMP	K400	-K401	
LMC	K402		K400
LMP	K403	-K404	
LMC	K409		K403
LMP	K410	-K411	
LMC	K412		K410
LMP	K413	-K414	
LMC	K419		K413
LMP	K420	-K421	
LMC	K429		K420
LMP	K430	-K431	
LMC	K439		K430
LMP	K440	-K441	
LMC	K449		K440
LMP	K450	-K451	
LMC	K458		K450
LMP	K460	-K461	
LMC	K469		K460
DS		K520	
DSC		K660	K565
DS		K824	

K564 Address

DSC	M	B059	B054
DSC		B24	B238

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572		B573
DSC	M	B779		B770
DS		B900	-D019	
DS		D120	-D139	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DSC		E840		E848
DS		E841	-E848	
DSC		E849		E841
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	

ICD-10-Mortality Manual 2c - 2014

DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
LMP		K400	-K401
LMC		K402	K400
LMP		K403	-K404
LMC		K409	K403
LMP		K410	-K411
LMC		K412	K410
LMP		K413	-K414
LMC		K419	K413
LMP		K420	-K421
LMC		K429	K420
LMP		K430	-K431
LMC		K439	K430
LMP		K440	-K441
LMC		K449	K440
LMP		K450	-K451
LMC		K458	K450
LMP		K460	-K461
LMC		K469	K460
DS	M	K500	-K519
DS		K520	
DS		K550	-K559
DS		K570	-K579
DS		K593	
DSC		K660	K565
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS		K824	
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619

ICD-10-Mortality Manual 2c - 2014

DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q400	-Q459	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS	M	Y842		
DS	M	Y883		

K565 Address

DSC	M	B059		B054
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
LMP		K400	-K401	
LMC		K402		K400
LMP		K403	-K404	
LMC		K409		K403
LMP		K410	-K411	
LMC		K412		K410
LMP		K413	-K414	
LMC		K419		K413
LMP		K420	-K421	
LMC		K429		K420
LMP		K430	-K431	
LMC		K439		K430
LMP		K440	-K441	
LMC		K449		K440
LMP		K450	-K451	
LMC		K458		K450
LMP		K460	-K461	
LMC		K469		K460
DS		K510	-K520	

ICD-10-Mortality Manual 2c - 2014

DS		K570	-K579	
DS		K593		
DS		K824		
DS		Q400	-Q459	
DS	M	Y842		
DS	M	Y883		

K566 Address

DSC	M	B059		B054
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
SMP	M	K315		
LMP		K400	-K401	
LMC		K402		K400
LMP		K403	-K404	
LMC		K409		K403
LMP		K410	-K411	
LMC		K412		K410
LMP		K413	-K414	
LMC		K419		K413
LMP		K420	-K421	
LMC		K429		K420
LMP		K430	-K431	
LMC		K439		K430
LMP		K440	-K441	
LMC		K449		K440
LMP		K450	-K451	
LMC		K458		K450
LMP		K460	-K461	
LMC		K469		K460
DS		K510	-K520	
SMP	M	K560	-K565	
DS		K570	-K579	
DS		K593		
DSC		K660		K565
DS		K824		
DS		Q400	-Q459	
DS	M	Y842		
DS	M	Y883		

ICD-10-Mortality Manual 2c - 2014***K567 Address***

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770
DS		C150	-C269
DS		C762	
DS		C784	-C788
DS	M	C798	
DS	M	C810	-C969
DS		D000	-D019
DS		D120	-D139
DS		D371	-D379
DSC		E840	E848
DSC		E849	E841
SMP	M	K315	
LMP		K400	-K401
LMC		K402	K400
LMP		K403	-K404
LMC		K409	K403
LMP		K410	-K411
LMC		K412	K410
LMP		K413	-K414
LMC		K419	K413
LMP		K420	-K421
LMC		K429	K420
LMP		K430	-K431
LMC		K439	K430
LMP		K440	-K441
LMC		K449	K440
LMP		K450	-K451
LMC		K458	K450
LMP		K460	-K461
LMC		K469	K460
DS		K510	-K520
SMP	M	K560	
SMP	M	K563	
SMP	M	K566	
DS		K570	-K579
DS		K593	
DSC		K660	K565
DS		K824	
DS		Q400	-Q459
DS	M	Y842	
DS	M	Y883	

K570 Address

DSC		E840	E848
DSC		E849	E841
LMC		K572	K574

ICD-10-Mortality Manual 2c - 2014

SMP K574

K571 Address

DSC	E840	E848
DSC	E849	E841
SMP	K570	
SMC	K578	K570
LMC	K630	K570
LMC M	K631	K570
LMC	K6310	K570
LMC	K650 -K659	K570

K572 Address

DSC	E840	E848
DSC	E849	E841
LMC	K570	K574
SMP	K574	

K573 Address

DSC	E840	E848
DSC	E849	E841
SMP	K572	
SMC	K578	K572
LMC	K630	K572
LMC M	K631	K572
LMC	K6310	K572
LMC	K650 -K659	K572

K574 Address

DSC	E840	E848
DSC	E849	E841

K575 Address

DSC	E840	E848
DSC	E849	E841
SMP	K574	
SMC	K578	K574
LMC	K630 -K6310	K574
LMC	K650 -K659	K574

K578 Address

DSC	E840	E848
DSC	E849	E841
SMP	K570	
SMC	K571	K570
SMP	K572	
SMC	K573	K572
SMP	K574	
SMC	K575	K574

ICD-10-Mortality Manual 2c - 2014***K579 Address***

DSC	E840	E848
DSC	E849	E841
SMP	K570 -K578	
LMC	K630 -K6310	K578
LMC	K650 -K659	K578

K580 Address

DSC	M	B059	B054
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K589 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
LMC		K522 -K529	K580
SMP		K580	
LMC		K591	K580
DSC	M	R75	B238

K590 Address

DSC	M	B059	B054
DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		B900 -D019	
DS		D120 -D139	
DS		D320 -D339	
DS		D370 -D479	
DS		D810 -D819	
DS		D860	
DS	M	E000 -E02	
DS		E030 -E038	
DS		E0390	
DS		E050 -E059	
DS		E100 -E107	
DS		E110 -E117	
DS		E120 -E127	

ICD-10-Mortality Manual 2c - 2014

DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DSC		E840		E848
DS		E841	-E848	
DSC		E849		E841
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K570	-K579	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q400	-Q459	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238

K591 Address

DSC	M	B059		B054
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D001	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DS		K510	-K519	
DS		K570	-K579	
DSC		K589		K580
DS		Q400	-Q459	
DSC	M	R75		B238

K592 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		C150 -C269	
DS		C762	
DS		C784 -C788	
DS	M	C798	
DS	M	C810 -C969	
DS		D001 -D019	
DS		D120 -D139	
DS		D371 -D379	
DSC		E840	E848
DSC		E849	E841
DS		K510 -K519	
DS		K570 -K579	
DS		Q400 -Q459	
DSC	M	R75	B238

K593 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
SMP	M	B573	
DSC	M	B779	B770
DS		C150 -C269	
DS		C762	
DS		C784 -C788	
DS	M	C798	
DS	M	C810 -C969	
DS		D001 -D019	
DS		D120 -D139	
DS		D371 -D379	
DSC		E840	E848
DSC		E849	E841
SMP		K510 -K519	
DS		K570 -K579	
DS		Q400 -Q430	
SMP		Q431 -Q432	
DS		Q433 -Q437	
DS		Q439 -Q459	
DSC	M	R75	B238

K594 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		C150 -C269	
DS		C762	

ICD-10-Mortality Manual 2c - 2014

DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D001	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DS		K510	-K519	
DS		K570	-K579	
DS		Q400	-Q459	
DSC	M	R75		B238

K598 Address

DSC	M	B059		B054
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D001	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DS		K510	-K519	
DS		K570	-K579	
DS		Q400	-Q459	
DSC	M	R75		B238

K599 Address

DSC	M	B059		B054
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D001	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DS		K510	-K519	
DS		K570	-K579	

ICD-10-Mortality Manual 2c - 2014

SMP		K590	-K598	
DS		Q400	-Q459	
DSC	M	R75		B238

K600 Address

DS	M	A183		
DS		C19	-C218	
DS	M	C445		
DS	M	C785		
DS	M	C792		
DS		D011	-D013	
DS		D127	-D129	
DS		D375		
DS	M	D377		
DS	M	D485		
DSC		E840		E848
DSC		E849		E841
DS		K590		
LMP		K610		
DS		K620	-K629	

K601 Address

DS	M	A183		
DS		C19	-C218	
DS	M	C445		
DS	M	C785		
DS	M	C792		
DS		D011	-D013	
DS		D127	-D129	
DS		D375		
DS	M	D377		
DS	M	D485		
DSC		E840		E848
DSC		E849		E841
DS		K590		
LMP		K610		
DS		K620	-K629	

K602 Address

DS	M	A183		
DS		C19	-C218	
DS	M	C445		
DS	M	C785		
DS	M	C792		
DS		D011	-D013	
DS		D127	-D129	
DS		D375		
DS	M	D377		
DS	M	D485		
DSC		E840		E848

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E841
DS	K590	
LMP	K610	
DS	K620	-K629

K603 Address

DS	M	A183	
DSC	M	B779	B770
DS		C19	-C218
DS	M	C445	
DS		C785	
DS	M	C792	
DS		D011	-D013
DS		D127	-D129
DS		D375	
DS	M	D377	
DS	M	D485	
DSC		E840	E848
DSC		E849	E841
DS		K500	-K519
DS		K600	-K602
DS		K610	-K614

K604 Address

DS	M	A183	
DSC	M	B779	B770
DS		C20	-C218
DS	M	C445	
DS	M	C792	
DS		D011	-D013
DS		D127	-D129
DS		D375	
DS	M	D377	
DS	M	D485	
DSC		E840	E848
DSC		E849	E841
DS		K500	-K519
DS		K600	-K602
DS		K610	
LMP		K611	
DS		K612	-K614

K605 Address

DS	M	A183	
DSC	M	B779	B770
DS		C20	-C218
DS	M	C445	
DS	M	C792	
DS		D011	-D013
DS		D127	-D129

ICD-10-Mortality Manual 2c - 2014

DS		D375	
DS	M	D377	
DS	M	D485	
DSC		E840	E848
DSC		E849	E841
DS		K500	-K519
DS		K600	-K602
DS		K610	-K611
LMP		K612	
DS		K613	-K614

K610 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K611 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K612 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K613 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014***K614 Address***

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K620 Address

DSC		E840	E848
DSC		E849	E841

K621 Address

DSC		E840	E848
DSC		E849	E841

K622 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B238

K623 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC	M	I842	I841
DSC	M	I845	I844
DSC	M	I849	I848
DSC	M	R75	B238

K624 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B238

K625 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	A000	-A099	
DS	M	A183		
DS	M	A222		
DSC	M	B059		B054
DSC	M	B24		B238
DS	M	B378		
DS	M	B49		
DSC	M	B572		B573
DS	M	B650	-B659	
DSC	M	B779		B770
DS	M	B780		
DS	M	B908		
DS	M	B948		
DS		C170	-C218	
DS	M	C445		
DS		C784	-C785	
DS		D010	-D014	
DS	M	D035		
DS	M	D045		
DS		D120	-D129	
DS		D132	-D133	
DS	M	D139		
DS	M	D225		
DS	M	D235		
DS		D372	-D375	
DS	M	D377		
DS		D379		
DS	M	D485		
DSC		E840		E848
DSC		E849		E841
DS		I840	-I841	
DSC	M	I842		I841
DS		I843	-I844	
DSC	M	I845		I844
DS		I846		
DSC	M	I849		I848
DS		K250	-K299	
DS		K310	-K624	
DS		K626	-K628	
DS		K630	-K638	
DS		Q410	-Q439	
DSC	M	R75		B238
DS		T455		

K626 Address

DSC	M	B059		B054
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848

ICD-10-Mortality Manual 2c - 2014

DSC		E849	E841
DSC	M	I842	I841
DSC	M	I845	I844
DSC	M	I849	I848
DSC	M	R75	B238

K627 Address

DSC		E840	E848
DSC		E849	E841

K628 Address

SMP		A060	
SMP	M	A183	
SMP		A546	
SMP		A563	
SMP		A601	
DSC	M	B059	B054
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
SMP		K512	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

K629 Address

DSC	M	B059	B054
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
SMP	M	K620	-K623
SMP		K624	-K628
DSC	M	R75	B238

K630 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
LMC		K571	K570

ICD-10-Mortality Manual 2c - 2014

LMC		K573		K572
LMC		K575		K574
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

K631 Address

DSC		B24		B238
DSC	M	B572		B573
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C902	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DSC	M	K269		K265
DS		K500	-K567	
LMC	M	K571		K570
LMC	M	K573		K572
LMC		K575		K574
DS		K580	-K599	
DS		K630		
DS		K632	-K638	
DSC		R75		B238

K6310 Address

DSC		B059		B054
DSC		B24		B238
DSC	M	B572		B573
DSC		B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C902	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E841
DSC		K250		K252
DS		K251	-K252	
DSC		K253		K251
DSC		K254		K256
DS		K255	-K256	
DSC		K257	-K259	K255

ICD-10-Mortality Manual 2c - 2014

DSC	K260		K262
DS	K261	-K262	
DSC	K263		K261
DSC	K264		K266
DS	K265	-K266	
DSC	K267	-K269	K265
DSC	K270		K272
DS	K271	-K272	
DSC	K273		K271
DSC	K274		K276
DS	K275	-K276	
DSC	K277	-K279	K275
DSC	K280		K282
DS	K281	-K282	
DSC	K283		K281
DSC	K284		K286
DS	K285	-K286	
DSC	K287	-K289	K285
DS	K500	-K567	
LMC	K571		K570
LMC	K573		K572
LMC	K575		K574
LMC	K579		K578
DS	K580	-K599	
DS	K630		
DS	K632	-K638	
DSC	R75		B238

K632 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K633 Address

DSC		B24	B238
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
DSC		R75	B238

K634 Address

DSC		B24	B238
DSC	M	B572	B573
DSC		E840	E848

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E841
DSC	R75	B238

K635 Address

DSC	E840	E848
DSC	E849	E841

K638 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

K639 Address

SMP		A000	-A099
SMP	M	A183	
SMP	M	A527	
DSC		B24	B238
SMP	M	B350	-B49
SMP		B500	-B54
DSC	M	B572	B573
SMP	M	B573	
SMP	M	B650	-B839
SMP	M	B878	
SMP	M	B908	
SMP		C170	-C218
SMP		C784	-C785
SMP	M	C810	-C902
SMP		D010	-D014
SMP		D120	-D129
SMP		D132	-D133
SMP		D372	-D375
DSC		E840	E848
DSC		E849	E841
SMP		K260	-K289
SMP		K298	-K299
SMP		K315	
SMP	M	K316	-K319
SMP		K352	-K638
SMP		Q410	-Q439
DSC		R75	B238

K650 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A183		
SMP	M	A368		
SMP	M	A500		
SMP	M	A527		
SMP	M	A548		
SMP	M	A748		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C902	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E848
SMP	M	E850		
DS		K20	-K319	
SMP		K352	-K353	
LMC	M	K358		K352
LMC	M	K358		K353
LMC	M	K37		K352
LMC	M	K37		K353
DS		K400	-K567	
SMP		K570		
LMC		K571		K570
SMP		K572		
LMC		K573		K572
SMP		K574		
LMC		K575		K574
SMP		K578		
LMC		K579		K578
DS		K580	-K639	
DS		K800	-K869	
DS		N700	-N732	
SMP		N733	-N735	
DS		N736	-N768	
DS		Q400	-Q459	
DS		Q790	-Q795	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	S310		
DS		S311		
DS	M	S317		
DS		S318	-S325	

ICD-10-Mortality Manual 2c - 2014

DS	M	S327	-S328
DS		S350	-S355
DS	M	S357	-S359
DS		S360	-S379
DS	M	S381	
DS	M	S383	-S399
DS		T282	-T284
DS		T287	-T289
DS	M	T912	
DS	M	T915	-T919

K658 Address

SMP	M	A183	
SMP	M	A368	
SMP	M	A500	
SMP	M	A527	
SMP	M	A548	
SMP	M	A748	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B779	B770
DS		C150	-C269
DS		C762	
DS		C784	-C788
DS	M	C798	
DS	M	C810	-C902
DS		D000	-D019
DS		D120	-D139
DS		D371	-D379
DSC		E840	E848
DSC		E849	E848
SMP	M	E850	
DS		K20	-K319
SMP		K352	-K353
LMP		K358	
LMC		K37	K353
DS		K400	-K567
SMP		K570	
LMC		K571	K570
SMP		K572	
LMC		K573	K572
SMP		K574	
LMC		K575	K574
SMP		K578	
LMC		K579	K578
DS		K580	-K639
DS		K800	-K869
DS		N700	-N732
SMP		N733	-N735

ICD-10-Mortality Manual 2c - 2014

DS		N736	-N768	
DS		Q400	-Q459	
DS		Q790	-Q795	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
DS	M	S310		
DS		S311		
DS	M	S317		
DS		S318	-S325	
DS	M	S327	-S328	
DS		S350	-S355	
DS	M	S357	-S359	
DS		S360	-S379	
DS	M	S381		
DS	M	S383	-S399	
DS		T282	-T284	
DS		T287	-T289	
DS	M	T912		
DS	M	T915	-T919	

K659 Address

SMP	M	A183		
SMP	M	A368		
SMP	M	A500		
SMP	M	A527		
SMP	M	A548		
SMP	M	A748		
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B779		B770
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C902	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DSC		E840		E848
DSC		E849		E848
SMP	M	E850		
DS		K20	-K319	
SMP		K352	-K353	
LMP		K358		
LMC		K37		K353
DS		K400	-K567	
SMP		K570		
LMC		K571		K570

ICD-10-Mortality Manual 2c - 2014

SMP		K572	
LMC		K573	K572
SMP		K574	
LMC		K575	K574
SMP		K578	
LMC		K579	K578
DS		K580	-K639
SMP		K650	-K658
DS		K800	-K869
DS		N700	-N732
SMP		N733	-N735
DS		N736	-N768
DS		Q790	-Q795
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DS	M	S310	
DS		S311	
DS	M	S317	
DS		S318	-S325
DS	M	S327	-S328
DS		S350	-S355
DS	M	S357	-S359
DS		S360	-S379
DS	M	S381	
DS	M	S383	-S399
DS		T282	-T284
DS		T287	-T289
DS	M	T912	
DS	M	T915	-T919

K660 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		K560	-K564 K565
LMC		K566	-K567 K565
DSC		R75	B238

K661 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC		R75	B238
DS		T455	

ICD-10-Mortality Manual 2c - 2014***K668 Address***

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC		R75	B238

K669 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K650 -K668	
DSC		R75	B238

K704 Address

SMC		K746	K703
-----	--	------	------

K709 Address

SMP		K700 -K704	
SMC		K7200	K704
SMC		K7210	K704
SMC		K7290	K704
SMC		K730 -K739	K701
SMC		K740 -K742	K702
SMC	M	K746	K703
SMC	M	K759	K701
SMC		K760	K700

K710 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
LMC		T510 -T519	K709

K711 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
LMC	M	T510 -T519	K704

K712 Address

DSC	M	B059	B054
DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DSC	E840		E848
LMC	T510	-T519	K701

K713 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC		T510	-T519	K701

K714 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC		T510	-T519	K701

K715 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC		T510	-T519	K701

K716 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC		T510	-T519	K701

K717 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC	M	T510	-T519	K702
LMC	M	T510	-T519	K703

K718 Address

DSC	M	B059	B054	
DSC	M	B572	B573	
DSC	M	B779	B770	
DSC		E840	E848	
LMC	M	T510	-T519	K700
LMC	M	T510	-T519	K709

K719 Address

DSC	M	B059	B054
DSC	M	B572	B573

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779		B770
DSC		E840		E848
SMP		K710	-K718	
LMC	M	K720		K711
LMC	M	K720		K712
LMC		K721	-K729	K711
LMC		K730		K713
LMC		K731		K714
LMC		K732		K715
LMC		K738	-K739	K716
LMC		K740	-K746	K717
LMC		K750	-K758	K718
LMC	M	K759		K716
LMC	M	K759		K718
LMC		K760	-K769	K718
LMC		K831		K710
LMC		T510	-T519	K709

K720 Address

DSC	M	B059		B058
DS		B150		
DSC	M	B159		B150
DS		B160		
DSC	M	B161		B160
DS		B162		
DSC	M	B169		B162
DS		B170	-B190	
DSC	M	B199		B190
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B778
DS		B942		
DS		C220	-C229	
DS	M	C457		
DS		C787		
DS		D015		
DS		D134		
DS	M	D376		
DSC		E840		E848
DSC		E849		E848
DS		K700	-K703	
SMP	M	K704		
LMC	M	K719		K711
DS		K730	-K746	
DS		K760	-K768	
DS		Q446	-Q447	
DSC	M	R75		B238
LMC	M	T510	-T519	K701

K7200 Address

ICD-10-Mortality Manual 2c - 2014

DS		A064		
DS	M	A500		
DS	M	A505		
DS	M	A514		
DS	M	A527		
DS		A950	-A959	
DS	M	B008		
DS		B150	-B199	
DSC	M	B24		B201
DSC	M	B24		B238
DS		B250	-B259	
DS	M	B268		
DS		B270	-B279	
DS		B500	-B54	
DSC	M	B572		B573
DS		B580	-B589	
DSC	M	B779		B770
DS	M	B948		
DS		C150	-C269	
DS		C784	-C788	
DS		D015		
DS		D134		
DS		D376		
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K704
DS		K700	-K704	
DSC		K709		K704
DS		K710	-K719	
DS		K730	-K758	
DS		K760	-K768	
DS		K800	-K839	
DS		Q440	-Q447	
DSC	M	R75		B201
DSC	M	R75		B238
DS		S301		
DS	M	S307	-S309	
DS		S311		
DS	M	S317	-S318	
DS	M	S346	-S348	
DS	M	S351	-S353	
DS	M	S357	-S359	
DS		S360	-S369	
DS	M	S381		
DS	M	S383	-S399	
DS		T090	-T091	
DS		T095		
DS		T098	-T099	
DS		T210	-T217	
DS		T282		

ICD-10-Mortality Manual 2c - 2014

DS		T284	
DS		T287	
DS		T289	
DS		T360	-T509
LMC	M	T510	-T519 K704

K721 Address

DS		B150	
DSC	M	B159	B150
DS		B160	
DSC	M	B161	B160
DS		B162	
DSC	M	B169	B162
DS		B170	-B190
DSC	M	B199	B190
DSC	M	B24	B201
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS		B942	
DS		C220	-C229
DS	M	C457	
DS		C787	
DS		D015	
DS		D134	
DS	M	D376	
DSC		E840	E848
DSC		E849	E848
DS		K700	-K703
SMP	M	K704	
DSC		K709	K704
LMC		K719	K711
DS		K730	-K746
DS		K760	-K768
DS		Q446	-Q447
DSC	M	R75	B201
DSC	M	R75	B238
LMC		T510	-T519 K704 *

K7210 Address

DS		A064	
DS	M	A500	
DS	M	A505	
DS	M	A514	
DS	M	A527	
DS		A950	-A959
DS	M	B008	
DS		B150	-B199
DSC	M	B24	B201
DSC	M	B24	B238

ICD-10-Mortality Manual 2c - 2014

DS		B250	-B259	
DS	M	B268		
DS		B270	-B279	
DS		B500	-B54	
DSC	M	B572		B573
DS		B580	-B589	
DSC	M	B779		B770
DS	M	B948		
DS		C150	-C269	
DS		C784	-C788	
DS		D015		
DS		D134		
DS		D376		
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K704
DS		K700	-K704	
DSC		K709		K704
DS		K710	-K719	
DS		K730	-K758	
DS		K760	-K768	
DS		K800	-K839	
DS		Q440	-Q447	
DSC	M	R75		B201
DSC	M	R75		B238
DS		S301		
DS	M	S307	-S309	
DS		S311		
DS	M	S317	-S318	
DS	M	S346	-S348	
DS	M	S351	-S353	
DS	M	S357	-S359	
DS		S360	-S369	
DS	M	S381		
DS	M	S383	-S399	
DS		T090	-T091	
DS		T095		
DS		T098	-T099	
DS		T210	-T217	
DS		T282		
DS		T284		
DS		T287		
DS		T289		
LMC	M	T510	-T519	K704

K729 Address

DS		B150		
DSC	M	B159		B150
DS		B160		
DSC	M	B161		B160

ICD-10-Mortality Manual 2c - 2014

DS		B162		
DSC	M	B169		B162
DS		B170	-B190	
DSC	M	B199		B190
DSC	M	B24		B201
DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		B942		
DS		C220	-C229	
DS	M	C457		
DS		C787		
DS		D015		
DS		D134		
DS	M	D376		
DSC		E840		E848
DSC		E849		E848
DS		K700	-K703	
SMP	M	K704		
DSC		K709		K704
LMC		K719		K711
SMP		K720	-K721	
DS		K730	-K746	
DS		K760	-K768	
DS		Q446	-Q447	
DSC	M	R75		B201
DSC	M	R75		B238
LMC		T510	-T519	K704 *

K7290 Address

DS		A064		
DS	M	A500		
DS	M	A505		
DS	M	A514		
DS	M	A527		
DS		A950	-A959	
DS	M	B008		
DS		B150	-B199	
DSC	M	B24		B238
DS		B250	-B259	
DS	M	B268		
DS		B270	-B279	
DS		B500	-B54	
DSC	M	B572		B573
DS		B580	-B589	
DSC	M	B779		B770
DS	M	B948		
DS		C150	-C269	
DS		C784	-C788	
DS		D015		

ICD-10-Mortality Manual 2c - 2014

DS		D134		
DS		D376		
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K704
DS		K700	-K704	
DSC		K709		K704
DS		K710	-K719	
DS		K730	-K768	
DS		K800	-K839	
DS		Q440	-Q447	
DSC	M	R75		B238
DS		S301		
DS	M	S307	-S309	
DS		S311		
DS	M	S317	-S318	
DS	M	S346	-S348	
DS	M	S351	-S353	
DS	M	S357	-S359	
DS		S360	-S369	
DS	M	S381		
DS	M	S383	-S399	
DS		T090	-T091	
DS		T095		
DS		T098	-T099	
DS		T210	-T217	
DS		T282		
DS		T284		
DS		T287		
DS		T289		
DS		T360	-T509	
LMC	M	T510	-T519	K704

K730 Address

DSC	M	B572		B573
DSC	M	B779		B770
DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K701
SMP		K701		
DSC		K709		K701
DS		K740	-K746	
DS		K760		
DS	M	K761		
DS		Q440	-Q447	

ICD-10-Mortality Manual 2c - 2014

LMC M T510 -T519 K701

K731 Address

DSC M B572 B573
DSC M B779 B770
DS C220 -C249
DS C787
DS M C788
DS D134 -D135
DS D376
DSC E840 E848
DSC E849 E848
LMC M F100 -F109 K701
SMP K701
DSC K709 K701
DS K740 -K746
DS K760
DS M K761
DS Q440 -Q447
LMC M T510 -T519 K701

K732 Address

DSC M B572 B573
DSC M B779 B770
DS C220 -C249
DS C787
DS M C788
DS D134 -D135
DS D376
DSC E840 E848
DSC E849 E848
LMC M F100 -F109 K701
SMP K701
DSC K709 K701
DS K740 -K746
DS K760
DS M K761
DS Q440 -Q447
LMC M T510 -T519 K701

K738 Address

DSC M B572 B573
DSC M B779 B770
DS C220 -C249
DS C787
DS M C788
DS D134 -D135
DS D376
DSC E840 E848
DSC E849 E848

ICD-10-Mortality Manual 2c - 2014

LMC	M	F100	-F109	K701
SMP		K701		
DSC		K709		K701
DS		K740	-K746	
DS		K760		
DS	M	K761		
DS		Q440	-Q447	
LMC	M	T510	-T519	K701

K739 Address

DSC	M	B572		B573
DSC	M	B779		B770
DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K701
SMP		K701		
DSC		K709		K701
SMP		K730	-K738	
DS		K740	-K746	
DS		K760		
DS	M	K761		
DS		Q440	-Q447	
LMC	M	T510	-T519	K701

K740 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
LMC		F100	-F109	K702
DSC		K709		K702
LMC		K741		K742
LMC		T510	-T519	K702

K741 Address

DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
LMC		F100	-F109	K702
DSC		K709		K702
LMC		K740		K742
LMC		T510	-T519	K702

K742 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		F100 -F109	K702
DSC		K709	K702
DSC		K719	K717
LMC		T510 -T519	K702

K743 Address

DSC		E840	E848
DSC		E849	E848

K744 Address

DSC	M	B572	B573
DSC	M	B779	B770
DS	M	B942	
DSC		E840	E848
DSC		E849	E848
DS		Q440 -Q447	

K745 Address

DSC	M	B572	B573
DSC	M	B779	B770
DS	M	B942	
DSC		E840	E848
DSC		E849	E848
DS		Q440 -Q447	

K746 Address

SMP	M	A527	
DSC	M	B572	B573
DSC	M	B779	B770
DS	M	B942	
DSC		E840	E848
DSC		E849	E848
LMC	M	F100 -F109	K703
SMC	M	G312	K703
LMC	M	G405	K703
SMC	M	G621	K703
SMC	M	G721	K703
SMC	M	I426	K703
SMC	M	K292	K703
SMP	M	K703	
DSC		K709	K703
SMP	M	K717	
SMP	M	K743 -K745	
SMP	M	K761	
SMC	M	K852	K703
SMC	M	K860	K703

ICD-10-Mortality Manual 2c - 2014

DS		Q440	-Q447	
SMC	M	R780		K703
LMC	M	T510	-T519	K703

K750 Address

DSC	M	A061		A064
SMP		A064		
DSC	M	A069		A064
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

K751 Address

DS	M	B150	-B199	
DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	B572		B573
DSC	M	B779		B770
DS	M	B942		
DS		C220	-C229	
DS	M	C457		
DS		C787		
DS		D015		
DS		D134		
DS	M	D376		
DSC		E840		E848
DSC		E849		E848
DS		K700	-K709	
DS		K730	-K746	
DS		K760		
DS	M	K761		
DS		K763		
DS		K768		
DS		Q446	-Q447	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

K752 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K753 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K754 Address

DSC		E840	E848
DSC		E849	E848

K758 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K759 Address

SMP		A064	
SMP	M	A188	
SMP	M	A500	
SMP	M	A505	
SMP	M	A514	
SMP	M	A527	
SMP	M	B008	
SMP		B150	-B199
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		B251	
SMP	M	B268	

ICD-10-Mortality Manual 2c - 2014

SMP	M	B334	-B338	
DSC	M	B572		B573
SMP		B581		
DSC	M	B589		B581
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
LMC	M	F100	-F109	K701
DS		K700		
SMP		K701		
DS		K702	-K704	
DSC		K709		K701
SMP		K716		
SMP	M	K720	-K729	
SMP		K730	-K739	
DS		K740	-K745	
SMP	M	K746		
SMP		K750	-K758	
DS		K760		
DS	M	K761		
DS		K763		
DS		K768		
DS		Q446	-Q447	
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208
LMC	M	T510	-T519	K701

K760 Address

DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
LMC		F100	-F109	K700
SMP		K700		
DSC		K709		K700
DSC	M	R75		B238
LMC		T510	-T519	K700

K761 Address

DSC	M	B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DSC		E840		E848
DSC		E849		E848
DSC	M	R75		B238

K762 Address

DSC	M	B24		B238
-----	---	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K763 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K764 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
LMC		K719	K718
DSC	M	R75	B238

K765 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC	M	R75	B238

K766 Address

DS	M	B150	-B199
DSC	M	B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DS	M	B942	
DS		C220	-C229
DS	M	C457	
DS		C787	
DS		D015	
DS		D134	
DS	M	D376	
DSC		E840	E848
DSC		E849	E848
DS		K700	-K709
DS		K730	-K746
DS		K760	
DS	M	K761	
DS		K763	

ICD-10-Mortality Manual 2c - 2014

DS		K768	
DS		Q446	-Q447
DSC	M	R75	B238

K767 Address

DS		B150	-B199	
DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		B942		
DS		C220	-C229	
DS	M	C457		
DS		C787		
DS		D015		
DS		D134		
DS	M	D376		
DSC		E840		E848
DSC		E849		E848
DS		K700	-K709	
DSC		K719		K718
DS		K730	-K746	
DS		K760	-K766	
DS		K768		
DS		Q446	-Q447	
DSC		R75		B238

K768 Address

DS	M	A064		
DS	M	A188		
DS	M	A527		
DS	M	A950	-A959	
DS	M	B008		
DS	M	B150	-B199	
DSC		B24		B238
DS	M	B251		
DS	M	B268		
DS	M	B270	-B279	
DS	M	B334	-B338	
DS	M	B500	-B529	
DSC	M	B572		B573
DS	M	B581		
DSC	M	B779		B770
DS	M	B908		
DS	M	B942	-B948	
DS	M	C150	-C269	
DS	M	C762		
DS	M	C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS	M	D000	-D019	

ICD-10-Mortality Manual 2c - 2014

DS	M	D120	-D139	
DS	M	D371	-D379	
DSC		E840		E848
DSC		E849		E848
DSC	M	E859		E854
DS	M	K700	-K718	
DSC		K719		K718
DS	M	K720	-K767	
DS	M	K800	-K839	
DS		Q440	-Q447	
DSC		R75		B238
DS	M	T455		

K769 Address

SMP		A064		
SMP	M	A188		
SMP	M	A500		
SMP	M	A505		
SMP	M	A514		
SMP	M	A527		
SMP	M	B008		
SMP		B150	-B199	
DSC	M	B24		B238
SMP		B251		
SMP	M	B268		
SMP	M	B334	-B338	
DSC	M	B572		B573
SMP	M	B573		
SMP		B581		
SMP	M	B650	-B659	
SMP		B661		
SMP		B663		
SMP		B670		
SMP		B675		
SMP		B678		
DSC	M	B779		B770
SMP	M	B838		
SMP	M	E740		
DSC		E840		E848
DSC		E849		E848
LMC		F100	-F109	K709
SMP		K700	-K768	
DS		Q440	-Q445	
SMP		Q446		
DS		Q447		
DSC	M	R75		B238
LMC		T510	-T519	K709

K800 Address

DSC		E840		E848
-----	--	------	--	------

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563

K801 Address

DSC	E840	E848
DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563

K802 Address

DSC	E840	E848
DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563
SMP	K800 -K801	
LMC	K810	K800
LMC	K811 -K819	K801

K803 Address

DSC	E840	E848
DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563
LMP	K804	
LMC	K810 -K819	K804

K804 Address

DSC	E840	E848
DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563

K805 Address

DSC	E840	E848
DSC	E849	E848
LDC	K560	K563
LDP	K563	
LDC	K566 -K567	K563
SMP	K803 -K804	
LMC	K810 -K819	K804
LMC	K830	K803

K808 Address

DSC	E840	E848
-----	------	------

ICD-10-Mortality Manual 2c - 2014

DSC	E849	E848
LMC	K810	K800
LMC	K811 -K819	K801

K810 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E848
SMP		K800	
LMC		K802	K800
LMC		K803	K804
SMP		K804	
LMC		K805	K804
LMC		K808	K800
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K811 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E848
SMP		K801	
LMC		K802	K801
LMC		K803	K804
SMP		K804	
LMC		K805	K804
DSC		K808	K801
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K818 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E840	E848
DSC		E849	E848
SMP		K801	
LMC		K802	K801
LMC		K803	K804
SMP		K804	
LMC		K805	K804
DSC		K808	K801
DSC	M	R75	B201
DSC	M	R75	B203

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B208

K819 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC E840 E848
DSC E849 E848
SMP K801
LMC K802 K801
LMC K803 K804
SMP K804
LMC K805 K804
DSC K808 K801
SMP K810 -K818
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

K820 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848
LMP K802
DSC R75 B238

K821 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848
DSC R75 B238

K822 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848
DSC R75 B238

K823 Address

DSC M B572 B573
DSC M B779 B770
DSC E840 E848
DSC E849 E848

ICD-10-Mortality Manual 2c - 2014***K824 Address***

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC		R75	B238

K828 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
DSC		R75	B238

K829 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E848
SMP		K820	-K828
DSC		R75	B238

K830 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B572	B573
DSC	M	B779	B770
DS		C220	-C249
DS		C787	
DS	M	C788	
DS		D015	
DS		D134	-D135
DS		D376	
DSC		E840	E848
DSC		E849	E848
LMP		K803	-K804
LMC		K805	K803
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K831 Address

DSC		B24	B238
DSC	M	B572	B573
DSC	M	B779	B770

ICD-10-Mortality Manual 2c - 2014

DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D015		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848
DSC		K719		K710
LMP		K805		
DSC		R75		B238

K832 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D015		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848
DSC		R75		B238

K833 Address

DSC	M	B572		B573
DSC	M	B779		B770
DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D015		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848

K834 Address

DSC		B24		B238
DSC	M	B572		B573
DSC	M	B779		B770
DS		C220	-C249	
DS		C787		
DS	M	C788		
DS		D015		
DS		D134	-D135	
DS		D376		
DSC		E840		E848
DSC		E849		E848

ICD-10-Mortality Manual 2c - 2014

DSC R75 B238

K835 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DS C220 -C249
DS C787
DS M C788
DS D015
DS D134 -D135
DS D376
DSC E840 E848
DSC E849 E848
DSC R75 B238

K838 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
DS C220 -C249
DS C787
DS M C788
DS D015
DS D134 -D135
DS D376
DSC E840 E848
DSC E849 E848
DSC R75 B238

K839 Address

DSC B24 B238
DSC M B572 B573
DSC M B779 B770
SMP C220 -C249
SMP C787
SMP M C788
SMP D015
SMP D134 -D135
SMP D376
DSC E840 E848
DSC E849 E848
SMP K800 -K804
LMP K805
SMP K808 -K838
SMP Q440 -Q447
DSC R75 B238

K851 Address

SMP M A527

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B252	
SMP	M	B263	
DSC	M	B269	B263
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		E849	E848
DS	M	I748	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K858 Address

SMP	M	A527	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B252	
SMP	M	B263	
DSC	M	B269	B263
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		E849	E848
DS	M	I748	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

K859 Address

SMP	M	A527	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B252	
SMP	M	B263	
DSC	M	B269	B263
DSC	M	B572	B573
DSC	M	B779	B770
DSC		E840	E848
DSC		E849	E841
DSC		E849	E848
DS	M	I748	
DSC	M	R75	B201
DSC	M	R75	B203

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B208

K861 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M B572 B573
DSC M B779 B770
DS C250 -C259
DSC E840 E848
DSC E849 E848
SMP K852
SMP K860
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

K862 Address

DSC M B24 B238
DSC M B572 B573
DSC M B779 B770
DS M C788
DSC E840 E848
DSC E849 E848
DSC M R75 B238

K863 Address

DSC M B24 B238
DSC M B572 B573
DSC M B779 B770
DS M D017
DS D136
DS M D377
DSC E840 E848
DS E841 -E848
DSC E849 E848
DS K800 -K808
DS Q450 -Q453
DSC M R75 B238

K868 Address

DSC M B24 B238
DS M B269
DSC M B572 B573
DSC M B779 B770
DS C250 -C259
DS M C788
DS M D017
DS D136
DS M D377

ICD-10-Mortality Manual 2c - 2014

DSC		E840	E848
DS		E841 -E848	
DSC		E849	E848
DS		K800 -K808	
DS		K850 -K859	
DS		K861 -K863	
DS		Q450 -Q453	
DSC	M	R75	B238
DS	M	T455	

K869 Address

DSC	M	B24	B238
SMP		B252	
SMP		B263	
DSC	M	B572	B573
DSC	M	B779	B770
SMP		C250 -C259	
SMP	M	C788	
SMP	M	D017	
SMP		D136	
SMP	M	D377	
DSC		E840	E848
SMP		E849	
DSC		E849	E848
SMP		K850 -K868	
SMP		Q453	
DSC	M	R75	B238

K900 Address

DSC		E840	E848
DSC		E849	E841

K901 Address

DSC		E840	E848
DSC		E849	E841

K902 Address

DSC		E840	E848
DSC		E849	E841

K903 Address

DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841

K904 Address

DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841

K908 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
DSC	M	R75	B238

K909 Address

DSC	M	B24	B238
DSC	M	B572	B573
DSC		E840	E848
DSC		E849	E841
SMP		K900 -K908	
DSC	M	R75	B238

K910 Address

DS	M	Y830	-Y834
DS	M	Y836	-Y839
DS	M	Y883	

K911 Address

DS	M	Y831	-Y834
DS	M	Y836	-Y839
DS	M	Y883	

K912 Address

DS	M	Y830	-Y834
DS	M	Y836	-Y839
DS	M	Y883	

K913 Address

DS		Y830	-Y839
DS	M	Y883	

K914 Address

DS	M	Y833	
DS	M	Y883	

K915 Address

DS		Y836	
DS	M	Y883	

K918 Address

DS		Y600	-Y849
DS		Y881	
DS		Y883	

K919 Address

SMP		K910	-K918
-----	--	------	-------

ICD-10-Mortality Manual 2c - 2014

DS Y600 -Y849
DS Y881
DS Y883

K920 Address

DS A000 -A099
DS A183
DS M A188
DS M A527
DS M A548
DS M A748
DS B150 -B199
DSC B24 B238
DS M B350 -B54
DSC M B572 B573
DS B573
DS M B650 -B659
DS M B878
DS M B908
DS C150 -C269
DS C762
DS C784 -C788
DS M C798
DS M C810 -C969
DS D000 -D019
DS D120 -D139
DS D371 -D379
DS D65 -D699
DSC E840 E848
DS E841
DSC E849 E848
DS I850
DSC I859 I850
DSC J1010 J108
DSC J1110 J118
DS K20 -K229
LMP K250
LMC K251 K252
LMP K252
LMC K253 K250
LMP K254
LMC K255 K256
LMP K256
LMC K257 -K259 K254
LMP K260
LMC K261 K262
LMP K262
LMC K263 K260
LMP K264
LMC K265 K266

ICD-10-Mortality Manual 2c - 2014

LMP	K266		
LMC	K267	-K269	K264
LMP	K270		
LMC	K271		K272
LMP	K272		
LMC	K273		K270
LMP	K274		
LMC	K275		K276
LMP	K276		
LMC	K277	-K279	K274
LMP	K280		
LMC	K281		K282
LMP	K282		
LMC	K283		K280
LMP	K284		
LMC	K285		K286
LMP	K286		
LMC	K287	-K289	K284
DS	K290		
DSC	K291		K290
DS	K292	-K869	
DS	Q390	-Q459	
DS	Q790	-Q795	
DSC	R75		B238
DS	T455		

K921 Address

DS		A000	-A099	
DS		A183		
DS	M	A188		
DS	M	A527		
DS	M	A548		
DS	M	A748		
DS		B150	-B199	
DSC		B24		B238
DS	M	B350	-B54	
DSC	M	B572		B573
DS		B573		
DS	M	B650	-B659	
DS	M	B878		
DS	M	B908		
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DS		D65	-D699	

ICD-10-Mortality Manual 2c - 2014

DSC	E840	E848
DS	E841	
DSC	E849	E848
DS	I850	
DSC	I859	I850
DSC	J1010	J108
DSC	J1110	J118
DS	K20	-K229
LMP	K250	
LMC	K251	K252
LMP	K252	
LMC	K253	K250
LMP	K254	
LMC	K255	K256
LMP	K256	
LMC	K257	-K259 K254
LMP	K260	
LMC	K261	K262
LMP	K262	
LMC	K263	K260
LMP	K264	
LMC	K265	K266
LMP	K266	
LMC	K267	-K269 K264
LMP	K270	
LMC	K271	K272
LMP	K272	
LMC	K273	K270
LMP	K274	
LMC	K275	K276
LMP	K276	
LMC	K277	-K279 K274
LMP	K280	
LMC	K281	K282
LMP	K282	
LMC	K283	K280
LMP	K284	
LMC	K285	K286
LMP	K286	
LMC	K287	-K289 K284
DS	K290	
DSC	K291	K290
DS	K292	-K869
DS	Q390	-Q459
DS	Q790	-Q795
DSC	R75	B238
DS	T455	

K922 Address

DS	A000	-A099
----	------	-------

ICD-10-Mortality Manual 2c - 2014

DS		A183		
DS	M	A188		
DS	M	A527		
DS	M	A548		
DS	M	A748		
DS		B150	-B199	
DSC		B24		B238
DS	M	B350	-B54	
DSC	M	B572		B573
DS		B573		
DS	M	B650	-B659	
DS	M	B878		
DS	M	B908		
DS		C150	-C269	
DS		C762		
DS		C784	-C788	
DS	M	C798		
DS	M	C810	-C969	
DS		D000	-D019	
DS		D120	-D139	
DS		D371	-D379	
DS		D65	-D699	
DSC		E840		E848
DS		E841		
DSC		E849		E841
DS		I850		
DSC		I859		I850
DSC		J1010		J108
DSC		J1110		J118
DS		K20	-K229	
DSC		K251		K252
DSC		K253		K250
DSC		K255		K256
DSC		K257	-K259	K254
DSC		K261		K262
DSC		K263		K260
DSC		K265		K266
DSC		K267	-K269	K264
DSC		K271		K272
DSC		K273		K270
DSC		K275		K276
DSC		K277	-K279	K274
DSC		K281		K282
DSC		K283		K280
DSC		K285		K286
DSC		K287	-K289	K284
DS		K290		
DSC		K291		K290
DS		K292	-K624	
SMP		K625		

ICD-10-Mortality Manual 2c - 2014

DS		K626	-K660	
SMP		K661		
DS		K668	-K767	
SMP	M	K768		
DS		K769	-K863	
SMP	M	K868		
DS		K869		
SMP		K920	-K921	
DS		Q390	-Q459	
DS		Q790	-Q795	
DSC		R75		B238
DS	M	T380		
DS	M	T385		
DS	M	T387	-T388	
DS	M	T390		
DS	M	T393		
DS		T455		
DS	M	X40		
DS	M	X44		
DS	M	X60		
DS	M	X64		
DS	M	Y10		
DS	M	Y14		
DS	M	Y420		
DS	M	Y427	-Y428	
DS	M	Y451	-Y453	

K928 Address

DSC		B24		B238
DSC	M	B572		B573
DSC		E840		E848
DSC		E849		E841
DSC		R75		B238

K929 Address

DSC		B24		B238
DSC	M	B572		B573
DSC		E840		E848
DSC		E849		E841
DSC		E859		E854
SMP		K000	-K928	
DSC		R75		B238

L***L00 Address***

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L020 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L021 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L022 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L023 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L024 Address

DSC	M	A061	A064
-----	---	------	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L028 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L029 Address

DSC	M	A061	A064
DSC	M	A069	A064
SMP		A220	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		L020	-L028
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L031 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L032 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L033 Address

DSC	M	B24	B201
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L038 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L039 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		L030	-L038
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L049 Address

SMP		L040	-L048
-----	--	------	-------

L059 Address

SMP		L050	
-----	--	------	--

L080 Address

DSC	M	I830	I832
DS		I831	
DS	M	I832	
DSC	M	I839	I831

L081 Address

DSC	M	I830	I832
DS		I831	
DS	M	I832	
DSC	M	I839	I831

L088 Address

DSC	M	I830	I832
DS		I831	
DS	M	I832	
DSC	M	I839	I831

L089 Address

DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
DSC	M	I830	I832
DSC	M	I839	I831
SMP		L00 -L088	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L109 Address

SMP		L100 -L108	
-----	--	------------	--

L119 Address

SMP		L110 -L118	
-----	--	------------	--

L129 Address

SMP		L120 -L128	
-----	--	------------	--

L139 Address

SMP		L100 -L138	
-----	--	------------	--

L209 Address

SMP		L200 -L208	
-----	--	------------	--

L219 Address

SMP		L210 -L218	
-----	--	------------	--

L239 Address

SMP		L230 -L238	
-----	--	------------	--

L249 Address

SMP		L240 -L248	
-----	--	------------	--

L259 Address

SMP		L230 -L258	
-----	--	------------	--

L279 Address

SMP		L270 -L278	
-----	--	------------	--

L280 Address

DSC	M	E859	E854
-----	---	------	------

L299 Address

SMP		L290 -L298	
-----	--	------------	--

L309 Address

DS		A601	
DS		B000 -B001	
DS	M	B005	
SMP		L200 -L308	

L409 Address

SMP L400 -L408

L419 Address

SMP L410 -L418

L439 Address

SMP L430 -L438

L449 Address

SMP L400 -L448

L509 Address

SMP L500 -L508

L519 Address

SMP L510 -L518

L539 Address

SMP L510 -L538

L559 Address

SMP L550 -L558

L569 Address

SMP L560 -L568

L579 Address

SMP L570 -L578

L589 Address

SMP L580 -L581

L599 Address

SMP L590 -L598

L609 Address

SMP L600 -L608

L639 Address

SMP L630 -L638

L649 Address

SMP L640 -L648

L659 Address

SMP L650 -L658

L669 Address

ICD-10-Mortality Manual 2c - 2014

SMP L660 -L668

L679 Address

SMP L670 -L678

L689 Address

SMP L680 -L688

L709 Address

SMP L700 -L708

L719 Address

SMP L710 -L718

L729 Address

SMP L720 -L728

L739 Address

SMP L730 -L738

L749 Address

SMP L740 -L748

L759 Address

SMP L750 -L758

L819 Address

SMP L810 -L818

L859 Address

SMP L850 -L858

L879 Address

SMP L870 -L878

L890 Address

DS A000 -A228

DSC A229 A220

DS A230 -A310

DS A318 -A427

DS A429 -A599

DS A601 -A70

DS A748 -B001

DS B003 -B004

DS B007

DS B009 -B069

DS B080

DS B082 -B085

DS B09 -B238

DSC B24 B238

ICD-10-Mortality Manual 2c - 2014

DS		B250	-B279
DS		B330	-B349
DS		B370	-B839
DS		B86	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E105	
DS		E115	
DS		E125	
DS		E135	
DS		E145	
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G09
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	

ICD-10-Mortality Manual 2c - 2014

DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	

ICD-10-Mortality Manual 2c - 2014

DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08

ICD-10-Mortality Manual 2c - 2014

DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751

ICD-10-Mortality Manual 2c - 2014

DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

L891 Address

DS		A000	-A228
DSC		A229	A220
DS		A230	-A310
DS		A318	-A427
DS		A429	-A599
DS		A601	-A70
DS		A748	-B001
DS		B003	-B004
DS		B007	
DS		B009	-B069
DS		B080	
DS		B082	-B085
DS		B09	-B238
DSC		B24	B238
DS		B250	-B279
DS		B330	-B349
DS		B370	-B839
DS		B86	-C97
DS		D320	-D339
DS		D370	-D479
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038

ICD-10-Mortality Manual 2c - 2014

DS		E0390	
DS		E050	-E059
DS		E105	
DS		E115	
DS		E125	
DS		E135	
DS		E145	
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G09
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	

ICD-10-Mortality Manual 2c - 2014

DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	

ICD-10-Mortality Manual 2c - 2014

DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	

ICD-10-Mortality Manual 2c - 2014

DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	

ICD-10-Mortality Manual 2c - 2014

DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

L892 Address

DS		A000	-A228	
DSC		A229		A220
DS		A230	-A310	
DS		A318	-A427	
DS		A429	-A599	
DS		A601	-A70	
DS		A748	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B069	
DS		B080		
DS		B082	-B085	
DS		B09	-B238	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E105		
DS		E115		
DS		E125		
DS		E135		
DS		E145		
DS		E15		
DS		E40	-E43	
DS		E46		

ICD-10-Mortality Manual 2c - 2014

DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G09
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS		M000	-M009
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198

ICD-10-Mortality Manual 2c - 2014

DS		M1990	
DS		M320 -M329	
DS		M340 -M349	
DS	M	M410 -M435	
DS	M	M45 -M479	
DS	M	M481 -M519	
DS	M	M610 -M619	
DS	M	M623 -M624	
DS	M	M800 -M849	
DS		M860 -M869	
DS	M	M870 -M879	
DS	M	M910 -M949	
DS	M	M960 -M969	
DS	M	Q000 -Q079	
DS		Q200 -Q249	
DS		Q310 -Q359	
DS		Q370 -Q379	
DS	M	Q710 -Q719	
DS		Q720 -Q799	
DS		Q850 -Q999	
DSC		R75	B238
DS		S017	
DS		S019 -S029	
DS		S057	
DS		S060 -S090	
DS		S097 -S099	
DS		S110 -S134	
DS		S136 -S141	
DS		S146 -S159	
DS		S170 -S179	
DS		S197 -S199	
DS		S210 -S231	
DS		S233	
DS		S235 -S241	
DS		S250 -S299	
DS		S310 -S311	
DS		S317 -S321	
DS		S323 -S331	
DS		S335	
DS		S337 -S341	
DS		S343	
DS		S350 -S399	
DS		S410 -S418	
DS		S427	
DS		S450 -S451	
DS		S457	
DS		S459	
DS		S47 -S497	
DS		S499	
DS		S510 -S519	

ICD-10-Mortality Manual 2c - 2014

DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179

ICD-10-Mortality Manual 2c - 2014

DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	

ICD-10-Mortality Manual 2c - 2014

DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

L893 Address

DS		A000	-A228	
DSC		A229		A220
DS		A230	-A310	
DS		A318	-A427	
DS		A429	-A599	
DS		A601	-A70	
DS		A748	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B069	
DS		B080		
DS		B082	-B085	
DS		B09	-B238	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E105		
DS		E115		
DS		E125		
DS		E135		
DS		E145		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G09	

ICD-10-Mortality Manual 2c - 2014

DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G308
DS		G309	
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS		M000	-M009
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS		M860	-M869

ICD-10-Mortality Manual 2c - 2014

DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	

ICD-10-Mortality Manual 2c - 2014

DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	

ICD-10-Mortality Manual 2c - 2014

DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

L899 Address

DS	A000	-A228	
DSC	A229		A220
DS	A230	-A310	
DS	A318	-A427	

ICD-10-Mortality Manual 2c - 2014

DS		A429	-A599	
DS		A601	-A70	
DS		A748	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B069	
DS		B080		
DS		B082	-B085	
DS		B09	-B238	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E105		
DS		E115		
DS		E125		
DS		E135		
DS		E145		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G629	

ICD-10-Mortality Manual 2c - 2014

DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
SMP		L890	-L893
DS		M000	-M009
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS		M860	-M869
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS	M	Q710	-Q719
DS		Q720	-Q799

ICD-10-Mortality Manual 2c - 2014

DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	
DS		S710	-S729	
DS		S750	-S759	
DS		S770	-S799	
DS		S810	-S829	
DS		S850	-S859	
DS		S870	-S899	
DS		S910		
DS		S917		
DS		S927		

ICD-10-Mortality Manual 2c - 2014

DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T013
DS		T021	-T023
DS		T028	-T029
DS		T031	
DS		T033	-T034
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	

ICD-10-Mortality Manual 2c - 2014

DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

L909 Address

SMP		L900	-L908
-----	--	------	-------

L919 Address

SMP		L910	-L918
-----	--	------	-------

L921 Address

DSC		E100	-E105	E107
DS		E106	-E107	
DSC		E108		E107
DSC		E109		E106
DSC		E110	-E115	E117
DS		E116	-E117	
DSC		E118		E117

ICD-10-Mortality Manual 2c - 2014

DSC	E119		E116
DSC	E120	-E125	E127
DS	E126	-E127	
DSC	E128		E127
DSC	E129		E126
DSC	E130	-E135	E137
DS	E136	-E137	
DSC	E138		E137
DSC	E139		E136
DSC	E140	-E145	E147
DS	E146	-E147	
DSC	E148		E147
DSC	E149		E146

L929 Address

SMP	L920	-L928	
-----	------	-------	--

L930 Address

SMP	L931	-L932	
-----	------	-------	--

L949 Address

SMP	L940	-L948	
-----	------	-------	--

L958 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L959 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		L950	-L958
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

L97 Address

DSC		B24	B238
DSC		E100	-E104
DS		E105	
DSC		E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E105
DSC		E110	-E114
DS		E115	E117

ICD-10-Mortality Manual 2c - 2014

DSC	E116	E117
DS	E117	
DSC	E118	E117
DSC	E119	E115
DSC	E120 -E124	E127
DS	E125	
DSC	E126	E127
DS	E127	
DSC	E128	E127
DSC	E129	E125
DSC	E130 -E134	E137
DS	E135	
DSC	E136	E137
DS	E137	
DSC	E138	E137
DSC	E139	E135
DSC	E140 -E144	E147
DS	E145	
DSC	E146	E147
DS	E147	
DSC	E148	E147
DSC	E149	E145
DS	I739	
DSC	I831	I832
DSC	I839	I830
DSC	R75	B238

L984 Address

DSC	B24	B238
DSC M	I831	I832
DSC M	I839	I830
DSC	R75	B238

L988 Address

DSC M	E859	E854
-------	------	------

L989 Address

SMP	L980 -L988	
-----	------------	--

M***M000 Address***

DS M	A180	
DSC M	B24	B201
DSC M	B24	B203
DSC M	B24	B208
DSC M	R75	B201
DSC M	R75	B203
DSC M	R75	B208

ICD-10-Mortality Manual 2c - 2014

M001 Address

DS	M	A180	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M002 Address

DS	M	A180	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M008 Address

DS	M	A180	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M009 Address

DS	M	A180	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		M000 -M008	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M022 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M028 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M029 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		M020 -M028	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M058 Address

SMP		N288	
-----	--	------	--

M059 Address

SMP		M050 -M058	
-----	--	------------	--

M069 Address

LMC	M	G629	M053
LMC		G729	M053
LMC	M	I319	M053
LMC	M	I38	M053
LMC	M	I514	M053
LMC		I518 -I519	M053
LMC	M	I776	M052
LMC		J9840	M051
SMP		M050 -M068	
LMC	M	M436	M068

M084 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M088 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M089 Address

DSC	M	B24	B201
DSC	M	B24	B203

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
SMP		M080 -M088	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M109 Address

SMP		M100 -M104	
-----	--	------------	--

M110 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M111 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M112 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M118 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M119 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		M110 -M118	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

M121 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M122 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M123 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M124 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M125 Address

DS	S110	-S199
DS	S220	-S235
DS	S320	-S337
DS	S420	-S437
DS	S47	-S499
DS	S520	-S534
DS	S570	-S599
DS	S620	-S637
DS	S670	-S699
DS	S720	-S731
DS	S770	-S799
DS	S820	-S837
DS	S870	-S899
DS	S920	-S936
DS	S970	-S999
DS	T021	-T059

ICD-10-Mortality Manual 2c - 2014

DS	T08	
DS	T092	
DS	T096	
DS	T10	
DS	T112	
DS	T116	
DS	T12	
DS	T132	
DS	T136	
DS	T142	-T143
DS	T147	

M128 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M130 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS	M	E854	
DSC		E859	E854
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M131 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DS	M	E854	
DSC		E859	E854
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M138 Address

DSC		A029	A022
DSC		B069	B068
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC		E859	E854
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

M139 Address

SMP	M	A022	
DSC		A029	A022
SMP	M	A180	
SMP	M	A251	
SMP	M	A398	
SMP	M	A521	
SMP	M	A544	
SMP	M	B068	
DSC		B069	B068
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP	M	B49	
SMP	M	B749	
DSC		E100	-E105 E107
DS		E106	-E107
DSC		E108	E107
DSC		E109	E106
DSC		E110	-E115 E117
DS		E116	-E117
DSC		E118	E117
DSC		E119	E116
DSC		E120	-E125 E127
DS		E126	-E127
DSC		E128	E127
DSC		E129	E126
DSC		E130	-E135 E137
DS		E136	-E137
DSC		E138	E137
DSC		E139	E136
DSC		E140	-E145 E147
DS		E146	-E147
DSC		E148	E147
DSC		E149	E146
SMP	M	E702	
DS	M	E854	
DSC		E859	E854
SMP	M	I00	
SMP	M	L405	
SMP		M000	-M138
SMP	M	M199	-M1990
SMP	M	M45	
SMP	M	M465	
SMP	M	M469	
SMP	M	M483	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

M152 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M154 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M158 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M159 Address

SMP M150 -M158

M162 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M163 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M169 Address

SMP M160 -M167

M179 Address

SMP M170 -M175

M189 Address

SMP M180 -M185

M199 Address

SMP M150 -M198

M1990 Address

SMP M150 -M198

M206 Address

SMP M201 -M205

M218 Address

DS M E100 -E149

M219 Address

SMP M200 -M218

M229 Address

SMP M220 -M228

M239 Address

SMP M230 -M238

M246 Address

DS M050 -M089
DS M120 -M1990
DS M45 -M489

M249 Address

SMP M230 -M248

M250 Address

DS T455

M259 Address

SMP M000 -M258

M300 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
LMC I270 M301
LMC I272 M301
LMC J120 -J219 M301
LMC J40 -J47 M301
LMC J690 M301
LMC J80 -J81 M301
LMC J840 -J852 M301

ICD-10-Mortality Manual 2c - 2014

LMC		J90		M301
LMC		J929	-J949	M301
LMC		J980	-J9840	M301
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

M301 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

M302 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

M308 Address

DSC	M	B24		B201
DSC	M	B24		B203
DSC	M	B24		B208
DSC	M	R75		B201
DSC	M	R75		B203
DSC	M	R75		B208

M310 Address

DSC	M	B24		B238
DSC	M	R75		B238

M311 Address

DSC	M	B24		B238
DSC	M	R75		B238

M312 Address

DSC	M	B24		B238
DSC	M	R75		B238

M313 Address

DSC	M	B24		B238
DSC	M	R75		B238

M314 Address

DSC	M	B24		B238
DSC	M	R75		B238

ICD-10-Mortality Manual 2c - 2014***M315 Address***

DSC	M	B24	B238
DSC	M	R75	B238

M316 Address

DSC	M	B24	B238
DSC	M	R75	B238

M318 Address

DSC	M	B24	B238
DSC	M	R75	B238

M319 Address

DSC	M	B24	B238
SMP		M310 -M318	
DSC	M	R75	B238

M329 Address

LMC		I00 -I420	M321
LMC		I421	M321
LMC		I422	M321
LMC		I423 -I425	M321
LMC		I426 -I428	M321
LMC		I429	M321
LMC		I440 -K929	M321
LMC		M000 -M328	M321
SMP		M320 -M328	
LMC		M330 -N399	M321

M339 Address

SMP		M330 -M332	
-----	--	------------	--

M349 Address

LMC		G729	M348
LMC		I272	M348
LMC		I301 -I420	M348
LMC		I421	M348
LMC		I422	M348
LMC		I425	M348
LMC		I427 -I428	M348
LMC		I429	M348
LMC		I440 -I519	M348
LMC		J120 -J219	M348
LMC		J40 -J47	M348
LMC		J690	M348
LMC		J80 -J81	M348
LMC		J840 -J852	M348
LMC		J90	M348
LMC		J929 -J949	M348

ICD-10-Mortality Manual 2c - 2014

LMC	J980	-J9840	M348
SMP	M340	-M348	

M354 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M355 Address

DSC		B24	B238
DSC		R75	B238

M357 Address

DSC		B24	B238
DSC		R75	B238

M359 Address

LMC	I600		M358
LMC	I601	-I606	M358
LMC	I607		M358
LMC	I608		M358
LMC	I609		M358
LMC	I610	-I698	M358
SMP	M300	-M358	

M402 Address

SMP	M	M400	-M401
-----	---	------	-------

M405 Address

SMP		M404	
-----	--	------	--

M410 Address

SMP		I271	
LMC		I279	I271
LMC		I500	-I509 I271
LMC		I519	I271

M411 Address

SMP		I271	
LMC		I279	I271
LMC		I500	-I509 I271
LMC		I519	I271

M412 Address

SMP		I271	
LMC		I279	I271
LMC		I500	-I509 I271

ICD-10-Mortality Manual 2c - 2014

LMC I519 I271

M413 Address

SMP I271
LMC I279 I271
LMC I500 -I509 I271
LMC I519 I271

M414 Address

SMP I271
LMC I279 I271
LMC I500 -I509 I271
LMC I519 I271

M415 Address

SMP I271
LMC I279 I271
LMC I500 -I509 I271
LMC I519 I271

M418 Address

SMP I271
LMC I279 I271
LMC I500 -I509 I271
LMC I519 I271

M419 Address

SMP M A180
SMP E643
SMP I271
LMC I279 I271
LMC I500 -I509 I271
LMC I519 I271
SMP M410 -M418

M429 Address

SMP M420 -M421

M434 Address

LMC G959 M433

M436 Address

DS M M068
DSC M M069 M068

M439 Address

SMP M400 -M438

M460 Address

DSC M B24 B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M461 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M462 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M463 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M464 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M465 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M468 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M469 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		M460 -M468	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M471 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M472 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M478 Address

LMC	M	G959	M471
LMC	M	M541	M472

M479 Address

LMC	M	G959	M471
SMP		M470 -M478	
LMC	M	M541	M472

M485 Address

DSC		M810	M800
DSC		M811	M801
DSC		M812	M802
DSC		M813	M803
DSC		M814	M804
DSC		M815	M805
DSC		M816 -M818	M808
DSC		M819	M809

M489 Address

SMP		M45 -M488	
-----	--	-----------	--

ICD-10-Mortality Manual 2c - 2014***M502 Address***

LMC	M	G959	M500
LMC	M	M541	M501
LMC	M	M792	M501

M503 Address

LMC	M	G959	M500
LMC	M	M541	M501
LMC	M	M792	M501

M508 Address

LMC	M	G959	M500
LMC	M	M541	M501
LMC	M	M792	M501

M509 Address

LMC	M	G959	M500
SMP		M500	-M508
LMC	M	M541	M501
LMC	M	M792	M501

M512 Address

LMC	M	G959	M510
LMC	M	M541	M511
LMC		M543	M511
LMC	M	M792	M511

M513 Address

LMC	M	G959	M510
LMC	M	M541	M511
LMC		M543	M511
LMC	M	M792	M511

M518 Address

LMC	M	G959	M510
LMC	M	M541	M511
LMC		M543	M511
LMC	M	M792	M511

M519 Address

SMP		C412	
SMP	M	C795	
SMP		D166	
SMP	M	D480	
LMC	M	G959	M510
SMP		M500	-M518
LMC	M	M541	M511
LMC		M543	M511
LMC	M	M792	M511

ICD-10-Mortality Manual 2c - 2014

M539 Address

SMP M400 -M538
SMP M540 -M544

M541 Address

DSC M M478 -M479 M472
DSC M M502 -M509 M501
DSC M M512 -M513 M511
DSC M M518 -M519 M511

M543 Address

DSC M512 -M513 M511
DSC M518 -M519 M511
LMC M M545 M544

M545 Address

LMC M M543 M544

M600 Address

DS M B588
DSC M B589 B588
DS M B698
DSC M B699 B698

M608 Address

DS M B588
DSC B589 B588
DS M B698
DSC B699 B698

M609 Address

DS M B588
DSC B589 B588
DS M B698
DSC B699 B698
SMP M600 -M608

M619 Address

SMP M610 -M615
LMC T200 -T329 M613

M620 Address

DSC B24 B238
DSC R75 B238

M621 Address

DSC B24 B238
DSC R75 B238

ICD-10-Mortality Manual 2c - 2014

M622 Address

DSC	B24	B238
DSC	R75	B238

M624 Address

DSC	B24	B238
DSC	R75	B238

M625 Address

DSC	B24	B238
DS	G120 -G129	
DSC	R75	B238

M626 Address

DSC	B24	B238
DSC	R75	B238

M628 Address

DSC	B24	B238
DSC	R75	B238
DS	M T455	

M629 Address

DSC	B24	B238
SMP	M600 -M628	
DSC	R75	B238

M659 Address

SMP	M650 -M658	
-----	------------	--

M665 Address

SMP	M662 -M664	
-----	------------	--

M679 Address

SMP	M C499	
SMP	M C798	
SMP	D219	
SMP	D481	
SMP	M650 -M678	

M719 Address

SMP	M700 -M718	
-----	------------	--

M720 Address

DSC	M B24	B201
DSC	M B24	B203
DSC	M B24	B208
DSC	M B24	B238
DSC	M R75	B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M721 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M722 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M724 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M726 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M728 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
DSC	M	R75	B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M729 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	B24	B238
SMP		M720 -M728	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208
DSC	M	R75	B238

M759 Address

SMP		M750 -M758	
-----	--	------------	--

M769 Address

SMP		M760 -M768	
-----	--	------------	--

M779 Address

SMP		M760 -M778	
-----	--	------------	--

M790 Address

SMP		M353	
-----	--	------	--

M791 Address

SMP		M353	
-----	--	------	--

M792 Address

DSC		E100 -E103	E107
DS		E104	
DSC		E105 -E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E104
DSC		E110 -E113	E117
DS		E114	
DSC		E115 -E116	E117
DS		E117	
DSC		E118	E117
DSC		E119	E114
DSC		E120 -E123	E127
DS		E124	
DSC		E125 -E126	E127
DS		E127	
DSC		E128	E127
DSC		E129	E124
DSC		E130 -E133	E137

ICD-10-Mortality Manual 2c - 2014

DS	E134		
DSC	E135	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E134
DSC	E140	-E143	E147
DS	E144		
DSC	E145	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E144
DS	M	M501	
DSC	M	M502	-M509 M501
DS	M	M511	
DSC	M	M512	-M513 M511
DSC	M	M518	-M519 M511

M797 Address

SMP	M353
-----	------

M799 Address

SMP	M600	-M798
-----	------	-------

M809 Address

SMP	M800	-M808
-----	------	-------

M810 Address

LMC	M485	M800
LMC	M844	M800

M811 Address

LMC	M485	M801
LMC	M844	M801

M812 Address

LMC	M485	M802
LMC	M844	M802

M813 Address

LMC	M485	M803
LMC	M844	M803

M814 Address

LMC	M485	M804
LMC	M844	M804

M815 Address

LMC	M485	M805
LMC	M844	M805

ICD-10-Mortality Manual 2c - 2014

M816 Address

DSC	B24	B238
LMC	M485	M808
DSC	R75	B238

M818 Address

LMC	M485	M808
DS	M808	
LMC	M844	M808

M819 Address

LMC	M485	M809
SMP	M800 -M818	
LMC	M844	M809

M839 Address

DSC	B24	B238
SMP	M830 -M838	
DSC	R75	B238

M840 Address

DS	M	Y850	-Y872
DS	M	Y890	-Y899

M841 Address

DS	M	Y850	-Y872
DS	M	Y890	-Y899

M842 Address

DS	M	Y850	-Y872
DS	M	Y890	-Y899

M844 Address

DS		C400	-C419
DS		C795	
DS		C900	
DS		D160	-D169
DS		D480	
DS		M800	-M809
LMC		M810	M800
LMC		M811	M801
LMC		M812	M802
LMC		M813	M803
LMC		M814	M804
LMC		M815	M805
LMC		M816	-M818 M808
LMC		M819	M809
DS	M	M830	-M839
DS		M880	-M889

ICD-10-Mortality Manual 2c - 2014

DS Q780 -Q789

M849 Address

SMP M840 -M848

M859 Address

SMP M800 -M858

M860 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M861 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M862 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M863 Address

DSC	M	A029	A022
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M864 Address

DSC	M	A029	A022
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014***M865 Address***

DS	M	A022	
DSC	M	A029	A022
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M866 Address

DS	M	A022	
DSC	M	A029	A022
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
LMC	M	M898	M864
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M868 Address

DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M869 Address

SMP	M	A010	
SMP	M	A022	
SMP	M	A180	
SMP	M	A527	
SMP	M	A544	
DSC	M	B24	B201
DSC	M	B24	B203
DSC	M	B24	B208
SMP		M860 -M868	
DSC	M	R75	B201
DSC	M	R75	B203
DSC	M	R75	B208

M873 Address

DSC	M	B24	B238
DSC	M	R75	B238

M878 Address

DSC	M	B24	B238
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238

M879 Address

DSC M B24 B238

SMP M870 -M878

DSC M R75 B238

M889 Address

SMP M880 -M888

M898 Address

DS M T455

M899 Address

SMP C410 -C419

SMP C795

SMP D160 -D169

SMP D480

SMP M200 -M229

SMP M800 -M898

SMP M Q799

M919 Address

SMP M910 -M918

M929 Address

SMP M910 -M928

M939 Address

SMP M A500

SMP M A505

SMP M429

SMP M910 -M938

M949 Address

SMP M910 -M948

M959 Address

SMP M950 -M958

M960 Address

DS M Y834

DS M Y836 -Y838

DS M Y883

M961 Address

DS Y836

DS M Y883

M962 Address

ICD-10-Mortality Manual 2c - 2014

DS Y842
DS M Y883

M963 Address

DS Y836
DS M Y883

M964 Address

DS M Y834
DS M Y836 -Y838
DS M Y883

M965 Address

DS Y842
DS M Y883

M966 Address

DS M Y831 -Y832
DS M Y883

M968 Address

DS Y600 -Y849
DS Y881
DS Y883

M969 Address

DS Y600 -Y849
DS Y881
DS Y883

N

N000 Address

DS A181
DS A251
DS A38
DS A400 -A409
DS M A410 -A419
DS A527
DS A985
DSC M B24 B201
DSC M B24 B208
DS B268
DS B520
DS B650 -B659
DS B780 -B789
DS M C579
DS M C639
DS C64 -C689

ICD-10-Mortality Manual 2c - 2014

DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N001 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		

ICD-10-Mortality Manual 2c - 2014

DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N002 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		

ICD-10-Mortality Manual 2c - 2014

DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N003 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N004 Address

DS		A181		
DS		A251		

ICD-10-Mortality Manual 2c - 2014

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N005 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		

ICD-10-Mortality Manual 2c - 2014

DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N006 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		

ICD-10-Mortality Manual 2c - 2014

DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N007 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		

ICD-10-Mortality Manual 2c - 2014

DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201
DSC	M	R75		B208

N008 Address

DS		A181		
DS		A251		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
LDP		N030	-N039	*
DSC	M	R75		B201

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B208

N009 Address

DS		A181	
DS		A251	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
LDP		N030	-N039
			*
DSC	M	R75	B201
DSC	M	R75	B208

N010 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N011 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		

ICD-10-Mortality Manual 2c - 2014

DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N012 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		

ICD-10-Mortality Manual 2c - 2014

DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC	M	R75	B201
DSC	M	R75	B208

N013 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC	M	R75	B201
DSC	M	R75	B208

N014 Address

ICD-10-Mortality Manual 2c - 2014

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N015 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	

ICD-10-Mortality Manual 2c - 2014

DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N016 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		

ICD-10-Mortality Manual 2c - 2014

DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N017 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		

ICD-10-Mortality Manual 2c - 2014

DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N018 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N019 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		

ICD-10-Mortality Manual 2c - 2014

DS		A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
SMP		N010	-N018
DSC	M	R75	B201
DSC	M	R75	B208

N020 Address

DS	M	A410	-A419
DS		A527	
DSC		B24	B238
DS		B268	
DS		B650	-B659
DS		B780	-B789
DS		C510	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D091
DS		D250	-D309
DS		D390	-D419
DS		E102	
DS		E107	

ICD-10-Mortality Manual 2c - 2014

DS	E112	
DS	E117	
DS	E122	
DS	E127	
DS	E132	
DSC	E135	E137
DS	E137	
DS	E142	
DS	E147	
DS	N000	-N019
DS	N030	-N049
DS	N060	-N288
DS	N300	-N398
DS	N40	-N459
DS	N480	-N509
DS	N700	-N96
DS	N980	-N999
DSC	R75	B238

N021 Address

DS	M	A410	-A419
DS		A527	
DSC		B24	B238
DS		B268	
DS		B650	-B659
DS		B780	-B789
DS		C510	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D091
DS		D250	-D309
DS		D390	-D419
DS		E102	
DS		E107	
DS		E112	
DS		E117	
DS		E122	
DS		E127	
DS		E132	
DSC		E135	E137
DS		E137	
DS		E142	
DS		E147	
DS		N000	-N019
DS		N030	-N049
DS		N060	-N288
DS		N300	-N398
DS		N40	-N459
DS		N480	-N509

ICD-10-Mortality Manual 2c - 2014

DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N022 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DSC		E135		E137
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	
DS		N030	-N049	
DS		N060	-N288	
DS		N300	-N398	
DS		N40	-N459	
DS		N480	-N509	
DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N023 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		

ICD-10-Mortality Manual 2c - 2014

DS	D060	-D091	
DS	D250	-D309	
DS	D390	-D419	
DS	E102		
DS	E107		
DS	E112		
DS	E117		
DS	E122		
DS	E127		
DS	E132		
DSC	E135		E137
DS	E137		
DS	E142		
DS	E147		
DS	N000	-N019	
DS	N030	-N049	
DS	N060	-N288	
DS	N300	-N398	
DS	N40	-N459	
DS	N480	-N509	
DS	N700	-N96	
DS	N980	-N999	
DSC	R75		B238

N024 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DSC		E135		E137
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	

ICD-10-Mortality Manual 2c - 2014

DS	N030	-N049	
DS	N060	-N288	
DS	N300	-N398	
DS	N40	-N459	
DS	N480	-N509	
DS	N700	-N96	
DS	N980	-N999	
DSC	R75		B238

N025 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DSC		E135		E137
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	
DS		N030	-N049	
DS		N060	-N288	
DS		N300	-N398	
DS		N40	-N459	
DS		N480	-N509	
DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N026 Address

DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	

ICD-10-Mortality Manual 2c - 2014

DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	
DS		N030	-N049	
DS		N060	-N288	
DS		N300	-N398	
DS		N40	-N459	
DS		N480	-N509	
DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N027 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DS		E137		
DS		E142		

ICD-10-Mortality Manual 2c - 2014

DS		E147	
DS		N000	-N019
DS		N030	-N049
DS		N060	-N288
DS		N300	-N398
DS		N40	-N459
DS		N480	-N509
DS		N700	-N96
DS		N980	-N999
DSC		R75	B238

N028 Address

DS	M	A410	-A419	
DS		A527		
DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	
LMP	M	N021	-N023	
LMP	M	N025		
DS		N030	-N049	
DS		N060	-N288	
DS		N300	-N398	
DS		N40	-N459	
DS		N480	-N509	
DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N029 Address

DS	M	A410	-A419
DS		A527	

ICD-10-Mortality Manual 2c - 2014

DSC		B24		B238
DS		B268		
DS		B650	-B659	
DS		B780	-B789	
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		E102		
DS		E107		
DS		E112		
DS		E117		
DS		E122		
DS		E127		
DS		E132		
DS		E137		
DS		E142		
DS		E147		
DS		N000	-N019	
SMP		N020	-N028	
DS		N030	-N049	
DS		N060	-N288	
DS		N300	-N398	
DS		N40	-N459	
DS		N480	-N509	
DS		N700	-N96	
DS		N980	-N999	
DSC		R75		B238

N030 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		

ICD-10-Mortality Manual 2c - 2014

DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N031 Address

DS	M	A181		
----	---	------	--	--

ICD-10-Mortality Manual 2c - 2014

DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		

ICD-10-Mortality Manual 2c - 2014

DSC		E143 -E146	E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		E850 -E859	
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		M320 -M328	
DSC	M	R75	B201
DSC	M	R75	B208

N032 Address

DS	M	A181	
DS	M	A38	
DS	M	A400 -A419	
DS	M	A527	
DS	M	A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS	M	B268	
DS	M	B520	
DS	M	B650 -B659	
DS	M	B780 -B789	
DS	M	C579	
DS	M	C639	
DS		C64 -C689	
DS		C790 -C791	
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090 -D091	
DS	M	D289	
DS	M	D299	
DS		D300 -D309	
DS	M	D399	
DS	M	D409	
DS		D410 -D419	
DSC		E100 -E101	E107
DS		E102	
DSC		E103 -E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110 -E111	E117
DS		E112	
DSC		E113 -E116	E117
DS		E117	

ICD-10-Mortality Manual 2c - 2014

DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N033 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	

ICD-10-Mortality Manual 2c - 2014

DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N034 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	

ICD-10-Mortality Manual 2c - 2014

DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		

ICD-10-Mortality Manual 2c - 2014

DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N035 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112

ICD-10-Mortality Manual 2c - 2014

DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DSC	M	R75		B201
DSC	M	R75		B208

N036 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	

ICD-10-Mortality Manual 2c - 2014

DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N037 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E859	

ICD-10-Mortality Manual 2c - 2014

DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N038 Address

DS	M	A181		
DS	M	A38		
DS	M	A400	-A419	
DS	M	A527		
DS	M	A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B268		
DS	M	B520		
DS	M	B650	-B659	
DS	M	B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127

ICD-10-Mortality Manual 2c - 2014

DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130	-E131 E137
DS		E132	
DSC		E133	-E136 E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140	-E141 E147
DS		E142	
DSC		E143	-E146 E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		M320	-M328
DSC	M	R75	B201
DSC	M	R75	B208

N039 Address

DS	M	A181	
DS	M	A38	
DS	M	A400	-A419
DS	M	A527	
DS	M	A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS	M	B268	
DS	M	B520	
DS	M	B650	-B659
DS	M	B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	

ICD-10-Mortality Manual 2c - 2014

DS	D410	-D419	
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DS	E112		
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122
DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	E850	-E859	
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	M320	-M328	
SMP	N030	-N038	
SMP M	N200	-N209	
SMP	Q600	-Q639	
DSC M	R75		B201
DSC M	R75		B208

N040 Address

DS	A181		
DS	A38		
DS	A400	-A409	
DS M	A410	-A419	
DS	A527		

ICD-10-Mortality Manual 2c - 2014

DSC	A94	A985
DS	A985	
DSC	B24	B238
DS	B268	
DS	B520	
DSC	B529	B520
DS	B650	-B659
DS	B780	-B789
DS	M	C579
DS	M	C639
DS	C64	-C689
DS	C790	-C791
DS	M	C798
DS	M	D073
DS	M	D076
DS	D090	-D091
DS	M	D289
DS	M	D299
DS	D300	-D309
DS	M	D399
DS	M	D409
DS	D410	-D419
DSC	E100	-E101 E107
DS	E102	
DSC	E103	-E106 E107
DS	E107	
DSC	E108	E107
DSC	E109	E102
DSC	E110	-E111 E117
DS	E112	
DSC	E113	-E116 E117
DS	E117	
DSC	E118	E117
DSC	E119	E112
DSC	E120	-E121 E127
DS	E122	
DSC	E123	-E126 E127
DS	E127	
DSC	E128	E127
DSC	E129	E122
DSC	E130	-E131 E137
DS	E132	
DSC	E133	-E136 E137
DS	E137	
DSC	E138	E137
DSC	E139	E132
DSC	E140	-E141 E147
DS	E142	
DSC	E143	-E146 E147
DS	E147	

ICD-10-Mortality Manual 2c - 2014

DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N041 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	

ICD-10-Mortality Manual 2c - 2014

DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122
DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N042 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	

ICD-10-Mortality Manual 2c - 2014

DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E858	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		

ICD-10-Mortality Manual 2c - 2014

DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N043 Address

DS	A181		
DS	A38		
DS	A400	-A409	
DS	M A410	-A419	
DS	A527		
DSC	A94		A985
DS	A985		
DSC	B24		B238
DS	B268		
DS	B520		
DSC	B529		B520
DS	B650	-B659	
DS	B780	-B789	
DS	M C579		
DS	M C639		
DS	C64	-C689	
DS	C790	-C791	
DS	M C798		
DS	M D073		
DS	M D076		
DS	D090	-D091	
DS	M D289		
DS	M D299		
DS	D300	-D309	
DS	M D399		
DS	M D409		
DS	D410	-D419	
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DS	E112		
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122

ICD-10-Mortality Manual 2c - 2014

DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N044 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	

ICD-10-Mortality Manual 2c - 2014

DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E858	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC		R75		B238

N045 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		

ICD-10-Mortality Manual 2c - 2014

DSC	A94	A985
DS	A985	
DSC	B24	B238
DS	B268	
DS	B520	
DSC	B529	B520
DS	B650	-B659
DS	B780	-B789
DS	M	C579
DS	M	C639
DS	C64	-C689
DS	C790	-C791
DS	M	C798
DS	M	D073
DS	M	D076
DS	D090	-D091
DS	M	D289
DS	M	D299
DS	D300	-D309
DS	M	D399
DS	M	D409
DS	D410	-D419
DSC	E100	-E101 E107
DS	E102	
DSC	E103	-E106 E107
DS	E107	
DSC	E108	E107
DSC	E109	E102
DSC	E110	-E111 E117
DS	E112	
DSC	E113	-E116 E117
DS	E117	
DSC	E118	E117
DSC	E119	E112
DSC	E120	-E121 E127
DS	E122	
DSC	E123	-E126 E127
DS	E127	
DSC	E128	E127
DSC	E129	E122
DSC	E130	-E131 E137
DS	E132	
DSC	E133	-E136 E137
DS	E137	
DSC	E138	E137
DSC	E139	E132
DSC	E140	-E141 E147
DS	E142	
DSC	E143	-E146 E147
DS	E147	

ICD-10-Mortality Manual 2c - 2014

DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N046 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	

ICD-10-Mortality Manual 2c - 2014

DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122
DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N047 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	

ICD-10-Mortality Manual 2c - 2014

DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E858	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		

ICD-10-Mortality Manual 2c - 2014

DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N048 Address

DS	A181		
DS	A38		
DS	A400	-A409	
DS	M A410	-A419	
DS	A527		
DSC	A94		A985
DS	A985		
DSC	B24		B238
DS	B268		
DS	B520		
DSC	B529		B520
DS	B650	-B659	
DS	B780	-B789	
DS	M C579		
DS	M C639		
DS	C64	-C689	
DS	C790	-C791	
DS	M C798		
DS	M D073		
DS	M D076		
DS	D090	-D091	
DS	M D289		
DS	M D299		
DS	D300	-D309	
DS	M D399		
DS	M D409		
DS	D410	-D419	
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DS	E112		
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122

ICD-10-Mortality Manual 2c - 2014

DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	E850	-E858	
DSC	E859		E854
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N049 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DSC		A94	A985
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	

ICD-10-Mortality Manual 2c - 2014

DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E858	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
SMP		N040	-N048	
DSC		R75		B238

N050 Address

SMP	M	A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	

ICD-10-Mortality Manual 2c - 2014

SMP	M	A505		
SMP	M	A514		
SMP	M	A527		
SMP	M	A542		
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132

ICD-10-Mortality Manual 2c - 2014

DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
SMP	M	E854		
DSC		E859		E854
DS		G002		
SMP		I120	-I150	
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
SMP	M	M103		
SMP	M	M310		
DS		M320	-M328	
SMP		N000	-N049	
SMP		N051	-N058	
SMP	M	N060	-N12	
SMP		N140	-N150	
SMP	M	N189		
SMP		N209		
SMP	M	N26		
SMP	M	N288		
DSC	M	R75		B201
DSC	M	R75		B208

N051 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		

ICD-10-Mortality Manual 2c - 2014

DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

ICD-10-Mortality Manual 2c - 2014

N052 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137

ICD-10-Mortality Manual 2c - 2014

DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N053 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		

ICD-10-Mortality Manual 2c - 2014

DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N054 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	

ICD-10-Mortality Manual 2c - 2014

DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		

ICD-10-Mortality Manual 2c - 2014

DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N055 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		

ICD-10-Mortality Manual 2c - 2014

DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N056 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	

ICD-10-Mortality Manual 2c - 2014

DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N057 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	

ICD-10-Mortality Manual 2c - 2014

DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		

ICD-10-Mortality Manual 2c - 2014

DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
DSC		E859		E854
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC	M	R75		B201
DSC	M	R75		B208

N058 Address

DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A985		
DSC	M	B24		B201
DSC	M	B24		B208
DS		B268		
DS		B520		
DSC		B529		B520
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117

ICD-10-Mortality Manual 2c - 2014

DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120	-E121 E127
DS		E122	
DSC		E123	-E126 E127
DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130	-E131 E137
DS		E132	
DSC		E133	-E136 E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140	-E141 E147
DS		E142	
DSC		E143	-E146 E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		E850	-E853
DSC		E859	E854
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC	M	R75	B201
DSC	M	R75	B208

N059 Address

SMP	M	A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
SMP	M	A505	
SMP	M	A514	
SMP	M	A527	
SMP	M	A542	
DS		A985	
DSC	M	B24	B201
DSC	M	B24	B208
DS		B268	
DS		B520	
DSC		B529	B520
DS		B650	-B659

ICD-10-Mortality Manual 2c - 2014

DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS		E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS		E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
DS		E850	-E853	
SMP	M	E854		
DSC		E859		E854
DS		G002		
SMP		I120	-I150	

ICD-10-Mortality Manual 2c - 2014

DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
SMP	M	M103	
SMP	M	M310	
DS		M320	-M328
SMP		N000	-N058
SMP	M	N060	-N12
SMP		N140	-N150
SMP	M	N189	
SMP		N209	
SMP	M	N26	
SMP	M	N288	
DSC	M	R75	B201
DSC	M	R75	B208

N060 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	

ICD-10-Mortality Manual 2c - 2014

DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS		E147	
DSC		R75	B238

N061 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	

ICD-10-Mortality Manual 2c - 2014

DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

N062 Address

DS	A181		
DS	A38		
DS	A400	-A409	
DS	M A410	-A419	
DS	A527		
DS	A985		
DSC	B24		B238
DS	B268		
DS	B520		
DS	B650	-B659	
DS	B780	-B789	
DS	M C579		
DS	M C639		
DS	C64	-C689	
DS	C790	-C791	
DS	M C798		
DS	M D073		
DS	M D076		
DS	D090	-D091	
DS	M D289		
DS	M D299		
DS	D300	-D309	
DS	M D399		
DS	M D409		
DS	D410	-D419	
DS	E102		
DS	M E107		
DS	E112		
DS	M E117		
DS	E122		
DS	M E127		
DS	E132		
DS	M E137		
DS	E142		
DS	M E147		
DS	E850	-E859	
DS	G002		
DS	I301		
DS	I330		
DS	J020		
DS	J030		
DS	J13		
DS	J153	-J154	
DS	M320	-M328	
DSC	R75		B238

ICD-10-Mortality Manual 2c - 2014

N063 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC		R75	B238

N064 Address

DS		A181	
----	--	------	--

ICD-10-Mortality Manual 2c - 2014

DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC		R75	B238

N065 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419

ICD-10-Mortality Manual 2c - 2014

DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC		R75	B238

N066 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238

ICD-10-Mortality Manual 2c - 2014

DS		B268	
DS		B520	
DS		B650	-B659
DS		B780	-B789
DS	M	C579	
DS	M	C639	
DS		C64	-C689
DS		C790	-C791
DS	M	C798	
DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
DSC		R75	B238

N067 Address

DS		A181	
DS		A38	
DS		A400	-A409
DS	M	A410	-A419
DS		A527	
DS		A985	
DSC		B24	B238
DS		B268	
DS		B520	
DS		B650	-B659

ICD-10-Mortality Manual 2c - 2014

DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E102		
DS	M	E107		
DS		E112		
DS	M	E117		
DS		E122		
DS	M	E127		
DS		E132		
DS	M	E137		
DS		E142		
DS	M	E147		
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC		R75		B238

N068 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC		B24		B238
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		

ICD-10-Mortality Manual 2c - 2014

DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		
DS	M	D073		
DS	M	D076		
DS		D090	-D091	
DS	M	D289		
DS	M	D299		
DS		D300	-D309	
DS	M	D399		
DS	M	D409		
DS		D410	-D419	
DS		E102		
DS	M	E107		
DS		E112		
DS	M	E117		
DS		E122		
DS	M	E127		
DS		E132		
DS	M	E137		
DS		E142		
DS	M	E147		
DS		E850	-E859	
DS		G002		
DS		I301		
DS		I330		
DS		J020		
DS		J030		
DS		J13		
DS		J153	-J154	
DS		M320	-M328	
DSC		R75		B238

N069 Address

DS		A181		
DS		A38		
DS		A400	-A409	
DS	M	A410	-A419	
DS		A527		
DS		A985		
DSC		B24		B238
DS		B268		
DS		B520		
DS		B650	-B659	
DS		B780	-B789	
DS	M	C579		
DS	M	C639		
DS		C64	-C689	
DS		C790	-C791	
DS	M	C798		

ICD-10-Mortality Manual 2c - 2014

DS	M	D073	
DS	M	D076	
DS		D090	-D091
DS	M	D289	
DS	M	D299	
DS		D300	-D309
DS	M	D399	
DS	M	D409	
DS		D410	-D419
DS		E102	
DS	M	E107	
DS		E112	
DS	M	E117	
DS		E122	
DS	M	E127	
DS		E132	
DS	M	E137	
DS		E142	
DS	M	E147	
DS		E850	-E859
DS		G002	
DS		I301	
DS		I330	
DS		J020	
DS		J030	
DS		J13	
DS		J153	-J154
DS		M320	-M328
SMP		N060	-N068
DSC		R75	B238

N079 Address

SMP		N070	-N078
-----	--	------	-------

N10 Address

DS		C61	
DS		C670	-C680
DS		C688	
DS		F010	-F03
DS		G040	-G041
DS		G049	
DS		G09	-G10
DS		G114	
DS		G120	
DS		G300	-G35
DS		G361	-G370
DS		G373	-G379
DS	M	G544	
DS		G800	-G825
DS		G834	

ICD-10-Mortality Manual 2c - 2014

DS		G913	
DS		G935	-G936
DS		G950	-G959
DS		I600	-I698
DS		M471	
DS		M510	
DS		N310	-N322
DS		N324	-N329
DS		N350	-N360
DS		N40	
DS	M	N410	-N429
DS		N991	
DS		O701	-O709
DS		O715	
DS		Q050	-Q069
DS		Q642	-Q643
DS		S020	-S021
DS		S027	-S029
DS		S060	-S063
DS		S067	-S069
DS		S097	
DS		S120	-S129
DS		S140	-S141
DS		S220	-S221
DS		S240	-S241
DS		S320	-S321
DS		S327	-S328
DS		S340	-S348
DS		S372	-S373
DS		S396	-S397
DS		T011	
DS		T021	
DS		T027	
DS		T041	
DS		T060	-T068
DS		T08	
DS		T210	-T217
DS		T284	
DS		T288	
DS		T830	-T839
DS		T905	
DS		T909	
DS		T911	
DS		T913	
DS		T915	

N110 Address

DS		C61	
DS		C670	-C680
DS		C688	

ICD-10-Mortality Manual 2c - 2014

DS	F010	-F03
DS	G040	-G041
DS	G049	
DS	G09	-G10
DS	G114	
DS	G120	
DS	G300	-G35
DS	G361	-G370
DS	G373	-G379
DS	M	G544
DS	G800	-G825
DS	G834	
DS	G913	
DS	G935	-G936
DS	G950	-G959
DS	I600	-I698
DS	M471	
DS	M510	
DS	N310	-N322
DS	N324	-N329
DS	N350	-N360
DS	N40	
DS	M	N410 -N429
DS	N991	
DS	O701	-O709
DS	O715	
DS	Q050	-Q069
DS	Q642	-Q643
DS	S020	-S021
DS	S027	-S029
DS	S060	-S063
DS	S067	-S069
DS	S097	
DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	

ICD-10-Mortality Manual 2c - 2014

DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N111 Address

DS	C61	
DS	C670	-C680
DS	C688	
DS	F010	-F03
DS	G040	-G041
DS	G049	
DS	G09	-G10
DS	G114	
DS	G120	
DS	G300	-G35
DS	G361	-G370
DS	G373	-G379
DS	M	G544
DS		G800 -G825
DS		G834
DS		G913
DS		G935 -G936
DS		G950 -G959
DS		I600 -I698
DS		M471
DS		M510
DS		N310 -N322
DS		N324 -N329
DS		N350 -N360
DS		N40
DS	M	N410 -N429
DS		N991
DS		O701 -O709
DS		O715
DS		Q050 -Q069
DS		Q642 -Q643
DS		S020 -S021
DS		S027 -S029
DS		S060 -S063
DS		S067 -S069
DS		S097
DS		S120 -S129
DS		S140 -S141
DS		S220 -S221
DS		S240 -S241
DS		S320 -S321

ICD-10-Mortality Manual 2c - 2014

DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N118 Address

DS	C61	
DS	C670	-C680
DS	C688	
DS	F010	-F03
DS	G040	-G041
DS	G049	
DS	G09	-G10
DS	G114	
DS	G120	
DS	G300	-G35
DS	G361	-G370
DS	G373	-G379
DS	M	G544
DS	G800	-G825
DS	G834	
DS	G913	
DS	G935	-G936
DS	G950	-G959
DS	I600	-I698
DS	M471	
DS	M510	
LMC	N137	N110
DS	N310	-N322
DS	N324	-N329
DS	N350	-N360
DS	N40	
DS	M	N410 -N429
DS	N991	
DS	O701	-O709

ICD-10-Mortality Manual 2c - 2014

DS	O715	
DS	Q050	-Q069
DS	Q642	-Q643
DS	S020	-S021
DS	S027	-S029
DS	S060	-S063
DS	S067	-S069
DS	S097	
DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N119 Address

DS	C61	
DS	C670	-C680
DS	C688	
DS	F010	-F03
DS	G040	-G041
DS	G049	
DS	G09	-G10
DS	G114	
DS	G120	
DS	G300	-G35
DS	G361	-G370
DS	G373	-G379
DS	M	G544
DS	G800	-G825
DS	G834	
DS	G913	

ICD-10-Mortality Manual 2c - 2014

DS	G935	-G936	
DS	G950	-G959	
DS	I600	-I698	
DS	M471		
DS	M510		
SMP	N110	-N118	
LMC	N137		N110
LMP	N209		
DS	N310	-N322	
DS	N324	-N329	
DS	N350	-N360	
DS	N40		
DS	M	N410	-N429
DS	N991		
DS	O701	-O709	
DS	O715		
DS	Q050	-Q069	
DS	Q642	-Q643	
DS	S020	-S021	
DS	S027	-S029	
DS	S060	-S063	
DS	S067	-S069	
DS	S097		
DS	S120	-S129	
DS	S140	-S141	
DS	S220	-S221	
DS	S240	-S241	
DS	S320	-S321	
DS	S327	-S328	
DS	S340	-S348	
DS	S372	-S373	
DS	S396	-S397	
DS	T011		
DS	T021		
DS	T027		
DS	T041		
DS	T060	-T068	
DS	T08		
DS	T210	-T217	
DS	T284		
DS	T288		
DS	T830	-T839	
DS	T905		
DS	T909		
DS	T911		
DS	T913		
DS	T915		

N12 Address

SMP M A022

ICD-10-Mortality Manual 2c - 2014

SMP	M	A230	-A239	
SMP	M	A368		
SMP	M	A527		
SMP	M	B588		
DS		C61		
DS		C670	-C680	
DS		C688		
SMP	M	D868		
SMP	M	D891		
SMP	M	E740		
SMP	M	E830		
DS		F010	-F03	
DS		G040	-G041	
DS		G049		
DS		G09	-G10	
DS		G114		
DS		G120		
DS		G300	-G35	
DS		G361	-G370	
DS		G373	-G379	
DS	M	G544		
DS		G800	-G825	
DS		G834		
DS		G913		
DS		G935	-G936	
DS		G950	-G959	
DS		I600	-I698	
SMP	M	M350		
DS		M471		
DS		M510		
SMP	M	N10		
SMP	M	N119		
LMC		N137		N110
SMP	M	N209		
LMC		N26		N119
DS		N310	-N322	
DS		N324	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS		Q050	-Q069	
DS		Q642	-Q643	
DS		S020	-S021	
DS		S027	-S029	
DS		S060	-S063	
DS		S067	-S069	
DS		S097		

ICD-10-Mortality Manual 2c - 2014

DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N130 Address

DSC	B24	B238
LMC M	B49	N136
DS	C61	
DS	C798	
DS	D075	
DS	D291	
DS	D400	
DS	N111	
LMC	N159	N136
DS	N200	-N219
LMC M	N288	N136
DS	N40	-N429
DS	Q620	-Q623
DSC	R75	B238
DS	S378	
DS M	T915	

N131 Address

DSC	B24	B238
LMC M	B49	N136
DS	C61	
DS	C798	
DS	D075	
DS	D291	

ICD-10-Mortality Manual 2c - 2014

DS		D400	
DS		N111	
DS		N200	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC		R75	B238
DS		S378	
DS	M	T915	

N132 Address

DSC		B24	B238
LMC	M	B49	N136
DS		C61	
DS		C798	
DS		D075	
DS		D291	
DS		D400	
DS		N111	
DS		N200	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC		R75	B238
DS		S378	
DS	M	T915	

N133 Address

DSC		B24	B238
LMC	M	B49	N136
DS		C61	
DS		C798	
DS		D075	
DS		D291	
DS		D400	
DS		N111	
DS		N130	-N132
LMC	M	N135	N130
LMC	M	N135	N131
DS		N136	
LMC	M	N159	N136
LMC		N200	-N201 N132
DSC		N202	-N209 N132
DS		N210	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC		R75	B238
DS		S378	
DS	M	T915	

N134 Address

DSC		B24	B238
-----	--	-----	------

ICD-10-Mortality Manual 2c - 2014

LMC	M	B49	N136
DS		C61	
DS		C798	
DS		D075	
DS		D291	
DS		D400	
DS		N111	
DS		N200	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC		R75	B238
DS		S378	
DS	M	T915	

N135 Address

DSC		B24	B238
LMC	M	B49	N136
DS		C61	
DS		C798	
DS		D075	
DS		D291	
DS		D400	
LMP		N111	
LMC		N12	N111
DS		N130	-N132
LMC	M	N133	N130
LMC	M	N133	N131
DS		N136	
LMC		N159	N136
DS		N200	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC		R75	B238
DS		S378	
DS	M	T915	

N136 Address

DSC	M	B24	B201
DSC	M	B24	B208
DS		C61	
DS		C798	
DS		D075	
DS		D291	
DS		D400	
DS		N111	
DS		N200	-N219
DS		N40	-N429
DS		Q620	-Q623
DSC	M	R75	B201
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

DS S378
DS M T915

N137 Address

DSC B24 B238
DS C61
DS C798
DS D075
DS D291
DS D400
DS N110 -N111
DSC N118 N110
LMC N119 -N12 N110
DS N200 -N219
DS N40 -N429
DS Q620 -Q623
DSC R75 B238
DS S378
DS M T915

N138 Address

DSC B24 B238
LMC M B49 N136
DS C61
DS C798
DS D075
DS D291
DS D400
DS N111
DS N200 -N219
DS N40 -N429
DS Q620 -Q623
DSC R75 B238
DS S378
DS M T915

N139 Address

DSC B24 B238
LMC M B49 N136
DS C61
DS C798
DS D075
DS D291
DS D400
DS N111
SMP N130 -N138
LMC N159 N136
DS N200 -N219
LMC M N288 N136
DS N40 -N429

ICD-10-Mortality Manual 2c - 2014

DS		Q620	-Q623	
DSC		R75		B238
DS		S378		
DS	M	T915		

N144 Address

SMP		N140	-N143	
-----	--	------	-------	--

N150 Address

DS	M	A181		
DSC		B24		B238
DS	M	B901		
DS		C61		
DS		C64	-C689	
DS		C790	-C791	
DS		C798		
DS		D075		
DS		D090	-D091	
DS		D291		
DS		D300	-D309	
DS		D400		
DS		D410	-D419	
DS		G35		
DS		G810	-G825	
DS		G831		
DS		G833	-G839	
DS		N350	-N359	
DS		N40	-N429	
DS		N991		
DS		N995		
DS		Q060	-Q069	
DS	M	Q554		
DS		Q600	-Q649	
DSC		R75		B238
DS		S140	-S142	
DS		T093	-T094	
DS		T096		
DS		T190	-T191	
DS		T198	-T199	
DS		T913		
DS	M	T918		

N151 Address

DS	M	A181		
DSC	M	B24		B201
DSC	M	B24		B208
DS	M	B901		
DS		C61		
DS		C64	-C689	
DS		C790	-C791	

ICD-10-Mortality Manual 2c - 2014

DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		G35	
DS		G810	-G825
DS		G831	
DS		G833	-G839
LMP		N200	
DS		N350	-N359
DS		N40	-N429
DS		N991	
DS		N995	
DS		Q060	-Q069
DS	M	Q554	
DS		Q600	-Q649
DSC	M	R75	B201
DSC	M	R75	B208
DS		S140	-S142
DS		T093	-T094
DS		T096	
DS		T190	-T191
DS		T198	-T199
DS		T913	
DS	M	T918	

N158 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		G35	
DS		G810	-G825
DS		G831	
DS		G833	-G839
DS		N350	-N359
DS		N40	-N429
DS		N991	

ICD-10-Mortality Manual 2c - 2014

DS		N995	
DS		Q060	-Q069
DS	M	Q554	
DS		Q600	-Q649
DSC	M	R75	B238
DS		S140	-S142
DS		T093	-T094
DS		T096	
DS		T190	-T191
DS		T198	-T199
DS		T913	
DS	M	T918	

N159 Address

DS	M	A181	
DSC	M	B24	B201
DSC	M	B24	B208
DSC	M	B24	B238
DS		B588	
DSC		B589	B588
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		G35	
DS		G810	-G825
DS		G831	
DS		G833	-G839
DSC		N130	-N135 N136
DS		N136	
DSC		N139	N136
SMP		N150	-N158
DS		N350	-N359
DS		N40	-N429
DS		N991	
DS		N995	
DS		Q060	-Q069
DS	M	Q554	
DS		Q600	-Q649
DSC	M	R75	B201
DSC	M	R75	B208
DSC	M	R75	B238
DS		S140	-S142

ICD-10-Mortality Manual 2c - 2014

DS		T093	-T094
DS		T096	
DS		T190	-T191
DS		T198	-T199
DS		T913	
DS	M	T918	

N170 Address

DS	M	A181	
DSC		B24	B238
DS		B900	-B949
DS		C000	-C97
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D320	-D339
DS		D370	-D479
DS		D593	
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319

ICD-10-Mortality Manual 2c - 2014

DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS		N000	-N159
DS		N181	-N189
DS		N200	-N288
DS		N300	-N398
DS		N40	-N429
DS		N991	
DS		N995	

ICD-10-Mortality Manual 2c - 2014

DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		
DS		T190	-T199	
DS		T283	-T284	
DS		T288	-T289	
DS		T913		
DS		T915		
DS	M	T918		

N171 Address

DS	M	A181		
DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D075		
DS		D090	-D091	
DS		D291		
DS		D300	-D309	
DS		D320	-D339	
DS		D370	-D479	
DS		D593		
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		

ICD-10-Mortality Manual 2c - 2014

DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329

ICD-10-Mortality Manual 2c - 2014

DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N000	-N159	
DS		N181	-N189	
DS		N200	-N288	
DS		N300	-N398	
DS		N40	-N429	
DS		N991		
DS		N995		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		
DS		T190	-T199	
DS		T283	-T284	
DS		T288	-T289	
DS		T913		
DS		T915		

N172 Address

DS	M	A181		
DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D075		
DS		D090	-D091	
DS		D291		
DS		D300	-D309	
DS		D320	-D339	

ICD-10-Mortality Manual 2c - 2014

DS		D370	-D479
DS		D593	
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519

ICD-10-Mortality Manual 2c - 2014

DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N000	-N159	
DS		N181	-N189	
DS		N200	-N288	
DS		N300	-N398	
DS		N40	-N429	
DS		N991		
DS		N995		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		

ICD-10-Mortality Manual 2c - 2014

DS	T190	-T199
DS	T283	-T284
DS	T288	-T289
DS	T913	
DS	T915	

N178 Address

DS	M	A181	
DSC		B24	B238
DS		B900	-B949
DS		C000	-C97
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D320	-D339
DS		D370	-D479
DS		D593	
DS		D810	-D819
DS		D860	
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	

ICD-10-Mortality Manual 2c - 2014

DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS		N000	-N159
DS		N181	-N189
DS		N200	-N288
DS		N300	-N398
DS		N40	-N429
DS		N991	
DS		N995	
DS	M	Q000	-Q079

ICD-10-Mortality Manual 2c - 2014

DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		
DS		T190	-T199	
DS		T283	-T284	
DS		T288	-T289	
DS		T913		
DS		T915		

N179 Address

DS	M	A181		
DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D075		
DS		D090	-D091	
DS		D291		
DS		D300	-D309	
DS		D320	-D339	
DS		D370	-D479	
DS		D593		
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	

ICD-10-Mortality Manual 2c - 2014

DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS		G35	
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435

ICD-10-Mortality Manual 2c - 2014

DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N000	-N159	
LMP		N170	-N172	
DS		N181	-N189	
DS		N200	-N288	
DS		N300	-N398	
DS		N40	-N429	
DS		N991		
DS		N995		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		
DS		T190	-T199	
DS		T283	-T284	
DS		T288	-T289	
DS		T913		
DS		T915		

N181 Address

DS	M	A181		
DSC	M	B24		B238
DS	M	B901		
DS		C61		
DS		C64	-C689	
DS		C790	-C791	
DS		C798		
DS		D075		
DS		D090	-D091	
DS		D291		

ICD-10-Mortality Manual 2c - 2014

DS	D300	-D309	
DS	D400		
DS	D410	-D419	
DS	D593		
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DS	E112		
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122
DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	G35		
DS	G810	-G825	
DS	G831		
DS	G833	-G839	
LMC	I10		I120
LMC	I110		I132
LMC	I119		I131
LMP	I120		
LMC	I129		I120
DSC	I130		I132
SMP	I131	-I132	
DSC	I139		I131
LMC	I150		I120
DS	N000	-N159	
DS	N200	-N288	
DS	N300	-N398	

ICD-10-Mortality Manual 2c - 2014

DS		N40	
DS		Q600	-Q649
DS	M	R601	
DSC	M	R75	B238

N182 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		D593	
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	
DSC		E113	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120	-E121 E127
DS		E122	
DSC		E123	-E126 E127
DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130	-E131 E137
DS		E132	
DSC		E133	-E136 E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140	-E141 E147
DS		E142	
DSC		E143	-E146 E147
DS		E147	
DSC		E148	E147
DSC		E149	E142

ICD-10-Mortality Manual 2c - 2014

DS		G35	
DS		G810	-G825
DS		G831	
DS		G833	-G839
LMC		I10	I120
LMC		I110	I132
LMC		I119	I131
LMP		I120	
LMC		I129	I120
DSC		I130	I132
SMP		I131	-I132
DSC		I139	I131
LMC		I150	I120
DS		N000	-N159
DS		N200	-N288
DS		N300	-N398
DS		N40	
DS		Q600	-Q649
DS	M	R601	
DSC	M	R75	B238

N183 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		D593	
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	
DSC		E113	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120	-E121 E127
DS		E122	

ICD-10-Mortality Manual 2c - 2014

DSC		E123 -E126	E127
DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130 -E131	E137
DS		E132	
DSC		E133 -E136	E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140 -E141	E147
DS		E142	
DSC		E143 -E146	E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		G35	
DS		G810 -G825	
DS		G831	
DS		G833 -G839	
LMC		I10	I120
LMC		I110	I132
LMC		I119	I131
LMP		I120	
LMC		I129	I120
DSC		I130	I132
SMP		I131 -I132	
DSC		I139	I131
LMC		I150	I120
DS		N000 -N159	
DS		N200 -N288	
DS		N300 -N398	
DS		N40	
DS		Q600 -Q649	
DS	M	R601	
DSC	M	R75	B238

N184 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64 -C689	
DS		C790 -C791	
DS		C798	
DS		D075	
DS		D090 -D091	
DS		D291	
DS		D300 -D309	
DS		D400	

ICD-10-Mortality Manual 2c - 2014

DS	D410	-D419	
DS	D593		
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DS	E112		
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122
DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	G35		
DS	G810	-G825	
DS	G831		
DS	G833	-G839	
LMC	I10		I120
LMC	I110		I132
LMC	I119		I131
LMP	I120		
LMC	I129		I120
DSC	I130		I132
SMP	I131	-I132	
DSC	I139		I131
LMC	I150		I120
DS	N000	-N159	
DS	N200	-N288	
DS	N300	-N398	
DS	N40		
DS	Q600	-Q649	

ICD-10-Mortality Manual 2c - 2014

DS	M	R601	
DSC	M	R75	B238

N185 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		D593	
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	
DSC		E113	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120	-E121 E127
DS		E122	
DSC		E123	-E126 E127
DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130	-E131 E137
DS		E132	
DSC		E133	-E136 E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140	-E141 E147
DS		E142	
DSC		E143	-E146 E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		G35	
DS		G810	-G825

ICD-10-Mortality Manual 2c - 2014

DS		G831	
DS		G833	-G839
LMC		I10	I120
LMC		I110	I132
LMC		I119	I131
LMP		I120	
LMC		I129	I120
DSC		I130	I132
SMP		I131	-I132
DSC		I139	I131
LMC		I150	I120
DS		N000	-N159
DS		N200	-N288
DS		N300	-N398
DS		N40	
DS		Q600	-Q649
DS	M	R601	
DSC	M	R75	B238

N189 Address

DS	M	A181	
DSC	M	B24	B238
DS	M	B901	
DS		C61	
DS		C64	-C689
DS		C790	-C791
DS		C798	
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS		D400	
DS		D410	-D419
DS		D593	
DSC		E100	-E101 E107
DS		E102	
DSC		E103	-E106 E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110	-E111 E117
DS		E112	
DSC		E113	-E116 E117
DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120	-E121 E127
DS		E122	
DSC		E123	-E126 E127
DS		E127	

ICD-10-Mortality Manual 2c - 2014

DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS		E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS		E147		
DSC		E148		E147
DSC		E149		E142
SDC	M	F03		N185
DS		G35		
SDC	M	G629		N185
DS		G810	-G825	
DS		G831		
DS		G833	-G839	
SDC	M	G839		N185
SDC	M	H309		N185
LMC		I10		I120
LMC		I110		I132
LMC		I119		I131
LMP		I120		
LMC		I129		I120
DSC		I130		I132
SMP		I131	-I132	
DSC		I139		I131
LMC		I150		I120
SDC	M	I319		N185
SDC	M	I64	-I6400	N185
SDC	M	I694	-I6940	N185
DS		N000	-N159	
SMP		N181	-N185	
DS		N200	-N288	
DS		N300	-N398	
DS		N40		
DS		Q600	-Q649	
DS	M	R601		
DSC	M	R75		B238

N19 Address

DS	M	A181		
DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D075		
DS		D090	-D091	

ICD-10-Mortality Manual 2c - 2014

DS		D291	
DS		D300 -D309	
DS		D320 -D339	
DS		D370 -D479	
DS		D593	
DS		D810 -D819	
DS		D860	
DS	M	E000 -E02	
DS		E030 -E038	
DS		E0390	
DS		E050 -E059	
DSC		E100 -E101	E107
DS		E102	
DSC		E103 -E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E102
DSC		E110 -E111	E117
DS		E112	
DSC		E113 -E116	E117
DS		E117	
DSC		E118	E117
DSC		E119	E112
DSC		E120 -E121	E127
DS		E122	
DSC		E123 -E126	E127
DS		E127	
DSC		E128	E127
DSC		E129	E122
DSC		E130 -E131	E137
DS		E132	
DSC		E133 -E136	E137
DS		E137	
DSC		E138	E137
DSC		E139	E132
DSC		E140 -E141	E147
DS		E142	
DSC		E143 -E146	E147
DS		E147	
DSC		E148	E147
DSC		E149	E142
DS		E15	
DS		E40 -E43	
DS		E46	
DS		E640	
DS		E840 -E849	
DS		F010 -F019	
SDC	M	F03	N185
DS		F202	
DS		F322 -F323	

ICD-10-Mortality Manual 2c - 2014

DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G309	
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS		G600	-G628	
SDC	M	G629		N185
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
LMC		I10		I120
LMC		I110		I132
LMC		I119		I131
LMP		I120		
LMC		I129		I120
SMP		I131	-I132	
DSC		I139		I131
LMC		I150		I120
SDC	M	I319		N185
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I6390	
SDC	M	I64	-I6400	N185
DS		I670	-I6930	
SDC	M	I694	-I6940	N185
DS		I698		
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	

ICD-10-Mortality Manual 2c - 2014

DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N000	-N159	
LMP		N170		
SMP		N171	-N189	
DS		N200	-N288	
DS		N300	-N398	
DS		N40	-N429	
DS		N991		
DS		N995		
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q554		
DS		Q600	-Q649	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DS	M	R601		
DSC		R75		B238
DS		S140	-S142	
DS		S300	-S399	
DS		T041		
DS		T08		
DS		T093	-T094	
DS		T096		
DS		T190	-T199	
DS		T283	-T284	
DS		T288	-T289	

N200 Address

DSC		B24		B238
-----	--	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DS	M	M100	
DSC		M109	M100
DS		N132	
LMC		N133	N132
LMC		N201	N202
DS		N202	
DSC		R75	B238

N201 Address

DSC		B24	B238
DS		M100	
DSC		M109	M100
DS		N132	
LMC		N133	N132
LMC		N200	N202
DS		N202	
DSC		R75	B238

N202 Address

DSC		B24	B238
DS	M	M100	
DSC		M109	M100
DS		N132	
LMC		N133	N132
DSC		R75	B238

N209 Address

DSC		B24	B238
DS		N132	
LMC		N133	N132
SMP		N200	-N202
DSC		R75	B238

N210 Address

DSC		B24	B238
DS	M	M100	
DSC		M109	M100
DSC		R75	B238

N211 Address

DSC		B24	B238
DS	M	M100	
DSC		M109	M100
DSC		R75	B238

N218 Address

DSC		B24	B238
DS	M	M100	
DSC		M109	M100
DSC		R75	B238

ICD-10-Mortality Manual 2c - 2014***N219 Address***

DSC		B24		B238
DS	M	M100		
DSC		M109		M100
SMP		N210	-N218	
DSC		R75		B238

N23 Address

DSC		B24		B238
DSC		R75		B238

N258 Address

DSC		B24		B238
DSC		R75		B238

N259 Address

DSC		B24		B238
SMP		N250	-N258	
DSC		R75		B238

N26 Address

DSC		B24		B238
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS		E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117
DS	M	E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS	M	E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS	M	E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147

ICD-10-Mortality Manual 2c - 2014

DS	M	E147	
DSC		E148	E147
DSC		E149	E142
LMC		I10	I129
LMC		I110	I130
LMC		I119	I139
LMP		I120	-I129
SMP		I130	-I139
LMP		I150	
DS	M	N119	
LMC		N12	N119
DSC		R75	B238

N279 Address

SMP		N270	-N271
-----	--	------	-------

N280 Address

DS	M	A181	
DS	M	A527	
DS		A540	-A542
DSC	M	B24	B238
DS	M	B900	-C97
DS		D075	
DS		D090	-D091
DS		D291	
DS		D300	-D309
DS	M	D320	-D339
DS	M	D370	-D479
DS	M	D810	-D819
DS	M	D860	
DS	M	E000	-E038
DS	M	E0390	
DS	M	E050	-E059
DS	M	E100	-E107
DS	M	E110	-E117
DS	M	E120	-E127
DS	M	E130	-E137
DS	M	E140	-E147
DS	M	E15	
DS	M	E40	-E43
DS	M	E46	
DS	M	E640	
DS		E748	
DS	M	E840	-E849
DS		E850	-E859
DS	M	F010	-F03
DS	M	F202	
DS	M	F322	-F323
DS	M	F332	-F333
DS	M	F500	-F503

ICD-10-Mortality Manual 2c - 2014

DS	M	F505	-F509
DS	M	F73	
DS	M	G09	-G121
DS	M	G1220	-G129
DS	M	G2000	-G379
DS	M	G600	-G931
DS	M	G934	-G98
DS	M	I011	
DS	M	I020	
DS	M	I050	-I069
DS	M	I080	-I089
DS	M	I091	
DS	M	I330	-I359
DS	M	I38	
DS	M	I48	-I499
DS	M	I5000	-I509
DS	M	I513	
DS	M	I515	-I516
DS	M	I519	-I698
DS	M	I740	-I741
DS	M	K500	-K519
DS	M	K550	-K559
DS	M	K700	-K719
DS	M	K730	-K769
DS	M	K860	-K919
DS	M	L400	-L409
DS	M	M020	-M198
DS	M	M1990	
DS	M	M320	-M329
DS	M	M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	O033	
DS	M	O038	
DS	M	O043	
DS	M	O048	
DS	M	O053	
DS	M	O058	
DS	M	O063	
DS	M	O068	
DS	M	O073	
DS	M	O078	
DS	M	O087	

ICD-10-Mortality Manual 2c - 2014

DS	M	O60	-O849	
DS	M	O994		
DS	M	Q000	-Q079	
DS	M	Q200	-Q249	
DS	M	Q310	-Q359	
DS	M	Q370	-Q379	
DS	M	Q710	-Q799	
DS	M	Q850	-Q999	
DSC	M	R75		B238
DS	M	T801		
DS	M	T817		
DS	M	T828		
DS	M	T838		
DS	M	T848		
DS	M	T858		
DS	M	Y600	-Y849	

N281 Address

DSC		B24		B238
DSC		R75		B238

N288 Address

DS	M	A181		
DS	M	A527		
DS		A540	-A542	
DSC	M	B24		B201
DSC	M	B24		B208
DSC	M	B24		B238
DS	M	B901		
DS		C61		
DS		C64	-C689	
DS		C790	-C791	
DS		C798		
DS		D075		
DS		D090	-D091	
DS		D291		
DS		D300	-D309	
DS		D400		
DS		D410	-D419	
DS		E102		
DS	M	E107		
DS		E112		
DS	M	E117		
DS		E122		
DS	M	E127		
DS		E132		
DS	M	E137		
DS		E142		
DS	M	E147		
DS		E850	-E858	

ICD-10-Mortality Manual 2c - 2014

DSC	M	E859		E854
DS		M100		
DS		M320	-M328	
DSC	M	N130	-N135	N136
LMP		N135		
DS		N136		
DSC	M	N139		N136
DSC	M	R75		B201
DSC	M	R75		B208
DSC	M	R75		B238
DS	M	T455		

N289 Address

SMP	M	A022		
SMP	M	A181		
SMP	M	A230	-A239	
SMP	M	A368		
SMP	M	A505		
SMP	M	A514		
SMP	M	A527		
DS		A540	-A541	
SMP	M	A542		
DSC		B24		B238
SMP	M	B588		
DS	M	B901		
DS		C61		
SMP		C64	-C66	
DS		C670	-C689	
SMP		C790		
SMP	M	C791		
DS		C798		
DS		D075		
DS		D090	-D091	
DS		D291		
SMP		D300	-D302	
DS		D303	-D309	
DS		D400		
SMP		D410	-D412	
DS		D413	-D419	
SMP	M	D868		
SMP	M	D891		
DSC		E100	-E101	E107
DS		E102		
DSC		E103	-E106	E107
DS	M	E107		
DSC		E108		E107
DSC		E109		E102
DSC		E110	-E111	E117
DS		E112		
DSC		E113	-E116	E117

ICD-10-Mortality Manual 2c - 2014

DS	M	E117		
DSC		E118		E117
DSC		E119		E112
DSC		E120	-E121	E127
DS		E122		
DSC		E123	-E126	E127
DS	M	E127		
DSC		E128		E127
DSC		E129		E122
DSC		E130	-E131	E137
DS		E132		
DSC		E133	-E136	E137
DS	M	E137		
DSC		E138		E137
DSC		E139		E132
DSC		E140	-E141	E147
DS		E142		
DSC		E143	-E146	E147
DS	M	E147		
DSC		E148		E147
DSC		E149		E142
SMP	M	E270		
SMP	M	E740		
SMP	M	E830		
DS		E850	-E853	
SMP	M	E854		
DS		E858	-E859	
DS		M100		
SMP	M	M103		
SMP	M	M310		
DS		M320	-M328	
SMP	M	M350		
SMP		N000	-N119	
LMP		N12		
SMP		N130	-N288	
SMP		Q600	-Q639	
DSC		R75		B238

N300 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A158	
DSC		A159		A181
DS		A160	-A169	
DSC		A1690		A181
DS		A170	-A218	
DSC		A219		A218
DS		A220	-A228	
DSC		A229		A228
DS		A230	-A243	

ICD-10-Mortality Manual 2c - 2014

DSC	A244		A243
DS	A250	-A310	
DS	A318	-A368	
DSC	A369		A368
DS	A370	-A427	
DS	A429	-A530	
DSC	A539		A527
DS	A540	-A560	
DSC	A561		A560
DS	A562	-A598	
DSC	A599		A590
DS	A601	-A70	
DS	A748		
DSC	A749		A560
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B018
DS	B020	-B028	
DSC	B029		B028
DS	B03	-B058	
DSC	B059		B058
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B238
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B378	
DSC	B379		B374
DS	B380	-B448	
DSC	B449		B448
DS	B450	-B588	
DSC	B589		B588
DS	B59	-B839	
DS	B86	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M E000	-E038	
DS	E0390		
DS	E050	-E059	
DS	E102		
DS	E112		
DS	E122		
DS	E132		

ICD-10-Mortality Manual 2c - 2014

DS		E142	
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E848
DSC		E849	E848
DS	M	E850	-E858
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G10
DS	M	G110	-G113
DS		G114	
DS	M	G118	-G119
DS		G120	
DS	M	G121	
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G35
DS	M	G360	
DS		G361	-G370
DS	M	G371	-G372
DS		G373	-G379
DS	M	G600	-G729
DS		G820	-G825
DS	M	G830	-G833
DS		G834	
DS	M	G838	-G912
DS		G913	
DS	M	G918	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559

ICD-10-Mortality Manual 2c - 2014

DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321
DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M470	
DS		M471		
DS	M	M472	-M479	
DS	M	M481	-M509	
DS		M510		
DS	M	M511	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N310	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS	M	Q000	-Q049	
DS		Q050	-Q069	
DS	M	Q070	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q642	-Q643	
DS		Q750	-Q799	

ICD-10-Mortality Manual 2c - 2014

DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		
DS		S510	-S519	
DS		S550	-S551	
DS		S557		
DS		S559		
DS		S570	-S597	
DS		S599		
DS	M	S617	-S619	
DS	M	S650	-S651	
DS	M	S657		
DS	M	S659		
DS	M	S684	-S699	
DS		S710	-S729	
DS		S750	-S759	
DS		S770	-S799	
DS		S810	-S829	
DS		S850	-S859	
DS		S870	-S899	
DS		S910		
DS		S917		
DS		S927		
DS		S950	-S951	
DS		S957		

ICD-10-Mortality Manual 2c - 2014

DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	

ICD-10-Mortality Manual 2c - 2014

DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

N301 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A158	
DSC		A159		A181
DS		A160	-A169	
DSC		A1690		A181
DS		A170	-A218	
DSC		A219		A218
DS		A220	-A228	
DSC		A229		A228
DS		A230	-A243	
DSC		A244		A243
DS		A250	-A310	
DS		A318	-A368	
DSC		A369		A368
DS		A370	-A427	
DS		A429	-A530	
DSC		A539		A527
DS		A540	-A560	
DSC		A561		A560

ICD-10-Mortality Manual 2c - 2014

DS		A562	-A598	
DSC		A599		A590
DS		A601	-A70	
DS		A748		
DSC		A749		A560
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B018
DS		B020	-B028	
DSC		B029		B028
DS		B03	-B058	
DSC		B059		B058
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B378	
DSC		B379		B374
DS		B380	-B448	
DSC		B449		B448
DS		B450	-B588	
DSC		B589		B588
DS		B59	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E102		
DS		E112		
DS		E122		
DS		E132		
DS		E142		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E848	
DSC		E849		E848
DS	M	E850	-E858	
DS		F010	-F03	

ICD-10-Mortality Manual 2c - 2014

DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G000	-G10
DS	M	G110	-G113
DS		G114	
DS	M	G118	-G119
DS		G120	
DS	M	G121	
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G35
DS	M	G360	
DS		G361	-G370
DS	M	G371	-G372
DS		G373	-G379
DS	M	G600	-G729
DS		G820	-G825
DS	M	G830	-G833
DS		G834	
DS	M	G838	-G912
DS		G913	
DS	M	G918	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS	M	I00	-I029
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS		M000	-M009

ICD-10-Mortality Manual 2c - 2014

DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321
DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M470	
DS		M471		
DS	M	M472	-M479	
DS	M	M481	-M509	
DS		M510		
DS	M	M511	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N310	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS	M	Q000	-Q049	
DS		Q050	-Q069	
DS	M	Q070	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q642	-Q643	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	

ICD-10-Mortality Manual 2c - 2014

DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	

ICD-10-Mortality Manual 2c - 2014

DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	

ICD-10-Mortality Manual 2c - 2014

DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

N302 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A158	
DSC	A159		A181
DS	A160	-A169	
DSC	A1690		A181
DS	A170	-A218	
DSC	A219		A218
DS	A220	-A228	
DSC	A229		A228
DS	A230	-A243	
DSC	A244		A243
DS	A250	-A310	
DS	A318	-A368	
DSC	A369		A368
DS	A370	-A427	
DS	A429	-A530	
DSC	A539		A527
DS	A540	-A560	
DSC	A561		A560
DS	A562	-A598	
DSC	A599		A590
DS	A601	-A70	
DS	A748		
DSC	A749		A560
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	

ICD-10-Mortality Manual 2c - 2014

DSC		B019		B018
DS		B020	-B028	
DSC		B029		B028
DS		B03	-B058	
DSC		B059		B058
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	
DS		B09	-B199	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B378	
DSC		B379		B374
DS		B380	-B448	
DSC		B449		B448
DS		B450	-B588	
DSC		B589		B588
DS		B59	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E102		
DS		E112		
DS		E122		
DS		E132		
DS		E142		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E848	
DSC		E849		E848
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G10	
DS	M	G110	-G113	
DS		G114		

ICD-10-Mortality Manual 2c - 2014

DS	M	G118	-G119	
DS		G120		
DS	M	G121		
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	
DS	M	G360		
DS		G361	-G370	
DS	M	G371	-G372	
DS		G373	-G379	
DS	M	G600	-G729	
DS		G820	-G825	
DS	M	G830	-G833	
DS		G834		
DS	M	G838	-G912	
DS		G913		
DS	M	G918	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321

ICD-10-Mortality Manual 2c - 2014

DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M470	
DS		M471		
DS	M	M472	-M479	
DS	M	M481	-M509	
DS		M510		
DS	M	M511	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS		N310	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS	M	Q000	-Q049	
DS		Q050	-Q069	
DS	M	Q070	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q642	-Q643	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	

ICD-10-Mortality Manual 2c - 2014

DS		S323	-S331
DS		S335	
DS		S337	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	

ICD-10-Mortality Manual 2c - 2014

DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	

ICD-10-Mortality Manual 2c - 2014

DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

N303 Address

DS		A000	-A028	
DSC		A029		A022
DS		A030	-A158	
DSC		A159		A181
DS		A160	-A169	
DSC		A1690		A181
DS		A170	-A218	
DSC		A219		A218
DS		A220	-A228	
DSC		A229		A228
DS		A230	-A243	
DSC		A244		A243
DS		A250	-A310	
DS		A318	-A368	
DSC		A369		A368
DS		A370	-A427	
DS		A429	-A530	
DSC		A539		A527
DS		A540	-A560	
DSC		A561		A560
DS		A562	-A598	
DSC		A599		A590
DS		A601	-A70	
DS		A748		
DSC		A749		A560
DS		A750	-B001	
DS		B003	-B004	
DS		B007		
DS		B009	-B018	
DSC		B019		B018
DS		B020	-B028	
DSC		B029		B028
DS		B03	-B058	
DSC		B059		B058
DS		B060	-B068	
DSC		B069		B068
DS		B080		
DS		B082	-B085	

ICD-10-Mortality Manual 2c - 2014

DS		B09	-B199	
DSC		B24		B238
DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B378	
DSC		B379		B374
DS		B380	-B448	
DSC		B449		B448
DS		B450	-B588	
DSC		B589		B588
DS		B59	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E102		
DS		E112		
DS		E122		
DS		E132		
DS		E142		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E848	
DSC		E849		E848
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS	M	G600	-G819	
DS		G820	-G825	

ICD-10-Mortality Manual 2c - 2014

DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321
DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
LMC		N410	-N412	N413
LMC		N419		N413
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	

ICD-10-Mortality Manual 2c - 2014

DS		Q370	-Q379
DS		Q750	-Q799
DS		Q850	-Q999
DSC		R75	B238
DS		S017	
DS		S019	-S029
DS		S057	
DS		S060	-S090
DS		S097	-S099
DS		S110	-S134
DS		S136	-S141
DS		S146	-S159
DS		S170	-S179
DS		S197	-S199
DS		S210	-S231
DS		S233	
DS		S235	-S241
DS		S250	-S299
DS		S310	-S311
DS		S317	-S321
DS		S323	-S331
DS		S335	
DS		S337	-S341
DS		S343	
DS		S350	-S399
DS		S410	-S418
DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	

ICD-10-Mortality Manual 2c - 2014

DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319

ICD-10-Mortality Manual 2c - 2014

DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

N308 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A158	
DSC	A159		A181
DS	A160	-A169	
DSC	A1690		A181
DS	A170	-A218	
DSC	A219		A218
DS	A220	-A228	
DSC	A229		A228
DS	A230	-A243	
DSC	A244		A243
DS	A250	-A310	
DS	A318	-A368	

ICD-10-Mortality Manual 2c - 2014

DSC	A369		A368
DS	A370	-A427	
DS	A429	-A530	
DSC	A539		A527
DS	A540	-A560	
DSC	A561		A560
DS	A562	-A598	
DSC	A599		A590
DS	A601	-A70	
DS	A748		
DSC	A749		A560
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B018
DS	B020	-B028	
DSC	B029		B028
DS	B03	-B058	
DSC	B059		B058
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B238
DS	B250	-B279	
DS	B330	-B349	
DS	B370	-B378	
DSC	B379		B374
DS	B380	-B448	
DSC	B449		B448
DS	B450	-B588	
DSC	B589		B588
DS	B59	-B839	
DS	B86	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D70		
DS	D800	-D899	
DS	M E000	-E038	
DS	E0390		
DS	E050	-E059	
DS	E102		
DS	E112		
DS	E122		
DS	E132		
DS	E142		
DS	E15		
DS	E40	-E43	

ICD-10-Mortality Manual 2c - 2014

DS		E46		
DS		E640		
DS		E840	-E848	
DSC		E849		E848
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G09	
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G319	
DS		G35		
DS	M	G360	-G379	
DS	M	G600	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	

ICD-10-Mortality Manual 2c - 2014

DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321
DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
LMC		N410	-N412	N413
LMC		N419		N413
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S341	
DS		S343		
DS		S350	-S399	
DS		S410	-S418	

ICD-10-Mortality Manual 2c - 2014

DS		S427	
DS		S450	-S451
DS		S457	
DS		S459	
DS		S47	-S497
DS		S499	
DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	

ICD-10-Mortality Manual 2c - 2014

DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204
DS		T207	-T210
DS		T213	-T214
DS		T217	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	

ICD-10-Mortality Manual 2c - 2014

DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

N309 Address

DS	A000	-A028	
DSC	A029		A022
DS	A030	-A158	
DSC	A159		A181
DS	A160	-A169	
DSC	A1690		A181
DS	A170	-A218	
DSC	A219		A218
DS	A220	-A228	
DSC	A229		A228
DS	A230	-A243	
DSC	A244		A243
DS	A250	-A310	
DS	A318	-A368	
DSC	A369		A368
DS	A370	-A427	
DS	A429	-A530	
DSC	A539		A527
DS	A540	-A560	
DSC	A561		A560
DS	A562	-A598	
DSC	A599		A590
DS	A601	-A70	
DS	A748		
DSC	A749		A560
DS	A750	-B001	
DS	B003	-B004	
DS	B007		
DS	B009	-B018	
DSC	B019		B018
DS	B020	-B028	
DSC	B029		B028
DS	B03	-B058	
DSC	B059		B058
DS	B060	-B068	
DSC	B069		B068
DS	B080		
DS	B082	-B085	
DS	B09	-B199	
DSC	B24		B238

ICD-10-Mortality Manual 2c - 2014

DS		B250	-B279	
DS		B330	-B349	
DS		B370	-B378	
DSC		B379		B374
DS		B380	-B448	
DSC		B449		B448
DS		B450	-B588	
DSC		B589		B588
DS		B59	-B839	
DS		B86	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D70		
DS		D800	-D899	
DS	M	E000	-E038	
DS		E0390		
DS		E050	-E059	
DS		E102		
DS		E112		
DS		E122		
DS		E132		
DS		E142		
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E848	
DSC		E849		E848
DS	M	E850	-E858	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G000	-G10	
DS	M	G110	-G113	
DS		G114		
DS	M	G118	-G119	
DS		G120		
DS	M	G121		
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G35	
DS	M	G360		
DS		G361	-G370	
DS	M	G371	-G372	

ICD-10-Mortality Manual 2c - 2014

DS		G373	-G379	
DS	M	G600	-G729	
DS		G820	-G825	
DS	M	G830	-G833	
DS		G834		
DS	M	G838	-G912	
DS		G913		
DS	M	G918	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS	M	I00	-I029	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS		M000	-M009	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS	M	M300	-M319	
DS		M320	-M328	
DSC		M329		M321
DS		M330	-M349	
DS	M	M350	-M352	
DS	M	M354	-M359	
DS		M410	-M435	
DS	M	M45	-M470	
DS		M471		
DS	M	M472	-M479	
DS	M	M481	-M509	
DS		M510		
DS	M	M511	-M519	
DS	M	M610	-M619	

ICD-10-Mortality Manual 2c - 2014

DS	M	M623	-M624	
DS		M800	-M849	
DS		M860	-M869	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
SMP		N300	-N308	
DS		N310	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS	M	Q000	-Q049	
DS		Q050	-Q069	
DS	M	Q070	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS		Q642	-Q643	
DS		Q750	-Q799	
DS		Q850	-Q999	
DSC		R75		B238
DS		S017		
DS		S019	-S029	
DS		S057		
DS		S060	-S090	
DS		S097	-S099	
DS		S110	-S134	
DS		S136	-S141	
DS		S146	-S159	
DS		S170	-S179	
DS		S197	-S199	
DS		S210	-S231	
DS		S233		
DS		S235	-S241	
DS		S250	-S299	
DS		S310	-S311	
DS		S317	-S321	
DS		S323	-S331	
DS		S335		
DS		S337	-S399	
DS		S410	-S418	
DS		S427		
DS		S450	-S451	
DS		S457		
DS		S459		
DS		S47	-S497	
DS		S499		

ICD-10-Mortality Manual 2c - 2014

DS		S510	-S519
DS		S550	-S551
DS		S557	
DS		S559	
DS		S570	-S597
DS		S599	
DS	M	S617	-S619
DS	M	S650	-S651
DS	M	S657	
DS	M	S659	
DS	M	S684	-S699
DS		S710	-S729
DS		S750	-S759
DS		S770	-S799
DS		S810	-S829
DS		S850	-S859
DS		S870	-S899
DS		S910	
DS		S917	
DS		S927	
DS		S950	-S951
DS		S957	
DS		S959	
DS		S970	-S999
DS		T012	-T031
DS		T033	
DS	M	T038	
DS		T039	-T08
DS		T091	
DS		T093	
DS	M	T098	
DS		T099	-T10
DS		T111	
DS		T114	
DS		T116	
DS	M	T118	
DS		T119	-T12
DS		T131	
DS		T134	
DS		T136	
DS	M	T138	
DS		T139	
DS		T141	-T142
DS		T145	
DS		T147	
DS	M	T148	
DS		T149	
DS		T172	-T179
DS		T181	-T200
DS		T203	-T204

ICD-10-Mortality Manual 2c - 2014

DS		T207	-T220
DS		T223	-T224
DS		T227	
DS	M	T230	
DS	M	T233	-T234
DS	M	T237	
DS		T240	
DS		T243	-T244
DS		T247	
DS	M	T250	
DS	M	T253	-T254
DS	M	T257	
DS		T270	-T300
DS		T303	-T304
DS		T307	
DS		T313	-T319
DS		T323	-T329
DS		T340	-T344
DS		T346	-T349
DS		T351	-T68
DS	M	T698	
DS		T699	
DS		T703	-T704
DS	M	T708	
DS		T709	-T741
DS		T749	-T751
DS		T754	-T889
DS	M	T901	
DS		T902	
DS	M	T904	
DS		T905	
DS	M	T908	
DS		T909	
DS	M	T910	
DS		T911	
DS	M	T912	
DS		T913	-T915
DS	M	T918	
DS		T919	
DS	M	T920	
DS	M	T926	-T928
DS		T929	
DS	M	T930	
DS		T931	
DS	M	T932	
DS		T936	
DS	M	T938	
DS		T939	
DS	M	T940	-T959
DS		T96	-T983

ICD-10-Mortality Manual 2c - 2014***N310 Address***

DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	
DS		G300	-G309	
DS	M	G310	-G319	
DS	M	G360	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	

ICD-10-Mortality Manual 2c - 2014

DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238

N311 Address

DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		

ICD-10-Mortality Manual 2c - 2014

DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	
DS	M	M020	-M029	
DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238

N312 Address

DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	

ICD-10-Mortality Manual 2c - 2014

DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519

ICD-10-Mortality Manual 2c - 2014

DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B238

N318 Address

DSC		B24		B238
DS		B900	-B949	
DS		C000	-C97	
DS		D320	-D339	
DS		D370	-D479	
DS		D810	-D819	
DS		D860		
DS	M	E000	-E02	
DS		E030	-E038	
DS		E0390		
DS		E050	-E059	
DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DS		E46		
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G259	

ICD-10-Mortality Manual 2c - 2014

DS		G300	-G309
DS	M	G310	-G319
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98
DS		I5000	
DS	M	I501	-I509
DS	M	I515	-I516
DS	M	I519	
DS		I600	-I698
DS	M	K500	-K519
DS		K550	-K559
DS		K700	-K719
DS		K730	-K746
DS	M	K750	-K761
DS		K762	
DS	M	K763	-K769
DS	M	K860	-K869
DS		K900	-K919
DS	M	L400	-L409
DS	M	M020	-M029
DS		M050	-M089
DS	M	M100	-M128
DS		M130	-M169
DS	M	M170	-M198
DS		M1990	
DS		M320	-M329
DS		M340	-M349
DS	M	M410	-M435
DS	M	M45	-M479
DS	M	M481	-M519
DS	M	M610	-M619
DS	M	M623	-M624
DS	M	M800	-M849
DS	M	M870	-M879
DS	M	M910	-M949
DS	M	M960	-M969
DS	M	Q000	-Q079
DS		Q200	-Q249
DS		Q310	-Q359
DS		Q370	-Q379
DS	M	Q710	-Q719
DS		Q720	-Q799

ICD-10-Mortality Manual 2c - 2014

DS	Q850	-Q999	
DSC	R75		B238

N319 Address

DSC	B24		B238
DS	B900	-B949	
DS	C000	-C97	
DS	D320	-D339	
DS	D370	-D479	
DS	D810	-D819	
DS	D860		
DS	M	E000	-E02
DS		E030	-E038
DS		E0390	
DS		E050	-E059
DS		E100	-E107
DS		E110	-E117
DS		E120	-E127
DS		E130	-E137
DS		E140	-E147
DS		E15	
DS		E40	-E43
DS		E46	
DS		E640	
DS		E840	-E849
DS		F010	-F03
DS		F202	
DS		F322	-F323
DS		F332	-F333
DS		F500	-F503
DS		F505	-F509
DS		F73	
DS		G09	
DS	M	G10	-G121
DS		G1220	
DS	M	G128	-G129
DS		G2000	
DS	M	G210	-G259
DS		G300	-G309
DS	M	G310	-G319
DS	M	G360	-G379
DS		G600	-G629
DS	M	G64	-G819
DS		G820	-G825
DS	M	G830	-G931
DS	M	G934	
DS		G935	-G936
DS	M	G937	-G939
DS		G950	-G959
DS	M	G960	-G98

ICD-10-Mortality Manual 2c - 2014

DS		I5000	
DS	M	I501 -I509	
DS	M	I515 -I516	
DS	M	I519	
DS		I600 -I698	
DS	M	K500 -K519	
DS		K550 -K559	
DS		K700 -K719	
DS		K730 -K746	
DS	M	K750 -K761	
DS		K762	
DS	M	K763 -K769	
DS	M	K860 -K869	
DS		K900 -K919	
DS	M	L400 -L409	
DS	M	M020 -M029	
DS		M050 -M089	
DS	M	M100 -M128	
DS		M130 -M169	
DS	M	M170 -M198	
DS		M1990	
DS		M320 -M329	
DS		M340 -M349	
DS	M	M410 -M435	
DS	M	M45 -M479	
DS	M	M481 -M519	
DS	M	M610 -M619	
DS	M	M623 -M624	
DS	M	M800 -M849	
DS	M	M870 -M879	
DS	M	M910 -M949	
DS	M	M960 -M969	
SMP		N310 -N318	
DS	M	Q000 -Q079	
DS		Q200 -Q249	
DS		Q310 -Q359	
DS		Q370 -Q379	
DS	M	Q710 -Q719	
DS		Q720 -Q799	
DS		Q850 -Q999	
DSC		R75	B238

N320 Address

DSC		B24	B238
DS		C61	
DS		C670 -C679	
DS		C791	
DS	M	C798	
DS		D075	
DS		D090	

ICD-10-Mortality Manual 2c - 2014

DS	D291	
DS	D303	
DS	D400	
DS	D414	
DS	N40	
DS	Q640	-Q647
DSC	R75	B238

N321 Address

DS	C260	
DS	C670	-C679
DS	C785	
DS	C791	
DS	D090	
DS	D104	
DS	D139	
DS	D303	
DS	D377	
DS	D414	

N322 Address

DS	M	A181	
DS		B650	
DS		C670	-C679
DS		C791	
DS		D090	
DS		D303	
DS		D400	
DS		D414	
DS		N40	
DS		Q643	
DS		Q645	

N323 Address

DS	M	A181	
DSC		B24	B238
DS		B650	
DS		C670	-C679
DS		C791	
DS		D090	
DS		D303	
DS		D400	
DS		D414	
DS		N40	
DS		Q643	
DS		Q645	
DSC		R75	B238

N324 Address

DSC		B24	B238
-----	--	-----	------

ICD-10-Mortality Manual 2c - 2014

DSC R75 B238

N328 Address

DSC B24 B238
DS M C61
DS M C670 -C679
DS M C791
DS M C798
DS M D075
DS M D090
DS M D291
DS M D303
DS M D400
DS M D414
DS M N000 -N324
DS M N40
DS M Q640 -Q647
DSC R75 B238
DS M T455

N329 Address

SMP M A181
SMP M A368
SMP M A527
SMP M A540
SMP M A560
SMP M A590
DSC B24 B238
SMP M B650 -B659
DS C61
SMP C670 -C679
SMP M C791
DS M C798
DS D075
SMP D090
DS D291
SMP D303
DS D400
SMP D414
SMP N210
SMP N300 -N328
DS N40
DS Q554
SMP Q641
SMP M Q643
SMP M Q645 -Q648
DSC R75 B238

N340 Address

DSC M B24 B201

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B208
DS		C61		
DS		C670	-C680	
DS		C688		
DS		F010	-F03	
DS		G040	-G041	
DS		G049		
DS		G10		
DS		G114		
DS		G120		
DS		G300	-G35	
DS		G361	-G370	
DS		G373	-G379	
DS	M	G544		
DS		G800	-G825	
DS		G834		
DS		G913		
DS		G935	-G936	
DS		G950	-G959	
DS		I600	-I698	
DS		M471		
DS		M510		
DS		N310	-N322	
DS		N324	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS		Q050	-Q069	
DS		Q642	-Q643	
DSC	M	R75		B201
DSC	M	R75		B208
DS		S020	-S021	
DS		S027	-S029	
DS		S060	-S063	
DS		S067	-S069	
DS		S097		
DS		S120	-S129	
DS		S140	-S141	
DS		S220	-S221	
DS		S240	-S241	
DS		S320	-S321	
DS		S327	-S328	
DS		S340	-S348	
DS		S372	-S373	
DS		S396	-S397	
DS		T011		
DS		T021		

ICD-10-Mortality Manual 2c - 2014

DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N341 Address

DSC	M	B24	B201
DSC	M	B24	B208
DS		C61	
DS		C670	-C680
DS		C688	
DS		F010	-F03
DS		G040	-G041
DS		G049	
DS		G10	
DS		G114	
DS		G120	
DS		G300	-G35
DS		G361	-G370
DS		G373	-G379
DS	M	G544	
DS		G800	-G825
DS		G834	
DS		G913	
DS		G935	-G936
DS		G950	-G959
DS		I600	-I698
DS		M471	
DS		M510	
DS		N310	-N322
DS		N324	-N329
DS		N350	-N360
DS		N40	
DS	M	N410	-N429
DS		N991	
DS		O701	-O709
DS		O715	
DS		Q050	-Q069
DS		Q642	-Q643
DSC	M	R75	B201
DSC	M	R75	B208

ICD-10-Mortality Manual 2c - 2014

DS	S020	-S021
DS	S027	-S029
DS	S060	-S063
DS	S067	-S069
DS	S097	
DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N342 Address

DSC	M	B24	B201
DSC	M	B24	B208
DS		C61	
DS		C670	-C680
DS		C688	
DS		F010	-F03
DS		G040	-G041
DS		G049	
DS		G10	
DS		G114	
DS		G120	
DS		G300	-G35
DS		G361	-G370
DS		G373	-G379
DS	M	G544	
DS		G800	-G825
DS		G834	
DS		G913	
DS		G935	-G936

ICD-10-Mortality Manual 2c - 2014

DS		G950	-G959	
DS		I600	-I698	
DS		M471		
DS		M510		
DS		N303		
DS		N310	-N322	
DS		N324	-N329	
SMP		N341		
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N991		
DS		O701	-O709	
DS		O715		
DS		Q050	-Q069	
DS		Q642	-Q643	
DSC	M	R75		B201
DSC	M	R75		B208
DS		S020	-S021	
DS		S027	-S029	
DS		S060	-S063	
DS		S067	-S069	
DS		S097		
DS		S120	-S129	
DS		S140	-S141	
DS		S220	-S221	
DS		S240	-S241	
DS		S320	-S321	
DS		S327	-S328	
DS		S340	-S348	
DS		S372	-S373	
DS		S396	-S397	
DS		T011		
DS		T021		
DS		T027		
DS		T041		
DS		T060	-T068	
DS		T08		
DS		T210	-T217	
DS		T284		
DS		T288		
DS		T830	-T839	
DS		T905		
DS		T909		
DS		T911		
DS		T913		
DS		T915		

N343 Address

DSC		B24		B238
-----	--	-----	--	------

ICD-10-Mortality Manual 2c - 2014

DS		N303	
SMP		N340	-N342
DSC		R75	B238

N350 Address

DS	M	S357	-S359
DS		S370	-S379
DS	M	S390	-S397
DS		T190	
DS	M	T288	
DS	M	T915	-T918

N351 Address

DS		C61	
DS		C670	-C680
DS		C688	
DS		F010	-F03
DS		G040	-G041
DS		G049	
DS		G10	
DS		G114	
DS		G120	
DS		G300	-G35
DS		G361	-G370
DS		G373	-G379
DS	M	G544	
DS		G800	-G825
DS		G834	
DS		G913	
DS		G935	-G936
DS		G950	-G959
DS		I600	-I698
DS		M471	
DS		M510	
DS		N310	-N322
DS		N324	-N329
DS		N350	
DS		N358	-N360
DS		N40	
DS	M	N410	-N429
DS		N991	
DS		O701	-O709
DS		O715	
DS		Q050	-Q069
DS		Q642	-Q643
DS		S020	-S021
DS		S027	-S029
DS		S060	-S063
DS		S067	-S069
DS		S097	

ICD-10-Mortality Manual 2c - 2014

DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N358 Address

DSC	B24	B238
DS	C61	
DS	C670	-C680
DS	C688	
DS	F010	-F03
DS	G040	-G041
DS	G049	
DS	G10	
DS	G114	
DS	G120	
DS	G300	-G35
DS	G361	-G370
DS	G373	-G379
DS	M	G544
DS	G800	-G825
DS	G834	
DS	G913	
DS	G935	-G936
DS	G950	-G959
DS	I600	-I698
DS	M471	
DS	M510	
DS	N310	-N322
DS	N324	-N329

ICD-10-Mortality Manual 2c - 2014

DS	N350	-N351	
DS	N359	-N360	
DS	N40		
DS	M N410	-N429	
DS	N991		
DS	O701	-O709	
DS	O715		
DS	Q050	-Q069	
DS	Q642	-Q643	
DSC	R75		B238
DS	S020	-S021	
DS	S027	-S029	
DS	S060	-S063	
DS	S067	-S069	
DS	S097		
DS	S120	-S129	
DS	S140	-S141	
DS	S220	-S221	
DS	S240	-S241	
DS	S320	-S321	
DS	S327	-S328	
DS	S340	-S348	
DS	S372	-S373	
DS	S396	-S397	
DS	T011		
DS	T021		
DS	T027		
DS	T041		
DS	T060	-T068	
DS	T08		
DS	T210	-T217	
DS	T284		
DS	T288		
DS	T830	-T839	
DS	T905		
DS	T909		
DS	T911		
DS	T913		
DS	T915		

N359 Address

DSC	B24		B238
DS	C61		
DS	C670	-C680	
DS	C688		
DS	F010	-F03	
DS	G040	-G041	
DS	G049		
DS	G10		
DS	G114		

ICD-10-Mortality Manual 2c - 2014

DS		G120	
DS		G300	-G35
DS		G361	-G370
DS		G373	-G379
DS	M	G544	
DS		G800	-G825
DS		G834	
DS		G913	
DS		G935	-G936
DS		G950	-G959
DS		I600	-I698
DS		M471	
DS		M510	
DS		N310	-N322
DS		N324	-N329
DS		N350	-N358
DS		N360	
DS		N40	
DS	M	N410	-N429
DS		N991	
DS		O701	-O709
DS		O715	
DS		Q050	-Q069
DS		Q642	-Q643
DSC		R75	B238
DS		S020	-S021
DS		S027	-S029
DS		S060	-S063
DS		S067	-S069
DS		S097	
DS		S120	-S129
DS		S140	-S141
DS		S220	-S221
DS		S240	-S241
DS		S320	-S321
DS		S327	-S328
DS		S340	-S348
DS		S372	-S373
DS		S396	-S397
DS		T011	
DS		T021	
DS		T027	
DS		T041	
DS		T060	-T068
DS		T08	
DS		T210	-T217
DS		T284	
DS		T288	
DS		T830	-T839
DS		T905	

ICD-10-Mortality Manual 2c - 2014

DS T909
DS T911
DS T913
DS T915

N361 Address

DSC B24 B238
DSC R75 B238

N362 Address

DSC B24 B238
DSC R75 B238

N363 Address

DSC B24 B238
DSC R75 B238

N368 Address

DSC B24 B238
DSC R75 B238
DS M T455

N369 Address

SMP M A540 -A541
SMP M A560
SMP M A590
SMP M A64
DSC B24 B238
SMP M B374
SMP C680
SMP M C791
SMP M D091
SMP D304
SMP D413
SMP M M023
SMP N211
SMP N340 -N368
SMP N810 -N811
SMP Q642 -Q643
SMP M Q645
SMP M Q647 -Q648
DSC R75 B238

N390 Address

DS A181
DS A514
DS A527
DS A542
DS A561
DS A600

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B201
DSC	M	B24		B208
DS		B373		
DS		B650		
DS		B80		
DS		C510	-C689	
DS		C790	-C791	
DS		C796		
DS	M	C798		
DS		C810	-C969	
DS		D060	-D091	
DS		D250	-D309	
DS		D390	-D419	
DS		F010	-F03	
DS		G040	-G041	
DS		G049		
DS		G10		
DS		G114		
DS		G120		
DS		G300	-G35	
DS		G361	-G370	
DS		G373	-G379	
DS	M	G544		
DS		G800	-G825	
DS		G834		
DS		G913		
DS		G935	-G936	
DS		G950	-G959	
DS		I600	-I698	
DS		M352		
DS		M471		
DS		M510		
SMP		N10	-N12	
DS		N130	-N133	
DS		N200	-N219	
SMP		N300	-N309	
DS		N310	-N322	
DS		N324	-N329	
DS		N350	-N360	
DS		N40		
DS	M	N410	-N429	
DS		N700	-N739	
DS		N810	-N829	
DS		N991		
DS		O701	-O709	
DS		O715		
DS		Q050	-Q069	
DS		Q600	-Q649	
DSC	M	R75		B201
DSC	M	R75		B208

ICD-10-Mortality Manual 2c - 2014

DS	S020	-S021
DS	S027	-S029
DS	S060	-S063
DS	S067	-S069
DS	S097	
DS	S120	-S129
DS	S140	-S141
DS	S220	-S221
DS	S240	-S241
DS	S320	-S321
DS	S327	-S328
DS	S340	-S348
DS	S372	-S373
DS	S396	-S397
DS	T011	
DS	T021	
DS	T027	
DS	T041	
DS	T060	-T068
DS	T08	
DS	T210	-T217
DS	T284	
DS	T288	
DS	T830	-T839
DS	T905	
DS	T909	
DS	T911	
DS	T913	
DS	T915	

N391 Address

DSC	B24		B238
DS	C900	-C902	
DSC	E100	-E101	E107
DS	E102		
DSC	E103	-E106	E107
DS	E107		
DSC	E108		E107
DSC	E109		E102
DSC	E110	-E111	E117
DSC	E113	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E112
DSC	E120	-E121	E127
DS	E122		
DSC	E123	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E122

ICD-10-Mortality Manual 2c - 2014

DSC	E130	-E131	E137
DS	E132		
DSC	E133	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E132
DSC	E140	-E141	E147
DS	E142		
DSC	E143	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E142
DS	N000	-N289	
DSC	R75		B238

N392 Address

DSC	B24		B238
DS	C900	-C902	
DS	N000	-N289	
DSC	R75		B238

N393 Address

DS	N700	-N909	
----	------	-------	--

N394 Address

DS	A181		
DS	A600		
DSC	B24		B238
DS	B373		
DS	M B80		
DS	M352		
DS	N40	-N429	
DS	N700	-N909	
DSC	R75		B238

N398 Address

DSC	B24		B238
DS	M B650		
DS	M C510	-C689	
DS	M C790	-C791	
DS	M C796		
DS	M C798		
DS	M D060	-D091	
DS	M D250	-D309	
DS	M D390	-D419	
DS	M M352		
DS	M N130	-N133	
DS	M N200	-N219	
DS	M N40	-N429	
DS	M N700	-N739	

ICD-10-Mortality Manual 2c - 2014

DS	M	N810	-N829	
DS	M	Q600	-Q649	
DSC		R75		B238

N399 Address

DSC		B24		B238
SMP		C64	-C689	
SMP		C790	-C791	
SMP		D090	-D091	
SMP		D300	-D309	
SMP		D410	-D419	
SMP		N000	-N398	
DSC		R75		B238

N410 Address

DSC	M	B24		B201
LMC		N300	-N303	N413
LMC		N308	-N309	N413
DSC	M	R75		B201

N411 Address

DSC	M	B24		B201
LMC		N300	-N303	N413
LMC		N308	-N309	N413
DSC	M	R75		B201

N412 Address

DSC	M	B24		B201
LMC		N300	-N303	N413
LMC		N308	-N309	N413
DSC	M	R75		B201

N413 Address

DSC	M	B24		B201
DSC	M	R75		B201

N418 Address

DSC	M	B24		B201
DSC	M	R75		B201

N419 Address

SMP	M	A181		
SMP	M	A542		
SMP	M	A590		
DSC	M	B24		B201
LMC		N300	-N303	N413
LMC		N308	-N309	N413
SMP		N410	-N418	
DSC	M	R75		B201

N420 Address

DSC	B24	B238
DSC	R75	B238

N421 Address

DSC	B24	B238
DS	C61	
DS	M C798	
DS	D075	
DS	D291	
DS	D400	
DSC	R75	B238
DS	M T455	

N422 Address

DSC	B24	B238
DSC	R75	B238

N423 Address

DSC	B24	B238
DSC	R75	B238

N428 Address

DSC	B24	B238
DSC	R75	B238

N429 Address

DSC	B24	B238
SMP	C61	
SMP	M C798	
SMP	D075	
SMP	D291	
SMP	D400	
SMP	N410	-N428
SMP	Q554	
DSC	R75	B238

N430 Address

DSC	B24	B238
DSC	R75	B238

N432 Address

DSC	B24	B238
DSC	R75	B238

N433 Address

DSC	B24	B238
SMP	N430	-N432
DSC	R75	B238

ICD-10-Mortality Manual 2c - 2014***N434 Address***

DSC	B24	B238
DSC	R75	B238

N44 Address

DSC	B24	B238
DSC	R75	B238

N450 Address

DSC	M	B24	B201
DSC	M	R75	B201

N459 Address

SMP	M	A181	
SMP	M	A527	
SMP	M	A542	
SMP	M	A561	
DSC	M	B24	B201
SMP		B260	
LMP		N450	
DSC	M	R75	B201

N480 Address

DSC	B24	B238
DS	C600	-C609
DS	M	C798
DS	D074	
DS	D290	
DS	M	D407
DSC	R75	B238

N481 Address

SMP	M	A068	
SMP	M	A540	
SMP	M	A57	
SMP	M	A638	-A64
DSC	M	B24	B201
SMP	M	B374	
DSC	M	R75	B201

N482 Address

DSC	M	B24	B201
DSC	M	R75	B201

N483 Address

DS	N40	-N429
DS	N450	-N459

N484 Address

ICD-10-Mortality Manual 2c - 2014

DS N40 -N429
DS N450 -N459

N485 Address

DSC B24 B238
DS C600 -C609
DS M C798
DS D074
DS D290
DS M D407
DSC R75 B238

N486 Address

DSC B24 B238
DSC R75 B238

N488 Address

DSC B24 B238
DS C600 -C609
DS M C798
DS D074
DS D290
DS M D407
DS M I011
DS M I020
DS M I050 -I069
DS M I080 -I089
DS M I091
DS M I330 -I359
DS M I38
DS M I48 -I499
DS M I513
DS M I740 -I741
DS N410 -N419
DSC R75 B238
DS M T455
DS M T801
DS M T817
DS M T828
DS M T838
DS M T848
DS M T858
DS M Y600 -Y849

N489 Address

DSC B24 B238
SMP C600 -C609
SMP M C798
SMP D074
SMP D290

ICD-10-Mortality Manual 2c - 2014

SMP	M	D407	
SMP		N480	-N488
SMP		Q555	-Q556
DSC		R75	B238

N490 Address

SMP	M	A068	
SMP	M	A181	
SMP	M	A542	
SMP	M	A590	
DSC	M	B24	B201
SMP		D291	
SMP		D400	
SMP		Q554	
DSC	M	R75	B201

N491 Address

DSC	M	B24	B201
DSC	M	R75	B201

N492 Address

DSC	M	B24	B201
DSC	M	R75	B201

N498 Address

DSC	M	B24	B201
DSC	M	R75	B201

N499 Address

DSC	M	B24	B201
SMP		N490	-N498
DSC	M	R75	B201

N500 Address

DSC		B24	B238
DSC		R75	B238

N501 Address

DSC		B24	B238
DSC		R75	B238
DS	M	T455	

N508 Address

DSC		B24	B238
DS		C620	-C629
DS	M	C630	-C639
DS	M	C763	
DS	M	C798	
DS	M	D076	
DS	M	D097	

ICD-10-Mortality Manual 2c - 2014

DS		D292	-D294	
DS	M	D297		
DS	M	D367		
DS		D401		
DS	M	D407		
DS	M	D487		
DS	M	N430	-N459	
DS	M	N490	-N499	
DS	M	Q530	-Q539	
DSC		R75		B238
DS	M	T455		

N509 Address

DSC		B24		B238
SMP	M	C600	-C639	
SMP	M	C798		
SMP	M	D074	-D076	
SMP	M	D290	-D299	
SMP	M	D400	-D409	
SMP		N40	-N508	
SMP	M	Q530	-Q559	
SMP	M	Q561		
DSC		R75		B238

N609 Address

SMP		N600	-N608	
-----	--	------	-------	--

N641 Address

DSC		B24		B238
DSC		R75		B238

N642 Address

DSC		B24		B238
DSC		R75		B238

N643 Address

DSC		B24		B238
DSC		R75		B238

N644 Address

DSC		B24		B238
DSC		R75		B238

N645 Address

DS		C500	-C509	
DS	M	C798		
DS		D050	-D059	
DS		D24		
DS		D486		
DS	M	T455		

N649 Address

SMP N600 -N648

N700 Address

DSC M B24 B208
 DSC M R75 B208

N701 Address

DSC M B24 B208
 DSC M R75 B208

N709 Address

SMP M A181
 SMP M A542
 SMP M A561
 DSC M B24 B208
 SMP N700 -N701
 DSC M R75 B208

N710 Address

DSC M B24 B208
 DSC M R75 B208

N711 Address

DSC M B24 B208
 DSC M R75 B208

N719 Address

SMP M A181
 SMP M A542
 SMP M A561
 DSC M B24 B208
 SMP N710 -N711
 DSC M R75 B208

N72 Address

SMP M A181
 SMP M A527
 SMP M A540
 SMP M A560
 SMP M A590
 SMP M A600
 DSC M B24 B208
 DSC M R75 B208

N730 Address

DSC M B24 B208
 DSC M R75 B208

ICD-10-Mortality Manual 2c - 2014

N731 Address

DSC	M	B24	B208
DSC	M	R75	B208

N732 Address

DSC	M	B24	B208
SMP		N730 -N731	
DSC	M	R75	B208

N733 Address

DSC	M	B24	B208
DS		C160 -C269	
DS		C762	
DS	M	C784 -C788	
DS		D002 -D019	
DS		N700 -N709	
DS		N730 -N732	
DS		N734	
DS		N736 -N738	
DS		N820 -N829	
DSC	M	R75	B208

N734 Address

DSC	M	B24	B208
DSC	M	R75	B208

N735 Address

DSC	M	B24	B208
DS		C160 -C269	
DS		C762	
DS	M	C784 -C788	
DS		D002 -D019	
DS		N700 -N709	
DS		N730 -N732	
SMP		N733 -N734	
DS		N736 -N738	
DS		N820 -N829	
DSC	M	R75	B208

N736 Address

DSC	M	B24	B208
DSC	M	R75	B208

N738 Address

DSC	M	B24	B208
DSC	M	R75	B208

N739 Address

DSC	M	B24	B208
-----	---	-----	------

ICD-10-Mortality Manual 2c - 2014

SMP N730 -N738
DSC M R75 B208

N750 Address

DSC M B24 B208
DSC M R75 B208

N751 Address

DSC A540 A541
DSC M B24 B208
DSC M R75 B208

N758 Address

DSC M B24 B208
DSC M R75 B208

N759 Address

DSC M B24 B208
SMP N750 -N758
DSC M R75 B208

N760 Address

SMP M A068
SMP M A181
SMP M A510
SMP M A527
SMP M A540
SMP M A560
SMP M A590
SMP M A600
SMP M A64
DSC M B24 B208
SMP M B373
SMP M B80
SMP M N761
SMP M N952
DSC M R75 B208

N761 Address

DSC M B24 B208
DSC M R75 B208

N762 Address

SMP M A181
SMP M A510
SMP M A527
SMP M A540 -A541
SMP M A560
SMP M A57
SMP M A590

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208
SMP	M	B373	
SMP	M	N763	
SMP	M	N904	
DSC	M	R75	B208

N763 Address

DSC	M	B24	B208
DSC	M	R75	B208

N764 Address

DSC	M	B24	B208
DSC	M	R75	B208

N765 Address

DSC	M	B24	B208
DSC	M	R75	B208

N766 Address

DSC	M	B24	B208
DSC	M	R75	B208

N768 Address

DSC	M	B24	B208
DSC	M	R75	B208

N809 Address

SMP		N800	-N808
-----	--	------	-------

N810 Address

LMP		N811	-N814
-----	--	------	-------

N811 Address

LMP		N813	-N814
-----	--	------	-------

N816 Address

LMP		N812	-N814
-----	--	------	-------

N819 Address

SMP		N810	-N818
-----	--	------	-------

N820 Address

DS		C510	-C58
DS		C796	
DS	M	C798	

N829 Address

SMP		N820	-N828
-----	--	------	-------

N831 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	C56	-C579
DS	M	C796	
DS	M	C798	
DS	M	D073	
DS	M	D27	
DS	M	D282	-D287
DS	M	D391	-D397
DS	M	N700	-N739
DS	M	N830	
DS	M	N832	-N838
DS	M	Q500	-Q506
DS	M	T455	

N833 Address

DSC		B24	B238
DSC		R75	B238

N834 Address

DSC		B24	B238
DSC		R75	B238

N835 Address

DSC		B24	B238
DSC		R75	B238

N836 Address

DSC		B24	B238
LMP		N897	
DSC		R75	B238
DS		T455	

N838 Address

DS	M	T455	
----	---	------	--

N839 Address

DSC		B24	B238
SMP	M	C56	-C570
SMP	M	C796	
SMP	M	C798	
SMP	M	D073	
SMP	M	D27	
SMP	M	D282	
SMP	M	D391	
SMP	M	D397	
SMP		N830	-N838
SMP	M	Q500	-Q504
SMP	M	Q506	
DSC		R75	B238

N849 Address

ICD-10-Mortality Manual 2c - 2014

SMP N840 -N848

N857 Address

DS C510 -C58
DS C763
DS C796
DS M C798
DS D060 -D073
DS M D097
DS D250 -D289
DS M D367
DS D390 -D399
DS M D487
DS N700 -N856
DS N858
DS N86 -N889
LMP N897
DS Q500 -Q519
DS T455

N859 Address

SMP C530 -C55
SMP M C798
SMP D060 -D069
SMP M D070
SMP M D073
SMP D250 -D269
SMP D390
SMP N850 -N858
SMP Q510 -Q519

N879 Address

SMP N870 -N872

N880 Address

DS C530 -C55
DS M C798
DS D060 -D069
DS D260 -D269
DS D390

N888 Address

DS M C510 -C58
DS M C796
DS M C798
DS M D060 -D073
DS M D250 -D289
DS M D390 -D399
DS M N700 -N884
DS M N910 -N959

ICD-10-Mortality Manual 2c - 2014

DS M T455

N889 Address

SMP C530 -C549
SMP M C798
SMP D060 -D069
SMP M D073
SMP D250 -D261
SMP D390
SMP N880 -N888
SMP Q510 -Q519

N894 Address

DS C52
DS M C798
DS D072
DS D281
DS D397

N899 Address

DS M C510 -C519
SMP C52
DS M C530 -C58
DS M C763
DS M C796
SMP M C798
DS M D060 -D071
SMP D072
DS M D073
DS M D097
DS M D250 -D280
SMP D281
DS M D282 -D289
DS M D367
DS M D390 -D392
SMP M D397
DS M D399
DS M D487
DS M N700 -N889
SMP N890 -N898
DS M N910 -N959
DS M Q500 -Q519
SMP Q520 -Q524
DS M Q525 -Q529

N904 Address

DS C510 -C519
DS M C798
DS D071
DS D280

ICD-10-Mortality Manual 2c - 2014

DS M D397

N908 Address

DS M T455

N909 Address

SMP C510 -C519
SMP M C798
SMP D071
SMP D280
SMP M D397
SMP N900 -N908
SMP Q525 -Q527

N912 Address

SMP N910 -N911

N915 Address

SMP N913 -N914

N920 Address

LMP N921

N926 Address

DS C510 -C58
DS M C763
DS C796
DS M C798
DS D060 -D073
DS M D097
DS D250 -D289
DS M D367
DS D390 -D399
DS M D487
DS N700 -N709
DS M N710 -N909
SMP N920 -N925
DS Q500 -Q529

N930 Address

DS T455

N938 Address

DS T455

N939 Address

SMP N930 -N938
DS T455

N940 Address

ICD-10-Mortality Manual 2c - 2014

DS N700 -N909

N941 Address

DS N700 -N909

N946 Address

DS N700 -N909

N948 Address

DS M C510 -C58
DS M C763
DS M C796
DS M C798
DS M D060 -D073
DS M D097
DS M D250 -D289
DS M D367
DS M D390 -D399
DS M D487
DS M N700 -N946
DS M N950 -N959
DS M Q500 -Q529
DS M T455

N949 Address

SMP C510 -C58
SMP M C798
SMP D250 -D289
SMP D390 -D399
DS N700 -N909
SMP N940 -N948
SMP Q500 -Q528
SMP Q562

N950 Address

SDC F09 F28

N951 Address

SDC F09 F28

N952 Address

SDC F09 F28

N953 Address

SDC F09 F28

N958 Address

SDC F09 F28

N959 Address

ICD-10-Mortality Manual 2c - 2014

SDC F09 F28
SMP N950 -N958

N979 Address

SMP N970 -N978
LMC Q506 N971
LMC Q519 N972

N989 Address

SMP N980 -N988

N990 Address

DS Y830 -Y849
DS Y883

N991 Address

DS Y830 -Y849
DS Y883

N992 Address

DS M Y831 -Y832
DS M Y834
DS M Y836 -Y839
DS M Y883

N993 Address

DS M Y836
DS M Y883

N994 Address

DS M Y830 -Y849
DS M Y883

N995 Address

DS M Y833
DS M Y883

N999 Address

SMP N990 -N998

O

O009 Address

SMP O000 -O008

O019 Address

SMP O010 -O011

O029 Address

SMP O020 -O028

ICD-10-Mortality Manual 2c - 2014

0030 Address

LMP O100 -O299
LMP O310 -O998

0032 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I359
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033
DS O038
DS O043
DS O048
DS O053
DS O058
DS O063
DS O068
DS O073
DS O078
DS O087
DS M O223
DS M O229
DS O60 -O849
DS M O871
DS M O879
DS O994
DS T801
DS T817
DS T828
DS T838
DS T848
DS T858
DS Y600 -Y849

0034 Address

SMP O030 -O033
LMC O080 O030
LMC O081 O031

ICD-10-Mortality Manual 2c - 2014

LMC	O082	O032
LMC	O083 -0089	O033

O037 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O039 Address

SMP	M	O030	-O038
LMC		O080	O035
LMC		O081	O036
LMC		O082	O037
LMC		O083 -0089	O038

ICD-10-Mortality Manual 2c - 2014

0042 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

0044 Address

SMP		O040	-O043
LMC		O080	O040
LMC		O081	O041
LMC		O082	O042
LMC		O083	-O089 O043

0047 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

0049 Address

SMP	M	O040	-O048	
LMC		O080		O045
LMC		O081		O046
LMC		O082		O047
LMC		O083	-O089	O048

0052 Address

DS	M	I011	
DS	M	I020	

ICD-10-Mortality Manual 2c - 2014

DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O054 Address

SMP		O050	-O053	
LMC		O080		O050
LMC		O081		O051
LMC		O082		O052
LMC		O083	-O089	O053

O057 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083

ICD-10-Mortality Manual 2c - 2014

DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O059 Address

SMP	M	O050	-O058	
LMC		O080		O055
LMC		O081		O056
LMC		O082		O057
LMC		O083	-O089	O058

O062 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	

ICD-10-Mortality Manual 2c - 2014

DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

0064 Address

SMP		O060	-O063	
LMC		O080		O060
LMC		O081		O061
LMC		O082		O062
LMC		O083	-O089	O063

0067 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339

ICD-10-Mortality Manual 2c - 2014

DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

0069 Address

SMP		O065	-O068
LMC		O080	O065
LMC		O081	O066
LMC		O082	O067
LMC		O083	-O089 O068

0072 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	

ICD-10-Mortality Manual 2c - 2014

DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O074 Address

LMC		O080	O070
LMC		O081	O071
LMC		O082	O072
LMC		O083	-O089 O073

O077 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I359
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741

ICD-10-Mortality Manual 2c - 2014

DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O079 Address

SMP	O070	-O078	
LMC	O080		O075
LMC	O081		O076
LMC	O082		O077
LMC	O083	-O089	O078

O080 Address

DS	O030		
DSC	O034		O030
DS	O035		
DSC	O039		O035
DS	O040		
DSC	O044		O040
DS	O045		
DSC	O049		O045
DS	O050		
DSC	O054		O050
DS	O055		
DSC	O059		O055
DS	O060		
DSC	O064		O060
DS	O065		

ICD-10-Mortality Manual 2c - 2014

DSC	0069	0065
DS	0070	
DSC	0074	0070
DS	0075	
DSC	0079	0075

0081 Address

DS	0031	
DSC	0034	0031
DS	0036	
DSC	0039	0036
DS	0041	
DSC	0044	0041
DS	0046	
DSC	0049	0046
DS	0051	
DSC	0054	0051
DS	0056	
DSC	0059	0056
DS	0061	
DSC	0064	0061
DS	0066	
DSC	0069	0066
DS	0071	
DSC	0074	0071
DS	0076	
DSC	0079	0076

0082 Address

DS	M	I011	
DS	M	I020	
DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I379
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		0032	-0033
DSC		0034	0032
DS		0037	-0038
DSC		0039	0037
DS		0042	-0043
DSC		0044	0042

ICD-10-Mortality Manual 2c - 2014

DS		0047	-0048	
DSC		0049		0047
DS		0052	-0053	
DSC		0054		0052
DS		0057	-0058	
DSC		0059		0057
DS		0062	-0063	
DSC		0064		0062
DS		0067	-0068	
DSC		0069		0067
DS		0072	-0073	
DSC		0074		0072
DS		0077	-0078	
DSC		0079		0077
DS		0087		
DS	M	0223		
DS	M	0229		
DS		060	-0849	
DS	M	0871		
DS	M	0879		
DS		0994		
DS		T801		
DS		T817		
DS		T828		
DS		T838		
DS		T848		
DS		T858		
DS		Y600	-Y849	

0083 Address

DS	M	0033		
DSC		0034		0033
DS	M	0038		
DSC		0039		0038
DS	M	0043		
DSC		0044		0043
DS	M	0048		
DSC		0049		0048
DS	M	0053		
DSC		0054		0053
DS	M	0058		
DSC		0059		0058
DS	M	0063		
DSC		0064		0063
DS	M	0068		
DSC		0069		0068
DS	M	0073		
DSC		0074		0073
DS	M	0076		
DSC		0079		0078

ICD-10-Mortality Manual 2c - 2014

0084 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038
DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053
DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0085 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038
DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053
DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0086 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038

ICD-10-Mortality Manual 2c - 2014

DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053
DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0087 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038
DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053
DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0088 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038
DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053

ICD-10-Mortality Manual 2c - 2014

DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0089 Address

DS	M	0033	
DSC		0034	0033
DS	M	0038	
DSC		0039	0038
DS	M	0043	
DSC		0044	0043
DS	M	0048	
DSC		0049	0048
DS	M	0053	
DSC		0054	0053
DS	M	0058	
DSC		0059	0058
DS	M	0063	
DSC		0064	0063
DS	M	0068	
DSC		0069	0068
DS	M	0073	
DSC		0074	0073
DS	M	0078	
DSC		0079	0078

0100 Address

LMC		0120	-0122	011
DSC	M	013		011
DSC		0140	-0149	011
SMP		0150	-0159	

0101 Address

LMC		0120	-0122	011
DSC	M	013		011
DSC		0140	-0149	011

0102 Address

LMC		0120	-0122	011
DSC	M	013		011
DSC		0140	-0149	011
SMP		0150	-0159	

ICD-10-Mortality Manual 2c - 2014

O103 Address

LMC		O120	-O122	O11
DSC	M	O13		O11
DSC		O140	-O149	O11
SMP		O150	-O159	

O104 Address

LMC		O120	-O122	O11
DSC	M	O13		O11
DSC		O140	-O149	O11
SMP		O150	-O159	

O109 Address

SMP		O011		
SMP		O100	-O104	
LMC		O120	-O122	O11
DSC	M	O13		O11
DSC		O140	-O149	O11
SMP		O150	-O159	

O120 Address

LMC		O100	-O109	O11
DS		O11		
LMC		O121		O122
SMP		O122		
LMC		O13		O149
DS		O140	-O149	
SMP		O150	-O159	
DSC	M	O16		O140
DSC	M	O16		O141
DSC	M	O16		O149

O121 Address

LMC		O100	-O109	O11
DS		O11		
LMC		O120		O122
SMP		O122		
LMC		O13		O149
DS		O140	-O149	
SMP		O150	-O159	
DSC	M	O16		O140
DSC	M	O16		O141
DSC	M	O16		O149

O122 Address

LMC		O100	-O109	O11
DS		O11		
LMC		O13		O149
DS		O140	-O149	

ICD-10-Mortality Manual 2c - 2014

SMP		O150	-O159	
DSC	M	O16		O140
DSC	M	O16		O141
DSC	M	O16		O149

O13 Address

LMC	M	O100	-O109	O11
DSC		O120	-O122	O149
DS		O140	-O141	
SMP		O150	-O159	

O140 Address

LMC		O100	-O109	O11
SMP		O150	-O159	

O141 Address

LMC		O100	-O109	O11
SMP		O150	-O159	

O142 Address

LMC		O100	-O109	O11
SMP		O150	-O159	

O149 Address

LMC		O100	-O109	O11
SMP		O13	-O141	
SMP		O150	-O159	

O159 Address

SMP		O150	-O152	
-----	--	------	-------	--

O16 Address

SMP		O100	-O11	
LMC	M	O120	-O122	O140
LMC	M	O120	-O122	O141
LMC	M	O120	-O122	O149
SMP		O13	-O152	
SMC		O159		O150

O209 Address

SMP		O200	-O208	
-----	--	------	-------	--

O210 Address

LMC		O992		O211
-----	--	------	--	------

O219 Address

SMP		O210	-O218	
-----	--	------	-------	--

O229 Address

SMP		O220	-O228	
-----	--	------	-------	--

0239 Address

SMP M O230 -O235

0249 Address

SMP O240 -O244

0269 Address

SMP O260 -O268

0289 Address

SMP O280 -O288

0299 Address

SMP O200 -O298

0309 Address

SMP O300 -O308

0310 Address

LMP O640 -O669

0311 Address

LMP O640 -O669

0312 Address

LMP O640 -O669

0318 Address

LMP O640 -O669

0320 Address

LMP O330 -O339

0321 Address

LMP O330 -O339
LDC O669 O641

0322 Address

LMP O330 -O339
LDC O669 O644

0323 Address

LMP O330 -O339
LDC M O669 O640
LDC M O669 O642
LDC M O669 O643

0324 Address

LMP O330 -O339

ICD-10-Mortality Manual 2c - 2014

LDC 0669 0648

0325 Address

LMP 0330 -0339

LDC 0669 0648

0326 Address

LMP 0330 -0339

LDC 0669 0645

0328 Address

LMP 0330 -0339

0329 Address

SMP 0320 -0328

LMP 0330 -0339

0330 Address

LMP M 0650

LMP M 0658

LMC M 0669 0650

LMC M 0669 0658

0331 Address

LMP 0651

LMC 0669 0651

0332 Address

LMP 0652

LMC 0669 0652

0333 Address

LMP 0653

LMC 0669 0653

0335 Address

LMP 0662

LMC 0669 0662

0336 Address

LMP 0663

LMC 0669 0663

0337 Address

LMP 0663

LMC 0669 0663

0338 Address

LMP M 0650

LMC M 0669 0650

0339 Address

LMP	0330	-0333	
SMP	0334	-0338	
LMP	0654		
LMC	0669		0654

0340 Address

LMC	0669		0655
-----	------	--	------

0341 Address

LMP	0655		
LMC	0669		0655

0342 Address

LMP	0655		
LMC	0669		0655

0343 Address

LMP	0655		
LMC	0669		0655

0344 Address

LMP	0655		
LMC	0669		0655

0345 Address

LMP	0655		
LMC	0669		0655

0346 Address

LMP	0655		
LMC	0669		0655

0347 Address

LMP	0655		
LMC	0669		0655

0348 Address

LMP	0655		
LMC	0669		0655

0349 Address

SMP	0340	-0348	
LMP	0655		
LMC	0669		0655

0359 Address

SMP	0350	-0358	
-----	------	-------	--

O369 Address

SMP 0350 -0368

O419 Address

SMP 0410 -0418

O429 Address

SMP 0420 -0422

O431 Address

LMC 0649 0468

LMC 0679 0678

O439 Address

SMP 0430 -0438

SMP 0440 -0459

O440 Address

SMP 0441

LMC 0468 -0469 0441

LMC 0679 0678

O441 Address

LMC M 0469 0468

LMC M 0679 0678

O459 Address

SMP 0450 -0458

LMC 0670 0450

O469 Address

SMP 0460 -0468

LMC 0670 0460

O479 Address

SMP 0470 -0471

O619 Address

SMP 0610 -0618

O629 Address

SMP 0620 -0628

O639 Address

SMP 0630 -0632

O640 Address

LMP 0650 -0659

ICD-10-Mortality Manual 2c - 2014

O641 Address

LMP 0650 -0659

O642 Address

LMP 0650 -0659

O643 Address

LMP 0650 -0659

O644 Address

LMP 0650 -0659

O645 Address

LMP 0650 -0659

O648 Address

LMP 0650 -0659

O649 Address

SMP 0640 -0648

LMP 0650 -0659

O659 Address

SMP 0650 -0658

O669 Address

DSC M 0330 0650

DSC M 0330 0658

DSC 0331 0651

DSC 0332 0652

DSC 0333 0653

DSC 0335 0662

DSC 0336 -0337 0663

DSC M 0338 0650

DSC 0339 0654

DSC 0340 -0349 0655

SMP 0640 -0668

O679 Address

DSC M 0431 0678

SMP 0670 -0678

O680 Address

LMC 0681 0682

LMP 0682

O681 Address

LMC 0680 0682

LMP 0682

0689 Address

SMP 0680 -0688

0699 Address

SMP 0690 -0698

0709 Address

SMP 0700 -0703

0714 Address

LMP 0700 -0709

0719 Address

SMP 0710 -0718

0721 Address

LMP M 0720

0730 Address

LMP 0720

0731 Address

LMP 0722

0749 Address

SMP 0740 -0748

0759 Address

SMP 0060 -0758

0800 Address

SMP 0000 -0079

SMP 0100 -0759

DS 0801 -0927

SMP 0980 -0998

0801 Address

SMP 0000 -0079

SMP 0100 -0800

DS 0808 -0927

SMP 0980 -0998

0808 Address

SMP 0000 -0079

SMP 0100 -0801

DS 0809 -0927

SMP 0980 -0998

0809 Address

ICD-10-Mortality Manual 2c - 2014

SMP 0000 -0079
SMP 0100 -0808
DS 0810 -0927
SMP 0980 -0998

0810 Address

SMP 0060 -0758

0811 Address

SMP 0060 -0758

0812 Address

SMP 0060 -0758

0813 Address

SMP 0060 -0758

0814 Address

SMP 0060 -0758

0815 Address

SMP 0060 -0758

0820 Address

SMP 0060 -0758

0821 Address

SMP 0060 -0758

0822 Address

SMP 0060 -0758

0828 Address

SMP 0060 -0758

0829 Address

SMP 0060 -0758

0830 Address

SMP 0060 -0758

0831 Address

SMP 0060 -0758

0832 Address

SMP 0060 -0758

0833 Address

SMP 0060 -0758

ICD-10-Mortality Manual 2c - 2014

0834 Address

SMP 0060 -0758

0838 Address

SMP 0060 -0758

0839 Address

SMP 0060 -0758

0840 Address

SMP 0060 -0758

0841 Address

SMP 0060 -0758

0842 Address

SMP 0060 -0758

0848 Address

SMP 0060 -0758

0849 Address

SMP 0060 -0758

0879 Address

SMP 0870 -0878

0882 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I359
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS 0033
DS 0038
DS 0043
DS 0048
DS 0053
DS 0058

ICD-10-Mortality Manual 2c - 2014

DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
SMP	M	O880	-O881
SMP	M	O883	-O888
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

O899 Address

SMP		O890	-O898
-----	--	------	-------

O909 Address

SMP		O085	-O908
SMP		O910	-O927

O927 Address

SMP	M	O920	-O926
-----	---	------	-------

O95 Address

SMP		O000	-O079
SMP		O100	-O927
SMP		O980	-O998

O961 Address

SMP		O960	
-----	--	------	--

O969 Address

SMP		O960	-O961
-----	--	------	-------

O971 Address

SMP		O970	
-----	--	------	--

O979 Address

SMP		O970	-O971
-----	--	------	-------

O980 Address

SMP		O000	-O209
-----	--	------	-------

ICD-10-Mortality Manual 2c - 2014

SMP 0212 -0927

0981 Address

SMP 0000 -0209

SMP 0212 -0927

0982 Address

SMP 0000 -0209

SMP 0212 -0927

0983 Address

SMP 0000 -0209

SMP 0212 -0927

0984 Address

SMP 0000 -0209

SMP 0212 -0927

0985 Address

SMP 0000 -0209

SMP 0212 -0927

0986 Address

SMP 0000 -0209

SMP 0212 -0927

0988 Address

SMP 0000 -0209

SMP 0212 -0927

0989 Address

SMP 0000 -0927

SMP 0980 -0988

0990 Address

SMP 0000 -0209

SMP 0212 -0927

LMC 0991 -0997 0998

DS M 0998

0991 Address

SMP 0000 -0209

SMP 0212 -0927

LMC 0990 0998

LMC 0992 -0997 0998

DS M 0998

0992 Address

SMP 0000 -0079

SMP 0100 -0927

ICD-10-Mortality Manual 2c - 2014

LMC	O210		O211
LMC	O990	-O991	O998
LMC	O993	-O997	O998
DS	M	O998	

O993 Address

SMP	O000	-O079	
SMP	O100	-O927	
LMC	O990	-O992	O998
LMC	O994	-O997	O998
DS	M	O998	

O994 Address

SMP	O000	-O079	
SMP	O100	-O927	
LMC	O990	-O993	O998
LMC	O995	-O997	O998
DS	M	O998	

O995 Address

SMP	O000	-O079	
SMP	O100	-O927	
LMC	O990	-O994	O998
LMC	O996	-O997	O998
DS	M	O998	

O996 Address

SMP	O000	-O079	
SMP	O100	-O927	
LMC	O990	-O995	O998
LMC	O997		O998
DS	M	O998	

O997 Address

SMP	O000	-O079	
SMP	O100	-O927	
DSC	M	O990	-O996 O998
DS	M	O998	

O998 Address

SMP	O000	-O079	
SMP	O100	-O927	

P

P009 Address

SMP	P000	-P008	
-----	------	-------	--

P011 Address

ICD-10-Mortality Manual 2c - 2014

DS Q600 -Q611
DS Q613 -Q619
DS Q621
DS Q623 -Q624

P012 Address

DS P011
DS Q600 -Q611
DS Q613 -Q619
DS Q621
DS Q623 -Q624

P018 Address

DS P010 -P017

P019 Address

SMP P010 -P018

P022 Address

SMP M P020 -P021
SMP M P023

P025 Address

LMP M P024

P026 Address

SMP M P024 -P025
LDC P509 P500

P029 Address

SMP P020 -P028

P039 Address

SMP P030 -P038

P049 Address

SMP P040 -P048

P059 Address

SMP P050 -P052

P070 Address

SMP P000 -P059
SMP P100 -P284
SMP P288 -P969

P071 Address

SMP P000 -P059
SMP M P070
SMP P100 -P284

ICD-10-Mortality Manual 2c - 2014

SMP P288 -P969

P072 Address

SMP P000 -P059
LMP P070 -P071
SMP P100 -P284
SMP P288 -P969
LDC P614 P612

P073 Address

SMP P000 -P059
LMP P070 -P071
SMP P072
SMP P100 -P284
SMP P288 -P969
LDC P614 P612

P080 Address

SMP P000 -P059
SMP P100 -P284
SMP P288 -P969

P081 Address

SMP P000 -P059
SMP P080
SMP P100 -P284
SMP P288 -P969

P082 Address

SMP P000 -P059
LMP P080 -P081
SMP P100 -P284
SMP P288 -P969

P108 Address

LMP M P101

P109 Address

SMP P100 -P108

P112 Address

SMP P110 -P111

P119 Address

SMP P110 -P115

P129 Address

SMP P120 -P128

P139 Address

ICD-10-Mortality Manual 2c - 2014

SMP P130 -P138

P149 Address

SMP P140 -P148

P159 Address

SMP P100 -P158

P209 Address

SMP P200 -P201

P219 Address

SMP P210 -P211

P229 Address

SMP P220 -P228

P236 Address

SMP M P233

P239 Address

SMP P230 -P238

P249 Address

SMP P240 -P248

P260 Address

DS P220 -P229

DS Q310 -Q349

DS Q600 -Q649

P261 Address

DS P220 -P229

DS Q310 -Q349

P268 Address

DS P220 -P229

DS Q310 -Q349

P269 Address

DS P220 -P229

SMP P260 -P268

P279 Address

SMP P270 -P278

P280 Address

DS P011 -P012

DS Q600 -Q611

DS Q613 -Q619

ICD-10-Mortality Manual 2c - 2014

DS Q621
DS Q623 -Q624

P281 Address

DS P220 -P229

P282 Address

DS P220 -P281

P288 Address

DS M P220 -P229

P289 Address

SMP P200 -P284
SMP P288
SMP P916

P290 Address

DS Q200 -Q249

P291 Address

DS Q200 -Q249

P299 Address

SMP P290 -P298

P359 Address

SMP P350 -P358

P369 Address

SMP P360 -P368

P379 Address

SMP M P370 -P378

P399 Address

SMP P350 -P398

P500 Address

LDC P614 P613

P501 Address

LDC P614 P613

P502 Address

LDC P614 P613

P503 Address

LDC P614 P613

ICD-10-Mortality Manual 2c - 2014

P504 Address

LDC P614 P613

P505 Address

LDC P614 P613

P508 Address

LDC P614 P613

P509 Address

SMP P500
LDP P501
SMP P502 -P508
LDC P614 P613

P519 Address

SMP P510 -P518

P521 Address

LMC P524 P522

P524 Address

LMC P521 P522

P529 Address

SMP P520 -P528

P543 Address

DS Q400 -Q419

P549 Address

SMP M P020 -P021
SMP P100 -P109
SMP M P115
SMP M P122
SMP M P150 -P159
SMP P260 -P269
SMP P500 -P529
SMP P540 -P548

P550 Address

LDC P579 P570
LDC P832 P560

P551 Address

LDC P579 P570
LDC P832 P560

P558 Address

ICD-10-Mortality Manual 2c - 2014

LDC	P579	P570
LDC	P832	P560

P559 Address

SMP	P550	-P558
LDC	P579	P570
LDC	P832	P560

P569 Address

SMP	P560
-----	------

P579 Address

SMP	P570	-P578
-----	------	-------

P589 Address

SMP	P580	-P588
-----	------	-------

P599 Address

LMC	D580	-D589	P588
LMP	E031		
LMP	E742		
LMP	E804	-E805	
LMP	E849		
LMC	K769		P592
LMC	P040	-P049	P584
LMC	P072	-P073	P590
LMC	P350	-P399	P582
LMC	P500	-P549	P581
LMP	P550	-P559	
LMP	P585	-P598	
LMC	P611		P583

P614 Address

LMC	P072	-P073	P612
-----	------	-------	------

P619 Address

SMP	P60	-P618
-----	-----	-------

P703 Address

LMP	P000	-P702
LMP	P721	
LMP	P760	-P969

P704 Address

LMP	P000	-P702
LMP	P721	
LMP	P760	-P969

P708 Address

LMP	P000	-P702
-----	------	-------

ICD-10-Mortality Manual 2c - 2014

LMP P721
LMP P760 -P969

P709 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P710 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P711 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P712 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P713 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P714 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P718 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P719 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P720 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P722 Address

LMP P000 -P702

ICD-10-Mortality Manual 2c - 2014

LMP P721
LMP P760 -P969

P728 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P729 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P740 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P741 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P742 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P743 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P744 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P745 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P748 Address

LMP P000 -P702
LMP P721
LMP P760 -P969

P749 Address

LMP P000 -P702

ICD-10-Mortality Manual 2c - 2014

LMP P721
LMP P760 -P969

P769 Address

SMP P760 -P768

P780 Address

DS P77

P789 Address

SMP P760 -P788

P809 Address

SMP P800 -P808

P819 Address

SMP P800 -P818

P833 Address

DS P550 -P570
DS P614

P839 Address

SMP P830 -P838

P919 Address

SMP P90 -P918

P929 Address

SMP P920 -P928

P949 Address

SMP P940 -P948

P969 Address

LMP P000 -P702
LMP P721
LMP P760 -P968
LMP Q000 -Q380
LMP Q382 -Q649
LMP Q750 -Q799
LMP Q859 -Q999

Q

Q019 Address

SMP Q010 -Q018

Q030 Address

LMP Q050 -Q054

ICD-10-Mortality Manual 2c - 2014

LMC	Q055	Q050
LMC	Q056	Q051
LMC	Q057	Q052
LMC	Q058	Q053
LMC	Q059	Q054

Q031 Address

LMP	Q050	-Q054
LMC	Q055	Q050
LMC	Q056	Q051
LMC	Q057	Q052
LMC	Q058	Q053
LMC	Q059	Q054

Q038 Address

LMP	Q050	-Q054
LMC	Q055	Q050
LMC	Q056	Q051
LMC	Q057	Q052
LMC	Q058	Q053
LMC	Q059	Q054

Q039 Address

SMP	Q030	-Q038
LMP	Q050	-Q054
LMC	Q055	Q050
LMC	Q056	Q051
LMC	Q057	Q052
LMC	Q058	Q053
LMC	Q059	Q054

Q043 Address

LMP	M	Q050	-Q054
LMC	M	Q055	Q050
LMC	M	Q056	Q051
LMC	M	Q057	Q052
LMC	M	Q058	Q053
LMC	M	Q059	Q054

Q049 Address

SMP	Q000	-Q048
SMP	Q050	-Q054

Q054 Address

SMP	Q050	-Q053
-----	------	-------

Q055 Address

LMC	Q030	-Q039	Q050
LMC	M	Q043	Q050
SMP	Q050		

ICD-10-Mortality Manual 2c - 2014

Q056 Address

LMC Q030 -Q039 Q051
LMC M Q043 Q051
SMP Q051

Q057 Address

LMC Q030 -Q039 Q052
LMC M Q043 Q052
SMP Q052

Q058 Address

LMC Q030 -Q039 Q053
LMC M Q043 Q053
SMP Q053

Q059 Address

LMC Q030 -Q039 Q054
LMC M Q043 Q054
SMP Q050 -Q058

Q069 Address

SMP Q060 -Q068

Q079 Address

SMP Q000 -Q078

Q103 Address

SMP M Q100 -Q102

Q106 Address

SMP M Q104 -Q105

Q129 Address

SMP Q120 -Q128

Q132 Address

SMP M Q130 -Q131

Q135 Address

LMP Q780

Q139 Address

SMP Q130 -Q138

Q149 Address

SMP Q140 -Q148

Q159 Address

SMP Q100 -Q158

Q169 Address

SMP Q160 -Q165

Q178 Address

LDC H905 Q169
LDC H919 Q169

Q179 Address

LDC H905 Q169
LDC H919 Q169
SMP Q160 -Q178

Q189 Address

SMP Q180 -Q188

Q203 Address

LMP Q213

Q209 Address

SMP Q200 -Q208

Q210 Address

LMP M Q204
LMP Q213

Q219 Address

SMP Q210 -Q218

Q220 Address

LMP Q213

Q221 Address

LMP Q213

Q229 Address

SMP Q224 -Q228

Q239 Address

SMP M Q230 -Q238

Q240 Address

LMP Q893

Q243 Address

LMP Q213

Q249 Address

SMP Q200 -Q248

Q254 Address

SMP M Q250 -Q253

Q259 Address

SMP Q250 -Q258

Q269 Address

SMP Q260 -Q268

Q272 Address

SMP M Q271

Q2780 Address

SMC I600 I6090
SMC I601 -I606 I6090
SMP M I6060
SMC I607 I6090
SMP I6070
SMC I608 I6090
SMP I6080
SMC I609 I6090
SMP I6090
SMC I610 -I629 I6090
SMP M Q141
SMP M Q245
SMP M Q257
SMP M Q2820
SMP Q2830

Q279 Address

SMP Q270 -Q278

Q282 Address

SMC I600 I608
SMC I601 -I606 I608
SMC I607 I608
SMP M I608
SMC I609 I608
SMC I610 -I629 I608

Q2820 Address

SMC I600 I6080
SMC I601 -I606 I6080
SMC I607 I6080
SMC I608 I6080
SMP M I6080
SMC I610 -I629 I6080

Q2830 Address

ICD-10-Mortality Manual 2c - 2014

SMC	I600		I6090
SMC	I601	-I606	I6090
SMP	M	I6060	
SMC	I607		I6090
SMP	M	I6070	
SMC	I608		I6090
SMP	M	I6080	
SMC	I609		I6090
SMP	M	I6090	
SMC	I610	-I629	I6090

Q289 Address

SMP	Q200	-Q288	
-----	------	-------	--

Q309 Address

SMP	Q300	-Q308	
SMP	M	Q674	

Q319 Address

SMP	Q310	-Q318	
-----	------	-------	--

Q321 Address

SMP	M	Q320	
-----	---	------	--

Q324 Address

SMP	M	Q323	
-----	---	------	--

Q339 Address

SMP	Q330	-Q338	
-----	------	-------	--

Q349 Address

SMP	Q300	-Q348	
-----	------	-------	--

Q351 Address

LMC	Q353		Q355
LMC	Q360		Q370
LMC	Q369		Q371

Q353 Address

LMC	Q351		Q355
LMC	Q360		Q372
LMC	Q369		Q373

Q355 Address

LMC	Q360		Q374
LMC	Q369		Q375

Q359 Address

SMP	M	Q351	-Q357
LMC	Q360		Q378

ICD-10-Mortality Manual 2c - 2014

LMC	Q369	Q379
SMP	Q370 -Q379	

Q360 Address

LMC	Q351	Q370
LMC	Q353	Q372
LMC	Q355	Q374
LMC	Q359	Q378

Q369 Address

LMC	Q351	Q371
LMC	Q353	Q373
LMC	Q355	Q375
LMC	Q359	Q379
SMP	Q360 -Q361	

Q370 Address

LMC	Q353	Q374
-----	------	------

Q371 Address

LMC	Q353	Q375
-----	------	------

Q372 Address

LMC	Q351	Q374
-----	------	------

Q373 Address

LMC	Q351	Q375
-----	------	------

Q378 Address

LMC	Q351	Q370
LMC	Q353	Q372
SMP	Q370	
SMP	Q372	
SMP	Q374	

Q379 Address

LMC	Q351	Q371
LMC	Q353	Q373
SMP	Q370 -Q378	

Q380 Address

SMP	M	Q360 -Q379
-----	---	------------

Q383 Address

SMP	M	Q380 -Q382
-----	---	------------

Q385 Address

SMP	M	Q351 -Q359
SMP	M	Q370 -Q379

Q388 Address

SMP M Q386 -Q387

Q390 Address

SMP Q391
LMC Q392 Q391

Q392 Address

LMC Q390 Q391
SMP Q391

Q399 Address

SMP Q390 -Q398

Q402 Address

LMP M Q395
LMP M Q893

Q403 Address

SMP Q400 -Q402

Q409 Address

SMP Q380 -Q408

Q419 Address

SMP Q410 -Q418

Q421 Address

SMP Q420
LMC M Q436 Q420

Q423 Address

SMP Q422
LMC M Q436 Q422

Q429 Address

SMP Q420 -Q428

Q436 Address

LMC M Q421 Q420
LMC M Q423 Q422

Q438 Address

LMP M Q433

Q439 Address

SMP M Q430 -Q432
LMP M Q433
SMP M Q434 -Q438

Q441 Address

SMP M Q440

Q445 Address

SMP M Q442 -Q444

Q446 Address

LMP Q611 -Q613 *

Q447 Address

SMP M Q446

Q453 Address

SMP M Q450 -Q452

Q458 Address

SMP M Q383 -Q384

SMP M Q398

SMP M Q402

SMP M Q408

SMP M Q410 -Q429

SMP M Q433 -Q434

SMP M Q438

SMP M Q440 -Q441

SMP M Q445

SMP M Q447 -Q450

SMP M Q453

Q459 Address

SMP Q380 -Q458

Q503 Address

SMP M Q500 -Q502

Q506 Address

SMP M Q504 -Q505

Q512 Address

LMC M Q518 Q511

LMC Q521 Q511

Q518 Address

LMC M Q512 Q511

LMC M Q521 Q511

Q519 Address

SMP Q510 -Q518

Q521 Address

ICD-10-Mortality Manual 2c - 2014

LMC Q512 Q511
LMC M Q518 Q511

Q524 Address

SMP Q520 -Q523

Q527 Address

SMP Q525 -Q526

Q529 Address

SMP Q500 -Q528

Q539 Address

SMP Q530 -Q532

Q549 Address

SMP Q540 -Q548

Q552 Address

SMP M Q550 -Q551

Q556 Address

SMP M Q555

Q559 Address

SMP Q530 -Q558

Q561 Address

LMC E279 E258
LMP E291
LMP E345

Q562 Address

LMP E250 -E259

Q563 Address

LMC E279 E258
SMP Q560 -Q562
LMP Q960 -Q999

Q602 Address

SMP Q600 -Q601

Q605 Address

SMP Q603 -Q604

Q613 Address

SMP Q610 -Q612

Q619 Address

ICD-10-Mortality Manual 2c - 2014

SMP Q610 -Q618

Q628 Address

SMP M Q620 -Q627

Q639 Address

SMP Q600 -Q620

SMP M Q623

SMP Q630 -Q638

Q647 Address

SMP M Q640 -Q646

Q649 Address

SMP Q600 -Q648

Q652 Address

SMP Q650 -Q651

Q655 Address

SMP Q653 -Q654

Q659 Address

SMP Q650 -Q658

Q669 Address

SMP Q660 -Q668

Q678 Address

SMP M Q676 -Q677

Q685 Address

SMP Q683 -Q684

Q699 Address

SMP Q690 -Q692

Q709 Address

SMP Q700 -Q704

LMC M Q788 Q700

LMC M Q788 Q702

Q719 Address

SMP Q710 -Q718

Q729 Address

SMP Q720 -Q728

Q730 Address

SMP Q710

ICD-10-Mortality Manual 2c - 2014

SMP Q720

Q731 Address

SMP Q711

SMP Q721

Q738 Address

SMP M Q710 -Q731

Q749 Address

SMP Q681 -Q748

Q750 Address

LMP M Q000

LMP M Q010 -Q039

LMP M Q050 -Q054

Q758 Address

LMP M Q000

LMP M Q010 -Q039

LMP M Q050 -Q054

Q759 Address

LMP M Q000

LMP M Q010 -Q039

LMP M Q050 -Q054

SMP Q750 -Q758

Q764 Address

LMP Q763

Q769 Address

SMP Q765 -Q768

Q779 Address

SMP Q770 -Q778

Q789 Address

LMC D180 Q784

LMP Q778 -Q779

SMP Q780 -Q788

Q791 Address

LMP Q790

Q799 Address

SMP Q650 -Q798

Q809 Address

SMP Q800 -Q808

Q819 Address

SMP Q810 -Q818

Q829 Address

SMP Q820 -Q828

Q838 Address

LMC Q832 Q830

Q839 Address

SMP Q830 -Q838

Q842 Address

SMP M Q840 -Q841

Q846 Address

SMP M Q843 -Q845

Q849 Address

SMP Q800 -Q848

Q859 Address

SMP Q850 -Q858

Q897 Address

SMP Q000 -Q079
SMP Q200 -Q349
SMP Q380 -Q799
SMP Q870 -Q894
SMP Q898
SMP Q900 -Q999

Q899 Address

SMP Q000 -Q898
SMP Q900 -Q999

Q909 Address

SMP Q900 -Q902

Q929 Address

SMP Q920 -Q923
LMP M Q924 -Q925
SMP Q926 -Q928

Q935 Address

LMP M Q937

Q939 Address

SMP Q930 -Q938

Q959 Address

SMP Q950 -Q958

Q969 Address

SMP Q960 -Q968

Q979 Address

SMP Q970 -Q978

Q989 Address

SMP Q980 -Q988

Q999 Address

SMP Q900 -Q998

R

R000 Address

DS I010 -I099
DS I110 -I119
DS I130 -I461
DS I470 -I519
DS J380 -J399

R002 Address

DS I010 -I099
DS I110 -I119
DS I130 -I461
DS I470 -I519

R010 Address

DS I010 -I099
DS I110 -I119
DS I130 -I461
DS I470 -I519

R011 Address

DS I010 -I099
DS I110 -I119
DS I130 -I461
DS I470 -I519

R012 Address

DS I010 -I099
DS I110 -I119
DS I130 -I461
DS I470 -I519

R02 Address

ICD-10-Mortality Manual 2c - 2014

DS		A480	
DSC		E100	-E104 E107
DS		E105	
DSC		E106	E107
DS		E107	
DSC		E108	E107
DSC		E109	E105
DSC		E110	-E114 E117
DS		E115	
DSC		E116	E117
DS		E117	
DSC		E118	E117
DSC		E119	E115
DSC		E120	-E124 E127
DS		E125	
DSC		E126	E127
DS		E127	
DSC		E128	E127
DSC		E129	E125
DSC		E130	-E134 E137
DS		E135	
DSC		E136	E137
DS		E137	
DSC		E138	E137
DSC		E139	E135
DSC		E140	-E144 E147
DS		E145	
DSC		E146	E147
DS		E147	
DSC		E148	E147
DSC		E149	E145
DS		I702	
DSC		I709	I702
DS		I730	-I739
DS		K352	-K389
DSC	M	K400	K401
DSC	M	K402	K401
DSC	M	K403	K404
DSC	M	K409	K404
DSC	M	K410	K411
DSC	M	K412	K411
DSC	M	K413	K414
DSC	M	K419	K414
DSC	M	K420	K421
DSC	M	K429	K421
DSC	M	K430	K431
DSC	M	K439	K431
DSC	M	K440	K441
DSC	M	K449	K441
DSC	M	K450	K451

ICD-10-Mortality Manual 2c - 2014

DSC	M	K458	K451
DSC	M	K460	K461
DSC	M	K469	K461
IDDC	M	L080	L88
IDDC	M	L309	L88

R030 Address

DS	I10	-I150
----	-----	-------

R040 Address

DS	C300	-C319
DS	C783	
DS	C910	-C959
DS	D023	
DS	D140	
DS	D385	
DS	I10	
DS	J00	-J019
DS	J068	-J069
DS	J300	-J311
DS	J320	-J348
DS	J393	-J399
DS	T455	

R041 Address

DS	C090	-C148
DS	C320	-C329
DS	C783	
DS	C798	
DS	C910	-C959
DS	D000	
DS	D020	
DS	D104	-D109
DS	D141	
DS	D370	
DS	D380	
DS	J00	
DS	J020	-J040
DS	J042	-J069
DS	J311	-J312
DS	J350	-J399
DS	T455	

R042 Address

DS	A150	-A1690
DS	C320	-C349
DS	C780	
DS	C783	
DS	C910	-C959
DS	D020	-D022

ICD-10-Mortality Manual 2c - 2014

DS	D141	-D143
DS	D380	-D381
DS	J040	-J22
DS	J370	-J387
DS	J393	-J989
DS	T455	

R048 Address

DS	A150	-A1690
DS	C320	-C349
DS	C780	
DS	C783	
DS	C910	-C959
DS	D020	-D022
DS	D141	-D143
DS	D380	-D381
DS	J040	-J22
DS	J370	-J387
DS	J393	-J989
DS	T455	

R049 Address

DS	T455	
----	------	--

R05 Address

DS	F453	
DS	J09	
DS	J101	
DSC	J1010	J101
DS	J111	
DSC	J1110	J111
DS	R042	

R060 Address

DS	A150	-A1690
DS	B909	
DS	C33	-C399
DS	C780	-C783
DS	D142	-D159
DS	D381	-D383
DS	M D385	-D386
DS	J40	-J989
DS	M P221	

R061 Address

DS	J385	
----	------	--

R062 Address

DS	A150	-A1690
DS	B909	

ICD-10-Mortality Manual 2c - 2014

DS		C33	-C399
DS		C780	-C783
DS		D142	-D159
DS		D381	-D383
DS	M	D385	-D386
DS		J40	-J989
DS	M	P221	

R064 Address

DS	M	F453	
IDDC	M	R060	R060
IDDC	M	R290	R068

R066 Address

DS	M	F453	
----	---	------	--

R090 Address

IDDC	M	G934	G931
IDDC	M	G939	G931
IDDC	M	N049	N170
DS		T360	-T659

R104 Address

DS		R100	
DSC		R193	R100

R11 Address

DS		J09	
DSC		J1010	J108
DS		J108	
DSC		J1110	J118
DS		J118	
DS		K250	-K289
DS		K800	-K820

R13 Address

DS		C150	-C159
DS	M	C788	
DS		D001	
DS		D130	
DS		D377	
DS		K220	-K229

R160 Address

IDDC	M	R161	R162
------	---	------	------

R161 Address

IDDC	M	D649	D648
IDDC		R160	R162

ICD-10-Mortality Manual 2c - 2014

R17 Address

DS	B150	-B199
DS	C220	-C259
DS	C787	-C788
DS	K700	-K839

R18 Address

DS	C160	-C269
DS	C56	
DS	C784	
DS	C787	-C788
DS	C796	
DS	C80	-C969
DS	K700	-K709
DS	K740	-K746

R193 Address

LMC	R104	R100
-----	------	------

R233 Address

DS	D690	-D699
----	------	-------

R238 Address

IDDC M	B07	L82
IDDC M	L309	L219
IDDC M	L83	L82

R250 Address

DS	G110	-G119
DS	G20	-G259
DS	G400	-G419
DS	G510	
DS	G800	-G839

R251 Address

DS	G110	-G119
DS	G20	-G259
DS	G400	-G419
DS	G510	
DS	G800	-G839

R252 Address

DS	G110	-G119
DS	G20	-G259
DS	G400	-G419
DS	G510	
DS	G800	-G839

R253 Address

ICD-10-Mortality Manual 2c - 2014

DS	G110	-G119
DS	G20	-G259
DS	G400	-G419
DS	G510	
DS	G800	-G839

R258 Address

DS	G110	-G119
DS	G20	-G259
DS	G400	-G419
DS	G510	
DS	G800	-G839

R260 Address

DS	A521	
----	------	--

R261 Address

DS	A521	
----	------	--

R262 Address

DS	A521	
----	------	--

R263 Address

IDDC	J180	J182
IDDC	J188	-J189 J182

R268 Address

DS	A521	
----	------	--

R270 Address

DS	A521	
DSC	A523	A521
DS	G110	-G119
IDDC M	G809	G804
IDDC M	G822	E538
IDDC	G839	G119
IDDC M	I781	G113
IDDC	R268	R260

R278 Address

DS	A521	
DS	G110	-G119

R290 Address

DS	E200	-E209
----	------	-------

R291 Address

DS	J09	
DSC	J1010	J108
DS M	J108	

ICD-10-Mortality Manual 2c - 2014

DSC	J1110	J118
DS M	J118	

R298 Address

DS	G800 -G839	
IDDC M	R568	G403

R300 Address

DS	C600 -C689	
DS	C790 -C791	
DS	C796	
DS M	C798	
DS	D060 -D061	
DS	D280 -D309	
DS	D390 -D419	
DS	N000 -N999	
DS	Q600 -Q649	

R301 Address

DS	C600 -C689	
DS	C790 -C791	
DS	C796	
DS M	C798	
DS	D060 -D061	
DS	D280 -D309	
DS	D390 -D419	
DS	N000 -N999	
DS	Q600 -Q649	

R309 Address

DS	C600 -C689	
DS	C790 -C791	
DS	C796	
DS M	C798	
DS	D060 -D061	
DS	D280 -D309	
DS	D390 -D419	
DS	N000 -N999	
DS	Q600 -Q649	

R31 Address

DS	B508	
DSC	B54	B508
DS	C600 -C689	
DS	C790 -C791	
DS	C796	
DS M	C798	
DS	D060 -D061	
DS	D280 -D309	
DS	D390 -D419	

ICD-10-Mortality Manual 2c - 2014

DS	N000	-N999
DS	Q600	-Q649
DS	T455	

R32 Address

DS	C600	-C689
DS	C790	-C791
DS	C796	
DS	M C798	
DS	D060	-D061
DS	D280	-D309
DS	D390	-D419
DS	N000	-N999
DS	Q600	-Q649

R33 Address

DS	C600	-C689
DS	C790	-C791
DS	C796	
DS	M C798	
DS	D060	-D061
DS	D280	-D309
DS	D390	-D419
DS	N000	-N999
DS	Q600	-Q649

R34 Address

DS	C600	-C689
DS	C790	-C791
DS	C796	
DS	M C798	
DS	D060	-D061
DS	D280	-D309
DS	D390	-D419
DS	N000	-N999
DS	Q600	-Q649
DS	T795	

R35 Address

DS	C600	-C689
DS	C790	-C791
DS	C796	
DS	M C798	
DS	D060	-D061
DS	D280	-D309
DS	D390	-D419
DS	N000	-N999
DS	Q600	-Q649

R36 Address

ICD-10-Mortality Manual 2c - 2014

DS		C600	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D061
DS		D280	-D309
DS		D390	-D419
DS		N000	-N999
DS		Q600	-Q649

R390 Address

DS		C600	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D061
DS		D280	-D309
DS		D390	-D419
DS		N000	-N999
DS		Q600	-Q649

R391 Address

DS		C600	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D061
DS		D280	-D309
DS		D390	-D419
DS		N000	-N999
DS		Q600	-Q649

R392 Address

DS		C600	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D061
DS		D280	-D309
DS		D390	-D419
DS		N000	-N999
DS		Q600	-Q649

R398 Address

DS		C600	-C689
DS		C790	-C791
DS		C796	
DS	M	C798	
DS		D060	-D061
DS		D280	-D309

ICD-10-Mortality Manual 2c - 2014

DS	D390	-D419
DS	N000	-N999
DS	Q600	-Q649

R400 Address

DS	E100	
DS	E107	
DS	E110	
DS	E117	
DS	E120	
DS	E127	
DS	E130	
DS	E137	
DS	E140	
DS	E147	
DS	E15	
DS	K729	
DS	S020	-S024
DS	S026	-S029
DS	S060	-S099
DS	T902	
DS	T905	-T909

R401 Address

DS	E100	
DS	E107	
DS	E110	
DS	E117	
DS	E120	
DS	E127	
DS	E130	
DS	E137	
DS	E140	
DS	E147	
DS	E15	
DS	K729	
DS	S020	-S024
DS	S026	-S029
DS	S060	-S099
DS	T902	
DS	T905	-T909

R402 Address

DS	E100	
DSC	E101	E100
DSC	E102	-E106 E107
DS	E107	
DSC	E108	E107
DSC	E109	E100
DS	E110	

ICD-10-Mortality Manual 2c - 2014

DSC	E111		E110
DSC	E112	-E116	E117
DS	E117		
DSC	E118		E117
DSC	E119		E110
DS	E120		
DSC	E121		E120
DSC	E122	-E126	E127
DS	E127		
DSC	E128		E127
DSC	E129		E120
DS	E130		
DSC	E131		E130
DSC	E132	-E136	E137
DS	E137		
DSC	E138		E137
DSC	E139		E130
DS	E140		
DSC	E141		E140
DSC	E142	-E146	E147
DS	E147		
DSC	E148		E147
DSC	E149		E140
DS	E15		
DSC	E160	-E162	E15
DS	K729		
DS	S020	-S024	
DS	S026	-S029	
DS	S060	-S099	
DS	T902		
DS	T905	-T909	

R413 Address

DSC	F109		F106
-----	------	--	------

R418 Address

DSC	M	F109	F107
-----	---	------	------

R502 Address

DS	F110	-F169	
DS	F180	-F199	
DS	T360	-T509	
DS	T880	-T883	
DS	T885	-T887	
DS	T96		
DS	M	T983	
DS	X40	-X44	
DS	X60	-X64	
DS	X85		
DS	Y10	-Y14	

ICD-10-Mortality Manual 2c - 2014

DS Y400 -Y599
DS Y870 -Y880

R509 Address

IDDC M R568 R560
IDDC M R688 R508

R529 Address

DSC G547 G546

R54 Address

SENMC M B07 L82
SENMC M D180 I781
SENMC M D229 I781
SENMC M E41 R54
SENMC M F059 F051
SENDC M F068 F03
SENMC F09 F03
SENDC M F220 F03
SENDC M F233 F03
SENDC M F329 F03
SENDC M F39 F03
SENMC M F99 F03
SENMC G309 G301
SENDC M G319 G311
SENDC M G379 I672
SENDC M G409 G408
SENDC M G939 G311
SENDC M H269 H259
SENDC M H525 H524
SENDC M I129 N26
SENDC M I150 N26
SENDC M I509 R54
SENDC M I519 I514
SENDC M I776 I709
SENDC M J40 J42
SENDC M L130 L120
SENDC M L299 L298
SENDC M L859 L570
SENDC M L909 L908
SENDC M M139 M199
SENDC M M469 M479
SENDC M819 M818
SENDC M M839 M831
SENDC M N760 N952
SENDC M R02 I702
SENDC M R53 R54
SENDC M R64 R54
SENDC M R688 R54

ICD-10-Mortality Manual 2c - 2014***R568 Address***

DS	A35		
DS	G400	-G419	
DS	O100	-O11	
DS	O13	-O16	
IDDC M	R290		R290

R572 Address

LMP	A000	-B99	
-----	------	------	--

R579 Address

IDDC M	J984		J80
--------	------	--	-----

R58 Address

IDDC M	D649		D500
IDDC M	D649		D62
DS	K250		
DSC	K251		K252
DS	K252		
DSC	K253		K250
DS	K254		
DSC	K255		K256
DS	K256		
DSC	K257	-K259	K254
DS	K260		
DSC	K261		K262
DS	K262		
DSC	K263		K260
DS	K264		
DSC	K265		K266
DS	K266		
DSC	K267	-K269	K264
DS	K270		
DSC	K271		K272
DS	K272		
DSC	K273		K270
DS	K274		
DSC	K275		K276
DS	K276		
DSC	K277	-K279	K274
DS	K280		
DSC	K281		K282
DS	K282		
DSC	K283		K280
DS	K284		
DSC	K285		K286
DS	K286		
DSC	K287	-K289	K284
IDDC M	R05		R042

ICD-10-Mortality Manual 2c - 2014

DS T455

R5800 Address

IDDC M	D649		D500
IDDC M	D649		D62
DS	K250		
DSC	K251		K252
DS	K252		
DSC	K253		K250
DS	K254		
DSC	K255		K256
DS	K256		
DSC	K257	-K259	K254
DS	K260		
DSC	K261		K262
DS	K262		
DSC	K263		K260
DS	K264		
DSC	K265		K266
DS	K266		
DSC	K267	-K269	K264
DS	K270		
DSC	K271		K272
DS	K272		
DSC	K273		K270
DS	K274		
DSC	K275		K276
DS	K276		
DSC	K277	-K279	K274
DS	K280		
DSC	K281		K282
DS	K282		
DSC	K283		K280
DS	K284		
DSC	K285		K286
DS	K286		
DSC	K287	-K289	K284
IDDC M	R05		R042
DS	T455		

R590 Address

DS	B270	-B279	
DS	C810	-C969	

R591 Address

DSC	B24		B231
DS	B270	-B279	
DS M	B588		
DSC	B589		B588
DS	C810	-C969	

ICD-10-Mortality Manual 2c - 2014

DSC R75 B231

R599 Address

DS B270 -B279
DS C810 -C969

R600 Address

DS E43
DS E877
DS N000 -N058
DSC N059 N049

R601 Address

DS E43
DS E877
DS N000 -N058
DSC N059 N049

R609 Address

DS E43
DS E877
DS N000 -N058
IDDC M N059 N049
IDDC M R64 E43

R628 Address

DSC B24 B222
DS E45
DSC M E46 E45
DSC R75 B222

R630 Address

DS F500

R631 Address

DS E232
DS N251

R64 Address

DSC B24 B222
DS B900 -B949
DS C000 -C97
DS D320 -D339
DS D370 -D479
DS D810 -D819
DS D860
DS M E000 -E02
DS E030 -E038
DS E0390
DS E050 -E059

ICD-10-Mortality Manual 2c - 2014

DS		E100	-E107	
DS		E110	-E117	
DS		E120	-E127	
DS		E130	-E137	
DS		E140	-E147	
DS		E15		
DS		E40	-E43	
DSC		E46		E41
DS		E640		
DS		E840	-E849	
DS		F010	-F03	
DS		F202		
DS		F322	-F323	
DS		F332	-F333	
DS		F500	-F503	
DS		F505	-F509	
DS		F73		
DS		G09		
DS	M	G10	-G121	
DS		G1220		
DS	M	G128	-G129	
DS		G2000		
DS	M	G210	-G308	
DS		G309		
DS	M	G310	-G379	
DS		G600	-G629	
DS	M	G64	-G819	
DS		G820	-G825	
DS	M	G830	-G931	
DS	M	G934		
DS		G935	-G936	
DS	M	G937	-G939	
DS		G950	-G959	
DS	M	G960	-G98	
DS		I5000		
DS	M	I501	-I509	
DS	M	I515	-I516	
DS	M	I519		
DS		I600	-I698	
DS	M	K500	-K519	
DS		K550	-K559	
DS		K700	-K719	
DS		K730	-K746	
DS	M	K750	-K761	
DS		K762		
DS	M	K763	-K769	
DS	M	K860	-K869	
DS		K900	-K919	
DS	M	L400	-L409	
DS	M	M020	-M029	

ICD-10-Mortality Manual 2c - 2014

DS		M050	-M089	
DS	M	M100	-M128	
DS		M130	-M169	
DS	M	M170	-M198	
DS		M1990		
DS		M320	-M329	
DS		M340	-M349	
DS	M	M410	-M435	
DS	M	M45	-M479	
DS	M	M481	-M519	
DS	M	M610	-M619	
DS	M	M623	-M624	
DS	M	M800	-M849	
DS	M	M870	-M879	
DS	M	M910	-M949	
DS	M	M960	-M969	
DS	M	Q000	-Q079	
DS		Q200	-Q249	
DS		Q310	-Q359	
DS		Q370	-Q379	
DS	M	Q710	-Q719	
DS		Q720	-Q799	
DS		Q850	-Q999	
DSC		R75		B222

R650 Address

LMP		A000	-B99	
-----	--	------	------	--

R651 Address

LMP		A000	-B99	
-----	--	------	------	--

R652 Address

LMP		A000	-B99	
-----	--	------	------	--

R653 Address

LMP		A000	-B99	
-----	--	------	------	--

R659 Address

LMP		A000	-B99	
-----	--	------	------	--

R688 Address

IDDC	M	R509		R508
------	---	------	--	------

R730 Address

DS		E100	-E162	
DS		E891		

R75 Address

IDDC		A000	-A059	B201
IDDC		A060	-A079	B208

ICD-10-Mortality Manual 2c - 2014

IDDC	A080	-A085	B203
IDDC	A090		B208
IDDC	A150	-A199	B200
IDDC	A200	-A309	B201
IDDC	A310		B200
IDDC	A318	-A319	B200
IDDC	A320	-A427	B201
IDDC	A429	-A58	B201
IDDC	A590	-A599	B208
IDDC	A601	-A609	B203
IDDC	A630	-A64	B208
IDDC	A65	-A70	B201
IDDC	A748	-A799	B201
IDDC	A800	-B001	B203
IDDC	B003	-B004	B203
IDDC	B007		B203
IDDC	B009	-B069	B203
IDDC	B080		B203
IDDC	B082	-B085	B203
IDDC	B09	-B199	B203
IDDC	B250	-B259	B202
IDDC	B260	-B279	B203
IDDC	B330	-B349	B203
IDDC	B370	-B379	B204
IDDC	B380	-B49	B205
IDDC	B580	-B589	B208
IDDC	B59		B206
IDDC	B600	-B64	B208
IDDC	B99		B209
IDDC	C000	-C459	B218
IDDC	C460	-C469	B210
IDDC	C470	-C798	B218
IDDC	C80		B219
IDDC	C810	-C819	B213
IDDC	C820	-C836	B212
IDDC	C837		B211
IDDC	C838	-C859	B212
IDDC	C880	-C969	B213
IDDC	C97		B217
IDDC	D500		B232
IDDC M	D501	-D508	B232
IDDC	D509		B232
IDDC	D519	-D520	B232
IDDC M	D528		B232
IDDC	D529		B232
IDDC M	D530	-D539	B232
IDDC	D591		B232
IDDC	D593		B232
IDDC M	D598		B232
IDDC	D599	-D609	B232

ICD-10-Mortality Manual 2c - 2014

IDDC M	D618		B232
IDDC	D619	-D62	B232
IDDC	D641		B232
IDDC M	D643		B232
IDDC M	D648		B232
IDDC	D649	-D65	B232
IDDC	D684		B232
IDDC M	D688		B232
IDDC	D689		B232
IDDC M	D695	-D70	B232
IDDC M	D728		B232
IDDC	D729	-D735	B232
IDDC M	D738		B201
IDDC M	D738		B203
IDDC M	D738		B208
IDDC M	D738		B232
IDDC	D739		B232
IDDC M	D748		B232
IDDC	D749		B232
IDDC M	D751		B232
IDDC M	D758		B232
IDDC	D759		B232
IDDC	D762		B232
IDDC	D801	-D806	B232
IDDC M	D808	-D819	B232
IDDC M	D830	-D848	B232
IDDC	D849		B232
IDDC	D890		B232
IDDC M	D891		B232
IDDC	D892		B232
IDDC M	D898		B232
IDDC	D899		B232
IDDC M	E033		B201
IDDC M	E033		B203
IDDC M	E033		B208
IDDC M	E060		B201
IDDC M	E060		B203
IDDC M	E060		B208
IDDC M	E061		B201
IDDC M	E061		B203
IDDC M	E061		B208
IDDC M	E062	-E063	B201
IDDC M	E062	-E063	B203
IDDC M	E062	-E063	B208
IDDC M	E065		B201
IDDC M	E065		B203
IDDC M	E065		B208
IDDC M	E069		B201
IDDC M	E069		B203
IDDC M	E069		B208

ICD-10-Mortality Manual 2c - 2014

IDDC M	E15		B238
IDDC M	E161	-E162	B238
IDDC	E169		B238
IDDC M	E220	-E237	B238
IDDC	E249		B238
IDDC	E272		B238
IDDC	E274	-E279	B238
IDDC	E310		B238
IDDC	E319		B238
IDDC	E329		B238
IDDC	E349	-E649	B238
IDDC	E749		B238
IDDC	E756		B238
IDDC	E86	-E878	B238
IDDC	E889		B238
IDDC	F03		B220
IDDC	G000	-G009	B201
IDDC	G030	-G039	B208
IDDC	G042		B201
IDDC	G048	-G049	B208
IDDC M	G060	-G09	B201
IDDC M	G060	-G09	B203
IDDC M	G060	-G09	B208
IDDC	G218	-G219	B220
IDDC	G238	-G239	B220
IDDC	G249		B220
IDDC	G255		B220
IDDC	G259		B220
IDDC	G319		B220
IDDC	G369		B220
IDDC M	G373	-G374	B201
IDDC M	G373	-G374	B203
IDDC M	G373	-G374	B208
IDDC	G379		B220
IDDC	G520	-G529	B220
IDDC M	G589		B201
IDDC M	G589		B203
IDDC M	G589		B208
IDDC M	G589		B220
IDDC M	G610	-G619	B201
IDDC M	G610	-G619	B203
IDDC M	G610	-G619	B208
IDDC M	G628		B201
IDDC M	G628		B203
IDDC M	G628		B208
IDDC M	G628	-G629	B220
IDDC	G64		B220
IDDC	G728	-G729	B220
IDDC	G903	-G912	B220
IDDC	G918	-G919	B220

ICD-10-Mortality Manual 2c - 2014

IDDC	G930	-G936	B220
IDDC M	G938		B220
IDDC	G939		B220
IDDC	G951	-G952	B220
IDDC M	G958		B220
IDDC	G959	-G969	B220
IDDC	G98		B220
IDDC M	H050	-H059	B203
IDDC M	H050	-H059	B208
IDDC M	H050	-H059	B238
IDDC M	H440	-H449	B203
IDDC M	H440	-H449	B208
IDDC M	H440	-H449	B238
IDDC M	H590	-H599	B203
IDDC M	H590	-H599	B208
IDDC M	H590	-H599	B238
IDDC M	H650	-H749	B203
IDDC M	H650	-H749	B208
IDDC M	H650	-H749	B238
IDDC M	H810	-H832	B203
IDDC M	H810	-H832	B208
IDDC M	H810	-H832	B238
IDDC M	H950	-H959	B203
IDDC M	H950	-H959	B208
IDDC M	H950	-H959	B238
IDDC	I210	-I249	B238
IDDC	I252		B238
IDDC	I255	-I269	B238
IDDC M	I278	-I279	B238
IDDC	I288	-I289	B238
IDDC M	I301	-I309	B201
IDDC M	I301	-I309	B203
IDDC M	I301	-I311	B208
IDDC M	I310	-I311	B201
IDDC M	I310	-I311	B203
IDDC M	I312	-I319	B238
IDDC M	I319		B201
IDDC M	I319		B203
IDDC M	I319		B208
IDDC M	I330	-I339	B201
IDDC M	I330	-I339	B203
IDDC M	I330	-I339	B208
IDDC M	I340	-I38	B201
IDDC M	I340	-I38	B203
IDDC M	I340	-I38	B208
IDDC M	I340	-I38	B238
IDDC M	I400	-I409	B201
IDDC M	I400	-I409	B203
IDDC M	I400	-I409	B208
IDDC	I420		B238

ICD-10-Mortality Manual 2c - 2014

IDDC	I421		B238
IDDC	I422		B238
IDDC	I423		B238
IDDC	I428		B238
IDDC	I429		B238
IDDC	I440	-I460	B238
IDDC	I470	-I513	B238
IDDC M	I514		B208
IDDC	I515		B238
IDDC	I516	-I517	B238
IDDC M	I518		B201
IDDC M	I518		B208
IDDC M	I518		B238
IDDC	I519		B238
IDDC M	I600	-I6400	B238
IDDC M	I676	-I698	B238
IDDC M	I677		B201
IDDC M	I677		B203
IDDC M	I677		B208
IDDC	I739	-I749	B238
IDDC	I771	-I775	B238
IDDC M	I776		B201
IDDC M	I776		B203
IDDC M	I776		B208
IDDC	I778	-I779	B238
IDDC	I788	-I789	B238
IDDC M	I800	-I809	B201
IDDC M	I800	-I809	B203
IDDC M	I800	-I809	B208
IDDC	I81	-I820	B238
IDDC M	I821		B201
IDDC M	I821		B203
IDDC M	I821		B208
IDDC	I822	-I829	B238
IDDC	I870	-I879	B238
IDDC M	I880	-I889	B201
IDDC M	I880	-I889	B203
IDDC M	I880	-I889	B208
IDDC	I890		B238
IDDC M	I891		B201
IDDC M	I891		B203
IDDC M	I891		B208
IDDC	I898	-I899	B238
IDDC	I951		B238
IDDC	I958		B238
IDDC M	J010	-J019	B201
IDDC M	J010	-J019	B203
IDDC M	J010	-J019	B208
IDDC	J020		B201
IDDC M	J028	-J029	B201

ICD-10-Mortality Manual 2c - 2014

IDDC M	J028	-J029	B203
IDDC M	J028	-J029	B208
IDDC	J030		B201
IDDC M	J038	-J051	B201
IDDC M	J038	-J051	B203
IDDC M	J038	-J051	B208
IDDC	J120	-J129	B203
IDDC	J13	-J160	B201
IDDC	J168	-J189	B208
IDDC	J200	-J202	B201
IDDC	J203	-J207	B203
IDDC M	J208	-J209	B201
IDDC M	J208	-J209	B203
IDDC M	J208	-J209	B208
IDDC	J210		B203
IDDC M	J218	-J219	B201
IDDC M	J218	-J219	B203
IDDC M	J218	-J219	B208
IDDC M	J310	-J329	B201
IDDC M	J310	-J329	B203
IDDC M	J310	-J329	B208
IDDC M	J340		B201
IDDC M	J340		B203
IDDC M	J340		B208
IDDC	J341		B238
IDDC	J343	-J348	B238
IDDC M	J36	-J371	B201
IDDC M	J36	-J371	B203
IDDC M	J36	-J371	B208
IDDC M	J380	-J387	B238
IDDC M	J382	-J383	B201
IDDC M	J382	-J383	B203
IDDC M	J382	-J383	B208
IDDC M	J387	-J391	B201
IDDC M	J387	-J391	B203
IDDC M	J387	-J391	B208
IDDC	J392	-J399	B238
IDDC M	J40	-J42	B201
IDDC M	J40	-J42	B203
IDDC M	J40	-J42	B208
IDDC	J47		B238
IDDC	J690	-J698	B238
IDDC	J80	-J81	B238
IDDC M	J840	-J841	B238
IDDC M	J840	-J848	B201
IDDC M	J840	-J848	B203
IDDC M	J840	-J848	B208
IDDC M	J848		B238
IDDC M	J849	-J8490	B208
IDDC M	J850		B201

ICD-10-Mortality Manual 2c - 2014

IDDC M	J850		B203
IDDC M	J850		B208
IDDC M	J851	-J869	B201
IDDC M	J851	-J869	B203
IDDC M	J851	-J869	B208
IDDC	J929	-J949	B238
IDDC M	J961		B238
IDDC M	J980	-J989	B238
IDDC M	J984		B201
IDDC M	J984		B208
IDDC M	J985		B201
IDDC M	J985		B203
IDDC M	J985		B208
IDDC M	J988		B201
IDDC M	J988		B203
IDDC M	J988		B208
IDDC M	K120	-K137	B238
IDDC M	K121	-K122	B201
IDDC M	K121	-K122	B203
IDDC M	K121	-K122	B208
IDDC M	K20	-K210	B201
IDDC M	K20	-K210	B203
IDDC M	K20	-K210	B208
IDDC	K220		B238
IDDC M	K221		B238
IDDC	K222	-K289	B238
IDDC M	K290	-K291	B201
IDDC M	K290	-K291	B203
IDDC M	K290	-K291	B208
IDDC M	K293	-K299	B201
IDDC M	K293	-K299	B203
IDDC M	K293	-K299	B208
IDDC	K30	-K3190	B238
IDDC	K500	-K509	B238
IDDC	K528	-K529	B208
IDDC M	K550	-K559	B201
IDDC M	K550	-K559	B203
IDDC M	K550	-K559	B208
IDDC M	K550	-K559	B238
IDDC M	K580		B201
IDDC M	K580		B203
IDDC M	K580		B208
IDDC	K589	-K605	B238
IDDC M	K610	-K614	B201
IDDC M	K610	-K614	B203
IDDC M	K610	-K614	B208
IDDC	K620	-K626	B238
IDDC M	K628		B201
IDDC M	K628		B203
IDDC M	K628		B208

ICD-10-Mortality Manual 2c - 2014

IDDC M	K628		B238
IDDC	K629		B238
IDDC M	K630		B201
IDDC M	K630		B203
IDDC M	K630		B208
IDDC	K631	-K6310	B238
IDDC M	K632		B201
IDDC M	K632		B203
IDDC M	K632		B208
IDDC	K633	-K634	B238
IDDC M	K638		B201
IDDC M	K638		B203
IDDC M	K638		B208
IDDC M	K638		B238
IDDC	K639		B238
IDDC M	K650	-K659	B201
IDDC M	K650	-K659	B203
IDDC M	K650	-K659	B208
IDDC	K660	-K669	B238
IDDC M	K720	-K729	B201
IDDC M	K720	-K7290	B238
IDDC M	K750	-K759	B201
IDDC M	K750	-K759	B203
IDDC M	K750	-K759	B208
IDDC	K760	-K769	B238
IDDC M	K810	-K819	B201
IDDC M	K810	-K819	B203
IDDC M	K810	-K819	B208
IDDC	K820	-K822	B238
IDDC	K824	-K829	B238
IDDC M	K830		B201
IDDC M	K830		B203
IDDC M	K830		B208
IDDC	K831	-K832	B238
IDDC	K834	-K839	B238
IDDC M	K851		B201
IDDC M	K858		B203
IDDC M	K859		B208
IDDC M	K861		B201
IDDC M	K861		B203
IDDC M	K861		B208
IDDC	K862	-K869	B238
IDDC	K908	-K909	B238
IDDC	K920	-K929	B238
IDDC M	L00		B201
IDDC M	L00		B203
IDDC M	L00		B208
IDDC M	L020	-L029	B201
IDDC M	L020	-L029	B203
IDDC M	L020	-L029	B208

ICD-10-Mortality Manual 2c - 2014

IDDC M	L031	-L039	B201
IDDC M	L031	-L039	B203
IDDC M	L031	-L039	B208
IDDC M	L089		B201
IDDC M	L089		B203
IDDC M	L089		B208
IDDC	L890	-L899	B238
IDDC M	L950	-L959	B201
IDDC M	L950	-L959	B203
IDDC M	L950	-L959	B208
IDDC	L97		B238
IDDC	L984		B238
IDDC M	M000	-M1990	B201
IDDC M	M000	-M1990	B203
IDDC M	M000	-M1990	B208
IDDC M	M300	-M308	B201
IDDC M	M300	-M308	B203
IDDC M	M300	-M308	B208
IDDC M	M310	-M319	B238
IDDC	M321	-M329	B238
IDDC M	M330	-M339	B201
IDDC M	M330	-M339	B203
IDDC M	M330	-M339	B208
IDDC	M340	-M352	B238
IDDC M	M354		B201
IDDC M	M354		B203
IDDC M	M354		B208
IDDC	M355		B238
IDDC M	M356		B201
IDDC M	M356		B203
IDDC M	M356		B208
IDDC	M357	-M359	B238
IDDC M	M45	-M479	B201
IDDC M	M45	-M479	B203
IDDC M	M45	-M479	B208
IDDC	M481	-M489	B238
IDDC	M619	-M629	B238
IDDC M	M720	-M729	B201
IDDC M	M720	-M729	B203
IDDC M	M720	-M729	B208
IDDC M	M720	-M729	B238
IDDC	M809		B238
IDDC	M816	-M819	B238
IDDC	M833		B238
IDDC	M839		B238
IDDC M	M860	-M869	B201
IDDC M	M860	-M869	B203
IDDC M	M860	-M869	B208
IDDC	M873	-M879	B238
IDDC	M899		B238

ICD-10-Mortality Manual 2c - 2014

IDDC M	M939		B201
IDDC M	M939		B203
IDDC M	M939		B208
IDDC M	M939		B238
IDDC M	M949		B238
IDDC M	N000	-N019	B201
IDDC M	N000	-N019	B208
IDDC	N020	-N029	B238
IDDC M	N030	-N039	B201
IDDC M	N030	-N039	B208
IDDC	N040	-N049	B238
IDDC M	N050	-N059	B201
IDDC M	N050	-N059	B208
IDDC	N060	-N069	B238
IDDC M	N10	-N12	B201
IDDC M	N10	-N12	B208
IDDC	N130	-N135	B238
IDDC M	N136		B201
IDDC M	N136		B208
IDDC	N137	-N139	B238
IDDC	N150		B238
IDDC M	N151		B201
IDDC M	N151		B208
IDDC M	N158	-N159	B238
IDDC M	N159		B201
IDDC M	N159		B208
IDDC	N170	-N184	B238
IDDC M	N185		B238
IDDC	N189	-N281	B238
IDDC M	N288		B201
IDDC M	N288		B208
IDDC M	N288		B238
IDDC	N289		B238
IDDC M	N300	-N303	B201
IDDC M	N300	-N303	B208
IDDC M	N308	-N309	B201
IDDC M	N308	-N309	B208
IDDC	N310	-N320	B238
IDDC	N323	-N329	B238
IDDC M	N340	-N342	B201
IDDC M	N340	-N342	B208
IDDC	N343		B238
IDDC	N358	-N359	B238
IDDC	N361	-N369	B238
IDDC M	N390		B201
IDDC M	N390		B208
IDDC	N391	-N392	B238
IDDC	N394	-N40	B238
IDDC M	N410	-N419	B201
IDDC	N420	-N430	B238

ICD-10-Mortality Manual 2c - 2014

IDDC	N432	-N44	B238
IDDC M	N450	-N459	B201
IDDC	N480		B238
IDDC M	N481	-N482	B201
IDDC	N485	-N489	B238
IDDC M	N490	-N499	B201
IDDC	N500	-N509	B238
IDDC M	N61		B208
IDDC	N640	-N649	B238
IDDC M	N700	-N768	B208
IDDC	N800	-N819	B238
IDDC M	N820	-N829	B208
IDDC M	N820	-N829	B238
IDDC	N830	-N839	B238
IDDC	P230		B203
IDDC	P231	-P236	B201
IDDC	P238	-P239	B208
IDDC	P350	-P359	B203
IDDC	P360	-P369	B201
IDDC	P370		B200
IDDC	P371	-P374	B208
IDDC	P375		B204
IDDC	P378		B208
IDDC	P379		B209
IDDC	P38	-P398	B208
IDDC	P399		B209
IDDC	P60	-P619	B232
IDDC	R591		B231
IDDC	R628		B222
IDDC	R64		B222

R780 Address

DS	F101	-F109
----	------	-------

R788 Address

DS	A000	-A079
DS	A090	-A499
DS	J13	-J159
DS	J180	-J189

R798 Address

DS	M	E100	-E101	
DSC	M	E102	-E106	E107
DS	M	E107		
DSC	M	E108		E107
DSC	M	E109		E101
DS	M	E110	-E111	
DSC	M	E112	-E116	E117
DS	M	E117		
DSC	M	E118		E117

ICD-10-Mortality Manual 2c - 2014

DSC	M	E119		E111
DS	M	E120	-E121	
DSC	M	E122	-E126	E127
DS	M	E127		
DSC	M	E128		E127
DSC	M	E129		E121
DS	M	E130	-E131	
DSC	M	E132	-E136	E137
DS	M	E137		
DSC	M	E138		E137
DSC	M	E139		E131
DS	M	E140	-E141	
DSC	M	E142	-E146	E147
DS	M	E147		
DSC	M	E148		E147
DSC	M	E149		E141

R799 Address

DS		E101		
DS	M	E107		
DS		E111		
DS	M	E117		
DS		E121		
DS	M	E127		
DS		E131		
DS	M	E137		
DS		E141		
DS	M	E147		

R80 Address

DS		C900		
DS		D511		
DSC		D649		D511
DS		N000	-N079	
DS		N170	-N19	
DS		N250	-N289	

R81 Address

DS		E100	-E149	
----	--	------	-------	--

R823 Address

DS		B508		
DSC		B54		B508
DS		D595	-D596	
IDDC	M	D599		D596
IDDC	M	N049		N170

R824 Address

DS		E101		
DS	M	E107		

ICD-10-Mortality Manual 2c - 2014

DS E111
DS M E117
DS E121
DS M E127
DS E131
DS M E137
DS E141
DS M E147

R826 Address

DS F100 -F109

R893 Address

DS F100 -F109

R97 Address

LMP R000 -R961
LMP R98 -R99

S

S000 Address

DS V010 -Y899

S001 Address

DS V010 -Y899

S002 Address

DS V010 -Y899

S003 Address

DS V010 -Y899

S004 Address

DS V010 -Y899

S005 Address

DS V010 -Y899

S007 Address

DS V010 -Y899

S008 Address

DS V010 -Y899

S009 Address

DS V010 -Y899

S010 Address

DS V010 -Y899

S011 Address

DS V010 -Y899

S012 Address

DS V010 -Y899

S013 Address

DS V010 -Y899

S014 Address

DS V010 -Y899

S015 Address

DS V010 -Y899

S017 Address

DS V010 -Y899

S018 Address

DS V010 -Y899

S019 Address

DS V010 -Y899

S020 Address

DS V010 -Y899

S021 Address

DS V010 -Y899

S022 Address

DS V010 -Y899

S023 Address

DS V010 -Y899

S024 Address

DS V010 -Y899

S025 Address

DS V010 -Y899

S026 Address

DS V010 -Y899

S027 Address

DS V010 -Y899

S028 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S029 Address

DS V010 -Y899

S030 Address

DS V010 -Y899

S031 Address

DS V010 -Y899

S032 Address

DS V010 -Y899

S033 Address

DS V010 -Y899

S034 Address

DS V010 -Y899

S035 Address

DS V010 -Y899

S040 Address

DS V010 -Y899

S041 Address

DS V010 -Y899

S042 Address

DS V010 -Y899

S043 Address

DS V010 -Y899

S044 Address

DS V010 -Y899

S045 Address

DS V010 -Y899

S046 Address

DS V010 -Y899

S047 Address

DS V010 -Y899

S048 Address

DS V010 -Y899

S049 Address

DS V010 -Y899

S050 Address

DS V010 -Y899

S051 Address

DS V010 -Y899

S052 Address

DS V010 -Y899

S053 Address

DS V010 -Y899

S054 Address

DS V010 -Y899

S055 Address

DS V010 -Y899

S056 Address

DS V010 -Y899

S057 Address

DS V010 -Y899

S058 Address

DS V010 -Y899

S059 Address

DS V010 -Y899

S060 Address

DS V010 -Y899

S061 Address

DS V010 -Y899

S062 Address

DS V010 -Y899

S063 Address

DS V010 -Y899

S064 Address

DS V010 -Y899

S065 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S066 Address

DS V010 -Y899

S067 Address

DS V010 -Y899

S068 Address

DS V010 -Y899

S069 Address

DS V010 -Y899

S070 Address

DS V010 -Y899

S071 Address

DS V010 -Y899

S078 Address

DS V010 -Y899

S079 Address

DS V010 -Y899

S080 Address

DS V010 -Y899

S081 Address

DS V010 -Y899

S088 Address

DS V010 -Y899

S089 Address

DS V010 -Y899

S090 Address

DS V010 -Y899

S091 Address

DS V010 -Y899

S092 Address

DS V010 -Y899

S097 Address

DS V010 -Y899

S098 Address

DS V010 -Y899

S099 Address

DS V010 -Y899

S100 Address

DS V010 -Y899

S101 Address

DS V010 -Y899

S107 Address

DS V010 -Y899

S108 Address

DS V010 -Y899

S109 Address

DS V010 -Y899

S110 Address

DS V010 -Y899

S111 Address

DS V010 -Y899

S112 Address

DS V010 -Y899

S117 Address

DS V010 -Y899

S118 Address

DS V010 -Y899

S119 Address

DS V010 -Y899

S120 Address

DS V010 -Y899

S121 Address

DS V010 -Y899

S122 Address

DS V010 -Y899

S127 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S128 Address

DS V010 -Y899

S129 Address

DS V010 -Y899

S130 Address

DS V010 -Y899

S131 Address

DS V010 -Y899

S132 Address

DS V010 -Y899

S133 Address

DS V010 -Y899

S134 Address

DS V010 -Y899

S135 Address

DS V010 -Y899

S136 Address

DS V010 -Y899

S140 Address

DS V010 -Y899

S141 Address

DS V010 -Y899

S142 Address

DS V010 -Y899

S143 Address

DS V010 -Y899

S144 Address

DS V010 -Y899

S145 Address

DS V010 -Y899

S146 Address

DS V010 -Y899

S150 Address

DS V010 -Y899

S151 Address

DS V010 -Y899

S152 Address

DS V010 -Y899

S153 Address

DS V010 -Y899

S157 Address

DS V010 -Y899

S158 Address

DS V010 -Y899

S159 Address

DS V010 -Y899

S16 Address

DS V010 -Y899

S170 Address

DS V010 -Y899

S178 Address

DS V010 -Y899

S179 Address

DS V010 -Y899

S18 Address

DS V010 -Y899

S197 Address

DS V010 -Y899

S198 Address

DS V010 -Y899

S199 Address

DS V010 -Y899

S200 Address

DS V010 -Y899

S201 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S202 Address

DS V010 -Y899

S203 Address

DS V010 -Y899

S204 Address

DS V010 -Y899

S207 Address

DS V010 -Y899

S208 Address

DS V010 -Y899

S210 Address

DS V010 -Y899

S211 Address

DS V010 -Y899

S212 Address

DS V010 -Y899

S217 Address

DS V010 -Y899

S218 Address

DS V010 -Y899

S219 Address

DS V010 -Y899

S220 Address

DS V010 -Y899

S221 Address

DS V010 -Y899

S222 Address

DS V010 -Y899

S223 Address

DS V010 -Y899

S224 Address

DS V010 -Y899

S225 Address

DS V010 -Y899

S228 Address

DS V010 -Y899

S229 Address

DS V010 -Y899

S230 Address

DS V010 -Y899

S231 Address

DS V010 -Y899

S232 Address

DS V010 -Y899

S233 Address

DS V010 -Y899

S234 Address

DS V010 -Y899

S235 Address

DS V010 -Y899

S240 Address

DS V010 -Y899

S241 Address

DS V010 -Y899

S242 Address

DS V010 -Y899

S243 Address

DS V010 -Y899

S244 Address

DS V010 -Y899

S245 Address

DS V010 -Y899

S246 Address

DS V010 -Y899

S250 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S251 Address

DS V010 -Y899

S252 Address

DS V010 -Y899

S253 Address

DS V010 -Y899

S254 Address

DS V010 -Y899

S255 Address

DS V010 -Y899

S257 Address

DS V010 -Y899

S258 Address

DS V010 -Y899

S259 Address

DS V010 -Y899

S260 Address

DS V010 -Y899

S268 Address

DS V010 -Y899

S269 Address

DS V010 -Y899

S270 Address

DS V010 -Y899

S271 Address

DS V010 -Y899

S272 Address

DS V010 -Y899

S273 Address

DS V010 -Y899

S274 Address

DS V010 -Y899

S275 Address

DS V010 -Y899

S276 Address

DS V010 -Y899

S277 Address

DS V010 -Y899

S278 Address

DS V010 -Y899

S279 Address

DS V010 -Y899

S280 Address

DS V010 -Y899

S281 Address

DS V010 -Y899

S290 Address

DS V010 -Y899

S297 Address

DS V010 -Y899

S298 Address

DS V010 -Y899

S299 Address

DS V010 -Y899

S300 Address

DS V010 -Y899

S301 Address

DS V010 -Y899

S302 Address

DS V010 -Y899

S307 Address

DS V010 -Y899

S308 Address

DS V010 -Y899

S309 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S310 Address

DS V010 -Y899

S311 Address

DS V010 -Y899

S312 Address

DS V010 -Y899

S313 Address

DS V010 -Y899

S314 Address

DS V010 -Y899

S315 Address

DS V010 -Y899

S317 Address

DS V010 -Y899

S318 Address

DS V010 -Y899

S320 Address

DS V010 -Y899

S321 Address

DS V010 -Y899

S322 Address

DS V010 -Y899

S323 Address

DS V010 -Y899

S324 Address

DS V010 -Y899

S325 Address

DS V010 -Y899

S327 Address

DS V010 -Y899

S328 Address

DS V010 -Y899

S330 Address

DS V010 -Y899

S331 Address

DS V010 -Y899

S332 Address

DS V010 -Y899

S333 Address

DS V010 -Y899

S334 Address

DS V010 -Y899

S335 Address

DS V010 -Y899

S336 Address

DS V010 -Y899

S337 Address

DS V010 -Y899

S340 Address

DS V010 -Y899

S341 Address

DS V010 -Y899

S342 Address

DS V010 -Y899

S343 Address

DS V010 -Y899

S344 Address

DS V010 -Y899

S345 Address

DS V010 -Y899

S346 Address

DS V010 -Y899

S348 Address

DS V010 -Y899

S350 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S351 Address

DS V010 -Y899

S352 Address

DS V010 -Y899

S353 Address

DS V010 -Y899

S354 Address

DS V010 -Y899

S355 Address

DS V010 -Y899

S357 Address

DS V010 -Y899

S358 Address

DS V010 -Y899

S359 Address

DS V010 -Y899

S360 Address

DS V010 -Y899

S361 Address

DS V010 -Y899

S362 Address

DS V010 -Y899

S363 Address

DS V010 -Y899

S364 Address

DS V010 -Y899

S365 Address

DS V010 -Y899

S366 Address

DS V010 -Y899

S367 Address

DS V010 -Y899

S368 Address

DS V010 -Y899

S369 Address

DS V010 -Y899

S370 Address

DS V010 -Y899

S371 Address

DS V010 -Y899

S372 Address

DS V010 -Y899

S373 Address

DS V010 -Y899

S374 Address

DS V010 -Y899

S375 Address

DS V010 -Y899

S376 Address

DS V010 -Y899

S377 Address

DS V010 -Y899

S378 Address

DS V010 -Y899

S379 Address

DS V010 -Y899

S380 Address

DS V010 -Y899

S381 Address

DS V010 -Y899

S382 Address

DS V010 -Y899

S383 Address

DS V010 -Y899

S390 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S396 Address

DS V010 -Y899

S397 Address

DS V010 -Y899

S398 Address

DS V010 -Y899

S399 Address

DS V010 -Y899

S400 Address

DS V010 -Y899

S407 Address

DS V010 -Y899

S408 Address

DS V010 -Y899

S409 Address

DS V010 -Y899

S410 Address

DS V010 -Y899

S411 Address

DS V010 -Y899

S417 Address

DS V010 -Y899

S418 Address

DS V010 -Y899

S420 Address

DS V010 -Y899

S421 Address

DS V010 -Y899

S422 Address

DS V010 -Y899

S423 Address

DS V010 -Y899

S424 Address

DS V010 -Y899

S427 Address

DS V010 -Y899

S428 Address

DS V010 -Y899

S429 Address

DS V010 -Y899

S430 Address

DS V010 -Y899

S431 Address

DS V010 -Y899

S432 Address

DS V010 -Y899

S433 Address

DS V010 -Y899

S434 Address

DS V010 -Y899

S435 Address

DS V010 -Y899

S436 Address

DS V010 -Y899

S437 Address

DS V010 -Y899

S440 Address

DS V010 -Y899

S441 Address

DS V010 -Y899

S442 Address

DS V010 -Y899

S443 Address

DS V010 -Y899

S444 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S445 Address

DS V010 -Y899

S447 Address

DS V010 -Y899

S448 Address

DS V010 -Y899

S449 Address

DS V010 -Y899

S450 Address

DS V010 -Y899

S451 Address

DS V010 -Y899

S452 Address

DS V010 -Y899

S453 Address

DS V010 -Y899

S457 Address

DS V010 -Y899

S458 Address

DS V010 -Y899

S459 Address

DS V010 -Y899

S460 Address

DS V010 -Y899

S461 Address

DS V010 -Y899

S462 Address

DS V010 -Y899

S463 Address

DS V010 -Y899

S467 Address

DS V010 -Y899

S468 Address

DS V010 -Y899

S469 Address

DS V010 -Y899

S47 Address

DS V010 -Y899

S480 Address

DS V010 -Y899

S481 Address

DS V010 -Y899

S489 Address

DS V010 -Y899

S497 Address

DS V010 -Y899

S498 Address

DS V010 -Y899

S499 Address

DS V010 -Y899

S500 Address

DS V010 -Y899

S501 Address

DS V010 -Y899

S507 Address

DS V010 -Y899

S508 Address

DS V010 -Y899

S509 Address

DS V010 -Y899

S510 Address

DS V010 -Y899

S517 Address

DS V010 -Y899

S518 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S519 Address

DS V010 -Y899

S520 Address

DS V010 -Y899

S521 Address

DS V010 -Y899

S522 Address

DS V010 -Y899

S523 Address

DS V010 -Y899

S524 Address

DS V010 -Y899

S525 Address

DS V010 -Y899

S526 Address

DS V010 -Y899

S527 Address

DS V010 -Y899

S528 Address

DS V010 -Y899

S529 Address

DS V010 -Y899

S530 Address

DS V010 -Y899

S531 Address

DS V010 -Y899

S532 Address

DS V010 -Y899

S533 Address

DS V010 -Y899

S534 Address

DS V010 -Y899

S540 Address

DS V010 -Y899

S541 Address

DS V010 -Y899

S542 Address

DS V010 -Y899

S543 Address

DS V010 -Y899

S547 Address

DS V010 -Y899

S548 Address

DS V010 -Y899

S549 Address

DS V010 -Y899

S550 Address

DS V010 -Y899

S551 Address

DS V010 -Y899

S552 Address

DS V010 -Y899

S557 Address

DS V010 -Y899

S558 Address

DS V010 -Y899

S559 Address

DS V010 -Y899

S560 Address

DS V010 -Y899

S561 Address

DS V010 -Y899

S562 Address

DS V010 -Y899

S563 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S564 Address

DS V010 -Y899

S565 Address

DS V010 -Y899

S567 Address

DS V010 -Y899

S568 Address

DS V010 -Y899

S570 Address

DS V010 -Y899

S578 Address

DS V010 -Y899

S579 Address

DS V010 -Y899

S580 Address

DS V010 -Y899

S581 Address

DS V010 -Y899

S589 Address

DS V010 -Y899

S597 Address

DS V010 -Y899

S598 Address

DS V010 -Y899

S599 Address

DS V010 -Y899

S600 Address

DS V010 -Y899

S601 Address

DS V010 -Y899

S602 Address

DS V010 -Y899

S607 Address

DS V010 -Y899

S608 Address

DS V010 -Y899

S609 Address

DS V010 -Y899

S610 Address

DS V010 -Y899

S611 Address

DS V010 -Y899

S617 Address

DS V010 -Y899

S618 Address

DS V010 -Y899

S619 Address

DS V010 -Y899

S620 Address

DS V010 -Y899

S621 Address

DS V010 -Y899

S622 Address

DS V010 -Y899

S623 Address

DS V010 -Y899

S624 Address

DS V010 -Y899

S625 Address

DS V010 -Y899

S626 Address

DS V010 -Y899

S627 Address

DS V010 -Y899

S628 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S630 Address

DS V010 -Y899

S631 Address

DS V010 -Y899

S632 Address

DS V010 -Y899

S633 Address

DS V010 -Y899

S634 Address

DS V010 -Y899

S635 Address

DS V010 -Y899

S636 Address

DS V010 -Y899

S637 Address

DS V010 -Y899

S640 Address

DS V010 -Y899

S641 Address

DS V010 -Y899

S642 Address

DS V010 -Y899

S643 Address

DS V010 -Y899

S644 Address

DS V010 -Y899

S647 Address

DS V010 -Y899

S648 Address

DS V010 -Y899

S649 Address

DS V010 -Y899

S650 Address

DS V010 -Y899

S651 Address

DS V010 -Y899

S652 Address

DS V010 -Y899

S653 Address

DS V010 -Y899

S654 Address

DS V010 -Y899

S655 Address

DS V010 -Y899

S657 Address

DS V010 -Y899

S658 Address

DS V010 -Y899

S659 Address

DS V010 -Y899

S660 Address

DS V010 -Y899

S661 Address

DS V010 -Y899

S662 Address

DS V010 -Y899

S663 Address

DS V010 -Y899

S664 Address

DS V010 -Y899

S665 Address

DS V010 -Y899

S666 Address

DS V010 -Y899

S667 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S668 Address

DS V010 -Y899

S669 Address

DS V010 -Y899

S670 Address

DS V010 -Y899

S678 Address

DS V010 -Y899

S680 Address

DS V010 -Y899

S681 Address

DS V010 -Y899

S682 Address

DS V010 -Y899

S683 Address

DS V010 -Y899

S684 Address

DS V010 -Y899

S688 Address

DS V010 -Y899

S689 Address

DS V010 -Y899

S697 Address

DS V010 -Y899

S698 Address

DS V010 -Y899

S699 Address

DS V010 -Y899

S700 Address

DS V010 -Y899

S701 Address

DS V010 -Y899

S707 Address

DS V010 -Y899

S708 Address

DS V010 -Y899

S709 Address

DS V010 -Y899

S710 Address

DS V010 -Y899

S711 Address

DS V010 -Y899

S717 Address

DS V010 -Y899

S718 Address

DS V010 -Y899

S720 Address

DS V010 -Y899

S721 Address

DS V010 -Y899

S722 Address

DS V010 -Y899

S723 Address

DS V010 -Y899

S724 Address

DS V010 -Y899

S727 Address

DS V010 -Y899

S728 Address

DS V010 -Y899

S729 Address

DS V010 -Y899

S730 Address

DS V010 -Y899

S731 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S740 Address

DS V010 -Y899

S741 Address

DS V010 -Y899

S742 Address

DS V010 -Y899

S747 Address

DS V010 -Y899

S748 Address

DS V010 -Y899

S749 Address

DS V010 -Y899

S750 Address

DS V010 -Y899

S751 Address

DS V010 -Y899

S752 Address

DS V010 -Y899

S757 Address

DS V010 -Y899

S758 Address

DS V010 -Y899

S759 Address

DS V010 -Y899

S760 Address

DS V010 -Y899

S761 Address

DS V010 -Y899

S762 Address

DS V010 -Y899

S763 Address

DS V010 -Y899

S764 Address

DS V010 -Y899

S767 Address

DS V010 -Y899

S770 Address

DS V010 -Y899

S771 Address

DS V010 -Y899

S780 Address

DS V010 -Y899

S781 Address

DS V010 -Y899

S789 Address

DS V010 -Y899

S797 Address

DS V010 -Y899

S798 Address

DS V010 -Y899

S799 Address

DS V010 -Y899

S800 Address

DS V010 -Y899

S801 Address

DS V010 -Y899

S807 Address

DS V010 -Y899

S808 Address

DS V010 -Y899

S809 Address

DS V010 -Y899

S810 Address

DS V010 -Y899

S817 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S818 Address

DS V010 -Y899

S819 Address

DS V010 -Y899

S820 Address

DS V010 -Y899

S821 Address

DS V010 -Y899

S822 Address

DS V010 -Y899

S823 Address

DS V010 -Y899

S824 Address

DS V010 -Y899

S825 Address

DS V010 -Y899

S826 Address

DS V010 -Y899

S827 Address

DS V010 -Y899

S828 Address

DS V010 -Y899

S829 Address

DS V010 -Y899

S830 Address

DS V010 -Y899

S831 Address

DS V010 -Y899

S832 Address

DS V010 -Y899

S833 Address

DS V010 -Y899

S834 Address

DS V010 -Y899

S835 Address

DS V010 -Y899

S836 Address

DS V010 -Y899

S837 Address

DS V010 -Y899

S840 Address

DS V010 -Y899

S841 Address

DS V010 -Y899

S842 Address

DS V010 -Y899

S847 Address

DS V010 -Y899

S848 Address

DS V010 -Y899

S849 Address

DS V010 -Y899

S850 Address

DS V010 -Y899

S851 Address

DS V010 -Y899

S852 Address

DS V010 -Y899

S853 Address

DS V010 -Y899

S854 Address

DS V010 -Y899

S855 Address

DS V010 -Y899

S857 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S858 Address

DS V010 -Y899

S859 Address

DS V010 -Y899

S860 Address

DS V010 -Y899

S861 Address

DS V010 -Y899

S862 Address

DS V010 -Y899

S863 Address

DS V010 -Y899

S867 Address

DS V010 -Y899

S868 Address

DS V010 -Y899

S869 Address

DS V010 -Y899

S870 Address

DS V010 -Y899

S878 Address

DS V010 -Y899

S880 Address

DS V010 -Y899

S881 Address

DS V010 -Y899

S889 Address

DS V010 -Y899

S897 Address

DS V010 -Y899

S898 Address

DS V010 -Y899

S899 Address

DS V010 -Y899

S900 Address

DS V010 -Y899

S901 Address

DS V010 -Y899

S902 Address

DS V010 -Y899

S903 Address

DS V010 -Y899

S907 Address

DS V010 -Y899

S908 Address

DS V010 -Y899

S909 Address

DS V010 -Y899

S910 Address

DS V010 -Y899

S911 Address

DS V010 -Y899

S912 Address

DS V010 -Y899

S913 Address

DS V010 -Y899

S917 Address

DS V010 -Y899

S920 Address

DS V010 -Y899

S921 Address

DS V010 -Y899

S922 Address

DS V010 -Y899

S923 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S924 Address

DS V010 -Y899

S925 Address

DS V010 -Y899

S927 Address

DS V010 -Y899

S929 Address

DS V010 -Y899

S930 Address

DS V010 -Y899

S931 Address

DS V010 -Y899

S932 Address

DS V010 -Y899

S933 Address

DS V010 -Y899

S934 Address

DS V010 -Y899

S935 Address

DS V010 -Y899

S936 Address

DS V010 -Y899

S940 Address

DS V010 -Y899

S941 Address

DS V010 -Y899

S942 Address

DS V010 -Y899

S943 Address

DS V010 -Y899

S947 Address

DS V010 -Y899

S948 Address

DS V010 -Y899

S949 Address

DS V010 -Y899

S950 Address

DS V010 -Y899

S951 Address

DS V010 -Y899

S952 Address

DS V010 -Y899

S957 Address

DS V010 -Y899

S958 Address

DS V010 -Y899

S959 Address

DS V010 -Y899

S960 Address

DS V010 -Y899

S961 Address

DS V010 -Y899

S962 Address

DS V010 -Y899

S967 Address

DS V010 -Y899

S968 Address

DS V010 -Y899

S969 Address

DS V010 -Y899

S970 Address

DS V010 -Y899

S971 Address

DS V010 -Y899

S978 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

S980 Address

DS V010 -Y899

S981 Address

DS V010 -Y899

S982 Address

DS V010 -Y899

S983 Address

DS V010 -Y899

S984 Address

DS V010 -Y899

S997 Address

DS V010 -Y899

S998 Address

DS V010 -Y899

S999 Address

DS V010 -Y899

I

T000 Address

DS V010 -Y899

T001 Address

DS V010 -Y899

T002 Address

DS V010 -Y899

T003 Address

DS V010 -Y899

T006 Address

DS V010 -Y899

T008 Address

DS V010 -Y899

T009 Address

DS V010 -Y899

T010 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T011 Address

DS V010 -Y899

T012 Address

DS V010 -Y899

T013 Address

DS V010 -Y899

T016 Address

DS V010 -Y899

T018 Address

DS V010 -Y899

T019 Address

DS V010 -Y899

T020 Address

DS V010 -Y899

T021 Address

DS V010 -Y899

T022 Address

DS V010 -Y899

T023 Address

DS V010 -Y899

T024 Address

DS V010 -Y899

T025 Address

DS V010 -Y899

T026 Address

DS V010 -Y899

T027 Address

DS V010 -Y899

T028 Address

DS V010 -Y899

T029 Address

DS V010 -Y899

T030 Address

DS V010 -Y899

T031 Address

DS V010 -Y899

T032 Address

DS V010 -Y899

T033 Address

DS V010 -Y899

T034 Address

DS V010 -Y899

T038 Address

DS V010 -Y899

T039 Address

DS V010 -Y899

T040 Address

DS V010 -Y899

T041 Address

DS V010 -Y899

T042 Address

DS V010 -Y899

T043 Address

DS V010 -Y899

T044 Address

DS V010 -Y899

T047 Address

DS V010 -Y899

T048 Address

DS V010 -Y899

T049 Address

DS V010 -Y899

T050 Address

DS V010 -Y899

T051 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T052 Address

DS V010 -Y899

T053 Address

DS V010 -Y899

T054 Address

DS V010 -Y899

T055 Address

DS V010 -Y899

T056 Address

DS V010 -Y899

T058 Address

DS V010 -Y899

T059 Address

DS V010 -Y899

T060 Address

DS V010 -Y899

T061 Address

DS V010 -Y899

T062 Address

DS V010 -Y899

T063 Address

DS V010 -Y899

T064 Address

DS V010 -Y899

T065 Address

DS V010 -Y899

T068 Address

DS V010 -Y899

T07 Address

DS V010 -Y899

T08 Address

DS V010 -Y899

T090 Address

DS V010 -Y899

T091 Address

DS V010 -Y899

T092 Address

DS V010 -Y899

T093 Address

DS V010 -Y899

T094 Address

DS V010 -Y899

T095 Address

DS V010 -Y899

T096 Address

DS V010 -Y899

T098 Address

DS V010 -Y899

T099 Address

DS V010 -Y899

T10 Address

DS V010 -Y899

T110 Address

DS V010 -Y899

T111 Address

DS V010 -Y899

T112 Address

DS V010 -Y899

T113 Address

DS V010 -Y899

T114 Address

DS V010 -Y899

T115 Address

DS V010 -Y899

T116 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T118 Address

DS V010 -Y899

T119 Address

DS V010 -Y899

T12 Address

DS V010 -Y899

T130 Address

DS V010 -Y899

T131 Address

DS V010 -Y899

T132 Address

DS V010 -Y899

T133 Address

DS V010 -Y899

T134 Address

DS V010 -Y899

T135 Address

DS V010 -Y899

T136 Address

DS V010 -Y899

T138 Address

DS V010 -Y899

T139 Address

DS V010 -Y899

T140 Address

DS V010 -Y899

T141 Address

DS V010 -Y899

T142 Address

DS V010 -Y899

T143 Address

DS V010 -Y899

T144 Address

DS V010 -Y899

T145 Address

DS V010 -Y899

T146 Address

DS V010 -Y899

T147 Address

DS V010 -Y899

T148 Address

DS V010 -Y899

T149 Address

DS V010 -Y899

T150 Address

DS V010 -Y899

T151 Address

DS V010 -Y899

T158 Address

DS V010 -Y899

T159 Address

DS V010 -Y899

T16 Address

DS V010 -Y899

T170 Address

DS V010 -Y899

T171 Address

DS V010 -Y899

T172 Address

DS V010 -Y899

T173 Address

DS V010 -Y899

T174 Address

DS V010 -Y899

T175 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T178 Address

DS V010 -Y899

T179 Address

DS V010 -Y899

T180 Address

DS V010 -Y899

T181 Address

DS V010 -Y899

T182 Address

DS V010 -Y899

T183 Address

DS V010 -Y899

T184 Address

DS V010 -Y899

T185 Address

DS V010 -Y899

T188 Address

DS V010 -Y899

T189 Address

DS V010 -Y899

T190 Address

DS V010 -Y899

T191 Address

DS V010 -Y899

T192 Address

DS V010 -Y899

T193 Address

DS V010 -Y899

T198 Address

DS V010 -Y899

T199 Address

DS V010 -Y899

T200 Address

DS V010 -Y899

T201 Address

DS V010 -Y899

T202 Address

DS V010 -Y899

T203 Address

DS V010 -Y899

T204 Address

DS V010 -Y899

T205 Address

DS V010 -Y899

T206 Address

DS V010 -Y899

T207 Address

DS V010 -Y899

T210 Address

DS V010 -Y899

T211 Address

DS V010 -Y899

T212 Address

DS V010 -Y899

T213 Address

DS V010 -Y899

T214 Address

DS V010 -Y899

T215 Address

DS V010 -Y899

T216 Address

DS V010 -Y899

T217 Address

DS V010 -Y899

T220 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T221 Address

DS V010 -Y899

T222 Address

DS V010 -Y899

T223 Address

DS V010 -Y899

T224 Address

DS V010 -Y899

T225 Address

DS V010 -Y899

T226 Address

DS V010 -Y899

T227 Address

DS V010 -Y899

T230 Address

DS V010 -Y899

T231 Address

DS V010 -Y899

T232 Address

DS V010 -Y899

T233 Address

DS V010 -Y899

T234 Address

DS V010 -Y899

T235 Address

DS V010 -Y899

T236 Address

DS V010 -Y899

T237 Address

DS V010 -Y899

T240 Address

DS V010 -Y899

T241 Address

DS V010 -Y899

T242 Address

DS V010 -Y899

T243 Address

DS V010 -Y899

T244 Address

DS V010 -Y899

T245 Address

DS V010 -Y899

T246 Address

DS V010 -Y899

T247 Address

DS V010 -Y899

T250 Address

DS V010 -Y899

T251 Address

DS V010 -Y899

T252 Address

DS V010 -Y899

T253 Address

DS V010 -Y899

T254 Address

DS V010 -Y899

T255 Address

DS V010 -Y899

T256 Address

DS V010 -Y899

T257 Address

DS V010 -Y899

T260 Address

DS V010 -Y899

T261 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T262 Address

DS V010 -Y899

T263 Address

DS V010 -Y899

T264 Address

DS V010 -Y899

T265 Address

DS V010 -Y899

T266 Address

DS V010 -Y899

T267 Address

DS V010 -Y899

T268 Address

DS V010 -Y899

T269 Address

DS V010 -Y899

T270 Address

DS V010 -Y899

T271 Address

DS V010 -Y899

T272 Address

DS V010 -Y899

T273 Address

DS V010 -Y899

T274 Address

DS V010 -Y899

T275 Address

DS V010 -Y899

T276 Address

DS V010 -Y899

T277 Address

DS V010 -Y899

T280 Address

DS V010 -Y899

T281 Address

DS V010 -Y899

T282 Address

DS V010 -Y899

T283 Address

DS V010 -Y899

T284 Address

DS V010 -Y899

T285 Address

DS V010 -Y899

T286 Address

DS V010 -Y899

T287 Address

DS V010 -Y899

T288 Address

DS V010 -Y899

T289 Address

DS V010 -Y899

T290 Address

DS V010 -Y899

T291 Address

DS V010 -Y899

T292 Address

DS V010 -Y899

T293 Address

DS V010 -Y899

T294 Address

DS V010 -Y899

T295 Address

DS V010 -Y899

T296 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T297 Address

DS V010 -Y899

T300 Address

DS V010 -Y899

T301 Address

DS V010 -Y899

T302 Address

DS V010 -Y899

T303 Address

DS V010 -Y899

T304 Address

DS V010 -Y899

T305 Address

DS V010 -Y899

T306 Address

DS V010 -Y899

T307 Address

DS V010 -Y899

T310 Address

DS V010 -Y899

T311 Address

DS V010 -Y899

T312 Address

DS V010 -Y899

T313 Address

DS V010 -Y899

T314 Address

DS V010 -Y899

T315 Address

DS V010 -Y899

T316 Address

DS V010 -Y899

T317 Address

DS V010 -Y899

T318 Address

DS V010 -Y899

T319 Address

DS V010 -Y899

T320 Address

DS V010 -Y899

T321 Address

DS V010 -Y899

T322 Address

DS V010 -Y899

T323 Address

DS V010 -Y899

T324 Address

DS V010 -Y899

T325 Address

DS V010 -Y899

T326 Address

DS V010 -Y899

T327 Address

DS V010 -Y899

T328 Address

DS V010 -Y899

T329 Address

DS V010 -Y899

T330 Address

DS V010 -Y899

T331 Address

DS V010 -Y899

T332 Address

DS V010 -Y899

T333 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T334 Address

DS V010 -Y899

T335 Address

DS V010 -Y899

T336 Address

DS V010 -Y899

T337 Address

DS V010 -Y899

T338 Address

DS V010 -Y899

T339 Address

DS V010 -Y899

T340 Address

DS V010 -Y899

T341 Address

DS V010 -Y899

T342 Address

DS V010 -Y899

T343 Address

DS V010 -Y899

T344 Address

DS V010 -Y899

T345 Address

DS V010 -Y899

T346 Address

DS V010 -Y899

T347 Address

DS V010 -Y899

T348 Address

DS V010 -Y899

T349 Address

DS V010 -Y899

T350 Address

DS V010 -Y899

T351 Address

DS V010 -Y899

T352 Address

DS V010 -Y899

T353 Address

DS V010 -Y899

T354 Address

DS V010 -Y899

T355 Address

DS V010 -Y899

T356 Address

DS V010 -Y899

T357 Address

DS V010 -Y899

T360 Address

DS V010 -Y899

T361 Address

DS V010 -Y899

T362 Address

DS V010 -Y899

T363 Address

DS V010 -Y899

T364 Address

DS V010 -Y899

T365 Address

DS V010 -Y899

T366 Address

DS V010 -Y899

T367 Address

DS V010 -Y899

T368 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T369 Address

DS V010 -Y899

T370 Address

DS V010 -Y899

T371 Address

DS V010 -Y899

T372 Address

DS V010 -Y899

T373 Address

DS V010 -Y899

T374 Address

DS V010 -Y899

T375 Address

DS V010 -Y899

T378 Address

DS V010 -Y899

T379 Address

DS V010 -Y899

T380 Address

DS V010 -Y899

T381 Address

DS V010 -Y899

T382 Address

DS V010 -Y899

T383 Address

DS V010 -Y899

T384 Address

DS V010 -Y899

T385 Address

DS V010 -Y899

T386 Address

DS V010 -Y899

T387 Address

DS V010 -Y899

T388 Address

DS V010 -Y899

T389 Address

DS V010 -Y899

T390 Address

DS V010 -Y899

T391 Address

DS V010 -Y899

T392 Address

DS V010 -Y899

T393 Address

DS V010 -Y899

T394 Address

DS V010 -Y899

T398 Address

DS V010 -Y899

T399 Address

DS V010 -Y899

T400 Address

DS V010 -Y899

T401 Address

DS V010 -Y899

T402 Address

DS V010 -Y899

T403 Address

DS V010 -Y899

T404 Address

DS V010 -Y899

T405 Address

DS V010 -Y899

T406 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T407 Address

DS V010 -Y899

T408 Address

DS V010 -Y899

T409 Address

DS V010 -Y899

T410 Address

DS V010 -Y899

T411 Address

DS V010 -Y899

T412 Address

DS V010 -Y899

T413 Address

DS V010 -Y899

T414 Address

DS V010 -Y899

T415 Address

DS V010 -Y899

T420 Address

DS V010 -Y899

T421 Address

DS V010 -Y899

T422 Address

DS V010 -Y899

T423 Address

DS V010 -Y899

T424 Address

DS V010 -Y899

T425 Address

DS V010 -Y899

T426 Address

DS V010 -Y899

T427 Address

DS V010 -Y899

T428 Address

DS V010 -Y899

T430 Address

DS V010 -Y899

T431 Address

DS V010 -Y899

T432 Address

DS V010 -Y899

T433 Address

DS V010 -Y899

T434 Address

DS V010 -Y899

T435 Address

DS V010 -Y899

T436 Address

DS V010 -Y899

T438 Address

DS V010 -Y899

T439 Address

DS V010 -Y899

T440 Address

DS V010 -Y899

T441 Address

DS V010 -Y899

T442 Address

DS V010 -Y899

T443 Address

DS V010 -Y899

T444 Address

DS V010 -Y899

T445 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T446 Address

DS V010 -Y899

T447 Address

DS V010 -Y899

T448 Address

DS V010 -Y899

T449 Address

DS V010 -Y899

T450 Address

DS V010 -Y899

T451 Address

DS V010 -Y899

T452 Address

DS V010 -Y899

T453 Address

DS V010 -Y899

T454 Address

DS V010 -Y899

T455 Address

DS V010 -Y899

T456 Address

DS V010 -Y899

T457 Address

DS V010 -Y899

T458 Address

DS V010 -Y899

T459 Address

DS V010 -Y899

T460 Address

DS V010 -Y899

T461 Address

DS V010 -Y899

T462 Address

DS V010 -Y899

T463 Address

DS V010 -Y899

T464 Address

DS V010 -Y899

T465 Address

DS V010 -Y899

T466 Address

DS V010 -Y899

T467 Address

DS V010 -Y899

T468 Address

DS V010 -Y899

T469 Address

DS V010 -Y899

T470 Address

DS V010 -Y899

T471 Address

DS V010 -Y899

T472 Address

DS V010 -Y899

T473 Address

DS V010 -Y899

T474 Address

DS V010 -Y899

T475 Address

DS V010 -Y899

T476 Address

DS V010 -Y899

T477 Address

DS V010 -Y899

T478 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T479 Address

DS V010 -Y899

T480 Address

DS V010 -Y899

T481 Address

DS V010 -Y899

T482 Address

DS V010 -Y899

T483 Address

DS V010 -Y899

T484 Address

DS V010 -Y899

T485 Address

DS V010 -Y899

T486 Address

DS V010 -Y899

T487 Address

DS V010 -Y899

T490 Address

DS V010 -Y899

T491 Address

DS V010 -Y899

T492 Address

DS V010 -Y899

T493 Address

DS V010 -Y899

T494 Address

DS V010 -Y899

T495 Address

DS V010 -Y899

T496 Address

DS V010 -Y899

T497 Address

DS V010 -Y899

T498 Address

DS V010 -Y899

T499 Address

DS V010 -Y899

T500 Address

DS V010 -Y899

T501 Address

DS V010 -Y899

T502 Address

DS V010 -Y899

T503 Address

DS V010 -Y899

T504 Address

DS V010 -Y899

T505 Address

DS V010 -Y899

T506 Address

DS V010 -Y899

T507 Address

DS V010 -Y899

T508 Address

DS V010 -Y899

T509 Address

DS V010 -Y899

T520 Address

DS V010 -Y899

T521 Address

DS V010 -Y899

T522 Address

DS V010 -Y899

T523 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T524 Address

DS V010 -Y899

T528 Address

DS V010 -Y899

T529 Address

DS V010 -Y899

T530 Address

DS V010 -Y899

T531 Address

DS V010 -Y899

T532 Address

DS V010 -Y899

T533 Address

DS V010 -Y899

T534 Address

DS V010 -Y899

T535 Address

DS V010 -Y899

T536 Address

DS V010 -Y899

T537 Address

DS V010 -Y899

T539 Address

DS V010 -Y899

T540 Address

DS V010 -Y899

T541 Address

DS V010 -Y899

T542 Address

DS V010 -Y899

T543 Address

DS V010 -Y899

T549 Address

DS V010 -Y899

T55 Address

DS V010 -Y899

T560 Address

DS V010 -Y899

T561 Address

DS V010 -Y899

T562 Address

DS V010 -Y899

T563 Address

DS V010 -Y899

T564 Address

DS V010 -Y899

T565 Address

DS V010 -Y899

T566 Address

DS V010 -Y899

T567 Address

DS V010 -Y899

T568 Address

DS V010 -Y899

T569 Address

DS V010 -Y899

T570 Address

DS V010 -Y899

T571 Address

DS V010 -Y899

T572 Address

DS V010 -Y899

T573 Address

DS V010 -Y899

T578 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T579 Address

DS V010 -Y899

T58 Address

DS V010 -Y899

T590 Address

DS V010 -Y899

T591 Address

DS V010 -Y899

T592 Address

DS V010 -Y899

T593 Address

DS V010 -Y899

T594 Address

DS V010 -Y899

T595 Address

DS V010 -Y899

T596 Address

DS V010 -Y899

T597 Address

DS V010 -Y899

T598 Address

DS V010 -Y899

T599 Address

DS V010 -Y899

T600 Address

DS V010 -Y899

T601 Address

DS V010 -Y899

T602 Address

DS V010 -Y899

T603 Address

DS V010 -Y899

T604 Address

DS V010 -Y899

T608 Address

DS V010 -Y899

T609 Address

DS V010 -Y899

T610 Address

DS V010 -Y899

T611 Address

DS V010 -Y899

T612 Address

DS V010 -Y899

T618 Address

DS V010 -Y899

T619 Address

DS V010 -Y899

T620 Address

DS V010 -Y899

T621 Address

DS V010 -Y899

T622 Address

DS V010 -Y899

T628 Address

DS V010 -Y899

T629 Address

DS V010 -Y899

T630 Address

DS V010 -Y899

T631 Address

DS V010 -Y899

T632 Address

DS V010 -Y899

T633 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T634 Address

DS V010 -Y899

T635 Address

DS V010 -Y899

T636 Address

DS V010 -Y899

T638 Address

DS V010 -Y899

T639 Address

DS V010 -Y899

T64 Address

DS V010 -Y899

T650 Address

DS V010 -Y899

T651 Address

DS V010 -Y899

T652 Address

DS V010 -Y899

T653 Address

DS V010 -Y899

T654 Address

DS V010 -Y899

T655 Address

DS V010 -Y899

T656 Address

DS V010 -Y899

T658 Address

DS V010 -Y899

T659 Address

DS V010 -Y899

T66 Address

DS V010 -Y899

T670 Address

DS V010 -Y899

T671 Address

DS V010 -Y899

T672 Address

DS V010 -Y899

T673 Address

DS V010 -Y899

T674 Address

DS V010 -Y899

T675 Address

DS V010 -Y899

T676 Address

DS V010 -Y899

T677 Address

DS V010 -Y899

T678 Address

DS V010 -Y899

T679 Address

DS V010 -Y899

T68 Address

DS V010 -Y899

T690 Address

DS V010 -Y899

T691 Address

DS V010 -Y899

T698 Address

DS V010 -Y899

T699 Address

DS V010 -Y899

T700 Address

DS V010 -Y899

T701 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T702 Address

DS V010 -Y899

T703 Address

DS V010 -Y899

T704 Address

DS V010 -Y899

T708 Address

DS V010 -Y899

T709 Address

DS V010 -Y899

T71 Address

DS V010 -Y899

T730 Address

DS V010 -Y899

T731 Address

DS V010 -Y899

T732 Address

DS V010 -Y899

T733 Address

DS V010 -Y899

T738 Address

DS V010 -Y899

T739 Address

DS V010 -Y899

T740 Address

DS V010 -Y899

T741 Address

DS V010 -Y899

T742 Address

DS V010 -Y899

T743 Address

DS V010 -Y899

T748 Address

DS V010 -Y899

T749 Address

DS V010 -Y899

T750 Address

DS V010 -Y899

T751 Address

DS P035
DS V010 -Y899

T752 Address

DS V010 -Y899

T753 Address

DS V010 -Y899

T754 Address

DS V010 -Y899

T758 Address

DS V010 -Y899

T780 Address

DS V010 -Y899

T781 Address

DS V010 -Y899

T782 Address

DS V010 -Y899

T783 Address

DS V010 -Y899

T784 Address

DS V010 -Y899

T788 Address

DS V010 -Y899

T789 Address

DS V010 -Y899

T790 Address

DS V010 -Y899

T791 Address

DS V010 -Y899

T792 Address

DS V010 -Y899

T793 Address

DS V010 -Y899

T794 Address

DS V010 -Y899

T795 Address

DS V010 -Y899

T796 Address

DS V010 -Y899

T797 Address

DS V010 -Y899

T798 Address

DS V010 -Y899

T799 Address

DS V010 -Y899

T800 Address

DS Y600 -Y849

T801 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I379
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033
DS O038
DS O043

ICD-10-Mortality Manual 2c - 2014

DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

T802 Address

DS		Y600	-Y849
----	--	------	-------

T803 Address

DS		Y600	-Y849
----	--	------	-------

T804 Address

DS		Y600	-Y849
----	--	------	-------

T805 Address

DS		Y600	-Y849
----	--	------	-------

T806 Address

DS		Y600	-Y849
----	--	------	-------

T808 Address

DS		Y600	-Y849
----	--	------	-------

T809 Address

DS		Y600	-Y849
----	--	------	-------

T810 Address

DS		Y600	-Y849
----	--	------	-------

T811 Address

DS		Y600	-Y849
----	--	------	-------

T812 Address

DS		Y600	-Y849
----	--	------	-------

ICD-10-Mortality Manual 2c - 2014

T813 Address

DS Y600 -Y849

T814 Address

DS Y600 -Y849

T815 Address

DS Y600 -Y849

T816 Address

DS Y600 -Y849

T817 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I379
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033
DS O038
DS O043
DS O048
DS O053
DS O058
DS O063
DS O068
DS O073
DS O078
DS O087
DS M O223
DS M O229
DS O60 -O849
DS M O871
DS M O879
DS O994
DS T801
DS T828
DS T838
DS T848

ICD-10-Mortality Manual 2c - 2014

DS T858
DS Y600 -Y849

T818 Address

DS Y600 -Y849

T819 Address

DS Y600 -Y849

T820 Address

DS Y600 -Y849

T821 Address

DS Y600 -Y849

T822 Address

DS Y600 -Y849

T823 Address

DS Y600 -Y849

T824 Address

DS Y600 -Y849

T825 Address

DS Y600 -Y849

T826 Address

DS Y600 -Y849

T827 Address

DS Y600 -Y849

T828 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I379
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033

ICD-10-Mortality Manual 2c - 2014

DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T838	
DS		T848	
DS		T858	
DS		Y600	-Y849

T829 Address

DS		Y600	-Y849
----	--	------	-------

T830 Address

DS		Y600	-Y849
----	--	------	-------

T831 Address

DS		Y600	-Y849
----	--	------	-------

T832 Address

DS		Y600	-Y849
----	--	------	-------

T833 Address

DS		Y600	-Y849
----	--	------	-------

T834 Address

DS		Y600	-Y849
----	--	------	-------

T835 Address

DS		Y600	-Y849
----	--	------	-------

T836 Address

DS		Y600	-Y849
----	--	------	-------

T838 Address

DS	M	I011	
DS	M	I020	

ICD-10-Mortality Manual 2c - 2014

DS	M	I050	-I080
DS		I081	-I083
DS	M	I088	
DS		I089	
DS		I091	
DS		I330	-I339
DS	M	I340	-I379
DS		I38	
DS	M	I48	-I499
DS		I513	
DS	M	I740	-I741
DS	M	I800	-I809
DS	M	I821	-I829
DS		O033	
DS		O038	
DS		O043	
DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T848	
DS		T858	
DS		Y600	-Y849

T839 Address

DS		Y600	-Y849
----	--	------	-------

T840 Address

DS		Y600	-Y849
----	--	------	-------

T841 Address

DS		Y600	-Y849
----	--	------	-------

T842 Address

DS		Y600	-Y849
----	--	------	-------

T843 Address

ICD-10-Mortality Manual 2c - 2014

DS Y600 -Y849

T844 Address

DS Y600 -Y849

T845 Address

DS Y600 -Y849

T846 Address

DS Y600 -Y849

T847 Address

DS Y600 -Y849

T848 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I379
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033
DS O038
DS O043
DS O048
DS O053
DS O058
DS O063
DS O068
DS O073
DS O078
DS O087
DS M O223
DS M O229
DS O60 -O849
DS M O871
DS M O879
DS O994
DS T801
DS T817
DS T828

ICD-10-Mortality Manual 2c - 2014

DS T838
DS T858
DS Y600 -Y849

T849 Address

DS Y600 -Y849

T850 Address

DS Y600 -Y849

T851 Address

DS Y600 -Y849

T852 Address

DS Y600 -Y849

T853 Address

DS Y600 -Y849

T854 Address

DS Y600 -Y849

T855 Address

DS Y600 -Y849

T856 Address

DS Y600 -Y849

T857 Address

DS Y600 -Y849

T858 Address

DS M I011
DS M I020
DS M I050 -I080
DS I081 -I083
DS M I088
DS I089
DS I091
DS I330 -I339
DS M I340 -I379
DS I38
DS M I48 -I499
DS I513
DS M I740 -I741
DS M I800 -I809
DS M I821 -I829
DS O033
DS O038
DS O043

ICD-10-Mortality Manual 2c - 2014

DS		O048	
DS		O053	
DS		O058	
DS		O063	
DS		O068	
DS		O073	
DS		O078	
DS		O087	
DS	M	O223	
DS	M	O229	
DS		O60	-O849
DS	M	O871	
DS	M	O879	
DS		O994	
DS		T801	
DS		T817	
DS		T828	
DS		T838	
DS		T848	
DS		Y600	-Y849

T859 Address

DS		Y600	-Y849
----	--	------	-------

T860 Address

DS		Y600	-Y849
----	--	------	-------

T861 Address

DS		Y600	-Y847
DS	M	Y848	
DS		Y849	

T862 Address

DS		Y600	-Y849
----	--	------	-------

T863 Address

DS		Y600	-Y849
----	--	------	-------

T864 Address

DS		Y600	-Y849
----	--	------	-------

T868 Address

DS		Y600	-Y849
----	--	------	-------

T869 Address

DS		Y600	-Y849
----	--	------	-------

T870 Address

DS		Y600	-Y849
----	--	------	-------

T871 Address

DS Y600 -Y849

T872 Address

DS Y600 -Y849

T873 Address

DS Y600 -Y849

T874 Address

DS Y600 -Y849

T875 Address

DS Y600 -Y849

T876 Address

DS Y600 -Y849

T880 Address

DS Y600 -Y849

T881 Address

DS Y600 -Y849

T882 Address

DS Y600 -Y849

T883 Address

DS Y600 -Y849

T884 Address

DS Y600 -Y849

T885 Address

DS Y600 -Y849

T886 Address

DS Y600 -Y849

T887 Address

DS Y600 -Y849

T888 Address

DS Y600 -Y849

T889 Address

DS Y600 -Y849

T900 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T901 Address

DS V010 -Y899

T902 Address

DS V010 -Y899

T903 Address

DS V010 -Y899

T904 Address

DS V010 -Y899

T905 Address

DS V010 -Y899

T908 Address

DS V010 -Y899

T909 Address

DS V010 -Y899

T910 Address

DS V010 -Y899

T911 Address

DS V010 -Y899

T912 Address

DS V010 -Y899

T913 Address

DS V010 -Y899

T914 Address

DS V010 -Y899

T915 Address

DS V010 -Y899

T918 Address

DS V010 -Y899

T919 Address

DS V010 -Y899

T920 Address

DS V010 -Y899

T921 Address

DS V010 -Y899

T922 Address

DS V010 -Y899

T923 Address

DS V010 -Y899

T924 Address

DS V010 -Y899

T925 Address

DS V010 -Y899

T926 Address

DS V010 -Y899

T928 Address

DS V010 -Y899

T929 Address

DS V010 -Y899

T930 Address

DS V010 -Y899

T931 Address

DS V010 -Y899

T932 Address

DS V010 -Y899

T933 Address

DS V010 -Y899

T934 Address

DS V010 -Y899

T935 Address

DS V010 -Y899

T936 Address

DS V010 -Y899

T938 Address

DS V010 -Y899

T939 Address

ICD-10-Mortality Manual 2c - 2014

DS V010 -Y899

T940 Address

DS V010 -Y899

T941 Address

DS V010 -Y899

T950 Address

DS V010 -Y899

T951 Address

DS V010 -Y899

T952 Address

DS V010 -Y899

T953 Address

DS V010 -Y899

T954 Address

DS V010 -Y899

T958 Address

DS V010 -Y899

T959 Address

DS V010 -Y899

T96 Address

DS V010 -Y899

T980 Address

DS V010 -Y899

T981 Address

DS V010 -Y899

T982 Address

DS V010 -Y899

T983 Address

DS V010 -Y899

V

V010 Address

LMP A35
DS M G400 -G419

V011 Address

LMP A35
DS M G400 -G419

V019 Address

LMP A35
DS M G400 -G419

V020 Address

LMP A35
DS M G400 -G419

V021 Address

LMP A35
DS M G400 -G419

V029 Address

LMP A35
DS M G400 -G419

V030 Address

LMP A35
DS M G400 -G419

V031 Address

LMP A35
DS M G400 -G419

V039 Address

LMP A35
DS M G400 -G419

V040 Address

LMP A35
DS M G400 -G419

V041 Address

LMP A35
DS M G400 -G419

V049 Address

LMP A35
DS M G400 -G419

V050 Address

LMP A35
DS M G400 -G419

V051 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V059 Address

LMP A35
DS M G400 -G419

V060 Address

LMP A35
DS M G400 -G419

V061 Address

LMP A35
DS M G400 -G419

V069 Address

LMP A35
DS M G400 -G419

V090 Address

LMP A35
DS M G400 -G419

V091 Address

LMP A35
DS M G400 -G419

V092 Address

LMP A35
DS M G400 -G419

V093 Address

LMP A35
DS M G400 -G419

V099 Address

LMP A35
DS M G400 -G419

V100 Address

LMP A35
DS M G400 -G419

V101 Address

LMP A35
DS M G400 -G419

V102 Address

LMP A35
DS M G400 -G419

V103 Address

LMP A35
DS M G400 -G419

V104 Address

LMP A35
DS M G400 -G419

V105 Address

LMP A35
DS M G400 -G419

V109 Address

LMP A35
DS M G400 -G419

V110 Address

LMP A35
DS M G400 -G419

V111 Address

LMP A35
DS M G400 -G419

V112 Address

LMP A35
DS M G400 -G419

V113 Address

LMP A35
DS M G400 -G419

V114 Address

LMP A35
DS M G400 -G419

V115 Address

LMP A35
DS M G400 -G419

V119 Address

LMP A35
DS M G400 -G419

V120 Address

LMP A35
DS M G400 -G419

V121 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V122 Address

LMP A35
DS M G400 -G419

V123 Address

LMP A35
DS M G400 -G419

V124 Address

LMP A35
DS M G400 -G419

V125 Address

LMP A35
DS M G400 -G419

V129 Address

LMP A35
DS M G400 -G419

V130 Address

LMP A35
DS M G400 -G419

V131 Address

LMP A35
DS M G400 -G419

V132 Address

LMP A35
DS M G400 -G419

V133 Address

LMP A35
DS M G400 -G419

V134 Address

LMP A35
DS M G400 -G419

V135 Address

LMP A35
DS M G400 -G419

V139 Address

LMP A35
DS M G400 -G419

V140 Address

LMP A35
DS M G400 -G419

V141 Address

LMP A35
DS M G400 -G419

V142 Address

LMP A35
DS M G400 -G419

V143 Address

LMP A35
DS M G400 -G419

V144 Address

LMP A35
DS M G400 -G419

V145 Address

LMP A35
DS M G400 -G419

V149 Address

LMP A35
DS M G400 -G419

V150 Address

LMP A35
DS M G400 -G419

V151 Address

LMP A35
DS M G400 -G419

V152 Address

LMP A35
DS M G400 -G419

V153 Address

LMP A35
DS M G400 -G419

V154 Address

LMP A35
DS M G400 -G419

V155 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V159 Address

LMP A35
DS M G400 -G419

V160 Address

LMP A35
DS M G400 -G419

V161 Address

LMP A35
DS M G400 -G419

V162 Address

LMP A35
DS M G400 -G419

V163 Address

LMP A35
DS M G400 -G419

V164 Address

LMP A35
DS M G400 -G419

V165 Address

LMP A35
DS M G400 -G419

V169 Address

LMP A35
DS M G400 -G419

V170 Address

LMP A35
DS M G400 -G419

V171 Address

LMP A35
DS M G400 -G419

V172 Address

LMP A35
DS M G400 -G419

V173 Address

LMP A35
DS M G400 -G419

V174 Address

LMP A35
DS M G400 -G419

V175 Address

LMP A35
DS M G400 -G419

V179 Address

LMP A35
DS M G400 -G419

V180 Address

LMP A35
DS M G400 -G419

V181 Address

LMP A35
DS M G400 -G419

V182 Address

LMP A35
DS M G400 -G419

V183 Address

LMP A35
DS M G400 -G419

V184 Address

LMP A35
DS M G400 -G419

V185 Address

LMP A35
DS M G400 -G419

V189 Address

LMP A35
DS M G400 -G419

V190 Address

LMP A35
DS M G400 -G419

V191 Address

LMP A35
DS M G400 -G419

V192 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V193 Address

LMP A35
DS M G400 -G419

V194 Address

LMP A35
DS M G400 -G419

V195 Address

LMP A35
DS M G400 -G419

V196 Address

LMP A35
DS M G400 -G419

V198 Address

LMP A35
DS M G400 -G419

V199 Address

LMP A35
DS M G400 -G419

V200 Address

LMP A35
DS M G400 -G419

V201 Address

LMP A35
DS M G400 -G419

V202 Address

LMP A35
DS M G400 -G419

V203 Address

LMP A35
DS M G400 -G419

V204 Address

LMP A35
DS M G400 -G419

V205 Address

LMP A35
DS M G400 -G419

V209 Address

LMP A35
DS M G400 -G419

V210 Address

LMP A35
DS M G400 -G419

V211 Address

LMP A35
DS M G400 -G419

V212 Address

LMP A35
DS M G400 -G419

V213 Address

LMP A35
DS M G400 -G419

V214 Address

LMP A35
DS M G400 -G419

V215 Address

LMP A35
DS M G400 -G419

V219 Address

LMP A35
DS M G400 -G419

V220 Address

LMP A35
DS M G400 -G419

V221 Address

LMP A35
DS M G400 -G419

V222 Address

LMP A35
DS M G400 -G419

V223 Address

LMP A35
DS M G400 -G419

V224 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V225 Address

LMP A35
DS M G400 -G419

V229 Address

LMP A35
DS M G400 -G419

V230 Address

LMP A35
DS M G400 -G419

V231 Address

LMP A35
DS M G400 -G419

V232 Address

LMP A35
DS M G400 -G419

V233 Address

LMP A35
DS M G400 -G419

V234 Address

LMP A35
DS M G400 -G419

V235 Address

LMP A35
DS M G400 -G419

V239 Address

LMP A35
DS M G400 -G419

V240 Address

LMP A35
DS M G400 -G419

V241 Address

LMP A35
DS M G400 -G419

V242 Address

LMP A35
DS M G400 -G419

V243 Address

LMP A35
DS M G400 -G419

V244 Address

LMP A35
DS M G400 -G419

V245 Address

LMP A35
DS M G400 -G419

V249 Address

LMP A35
DS M G400 -G419

V250 Address

LMP A35
DS M G400 -G419

V251 Address

LMP A35
DS M G400 -G419

V252 Address

LMP A35
DS M G400 -G419

V253 Address

LMP A35
DS M G400 -G419

V254 Address

LMP A35
DS M G400 -G419

V255 Address

LMP A35
DS M G400 -G419

V259 Address

LMP A35
DS M G400 -G419

V260 Address

LMP A35
DS M G400 -G419

V261 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V262 Address

LMP A35
DS M G400 -G419

V263 Address

LMP A35
DS M G400 -G419

V264 Address

LMP A35
DS M G400 -G419

V265 Address

LMP A35
DS M G400 -G419

V269 Address

LMP A35
DS M G400 -G419

V270 Address

LMP A35
DS M G400 -G419

V271 Address

LMP A35
DS M G400 -G419

V272 Address

LMP A35
DS M G400 -G419

V273 Address

LMP A35
DS M G400 -G419

V274 Address

LMP A35
DS M G400 -G419

V275 Address

LMP A35
DS M G400 -G419

V279 Address

LMP A35
DS M G400 -G419

V280 Address

LMP A35
DS M G400 -G419

V281 Address

LMP A35
DS M G400 -G419

V282 Address

LMP A35
DS M G400 -G419

V283 Address

LMP A35
DS M G400 -G419

V284 Address

LMP A35
DS M G400 -G419

V285 Address

LMP A35
DS M G400 -G419

V289 Address

LMP A35
DS M G400 -G419

V290 Address

LMP A35
DS M G400 -G419

V291 Address

LMP A35
DS M G400 -G419

V292 Address

LMP A35
DS M G400 -G419

V293 Address

LMP A35
DS M G400 -G419

V294 Address

LMP A35
DS M G400 -G419

V295 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V296 Address

LMP A35
DS M G400 -G419

V298 Address

LMP A35
DS M G400 -G419

V299 Address

LMP A35
DS M G400 -G419

V300 Address

LMP A35
DS M G400 -G419

V301 Address

LMP A35
DS M G400 -G419

V302 Address

LMP A35
DS M G400 -G419

V303 Address

LMP A35
DS M G400 -G419

V304 Address

LMP A35
DS M G400 -G419

V305 Address

LMP A35
DS M G400 -G419

V306 Address

LMP A35
DS M G400 -G419

V307 Address

LMP A35
DS M G400 -G419

V309 Address

LMP A35
DS M G400 -G419

V310 Address

LMP A35
DS M G400 -G419

V311 Address

LMP A35
DS M G400 -G419

V312 Address

LMP A35
DS M G400 -G419

V313 Address

LMP A35
DS M G400 -G419

V314 Address

LMP A35
DS M G400 -G419

V315 Address

LMP A35
DS M G400 -G419

V316 Address

LMP A35
DS M G400 -G419

V317 Address

LMP A35
DS M G400 -G419

V319 Address

LMP A35
DS M G400 -G419

V320 Address

LMP A35
DS M G400 -G419

V321 Address

LMP A35
DS M G400 -G419

V322 Address

LMP A35
DS M G400 -G419

V323 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V324 Address

LMP A35
DS M G400 -G419

V325 Address

LMP A35
DS M G400 -G419

V326 Address

LMP A35
DS M G400 -G419

V327 Address

LMP A35
DS M G400 -G419

V329 Address

LMP A35
DS M G400 -G419

V330 Address

LMP A35
DS M G400 -G419

V331 Address

LMP A35
DS M G400 -G419

V332 Address

LMP A35
DS M G400 -G419

V333 Address

LMP A35
DS M G400 -G419

V334 Address

LMP A35
DS M G400 -G419

V335 Address

LMP A35
DS M G400 -G419

V336 Address

LMP A35
DS M G400 -G419

V337 Address

LMP A35
DS M G400 -G419

V339 Address

LMP A35
DS M G400 -G419

V340 Address

LMP A35
DS M G400 -G419

V341 Address

LMP A35
DS M G400 -G419

V342 Address

LMP A35
DS M G400 -G419

V343 Address

LMP A35
DS M G400 -G419

V344 Address

LMP A35
DS M G400 -G419

V345 Address

LMP A35
DS M G400 -G419

V346 Address

LMP A35
DS M G400 -G419

V347 Address

LMP A35
DS M G400 -G419

V349 Address

LMP A35
DS M G400 -G419

V350 Address

LMP A35
DS M G400 -G419

V351 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V352 Address

LMP A35
DS M G400 -G419

V353 Address

LMP A35
DS M G400 -G419

V354 Address

LMP A35
DS M G400 -G419

V355 Address

LMP A35
DS M G400 -G419

V356 Address

LMP A35
DS M G400 -G419

V357 Address

LMP A35
DS M G400 -G419

V359 Address

LMP A35
DS M G400 -G419

V360 Address

LMP A35
DS M G400 -G419

V361 Address

LMP A35
DS M G400 -G419

V362 Address

LMP A35
DS M G400 -G419

V363 Address

LMP A35
DS M G400 -G419

V364 Address

LMP A35
DS M G400 -G419

V365 Address

LMP A35
DS M G400 -G419

V366 Address

LMP A35
DS M G400 -G419

V367 Address

LMP A35
DS M G400 -G419

V369 Address

LMP A35
DS M G400 -G419

V370 Address

LMP A35
DS M G400 -G419

V371 Address

LMP A35
DS M G400 -G419

V372 Address

LMP A35
DS M G400 -G419

V373 Address

LMP A35
DS M G400 -G419

V374 Address

LMP A35
DS M G400 -G419

V375 Address

LMP A35
DS M G400 -G419

V376 Address

LMP A35
DS M G400 -G419

V377 Address

LMP A35
DS M G400 -G419

V379 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V380 Address

LMP A35
DS M G400 -G419

V381 Address

LMP A35
DS M G400 -G419

V382 Address

LMP A35
DS M G400 -G419

V383 Address

LMP A35
DS M G400 -G419

V384 Address

LMP A35
DS M G400 -G419

V385 Address

LMP A35
DS M G400 -G419

V386 Address

LMP A35
DS M G400 -G419

V387 Address

LMP A35
DS M G400 -G419

V389 Address

LMP A35
DS M G400 -G419

V390 Address

LMP A35
DS M G400 -G419

V391 Address

LMP A35
DS M G400 -G419

V392 Address

LMP A35
DS M G400 -G419

V393 Address

LMP A35
DS M G400 -G419

V394 Address

LMP A35
DS M G400 -G419

V395 Address

LMP A35
DS M G400 -G419

V396 Address

LMP A35
DS M G400 -G419

V398 Address

LMP A35
DS M G400 -G419

V399 Address

LMP A35
DS M G400 -G419

V400 Address

LMP A35
DS M G400 -G419

V401 Address

LMP A35
DS M G400 -G419

V402 Address

LMP A35
DS M G400 -G419

V403 Address

LMP A35
DS M G400 -G419

V404 Address

LMP A35
DS M G400 -G419

V405 Address

LMP A35
DS M G400 -G419

V406 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V407 Address

LMP A35
DS M G400 -G419

V409 Address

LMP A35
DS M G400 -G419

V410 Address

LMP A35
DS M G400 -G419

V411 Address

LMP A35
DS M G400 -G419

V412 Address

LMP A35
DS M G400 -G419

V413 Address

LMP A35
DS M G400 -G419

V414 Address

LMP A35
DS M G400 -G419

V415 Address

LMP A35
DS M G400 -G419

V416 Address

LMP A35
DS M G400 -G419

V417 Address

LMP A35
DS M G400 -G419

V419 Address

LMP A35
DS M G400 -G419

V420 Address

LMP A35
DS M G400 -G419

V421 Address

LMP A35
DS M G400 -G419

V422 Address

LMP A35
DS M G400 -G419

V423 Address

LMP A35
DS M G400 -G419

V424 Address

LMP A35
DS M G400 -G419

V425 Address

LMP A35
DS M G400 -G419

V426 Address

LMP A35
DS M G400 -G419

V427 Address

LMP A35
DS M G400 -G419

V429 Address

LMP A35
DS M G400 -G419

V430 Address

LMP A35
DS M G400 -G419

V431 Address

LMP A35
DS M G400 -G419

V432 Address

LMP A35
DS M G400 -G419

V433 Address

LMP A35
DS M G400 -G419

V434 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V435 Address

LMP A35
DS M G400 -G419

V436 Address

LMP A35
DS M G400 -G419

V437 Address

LMP A35
DS M G400 -G419

V439 Address

LMP A35
DS M G400 -G419

V440 Address

LMP A35
DS M G400 -G419

V441 Address

LMP A35
DS M G400 -G419

V442 Address

LMP A35
DS M G400 -G419

V443 Address

LMP A35
DS M G400 -G419

V444 Address

LMP A35
DS M G400 -G419

V445 Address

LMP A35
DS M G400 -G419

V446 Address

LMP A35
DS M G400 -G419

V447 Address

LMP A35
DS M G400 -G419

V449 Address

LMP A35
DS M G400 -G419

V450 Address

LMP A35
DS M G400 -G419

V451 Address

LMP A35
DS M G400 -G419

V452 Address

LMP A35
DS M G400 -G419

V453 Address

LMP A35
DS M G400 -G419

V454 Address

LMP A35
DS M G400 -G419

V455 Address

LMP A35
DS M G400 -G419

V456 Address

LMP A35
DS M G400 -G419

V457 Address

LMP A35
DS M G400 -G419

V459 Address

LMP A35
DS M G400 -G419

V460 Address

LMP A35
DS M G400 -G419

V461 Address

LMP A35
DS M G400 -G419

V462 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V463 Address

LMP A35
DS M G400 -G419

V464 Address

LMP A35
DS M G400 -G419

V465 Address

LMP A35
DS M G400 -G419

V466 Address

LMP A35
DS M G400 -G419

V467 Address

LMP A35
DS M G400 -G419

V469 Address

LMP A35
DS M G400 -G419

V470 Address

LMP A35
DS M G400 -G419

V471 Address

LMP A35
DS M G400 -G419

V472 Address

LMP A35
DS M G400 -G419

V473 Address

LMP A35
DS M G400 -G419

V474 Address

LMP A35
DS M G400 -G419

V475 Address

LMP A35
DS M G400 -G419

V476 Address

LMP A35
DS M G400 -G419

V477 Address

LMP A35
DS M G400 -G419

V479 Address

LMP A35
DS M G400 -G419

V480 Address

LMP A35
DS M G400 -G419

V481 Address

LMP A35
DS M G400 -G419

V482 Address

LMP A35
DS M G400 -G419

V483 Address

LMP A35
DS M G400 -G419

V484 Address

LMP A35
DS M G400 -G419

V485 Address

LMP A35
DS M G400 -G419

V486 Address

LMP A35
DS M G400 -G419

V487 Address

LMP A35
DS M G400 -G419

V489 Address

LMP A35
DS M G400 -G419

V490 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V491 Address

LMP A35
DS M G400 -G419

V492 Address

LMP A35
DS M G400 -G419

V493 Address

LMP A35
DS M G400 -G419

V494 Address

LMP A35
DS M G400 -G419

V495 Address

LMP A35
DS M G400 -G419

V496 Address

LMP A35
DS M G400 -G419

V498 Address

LMP A35
DS M G400 -G419

V499 Address

LMP A35
DS M G400 -G419

V500 Address

LMP A35
DS M G400 -G419

V501 Address

LMP A35
DS M G400 -G419

V502 Address

LMP A35
DS M G400 -G419

V503 Address

LMP A35
DS M G400 -G419

V504 Address

LMP A35
DS M G400 -G419

V505 Address

LMP A35
DS M G400 -G419

V506 Address

LMP A35
DS M G400 -G419

V507 Address

LMP A35
DS M G400 -G419

V509 Address

LMP A35
DS M G400 -G419

V510 Address

LMP A35
DS M G400 -G419

V511 Address

LMP A35
DS M G400 -G419

V512 Address

LMP A35
DS M G400 -G419

V513 Address

LMP A35
DS M G400 -G419

V514 Address

LMP A35
DS M G400 -G419

V515 Address

LMP A35
DS M G400 -G419

V516 Address

LMP A35
DS M G400 -G419

V517 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V519 Address

LMP A35
DS M G400 -G419

V520 Address

LMP A35
DS M G400 -G419

V521 Address

LMP A35
DS M G400 -G419

V522 Address

LMP A35
DS M G400 -G419

V523 Address

LMP A35
DS M G400 -G419

V524 Address

LMP A35
DS M G400 -G419

V525 Address

LMP A35
DS M G400 -G419

V526 Address

LMP A35
DS M G400 -G419

V527 Address

LMP A35
DS M G400 -G419

V529 Address

LMP A35
DS M G400 -G419

V530 Address

LMP A35
DS M G400 -G419

V531 Address

LMP A35
DS M G400 -G419

V532 Address

LMP A35
DS M G400 -G419

V533 Address

LMP A35
DS M G400 -G419

V534 Address

LMP A35
DS M G400 -G419

V535 Address

LMP A35
DS M G400 -G419

V536 Address

LMP A35
DS M G400 -G419

V537 Address

LMP A35
DS M G400 -G419

V539 Address

LMP A35
DS M G400 -G419

V540 Address

LMP A35
DS M G400 -G419

V541 Address

LMP A35
DS M G400 -G419

V542 Address

LMP A35
DS M G400 -G419

V543 Address

LMP A35
DS M G400 -G419

V544 Address

LMP A35
DS M G400 -G419

V545 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V546 Address

LMP A35
DS M G400 -G419

V547 Address

LMP A35
DS M G400 -G419

V549 Address

LMP A35
DS M G400 -G419

V550 Address

LMP A35
DS M G400 -G419

V551 Address

LMP A35
DS M G400 -G419

V552 Address

LMP A35
DS M G400 -G419

V553 Address

LMP A35
DS M G400 -G419

V554 Address

LMP A35
DS M G400 -G419

V555 Address

LMP A35
DS M G400 -G419

V556 Address

LMP A35
DS M G400 -G419

V557 Address

LMP A35
DS M G400 -G419

V559 Address

LMP A35
DS M G400 -G419

V560 Address

LMP A35
DS M G400 -G419

V561 Address

LMP A35
DS M G400 -G419

V562 Address

LMP A35
DS M G400 -G419

V563 Address

LMP A35
DS M G400 -G419

V564 Address

LMP A35
DS M G400 -G419

V565 Address

LMP A35
DS M G400 -G419

V566 Address

LMP A35
DS M G400 -G419

V567 Address

LMP A35
DS M G400 -G419

V569 Address

LMP A35
DS M G400 -G419

V570 Address

LMP A35
DS M G400 -G419

V571 Address

LMP A35
DS M G400 -G419

V572 Address

LMP A35
DS M G400 -G419

V573 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V574 Address

LMP A35
DS M G400 -G419

V575 Address

LMP A35
DS M G400 -G419

V576 Address

LMP A35
DS M G400 -G419

V577 Address

LMP A35
DS M G400 -G419

V579 Address

LMP A35
DS M G400 -G419

V580 Address

LMP A35
DS M G400 -G419

V581 Address

LMP A35
DS M G400 -G419

V582 Address

LMP A35
DS M G400 -G419

V583 Address

LMP A35
DS M G400 -G419

V584 Address

LMP A35
DS M G400 -G419

V585 Address

LMP A35
DS M G400 -G419

V586 Address

LMP A35
DS M G400 -G419

V587 Address

LMP A35
DS M G400 -G419

V589 Address

LMP A35
DS M G400 -G419

V590 Address

LMP A35
DS M G400 -G419

V591 Address

LMP A35
DS M G400 -G419

V592 Address

LMP A35
DS M G400 -G419

V593 Address

LMP A35
DS M G400 -G419

V594 Address

LMP A35
DS M G400 -G419

V595 Address

LMP A35
DS M G400 -G419

V596 Address

LMP A35
DS M G400 -G419

V598 Address

LMP A35
DS M G400 -G419

V599 Address

LMP A35
DS M G400 -G419

V600 Address

LMP A35
DS M G400 -G419

V601 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V602 Address

LMP A35
DS M G400 -G419

V603 Address

LMP A35
DS M G400 -G419

V604 Address

LMP A35
DS M G400 -G419

V605 Address

LMP A35
DS M G400 -G419

V606 Address

LMP A35
DS M G400 -G419

V607 Address

LMP A35
DS M G400 -G419

V609 Address

LMP A35
DS M G400 -G419

V610 Address

LMP A35
DS M G400 -G419

V611 Address

LMP A35
DS M G400 -G419

V612 Address

LMP A35
DS M G400 -G419

V613 Address

LMP A35
DS M G400 -G419

V614 Address

LMP A35
DS M G400 -G419

V615 Address

LMP A35
DS M G400 -G419

V616 Address

LMP A35
DS M G400 -G419

V617 Address

LMP A35
DS M G400 -G419

V619 Address

LMP A35
DS M G400 -G419

V620 Address

LMP A35
DS M G400 -G419

V621 Address

LMP A35
DS M G400 -G419

V622 Address

LMP A35
DS M G400 -G419

V623 Address

LMP A35
DS M G400 -G419

V624 Address

LMP A35
DS M G400 -G419

V625 Address

LMP A35
DS M G400 -G419

V626 Address

LMP A35
DS M G400 -G419

V627 Address

LMP A35
DS M G400 -G419

V629 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V630 Address

LMP A35
DS M G400 -G419

V631 Address

LMP A35
DS M G400 -G419

V632 Address

LMP A35
DS M G400 -G419

V633 Address

LMP A35
DS M G400 -G419

V634 Address

LMP A35
DS M G400 -G419

V635 Address

LMP A35
DS M G400 -G419

V636 Address

LMP A35
DS M G400 -G419

V637 Address

LMP A35
DS M G400 -G419

V639 Address

LMP A35
DS M G400 -G419

V640 Address

LMP A35
DS M G400 -G419

V641 Address

LMP A35
DS M G400 -G419

V642 Address

LMP A35
DS M G400 -G419

V643 Address

LMP A35
DS M G400 -G419

V644 Address

LMP A35
DS M G400 -G419

V645 Address

LMP A35
DS M G400 -G419

V646 Address

LMP A35
DS M G400 -G419

V647 Address

LMP A35
DS M G400 -G419

V649 Address

LMP A35
DS M G400 -G419

V650 Address

LMP A35
DS M G400 -G419

V651 Address

LMP A35
DS M G400 -G419

V652 Address

LMP A35
DS M G400 -G419

V653 Address

LMP A35
DS M G400 -G419

V654 Address

LMP A35
DS M G400 -G419

V655 Address

LMP A35
DS M G400 -G419

V656 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V657 Address

LMP A35
DS M G400 -G419

V659 Address

LMP A35
DS M G400 -G419

V660 Address

LMP A35
DS M G400 -G419

V661 Address

LMP A35
DS M G400 -G419

V662 Address

LMP A35
DS M G400 -G419

V663 Address

LMP A35
DS M G400 -G419

V664 Address

LMP A35
DS M G400 -G419

V665 Address

LMP A35
DS M G400 -G419

V666 Address

LMP A35
DS M G400 -G419

V667 Address

LMP A35
DS M G400 -G419

V669 Address

LMP A35
DS M G400 -G419

V670 Address

LMP A35
DS M G400 -G419

V671 Address

LMP A35
DS M G400 -G419

V672 Address

LMP A35
DS M G400 -G419

V673 Address

LMP A35
DS M G400 -G419

V674 Address

LMP A35
DS M G400 -G419

V675 Address

LMP A35
DS M G400 -G419

V676 Address

LMP A35
DS M G400 -G419

V677 Address

LMP A35
DS M G400 -G419

V679 Address

LMP A35
DS M G400 -G419

V680 Address

LMP A35
DS M G400 -G419

V681 Address

LMP A35
DS M G400 -G419

V682 Address

LMP A35
DS M G400 -G419

V683 Address

LMP A35
DS M G400 -G419

V684 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V685 Address

LMP A35
DS M G400 -G419

V686 Address

LMP A35
DS M G400 -G419

V687 Address

LMP A35
DS M G400 -G419

V689 Address

LMP A35
DS M G400 -G419

V690 Address

LMP A35
DS M G400 -G419

V691 Address

LMP A35
DS M G400 -G419

V692 Address

LMP A35
DS M G400 -G419

V693 Address

LMP A35
DS M G400 -G419

V694 Address

LMP A35
DS M G400 -G419

V695 Address

LMP A35
DS M G400 -G419

V696 Address

LMP A35
DS M G400 -G419

V698 Address

LMP A35
DS M G400 -G419

V699 Address

LMP A35
DS M G400 -G419

V700 Address

LMP A35
DS M G400 -G419

V701 Address

LMP A35
DS M G400 -G419

V702 Address

LMP A35
DS M G400 -G419

V703 Address

LMP A35
DS M G400 -G419

V704 Address

LMP A35
DS M G400 -G419

V705 Address

LMP A35
DS M G400 -G419

V706 Address

LMP A35
DS M G400 -G419

V707 Address

LMP A35
DS M G400 -G419

V709 Address

LMP A35
DS M G400 -G419

V710 Address

LMP A35
DS M G400 -G419

V711 Address

LMP A35
DS M G400 -G419

V712 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V713 Address

LMP A35
DS M G400 -G419

V714 Address

LMP A35
DS M G400 -G419

V715 Address

LMP A35
DS M G400 -G419

V716 Address

LMP A35
DS M G400 -G419

V717 Address

LMP A35
DS M G400 -G419

V719 Address

LMP A35
DS M G400 -G419

V720 Address

LMP A35
DS M G400 -G419

V721 Address

LMP A35
DS M G400 -G419

V722 Address

LMP A35
DS M G400 -G419

V723 Address

LMP A35
DS M G400 -G419

V724 Address

LMP A35
DS M G400 -G419

V725 Address

LMP A35
DS M G400 -G419

V726 Address

LMP A35
DS M G400 -G419

V727 Address

LMP A35
DS M G400 -G419

V729 Address

LMP A35
DS M G400 -G419

V730 Address

LMP A35
DS M G400 -G419

V731 Address

LMP A35
DS M G400 -G419

V732 Address

LMP A35
DS M G400 -G419

V733 Address

LMP A35
DS M G400 -G419

V734 Address

LMP A35
DS M G400 -G419

V735 Address

LMP A35
DS M G400 -G419

V736 Address

LMP A35
DS M G400 -G419

V737 Address

LMP A35
DS M G400 -G419

V739 Address

LMP A35
DS M G400 -G419

V740 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V741 Address

LMP A35
DS M G400 -G419

V742 Address

LMP A35
DS M G400 -G419

V743 Address

LMP A35
DS M G400 -G419

V744 Address

LMP A35
DS M G400 -G419

V745 Address

LMP A35
DS M G400 -G419

V746 Address

LMP A35
DS M G400 -G419

V747 Address

LMP A35
DS M G400 -G419

V749 Address

LMP A35
DS M G400 -G419

V750 Address

LMP A35
DS M G400 -G419

V751 Address

LMP A35
DS M G400 -G419

V752 Address

LMP A35
DS M G400 -G419

V753 Address

LMP A35
DS M G400 -G419

V754 Address

LMP A35
DS M G400 -G419

V755 Address

LMP A35
DS M G400 -G419

V756 Address

LMP A35
DS M G400 -G419

V757 Address

LMP A35
DS M G400 -G419

V759 Address

LMP A35
DS M G400 -G419

V760 Address

LMP A35
DS M G400 -G419

V761 Address

LMP A35
DS M G400 -G419

V762 Address

LMP A35
DS M G400 -G419

V763 Address

LMP A35
DS M G400 -G419

V764 Address

LMP A35
DS M G400 -G419

V765 Address

LMP A35
DS M G400 -G419

V766 Address

LMP A35
DS M G400 -G419

V767 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V769 Address

LMP A35
DS M G400 -G419

V770 Address

LMP A35
DS M G400 -G419

V771 Address

LMP A35
DS M G400 -G419

V772 Address

LMP A35
DS M G400 -G419

V773 Address

LMP A35
DS M G400 -G419

V774 Address

LMP A35
DS M G400 -G419

V775 Address

LMP A35
DS M G400 -G419

V776 Address

LMP A35
DS M G400 -G419

V777 Address

LMP A35
DS M G400 -G419

V779 Address

LMP A35
DS M G400 -G419

V780 Address

LMP A35
DS M G400 -G419

V781 Address

LMP A35
DS M G400 -G419

V782 Address

LMP A35
DS M G400 -G419

V783 Address

LMP A35
DS M G400 -G419

V784 Address

LMP A35
DS M G400 -G419

V785 Address

LMP A35
DS M G400 -G419

V786 Address

LMP A35
DS M G400 -G419

V787 Address

LMP A35
DS M G400 -G419

V789 Address

LMP A35
DS M G400 -G419

V790 Address

LMP A35
DS M G400 -G419

V791 Address

LMP A35
DS M G400 -G419

V792 Address

LMP A35
DS M G400 -G419

V793 Address

LMP A35
DS M G400 -G419

V794 Address

LMP A35
DS M G400 -G419

V795 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V796 Address

LMP A35
DS M G400 -G419

V798 Address

LMP A35
DS M G400 -G419

V799 Address

LMP A35
DS M G400 -G419

V800 Address

LMP A35
DS M G400 -G419

V801 Address

LMP A35
DS M G400 -G419

V802 Address

LMP A35
DS M G400 -G419

V803 Address

LMP A35
DS M G400 -G419

V804 Address

LMP A35
DS M G400 -G419

V805 Address

LMP A35
DS M G400 -G419

V806 Address

LMP A35
DS M G400 -G419

V807 Address

LMP A35
DS M G400 -G419

V808 Address

LMP A35
DS M G400 -G419

V809 Address

LMP A35
DS M G400 -G419

V810 Address

LMP A35
DS M G400 -G419

V811 Address

LMP A35
DS M G400 -G419

V812 Address

LMP A35
DS M G400 -G419

V813 Address

LMP A35
DS M G400 -G419

V814 Address

LMP A35
DS M G400 -G419

V815 Address

LMP A35
DS M G400 -G419

V816 Address

LMP A35
DS M G400 -G419

V817 Address

LMP A35
DS M G400 -G419

V818 Address

LMP A35
DS M G400 -G419

V819 Address

LMP A35
DS M G400 -G419

V820 Address

LMP A35
DS M G400 -G419

V821 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V822 Address

LMP A35
DS M G400 -G419

V823 Address

LMP A35
DS M G400 -G419

V824 Address

LMP A35
DS M G400 -G419

V825 Address

LMP A35
DS M G400 -G419

V826 Address

LMP A35
DS M G400 -G419

V827 Address

LMP A35
DS M G400 -G419

V828 Address

LMP A35
DS M G400 -G419

V829 Address

LMP A35
DS M G400 -G419

V830 Address

LMP A35
DS M G400 -G419

V831 Address

LMP A35
DS M G400 -G419

V832 Address

LMP A35
DS M G400 -G419

V833 Address

LMP A35
DS M G400 -G419

V834 Address

LMP A35
DS M G400 -G419

V835 Address

LMP A35
DS M G400 -G419

V836 Address

LMP A35
DS M G400 -G419

V837 Address

LMP A35
DS M G400 -G419

V839 Address

LMP A35
DS M G400 -G419

V840 Address

LMP A35
DS M G400 -G419

V841 Address

LMP A35
DS M G400 -G419

V842 Address

LMP A35
DS M G400 -G419

V843 Address

LMP A35
DS M G400 -G419

V844 Address

LMP A35
DS M G400 -G419

V845 Address

LMP A35
DS M G400 -G419

V846 Address

LMP A35
DS M G400 -G419

V847 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V849 Address

LMP A35
DS M G400 -G419

V850 Address

LMP A35
DS M G400 -G419

V851 Address

LMP A35
DS M G400 -G419

V852 Address

LMP A35
DS M G400 -G419

V853 Address

LMP A35
DS M G400 -G419

V854 Address

LMP A35
DS M G400 -G419

V855 Address

LMP A35
DS M G400 -G419

V856 Address

LMP A35
DS M G400 -G419

V857 Address

LMP A35
DS M G400 -G419

V859 Address

LMP A35
DS M G400 -G419

V860 Address

LMP A35
DS M G400 -G419

V861 Address

LMP A35
DS M G400 -G419

V862 Address

LMP A35
DS M G400 -G419

V863 Address

LMP A35
DS M G400 -G419

V864 Address

LMP A35
DS M G400 -G419

V865 Address

LMP A35
DS M G400 -G419

V866 Address

LMP A35
DS M G400 -G419

V867 Address

LMP A35
DS M G400 -G419

V869 Address

LMP A35
DS M G400 -G419

V870 Address

LMP A35
DS M G400 -G419

V871 Address

LMP A35
DS M G400 -G419

V872 Address

LMP A35
DS M G400 -G419

V873 Address

LMP A35
DS M G400 -G419

V874 Address

LMP A35
DS M G400 -G419

V875 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V876 Address

LMP A35
DS M G400 -G419

V877 Address

LMP A35
DS M G400 -G419

V878 Address

LMP A35
DS M G400 -G419

V879 Address

LMP A35
DS M G400 -G419

V880 Address

LMP A35
DS M G400 -G419

V881 Address

LMP A35
DS M G400 -G419

V882 Address

LMP A35
DS M G400 -G419

V883 Address

LMP A35
DS M G400 -G419

V884 Address

LMP A35
DS M G400 -G419

V885 Address

LMP A35
DS M G400 -G419

V886 Address

LMP A35
DS M G400 -G419

V887 Address

LMP A35
DS M G400 -G419

V888 Address

LMP A35
DS M G400 -G419

V889 Address

LMP A35
DS M G400 -G419

V890 Address

LMP A35
DS M G400 -G419

V891 Address

LMP A35
DS M G400 -G419

V892 Address

LMP A35
DS M G400 -G419

V893 Address

LMP A35
DS M G400 -G419

V899 Address

LMP A35
DS M G400 -G419

V900 Address

LMP A35
DS M G400 -G419

V901 Address

LMP A35
DS M G400 -G419

V902 Address

LMP A35
DS M G400 -G419

V903 Address

LMP A35
DS M G400 -G419

V904 Address

LMP A35
DS M G400 -G419

V905 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V906 Address

LMP A35
DS M G400 -G419

V907 Address

LMP A35
DS M G400 -G419

V908 Address

LMP A35
DS M G400 -G419

V909 Address

LMP A35
DS M G400 -G419

V910 Address

LMP A35
DS M G400 -G419

V911 Address

LMP A35
DS M G400 -G419

V912 Address

LMP A35
DS M G400 -G419

V913 Address

LMP A35
DS M G400 -G419

V914 Address

LMP A35
DS M G400 -G419

V915 Address

LMP A35
DS M G400 -G419

V916 Address

LMP A35
DS M G400 -G419

V917 Address

LMP A35
DS M G400 -G419

V918 Address

LMP A35
DS M G400 -G419

V919 Address

LMP A35
DS M G400 -G419

V920 Address

LMP A35
DS M G400 -G419

V921 Address

LMP A35
DS M G400 -G419

V922 Address

LMP A35
DS M G400 -G419

V923 Address

LMP A35
DS M G400 -G419

V924 Address

LMP A35
DS M G400 -G419

V925 Address

LMP A35
DS M G400 -G419

V926 Address

LMP A35
DS M G400 -G419

V927 Address

LMP A35
DS M G400 -G419

V928 Address

LMP A35
DS M G400 -G419

V929 Address

LMP A35
DS M G400 -G419

V930 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V931 Address

LMP A35
DS M G400 -G419

V932 Address

LMP A35
DS M G400 -G419

V933 Address

LMP A35
DS M G400 -G419

V934 Address

LMP A35
DS M G400 -G419

V935 Address

LMP A35
DS M G400 -G419

V936 Address

LMP A35
DS M G400 -G419

V937 Address

LMP A35
DS M G400 -G419

V938 Address

LMP A35
DS M G400 -G419

V939 Address

LMP A35
DS M G400 -G419

V940 Address

LMP A35
DS M G400 -G419

V941 Address

LMP A35
DS M G400 -G419

V942 Address

LMP A35
DS M G400 -G419

V943 Address

LMP A35
DS M G400 -G419

V944 Address

LMP A35
DS M G400 -G419

V945 Address

LMP A35
DS M G400 -G419

V946 Address

LMP A35
DS M G400 -G419

V947 Address

LMP A35
DS M G400 -G419

V948 Address

LMP A35
DS M G400 -G419

V949 Address

LMP A35
DS M G400 -G419

V950 Address

LMP A35
DS M G400 -G419

V951 Address

LMP A35
DS M G400 -G419

V952 Address

LMP A35
DS M G400 -G419

V953 Address

LMP A35
DS M G400 -G419

V954 Address

LMP A35
DS M G400 -G419

V958 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

V959 Address

LMP A35
DS M G400 -G419

V960 Address

LMP A35
DS M G400 -G419

V961 Address

LMP A35
DS M G400 -G419

V962 Address

LMP A35
DS M G400 -G419

V968 Address

LMP A35
DS M G400 -G419

V969 Address

LMP A35
DS M G400 -G419

V970 Address

LMP A35
DS M G400 -G419

V971 Address

LMP A35
DS M G400 -G419

V972 Address

LMP A35
DS M G400 -G419

V973 Address

LMP A35
DS M G400 -G419

V978 Address

LMP A35
DS M G400 -G419

V98 Address

LMP A35
DS M G400 -G419

V99 Address

LMP A35
DS M G400 -G419

W

W00 Address

LMP A35
DS M G400 -G419

W01 Address

LMP A35
DS M G400 -G419

W02 Address

LMP A35
DS M G400 -G419

W03 Address

LMP A35
DS M G400 -G419

W04 Address

LMP A35
DS M G400 -G419

W05 Address

LMP A35
DS M G400 -G419

W06 Address

LMP A35
DS M G400 -G419

W07 Address

LMP A35
DS M G400 -G419

W08 Address

LMP A35
DS M G400 -G419

W09 Address

LMP A35
DS M G400 -G419

W10 Address

LMP A35
DS M G400 -G419

W11 Address

LMP A35
DS M G400 -G419

W12 Address

LMP A35
DS M G400 -G419

W13 Address

LMP A35
DS M G400 -G419

W14 Address

LMP A35
DS M G400 -G419

W15 Address

LMP A35
DS M G400 -G419

W16 Address

LMP A35
DS M G400 -G419

W17 Address

LMP A35
DS M G400 -G419

W18 Address

LMP A35
DS M G400 -G419

W19 Address

LMP A35
DS M G400 -G419

W20 Address

LMP A35
DS M G400 -G419

W21 Address

LMP A35
DS M G400 -G419

W22 Address

LMP A35
DS M G400 -G419

W23 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

W24 Address

LMP A35
DS M G400 -G419

W25 Address

LMP A35
DS M G400 -G419

W26 Address

LMP A35
DS M G400 -G419

W27 Address

LMP A35
DS M G400 -G419

W28 Address

LMP A35
DS M G400 -G419

W29 Address

LMP A35
DS M G400 -G419

W30 Address

LMP A35
DS M G400 -G419

W31 Address

LMP A35
DS M G400 -G419

W32 Address

LMP A35
DS M G400 -G419

W33 Address

LMP A35
DS M G400 -G419

W34 Address

LMP A35
DS M G400 -G419

W35 Address

LMP A35
DS M G400 -G419

W36 Address

LMP A35
DS M G400 -G419

W37 Address

LMP A35
DS M G400 -G419

W38 Address

LMP A35
DS M G400 -G419

W39 Address

LMP A35
DS M G400 -G419

W40 Address

LMP A35
DS M G400 -G419

W41 Address

LMP A35
DS M G400 -G419

W42 Address

LMP A35
DS M G400 -G419

W43 Address

LMP A35
DS M G400 -G419

W44 Address

LMP A35
DS M G400 -G419

W45 Address

LMP A35
DS M G400 -G419

W46 Address

LMP A35
DS M G400 -G419

W49 Address

LMP A35
DS M G400 -G419

W50 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

W51 Address

LMP A35
DS M G400 -G419

W52 Address

LMP A35
DS M G400 -G419

W53 Address

LMP A35
DS M G400 -G419

W54 Address

LMP A35
DS M G400 -G419

W55 Address

LMP A35
DS M G400 -G419

W56 Address

LMP A35
DS M G400 -G419

W57 Address

LMP A35
DS M G400 -G419

W58 Address

LMP A35
DS M G400 -G419

W59 Address

LMP A35
DS M G400 -G419

W60 Address

LMP A35
DS M G400 -G419

W64 Address

LMP A35
DS M G400 -G419

W65 Address

LMP A35
DS M G400 -G419

W66 Address

LMP A35
DS M G400 -G419

W67 Address

LMP A35
DS M G400 -G419

W68 Address

LMP A35
DS M G400 -G419

W69 Address

LMP A35
DS M G400 -G419

W70 Address

LMP A35
DS M G400 -G419

W73 Address

LMP A35
DS M G400 -G419
DS P035

W74 Address

LMP A35
DS M G400 -G419
DS P035

W75 Address

LMP A35
DS M G400 -G419

W76 Address

LMP A35
DS M G400 -G419

W77 Address

LMP A35
DS M G400 -G419

W78 Address

DS A000 -A059
DS A080 -A099
DS M A183
LMP A35
DS A504
DS A521

ICD-10-Mortality Manual 2c - 2014

DS		A800	-A809
DS		A923	
DS		C000	-C159
DS	M	C788	
DS	M	C810	-C902
DS		D000	-D001
DS		D100	-D109
DS		D130	
DS		D370	
DS	M	D377	
DS		E713	
DS		E750	-E756
DS		F100	-F109
DS		F444	
DS		F71	-F79
DS		G10	-G379
DS	M	G400	-G419
DS		G514	
DS		G527	
DS	M	G600	-G609
DS		G700	-G900
DS		G903	
DS		G937	-G938
DS		G950	-G959
DS		G961	
DS		I600	-I698
DS	M	J380	-J392
DS	M	K130	
DS		K135	-K136
DS	M	K137	
DS		K20	-K319
DS	M	K920	-K929
DS		Q351	-Q379
DS	M	Q380	-Q400
DS		R11	
DS		R13	
DS		R296	-R298
DS	M	V010	-W77
DS	M	W79	-Y899

W79 Address

DS		A000	-A059
DS		A080	-A099
DS	M	A183	
LMP		A35	
DS		A504	
DS		A521	
DS		A800	-A809
DS		A923	
DS		C000	-C159

ICD-10-Mortality Manual 2c - 2014

DS	M	C788	
DS	M	C810	-C902
DS		D000	-D001
DS		D100	-D109
DS		D130	
DS		D370	
DS	M	D377	
DS		E713	
DS		E750	-E756
DS		F100	-F109
DS		F444	
DS		F71	-F79
DS		G10	-G379
DS	M	G400	-G419
DS		G514	
DS		G527	
DS	M	G600	-G609
DS		G700	-G900
DS		G903	
DS		G937	-G938
DS		G950	-G959
DS		G961	
DS		I600	-I698
DS	M	J380	-J392
DS	M	K130	
DS		K135	-K136
DS	M	K137	
DS		K20	-K319
DS	M	K920	-K929
DS		Q351	-Q379
DS	M	Q380	-Q400
DS		R11	
DS		R13	
DS		R296	-R298
DS	M	V010	-W78
DS	M	W80	-Y899

W80 Address

DS		A000	-A059
DS		A080	-A099
DS	M	A183	
LMP		A35	
DS		A504	
DS		A521	
DS		A800	-A809
DS		A923	
DS		C000	-C159
DS	M	C788	
DS	M	C810	-C902
DS		D000	-D001

ICD-10-Mortality Manual 2c - 2014

DS		D100	-D109
DS		D130	
DS		D370	
DS	M	D377	
DS		E713	
DS		E750	-E756
DS		F100	-F109
DS		F444	
DS		F71	-F79
DS		G10	-G379
DS	M	G400	-G419
DS		G514	
DS		G527	
DS	M	G600	-G609
DS		G700	-G900
DS		G903	
DS		G937	-G938
DS		G950	-G959
DS		G961	
DS		I600	-I698
DS	M	J380	-J392
DS	M	K130	
DS		K135	-K136
DS	M	K137	
DS		K20	-K319
DS	M	K920	-K929
DS		Q351	-Q379
DS	M	Q380	-Q400
DS		R11	
DS		R13	
DS		R296	-R298
DS	M	V010	-W79
DS	M	W81	-Y899

W81 Address

LMP		A35	
DS	M	G400	-G419

W83 Address

LMP		A35	
DS	M	G400	-G419

W84 Address

LMP		A35	
DS	M	G400	-G419

W85 Address

LMP		A35	
DS	M	G400	-G419

W86 Address

LMP A35
DS M G400 -G419

W87 Address

LMP A35
DS M G400 -G419

W88 Address

LMP A35
DS M G400 -G419

W89 Address

LMP A35
DS M G400 -G419

W90 Address

LMP A35
DS M G400 -G419

W91 Address

LMP A35
DS M G400 -G419

W92 Address

LMP A35
DS M G400 -G419

W93 Address

LMP A35
DS M G400 -G419

W94 Address

LMP A35
DS M G400 -G419

W99 Address

LMP A35
DS M G400 -G419

X

X00 Address

LMP A35
DS M G400 -G419

X01 Address

LMP A35
DS M G400 -G419

X02 Address

LMP A35
DS M G400 -G419

X03 Address

LMP A35
DS M G400 -G419

X04 Address

LMP A35
DS M G400 -G419

X05 Address

LMP A35
DS M G400 -G419

X06 Address

LMP A35
DS M G400 -G419

X08 Address

LMP A35
DS M G400 -G419

X09 Address

LMP A35
DS M G400 -G419

X10 Address

LMP A35
DS M G400 -G419

X11 Address

LMP A35
DS M G400 -G419

X12 Address

LMP A35
DS M G400 -G419

X13 Address

LMP A35
DS M G400 -G419

X14 Address

LMP A35
DS M G400 -G419

X15 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

X16 Address

LMP A35
DS M G400 -G419

X17 Address

LMP A35
DS M G400 -G419

X18 Address

LMP A35
DS M G400 -G419

X19 Address

LMP A35
DS M G400 -G419

X20 Address

LMP A35

X21 Address

LMP A35

X22 Address

LMP A35

X23 Address

LMP A35

X24 Address

LMP A35

X25 Address

LMP A35

X26 Address

LMP A35

X27 Address

LMP A35

X28 Address

LMP A35

X29 Address

LMP A35

X30 Address

ICD-10-Mortality Manual 2c - 2014

LMP A35
DS M G400 -G419

X31 Address

LMP A35
DS M G400 -G419

X32 Address

LMP A35
DS M G400 -G419

X33 Address

LMP A35

X340 Address

LMP A35

X341 Address

LMP A35

X348 Address

LMP A35

X349 Address

LMP A35

X35 Address

LMP A35

X36 Address

LMP A35

X37 Address

LMP A35

X38 Address

LMP A35

X39 Address

LMP A35
DS M G400 -G419

X40 Address

LMP A35

X41 Address

LMP A35

X42 Address

LMP A35

X43 Address

LMP A35

X44 Address

LMP A35

X45 Address

LMP A35

X46 Address

LMP A35

X47 Address

LMP A35

X48 Address

LMP A35

X49 Address

LMP A35

X50 Address

LMP A35
DS M G400 -G419

X51 Address

LMP A35
DS M G400 -G419

X52 Address

LMP A35
DS M G400 -G419

X53 Address

LMP A35
DS M G400 -G419

X54 Address

LMP A35
DS M G400 -G419

X57 Address

LMP A35
DS M G400 -G419

X58 Address

LMP A35
DS M G400 -G419

X590 Address

LMP A35
DS M G400 -G419

X599 Address

LMP A35
DS M G400 -G419

Y

Y16 Address

LMP F112
LMP F122
LMP F132
LMP F142
LMP F152
LMP M F162
LMP M F182
LMP M F192

Y17 Address

LMP F112
LMP F122
LMP F132
LMP F142
LMP F152
LMP M F162
LMP M F182
LMP M F192

Y18 Address

LMP F112
LMP F122
LMP F132
LMP F142
LMP F152
LMP M F162
LMP M F182
LMP M F192

Y19 Address

LMP F112
LMP F122
LMP F132
LMP F142
LMP F152
LMP M F162
LMP M F172

ICD-10-Mortality Manual 2c - 2014

LMP M F182

LMP M F192

Y850 Address

DS M G400 -G419

Y859 Address

DS M G400 -G419

Table F REASONS FOR AMBIVALENT RELATIONSHIPS IN MODIFICATION TABLE

A

A061 Address

LMC	M	G060		A066	Suba must be an abscess
LMC	M	L020	-L029	A064	Suba must be an abscess

A062 Address

LMC	M	G060		A066	Suba must be an abscess
-----	---	------	--	------	-------------------------

A063 Address

LMC	M	G060		A066	Suba must be an abscess
-----	---	------	--	------	-------------------------

A069 Address

LMC	M	G060		A066	Suba must be an abscess
SDC	M	K628		A060	Suba must be proctitis
LMC	M	L020	-L029	A067	Suba must be an abscess

A090 Address

SMP	M	A183			Conditions classified to addr qualified as tuberculous
SMP	M	A222			Suba must be anthrax colitis
DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
SMP	M	B378			Suba must be Candidal enteritis
SMP	M	B49	-B54		Suba must be enteritis or synonym
DSC	M	B572		B573	Suba must be Chagas' disease NOS
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

A1690 Address

SDC	M	A527		A184	Suba must be gumma NOS
SDC	M	B07		A184	Suba must be warts NOS and/or verruca
SDC	M	D738		A188	Suba must be perisplenitis and/or splenitis
SDC	M	E060	-E063	A188	Suba must be thyroiditis
SDC	M	E065	-E069	A188	Suba must be thyroiditis
SDC	M	E274		A187	Suba must be indexed as tuberculous
SDC	M	G062		A170	Suba must be abscess meninges, cerebral meninges, or spinal meninges
SDC	M	G318	-G319	A178	Suba must be modified as tuberculous in VOL3
SDC	M	G629		A178	Suba must be indexed as tuberculous
SDC	M	G961		A170	Suba must be meninges adhesions
SDC	M	H000	-H579	A185	Suba must be indexed as tuberculous
SDC	M	H600	-H939	A186	Suba must be indexed as tuberculous
SDC	M	J387		A164	Suba must be perichondritis larynx
SDC	M	J398		A164	Suba must be stenosis, stricture trachea
SDC	M	J860		A162	Suba must be fistula lung
SDC	M	J860		A164	Suba must be a fistula of specified sites excluding lung
SDC	M	J984		A162	Suba must be modified as tuberculous in VOL3

ICD-10-Mortality Manual 2c - 2014

SDC	M	J985		A168	Suba must be modified as tuberculous in VOL3
SDC	M	K628		A183	Suba must be modified as tuberculous in VOL3
SDC	M	K720	-K729	A188	Suba must be hepatitis
SDC	M	K868		A188	Suba must be modified as tuberculous in VOL3
SDC	M	L280		A184	Suba must be modified as tuberculous in VOL3
SDC	M	M710	-M713	A180	Suba must be modified as tuberculous in VOL3
SDC	M	M715	-M719	A180	Suba must be modified as tuberculous in VOL3
SDC	M	M948		A180	Suba must be modified as tuberculous in VOL3
SDC	M	N288		A181	Suba must be modified as tuberculous in VOL3
SDC	M	N328		A181	Suba must be modified as tuberculous in VOL3
SDC	M	N508		A181	Suba must be modified as tuberculous in VOL3

A170 Address

LMP M A150 -A1690 Suba cannot be due to addr or have a shorter duration

A171 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A178 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A179 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A180 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A181 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A182 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A183 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A184 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

A185 Address

LMP M A150 -A1690 Suba must not be reported as cause of addr and addr does not have a duration exceeding suba

ICD-10-Mortality Manual 2c - 2014**A186 Address**

LMP	M	A150	-A1690		Suba must not be reported as cause of addr and addr does not have a duration exceeding suba
-----	---	------	--------	--	---

A187 Address

LMP	M	A150	-A1690		Suba must not be reported as cause of addr and addr does not have a duration exceeding suba
-----	---	------	--------	--	---

A188 Address

LMP	M	A150	-A1690		Suba must not be reported as cause of addr and addr does not have a duration exceeding suba
-----	---	------	--------	--	---

A329 Address

SDC	M	I340	-I38	A328	Suba must be endocarditis
-----	---	------	------	------	---------------------------

A369 Address

SDC	M	J387		A362	Suba must be ulcer larynx
SDC	M	J392		A360	Suba must be paralysis throat

A399 Address

SDC	M	A400	-A418	A392	Suba must be acute septicemia
SDC	M	A400	-A418	A393	Suba must be chronic septicemia
SDC	M	A400	-A418	A394	Suba must be septicemia
SDC	M	A419		A392	Suba must be acute septicemia
SDC	M	A419		A393	Suba must be chronic septicemia
SDC	M	A419		A394	Suba must be septicemia
SDC	M	I319		A395	Suba must be pericarditis or have a modifier in VOL3 of meningococcal
SDC	M	I340	-I38	A395	Suba must be endocarditis

A400 Address

SMP	M	A039			Suba must be septicemia
SMP	M	A217			Suba must be septicemia
SMP	M	A239			Suba must be septicemia
SMP	M	A241			Suba must be septicemia
SMP	M	A280			Suba must be septicemia
SMP	M	A282			Suba must be septicemia
SMP	M	A391	-A394		Suba must be septicemia
SMP	M	B007			Suba must be septicemia

A401 Address

SMP	M	A039			Suba must be septicemia
SMP	M	A217			Suba must be septicemia
SMP	M	A239			Suba must be septicemia
SMP	M	A241			Suba must be septicemia
SMP	M	A280			Suba must be septicemia
SMP	M	A282			Suba must be septicemia
SMP	M	A391	-A394		Suba must be septicemia
SMP	M	B007			Suba must be septicemia

A402 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A403 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A408 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A409 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A410 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A411 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A412 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A413 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A414 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

A415 Address

SMP	M	A039		Suba must be septicemia
SMP	M	A217		Suba must be septicemia
SMP	M	A239		Suba must be septicemia
SMP	M	A241		Suba must be septicemia
SMP	M	A280		Suba must be septicemia
SMP	M	A282		Suba must be septicemia
SMP	M	A391	-A394	Suba must be septicemia
SMP	M	B007		Suba must be septicemia

ICD-10-Mortality Manual 2c - 2014**A418 Address**

SMP	M	A039			Suba must be septicemia
SMP	M	A217			Suba must be septicemia
SMP	M	A239			Suba must be septicemia
SMP	M	A241			Suba must be septicemia
SMP	M	A280			Suba must be septicemia
SMP	M	A282			Suba must be septicemia
SMP	M	A391	-A394		Suba must be septicemia
SMP	M	B007			Suba must be septicemia

A419 Address

SMP	M	A039			Suba must be septicemia
SMP	M	A217			Suba must be septicemia
SMP	M	A239			Suba must be septicemia
SMP	M	A241			Suba must be septicemia
SMP	M	A280			Suba must be septicemia
SMP	M	A282			Suba must be septicemia
SMP	M	A391	-A394		Suba must be septicemia
SMP	M	B007			Suba must be septicemia

A429 Address

SDC	M	J00	-J069	A420	Suba must have a modifier of actinomycotic in VOL3
SDC	M	J120	-J129	A420	Suba must have a modifier of actinomycotic in VOL3
SDC	M	J200	-J989	A420	Suba must have a modifier of actinomycotic in VOL3
SDC	M	K000	-K929	A421	Suba must have a modifier of actinomycotic in VOL3
SDC	M	L00	-L989	A428	Suba must have a modifier of actinomycotic in VOL3

A439 Address

SDC	M	J00	-J069	A430	Suba must have a modifier of nocardiosis in VOL3
SDC	M	J120	-J129	A430	Suba must have a modifier of nocardiosis in VOL3
SDC	M	J200	-J989	A430	Suba must have a modifier of nocardiosis in VOL3
SDC	M	L00	-L989	A431	Suba must have a modifier of nocardiosis in VOL3

A480 Address

SDC	M	A419		A414	Addr must be clostridium perfringens (infection) or clostridium welchii (infection)
-----	---	------	--	------	---

A502 Address

SDC	M	K759		A500	Suba must be hepatitis
-----	---	------	--	------	------------------------

A509 Address

SDC	M	J348		A505	Suba must be perforation nasal septum
SDC	M	J386	-J387	A505	Suba must be perichronditis larynx
SDC	M	K222		A505	Suba must be stricture esophagus
SDC	M	K759		A500	Suba must be hepatitis
SDC	M	M254		A505	Suba must be hydrarthrosis
SDC	M	Q359		A505	Suba must be perforation palatine vault

A529 Address

ICD-10-Mortality Manual 2c - 2014

SDC	M	H432		A527	Suba must be hyalitis, asteroid
SDC	M	K759		A527	Suba must be hepatitis
SDC	M	M254		A527	Suba must be hydrarthrosis

A539 Address

SDC	M	A630		A513	Suba must be condyloma
SDC	M	B99		A527	Suba must be post-infectious arthropathy
SDC	M	D131		A527	Suba must be polyp or polyposis of stomach
SDC	M	G122	-G1220	A521	Suba must be bulbar palsy
SDC	M	G318		A521	Suba must have a modifier of syphilitic in VOL3
SDC	M	G958		A521	Suba must have a modifier of syphilitic in VOL3
SDC	M	H018		A527	Suba must be tarsitis
SDC	M	H200	-H201	A514	Suba must not be keratoiritis
SDC	M	H208		A514	Suba must not be keratoiritis
SDC	M	H209		A503	Suba must be keratoiritis
SDC	M	H209		A514	Suba must not be keratoiritis
SDC	M	H432		A527	Suba must be hyalitis, asteroid
SDC	M	H534		A527	Suba must be hemianopia
SDC	M	I319		A520	Suba must be pericarditis
SDC	M	I671		A520	Suba must be an aneurysm
SDC	M	I739		A520	Suba must be intermittent claudication
SDC	M	I888		A510	Suba must be bubo
SDC	M	J348		A527	Suba must be perforation of nasal septum
SDC	M	J386	-J387	A527	Suba must be perichondritis larynx
SDC	M	J392	-J398	A527	Suba must have a modifier of syphilitic in VOL3
SDC	M	J985		A527	Suba must be mediastinitis
SDC	M	K222		A527	Suba must be stricture esophagus
SDC	M	K746		A527	Suba must be cirrhosis liver
SDC	M	K759		A527	Suba must be hepatitis
SDC	M	L089		A527	Suba must be dactylitis
SDC	M	L929		A521	Suba must be granuloma spine
SDC	M	L984		A513	Suba must be ulcer NOS
SDC	M	L984		A527	Suba-ulcer must be modified as perforating
SDC	M	M254		A527	Suba must be hydrarthrosis
SDC	M	M898	-M899	A521	Suba must be atrophy bone
SDC	M	M898	-M899	A527	Suba must be destruction bone or suba be exostosis
SDC	M	N312		A521	Suba must be paralysis bladder
SDC	M	N508		A527	Suba must be fibrosis testis
SDC	M	R200		A521	Suba must be hemianesthesia
SDC	M	R470		A521	Suba must be aphasia

A549 Address

SDC	M	I340	-I38	A548	Suba must be endocarditis
-----	---	------	------	------	---------------------------

A599 Address

SDC	M	N898		A590	Suba must be leukorrhea or fluor
-----	---	------	--	------	----------------------------------

A609 Address

SDC	M	K628		A601	Suba must be proctitis
-----	---	------	--	------	------------------------

ICD-10-Mortality Manual 2c - 2014

A669 Address

SDC M A527 A664 Suba must be gumma

A679 Address

SDC M L00 -L989 A672 Suba must have a modifier of pinta in VOL3

A749 Address

SDC M K628 A563 Suba must be proctitis

A809 Address

LMC M G122 -G1220 A803 Suba must be a type of paralysis

A99 Address

SMP M A90 -A988 Suba must be a type of viral hemorrhagic fever

B

B059 Address

LMC M K260 -K599 B054 Suba must have modifier of postmeasles or measles in VOL3

B159 Address

LMC M K729 B150 Suba must be hepatic coma

B161 Address

LMC M K729 B160 Suba must be hepatic coma

B169 Address

LMC M K729 B162 Suba must be hepatic coma

B199 Address

LMC M K729 B190 Suba must be hepatic coma

B200 Address

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition
LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B201 Address

LMC	M	D738		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	E033		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	E060	-E063	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	E065	-E069	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	G048	-G09	B207	Suba must be an infectious condition with causative organism not reported
LMC	M	G373	-G374	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	G589		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G610	-G619	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	G628	-G629	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	H440	-H449	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	H590	-H599	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	H650	-H749	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	H810	-H832	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	H950	-H959	B207	Suba must be an infectious condition caused by a virus or with causative

ICD-10-Mortality Manual 2c - 2014

					organism not reported
LMC	M	I301	-I311	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I319	-I409	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I514		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I518		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I677		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I776		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I800	-I809	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I821		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I880	-I889	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	I891		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J010	-J019	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J028	-J029	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J038	-J051	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J208	-J209	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J218	-J219	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J310	-J329	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J340		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J36	-J371	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J382	-J383	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J387	-J391	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J40	-J42	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J840	-J848	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J851	-J869	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J984		B207	Suba must be an infectious condition with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

LMC	M	J985		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	J988		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K121	-K122	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K20	-K210	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K290	-K291	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K293	-K299	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K550	-K559	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K580		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K610	-K614	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K628		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K630		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K632		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K638		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K650	-K659	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K750	-K759	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K810	-K819	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K830		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K851		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K858	-K859	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	K861		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	L00		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	L020	-L029	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	L031	-L039	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	L089		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	L950	-L959	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

LMC	M	M000	-M1990	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M300	-M319	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M330	-M339	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M354		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M356		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M45	-M479	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M720	-M729	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M860	-M869	B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	M939		B207	Suba must be an infectious condition caused by a virus or with causative organism not reported
LMC	M	N000	-N019	B207	Causative organism of suba not reported
LMC	M	N030	-N039	B207	Causative organism of suba not reported
LMC	M	N050	-N059	B207	Causative organism of suba not reported
LMC	M	N10	-N12	B207	Causative organism of suba not reported
LMC	M	N136		B207	Causative organism of suba not reported
LMC	M	N151		B207	Causative organism of suba not reported
LMC	M	N159		B207	Causative organism of suba not reported
LMC	M	N288		B207	Causative organism of suba not reported
LMC	M	N300	-N303	B207	Causative organism of suba not reported
LMC	M	N308	-N309	B207	Causative organism of suba not reported
LMC	M	N340	-N342	B207	Causative organism of suba not reported
LMC	M	N390		B207	Causative organism of suba not reported
LMC	M	N410	-N419	B207	Causative organism of suba not reported
LMC	M	N450	-N459	B207	Causative organism of suba not reported
LMC	M	N481	-N482	B207	Causative organism of suba not reported
LMC	M	N490	-N499	B207	Causative organism of suba not reported
LMC	M	N61		B207	Causative organism of suba not reported
LMC	M	N700	-N768	B207	Causative organism of suba not reported
LMC	M	N820	-N829	B207	Causative organism of suba not reported

B202 Address

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial,

ICD-10-Mortality Manual 2c - 2014

LMC	M	H650	-H749	B207	hereditary, primary, genetic and not due to external cause Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	hereditary, primary, genetic and not due to external cause Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition
LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B203 Address

LMC	M	D738		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	E033		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	E060	-E063	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	E065	-E069	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G048	-G09	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G373	-G374	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G589		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G610	-G619	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G628	-G629	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	H440	-H449	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	H590	-H599	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

LMC	M	H650	-H749	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	H810	-H832	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	H950	-H959	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I301	-I311	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I319	-I409	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I514		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I518		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I677		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I776		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I800	-I809	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I821		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I880	-I889	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	I891		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J010	-J019	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J028	-J029	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J038	-J051	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J208	-J209	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J218	-J219	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J310	-J329	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J340		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J36	-J371	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J382	-J383	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J387	-J391	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J40	-J42	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J840	-J848	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J851	-J869	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J984		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J985		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	J988		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K121	-K122	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K20	-K210	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K290	-K291	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K293	-K299	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K528	-K559	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K580		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K610	-K614	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K628		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K630		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K632		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K638		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K650	-K659	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K750	-K759	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K810	-K819	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K830		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K851		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K858	-K859	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	K861		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	L00		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	L020	-L029	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	L031	-L039	B207	Suba must be an infectious condition caused by a bacteria or with

ICD-10-Mortality Manual 2c - 2014

LMC	M	L089		B207	causative organism not reported Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	L950	-L959	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M000	-M1990	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M300	-M319	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M330	-M339	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M354		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M356		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M45	-M479	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M720	-M729	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M860	-M869	B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	M939		B207	Suba must be an infectious condition caused by a bacteria or with causative organism not reported
LMC	M	N000	-N019	B207	Causative organism of suba not reported
LMC	M	N030	-N039	B207	Causative organism of suba not reported
LMC	M	N050	-N059	B207	Causative organism of suba not reported
LMC	M	N10	-N12	B207	Causative organism of suba not reported
LMC	M	N136		B207	Causative organism of suba not reported
LMC	M	N151		B207	Causative organism of suba not reported
LMC	M	N159		B207	Causative organism of suba not reported
LMC	M	N288		B207	Causative organism of suba not reported
LMC	M	N300	-N303	B207	Causative organism of suba not reported
LMC	M	N308	-N309	B207	Causative organism of suba not reported
LMC	M	N340	-N342	B207	Causative organism of suba not reported
LMC	M	N390		B207	Causative organism of suba not reported
LMC	M	N410	-N419	B207	Causative organism of suba not reported
LMC	M	N450	-N459	B207	Causative organism of suba not reported
LMC	M	N481	-N482	B207	Causative organism of suba not reported
LMC	M	N490	-N499	B207	Causative organism of suba not reported
LMC	M	N61		B207	Causative organism of suba not reported
LMC	M	N700	-N768	B207	Causative organism of suba not reported
LMC	M	N820	-N829	B207	Causative organism of suba not reported

B204 Address

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent

ICD-10-Mortality Manual 2c - 2014

LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition
LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B205 Address

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition

ICD-10-Mortality Manual 2c - 2014

LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B206 Address

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition
LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B207 Address

LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia

B208 Address

ICD-10-Mortality Manual 2c - 2014

LMC	M	G589		B207	Suba must be an infectious condition
LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B207	Suba must be an infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B207	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B207	Suba must be an infectious condition
LMC	M	J387	-J391	B207	Suba must be an infectious condition
LMC	M	J840	-J848	B207	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B207	Suba must be an infectious condition
LMC	M	J988		B207	Suba must be an infectious condition
LMC	M	K550	-K559	B207	Suba must be an infectious condition
LMC	M	K720	-K729	B207	Suba must be hepatitis
LMC	M	K730	-K739	B207	Suba must be hepatitis
LMC	M	M000	-M1990	B207	Suba must be an infectious condition
LMC	M	M45	-M479	B207	Suba must be an infectious condition
LMC	M	M720	-M729	B207	Suba must be an infectious condition
LMC	M	M939		B207	Suba must be an infectious condition

B209 Address

LMC	M	G589		B227	Suba must be a non-infectious condition
LMC	M	G628	-G629	B227	Suba must be a non-infectious condition
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia

B210 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387		B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B211 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J840	-J848	B227	Suba must not be infectious condition
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B212 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387		B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B213 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

ICD-10-Mortality Manual 2c - 2014

B217 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B218 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition

ICD-10-Mortality Manual 2c - 2014

LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B219 Address

LMC	M	C80		B217	Suba must be multiple malignant neoplasms
LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387		B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B220 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	J382	-J383	B227	hereditary, primary, genetic and not due to external cause
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be an infectious condition
LMC	M	J985		B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be an infectious condition
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be hepatitis
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B221 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387	-J391	B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B222 Address

LMC	M	G938		B227	Suba must not be caused by an external agent
LMC	M	G958		B227	Suba must not be caused by an external agent
LMC	M	H050	-H059	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	H650	-H749	B227	hereditary, primary, genetic and not due to external cause Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B227	Suba must be an infectious condition not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	J382	-J383	B227	Suba must be an infectious condition
LMC	M	J387		B227	Suba must be an infectious condition
LMC	M	J849	-J8490	B227	Suba must be interstitial lymphoid pneumonia
LMC	M	J985		B227	Suba must be an infectious condition
LMC	M	J988		B227	Suba must be an infectious condition
LMC	M	K550	-K559	B227	Suba must be an infectious condition
LMC	M	K720	-K729	B227	Suba must be hepatitis
LMC	M	K730	-K739	B227	Suba must be hepatitis
LMC	M	M000	-M1990	B227	Suba must be an infectious condition
LMC	M	M45	-M479	B227	Suba must be an infectious condition
LMC	M	M720	-M729	B227	Suba must be an infectious condition
LMC	M	M939		B227	Suba must be an infectious condition

B24 Address

LMC	M	D501	-D508	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D528		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D530	-D539	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D598		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D618		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D643		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D648		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D688		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D695	-D70	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D728		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D738		B201	Suba must be caused by a bacterial organism
LMC	M	D738		B203	Suba must be caused by a viral organism
LMC	M	D738		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	D738		B232	Suba must be a non-infectious condition
LMC	M	D748		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D751		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

ICD-10-Mortality Manual 2c - 2014

LMC	M	D758		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D808	-D819	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D830	-D848	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D891		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D898		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	E033		B201	Suba must be caused by a bacterial organism
LMC	M	E033		B203	Suba must be caused by a viral organism
LMC	M	E033		B208	Causative organism of suba not reported
LMC	M	E060		B201	Suba must be caused by a bacterial organism
LMC	M	E060		B203	Suba must be caused by a viral organism
LMC	M	E060		B208	Causative organism of suba not reported
LMC	M	E061		B201	Suba must be subacute thyroiditis NOS caused by a bacterial organism
LMC	M	E061		B203	Suba must be subacute thyroiditis caused by a viral agent
LMC	M	E061		B208	Suba must be thyroiditis with causative organism not reported
LMC	M	E062	-E063	B201	Suba must be caused by a bacterial organism
LMC	M	E062	-E063	B203	Suba must be caused by a viral organism
LMC	M	E062	-E063	B208	Causative organism of suba not reported
LMC	M	E065		B201	Suba must be chronic thyroiditis caused by a bacterial organism
LMC	M	E065		B203	Suba must be chronic thyroiditis caused by a viral agent
LMC	M	E065		B208	Suba must be chronic thyroiditis with causative organism not reported
LMC	M	E069		B201	Suba must be thyroiditis NOS caused by a bacterial organism
LMC	M	E069		B203	Suba must be thyroiditis NOS caused by a viral organism
LMC	M	E069		B208	Suba must be thyroiditis with causative organism not reported
LMC	M	E15		B238	Suba must not be drug-induced
LMC	M	E161	-E162	B238	Suba must not be drug-induced
LMC	M	E220	-E237	B238	Suba must be a non-infectious condition
LMC	M	G060	-G09	B201	Suba must be caused by a bacterial organism
LMC	M	G060	-G09	B203	Suba must be caused by a viral organism
LMC	M	G060	-G09	B208	Causative organism of suba not reported
LMC	M	G373	-G374	B201	Suba must be caused by a bacterial organism
LMC	M	G373	-G374	B203	Suba must be caused by a viral organism
LMC	M	G373	-G374	B208	Causative organism of suba not reported
LMC	M	G589		B201	Suba must be caused by a bacterial organism
LMC	M	G589		B203	Suba must be caused by a viral organism
LMC	M	G589		B208	Suba must be mononeuritis with causative organism not reported
LMC	M	G589		B220	Suba must be a non-infectious condition
LMC	M	G610	-G619	B201	Suba must be caused by a bacterial organism
LMC	M	G610	-G619	B203	Suba must be caused by a viral organism
LMC	M	G610	-G619	B208	Causative organism of suba not reported
LMC	M	G628		B201	Suba must be polyradiculitis caused by a bacterial organism
LMC	M	G628		B203	Suba must be polyradiculitis caused by a viral organism
LMC	M	G628		B208	Suba must be polyradiculitis with no causative organism reported
LMC	M	G628	-G629	B220	Suba must be a non-infectious condition
LMC	M	G938		B220	Suba must not be caused by an external agent
LMC	M	G958		B220	Suba must not be caused by an external agent

ICD-10-Mortality Manual 2c - 2014

LMC	M	H050	-H059	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H050	-H059	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H050	-H059	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H440	-H449	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H590	-H599	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H650	-H749	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H810	-H832	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	H950	-H959	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
LMC	M	I278	-I279	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
LMC	M	I301	-I309	B201	Suba must be caused by a bacterial organism
LMC	M	I301	-I309	B203	Suba must be caused by a viral organism
LMC	M	I301	-I311	B208	Causative organism of suba not reported
LMC	M	I310	-I311	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	I310	-I311	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	I312	-I319	B238	Suba must be a non-infectious condition
LMC	M	I319		B201	Suba must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

LMC	M	I319		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	I319		B208	Causative organism of suba not reported
LMC	M	I330	-I339	B201	Suba must be caused by a bacterial organism
LMC	M	I330	-I339	B203	Suba must be caused by a viral organism
LMC	M	I330	-I339	B208	Causative organism of suba not reported
LMC	M	I340	-I38	B201	Suba must be endocarditis and caused by a bacterial organism
LMC	M	I340	-I38	B203	Suba must be endocarditis and caused by a viral organism
LMC	M	I340	-I38	B208	Suba must be endocarditis with causative organism not reported
LMC	M	I340	-I38	B238	Suba cannot be endocarditis
LMC	M	I400	-I409	B201	Suba must be caused by a bacterial organism
LMC	M	I400	-I409	B203	Suba must be caused by a viral organism
LMC	M	I400	-I409	B208	Causative organism of suba not reported
LMC	M	I514		B208	Suba must be myocarditis
LMC	M	I518		B201	Suba must be carditis, pancarditis due to a bacterial organism
LMC	M	I518		B208	Suba must be carditis, pancarditis with causative organism not reported
LMC	M	I518		B238	Suba must be a non-infectious condition
LMC	M	I600	-I6400	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
LMC	M	I676	-I698	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
LMC	M	I677		B201	Suba must be caused by a bacterial organism
LMC	M	I677		B203	Suba must be caused by a viral organism
LMC	M	I677		B208	Causative organism of suba not reported
LMC	M	I776		B201	Suba must be caused by a bacterial organism
LMC	M	I776		B203	Suba must be caused by a viral organism
LMC	M	I776		B208	Causative organism of suba not reported
LMC	M	I800	-I809	B201	Suba must be caused by a bacterial organism
LMC	M	I800	-I809	B203	Suba must be caused by a viral organism
LMC	M	I800	-I809	B208	Causative organism of suba not reported
LMC	M	I821		B201	Suba must be caused by a bacterial organism
LMC	M	I821		B203	Suba must be caused by a viral organism
LMC	M	I821		B208	Causative organism of suba not reported
LMC	M	I880	-I889	B201	Suba must be caused by a bacterial organism
LMC	M	I880	-I889	B203	Suba must be caused by a viral organism
LMC	M	I880	-I889	B208	Causative organism of suba not reported
LMC	M	I891		B201	Suba must be caused by a bacterial organism
LMC	M	I891		B203	Suba must be caused by a viral organism
LMC	M	I891		B208	Causative organism of suba not reported
LMC	M	J010	-J019	B201	Suba must be caused by a bacterial organism
LMC	M	J010	-J019	B203	Suba must be caused by a viral organism
LMC	M	J010	-J019	B208	Causative organism of suba not reported
LMC	M	J028	-J029	B201	Suba must be caused by a bacterial organism
LMC	M	J028	-J029	B203	Suba must be caused by a viral organism
LMC	M	J028	-J029	B208	Causative organism of suba not reported
LMC	M	J038	-J051	B201	Suba must be caused by a bacterial organism
LMC	M	J038	-J051	B203	Suba must be caused by a viral organism
LMC	M	J038	-J051	B208	Causative organism of suba not reported
LMC	M	J208	-J209	B201	Suba must be caused by a bacterial organism
LMC	M	J208	-J209	B203	Suba must be caused by a viral organism
LMC	M	J208	-J209	B208	Causative organism of suba not reported
LMC	M	J218	-J219	B201	Suba must be caused by a bacterial organism
LMC	M	J218	-J219	B203	Suba must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

LMC	M	J218	-J219	B208	Causative organism of suba not reported
LMC	M	J310	-J329	B201	Suba must be caused by a bacterial organism
LMC	M	J310	-J329	B203	Suba must be caused by a viral organism
LMC	M	J310	-J329	B208	Causative organism of suba not reported
LMC	M	J340		B201	Suba must be caused by a bacterial organism
LMC	M	J340		B203	Suba must be caused by a viral organism
LMC	M	J340		B208	Causative organism of suba not reported
LMC	M	J36	-J371	B201	Suba must be caused by a bacterial organism
LMC	M	J36	-J371	B203	Suba must be caused by a viral organism
LMC	M	J36	-J371	B208	Causative organism of suba not reported
LMC	M	J380	-J387	B238	Suba must be a non-infectious condition
LMC	M	J382	-J383	B201	Suba must be caused by a bacterial organism
LMC	M	J382	-J383	B203	Suba must be caused by a viral organism
LMC	M	J382	-J383	B208	Causative organism of suba not reported
LMC	M	J387	-J391	B201	Suba must be caused by a bacterial organism
LMC	M	J387	-J391	B203	Suba must be caused by a viral organism
LMC	M	J387	-J391	B208	Causative organism of suba not reported
LMC	M	J40	-J42	B201	Suba must be caused by a bacterial organism
LMC	M	J40	-J42	B203	Suba must be caused by a viral organism
LMC	M	J40	-J42	B208	Causative organism of suba not reported
LMC	M	J840	-J841	B238	Suba must be a non-infectious condition or stated idiopathic
LMC	M	J840	-J848	B201	Suba must be caused by a bacterial organism
LMC	M	J840	-J848	B203	Suba must be caused by a viral organism
LMC	M	J840	-J848	B208	Causative organism of suba is not reported and suba must be an infectious condition
LMC	M	J848		B238	Suba must be a non-infectious condition or stated idiopathic
LMC	M	J849	-J8490	B208	Suba must be interstitial pneumonia
LMC	M	J850		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	J850		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	J850		B208	Causative organism of suba not reported
LMC	M	J851	-J869	B201	Suba must be caused by a bacterial organism
LMC	M	J851	-J869	B203	Suba must be caused by a viral organism
LMC	M	J851	-J869	B208	Causative organism of suba not reported
LMC	M	J961		B238	Suba must be a non-infectious condition
LMC	M	J980	-J989	B238	Suba must be a non-infectious condition
LMC	M	J984		B201	Suba must be infection lung and caused by a bacterial organism
LMC	M	J984		B208	Suba must be infection lung with causative organism not reported
LMC	M	J985		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	J985		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	J985		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	J988		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	J988		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	J988		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K120	-K137	B238	Suba must be a non-infectious condition
LMC	M	K121	-K122	B201	Suba must be caused by a bacterial organism
LMC	M	K121	-K122	B203	Suba must be caused by a viral organism
LMC	M	K121	-K122	B208	Causative organism of suba not reported
LMC	M	K20	-K210	B201	Suba must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

LMC	M	K20	-K210	B203	Suba must be caused by a viral organism
LMC	M	K20	-K210	B208	Causative organism of suba not reported
LMC	M	K221		B238	Suba must be a non-infectious condition
LMC	M	K290	-K291	B201	Suba must be caused by a bacterial organism
LMC	M	K290	-K291	B203	Suba must be caused by a viral organism
LMC	M	K290	-K291	B208	Causative organism of suba not reported
LMC	M	K293	-K299	B201	Suba must be caused by a bacterial organism
LMC	M	K293	-K299	B203	Suba must be caused by a viral organism
LMC	M	K293	-K299	B208	Causative organism of suba not reported
LMC	M	K550	-K559	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	K550	-K559	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	K550	-K559	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K550	-K559	B238	Suba must be a non-infectious condition
LMC	M	K580		B201	Suba must be caused by a bacterial organism
LMC	M	K580		B203	Suba must be caused by a viral organism
LMC	M	K580		B208	Causative organism of suba not reported
LMC	M	K610	-K614	B201	Suba must be caused by a bacterial organism
LMC	M	K610	-K614	B203	Suba must be caused by a viral organism
LMC	M	K610	-K614	B208	Causative organism of suba not reported
LMC	M	K628		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	K628		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	K628		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K628		B238	Suba must be a non-infectious condition
LMC	M	K630		B201	Suba must be caused by a bacterial organism
LMC	M	K630		B203	Suba must be caused by a viral organism
LMC	M	K630		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K632		B201	Suba must be caused by a bacterial organism
LMC	M	K632		B203	Suba must be caused by a viral organism
LMC	M	K632		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K638		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	K638		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	K638		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	K638		B238	Suba must be a non-infectious condition
LMC	M	K650	-K659	B201	Suba must be caused by a bacterial organism
LMC	M	K650	-K659	B203	Suba must be caused by a viral organism
LMC	M	K650	-K659	B208	Causative organism of suba not reported
LMC	M	K720	-K729	B201	Suba must be acute hepatitis caused by a bacterial organism
LMC	M	K720	-K7290	B238	Suba must be a non-infectious condition
LMC	M	K750	-K759	B201	Suba must be caused by a bacterial organism
LMC	M	K750	-K759	B203	Suba must be caused by a viral organism
LMC	M	K750	-K759	B208	Causative organism of suba not reported
LMC	M	K810	-K819	B201	Suba must be caused by a bacterial organism
LMC	M	K810	-K819	B203	Suba must be caused by a viral organism
LMC	M	K810	-K819	B208	Causative organism of suba not reported
LMC	M	K830		B201	Suba must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

LMC	M	K830		B203	Suba must be caused by a viral organism
LMC	M	K830		B208	Causative organism of suba not reported
LMC	M	K851		B201	Suba must be caused by a bacterial organism
LMC	M	K851		B203	Suba must be caused by a viral organism
LMC	M	K851		B208	Causative organism of suba not reported
LMC	M	K858		B201	Suba must be caused by a bacterial organism
LMC	M	K858		B203	Suba must be caused by a viral organism
LMC	M	K858		B208	Causative organism of suba not reported
LMC	M	K859		B201	Suba must be caused by a bacterial organism
LMC	M	K859		B203	Suba must be caused by a viral organism
LMC	M	K859		B208	Causative organism of suba not reported
LMC	M	K861		B201	Suba must be caused by a bacterial organism
LMC	M	K861		B203	Suba must be caused by a viral organism
LMC	M	K861		B208	Causative organism of suba not reported
LMC	M	L00		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	L00		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	L00		B208	Causative organism of suba not reported
LMC	M	L020	-L029	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	L020	-L029	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	L020	-L029	B208	Causative organism of suba not reported
LMC	M	L031	-L039	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	L031	-L039	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	L031	-L039	B208	Causative organism of suba not reported
LMC	M	L089		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	L089		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	L089		B208	Causative organism of suba not reported
LMC	M	L950	-L959	B201	Suba must be caused by a bacterial organism
LMC	M	L950	-L959	B203	Suba must be caused by a viral organism
LMC	M	L950	-L959	B208	Causative organism of suba not reported
LMC	M	M000	-M1990	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	M000	-M1990	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	M000	-M1990	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	M300	-M308	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	M300	-M308	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	M300	-M308	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	M310	-M319	B238	Suba must be a non-infectious condition
LMC	M	M330	-M339	B201	Suba must be caused by a bacterial organism
LMC	M	M330	-M339	B203	Suba must be caused by a viral organism
LMC	M	M330	-M339	B208	Causative organism of suba not reported
LMC	M	M354		B201	Suba must be caused by a bacterial organism
LMC	M	M354		B203	Suba must be caused by a viral organism
LMC	M	M354		B208	Causative organism of suba not reported
LMC	M	M356		B201	Suba must be caused by a bacterial organism
LMC	M	M356		B203	Suba must be caused by a viral organism
LMC	M	M356		B208	Causative organism of suba not reported
LMC	M	M45	-M479	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	M45	-M479	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	M45	-M479	B208	Suba must be an infectious condition with causative organism not

ICD-10-Mortality Manual 2c - 2014

					reported
LMC	M	M720	-M729	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	M720	-M729	B203	Suba must be an infectious condition caused by a viral organism
LMC	M	M720	-M729	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	M720	-M729	B238	Suba must be a non-infectious condition
LMC	M	M860	-M869	B201	Suba must be caused by a bacterial organism
LMC	M	M860	-M869	B203	Suba must be caused by a viral organism
LMC	M	M860	-M869	B208	Causative organism of suba not reported
LMC	M	M939		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	M939		B203	Suba must be an infectious condition caused by a viral organism
LMC	M	M939		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	M939		B238	Suba must not be infectious condition
LMC	M	M949		B238	Suba must not be infectious condition
LMC	M	N000	-N019	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N000	-N019	B208	Causative organism of suba not reported
LMC	M	N030	-N039	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N030	-N039	B208	Causative organism of suba not reported
LMC	M	N050	-N059	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N050	-N059	B208	Causative organism of suba not reported
LMC	M	N10	-N12	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N10	-N12	B208	Causative organism of suba not reported
LMC	M	N136		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N136		B208	Causative organism of suba not reported
LMC	M	N151		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N151		B208	Causative organism of suba not reported
LMC	M	N158	-N159	B238	Suba must be a non-infectious condition
LMC	M	N159		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N159		B208	Causative organism of suba not reported
LMC	M	N185		B238	Suba must be a non-infectious condition
LMC	M	N288		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N288		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	N288		B238	Suba must be a non-infectious condition
LMC	M	N300	-N303	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N300	-N303	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	N308	-N309	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N308	-N309	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	N340	-N342	B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N340	-N342	B208	Suba must be an infectious condition with causative organism not reported
LMC	M	N390		B201	Suba must be an infectious condition caused by a bacterial organism
LMC	M	N390		B208	Suba must be an infectious condition with causative organism not reported
LMC	M	N410	-N419	B201	Suba must be caused by a bacterial organism
LMC	M	N450	-N459	B201	Suba must be caused by a bacterial organism
LMC	M	N481	-N482	B201	Suba must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

LMC	M	N490	-N499	B201	Suba must be caused by a bacterial organism
LMC	M	N61		B208	Causative organism of suba not reported
LMC	M	N700	-N768	B208	Causative organism of suba not reported
LMC	M	N820	-N829	B208	Causative organism of suba not reported
LMC	M	N820	-N829	B238	Suba must be a non-infectious condition

B259 Address

SDC	M	K861		B252	Suba must be chronic pancreatitis
-----	---	------	--	------	-----------------------------------

B349 Address

SMP	M	I301			Suba must be stated viral
SMP	M	I400			Suba must be stated viral
SMP	M	J00			Suba must be stated viral
SMP	M	J069	-J129		Suba must be stated viral
SMP	M	J988			Suba must be stated viral

B379 Address

SDC	M	B369		B378	Suba must be otomycosis
SDC	M	B49		B378	Suba must be bronchomycosis
SDC	M	K130		B378	Suba must be chelitis or perleche

B572 Address

LMC	M	G000	-G98	B574	Addr must be Chagas' disease NOS; suba must have modifier of in Chagas' disease in VOL3
LMC	M	K000	-K929	B573	Addr must be Chagas' disease NOS; suba must have modifier of in Chagas' disease in VOL3

B659 Address

LDC	M	K260	-K599	B651	Suba must have a modifier of schistosomiasis in VOL3
LDC	M	L80	-L989	B653	Suba must have a modifier of schistosomiasis in VOL3
LDC	M	N000	-N399	B650	Suba must have a modifier of schistosomiasis in VOL3

B779 Address

LMC	M	K260	-K599	B770	Suba must have a modifier of ascariasis in VOL3
-----	---	------	-------	------	---

B789 Address

SDC	M	K260	-K599	B780	Suba must have a modifier of strongyloidiasis in VOL3
SDC	M	L00	-L989	B781	Suba must have a modifier of strongyloidiasis in VOL3

B909 Address

SMP	M	B900	-B908		Suba must be tuberculosis NOS
SDC	M	E274		B908	Suba must be calcification adrenal and addr must be tuberculosis of unspecified site
SDC	M	I898		B908	Suba must calcification of lymph glands/nodes and addr must be tuberculosis of unspecified site
SDC	M	L905		B908	Suba qualified as tuberculous
SDC	M	N288		B901	Addr must be tuberculosis of unspecified site and suba must be calcification of kidney

C

C229 Address

SMP M C220 -C227 Addr and suba must be same morphological type

C269 Address

SMP M C150 -C268 Addr must be reported as digestive system NOS or a synonymous term

C439 Address

SMP M C000 -C399 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C470 -C488 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C500 -C759 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

C449 Address

SMP M C000 -C399 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C470 -C488 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C500 -C759 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

C499 Address

SMP M C000 -C399 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C470 -C488 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

SMP M C500 -C759 Addr must be morphological type of malignant neoplasm without mention of site; suba must be same morphological type of malignant neoplasm of specified site

C579 Address

SMP M C510 -C578 C579 cannot be the result of combining 2 codes together.

SMP M C64 -C689 Addr must be female genitourinary tract

LMC M C64 -C689 C97 Site of addr must be female genital NOS

C639 Address

LMC M C64 -C689 C97 Site of addr must be male genital NOS

ICD-10-Mortality Manual 2c - 2014

C689 Address

SMP M C64 -C688

Addr must be urinary organ or urinary system NOS

C940 Address

SMP M C941

Addr must be acute erythremia and suba must be chronic erythremia

D

D073 Address

SMP M C56

Addr must be ovary

D370 Address

SMP M C000 -C148

Site of suba must be same as addr site

SMP M D000

Site of suba must be same as addr site

SMP M D100 -D119

Site of suba must be same as addr site

D372 Address

SMP M D014

Site of suba must be same as addr site

D376 Address

SMP M C220 -C259

Site of suba must be same as addr site

SMP M D015

Site of suba must be same as addr site

SMP M D134 -D137

Site of suba must be same as addr site

D377 Address

SMP M C150 -C159

Site of suba must be same as addr site

SMP M C210 -C218

Site of suba must be same as addr site

SMP M C260 -C268

Site of suba must be same as addr site

SMP M D001

Site of suba must be same as addr site

SMP M D017 -D019

Site of suba must be same as addr site

SMP M D130

Site of suba must be same as addr site

SMP M D139

Site of suba must be same as addr site

D381 Address

SMP M C33 -C349

Site of suba must be same as addr site

SMP M D021 -D022

Site of suba must be same as addr site

SMP M D142 -D143

Site of suba must be same as addr site

D382 Address

SMP M D097

Site of suba must be same as addr site

SMP M D157

Site of suba must be same as addr site

D383 Address

SMP M D097

Site of suba must be same as addr site

D384 Address

SMP M D093

Site of suba must be same as addr site

D385 Address

ICD-10-Mortality Manual 2c - 2014

SMP M D023 Site of suba must be same as addr site

D390 Address

SMP M C530 -C55 Site of suba must be same as addr site

SMP M D060 -D069 Site of suba must be same as addr site

D392 Address

SMP M D073 Site of suba must be same as addr site

SMP M D267 Site of suba must be same as addr site

D397 Address

SMP M C510 -C52 Site of suba must be same as addr site

SMP M C570 -C578 Site of suba must be same as addr site

SMP M D070 -D073 Site of suba must be same as addr site

SMP M D280 -D287 Site of suba must be same as addr site

D401 Address

SMP M D076 Site of suba must be same as addr site

D407 Address

SMP M C600 -C609 Site of suba must be same as addr site

SMP M C630 -C639 Site of suba must be same as addr site

SMP M D076 Site of suba must be same as addr site

SMP M D290 Site of suba must be same as addr site

SMP M D293 -D297 Site of suba must be same as addr site

D410 Address

SMP M D091 Site of suba must be same as addr site

D411 Address

SMP M D091 Site of suba must be same as addr site

D412 Address

SMP M D091 Site of suba must be same as addr site

D413 Address

SMP M D091 Site of suba must be same as addr site

D417 Address

SMP M C680 -C689 Site of suba must be same as addr site

SMP M D091 Site of suba must be same as addr site

SMP M D304 -D307 Site of suba must be same as addr site

D420 Address

SMP M D097 Site of suba must be same as addr site

D421 Address

SMP M D097 Site of suba must be same as addr site

D429 Address

ICD-10-Mortality Manual 2c - 2014

SMP M D097

Site of suba must be same as addr site

D430 Address

SMP M D097

Site of suba must be same as addr site

SMP M D181

Suba must be brain lymphangioma

D431 Address

SMP M D097

Site of suba must be same as addr site

SMP M D181

Suba must be brain lymphangioma

D432 Address

SMP M D097

Site of suba must be same as addr site

SMP M D181

Suba must be brain lymphangioma

D433 Address

SMP M D097

Site of suba must be same as addr site

D434 Address

SMP M D097

Site of suba must be same as addr site

D437 Address

SMP M C728 -C729

Site of suba must be same as addr site

SMP M D097

Site of suba must be same as addr site

D439 Address

SMP M D097

Site of suba must be same as addr site

D440 Address

SMP M D093

Suba must be thyroid

D441 Address

SMP M D093

Suba must be adrenal

D442 Address

SMP M D093

Suba must be parathyroid

D443 Address

SMP M D093

Suba must be pituitary

D444 Address

SMP M D093

Suba must be craniopharyngeal

D445 Address

SMP M D093

Suba must be pineal

D446 Address

SMP M D093

Suba must be carotid body

D447 Address

SMP M D093

Suba must be aortic body or other paraganglia

D469 Address

SMP M D471

Suba must be myelofibrosis NOS

D487 Address

SMP M C380

Site of suba must be same as addr site

SMP M C700 -C709

Site of suba must be same as addr site

SMP M C760 -C768

Site of suba must be same as addr site

SMP M D092

Site of suba must be same as addr site

SMP M D097

Site of suba must be same as addr site

SMP M D151

Site of suba must be same as addr site

SMP M D360 -D367

Site of suba must be same as addr site

D501 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D508 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D528 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D530 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D531 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D532 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D538 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D539 Address

DSC	M	B24		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D571 Address

LMC	M	D569		D568	Suba must be thalassemia
SDC	M	D580	-D581	D578	Suba must be elliptocytosis

D582 Address

LMP	M	D569			Addr must be hemoglobinopathy with thalassemia in suba
LMC	M	D569		D563	Addr must be abnormal hemoglobin tract NEC with thalassemia in suba
LMP	M	D581			Suba must be elliptocytosis

D589 Address

SMP	M	D590	-D599		Addr must be hemolytic anemia NOS
-----	---	------	-------	--	-----------------------------------

D598 Address

DSC	M	B24		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D618 Address

DSC	M	B24		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D619 Address

DS	M	D470	-D479		Addr must be pancytopenia, not stated congenital, familial, genetic, idiopathic, primary
LMC	M	I6000		D610	Addr must be pancytopenia
LMC	M	I6060		D610	Addr must be pancytopenia
LMC	M	I6070		D610	Addr must be pancytopenia
LMC	M	I6080		D610	Addr must be pancytopenia
LMC	M	I6090		D610	Addr must be pancytopenia
LMC	M	Q000	-Q999	D610	Addr must be pancytopenia

D643 Address

DSC	M	B24		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75		B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

ICD-10-Mortality Manual 2c - 2014

D648 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D649 Address

SMP	M	A070		Advanced, grave, severe
SMP	M	A188		Advanced, grave, severe
SMP	M	A527		Advanced, grave, severe
SMP	M	B54		Advanced, grave, severe
SMP	M	B700		Advanced, grave, severe
SMP	M	B769		Advanced, grave, severe
DS	M	E000	-E038	Advanced, grave, severe
DSC	M	E46	D539	Suba must be malnutrition NOS
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

D688 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D692 Address

SMP	M	D698		Suba must be capillary fragility, purpura, idiopathic
SMP	M	D890	-D891	Suba must be hypergammaglobulinemic purpura
SMP	M	E54		Suba must be scorbutic purpura
SMP	M	M311		Suba must be thrombotic thrombocytopenia

D695 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D696 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D698 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D699 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D70 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DS	M	C810	-C943	Addr must not be stated as congenital, drug-induced, familial, genetic, idiopathic, infantile or primary
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D728 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	D801	D819	Addr must be leukopenia; suba must be agammaglobulinemia
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

ICD-10-Mortality Manual 2c - 2014

D730 Address

DSC M E859 E854 Addr must be degeneration spleen

D735 Address

DS M T455 Addr must be hemorrhage

D738 Address

DSC M B24 B201 Addr must be caused by a bacterial organism
DSC M B24 B203 Addr must be caused by a viral organism
DSC M B24 B208 Addr must be an infectious condition with causative organism not reported
DSC M R75 B201 Addr must be caused by a bacterial organism
DSC M R75 B203 Addr must be caused by a viral organism
DSC M R75 B208 Addr must be an infectious condition with causative organism not reported

D739 Address

SMP M C788 Suba must be spleen
SMP M D139 Suba must be spleen
SMP M D377 Suba must be spleen

D748 Address

DSC M B24 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC M R75 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D751 Address

DSC M B24 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC M R75 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D758 Address

DSC M B24 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC M R75 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D801 Address

LMC M D728 D819 Suba must be leukopenia; addr must be agammaglobulinemia

D808 Address

DSC M B24 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC M R75 B232 Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D809 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D810 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D811 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D812 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D816 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D817 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D818 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D819 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
LMC	M	D720	D810	Suba must be reticular dysgenesis
DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

D830 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic,
-----	---	-----	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B232	primary or due to an external cause Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	--

D831 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D832 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D838 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D839 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D840 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D841 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D848 Address

DSC	M	B24	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

DSC	M	R75	B232	Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
-----	---	-----	------	---

D849 Address

LMC	M	E703	D828	Suba must be partial albinism
-----	---	------	------	-------------------------------

LMC	M	L309	D820	Suba must be eczema
-----	---	------	------	---------------------

D860 Address

SMP M D868

Suba must be sarcoidosis of a specified site

D861 Address

SMP M D868

Suba must be sarcoidosis of a specified site

D898 Address

DSC M B24

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

DSC M R75

B232

Addr must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause

E

E018 Address

SMP M E009

Addr must be iodine deficiency hypothyroidism

E039 Address

SMP M E009

Suba must be congenital iodine deficiency hypothyroidism

E0390 Address

SMP M E009

Suba must be congenital iodine deficiency hypothyroidism

E049 Address

LMC M E059

E050

Addr must be hyperthyroidism

LMC M E059

E052

Addr must be adenomatous or nodular goiter

E059 Address

LMC M E049

E050

Suba must be goiter (diffuse)

LMC M E049

E051

Suba must be thyroid nodule

LMC M E049

E052

Suba must be adenomatous or nodular goiter

E069 Address

SMP M A188

Suba must be tuberculous thyroiditis

E078 Address

DS M T455

Addr must be hemorrhage

E079 Address

SMP M C798

Suba must be thyroid gland

SMP M D093

Suba must be thyroid gland

E100 Address

LMC M G718

E107

Suba must be amyotrophia

LDC M I99

E107

Suba must be angiopathy, vascular (occlusive) disease, vasculopathy

LDC M K318

E107

Suba must be gastroparesis

E101 Address

LDC M E15

E100

Suba must be hypoglycemic coma NOS

ICD-10-Mortality Manual 2c - 2014

LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	I99	E107	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E107	Suba must be gastroparesis

E102 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	I99	E107	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E107	Suba must be gastroparesis
LMC	M	R798	E107	Suba must be acetonemia

E103 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	I99	E107	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E107	Suba must be gastroparesis
LMC	M	R798	E107	Suba must be acetonemia

E104 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LDC	M	G98	E107	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E107	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E107	Suba must be acetonemia

E105 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	K318	E107	Addr must be gastroparesis
LMC	M	R798	E107	Suba must be acetonemia

E106 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	G98	E107	Suba must not be Charcot's
LMC	M	I99	E107	Suba must be angiopathy,vascular (occlusive) disease, vasculopathy
LMC	M	R798	E107	Suba must be acetonemia

E108 Address

LDC	M	E15	E107	Suba must be hypoglycemic coma NOS
LMC	M	E888	E107	Suba must be ketosis
LMC	M	G718	E107	Suba must be amyotrophia
LDC	M	I99	E107	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E107	Suba must be gastroparesis
LMC	M	R798	E107	Suba must be acetonemia

E109 Address

LMC	M	E148	E108	Suba must be ketosis
LDC	M	E15	E100	Suba must be hypoglycemic coma NOS
LMC	M	G718	E104	Suba must be amyotrophia
LDC	M	G98	E104	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	G98	E106	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E105	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E104	Suba must be gastroparesis

E110 Address

LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis

E111 Address

LDC	M	E15	E110	Suba must be hypoglycemic coma NOS
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis

E112 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LMC	M	E888	E117	Suba must be ketosis
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis

E113 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LMC	M	E888	E117	Suba must be ketosis
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis

E114 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LDC	M	G98	E117	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E117	Suba must be acetonemia

E115 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LMC	M	E888	E117	Suba must be ketosis
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	K318	E117	Suba must be gastroparesis
LMC	M	R798	E117	Suba must be acetonemia

E116 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LMC	M	E888	E117	Suba must be ketosis
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	G98	E117	Suba must not be Charcot's
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis
LMC	M	R798	E117	Suba must be acetonemia

E118 Address

LDC	M	E15	E117	Suba must be hypoglycemic coma NOS
LMC	M	E888	E117	Suba must be ketosis
LMC	M	G718	E117	Suba must be amyotrophia
LDC	M	I99	E117	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E117	Suba must be gastroparesis
LMC	M	R798	E117	Suba must be acetonemia

E119 Address

LDC	M	E15	E110	Suba must be hypoglycemic coma NOS
LMC	M	E888	E111	Suba must be ketosis
LMC	M	G718	E114	Suba must be amyotrophia
LDC	M	G98	E114	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	G98	E116	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E115	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E114	Suba must be gastroparesis
LMC	M	R798	E111	Suba must be acetonemia

E120 Address

LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis

E121 Address

LDC	M	E15	E120	Suba must be hypoglycemic coma NOS
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis

E122 Address

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis
LMC	M	R798	E127	Suba must be acetonemia

E123 Address

ICD-10-Mortality Manual 2c - 2014

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis
LMC	M	R798	E127	Suba must be acetonemia

E124 Address

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LDC	M	G98	E127	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E127	Suba must be acetonemia

E125 Address

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	K318	E127	Suba must be gastroparesis
LMC	M	R798	E127	Suba must be acetonemia

E126 Address

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	G98	E127	Suba must not be Charcot's
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis
LMC	M	R798	E127	Suba must be acetonemia

E128 Address

LDC	M	E15	E127	Suba must be hypoglycemic coma NOS
LMC	M	E888	E127	Suba must be ketosis
LMC	M	G718	E127	Suba must be amyotrophia
LDC	M	I99	E127	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E127	Suba must be gastroparesis
LMC	M	R798	E127	Suba must be acetonemia

E129 Address

LDC	M	E15	E120	Suba must be hypoglycemic coma NOS
LMC	M	E888	E121	Suba must be ketosis
LMC	M	G718	E124	Suba must be amyotrophia
LDC	M	G98	E124	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	G98	E126	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E125	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E124	Suba must be gastroparesis
LMC	M	R798	E121	Suba must be acetonemia

E130 Address

LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis

E131 Address

LDC	M	E15	E130	Suba must be hypoglycemic coma NOS
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis

E132 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis
LMC	M	R798	E137	Suba must be acetonemia

E133 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis
LMC	M	R798	E137	Suba must be acetonemia

E134 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LDC	M	G98	E137	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E137	Suba must be acetonemia

E135 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	K318	E137	Suba must be gastroparesis
LMC	M	R798	E137	Suba must be acetonemia

E136 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	G98	E137	Suba must not be Charcot's
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis

ICD-10-Mortality Manual 2c - 2014

LMC	M	R798	E137	Suba must be acetonemia
-----	---	------	------	-------------------------

E138 Address

LDC	M	E15	E137	Suba must be hypoglycemic coma NOS
LMC	M	E888	E137	Suba must be ketosis
LMC	M	G718	E137	Suba must be amyotrophia
LDC	M	I99	E137	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E137	Suba must be gastroparesis
LMC	M	R798	E137	Suba must be acetonemia

E139 Address

LDC	M	E15	E130	Suba must be hypoglycemic coma NOS
LMC	M	E888	E131	Suba must be ketosis
LMC	M	G718	E134	Suba must be amyotrophia
LDC	M	G98	E134	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	G98	E136	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E135	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E134	Suba must be gastroparesis
LMC	M	R798	E131	Suba must be acetonemia

E140 Address

LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E147	Suba must be gastroparesis

E141 Address

LDC	M	E15	E140	Suba must be hypoglycemic coma NOS
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E147	Suba must be gastroparesis

E142 Address

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E147	Suba must be gastroparesis
LMC	M	R798	E147	Suba must be acetonemia

E143 Address

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E147	Suba must be gastroparesis
LMC	M	R798	E147	Suba must be acetonemia

E144 Address

ICD-10-Mortality Manual 2c - 2014

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LDC	M	G98	E147	Suba must be Charcot's arthritis, arthropathy or neurogenic, neuropathic arthropathy
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E147	Suba must be acetonemia

E145 Address

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	K318	E147	Suba must be gastroparesis
LMC	M	R798	E147	Suba must be acetonemia

E146 Address

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	G98	E147	Suba must not be Charcot's
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LMC	M	R798	E147	Suba must be acetonemia

E148 Address

LDC	M	E15	E147	Suba must be hypoglycemic coma NOS
LMC	M	E888	E147	Suba must be ketosis
LMC	M	G718	E147	Suba must be amyotrophia
LDC	M	I99	E147	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E147	Suba must be gastroparesis
LMC	M	R798	E147	Suba must be acetonemia

E149 Address

LDC	M	E15	E140	Suba must be hypoglycemic coma NOS
LMC	M	E888	E141	Suba must be ketosis
LMC	M	G718	E144	Suba must be amyotrophia
LDC	M	G98	E144	Suba must not be Charcot's
LDC	M	G98	E146	Suba must not be Charcot's
LDC	M	I99	E145	Suba must be angiopathy, vascular (occlusive) disease, vasculopathy
LDC	M	K318	E144	Suba must be gastroparesis
LMC	M	R798	E141	Suba must be acetonemia

E15 Address

DSC	M	B24	B238	Addr must not be drug-induced
DSC	M	R75	B238	Addr must not be drug-induced

E161 Address

DSC	M	B24	B238	Addr must not be drug-induced
DSC	M	R75	B238	Addr must not be drug-induced

E162 Address

DSC	M	B24	B238	Addr must not be drug-induced
-----	---	-----	------	-------------------------------

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238 Addr must not be drug-induced

E214 Address

DS M T455 Addr must be hemorrhage

E236 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T455		Addr must be hemorrhage
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

E237 Address

SMP	M	C798		Suba must be pituitary gland
SMP	M	D093		Suba must be pituitary gland
SMP	M	Q892		Suba must be pituitary gland

E249 Address

LMP	M	E270		Suba must be qualified as not associated with Cushing's syndrome
-----	---	------	--	--

E274 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

E278 Address

LMP	M	E250		Addr must be adrenal hyperplasia
LDC	M	E269	E260	Addr must be adrenal hyperplasia
LMC	M	E301	E250	Addr must be adrenal hyperplasia
DS	M	T455		Addr must be hemorrhage

E279 Address

SMP	M	D093		Suba must be adrenal gland
-----	---	------	--	----------------------------

E328 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

E329 Address

SMP	M	C798		Site of suba must be same as addr site
SMP	M	D093		Site of suba must be same as addr site

E349 Address

SMP	M	C798		Site of suba must be same as addr site
SMP	M	D093		Site of suba must be same as addr site

E40 Address

SDC	M	D649	D530	Suba must be protein deficiency
SDC	M	D649	D539	Suba cannot be protein deficiency

E41 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K529	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

E42 Address

SDC	M	D649	D530	Suba must be protein deficiency
SDC	M	D649	D539	Suba cannot be protein deficiency

E43 Address

SDC	M	D649	D530	Suba must be protein deficiency
SDC	M	D649	D539	Suba cannot be protein deficiency

E440 Address

SDC	M	D649	D530	Suba must be protein deficiency
SDC	M	D649	D539	Suba cannot be protein deficiency

E441 Address

SDC	M	D649	D530	Suba must be protein deficiency
SDC	M	D649	D539	Suba cannot be protein deficiency

E46 Address

SMP	M	D530		Suba must be protein deficiency anemia
SMP	M	D539		Suba must be nutritional anemia
SDC	M	D539	D530	Add must be protein deficiency; Suba must be protein deficiency anemia
SDC	M	D649	D539	add must be malnutrition; Suba must be malnutrition anemia
DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G379	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K529	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

E509 Address

LMC	M	H111	E501	Suba must be conjunctive xerosis or Bitot's spots
LMC	M	H168	E504	Suba must be xerotic keratitis
LMC	M	H178	E506	Suba must be xerophthalmic corneal scar
LMC	M	H184	E504	Suba must be keratomalacia
LMC	M	H188	E502	Suba must be corneal xerosis
LMC	M	Q828	E508	Suba must be follicular keratosis

E538 Address

SMP	M	D510	-D529	Addr must be vitamin B12 deficiency
SDC	M	D539	D520	Addr must be dietary folic acid deficiency
SDC	M	D539	D521	Addr must be drug induced folic acid deficiency
SDC	M	D539	D529	Addr must be folate acid deficiency
SDC	M	D649	D510	Addr must be an intrinsic vitamin B12 factor deficiency
SDC	M	D649	D511	Addr must be a selective vitamin B12 deficiency
SDC	M	D649	D513	Addr must be a dietary vitamin B12 deficiency
SDC	M	D649	D518	Addr must be an other specified vitamin B12 deficiency
SDC	M	D649	D519	Addr must be vitamin B12 deficiency

E639 Address

SMP	M	K746		Suba must be nutritional cirrhosis
-----	---	------	--	------------------------------------

ICD-10-Mortality Manual 2c - 2014

E668 Address

SMP M E662 addr must be morbid obesity; suba must be Pickwickin syndrome

E669 Address

SMP M E039 -E0390 Suba must be hypothyroid obesity
 SMP M E236 Suba must be pituitary obesity

E841 Address

LMC M K316 -K319 E848 Sites in suba must be duodenum

E849 Address

LMC M K316 -K319 E841 Suba must be stomach
 LMC M K316 -K319 E848 Sites in suba must be duodenum
 LMC M K922 E841 Site in suba must be intestine
 LMC M K922 E848 Suba must be gastric

E859 Address

LMC M D730 E854 Suba must be degeneration spleen
 LMC M G318 -G319 E854 Suba must be degeneration spinal (cord)
 LMC M I679 E854 Suba must be cerebral angiopathy
 LMC M J660 -J708 E854 Suba indexed with a modifier of amyloid
 LMC M J80 -J989 E854 Suba indexed with a modifier of amyloid
 LMC M K768 E854 Suba must be degeneration liver
 LMC M L280 E854 Suba must be lichen
 LMC M L988 E854 Suba must be degeneration skin
 LMC M M792 E854 Suba must be neuritis
 LMC M N288 E854 Suba must be degeneration kidney

E86 Address

DS M E000 -E02 Advanced, grave, severe
 DS M G10 -G121 Advanced, grave, severe
 DS M G128 -G129 Advanced, grave, severe
 DS M G210 -G259 Advanced, grave, severe
 DS M G310 -G319 Advanced, grave, severe
 DS M G360 -G379 Advanced, grave, severe
 DS M G64 -G819 Advanced, grave, severe
 DS M G830 -G931 Advanced, grave, severe
 DS M G934 Advanced, grave, severe
 DS M G937 -G939 Advanced, grave, severe
 DS M G960 -G98 Advanced, grave, severe
 DS M I501 -I509 Advanced, grave, severe
 DS M I515 -I516 Advanced, grave, severe
 DS M I519 Advanced, grave, severe
 DS M K500 -K519 Advanced, grave, severe
 DS M K750 -K761 Advanced, grave, severe
 DS M K763 -K769 Advanced, grave, severe
 DS M K860 -K869 Advanced, grave, severe
 DS M L400 -L409 Advanced, grave, severe
 DS M M020 -M029 Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

E872 Address

SMP	M	E101		Addr must be acidosis NOS
SMP	M	E111		Addr must be acidosis NOS
SMP	M	E121		Addr must be acidosis NOS
SMP	M	E131		Addr must be acidosis NOS
SMP	M	E141		Addr must be acidosis NOS
SMP	M	N258		Suba must be renal acidosis; addr must be acidosis NOS

E878 Address

SMP	M	E870	-E877	Addr must be electrolyte imbalance NOS
-----	---	------	-------	--

E888 Address

DS	M	E100	-E101		Addr must be ketosis
DSC	M	E102	-E106	E107	Addr must be ketosis
DSC	M	E108		E107	Suba must be ketosis
DSC	M	E109		E101	Addr must be ketosis
DS	M	E110	-E111		Addr must be ketosis
DSC	M	E112	-E116	E117	Addr must be ketosis
DSC	M	E118		E117	Suba must be ketosis
DSC	M	E119		E111	Addr must be ketosis
DS	M	E120	-E121		Addr must be ketosis
DSC	M	E122	-E126	E127	Addr must be ketosis
DSC	M	E128		E127	Suba must be ketosis
DSC	M	E129		E121	Addr must be ketosis
DS	M	E130	-E131		Addr must be ketosis
DSC	M	E132	-E136	E137	Addr must be ketosis
DSC	M	E138		E137	Suba must be ketosis
DSC	M	E139		E131	Addr must be ketosis
DS	M	E140	-E141		Addr must be ketosis
DSC	M	E142	-E146	E147	Addr must be ketosis
DSC	M	E148		E147	Suba must be ketosis
DSC	M	E149		E141	Addr must be ketosis

F

F03 Address

DS	M	E538		Suba must involve Vitamin B12 and be qualified as severe
SMP	M	F107		Suba must be alcoholic dementia; addr must not be senile/presenile
SMP	M	F117		Suba must be dementia
SMP	M	F127		Mental disorder in suba must be dementia
SMP	M	F137		Mental disorder in suba must be dementia
SMP	M	F147		Mental disorder in suba must be dementia
SMP	M	F157		Mental disorder in suba must be dementia
SMP	M	F167		Mental disorder in suba must be dementia
SMP	M	F177		Mental disorder in suba must be dementia
SMP	M	F187		Mental disorder in suba must be dementia
SMP	M	F843		Suba must be infantile dementia
DSC	M	I6930	F011	suba must be infarction

F059 Address

SMP	M	F104		Suba must be acute alcoholic delirium
-----	---	------	--	---------------------------------------

F069 Address

SMP	M	F107		Suba must be alcoholic brain syndrome
-----	---	------	--	---------------------------------------

F100 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F101 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F102 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F103 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F104 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F105 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

ICD-10-Mortality Manual 2c - 2014**F106 Address**

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F107 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F108 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis

F109 Address

LDC	M	G119	G312	Suba must not be stated hereditary
LDC	M	G318	G312	Suba must be cortical degeneration
LMC	M	K720	K701	Suba must be acute hepatitis
LMC	M	R418	F107	Suba must be persisting cognitive impairment

F119 Address

SDC	M	F220	F115	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F115	Suba must be hallucinosis
SDC	M	F39	F118	Suba must be mood disorder

F129 Address

SDC	M	F220	F125	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F125	Suba must be hallucinosis
SDC	M	F39	F128	Suba must be mood disorder

F139 Address

SDC	M	F220	F135	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F135	Suba must be hallucinosis
SDC	M	F39	F138	Suba must be mood disorder

F149 Address

SDC	M	F220	F145	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F145	Suba must be hallucinosis
SDC	M	F39	F148	Suba must be mood disorder

F159 Address

SDC	M	F220	F155	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F155	Suba must be hallucinosis
SDC	M	F39	F158	Suba must be mood disorder

F169 Address

SDC	M	F220	F165	Suba must be paranoia or paranoid psychosis
SDC	M	F28	-F29 F165	Suba must be hallucinosis

ICD-10-Mortality Manual 2c - 2014

SDC	M	F39	F168	Suba must be mood disorder
-----	---	-----	------	----------------------------

F179 Address

SDC	M	F220	F175	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F175	Suba must be hallucinosis
SDC	M	F39	F178	Suba must be mood disorder

F189 Address

SDC	M	F220	F185	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F185	Suba must be hallucinosis
SDC	M	F39	F188	Suba must be mood disorder

F199 Address

SMP	M	F100	-F198	Addr must be drug NOS or substance NOS
SDC	M	F220	F195	Suba must be paranoia or paranoid psychosis
SDC	M	F28	F195	Suba must be hallucinosis
SDC	M	F39	F198	Suba must be mood disorder

F220 Address

SMP	M	F105		Suba must be alcoholic paranoia or paranoid psychosis
DSC	M	F109	F105	Addr must be paranoia or paranoid psychosis

F28 Address

SMP	M	F105		Suba must be alcoholic hallucinations
-----	---	------	--	---------------------------------------

F29 Address

SMP	M	F105		Suba must be alcoholic psychosis NOS
-----	---	------	--	--------------------------------------

F39 Address

SMP	M	F108		Suba must be alcoholic mood disorder
DSC	M	F109	F108	Addr must be mood disorder

F419 Address

SMP	M	F108		Suba must be alcoholic anxiety
-----	---	------	--	--------------------------------

F449 Address

SDC	M	F453	F444	Suba must be neurosis larynx
SDC	M	G255	F444	Suba must be chorea NOS
SDC	M	H525	F448	Suba must be accomodation paralysis
SDC	M	H531	F446	Suba must be asthenopia
SDC	M	H538	F446	Suba must be blurred vision
SDC	M	J387	F448	Suba must be hyperesthesia larynx
SDC	M	J392	F448	Suba must be hyperesthesia pharynx
SDC	M	R252	F444	Suba must be spasm
SDC	M	R53	F444	Suba must be asthenia
SDC	M	R688	F441	Suba must be fugue

F459 Address

SDC	M	R498	F444	Addr must be psychogenic disorder; suba must be change, voice
-----	---	------	------	---

G

G000 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G001 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G002 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G003 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G008 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G009 Address

SMP	M	A010		Suba must be typhoid meningitis
SMP	M	A022		Suba must be salmonella meningitis
SMP	M	A228		Suba must be anthrax meningitis
SMP	M	A270	-A279	Suba must be leptospiral meningitis
SMP	M	A321		Suba must be listerial meningitis
SMP	M	A504		Suba must be late congenital syphilitic meningitis
SMP	M	A514		Suba must be secondary syphilitic meningitis
SMP	M	A521		Suba must be late syphilitic meningitis
SMP	M	A548		Suba must be gonococcal meningitis
SMP	M	A692		Suba must be Lyme disease meningitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G030 Address

SMP	M	A809		Suba must be poliomyelitis-related meningitis
SMP	M	B060		Suba must be rubella meningitis
SMP	M	B270	-B279	Suba must be mononucleosis meningitis
SMP	M	B428		Suba must be sporotrichosis meningitis
SMP	M	B451		Suba must be cryptococcal meningitis
SMP	M	B49		Suba must be mycotic or fungal meningitis
SMP	M	B560	-B569	Suba must be trypanosomiasis meningitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574		Suba must be Chagas' disease with meningitis
SMP	M	B832		Suba must be eosinophilic meningitis

ICD-10-Mortality Manual 2c - 2014

SMP M B89 Suba must be parasitic meningitis NEC

G031 Address

SMP	M	A010		Suba must be typhoid meningitis
SMP	M	A022		Suba must be salmonella meningitis
SMP	M	A228		Suba must be anthrax meningitis
SMP	M	A270	-A279	Suba must be leptospiral meningitis
SMP	M	A321		Suba must be listerial meningitis
SMP	M	A504		Suba must be late congenital syphilitic meningitis
SMP	M	A514		Suba must be secondary syphilitic meningitis
SMP	M	A521		Suba must be late syphilitic meningitis
SMP	M	A548		Suba must be gonococcal meningitis
SMP	M	A692		Suba must be Lyme disease meningitis
SMP	M	A809		Suba must be poliomyelitis-related meningitis
SMP	M	B060		Suba must be rubella meningitis
SMP	M	B270	-B279	Suba must be mononucleosis meningitis
SMP	M	B428		Suba must be sporotrichosis meningitis
SMP	M	B451		Suba must be cryptococcal meningitis
SMP	M	B49		Suba must be mycotic or fungal meningitis
SMP	M	B560	-B569	Suba must be trypanosomiasis meningitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574		Suba must be Chagas' disease with meningitis
SMP	M	B832		Suba must be eosinophilic meningitis
SMP	M	B89		Suba must be parasitic meningitis NEC

G032 Address

SMP	M	A010		Suba must be typhoid meningitis
SMP	M	A022		Suba must be salmonella meningitis
SMP	M	A228		Suba must be anthrax meningitis
SMP	M	A270	-A279	Suba must be leptospiral meningitis
SMP	M	A321		Suba must be listerial meningitis
SMP	M	A504		Suba must be late congenital syphilitic meningitis
SMP	M	A514		Suba must be secondary syphilitic meningitis
SMP	M	A521		Suba must be late syphilitic meningitis
SMP	M	A548		Suba must be gonococcal meningitis
SMP	M	A692		Suba must be Lyme disease meningitis
SMP	M	A809		Suba must be poliomyelitis-related meningitis
SMP	M	B060		Suba must be rubella meningitis
SMP	M	B270	-B279	Suba must be mononucleosis meningitis
SMP	M	B428		Suba must be sporotrichosis meningitis
SMP	M	B451		Suba must be cryptococcal meningitis
SMP	M	B49		Suba must be mycotic or fungal meningitis
SMP	M	B560	-B569	Suba must be trypanosomiasis meningitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574		Suba must be Chagas' disease with meningitis
SMP	M	B832		Suba must be eosinophilic meningitis
SMP	M	B89		Suba must be parasitic meningitis NEC

G039 Address

SMP	M	A010		Suba must be typhoid meningitis
SMP	M	A022		Suba must be salmonella meningitis
SMP	M	A228		Suba must be anthrax meningitis
SMP	M	A270	-A279	Suba must be leptospiral meningitis
SMP	M	A321		Suba must be listerial meningitis
SMP	M	A504		Suba must be late congenital syphilitic meningitis
SMP	M	A514		Suba must be secondary syphilitic meningitis
SMP	M	A521		Suba must be late syphilitic meningitis
SMP	M	A548		Suba must be gonococcal meningitis
SMP	M	A692		Suba must be Lyme disease meningitis
SMP	M	A809		Suba must be poliomyelitis-related meningitis
SMP	M	B060		Suba must be rubella meningitis
SMP	M	B270	-B279	Suba must be mononucleosis meningitis
SMP	M	B428		Suba must be sporotrichosis meningitis
SMP	M	B451		Suba must be cryptococcal meningitis
SMP	M	B49		Suba must be mycotic or fungal meningitis
SMP	M	B560	-B569	Suba must be trypanosomiasis meningitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574		Suba must be Chagas' disease with meningitis
SMP	M	B832		Suba must be eosinophilic meningitis
SMP	M	B89		Suba must be parasitic meningitis NEC

G041 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G042 Address

SMP	M	A178		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A321		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A398		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A504		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A521		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G048 Address

SMP	M	A923		Suba qualified as tuberculous
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G049 Address

SMP	M	A178		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A321		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A398		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A504		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A521		Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	A923		Suba qualified as tuberculous

ICD-10-Mortality Manual 2c - 2014

SMP	M	B258			Suba must be tuberculous encephalitis, myelitis, encephalomyelitis
SMP	M	B560	-B569		Suba must be trypanosomiasis encephalitis
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574			Suba must be encephalitis, myelitis, encephalomyelitis
SMP	M	B602			Suba must be primary amoebic meningoencephalitis
SMP	M	B832			Suba must be eosinophilic meningoencephalitis
SMP	M	M321			Suba must be encephalitis, myelitis, encephalomyelitis

G060 Address

DSC	M	A061	-A063	A066	Addr must be an abscess
DSC	M	A069		A066	Addr must be an abscess
SMP	M	A178			Suba must be tuberculous abscess brain
SMP	M	A548			Suba must be gonococcal brain abscess
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B650	-B659		Suba must be schistosomiasis abscess/granuloma of brain
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

G061 Address

SMP	M	A178			Suba must be tuberculous spinal cord abscess
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

G062 Address

SMP	M	A171			Suba must be tuberculoma meninges
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

G08 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

G09 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

G20 Address

SMP	M	A521		Suba must be syphilitic parkinsonism
-----	---	------	--	--------------------------------------

G2000 Address

SMP	M	A521		Suba must be syphilitic parkinsonism
-----	---	------	--	--------------------------------------

G219 Address

SMP	M	A521		Suba must be syphilitic parkinsonism
-----	---	------	--	--------------------------------------

G248 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G249 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G250 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G252 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G253 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G259 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G318 Address

ICD-10-Mortality Manual 2c - 2014

DSC M E859 E854 Addr must be degeneration spinal (cord)

G319 Address

DSC M E859 E854 Addr must be degeneration nervous system

G373 Address

DSC M B24 B201 Addr must be caused by a bacterial organism
DSC M B24 B203 Addr must be caused by a viral organism
DSC M B24 B208 Causative organism of addr not reported
DSC M R75 B201 Addr must be caused by a bacterial organism
DSC M R75 B203 Addr must be caused by a viral organism
DSC M R75 B208 Causative organism of addr not reported

G374 Address

DSC M B24 B201 Addr must be caused by a bacterial organism
DSC M B24 B203 Addr must be caused by a viral organism
DSC M B24 B208 Causative organism of addr not reported
DSC M R75 B201 Addr must be caused by a bacterial organism
DSC M R75 B203 Addr must be caused by a viral organism
DSC M R75 B208 Causative organism of addr not reported

G400 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G401 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G402 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G403 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G404 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G405 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G406 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G407 Address

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G408 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G409 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G410 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G411 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G412 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G418 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G419 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G441 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G448 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G450 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G451 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G452 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

ICD-10-Mortality Manual 2c - 2014

G453 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G454 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G458 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G459 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G470 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G471 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G472 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G473 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G478 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G479 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G570 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G571 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G572 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G573 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G574 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G575 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G576 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G578 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G579 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G580 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G587 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G588 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G589 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Addr must be mononeuritis with causative organism not reported
DSC	M	B24	B220	Addr must be a non-infectious condition
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Addr must be mononeuritis with causative organism not reported
DSC	M	R75	B220	Addr must be a non-infectious condition

G610 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

G618 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

G619 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

G628 Address

DSC	M	B24	B201	Addr must be polyradiculitis caused by a bacterial organism
DSC	M	B24	B203	Addr must be polyradiculitis caused by a viral organism
DSC	M	B24	B208	Addr must be polyradiculitis with no causative organism reported
DSC	M	B24	B220	Addr must be a non-infectious condition
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be polyradiculitis caused by a bacterial organism
DSC	M	R75	B203	Addr must be polyradiculitis caused by a viral organism
DSC	M	R75	B208	Addr must be polyradiculitis with no causative organism reported
DSC	M	R75	B220	Addr must be a non-infectious condition

G629 Address

DSC	M	B24	B220	Addr must be a non-infectious condition
DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	M069	M053	Rheumatoid arthritis with polyneuropathy
DSC	M	R75	B220	Addr must be a non-infectious condition

ICD-10-Mortality Manual 2c - 2014**G64 Address**

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

G718 Address

DSC	M	E100	-E103	E107	Addr cannot be stated primary
DS	M	E104			Addr cannot be stated primary
DSC	M	E105	-E106	E107	Addr cannot be stated primary
DS	M	E107			Addr cannot be stated primary
DSC	M	E108		E107	Addr cannot be stated primary
DSC	M	E109		E104	Addr cannot be stated primary
DSC	M	E110	-E113	E117	Addr cannot be stated primary
DS	M	E114			Addr cannot be stated primary
DSC	M	E115	-E116	E117	Addr cannot be stated primary
DS	M	E117			Addr cannot be stated primary
DSC	M	E118		E117	Addr cannot be stated primary
DSC	M	E119		E114	Addr cannot be stated primary
DSC	M	E120	-E123	E127	Addr cannot be stated primary
DS	M	E124			Addr cannot be stated primary
DSC	M	E125	-E126	E127	Addr cannot be stated primary
DS	M	E127			Addr cannot be stated primary
DSC	M	E128		E127	Addr cannot be stated primary
DSC	M	E129		E124	Addr cannot be stated primary
DSC	M	E130	-E133	E137	Addr cannot be stated primary
DS	M	E134			Addr cannot be stated primary
DSC	M	E135	-E136	E137	Addr cannot be stated primary
DS	M	E137			Addr cannot be stated primary
DSC	M	E138		E137	Addr cannot be stated primary
DSC	M	E139		E134	Addr cannot be stated primary
DSC	M	E140	-E143	E147	Addr cannot be stated primary
DS	M	E144			Addr cannot be stated primary
DSC	M	E145	-E146	E147	Addr cannot be stated primary
DS	M	E147			Addr cannot be stated primary
DSC	M	E148		E147	Addr cannot be stated primary
DSC	M	E149		E144	Addr cannot be stated primary

G810 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

G811 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

G819 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

G820 Address

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G821 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G822 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G823 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G824 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G825 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G830 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G831 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G832 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G833 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G834 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G838 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G839 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

ICD-10-Mortality Manual 2c - 2014

DS M N185

Suba must be uremic paralysis

G910 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G911 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G912 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G913 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G918 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G919 Address

SMP M A504

DSC M B572

B574

Suba must be congenital syphilitic hydrocephalus

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

G931 Address

DSC M B572

B574

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M J09

Suba must involve the nervous system

G932 Address

DSC M B572

B574

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M J09

Suba must involve the nervous system

G934 Address

DSC M B572

B574

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M J09

Suba must involve the nervous system

G935 Address

DSC M B572

B574

Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

ICD-10-Mortality Manual 2c - 2014

DS M J09 Suba must involve the nervous system

G936 Address

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M J09 Suba must involve the nervous system

G938 Address

DSC M B24 B220 Addr must not be caused by an external agent

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M J09 Suba must involve the nervous system

DSC M R75 B220 Addr must not be caused by an external agent

G939 Address

SMP M A010 Suba must involve the brain

SMP M A022 Suba must involve the brain

SMP M A178 Suba must involve the brain

SMP M A228 Suba must involve the brain

SMP M A270 -A279 Suba must involve the brain

SMP M A398 Suba must involve the brain

SMP M A428 Suba must involve the brain

SMP M A504 Suba must involve the brain

SMP M A514 Suba must involve the brain

SMP M A521 Suba must involve the brain

SMP M A548 Suba must involve the brain

SMP M A692 Suba must involve the brain

SMP M A800 -A89 Suba must involve the brain

SMP M A922 Suba must involve the brain

SMP M B060 Suba must involve the brain

SMP M B258 Suba must involve the brain

SMP M B270 -B279 Suba must involve the brain

SMP M B49 Suba must involve the brain

SMP M B560 -B569 Suba must involve the brain

DSC M B572 B574 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

SMP M B574 Suba must involve the brain

SMP M B602 Suba must involve the brain

SMP M B650 -B659 Suba must involve the brain

SMP M B719 Suba must involve the brain

SMP M B75 Suba must involve the brain

SMP M B832 Suba must involve the brain

SMP M B89 Suba must involve the brain

SMP M C810 -C97 Suba must involve the brain

SMP M G08 -G09 Suba must involve the brain

SMP M I600 -I698 Suba must involve the brain

SMP M J09 Suba must involve the nervous system

SMP M J108 Suba must involve the brain

SMP M J118 Suba must involve the brain

SMP M M321 Suba must involve the brain

ICD-10-Mortality Manual 2c - 2014

G951 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	I011			Addr must be embolism
DS	M	I020			Addr must be embolism
DS	M	I050	-I069		Addr must be embolism
DS	M	I080	-I089		Addr must be embolism
DS	M	I091			Addr must be embolism
DS	M	I330	-I359		Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38			Addr must be embolism
DS	M	I48	-I499		Addr must be embolism
DS	M	I513			Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741			Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849		Addr must be embolism
DS	M	O994			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T455			Addr must be hemorrhage
DS	M	T801			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	T858			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849		Addr must be embolism

G952 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

G958 Address

DSC	M	B24		B220	Addr must not be caused by an external agent
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75		B220	Addr must not be caused by an external agent

G959 Address

SMP	M	A178			Suba must involve the spinal cord
SMP	M	A321			Suba must involve the spinal cord
SMP	M	A398			Suba must involve the spinal cord
SMP	M	A504			Suba must involve the spinal cord
SMP	M	A521			Suba must involve the spinal cord
SMP	M	A850	-A851		Suba must involve the spinal cord
SMP	M	B004			Suba must involve the spinal cord
SMP	M	B011			Suba must involve the spinal cord
SMP	M	B020			Suba must involve the spinal cord
SMP	M	B050			Suba must involve the spinal cord
SMP	M	B060			Suba must involve the spinal cord
SMP	M	B262			Suba must involve the spinal cord
SMP	M	B560	-B569		Suba must involve the spinal cord
DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B574			Suba must involve the spinal cord
SMP	M	B582			Suba must involve the spinal cord
SMP	M	B602			Suba must involve the spinal cord
SMP	M	B832			Suba must involve the spinal cord
SMP	M	C793			Suba must involve the spinal cord
SMP	M	C810	-C97		Suba must involve the spinal cord
SMP	M	G370	-G379		Suba must involve the spinal cord
SMP	M	J09			Suba must involve the nervous system
SMP	M	J108			Suba must involve the spinal cord
SMP	M	J118			Suba must involve the spinal cord
SMP	M	M321			Suba must involve the spinal cord
DSC	M	M478	-M479	M471	Term in addr must be myelopathy
SMP	M	M500			Addr must be myelopathy
DSC	M	M502	-M509	M500	Term in addr must be myelopathy
SMP	M	M510			Addr must be myelopathy
DSC	M	M512	-M513	M510	Term in addr must be myelopathy
DSC	M	M518	-M519	M510	Term in addr must be myelopathy

G960 Address

DSC	M	B572		B574	Suba must be Chagas' disease NOS; addr must have modifier of in
-----	---	------	--	------	---

ICD-10-Mortality Manual 2c - 2014

Chagas' disease in VOL3

G968 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G969 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

G970 Address

DS	M	Y848		Procedure must be spinal or lumbar puncture
----	---	------	--	---

G971 Address

DS	M	Y848		Procedure must be spinal or lumbar puncture
----	---	------	--	---

G98 Address

DSC	M	B572	B574	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	C798		Suba must involve the nervous system
SMP	M	C810	-C97	Suba must involve the nervous system

H

H050 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H051 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H052 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DS	M	T455		Addr must be hemorrhage

H053 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H054 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital,
-----	---	-----	------	--

hereditary, primary, genetic and not due to external cause

H059 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H100 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H101 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H102 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis

ICD-10-Mortality Manual 2c - 2014

SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H103 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H104 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H105 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H108 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H109 Address

SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis

ICD-10-Mortality Manual 2c - 2014

SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis

H111 Address

DSC	M	E509	E501	Addr must be conjunctive xerosis or Bitot's spots
-----	---	------	------	---

H168 Address

DSC	M	E509	E504	Addr must be xerotic keratitis
-----	---	------	------	--------------------------------

H178 Address

DSC	M	E509	E506	Addr must be xerophthalmic corneal scar
-----	---	------	------	---

H179 Address

LMC	M	E507	H178	Addr must be corneal scar with xerophthalmia in suba
-----	---	------	------	--

H184 Address

DSC	M	E509	E504	Addr must be keratomalacia
-----	---	------	------	----------------------------

H188 Address

DSC	M	E509	E502	Addr must be corneal xerosis
LMP	M	H160		Addr must be corneal xerosis

H211 Address

LDP	M	H405		Addr must be rubeosis of iris
-----	---	------	--	-------------------------------

H300 Address

SMP	M	A300	-A309	Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A500		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A514		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A521		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A527		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	B399		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	I708		Suba must involve the eye
SMP	M	N185		Suba must involve the eye

H301 Address

SMP	M	A300	-A309	Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A500		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A514		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A521		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A527		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	B399		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	I708		Suba must involve the eye
SMP	M	N185		Suba must involve the eye

H302 Address

SMP	M	A300	-A309	Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A500		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A514		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A521		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A527		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	B399		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	I708		Suba must involve the eye
SMP	M	N185		Suba must involve the eye

H309 Address

SMP	M	A300	-A309	Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A500		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A514		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A521		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A527		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	B399		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	I708		Suba must involve the eye
SMP	M	N185		Suba must involve the eye

H340 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

H341 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

H342 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

H356 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

H440 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H441 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	hereditary, primary, genetic and not due to external cause Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H442 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H443 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H444 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital,

H447 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H448 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DS	M	T455		Addr must be hemorrhage

H449 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a bacterial organism and not stated congenital,

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	familial, hereditary, primary, genetic and not due to external cause Causative organism of addr is not reported and not stated congenital,
DSC	M	R75	B238	familial, hereditary, primary, genetic and not due to external cause Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H579 Address

SMP	M	A300	-A309	Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A368		Suba must be conjunctivitis
SMP	M	A398		Suba must be conjunctivitis
SMP	M	A500		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A514		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A521		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	A527		Suba must be conjunctivitis
SMP	M	A711		Suba must be conjunctivitis
SMP	M	B399		Suba must be chorioretinitis, choroiditis, retinitis, retinochoroiditis
SMP	M	B601		Suba must be conjunctivitis
SMP	M	B740	-B749	Suba must be conjunctivitis
SMP	M	B89		Suba must be conjunctivitis
SMP	M	C794		Suba must involve the eye
SMP	M	C80	-C97	Suba must be ear
SMP	M	D487		Suba must involve the eye
SMP	M	I708		Suba must involve the eye
SMP	M	L120	-L129	Suba must be conjunctivitis
SMP	M	L710	-L719	Suba must be conjunctivitis
SMP	M	N185		Suba must involve the eye

H590 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DS	M	Y883		Surgery must be cataract surgery or surgery NOS

H598 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H599 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H650 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital,

familial, hereditary, primary, genetic and not due to external cause

H651 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H652 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H653 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H654 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H659 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H660 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H661 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H662 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H663 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H664 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H669 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	J1010	J108	Otitis media NOS or acute otitis media
DSC	M	J1110	J118	Otitis media NOS or acute otitis media
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H680 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H681 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H690 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H698 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H699 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H722 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H728 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H729 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H739 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H740 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H741 Address

ICD-10-Mortality Manual 2c - 2014

DSC M R75 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H744 Address

DSC M B24 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B203 Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B208 Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B203 Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B208 Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H748 Address

DSC M B24 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B203 Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B208 Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B203 Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B208 Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H749 Address

DSC M B24 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B203 Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B208 Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M B24 B238 Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

DSC M R75 B201 Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H810 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H811 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H812 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H819 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H830 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H831 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H832 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause

H939 Address

SMP	M	C490		Suba must be ear
SMP	M	C783		Suba must be ear
SMP	M	C798	-C97	Suba must be ear
SMP	M	D032		Suba must be ear
SMP	M	D140		Suba must be ear
SMP	M	D210		Suba must be ear
SMP	M	D385		Suba must be ear
SMP	M	D481		Suba must be ear
SMP	M	D485		Suba must be ear

H950 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DS	M	Y836		Surgery must be a mastoidectomy or surgery NOS
DS	M	Y883		Surgery must be a mastoidectomy or surgery NOS

H951 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	B24	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	familial, hereditary, primary, genetic and not due to external cause Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B201	Addr must be caused by a bacterial organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Addr must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B208	Causative organism of addr is not reported and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B238	Addr must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
DS	M	Y836		Surgery must be a mastoidectomy or surgery NOS
DS	M	Y883		Surgery must be a mastoidectomy or surgery NOS

H958 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

H959 Address

DSC	M	B24	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
DSC	M	R75	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause

I

I050 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I051 Address

LMP	M	I088		Suba must be disease of pulmonary valve
DSC	M	I098	I088	Suba must be disease of pulmonary valve
LMC	M	I098	I098	Suba must be disease of pulmonary valve

I052 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I058 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I059 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

ICD-10-Mortality Manual 2c - 2014

I060 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I061 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I062 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I068 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I069 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I070 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I071 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I072 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I078 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I079 Address

LMP	M	I088		Suba must be disease of pulmonary valve
LMC	M	I098	I088	Suba must be disease of pulmonary valve

I080 Address

DSC	M	I098	I088	Suba must be disease of pulmonary valve
-----	---	------	------	---

I081 Address

DSC	M	I098	I088	Suba must be disease of pulmonary valve
-----	---	------	------	---

I082 Address

DSC	M	I098	I088	Suba must be disease of pulmonary valve
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

I083 Address

DSC M I098 I088 Suba must be disease of pulmonary valve

I090 Address

SMP M I050 -I089 Suba must be qualified as rheumatic

I092 Address

SMP M I050 -I080 Suba must be qualified as rheumatic

I098 Address

SMP M I050 -I080 Suba must be qualified as rheumatic
 LMC M I050 -I083 I088 Addr must be disease of pulmonary valve

I099 Address

SMP M I090 -I098 Suba must not be a pulmonary valve disorder

I10 Address

LDC M I050 I342 Suba must not be qualified as rheumatic
 LDC M I052 I342 Suba must not be qualified as rheumatic
 LDC M I058 I348 Suba must not be qualified as rheumatic
 LDC M I059 I349 Suba must not be qualified as rheumatic
 LDC M I070 I360 Suba must not be qualified as rheumatic
 LDC M I071 I361 Suba must not be qualified as rheumatic
 LDC M I072 I362 Suba must not be qualified as rheumatic
 LDC M I078 I368 Suba must not be qualified as rheumatic
 LDC M I079 I369 Suba must not be qualified as rheumatic
 LDC M I089 I38 Suba must not be qualified as rheumatic
 LDC M I509 I110 Suba must be heart failure
 LDC M I509 I132 Suba must be cardiorenal failure only

I210 Address

DS M I011 Addr must be embolism
 DS M I020 Addr must be embolism
 DS M I050 -I069 Addr must be embolism
 DS M I080 -I089 Addr must be embolism
 DS M I091 Addr must be embolism
 DS M I330 -I359 Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
 DS M I38 Addr must be embolism
 DS M I513 Addr must be embolism; Suba must be left heart or unspecified
 DS M I741 Addr must be embolism; Suba must be ascending or unspecified
 DS M O033 Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
 DS M O038 Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
 DS M O043 Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
 DS M O048 Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
 DS M O053 Addr must be embolism; Suba must be thrombosis of left heart, aorta, or

ICD-10-Mortality Manual 2c - 2014

				main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I211 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I212 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or

ICD-10-Mortality Manual 2c - 2014

				main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I213 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I214 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or

ICD-10-Mortality Manual 2c - 2014

				main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I219 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

I2190 Address

DS	M	I330	-I339	Suba must be aortic, mitral, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be left heart, aorta, or main arteries
DS	M	O038		Suba must be left heart, aorta, or main arteries
DS	M	O043		Suba must be left heart, aorta, or main arteries
DS	M	O048		Suba must be left heart, aorta, or main arteries
DS	M	O053		Suba must be left heart, aorta, or main arteries
DS	M	O058		Suba must be left heart, aorta, or main arteries
DS	M	O063		Suba must be left heart, aorta, or main arteries
DS	M	O068		Suba must be left heart, aorta, or main arteries
DS	M	O073		Suba must be left heart, aorta, or main arteries
DS	M	O078		Suba must be left heart, aorta, or main arteries
DS	M	O087		Suba must be left heart, aorta, or main arteries
DS	M	O994		Suba must be left heart, aorta, or main arteries

I240 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism

ICD-10-Mortality Manual 2c - 2014

DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I258 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

I260 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	E000	-E038	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I088		Suba must be tricuspid or pulmonary valve, or a cardiac septal defect must be present
DS	M	I330	-I339	Suba must be tricuspid, pulmonary, or unspecified valve, or a cardiac septal defect must be present
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be of right heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	O033		Suba must be venous thrombosis or phlebitis
DS	M	O038		Suba must be venous thrombosis or phlebitis
DS	M	O043		Suba must be venous thrombosis or phlebitis
DS	M	O048		Suba must be venous thrombosis or phlebitis
DS	M	O053		Suba must be venous thrombosis or phlebitis
DS	M	O058		Suba must be venous thrombosis or phlebitis
DS	M	O063		Suba must be venous thrombosis or phlebitis
DS	M	O068		Suba must be venous thrombosis or phlebitis
DS	M	O073		Suba must be venous thrombosis or phlebitis
DS	M	O078		Suba must be venous thrombosis or phlebitis
DS	M	O087		Suba must be thrombosis or phlebitis
DS	M	O994		Suba must be thrombosis or phlebitis
DS	M	Q000	-Q079	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T801		Suba must be thrombosis or phlebitis
DS	M	T817		Suba must be thrombosis or phlebitis
DS	M	T828		Suba must be thrombosis or phlebitis
DS	M	T838		Suba must be thrombosis or phlebitis
DS	M	T848		Suba must be thrombosis or phlebitis
DS	M	T858		Suba must be thrombosis or phlebitis
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

I269 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I088		Suba must be tricuspid or pulmonary valve, or a cardiac septal defect must be present
LMP	M	I260		Suba must be acute cor pulmonale NOS
DS	M	I330	-I339	Suba must be tricuspid, pulmonary, or unspecified valve, or a cardiac septal defect must be present
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be of right heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	O033		Suba must be venous thrombosis or phlebitis
DS	M	O038		Suba must be venous thrombosis or phlebitis
DS	M	O043		Suba must be venous thrombosis or phlebitis
DS	M	O048		Suba must be venous thrombosis or phlebitis
DS	M	O053		Suba must be venous thrombosis or phlebitis
DS	M	O058		Suba must be venous thrombosis or phlebitis
DS	M	O063		Suba must be venous thrombosis or phlebitis
DS	M	O068		Suba must be venous thrombosis or phlebitis
DS	M	O073		Suba must be venous thrombosis or phlebitis
DS	M	O078		Suba must be venous thrombosis or phlebitis
DS	M	O087		Suba must be thrombosis or phlebitis
DS	M	O994		Suba must be thrombosis or phlebitis
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T801		Suba must be thrombosis or phlebitis
DS	M	T817		Suba must be thrombosis or phlebitis
DS	M	T828		Suba must be thrombosis or phlebitis
DS	M	T838		Suba must be thrombosis or phlebitis
DS	M	T848		Suba must be thrombosis or phlebitis
DS	M	T858		Suba must be thrombosis or phlebitis
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116

ICD-10-Mortality Manual 2c - 2014

DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

I301 Address

SMP	M	A188		Suba must be tuberculous pericarditis
SMP	M	A395		Suba must be meningococcal pericarditis
SMP	M	A520		Suba must be syphilitic pericarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie pericarditis
SMP	M	B570		Suba must be pericarditis in Chagas' disease
SMP	M	B572		Suba must be pericarditis in Chagas' disease
SMP	M	B908		Suba must be late effects of tuberculous pericarditis
SMP	M	B948		Suba must be late effects of an infectious pericarditis classifiable to Chapter 01
SMP	M	M321		Suba must be pericarditis in systemic lupus erythematosus
SMP	M	N185		Suba must be uremic pericarditis
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I308 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I309 Address

SMP	M	A188		Suba must be tuberculous pericarditis
SMP	M	A395		Suba must be meningococcal pericarditis
SMP	M	A520		Suba must be syphilitic pericarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie pericarditis
SMP	M	B570		Suba must be pericarditis in Chagas' disease
SMP	M	B572		Suba must be pericarditis in Chagas' disease
SMP	M	B908		Suba must be late effects of tuberculous pericarditis
SMP	M	B948		Suba must be late effects of an infectious pericarditis classifiable to Chapter 01
SMP	M	M321		Suba must be pericarditis in systemic lupus erythematosus
SMP	M	N185		Suba must be uremic pericarditis
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

I310 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I311 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I312 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

I313 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

I318 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

I319 Address

SMP	M	A188		Addr must be pericarditis (chronic) NOS; suba must be tuberculous pericarditis
SMP	M	A395		Addr must be pericarditis (chronic) NOS; suba must be meningococcal pericarditis
SMP	M	A520		Addr must be pericarditis (chronic) NOS; suba must be syphilitic pericarditis
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	B332		Addr must be pericarditis (chronic) NOS; suba must be coxsackie pericarditis
SMP	M	B570		Addr must be pericarditis (chronic) NOS; suba must be pericarditis in Chagas' disease
SMP	M	B572		Addr must be pericarditis (chronic) NOS; suba must be pericarditis in Chagas' disease
SMP	M	B908		Suba must be late effects of tuberculous pericarditis
SMP	M	B948		Suba must be late effects of an infectious pericarditis classifiable to Chapter 01

ICD-10-Mortality Manual 2c - 2014

DSC	M	M069		M053	Rheumatoid arthritis with pericarditis
SMP	M	M321			Addr must be pericarditis (chronic) NOS; suba must be pericarditis in systemic lupus erythematosus
SMP	M	N185			Addr must be pericarditis (chronic) NOS; suba must be uremic pericarditis
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DSC	M	R75		B238	Addr must be a non-infectious condition
DS	M	S200	-S299		Addr should be cardiac tamponade

I330 Address

SMP	M	A010			Suba must be typhoid endocarditis; addr must be endocarditis
SMP	M	A395			Suba must be meningococcal endocarditis; addr must be endocarditis
SMP	M	A520			Suba must be syphilitic endocarditis
SMP	M	A548			Suba must be gonococcal endocarditis; addr must be endocarditis
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
SMP	M	B332			Suba must be coxsackie endocarditis; addr must be endocarditis
SMP	M	B376			Suba must be Monilial endocarditis; addr must be endocarditis
SMP	M	B570			Suba must be endocarditis in Chagas' disease; addr must be endocarditis
SMP	M	B572			Suba must be endocarditis in Chagas' disease; addr must be endocarditis
SMP	M	B948			Suba must be late effects of an infectious endocarditis classifiable to Chapter 01
SMP	M	M321			Suba must be endocarditis in systemic lupus erythematosus; addr must be endocarditis
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

I339 Address

SMP	M	A010			Suba must be typhoid endocarditis
SMP	M	A395			Suba must be meningococcal endocarditis
SMP	M	A548			Suba must be gonococcal endocarditis
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
SMP	M	B332			Suba must be coxsackie endocarditis
SMP	M	B376			Suba must be Monilial endocarditis
SMP	M	B570			Suba must be endocarditis in Chagas' disease
SMP	M	B572			Suba must be endocarditis in Chagas' disease
SMP	M	B948			Suba must be an infectious endocarditis classifiable to Chapter 01
SMP	M	M321			Suba must be systemic lupus erythematosus endocarditis
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

I340 Address

SMP	M	A010			Addr qualified as typhoid
SMP	M	A188			Conditions classified to addr qualified as tuberculous

ICD-10-Mortality Manual 2c - 2014

SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be late effects of tuberculosis of heart valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving mitral valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I341 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving mitral valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving mitral valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I342 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving mitral valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving mitral valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I348 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving mitral valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving mitral valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I349 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving mitral valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter

ICD-10-Mortality Manual 2c - 2014

SMP	M	M321		01 and involving mitral valve
DSC	M	R75	B201	Addr qualified as systemic lupus erythematosus
DSC	M	R75	B203	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B208	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I350 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving aortic valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving aortic valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I351 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr qualified as Chagas'
SMP	M	B572		Addr qualified as Chagas'
SMP	M	B908		Suba must be tuberculosis involving aortic valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving aortic valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I352 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving aortic valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving aortic valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I358 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving aortic valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving aortic valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I359 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic

ICD-10-Mortality Manual 2c - 2014

SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving aortic valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving aortic valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I360 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving tricuspid valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving tricuspid valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I361 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal

ICD-10-Mortality Manual 2c - 2014

SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving tricuspid valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving tricuspid valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I362 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving tricuspid valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving tricuspid valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I368 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving tricuspid valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving tricuspid valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I369 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving tricuspid valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving tricuspid valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I370 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving pulmonary valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving pulmonary valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I371 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving pulmonary valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving pulmonary valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I372 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving pulmonary valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving pulmonary valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I378 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving pulmonary valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving pulmonary valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I379 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease
SMP	M	B908		Suba must be tuberculosis involving pulmonary valve
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving pulmonary valve
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I38 Address

SMP	M	A010		Addr qualified as typhoid
SMP	M	A188		Conditions classified to addr qualified as tuberculous
SMP	M	A395		Addr qualified as meningococcal
SMP	M	A520		Addr qualified as syphilitic
SMP	M	A548		Addr qualified as gonococcal
DSC	M	B24	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	B24	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	B24	B208	Addr must be endocarditis with causative organism not reported
DSC	M	B24	B238	Addr cannot be endocarditis
SMP	M	B376		Addr qualified as Candidal
SMP	M	B570		Addr in Chagas' disease
SMP	M	B572		Addr in Chagas' disease

ICD-10-Mortality Manual 2c - 2014

SMP	M	B908		Suba must be tuberculosis of heart valve(s)
SMP	M	B948		Suba must be late effects of an infectious condition classifiable to Chapter 01 and involving a heart valve
SMP	M	I330	-I339	Addr must be endocarditis NOS not valvular heart disease
SMP	M	M321		Addr qualified as systemic lupus erythematosus
DSC	M	R75	B201	Addr must be endocarditis and caused by a bacterial organism
DSC	M	R75	B203	Addr must be endocarditis and caused by a viral organism
DSC	M	R75	B208	Addr must be endocarditis with causative organism not reported
DSC	M	R75	B238	Addr cannot be endocarditis

I400 Address

SMP	M	A010		Suba must be typhoid myocarditis
SMP	M	A188		Suba must be tuberculous myocarditis
SMP	M	A368		Suba must be diphtheria myocarditis
SMP	M	A38		Suba must be scarlet fever myocarditis
SMP	M	A395		Suba must be meningococcal myocarditis
SMP	M	A520		Suba must be syphilitic myocarditis
SMP	M	A750		Suba must be epidemic louse borne typhus myocarditis
SMP	M	A759		Suba must be typhus myocarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie myocarditis
SMP	M	B570		Suba must be acute Chagas' myocarditis
SMP	M	B572		Suba must be chronic Chagas' myocarditis
SMP	M	B588		Suba must be toxoplasmosis myocarditis
SMP	M	B908		Suba must be tuberculous myocarditis
SMP	M	B948		Suba must be late effects of an infectious myocarditis classifiable to Chapter 01
SMP	M	J108		Suba must be influenzal myocarditis, virus identified
SMP	M	J118		Suba must be influenzal myocarditis, virus not identified
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I401 Address

SMP	M	A010		Suba must be typhoid myocarditis
SMP	M	A188		Suba must be tuberculous myocarditis
SMP	M	A368		Suba must be diphtheria myocarditis
SMP	M	A38		Suba must be scarlet fever myocarditis
SMP	M	A395		Suba must be meningococcal myocarditis
SMP	M	A520		Suba must be syphilitic myocarditis
SMP	M	A750		Suba must be epidemic louse borne typhus myocarditis
SMP	M	A759		Suba must be typhus myocarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie myocarditis
SMP	M	B570		Suba must be acute Chagas' myocarditis
SMP	M	B572		Suba must be chronic Chagas' myocarditis

ICD-10-Mortality Manual 2c - 2014

SMP	M	B588		Suba must be toxoplasmosis myocarditis
SMP	M	B908		Suba must be tuberculous myocarditis
SMP	M	B948		Suba must be late effects of an infectious myocarditis classifiable to Chapter 01
SMP	M	J108		Suba must be influenzal myocarditis, virus identified
SMP	M	J118		Suba must be influenzal myocarditis, virus not identified
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I408 Address

SMP	M	A010		Suba must be typhoid myocarditis
SMP	M	A188		Suba must be tuberculous myocarditis
SMP	M	A368		Suba must be diphtheria myocarditis
SMP	M	A38		Suba must be scarlet fever myocarditis
SMP	M	A395		Suba must be meningococcal myocarditis
SMP	M	A520		Suba must be syphilitic myocarditis
SMP	M	A750		Suba must be epidemic louse borne typhus myocarditis
SMP	M	A759		Suba must be typhus myocarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie myocarditis
SMP	M	B570		Suba must be acute Chagas' myocarditis
SMP	M	B572		Suba must be chronic Chagas' myocarditis
SMP	M	B588		Suba must be toxoplasmosis myocarditis
SMP	M	B908		Suba must be tuberculous myocarditis
SMP	M	B948		Suba must be late effects of an infectious myocarditis classifiable to Chapter 01
SMP	M	J108		Suba must be influenzal myocarditis, virus identified
SMP	M	J118		Suba must be influenzal myocarditis, virus not identified
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I409 Address

SMP	M	A010		Suba must be typhoid myocarditis
SMP	M	A188		Suba must be tuberculous myocarditis
SMP	M	A368		Suba must be diphtheria myocarditis
SMP	M	A38		Suba must be scarlet fever myocarditis
SMP	M	A520		Suba must be syphilitic myocarditis
SMP	M	A750		Suba must be epidemic louse borne typhus myocarditis
SMP	M	A759		Suba must be typhus myocarditis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B332		Suba must be coxsackie myocarditis
SMP	M	B570		Suba must be acute Chagas' myocarditis
SMP	M	B572		Suba must be chronic Chagas' myocarditis
SMP	M	B588		Suba must be toxoplasmosis myocarditis

ICD-10-Mortality Manual 2c - 2014

SMP	M	B908		Suba must be tuberculous myocarditis
SMP	M	B948		Suba must be late effects of an infectious myocarditis classifiable to Chapter 01
DS	M	J09		Suba must be heart
SMP	M	J108		Suba must be influenzal myocarditis, virus identified
SMP	M	J118		Suba must be influenzal myocarditis, virus not identified
SMP	M	M321		Suba must be systemic lupus erythematosus acute myocarditis
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I429 Address

DS	M	A188		Addr must be secondary cardiomyopathy; suba must be tuberculous heart conditions
DS	M	B332		Addr must be secondary cardiomyopathy
DS	M	B570		Addr must be secondary cardiomyopathy
DS	M	D868		Addr must be secondary cardiomyopathy; suba must be sarcoidosis heart conditions
DS	M	E059		Addr must be secondary cardiomyopathy; suba must be thyrotoxic heart conditions
DS	M	E511		Addr must be secondary cardiomyopathy; suba must be beriberi heart conditions
DS	M	E639		Addr must be secondary cardiomyopathy; suba must be nutritional heart conditions
DS	M	E740		Addr must be secondary cardiomyopathy; suba must be glycogen storage heart conditions
DS	M	E854		Addr must be secondary cardiomyopathy; suba must be amyloid heart conditions
DS	M	M321		Addr must be secondary cardiomyopathy; suba must be systemic lupus erythematosus heart conditions
DS	M	N185		Addr must be secondary cardiomyopathy; suba must be uremic pericarditis
DS	M	Q200	-Q249	Addr must be secondary cardiomyopathy

I514 Address

SMP	M	A010		Suba must be typhoid myocarditis
SMP	M	A188		Suba must be tuberculous myocarditis
SMP	M	A368		Suba must be diphtheria myocarditis
SMP	M	A38		Suba must be scarlet fever myocarditis
SMP	M	A520		Suba must be syphilitic myocarditis
SMP	M	A750		Suba must be typhus myocarditis
SMP	M	A759		Suba must be typhus myocarditis
DSC	M	B24	B208	Addr must be myocarditis
SMP	M	B332		Suba must be coxsackie myocarditis
SMP	M	B570		Suba must be myocarditis in Chagas' disease
SMP	M	B588		Suba must be toxoplasmosis myocarditis
SMP	M	B908		Suba must be late effects of tuberculous myocarditis
SMP	M	B948		Suba must be late effects of an infectious myocarditis classifiable to Chapter 01
SMP	M	I400	-I409	Addr must be myocarditis

ICD-10-Mortality Manual 2c - 2014

DS	M	J09		Suba must be heart
DSC	M	J1010	J108	Myocarditis NOS
SMP	M	J108		Suba must be influenzal myocarditis
DSC	M	J1110	J118	Myocarditis NOS
SMP	M	J118		Suba must be influenzal myocarditis
DSC	M	M069	M053	Rheumatoid arthritis with myocarditis
SMP	M	M321		Suba must be systemic lupus myocarditis
DSC	M	R75	B208	Addr must be myocarditis

I518 Address

DSC	M	B24	B201	Addr must be carditis, pancarditis due to a bacterial organism
DSC	M	B24	B208	Addr must be carditis, pancarditis with causative organism not reported
DSC	M	R75	B201	Addr must be carditis, pancarditis due to a bacterial organism
DSC	M	R75	B208	Addr must be carditis, pancarditis with causative organism not reported
DS	M	T455		Addr must be hemorrhage

I519 Address

SMP	M	A010		Suba must be typhoid heart conditions
SMP	M	A188		Suba must be tuberculous heart conditions
SMP	M	A368		Suba must be diphtheria heart conditions
SMP	M	A38		Suba must be scarlet fever heart conditions
SMP	M	A395		Suba must be meningococcal heart conditions
SMP	M	A520		Suba must be syphilitic heart conditions
SMP	M	A548		Suba must be gonococcal heart conditions
SMP	M	A750		Suba must be typhus fever heart conditions
SMP	M	A759		Suba must be typhus fever heart conditions
SMP	M	B588		Suba must be toxoplasmosis heart conditions
SMP	M	B908		Suba must be late effects of tuberculous heart conditions
SMP	M	B948		Suba must be late effects of an infectious heart condition classifiable to Chapter 01
SMP	M	D868		Suba must be sarcoidosis heart conditions
SMP	M	E059		Suba must be thyrotoxic heart conditions
SMP	M	E511		Suba must be beriberi heart conditions
SMP	M	E639		Suba must be nutritional heart conditions
SMP	M	E740		Suba must be glycogen storage heart conditions
SMP	M	E854		Suba must be amyloid heart conditions
SMP	M	J09		Suba must be heart
SMP	M	J108		Suba must be influenzal heart conditions
SMP	M	J118		Suba must be influenzal heart conditions
SMP	M	M321		Suba must be systemic lupus heart conditions

I600 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I601 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I602 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I603 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I604 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I605 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

ICD-10-Mortality Manual 2c - 2014**I606 Address**

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I607 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I608 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I609 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I610 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6100 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I611 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6110 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I612 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6120 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

ICD-10-Mortality Manual 2c - 2014

I613 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6130 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I614 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6140 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I615 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6150 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I616 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I618 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6180 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I619 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6190 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I620 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I621 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I629 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	C794		Suba must be cerebral/spinal meninges
DSC	M	I671	I6060	Suba must be aneurysm circle of Willis
DSC	M	I671	I6070	Suba must be berry aneurysm
DSC	M	I671	I6080	Suba must be aneurysm of brain meninges and/or cavernous sinus
DSC	M	I671	I6090	Suba must be brain aneurysm
DSC	M	I770	I6080	Suba must be acquired arteriovenous aneurysm
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I630 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6300 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I631 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6310 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I632 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6320 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I633 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

ICD-10-Mortality Manual 2c - 2014

DS	M	T801	Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817	Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828	Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838	Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848	Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858	Suba must be thrombosis of left heart, aorta, or main arteries

I6330 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I634 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6340 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I635 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6350 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I636 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6360 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I638 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6380 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified

ICD-10-Mortality Manual 2c - 2014

DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I639 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6390 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	0038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I64 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	0033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6400 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	0033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0073		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I650 Address

DS	M	I652		Addr must be an embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be an embolism

I651 Address

DS	M	I650		Addr must be an embolism
DS	M	I652		Addr must be an embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be an embolism

I652 Address

DS	M	I650		Addr must be an embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be an embolism

I669 Address

DS	M	I650		Addr must be an embolism
DS	M	I652		Addr must be an embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be an embolism

I676 Address

DSC	M	B24		B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75		B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	S010			Addr must be phlebitis and/or thrombophlebitis of sites classifiable to addr qualified as nonpyogenic
DS	M	S017	-S019		Addr must be phlebitis and/or thrombophlebitis of sites classifiable to addr qualified as nonpyogenic
DS	M	S060	-S099		Addr must be phlebitis and/or thrombophlebitis of sites classifiable to addr qualified as nonpyogenic
DS	M	T360	-T659		Addr must be phlebitis and/or thrombophlebitis of sites classifiable to addr qualified as nonpyogenic

I678 Address

DSC	M	B24		B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75		B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	S010			Addr must be hyperemia and/or congestion brain
DS	M	S017	-S019		Addr must be hyperemia and/or congestion brain
DS	M	S060	-S099		Addr must be hyperemia and/or congestion brain
DS	M	T360	-T659		Addr must be hyperemia and/or congestion brain
DS	M	T71			Addr cannot be qualified as arteriosclerotic or hypertensive

I679 Address

DSC	M	B24		B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75		B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I690 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I691 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6910 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I692 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I693 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive; Addr must be embolism
DS	M	I011		Addr must be an embolism
DS	M	I020		Addr must be an embolism
DS	M	I050	-I069	Addr must be an embolism
DS	M	I080	-I089	Addr must be an embolism
DS	M	I091		Addr must be an embolism
DS	M	I330	-I359	Addr must be an embolism
DS	M	I38		Addr must be an embolism
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DSC	M	M359	M358	Addr must be embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive; Addr must be embolism
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I6930 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive; Addr must be embolism
DS	M	I011		Addr must be an embolism
DS	M	I020		Addr must be an embolism
DS	M	I050	-I069	Addr must be an embolism
DS	M	I080	-I089	Addr must be an embolism
DS	M	I091		Addr must be an embolism
DS	M	I330	-I359	Addr must be an embolism
DS	M	I38		Addr must be an embolism
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DSC	M	M359	M358	Addr must be embolism
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive; Addr must be embolism
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I694 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I6940 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I698 Address

DSC	M	B24	B238	Addr cannot be qualified as arteriosclerotic or hypertensive
DSC	M	R75	B238	Addr cannot be qualified as arteriosclerotic or hypertensive

I700 Address

SDC	M	G319	I672	Suba must be indexed with a qualifier of arteriosclerotic
LDC	M	I050	I342	Suba must not be qualified as rheumatic
LDC	M	I051	I340	Suba must not be qualified as rheumatic
LDC	M	I052	I342	Suba must not be qualified as rheumatic
LDC	M	I058	-I059 I348	Suba must not be qualified as rheumatic
LDC	M	I060	I350	Suba must not be qualified as rheumatic
LDC	M	I061	I351	Suba must not be qualified as rheumatic
LDC	M	I062	I352	Suba must not be qualified as rheumatic
LDC	M	I068	-I069 I358	Suba must not be qualified as rheumatic
LDC	M	I070	I360	Suba must not be qualified as rheumatic
LDC	M	I071	I361	Suba must not be qualified as rheumatic
LDC	M	I072	I362	Suba must not be qualified as rheumatic
LDC	M	I078	-I079 I368	Suba must not be qualified as rheumatic
LDC	M	I089	I38	Suba must not be qualified as rheumatic
SDC	M	I678	-I679 I672	Suba must be indexed with a qualifier of arteriosclerotic

I701 Address

SDC	M	G319	I672	Suba must be indexed with a qualifier of arteriosclerotic
LDC	M	I050	I342	Suba must not be qualified as rheumatic
LDC	M	I051	I340	Suba must not be qualified as rheumatic
LDC	M	I052	I342	Suba must not be qualified as rheumatic
LDC	M	I058	-I059 I348	Suba must not be qualified as rheumatic
LDC	M	I060	I350	Suba must not be qualified as rheumatic
LDC	M	I061	I351	Suba must not be qualified as rheumatic
LDC	M	I062	I352	Suba must not be qualified as rheumatic
LDC	M	I068	-I069 I358	Suba must not be qualified as rheumatic

ICD-10-Mortality Manual 2c - 2014

LDC	M	I070		I360	Suba must not be qualified as rheumatic
LDC	M	I071		I361	Suba must not be qualified as rheumatic
LDC	M	I072		I362	Suba must not be qualified as rheumatic
LDC	M	I078	-I079	I368	Suba must not be qualified as rheumatic
LDC	M	I089		I38	Suba must not be qualified as rheumatic
SDC	M	I678	-I679	I672	Suba must be indexed with a qualifier of arteriosclerotic

I702 Address

SDC	M	G319		I672	Suba must be indexed with a qualifier of arteriosclerotic
LDC	M	I050		I342	Suba must not be qualified as rheumatic
LDC	M	I051		I340	Suba must not be qualified as rheumatic
LDC	M	I052		I342	Suba must not be qualified as rheumatic
LDC	M	I058	-I059	I348	Suba must not be qualified as rheumatic
LDC	M	I060		I350	Suba must not be qualified as rheumatic
LDC	M	I061		I351	Suba must not be qualified as rheumatic
LDC	M	I062		I352	Suba must not be qualified as rheumatic
LDC	M	I068	-I069	I358	Suba must not be qualified as rheumatic
LDC	M	I070		I360	Suba must not be qualified as rheumatic
LDC	M	I071		I361	Suba must not be qualified as rheumatic
LDC	M	I072		I362	Suba must not be qualified as rheumatic
LDC	M	I078	-I079	I368	Suba must not be qualified as rheumatic
LDC	M	I089		I38	Suba must not be qualified as rheumatic
SDC	M	I678	-I679	I672	Suba must be indexed with a qualifier of arteriosclerotic

I708 Address

SDC	M	G319		I672	Suba must be indexed with a qualifier of arteriosclerotic
LDC	M	I050		I342	Suba must not be qualified as rheumatic
LDC	M	I051		I340	Suba must not be qualified as rheumatic
LDC	M	I052		I342	Suba must not be qualified as rheumatic
LDC	M	I058	-I059	I348	Suba must not be qualified as rheumatic
LDC	M	I060		I350	Suba must not be qualified as rheumatic
LDC	M	I061		I351	Suba must not be qualified as rheumatic
LDC	M	I062		I352	Suba must not be qualified as rheumatic
LDC	M	I068	-I069	I358	Suba must not be qualified as rheumatic
LDC	M	I070		I360	Suba must not be qualified as rheumatic
LDC	M	I071		I361	Suba must not be qualified as rheumatic
LDC	M	I072		I362	Suba must not be qualified as rheumatic
LDC	M	I078	-I079	I368	Suba must not be qualified as rheumatic
LDC	M	I089		I38	Suba must not be qualified as rheumatic
SDC	M	I678	-I679	I672	Suba must be indexed with a qualifier of arteriosclerotic

I709 Address

SDC	M	G319		I672	Suba must be indexed with a qualifier of arteriosclerotic
LDC	M	I050		I342	Suba must not be qualified as rheumatic
LDC	M	I051		I340	Suba must not be qualified as rheumatic
LDC	M	I052		I342	Suba must not be qualified as rheumatic
LDC	M	I058	-I059	I348	Suba must not be qualified as rheumatic
LDC	M	I060		I350	Suba must not be qualified as rheumatic
LDC	M	I061		I351	Suba must not be qualified as rheumatic
LDC	M	I062		I352	Suba must not be qualified as rheumatic

ICD-10-Mortality Manual 2c - 2014

LDC	M	I068	-I069	I358	Suba must not be qualified as rheumatic
LDC	M	I070		I360	Suba must not be qualified as rheumatic
LDC	M	I071		I361	Suba must not be qualified as rheumatic
LDC	M	I072		I362	Suba must not be qualified as rheumatic
LDC	M	I078	-I079	I368	Suba must not be qualified as rheumatic
LDC	M	I089		I38	Suba must not be qualified as rheumatic
SDC	M	I678	-I679	I672	Suba must be indexed with a qualifier of arteriosclerotic

I711 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I712 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I713 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I714 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I715 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I716 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I718 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I719 Address

SMP	M	A520			Suba must be syphilitic aortic aneurysm
SMP	M	B948			Suba must be late effects of syphilitic aortic aneurysm

I729 Address

SMP	M	A150	-A153		Suba must be Rasmussen's aneurysm NEC
SMP	M	A160	-A162		Suba must be Rasmussen's aneurysm NEC
SMP	M	A505			Suba must be congenital syphilitic aneurysm
SMP	M	A520			Suba must be syphilitic aneurysm NOS or of specified sites
SMP	M	B908			Suba must be late effects of Rasmussen's aneurysm NEC
SMP	M	B948			Suba must be late effects of one of the following: congenital syphilitic aneurysm, syphilitic aneurysm NOS or of specified sites
SMP	M	E143			Suba must be diabetic retina aneurysm
SMP	M	H114			Suba must be conjunctiva aneurysm

ICD-10-Mortality Manual 2c - 2014

SMP	M	H350		Suba must be retina aneurysm
SMP	M	I078		Suba must be tricuspid aneurysm
SMP	M	I219	-I2190	Suba must be ruptured coronary aneurysm
SMP	M	I254		Suba must be aneurysm not fistula
SMP	M	I258		Suba must be coronary vein aneurysm
SMP	M	I280		Suba must be pulmonary arteriovenous aneurysm
SMP	M	I348		Suba must be mitral valve aneurysm
SMP	M	I358		Suba must be aortic valve aneurysm
SMP	M	I378		Suba must be pulmonary valve aneurysm
SMP	M	I38		Suba must be valvular aneurysm
SMP	M	I671		Suba must be aneurysm not fistula
SMP	M	I770		Suba must be aneurysm not fistula
SMP	M	I868		Suba must be venous aneurysm NOS and/or specified sites
SMP	M	Q141		Suba must be congenital aneurysm of retina
SMP	M	Q245		Suba must be congenital aneurysm of coronary artery
SMP	M	Q257		Suba must be congenital aneurysm pulmonary artery and/or arteriovenous aneurysm of pulmonary artery
SMP	M	Q273		Suba must be arteriovenous aneurysm specified site NEC
SMP	M	Q280	-Q281	Suba must be arteriovenous aneurysm precerebral vessels

I730 Address

DS	M	C880		Addr must be secondary Raynaud's phenomenon
DS	M	I700	-I709	Addr must be secondary Raynaud's phenomenon
DS	M	M300	-M328	Addr must be secondary Raynaud's phenomenon
DS	M	M330	-M359	Addr must be secondary Raynaud's phenomenon

I740 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I741 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
SMP	M	I740		Addr must be an unspecified part of the aorta
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I742 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be left heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	I741		Suba must be ascending or unspecified
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I743 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be left heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	I741		Suba must be ascending or unspecified
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I744 Address

DS	M	A010		Suba must be typhoid of heart valve(s); addr must be embolism or emboli of a specified site
DS	M	A188		Suba must be tuberculosis of heart valve(s)
DS	M	A328		Suba must be listeriosis of heart valve(s)
DS	M	A395		Suba must be meningococcus of heart valve(s)
DS	M	A520		Suba must be syphilis of heart valve(s)
DS	M	A548		Suba must be gonococcus of heart valve(s)
DS	M	A78		Suba must be coxiella burnetic and/or Q fever of heart valves
DS	M	B332		Suba must be coxsackievirus of heart valves
DS	M	B376		Suba must be Candida/Monilial of heart valves
DS	M	B570		Suba must be heart valve condition(s) in Chagas' disease
DS	M	B572		Suba must be heart valve condition(s) in Chagas' disease
DS	M	D735		Suba must be thrombosis spleen
DS	M	E000	-E038	Advanced, grave, severe
DS	M	G08		Suba must be thrombosis of sites classified to suba

ICD-10-Mortality Manual 2c - 2014

DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	H348		Suba must be thrombosis
DS	M	H350		Suba must be phlebitis of eye
DS	M	I269		Suba must be thrombosis
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I423	-I424	Suba must be heart valve conditions
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be left heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	I741		Suba must be ascending or unspecified
DS	M	I788		Suba must be capillary thrombosis
DS	M	I831		Suba must be varicose phlebitis
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N501		Suba must be thrombosis of male genital organs
DS	M	N719		Suba must be phlebitis uterus
DS	M	N948		Suba must be thrombosis of female genital organs
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	0073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	0994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I745 Address

DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I748 Address

DS	M	A010		Suba must be typhoid of heart valve(s); addr must be embolism or emboli of a specified site
DS	M	A188		Suba must be tuberculosis of heart valve(s)
DS	M	A328		Suba must be listeriosis of heart valve(s)
DS	M	A395		Suba must be meningococcus of heart valve(s)
DS	M	A520		Suba must be syphilis of heart valve(s)
DS	M	A548		Suba must be gonococcus of heart valve(s)
DS	M	A78		Suba must be coxiella burnetic and/or Q fever of heart valves
DS	M	B332		Suba must be coxsackievirus of heart valves
DS	M	B376		Suba must be Candida/Monilia of heart valves
DS	M	B570		Suba must be heart valve condition(s) in Chagas' disease
DS	M	B572		Suba must be heart valve condition(s) in Chagas' disease
DS	M	B908		Suba must be late effects of tuberculosis of heart valve

ICD-10-Mortality Manual 2c - 2014

DS	M	B948		Suba must be late effects of an infectious condition involving a heart valve
DS	M	D735		Suba must be thrombosis spleen
DS	M	G08		Suba must be thrombosis of sites classified to suba
DS	M	G951		Suba must be nonpyogenic thrombosis of intracranial sinuses and veins
DS	M	H348		Suba must be thrombosis
DS	M	H350		Suba must be phlebitis of eye
DS	M	I269		Suba must be thrombosis
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I423	-I424	Suba must be heart valve conditions
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	I788		Suba must be capillary thrombosis
DS	M	I831		Suba must be varicose phlebitis
DS	M	K550		Suba must be thrombosis
DS	M	M321		Suba must be verrucous, lenta or Libman-Sack's endocarditis
DS	M	N501		Suba must be thrombosis of male genital organs
DS	M	N719		Suba must be phlebitis uterus
DS	M	N948		Suba must be thrombosis of female genital organs
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I749 Address

DS	M	A010		Suba must be typhoid of heart valve(s)
DS	M	A188		Suba must be tuberculosis of heart valve(s)
DS	M	A328		Suba must be listeriosis of heart valve(s)
DS	M	A395		Suba must be meningococcus of heart valve(s)
DS	M	A520		Suba must be syphilis of heart valve(s)
DS	M	A548		Suba must be gonococcus of heart valve(s)
DS	M	A78		Suba must be coxiella burnetic and/or Q fever of heart valves
DS	M	B332		Suba must be coxsackievirus of heart valves
DS	M	B376		Suba must be Candida/Monilial of heart valves
DS	M	B570		Suba must be heart valve condition(s) in Chagas' disease
DS	M	B572		Suba must be heart valve condition(s) in Chagas' disease

ICD-10-Mortality Manual 2c - 2014

DS	M	B908		Suba must be late effects of tuberculosis of heart valve
DS	M	B948		Suba must be late effects of an infectious condition involving a heart valve
DS	M	D735		Suba must be thrombosis spleen
SMP	M	G061		Suba must be embolism spinal cord
DS	M	G08		Suba must be thrombosis of sites classified to suba
DS	M	G951		Suba must be nonpyogenic thrombosis of intracranial sinuses and veins
SMP	M	H342		Suba must be embolism retina and/or eye
DS	M	H348		Suba must be thrombosis
DS	M	H350		Suba must be phlebitis of eye
SMP	M	I269		Suba must be pulmonary embolism
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I423	-I424	Suba must be heart valve conditions
DS	M	I513		Suba must be left heart or unspecified
DS	M	I741		Suba must be ascending or unspecified
DS	M	I788		Suba must be capillary thrombosis
DS	M	I831		Suba must be varicose phlebitis
SMP	M	K5500		Suba must be an embolism
DS	M	M321		Suba must be verrucous, lenta or Libman-Sack's endocarditis
SMP	M	N280		Suba must be renal embolism
DS	M	N501		Suba must be thrombosis of male genital organs
DS	M	N719		Suba must be phlebitis uterus
DS	M	N948		Suba must be thrombosis of female genital organs
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

I771 Address

DS	M	C000	-C959	Addr must be compression artery
----	---	------	-------	---------------------------------

I776 Address

SMP	M	A505		Suba must be congenital syphilitic aortitis and/or arteritis
SMP	M	A520		Suba must be syphilitic aortitis/arteritis
SMP	M	B948		Suba must be one of the following:late effects of congenital syphilitic aortitis/arteritis, late effects of syphilitic aortitis

ICD-10-Mortality Manual 2c - 2014

SMP	M	I258		Suba must be coronary arteritis
DSC	M	M069	M052	Rheumatoid arthritis with vasculitis
SMP	M	M313	-M316	Suba must be specified types of aortitis and/or arteritis

I779 Address

SMP	M	A520		Suba must involve arteries
SMP	M	B948		Suba must be late effects of syphilis involving arteries
SMP	M	I210	-I289	Suba must involve arteries
SMP	M	I514	-I5150	Suba must involve arteries
SMP	M	I600	-I629	Suba must involve arteries
SMP	M	I64	-I6400	Suba must involve arteries
SMP	M	I671		Suba must involve arteries
SMP	M	I673	-I676	Suba must involve arteries
SMP	M	I678	-I698	Addr must involve arteries

I788 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I741		Addr must be embolism; Suba must be ascending or unspecified
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849	Addr must be embolism
DS	M	O994		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or

ICD-10-Mortality Manual 2c - 2014

DS	M	T455		main arteries
DS	M	T801		Addr must be hemorrhage
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

I800 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DS	M	T959		Only lower limb

I801 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M170	-M198		Advanced, grave, severe
DS	M	M410	-M435		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		Advanced, grave, severe
DS	M	M800	-M849		Advanced, grave, severe
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	Q710	-Q719		Advanced, grave, severe
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DS	M	T959			Only lower limb

I802 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DS	M	E000	-E02		Advanced, grave, severe
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G310	-G319		Advanced, grave, severe
DS	M	G360	-G379		Advanced, grave, severe
DS	M	G64	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DS	M	M410	-M435		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		Advanced, grave, severe
DS	M	M800	-M849		Advanced, grave, severe
DS	M	M870	-M879		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	Q710	-Q719		Advanced, grave, severe
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DS	M	T959			Only lower limb

1803 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DS	M	E000	-E02		Advanced, grave, severe
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G310	-G319		Advanced, grave, severe
DS	M	G360	-G379		Advanced, grave, severe
DS	M	G64	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DS	M	M410	-M435		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		Advanced, grave, severe
DS	M	M800	-M849		Advanced, grave, severe
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	Q710	-Q719		Advanced, grave, severe
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DS	M	T959			Only lower limb

ICD-10-Mortality Manual 2c - 2014

1808 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

1809 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

I821 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I828 Address

DSC	M	I842	I840	Addr must be thrombosis rectum
DSC	M	I845	I843	Addr must be thrombosis rectum
DSC	M	I849	I847	Addr must be thrombosis rectum

I829 Address

SMP	M	D735		Suba must be thrombosis spleen
DS	M	E000	-E02	Advanced, grave, severe
SMP	M	G08		Suba must be thrombosis of sites classified to suba
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
SMP	M	I078		Suba must be tricuspid thrombosis
SMP	M	I210	-I229	Suba must be thrombosis
SMP	M	I269		Suba must be thrombosis
SMP	M	I348		Suba must be mitral thrombosis
SMP	M	I358		Suba must be aortic thrombosis
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	Q710	-Q719		Advanced, grave, severe

I830 Address

LMC	M	L080	-L089	I832	Suba must be dermatitis
-----	---	------	-------	------	-------------------------

I831 Address

LMC	M	L984		I832	Suba must be ulcer skin
-----	---	------	--	------	-------------------------

I839 Address

SMP	M	I850	-I868		Addr must be varix of unspecified site
LMC	M	L080	-L089	I831	Suba must be dermatitis
LMC	M	L984		I830	Suba must be ulcer skin

I842 Address

LMC	M	I828		I840	Addr must be thrombosis rectum
LMC	M	K623		I841	Suba must be prolapse rectum
LMC	M	K625	-K626	I841	Suba must be hemorrhage rectum

I845 Address

LMC	M	I828		I843	Addr must be thrombosis rectum
LMC	M	K623		I844	Suba must be prolapse rectum
LMC	M	K625	-K626	I844	Suba must be hemorrhage rectum

I849 Address

LMC	M	I828		I847	Addr must be thrombosis rectum
LMC	M	K623		I848	Suba must be prolapse rectum
LMC	M	K625	-K626	I848	Suba must be hemorrhage rectum

I850 Address

DS	M	K721			Suba must be yellow atrophy of liver
----	---	------	--	--	--------------------------------------

I859 Address

LMC	M	K228		I850	Suba must be hemorrhage esophagus
DS	M	K721			Suba must be yellow atrophy of liver

I868 Address

DS	M	B150	-B199		Addr must be UGI varices only
----	---	------	-------	--	-------------------------------

I880 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

I881 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I888 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I889 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

I890 Address

DS	M	A182		Addr must be secondary lymphedema
DS	M	A184		Addr must be secondary lymphedema
DS	M	A281		Addr must be secondary lymphedema
DS	M	A400	-A409	Addr must be secondary lymphedema
DS	M	A500	-A539	Addr must be secondary lymphedema
DS	M	B350	-B49	Addr must be secondary lymphedema
DS	M	B72		Addr must be secondary lymphedema
DS	M	B740	-B749	Addr must be secondary lymphedema
DS	M	B908		Addr must be secondary lymphedema; suba must be late effects of tuberculosis classifiable to A182, A184
DS	M	B948		Addr must be secondary lymphedema; suba must be late effects of infectious conditions
DS	M	C000	-D489	Addr must be secondary lymphedema
DS	M	I800	-I809	Addr must be secondary lymphedema
DS	M	I830	-I839	Addr must be secondary lymphedema
DS	M	I891	-I898	Addr must be secondary lymphedema
DS	M	L020	-L039	Addr must be secondary lymphedema
DS	M	L890	-L899	Addr must be secondary lymphedema
DS	M	L97		Addr must be secondary lymphedema
DS	M	L984		Addr must be secondary lymphedema
DS	M	T66		Addr must be secondary lymphedema
DS	M	W88	-W91	Addr must be secondary lymphedema
DS	M	Y400	-Y599	Addr must be secondary lymphedema
DS	M	Y632	-Y633	Addr must be secondary lymphedema

ICD-10-Mortality Manual 2c - 2014

DS M Y836
DS M Y842

Addr must be secondary lymphedema
Addr must be secondary lymphedema

I970 Address

DS M Y883

Surgery must be a cardiotomy or surgery NOS

I971 Address

DS M Y883

Must be cardiac surgery or surgery NOS

I972 Address

DS M Y836 -Y839
DS M Y883

Surgery must be a mastectomy or surgery NOS
Surgery must be a mastectomy or surgery NOS

J

J00 Address

SMP M J311

Addr must be nasopharyngitis only

J010 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported
Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported

J011 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported
Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported

J012 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported
Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported

J013 Address

DSC M B24 B201
DSC M B24 B203
DSC M B24 B208
DSC M R75 B201
DSC M R75 B203
DSC M R75 B208

Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported
Addr must be caused by a bacterial organism
Addr must be caused by a viral organism
Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

J014 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J018 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J019 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J028 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J029 Address

SMP	M	A168		Use tuberculous pharyngitis only
SMP	M	A360		Use diphtheria pharyngitis only
SMP	M	A500		Use congenital syphilitic pharyngitis only
SMP	M	A691		Use fusospirochetal pharyngitis only
SMP	M	B002		Use herpesviral pharyngitis only
SMP	M	B085		Use aphthous or coxsackievirus or enteroviral vesicular or vesicular, enteroviral pharyngitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J038 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J039 Address

SMP	M	A168		Tuberculous tonsillitis only
SMP	M	A360		Diphtheria tonsillitis only
SMP	M	A691		Vincent's tonsillitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J040 Address

SMP	M	A164		Laryngitis (acute) with tuberculous laryngitis
SMP	M	A362		Laryngitis (acute) with diphtheria laryngitis
SMP	M	A505		Laryngitis (acute) with congenital syphilitic laryngitis
SMP	M	A527		Laryngitis (acute) with syphilitic laryngitis
SMP	M	A691		Laryngitis (acute) with Vincent's laryngitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	J370		Use laryngitis NOS with specified types of laryngitis
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J041 Address

LMP	M	A164		Tuberculous bronchitis only
SMP	M	A368		Tracheitis (acute) with diphtheria tracheitis
SMP	M	A527		Tracheitis (acute) with syphilitic tracheitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
LMC	M	J370	J371	Use tracheitis NOS only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J042 Address

SMP	M	A164		Tuberculous laryngotracheitis only
SMP	M	A527		Syphilitic laryngotracheitis only
SMP	M	A691		Vincent's laryngotracheitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J050 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
SMP	M	J200	-J209		Bronchial croup only
SMP	M	J385			Spasmodic croup only
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J051 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J068 Address

SMP	M	B002			Pharyngotonsillitis with herpes viral pharyngotonsillitis
SMP	M	J42			Pharyngotracheitis with chronic pharyngotracheitis

J1010 Address

LMC	M	H669		J108	Otitis media NOS or acute otitis media
LMC	M	I514		J108	Myocarditis NOS

J1110 Address

LMC	M	H669		J118	Otitis media NOS or acute otitis media
LMC	M	I514		J118	Myocarditis NOS

J120 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M301	-M319		Advanced, grave, severe

J121 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M301	-M319		Advanced, grave, severe

J122 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M301	-M319		Advanced, grave, severe

J123 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M301	-M319		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

J128 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M301	-M319		Advanced, grave, severe

J129 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe

J13 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe

J14 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe

J150 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	These should, in turn, be due to something else
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T253	-T254	impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J151 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T230		impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07
J152 Address				
SMP	M	B99		Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	Must be lung involvement
DSC	M	E859	E854	Must be lung involvement
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360	-G419	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G521		Advanced, grave, severe
DS	M	G600	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	J010	-J019	Advanced, grave, severe
DS	M	J930	-J949	Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K852		Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DSC	M	M300		M301 Advanced, grave, severe
DS	M	M302	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	These should, in turn, be due to something else
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957,

ICD-10-Mortality Manual 2c - 2014

DS	M	T940	-T959		S959, S997-S998, T134, and of serious injuries in T138 DS if sequelae of T010-T031, T033-T034, or T038-T07
J153 Address					
SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019

ICD-10-Mortality Manual 2c - 2014

DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J154 Address

SMP	M	B99			Postinfectional pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	These should, in turn, be due to something else
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J155 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230			Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J156 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098			Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

ICD-10-Mortality Manual 2c - 2014

J157 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe

J158 Address

SMP	M	B99			Postinfectional pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired

ICD-10-Mortality Manual 2c - 2014

DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J159 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	These should, in turn, be due to something else
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T253	-T254	impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J160 Address

DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe

J168 Address

SMP	M	B99			Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138			Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J180 Address

SMP	M	B99		Postinfectious pneumonia (broncho) (lobar) only
DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	Must be lung involvement
DS	M	G10	-G121	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Use with rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116

ICD-10-Mortality Manual 2c - 2014

DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J181 Address

SMP	M	A010		Use with typhoid or salmonella typhi pneumonia (broncho) (lobar) only
SMP	M	A022		Use with salmonella pneumonia (broncho) (lobar) only
SMP	M	A150	-A153	Use with tuberculous or caseous pneumonia (broncho) (lobar) only
SMP	M	A160	-A162	Use with tuberculous or caseous pneumonia (broncho) (lobar) only
SMP	M	A202		Use with yersinia pestis pneumonia (broncho) (lobar) only
SMP	M	A212		Use with tularemic pneumonia (broncho) (lobar) only
SMP	M	A221		Use with anthrax pneumonia (broncho) (lobar) only
SMP	M	A548		Use with gonococcal pneumonia (broncho) (lobar) only
SMP	M	A698		Use with spirochetal pneumonia (broncho) (lobar) only
SMP	M	B068		Use with rubella pneumonia (broncho) (lobar) only
SMP	M	B371		Use with Candida pneumonia (broncho) (lobar) only
SMP	M	B380		Use with acute coccidioidomycosis pneumonia (broncho) (lobar) only
SMP	M	B382		Use with coccidioidomycosis pneumonia (broncho) (lobar) only
SMP	M	B440		Use with aspergillosis pneumonia (broncho) (lobar) only
SMP	M	B59		Use with pneumocystis (carinii) pneumonia (broncho) (lobar)
SMP	M	B658		Use with schistosomiasis pneumonia (broncho) (lobar) only
SMP	M	B778		Use with ascariasis pneumonia (broncho) (lobar) only
SMP	M	B99		Postinfectional pneumonia (broncho) (lobar) only
SMP	M	I00		Use with rheumatic pneumonia (broncho) (lobar) only
SMP	M	J700		Radiation pneumonia (broncho) (lobar) only
SMP	M	J82		Use with allergic pneumonia (broncho) (lobar) or eosinophilic pneumonia (broncho) (lobar) only
SMP	M	J841		Addr must be chronic lobar pneumonia
SMP	M	J850		Use with necrotic or gangrenous pneumonia (broncho) (lobar) only
SMP	M	J984		Suba must be chronic lobar pneumonia classified to J984.
DSC	M	M300		M301 Advanced, grave, severe
DS	M	M302	-M319	Advanced, grave, severe

J182 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E859	Suba must involve lung
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360	-G419	Advanced, grave, severe
DS	M	G521		Advanced, grave, severe
DS	M	G600	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	J010	-J019	Advanced, grave, severe
DS	M	J930	-J949	Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K852		Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300		Advanced, grave, severe
DS	M	M302	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	These should, in turn, be due to something else
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired

ICD-10-Mortality Manual 2c - 2014

DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07
J188 Address				
SMP	M	B99		Postinfectious pleuropneumonia, pneumopleurisy, pneumopleuritis, pneumonia (broncho) (lobar) only
DS	M	E000	-E038	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	E850	-E858		Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pleuropneumonia, pneumopleurisy, pneumopleuritis, pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe
DS	M	S617	-S619		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659			Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	S684	-S699	impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337,

ICD-10-Mortality Manual 2c - 2014

DS	M	T920		S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T926	-T928	DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T930		DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T932		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T938		DS if sequelae of S82-, S927, or T12
DS	M	T940	-T959	DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
				DS if sequelae of T010-T031, T033-T034, or T038-T07

J189 Address

SMP	M	B99			Postinfectional pneumonia (broncho) (lobar) only
DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

DS	M	T708		and it is evident from certificate that patient's mobility was substantially impaired
				Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J208 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J209 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	J680		Chemical bronchitis (acute) only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J211 Address

DS	M	E854		Suba must involve lung
----	---	------	--	------------------------

J218 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J219 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
SMP	M	J684			Chemical bronchiolitis only
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J22 Address

DS	M	E000	-E038		Advanced, grave, severe
DS	M	E850	-E858		Must be lung involvement
DSC	M	E859		E854	Must be lung involvement
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G310	-G319		Advanced, grave, severe
DS	M	G360	-G419		Advanced, grave, severe
DS	M	G521			Advanced, grave, severe
DS	M	G600	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I00	-I029		Rheumatic pneumonia (broncho) (lobar) only
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
DS	M	J010	-J019		Advanced, grave, severe
DS	M	J930	-J949		Advanced, grave, severe
DS	M	K500	-K519		Advanced, grave, severe
DS	M	K750	-K761		Advanced, grave, severe
DS	M	K763	-K769		Advanced, grave, severe
DS	M	K852			Advanced, grave, severe
DS	M	K860	-K869		Advanced, grave, severe
DS	M	L400	-L409		Advanced, grave, severe
DS	M	M020	-M029		Advanced, grave, severe
DS	M	M100	-M128		Advanced, grave, severe
DS	M	M170	-M198		Advanced, grave, severe
DSC	M	M300		M301	Advanced, grave, severe
DS	M	M302	-M319		Advanced, grave, severe
DS	M	M350	-M352		Advanced, grave, severe
DS	M	M354	-M359		Advanced, grave, severe
DS	M	M45	-M479		Advanced, grave, severe
DS	M	M481	-M519		Advanced, grave, severe
DS	M	M610	-M619		Advanced, grave, severe
DS	M	M623	-M624		These should, in turn, be due to something else
DS	M	M870	-M879		Advanced, grave, severe
DS	M	M910	-M949		Advanced, grave, severe
DS	M	M960	-M969		Advanced, grave, severe
DS	M	Q000	-Q079		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T708		impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

J310 Address

SMP	M	A168		Tuberculous rhinitis only
SMP	M	A527		Syphilitic rhinitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J311 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J312 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J320 Address

SMP	M	A168		Tuberculous sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C310		Disease maxillary sinus only
SMP	M	C783		Disease maxillary sinus only
SMP	M	D023		Disease maxillary sinus only
SMP	M	D140		Disease maxillary sinus only
SMP	M	D385		Disease maxillary sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J321 Address

SMP	M	A168		Tuberculous frontal sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C312		Disease, frontal sinus only
SMP	M	C783		Disease, frontal sinus only
SMP	M	D023		Disease, frontal sinus only
SMP	M	D140		Disease, frontal sinus only
SMP	M	D385		Disease, frontal sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J322 Address

SMP	M	A168		Tuberculous ethmoidal sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C311		Disease, ethmoidal sinus only
SMP	M	C783		Disease, ethmoidal sinus only
SMP	M	D023		Disease, ethmoidal sinus only
SMP	M	D140		Disease, ethmoidal sinus only
SMP	M	D385		Disease, ethmoidal sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J323 Address

SMP	M	A168		Tuberculous sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C313		Disease, sphenoidal sinus only
SMP	M	C783		Disease, sphenoidal sinus only
SMP	M	D023		Disease, sphenoidal sinus only
SMP	M	D140		Disease, sphenoidal sinus only
SMP	M	D385		Disease, sphenoidal sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

J324 Address

SMP	M	A168		Tuberculous sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C310	-C319	Disease, sinus only
SMP	M	C783		Disease, sinus only
SMP	M	D023		Disease, sinus only
SMP	M	D140		Disease, sinus only
SMP	M	D385		Disease, sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J328 Address

SMP	M	A168		Tuberculous sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C310	-C319	Disease, sinus only
SMP	M	C783		Disease, sinus only
SMP	M	D023		Disease, sinus only
SMP	M	D140		Disease, sinus only
SMP	M	D385		Disease, sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J329 Address

SMP	M	A168		Tuberculous sinusitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	C319		Disease, sinus only
SMP	M	C783		Disease, sinus only
SMP	M	D023		Disease, sinus only
SMP	M	D140		Disease, sinus only
SMP	M	D385		Disease, sinus only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J340 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

J348 Address

SMP	M	J310		Use disease or disorder nose or disorder sinus only
SMP	M	J320	-J343	Use disease or disorder nose or disorder sinus only

J358 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

J359 Address

SMP	M	C024		Site of suba must be same as addr site
SMP	M	C090	-C091	Site of suba must be same as addr site
SMP	M	C099		Site of suba must be same as addr site
SMP	M	C111		Site of suba must be same as addr site
SMP	M	D000		Disease tonsil with neoplasm, tonsil or disease adenoid with neoplasm adenoid
SMP	M	D101		Site of suba must be same as addr site
SMP	M	D104	-D106	Site of suba must be same as addr site
SMP	M	D370		Disease tonsil with neoplasm, tonsil or disease adenoid with neoplasm adenoid
SMP	M	J350	-J358	Spirochetel pleuropneumonia, pneumopleurisy, pneumopleuritis, pneumonia (broncho) (lobar) only
SMP	M	J36		Site of suba must be same as addr site

J36 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J370 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
LMC	M	J041	J371	Use tracheitis NOS only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J371 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J382 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

J383 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

J384 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

J385 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

J386 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

J387 Address

SMP	M	A164		Disease larynx with tuberculous laryngitis
SMP	M	A362		Disease larynx with laryngeal diphtheria
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	J040		Disease larynx only
SMP	M	J042	-J060	Disease larynx only
SMP	M	J101		Disease larynx with influenzal laryngitis, spec virus
SMP	M	J111		Disease larynx with influenzal laryngitis, virus not identified
SMP	M	J370	-J386	Disease larynx with chronic laryngitis
SMP	M	Q310	-Q319	Disease larynx only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition
DS	M	T455		Addr must be hemorrhage

J390 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J391 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J392 Address

SMP	M	J020	-J029	Use disease pharynx only
SMP	M	J101		Use disease pharynx with influenzal pharyngitis virus not identified
SMP	M	J111		Use disease pharynx with influenzal pharyngitis virus not identified
SMP	M	J312		Use disease pharynx only

J40 Address

SMP	M	A164		Tuberculous bronchitis only
SMP	M	A698		Spirochetal bronchitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	J680		Chemical bronchitis only
LMC	M	J984	J448	Bronchitis with lung obstruction
LMC	M	J988	J448	Bronchitis with airway obstruction
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J410 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	J988	J448	Airway obstruction with bronchitis (chronic) only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J411 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	J988	J448	Airway obstruction with bronchitis (chronic) only

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J418 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	J988	J448	Airway obstruction with bronchitis (chronic) only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J42 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	J684		Chronic chemical bronchitis only
SMP	M	J701		Chronic radiation bronchitis only
LMC	M	J988	J448	Airway obstruction only
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J439 Address

SMP	M	J982		Use interstitial or mediastinal emphysema only
-----	---	------	--	--

J459 Address

SMP	M	A150	-A153	Tuberculous asthma only
SMP	M	A160	-A162	Tuberculous asthma only
SMP	M	J385		Millar's asthma only
SMP	M	J60		Miner's asthma only
SMP	M	J628		Potter's asthma, or sandblaster's asthma, or stonemason's asthma, or grinder's asthma
SMP	M	J64		Pneumoconiotic asthma only
SMP	M	J82		Eosinophilic asthma only

J47 Address

SMP	M	A150	-A153	Tuberculous bronchiectasis
SMP	M	A160	-A162	Tuberculous bronchiectasis

J80 Address

DSC	M	E859	E854	Addr indexed with a modifier of amyloid
-----	---	------	------	---

J81 Address

DS	M	A190	-A199	Suba must involve lung
DS	M	A78		Suba must involve pneumonia
DS	M	B068		Suba must involve pneumonia
DS	M	B201		Suba must involve lung
DS	M	B203		Suba must involve lung

ICD-10-Mortality Manual 2c - 2014

DS	M	B205		Suba must involve lung
DS	M	B207		Suba must involve lung
DS	M	B218		Suba must involve lung
DS	M	B227		Suba must involve lung
DS	M	B238		Suba must involve lung
DS	M	B270	-B279	Suba must involve lung
DS	M	B378		Suba must involve lung
DS	M	B395		Suba must involve lung
DS	M	B417		Suba must involve lung
DS	M	B427		Suba must involve lung
DS	M	B447		Suba must involve lung
DS	M	B457		Suba must involve lung
DS	M	B464		Suba must involve lung
DS	M	B468		Suba must involve lung
DS	M	B487		Suba must involve lung
DS	M	B583		Suba must not involve heart
DS	M	B673		Suba must involve lung
DS	M	B676		Suba must involve lung
DS	M	B679		Suba must involve lung
DS	M	B948		Suba must involve lung
DS	M	C398		Suba must involve lung
DS	M	C467		Suba must involve lung
DS	M	C97		Suba must involve lung
DS	M	D174		Suba must involve lung
DS	M	D381		Suba must involve bronchus or lung
DS	M	D868		Suba must involve lung
DS	M	E848		Suba must involve lung
DS	M	E880		Suba must be hypoalbuminemia
DS	M	J448		Suba must involve bronchitis
DS	M	M082		Suba must involve lung
DS	M	M321		Suba must involve lung
DS	M	M348		Suba must involve lung
DS	M	M350	-M352	Suba must involve lung
DS	M	O032		Suba must involve lung
DS	M	O037		Suba must involve lung
DS	M	O042		Suba must involve lung
DS	M	O047		Suba must involve lung
DS	M	O052		Suba must involve lung
DS	M	O057		Suba must involve lung
DS	M	O062		Suba must involve lung
DS	M	O067		Suba must involve lung
DS	M	O072		Suba must involve lung
DS	M	O077		Suba must involve lung
DS	M	O082		Suba must involve lung
DS	M	O228		Suba must involve lung
DS	M	O881	-O888	Suba must involve lung
DS	M	O980		Suba non-maternal code (A150-A199) must be listed as a suba
DS	M	O985	-O986	Suba non-maternal code (A800-B09) and B250-B340) must be listed as a suba
DS	M	O988		Suba non-maternal code (A000-B99) must be listed as a suba

ICD-10-Mortality Manual 2c - 2014

DS	M	O991	-O992	Suba non-maternal code (D65-D899) must be listed as a suba
DS	M	O994	-O995	Suba non-maternal code (I00-I99) must be listed as suba
DS	M	O998		Suba non-maternal code (C000-D489, M000-M999 and N000-N999) must be listed as a suba
DS	M	P832		Suba must involve lung
DS	M	T011		Suba must involve lung
DS	M	T018		Suba must involve lung
DS	M	T041		Suba must involve lung
DS	M	T047	-T048	Suba must involve lung
DS	M	T068		Suba must involve lung
DS	M	T178		Suba must involve lung
DS	M	T272		Suba must involve lung
DS	M	T276		Suba must involve lung
DS	M	T290	-T297	Suba must involve lung
DS	M	T66		Suba must involve lung
DS	M	T702		Suba must involve lung
DS	M	T798		Suba must be pulmonary embolism
DS	M	T801		Suba must be pulmonary embolism
DS	M	T817		Suba must be pulmonary embolism
DS	M	T828		Suba must be pulmonary embolism
DS	M	T838		Suba must be pulmonary embolism
DS	M	T848		Suba must be pulmonary embolism
DS	M	T858		Suba must be pulmonary embolism
DS	M	W88		Suba must involve lung
DS	M	W91	-W94	Suba must involve lung
DS	M	X00	-X09	Inhalation smoke must also be reported
DS	M	X13	-X14	Suba must involve inhalation of vapors or gases
DS	M	X20	-X29	Allergic reaction must also be reported
DS	M	X31		Suba must involve lung
DS	M	X76	-X77	Suba must involve inhalation of vapors or gases
DS	M	X97	-X98	Suba must involve inhalation of vapors or gases
DS	M	Y26	-Y27	Suba must involve inhalation of vapors or gases
DS	M	Y363		Suba must involve lung
DS	M	Y367		Suba must involve lung

J82 Address

DSC	M	E859	E854	Addr indexed with a modifier of amyloid
-----	---	------	------	---

J841 Address

DSC	M	B24	B203	Addr must be infection lung or pneumonia and caused by a viral organism
DSC	M	B24	B238	Addr must be a non-infectious condition or not stated idiopathic
DS	M	B909		Suba must be pulmonary or respiratory tuberculosis; addr cannot be idiopathic
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
LMP	M	J60	-J61	Use fibrosis lung only
LMP	M	J628	-J630	Use fibrosis lung only
LMP	M	J632	-J635	Use fibrosis lung only
LMP	M	J64		Use fibrosis lung only
LMP	M	J660		Use fibrosis lung only

ICD-10-Mortality Manual 2c - 2014

LMP	M	J670	-J671		Use fibrosis lung only
DSC	M	M349		M348	Addr cannot be idiopathic
DSC	M	R75		B203	Addr must be infection lung or pneumonia and caused by a viral organism
DSC	M	R75		B238	Addr must be a non-infectious condition or not stated idiopathic

J848 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr is not reported; addr must be an infectious condition
DSC	M	B24		B238	Addr must be a non-infectious condition or not stated idiopathic
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr is not reported; addr must be an infectious condition
DSC	M	R75		B238	Addr must be a non-infectious condition or not stated idiopathic

J8490 Address

DSC	M	E859		E854	Suba indexed with a modifier of amyloid
-----	---	------	--	------	---

J850 Address

DSC	M	E859		E854	Addr indexed with a modifier of amyloid
-----	---	------	--	------	---

J851 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	E859		E854	Addr indexed with a modifier of amyloid
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J852 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	E859		E854	Addr indexed with a modifier of amyloid
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J853 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	E859		E854	Addr indexed with a modifier of amyloid
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

J860 Address

SMP	M	A165		Use tuberculous pyothorax only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J869 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

J90 Address

DS	M	C388		If involving pleura
DS	M	C451	-C459	If also involving lung or pleura
DS	M	C56		If with secondaries in lung or pleura
DS	M	M348		DS if with lung involvement

J929 Address

DSC	M	E859	E854	Addr indexed with a modifier of amyloid
-----	---	------	------	---

J930 Address

SMP	M	A150	-A153	Use tuberculous pneumothorax only
SMP	M	A160	-A162	Use tuberculous pneumothorax only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid

J931 Address

SMP	M	A150	-A153	Use tuberculous pneumothorax only
SMP	M	A160	-A162	Use tuberculous pneumothorax only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid

J938 Address

SMP	M	A150	-A153	Use tuberculous pneumothorax only
SMP	M	A160	-A162	Use tuberculous pneumothorax only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid

J939 Address

SMP	M	A150	-A153	Use tuberculous pneumothorax only
SMP	M	A160	-A162	Use tuberculous pneumothorax only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid

J940 Address

ICD-10-Mortality Manual 2c - 2014

DSC M E859 E854 Addr indexed with a modifier of amyloid

J941 Address

DSC M E859 E854 Addr indexed with a modifier of amyloid

J942 Address

SMP M A165 Conditions classified to addr qualified as tuberculous
 DSC M E859 E854 Addr indexed with a modifier of amyloid

J948 Address

DSC M E859 E854 Addr indexed with a modifier of amyloid

J949 Address

DSC M E859 E854 Addr indexed with a modifier of amyloid
 SMP M J860 -J869 Use pleural conditons in suba only

J950 Address

DS M Y883 Surgery must be a tracheostomy

J951 Address

DS M Y883 Surgery must be thoracic

J952 Address

DS M Y830 -Y834 Surgery must be non-thoracic
 DS M Y836 -Y839 Surgery must be non-thoracic
 DS M Y883 Surgery must be non-thoracic

J953 Address

DS M Y883 Surgery must be the procedure

J954 Address

DS M Y830 -Y839 Surgery must be the procedure
 DS M Y883 Surgery must be the procedure

J961 Address

DS M B948 -B949 Suba must involve lung or thorax (organ)
 DS M D140 Must not be middle ear
 DS M D367 Must be nose
 DS M D385 Must not be middle ear
 DS M D487 Must be nose
 DS M E854 Suba must be lung
 DS M G10 -G129 Suba must be longstanding or advanced
 DS M G230 -G239 Suba must be longstanding or advanced
 DS M G35 -G379 Suba must be longstanding or advanced
 DS M G600 -G610 Suba must be longstanding or advanced
 DS M G700 -G722 Suba must be longstanding or advanced
 DS M G724 -G729 Suba must be longstanding or advanced
 DS M J680 -J689 Suba must be longstanding
 DS M J704 -J709 Suba must be longstanding
 DS M T900 -T983 Suba must be of lung or thorax

ICD-10-Mortality Manual 2c - 2014

J980 Address

SMP	M	A164		Bronchus disease only
SMP	M	A527		Bronchus disease only
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
SMP	M	J100	-J101	Bronchus disease only
SMP	M	J110	-J111	Bronchus disease only
SMP	M	J120	-J180	Bronchus disease only
SMP	M	J200	-J219	Bronchus disease only
SMP	M	J40	-J42	Bronchus disease only
SMP	M	J47		Bronchus disease only
SMP	M	J680		Bronchus disease only
SMP	M	P220	-P239	Bronchus disease only
SMP	M	P271		Bronchus disease only
SMP	M	Q322	-Q324	Bronchus disease only
DSC	M	R75	B238	Addr must be a non-infectious condition

J981 Address

SMP	M	A150	-A153	Use tuberculous atelectasis or tuberculous lung collapse only
SMP	M	A160	-A162	Use tuberculous atelectasis or tuberculous lung collapse only
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
DSC	M	R75	B238	Addr must be a non-infectious condition

J984 Address

SMP	M	A022		Lung infection with salmonella pneumonia
SMP	M	A060		Lung infection only with acute amebiasis NOS
SMP	M	A065		Lung infection only
SMP	M	A069		Lung infection only with amebiasis NOS
SMP	M	A150	-A153	Lung infection only with lung tuberculosis or tuberculous pneumonia
SMP	M	A160	-A162	Lung infection only with lung tuberculosis or tuberculous pneumonia
SMP	M	A212		Lung infection only
SMP	M	A221		Lung infection only
SMP	M	A310		Lung infection only
SMP	M	A420		Lung infection only
SMP	M	A527		Lung infection only with lung syphilis
SMP	M	A548		Lung infection with gonococcal pneumonia
SMP	M	B052		Lung infection only
SMP	M	B068		Lung infection only with rubella pneumonia
DSC	M	B24	B201	Addr must be infection lung or pneumonia and caused by a bacterial organism
DSC	M	B24	B208	Addr must be infection lung or pneumonia with causative organism not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	B371		Lung infection only
SMP	M	B390	-B392	Lung infection only
SMP	M	B664		Lung infection only
SMP	M	B671		Lung infection only
SMP	M	B676		Lung infection with echinococcosis multilocularis infection lung

ICD-10-Mortality Manual 2c - 2014

SMP	M	B679		Lung infection with echinococcosis infection NOS
SMP	M	B909		Lung infection only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
SMP	M	J100		Lung infection only
SMP	M	J110		Lung infection only
SMP	M	J120	-J189	Lung infection only
DSC	M	J40	J448	Bronchitis with lung obstruction
SMP	M	J850	-J852	Lung infection only
DSC	M	R75	B201	Addr must be infection lung or pneumonia and caused by a bacterial organism
DSC	M	R75	B208	Addr must be infection lung or pneumonia with causative organism not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

J9840 Address

SMP	M	A010		Typhoid or salmonella typhi pneumonia (broncho) (lobar) only
SMP	M	A022		Salmonella pneumonia (broncho) (lobar) only
SMP	M	A527		Lung syphilis only
SMP	M	A548		Gonococcal pneumonia (broncho) (lobar) only
SMP	M	A698		Spirochetal pneumonia only
SMP	M	A70		Ornithosis pneumonia only
SMP	M	A78		Q fever pneumonia only
SMP	M	B068		Rubella pneumonia (broncho) (lobar) only
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	B650	-B659	Pulmonary schistosomiasis or schistosomiasis pneumonia
SMP	M	B778		Ascariasis pneumonia (broncho) (lobar) only
SMP	M	B99		Postinfectious pneumonia only
SMP	M	D381		Use lung in suba only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
SMP	M	I00		Rheumatic pneumonia (broncho) (lobar) only
SMP	M	J683	-J689	Use lung conditions only
SMP	M	P350		Congenital rubella pneumonitis only
DSC	M	R75	B238	Addr must be a non-infectious condition

J985 Address

SMP	M	A168		Mediastinitis with tuberculous mediastinitis only or disease mediastinal with mediastinum tuberculosis
SMP	M	A527		Mediastinitis with syphilitic mediastinitis only
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	C381	-C383	Disease mediastinum only
SMP	M	C781		Disease mediastinum only
SMP	M	D152		Disease mediastinum only
SMP	M	D383		Disease mediastinum only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
SMP	M	J853		Disease mediastinum only
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

J986 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
DSC	M	R75	B238	Addr must be a non-infectious condition

J988 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism	
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism	
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported	
DSC	M	B24	B238	Addr must be a non-infectious condition	
DSC	M	E859	E854	Addr indexed with a modifier of amyloid	
SMP	M	J00	-J101	Respiratory infection only	
SMP	M	J110	-J111	Respiratory infection only	
SMP	M	J120	-J329	Respiratory infection only	
SMP	M	J350		Respiratory infection only	
SMP	M	J36	-J371	Respiratory infection only	
SMP	M	J390	-J391	Respiratory infection only	
SMP	M	J40	-J42	Respiratory infection only	
LMC	M	J40	-J42	J448	Airway obstruction with bronchitis (chronic) only
LMP	M	J430	-J439		Airway obstruction with emphysema only
SMP	M	J440	-J448		Respiratory infection only
LMP	M	J450	-J47		Airway obstruction with asthma only
LMP	M	J679			Airway obstruction with allergic alveolitis only
SMP	M	J680			Respiratory infection only
SMP	M	J682			Respiratory infection only
SMP	M	J690	-J698		Respiratory infection only
SMP	M	J850	-J869		Respiratory infection only
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism	
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism	
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported	
DSC	M	R75	B238	Addr must be a non-infectious condition	

J989 Address

SMP	M	A022		Salmonella pneumonia only
DSC	M	B24	B238	Addr must be a non-infectious condition
SMP	M	D140		Nasal cavity and sinuses only
DSC	M	E859	E854	Addr indexed with a modifier of amyloid
DSC	M	R75	B238	Addr must be a non-infectious condition

K**K000 Address**

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K001 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K002 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K003 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K004 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K005 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K006 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K007 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K008 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K009 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K010 Address

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K011 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K020 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K021 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K022 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K023 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K024 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K028 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K029 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K030 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K031 Address

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K032 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K033 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K034 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K035 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K036 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K037 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K038 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K039 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K040 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K041 Address

ICD-10-Mortality Manual 2c - 2014

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K042 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K043 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K044 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K045 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K046 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K047 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K048 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K049 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K050 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K051 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K053 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K054 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K056 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

SMP	M	C798		Site in suba must be gum
-----	---	------	--	--------------------------

SMP	M	D000		Site in suba must be gum
-----	---	------	--	--------------------------

SMP	M	D103		Site in suba must be gum
-----	---	------	--	--------------------------

SMP	M	D370		Site in suba must be gum
-----	---	------	--	--------------------------

SMP	M	Q386		Site in suba must be gum
-----	---	------	--	--------------------------

K060 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K068 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

K069 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K070 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K071 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K072 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K073 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K074 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K075 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K076 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K078 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K079 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K080 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K081 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K082 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K083 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

ICD-10-Mortality Manual 2c - 2014

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K088 Address

DS M T455 Addr must be hemorrhage

K091 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K092 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K098 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K099 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K100 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K101 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K103 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K108 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K109 Address

SMP M A180 Site in suba must be jaw

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

ICD-10-Mortality Manual 2c - 2014

SMP	M	B902		Site in suba must be jaw
SMP	M	C030	-C039	Site(s) in suba must be soft tissue jaw
SMP	M	C410		Site in suba must be maxilla bone
SMP	M	C433		Suba must be melanoma jaw
SMP	M	C443		Suba must be skin jaw
SMP	M	C760		Site in suba must be jaw
SMP	M	C795		Site must be jaw bone
SMP	M	C798		Site in suba must be jaw
SMP	M	D043		Site in suba must be jaw
SMP	M	D097		Site in suba must be jaw
SMP	M	D103		Site in suba must be jaw
SMP	M	D164		Site in suba must be jaw
SMP	M	D223		Site in suba must be jaw
SMP	M	D233		Site in suba must be jaw
SMP	M	D367		Site in suba must be jaw
SMP	M	D370		Site in suba must be jaw
SMP	M	D480		Site in suba must be jaw
SMP	M	D485		Site in suba must be jaw
SMP	M	D487		Site in suba must be jaw

K110 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K111 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K112 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K113 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K114 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K115 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

ICD-10-Mortality Manual 2c - 2014

K116 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K117 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K118 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K120 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B238	Addr must be a non-infectious condition

K121 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

K122 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

K123 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

K130 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

K132 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

K133 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

K135 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B238	Addr must be a non-infectious condition

K137 Address

SMP	M	K130	-K136	Addr must be unspecified disease of oral mucosa
DS	M	T455		Addr must be hemorrhage

K141 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K142 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K143 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K144 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K145 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

ICD-10-Mortality Manual 2c - 2014***K146 Address***

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K148 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

K20 Address

SMP	M	A188		Suba must be tuberculous esophagitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B573		Suba must be esophagitis in Chagas' disease
DS	M	C788		Must be stomach and/or esophagus
DS	M	D377		Site in suba must be esophagus
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DS	M	T360	-T659	Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97	Must be a toxic substance causing esophageal disorders

K210 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788		Site must be esophagus and/or stomach
DS	M	D377		Site must be esophagus
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DS	M	T360	-T659	Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97	Must be a toxic substance causing esophageal disorders

K219 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788		Site must be esophagus and/or stomach
DS	M	D377		Site must be esophagus
DS	M	T360	-T659	Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97	Must be a toxic substance causing esophageal disorders

K220 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

SMP	M	B573		Must be megaloesophagus in Chagas' disease
DS	M	C788		Site must be esophagus and/or stomach
DS	M	D377		Site must be esophagus
DS	M	T360	-T659	Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97	Must be a toxic substance causing esophageal disorders

K221 Address

DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus
DSC	M	R75		B238	Addr must be a non-infectious condition
DS	M	T360	-T659		Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97		Must be a toxic substance causing esophageal disorders

K222 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus
DS	M	T360	-T659		Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97		Must be a toxic substance causing esophageal disorders

K223 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus
DS	M	T96	-T97		Must be a toxic substance causing esophageal disorders

K224 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus
DS	M	T360	-T659		Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97		Must be a toxic substance causing esophageal disorders

K225 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

K226 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus

K227 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Site must be esophagus and/or stomach
DS	M	D377			Site must be esophagus
DSC	M	R75		B238	Addr must be a non-infectious condition
DS	M	T360	-T659		Must be a toxic substance causing esophageal disorders
DS	M	T96	-T97		Must be a toxic substance causing esophageal disorders

K228 Address

DS	M	A188			Suba must be tuberculous esophagitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C788			Addr must be hemorrhage; suba must be stomach/esophagus
DS	M	D377			Addr must be hemorrhage; suba must be esophagus
DSC	M	I859		I850	Addr must be hemorrhage esophagus
DS	M	K20	-K227		Addr must be hemorrhage
DS	M	T360	-T659		Addr must be hemorrhage; suba must be a toxic substance causing esophageal disorders
DS	M	T96	-T97		Addr must be hemorrhage; suba must be a toxic substance causing esophageal disorders

K229 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	C788			Sites in suba must be esophagus and/or cardia stomach
SMP	M	D001	-D002		Sites in suba must be esophagus and/or cardia stomach
SMP	M	D131			Site in suba must be cardia stomach
SMP	M	D371			Site in suba must be cardia stomach
SMP	M	D377			Site in suba must be esophagus

K250 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318		K252	Suba must be perforation/rupture stomach

K251 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K252 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K253 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K251	Suba must be perforation/rupture stomach

K254 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K256	Suba must be perforation/rupture stomach

K255 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K256 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K257 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K255	Suba must be perforation/rupture stomach

K259 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K255	Suba must be perforation/rupture stomach

K260 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K262	Suba must be perforation/rupture stomach

K261 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K262 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K263 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K261	Suba must be perforation/rupture stomach

K264 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K266	Suba must be perforation/rupture stomach

K265 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K266 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K267 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K265	Suba must be perforation/rupture stomach

K269 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K265	Suba must be perforation/rupture stomach
LMC	M	K631	K265	Suba must be perforation/rupture of duodenum

K270 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K272	Suba must be perforation/rupture stomach

K271 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Chagas' disease in VOL3 Addr must have a modifier of ascariasis in VOL3
K272 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K273 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K271	Suba must be perforation/rupture stomach
K274 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K276	Suba must be perforation/rupture stomach
K275 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K276 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K277 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K275	Suba must be perforation/rupture stomach
K279 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K275	Suba must be perforation/rupture stomach
K280 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K282	Suba must be perforation/rupture stomach
K281 Address				

ICD-10-Mortality Manual 2c - 2014

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K282 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K283 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K281	Suba must be perforation/rupture stomach

K284 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K286	Suba must be perforation/rupture stomach

K285 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K286 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K287 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K285	Suba must be perforation/rupture stomach

K289 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K318	K285	Suba must be perforation/rupture stomach

K290 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K291 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K293 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K294 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K295 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Chagas' disease in VOL3
DSC	M	R75	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K296 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K297 Address

SMP	M	A188		Suba must be tuberculous gastritis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K298 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K299 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K30 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788		Suba must be stomach

K310 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K311 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K312 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K313 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K314 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	Q402		Suba must be congenital gastric diverticulum

K315 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	Q433		Suba must be small intestine
DS	M	Q438		Suba must be small intestine

K316 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788		Suba must be stomach
DS	M	D014		Suba must be small intestine
DSC	M	E849	E841	Sites in suba must be duodenum

ICD-10-Mortality Manual 2c - 2014

DSC	M	E849	E848	Suba must be stomach
-----	---	------	------	----------------------

K317 Address

DSC	M	E849	E841	Sites in suba must be duodenum
DSC	M	E849	E848	Suba must be stomach

K318 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3	
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3	
DS	M	C788		Suba must be stomach	
SDC	M	D649	D508	Addr must be achlorhydria	
DSC	M	E849	E841	Sites in suba must be duodenum	
DSC	M	E849	E848	Suba must be stomach	
DSC	M	K250	K252	Addr must be perforation/rupture stomach	
DSC	M	K253	K251	Addr must be perforation/rupture stomach	
DSC	M	K254	K256	Addr must be perforation/rupture stomach	
DSC	M	K257	-K259	K255	Addr must be perforation/rupture stomach
DSC	M	K260	K262	Addr must be perforation/rupture stomach	
DSC	M	K263	K261	Addr must be perforation/rupture stomach	
DSC	M	K264	K266	Addr must be perforation/rupture stomach	
DSC	M	K267	-K269	K265	Addr must be perforation/rupture stomach
DSC	M	K270	K272	Addr must be perforation/rupture stomach	
DSC	M	K273	K271	Addr must be perforation/rupture stomach	
DSC	M	K274	K276	Addr must be perforation/rupture stomach	
DSC	M	K277	-K279	K275	Addr must be perforation/rupture stomach
DSC	M	K280	K282	Addr must be perforation/rupture stomach	
DSC	M	K283	K281	Addr must be perforation/rupture stomach	
DSC	M	K284	K286	Addr must be perforation/rupture stomach	
DSC	M	K287	-K289	K285	Addr must be perforation/rupture stomach

K319 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	C784		Suba must be duodenum
SMP	M	C810	-C902	Suba must involve duodenum
SMP	M	D014		Suba must involve duodenum
DSC	M	E849	E841	Sites in suba must be duodenum
DSC	M	E849	E848	Suba must be stomach
SMP	M	K270	-K289	Suba must involve duodenum
SMP	M	K316	-K318	Suba must involve duodenum
SMP	M	K500	-K571	Suba must involve duodenum
SMP	M	K574	-K575	Suba must involve duodenum
SMP	M	K630		Suba must involve duodenum
SMP	M	Q438		Suba must involve duodenum

K3190 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	C788			Suba must be stomach
SMP	M	C810	-C902		Suba must be stomach
SMP	M	K270	-K289		Suba must involve the stomach
SMP	M	K316	-K318		Suba must involve the stomach

K358 Address

LMP	M	K352	-K353		Suba must be rupture/perforation appendix
LMC	M	K650		K352	Suba must be qualified as diffuse, disseminated or generalized
LMC	M	K650		K353	Suba must be qualified as localized or be a peritoneal abscess

K36 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K37 Address

SMP	M	A068			Suba must be amebic appendicitis
SMP	M	A183			Suba must be tuberculous appendicitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMP	M	K352	-K353		Suba must be rupture/perforation appendix
LMC	M	K650		K352	Suba must be qualified as diffuse, disseminated or generalized
LMC	M	K650		K353	Suba must be qualified as localized or be a peritoneal abscess

K380 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K381 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K382 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K383 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K388 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K389 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	C785		Suba must involve the appendix
SMP	M	D010		Suba must involve the appendix
SMP	M	Q438		Suba must involve the appendix

K400 Address

LMC	M	K550	K401	Suba must be gangrene
LMC	M	R02	K401	Suba must be gangrene of unspecified site

K402 Address

LMC	M	K550	K401	Suba must be gangrene
-----	---	------	------	-----------------------

K403 Address

LMC	M	K550	K404	Suba must be gangrene
LMC	M	R02	K404	Suba must be gangrene of unspecified site

K409 Address

LMC	M	K550	K404	Suba must be gangrene
LMC	M	R02	K404	Suba must be gangrene of unspecified site

K410 Address

LMC	M	K550	K411	Suba must be gangrene
LMC	M	R02	K411	Suba must be gangrene of unspecified site

K412 Address

LMC	M	K550	K411	Suba must be gangrene
LMC	M	R02	K411	Suba must be gangrene of unspecified site

K413 Address

LMC	M	K550	K414	Suba must be gangrene
LMC	M	R02	K414	Suba must be gangrene of unspecified site

K419 Address

LMC	M	K550	K414	Suba must be gangrene
LMC	M	R02	K414	Suba must be gangrene of unspecified site

K420 Address

LMC	M	K550	K421	Suba must be gangrene
LMC	M	R02	K421	Suba must be gangrene of unspecified site

K429 Address

LMC	M	K550	K421	Suba must be gangrene
LMC	M	R02	K421	Suba must be gangrene of unspecified site

K430 Address

LMC	M	K550	K431	Suba must be gangrene
-----	---	------	------	-----------------------

ICD-10-Mortality Manual 2c - 2014

LMC	M	R02	K431	Suba must be gangrene of unspecified site
-----	---	-----	------	---

K439 Address

LMC	M	K550	K431	Suba must be gangrene
LMC	M	R02	K431	Suba must be gangrene of unspecified site

K440 Address

LMC	M	K550	K441	Suba must be gangrene
LMC	M	R02	K441	Suba must be gangrene of unspecified site
DS	M	T941		Suba must be gangrene of unspecified site

K449 Address

LMC	M	K550	K441	Suba must be gangrene
LMC	M	R02	K441	Suba must be gangrene of unspecified site
DS	M	T941		Suba must be gangrene of unspecified site

K450 Address

LMC	M	K550	K451	Suba must be gangrene
LMC	M	R02	K451	Use with gonococcal pneumonia (broncho) (lobar) only

K458 Address

LMC	M	K550	K451	Suba must be gangrene
LMC	M	R02	K451	Suba must be gangrene of unspecified site

K460 Address

SMP	M	K400		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K403		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K410		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K413		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K420		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K430		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K440		Addr must be unspecified abdominal hernia with obstruction
SMP	M	K450		Addr must be unspecified abdominal hernia with obstruction
LMC	M	K550	K461	Suba must be gangrene
LMC	M	R02	K461	Suba must be gangrene of unspecified site

K461 Address

SMP	M	K401		Addr must be unspecified abdominal hernia with gangrene
SMP	M	K404		Addr must be unspecified abdominal hernia with gangrene
SMP	M	K411		Addr must be unspecified abdominal hernia with gangrene
SMP	M	K414		Addr must be unspecified abdominal hernia with gangrene
SMP	M	K421		Addr must be unspecified abdominal hernia with gangrene
SMP	M	K431		Suba must be unspecified abdominal hernia with gangrene
SMP	M	K441		Suba must be unspecified abdominal hernia with gangrene
SMP	M	K451		Suba must be unspecified abdominal hernia with gangrene

K469 Address

LMC	M	K550	K461	Suba must be gangrene
SMP	M	Q792		Addr must be hernia NOS; suba must be omphalocele
LMC	M	R02	K461	Suba must be gangrene of unspecified site

ICD-10-Mortality Manual 2c - 2014

K521 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K522 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K528 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K529 Address

SMP	M	J108		Suba must be influenzal enteritis
SMP	M	J118		Suba must be influenzal enteritis
SMP	M	K318		Suba must be specified types of diarrhea, enteritis, gastroenteritis

K550 Address

DSC	M	K400	K401	Addr must be gangrene
DSC	M	K402	K401	Addr must be gangrene
DSC	M	K403	K404	Addr must be gangrene
DSC	M	K409	K404	Addr must be gangrene
DSC	M	K410	K411	Addr must be gangrene
DSC	M	K412	K411	Addr must be gangrene
DSC	M	K413	K414	Addr must be gangrene
DSC	M	K419	K414	Addr must be gangrene
DSC	M	K420	K421	Addr must be gangrene
DSC	M	K429	K421	Addr must be gangrene
DSC	M	K430	K431	Addr must be gangrene
DSC	M	K439	K431	Addr must be gangrene
DSC	M	K440	K441	Addr must be gangrene
DSC	M	K449	K441	Addr must be gangrene
DSC	M	K450	K451	Addr must be gangrene
DSC	M	K458	K451	Addr must be gangrene
DSC	M	K460	K461	Addr must be gangrene
DSC	M	K469	K461	Addr must be gangrene
LMP	M	K560	-K565	Addr must be gangrene intestine
LMP	M	K567		Addr must be gangrene intestine
DS	M	Q458	-Q459	Suba must involve the intestines

K5500 Address

DS	M	A010		Suba must be typhoid of heart valve(s)
DS	M	A188		Suba must be tuberculosis of heart valve(s)
DS	M	A520		Suba must be syphilis of heart valve(s)

ICD-10-Mortality Manual 2c - 2014

DS	M	D735		Suba must be thrombosis spleen
DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I269		Suba must be thrombosis
DS	M	I330	-I339	Suba must be mitral, aortic, or unspecified valve
DS	M	I423	-I424	Suba must be heart valve conditions
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I513		Suba must be left heart or unspecified
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	I741		Suba must be ascending or unspecified
DS	M	I788		Suba must be capillary thrombosis
DS	M	I831		Suba must be varicose phlebitis
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N719		Suba must be phlebitis uterus
DS	M	O033		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O073		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078		Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O087		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O994		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	T801		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Suba must be thrombosis of left heart, aorta, or main arteries

K560 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K561 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K562 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K563 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K564 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	E000	-E02		Advanced, grave, severe
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G308		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

K565 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798		Suba must be a secondary site within the digestive system
DS	M	C810	-C969	Suba must involve the digestive system

K566 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798		Suba must be a secondary site within the digestive system
DS	M	C810	-C969	Suba must involve the digestive system
SMP	M	K315		Addr must be intestinal obstruction NOS
SMP	M	K560	-K565	Addr must be intestinal obstruction NOS

K567 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system
SMP	M	K315			Suba must be ileus
SMP	M	K560			Suba must be ileus
SMP	M	K563			Suba must be ileus
SMP	M	K566			Suba must be ileus

K571 Address

LMC	M	K631		K570	Suba must be perforation of small bowel
-----	---	------	--	------	---

K573 Address

LMC	M	K631		K572	Suba must be perforation of large intestine
-----	---	------	--	------	---

K580 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

K589 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K590 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	E000	-E02		Advanced, grave, severe
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G308		Advanced, grave, severe
DS	M	G310	-G319		Advanced, grave, severe
DS	M	G360	-G379		Advanced, grave, severe
DS	M	G64	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
DS	M	I501	-I509		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

K591 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K592 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K593 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B573			Suba must be megacolon in Chagas' disease
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K594 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779		B770	Chagas' disease in VOL3
DS	M	C798			Addr must have a modifier of ascariasis in VOL3
DS	M	C810	-C969		Suba must be a secondary site within the digestive system
					Suba must involve the digestive system

K598 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K599 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be a secondary site within the digestive system
DS	M	C810	-C969		Suba must involve the digestive system

K600 Address

DS	M	A183			Suba must be tuberculosis anus and/or rectum
DS	M	C445			Suba must be anal margin, anal skin, perianal skin
DS	M	C792			Suba must be anal margin, anal skin, perianal skin
DS	M	D377			Suba must be anal canal, anal sphincter, anus
DS	M	D485			Suba must be anal margin, anal skin, perianal skin

K601 Address

DS	M	A183			Suba must be tuberculosis anus and/or rectum
DS	M	C445			Suba must be anal margin, anal skin, perianal skin
DS	M	C792			Suba must be anal margin, anal skin, perianal skin
DS	M	D377			Suba must be anal canal, anal sphincter, anus
DS	M	D485			Suba must be anal margin, anal skin, perianal skin

K602 Address

DS	M	A183			Suba must be tuberculosis anus and/or rectum
DS	M	C445			Suba must be anal margin, anal skin, perianal skin
DS	M	C792			Suba must be anal margin, anal skin, perianal skin
DS	M	D377			Suba must be anal canal, anal sphincter, anus
DS	M	D485			Suba must be anal margin, anal skin, perianal skin

K603 Address

DS	M	A183			Suba must be tuberculosis anus and/or rectum
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C445			Suba must be anal margin, anal skin, perianal skin
DS	M	C792			Suba must be anal margin, anal skin, perianal skin
DS	M	D377			Suba must be anal canal, anal sphincter, anus
DS	M	D485			Suba must be anal margin, anal skin, perianal skin

K604 Address

DS	M	A183		Suba must be tuberculosis anus and/or rectum
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C445		Suba must be anal margin, anal skin, perianal skin
DS	M	C792		Suba must be anal margin, anal skin, perianal skin
DS	M	D377		Suba must be anal canal, anal sphincter, anus
DS	M	D485		Suba must be anal margin, anal skin, perianal skin

K605 Address

DS	M	A183		Suba must be tuberculosis anus and/or rectum
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C445		Suba must be anal margin, anal skin, perianal skin
DS	M	C792		Suba must be anal margin, anal skin, perianal skin
DS	M	D377		Suba must be anal canal, anal sphincter, anus
DS	M	D485		Suba must be anal margin, anal skin, perianal skin

K610 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K611 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K612 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K613 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K614 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K622 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K623 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	I842	I841	Addr must be prolapse rectum
DSC	M	I845	I844	Addr must be prolapse rectum
DSC	M	I849	I848	Addr must be prolapse rectum

K624 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K625 Address

DS	M	A183		Suba qualified as tuberculous
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DS	M	B378		Suba must be Candidal enteritis
DS	M	B49		Suba must be mycotic diarrhea
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	B650	-B659	Suba must involve the intestines
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	B908		Suba must be late effects of conditions classifiable to A000-A09, and A183
DS	M	B948		Suba must be late effects of other infectious conditions involving the rectum and intestines
DS	M	C445		Suba must be anal margin, anal skin, perianal skin
DS	M	D035		Suba must be anal margin, anal skin, perianal skin
DS	M	D045		Suba must be anal margin, anal skin, perianal skin
DS	M	D139		Suba must involve the intestines
DS	M	D225		Suba must be anal margin, anal skin, perianal skin
DS	M	D235		Suba must be anal margin, anal skin, perianal skin
DS	M	D377		Suba must be anal canal, anal sphincter, anus, intestine
DS	M	D485		Suba must be anal margin, anal skin, perianal skin
DSC	M	I842	I841	Addr must be hemorrhage rectum

ICD-10-Mortality Manual 2c - 2014

DSC	M	I845	I844	Addr must be hemorrhage rectum
DSC	M	I849	I848	Addr must be hemorrhage rectum

K626 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	I842	I841	Addr must be ulcer rectum
DSC	M	I845	I844	Addr must be ulcer rectum
DSC	M	I849	I848	Addr must be ulcer rectum

K628 Address

SMP	M	A183		Suba must be tuberculosis anus and/or rectum
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

K629 Address

DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	K620	-K623	Addr must be disease anus

K630 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

K631 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C798		Suba must be an abdominal or digestive organ

ICD-10-Mortality Manual 2c - 2014

DS	M	C810	-C902		Suba must be an abdominal or digestive organ
DSC	M	K269		K265	Suba must be perforation/rupture of duodenum
LMC	M	K571		K570	Addr must be perforation of small bowel
LMC	M	K573		K572	Addr must be perforation of large bowel

K6310 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DS	M	C798			Suba must be an abdominal or digestive organ
DS	M	C810	-C902		Suba must be an abdominal or digestive organ

K632 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

K633 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

K634 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

K638 Address

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

K639 Address

SMP	M	A183			Site in suba must be intestine
SMP	M	A527			Site in suba must be intestine
SMP	M	B350	-B49		Suba must involve intestine
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B573			Site in suba must be intestine

ICD-10-Mortality Manual 2c - 2014

SMP	M	B650	-B839	Sites in suba must be intestine
SMP	M	B878		Site in suba must be intestine
SMP	M	B908		Suba must be late effects of tuberculosis intestine
SMP	M	C810	-C902	Sites in suba must be intestine
SMP	M	K316	-K319	Sites in suba must be duodenum

K650 Address

SMP	M	A183		Suba must be tuberculous/fibrocaceous peritonitis
SMP	M	A368		Suba must be diphtheria peritonitis
SMP	M	A500		Suba must be early congenital syphilitic peritonitis
SMP	M	A527		Suba must be syphilitic peritonitis
SMP	M	A548		Suba must be gonococcal peritonitis
SMP	M	A748		Suba must be chlamydial peritonitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798		Suba must be an intraabdominal site
DS	M	C810	-C902	Suba must involve the digestive system
SMP	M	E850		Suba must be paroxysmal/periodic peritonitis
LMC	M	K358	K352	Suba must be qualified as diffuse, disseminated or generalized
LMC	M	K358	K353	Suba must be qualified as localized or be a peritoneal abscess
LMC	M	K37	K352	Suba must be qualified as diffuse, disseminated or generalized
LMC	M	K37	K353	Suba must be qualified as localized or be a peritoneal abscess
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
DS	M	S310		Site in suba must be pelvic
DS	M	S317		Site in suba must be abdominal and/or pelvic
DS	M	S327	-S328	Sites in suba must be pelvic
DS	M	S357	-S359	Sites in suba must be abdominal and/or pelvic
DS	M	S381		Site in suba must be abdominal and/or pelvic
DS	M	S383	-S399	Site in suba must be abdominal and/or pelvic
DS	M	T912		Sites in suba must be abdominal and/or pelvic
DS	M	T915	-T919	Sites in suba must be abdominal and/or pelvic

K658 Address

SMP	M	A183		Suba must be tuberculous/fibrocaceous peritonitis
SMP	M	A368		Suba must be diphtheria peritonitis
SMP	M	A500		Suba must be early congenital syphilitic peritonitis
SMP	M	A527		Suba must be syphilitic peritonitis
SMP	M	A548		Suba must be gonococcal peritonitis
SMP	M	A748		Suba must be chlamydial peritonitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798		Suba must be an intraabdominal site
DS	M	C810	-C902	Suba must involve the digestive system
SMP	M	E850		Suba must be paroxysmal/periodic peritonitis

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DS	M	S310			Site in suba must be pelvic
DS	M	S317			Site in suba must be abdominal and/or pelvic
DS	M	S327	-S328		Sites in suba must be pelvic
DS	M	S357	-S359		Sites in suba must be abdominal and/or pelvic
DS	M	S381			Site in suba must be abdominal and/or pelvic
DS	M	S383	-S399		Site in suba must be abdominal and/or pelvic
DS	M	T912			Sites in suba must be abdominal and/or pelvic
DS	M	T915	-T919		Sites in suba must be abdominal and/or pelvic

K659 Address

SMP	M	A183			Suba must be tuberculous/fibrocaceous peritonitis
SMP	M	A368			Suba must be diphtheria peritonitis
SMP	M	A500			Suba must be early congenital syphilitic peritonitis
SMP	M	A527			Suba must be syphilitic peritonitis
SMP	M	A548			Suba must be gonococcal peritonitis
SMP	M	A748			Suba must be chlamydial peritonitis
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C798			Suba must be an intraabdominal site
DS	M	C810	-C902		Suba must involve the digestive system
SMP	M	E850			Suba must be paroxysmal/periodic peritonitis
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
DS	M	S310			Site in suba must be pelvic
DS	M	S317			Site in suba must be abdominal and/or pelvic
DS	M	S327	-S328		Sites in suba must be pelvic
DS	M	S357	-S359		Sites in suba must be abdominal and/or pelvic
DS	M	S381			Site in suba must be abdominal and/or pelvic
DS	M	S383	-S399		Site in suba must be abdominal and/or pelvic
DS	M	T912			Sites in suba must be abdominal and/or pelvic
DS	M	T915	-T919		Sites in suba must be abdominal and/or pelvic

K660 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K661 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K668 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in
-----	---	------	--	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Chagas' disease in VOL3 Addr must have a modifier of ascariasis in VOL3
K669 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K709 Address				
SMC	M	K746	K703	Suba cannot be "non-alcoholic"
SMC	M	K759	K701	Suba must be hepatitis
K710 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K711 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	T510	-T519 K704	Addr cannot be stated due to drugs
K712 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K713 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K714 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K715 Address				
DSC	M	B059	B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K716 Address				

ICD-10-Mortality Manual 2c - 2014

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K717 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	T510	-T519	K702	Addr must be "toxic liver disease with fibrosis of liver"
LMC	M	T510	-T519	K703	Addr must be "toxic liver disease"with cirrhosis of liver.

K718 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	T510	-T519	K700	Addr must be "toxic liver disease with a condition clasifiable to K760"
LMC	M	T510	-T519	K709	Addr must be "toxic liver disease with a condition clasifiable to K760"

K719 Address

DSC	M	B059		B054	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	K720		K711	All conditions classifiable to suba except acute hepatitis
LMC	M	K720		K712	suba must be acute non-viral hepatitis
LMC	M	K759		K716	Suba must be hepatitis
LMC	M	K759		K718	All conditions classifiable to suba except hepatitis

K720 Address

DSC	M	B059		B058	Addr must have modifier of postmeasles or measles in VOL3
DSC	M	B159		B150	Addr must be hepatic coma
DSC	M	B161		B160	Addr must be hepatic coma
DSC	M	B169		B162	Addr must be hepatic coma
DSC	M	B199		B190	Addr must be hepatic coma
DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B778	Addr must have a modifier of ascariasis in VOL3
DS	M	C457			Must be only liver in suba
DS	M	D376			Must be only liver in suba
SMP	M	K704			Addr must be liver failure/hepatitis
LMC	M	K719		K711	All conditions classifiable to addr except acute hepatitis
DSC	M	R75		B238	Addr must be a non-infectious condition
LMC	M	T510	-T519	K701	Addr must be hepatitis

K7200 Address

DS	M	A500			Suba must be congenital syphilitic hepatitis
----	---	------	--	--	--

ICD-10-Mortality Manual 2c - 2014

DS	M	A505			Suba must be late congenital syphilitic hepatitis
DS	M	A514			Suba must be early secondary syphilitic hepatitis
DS	M	A527			Suba must be syphilitic hepatitis
DS	M	B008			Suba must be herpesviral (herpes simplex) hepatitis
DSC	M	B24		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	B24		B238	Addr must be a non-infectious condition
DS	M	B268			Suba must be mumps hepatitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	B948			Suba must be late effects of different types of hepatitis caused by diseases in Chapter 01
LMC	M	F100	-F109	K704	Addr must be hepatic failure
DSC	M	R75		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	R75		B238	Addr must be a non-infectious condition
DS	M	S307	-S309		Sites in suba must be abdominal
DS	M	S317	-S318		Sites in suba must be abdominal
DS	M	S346	-S348		Site in suba must be abdominal
DS	M	S351	-S353		Sites in suba must be abdominal
DS	M	S357	-S359		Sites in suba must be abdominal
DS	M	S381			Site in suba must be abdominal
DS	M	S383	-S399		Site in suba must be abdominal
LMC	M	T510	-T519	K704	Addr must be hepatic failure

K721 Address

DSC	M	B159		B150	Addr must be hepatic coma
DSC	M	B161		B160	Addr must be hepatic coma
DSC	M	B169		B162	Addr must be hepatic coma
DSC	M	B199		B190	Addr must be hepatic coma
DSC	M	B24		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C457			Must be only liver in suba
DS	M	D376			Must be only liver in suba
SMP	M	K704			Addr must be liver failure/hepatitis
DSC	M	R75		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	R75		B238	Addr must be a non-infectious condition

K7210 Address

DS	M	A500			Suba must be congenital syphilitic hepatitis
DS	M	A505			Suba must be late congenital syphilitic hepatitis
DS	M	A514			Suba must be early secondary syphilitic hepatitis
DS	M	A527			Suba must be syphilitic hepatitis
DS	M	B008			Suba must be herpesviral (herpes simplex) hepatitis
DSC	M	B24		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	B24		B238	Addr must be a non-infectious condition
DS	M	B268			Suba must be mumps hepatitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779		B770	Chagas' disease in VOL3
DS	M	B948			Addr must have a modifier of ascariasis in VOL3
LMC	M	F100	-F109	K704	Suba must be late effects of different types of hepatitis caused by diseases in Chapter 01
DSC	M	R75		B201	Addr must be hepatic failure
DSC	M	R75		B238	Addr must be acute hepatitis caused by a bacterial organism
DS	M	S307	-S309		Addr must be a non-infectious condition
DS	M	S317	-S318		Sites in suba must be abdominal
DS	M	S346	-S348		Sites in suba must be abdominal
DS	M	S351	-S353		Site in suba must be abdominal
DS	M	S357	-S359		Sites in suba must be abdominal
DS	M	S381			Sites in suba must be abdominal
DS	M	S383	-S399		Site in suba must be abdominal
LMC	M	T510	-T519	K704	Site in suba must be abdominal
					Addr must be hepatic failure

K729 Address

DSC	M	B159		B150	Addr must be hepatic coma
DSC	M	B161		B160	Addr must be hepatic coma
DSC	M	B169		B162	Addr must be hepatic coma
DSC	M	B199		B190	Addr must be hepatic coma
DSC	M	B24		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C457			Must be only liver in suba
DS	M	D376			Must be only liver in suba
SMP	M	K704			Addr must be liver failure/hepatitis
DSC	M	R75		B201	Addr must be acute hepatitis caused by a bacterial organism
DSC	M	R75		B238	Addr must be a non-infectious condition

K7290 Address

DS	M	A500			Suba must be congenital syphilitic hepatitis
DS	M	A505			Suba must be late congenital syphilitic hepatitis
DS	M	A514			Suba must be early secondary syphilitic hepatitis
DS	M	A527			Suba must be syphilitic hepatitis
DS	M	B008			Suba must be herpesviral (herpes simplex) hepatitis
DSC	M	B24		B238	Suba must be a non-infectious condition
DS	M	B268			Suba must be mumps hepatitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	B948			Suba must be late effects of different types of hepatitis caused by diseases in Chapter 01
LMC	M	F100	-F109	K704	Addr must be hepatic failure
DSC	M	R75		B238	Suba must be a non-infectious condition
DS	M	S307	-S309		Sites in suba must be abdominal
DS	M	S317	-S318		Sites in suba must be abdominal
DS	M	S346	-S348		Site in suba must be abdominal

ICD-10-Mortality Manual 2c - 2014

DS	M	S351	-S353		Sites in suba must be abdominal
DS	M	S357	-S359		Sites in suba must be abdominal
DS	M	S381			Site in suba must be abdominal
DS	M	S383	-S399		Site in suba must be abdominal
LMC	M	T510	-T519	K704	Addr must be hepatic failure

K730 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788			Suba must be liver, gallbladder, or bile ducts
LMC	M	F100	-F109	K701	Addr must be hepatitis
LMC	M	T510	-T519	K701	Addr must be hepatitis

K731 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788			Suba must be liver, gallbladder, or bile ducts
LMC	M	F100	-F109	K701	Addr must be hepatitis
LMC	M	T510	-T519	K701	Addr must be hepatitis

K732 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788			Suba must be liver, gallbladder, or bile ducts
LMC	M	F100	-F109	K701	Addr must be hepatitis
LMC	M	T510	-T519	K701	Addr must be hepatitis

K738 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788			Suba must be liver, gallbladder, or bile ducts
LMC	M	F100	-F109	K701	Addr must be hepatitis
LMC	M	T510	-T519	K701	Addr must be hepatitis

K739 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788			Suba must be liver, gallbladder, or bile ducts
LMC	M	F100	-F109	K701	Addr must be hepatitis
LMC	M	T510	-T519	K701	Addr must be hepatitis

K740 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

ICD-10-Mortality Manual 2c - 2014

K741 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K742 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K744 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K745 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3

K746 Address

SMP	M	A527		Addr must be unspecified cirrhosis; suba must be syphilitic cirrhosis
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	F100	-F109 K703	Addr cannot be "non-alcoholic"
SMC	M	G312	K703	Addr cannot be "non-alcoholic"
LMC	M	G405	K703	Suba must be qualified as alcoholic
SMC	M	G621	K703	Addr cannot be "non-alcoholic"
SMC	M	G721	K703	Addr cannot be "non-alcoholic"
SMC	M	I426	K703	Addr cannot be "non-alcoholic"
SMC	M	K292	K703	Addr cannot be "non-alcoholic"
SMP	M	K703		Addr cannot be "non-alcoholic"
SMP	M	K717		Addr must be unspecified cirrhosis; suba must be cirrhosis
SMP	M	K743	-K745	Addr must be unspecified cirrhosis
SMP	M	K761		Addr must be unspecified cirrhosis; suba must be stasis/cardiac cirrhosis
SMC	M	K852	K703	Addr cannot be "non-alcoholic"
SMC	M	K860	K703	Addr cannot be "non-alcoholic"
SMC	M	R780	K703	Addr cannot be "non-alcoholic"
LMC	M	T510	-T519 K703	Addr cannot be "non-alcoholic"

K750 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K751 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C457		Suba must be liver
DS	M	D376		Suba must be liver
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K752 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K753 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K758 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K759 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A188			Suba must be tuberculous hepatitis
SMP	M	A500			Suba must be early congenital syphilitic hepatitis
SMP	M	A505			Suba must be late congenital syphilitic hepatitis
SMP	M	A514			Suba must be secondary syphilitic hepatitis
SMP	M	A527			Suba must be syphilitic hepatitis
SMP	M	B008			Suba must be herpesviral hepatitis
DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
SMP	M	B268			Suba must be mumps hepatitis
SMP	M	B334	-B338		Suba must be coxsackie hepatitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
LMC	M	F100	-F109	K701	Addr must be hepatitis
SMP	M	K720	-K729		Suba must be hepatitis
SMP	M	K746			Suba must be interstitial (chronic) hepatitis
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported
LMC	M	T510	-T519	K701	Addr must be hepatitis

K760 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K761 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K762 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K763 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K764 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3

K765 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	--	------	---

ICD-10-Mortality Manual 2c - 2014

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

K766 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

DS M C457 Suba must be liver

DS M D376 Suba must be liver

K767 Address

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

DS M C457 Suba must be liver

DS M D376 Suba must be liver

K768 Address

DS M A064 Addr must be hemorrhage liver

DS M A188 Addr must be hemorrhage liver; suba must be tuberculosis liver

DS M A527 Addr must be hemorrhage liver; suba must be syphilis liver

DS M A950 -A959 Addr must be hemorrhage liver

DS M B008 Addr must be hemorrhage liver; suba must be herpesviral hepatitis

DS M B150 -B199 Addr must be hemorrhage liver

DS M B251 Addr must be hemorrhage liver

DS M B268 Suba must be mumps hepatitis

DS M B270 -B279 Addr must be hemorrhage liver

DS M B334 -B338 Addr must be hemorrhage liver; suba must be coxsackie hepatitis

DS M B500 -B529 Addr must be hemorrhage liver

DSC M B572 B573 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M B581 Addr must be hemorrhage liver

DSC M B779 B770 Addr must have a modifier of ascariasis in VOL3

DS M B908 Addr must be hemorrhage liver; suba must late effects of tuberculosis liver

DS M B942 -B948 Addr must be hemorrhage liver

DS M C150 -C269 Addr must be hemorrhage liver

DS M C762 Addr must be hemorrhage liver

DS M C784 -C788 Addr must be hemorrhage liver

DS M C798 Addr must be hemorrhage liver; suba must involve the GI tract

DS M C810 -C969 Addr must be hemorrhage liver; suba must involve the GI tract

DS M D000 -D019 Addr must be hemorrhage liver

DS M D120 -D139 Addr must be hemorrhage liver

DS M D371 -D379 Addr must be hemorrhage liver

DSC M E859 E854 Addr must be degeneration liver

DS M K700 -K718 Addr must be hemorrhage liver

DS M K720 -K767 Addr must be hemorrhage liver

DS M K800 -K839 Addr must be hemorrhage liver

DS M T455 Addr must be hemorrhage

K769 Address

ICD-10-Mortality Manual 2c - 2014

SMP	M	A188			Suba must be tuberculosis liver
SMP	M	A500			Suba must be early congenital syphilis liver
SMP	M	A505			Suba must be late congenital syphilis liver
SMP	M	A514			Suba must be secondary syphilis liver
SMP	M	A527			Suba must be syphilis liver
SMP	M	B008			Suba must be herpesviral hepatitis
SMP	M	B268			Suba must be mumps hepatitis
SMP	M	B334	-B338		Suba must be coxsackie hepatitis
DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
SMP	M	B573			Suba must be Chagas' disease with liver involvement
SMP	M	B650	-B659		Suba must involve the liver
DSC	M	B779		B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	B838			Suba must involve the liver
SMP	M	E740			Suba must be liver disease in glycogen storage dis

K810 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

K811 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

K818 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

K819 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

K820 Address

DSC	M	B572		B573	Suba must be Chagas' disease NOS; addr must have modifier of in
-----	---	------	--	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Chagas' disease in VOL3 Addr must have a modifier of ascariasis in VOL3
K821 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K822 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K823 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K824 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K828 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K829 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K830 Address				
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported
K831 Address				
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
K832 Address				

ICD-10-Mortality Manual 2c - 2014

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K833 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K834 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K835 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K838 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

K839 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

SMP	M	C788		Site in suba must be biliary tract
-----	---	------	--	------------------------------------

K851 Address

SMP	M	A527		Addr must be pancreatitis; suba must be syphilitic pancreatitis
-----	---	------	--	---

DSC	M	B24	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
-----	---	-----	------	---

DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
-----	---	-----	------	---

SMP	M	B252		Addr must be pancreatitis
-----	---	------	--	---------------------------

SMP	M	B263		Addr must be pancreatitis
-----	---	------	--	---------------------------

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
-----	---	------	------	---

DS	M	I748		Suba must be pancreatic emboli
----	---	------	--	--------------------------------

DSC	M	R75	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
-----	---	-----	------	---

DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported
-----	---	-----	------	---

K858 Address

SMP	M	A527		Addr must be pancreatitis; suba must be syphilitic pancreatitis
-----	---	------	--	---

DSC	M	B24	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
SMP	M	B252		Addr must be pancreatitis
SMP	M	B263		Addr must be pancreatitis
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	I748		Suba must be pancreatic emboli
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

K859 Address

SMP	M	A527		Addr must be pancreatitis; suba must be syphilitic pancreatitis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
SMP	M	B252		Addr must be pancreatitis
SMP	M	B263		Addr must be pancreatitis
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	I748		Suba must be pancreatic emboli
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

K861 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

K862 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788		Suba must be pancreas

K863 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in
-----	---	------	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B779	B770	Chagas' disease in VOL3
DS	M	D017		Addr must have a modifier of ascariasis in VOL3
DS	M	D377		Suba must be pancreas
				Suba must be pancreas

K868 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
DS	M	C788		Suba must be pancreas
DS	M	D017		Suba must be pancreas
DS	M	D377		Suba must be pancreas
DS	M	T455		Addr must be hemorrhage

K869 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
DSC	M	B779	B770	Addr must have a modifier of ascariasis in VOL3
SMP	M	C788		Site in suba must be pancreas
SMP	M	D017		Site in suba must be pancreas
SMP	M	D377		Site in suba must be pancreas

K903 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

K904 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

K908 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

K909 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

K910 Address

DS	M	Y830	-Y834	Surgery must be gastrointestinal or surgery NOS
DS	M	Y836	-Y839	Suba must be GI surgery
DS	M	Y883		Surgery must be gastrointestinal or surgery NOS

K911 Address

DS	M	Y831	-Y834	Suba must be GI surgery
DS	M	Y836	-Y839	Suba must be GI surgery
DS	M	Y883		Surgery must be gastric or surgery NOS

K912 Address

DS	M	Y830	-Y834	Surgery must be gastrointestinal or surgery NOS
----	---	------	-------	---

ICD-10-Mortality Manual 2c - 2014

DS M Y836 -Y839
 DS M Y883

Suba must be GI surgery
 Surgery must be gastrointestinal or surgery NOS

K913 Address

DS M Y883

Surgery must be the procedure

K914 Address

DS M Y833
 DS M Y883

Surgery must be a colostomy or enterostomy or stoma NOS
 Surgery must be a colostomy or enterostomy or stoma NOS

K915 Address

DS M Y883

Surgery must be a cholecystectomy

K920 Address

DS M A188
 DS M A527
 DS M A548
 DS M A748
 DS M B350 -B54
 DSC M B572 B573

Suba must be tuberculous esophagitis
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M B650 -B659
 DS M B878
 DS M B908
 DS M C798
 DS M C810 -C969

Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract

K921 Address

DS M A188
 DS M A527
 DS M A548
 DS M A748
 DS M B350 -B54
 DSC M B572 B573

Suba must be tuberculous esophagitis
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M B650 -B659
 DS M B878
 DS M B908
 DS M C798
 DS M C810 -C969

Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract

K922 Address

DS M A188
 DS M A527
 DS M A548
 DS M A748
 DS M B350 -B54
 DSC M B572 B573

Suba must be tuberculous esophagitis
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must involve the GI tract
 Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3

DS M B650 -B659

Suba must involve the GI tract

ICD-10-Mortality Manual 2c - 2014

DS	M	B878		Suba must involve the GI tract
DS	M	B908		Suba must involve the GI tract
DS	M	C798		Suba must involve the GI tract
DS	M	C810	-C969	Suba must involve the GI tract
SMP	M	K768		Suba must be hemorrhage
SMP	M	K868		Suba must be hemorrhage
DS	M	T380		Addr must be gastric hemorrhage
DS	M	T385		Addr must be gastric hemorrhage
DS	M	T387	-T388	Addr must be gastric hemorrhage
DS	M	T390		Addr must be gastric hemorrhage
DS	M	T393		Addr must be gastric hemorrhage
DS	M	X40		Addr must be gastric hemorrhage
DS	M	X44		Addr must be gastric hemorrhage
DS	M	X60		Addr must be gastric hemorrhage
DS	M	X64		Addr must be gastric hemorrhage
DS	M	Y10		Addr must be gastric hemorrhage
DS	M	Y14		Addr must be gastric hemorrhage
DS	M	Y420		Addr must be gastric hemorrhage
DS	M	Y427	-Y428	Addr must be gastric hemorrhage
DS	M	Y451	-Y453	Addr must be gastric hemorrhage

K928 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

K929 Address

DSC	M	B572	B573	Suba must be Chagas' disease NOS; addr must have modifier of in Chagas' disease in VOL3
-----	---	------	------	---

L

L00 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L020 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L021 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L022 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L023 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L024 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L028 Address

DSC	M	A061	A064	Addr must be an abscess
DSC	M	A069	A064	Addr must be an abscess
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014**L080 Address**

DSC	M	I830	I832	Addr must be dermatitis
DSC	M	I839	I831	Addr must be dermatitis

L081 Address

DSC	M	I830	I832	Addr must be dermatitis
DSC	M	I839	I831	Addr must be dermatitis

L088 Address

DSC	M	I830	I832	Addr must be dermatitis
DSC	M	I839	I831	Addr must be dermatitis

L089 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	I830	I832	Addr must be dermatitis
DSC	M	I839	I831	Addr must be dermatitis
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L280 Address

DSC	M	E859	E854	Addr must be lichen
-----	---	------	------	---------------------

L890 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired

ICD-10-Mortality Manual 2c - 2014

DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

L891 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

L892 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T230		impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

L893 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired

ICD-10-Mortality Manual 2c - 2014

DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

L899 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

L958 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L959 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

L984 Address

DSC	M	I831	I832	Addr must be ulcer skin
DSC	M	I839	I830	Addr must be ulcer skin

L988 Address

DSC	M	E859	E854	Addr must be degeneration skin
-----	---	------	------	--------------------------------

M

M000 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M001 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M002 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M069 Address

LMC	M	G629	M053	Rheumatoid arthritis with polyneuropathy
LMC	M	I319	M053	Rheumatoid arthritis with pericarditis
LMC	M	I38	M053	Rheumatoid arthritis with endocarditis only in suba
LMC	M	I514	M053	Rheumatoid arthritis with myocarditis
LMC	M	I776	M052	Rheumatoid arthritis with vasculitis
LMC	M	M436	M068	Rheumatoid arthritis with torticollis

M084 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M088 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M089 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M110 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M131 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M138 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M139 Address

SMP	M	A022		Arthritis (arthropathy) with salmonella arthritis (arthropathy)
SMP	M	A180		Arthritis (arthropathy) with tuberculous (spine) arthritis (arthropathy)
SMP	M	A251		Arthritis (arthropathy) with epidemic erythema arthritis (arthropathy)
SMP	M	A398		Arthritis (arthropathy) with postmeningococcal arthritis (arthropathy)
SMP	M	A521		Arthritis (arthropathy) with Charcot's or syphilitic arthritis (arthropathy)
SMP	M	A544		Arthritis (arthropathy) with gonococcal or blennorrhagic arthritis (arthropathy)
SMP	M	B068		Arthritis (arthropathy) with rubella arthritis (arthropathy)
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
SMP	M	B49		Arthritis (arthropathy) with mycotic arthritis (arthropathy)
SMP	M	B749		Arthritis (arthropathy) with chylous arthritis (arthropathy)
SMP	M	E702		Arthritis (arthropathy) with ochronotic arthritis (arthropathy)
SMP	M	I00		Arthritis (arthropathy) with febrile arthritis (arthropathy)
SMP	M	L405		Arthritis (arthropathy) with psoriatic arthritis (arthropathy)
SMP	M	M199	-M1990	Arthritis (arthropathy) NOS with atrophic arthritis (arthropathy)
SMP	M	M45		Arthritis (arthropathy) with rheumatoid spine arthritis (arthropathy)
SMP	M	M465		Arthritis (arthropathy) with infectious spine or pyogenic spine arthritis (arthropathy)
SMP	M	M469		Arthritis (arthropathy) NOS with back or spine arthritis (arthropathy)
SMP	M	M483		Arthritis (arthropathy) with traumatic spine arthritis (arthropathy)
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M152 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M154 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M158 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M162 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M163 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M300 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M301 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M302 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M308 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M354 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

M402 Address

SMP	M	M400	-M401	Use with kyphosis NOS only
-----	---	------	-------	----------------------------

M419 Address

SMP	M	A180		Use tuberculous scoliosis only
-----	---	------	--	--------------------------------

M436 Address

DSC	M	M069	M068	Rheumatoid arthritis with torticollis
-----	---	------	------	---------------------------------------

M460 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M461 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M462 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M463 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M472 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

M478 Address

LMC	M	G959	M471	Term in suba must be myelopathy
LMC	M	M541	M472	Term in suba must be radiculopathy

M479 Address

LMC	M	G959	M471	Term in suba must be myelopathy
LMC	M	M541	M472	Term in suba must be radiculopathy

M502 Address

LMC	M	G959	M500	Term in suba must be myelopathy
LMC	M	M541	M501	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M501	Term in suba must be neuritis

M503 Address

LMC	M	G959	M500	Term in suba must be myelopathy
LMC	M	M541	M501	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M501	Term in suba must be neuritis

M508 Address

LMC	M	G959	M500	Term in suba must be myelopathy
LMC	M	M541	M501	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M501	Term in suba must be neuritis

M509 Address

LMC	M	G959	M500	Term in suba must be myelopathy
LMC	M	M541	M501	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M501	Term in suba must be neuritis

M512 Address

LMC	M	G959	M510	Term in suba must be myelopathy
LMC	M	M541	M511	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M511	Term in suba must be neuritis

M513 Address

LMC	M	G959	M510	Term in suba must be myelopathy
LMC	M	M541	M511	Term in suba must be radiculitis or radiculopathy
LMC	M	M792	M511	Term in suba must be neuritis

M518 Address

ICD-10-Mortality Manual 2c - 2014

LMC	M	G959		M510	Term in suba must be myelopathy
LMC	M	M541		M511	Term in suba must be radiculitis or radiculopathy
LMC	M	M792		M511	Term in suba must be neuritis

M519 Address

SMP	M	C795			Suba must be intervertebral disk or vertebra
SMP	M	D480			Suba must be intervertebral disk or vertebra
LMC	M	G959		M510	Term in suba must be myelopathy
LMC	M	M541		M511	Term in suba must be radiculitis or radiculopathy
LMC	M	M792		M511	Term in suba must be neuritis

M541 Address

DSC	M	M478	-M479	M472	Term in addr must be radiculopathy
DSC	M	M502	-M509	M501	Term in suba must be radiculitis or radiculopathy
DSC	M	M512	-M513	M511	Term in addr must be radiculitis or radiculopathy
DSC	M	M518	-M519	M511	Term in addr must be radiculitis or radiculopathy

M543 Address

LMC	M	M545		M544	Suba must be lumbago
-----	---	------	--	------	----------------------

M545 Address

LMC	M	M543		M544	Suba must be lumbago
-----	---	------	--	------	----------------------

M628 Address

DS	M	T455			Addr must be hemorrhage
----	---	------	--	--	-------------------------

M679 Address

SMP	M	C499			Suba must be synovium or tendon
SMP	M	C798			Suba must be synovium or tendon

M720 Address

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

M721 Address

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B203	Addr must be an infectious condition caused by a viral organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

ICD-10-Mortality Manual 2c - 2014

M792 Address

DSC	M	M502	-M509	M501	Term in addr must be neuritis
DSC	M	M512	-M513	M511	Term in addr must be neuritis
DSC	M	M518	-M519	M511	Term in addr must be neuritis

M860 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

M861 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

M862 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

M863 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

M864 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported
DSC	M	R75		B201	Addr must be caused by a bacterial organism
DSC	M	R75		B203	Addr must be caused by a viral organism
DSC	M	R75		B208	Causative organism of addr not reported

M865 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
DSC	M	B24		B203	Addr must be caused by a viral organism
DSC	M	B24		B208	Causative organism of addr not reported

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

M866 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
LMC	M	M898	M864	Use only chronic osteomyelitis in addr with fistula in suba
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

M868 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

M869 Address

SMP	M	A010		Osteomyelitis with typhoid osteomyelitis only
SMP	M	A022		Osteomyelitis with salmonella osteomyelitis only
SMP	M	A180		Osteomyelitis with tuberculous osteomyelitis only
SMP	M	A527		Osteomyelitis with syphilitic osteomyelitis only
SMP	M	A544		Osteomyelitis with gonococcal osteomyelitis only
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	B24	B203	Addr must be caused by a viral organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B203	Addr must be caused by a viral organism
DSC	M	R75	B208	Causative organism of addr not reported

M898 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

M899 Address

SMP	M	Q799		Use anomaly or congenital deformity of bone in suba only
-----	---	------	--	--

M939 Address

SMP	M	A500		Suba must be congenital syphilitic, osteochondritis, osteochondrosis, osteochondropathy
SMP	M	A505		Suba must be late congenital syphilitic osteochondritis, osteochondrosis, osteochondropathy

M960 Address

DS	M	Y834		Procedure must be fusion or arthrodesis
DS	M	Y836	-Y838	Procedure must be fusion or arthrodesis
DS	M	Y883		Procedure must be fusion or arthrodesis

M961 Address

DS M Y883

Surgery must be a laminectomy

M962 Address

DS M Y883

Procedure must be radiation

M963 Address

DS M Y883

Surgery must be a laminectomy

M964 Address

DS M Y834

DS M Y836 -Y838

DS M Y883

Procedure must be fusion or arthrodesis

Procedure must be fusion or arthrodesis

Procedure must be fusion or arthrodesis

M965 Address

DS M Y883

Procedure must be radiation

M966 Address

DS M Y831 -Y832

DS M Y883

Surgery must be an orthopedic implant, joint prosthesis or bone

Surgery must be an orthopedic implant, joint prosthesis or bone

N

N000 Address

DSC M B24

DSC M B24

DSC M R75

DSC M R75

B201

B208

B201

B208

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

N001 Address

DSC M B24

DSC M B24

DSC M R75

DSC M R75

B201

B208

B201

B208

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

N002 Address

DSC M B24

DSC M B24

DSC M R75

DSC M R75

B201

B208

B201

B208

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

N003 Address

DSC M B24

DSC M B24

DSC M R75

DSC M R75

B201

B208

B201

B208

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

Addr must be an infectious condition caused by a bacterial organism

Causative organism of addr not reported

N004 Address

DSC M B24

B201

Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N005 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N006 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N007 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N008 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N009 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N010 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N011 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N012 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

N013 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N014 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N015 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N016 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N017 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N018 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N019 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N028 Address

LMP	M	N021	-N023	Addr must be IGA nephropathy
LMP	M	N025		Addr must be IGA nephropathy

N030 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
-----	---	-----	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N031 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N032 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N033 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N034 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N035 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N036 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N037 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N038 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B208	Causative organism of addr not reported
-----	---	-----	------	---

N039 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	N200	-N209	Suba must be chronic calculus nephritis
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N050 Address

SMP	M	A181		Suba must be tuberculous nephritis
SMP	M	A505		Suba must have mention of nephritis
SMP	M	A514		Suba must have mention of nephritis
SMP	M	A527		Suba must have mention of nephritis
SMP	M	A542		Suba must be gonococcal nephritis
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	E854		Suba must be amyloid nephritis
SMP	M	M103		Suba must have mention of nephritis
SMP	M	M310		Suba must have mention of nephritis
SMP	M	N060	-N12	Suba must be a type of nephritis
SMP	M	N189		Suba must be a type of nephritis
SMP	M	N26		Suba must be a type of nephritis
SMP	M	N288		Suba must be salt losing/salt wasting nephritis
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N051 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N052 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N053 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N054 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N055 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N056 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N057 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N058 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N059 Address

SMP	M	A181		Suba must be tuberculous nephritis
SMP	M	A505		Suba must have mention of nephritis
SMP	M	A514		Suba must have mention of nephritis
SMP	M	A527		Suba must have mention of nephritis
SMP	M	A542		Suba must be gonococcal nephritis
DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	E854		Suba must be amyloid nephritis
SMP	M	M103		Suba must have mention of nephritis
SMP	M	M310		Suba must have mention of nephritis
SMP	M	N060	-N12	Suba must be a type of nephritis
SMP	M	N189		Suba must be a type of nephritis
SMP	M	N26		Suba must be a type of nephritis
SMP	M	N288		Suba must be salt losing/salt wasting nephritis
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N10 Address

DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder

N110 Address

DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder

ICD-10-Mortality Manual 2c - 2014

N111 Address

DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder

N118 Address

DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder

N119 Address

DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder

N12 Address

SMP	M	A022		Addr must be pyelitis, pyelonephritis; suba must be typhoid pyelitis, pyelonephritis
SMP	M	A230	-A239	Addr must be pyelitis, pyelonephritis; suba must be brucellosis pyelitis, pyelonephritis
SMP	M	A368		Suba must be diphtheria pyelitis
SMP	M	A527		Addr must be pyelitis, pyelonephritis; suba must be syphilitic pyelitis, pyelonephritis
SMP	M	B588		Addr must be pyelitis, pyelonephritis; suba must be toxoplasmosis pyelitis, pyelonephritis
SMP	M	D868		Addr must be pyelitis, pyelonephritis; suba must be sarcoid pyelitis, pyelonephritis
SMP	M	D891		Addr must be pyelitis, pyelonephritis; suba must be cryoglobulinemic pyelitis, pyelonephritis
SMP	M	E740		Addr must be pyelitis, pyelonephritis; suba must be glycogen storage disease pyelitis, pyelonephritis
SMP	M	E830		Addr must be pyelitis, pyelonephritis; suba must be Wilson's pyelitis, pyelonephritis
DS	M	G544		Suba must involve the bladder
SMP	M	M350		Addr must be pyelitis, pyelonephritis; suba must be Sjogren's pyelitis, pyelonephritis
SMP	M	N10		Addr must be pyelitis, pyelonephritis; suba must be acute pyelitis, pyelonephritis
SMP	M	N119		Addr must be pyelitis, pyelonephritis; suba must be chronic pyelitis, pyelonephritis
SMP	M	N209		Addr must be pyelonephritis; Suba must be calculus pyelonephritis
DS	M	N410	-N429	With mention of obstruction of bladder

N130 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
LMC	M	N288	N136	Suba must be an infectious condition

N131 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
-----	---	-----	------	---

N132 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
-----	---	-----	------	---

N133 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
LMC	M	N135	N130	Suba must be obstruction of ureteropelvic junction
LMC	M	N135	N131	Suba must be ureteral stricture
LMC	M	N159	N136	Suba must be an infectious condition

N134 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
-----	---	-----	------	---

N135 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
LMC	M	N133	N130	Addr must be obstruction of ureteropelvic junction
LMC	M	N133	N131	Addr must be stricture, kink obstruction of ureter

N136 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N138 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
-----	---	-----	------	---

N139 Address

LMC	M	B49	N136	Suba must be fungus infection of urinary system
LMC	M	N288	N136	Suba must be an infectious condition

N151 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported

N158 Address

DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B238	Addr must be a non-infectious condition

N159 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	B24	B238	Addr must be a non-infectious condition
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Causative organism of addr not reported
DSC	M	R75	B238	Addr must be a non-infectious condition

N170 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N171 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N172 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N178 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N179 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N189 Address

SDC	M	F03		N185	Addr must be chronic uremia
SDC	M	G629		N185	Addr must be chronic uremia
SDC	M	H309		N185	Addr must be chronic uremia
SDC	M	I319		N185	Addr must be chronic uremia
SDC	M	I64	-I6400	N185	Addr must be chronic uremic; suba must be apoplexy
SDC	M	I694	-I6940	N185	Addr must be chronic uremic; suba must be apoplexy

N19 Address

DS	M	E000	-E02		Advanced, grave, severe
SDC	M	F03		N185	Addr must be uremia
DS	M	G10	-G121		Advanced, grave, severe
DS	M	G128	-G129		Advanced, grave, severe
DS	M	G210	-G259		Advanced, grave, severe
DS	M	G310	-G319		Advanced, grave, severe
DS	M	G360	-G379		Advanced, grave, severe
SDC	M	G629		N185	Addr must be uremia
DS	M	G64	-G819		Advanced, grave, severe
DS	M	G830	-G931		Advanced, grave, severe
DS	M	G934			Advanced, grave, severe
DS	M	G937	-G939		Advanced, grave, severe
DS	M	G960	-G98		Advanced, grave, severe
SDC	M	I319		N185	Addr must be uremia; Suba must be pericarditis
DS	M	I501	-I509		Advanced, grave, severe
DS	M	I515	-I516		Advanced, grave, severe
DS	M	I519			Advanced, grave, severe
SDC	M	I64	-I6400	N185	Addr must be uremia; suba must be apoplexy
SDC	M	I694	-I6940	N185	Addr must be uremia; suba must be apoplexy
DS	M	K500	-K519		Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N280 Address

DSC	M	B24		B238	Addr must be specified as an embolism of the renal artery
DS	M	B900	-C97		Addr must be specified as an embolism of the renal artery
DS	M	D320	-D339		Addr must be specified as an embolism of the renal artery
DS	M	D370	-D479		Addr must be specified as an embolism of the renal artery
DS	M	D810	-D819		Addr must be specified as an embolism of the renal artery
DS	M	D860			Addr must be specified as an embolism of the renal artery
DS	M	E000	-E038		Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	E0390			Addr must be specified as an embolism of the renal artery
DS	M	E050	-E059		Addr must be specified as an embolism of the renal artery
DS	M	E100	-E107		Addr must be specified as an embolism of the renal artery
DS	M	E110	-E117		Addr must be specified as an embolism of the renal artery
DS	M	E120	-E127		Addr must be specified as an embolism of the renal artery
DS	M	E130	-E137		Addr must be specified as an embolism of the renal artery
DS	M	E140	-E147		Addr must be specified as an embolism of the renal artery
DS	M	E15			Addr must be specified as an embolism of the renal artery
DS	M	E40	-E43		Addr must be specified as an embolism of the renal artery
DS	M	E46			Addr must be specified as an embolism of the renal artery
DS	M	E640			Addr must be specified as an embolism of the renal artery
DS	M	E840	-E849		Addr must be specified as an embolism of the renal artery
DS	M	F010	-F03		Addr must be specified as an embolism of the renal artery
DS	M	F202			Addr must be specified as an embolism of the renal artery
DS	M	F322	-F323		Addr must be specified as an embolism of the renal artery
DS	M	F332	-F333		Addr must be specified as an embolism of the renal artery
DS	M	F500	-F503		Addr must be specified as an embolism of the renal artery
DS	M	F505	-F509		Addr must be specified as an embolism of the renal artery
DS	M	F73			Addr must be specified as an embolism of the renal artery
DS	M	G09	-G121		Addr must be specified as an embolism of the renal artery

ICD-10-Mortality Manual 2c - 2014

DS	M	G1220	-G129	Addr must be specified as an embolism of the renal artery
DS	M	G2000	-G379	Addr must be specified as an embolism of the renal artery
DS	M	G600	-G931	Addr must be specified as an embolism of the renal artery
DS	M	G934	-G98	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I5000	-I509	Addr must be specified as an embolism of the renal artery
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I515	-I516	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	I519	-I698	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	I740	-I741	Addr must be embolism
DS	M	K500	-K519	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	K550	-K559	Addr must be specified as an embolism of the renal artery
DS	M	K700	-K719	Addr must be specified as an embolism of the renal artery
DS	M	K730	-K769	Addr must be specified as an embolism of the renal artery
DS	M	K860	-K919	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	L400	-L409	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M020	-M198	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M1990		Addr must be specified as an embolism of the renal artery
DS	M	M320	-M329	Addr must be specified as an embolism of the renal artery
DS	M	M340	-M349	Addr must be specified as an embolism of the renal artery
DS	M	M410	-M435	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is

ICD-10-Mortality Manual 2c - 2014

DS	M	M45	-M479	evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar) Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M481	-M519	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M610	-M619	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M623	-M624	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M800	-M849	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M870	-M879	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M910	-M949	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	M960	-M969	Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	O033		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O038		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O043		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O048		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O053		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O058		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O063		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O068		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries

ICD-10-Mortality Manual 2c - 2014

DS	M	O073			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O078			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O087			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	O60	-O849		Addr must be embolism
DS	M	O994			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Q000	-Q079		Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	Q200	-Q249		Addr must be specified as an embolism of the renal artery
DS	M	Q310	-Q359		Addr must be specified as an embolism of the renal artery
DS	M	Q370	-Q379		Addr must be specified as an embolism of the renal artery
DS	M	Q710	-Q799		Addr must be specified as an embolism of the renal artery; suba must be described as severe, advanced, grave or with similar expression or it is evident patients mobility was substantially impaired (mention of wheelchair, statement such as reduced mobility, bedridden or similar)
DS	M	Q850	-Q999		Addr must be specified as an embolism of the renal artery
DSC	M	R75		B238	Addr must be specified as an embolism of the renal artery
DS	M	T801			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858			Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849		Addr must be embolism

N288 Address

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	B24		B238	Addr must be a non-infectious condition
DSC	M	E859		E854	Addr must be degeneration kidney
DSC	M	N130	-N135	N136	Addr must be an infectious condition
DSC	M	N139		N136	Addr must be an infectious condition
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported
DSC	M	R75		B238	Addr must be a non-infectious condition
DS	M	T455			Addr must be hemorrhage

N289 Address

SMP	M	A022		Suba must involve the kidney
SMP	M	A181		Suba must involve the kidney
SMP	M	A230	-A239	Suba must involve the kidney
SMP	M	A368		Suba must involve the kidney
SMP	M	A505		Suba must involve the kidney
SMP	M	A514		Suba must involve the kidney
SMP	M	A527		Suba must involve the kidney
SMP	M	A542		Suba must involve the kidney
SMP	M	B588		Suba must involve the kidney
SMP	M	C791		Suba must be ureter
SMP	M	D868		Suba must involve the kidney
SMP	M	D891		Suba must involve the kidney
SMP	M	E270		Suba must involve the kidney
SMP	M	E740		Suba must involve the kidney
SMP	M	E830		Suba must involve the kidney
SMP	M	E854		Suba must involve the kidney
SMP	M	M103		Suba must involve the kidney
SMP	M	M310		Suba must involve the kidney
SMP	M	M350		Suba must involve the kidney

N300 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G110	-G113	Advanced, grave, severe
DS	M	G118	-G119	Advanced, grave, severe
DS	M	G121		Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360		Advanced, grave, severe
DS	M	G371	-G372	Advanced, grave, severe
DS	M	G600	-G729	Advanced, grave, severe
DS	M	G830	-G833	Advanced, grave, severe
DS	M	G838	-G912	Advanced, grave, severe
DS	M	G918	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M470	Advanced, grave, severe
DS	M	M472	-M479	Advanced, grave, severe
DS	M	M481	-M509	Advanced, grave, severe
DS	M	M511	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N410	-N429	Advanced, grave, severe
DS	M	Q000	-Q049	Advanced, grave, severe
DS	M	Q070	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

N301 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G110	-G113	Advanced, grave, severe
DS	M	G118	-G119	Advanced, grave, severe
DS	M	G121		Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360		Advanced, grave, severe
DS	M	G371	-G372	Advanced, grave, severe
DS	M	G600	-G729	Advanced, grave, severe
DS	M	G830	-G833	Advanced, grave, severe
DS	M	G838	-G912	Advanced, grave, severe
DS	M	G918	-G931	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M470	Advanced, grave, severe
DS	M	M472	-M479	Advanced, grave, severe
DS	M	M481	-M509	Advanced, grave, severe
DS	M	M511	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N410	-N429	Advanced, grave, severe
DS	M	Q000	-Q049	Advanced, grave, severe
DS	M	Q070	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

				impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

ICD-10-Mortality Manual 2c - 2014

N302 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G110	-G113	Advanced, grave, severe
DS	M	G118	-G119	Advanced, grave, severe
DS	M	G121		Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360		Advanced, grave, severe
DS	M	G371	-G372	Advanced, grave, severe
DS	M	G600	-G729	Advanced, grave, severe
DS	M	G830	-G833	Advanced, grave, severe
DS	M	G838	-G912	Advanced, grave, severe
DS	M	G918	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M470	Advanced, grave, severe
DS	M	M472	-M479	Advanced, grave, severe
DS	M	M481	-M509	Advanced, grave, severe
DS	M	M511	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N410	-N429	Advanced, grave, severe
DS	M	Q000	-Q049	Advanced, grave, severe
DS	M	Q070	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	S657		impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019

ICD-10-Mortality Manual 2c - 2014

DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

N303 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G600	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

N308 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G308	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G600	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T230		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death

ICD-10-Mortality Manual 2c - 2014

				and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07

N309 Address

DS	M	E000	-E038	Advanced, grave, severe
DS	M	E850	-E858	DS if with lung involvement
DS	M	G110	-G113	Advanced, grave, severe
DS	M	G118	-G119	Advanced, grave, severe
DS	M	G121		Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G360		Advanced, grave, severe
DS	M	G371	-G372	Advanced, grave, severe
DS	M	G600	-G729	Advanced, grave, severe
DS	M	G830	-G833	Advanced, grave, severe
DS	M	G838	-G912	Advanced, grave, severe
DS	M	G918	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I00	-I029	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M300	-M319	Advanced, grave, severe
DS	M	M350	-M352	Advanced, grave, severe
DS	M	M354	-M359	Advanced, grave, severe
DS	M	M45	-M470	Advanced, grave, severe
DS	M	M472	-M479	Advanced, grave, severe
DS	M	M481	-M509	Advanced, grave, severe
DS	M	M511	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	N410	-N429	Advanced, grave, severe
DS	M	Q000	-Q049	Advanced, grave, severe
DS	M	Q070	-Q079	Advanced, grave, severe
DS	M	S617	-S619	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S650	-S651	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S657		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S659		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	S684	-S699	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T038		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T098		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T118		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T138		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T148		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially

ICD-10-Mortality Manual 2c - 2014

DS	M	T230		impaired Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T233	-T234	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T237		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T250		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T253	-T254	Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T257		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T698		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T708		Rule 3 should be applied if injury occurred within 4 weeks before death and it is evident from certificate that patient's mobility was substantially impaired
DS	M	T901		DS if sequelae of S017 or of S019
DS	M	T904		DS if sequelae of S057
DS	M	T908		DS if sequelae of S070-S090 or of S097-S098
DS	M	T910		DS if sequelae of S11, S21, S310-S311, S317-S318, or T091
DS	M	T912		DS if sequelae of S222-S229, S321, S323-S325, or S328
DS	M	T918		DS if sequelae of S130-S134, S136, S146, S15-, S17-, S197-S198, S230-S231, S233, S235, S25-, S28-, S290-S298, S330-S331, S335, S337, S343, S35-, S38-, S390-S398, T096, or T098
DS	M	T920		DS if sequelae of S41-, S51-, S617-S619, or T111
DS	M	T926	-T928	DS if sequelae of S47-S489, S570-S589, S684-S689, or T116
DS	M	T930		DS if sequelae of S71-, S81-, S910, S917, or T131
DS	M	T932		DS if sequelae of S82-, S927, or T12
DS	M	T938		DS if sequelae of S75-, S797-S798, S85-, S897-S898, S950-S951, S957, S959, S997-S998, T134, and of serious injuries in T138
DS	M	T940	-T959	DS if sequelae of T010-T031, T033-T034, or T038-T07
<i>N310 Address</i>				
DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N311 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N312 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N318 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N319 Address

DS	M	E000	-E02	Advanced, grave, severe
DS	M	G10	-G121	Advanced, grave, severe
DS	M	G128	-G129	Advanced, grave, severe
DS	M	G210	-G259	Advanced, grave, severe
DS	M	G310	-G319	Advanced, grave, severe
DS	M	G360	-G379	Advanced, grave, severe
DS	M	G64	-G819	Advanced, grave, severe
DS	M	G830	-G931	Advanced, grave, severe
DS	M	G934		Advanced, grave, severe
DS	M	G937	-G939	Advanced, grave, severe
DS	M	G960	-G98	Advanced, grave, severe
DS	M	I501	-I509	Advanced, grave, severe
DS	M	I515	-I516	Advanced, grave, severe
DS	M	I519		Advanced, grave, severe
DS	M	K500	-K519	Advanced, grave, severe
DS	M	K750	-K761	Advanced, grave, severe
DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

N328 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N329 Address

SMP	M	A181		Suba must involve the bladder
SMP	M	A368		Suba must involve the bladder
SMP	M	A527		Suba must involve the bladder
SMP	M	A540		Suba must involve the bladder
SMP	M	A560		Suba must involve the bladder
SMP	M	A590		Suba must involve the bladder
SMP	M	B650	-B659	Suba must involve the bladder
SMP	M	C791		Suba must involve the bladder
SMP	M	Q643		Suba must involve the bladder
SMP	M	Q645	-Q648	Suba must involve the bladder

N340 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

N341 Address

DSC	M	B24	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24	B208	Addr must be an infectious condition with causative organism not reported
DS	M	G544		Suba must involve the bladder
DS	M	N410	-N429	With mention of obstruction of bladder
DSC	M	R75	B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75	B208	Addr must be an infectious condition with causative organism not reported

ICD-10-Mortality Manual 2c - 2014***N342 Address***

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DS	M	G544			Suba must involve the bladder
DS	M	N410	-N429		With mention of obstruction of bladder
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

N351 Address

DS	M	G544			Suba must involve the bladder
DS	M	N410	-N429		With mention of obstruction of bladder

N358 Address

DS	M	G544			Suba must involve the bladder
DS	M	N410	-N429		With mention of obstruction of bladder

N359 Address

DS	M	G544			Suba must involve the bladder
DS	M	N410	-N429		With mention of obstruction of bladder

N368 Address

DS	M	T455			Addr must be hemorrhage
----	---	------	--	--	-------------------------

N369 Address

SMP	M	A540	-A541		Suba must involve the urethra
SMP	M	A560			Suba must involve the urethra
SMP	M	A590			Suba must involve the urethra
SMP	M	A64			Suba must involve the urethra
SMP	M	B374			Suba must involve the urethra
SMP	M	C791			Suba must involve the urethra
SMP	M	D091			Suba must involve the urethra
SMP	M	M023			Suba must involve the urethra
SMP	M	Q645			Suba must involve the urethra
SMP	M	Q647	-Q648		Suba must involve the urethra

N390 Address

DSC	M	B24		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	B24		B208	Addr must be an infectious condition with causative organism not reported
DS	M	G544			Suba must involve the bladder
DS	M	N410	-N429		With mention of obstruction of bladder
DSC	M	R75		B201	Addr must be an infectious condition caused by a bacterial organism
DSC	M	R75		B208	Addr must be an infectious condition with causative organism not reported

N410 Address

DSC	M	B24		B201	Addr must be caused by a bacterial organism
-----	---	-----	--	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

N411 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N412 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N413 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N418 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N419 Address

SMP	M	A181		Suba must involve the prostate
SMP	M	A542		Suba must involve the prostate
SMP	M	A590		Suba must involve the prostate
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N421 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N429 Address

SMP	M	C798		Suba must be prostate
-----	---	------	--	-----------------------

N450 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N459 Address

SMP	M	A181		Suba must involve the testes
SMP	M	A527		Suba must involve the testes
SMP	M	A542		Suba must involve the testes
SMP	M	A561		Suba must involve the testes
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N481 Address

SMP	M	A068		Suba must involve the penis
SMP	M	A540		Suba must involve the penis
SMP	M	A57		Suba must involve the penis
SMP	M	A638	-A64	Suba must involve the penis
DSC	M	B24	B201	Addr must be caused by a bacterial organism
SMP	M	B374		Suba must involve the penis

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

N482 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N488 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I069	Addr must be embolism
DS	M	I080	-I089	Addr must be embolism
DS	M	I091		Addr must be embolism
DS	M	I330	-I359	Addr must be embolism; Suba must be mitral, aortic, or unspecified valve
DS	M	I38		Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I513		Addr must be embolism; Suba must be left heart or unspecified
DS	M	I740	-I741	Addr must be embolism
DS	M	T455		Addr must be hemorrhage
DS	M	T801		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T817		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T828		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T838		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T848		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	T858		Addr must be embolism; Suba must be thrombosis of left heart, aorta, or main arteries
DS	M	Y600	-Y849	Addr must be embolism

N489 Address

SMP	M	C798		Suba must be penis
SMP	M	D407		Suba must be penis

N490 Address

SMP	M	A068		Suba must involve the seminal vesicle
SMP	M	A181		Suba must involve the seminal vesicle
SMP	M	A542		Suba must involve the seminal vesicle
SMP	M	A590		Suba must involve the seminal vesicle
DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N491 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N492 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

ICD-10-Mortality Manual 2c - 2014

DSC	M	R75	B201	Addr must be caused by a bacterial organism
-----	---	-----	------	---

N498 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N499 Address

DSC	M	B24	B201	Addr must be caused by a bacterial organism
DSC	M	R75	B201	Addr must be caused by a bacterial organism

N501 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N508 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N509 Address

SMP	M	C600	-C639	Addr must be disease male genital organ NEC
SMP	M	C798		Addr must be testes
SMP	M	D074	-D076	Addr must be disease male genital organ NEC
SMP	M	D290	-D299	Addr must be disease male genital organ NEC
SMP	M	D400	-D409	Addr must be disease male genital organ NEC
SMP	M	Q530	-Q559	Addr must be disease male genital organ NEC
SMP	M	Q561		Addr must be disease male genital organ NEC

N645 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N700 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N701 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N709 Address

SMP	M	A181		Suba must involve the ovary/fallopian tube
SMP	M	A542		Suba must involve the ovary/fallopian tube
SMP	M	A561		Suba must involve the ovary/fallopian tube
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N710 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N711 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N719 Address

SMP	M	A181		Suba must involve the endometrium
SMP	M	A542		Suba must involve the endometrium
SMP	M	A561		Suba must involve the endometrium
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N72 Address

SMP	M	A181		Suba must involve the cervix
SMP	M	A527		Suba must involve the cervix
SMP	M	A540		Suba must involve the cervix
SMP	M	A560		Suba must involve the cervix
SMP	M	A590		Suba must involve the cervix
SMP	M	A600		Suba must involve the cervix
DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N730 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N731 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N732 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N733 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N734 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N735 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N736 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N738 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N739 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N750 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N751 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N758 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N759 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N760 Address

SMP	M	A068		Suba must involve the vagina
SMP	M	A181		Suba must involve the vagina
SMP	M	A510		Suba must involve the vagina
SMP	M	A527		Suba must involve the vagina
SMP	M	A540		Suba must involve the vagina
SMP	M	A560		Suba must involve the vagina
SMP	M	A590		Suba must involve the vagina
SMP	M	A600		Suba must involve the vagina
SMP	M	A64		Suba must involve the vagina
DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B373		Suba must involve the vagina
SMP	M	B80		Suba must involve the vagina
SMP	M	N761		Addr must be vaginitis and vulvovaginitis NOS
SMP	M	N952		Suba must involve the vagina
DSC	M	R75	B208	Causative organism of addr not reported

N761 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N762 Address

SMP	M	A181		Suba must involve the vulva
SMP	M	A510		Suba must involve the vulva
SMP	M	A527		Suba must involve the vulva
SMP	M	A540	-A541	Suba must involve the vulva
SMP	M	A560		Suba must involve the vulva
SMP	M	A57		Suba must involve the vulva
SMP	M	A590		Suba must involve the vulva

ICD-10-Mortality Manual 2c - 2014

DSC	M	B24	B208	Causative organism of addr not reported
SMP	M	B373		Suba must involve the vulva
SMP	M	N763		Addr must be acute vulvitis
SMP	M	N904		Suba must involve the vulva
DSC	M	R75	B208	Causative organism of addr not reported

N763 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N764 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N765 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N766 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N768 Address

DSC	M	B24	B208	Causative organism of addr not reported
DSC	M	R75	B208	Causative organism of addr not reported

N831 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N838 Address

DS	M	T455		Addr must be hemorrhage
----	---	------	--	-------------------------

N839 Address

SMP	M	C56	-C570	Addr must be disease, ovary
SMP	M	C796		Addr must be disease, ovary
SMP	M	C798		Site must be fallopian tube
SMP	M	D073		Site must be fallopian tube/ovary
SMP	M	D27		Addr must be disease, ovary
SMP	M	D282		Site must be fallopian tube
SMP	M	D391		Addr must be disease, ovary
SMP	M	D397		Site must be fallopian tube
SMP	M	Q500	-Q504	Addr must be disease, ovary
SMP	M	Q506		Suba must be fallopian tube

N859 Address

SMP	M	C798		Suba must be uterus
SMP	M	D070		Suba must be uterus
SMP	M	D073		Suba must be uterus

N888 Address

ICD-10-Mortality Manual 2c - 2014

DS M T455

Addr must be hemorrhage

N889 Address

SMP M C798

Suba must be cervix uteri

SMP M D073

Suba must be corpus uteri

N899 Address

SMP M C798

Suba must be vagina

SMP M D397

Suba must be vagina

N908 Address

DS M T455

Addr must be hemorrhage

N909 Address

SMP M C798

Suba must be vulva

SMP M D397

Suba must be vulva

N948 Address

DS M T455

Addr must be hemorrhage

N949 Address

SMP M C798

Suba must be female genital organ NEC

N992 Address

DS M Y831 -Y832

Surgery must be on the female genital organs or surgery NOS

DS M Y834

Surgery must be on the female genital organs or surgery NOS

DS M Y836 -Y839

Surgery must be on the female genital organs or surgery NOS

DS M Y883

Surgery must be on the female genital organs or surgery NOS

N993 Address

DS M Y836

Surgery must be a hysterectomy

DS M Y883

Surgery must be a hysterectomy

N994 Address

DS M Y830 -Y849

Procedure must be on the female genital organs or procedure NOS

DS M Y883

Procedure must be on the female genital organs or procedure NOS

N995 Address

DS M Y833

Stoma must be of the urinary tract

DS M Y883

Stoma must be of the urinary tract

Q

0032 Address

DS M I011

Addr must not be pulmonary embolism

DS M I020

Addr must not be pulmonary embolism

DS M I050 -I080

Addr must not be pulmonary embolism

DS M I340 -I359

Addr must not be pulmonary embolism

DS M I48 -I499

Addr must not be pulmonary embolism

DS M I740 -I741

Addr must be of lower body

ICD-10-Mortality Manual 2c - 2014

DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0037 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0039 Address

SMP	M	O030	-O038	Suba must be unspecified
-----	---	------	-------	--------------------------

0042 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0047 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism

ICD-10-Mortality Manual 2c - 2014

DS	M	O879		Addr must be pulmonary embolism
----	---	------	--	---------------------------------

0049 Address

SMP	M	O040	-0048	Addr must be unspecified
-----	---	------	-------	--------------------------

0052 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0057 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0059 Address

SMP	M	O050	-0058	Addr must be unspecified
-----	---	------	-------	--------------------------

0062 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0067 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0072 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0077 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

0082 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I379	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body

ICD-10-Mortality Manual 2c - 2014

DS	M	I800	-I809		Addr must be pulmonary embolism
DS	M	I821	-I829		Addr must be pulmonary embolism
DS	M	O223			Addr must be pulmonary embolism
DS	M	O229			Addr must be pulmonary embolism
DS	M	O871			Addr must be pulmonary embolism
DS	M	O879			Addr must be pulmonary embolism

O100 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O101 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O102 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O103 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O104 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O109 Address

DSC	M	O13		O11	Suba must be mild pre-eclampsia
-----	---	-----	--	-----	---------------------------------

O120 Address

DSC	M	O16		O140	Addr must be qualified as moderate
DSC	M	O16		O141	Addr must be qualified as severe
DSC	M	O16		O149	Addr must be unspecified

O121 Address

DSC	M	O16		O140	Addr must be qualified as moderate
DSC	M	O16		O141	Addr must be qualified as severe
DSC	M	O16		O149	Addr must be unspecified

O122 Address

DSC	M	O16		O140	Addr must be qualified as moderate
DSC	M	O16		O141	Addr must be qualified as severe
DSC	M	O16		O149	Addr must be unspecified

O13 Address

LMC	M	O100	-O109	O11	Addr must be mild pre-eclampsia
-----	---	------	-------	-----	---------------------------------

O16 Address

LMC	M	O120	-O122	O140	Suba must be qualified as moderate
LMC	M	O120	-O122	O141	Suba must be qualified as severe
LMC	M	O120	-O122	O149	Suba must be unspecified

O239 Address

SMP	M	O230	-O235		Addr must be an unspecified infection
-----	---	------	-------	--	---------------------------------------

ICD-10-Mortality Manual 2c - 2014**0323 Address**

LDC	M	O669	O640	Addr must be presentation face to pubes
LDC	M	O669	O642	Addr must be presentation fetal chin, face or mentum
LDC	M	O669	O643	Addr must be presentation fetal brow or extended head

0330 Address

LMP	M	O650		Addr must be spondylolysis (acquired) lumbosacral region with disproportion
LMP	M	O658		Addr must not be spondylolysis (acquired) lumbosacral region with disproportion
LMC	M	O669	O650	Addr must not be spondylolysis (acquired) lumbosacral region with disproportion
LMC	M	O669	O658	Addr must be spondylolysis (acquired) lumbosacral region with disproportion

0338 Address

LMP	M	O650		Addr must be distortion lumbar spine with distortion
LMC	M	O669	O650	Addr must be distortion lumbar spine with distrotion

0441 Address

LMC	M	O469	O468	Must be abnormal placenta with antepartum hemorrhage
LMC	M	O679	O678	Must be abnormal placenta with intrapartum hemorrhage

0669 Address

DSC	M	O330	O650	Suba must not be spondylolysis (acquired) lumbosacral region with disproportion
DSC	M	O330	O658	Suba must be spondylolysis (acquired) lumbosacral region with disproportion
DSC	M	O338	O650	Suba must be distortion lumbar spine with distrotion

0721 Address

LMP	M	O720		Addr must be postpartum hemorrhage NOS
-----	---	------	--	--

0882 Address

DS	M	I011		Addr must not be pulmonary embolism
DS	M	I020		Addr must not be pulmonary embolism
DS	M	I050	-I080	Addr must not be pulmonary embolism
DS	M	I340	-I359	Addr must not be pulmonary embolism
DS	M	I48	-I499	Addr must not be pulmonary embolism
DS	M	I740	-I741	Addr must be of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism
SMP	M	O880	-O881	Subas must be obstetric embolisms of specified sites
SMP	M	O883	-O888	Subas must be specified types of obstetric embolisms

ICD-10-Mortality Manual 2c - 2014

O927 Address

SMP M O920 -O926 Addr must be an unspecified disorder of lactation

P

P022 Address

SMP M P020 -P021 Addr must be unspecified condition of placenta

SMP M P023 Addr must be unspecified condition of placenta

P025 Address

LMP M P024 Addr must be compression umbilical cord

P026 Address

SMP M P024 -P025 Addr must be unspecified condition of umbilical cord

P071 Address

SMP M P070 Addr must be low birth weight NOS

P108 Address

LMP M P101 Addr must be laceration brain during birth

P236 Address

SMP M P233 Addr must be streptococcal pneumonia NOS

P379 Address

SMP M P370 -P378 Addr must be congenital infectious disease, suba must be specified infectious disease and/or addr must be congenital parasitic disease, suba must be specified congenital parasitic disease

P549 Address

SMP M P020 -P021 Suba must be hemorrhage

SMP M P115 Suba must be hemorrhage

SMP M P122 Suba must be hemorrhage

SMP M P150 -P159 Suba must be hemorrhage

Q

Q043 Address

LMP M Q050 -Q054 Addr must be hydranencephaly

LMC M Q055 Q050 Addr must be hydranencephaly

LMC M Q056 Q051 Addr must be hydranencephaly

LMC M Q057 Q052 Addr must be hydranencephaly

LMC M Q058 Q053 Addr must be hydranencephaly

LMC M Q059 Q054 Addr must be hydranencephaly

Q055 Address

LMC M Q043 Q050 Suba must be hydranencephaly

ICD-10-Mortality Manual 2c - 2014

Q056 Address

LMC M Q043 Q051 Suba must be hydranencephaly

Q057 Address

LMC M Q043 Q052 Suba must be hydranencephaly

Q058 Address

LMC M Q043 Q053 Suba must be hydranencephaly

Q059 Address

LMC M Q043 Q054 Suba must be hydranencephaly

Q103 Address

SMP M Q100 -Q102 Addr must be congenital malformation of eyelid NOS

Q106 Address

SMP M Q104 -Q105 Addr must be congenital malformation of lacrimal apparatus NOS

Q132 Address

SMP M Q130 -Q131 Addr must be malformation of iris NOS

Q210 Address

LMP M Q204 Suba must be displacement ventricular septum with rudimentary ventricle

Q239 Address

SMP M Q230 -Q238 Addr must involve the aortic valve

Q254 Address

SMP M Q250 -Q253 Addr must be anomaly of aorta NOS

Q272 Address

SMP M Q271 Addr must be malformation of renal artery NOS

Q2780 Address

SMP M I6060 Suba must be stated congenital
SMP M Q141 Addr must be congenital aneurysm NOS; suba must be an aneurysm
SMP M Q245 Addr must be congenital aneurysm NOS
SMP M Q257 Addr must be congenital aneurysm NOS; suba must be an aneurysm
SMP M Q2820 Addr must be congenital aneurysm NOS

Q282 Address

SMP M I608 Addr must be arteriovenous malformation (cerebral)

Q2820 Address

SMP M I6080 Suba must be ruptured arteriovenous aneurysm (congenital) brain

Q2830 Address

SMP M I6060 Addr must be hypoglycemic coma
SMP M I6070 Suba must be congenital

ICD-10-Mortality Manual 2c - 2014

SMP M I6080
SMP M I6090

Addr must be hypoglycemic coma
Addr must be hypoglycemic coma

Q309 Address

SMP M Q674

Suba must involve the nose

Q321 Address

SMP M Q320

Addr must be congenital malformation of trachea

Q324 Address

SMP M Q323

Addr must be congenital malformation of bronchus NOS

Q359 Address

SMP M Q351 -Q357

Addr must be cleft palate NOS

Q380 Address

SMP M Q360 -Q379

Addr must be malformation of lip NOS

Q383 Address

SMP M Q380 -Q382

Addr must be malformation of tongue NOS

Q385 Address

SMP M Q351 -Q359
SMP M Q370 -Q379

Addr must be malformation of palate NOS
Addr must be malformation of palate NOS

Q388 Address

SMP M Q386 -Q387

Addr must be unspecified or NOS

Q402 Address

LMP M Q395
LMP M Q893

Addr must be congenital cardiospasm; suba must be megaesophagus
Addr must be transposition stomach

Q421 Address

LMC M Q436 Q420

Suba must be congenital fistula rectum

Q423 Address

LMC M Q436 Q422

Suba must be congenital fistula anus

Q436 Address

LMC M Q421 Q420
LMC M Q423 Q422

Addr must be congenital fistula rectum
Addr must be congenital fistula anus

Q438 Address

LMP M Q433

Addr must be congenital malposition intestine

Q439 Address

SMP M Q430 -Q432
LMP M Q433
SMP M Q434 -Q438

Site of suba must be same as addr site
Suba must be anomalous adhesions, fixation or rotation of intestine
Site of suba must be same as addr site

ICD-10-Mortality Manual 2c - 2014

Q441 Address

SMP M Q440 Addr must be malformation of gallbladder NOS

Q445 Address

SMP M Q442 -Q444 Addr must be malformation of bile duct NOS

Q447 Address

SMP M Q446 Addr must be malformation of liver NOS

Q453 Address

SMP M Q450 -Q452 Addr must malformation of pancreas NOS

Q458 Address

SMP M Q383 -Q384 Suba must be absence, duplication, malposition of specific GI site
SMP M Q398 Suba must be absence, duplication, malposition of specific GI site
SMP M Q402 Suba must be absence, duplication, malposition of specific GI site
SMP M Q408 Suba must be absence, duplication, malposition of specific GI site
SMP M Q410 -Q429 Suba must be absence, duplication, malposition of specific GI site
SMP M Q433 -Q434 Suba must be absence, duplication, malposition of specific GI site
SMP M Q438 Suba must be absence, duplication, malposition of specific GI site
SMP M Q440 -Q441 Suba must be absence, duplication, malposition of specific GI site
SMP M Q445 Suba must be absence, duplication, malposition of specific GI site
SMP M Q447 -Q450 Suba must be absence, duplication, malposition of specific GI site
SMP M Q453 Suba must be absence, duplication, malposition of specific GI site

Q503 Address

SMP M Q500 -Q502 Addr must be malformation of ovary NOS

Q506 Address

SMP M Q504 -Q505 Addr must be malformation fallopian tube NOS

Q512 Address

LMC M Q518 Q511 Suba must be double cervix

Q518 Address

LMC M Q512 Q511 Addr must be double cervix
LMC M Q521 Q511 Addr must be double cervix

Q521 Address

LMC M Q518 Q511 Suba must be double cervix

Q552 Address

SMP M Q550 -Q551 Addr must be malformation testes, scrotum NOS

Q556 Address

SMP M Q555 Addr must be malformation of penis NOS

Q628 Address

SMP M Q620 -Q627 Addr must be anomaly, ureter NOS

ICD-10-Mortality Manual 2c - 2014

Q639 Address

SMP M Q623 Suba must involve the kidney

Q647 Address

SMP M Q640 -Q646 Addr must be malformation bladder or urethra NOS

Q678 Address

SMP M Q676 -Q677 Addr must be deformity chest (wall) NOS

Q709 Address

LMC M Q788 Q700 Addr must involve fingers; suba must be synostosis

LMC M Q788 Q702 Addr must involve toes; suba must be synostosis

Q738 Address

SMP M Q710 -Q731 Addr must be reduction defects of unspecified limb

Q750 Address

LMP M Q000 Addr must be imperfect closure/fusion skull

LMP M Q010 -Q039 Addr must be imperfect closure/fusion skull

LMP M Q050 -Q054 Addr must be imperfect closure/fusion skull

Q758 Address

LMP M Q000 Addr must be absence, agenesis, deformity, distortion, hypoplasia of skull (bones)

LMP M Q010 -Q039 Addr must be absence, agenesis, deformity, distortion, hypoplasia of skull (bones)

LMP M Q050 -Q054 Addr must be absence, agenesis, deformity, distortion, hypoplasia of skull (bones)

Q759 Address

LMP M Q000 Addr must involve the skull (bone)

LMP M Q010 -Q039 Addr must involve the skull (bone)

LMP M Q050 -Q054 Addr must involve the skull (bone)

Q842 Address

SMP M Q840 -Q841 Addr must be malformation of hair NOS

Q846 Address

SMP M Q843 -Q845 Addr must be malformation of nail NOS

Q929 Address

LMP M Q924 -Q925 Addr must be accessory chromosomes

Q935 Address

LMP M Q937 Addr must be long arm chromosome 18 or 21 syndrome

R

R02 Address

ICD-10-Mortality Manual 2c - 2014

DSC	M	K400	K401	Addr must be of unspecified site and type
DSC	M	K402	K401	Addr must be of unspecified site and type
DSC	M	K403	K404	Addr must be of unspecified site and type
DSC	M	K409	K404	Addr must be of unspecified site and type
DSC	M	K410	K411	Addr must be of unspecified site and type
DSC	M	K412	K411	Addr must be of unspecified site and type
DSC	M	K413	K414	Addr must be of unspecified site and type
DSC	M	K419	K414	Addr must be of unspecified site and type
DSC	M	K420	K421	Addr must be of unspecified site and type
DSC	M	K429	K421	Addr must be of unspecified site and type
DSC	M	K430	K431	Addr must be of unspecified site and type
DSC	M	K439	K431	Addr must be of unspecified site and type
DSC	M	K440	K441	Addr must be of unspecified site and type
DSC	M	K449	K441	Addr must be of unspecified site and type
DSC	M	K450	K451	Addr must be of unspecified site and type
DSC	M	K458	K451	Addr must be of unspecified site and type
DSC	M	K460	K461	Addr must be of unspecified site and type
DSC	M	K469	K461	Addr must be of unspecified site and type
IDDC	M	L080	L88	Suba must be ecthyma/pyoderma; addr must be gangrene
IDDC	M	L309	L88	Addr must be gangrene

R064 Address

IDDC	M	R060	R060	Suba must be dyspnea
IDDC	M	R290	R068	Addr must be hyperpnea

R090 Address

IDDC	M	G934	G931	Addr must be anoxia and/or hypoxia
IDDC	M	G939	G931	Suba must be brain damage; addr must be anoxia and/or hypoxia
IDDC	M	N049	N170	Suba must be nephrosis; addr must be anoxia/hypoxia

R13 Address

DS	M	C788		Site in suba must be esophagus
----	---	------	--	--------------------------------

R160 Address

IDDC	M	R161	R162	Suba must not be qualified as idiopathic
------	---	------	------	--

R161 Address

IDDC	M	D649	D648	Suba must be anemia and anemia not qualified as idiopathic
------	---	------	------	--

R238 Address

IDDC	M	B07	L82	Suba must be verruca/wart; addr must be seborrhea
IDDC	M	L309	L219	Addr must be seborrhea
IDDC	M	L83	L82	Suba must be acanthosis; addr must be seborrhea

R270 Address

IDDC	M	G809	G804	Suba must be cerebral palsy
IDDC	M	G822	E538	Suba must be paraplegia
IDDC	M	I781	G113	Suba must be telangiectasia

R298 Address

ICD-10-Mortality Manual 2c - 2014

IDDC M	R568	G403	Addr must be akinesia; suba must be convulsions, seizures
R418 Address			
DSC M	F109	F107	Suba must be persisting cognitive impairment
R502 Address			
DS M	T983		Suba must be a sequela of conditions classified to T880-T883, T885-T887
R509 Address			
IDDC M	R568	R560	Addr must be fever; suba must be convulsions and/or seizures
IDDC M	R688	R508	Suba must be chills and/or fever; addr must be fever
R54 Address			
SENMCM	B07	L82	Suba must be (1) wart (common) (digitate) (filiformis) (infectious) (juvenile) (plantar) (viral) (2) verruca (filiformis)
SENMCM	D180	I781	Suba must be angioma
SENMCM	D229	I781	Suba must be nevus
SENMCM	E41	R54	Suba must be marasmus
SENMCM	F059	F051	Suba must be acute confusional state or subacute confusional state
SEND M	F068	F03	Suba must be organic psychotic state
SEND M	F220	F03	Suba must be paranoia, paranoid psychosis, paranoid state
SEND M	F233	F03	Suba must be paranoid reaction
SEND M	F329	F03	Suba must be depression, melancholia
SEND M	F39	F03	Suba must be affective psychosis
SENMCM	F99	F03	Suba must be mental changes NEC
SEND M	G319	G311	Suba must be (1) atrophy brain (2) degeneration, degenerative brain
SEND M	G379	I672	Suba must be sclerosis brain
SEND M	G409	G408	Suba must be epilepsy, epileptic, epilepsia
SEND M	G939	G311	Suba must be disease of brain
SEND M	H269	H259	Suba must be cataract (cortical) (immature) (incipient)
SEND M	H525	H524	Suba must be (1) accommodation insufficiency (2) insufficient accommodation
SEND M	I129	N26	Suba must be nephrosclerosis
SEND M	I150	N26	Suba must be nephrosclerosis
SEND M	I509	R54	Suba must be heart failure or failed heart
SEND M	I519	I514	Suba must be heart disease
SEND M	I776	I709	Suba must be endarteritis (bacterial) (infective) (septic) (subacute) (2) arteritis
SEND M	J40	J42	Suba must be (1) bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (inflammatory) (membranous) (2) tracheobronchitis
SEND M	L130	L120	Suba must be dermatitis herpetiformis (bullous) (erythematous) (pustular) (vesicular)
SEND M	L299	L298	Suba must be pruritus
SEND M	L859	L570	Suba must be hyperkeratosis
SEND M	L909	L908	Suba must be (1) atrophoderma (2) atrophodermia (3) skin atrophy
SEND M	M139	M199	Suba must be arthritis, arthritic (acute) (chronic) (subacute)
SEND M	M469	M479	Suba must be spondylitis
SEND M	M839	M831	Suba must be osteomalacia
SEND M	N760	N952	Suba must be vaginitis (acute)
SEND M	R02	I702	Suba must be gangrene, gangrenous (dry) (moist) (skin) (ulcer)

ICD-10-Mortality Manual 2c - 2014

SENDC M	R53	R54	Suba must be (1) asthenia, asthenic (2) debility (chronic) (general) (3) exhaustion (4) fatigue (5) weakness (6) prostration
SENDC M	R64	R54	Suba must be cachexia
SENDC M	R688	R54	Suba must be infirmity, infirmities

R568 Address

IDDC M	R290	R290	Addr must be convulsions and/or seizures
--------	------	------	--

R579 Address

IDDC M	J984	J80	Suba must be pulmonary insufficiency; addr must be shock
--------	------	-----	--

R58 Address

IDDC M	D649	D500	Suba must be anemia; addr must be bleeding, blood loss, or hemorrhage of unspecified site
IDDC M	D649	D62	Addr must be anemia; suba must be acute blood loss or acute hemorrhage
IDDC M	R05	R042	Suba must be cough; addr must be bleeding, blood loss or hemorrhage of unspecified site.

R5800 Address

IDDC M	D649	D500	Suba must be anemia; addr must be bleeding, blood loss, or hemorrhage of unspecified site
IDDC M	D649	D62	Addr must be anemia; suba must be acute blood loss or acute hemorrhage
IDDC M	R05	R042	Suba must be cough; addr must be bleeding, blood loss or hemorrhage of unspecified site.

R609 Address

IDDC M	N059	N049	Addr must be edema; suba must be nephritis
IDDC M	R64	E43	Suba must be inanition; addr must be edema

R628 Address

DSC M	E46	E45	Addr must be physical retardation or arrested development
-------	-----	-----	---

R64 Address

DS M	E000	-E02	Advanced, grave, severe
DS M	G10	-G121	Advanced, grave, severe
DS M	G128	-G129	Advanced, grave, severe
DS M	G210	-G308	Advanced, grave, severe
DS M	G310	-G379	Advanced, grave, severe
DS M	G64	-G819	Advanced, grave, severe
DS M	G830	-G931	Advanced, grave, severe
DS M	G934		Advanced, grave, severe
DS M	G937	-G939	Advanced, grave, severe
DS M	G960	-G98	Advanced, grave, severe
DS M	I501	-I509	Advanced, grave, severe
DS M	I515	-I516	Advanced, grave, severe
DS M	I519		Advanced, grave, severe
DS M	K500	-K519	Advanced, grave, severe
DS M	K750	-K761	Advanced, grave, severe

ICD-10-Mortality Manual 2c - 2014

DS	M	K763	-K769	Advanced, grave, severe
DS	M	K860	-K869	Advanced, grave, severe
DS	M	L400	-L409	Advanced, grave, severe
DS	M	M020	-M029	Advanced, grave, severe
DS	M	M100	-M128	Advanced, grave, severe
DS	M	M170	-M198	Advanced, grave, severe
DS	M	M410	-M435	Advanced, grave, severe
DS	M	M45	-M479	Advanced, grave, severe
DS	M	M481	-M519	Advanced, grave, severe
DS	M	M610	-M619	Advanced, grave, severe
DS	M	M623	-M624	Advanced, grave, severe
DS	M	M800	-M849	Advanced, grave, severe
DS	M	M870	-M879	Advanced, grave, severe
DS	M	M910	-M949	Advanced, grave, severe
DS	M	M960	-M969	Advanced, grave, severe
DS	M	Q000	-Q079	Advanced, grave, severe
DS	M	Q710	-Q719	Advanced, grave, severe

R688 Address

IDDC M R509 R508 Suba must be fever; addr must be chills and/or rigors

R75 Address

IDDC	M	D501	-D508	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D528		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D530	-D539	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D598		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D618		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D643		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D648		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D688		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D695	-D70	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D728		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D738		B201	Suba must be caused by a bacterial organism
IDDC	M	D738		B203	Suba must be caused by a viral organism
IDDC	M	D738		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	D738		B232	Suba must be a non-infectious condition
IDDC	M	D748		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D751		B232	Suba must not be stated as congenital, familial, genetic, idiopathic,

ICD-10-Mortality Manual 2c - 2014

					primary or due to an external cause
IDDC	M	D758		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D808	-D819	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D830	-D848	B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D891		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	D898		B232	Suba must not be stated as congenital, familial, genetic, idiopathic, primary or due to an external cause
IDDC	M	E033		B201	Suba must be caused by a bacterial organism
IDDC	M	E033		B203	Suba must be caused by a viral organism
IDDC	M	E033		B208	Causative organism of suba not reported
IDDC	M	E060		B201	Suba must be caused by a bacterial organism
IDDC	M	E060		B203	Suba must be caused by a viral organism
IDDC	M	E060		B208	Causative organism of suba not reported
IDDC	M	E061		B201	Suba must be subacute thyroiditis NOS caused by a bacterial organism
IDDC	M	E061		B203	Suba must be subacute thyroiditis caused by a viral agent
IDDC	M	E061		B208	Suba must be thyroiditis with causative organism not reported
IDDC	M	E062	-E063	B201	Suba must be caused by a bacterial organism
IDDC	M	E062	-E063	B203	Suba must be caused by a viral organism
IDDC	M	E062	-E063	B208	Causative organism of suba not reported
IDDC	M	E065		B201	Suba must be chronic thyroiditis caused by a bacterial organism
IDDC	M	E065		B203	Suba must be chronic thyroiditis caused by a viral agent
IDDC	M	E065		B208	Suba must be chronic thyroiditis with causative organism not reported
IDDC	M	E069		B201	Suba must be thyroiditis NOS caused by a bacterial organism
IDDC	M	E069		B203	Suba must be thyroiditis NOS caused by a viral organism
IDDC	M	E069		B208	Suba must be thyroiditis with causative organism not reported
IDDC	M	E15		B238	Suba must not be drug-induced
IDDC	M	E161	-E162	B238	Suba must not be drug-induced
IDDC	M	E220	-E237	B238	Suba must be a non-infectious condition
IDDC	M	G060	-G09	B201	Suba must be caused by a bacterial organism
IDDC	M	G060	-G09	B203	Suba must be caused by a viral organism
IDDC	M	G060	-G09	B208	Causative organism of suba not reported
IDDC	M	G373	-G374	B201	Suba must be caused by a bacterial organism
IDDC	M	G373	-G374	B203	Suba must be caused by a viral organism
IDDC	M	G373	-G374	B208	Causative organism of suba not reported
IDDC	M	G589		B201	Suba must be caused by a bacterial organism
IDDC	M	G589		B203	Suba must be caused by a viral organism
IDDC	M	G589		B208	Suba must be mononeuritis with causative organism not reported
IDDC	M	G589		B220	Suba must be a non-infectious condition
IDDC	M	G610	-G619	B201	Suba must be caused by a bacterial organism
IDDC	M	G610	-G619	B203	Suba must be caused by a viral organism
IDDC	M	G610	-G619	B208	Causative organism of suba not reported
IDDC	M	G628		B201	Suba must be polyradiculitis caused by a bacterial organism
IDDC	M	G628		B203	Suba must be polyradiculitis caused by a viral organism
IDDC	M	G628		B208	Suba must be polyradiculitis with no causative organism reported
IDDC	M	G628	-G629	B220	Suba must be a non-infectious condition
IDDC	M	G938		B220	Suba must not be caused by an external agent

ICD-10-Mortality Manual 2c - 2014

IDDC	M	G958		B220	Suba must not be caused by an external agent
IDDC	M	H050	-H059	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H050	-H059	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H050	-H059	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H440	-H449	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H440	-H449	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H440	-H449	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H590	-H599	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H590	-H599	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H590	-H599	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H650	-H749	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H650	-H749	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H650	-H749	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H810	-H832	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H810	-H832	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H810	-H832	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H950	-H959	B203	Suba must be caused by a viral organism and not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H950	-H959	B208	Causative organism of suba is not reported and suba is not stated congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	H950	-H959	B238	Suba must be a non-infectious condition not stated as congenital, familial, hereditary, primary, genetic and not due to external cause
IDDC	M	I278	-I279	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
IDDC	M	I301	-I309	B201	Suba must be caused by a bacterial organism
IDDC	M	I301	-I309	B203	Suba must be caused by a viral organism
IDDC	M	I301	-I311	B208	Causative organism of suba not reported
IDDC	M	I310	-I311	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	I310	-I311	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	I312	-I319	B238	Suba must be a non-infectious condition

ICD-10-Mortality Manual 2c - 2014

IDDC	M	I319		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	I319		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	I319		B208	Causative organism of suba not reported
IDDC	M	I330	-I339	B201	Suba must be caused by a bacterial organism
IDDC	M	I330	-I339	B203	Suba must be caused by a viral organism
IDDC	M	I330	-I339	B208	Causative organism of suba not reported
IDDC	M	I340	-I38	B201	Suba must be endocarditis and caused by a bacterial organism
IDDC	M	I340	-I38	B203	Suba must be endocarditis and caused by a viral organism
IDDC	M	I340	-I38	B208	Suba must be endocarditis with causative organism not reported
IDDC	M	I340	-I38	B238	Suba cannot be endocarditis
IDDC	M	I400	-I409	B201	Suba must be caused by a bacterial organism
IDDC	M	I400	-I409	B203	Suba must be caused by a viral organism
IDDC	M	I400	-I409	B208	Causative organism of suba not reported
IDDC	M	I514		B208	Suba must be myocarditis
IDDC	M	I518		B201	Suba must be carditis, pancarditis due to a bacterial organism
IDDC	M	I518		B208	Suba must be carditis, pancarditis with causative organism not reported
IDDC	M	I518		B238	Suba must be a non-infectious condition
IDDC	M	I600	-I6400	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
IDDC	M	I676	-I698	B238	Suba cannot be qualified as arteriosclerotic or hypertensive
IDDC	M	I677		B201	Suba must be caused by a bacterial organism
IDDC	M	I677		B203	Suba must be caused by a viral organism
IDDC	M	I677		B208	Causative organism of suba not reported
IDDC	M	I776		B201	Suba must be caused by a bacterial organism
IDDC	M	I776		B203	Suba must be caused by a viral organism
IDDC	M	I776		B208	Causative organism of suba not reported
IDDC	M	I800	-I809	B201	Suba must be caused by a bacterial organism
IDDC	M	I800	-I809	B203	Suba must be caused by a viral organism
IDDC	M	I800	-I809	B208	Causative organism of suba not reported
IDDC	M	I821		B201	Suba must be caused by a bacterial organism
IDDC	M	I821		B203	Suba must be caused by a viral organism
IDDC	M	I821		B208	Causative organism of suba not reported
IDDC	M	I880	-I889	B201	Suba must be caused by a bacterial organism
IDDC	M	I880	-I889	B203	Suba must be caused by a viral organism
IDDC	M	I880	-I889	B208	Causative organism of suba not reported
IDDC	M	I891		B201	Suba must be caused by a bacterial organism
IDDC	M	I891		B203	Suba must be caused by a viral organism
IDDC	M	I891		B208	Causative organism of suba not reported
IDDC	M	J010	-J019	B201	Suba must be caused by a bacterial organism
IDDC	M	J010	-J019	B203	Suba must be caused by a viral organism
IDDC	M	J010	-J019	B208	Causative organism of suba not reported
IDDC	M	J028	-J029	B201	Suba must be caused by a bacterial organism
IDDC	M	J028	-J029	B203	Suba must be caused by a viral organism
IDDC	M	J028	-J029	B208	Causative organism of suba not reported
IDDC	M	J038	-J051	B201	Suba must be caused by a bacterial organism
IDDC	M	J038	-J051	B203	Suba must be caused by a viral organism
IDDC	M	J038	-J051	B208	Causative organism of suba not reported
IDDC	M	J208	-J209	B201	Suba must be caused by a bacterial organism
IDDC	M	J208	-J209	B203	Suba must be caused by a viral organism
IDDC	M	J208	-J209	B208	Causative organism of suba not reported
IDDC	M	J218	-J219	B201	Suba must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

IDDC	M	J218	-J219	B203	Suba must be caused by a viral organism
IDDC	M	J218	-J219	B208	Causative organism of suba not reported
IDDC	M	J310	-J329	B201	Suba must be caused by a bacterial organism
IDDC	M	J310	-J329	B203	Suba must be caused by a viral organism
IDDC	M	J310	-J329	B208	Causative organism of suba not reported
IDDC	M	J340		B201	Suba must be caused by a bacterial organism
IDDC	M	J340		B203	Suba must be caused by a viral organism
IDDC	M	J340		B208	Causative organism of suba not reported
IDDC	M	J36	-J371	B201	Suba must be caused by a bacterial organism
IDDC	M	J36	-J371	B203	Suba must be caused by a viral organism
IDDC	M	J36	-J371	B208	Causative organism of suba not reported
IDDC	M	J380	-J387	B238	Suba must be a non-infectious condition
IDDC	M	J382	-J383	B201	Suba must be caused by a bacterial organism
IDDC	M	J382	-J383	B203	Suba must be caused by a viral organism
IDDC	M	J382	-J383	B208	Causative organism of suba not reported
IDDC	M	J387	-J391	B201	Suba must be caused by a bacterial organism
IDDC	M	J387	-J391	B203	Suba must be caused by a viral organism
IDDC	M	J387	-J391	B208	Causative organism of suba not reported
IDDC	M	J40	-J42	B201	Suba must be caused by a bacterial organism
IDDC	M	J40	-J42	B203	Suba must be caused by a viral organism
IDDC	M	J40	-J42	B208	Causative organism of suba not reported
IDDC	M	J840	-J841	B238	Suba must be a non-infectious condition or stated idiopathic
IDDC	M	J840	-J848	B201	Suba must be caused by a bacterial organism
IDDC	M	J840	-J848	B203	Suba must be caused by a viral organism
IDDC	M	J840	-J848	B208	Causative organism of suba is not reported and suba must be an infectious condition
IDDC	M	J848		B238	Suba must be a non-infectious condition or stated idiopathic
IDDC	M	J849	-J8490	B208	Suba must be interstitial pneumonia
IDDC	M	J850		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	J851	-J869	B201	Suba must be caused by a bacterial organism
IDDC	M	J851	-J869	B203	Suba must be caused by a viral organism
IDDC	M	J851	-J869	B208	Causative organism of suba not reported
IDDC	M	J961		B238	Suba must be a non-infectious condition
IDDC	M	J980	-J989	B238	Suba must be a non-infectious condition
IDDC	M	J984		B201	Suba must be infection lung and caused by a bacterial organism
IDDC	M	J984		B208	Suba must be infection lung with causative organism not reported
IDDC	M	J985		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	J985		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	J985		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	J988		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	J988		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	J988		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K120	-K137	B238	Suba must be a non-infectious condition
IDDC	M	K121	-K122	B201	Suba must be caused by a bacterial organism
IDDC	M	K121	-K122	B203	Suba must be caused by a viral organism
IDDC	M	K121	-K122	B208	Causative organism of suba not reported
IDDC	M	K20	-K210	B201	Suba must be caused by a bacterial organism
IDDC	M	K20	-K210	B203	Suba must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

IDDC	M	K20	-K210	B208	Causative organism of suba not reported
IDDC	M	K221		B238	Suba must be a non-infectious condition
IDDC	M	K290	-K291	B201	Suba must be caused by a bacterial organism
IDDC	M	K290	-K291	B203	Suba must be caused by a viral organism
IDDC	M	K290	-K291	B208	Causative organism of suba not reported
IDDC	M	K293	-K299	B201	Suba must be caused by a bacterial organism
IDDC	M	K293	-K299	B203	Suba must be caused by a viral organism
IDDC	M	K293	-K299	B208	Causative organism of suba not reported
IDDC	M	K550	-K559	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	K550	-K559	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	K550	-K559	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K550	-K559	B238	Suba must be a non-infectious condition
IDDC	M	K580		B201	Suba must be caused by a bacterial organism
IDDC	M	K580		B203	Suba must be caused by a viral organism
IDDC	M	K580		B208	Causative organism of suba not reported
IDDC	M	K610	-K614	B201	Suba must be caused by a bacterial organism
IDDC	M	K610	-K614	B203	Suba must be caused by a viral organism
IDDC	M	K610	-K614	B208	Causative organism of suba not reported
IDDC	M	K628		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	K628		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	K628		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K628		B238	Suba must be a non-infectious condition
IDDC	M	K630		B201	Suba must be caused by a bacterial organism
IDDC	M	K630		B203	Suba must be caused by a viral organism
IDDC	M	K630		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K632		B201	Suba must be caused by a bacterial organism
IDDC	M	K632		B203	Suba must be caused by a viral organism
IDDC	M	K632		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K638		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	K638		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	K638		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	K638		B238	Suba must be a non-infectious condition
IDDC	M	K650	-K659	B201	Suba must be caused by a bacterial organism
IDDC	M	K650	-K659	B203	Suba must be caused by a viral organism
IDDC	M	K650	-K659	B208	Causative organism of suba not reported
IDDC	M	K720	-K729	B201	Suba must be acute hepatitis caused by a bacterial organism
IDDC	M	K720	-K7290	B238	Suba must be a non-infectious condition
IDDC	M	K750	-K759	B201	Suba must be caused by a bacterial organism
IDDC	M	K750	-K759	B203	Suba must be caused by a viral organism
IDDC	M	K750	-K759	B208	Causative organism of suba not reported
IDDC	M	K810	-K819	B201	Suba must be caused by a bacterial organism
IDDC	M	K810	-K819	B203	Suba must be caused by a viral organism
IDDC	M	K810	-K819	B208	Causative organism of suba not reported
IDDC	M	K830		B201	Suba must be caused by a bacterial organism
IDDC	M	K830		B203	Suba must be caused by a viral organism

ICD-10-Mortality Manual 2c - 2014

IDDC	M	K830		B208	Causative organism of suba not reported
IDDC	M	K851		B201	Suba must be caused by a bacterial organism
IDDC	M	K858		B203	Suba must be caused by a viral organism
IDDC	M	K859		B208	Causative organism of suba not reported
IDDC	M	K861		B201	Suba must be caused by a bacterial organism
IDDC	M	K861		B203	Suba must be caused by a viral organism
IDDC	M	K861		B208	Causative organism of suba not reported
IDDC	M	L00		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	L00		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	L00		B208	Causative organism of suba not reported
IDDC	M	L020	-L029	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	L020	-L029	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	L020	-L029	B208	Causative organism of suba not reported
IDDC	M	L031	-L039	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	L031	-L039	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	L031	-L039	B208	Causative organism of suba not reported
IDDC	M	L089		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	L089		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	L089		B208	Causative organism of suba not reported
IDDC	M	L950	-L959	B201	Suba must be caused by a bacterial organism
IDDC	M	L950	-L959	B203	Suba must be caused by a viral organism
IDDC	M	L950	-L959	B208	Causative organism of suba not reported
IDDC	M	M000	-M1990	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	M000	-M1990	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	M000	-M1990	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	M300	-M308	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	M300	-M308	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	M300	-M308	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	M310	-M319	B238	Suba must be a non-infectious condition
IDDC	M	M330	-M339	B201	Suba must be caused by a bacterial organism
IDDC	M	M330	-M339	B203	Suba must be caused by a viral organism
IDDC	M	M330	-M339	B208	Causative organism of suba not reported
IDDC	M	M354		B201	Suba must be caused by a bacterial organism
IDDC	M	M354		B203	Suba must be caused by a viral organism
IDDC	M	M354		B208	Causative organism of suba not reported
IDDC	M	M356		B201	Suba must be caused by a bacterial organism
IDDC	M	M356		B203	Suba must be caused by a viral organism
IDDC	M	M356		B208	Causative organism of suba not reported
IDDC	M	M45	-M479	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	M45	-M479	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	M45	-M479	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	M720	-M729	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	M720	-M729	B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	M720	-M729	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	M720	-M729	B238	Suba must be a non-infectious condition
IDDC	M	M860	-M869	B201	Suba must be caused by a bacterial organism

ICD-10-Mortality Manual 2c - 2014

IDDC	M	M860	-M869	B203	Suba must be caused by a viral organism
IDDC	M	M860	-M869	B208	Causative organism of suba not reported
IDDC	M	M939		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	M939		B203	Suba must be an infectious condition caused by a viral organism
IDDC	M	M939		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	M939		B238	Suba must not be infectious condition
IDDC	M	M949		B238	Suba must not be infectious condition
IDDC	M	N000	-N019	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N000	-N019	B208	Causative organism of suba not reported
IDDC	M	N030	-N039	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N030	-N039	B208	Causative organism of suba not reported
IDDC	M	N050	-N059	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N050	-N059	B208	Causative organism of suba not reported
IDDC	M	N10	-N12	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N10	-N12	B208	Causative organism of suba not reported
IDDC	M	N136		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N136		B208	Causative organism of suba not reported
IDDC	M	N151		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N151		B208	Causative organism of suba not reported
IDDC	M	N158	-N159	B238	Suba must be a non-infectious condition
IDDC	M	N159		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N159		B208	Causative organism of suba not reported
IDDC	M	N185		B238	Suba must be a non-infectious condition
IDDC	M	N288		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N288		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	N288		B238	Suba must be a non-infectious condition
IDDC	M	N300	-N303	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N300	-N303	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	N308	-N309	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N308	-N309	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	N340	-N342	B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N340	-N342	B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	N390		B201	Suba must be an infectious condition caused by a bacterial organism
IDDC	M	N390		B208	Suba must be an infectious condition with causative organism not reported
IDDC	M	N410	-N419	B201	Suba must be caused by a bacterial organism
IDDC	M	N450	-N459	B201	Suba must be caused by a bacterial organism
IDDC	M	N481	-N482	B201	Suba must be caused by a bacterial organism
IDDC	M	N490	-N499	B201	Suba must be caused by a bacterial organism
IDDC	M	N61		B208	Causative organism of suba not reported
IDDC	M	N700	-N768	B208	Causative organism of suba not reported
IDDC	M	N820	-N829	B208	Causative organism of suba not reported
IDDC	M	N820	-N829	B238	Suba must be a non-infectious condition

R798 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	E100	-E101		Addr must be acetonemia
DSC	M	E102	-E106	E107	Addr must be acetonemia
DS	M	E107			Addr must be acetonemia
DSC	M	E108		E107	Addr must be acetonemia
DSC	M	E109		E101	Addr must be acetonemia
DS	M	E110	-E111		Addr must be acetonemia
DSC	M	E112	-E116	E117	Addr must be acetonemia
DS	M	E117			Addr must be acetonemia
DSC	M	E118		E117	Addr must be acetonemia
DSC	M	E119		E111	Addr must be acetonemia
DS	M	E120	-E121		Addr must be acetonemia
DSC	M	E122	-E126	E127	Addr must be acetonemia
DS	M	E127			Addr must be acetonemia
DSC	M	E128		E127	Addr must be acetonemia
DSC	M	E129		E121	Addr must be acetonemia
DS	M	E130	-E131		Addr must be acetonemia
DSC	M	E132	-E136	E137	Addr must be acetonemia
DS	M	E137			Addr must be acetonemia
DSC	M	E138		E137	Addr must be acetonemia
DSC	M	E139		E131	Addr must be acetonemia
DS	M	E140	-E141		Addr must be acetonemia
DSC	M	E142	-E146	E147	Addr must be acetonemia
DS	M	E147			Addr must be acetonemia
DSC	M	E148		E147	Addr must be acetonemia
DSC	M	E149		E141	Addr must be acetonemia

R823 Address

IDDC	M	D599		D596	Suba must be acquired hemolytic anemia not qualified as idiopathic
IDDC	M	N049		N170	Suba must be nephrosis

I***T801 Address***

DS	M	I011			Addr must be embolism
DS	M	I020			Addr must be embolism
DS	M	I050	-I080		Addr must be embolism
DS	M	I340	-I379		Addr must be embolism
DS	M	I48	-I499		Addr must be embolism
DS	M	I740	-I741		Addr must be embolism of lower body
DS	M	I800	-I809		Addr must be pulmonary embolism
DS	M	I821	-I829		Addr must be pulmonary embolism
DS	M	O223			Addr must be pulmonary embolism
DS	M	O229			Addr must be pulmonary embolism
DS	M	O871			Addr must be pulmonary embolism
DS	M	O879			Addr must be pulmonary embolism

T817 Address

DS	M	I011			Addr must be embolism
DS	M	I020			Addr must be embolism

ICD-10-Mortality Manual 2c - 2014

DS	M	I050	-I080	Addr must be embolism
DS	M	I340	-I379	Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I740	-I741	Addr must be embolism of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

T828 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I080	Addr must be embolism
DS	M	I340	-I379	Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I740	-I741	Addr must be embolism of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

T838 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I080	Addr must be embolism
DS	M	I340	-I379	Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I740	-I741	Addr must be embolism of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

T848 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I080	Addr must be embolism
DS	M	I340	-I379	Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I740	-I741	Addr must be embolism of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism

ICD-10-Mortality Manual 2c - 2014

DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

T858 Address

DS	M	I011		Addr must be embolism
DS	M	I020		Addr must be embolism
DS	M	I050	-I080	Addr must be embolism
DS	M	I340	-I379	Addr must be embolism
DS	M	I48	-I499	Addr must be embolism
DS	M	I740	-I741	Addr must be embolism of lower body
DS	M	I800	-I809	Addr must be pulmonary embolism
DS	M	I821	-I829	Addr must be pulmonary embolism
DS	M	O223		Addr must be pulmonary embolism
DS	M	O229		Addr must be pulmonary embolism
DS	M	O871		Addr must be pulmonary embolism
DS	M	O879		Addr must be pulmonary embolism

V***V010 Address***

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V011 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V019 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V020 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V021 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V029 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V030 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V031 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V039 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V040 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

V041 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V049 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V050 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V051 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V059 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V060 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V061 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V069 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V090 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V091 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V092 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V093 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V099 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V100 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V101 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V102 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V103 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V104 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V105 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V109 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V110 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V111 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V112 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V113 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V114 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V115 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V119 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V120 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V121 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V122 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V123 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V124 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V125 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V129 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V130 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V131 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V132 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V133 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V134 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V135 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V139 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V140 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V141 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V142 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V143 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V144 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V145 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V149 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V150 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V151 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

V152 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V153 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V154 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V155 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V159 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V160 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V161 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V162 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V163 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V164 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V165 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V169 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V170 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V171 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V172 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V173 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V174 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V175 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V179 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V180 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V181 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V182 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V183 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V184 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V185 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V189 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V190 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V191 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V192 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V193 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V194 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V195 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V196 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V198 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V199 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V200 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V201 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V202 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V203 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V204 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V205 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V209 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V210 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V211 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V212 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V213 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V214 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V215 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V219 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V220 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V221 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V222 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V223 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V224 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V225 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V229 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V230 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V231 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V232 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V233 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V234 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V235 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V239 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V240 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V241 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V242 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

V243 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V244 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V245 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V249 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V250 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V251 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V252 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V253 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V254 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V255 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V259 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V260 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V261 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V262 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V263 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V264 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V265 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V269 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V270 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V271 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V272 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V273 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V274 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V275 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V279 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V280 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V281 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V282 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V283 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V284 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V285 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V289 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V290 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V291 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V292 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V293 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V294 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V295 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V296 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V298 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V299 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V300 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V301 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V302 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V303 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V304 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V305 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V306 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V307 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V309 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V310 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V311 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V312 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V313 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V314 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V315 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V316 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V317 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V319 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V320 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V321 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V322 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V323 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V324 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V325 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V326 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V327 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V329 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V330 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V331 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V332 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V333 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V334 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V335 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V336 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V337 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V339 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V340 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V341 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V342 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V343 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V344 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V345 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V346 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V347 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V349 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V350 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V351 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V352 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V353 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V354 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V355 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V356 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V357 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V359 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V360 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V361 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V362 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V363 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V364 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V365 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V366 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V367 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V369 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V370 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V371 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V372 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V373 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V374 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V375 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V376 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V377 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V379 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V380 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V381 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V382 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V383 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V384 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V385 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V386 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V387 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V389 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V390 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V391 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V392 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V393 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V394 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V395 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V396 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V398 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V399 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V400 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

V401 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V402 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V403 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V404 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V405 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V406 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V407 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V409 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V410 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V411 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V412 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V413 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V414 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V415 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V416 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V417 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V419 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V420 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V421 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V422 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V423 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V424 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V425 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V426 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V427 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V429 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V430 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V431 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V432 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V433 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V434 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V435 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V436 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V437 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V439 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V440 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V441 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V442 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V443 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V444 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V445 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V446 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V447 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V449 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V450 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V451 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V452 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V453 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V454 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V455 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V456 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V457 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V459 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V460 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V461 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V462 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V463 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V464 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V465 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V466 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V467 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V469 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V470 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V471 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V472 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V473 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V474 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V475 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V476 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V477 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V479 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V480 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V481 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V482 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V483 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V484 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V485 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V486 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V487 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V489 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V490 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V491 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V492 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V493 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V494 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V495 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V496 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V498 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V499 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V500 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V501 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V502 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V503 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V504 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V505 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V506 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V507 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V509 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V510 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V511 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V512 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V513 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V514 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V515 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V516 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V517 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V519 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V520 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V521 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V522 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V523 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V524 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V525 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V526 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V527 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V529 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V530 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V531 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V532 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V533 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V534 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V535 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V536 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V537 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V539 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V540 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V541 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V542 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V543 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V544 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V545 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V546 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V547 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V549 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V550 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V551 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V552 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V553 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V554 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V555 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V556 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V557 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V559 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V560 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V561 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V562 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V563 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V564 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V565 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V566 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V567 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V569 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V570 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V571 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V572 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V573 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V574 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V575 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V576 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V577 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V579 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V580 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V581 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V582 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V583 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V584 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V585 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V586 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V587 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V589 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V590 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V591 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V592 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V593 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V594 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V595 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V596 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V598 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V599 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V600 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V601 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V602 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V603 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V604 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V605 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V606 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V607 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V609 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V610 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V611 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V612 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V613 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V614 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V615 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V616 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V617 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V619 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V620 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V621 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V622 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V623 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V624 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V625 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V626 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V627 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V629 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V630 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V631 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V632 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V633 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V634 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V635 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V636 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V637 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V639 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V640 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V641 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V642 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V643 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V644 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V645 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V646 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V647 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V649 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V650 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V651 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V652 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V653 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V654 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V655 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V656 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V657 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V659 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V660 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V661 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V662 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V663 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V664 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V665 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V666 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V667 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V669 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V670 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V671 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V672 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V673 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V674 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V675 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V676 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V677 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V679 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V680 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V681 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V682 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V683 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V684 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V685 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V686 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V687 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V689 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V690 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V691 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V692 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V693 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V694 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V695 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V696 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V698 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V699 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V700 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V701 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V702 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V703 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V704 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V705 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V706 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V707 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V709 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V710 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V711 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V712 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V713 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V714 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V715 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V716 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V717 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V719 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V720 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V721 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V722 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V723 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V724 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V725 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V726 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V727 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V729 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V730 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V731 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V732 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V733 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V734 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V735 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V736 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V737 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V739 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V740 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V741 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V742 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V743 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V744 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V745 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V746 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V747 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V749 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V750 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V751 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V752 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V753 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V754 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V755 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V756 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V757 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V759 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V760 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V761 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V762 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V763 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V764 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V765 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V766 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V767 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V769 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V770 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V771 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V772 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V773 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V774 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V775 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V776 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V777 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V779 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V780 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V781 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V782 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V783 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V784 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V785 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V786 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V787 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V789 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V790 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V791 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V792 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V793 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V794 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V795 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V796 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V798 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V799 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V800 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V801 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V802 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V803 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

V804 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V805 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V806 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V807 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V808 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V809 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V810 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V811 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V812 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V813 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V814 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V815 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V816 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V817 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V818 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V819 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V820 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V821 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V822 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V823 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V824 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V825 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V826 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V827 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V828 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V829 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V830 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V831 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V832 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V833 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V834 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V835 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V836 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V837 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V839 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V840 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V841 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V842 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V843 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V844 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V845 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V846 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V847 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V849 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V850 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V851 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V852 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V853 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V854 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V855 Address

ICD-10-Mortality Manual 2c - 2014

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V856 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V857 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V859 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V860 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V861 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V862 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V863 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V864 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V865 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V866 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V867 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V869 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V870 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V871 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V872 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V873 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V874 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V875 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V876 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V877 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V878 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V879 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V880 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V881 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V882 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V883 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V884 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V885 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V886 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V887 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V888 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V889 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V890 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V891 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V892 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V893 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V899 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V900 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V901 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V902 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V903 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V904 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V905 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V906 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V907 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V908 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V909 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V910 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>V911 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

V912 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V913 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V914 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V915 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V916 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V917 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V918 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V919 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V920 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V921 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V922 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V923 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V924 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V925 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V926 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V927 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V928 Address

ICD-10-Mortality Manual 2c - 2014

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V929 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V930 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V931 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V932 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V933 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V934 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V935 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V936 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V937 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V938 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V939 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V940 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V941 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V942 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V943 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V944 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

V945 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V946 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V947 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V948 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V949 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V950 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V951 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V952 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V953 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V954 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V958 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V959 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V960 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V961 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V962 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V968 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V969 Address

ICD-10-Mortality Manual 2c - 2014

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V970 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V971 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V972 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V973 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V978 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V98 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

V99 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W

W00 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W01 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W02 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W03 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W04 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W05 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W06 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W07 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W08 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W09 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W10 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W11 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W12 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W13 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W14 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W15 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W16 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W17 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W18 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W19 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W20 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W21 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W22 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W23 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W24 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

W25 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W26 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W27 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W28 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W29 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W30 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W31 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W32 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W33 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W34 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W35 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W36 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W37 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W38 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W39 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W40 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W41 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W42 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W43 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W44 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W45 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W49 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W50 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W51 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W52 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W53 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W54 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W55 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W56 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W57 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W58 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W59 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>W60 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

ICD-10-Mortality Manual 2c - 2014

W64 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W65 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W66 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W67 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W68 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W69 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W70 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W73 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W74 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W75 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W76 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W77 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W78 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W79 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W80 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W81 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W83 Address

ICD-10-Mortality Manual 2c - 2014

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W84 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W85 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W86 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W87 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W88 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W89 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W90 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W91 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W92 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W93 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W94 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

W99 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X

X00 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X01 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X02 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X03 Address

ICD-10-Mortality Manual 2c - 2014

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X04 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X05 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X06 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X08 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X09 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X10 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X11 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X12 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X13 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X14 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X15 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X16 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X17 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X18 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X19 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
<i>X30 Address</i>				
DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II

X31 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X32 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X39 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X50 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X51 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X52 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X53 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X54 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X57 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X58 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X590 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

X599 Address

DS M G400 -G419 Addr must be stated due to epilepsy in Part II

Y

Y16 Address

LMP M F162 Addr must be a dependence substance

LMP M F182 Addr must be a dependence substance

LMP M F192 Addr must be a dependence substance

Y17 Address

LMP M F162 Addr must be a dependence substance

LMP M F182 Addr must be a dependence substance

LMP M F192 Addr must be a dependence substance

Y18 Address

ICD-10-Mortality Manual 2c - 2014

LMP	M	F162		Addr must be a dependence substance
LMP	M	F182		Addr must be a dependence substance
LMP	M	F192		Addr must be a dependence substance

Y19 Address

LMP	M	F162		Addr must be a dependence substance
LMP	M	F172		Addr must be a dependence substance
LMP	M	F182		Addr must be a dependence substance
LMP	M	F192		Addr must be a dependence substance

Y850 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

Y859 Address

DS	M	G400	-G419	Addr must be stated due to epilepsy in Part II
----	---	------	-------	--

Table G
CODE CONVERSIONS: Created codes and their complimentary valid ICD-10 codes

<u>Condition Code Selected as Underlying Cause</u>	<u>Converts To</u>
A1690	A169
E0390	E039
G1220	G122
G2000	G20
I2190	I219
I4200	I420
I4210	I421
I4220	I422
I4250	I425
I4280	I428
I4290	I429
I5000	I500
I5140	I514
I5150	I515
I6000	I600
I6060	I606
I6070	I607
I6080	I608
I6090	I609
I6100	I610
I6110	I611
I6120	I612
I6130	I613
I6140	I614
I6150	I615
I6180	I618
I6190	I619
I6300	I630
I6310	I631
I6320	I632
I6330	I633
I6340	I634
I6350	I635
I6360	I636
I6380	I638
I6390	I639
I6400	I64
I6910	I691
I6930	I693
I6940	I694
J1010	J101

ICD-10-Mortality Manual 2c - 2014

J1110	J111
J8490	J849
J9840	J984
K3190	K319
K5500	K550
K6310	K631
K7200	K720
K7210	K721
K7290	K729
M1990	M199
Q2780	Q278
Q2820	Q282
Q2830	Q283
R5800	R58
R97	R99

Table H ICD-10 Trivial Conditions

(For application of Rule B in assigning underlying causes of death)

<i>CODE</i>	<i>CATEGORY OR SUBCATEGORY</i>
A31.1	Cutaneous mycobacterial infection
A42.8	Other forms of cutaneous actinomycosis
A60.0	Herpesviral infection of genitalia and urogenital tract
A71.0 - A71.9	Trachoma
A74.0	Chlamydial conjunctivitis
B00.2	Herpesviral gingivostomatitis and pharyngotonsillitis
B00.5	Herpesviral ocular disease
B00.8	Other forms of herpesviral infection
B07	Viral warts
B08.1	Molluscum contagiosum
B08.8	Other specified viral infections characterized by skin and mucous membrane lesion
B30.0 - B30.9	Viral conjunctivitis
B35.0 - B35.9	Dermatophytosis
B36.0 - B36.9	Other superficial mycoses
B85.0 - B85.4	Pediculosis and phthiriasis
F45.3 - F45.9	Somatoform disorders
F50.1, F50.3 - F50.9	Eating disorders
F51.0 - F51.9	Nonorganic sleep disorders
F52.0 - F52.9	Sexual dysfunction, not caused by organic disorder or disease
F60.0 - F60.9	Specific personality disorders
F61	Mixed and other personality disorders
F62.0 - F62.9	Enduring personality changes, not attributable to brain damage and disease
F63.0 - F63.9	Habit and impulse disorders
F64.0 - F64.9	Gender identity disorders
F65.0 - F65.9	Disorders of sexual preference
F66.0 - F66.9	Psychological and behavior disorders associated with sexual development and orientation
F68.0 - F68.8	Other disorders of adult personality and behavior
F69	Unspecified disorder of adult personality and behavior
F800-F89	Disorders of psychological development
F95.0 - F95.9	Tic disorders
F98.0 - F98.9	Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence
G43.0 - G43.2, G43.8 - G43.9	Migraine, except complicated migraine (G43.3)
G44.0 - G44.2	Other headache syndromes
G45.0 - G45.9	Transient cerebral ischaemic attacks and related syndromes.
G50.0 - G50.9	Disorders of trigeminal nerve
G51.0 - G51.9	Facial nerve disorders
G54.0 - G54.9	Nerve root and plexus disorders
G56.0 - G56.9	Mononeuropathies of upper limb
G57.0 - G57.9	Mononeuropathies of lower limb
G58.7	Mononeuritis multiplex

ICD-10-Mortality Manual 2c - 2014

H00.0 - H00.1	Hordeolum and chalazion
H01.0 - H01.9	Other inflammation of eyelid
H02.0 - H02.9	Other disorders of eyelid
H04.0 - H04.9	Disorders of lacrimal system
H10.0 - H10.9	Conjunctivitis
H11.0 - H11.9	Other disorders of conjunctiva
H15.0 - H15.9	Disorders of sclera
H16.0 - H16.9	Keratitis
H17.0 - H17.9	Corneal scars and opacities
H18.0 - H18.9	Other disorders of cornea
H20.0 - H20.9	Iridocyclitis
H21.0 - H21.9	Other disorders of iris and ciliary body
H25.0 - H25.9	Senile cataract
H26.0 - H26.9	Other cataract
H27.0 - H27.9	Other disorders of lens
H30.0 - H30.9	Chorioretinal inflammation
H31.0 - H31.9	Other disorders of choroid
H33.0 - H33.5	Retinal detachments and breaks
H34.0 - H34.9	Retinal vascular occlusions
H35.0 - H35.9	Other retinal disorders
H40.0 - H40.9	Glaucoma
H43.0 - H43.9	Disorders of vitreous body
H46	Optic neuritis
H47.0 - H47.7	Other disorders of optic (2nd) nerve and visual pathways
H49.0 - H49.9	Paralytic strabismus
H50.0 - H50.9	Other strabismus
H51.0 - H51.9	Other disorders of binocular movement
H52.0 - H52.7	Disorders of refraction and accommodation
H53.0 - H53.9	Visual disturbances
H54.0 - H54.9	Visual impairment including blindness (binocular or monocular)
H55	Nystagmus and other irregular eye movements
H57.0 - H57.9	Other disorders of eye and adnexa
H60.0 - H60.9	Otitis externa
H61.0 - H61.9	Other disorders of external ear
H80.0 - H80.9	Otosclerosis
H83.3 - H83.9	Other diseases of inner ear
H90.0 - H90.8	Conductive and sensorineural hearing loss
H91.0 - H91.9	Other hearing loss
H92.0 - H92.2	Otalgia and effusion of ear
H93.0 - H93.9	Other disorders of ear, not elsewhere classified
J00	Acute nasopharyngitis (common cold)
J06.0 - J06.9	Acute upper respiratory infections of multiple and unspecified sites
J30.0 - J30.4	Vasomotor and allergic rhinitis
J33.0 - J33.9	Nasal polyp
J34.2	Deviated nasal septum
J35.0 - J35.9	Chronic disease of tonsils and adenoids
K00.0 - K00.9	Disorders of tooth development and eruption
K01.0 - K01.1	Embedded and impacted teeth
K02.0 - K02.9	Dental caries
K03.0 - K03.9	Other diseases of hard tissues of teeth

ICD-10-Mortality Manual 2c - 2014

K04.0 - K04.9	Diseases of pulp and periapical tissues
K05.0 - K05.6	Gingivitis and periodontal diseases
K06.0 - K06.9	Other disorders of gingiva and edentulous alveolar ridge
K07.0 - K07.9	Dentofacial anomalies (including malocclusion)
K08.0 - K08.9	Other disorders of teeth and supporting structures
K09.0 - K09.9	Cyst of oral region, not elsewhere classified
K10.0 - K10.9	Other diseases of jaws
K11.0 - K11.9	Diseases of the salivary glands
K14.0 - K14.9	Diseases of tongue
L01.0 - L01.1	Impetigo
L03.0	Cellulitis of finger and toe.
L04.0 - L04.9	Acute lymphadenitis
L05.0 - L05.9	Pilonidal cyst
L08.0 - L08.8	Other infections of skin and subcutaneous tissue
L20.0 - L20.9	Atopic dermatitis
L21.0 - L21.9	Seborrhoeic dermatitis
L22	Diaper (napkin) dermatitis
L23.0 - L23.9	Allergic contact dermatitis
L24.0 - L24.9	Irritant contact dermatitis
L25.0 - L25.9	Unspecified contact dermatitis
L28.0 - L28.2	Lichen simplex chronicus and prurigo
L29.0 - L29.9	Pruritus
L30.0 - L30.9	Other dermatitis
L41.0 - L41.9	Parapsoriasis
L42	Pityriasis rosea
L43.0 - L43.9	Lichen planus
L44.0 - L44.9	Other papulosquamous disorders
L55.0 - L55.1, L55.8 - L55.9	Sunburn, except sunburn of third degree (L55.2)
L56.0 - L56.9	Other acute skin changes due to ultraviolet radiation
L57.0 - L57.9	Skin changes due to chronic exposure to nonionizing radiation
L58.0 - L58.9	Radiodermatitis
L59.0 - L59.9	Other disorders of skin and subcutaneous tissue related to radiation
L60.0 - L60.9	Nail disorders
L63.0 - L63.9	Alopecia areata
L64.0 - L64.9	Androgenic alopecia
L65.0 - L65.9	Other nonscarring hair loss
L66.0 - L66.9	Cicatricial alopecia (scarring hair loss)
L67.0 - L67.9	Hair colour and hair shaft abnormalities
L68.0 - L68.9	Hypertrichosis
L70.0 - L70.9	Acne
L72.0 - L72.9	Follicular cysts of skin and subcutaneous tissue
L73.0 - L73.9	Other follicular disorders
L74.0 - L74.9	Eccrine sweat disorders
L75.0 - L75.9	Aprocrine sweat disorders
L80	Vitiligo
L81.0 - L81.9	Other disorders of pigmentation
L83	Acanthosis nigricans
L84	Corns and callosities
L85.0 - L85.9	Other epidermal thickening
L87.0 - L87.9	Transepidermal elimination disorders

ICD-10-Mortality Manual 2c - 2014

L90.0 - L90.9	Atrophic disorders of skin
L91.0 - L91.9	Hypertrophic disorders of skin
L92.0 - L92.9	Granulomatous disorders of skin and subcutaneous tissue
L94.0 - L94.9	Other localized connective tissue disorders
L98.0 - L98.3, L98.5 - L98.9	Other disorders of skin and subcutaneous tissue, not elsewhere classified
M20.0 - M20.6	Acquired deformities of fingers and toes
M21.0 - M21.9	Other acquired deformities of limbs
M22.0 - M22.9	Disorders of patella
M23.0 - M23.9	Internal derangement of knee
M24.0 - M24.9	Other specific joint derangements
M25.0 - M25.9	Other joint disorders, not elsewhere classified
M35.3	Polymyalgia rheumatica
M40.0 - M40.5	Kyphosis and lordosis
M43.6	Torticollis, unspecified
M43.8 - M43.9	Other and deforming dorsopathies
M48.0	Spinal stenosis
M53.0 - M53.9	Other dorsopathies, not elsewhere classified
M54.0 - M54.9	Dorsalgia
M60.0 - M60.9	Myositis
M65.0 - M65.9	Synovitis and tenosynovitis
M66.0 - M66.5	Spontaneous rupture of synovium and tendon
M67.0 - M67.9	Other disorders of synovium and tendon
M70.0 - M70.9	Soft tissue disorders related to use, overuse and pressure
M71.0 - M71.9	Other bursopathies
M75.0 - M75.9	Shoulder lesions
M76.0 - M76.9	Enthesopathies of lower limb, excluding foot
M77.0 - M77.9	Other enthesopathies
M79.0 - M79.9	Other soft tissue disorders, not elsewhere classified
M95.0 - M95.9	Other acquired deformities of musculoskeletal system and connective tissue
M99.0 - M99.9	Biomechanical lesions, not elsewhere classified
N39.3	Stress incontinence
N46	Male infertility
N47	Redundant prepuce, phimosis, and paraphimosis
N60.0 - N60.9	Benign mammary dysplasia
N84.0 - N84.9	Polyp of female genital tract
N85.0 - N85.9	Other noninflammatory disorders of uterus, except cervix
N86	Erosion and ectropion of cervix uteri
N87.0 - N87.9	Dysplasia of cervix uteri
N88.0 - N88.9	Other noninflammatory disorders of cervix uteri
N89.0 - N89.9	Other noninflammatory disorders of vagina
N90.0 - N90.9	Other noninflammatory disorders of vulva and perineum
N91.0 - N91.5	Absent, scanty, and rare menstruation
N92.0 - N92.6	Excessive, frequent, and irregular menstruation
N93.0 - N93.9	Other abnormal uterine and vaginal bleeding
N94.0 - N94.9	Pain and other conditions associated female genital organs and menstrual cycle
N96	Habitual aborter
N97.0 - N97.9	Female infertility
Q10.0 - Q10.7	Congenital malformations of eyelid, lacrimal apparatus, and orbit
Q11.0 - Q11.3	Anophthalmos, microphthalmos and macropthalmos
Q12.0 - Q12.9	Congenital lens malformations

ICD-10-Mortality Manual 2c - 2014

Q13.0 - Q13.9	Congenital malformations of anterior segment of eye
Q14.0 - Q14.9	Congenital malformations of posterior segment of eye
Q15.0 - Q15.9	Other congenital malformations of eye
Q16.0 - Q16.9	Congenital malformations of ear causing impairment of Hearing
Q17.0 - Q17.9	Other congenital malformations of ear
Q18.0 - Q18.9	Other congenital malformations of face and neck
Q38.1	Ankyloglossia
Q65.0 - Q65.9	Congenital deformities of hip
Q66.0 - Q66.9	Congenital deformities of feet
Q67.0 - Q67.8	Congenital musculoskeletal deformities of head, face, spine and chest
Q68.0 - Q68.8	Other congenital musculoskeletal deformities
Q69.0 - Q69.9	Polydactyly
Q70.0 - Q70.9	Syndactyly
Q71.0 - Q71.9	Reduction defects of upper limb
Q72.0 - Q72.9	Reduction defects of lower limb
Q73.0 - Q73.8	Reduction defects of unspecified limb
Q74.0 - Q74.9	Other congenital malformations of limb(s)
Q80.0 - Q80.3, Q80.8 - Q80.9	Congenital ichthyosis, except Harlequin fetus (Q80.4)
Q81.0	Epidermolysis bullosa
Q81.2 - Q81.9	Other forms of epidermolysis bullosa, except epidermolysis bullosa letalis (Q81.1)
Q82.0 - Q82.9	Other congenital malformations of skin
Q83.0 - Q83.9	Congenital malformations of breast
Q84.0 - Q84.9	Other congenital malformations of integument
S00.0 - S00.9	Superficial injury of head
S05.0, S05.1, S05.8	Superficial injuries (any type) of eye and orbit (any part)
S10.0 - S10.9	Superficial injury of neck
S20.0 - S20.8	Superficial injury of thorax
S30.0 - S30.9	Superficial injury of abdomen, lower back and pelvis
S40.0 - S40.9	Superficial injury of shoulder and upper arm
S50.0 - S50.9	Superficial injury of forearm
S60.0 - S60.9	Superficial injury of wrist and hand
S70.0 - S70.9	Superficial injury of hip and thigh
S80.0 - S80.9	Superficial injury of lower leg
S90.0 - S90.9	Superficial injury of ankle and foot
T09.0	Superficial injury of trunk, level unspecified
T11.0	Superficial injury of upper limb, level unspecified
T13.0	Superficial injury of lower limb, level unspecified
T14.0	Superficial injury of unspecified body region
T20.1	Burn of first degree of head and neck
T21.1	Burn of first degree of trunk
T22.1	Burn of first degree of shoulder and upper limb, except wrist and hand
T23.1	Burn of first degree of wrist and hand
T24.1	Burn of first degree of hip and lower limb except ankle and foot
T25.1	Burn of first degree of ankle and foot