

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
A-42	<p>Alzheimer's disease or sclerosis G30.9</p> <ul style="list-style-type: none"> - advanced G30.90 - dementia in G30.9† F00.9* • - - early onset (presenile) G30.0† F00.0* - - grave G30.90 - - late onset (senile) G30.1† F00.1* • - - severe G30.90 - early onset (presenile) G30.0 - grave G30.90 - late onset (senile) G30.1 	<p>Alzheimer's disease or sclerosis G30.9</p> <ul style="list-style-type: none"> - advanced G30.90 - dementia in G30.9† F00.9* • - - early (<u>onset</u>) (presenile) G30.0† F00.0* - - grave G30.90 - - late (<u>onset</u>) (senile) G30.1† F00.1* • - - severe G30.90 - early (<u>onset</u>) (presenile) G30.0 - grave G30.90 - late (<u>onset</u>) (senile) G30.1 	<p>Delete part of subterms and add parenthetical 77 modifiers</p> <p>77</p> <p>77</p> <p>77</p>	December 2004
A-52	<p>Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9</p> <ul style="list-style-type: none"> - abdominal (aorta) I71.4 	<p>Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (saccular) I72.9</p> <ul style="list-style-type: none"> - abdominal (aorta) I71.4 - - <u>congenital</u> Q25.4 	<p>7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
A-74	Arthrosis (deformans) (degenerative) M19.9 • - spine M47.9	Arthrosis (deformans) (degenerative) M19.9 • - spine M47.9 - - lumbar <u>M47.8</u> - - specified site <u>M47.8</u>	7 Add subterms 7	December 2004
C-18	Cerebritis - see Encephalitis - fungal <u>G93.5</u>	Cerebritis - see Encephalitis - fungal <u>B49</u>	7 Revise code	December 2004
C-68	Cyst (colloid) (mucous) (retention) (simple) • - skin	Cyst (colloid) (mucous) (retention) (simple) • - skin <u>L72.9</u>	7 Add code	December 2004
D-3	Death • - cardiac I51.9	Death • - cardiac I51.9 - - rheumatic <u>I09.9</u> - - - active or acute <u>I01.9</u>	7 Add subterm 7 Add subterm	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
D-29	<p>Dementia (brain, any part) (organic) (persisting) F03 - alcoholic F10.7 - Alzheimer's (type) G30.9† F00.9* - - advanced G30.90</p> <p>- - grave G30.90</p> <p>•</p> <p>- in (due to) - - alcohol F10.7 - - Alzheimer's disease G30.9† F00.9* — with onset — early G30.0† F00.0* — late G30.1† F00.1* - - - atypical G30.8† F00.2*</p> <p>•</p> <p>- senile F03 - - with acute confusional state F05.1 - - Alzheimer's (type) G30.1† F00.1*</p>	<p>Dementia (brain, any part) (organic) (persisting) F03 - alcoholic F10.7 - Alzheimer's (type) G30.9† F00.9* - - advanced G30.90 - - <u>early (onset) G30.0† F00.0*</u> - - grave G30.90 - - <u>late (onset) G30.1† F00.1*</u></p> <p>•</p> <p>- in (due to) - - alcohol F10.7 - - Alzheimer's disease G30.9† F00.9*</p> <p>- - - atypical G30.8† F00.2* - - - <u>early (onset) G30.0† F00.0*</u> - - - <u>late (onset) G30.1† F00.1*</u></p> <p>•</p> <p>- senile F03 - - with acute confusional state F05.1 - - Alzheimer's (type) G30.1† F00.1* - - - <u>early (onset) G30.0† F00.0*</u> - - - <u>late (onset) G30.1† F00.1*</u></p>	<p>7 Add subterm</p> <p>7 Add subterm</p> <p>7 Delete 7 subterms 7</p> <p>7 Add subterm 7 Add subterm</p> <p>7 Add subterm 7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
D-48	<p>Disease, diseased - <i>see also</i> Syndrome</p> <ul style="list-style-type: none"> • - arterial I77.9 — occlusive I77.1 • - artery I77.9 • - - coronary I25.1 • - - - stenosing, stenotic I25.1 	<p>Disease, diseased - <i>see also</i> Syndrome</p> <ul style="list-style-type: none"> • - arterial (<i>see also</i> Disease, artery) I77.9 • - artery I77.9 • - - coronary I25.1 • - - - stenosing, stenotic I25.1 - - <u>mesenteric K55.9</u> - - - <u>occlusive K55.1</u> - - <u>occlusive I77.1</u> 	<p>Add cross 7 reference 7 Delete subterm</p> <p>7 Add subterm 7 Add subterm 7 Add subterm</p>	December 2004
D-49	<ul style="list-style-type: none"> • - cardiopulmonary (acute) (chronic) I27.9 - - arteriosclerotic <u>I27.0</u> 	<ul style="list-style-type: none"> • - cardiopulmonary (acute) (chronic) I27.9 - - arteriosclerotic <u>I27.2</u> 	7 Revise code	
D-56	<ul style="list-style-type: none"> • - light chain <u>D47.7</u> 	<ul style="list-style-type: none"> • - light chain <u>D47.2</u> 	7 Revise code	
D-57	<ul style="list-style-type: none"> • - metastatic (any site) (M8000/6) - <i>see</i> Metastatic, cancer or neoplasm 	<ul style="list-style-type: none"> • - metastatic (any site) (M8000/6) - <i>see</i> Metastatic, cancer or neoplasm - <u>microvillus inclusion K90.8</u> 	7 Add subterm	

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
D-52 D-54 D-63	<p>Disease, diseased - <i>see also</i> Syndrome</p> <ul style="list-style-type: none"> • - fourth B08.8 • - hepatic - <i>see</i> Disease, liver • - vein I87.9 - - pulmonary I28.9 	<p>Disease, diseased - <i>see also</i> Syndrome</p> <ul style="list-style-type: none"> • - fourth B08.8 - <u>frontal lobe G93.9</u> • - hepatic - <i>see</i> Disease, liver - <u>hepatic flexure K63.9</u> • - vein I87.9 - - pulmonary I28.9 - <u>vena cava I87.9</u> 	<p>7 Add subterm</p> <p>7 Add subterm</p> <p>7 Add subterm</p>	December 2004
D-85 D-86	<p>Distress</p> <ul style="list-style-type: none"> • Distortion—<i>continued</i> 	<p>Distress</p> <ul style="list-style-type: none"> • <u>Distress</u>—<i>continued</i> 	Column heading “ <i>continued</i> ” following “Distress” should be “Distress- <i>continued</i> ”	December 2004
E-8	<p>Elevated, elevation</p> <ul style="list-style-type: none"> • - leukocyte count R72 	<p>Elevated, elevation</p> <ul style="list-style-type: none"> • - leukocyte count R72 - <u>prostate-specific antigen (PSA) R76.8</u> 	7 Add subterm	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
E-13	<p>Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.9</p> <ul style="list-style-type: none"> • - fungal <u>G04.8</u> 	<p>Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.9</p> <ul style="list-style-type: none"> • - fungal <u>B49</u> 	<p>7 Revise code</p>	December 2004
E-23	<p>Epilepsy, epileptic, epilepsia G40.9</p> <ul style="list-style-type: none"> • - grand mal (seizures) <u>G40.3</u> 	<p>Epilepsy, epileptic, epilepsia G40.9</p> <ul style="list-style-type: none"> • - grand mal (seizures) <u>G40.6</u> 	<p>7 Revise code</p>	December 2004
E-29	<p>Event</p> <ul style="list-style-type: none"> - cardiac I51.8 - cardiovascular I51.6 • - myocardium, myocardial I51.5 	<p>Event</p> <ul style="list-style-type: none"> - cardiac I51.8 - - <u>rheumatic I09.9</u> - - - <u>active or acute I01.9</u> - cardiovascular I51.6 - - <u>rheumatic I09.9</u> - - - <u>active or acute I01.9</u> • - myocardium, myocardial I51.5 - - <u>rheumatic I09.9</u> - - - <u>active or acute I01.9</u> 	<p>7 Add subterm 7 Add subterm 7 Add subterm 7 Add subterm 7 Add subterm 7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
H-6	<p>Hematoma (traumatic) (skin surface intact) (<i>see also</i> Injury, superficial) T14.0</p> <ul style="list-style-type: none"> • - spinal cord (meninges) (<i>see also</i> Injury, spinal cord, by region) T09.3 - spine – <u><i>see</i> Injury, spine</u> - - fetus or newborn (birth injury) P11.5 	<p>Hematoma (traumatic) (skin surface intact) (<i>see also</i> Injury, superficial) T14.0</p> <ul style="list-style-type: none"> • - spinal cord (meninges) (<i>see also</i> Injury, spinal cord, by region) T09.3 - - fetus or newborn (birth injury) <u>P11.5</u> - spine (<u><i>see also</i> Injury, spine</u>) - - fetus or newborn (birth injury) <u>P11.5</u> 	<p>Add subterm (Unintentionally deleted from 2005 7 Vol. 3) Revise cross 7 reference 7 Subterm was included in 2005 Vol. 3 but not documented</p>	December 2004
H-49	<p>Hypothermia (accidental) (due to) T68</p> <ul style="list-style-type: none"> - anesthesia T88.5 - due to - - disease condition R68.0 	<p>Hypothermia (accidental) (due to) T68</p> <ul style="list-style-type: none"> - anesthesia T88.5 - due to - - disease condition R68.0 - <u>essential R68.0</u> 	<p>7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
I-21	<p>Infection, infected (opportunistic) (<i>see also</i> Inflammation) B99</p> <ul style="list-style-type: none"> • - staphylococcal NEC (hemolytic) A49.0 - - generalized (purulent) A41.2 	<p>Infection, infected (opportunistic) (<i>see also</i> Inflammation) B99</p> <ul style="list-style-type: none"> • - staphylococcal NEC (hemolytic) A49.0 - - generalized (purulent) (<i>see also</i> <u>Septicemia, staphylococcus</u>) A41.2 	<p>7 Add cross reference</p>	December 2004
L-13	<p>Leukoplakia</p> <ul style="list-style-type: none"> • - vulva N90.4 	<p>Leukoplakia</p> <ul style="list-style-type: none"> • - vulva N90.4 <u>Leukopolioencephalopathy E75.2</u> 	<p>7 Add lead term</p>	December 2004
L-18	<p>Low</p> <ul style="list-style-type: none"> • - cardiac - - output I51.9 - - - newborn P29.8 	<p>Low</p> <ul style="list-style-type: none"> • - cardiac - - output I51.9 - - - newborn P29.8 - - - <u>rheumatic I09.9</u> - - - - <u>active or acute I01.9</u> 	<p>7 Add subterm 7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
L-23	<p>Lymphoma (malignant) (M9590/3) C85.9</p> <ul style="list-style-type: none"> • - mixed cell type 	<p>Lymphoma (malignant) (M9590/3) C85.9</p> <ul style="list-style-type: none"> • - mixed cell <u>(type)</u> C83.2 	<p>Delete part of subterm, 777 add parenthetical modifier and code</p>	December 2004
M-36	<p>Myxofibrosarcoma (M8811/3) - <i>see</i> Neoplasm, connective tissue, malignant</p>	<p>Myxofibrosarcoma (M8811/3) - <i>see</i> Neoplasm, connective tissue, malignant <u>Myxoid, Myxomatous (degeneration)</u> - <u>valvular I38</u> - - <u>aortic I35.8</u> - - <u>mitral I34.8</u> - - <u>pulmonary I37.8</u> - - <u>tricuspid I36.8</u></p>	<p>7 Add lead term 7 Add subterm 7 Add subterm 7 Add subterm 7 Add subterm</p>	December 2004
N-59	<p>Neuropathy, neuropathic G62.9</p> <ul style="list-style-type: none"> • - peripheral (nerve) (<i>see also</i> Polyneuropathy) G62.9 • - - idiopathic G60.9 	<p>Neuropathy, neuropathic G62.9</p> <ul style="list-style-type: none"> • - peripheral (nerve) (<i>see also</i> Polyneuropathy) G62.9 • - - idiopathic G60.9 - <u>postherpetic, post herpetic B02.2</u> 	<p>7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
P-17	<p>Perforation, perforated (nontraumatic) (<i>see also</i> Rupture)</p> <ul style="list-style-type: none"> • - by • - - instrument (any) eatheter, endoscope, probe, during a procedure (accidental) T81.2 	<p>Perforation, perforated (nontraumatic) (<i>see also</i> Rupture)</p> <ul style="list-style-type: none"> • - by • - - instrument (any) during a procedure (accidental) <u>(catheter) (endoscope) (probe)</u> T81.2 	<p>Delete part of subterm and add parenthetical 7 modifiers 7</p>	December 2004
P-32 P-35	<p>Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) (<i>see also</i> Pneumonitis) J18.9</p> <ul style="list-style-type: none"> • - broncho, bronchial (confluent) (croupous) (diffuse) (disseminated) (involving lobes) (lobar) (<i>see also</i> Pneumonia, NEC) J18.0 • - lobar (disseminated) (interstitial) (<i>see also</i> Pneumonia, NEC) J18.1 	<p>Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) (<i>see also</i> Pneumonitis) J18.9</p> <ul style="list-style-type: none"> • - broncho, bronchial (confluent) (croupous) (diffuse) (disseminated) (involving lobes) (lobar) (<i>see also</i> <u>Pneumonia</u>) J18.0 • - lobar (disseminated) (interstitial) (<i>see also</i> <u>Pneumonia</u>) J18.1 	<p>Revise cross 7 reference Revise cross 7 reference</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
S-7	<p>Sclerosis, sclerotic, sclerosing</p> <ul style="list-style-type: none"> - adrenal (gland) E27.8 - Alzheimer's G30.9 - - advanced G30.90 - - dementia in G30.9† F00.9* - - - advanced G30.90 - - - grave G30.90 - - - severe G30.90 - - grave G30.90 	<p>Sclerosis, sclerotic, sclerosing</p> <ul style="list-style-type: none"> - adrenal (gland) E27.8 - Alzheimer's G30.9 - - advanced G30.90 - - dementia in G30.9† F00.9* - - - advanced G30.90 - - - <u>early (onset) G30.0† F00.0*</u> - - - grave G30.90 - - - <u>late (onset) G30.1† F00.1*</u> - - - severe G30.90 - - <u>early (onset) G30.0† F00.0*</u> - - grave G30.90 - - <u>late (onset) G30.1† F00.1*</u> 	<p>7 Add subterm</p> <p>7 Add subterm</p> <p>7 Add subterm</p> <p>7 Add subterm</p>	December 2004
S-21	<p>Serositis, multiple K65.8</p>	<p>Serositis (<u>multiple</u>) K65.8</p>	<p>7 7 Delete part of subterm and add parenthetical modifier</p>	December 2004
S-35	<p>Standstill</p> <ul style="list-style-type: none"> - auricular I45.5 - cardiac (<i>see also</i> Arrest, cardiac) I46.9 	<p>Standstill</p> <ul style="list-style-type: none"> - auricular I45.5 - cardiac (<i>see also</i> Arrest, cardiac) I46.9 - <u>cardiorespiratory I46.9</u> 	<p>7 Add subterm</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
S-55	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - brain (anoxic) (chronic) (ischemic) (senile) F06.9 • - - Alzheimer's (type) G30.9 - - - advanced G30.90 - - - grave G30.90 	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - brain (anoxic) (chronic) (ischemic) (senile) F06.9 • - - Alzheimer's (type) G30.9 - - - advanced G30.90 - - - <u>early (onset) G30.0</u> - - - grave G30.90 - - - <u>late (onset) G30.1</u> 	<p>7 Add subterm</p> <p>7 Add subterm</p>	December 2004
S-58	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - immune deficiency D84.9 - - acquired - <i>see</i> Human, immunodeficiency virus (HIV) disease - immunodeficiency D84.9 - - acquired - <i>see</i> Human, immunodeficiency virus (HIV) disease - - adult - <i>see</i> Human, immunodeficiency virus (HIV) disease 	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - immune deficiency (<i>see also</i> Syndrome, <u>immunodeficiency</u>) D84.9 - - acquired - <i>see</i> Human, immunodeficiency virus (HIV) disease - immunodeficiency D84.9 - - acquired - <i>see</i> Human, immunodeficiency virus (HIV) disease - - adult <u>D84.9</u> 	<p>Add cross 7 reference</p> <p>Delete cross reference and add 7 7 code</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
S-63	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - trisomy NEC Q92.9 -- 13-15 Q91.7 	<p>Syndrome - <i>see also</i> Disease</p> <ul style="list-style-type: none"> • - trisomy NEC Q92.9 -- 13-15 Q91.7 --- <u>meiotic nondisjunction Q91.4</u> --- <u>mitotic nondisjunction Q91.5</u> --- <u>mosaicism Q91.5</u> --- <u>translocation Q91.6</u> 	<p>7 Add subterm 7 Add subterm 7 Add subterm 7 Add subterm</p>	December 2004
T-15	<p><i>Torula, torular (histolytica) (infection)</i> (<i>see also</i> Cryptococcosis) B45.9</p>	<p><i>Torula, torular (histolytica) (infection)</i> (<i>see also</i> Cryptococcosis) B45.9</p> <p><u>Torulopsis</u> - <u>glabrata</u> - <i>see</i> Candidiasis, candidal</p>	<p>7 Add lead term 7 Add subterm</p>	December 2004
U-8	<p>Urinemia - <i>see</i> Uremia</p>	<p>Urinemia - <i>see</i> Uremia</p> <p><u>Urinoma N39.9</u></p>	<p>7 Add lead term</p>	December 2004

Amendments to ICD-10 Volume 3 (Index)

NCHS pg #	Current entry in index	Corrected entry	Reason	Date
Ext-22	<p>Complication (delayed) (of or following) (laparoscopic) (laser) (medical or surgical procedure)</p> <ul style="list-style-type: none"> • - transplant, transplantation (heart) (kidney) (liver) (whole organ, any) Y83.0 • - - partial organ Y83.4 	<p>Complication (delayed) (of or following) (laparoscopic) (laser) (medical or surgical procedure)</p> <ul style="list-style-type: none"> • - transplant, transplantation (heart) (kidney) (liver) (whole organ, any) Y83.0 • - - partial organ Y83.4 - - <u>skin Y83.2</u> 	7 Add subterm	December 2004
Ext-22	<p>Complication (delayed) (of or following) (laparoscopic) (laser) (medical or surgical procedure)</p> <ul style="list-style-type: none"> • - vagotomy Y83.8 	<p>Complication (delayed) (of or following) (laparoscopic) (laser) (medical or surgical procedure)</p> <ul style="list-style-type: none"> • - vagotomy Y83.8 - <u>valvuloplasty (balloon) Y83.4</u> 	7 Add subterm	December 2004
Drug-163	Xamoterol.....T44.5..X43.-..X63.-..Y13.-..Y51.5	<p>Xamoterol.....T44.5..X43.-..X63.-..Y13.-..Y51.5</p> <p><u>Xanax.....T42.4..X41.-..X61.-..Y11.-..Y47.1</u></p>	7 Add drug term	December 2004