

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, all ages				
...	All causes	2,423,712	100.0	803.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	616,067	25.4	204.3
2	Malignant neoplasms (C00-C97)	562,875	23.2	186.6
3	Cerebrovascular diseases (I60-I69)	135,952	5.6	45.1
4	Chronic lower respiratory diseases (J40-J47)	127,924	5.3	42.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	123,706	5.1	41.0
6	Alzheimer's disease (G30)	74,632	3.1	24.7
7	Diabetes mellitus (E10-E14)	71,382	2.9	23.7
8	Influenza and pneumonia (J09-J18)	52,717	2.2	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	46,448	1.9	15.4
10	Septicemia (A40-A41)	34,828	1.4	11.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	34,598	1.4	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	29,165	1.2	9.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	23,965	1.0	7.9
14	Parkinson's disease (G20-G21)	20,058	0.8	6.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	18,361	0.8	6.1
...	All other causes (Residual)	451,034	18.6	149.5
All races, both sexes, 1-4 years				
...	All causes	4,703	100.0	28.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,588	33.8	9.6
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	546	11.6	3.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	398	8.5	2.4
4	Malignant neoplasms (C00-C97)	364	7.7	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	173	3.7	1.1
6	Influenza and pneumonia (J09-J18)	109	2.3	0.7
7	Septicemia (A40-A41)	78	1.7	0.5
8	Certain conditions originating in the perinatal period (P00-P96)	70	1.5	0.4
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	59	1.3	0.4
10	Chronic lower respiratory diseases (J40-J47)	57	1.2	0.3
11	Cerebrovascular diseases (I60-I69)	52	1.1	0.3
12	Complications of medical and surgical care (Y40-Y84,Y88)	23	0.5	0.1
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	22	0.5	0.1
14	Anemias (D50-D64)	17	0.4	*
15	Meningitis (G00,G03)	16	0.3	*
15	Acute bronchitis and bronchiolitis (J20-J21)	16	0.3	*
...	All other causes (Residual)	1,115	23.7	6.8

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Percent of		
		Number	total deaths	Rate
All races, both sexes, 5-14 years				
...	All causes	6,147	100.0	15.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,194	35.7	5.5
2	Malignant neoplasms (C00-C97)	959	15.6	2.4
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	374	6.1	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	346	5.6	0.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	241	3.9	0.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	184	3.0	0.5
7	Chronic lower respiratory diseases (J40-J47)	118	1.9	0.3
8	Influenza and pneumonia (J09-J18)	103	1.7	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	84	1.4	0.2
10	Cerebrovascular diseases (I60-I69)	83	1.4	0.2
11	Septicemia (A40-A41)	74	1.2	0.2
12	Anemias (D50-D64)	32	0.5	0.1
13	Meningitis (G00,G03)	25	0.4	0.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	24	0.4	0.1
15	Certain conditions originating in the perinatal period (P00-P96)	22	0.4	0.1
...	All other causes (Residual)	1,284	20.9	3.2
All races, both sexes, 15-24 years				
...	All causes	33,982	100.0	79.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,897	46.8	37.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5,551	16.3	13.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,140	12.2	9.7
4	Malignant neoplasms (C00-C97)	1,653	4.9	3.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,084	3.2	2.6
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	402	1.2	0.9
7	Cerebrovascular diseases (I60-I69)	195	0.6	0.5
8	Diabetes mellitus (E10-E14)	168	0.5	0.4
9	Influenza and pneumonia (J09-J18)	163	0.5	0.4
10	Septicemia (A40-A41)	160	0.5	0.4
10	Human immunodeficiency virus (HIV) disease (B20-B24)	160	0.5	0.4
10	Pregnancy, childbirth and the puerperium (O00-O99)	160	0.5	0.4
13	Chronic lower respiratory diseases (J40-J47)	149	0.4	0.4
14	Legal intervention (Y35,Y89.0)	97	0.3	0.2
15	Anemias (D50-D64)	90	0.3	0.2
...	All other causes (Residual)	3,913	11.5	9.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 25-44 years				
...	All causes	122,178	100.0	145.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	31,908	26.1	38.1
2	Malignant neoplasms (C00-C97)	16,751	13.7	20.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,062	12.3	18.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,000	9.8	14.3
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7,810	6.4	9.3
6	Human immunodeficiency virus (HIV) disease (B20-B24)	4,663	3.8	5.6
7	Chronic liver disease and cirrhosis (K70,K73-K74)	2,954	2.4	3.5
8	Cerebrovascular diseases (I60-I69)	2,638	2.2	3.1
9	Diabetes mellitus (E10-E14)	2,594	2.1	3.1
10	Septicemia (A40-A41)	1,207	1.0	1.4
11	Influenza and pneumonia (J09-J18)	1,115	0.9	1.3
12	Chronic lower respiratory diseases (J40-J47)	1,059	0.9	1.3
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,015	0.8	1.2
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	930	0.8	1.1
15	Viral hepatitis (B15-B19)	561	0.5	0.7
...	All other causes (Residual)	19,911	16.3	23.8
All races, both sexes, 45-64 years				
...	All causes	471,796	100.0	616.0
1	Malignant neoplasms (C00-C97)	153,338	32.5	200.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	102,961	21.8	134.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	32,508	6.9	42.4
4	Diabetes mellitus (E10-E14)	17,057	3.6	22.3
5	Chronic lower respiratory diseases (J40-J47)	16,930	3.6	22.1
6	Cerebrovascular diseases (I60-I69)	16,885	3.6	22.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	16,216	3.4	21.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,847	2.7	16.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6,673	1.4	8.7
10	Septicemia (A40-A41)	6,662	1.4	8.7
11	Human immunodeficiency virus (HIV) disease (B20-B24)	5,877	1.2	7.7
12	Viral hepatitis (B15-B19)	5,228	1.1	6.8
13	Influenza and pneumonia (J09-J18)	5,061	1.1	6.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,359	0.7	4.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,120	0.7	4.1
...	All other causes (Residual)	67,074	14.2	87.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 65 years and over				
...	All causes	1,755,567	100.0	4,633.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	496,095	28.3	1,309.4
2	Malignant neoplasms (C00-C97)	389,730	22.2	1,028.6
3	Cerebrovascular diseases (I60-I69)	115,961	6.6	306.1
4	Chronic lower respiratory diseases (J40-J47)	109,562	6.2	289.2
5	Alzheimer's disease (G30)	73,797	4.2	194.8
6	Diabetes mellitus (E10-E14)	51,528	2.9	136.0
7	Influenza and pneumonia (J09-J18)	45,941	2.6	121.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	38,484	2.2	101.6
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	38,292	2.2	101.1
10	Septicemia (A40-A41)	26,362	1.5	69.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	20,111	1.1	53.1
12	Parkinson's disease (G20-G21)	19,584	1.1	51.7
13	Pneumonitis due to solids and liquids (J69)	15,362	0.9	40.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11,328	0.6	29.9
15	Aortic aneurysm and dissection (I71)	10,241	0.6	27.0
...	All other causes (Residual)	293,189	16.7	773.8
All races, male, all ages				
...	All causes	1,203,968	100.0	809.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	309,821	25.7	208.4
2	Malignant neoplasms (C00-C97)	292,857	24.3	197.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	79,827	6.6	53.7
4	Chronic lower respiratory diseases (J40-J47)	61,235	5.1	41.2
5	Cerebrovascular diseases (I60-I69)	54,111	4.5	36.4
6	Diabetes mellitus (E10-E14)	35,478	2.9	23.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	27,269	2.3	18.3
8	Influenza and pneumonia (J09-J18)	24,071	2.0	16.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	22,616	1.9	15.2
10	Alzheimer's disease (G30)	21,800	1.8	14.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	19,151	1.6	12.9
12	Septicemia (A40-A41)	15,839	1.3	10.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	14,538	1.2	9.8
14	Parkinson's disease (G20-G21)	11,554	1.0	7.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9,417	0.8	6.3
...	All other causes (Residual)	204,384	17.0	137.5

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 1-4 years				
...	All causes	2,634	100.0	31.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	987	37.5	11.7
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	286	10.9	3.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	213	8.1	2.5
4	Malignant neoplasms (C00-C97)	191	7.3	2.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	82	3.1	1.0
6	Influenza and pneumonia (J09-J18)	55	2.1	0.7
7	Septicemia (A40-A41)	44	1.7	0.5
8	Certain conditions originating in the perinatal period (P00-P96)	34	1.3	0.4
9	Chronic lower respiratory diseases (J40-J47)	30	1.1	0.4
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	28	1.1	0.3
11	Cerebrovascular diseases (I60-I69)	20	0.8	0.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.4	*
13	Meningitis (G00,G03)	10	0.4	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.3	*
15	Acute bronchitis and bronchiolitis (J20-J21)	8	0.3	*
...	All other causes (Residual)	626	23.8	7.4
All races, male, 5-14 years				
...	All causes	3,585	100.0	17.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,346	37.5	6.6
2	Malignant neoplasms (C00-C97)	499	13.9	2.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	210	5.9	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	194	5.4	0.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	133	3.7	0.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	131	3.7	0.6
7	Chronic lower respiratory diseases (J40-J47)	78	2.2	0.4
8	Influenza and pneumonia (J09-J18)	52	1.5	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	47	1.3	0.2
10	Septicemia (A40-A41)	45	1.3	0.2
11	Cerebrovascular diseases (I60-I69)	37	1.0	0.2
12	Anemias (D50-D64)	21	0.6	0.1
13	Certain conditions originating in the perinatal period (P00-P96)	14	0.4	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.4	*
15	Meningitis (G00,G03)	12	0.3	*
15	Pneumonitis due to solids and liquids (J69)	12	0.3	*
...	All other causes (Residual)	741	20.7	3.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 15-24 years				
...	All causes	25,316	100.0	115.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,905	47.0	54.5
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,829	19.1	22.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,481	13.8	15.9
4	Malignant neoplasms (C00-C97)	987	3.9	4.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	700	2.8	3.2
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	241	1.0	1.1
7	Cerebrovascular diseases (I60-I69)	113	0.4	0.5
8	Diabetes mellitus (E10-E14)	98	0.4	0.4
9	Chronic lower respiratory diseases (J40-J47)	96	0.4	0.4
10	Legal intervention (Y35,Y89.0)	94	0.4	0.4
11	Influenza and pneumonia (J09-J18)	91	0.4	0.4
12	Human immunodeficiency virus (HIV) disease (B20-B24)	88	0.3	0.4
13	Septicemia (A40-A41)	85	0.3	0.4
14	Anemias (D50-D64)	49	0.2	0.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	43	0.2	0.2
...	All other causes (Residual)	2,416	9.5	11.1
All races, male, 25-44 years				
...	All causes	79,897	100.0	188.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,406	29.3	55.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,522	13.2	24.9
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,433	11.8	22.3
4	Malignant neoplasms (C00-C97)	7,393	9.3	17.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6,308	7.9	14.9
6	Human immunodeficiency virus (HIV) disease (B20-B24)	3,159	4.0	7.5
7	Chronic liver disease and cirrhosis (K70,K73-K74)	1,983	2.5	4.7
8	Diabetes mellitus (E10-E14)	1,587	2.0	3.8
9	Cerebrovascular diseases (I60-I69)	1,395	1.7	3.3
10	Influenza and pneumonia (J09-J18)	630	0.8	1.5
11	Septicemia (A40-A41)	616	0.8	1.5
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	569	0.7	1.3
13	Chronic lower respiratory diseases (J40-J47)	542	0.7	1.3
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	500	0.6	1.2
15	Viral hepatitis (B15-B19)	375	0.5	0.9
...	All other causes (Residual)	11,479	14.4	27.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 45-64 years				
...	All causes	288,074	100.0	770.9
1	Malignant neoplasms (C00-C97)	81,929	28.4	219.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	72,469	25.2	193.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	22,374	7.8	59.9
4	Chronic liver disease and cirrhosis (K70,K73-K74)	11,520	4.0	30.8
5	Diabetes mellitus (E10-E14)	10,157	3.5	27.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,650	3.3	25.8
7	Cerebrovascular diseases (I60-I69)	9,499	3.3	25.4
8	Chronic lower respiratory diseases (J40-J47)	8,858	3.1	23.7
9	Human immunodeficiency virus (HIV) disease (B20-B24)	4,372	1.5	11.7
10	Viral hepatitis (B15-B19)	3,758	1.3	10.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,738	1.3	10.0
12	Septicemia (A40-A41)	3,508	1.2	9.4
13	Influenza and pneumonia (J09-J18)	3,007	1.0	8.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,299	0.8	6.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,033	0.7	5.4
...	All other causes (Residual)	38,903	13.5	104.1
All races, male, 65 years and over				
...	All causes	788,013	100.0	4,932.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	225,657	28.6	1,412.4
2	Malignant neoplasms (C00-C97)	201,815	25.6	1,263.2
3	Chronic lower respiratory diseases (J40-J47)	51,598	6.5	323.0
4	Cerebrovascular diseases (I60-I69)	42,966	5.5	268.9
5	Diabetes mellitus (E10-E14)	23,615	3.0	147.8
6	Alzheimer's disease (G30)	21,423	2.7	134.1
7	Influenza and pneumonia (J09-J18)	20,098	2.6	125.8
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19,062	2.4	119.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,165	2.3	113.7
10	Septicemia (A40-A41)	11,388	1.4	71.3
11	Parkinson's disease (G20-G21)	11,252	1.4	70.4
12	Pneumonitis due to solids and liquids (J69)	7,912	1.0	49.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7,073	0.9	44.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	5,626	0.7	35.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,624	0.7	35.2
...	All other causes (Residual)	114,739	14.6	718.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, all ages				
...	All causes	1,219,744	100.0	797.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	306,246	25.1	200.2
2	Malignant neoplasms (C00-C97)	270,018	22.1	176.5
3	Cerebrovascular diseases (I60-I69)	81,841	6.7	53.5
4	Chronic lower respiratory diseases (J40-J47)	66,689	5.5	43.6
5	Alzheimer's disease (G30)	52,832	4.3	34.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	43,879	3.6	28.7
7	Diabetes mellitus (E10-E14)	35,904	2.9	23.5
8	Influenza and pneumonia (J09-J18)	28,646	2.3	18.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	23,832	2.0	15.6
10	Septicemia (A40-A41)	18,989	1.6	12.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	14,548	1.2	9.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	10,014	0.8	6.5
13	Parkinson's disease (G20-G21)	8,504	0.7	5.6
14	Pneumonitis due to solids and liquids (J69)	8,054	0.7	5.3
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	7,329	0.6	4.8
...	All other causes (Residual)	242,419	19.9	158.5
All races, female, 1-4 years				
...	All causes	2,069	100.0	25.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	601	29.0	7.5
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	260	12.6	3.2
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	185	8.9	2.3
4	Malignant neoplasms (C00-C97)	173	8.4	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	91	4.4	1.1
6	Influenza and pneumonia (J09-J18)	54	2.6	0.7
7	Certain conditions originating in the perinatal period (P00-P96)	36	1.7	0.4
8	Septicemia (A40-A41)	34	1.6	0.4
9	Cerebrovascular diseases (I60-I69)	32	1.5	0.4
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	31	1.5	0.4
11	Chronic lower respiratory diseases (J40-J47)	27	1.3	0.3
12	Complications of medical and surgical care (Y40-Y84,Y88)	14	0.7	*
13	Anemias (D50-D64)	11	0.5	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.5	*
15	Acute bronchitis and bronchiolitis (J20-J21)	8	0.4	*
...	All other causes (Residual)	501	24.2	6.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 5-14 years				
...	All causes	2,562	100.0	13.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	848	33.1	4.3
2	Malignant neoplasms (C00-C97)	460	18.0	2.3
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	180	7.0	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	136	5.3	0.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	108	4.2	0.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	53	2.1	0.3
7	Influenza and pneumonia (J09-J18)	51	2.0	0.3
8	Cerebrovascular diseases (I60-I69)	46	1.8	0.2
9	Chronic lower respiratory diseases (J40-J47)	40	1.6	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	1.4	0.2
11	Septicemia (A40-A41)	29	1.1	0.1
12	Meningitis (G00,G03)	13	0.5	*
13	Anemias (D50-D64)	11	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	11	0.4	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	11	0.4	*
...	All other causes (Residual)	528	20.6	2.7
All races, female, 15-24 years				
...	All causes	8,666	100.0	42.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,992	46.1	19.3
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	722	8.3	3.5
3	Malignant neoplasms (C00-C97)	666	7.7	3.2
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	659	7.6	3.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	384	4.4	1.9
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	161	1.9	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	160	1.8	0.8
8	Cerebrovascular diseases (I60-I69)	82	0.9	0.4
9	Septicemia (A40-A41)	75	0.9	0.4
10	Human immunodeficiency virus (HIV) disease (B20-B24)	72	0.8	0.3
10	Influenza and pneumonia (J09-J18)	72	0.8	0.3
12	Diabetes mellitus (E10-E14)	70	0.8	0.3
13	Chronic lower respiratory diseases (J40-J47)	53	0.6	0.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	0.5	0.2
15	Anemias (D50-D64)	41	0.5	0.2
...	All other causes (Residual)	1,413	16.3	6.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 25-44 years				
...	All causes	42,281	100.0	102.0
1	Malignant neoplasms (C00-C97)	9,358	22.1	22.6
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,502	20.1	20.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,540	10.7	11.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,567	6.1	6.2
5	Human immunodeficiency virus (HIV) disease (B20-B24)	1,504	3.6	3.6
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,502	3.6	3.6
7	Cerebrovascular diseases (I60-I69)	1,243	2.9	3.0
8	Diabetes mellitus (E10-E14)	1,007	2.4	2.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	971	2.3	2.3
10	Septicemia (A40-A41)	591	1.4	1.4
11	Pregnancy, childbirth and the puerperium (O00-O99)	546	1.3	1.3
12	Chronic lower respiratory diseases (J40-J47)	517	1.2	1.2
13	Influenza and pneumonia (J09-J18)	485	1.1	1.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	446	1.1	1.1
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	430	1.0	1.0
...	All other causes (Residual)	8,072	19.1	19.5
All races, female, 45-64 years				
...	All causes	183,722	100.0	468.5
1	Malignant neoplasms (C00-C97)	71,409	38.9	182.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	30,492	16.6	77.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,134	5.5	25.8
4	Chronic lower respiratory diseases (J40-J47)	8,072	4.4	20.6
5	Cerebrovascular diseases (I60-I69)	7,386	4.0	18.8
6	Diabetes mellitus (E10-E14)	6,900	3.8	17.6
7	Chronic liver disease and cirrhosis (K70,K73-K74)	4,696	2.6	12.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,197	1.7	8.2
9	Septicemia (A40-A41)	3,154	1.7	8.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,935	1.6	7.5
11	Influenza and pneumonia (J09-J18)	2,054	1.1	5.2
12	Human immunodeficiency virus (HIV) disease (B20-B24)	1,505	0.8	3.8
13	Viral hepatitis (B15-B19)	1,470	0.8	3.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,326	0.7	3.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	895	0.5	2.3
...	All other causes (Residual)	28,097	15.3	71.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 65 years and over				
...	All causes	967,554	100.0	4,415.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	270,438	28.0	1,234.2
2	Malignant neoplasms (C00-C97)	187,915	19.4	857.6
3	Cerebrovascular diseases (I60-I69)	72,995	7.5	333.1
4	Chronic lower respiratory diseases (J40-J47)	57,964	6.0	264.5
5	Alzheimer's disease (G30)	52,374	5.4	239.0
6	Diabetes mellitus (E10-E14)	27,913	2.9	127.4
7	Influenza and pneumonia (J09-J18)	25,843	2.7	117.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,319	2.1	92.7
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19,230	2.0	87.8
10	Septicemia (A40-A41)	14,974	1.5	68.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,038	1.3	59.5
12	Parkinson's disease (G20-G21)	8,332	0.9	38.0
13	Pneumonitis due to solids and liquids (J69)	7,450	0.8	34.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,704	0.6	26.0
15	Atherosclerosis (I70)	4,856	0.5	22.2
...	All other causes (Residual)	178,209	18.4	813.3
White, both sexes, all ages				
...	All causes	2,074,151	100.0	851.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	531,636	25.6	218.3
2	Malignant neoplasms (C00-C97)	483,939	23.3	198.7
3	Chronic lower respiratory diseases (J40-J47)	118,081	5.7	48.5
4	Cerebrovascular diseases (I60-I69)	114,695	5.5	47.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	106,252	5.1	43.6
6	Alzheimer's disease (G30)	68,933	3.3	28.3
7	Diabetes mellitus (E10-E14)	56,390	2.7	23.2
8	Influenza and pneumonia (J09-J18)	45,947	2.2	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	36,871	1.8	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	31,348	1.5	12.9
11	Septicemia (A40-A41)	27,750	1.3	11.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	25,490	1.2	10.5
13	Parkinson's disease (G20-G21)	18,864	0.9	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	18,583	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	15,229	0.7	6.3
...	All other causes (Residual)	374,143	18.0	153.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 1-4 years				
...	All causes	3,287	100.0	25.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,169	35.6	9.2
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	396	12.0	3.1
3	Malignant neoplasms (C00-C97)	287	8.7	2.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	216	6.6	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	112	3.4	0.9
6	Influenza and pneumonia (J09-J18)	73	2.2	0.6
7	Septicemia (A40-A41)	60	1.8	0.5
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	49	1.5	0.4
9	Certain conditions originating in the perinatal period (P00-P96)	40	1.2	0.3
10	Cerebrovascular diseases (I60-I69)	34	1.0	0.3
11	Chronic lower respiratory diseases (J40-J47)	22	0.7	0.2
12	Complications of medical and surgical care (Y40-Y84,Y88)	17	0.5	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	0.4	*
14	Meningitis (G00,G03)	12	0.4	*
15	Acute bronchitis and bronchiolitis (J20-J21)	9	0.3	*
...	All other causes (Residual)	777	23.6	6.1
White, both sexes, 5-14 years				
...	All causes	4,480	100.0	14.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,625	36.3	5.2
2	Malignant neoplasms (C00-C97)	776	17.3	2.5
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	274	6.1	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	196	4.4	0.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	166	3.7	0.5
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	125	2.8	0.4
7	Influenza and pneumonia (J09-J18)	77	1.7	0.2
8	Cerebrovascular diseases (I60-I69)	63	1.4	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	60	1.3	0.2
10	Septicemia (A40-A41)	59	1.3	0.2
11	Chronic lower respiratory diseases (J40-J47)	54	1.2	0.2
12	Meningitis (G00,G03)	19	0.4	*
13	Anemias (D50-D64)	18	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18	0.4	*
15	Certain conditions originating in the perinatal period (P00-P96)	16	0.4	*
...	All other causes (Residual)	934	20.8	3.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 15-24 years				
...	All causes	25,137	100.0	75.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,481	53.6	40.6
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,442	13.7	10.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,193	8.7	6.6
4	Malignant neoplasms (C00-C97)	1,296	5.2	3.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	706	2.8	2.1
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	299	1.2	0.9
7	Cerebrovascular diseases (I60-I69)	138	0.5	0.4
8	Influenza and pneumonia (J09-J18)	129	0.5	0.4
9	Diabetes mellitus (E10-E14)	109	0.4	0.3
10	Septicemia (A40-A41)	106	0.4	0.3
11	Pregnancy, childbirth and the puerperium (O00-O99)	86	0.3	0.3
12	Chronic lower respiratory diseases (J40-J47)	79	0.3	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	59	0.2	0.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	57	0.2	0.2
15	Human immunodeficiency virus (HIV) disease (B20-B24)	51	0.2	0.2
...	All other causes (Residual)	2,906	11.6	8.8
White, both sexes, 25-44 years				
...	All causes	90,752	100.0	136.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	26,857	29.6	40.5
2	Malignant neoplasms (C00-C97)	12,949	14.3	19.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10,557	11.6	15.9
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,479	11.5	15.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,627	4.0	5.5
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,494	2.7	3.8
7	Human immunodeficiency virus (HIV) disease (B20-B24)	1,889	2.1	2.9
8	Diabetes mellitus (E10-E14)	1,723	1.9	2.6
9	Cerebrovascular diseases (I60-I69)	1,688	1.9	2.5
10	Influenza and pneumonia (J09-J18)	805	0.9	1.2
11	Septicemia (A40-A41)	802	0.9	1.2
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	743	0.8	1.1
13	Chronic lower respiratory diseases (J40-J47)	737	0.8	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	547	0.6	0.8
15	Viral hepatitis (B15-B19)	442	0.5	0.7
...	All other causes (Residual)	14,413	15.9	21.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 45-64 years				
...	All causes	373,520	100.0	585.6
1	Malignant neoplasms (C00-C97)	124,930	33.4	195.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	79,720	21.3	125.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	27,242	7.3	42.7
4	Chronic lower respiratory diseases (J40-J47)	14,807	4.0	23.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	13,886	3.7	21.8
6	Diabetes mellitus (E10-E14)	12,501	3.3	19.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,051	3.2	18.9
8	Cerebrovascular diseases (I60-I69)	11,577	3.1	18.1
9	Septicemia (A40-A41)	4,748	1.3	7.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,238	1.1	6.6
11	Viral hepatitis (B15-B19)	4,232	1.1	6.6
12	Influenza and pneumonia (J09-J18)	3,886	1.0	6.1
13	Human immunodeficiency virus (HIV) disease (B20-B24)	2,451	0.7	3.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,982	0.5	3.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,887	0.5	3.0
...	All other causes (Residual)	53,382	14.3	83.7
White, both sexes, 65 years and over				
...	All causes	1,558,020	100.0	4,711.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	440,180	28.3	1,331.0
2	Malignant neoplasms (C00-C97)	343,637	22.1	1,039.1
3	Chronic lower respiratory diseases (J40-J47)	102,351	6.6	309.5
4	Cerebrovascular diseases (I60-I69)	101,097	6.5	305.7
5	Alzheimer's disease (G30)	68,162	4.4	206.1
6	Diabetes mellitus (E10-E14)	42,031	2.7	127.1
7	Influenza and pneumonia (J09-J18)	40,842	2.6	123.5
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	35,046	2.2	106.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	31,903	2.0	96.5
10	Septicemia (A40-A41)	21,816	1.4	66.0
11	Parkinson's disease (G20-G21)	18,444	1.2	55.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	16,351	1.0	49.4
13	Pneumonitis due to solids and liquids (J69)	13,922	0.9	42.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	10,314	0.7	31.2
15	Aortic aneurysm and dissection (I71)	9,301	0.6	28.1
...	All other causes (Residual)	262,623	16.9	794.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, male, all ages				
...	All causes	1,023,951	100.0	848.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	266,908	26.1	221.1
2	Malignant neoplasms (C00-C97)	252,049	24.6	208.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	68,059	6.6	56.4
4	Chronic lower respiratory diseases (J40-J47)	55,934	5.5	46.3
5	Cerebrovascular diseases (I60-I69)	44,714	4.4	37.0
6	Diabetes mellitus (E10-E14)	28,744	2.8	23.8
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	24,725	2.4	20.5
8	Influenza and pneumonia (J09-J18)	20,720	2.0	17.2
9	Alzheimer's disease (G30)	20,185	2.0	16.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,242	1.8	15.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	16,801	1.6	13.9
12	Septicemia (A40-A41)	12,600	1.2	10.4
13	Parkinson's disease (G20-G21)	10,895	1.1	9.0
14	Pneumonitis due to solids and liquids (J69)	8,010	0.8	6.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7,106	0.7	5.9
...	All other causes (Residual)	168,259	16.4	139.4
White, male, 1-4 years				
...	All causes	1,847	100.0	28.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	738	40.0	11.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	211	11.4	3.2
3	Malignant neoplasms (C00-C97)	146	7.9	2.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	116	6.3	1.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	47	2.5	0.7
6	Septicemia (A40-A41)	33	1.8	0.5
7	Influenza and pneumonia (J09-J18)	32	1.7	0.5
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	1.4	0.4
9	Certain conditions originating in the perinatal period (P00-P96)	19	1.0	*
10	Cerebrovascular diseases (I60-I69)	16	0.9	*
11	Chronic lower respiratory diseases (J40-J47)	13	0.7	*
12	Meningitis (G00,G03)	7	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.3	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.3	*
15	Pneumonitis due to solids and liquids (J69)	5	0.3	*
...	All other causes (Residual)	427	23.1	6.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 5-14 years				
...	All causes	2,590	100.0	16.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,000	38.6	6.2
2	Malignant neoplasms (C00-C97)	404	15.6	2.5
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	145	5.6	0.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	106	4.1	0.7
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	91	3.5	0.6
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	90	3.5	0.6
7	Septicemia (A40-A41)	38	1.5	0.2
8	Influenza and pneumonia (J09-J18)	36	1.4	0.2
9	Chronic lower respiratory diseases (J40-J47)	34	1.3	0.2
10	Cerebrovascular diseases (I60-I69)	32	1.2	0.2
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	31	1.2	0.2
12	Anemias (D50-D64)	13	0.5	*
13	Certain conditions originating in the perinatal period (P00-P96)	11	0.4	*
14	Diabetes mellitus (E10-E14)	9	0.3	*
14	Pneumonitis due to solids and liquids (J69)	9	0.3	*
...	All other causes (Residual)	541	20.9	3.4
White, male, 15-24 years				
...	All causes	18,513	100.0	108.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,121	54.7	59.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,896	15.6	16.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,792	9.7	10.5
4	Malignant neoplasms (C00-C97)	781	4.2	4.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	445	2.4	2.6
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	175	0.9	1.0
7	Cerebrovascular diseases (I60-I69)	76	0.4	0.4
8	Influenza and pneumonia (J09-J18)	74	0.4	0.4
9	Diabetes mellitus (E10-E14)	73	0.4	0.4
10	Septicemia (A40-A41)	59	0.3	0.3
11	Chronic lower respiratory diseases (J40-J47)	49	0.3	0.3
12	Legal intervention (Y35,Y89.0)	46	0.2	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	32	0.2	0.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	30	0.2	0.2
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	27	0.1	0.2
...	All other causes (Residual)	1,837	9.9	10.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 25-44 years				
...	All causes	60,119	100.0	177.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19,698	32.8	58.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,304	13.8	24.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,491	12.5	22.1
4	Malignant neoplasms (C00-C97)	5,851	9.7	17.3
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,742	4.6	8.1
6	Chronic liver disease and cirrhosis (K70,K73-K74)	1,696	2.8	5.0
7	Human immunodeficiency virus (HIV) disease (B20-B24)	1,512	2.5	4.5
8	Diabetes mellitus (E10-E14)	1,095	1.8	3.2
9	Cerebrovascular diseases (I60-I69)	913	1.5	2.7
10	Influenza and pneumonia (J09-J18)	450	0.7	1.3
11	Septicemia (A40-A41)	422	0.7	1.2
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	399	0.7	1.2
13	Chronic lower respiratory diseases (J40-J47)	364	0.6	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	318	0.5	0.9
15	Viral hepatitis (B15-B19)	296	0.5	0.9
...	All other causes (Residual)	8,568	14.3	25.3
White, male, 45-64 years				
...	All causes	230,341	100.0	731.9
1	Malignant neoplasms (C00-C97)	66,950	29.1	212.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	57,522	25.0	182.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	18,709	8.1	59.4
4	Chronic liver disease and cirrhosis (K70,K73-K74)	9,970	4.3	31.7
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,054	3.9	28.8
6	Chronic lower respiratory diseases (J40-J47)	7,733	3.4	24.6
7	Diabetes mellitus (E10-E14)	7,682	3.3	24.4
8	Cerebrovascular diseases (I60-I69)	6,572	2.9	20.9
9	Viral hepatitis (B15-B19)	3,081	1.3	9.8
10	Septicemia (A40-A41)	2,494	1.1	7.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,443	1.1	7.8
12	Influenza and pneumonia (J09-J18)	2,296	1.0	7.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	2,006	0.9	6.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,333	0.6	4.2
15	Aortic aneurysm and dissection (I71)	1,307	0.6	4.2
...	All other causes (Residual)	31,189	13.5	99.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 65 years and over				
...	All causes	699,879	100.0	4,981.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	201,155	28.7	1,431.6
2	Malignant neoplasms (C00-C97)	177,884	25.4	1,266.0
3	Chronic lower respiratory diseases (J40-J47)	47,723	6.8	339.6
4	Cerebrovascular diseases (I60-I69)	37,051	5.3	263.7
5	Diabetes mellitus (E10-E14)	19,877	2.8	141.5
6	Alzheimer's disease (G30)	19,840	2.8	141.2
7	Influenza and pneumonia (J09-J18)	17,744	2.5	126.3
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	17,309	2.5	123.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	15,392	2.2	109.5
10	Parkinson's disease (G20-G21)	10,621	1.5	75.6
11	Septicemia (A40-A41)	9,468	1.4	67.4
12	Pneumonitis due to solids and liquids (J69)	7,185	1.0	51.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,670	0.8	40.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,135	0.7	36.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	5,121	0.7	36.4
...	All other causes (Residual)	102,704	14.7	730.9
White, female, all ages				
...	All causes	1,050,200	100.0	854.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	264,728	25.2	215.5
2	Malignant neoplasms (C00-C97)	231,890	22.1	188.8
3	Cerebrovascular diseases (I60-I69)	69,981	6.7	57.0
4	Chronic lower respiratory diseases (J40-J47)	62,147	5.9	50.6
5	Alzheimer's disease (G30)	48,748	4.6	39.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	38,193	3.6	31.1
7	Diabetes mellitus (E10-E14)	27,646	2.6	22.5
8	Influenza and pneumonia (J09-J18)	25,227	2.4	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,629	1.8	15.2
10	Septicemia (A40-A41)	15,150	1.4	12.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11,477	1.1	9.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	8,689	0.8	7.1
13	Parkinson's disease (G20-G21)	7,969	0.8	6.5
14	Pneumonitis due to solids and liquids (J69)	7,219	0.7	5.9
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,623	0.6	5.4
...	All other causes (Residual)	205,884	19.6	167.6

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 1-4 years				
...	All causes	1,440	100.0	23.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	431	29.9	6.9
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	185	12.8	3.0
3	Malignant neoplasms (C00-C97)	141	9.8	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	100	6.9	1.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	65	4.5	1.0
6	Influenza and pneumonia (J09-J18)	41	2.8	0.7
7	Septicemia (A40-A41)	27	1.9	0.4
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	24	1.7	0.4
9	Certain conditions originating in the perinatal period (P00-P96)	21	1.5	0.3
10	Cerebrovascular diseases (I60-I69)	18	1.3	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	11	0.8	*
12	Chronic lower respiratory diseases (J40-J47)	9	0.6	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	0.6	*
14	Meningitis (G00,G03)	5	0.3	*
14	Acute bronchitis and bronchiolitis (J20-J21)	5	0.3	*
...	All other causes (Residual)	349	24.2	5.6
White, female, 5-14 years				
...	All causes	1,890	100.0	12.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	625	33.1	4.1
2	Malignant neoplasms (C00-C97)	372	19.7	2.4
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	129	6.8	0.8
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	90	4.8	0.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	76	4.0	0.5
6	Influenza and pneumonia (J09-J18)	41	2.2	0.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	34	1.8	0.2
8	Cerebrovascular diseases (I60-I69)	31	1.6	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	29	1.5	0.2
10	Septicemia (A40-A41)	21	1.1	0.1
11	Chronic lower respiratory diseases (J40-J47)	20	1.1	0.1
12	Meningitis (G00,G03)	12	0.6	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10	0.5	*
14	Diabetes mellitus (E10-E14)	6	0.3	*
15	Anemias (D50-D64)	5	0.3	*
15	Certain conditions originating in the perinatal period (P00-P96)	5	0.3	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.3	*
...	All other causes (Residual)	379	20.1	2.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 15-24 years				
...	All causes	6,624	100.0	41.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,360	50.7	20.9
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	546	8.2	3.4
3	Malignant neoplasms (C00-C97)	515	7.8	3.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	401	6.1	2.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	261	3.9	1.6
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	124	1.9	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	86	1.3	0.5
8	Cerebrovascular diseases (I60-I69)	62	0.9	0.4
9	Influenza and pneumonia (J09-J18)	55	0.8	0.3
10	Septicemia (A40-A41)	47	0.7	0.3
11	Diabetes mellitus (E10-E14)	36	0.5	0.2
12	Chronic lower respiratory diseases (J40-J47)	30	0.5	0.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	30	0.5	0.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	29	0.4	0.2
15	Human immunodeficiency virus (HIV) disease (B20-B24)	19	0.3	*
...	All other causes (Residual)	1,023	15.4	6.4
White, female, 25-44 years				
...	All causes	30,633	100.0	94.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,159	23.4	22.1
2	Malignant neoplasms (C00-C97)	7,098	23.2	21.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,988	9.8	9.2
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,253	7.4	7.0
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	885	2.9	2.7
6	Chronic liver disease and cirrhosis (K70,K73-K74)	798	2.6	2.5
7	Cerebrovascular diseases (I60-I69)	775	2.5	2.4
8	Diabetes mellitus (E10-E14)	628	2.1	1.9
9	Septicemia (A40-A41)	380	1.2	1.2
10	Human immunodeficiency virus (HIV) disease (B20-B24)	377	1.2	1.2
11	Chronic lower respiratory diseases (J40-J47)	373	1.2	1.2
12	Influenza and pneumonia (J09-J18)	355	1.2	1.1
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	344	1.1	1.1
14	Pregnancy, childbirth and the puerperium (O00-O99)	330	1.1	1.0
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	229	0.7	0.7
...	All other causes (Residual)	5,661	18.5	17.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 45-64 years				
...	All causes	143,179	100.0	443.1
1	Malignant neoplasms (C00-C97)	57,980	40.5	179.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,198	15.5	68.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,533	6.0	26.4
4	Chronic lower respiratory diseases (J40-J47)	7,074	4.9	21.9
5	Cerebrovascular diseases (I60-I69)	5,005	3.5	15.5
6	Diabetes mellitus (E10-E14)	4,819	3.4	14.9
7	Chronic liver disease and cirrhosis (K70,K73-K74)	3,916	2.7	12.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,997	2.1	9.3
9	Septicemia (A40-A41)	2,254	1.6	7.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,795	1.3	5.6
11	Influenza and pneumonia (J09-J18)	1,590	1.1	4.9
12	Viral hepatitis (B15-B19)	1,151	0.8	3.6
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	735	0.5	2.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	722	0.5	2.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	554	0.4	1.7
...	All other causes (Residual)	21,856	15.3	67.6
White, female, 65 years and over				
...	All causes	858,141	100.0	4,511.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	239,025	27.9	1,256.6
2	Malignant neoplasms (C00-C97)	165,753	19.3	871.4
3	Cerebrovascular diseases (I60-I69)	64,046	7.5	336.7
4	Chronic lower respiratory diseases (J40-J47)	54,628	6.4	287.2
5	Alzheimer's disease (G30)	48,322	5.6	254.0
6	Influenza and pneumonia (J09-J18)	23,098	2.7	121.4
7	Diabetes mellitus (E10-E14)	22,154	2.6	116.5
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	17,737	2.1	93.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16,511	1.9	86.8
10	Septicemia (A40-A41)	12,348	1.4	64.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	10,681	1.2	56.2
12	Parkinson's disease (G20-G21)	7,823	0.9	41.1
13	Pneumonitis due to solids and liquids (J69)	6,737	0.8	35.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,179	0.6	27.2
15	Atherosclerosis (I70)	4,416	0.5	23.2
...	All other causes (Residual)	159,683	18.6	839.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, all ages				
...	All causes	289,585	100.0	723.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	71,209	24.6	177.9
2	Malignant neoplasms (C00-C97)	64,049	22.1	160.0
3	Cerebrovascular diseases (I60-I69)	17,085	5.9	42.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,559	4.7	33.9
5	Diabetes mellitus (E10-E14)	12,459	4.3	31.1
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8,870	3.1	22.2
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,392	2.9	21.0
8	Chronic lower respiratory diseases (J40-J47)	7,901	2.7	19.7
9	Human immunodeficiency virus (HIV) disease (B20-B24)	6,470	2.2	16.2
10	Septicemia (A40-A41)	6,297	2.2	15.7
11	Influenza and pneumonia (J09-J18)	5,155	1.8	12.9
12	Certain conditions originating in the perinatal period (P00-P96)	5,052	1.7	12.6
13	Alzheimer's disease (G30)	4,760	1.6	11.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,640	1.6	11.6
15	Chronic liver disease and cirrhosis (K70,K73-K74)	2,558	0.9	6.4
...	All other causes (Residual)	51,129	17.7	127.7
Black, both sexes, 1-4 years				
...	All causes	1,137	100.0	42.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	325	28.6	12.1
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	168	14.8	6.2
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	119	10.5	4.4
4	Malignant neoplasms (C00-C97)	55	4.8	2.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	43	3.8	1.6
6	Chronic lower respiratory diseases (J40-J47)	30	2.6	1.1
7	Influenza and pneumonia (J09-J18)	29	2.6	1.1
8	Certain conditions originating in the perinatal period (P00-P96)	27	2.4	1.0
9	Septicemia (A40-A41)	16	1.4	*
9	Cerebrovascular diseases (I60-I69)	16	1.4	*
11	Anemias (D50-D64)	12	1.1	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	9	0.8	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.5	*
15	Acute bronchitis and bronchiolitis (J20-J21)	5	0.4	*
...	All other causes (Residual)	271	23.8	10.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 5-14 years				
...	All causes	1,363	100.0	20.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	459	33.7	7.0
2	Malignant neoplasms (C00-C97)	143	10.5	2.2
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	140	10.3	2.1
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	77	5.6	1.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	63	4.6	1.0
6	Chronic lower respiratory diseases (J40-J47)	60	4.4	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	42	3.1	0.6
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	21	1.5	0.3
8	Influenza and pneumonia (J09-J18)	21	1.5	0.3
10	Anemias (D50-D64)	13	1.0	*
10	Cerebrovascular diseases (I60-I69)	13	1.0	*
12	Septicemia (A40-A41)	11	0.8	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	8	0.6	*
14	Diabetes mellitus (E10-E14)	6	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	6	0.4	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.4	*
...	All other causes (Residual)	274	20.1	4.2
Black, both sexes, 15-24 years				
...	All causes	7,380	100.0	109.3
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,213	43.5	47.6
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,749	23.7	25.9
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	406	5.5	6.0
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	348	4.7	5.2
5	Malignant neoplasms (C00-C97)	261	3.5	3.9
6	Human immunodeficiency virus (HIV) disease (B20-B24)	109	1.5	1.6
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	83	1.1	1.2
8	Pregnancy, childbirth and the puerperium (O00-O99)	69	0.9	1.0
9	Anemias (D50-D64)	67	0.9	1.0
10	Chronic lower respiratory diseases (J40-J47)	65	0.9	1.0
11	Diabetes mellitus (E10-E14)	56	0.8	0.8
12	Legal intervention (Y35,Y89.0)	48	0.7	0.7
13	Septicemia (A40-A41)	47	0.6	0.7
14	Cerebrovascular diseases (I60-I69)	46	0.6	0.7
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	28	0.4	0.4
...	All other causes (Residual)	785	10.6	11.6

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 25-44 years				
...	All causes	26,652	100.0	234.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,989	15.0	35.0
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,937	14.8	34.6
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,926	14.7	34.5
4	Malignant neoplasms (C00-C97)	2,983	11.2	26.2
5	Human immunodeficiency virus (HIV) disease (B20-B24)	2,707	10.2	23.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	905	3.4	7.9
7	Cerebrovascular diseases (I60-I69)	803	3.0	7.0
8	Diabetes mellitus (E10-E14)	775	2.9	6.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	443	1.7	3.9
10	Septicemia (A40-A41)	364	1.4	3.2
11	Chronic lower respiratory diseases (J40-J47)	289	1.1	2.5
12	Influenza and pneumonia (J09-J18)	272	1.0	2.4
13	Anemias (D50-D64)	244	0.9	2.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	231	0.9	2.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	225	0.8	2.0
...	All other causes (Residual)	4,559	17.1	40.0
Black, both sexes, 45-64 years				
...	All causes	84,500	100.0	974.1
1	Malignant neoplasms (C00-C97)	23,580	27.9	271.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	20,646	24.4	238.0
3	Cerebrovascular diseases (I60-I69)	4,537	5.4	52.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,365	5.2	50.3
5	Diabetes mellitus (E10-E14)	3,919	4.6	45.2
6	Human immunodeficiency virus (HIV) disease (B20-B24)	3,346	4.0	38.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,214	2.6	25.5
8	Chronic lower respiratory diseases (J40-J47)	1,850	2.2	21.3
9	Septicemia (A40-A41)	1,725	2.0	19.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	1,720	2.0	19.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,287	1.5	14.8
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,121	1.3	12.9
13	Influenza and pneumonia (J09-J18)	1,012	1.2	11.7
14	Viral hepatitis (B15-B19)	791	0.9	9.1
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	479	0.6	5.5
...	All other causes (Residual)	11,908	14.1	137.3

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 65 years and over				
...	All causes	159,564	100.0	4,877.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	45,974	28.8	1,405.3
2	Malignant neoplasms (C00-C97)	37,014	23.2	1,131.4
3	Cerebrovascular diseases (I60-I69)	11,634	7.3	355.6
4	Diabetes mellitus (E10-E14)	7,700	4.8	235.4
5	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,651	3.5	172.7
6	Chronic lower respiratory diseases (J40-J47)	5,592	3.5	170.9
7	Alzheimer's disease (G30)	4,711	3.0	144.0
8	Septicemia (A40-A41)	4,018	2.5	122.8
9	Influenza and pneumonia (J09-J18)	3,723	2.3	113.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,117	2.0	95.3
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,292	1.4	70.1
12	Pneumonitis due to solids and liquids (J69)	1,145	0.7	35.0
13	Parkinson's disease (G20-G21)	760	0.5	23.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	759	0.5	23.2
15	Aortic aneurysm and dissection (I71)	671	0.4	20.5
...	All other causes (Residual)	24,803	15.5	758.1
Black, male, all ages				
...	All causes	148,309	100.0	775.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,669	24.1	186.5
2	Malignant neoplasms (C00-C97)	33,069	22.3	172.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,268	6.2	48.5
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7,584	5.1	39.7
5	Cerebrovascular diseases (I60-I69)	7,549	5.1	39.5
6	Diabetes mellitus (E10-E14)	5,493	3.7	28.7
7	Chronic lower respiratory diseases (J40-J47)	4,207	2.8	22.0
8	Human immunodeficiency virus (HIV) disease (B20-B24)	4,186	2.8	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,772	2.5	19.7
10	Certain conditions originating in the perinatal period (P00-P96)	2,846	1.9	14.9
11	Septicemia (A40-A41)	2,835	1.9	14.8
12	Influenza and pneumonia (J09-J18)	2,498	1.7	13.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,979	1.3	10.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,682	1.1	8.8
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,606	1.1	8.4
...	All other causes (Residual)	24,066	16.2	125.9

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 1-4 years				
...	All causes	621	100.0	45.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	189	30.4	13.8
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	89	14.3	6.5
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	58	9.3	4.2
4	Malignant neoplasms (C00-C97)	33	5.3	2.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	28	4.5	2.0
6	Influenza and pneumonia (J09-J18)	16	2.6	*
7	Chronic lower respiratory diseases (J40-J47)	13	2.1	*
8	Certain conditions originating in the perinatal period (P00-P96)	12	1.9	*
9	Septicemia (A40-A41)	11	1.8	*
10	Anemias (D50-D64)	4	0.6	*
10	Cerebrovascular diseases (I60-I69)	4	0.6	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.6	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0.5	*
13	Meningitis (G00,G03)	3	0.5	*
13	Acute bronchitis and bronchiolitis (J20-J21)	3	0.5	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.5	*
...	All other causes (Residual)	148	23.8	10.8
Black, male, 5-14 years				
...	All causes	816	100.0	24.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	279	34.2	8.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	96	11.8	2.9
3	Malignant neoplasms (C00-C97)	72	8.8	2.2
4	Chronic lower respiratory diseases (J40-J47)	41	5.0	1.2
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	37	4.5	1.1
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	35	4.3	1.1
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	30	3.7	0.9
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	15	1.8	*
9	Influenza and pneumonia (J09-J18)	13	1.6	*
10	Anemias (D50-D64)	8	1.0	*
11	Septicemia (A40-A41)	5	0.6	*
12	Meningitis (G00,G03)	4	0.5	*
13	Cerebrovascular diseases (I60-I69)	3	0.4	*
13	Diseases of appendix (K35-K38)	3	0.4	*
13	Certain conditions originating in the perinatal period (P00-P96)	3	0.4	*
...	All other causes (Residual)	172	21.1	5.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 15-24 years				
...	All causes	5,751	100.0	168.1
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,918	50.7	85.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,309	22.8	38.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	352	6.1	10.3
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	235	4.1	6.9
5	Malignant neoplasms (C00-C97)	145	2.5	4.2
6	Human immunodeficiency virus (HIV) disease (B20-B24)	56	1.0	1.6
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	53	0.9	1.5
8	Legal intervention (Y35,Y89.0)	46	0.8	1.3
9	Chronic lower respiratory diseases (J40-J47)	44	0.8	1.3
10	Anemias (D50-D64)	37	0.6	1.1
11	Cerebrovascular diseases (I60-I69)	30	0.5	0.9
12	Septicemia (A40-A41)	22	0.4	0.6
12	Diabetes mellitus (E10-E14)	22	0.4	0.6
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	0.2	*
15	Influenza and pneumonia (J09-J18)	12	0.2	*
...	All other causes (Residual)	456	7.9	13.3

Black, male, 25-44 years

...	All causes	16,754	100.0	308.3
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,383	20.2	62.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,932	17.5	54.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,583	15.4	47.5
4	Human immunodeficiency virus (HIV) disease (B20-B24)	1,599	9.5	29.4
5	Malignant neoplasms (C00-C97)	1,170	7.0	21.5
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	743	4.4	13.7
7	Diabetes mellitus (E10-E14)	430	2.6	7.9
8	Cerebrovascular diseases (I60-I69)	406	2.4	7.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	237	1.4	4.4
10	Septicemia (A40-A41)	168	1.0	3.1
11	Chronic lower respiratory diseases (J40-J47)	157	0.9	2.9
12	Influenza and pneumonia (J09-J18)	154	0.9	2.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	138	0.8	2.5
14	Anemias (D50-D64)	134	0.8	2.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	124	0.7	2.3
...	All other causes (Residual)	2,396	14.3	44.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 45-64 years				
...	All causes	49,622	100.0	1,254.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,066	26.3	330.4
2	Malignant neoplasms (C00-C97)	12,546	25.3	317.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,100	6.2	78.4
4	Cerebrovascular diseases (I60-I69)	2,506	5.1	63.4
5	Human immunodeficiency virus (HIV) disease (B20-B24)	2,305	4.6	58.3
6	Diabetes mellitus (E10-E14)	2,088	4.2	52.8
7	Chronic liver disease and cirrhosis (K70,K73-K74)	1,166	2.3	29.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,165	2.3	29.5
9	Chronic lower respiratory diseases (J40-J47)	976	2.0	24.7
10	Septicemia (A40-A41)	908	1.8	23.0
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	891	1.8	22.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	713	1.4	18.0
13	Influenza and pneumonia (J09-J18)	603	1.2	15.2
14	Viral hepatitis (B15-B19)	550	1.1	13.9
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	371	0.7	9.4
...	All other causes (Residual)	6,668	13.4	168.6
Black, male, 65 years and over				
...	All causes	69,742	100.0	5,538.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	19,638	28.2	1,559.4
2	Malignant neoplasms (C00-C97)	19,095	27.4	1,516.3
3	Cerebrovascular diseases (I60-I69)	4,574	6.6	363.2
4	Chronic lower respiratory diseases (J40-J47)	2,963	4.2	235.3
5	Diabetes mellitus (E10-E14)	2,949	4.2	234.2
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,321	3.3	184.3
7	Septicemia (A40-A41)	1,658	2.4	131.7
7	Influenza and pneumonia (J09-J18)	1,658	2.4	131.7
9	Alzheimer's disease (G30)	1,280	1.8	101.6
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,235	1.8	98.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,136	1.6	90.2
12	Pneumonitis due to solids and liquids (J69)	562	0.8	44.6
13	Parkinson's disease (G20-G21)	413	0.6	32.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	373	0.5	29.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	351	0.5	27.9
...	All other causes (Residual)	9,536	13.7	757.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, all ages				
...	All causes	141,276	100.0	675.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,540	25.2	170.0
2	Malignant neoplasms (C00-C97)	30,980	21.9	148.2
3	Cerebrovascular diseases (I60-I69)	9,536	6.7	45.6
4	Diabetes mellitus (E10-E14)	6,966	4.9	33.3
5	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,620	3.3	22.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,291	3.0	20.5
7	Chronic lower respiratory diseases (J40-J47)	3,694	2.6	17.7
8	Septicemia (A40-A41)	3,462	2.5	16.6
9	Alzheimer's disease (G30)	3,459	2.4	16.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,661	1.9	12.7
11	Influenza and pneumonia (J09-J18)	2,657	1.9	12.7
12	Human immunodeficiency virus (HIV) disease (B20-B24)	2,284	1.6	10.9
13	Certain conditions originating in the perinatal period (P00-P96)	2,206	1.6	10.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,286	0.9	6.2
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	883	0.6	4.2
...	All other causes (Residual)	26,751	18.9	127.9
Black, female, 1-4 years				
...	All causes	516	100.0	39.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	136	26.4	10.3
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	79	15.3	6.0
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	61	11.8	4.6
4	Malignant neoplasms (C00-C97)	22	4.3	1.7
5	Chronic lower respiratory diseases (J40-J47)	17	3.3	*
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	15	2.9	*
6	Certain conditions originating in the perinatal period (P00-P96)	15	2.9	*
8	Influenza and pneumonia (J09-J18)	13	2.5	*
9	Cerebrovascular diseases (I60-I69)	12	2.3	*
10	Anemias (D50-D64)	8	1.6	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	1.2	*
12	Septicemia (A40-A41)	5	1.0	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.6	*
14	Acute bronchitis and bronchiolitis (J20-J21)	2	0.4	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	0.4	*
...	All other causes (Residual)	120	23.3	9.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 5-14 years				
...	All causes	547	100.0	17.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	180	32.9	5.6
2	Malignant neoplasms (C00-C97)	71	13.0	2.2
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	44	8.0	1.4
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	40	7.3	1.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	28	5.1	0.9
6	Chronic lower respiratory diseases (J40-J47)	19	3.5	*
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12	2.2	*
8	Cerebrovascular diseases (I60-I69)	10	1.8	*
9	Influenza and pneumonia (J09-J18)	8	1.5	*
10	Septicemia (A40-A41)	6	1.1	*
10	Human immunodeficiency virus (HIV) disease (B20-B24)	6	1.1	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	1.1	*
13	Anemias (D50-D64)	5	0.9	*
14	Diabetes mellitus (E10-E14)	4	0.7	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.7	*
...	All other causes (Residual)	104	19.0	3.2
Black, female, 15-24 years				
...	All causes	1,629	100.0	48.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	440	27.0	13.2
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	295	18.1	8.9
3	Malignant neoplasms (C00-C97)	116	7.1	3.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	113	6.9	3.4
5	Pregnancy, childbirth and the puerperium (O00-O99)	69	4.2	2.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	54	3.3	1.6
7	Human immunodeficiency virus (HIV) disease (B20-B24)	53	3.3	1.6
8	Diabetes mellitus (E10-E14)	34	2.1	1.0
9	Anemias (D50-D64)	30	1.8	0.9
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	30	1.8	0.9
11	Septicemia (A40-A41)	25	1.5	0.8
12	Chronic lower respiratory diseases (J40-J47)	21	1.3	0.6
13	Cerebrovascular diseases (I60-I69)	16	1.0	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	0.9	*
15	Influenza and pneumonia (J09-J18)	11	0.7	*
...	All other causes (Residual)	308	18.9	9.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 25-44 years				
...	All causes	9,898	100.0	166.1
1	Malignant neoplasms (C00-C97)	1,813	18.3	30.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,406	14.2	23.6
3	Human immunodeficiency virus (HIV) disease (B20-B24)	1,108	11.2	18.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,005	10.2	16.9
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	543	5.5	9.1
6	Cerebrovascular diseases (I60-I69)	397	4.0	6.7
7	Diabetes mellitus (E10-E14)	345	3.5	5.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	206	2.1	3.5
9	Septicemia (A40-A41)	196	2.0	3.3
10	Pregnancy, childbirth and the puerperium (O00-O99)	169	1.7	2.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	162	1.6	2.7
12	Chronic lower respiratory diseases (J40-J47)	132	1.3	2.2
13	Influenza and pneumonia (J09-J18)	118	1.2	2.0
14	Anemias (D50-D64)	110	1.1	1.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	1.0	1.7
...	All other causes (Residual)	2,087	21.1	35.0
Black, female, 45-64 years				
...	All causes	34,878	100.0	739.0
1	Malignant neoplasms (C00-C97)	11,034	31.6	233.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,580	21.7	160.6
3	Cerebrovascular diseases (I60-I69)	2,031	5.8	43.0
4	Diabetes mellitus (E10-E14)	1,831	5.2	38.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,265	3.6	26.8
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,049	3.0	22.2
7	Human immunodeficiency virus (HIV) disease (B20-B24)	1,041	3.0	22.1
8	Chronic lower respiratory diseases (J40-J47)	874	2.5	18.5
9	Septicemia (A40-A41)	817	2.3	17.3
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	574	1.6	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	554	1.6	11.7
12	Influenza and pneumonia (J09-J18)	409	1.2	8.7
13	Viral hepatitis (B15-B19)	241	0.7	5.1
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	230	0.7	4.9
15	Aortic aneurysm and dissection (I71)	142	0.4	3.0
...	All other causes (Residual)	5,206	14.9	110.3

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 65 years and over				
...	All causes	89,822	100.0	4,463.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,336	29.3	1,308.8
2	Malignant neoplasms (C00-C97)	17,919	19.9	890.5
3	Cerebrovascular diseases (I60-I69)	7,060	7.9	350.9
4	Diabetes mellitus (E10-E14)	4,751	5.3	236.1
5	Alzheimer's disease (G30)	3,431	3.8	170.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,330	3.7	165.5
7	Chronic lower respiratory diseases (J40-J47)	2,629	2.9	130.6
8	Septicemia (A40-A41)	2,360	2.6	117.3
9	Influenza and pneumonia (J09-J18)	2,065	2.3	102.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,981	2.2	98.4
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,057	1.2	52.5
12	Pneumonitis due to solids and liquids (J69)	583	0.6	29.0
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	408	0.5	20.3
14	Aortic aneurysm and dissection (I71)	375	0.4	18.6
15	Atherosclerosis (I70)	366	0.4	18.2
...	All other causes (Residual)	15,171	16.9	753.9
American Indian, both sexes, all ages				
...	All causes	14,367	100.0	444.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,648	18.4	81.8
2	Malignant neoplasms (C00-C97)	2,561	17.8	79.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,701	11.8	52.6
4	Diabetes mellitus (E10-E14)	790	5.5	24.4
5	Chronic liver disease and cirrhosis (K70,K73-K74)	709	4.9	21.9
6	Chronic lower respiratory diseases (J40-J47)	611	4.3	18.9
7	Cerebrovascular diseases (I60-I69)	586	4.1	18.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	392	2.7	12.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	292	2.0	9.0
10	Influenza and pneumonia (J09-J18)	280	1.9	8.7
11	Septicemia (A40-A41)	230	1.6	7.1
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	220	1.5	6.8
13	Alzheimer's disease (G30)	191	1.3	5.9
14	Certain conditions originating in the perinatal period (P00-P96)	158	1.1	4.9
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	124	0.9	3.8
...	All other causes (Residual)	2,874	20.0	88.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 1-4 years				
...	All causes	97	100.0	54.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	43	44.3	24.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	8.2	*
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	7.2	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	5.2	*
5	Influenza and pneumonia (J09-J18)	2	2.1	*
5	Chronic lower respiratory diseases (J40-J47)	2	2.1	*
7	Malignant neoplasms (C00-C97)	1	1.0	*
7	Cerebrovascular diseases (I60-I69)	1	1.0	*
7	Acute bronchitis and bronchiolitis (J20-J21)	1	1.0	*
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.0	*
7	Certain conditions originating in the perinatal period (P00-P96)	1	1.0	*
7	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	1.0	*
...	All other causes (Residual)	24	24.7	13.6
American Indian, both sexes, 5-14 years				
...	All causes	94	100.0	18.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	46	48.9	8.9
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9	9.6	*
3	Malignant neoplasms (C00-C97)	6	6.4	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6	6.4	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	3.2	*
6	Septicemia (A40-A41)	2	2.1	*
6	Chronic lower respiratory diseases (J40-J47)	2	2.1	*
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.1	*
8	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	1.1	*
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.1	*
...	All other causes (Residual)	17	18.1	*

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 15-24 years				
...	All causes	622	100.0	103.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	319	51.3	53.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	122	19.6	20.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	57	9.2	9.5
4	Malignant neoplasms (C00-C97)	22	3.5	3.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	12	1.9	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6	1.0	*
7	Influenza and pneumonia (J09-J18)	4	0.6	*
7	Pregnancy, childbirth and the puerperium (O00-O99)	4	0.6	*
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3	0.5	*
10	Septicemia (A40-A41)	2	0.3	*
10	Cerebrovascular diseases (I60-I69)	2	0.3	*
10	Aortic aneurysm and dissection (I71)	2	0.3	*
10	Chronic lower respiratory diseases (J40-J47)	2	0.3	*
10	Pneumonitis due to solids and liquids (J69)	2	0.3	*
15	Anemias (D50-D64)	1	0.2	*
15	Diseases of appendix (K35-K38)	1	0.2	*
15	Legal intervention (Y35,Y89.0)	1	0.2	*
...	All other causes (Residual)	60	9.6	10.0
American Indian, both sexes, 25-44 years				
...	All causes	1,944	100.0	203.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	629	32.4	65.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	197	10.1	20.6
3	Chronic liver disease and cirrhosis (K70,K73-K74)	182	9.4	19.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	172	8.8	18.0
5	Malignant neoplasms (C00-C97)	108	5.6	11.3
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	108	5.6	11.3
7	Diabetes mellitus (E10-E14)	51	2.6	5.3
8	Human immunodeficiency virus (HIV) disease (B20-B24)	36	1.9	3.8
9	Cerebrovascular diseases (I60-I69)	31	1.6	3.2
10	Influenza and pneumonia (J09-J18)	22	1.1	2.3
11	Viral hepatitis (B15-B19)	20	1.0	2.1
12	Septicemia (A40-A41)	18	0.9	*
13	Pregnancy, childbirth and the puerperium (O00-O99)	14	0.7	*
14	Chronic lower respiratory diseases (J40-J47)	12	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	12	0.6	*
...	All other causes (Residual)	332	17.1	34.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 45-64 years				
...	All causes	4,325	100.0	613.6
1	Malignant neoplasms (C00-C97)	953	22.0	135.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	783	18.1	111.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	430	9.9	61.0
4	Chronic liver disease and cirrhosis (K70,K73-K74)	426	9.8	60.4
5	Diabetes mellitus (E10-E14)	259	6.0	36.7
6	Chronic lower respiratory diseases (J40-J47)	148	3.4	21.0
7	Cerebrovascular diseases (I60-I69)	134	3.1	19.0
8	Septicemia (A40-A41)	90	2.1	12.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	80	1.8	11.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	73	1.7	10.4
11	Viral hepatitis (B15-B19)	72	1.7	10.2
12	Influenza and pneumonia (J09-J18)	63	1.5	8.9
13	Human immunodeficiency virus (HIV) disease (B20-B24)	39	0.9	5.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	31	0.7	4.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	24	0.6	3.4
...	All other causes (Residual)	720	16.6	102.2
American Indian, both sexes, 65 years and over				
...	All causes	6,853	100.0	2,967.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,638	23.9	709.4
2	Malignant neoplasms (C00-C97)	1,470	21.5	636.6
3	Diabetes mellitus (E10-E14)	480	7.0	207.9
4	Chronic lower respiratory diseases (J40-J47)	444	6.5	192.3
5	Cerebrovascular diseases (I60-I69)	416	6.1	180.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	203	3.0	87.9
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	196	2.9	84.9
8	Alzheimer's disease (G30)	185	2.7	80.1
9	Influenza and pneumonia (J09-J18)	181	2.6	78.4
10	Septicemia (A40-A41)	114	1.7	49.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	97	1.4	42.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	83	1.2	35.9
13	Pneumonitis due to solids and liquids (J69)	59	0.9	25.6
14	Parkinson's disease (G20-G21)	53	0.8	23.0
15	Aortic aneurysm and dissection (I71)	39	0.6	16.9
...	All other causes (Residual)	1,195	17.4	517.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, all ages				
...	All causes	7,885	100.0	488.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,520	19.3	94.1
2	Malignant neoplasms (C00-C97)	1,345	17.1	83.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,129	14.3	69.9
4	Chronic liver disease and cirrhosis (K70,K73-K74)	415	5.3	25.7
5	Diabetes mellitus (E10-E14)	381	4.8	23.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	310	3.9	19.2
7	Chronic lower respiratory diseases (J40-J47)	299	3.8	18.5
8	Cerebrovascular diseases (I60-I69)	267	3.4	16.5
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	163	2.1	10.1
10	Influenza and pneumonia (J09-J18)	150	1.9	9.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	126	1.6	7.8
12	Septicemia (A40-A41)	102	1.3	6.3
13	Certain conditions originating in the perinatal period (P00-P96)	83	1.1	5.1
14	Alzheimer's disease (G30)	69	0.9	4.3
15	Viral hepatitis (B15-B19)	66	0.8	4.1
...	All other causes (Residual)	1,460	18.5	90.4
American Indian, male, 1-4 years				
...	All causes	57	100.0	63.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	24	42.1	26.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	8.8	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	8.8	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	5.3	*
5	Influenza and pneumonia (J09-J18)	2	3.5	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.8	*
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.8	*
6	Certain conditions originating in the perinatal period (P00-P96)	1	1.8	*
6	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	1.8	*
...	All other causes (Residual)	14	24.6	*
American Indian, male, 5-14 years				
...	All causes	61	100.0	23.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	30	49.2	11.4
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6	9.8	*
3	Malignant neoplasms (C00-C97)	4	6.6	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	4.9	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	4.9	*
6	Septicemia (A40-A41)	1	1.6	*
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	1.6	*
6	Chronic lower respiratory diseases (J40-J47)	1	1.6	*
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.6	*
...	All other causes (Residual)	11	18.0	*

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, 15-24 years				
...	All causes	441	100.0	143.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	224	50.8	73.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	99	22.4	32.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	45	10.2	14.7
4	Malignant neoplasms (C00-C97)	16	3.6	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	1.1	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.9	*
7	Aortic aneurysm and dissection (I71)	2	0.5	*
7	Chronic liver disease and cirrhosis (K70,K73-K74)	2	0.5	*
9	Septicemia (A40-A41)	1	0.2	*
9	Anemias (D50-D64)	1	0.2	*
9	Cerebrovascular diseases (I60-I69)	1	0.2	*
9	Influenza and pneumonia (J09-J18)	1	0.2	*
9	Chronic lower respiratory diseases (J40-J47)	1	0.2	*
9	Pneumonitis due to solids and liquids (J69)	1	0.2	*
9	Legal intervention (Y35,Y89.0)	1	0.2	*
...	All other causes (Residual)	37	8.4	12.1
American Indian, male, 25-44 years				
...	All causes	1,282	100.0	261.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	430	33.5	87.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	140	10.9	28.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	133	10.4	27.1
4	Chronic liver disease and cirrhosis (K70,K73-K74)	112	8.7	22.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	84	6.6	17.1
6	Malignant neoplasms (C00-C97)	55	4.3	11.2
7	Diabetes mellitus (E10-E14)	32	2.5	6.5
8	Human immunodeficiency virus (HIV) disease (B20-B24)	25	2.0	5.1
9	Cerebrovascular diseases (I60-I69)	16	1.2	*
10	Influenza and pneumonia (J09-J18)	15	1.2	*
11	Viral hepatitis (B15-B19)	13	1.0	*
12	Septicemia (A40-A41)	11	0.9	*
13	Chronic lower respiratory diseases (J40-J47)	8	0.6	*
14	Aortic aneurysm and dissection (I71)	6	0.5	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
...	All other causes (Residual)	196	15.3	40.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, 45-64 years				
...	All causes	2,565	100.0	753.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	546	21.3	160.3
2	Malignant neoplasms (C00-C97)	513	20.0	150.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	272	10.6	79.9
4	Chronic liver disease and cirrhosis (K70,K73-K74)	246	9.6	72.2
5	Diabetes mellitus (E10-E14)	152	5.9	44.6
6	Cerebrovascular diseases (I60-I69)	78	3.0	22.9
7	Chronic lower respiratory diseases (J40-J47)	73	2.8	21.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	54	2.1	15.9
9	Influenza and pneumonia (J09-J18)	50	1.9	14.7
10	Septicemia (A40-A41)	43	1.7	12.6
10	Viral hepatitis (B15-B19)	43	1.7	12.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	37	1.4	10.9
13	Human immunodeficiency virus (HIV) disease (B20-B24)	26	1.0	7.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	22	0.9	6.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	15	0.6	*
...	All other causes (Residual)	395	15.4	116.0
American Indian, male, 65 years and over				
...	All causes	3,238	100.0	3,195.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	825	25.5	814.1
2	Malignant neoplasms (C00-C97)	756	23.3	746.0
3	Chronic lower respiratory diseases (J40-J47)	215	6.6	212.2
4	Diabetes mellitus (E10-E14)	197	6.1	194.4
5	Cerebrovascular diseases (I60-I69)	172	5.3	169.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	126	3.9	124.3
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	80	2.5	78.9
8	Influenza and pneumonia (J09-J18)	77	2.4	76.0
9	Alzheimer's disease (G30)	64	2.0	63.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.7	53.3
11	Septicemia (A40-A41)	44	1.4	43.4
12	Parkinson's disease (G20-G21)	31	1.0	30.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30	0.9	29.6
14	Pneumonitis due to solids and liquids (J69)	28	0.9	27.6
15	Aortic aneurysm and dissection (I71)	25	0.8	24.7
...	All other causes (Residual)	514	15.9	507.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, all ages				
...	All causes	6,482	100.0	400.0
1	Malignant neoplasms (C00-C97)	1,216	18.8	75.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,128	17.4	69.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	572	8.8	35.3
4	Diabetes mellitus (E10-E14)	409	6.3	25.2
5	Cerebrovascular diseases (I60-I69)	319	4.9	19.7
6	Chronic lower respiratory diseases (J40-J47)	312	4.8	19.3
7	Chronic liver disease and cirrhosis (K70,K73-K74)	294	4.5	18.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	166	2.6	10.2
9	Influenza and pneumonia (J09-J18)	130	2.0	8.0
10	Septicemia (A40-A41)	128	2.0	7.9
11	Alzheimer's disease (G30)	122	1.9	7.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	82	1.3	5.1
13	Certain conditions originating in the perinatal period (P00-P96)	75	1.2	4.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	62	1.0	3.8
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	62	1.0	3.8
...	All other causes (Residual)	1,405	21.7	86.7
American Indian, female, 1-4 years				
...	All causes	40	100.0	46.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	19	47.5	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	7.5	*
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	5.0	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2	5.0	*
5	Malignant neoplasms (C00-C97)	1	2.5	*
5	Cerebrovascular diseases (I60-I69)	1	2.5	*
5	Acute bronchitis and bronchiolitis (J20-J21)	1	2.5	*
5	Chronic lower respiratory diseases (J40-J47)	1	2.5	*
...	All other causes (Residual)	10	25.0	*
American Indian, female, 5-14 years				
...	All causes	33	100.0	13.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	16	48.5	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	9.1	*
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3	9.1	*
4	Malignant neoplasms (C00-C97)	2	6.1	*
5	Septicemia (A40-A41)	1	3.0	*
5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	3.0	*
5	Chronic lower respiratory diseases (J40-J47)	1	3.0	*
...	All other causes (Residual)	6	18.2	*

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, 15-24 years				
...	All causes	181	100.0	61.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	95	52.5	32.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	23	12.7	7.8
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	12	6.6	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	3.9	*
5	Malignant neoplasms (C00-C97)	6	3.3	*
6	Pregnancy, childbirth and the puerperium (O00-O99)	4	2.2	*
7	Influenza and pneumonia (J09-J18)	3	1.7	*
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	1.1	*
9	Septicemia (A40-A41)	1	0.6	*
9	Cerebrovascular diseases (I60-I69)	1	0.6	*
9	Chronic lower respiratory diseases (J40-J47)	1	0.6	*
9	Pneumonitis due to solids and liquids (J69)	1	0.6	*
9	Diseases of appendix (K35-K38)	1	0.6	*
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1	0.6	*
...	All other causes (Residual)	23	12.7	7.8
American Indian, female, 25-44 years				
...	All causes	662	100.0	141.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	199	30.1	42.7
2	Chronic liver disease and cirrhosis (K70,K73-K74)	70	10.6	15.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	64	9.7	13.7
4	Malignant neoplasms (C00-C97)	53	8.0	11.4
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	32	4.8	6.9
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	24	3.6	5.1
7	Diabetes mellitus (E10-E14)	19	2.9	*
8	Cerebrovascular diseases (I60-I69)	15	2.3	*
9	Pregnancy, childbirth and the puerperium (O00-O99)	14	2.1	*
10	Human immunodeficiency virus (HIV) disease (B20-B24)	11	1.7	*
11	Septicemia (A40-A41)	7	1.1	*
11	Viral hepatitis (B15-B19)	7	1.1	*
11	Influenza and pneumonia (J09-J18)	7	1.1	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.9	*
15	Chronic lower respiratory diseases (J40-J47)	4	0.6	*
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	0.6	*
...	All other causes (Residual)	126	19.0	27.0

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, 45-64 years				
...	All causes	1,760	100.0	483.1
1	Malignant neoplasms (C00-C97)	440	25.0	120.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	237	13.5	65.1
3	Chronic liver disease and cirrhosis (K70,K73-K74)	180	10.2	49.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	158	9.0	43.4
5	Diabetes mellitus (E10-E14)	107	6.1	29.4
6	Chronic lower respiratory diseases (J40-J47)	75	4.3	20.6
7	Cerebrovascular diseases (I60-I69)	56	3.2	15.4
8	Septicemia (A40-A41)	47	2.7	12.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	43	2.4	11.8
10	Viral hepatitis (B15-B19)	29	1.6	8.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	19	1.1	*
12	Human immunodeficiency virus (HIV) disease (B20-B24)	13	0.7	*
12	Influenza and pneumonia (J09-J18)	13	0.7	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9	0.5	*
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9	0.5	*
...	All other causes (Residual)	325	18.5	89.2
American Indian, female, 65 years and over				
...	All causes	3,615	100.0	2,790.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	813	22.5	627.5
2	Malignant neoplasms (C00-C97)	714	19.8	551.1
3	Diabetes mellitus (E10-E14)	283	7.8	218.4
4	Cerebrovascular diseases (I60-I69)	244	6.7	188.3
5	Chronic lower respiratory diseases (J40-J47)	229	6.3	176.7
6	Alzheimer's disease (G30)	121	3.3	93.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	116	3.2	89.5
8	Influenza and pneumonia (J09-J18)	104	2.9	80.3
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	77	2.1	59.4
10	Septicemia (A40-A41)	70	1.9	54.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	53	1.5	40.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	43	1.2	33.2
13	Pneumonitis due to solids and liquids (J69)	31	0.9	23.9
14	Parkinson's disease (G20-G21)	22	0.6	17.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	21	0.6	16.2
...	All other causes (Residual)	674	18.6	520.2

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, all ages				
...	All causes	45,609	100.0	308.7
1	Malignant neoplasms (C00-C97)	12,326	27.0	83.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,574	23.2	71.6
3	Cerebrovascular diseases (I60-I69)	3,586	7.9	24.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,194	4.8	14.9
5	Diabetes mellitus (E10-E14)	1,743	3.8	11.8
6	Influenza and pneumonia (J09-J18)	1,335	2.9	9.0
7	Chronic lower respiratory diseases (J40-J47)	1,331	2.9	9.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	900	2.0	6.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	893	2.0	6.0
10	Alzheimer's disease (G30)	748	1.6	5.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	634	1.4	4.3
12	Septicemia (A40-A41)	551	1.2	3.7
13	Certain conditions originating in the perinatal period (P00-P96)	499	1.1	3.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	408	0.9	2.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	357	0.8	2.4
...	All other causes (Residual)	7,530	16.5	51.0
Asian or Pacific Islander, both sexes, 1-4 years				
...	All causes	182	100.0	21.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	51	28.0	6.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23	12.6	2.7
3	Malignant neoplasms (C00-C97)	21	11.5	2.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	11	6.0	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9	4.9	*
6	Influenza and pneumonia (J09-J18)	5	2.7	*
7	Chronic lower respiratory diseases (J40-J47)	3	1.6	*
8	Septicemia (A40-A41)	2	1.1	*
8	Certain conditions originating in the perinatal period (P00-P96)	2	1.1	*
10	Salmonella infections (A01-A02)	1	0.5	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.5	*
10	Meningitis (G00,G03)	1	0.5	*
10	Cerebrovascular diseases (I60-I69)	1	0.5	*
10	Acute bronchitis and bronchiolitis (J20-J21)	1	0.5	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.5	*
...	All other causes (Residual)	49	26.9	5.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 5-14 years				
...	All causes	210	100.0	11.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	64	30.5	3.4
2	Malignant neoplasms (C00-C97)	34	16.2	1.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	17	8.1	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	11	5.2	*
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	3.8	*
6	Cerebrovascular diseases (I60-I69)	7	3.3	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	3.3	*
8	Influenza and pneumonia (J09-J18)	5	2.4	*
9	Septicemia (A40-A41)	2	1.0	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	1.0	*
9	Chronic lower respiratory diseases (J40-J47)	2	1.0	*
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	1.0	*
9	Complications of medical and surgical care (Y40-Y84,Y88)	2	1.0	*
14	Meningococcal infection (A39)	1	0.5	*
14	Anemias (D50-D64)	1	0.5	*
14	Meningitis (G00,G03)	1	0.5	*
14	Pneumonitis due to solids and liquids (J69)	1	0.5	*
14	Hernia (K40-K46)	1	0.5	*
...	All other causes (Residual)	42	20.0	2.2
Asian or Pacific Islander, both sexes, 15-24 years				
...	All causes	843	100.0	43.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	348	41.3	17.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	170	20.2	8.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	88	10.4	4.5
4	Malignant neoplasms (C00-C97)	74	8.8	3.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	18	2.1	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	14	1.7	*
7	Cerebrovascular diseases (I60-I69)	9	1.1	*
8	Influenza and pneumonia (J09-J18)	7	0.8	*
9	Septicemia (A40-A41)	5	0.6	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	0.4	*
10	Diabetes mellitus (E10-E14)	3	0.4	*
10	Meningitis (G00,G03)	3	0.4	*
10	Chronic lower respiratory diseases (J40-J47)	3	0.4	*
10	Pneumonitis due to solids and liquids (J69)	3	0.4	*
15	Aortic aneurysm and dissection (I71)	2	0.2	*
...	All other causes (Residual)	93	11.0	4.8

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 25-44 years				
...	All causes	2,830	100.0	55.2
1	Malignant neoplasms (C00-C97)	711	25.1	13.9
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	485	17.1	9.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	397	14.0	7.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	366	12.9	7.1
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	149	5.3	2.9
6	Cerebrovascular diseases (I60-I69)	116	4.1	2.3
7	Chronic liver disease and cirrhosis (K70,K73-K74)	47	1.7	0.9
8	Diabetes mellitus (E10-E14)	45	1.6	0.9
9	Pregnancy, childbirth and the puerperium (O00-O99)	33	1.2	0.6
10	Human immunodeficiency virus (HIV) disease (B20-B24)	31	1.1	0.6
11	Septicemia (A40-A41)	23	0.8	0.4
12	Chronic lower respiratory diseases (J40-J47)	21	0.7	0.4
13	Viral hepatitis (B15-B19)	20	0.7	0.4
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	18	0.6	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	16	0.6	*
15	Influenza and pneumonia (J09-J18)	16	0.6	*
...	All other causes (Residual)	336	11.9	6.6
Asian or Pacific Islander, both sexes, 45-64 years				
...	All causes	9,451	100.0	276.4
1	Malignant neoplasms (C00-C97)	3,875	41.0	113.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,812	19.2	53.0
3	Cerebrovascular diseases (I60-I69)	637	6.7	18.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	471	5.0	13.8
5	Diabetes mellitus (E10-E14)	378	4.0	11.1
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	244	2.6	7.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	184	1.9	5.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	141	1.5	4.1
9	Viral hepatitis (B15-B19)	133	1.4	3.9
10	Chronic lower respiratory diseases (J40-J47)	125	1.3	3.7
11	Influenza and pneumonia (J09-J18)	100	1.1	2.9
12	Septicemia (A40-A41)	99	1.0	2.9
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	81	0.9	2.4
14	Aortic aneurysm and dissection (I71)	75	0.8	2.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	66	0.7	1.9
...	All other causes (Residual)	1,030	10.9	30.1

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 65 years and over				
...	All causes	31,130	100.0	2,369.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,303	26.7	632.1
2	Malignant neoplasms (C00-C97)	7,609	24.4	579.2
3	Cerebrovascular diseases (I60-I69)	2,814	9.0	214.2
4	Diabetes mellitus (E10-E14)	1,317	4.2	100.3
5	Influenza and pneumonia (J09-J18)	1,195	3.8	91.0
6	Chronic lower respiratory diseases (J40-J47)	1,175	3.8	89.4
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	751	2.4	57.2
8	Alzheimer's disease (G30)	739	2.4	56.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	734	2.4	55.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	560	1.8	42.6
11	Septicemia (A40-A41)	414	1.3	31.5
12	Parkinson's disease (G20-G21)	327	1.1	24.9
13	Pneumonitis due to solids and liquids (J69)	236	0.8	18.0
14	Aortic aneurysm and dissection (I71)	230	0.7	17.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	217	0.7	16.5
...	All other causes (Residual)	4,509	14.5	343.2
Asian or Pacific Islander, male, all ages				
...	All causes	23,823	100.0	331.4
1	Malignant neoplasms (C00-C97)	6,394	26.8	89.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,724	24.0	79.6
3	Cerebrovascular diseases (I60-I69)	1,581	6.6	22.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,371	5.8	19.1
5	Diabetes mellitus (E10-E14)	860	3.6	12.0
6	Chronic lower respiratory diseases (J40-J47)	795	3.3	11.1
7	Influenza and pneumonia (J09-J18)	703	3.0	9.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	628	2.6	8.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	476	2.0	6.6
10	Septicemia (A40-A41)	302	1.3	4.2
11	Certain conditions originating in the perinatal period (P00-P96)	290	1.2	4.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	286	1.2	4.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	253	1.1	3.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	250	1.0	3.5
15	Alzheimer's disease (G30)	245	1.0	3.4
...	All other causes (Residual)	3,665	15.4	51.0

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 1-4 years				
...	All causes	109	100.0	25.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	36	33.0	8.3
2	Malignant neoplasms (C00-C97)	12	11.0	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	12	11.0	*
4	Influenza and pneumonia (J09-J18)	5	4.6	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	4.6	*
6	Chronic lower respiratory diseases (J40-J47)	3	2.8	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	2	1.8	*
7	Certain conditions originating in the perinatal period (P00-P96)	2	1.8	*
9	Salmonella infections (A01-A02)	1	0.9	*
9	Acute bronchitis and bronchiolitis (J20-J21)	1	0.9	*
...	All other causes (Residual)	30	27.5	7.0
Asian or Pacific Islander, male, 5-14 years				
...	All causes	118	100.0	12.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	37	31.4	3.8
2	Malignant neoplasms (C00-C97)	19	16.1	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	7.6	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	7	5.9	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	4.2	*
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	3.4	*
7	Influenza and pneumonia (J09-J18)	3	2.5	*
8	Cerebrovascular diseases (I60-I69)	2	1.7	*
8	Chronic lower respiratory diseases (J40-J47)	2	1.7	*
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	1.7	*
11	Meningococcal infection (A39)	1	0.8	*
11	Septicemia (A40-A41)	1	0.8	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.8	*
11	Meningitis (G00,G03)	1	0.8	*
11	Pneumonitis due to solids and liquids (J69)	1	0.8	*
...	All other causes (Residual)	23	19.5	2.4

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 15-24 years				
...	All causes	611	100.0	61.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	251	41.1	25.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	134	21.9	13.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	74	12.1	7.4
4	Malignant neoplasms (C00-C97)	45	7.4	4.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	15	2.5	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	9	1.5	*
7	Cerebrovascular diseases (I60-I69)	6	1.0	*
8	Influenza and pneumonia (J09-J18)	4	0.7	*
9	Septicemia (A40-A41)	3	0.5	*
9	Diabetes mellitus (E10-E14)	3	0.5	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	0.3	*
11	Chronic lower respiratory diseases (J40-J47)	2	0.3	*
11	Pneumonitis due to solids and liquids (J69)	2	0.3	*
14	Tuberculosis (A16-A19)	1	0.2	*
14	Viral hepatitis (B15-B19)	1	0.2	*
14	Meningitis (G00,G03)	1	0.2	*
14	Aortic aneurysm and dissection (I71)	1	0.2	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
14	Legal intervention (Y35,Y89.0)	1	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.2	*
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.2	*
...	All other causes (Residual)	53	8.7	5.3
Asian or Pacific Islander, male, 25-44 years				
...	All causes	1,742	100.0	69.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	346	19.9	13.8
2	Malignant neoplasms (C00-C97)	317	18.2	12.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	315	18.1	12.6
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	246	14.1	9.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	99	5.7	3.9
6	Cerebrovascular diseases (I60-I69)	60	3.4	2.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	37	2.1	1.5
8	Diabetes mellitus (E10-E14)	30	1.7	1.2
9	Human immunodeficiency virus (HIV) disease (B20-B24)	23	1.3	0.9
10	Septicemia (A40-A41)	15	0.9	*
11	Viral hepatitis (B15-B19)	14	0.8	*
12	Chronic lower respiratory diseases (J40-J47)	13	0.7	*
13	Aortic aneurysm and dissection (I71)	12	0.7	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.6	*
14	Influenza and pneumonia (J09-J18)	11	0.6	*
...	All other causes (Residual)	193	11.1	7.7

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 45-64 years				
...	All causes	5,546	100.0	346.0
1	Malignant neoplasms (C00-C97)	1,920	34.6	119.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,335	24.1	83.3
3	Cerebrovascular diseases (I60-I69)	343	6.2	21.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	293	5.3	18.3
5	Diabetes mellitus (E10-E14)	235	4.2	14.7
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	171	3.1	10.7
7	Chronic liver disease and cirrhosis (K70,K73-K74)	138	2.5	8.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	93	1.7	5.8
9	Viral hepatitis (B15-B19)	84	1.5	5.2
10	Chronic lower respiratory diseases (J40-J47)	76	1.4	4.7
11	Septicemia (A40-A41)	63	1.1	3.9
12	Influenza and pneumonia (J09-J18)	58	1.0	3.6
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	53	1.0	3.3
14	Aortic aneurysm and dissection (I71)	46	0.8	2.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	45	0.8	2.8
...	All other causes (Residual)	593	10.7	37.0
Asian or Pacific Islander, male, 65 years and over				
...	All causes	15,154	100.0	2,682.3
1	Malignant neoplasms (C00-C97)	4,080	26.9	722.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,039	26.7	714.9
3	Cerebrovascular diseases (I60-I69)	1,169	7.7	206.9
4	Chronic lower respiratory diseases (J40-J47)	697	4.6	123.4
5	Influenza and pneumonia (J09-J18)	619	4.1	109.6
6	Diabetes mellitus (E10-E14)	592	3.9	104.8
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	392	2.6	69.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	372	2.5	65.8
9	Alzheimer's disease (G30)	239	1.6	42.3
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	237	1.6	41.9
11	Septicemia (A40-A41)	218	1.4	38.6
12	Parkinson's disease (G20-G21)	187	1.2	33.1
13	Pneumonitis due to solids and liquids (J69)	137	0.9	24.2
14	Aortic aneurysm and dissection (I71)	128	0.8	22.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	121	0.8	21.4
...	All other causes (Residual)	1,927	12.7	341.1

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, all ages				
...	All causes	21,786	100.0	287.2
1	Malignant neoplasms (C00-C97)	5,932	27.2	78.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,850	22.3	63.9
3	Cerebrovascular diseases (I60-I69)	2,005	9.2	26.4
4	Diabetes mellitus (E10-E14)	883	4.1	11.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	823	3.8	10.8
6	Influenza and pneumonia (J09-J18)	632	2.9	8.3
7	Chronic lower respiratory diseases (J40-J47)	536	2.5	7.1
8	Alzheimer's disease (G30)	503	2.3	6.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	417	1.9	5.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	348	1.6	4.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	272	1.2	3.6
12	Septicemia (A40-A41)	249	1.1	3.3
13	Certain conditions originating in the perinatal period (P00-P96)	209	1.0	2.8
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	163	0.7	2.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	155	0.7	2.0
...	All other causes (Residual)	3,809	17.5	50.2
Asian or Pacific Islander, female, 1-4 years				
...	All causes	73	100.0	17.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15	20.5	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	11	15.1	*
3	Malignant neoplasms (C00-C97)	9	12.3	*
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	9	12.3	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	5.5	*
6	Septicemia (A40-A41)	2	2.7	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.4	*
7	Meningitis (G00,G03)	1	1.4	*
7	Cerebrovascular diseases (I60-I69)	1	1.4	*
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	1.4	*
...	All other causes (Residual)	19	26.0	*

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 5-14 years				
...	All causes	92	100.0	9.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	27	29.3	2.9
2	Malignant neoplasms (C00-C97)	15	16.3	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	8.7	*
4	Cerebrovascular diseases (I60-I69)	5	5.4	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	4	4.3	*
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	4.3	*
7	Influenza and pneumonia (J09-J18)	2	2.2	*
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2	2.2	*
7	Complications of medical and surgical care (Y40-Y84,Y88)	2	2.2	*
10	Septicemia (A40-A41)	1	1.1	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.1	*
10	Anemias (D50-D64)	1	1.1	*
10	Hernia (K40-K46)	1	1.1	*
...	All other causes (Residual)	19	20.7	*
Asian or Pacific Islander, female, 15-24 years				
...	All causes	232	100.0	24.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	97	41.8	10.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	36	15.5	3.8
3	Malignant neoplasms (C00-C97)	29	12.5	3.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	14	6.0	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	2.2	*
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	3	1.3	*
6	Cerebrovascular diseases (I60-I69)	3	1.3	*
6	Influenza and pneumonia (J09-J18)	3	1.3	*
9	Septicemia (A40-A41)	2	0.9	*
9	Meningitis (G00,G03)	2	0.9	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.4	*
11	Aortic aneurysm and dissection (I71)	1	0.4	*
11	Chronic lower respiratory diseases (J40-J47)	1	0.4	*
11	Pneumonitis due to solids and liquids (J69)	1	0.4	*
11	Diseases of appendix (K35-K38)	1	0.4	*
11	Inflammatory diseases of female pelvic organs (N70-N76)	1	0.4	*
11	Pregnancy, childbirth and the puerperium (O00-O99)	1	0.4	*
...	All other causes (Residual)	31	13.4	3.3

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 25-44 years				
...	All causes	1,088	100.0	41.6
1	Malignant neoplasms (C00-C97)	394	36.2	15.1
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	139	12.8	5.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	120	11.0	4.6
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	82	7.5	3.1
5	Cerebrovascular diseases (I60-I69)	56	5.1	2.1
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	50	4.6	1.9
7	Pregnancy, childbirth and the puerperium (O00-O99)	33	3.0	1.3
8	Diabetes mellitus (E10-E14)	15	1.4	*
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	12	1.1	*
10	Chronic liver disease and cirrhosis (K70,K73-K74)	10	0.9	*
11	Septicemia (A40-A41)	8	0.7	*
11	Human immunodeficiency virus (HIV) disease (B20-B24)	8	0.7	*
11	Chronic lower respiratory diseases (J40-J47)	8	0.7	*
14	Viral hepatitis (B15-B19)	6	0.6	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5	0.5	*
15	Influenza and pneumonia (J09-J18)	5	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.5	*
...	All other causes (Residual)	132	12.1	5.0
Asian or Pacific Islander, female, 45-64 years				
...	All causes	3,905	100.0	215.0
1	Malignant neoplasms (C00-C97)	1,955	50.1	107.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	477	12.2	26.3
3	Cerebrovascular diseases (I60-I69)	294	7.5	16.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	178	4.6	9.8
5	Diabetes mellitus (E10-E14)	143	3.7	7.9
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	73	1.9	4.0
7	Viral hepatitis (B15-B19)	49	1.3	2.7
7	Chronic lower respiratory diseases (J40-J47)	49	1.3	2.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	48	1.2	2.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	46	1.2	2.5
11	Influenza and pneumonia (J09-J18)	42	1.1	2.3
12	Septicemia (A40-A41)	36	0.9	2.0
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	36	0.9	2.0
14	Aortic aneurysm and dissection (I71)	29	0.7	1.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	28	0.7	1.5
...	All other causes (Residual)	422	10.8	23.2

Source: CDC/NCHS, National Vital Statistics System

1 Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2007

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys. New ICD-10 code J09 (Influenza due to identified avian influenza virus) was added to the category Influenza and pneumonia in 2007; there were no deaths due to J09 in 2007]

Rank ¹	Cause of death (Based on the Tenth Revision, International Classification of Diseases, Second Edition, 2004), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 65 years and over				
...	All causes	15,976	100.0	2,133.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,264	26.7	569.5
2	Malignant neoplasms (C00-C97)	3,529	22.1	471.4
3	Cerebrovascular diseases (I60-I69)	1,645	10.3	219.7
4	Diabetes mellitus (E10-E14)	725	4.5	96.8
5	Influenza and pneumonia (J09-J18)	576	3.6	76.9
6	Alzheimer's disease (G30)	500	3.1	66.8
7	Chronic lower respiratory diseases (J40-J47)	478	3.0	63.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	362	2.3	48.4
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	359	2.2	48.0
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	323	2.0	43.1
11	Septicemia (A40-A41)	196	1.2	26.2
12	Parkinson's disease (G20-G21)	140	0.9	18.7
13	Aortic aneurysm and dissection (I71)	102	0.6	13.6
14	Pneumonitis due to solids and liquids (J69)	99	0.6	13.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	99	0.6	13.2
...	All other causes (Residual)	2,579	16.1	344.5

Source: CDC/NCHS, National Vital Statistics System

¹ Rank based on number of deaths

* Figure does not meet standards of reliability or precision

... Category not applicable