

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>All causes</b>													
All races, both sexes.....	2,397,615	27,936	4,785	6,834	33,421	40,868	85,362	177,697	264,697	399,666	684,230	671,773	346
Male.....	1,181,668	15,718	2,649	3,999	24,587	28,359	53,677	111,163	158,032	222,891	333,669	226,650	274
Female.....	1,215,947	12,218	2,136	2,835	8,834	12,509	31,685	66,534	106,665	176,775	350,561	445,123	72
White, both sexes.....	2,056,643	18,231	3,363	4,900	25,013	29,275	64,040	135,719	214,171	338,262	609,660	613,740	269
Male.....	1,007,266	10,265	1,878	2,905	18,306	20,584	41,215	86,266	128,575	190,123	299,342	207,589	218
Female.....	1,049,377	7,966	1,485	1,995	6,707	8,691	22,825	49,453	85,596	148,139	310,318	406,151	51
Black, both sexes.....	287,315	8,494	1,164	1,584	7,049	9,925	18,474	36,710	43,490	51,682	61,379	47,300	64
Male.....	145,970	4,769	641	888	5,336	6,684	10,700	21,756	25,352	27,555	27,695	14,548	46
Female.....	141,345	3,725	523	696	1,713	3,241	7,774	14,954	18,138	24,127	33,684	32,752	18
American Indian 1/, both sexes.....	13,124	389	97	127	593	695	1,194	1,739	2,073	2,329	2,375	1,503	10
Male.....	7,134	237	50	70	409	461	747	1,045	1,212	1,225	1,146	524	8
Female.....	5,990	152	47	57	184	234	447	694	861	1,104	1,229	979	2
Asian or Pacific Islander 2/, both sexes	40,533	822	161	223	766	973	1,654	3,529	4,963	7,393	10,816	9,230	3
Male.....	21,298	447	80	136	536	630	1,015	2,096	2,893	3,988	5,486	3,989	2
Female.....	19,235	375	81	87	230	343	639	1,433	2,070	3,405	5,330	5,241	1
<b>Salmonella infections (A01-A02)</b>													
All races, both sexes.....	30	1	-	-	-	1	1	3	4	7	7	6	-
Male.....	22	1	-	-	-	-	1	3	4	3	6	4	-
Female.....	8	-	-	-	-	1	-	-	-	4	1	2	-
White, both sexes.....	20	1	-	-	-	1	-	2	2	3	6	5	-
Male.....	14	1	-	-	-	-	-	2	2	1	5	3	-
Female.....	6	-	-	-	-	1	-	-	-	2	1	2	-
Black, both sexes.....	4	-	-	-	-	-	-	1	1	2	-	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	-	-	1	2	1	1	-
Male.....	4	-	-	-	-	-	-	-	1	1	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Shigellosis and amebiasis (A03,A06)</b>													
All races, both sexes.....	3	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Certain other intestinal infections (A04,A07-A09)</b>													
All races, both sexes.....	4,357	13	15	1	2	12	31	94	252	608	1,662	1,667	-
Male.....	1,622	8	5	-	1	5	19	48	125	264	665	482	-
Female.....	2,735	5	10	1	1	7	12	46	127	344	997	1,185	-
White, both sexes.....	4,075	10	12	1	2	9	22	76	223	554	1,563	1,603	-
Male.....	1,502	6	3	-	1	4	13	37	108	239	629	462	-
Female.....	2,573	4	9	1	1	5	9	39	115	315	934	1,141	-
Black, both sexes.....	237	1	2	-	-	3	7	16	26	45	81	56	-
Male.....	96	1	1	-	-	1	4	10	16	21	26	16	-
Female.....	141	-	1	-	-	2	3	6	10	24	55	40	-
American Indian 1/, both sexes.....	17	1	-	-	-	-	1	1	2	6	6	-	-
Male.....	10	1	-	-	-	-	1	1	-	2	5	-	-
Female.....	7	-	-	-	-	-	-	-	2	4	1	-	-
Asian or Pacific Islander 2/, both sexes	28	1	1	-	-	-	1	1	1	3	12	8	-
Male.....	14	-	1	-	-	-	1	-	1	2	5	4	-
Female.....	14	1	-	-	-	-	-	1	-	1	7	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Tuberculosis (A16-A19)</b>													
All races, both sexes.....	657	1	1	2	7	16	53	80	79	137	165	116	-
Male.....	406	-	1	1	4	12	40	53	60	93	84	58	-
Female.....	251	1	-	1	3	4	13	27	19	44	81	58	-
White, both sexes.....	390	1	1	1	3	8	29	38	42	78	113	76	-
Male.....	237	-	1	1	2	5	19	26	34	53	58	38	-
Female.....	153	1	-	-	1	3	10	12	8	25	55	38	-
Black, both sexes.....	189	-	-	1	3	6	21	32	26	41	32	27	-
Male.....	118	-	-	-	2	5	18	18	20	26	17	12	-
Female.....	71	-	-	1	1	1	3	14	6	15	15	15	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	2	5	5	1	-
Male.....	9	-	-	-	-	-	-	-	2	4	3	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes	65	-	-	-	1	2	3	10	9	13	15	12	-
Male.....	42	-	-	-	-	2	3	9	4	10	6	8	-
Female.....	23	-	-	-	1	-	-	1	5	3	9	4	-
<b>Respiratory tuberculosis (A16)</b>													
All races, both sexes.....	504	1	1	1	4	11	36	58	58	108	120	106	-
Male.....	316	-	1	-	2	8	28	40	43	74	64	56	-
Female.....	188	1	-	1	2	3	8	18	15	34	56	50	-
White, both sexes.....	300	1	1	-	1	4	20	27	32	63	82	69	-
Male.....	185	-	1	-	-	2	15	17	26	43	45	36	-
Female.....	115	1	-	-	1	2	5	10	6	20	37	33	-
Black, both sexes.....	141	-	-	1	2	5	15	22	17	31	23	25	-
Male.....	88	-	-	-	2	4	12	15	13	19	11	12	-
Female.....	53	-	-	1	-	1	3	7	4	12	12	13	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	2	5	1	-
Male.....	6	-	-	-	-	-	-	-	1	2	3	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes	54	-	-	-	1	2	1	9	8	12	10	11	-
Male.....	37	-	-	-	-	2	1	8	3	10	5	8	-
Female.....	17	-	-	-	1	-	-	1	5	2	5	3	-









Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Measles (B05)</b>													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>													
All races, both sexes.....	5,382	1	-	2	11	61	610	2,226	1,244	634	464	129	-
Male.....	3,513	-	-	1	7	33	399	1,645	860	334	189	45	-
Female.....	1,869	1	-	1	4	28	211	581	384	300	275	84	-
White, both sexes.....	4,246	1	-	1	5	40	500	1,789	934	491	375	110	-
Male.....	2,799	-	-	1	3	23	338	1,336	644	262	155	37	-
Female.....	1,447	1	-	-	2	17	162	453	290	229	220	73	-
Black, both sexes.....	863	-	-	1	4	14	82	369	251	80	50	12	-
Male.....	564	-	-	-	3	6	40	267	179	48	17	4	-
Female.....	299	-	-	1	1	8	42	102	72	32	33	8	-
American Indian 1/, both sexes.....	62	-	-	-	-	-	13	31	11	5	1	1	-
Male.....	31	-	-	-	-	-	8	14	7	2	-	-	-
Female.....	31	-	-	-	-	-	5	17	4	3	1	1	-
Asian or Pacific Islander 2/, both sexes	211	-	-	-	2	7	15	37	48	58	38	6	-
Male.....	119	-	-	-	1	4	13	28	30	22	17	4	-
Female.....	92	-	-	-	1	3	2	9	18	36	21	2	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)

All races, both sexes.....	7,540	167	65	47	95	144	434	1,236	1,237	1,309	1,714	1,092	-
Male.....	4,097	100	35	25	59	81	257	834	760	710	790	446	-
Female.....	3,443	67	30	22	36	63	177	402	477	599	924	646	-
White, both sexes.....	6,270	116	45	32	70	90	324	1,021	1,002	1,084	1,501	985	-
Male.....	3,414	69	24	18	44	50	194	695	615	598	697	410	-
Female.....	2,856	47	21	14	26	40	130	326	387	486	804	575	-
Black, both sexes.....	967	44	12	10	20	42	93	166	179	151	164	86	-
Male.....	525	25	8	5	12	23	49	111	115	76	71	30	-
Female.....	442	19	4	5	8	19	44	55	64	75	93	56	-
American Indian 1/, both sexes.....	78	6	4	1	-	4	6	22	14	10	8	3	-
Male.....	42	5	2	-	-	2	4	11	7	5	5	1	-
Female.....	36	1	2	1	-	2	2	11	7	5	3	2	-
Asian or Pacific Islander 2/, both sexes	225	1	4	4	5	8	11	27	42	64	41	18	-
Male.....	116	1	1	2	3	6	10	17	23	31	17	5	-
Female.....	109	-	3	2	2	2	1	10	19	33	24	13	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	553,888	74	399	1,019	1,709	3,633	14,723	49,520	96,956	139,417	166,085	80,345	8
Male.....	286,830	37	212	572	1,027	1,750	6,408	25,432	52,738	76,487	86,734	35,427	6
Female.....	267,058	37	187	447	682	1,883	8,315	24,088	44,218	62,930	79,351	44,918	2
White, both sexes.....	478,134	63	311	793	1,323	2,783	11,386	39,028	81,073	120,167	148,497	72,704	6
Male.....	247,450	31	161	453	801	1,401	5,068	20,108	44,020	65,946	77,484	31,973	4
Female.....	230,684	32	150	340	522	1,382	6,318	18,920	37,053	54,221	71,013	40,731	2
Black, both sexes.....	62,499	7	65	170	311	667	2,682	8,753	13,296	15,871	14,384	6,291	2
Male.....	32,443	2	37	84	176	265	1,035	4,489	7,359	8,730	7,497	2,767	2
Female.....	30,056	5	28	86	135	402	1,647	4,264	5,937	7,141	6,887	3,524	-
American Indian 1/, both sexes.....	2,392	1	3	8	16	25	106	313	564	670	511	175	-
Male.....	1,241	1	2	7	9	11	42	166	305	358	265	75	-
Female.....	1,151	-	1	1	7	14	64	147	259	312	246	100	-
Asian or Pacific Islander 2/, both sexes	10,863	3	20	48	59	158	549	1,426	2,023	2,709	2,693	1,175	-
Male.....	5,696	3	12	28	41	73	263	669	1,054	1,453	1,488	612	-
Female.....	5,167	-	8	20	18	85	286	757	969	1,256	1,205	563	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</b>													
All races, both sexes.....	7,826	-	2	5	23	43	256	1,193	1,781	1,874	1,774	875	-
Male.....	5,312	-	-	2	18	35	176	937	1,400	1,312	1,057	375	-
Female.....	2,514	-	2	3	5	8	80	256	381	562	717	500	-
White, both sexes.....	6,443	-	2	3	14	29	162	853	1,401	1,585	1,581	813	-
Male.....	4,270	-	-	-	10	25	109	667	1,099	1,088	934	338	-
Female.....	2,173	-	2	3	4	4	53	186	302	497	647	475	-
Black, both sexes.....	1,149	-	-	2	5	11	76	297	323	239	152	44	-
Male.....	874	-	-	2	5	9	51	237	256	192	95	27	-
Female.....	275	-	-	-	-	2	25	60	67	47	57	17	-
American Indian 1/, both sexes.....	39	-	-	-	1	-	5	3	13	12	3	2	-
Male.....	31	-	-	-	1	-	4	3	10	9	2	2	-
Female.....	8	-	-	-	-	-	1	-	3	3	1	-	-
Asian or Pacific Islander 2/, both sexes	195	-	-	-	3	3	13	40	44	38	38	16	-
Male.....	137	-	-	-	2	1	12	30	35	23	26	8	-
Female.....	58	-	-	-	1	2	1	10	9	15	12	8	-
<b>Malignant neoplasm of esophagus (C15)</b>													
All races, both sexes.....	13,023	-	-	-	5	36	291	1,423	2,991	3,554	3,467	1,256	-
Male.....	10,081	-	-	-	4	28	242	1,211	2,502	2,817	2,546	731	-
Female.....	2,942	-	-	-	1	8	49	212	489	737	921	525	-
White, both sexes.....	11,251	-	-	-	3	27	246	1,137	2,488	3,063	3,138	1,149	-
Male.....	8,831	-	-	-	3	21	213	1,001	2,126	2,466	2,331	670	-
Female.....	2,420	-	-	-	-	6	33	136	362	597	807	479	-
Black, both sexes.....	1,527	-	-	-	2	6	39	254	451	428	271	76	-
Male.....	1,060	-	-	-	1	5	26	189	330	298	172	39	-
Female.....	467	-	-	-	1	1	13	65	121	130	99	37	-
American Indian 1/, both sexes.....	58	-	-	-	-	-	3	5	17	24	3	6	-
Male.....	45	-	-	-	-	-	1	4	15	20	-	5	-
Female.....	13	-	-	-	-	-	2	1	2	4	3	1	-
Asian or Pacific Islander 2/, both sexes	187	-	-	-	-	3	3	27	35	39	55	25	-
Male.....	145	-	-	-	-	2	2	17	31	33	43	17	-
Female.....	42	-	-	-	-	1	1	10	4	6	12	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of stomach (C16)</b>													
All races, both sexes.....	11,859	-	-	-	12	122	478	1,142	1,887	2,752	3,415	2,051	-
Male.....	6,958	-	-	-	7	63	269	722	1,273	1,734	1,941	949	-
Female.....	4,901	-	-	-	5	59	209	420	614	1,018	1,474	1,102	-
White, both sexes.....	9,067	-	-	-	7	82	334	784	1,376	2,050	2,736	1,698	-
Male.....	5,332	-	-	-	5	46	193	506	938	1,291	1,558	795	-
Female.....	3,735	-	-	-	2	36	141	278	438	759	1,178	903	-
Black, both sexes.....	2,034	-	-	-	4	28	93	260	371	524	501	253	-
Male.....	1,191	-	-	-	2	12	50	164	251	341	270	101	-
Female.....	843	-	-	-	2	16	43	96	120	183	231	152	-
American Indian 1/, both sexes.....	78	-	-	-	-	-	6	12	16	20	15	9	-
Male.....	46	-	-	-	-	-	2	7	8	13	13	3	-
Female.....	32	-	-	-	-	-	4	5	8	7	2	6	-
Asian or Pacific Islander 2/, both sexes	680	-	-	-	1	12	45	86	124	158	163	91	-
Male.....	389	-	-	-	-	5	24	45	76	89	100	50	-
Female.....	291	-	-	-	1	7	21	41	48	69	63	41	-
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>													
All races, both sexes.....	53,772	-	-	1	54	279	1,326	4,273	8,208	11,954	16,714	10,963	-
Male.....	26,930	-	-	1	34	152	695	2,442	4,785	6,792	8,189	3,840	-
Female.....	26,842	-	-	-	20	127	631	1,831	3,423	5,162	8,525	7,123	-
White, both sexes.....	45,824	-	-	1	35	209	997	3,294	6,678	10,019	14,731	9,860	-
Male.....	23,038	-	-	1	21	114	542	1,919	3,960	5,756	7,248	3,477	-
Female.....	22,786	-	-	-	14	95	455	1,375	2,718	4,263	7,483	6,383	-
Black, both sexes.....	6,640	-	-	-	12	53	252	818	1,299	1,639	1,642	925	-
Male.....	3,205	-	-	-	10	27	122	435	691	869	771	280	-
Female.....	3,435	-	-	-	2	26	130	383	608	770	871	645	-
American Indian 1/, both sexes.....	226	-	-	-	1	3	9	24	54	61	58	16	-
Male.....	131	-	-	-	1	3	4	15	35	33	32	8	-
Female.....	95	-	-	-	-	-	5	9	19	28	26	8	-
Asian or Pacific Islander 2/, both sexes	1,082	-	-	-	6	14	68	137	177	235	283	162	-
Male.....	556	-	-	-	2	8	27	73	99	134	138	75	-
Female.....	526	-	-	-	4	6	41	64	78	101	145	87	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>													
All races, both sexes.....	15,321	1	22	16	43	84	380	2,348	3,123	3,670	4,059	1,575	-
Male.....	9,832	1	12	8	25	55	289	1,889	2,318	2,382	2,227	626	-
Female.....	5,489	-	10	8	18	29	91	459	805	1,288	1,832	949	-
White, both sexes.....	12,111	1	19	10	27	47	248	1,669	2,334	2,918	3,472	1,366	-
Male.....	7,694	1	11	5	14	31	183	1,348	1,713	1,903	1,942	543	-
Female.....	4,417	-	8	5	13	16	65	321	621	1,015	1,530	823	-
Black, both sexes.....	2,014	-	2	5	14	22	79	475	504	443	342	128	-
Male.....	1,349	-	-	2	9	14	60	381	387	291	158	47	-
Female.....	665	-	2	3	5	8	19	94	117	152	184	81	-
American Indian 1/, both sexes.....	143	-	-	-	-	2	2	28	39	21	41	10	-
Male.....	77	-	-	-	-	2	2	22	23	10	15	3	-
Female.....	66	-	-	-	-	-	-	6	16	11	26	7	-
Asian or Pacific Islander 2/, both sexes	1,053	-	1	1	2	13	51	176	246	288	204	71	-
Male.....	712	-	1	1	2	8	44	138	195	178	112	33	-
Female.....	341	-	-	-	-	5	7	38	51	110	92	38	-
<b>Malignant neoplasm of pancreas (C25)</b>													
All races, both sexes.....	31,772	-	-	-	11	62	521	2,641	5,756	8,178	9,853	4,749	1
Male.....	15,776	-	-	-	6	39	323	1,647	3,377	4,430	4,416	1,538	-
Female.....	15,996	-	-	-	5	23	198	994	2,379	3,748	5,437	3,211	1
White, both sexes.....	27,229	-	-	-	6	45	402	2,091	4,748	6,945	8,738	4,253	1
Male.....	13,610	-	-	-	2	29	250	1,326	2,820	3,793	3,989	1,401	-
Female.....	13,619	-	-	-	4	16	152	765	1,928	3,152	4,749	2,852	1
Black, both sexes.....	3,674	-	-	-	5	12	92	459	824	1,004	875	403	-
Male.....	1,737	-	-	-	4	7	55	259	467	522	322	101	-
Female.....	1,937	-	-	-	1	5	37	200	357	482	553	302	-
American Indian 1/, both sexes.....	139	-	-	-	-	-	4	23	41	42	22	7	-
Male.....	71	-	-	-	-	-	2	17	19	19	10	4	-
Female.....	68	-	-	-	-	-	2	6	22	23	12	3	-
Asian or Pacific Islander 2/, both sexes	730	-	-	-	-	5	23	68	143	187	218	86	-
Male.....	358	-	-	-	-	3	16	45	71	96	95	32	-
Female.....	372	-	-	-	-	2	7	23	72	91	123	54	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of larynx (C32)</b>													
All races, both sexes.....	3,668	-	-	1	1	3	59	443	936	1,051	858	316	-
Male.....	2,935	-	-	-	1	3	48	362	756	854	676	235	-
Female.....	733	-	-	1	-	-	11	81	180	197	182	81	-
White, both sexes.....	2,985	-	-	1	1	3	42	324	735	861	740	278	-
Male.....	2,370	-	-	-	1	3	36	262	585	699	580	204	-
Female.....	615	-	-	1	-	-	6	62	150	162	160	74	-
Black, both sexes.....	638	-	-	-	-	-	17	112	190	179	111	29	-
Male.....	530	-	-	-	-	-	12	95	163	147	89	24	-
Female.....	108	-	-	-	-	-	5	17	27	32	22	5	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	2	4	7	2	-	-
Male.....	10	-	-	-	-	-	-	1	2	5	2	-	-
Female.....	5	-	-	-	-	-	-	1	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes	30	-	-	-	-	-	-	5	7	4	5	9	-
Male.....	25	-	-	-	-	-	-	4	6	3	5	7	-
Female.....	5	-	-	-	-	-	-	1	1	1	-	2	-
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All races, both sexes.....	158,091	2	4	4	23	147	2,426	12,448	31,086	49,029	48,464	14,455	3
Male.....	89,630	1	1	3	14	87	1,280	7,317	18,440	28,453	26,992	7,039	3
Female.....	68,461	1	3	1	9	60	1,146	5,131	12,646	20,576	21,472	7,416	-
White, both sexes.....	138,425	1	3	4	18	109	1,900	9,888	26,364	43,136	43,770	13,230	2
Male.....	77,730	1	-	3	11	64	988	5,706	15,394	24,873	24,261	6,427	2
Female.....	60,695	-	3	1	7	45	912	4,182	10,970	18,263	19,509	6,803	-
Black, both sexes.....	16,472	1	1	-	4	26	444	2,236	4,106	4,845	3,824	984	1
Male.....	9,995	-	1	-	3	14	236	1,423	2,675	2,962	2,195	485	1
Female.....	6,477	1	-	-	1	12	208	813	1,431	1,883	1,629	499	-
American Indian 1/, both sexes.....	677	-	-	-	-	1	15	65	167	253	143	33	-
Male.....	373	-	-	-	-	1	9	38	100	132	80	13	-
Female.....	304	-	-	-	-	-	6	27	67	121	63	20	-
Asian or Pacific Islander 2/, both sexes	2,517	-	-	-	1	11	67	259	449	795	727	208	-
Male.....	1,532	-	-	-	-	8	47	150	271	486	456	114	-
Female.....	985	-	-	-	1	3	20	109	178	309	271	94	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant melanoma of skin (C43)</b>													
All races, both sexes.....	7,952	-	2	-	39	194	526	1,162	1,547	1,711	1,912	859	-
Male.....	5,125	-	2	-	17	117	312	749	1,058	1,158	1,239	473	-
Female.....	2,827	-	-	-	22	77	214	413	489	553	673	386	-
White, both sexes.....	7,801	-	1	-	36	191	516	1,145	1,525	1,676	1,871	840	-
Male.....	5,053	-	1	-	16	115	306	740	1,045	1,146	1,218	466	-
Female.....	2,748	-	-	-	20	76	210	405	480	530	653	374	-
Black, both sexes.....	119	-	1	-	3	2	8	12	16	27	34	16	-
Male.....	57	-	1	-	1	1	5	6	10	9	18	6	-
Female.....	62	-	-	-	2	1	3	6	6	18	16	10	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	1	3	2	4	1	-	-
Male.....	7	-	-	-	-	-	1	1	2	3	-	-	-
Female.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	21	-	-	-	-	1	1	2	4	4	6	3	-
Male.....	8	-	-	-	-	1	-	2	1	-	3	1	-
Female.....	13	-	-	-	-	-	1	-	3	4	3	2	-
<b>Malignant neoplasm of breast (C50)</b>													
All races, both sexes.....	41,316	-	-	-	11	396	2,511	6,232	8,474	8,285	9,371	6,036	-
Male.....	362	-	-	-	1	1	10	33	67	91	109	50	-
Female.....	40,954	-	-	-	10	395	2,501	6,199	8,407	8,194	9,262	5,986	-
White, both sexes.....	34,759	-	-	-	7	263	1,781	4,700	6,966	7,140	8,436	5,466	-
Male.....	301	-	-	-	-	-	6	25	53	76	100	41	-
Female.....	34,458	-	-	-	7	263	1,775	4,675	6,913	7,064	8,336	5,425	-
Black, both sexes.....	5,597	-	-	-	2	116	627	1,280	1,268	976	819	509	-
Male.....	56	-	-	-	-	1	3	8	12	14	9	9	-
Female.....	5,541	-	-	-	2	115	624	1,272	1,256	962	810	500	-
American Indian 1/, both sexes.....	169	-	-	-	-	3	15	42	39	28	29	13	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	169	-	-	-	-	3	15	42	39	28	29	13	-
Asian or Pacific Islander 2/, both sexes	791	-	-	-	2	14	88	210	201	141	87	48	-
Male.....	5	-	-	-	1	-	1	-	2	1	-	-	-
Female.....	786	-	-	-	1	14	87	210	199	140	87	48	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of cervix uteri (C53)</b>													
All races, both sexes.....	3,850	-	-	-	19	213	622	850	815	601	484	246	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,850	-	-	-	19	213	622	850	815	601	484	246	-
White, both sexes.....	2,899	-	-	-	14	158	467	635	633	438	376	178	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2,899	-	-	-	14	158	467	635	633	438	376	178	-
Black, both sexes.....	789	-	-	-	4	45	128	182	154	131	88	57	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	789	-	-	-	4	45	128	182	154	131	88	57	-
American Indian 1/, both sexes.....	31	-	-	-	-	4	10	7	4	3	1	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	31	-	-	-	-	4	10	7	4	3	1	2	-
Asian or Pacific Islander 2/, both sexes	131	-	-	-	1	6	17	26	24	29	19	9	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	131	-	-	-	1	6	17	26	24	29	19	9	-
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>													
All races, both sexes.....	6,990	-	-	-	5	20	168	557	1,290	1,856	2,011	1,083	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6,990	-	-	-	5	20	168	557	1,290	1,856	2,011	1,083	-
White, both sexes.....	5,713	-	-	-	3	16	131	433	1,011	1,411	1,725	983	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,713	-	-	-	3	16	131	433	1,011	1,411	1,725	983	-
Black, both sexes.....	1,114	-	-	-	2	4	30	95	232	398	260	93	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,114	-	-	-	2	4	30	95	232	398	260	93	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	5	4	7	4	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	21	-	-	-	-	-	-	5	4	7	4	1	-
Asian or Pacific Islander 2/, both sexes	142	-	-	-	-	-	7	24	43	40	22	6	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	142	-	-	-	-	-	7	24	43	40	22	6	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>													
All races, both sexes.....	12,313	4	18	29	16	49	268	1,256	2,534	3,075	3,474	1,590	-
Male.....	7,640	2	9	11	9	34	183	889	1,786	2,015	1,993	709	-
Female.....	4,673	2	9	18	7	15	85	367	748	1,060	1,481	881	-
White, both sexes.....	10,988	4	13	24	11	28	213	1,077	2,252	2,730	3,161	1,475	-
Male.....	6,839	2	6	9	7	17	147	770	1,596	1,797	1,827	661	-
Female.....	4,149	2	7	15	4	11	66	307	656	933	1,334	814	-
Black, both sexes.....	1,091	-	4	4	5	20	44	151	232	274	257	100	-
Male.....	655	-	3	1	2	16	29	102	156	173	134	39	-
Female.....	436	-	1	3	3	4	15	49	76	101	123	61	-
American Indian 1/, both sexes.....	91	-	-	1	-	-	2	15	22	30	18	3	-
Male.....	59	-	-	1	-	-	1	11	14	19	12	1	-
Female.....	32	-	-	-	-	-	1	4	8	11	6	2	-
Asian or Pacific Islander 2/, both sexes	143	-	1	-	-	1	9	13	28	41	38	12	-
Male.....	87	-	-	-	-	1	6	6	20	26	20	8	-
Female.....	56	-	1	-	-	-	3	7	8	15	18	4	-
<b>Malignant neoplasm of bladder (C67)</b>													
All races, both sexes.....	13,030	-	-	1	1	12	120	545	1,452	2,753	4,847	3,299	-
Male.....	8,995	-	-	1	1	7	69	411	1,103	2,021	3,376	2,006	-
Female.....	4,035	-	-	-	-	5	51	134	349	732	1,471	1,293	-
White, both sexes.....	11,957	-	-	1	-	9	85	459	1,319	2,514	4,523	3,047	-
Male.....	8,407	-	-	1	-	5	48	353	1,015	1,889	3,200	1,896	-
Female.....	3,550	-	-	-	-	4	37	106	304	625	1,323	1,151	-
Black, both sexes.....	913	-	-	-	1	3	27	77	118	203	271	213	-
Male.....	478	-	-	-	1	2	18	52	76	105	142	82	-
Female.....	435	-	-	-	-	1	9	25	42	98	129	131	-
American Indian 1/, both sexes.....	20	-	-	-	-	-	1	4	3	4	4	4	-
Male.....	15	-	-	-	-	-	-	3	3	3	4	2	-
Female.....	5	-	-	-	-	-	1	1	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes	140	-	-	-	-	-	7	5	12	32	49	35	-
Male.....	95	-	-	-	-	-	3	3	9	24	30	26	-
Female.....	45	-	-	-	-	-	4	2	3	8	19	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes.....	12,829	19	102	325	223	359	904	1,902	2,750	2,895	2,543	807	-
Male.....	7,074	10	56	173	133	218	560	1,191	1,653	1,551	1,237	292	-
Female.....	5,755	9	46	152	90	141	344	711	1,097	1,344	1,306	515	-
White, both sexes.....	11,793	18	82	249	184	306	803	1,710	2,564	2,711	2,407	759	-
Male.....	6,508	9	44	134	113	186	492	1,068	1,542	1,474	1,165	281	-
Female.....	5,285	9	38	115	71	120	311	642	1,022	1,237	1,242	478	-
Black, both sexes.....	765	-	18	50	33	37	72	138	142	139	99	37	-
Male.....	409	-	10	24	14	20	50	88	87	57	51	8	-
Female.....	356	-	8	26	19	17	22	50	55	82	48	29	-
American Indian 1/, both sexes.....	34	1	1	2	2	1	1	13	5	3	5	-	-
Male.....	25	1	1	2	2	1	1	10	4	1	2	-	-
Female.....	9	-	-	-	-	-	-	3	1	2	3	-	-
Asian or Pacific Islander 2/, both sexes	237	-	1	24	4	15	28	41	39	42	32	11	-
Male.....	132	-	1	13	4	11	17	25	20	19	19	3	-
Female.....	105	-	-	11	-	4	11	16	19	23	13	8	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes.....	54,645	25	122	359	645	822	1,514	3,741	7,491	12,588	18,132	9,206	-
Male.....	29,522	10	72	214	399	489	915	2,253	4,497	7,368	9,462	3,843	-
Female.....	25,123	15	50	145	246	333	599	1,488	2,994	5,220	8,670	5,363	-
White, both sexes.....	48,240	20	94	289	515	626	1,200	3,011	6,368	10,995	16,582	8,540	-
Male.....	26,204	8	52	175	319	386	741	1,824	3,880	6,491	8,734	3,594	-
Female.....	22,036	12	42	114	196	240	459	1,187	2,488	4,504	7,848	4,946	-
Black, both sexes.....	5,233	3	19	49	106	164	256	621	940	1,301	1,228	546	-
Male.....	2,650	-	14	26	63	87	139	361	513	711	541	195	-
Female.....	2,583	3	5	23	43	77	117	260	427	590	687	351	-
American Indian 1/, both sexes.....	199	-	1	4	5	6	12	18	39	48	52	14	-
Male.....	112	-	1	3	2	3	6	14	22	29	29	3	-
Female.....	87	-	-	1	3	3	6	4	17	19	23	11	-
Asian or Pacific Islander 2/, both sexes	973	2	8	17	19	26	46	91	144	244	270	106	-
Male.....	556	2	5	10	15	13	29	54	82	137	158	51	-
Female.....	417	-	3	7	4	13	17	37	62	107	112	55	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hodgkin's disease (C81)</b>													
All races, both sexes.....	1,276	-	-	6	65	134	120	168	205	222	249	107	-
Male.....	730	-	-	4	37	70	70	103	132	136	129	49	-
Female.....	546	-	-	2	28	64	50	65	73	86	120	58	-
White, both sexes.....	1,118	-	-	5	51	98	101	146	180	201	236	100	-
Male.....	647	-	-	4	29	56	59	90	116	122	123	48	-
Female.....	471	-	-	1	22	42	42	56	64	79	113	52	-
Black, both sexes.....	135	-	-	1	14	32	17	20	19	18	11	3	-
Male.....	71	-	-	-	8	13	9	13	12	11	5	-	-
Female.....	64	-	-	1	6	19	8	7	7	7	6	3	-
American Indian 1/, both sexes.....	4	-	-	-	-	2	1	-	-	1	-	-	-
Male.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	-	-	-	-	2	1	2	6	2	2	4	-
Male.....	9	-	-	-	-	-	1	-	4	2	1	1	-
Female.....	10	-	-	-	-	2	-	2	2	-	1	3	-
<b>Non-Hodgkin's lymphoma (C82-C85)</b>													
All races, both sexes.....	20,938	1	2	41	144	256	543	1,538	2,866	4,820	7,080	3,647	-
Male.....	11,056	-	2	28	93	164	367	983	1,725	2,738	3,511	1,445	-
Female.....	9,882	1	-	13	51	92	176	555	1,141	2,082	3,569	2,202	-
White, both sexes.....	19,036	1	2	30	110	186	439	1,255	2,525	4,376	6,660	3,452	-
Male.....	10,045	-	2	22	69	123	306	809	1,524	2,493	3,319	1,378	-
Female.....	8,991	1	-	8	41	63	133	446	1,001	1,883	3,341	2,074	-
Black, both sexes.....	1,414	-	-	8	30	59	85	235	262	320	278	137	-
Male.....	739	-	-	3	20	36	50	148	153	169	118	42	-
Female.....	675	-	-	5	10	23	35	87	109	151	160	95	-
American Indian 1/, both sexes.....	67	-	-	-	-	2	5	4	14	21	16	5	-
Male.....	39	-	-	-	-	-	2	3	9	16	7	2	-
Female.....	28	-	-	-	-	2	3	1	5	5	9	3	-
Asian or Pacific Islander 2/, both sexes	421	-	-	3	4	9	14	44	65	103	126	53	-
Male.....	233	-	-	3	4	5	9	23	39	60	67	23	-
Female.....	188	-	-	-	-	4	5	21	26	43	59	30	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Leukemia (C91-C95)</b>													
All races, both sexes.....	21,395	23	120	312	435	416	713	1,367	2,688	4,694	6,797	3,830	-
Male.....	12,007	9	70	182	268	242	398	782	1,663	2,903	3,821	1,669	-
Female.....	9,388	14	50	130	167	174	315	585	1,025	1,791	2,976	2,161	-
White, both sexes.....	19,077	18	92	254	353	330	563	1,134	2,333	4,154	6,270	3,576	-
Male.....	10,753	7	50	149	220	197	316	645	1,467	2,576	3,556	1,570	-
Female.....	8,324	11	42	105	133	133	247	489	866	1,578	2,714	2,006	-
Black, both sexes.....	1,860	3	19	40	62	71	114	195	298	436	409	213	-
Male.....	980	-	14	23	35	37	60	111	165	267	188	80	-
Female.....	880	3	5	17	27	34	54	84	133	169	221	133	-
American Indian 1/, both sexes.....	76	-	1	4	5	2	6	5	11	16	19	7	-
Male.....	42	-	1	3	2	2	3	3	9	7	11	1	-
Female.....	34	-	-	1	3	-	3	2	2	9	8	6	-
Asian or Pacific Islander 2/, both sexes	382	2	8	14	15	13	30	33	46	88	99	34	-
Male.....	232	2	5	7	11	6	19	23	22	53	66	18	-
Female.....	150	-	3	7	4	7	11	10	24	35	33	16	-
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>													
All races, both sexes.....	10,965	1	-	-	1	14	136	663	1,720	2,840	3,980	1,610	-
Male.....	5,694	1	-	-	1	11	78	381	972	1,587	1,990	673	-
Female.....	5,271	-	-	-	-	3	58	282	748	1,253	1,990	937	-
White, both sexes.....	8,948	1	-	-	1	11	95	472	1,320	2,252	3,394	1,402	-
Male.....	4,727	1	-	-	1	9	58	276	768	1,296	1,726	592	-
Female.....	4,221	-	-	-	-	2	37	196	552	956	1,668	810	-
Black, both sexes.....	1,816	-	-	-	-	2	40	170	359	527	527	191	-
Male.....	859	-	-	-	-	1	20	89	183	264	230	72	-
Female.....	957	-	-	-	-	1	20	81	176	263	297	119	-
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	9	14	10	17	2	-
Male.....	28	-	-	-	-	-	-	8	4	5	11	-	-
Female.....	24	-	-	-	-	-	-	1	10	5	6	2	-
Asian or Pacific Islander 2/, both sexes	149	-	-	-	-	1	1	12	27	51	42	15	-
Male.....	80	-	-	-	-	1	-	8	17	22	23	9	-
Female.....	69	-	-	-	-	-	1	4	10	29	19	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	71	-	-	-	-	2	2	5	12	12	26	12	-
Male.....	35	-	-	-	-	2	2	4	5	4	11	7	-
Female.....	36	-	-	-	-	-	-	1	7	8	15	5	-
White, both sexes.....	61	-	-	-	-	1	2	4	10	12	22	10	-
Male.....	32	-	-	-	-	1	2	4	5	4	10	6	-
Female.....	29	-	-	-	-	-	-	-	5	8	12	4	-
Black, both sexes.....	8	-	-	-	-	-	-	1	2	-	3	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	1	2	-	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	61,911	23	126	275	548	696	1,876	5,276	9,997	14,187	18,549	10,356	2
Male.....	31,654	13	59	158	357	420	1,014	2,945	5,679	7,798	9,281	3,929	1
Female.....	30,257	10	67	117	191	276	862	2,331	4,318	6,389	9,268	6,427	1
White, both sexes.....	53,795	19	96	208	421	563	1,467	4,137	8,333	12,279	16,739	9,531	2
Male.....	27,536	10	46	124	278	357	797	2,305	4,736	6,778	8,472	3,632	1
Female.....	26,259	9	50	84	143	206	670	1,832	3,597	5,501	8,267	5,899	1
Black, both sexes.....	6,658	3	20	60	102	101	341	954	1,378	1,573	1,464	662	-
Male.....	3,381	2	8	29	61	50	175	549	787	840	656	224	-
Female.....	3,277	1	12	31	41	51	166	405	591	733	808	438	-
American Indian 1/, both sexes.....	285	-	1	1	7	5	14	33	67	65	65	27	-
Male.....	140	-	-	1	3	1	8	18	38	36	26	9	-
Female.....	145	-	1	-	4	4	6	15	29	29	39	18	-
Asian or Pacific Islander 2/, both sexes	1,173	1	9	6	18	27	54	152	219	270	281	136	-
Male.....	597	1	5	4	15	12	34	73	118	144	127	64	-
Female.....	576	-	4	2	3	15	20	79	101	126	154	72	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	13,580	71	53	84	110	173	318	698	1,310	2,343	4,644	3,774	2
Male.....	6,764	35	28	46	63	94	172	382	750	1,322	2,378	1,492	2
Female.....	6,816	36	25	38	47	79	146	316	560	1,021	2,266	2,282	-
White, both sexes.....	12,092	59	43	59	86	129	240	557	1,093	2,065	4,244	3,515	2
Male.....	6,071	30	22	33	52	74	132	312	631	1,186	2,192	1,405	2
Female.....	6,021	29	21	26	34	55	108	245	462	879	2,052	2,110	-
Black, both sexes.....	1,192	10	8	21	19	38	67	112	180	222	313	202	-
Male.....	551	4	5	12	10	16	33	57	100	111	141	62	-
Female.....	641	6	3	9	9	22	34	55	80	111	172	140	-
American Indian 1/, both sexes.....	48	-	1	1	1	1	4	4	7	9	9	11	-
Male.....	23	-	-	1	-	1	3	1	2	5	5	5	-
Female.....	25	-	1	-	1	-	1	3	5	4	4	6	-
Asian or Pacific Islander 2/, both sexes	248	2	1	3	4	5	7	25	30	47	78	46	-
Male.....	119	1	1	-	1	3	4	12	17	20	40	20	-
Female.....	129	1	-	3	3	2	3	13	13	27	38	26	-
Anemias (D50-D64)													
All races, both sexes.....	4,575	15	33	46	128	164	201	236	309	473	1,119	1,850	1
Male.....	1,833	9	18	21	69	90	107	112	164	226	466	550	1
Female.....	2,742	6	15	25	59	74	94	124	145	247	653	1,300	-
White, both sexes.....	3,456	8	13	20	35	33	55	96	184	379	981	1,651	1
Male.....	1,322	4	6	8	19	18	31	53	95	186	402	499	1
Female.....	2,134	4	7	12	16	15	24	43	89	193	579	1,152	-
Black, both sexes.....	1,029	4	19	23	93	129	140	134	116	83	117	171	-
Male.....	472	3	12	12	50	71	74	57	64	36	50	43	-
Female.....	557	1	7	11	43	58	66	77	52	47	67	128	-
American Indian 1/, both sexes.....	13	-	-	1	-	-	1	-	1	3	3	4	-
Male.....	6	-	-	-	-	-	1	-	1	1	2	1	-
Female.....	7	-	-	1	-	-	-	-	-	2	1	3	-
Asian or Pacific Islander 2/, both sexes	77	3	1	2	-	2	5	6	8	8	18	24	-
Male.....	33	2	-	1	-	1	1	2	4	3	12	7	-
Female.....	44	1	1	1	-	1	4	4	4	5	6	17	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diabetes mellitus (E10-E14)</b>													
All races, both sexes.....	73,138	1	8	37	161	599	2,026	5,567	10,780	16,093	22,945	14,918	3
Male.....	35,267	1	5	16	83	340	1,258	3,376	6,153	8,430	10,569	5,035	1
Female.....	37,871	-	3	21	78	259	768	2,191	4,627	7,663	12,376	9,883	2
White, both sexes.....	58,087	-	6	19	99	396	1,421	3,993	8,030	12,456	18,988	12,677	2
Male.....	28,629	-	4	7	52	227	905	2,508	4,728	6,741	9,061	4,396	-
Female.....	29,458	-	2	12	47	169	516	1,485	3,302	5,715	9,927	8,281	2
Black, both sexes.....	12,834	1	1	16	61	183	547	1,385	2,334	3,107	3,310	1,888	1
Male.....	5,565	1	-	8	31	104	317	754	1,184	1,432	1,224	509	1
Female.....	7,269	-	1	8	30	79	230	631	1,150	1,675	2,086	1,379	-
American Indian 1/, both sexes.....	746	-	-	-	1	11	36	85	193	197	173	50	-
Male.....	365	-	-	-	-	5	25	54	106	81	79	15	-
Female.....	381	-	-	-	1	6	11	31	87	116	94	35	-
Asian or Pacific Islander 2/, both sexes	1,471	-	1	2	-	9	22	104	223	333	474	303	-
Male.....	708	-	1	1	-	4	11	60	135	176	205	115	-
Female.....	763	-	-	1	-	5	11	44	88	157	269	188	-
<b>Nutritional deficiencies (E40-E64)</b>													
All races, both sexes.....	3,019	7	2	3	6	13	39	117	162	298	897	1,474	1
Male.....	1,087	5	1	2	5	6	15	50	87	145	357	413	1
Female.....	1,932	2	1	1	1	7	24	67	75	153	540	1,061	-
White, both sexes.....	2,529	5	1	2	3	10	25	82	125	234	765	1,277	-
Male.....	884	3	-	1	3	5	7	33	64	110	300	358	-
Female.....	1,645	2	1	1	-	5	18	49	61	124	465	919	-
Black, both sexes.....	416	1	1	1	2	3	12	32	34	58	105	166	1
Male.....	173	1	1	1	2	1	7	16	21	32	44	46	1
Female.....	243	-	-	-	-	2	5	16	13	26	61	120	-
American Indian 1/, both sexes.....	25	-	-	-	-	-	2	1	2	3	10	7	-
Male.....	10	-	-	-	-	-	1	-	2	1	5	1	-
Female.....	15	-	-	-	-	-	1	1	-	2	5	6	-
Asian or Pacific Islander 2/, both sexes	49	1	-	-	1	-	-	2	1	3	17	24	-
Male.....	20	1	-	-	-	-	-	1	-	2	8	8	-
Female.....	29	-	-	-	1	-	-	1	1	1	9	16	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Meningitis (G00,G03)</b>													
All races, both sexes.....	674	66	25	25	26	37	67	117	92	92	85	42	-
Male.....	349	32	15	13	10	22	46	73	48	33	38	19	-
Female.....	325	34	10	12	16	15	21	44	44	59	47	23	-
White, both sexes.....	489	46	19	19	19	19	49	76	67	69	69	37	-
Male.....	259	25	12	11	7	13	34	51	31	25	32	18	-
Female.....	230	21	7	8	12	6	15	25	36	44	37	19	-
Black, both sexes.....	159	17	5	6	5	15	18	37	21	19	13	3	-
Male.....	76	7	2	2	2	7	12	20	13	6	5	-	-
Female.....	83	10	3	4	3	8	6	17	8	13	8	3	-
American Indian 1/, both sexes.....	9	1	-	-	-	1	-	3	2	-	2	-	-
Male.....	6	-	-	-	-	1	-	2	2	-	1	-	-
Female.....	3	1	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	17	2	1	-	2	2	-	1	2	4	1	2	-
Male.....	8	-	1	-	1	1	-	-	2	2	-	1	-
Female.....	9	2	-	-	1	1	-	1	-	2	1	1	-
<b>Parkinson's disease (G20-G21)</b>													
All races, both sexes.....	17,989	-	1	-	1	2	8	64	349	2,214	8,752	6,598	-
Male.....	10,366	-	-	-	1	2	6	49	227	1,457	5,306	3,318	-
Female.....	7,623	-	1	-	-	-	2	15	122	757	3,446	3,280	-
White, both sexes.....	17,041	-	1	-	-	2	7	55	321	2,075	8,313	6,267	-
Male.....	9,829	-	-	-	-	2	5	42	207	1,367	5,058	3,148	-
Female.....	7,212	-	1	-	-	-	2	13	114	708	3,255	3,119	-
Black, both sexes.....	627	-	-	-	-	-	1	5	21	93	290	217	-
Male.....	345	-	-	-	-	-	1	5	15	61	156	107	-
Female.....	282	-	-	-	-	-	-	-	6	32	134	110	-
American Indian 1/, both sexes.....	46	-	-	-	1	-	-	2	1	3	25	14	-
Male.....	28	-	-	-	1	-	-	1	1	2	17	6	-
Female.....	18	-	-	-	-	-	-	1	-	1	8	8	-
Asian or Pacific Islander 2/, both sexes	275	-	-	-	-	-	-	2	6	43	124	100	-
Male.....	164	-	-	-	-	-	-	1	4	27	75	57	-
Female.....	111	-	-	-	-	-	-	1	2	16	49	43	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alzheimer's disease (G30)</b>													
All races, both sexes.....	65,965	-	-	-	1	1	7	101	542	3,641	21,882	39,790	-
Male.....	18,974	-	-	-	-	1	4	38	253	1,558	7,777	9,343	-
Female.....	46,991	-	-	-	1	-	3	63	289	2,083	14,105	30,447	-
White, both sexes.....	61,087	-	-	-	1	1	6	97	495	3,263	20,130	37,094	-
Male.....	17,605	-	-	-	-	1	3	37	232	1,400	7,208	8,724	-
Female.....	43,482	-	-	-	1	-	3	60	263	1,863	12,922	28,370	-
Black, both sexes.....	4,232	-	-	-	-	-	1	4	37	334	1,523	2,333	-
Male.....	1,147	-	-	-	-	-	1	1	15	138	491	501	-
Female.....	3,085	-	-	-	-	-	-	3	22	196	1,032	1,832	-
American Indian 1/, both sexes.....	112	-	-	-	-	-	-	-	2	11	43	56	-
Male.....	32	-	-	-	-	-	-	-	2	6	14	10	-
Female.....	80	-	-	-	-	-	-	-	-	5	29	46	-
Asian or Pacific Islander 2/, both sexes	534	-	-	-	-	-	-	-	8	33	186	307	-
Male.....	190	-	-	-	-	-	-	-	4	14	64	108	-
Female.....	344	-	-	-	-	-	-	-	4	19	122	199	-
<b>Major cardiovascular diseases (I00-I78)</b>													
All races, both sexes.....	861,190	564	234	336	1,333	4,006	16,138	46,153	77,984	128,816	264,037	321,544	45
Male.....	406,458	307	120	170	867	2,602	10,806	32,057	52,014	76,179	128,490	102,808	38
Female.....	454,732	257	114	166	466	1,404	5,332	14,096	25,970	52,637	135,547	218,736	7
White, both sexes.....	742,775	377	149	228	894	2,574	11,418	33,462	60,692	106,114	233,121	293,716	30
Male.....	349,806	207	82	117	588	1,737	7,985	24,177	41,407	64,018	114,985	94,477	26
Female.....	392,969	170	67	111	306	837	3,433	9,285	19,285	42,096	118,136	199,239	4
Black, both sexes.....	100,477	145	75	100	379	1,255	4,257	11,387	15,241	19,448	25,592	22,584	14
Male.....	47,360	80	37	49	248	734	2,495	6,964	9,270	10,337	10,896	6,239	11
Female.....	53,117	65	38	51	131	521	1,762	4,423	5,971	9,111	14,696	16,345	3
American Indian 1/, both sexes.....	3,408	12	2	3	15	58	152	351	539	716	858	702	-
Male.....	1,786	6	-	2	5	41	97	220	349	411	418	237	-
Female.....	1,622	6	2	1	10	17	55	131	190	305	440	465	-
Asian or Pacific Islander 2/, both sexes	14,530	30	8	5	45	119	311	953	1,512	2,538	4,466	4,542	1
Male.....	7,506	14	1	2	26	90	229	696	988	1,413	2,191	1,855	1
Female.....	7,024	16	7	3	19	29	82	257	524	1,125	2,275	2,687	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>													
All races, both sexes.....	652,486	421	187	245	1,038	3,163	12,925	37,556	63,613	99,999	195,379	237,924	36
Male.....	321,973	228	94	122	691	2,143	9,011	27,050	43,788	61,000	98,812	79,002	32
Female.....	330,513	193	93	123	347	1,020	3,914	10,506	19,825	38,999	96,567	158,922	4
White, both sexes.....	565,703	287	116	159	678	2,040	9,351	27,969	50,449	83,145	173,433	218,052	24
Male.....	278,914	156	61	82	459	1,431	6,796	20,911	35,512	51,740	88,944	72,801	21
Female.....	286,789	131	55	77	219	609	2,555	7,058	14,937	31,405	84,489	145,251	3
Black, both sexes.....	74,225	101	62	80	316	980	3,236	8,680	11,679	14,552	18,344	16,184	11
Male.....	36,222	55	32	37	207	597	1,961	5,468	7,243	7,914	8,030	4,668	10
Female.....	38,003	46	30	43	109	383	1,275	3,212	4,436	6,638	10,314	11,516	1
American Indian 1/, both sexes.....	2,598	11	2	2	13	48	118	282	439	535	624	524	-
Male.....	1,437	6	-	1	5	37	83	181	296	329	313	186	-
Female.....	1,161	5	2	1	8	11	35	101	143	206	311	338	-
Asian or Pacific Islander 2/, both sexes	9,960	22	7	4	31	95	220	625	1,046	1,767	2,978	3,164	1
Male.....	5,400	11	1	2	20	78	171	490	737	1,017	1,525	1,347	1
Female.....	4,560	11	6	2	11	17	49	135	309	750	1,453	1,817	-
<b>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</b>													
All races, both sexes.....	3,254	2	3	4	7	27	96	207	321	612	1,146	829	-
Male.....	1,009	2	3	2	4	9	38	88	107	202	380	174	-
Female.....	2,245	-	-	2	3	18	58	119	214	410	766	655	-
White, both sexes.....	2,911	2	2	2	4	16	57	153	257	542	1,078	798	-
Male.....	898	2	2	1	3	2	23	65	83	184	364	169	-
Female.....	2,013	-	-	1	1	14	34	88	174	358	714	629	-
Black, both sexes.....	247	-	1	2	3	6	33	49	46	46	40	21	-
Male.....	84	-	1	1	1	4	14	20	19	13	8	3	-
Female.....	163	-	-	1	2	2	19	29	27	33	32	18	-
American Indian 1/, both sexes.....	15	-	-	-	-	1	1	2	3	2	5	1	-
Male.....	6	-	-	-	-	-	1	2	1	-	2	-	-
Female.....	9	-	-	-	-	1	-	-	2	2	3	1	-
Asian or Pacific Islander 2/, both sexes	81	-	-	-	-	4	5	3	15	22	23	9	-
Male.....	21	-	-	-	-	3	-	1	4	5	6	2	-
Female.....	60	-	-	-	-	1	5	2	11	17	17	7	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hypertensive heart disease (I11)</b>													
All races, both sexes.....	28,585	-	-	2	44	302	1,317	3,265	3,885	4,001	6,398	9,368	3
Male.....	12,929	-	-	-	32	223	896	2,192	2,584	2,303	2,504	2,192	3
Female.....	15,656	-	-	2	12	79	421	1,073	1,301	1,698	3,894	7,176	-
White, both sexes.....	21,156	-	-	1	23	144	757	1,915	2,475	2,801	4,991	8,046	3
Male.....	9,218	-	-	-	18	120	557	1,383	1,677	1,638	1,966	1,856	3
Female.....	11,938	-	-	1	5	24	200	532	798	1,163	3,025	6,190	-
Black, both sexes.....	6,796	-	-	1	21	148	530	1,292	1,308	1,119	1,261	1,116	-
Male.....	3,391	-	-	-	14	93	316	766	835	625	473	269	-
Female.....	3,405	-	-	1	7	55	214	526	473	494	788	847	-
American Indian 1/, both sexes.....	109	-	-	-	-	3	8	14	31	12	20	21	-
Male.....	59	-	-	-	-	3	5	8	22	7	9	5	-
Female.....	50	-	-	-	-	-	3	6	9	5	11	16	-
Asian or Pacific Islander 2/, both sexes	524	-	-	-	-	7	22	44	71	69	126	185	-
Male.....	261	-	-	-	-	7	18	35	50	33	56	62	-
Female.....	263	-	-	-	-	-	4	9	21	36	70	123	-
<b>Hypertensive heart and renal disease (I13)</b>													
All races, both sexes.....	3,046	-	-	1	7	23	96	209	271	379	854	1,206	-
Male.....	1,301	-	-	-	4	14	69	123	158	189	377	367	-
Female.....	1,745	-	-	1	3	9	27	86	113	190	477	839	-
White, both sexes.....	2,071	-	-	1	2	8	27	60	119	212	635	1,007	-
Male.....	846	-	-	-	2	7	17	36	74	113	285	312	-
Female.....	1,225	-	-	1	-	1	10	24	45	99	350	695	-
Black, both sexes.....	883	-	-	-	5	15	67	140	143	147	195	171	-
Male.....	407	-	-	-	2	7	51	80	79	63	83	42	-
Female.....	476	-	-	-	3	8	16	60	64	84	112	129	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	1	3	2	5	2	-
Male.....	7	-	-	-	-	-	-	-	1	2	2	2	-
Female.....	6	-	-	-	-	-	-	1	2	-	3	-	-
Asian or Pacific Islander 2/, both sexes	79	-	-	-	-	-	2	8	6	18	19	26	-
Male.....	41	-	-	-	-	-	1	7	4	11	7	11	-
Female.....	38	-	-	-	-	-	1	1	2	7	12	15	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Ischemic heart diseases (I20-I25)</b>													
All races, both sexes.....	451,326	13	10	17	125	1,092	7,132	24,923	46,002	73,102	139,128	159,756	26
Male.....	233,538	8	1	9	96	822	5,366	18,986	32,868	46,273	73,591	55,495	23
Female.....	217,788	5	9	8	29	270	1,766	5,937	13,134	26,829	65,537	104,261	3
White, both sexes.....	395,705	9	7	11	72	784	5,610	19,564	37,527	61,507	124,112	146,485	17
Male.....	205,475	6	1	7	57	607	4,345	15,343	27,398	39,722	66,674	51,300	15
Female.....	190,230	3	6	4	15	177	1,265	4,221	10,129	21,785	57,438	95,185	2
Black, both sexes.....	46,695	3	1	6	46	259	1,332	4,732	7,396	9,853	12,370	10,689	8
Male.....	23,060	2	-	2	36	171	861	3,153	4,686	5,498	5,523	3,121	7
Female.....	23,635	1	1	4	10	88	471	1,579	2,710	4,355	6,847	7,568	1
American Indian 1/, both sexes.....	1,843	1	1	-	1	21	68	197	312	410	460	372	-
Male.....	1,058	-	-	-	1	18	51	136	217	259	246	130	-
Female.....	785	1	1	-	-	3	17	61	95	151	214	242	-
Asian or Pacific Islander 2/, both sexes	7,083	-	1	-	6	28	122	430	767	1,332	2,186	2,210	1
Male.....	3,945	-	-	-	2	26	109	354	567	794	1,148	944	1
Female.....	3,138	-	1	-	4	2	13	76	200	538	1,038	1,266	-
<b>Acute myocardial infarction (I21-I22)</b>													
All races, both sexes.....	156,816	9	2	5	51	447	2,838	10,084	18,758	28,327	48,037	48,252	6
Male.....	82,909	7	-	4	39	322	2,113	7,632	13,342	17,658	24,893	16,895	4
Female.....	73,907	2	2	1	12	125	725	2,452	5,416	10,669	23,144	31,357	2
White, both sexes.....	137,643	6	2	3	27	337	2,269	8,125	15,742	24,124	43,019	43,985	4
Male.....	73,448	5	-	3	21	255	1,746	6,328	11,472	15,345	22,702	15,568	3
Female.....	64,195	1	2	-	6	82	523	1,797	4,270	8,779	20,317	28,417	1
Black, both sexes.....	16,206	2	-	2	21	94	502	1,743	2,641	3,547	4,178	3,475	1
Male.....	7,811	2	-	1	17	54	314	1,146	1,597	1,918	1,746	1,016	-
Female.....	8,395	-	-	1	4	40	188	597	1,044	1,629	2,432	2,459	1
American Indian 1/, both sexes.....	634	1	-	-	-	7	26	74	112	166	126	122	-
Male.....	359	-	-	-	-	6	18	50	76	109	65	35	-
Female.....	275	1	-	-	-	1	8	24	36	57	61	87	-
Asian or Pacific Islander 2/, both sexes	2,333	-	-	-	3	9	41	142	263	490	714	670	1
Male.....	1,291	-	-	-	1	7	35	108	197	286	380	276	1
Female.....	1,042	-	-	-	2	2	6	34	66	204	334	394	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other acute ischemic heart diseases (I24)</b>													
All races, both sexes.....	2,462	1	2	1	5	10	80	217	359	399	670	717	1
Male.....	1,301	-	-	-	4	6	59	151	251	254	329	246	1
Female.....	1,161	1	2	1	1	4	21	66	108	145	341	471	-
White, both sexes.....	2,025	-	2	1	3	3	60	143	268	317	571	656	1
Male.....	1,042	-	-	-	2	3	46	102	189	194	285	220	1
Female.....	983	-	2	1	1	-	14	41	79	123	286	436	-
Black, both sexes.....	395	1	-	-	1	7	18	69	86	71	88	54	-
Male.....	235	-	-	-	1	3	12	44	59	51	42	23	-
Female.....	160	1	-	-	-	4	6	25	27	20	46	31	-
American Indian 1/, both sexes.....	23	-	-	-	1	-	2	2	3	4	5	6	-
Male.....	11	-	-	-	1	-	1	2	2	3	-	2	-
Female.....	12	-	-	-	-	-	1	-	1	1	5	4	-
Asian or Pacific Islander 2/, both sexes	19	-	-	-	-	-	-	3	2	7	6	1	-
Male.....	13	-	-	-	-	-	-	3	1	6	2	1	-
Female.....	6	-	-	-	-	-	-	-	1	1	4	-	-
<b>Other forms of chronic ischemic heart disease (I20,I25)</b>													
All races, both sexes.....	292,048	3	6	11	69	635	4,214	14,622	26,885	44,376	90,421	110,787	19
Male.....	149,328	1	1	5	53	494	3,194	11,203	19,275	28,361	48,369	38,354	18
Female.....	142,720	2	5	6	16	141	1,020	3,419	7,610	16,015	42,052	72,433	1
White, both sexes.....	256,037	3	3	7	42	444	3,281	11,296	21,517	37,066	80,522	101,844	12
Male.....	130,985	1	1	4	34	349	2,553	8,913	15,737	24,183	43,687	35,512	11
Female.....	125,052	2	2	3	8	95	728	2,383	5,780	12,883	36,835	66,332	1
Black, both sexes.....	30,094	-	1	4	24	158	812	2,920	4,669	6,235	8,104	7,160	7
Male.....	15,014	-	-	1	18	114	535	1,963	3,030	3,529	3,735	2,082	7
Female.....	15,080	-	1	3	6	44	277	957	1,639	2,706	4,369	5,078	-
American Indian 1/, both sexes.....	1,186	-	1	-	-	14	40	121	197	240	329	244	-
Male.....	688	-	-	-	-	12	32	84	139	147	181	93	-
Female.....	498	-	1	-	-	2	8	37	58	93	148	151	-
Asian or Pacific Islander 2/, both sexes	4,731	-	1	-	3	19	81	285	502	835	1,466	1,539	-
Male.....	2,641	-	-	-	1	19	74	243	369	502	766	667	-
Female.....	2,090	-	1	-	2	-	7	42	133	333	700	872	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Atherosclerotic cardiovascular disease, so described (I25.0)</b>													
All races, both sexes.....	63,661	-	1	-	9	193	1,463	5,665	9,297	10,830	16,730	19,459	14
Male.....	34,574	-	-	-	8	157	1,143	4,495	6,864	7,046	8,606	6,242	13
Female.....	29,087	-	1	-	1	36	320	1,170	2,433	3,784	8,124	13,217	1
White, both sexes.....	52,585	-	-	-	7	132	1,138	4,242	7,108	8,487	14,132	17,332	7
Male.....	28,370	-	-	-	6	107	913	3,496	5,314	5,638	7,326	5,564	6
Female.....	24,215	-	-	-	1	25	225	746	1,794	2,849	6,806	11,768	1
Black, both sexes.....	9,666	-	1	-	2	49	277	1,268	1,934	2,080	2,257	1,791	7
Male.....	5,331	-	-	-	2	39	187	867	1,353	1,241	1,100	535	7
Female.....	4,335	-	1	-	-	10	90	401	581	839	1,157	1,256	-
American Indian 1/, both sexes.....	331	-	-	-	-	5	14	46	70	66	71	59	-
Male.....	207	-	-	-	-	4	11	32	53	40	43	24	-
Female.....	124	-	-	-	-	1	3	14	17	26	28	35	-
Asian or Pacific Islander 2/, both sexes	1,079	-	-	-	-	7	34	109	185	197	270	277	-
Male.....	666	-	-	-	-	7	32	100	144	127	137	119	-
Female.....	413	-	-	-	-	-	2	9	41	70	133	158	-
<b>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</b>													
All races, both sexes.....	228,387	3	5	11	60	442	2,751	8,957	17,588	33,546	73,691	91,328	5
Male.....	114,754	1	1	5	45	337	2,051	6,708	12,411	21,315	39,763	32,112	5
Female.....	113,633	2	4	6	15	105	700	2,249	5,177	12,231	33,928	59,216	-
White, both sexes.....	203,452	3	3	7	35	312	2,143	7,054	14,409	28,579	66,390	84,512	5
Male.....	102,615	1	1	4	28	242	1,640	5,417	10,423	18,545	36,361	29,948	5
Female.....	100,837	2	2	3	7	70	503	1,637	3,986	10,034	30,029	54,564	-
Black, both sexes.....	20,428	-	-	4	22	109	535	1,652	2,735	4,155	5,847	5,369	-
Male.....	9,683	-	-	1	16	75	348	1,096	1,677	2,288	2,635	1,547	-
Female.....	10,745	-	-	3	6	34	187	556	1,058	1,867	3,212	3,822	-
American Indian 1/, both sexes.....	855	-	1	-	-	9	26	75	127	174	258	185	-
Male.....	481	-	-	-	-	8	21	52	86	107	138	69	-
Female.....	374	-	1	-	-	1	5	23	41	67	120	116	-
Asian or Pacific Islander 2/, both sexes	3,652	-	1	-	3	12	47	176	317	638	1,196	1,262	-
Male.....	1,975	-	-	-	1	12	42	143	225	375	629	548	-
Female.....	1,677	-	1	-	2	-	5	33	92	263	567	714	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other heart diseases (I26-I51)</b>													
All races, both sexes.....	166,275	406	174	221	855	1,719	4,284	8,952	13,134	21,905	47,853	66,765	7
Male.....	73,196	218	90	111	555	1,075	2,642	5,661	8,071	12,033	21,960	20,774	6
Female.....	93,079	188	84	110	300	644	1,642	3,291	5,063	9,872	25,893	45,991	1
White, both sexes.....	143,860	276	107	144	577	1,088	2,900	6,277	10,071	18,083	42,617	61,716	4
Male.....	62,477	148	58	74	379	695	1,854	4,084	6,280	10,083	19,655	19,164	3
Female.....	81,383	128	49	70	198	393	1,046	2,193	3,791	8,000	22,962	42,552	1
Black, both sexes.....	19,604	98	60	71	241	552	1,274	2,467	2,786	3,387	4,478	4,187	3
Male.....	9,280	53	31	34	154	322	719	1,449	1,624	1,715	1,943	1,233	3
Female.....	10,324	45	29	37	87	230	555	1,018	1,162	1,672	2,535	2,954	-
American Indian 1/, both sexes.....	618	10	1	2	12	23	41	68	90	109	134	128	-
Male.....	307	6	-	1	4	16	26	35	55	61	54	49	-
Female.....	311	4	1	1	8	7	15	33	35	48	80	79	-
Asian or Pacific Islander 2/, both sexes	2,193	22	6	4	25	56	69	140	187	326	624	734	-
Male.....	1,132	11	1	2	18	42	43	93	112	174	308	328	-
Female.....	1,061	11	5	2	7	14	26	47	75	152	316	406	-
<b>Acute and subacute endocarditis (I33)</b>													
All races, both sexes.....	1,196	1	1	-	12	35	84	190	165	234	318	155	1
Male.....	659	-	-	-	8	22	55	122	98	119	162	72	1
Female.....	537	1	1	-	4	13	29	68	67	115	156	83	-
White, both sexes.....	957	1	-	-	10	27	66	114	126	194	279	140	-
Male.....	536	-	-	-	6	16	47	75	79	101	145	67	-
Female.....	421	1	-	-	4	11	19	39	47	93	134	73	-
Black, both sexes.....	204	-	1	-	1	6	14	68	35	36	27	15	1
Male.....	104	-	-	-	1	4	7	42	18	16	10	5	1
Female.....	100	-	1	-	-	2	7	26	17	20	17	10	-
American Indian 1/, both sexes.....	13	-	-	-	-	1	2	5	2	1	2	-	-
Male.....	5	-	-	-	-	1	-	3	-	-	1	-	-
Female.....	8	-	-	-	-	-	2	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes	22	-	-	-	1	1	2	3	2	3	10	-	-
Male.....	14	-	-	-	1	1	1	2	1	2	6	-	-
Female.....	8	-	-	-	-	-	1	1	1	1	4	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>													
All races, both sexes.....	779	21	25	17	31	39	67	107	111	115	159	87	-
Male.....	404	11	15	10	18	18	40	63	65	62	68	34	-
Female.....	375	10	10	7	13	21	27	44	46	53	91	53	-
White, both sexes.....	595	11	12	9	18	23	40	79	94	96	135	78	-
Male.....	305	7	7	5	14	10	26	43	56	48	59	30	-
Female.....	290	4	5	4	4	13	14	36	38	48	76	48	-
Black, both sexes.....	164	8	12	8	10	12	26	27	16	17	22	6	-
Male.....	89	3	7	5	4	6	14	19	8	13	9	1	-
Female.....	75	5	5	3	6	6	12	8	8	4	13	5	-
American Indian 1/, both sexes.....	5	1	-	-	1	1	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	1	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	1	1	-	2	3	-	1	1	2	2	2	-
Male.....	9	1	1	-	-	2	-	1	1	1	-	2	-
Female.....	6	-	-	-	2	1	-	-	-	1	2	-	-
<b>Heart failure (I50)</b>													
All races, both sexes.....	57,120	30	11	10	33	90	313	1,039	2,444	5,951	17,012	30,186	1
Male.....	22,292	16	4	7	19	59	186	615	1,420	3,163	7,673	9,130	-
Female.....	34,828	14	7	3	14	31	127	424	1,024	2,788	9,339	21,056	1
White, both sexes.....	51,205	20	10	5	21	50	193	654	1,826	5,013	15,311	28,101	1
Male.....	19,806	10	4	4	13	30	120	395	1,063	2,706	6,947	8,514	-
Female.....	31,399	10	6	1	8	20	73	259	763	2,307	8,364	19,587	1
Black, both sexes.....	5,230	8	1	4	11	36	111	368	564	835	1,496	1,796	-
Male.....	2,174	5	-	3	6	25	59	211	323	402	633	507	-
Female.....	3,056	3	1	1	5	11	52	157	241	433	863	1,289	-
American Indian 1/, both sexes.....	193	-	-	1	1	2	5	8	21	34	56	65	-
Male.....	87	-	-	-	-	2	4	3	13	18	22	25	-
Female.....	106	-	-	1	1	-	1	5	8	16	34	40	-
Asian or Pacific Islander 2/, both sexes	492	2	-	-	-	2	4	9	33	69	149	224	-
Male.....	225	1	-	-	-	2	3	6	21	37	71	84	-
Female.....	267	1	-	-	-	-	1	3	12	32	78	140	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</b>													
All races, both sexes.....	107,180	354	137	194	779	1,555	3,820	7,616	10,414	15,605	30,364	36,337	5
Male.....	49,841	191	71	94	510	976	2,361	4,861	6,488	8,689	14,057	11,538	5
Female.....	57,339	163	66	100	269	579	1,459	2,755	3,926	6,916	16,307	24,799	-
White, both sexes.....	91,103	244	85	130	528	988	2,601	5,430	8,025	12,780	26,892	33,397	3
Male.....	41,830	131	47	65	346	639	1,661	3,571	5,082	7,228	12,504	10,553	3
Female.....	49,273	113	38	65	182	349	940	1,859	2,943	5,552	14,388	22,844	-
Black, both sexes.....	14,006	82	46	59	219	498	1,123	2,004	2,171	2,499	2,933	2,370	2
Male.....	6,913	45	24	26	143	287	639	1,177	1,275	1,284	1,291	720	2
Female.....	7,093	37	22	33	76	211	484	827	896	1,215	1,642	1,650	-
American Indian 1/, both sexes.....	407	9	1	1	10	19	33	55	67	74	76	62	-
Male.....	214	6	-	1	4	13	22	29	42	43	31	23	-
Female.....	193	3	1	-	6	6	11	26	25	31	45	39	-
Asian or Pacific Islander 2/, both sexes	1,664	19	5	4	22	50	63	127	151	252	463	508	-
Male.....	884	9	-	2	17	37	39	84	89	134	231	242	-
Female.....	780	10	5	2	5	13	24	43	62	118	232	266	-
<b>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</b>													
All races, both sexes.....	23,076	2	1	1	21	103	348	1,138	1,839	3,152	6,819	9,648	4
Male.....	8,869	1	1	-	13	59	222	714	1,036	1,535	2,782	2,503	3
Female.....	14,207	1	-	1	8	44	126	424	803	1,617	4,037	7,145	1
White, both sexes.....	17,693	-	1	-	13	44	161	597	1,079	2,148	5,405	8,242	3
Male.....	6,640	-	1	-	10	29	111	394	640	1,073	2,210	2,170	2
Female.....	11,053	-	-	-	3	15	50	203	439	1,075	3,195	6,072	1
Black, both sexes.....	4,747	2	-	1	7	55	178	501	693	899	1,220	1,190	1
Male.....	1,964	1	-	-	3	29	104	293	366	410	492	265	1
Female.....	2,783	1	-	1	4	26	74	208	327	489	728	925	-
American Indian 1/, both sexes.....	107	-	-	-	1	2	6	12	18	23	29	16	-
Male.....	48	-	-	-	-	-	5	8	7	15	9	4	-
Female.....	59	-	-	-	1	2	1	4	11	8	20	12	-
Asian or Pacific Islander 2/, both sexes	529	-	-	-	-	2	3	28	49	82	165	200	-
Male.....	217	-	-	-	-	1	2	19	23	37	71	64	-
Female.....	312	-	-	-	-	1	1	9	26	45	94	136	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cerebrovascular diseases (I60-I69)</b>													
All races, both sexes.....	150,074	127	41	77	211	567	2,361	6,181	9,966	19,901	50,092	60,545	5
Male.....	58,800	71	23	40	116	284	1,240	3,409	5,523	10,207	21,025	16,859	3
Female.....	91,274	56	18	37	95	283	1,121	2,772	4,443	9,694	29,067	43,686	2
White, both sexes.....	127,868	79	28	58	152	373	1,557	3,943	7,103	15,799	43,672	55,101	3
Male.....	49,296	45	18	29	82	198	842	2,195	3,906	8,149	18,457	15,372	3
Female.....	78,572	34	10	29	70	175	715	1,748	3,197	7,650	25,215	39,729	-
Black, both sexes.....	18,118	40	12	17	49	173	703	1,920	2,433	3,384	5,090	4,295	2
Male.....	7,644	23	5	10	31	77	345	1,021	1,388	1,697	1,979	1,068	-
Female.....	10,474	17	7	7	18	96	358	899	1,045	1,687	3,111	3,227	2
American Indian 1/, both sexes.....	581	1	-	1	1	5	24	49	64	133	168	135	-
Male.....	246	-	-	1	-	2	6	27	34	61	78	37	-
Female.....	335	1	-	-	1	3	18	22	30	72	90	98	-
Asian or Pacific Islander 2/, both sexes	3,507	7	1	1	9	16	77	269	366	585	1,162	1,014	-
Male.....	1,614	3	-	-	3	7	47	166	195	300	511	382	-
Female.....	1,893	4	1	1	6	9	30	103	171	285	651	632	-
<b>Atherosclerosis (I70)</b>													
All races, both sexes.....	11,861	-	1	-	2	6	43	153	459	1,132	3,406	6,659	-
Male.....	4,510	-	-	-	2	3	25	104	275	619	1,549	1,933	-
Female.....	7,351	-	1	-	-	3	18	49	184	513	1,857	4,726	-
White, both sexes.....	10,877	-	1	-	2	5	30	125	386	975	3,134	6,219	-
Male.....	4,146	-	-	-	2	3	19	91	232	545	1,425	1,829	-
Female.....	6,731	-	1	-	-	2	11	34	154	430	1,709	4,390	-
Black, both sexes.....	837	-	-	-	-	1	12	26	67	128	238	365	-
Male.....	305	-	-	-	-	-	5	12	39	62	108	79	-
Female.....	532	-	-	-	-	1	7	14	28	66	130	286	-
American Indian 1/, both sexes.....	36	-	-	-	-	-	1	-	3	10	10	12	-
Male.....	17	-	-	-	-	-	1	-	3	3	7	3	-
Female.....	19	-	-	-	-	-	-	-	-	7	3	9	-
Asian or Pacific Islander 2/, both sexes	111	-	-	-	-	-	-	2	3	19	24	63	-
Male.....	42	-	-	-	-	-	-	1	1	9	9	22	-
Female.....	69	-	-	-	-	-	-	1	2	10	15	41	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of circulatory system (I71-I78)</b>													
All races, both sexes.....	23,693	14	4	13	61	167	461	1,125	2,107	4,632	8,341	6,768	-
Male.....	12,306	7	2	8	45	113	308	780	1,392	2,818	4,322	2,511	-
Female.....	11,387	7	2	5	16	54	153	345	715	1,814	4,019	4,257	-
White, both sexes.....	20,634	11	3	11	49	112	319	828	1,675	4,047	7,477	6,102	-
Male.....	10,810	6	2	6	35	76	217	586	1,117	2,511	3,949	2,305	-
Female.....	9,824	5	1	5	14	36	102	242	558	1,536	3,528	3,797	-
Black, both sexes.....	2,550	2	1	2	7	46	128	260	369	485	700	550	-
Male.....	1,225	1	-	2	7	31	80	170	234	254	287	159	-
Female.....	1,325	1	1	-	-	15	48	90	135	231	413	391	-
American Indian 1/, both sexes.....	86	-	-	-	-	3	3	8	15	15	27	15	-
Male.....	38	-	-	-	-	2	2	4	9	3	11	7	-
Female.....	48	-	-	-	-	1	1	4	6	12	16	8	-
Asian or Pacific Islander 2/, both sexes	423	1	-	-	5	6	11	29	48	85	137	101	-
Male.....	233	-	-	-	3	4	9	20	32	50	75	40	-
Female.....	190	1	-	-	2	2	2	9	16	35	62	61	-
<b>Aortic aneurysm and dissection (I71)</b>													
All races, both sexes.....	13,753	1	1	5	45	126	318	729	1,318	2,932	5,131	3,147	-
Male.....	8,140	1	-	3	36	93	246	552	972	1,946	2,859	1,432	-
Female.....	5,613	-	1	2	9	33	72	177	346	986	2,272	1,715	-
White, both sexes.....	12,189	1	-	5	35	85	214	528	1,060	2,637	4,698	2,926	-
Male.....	7,226	1	-	3	28	62	169	409	789	1,770	2,652	1,343	-
Female.....	4,963	-	-	2	7	23	45	119	271	867	2,046	1,583	-
Black, both sexes.....	1,228	-	1	-	6	33	93	177	219	226	318	155	-
Male.....	697	-	-	-	6	26	68	125	152	131	132	57	-
Female.....	531	-	1	-	-	7	25	52	67	95	186	98	-
American Indian 1/, both sexes.....	38	-	-	-	-	2	2	2	5	6	15	6	-
Male.....	23	-	-	-	-	1	1	2	5	2	9	3	-
Female.....	15	-	-	-	-	1	1	-	-	4	6	3	-
Asian or Pacific Islander 2/, both sexes	298	-	-	-	4	6	9	22	34	63	100	60	-
Male.....	194	-	-	-	2	4	8	16	26	43	66	29	-
Female.....	104	-	-	-	2	2	1	6	8	20	34	31	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races, both sexes.....	9,940	13	3	8	16	41	143	396	789	1,700	3,210	3,621	-
Male.....	4,166	6	2	5	9	20	62	228	420	872	1,463	1,079	-
Female.....	5,774	7	1	3	7	21	81	168	369	828	1,747	2,542	-
White, both sexes.....	8,445	10	3	6	14	27	105	300	615	1,410	2,779	3,176	-
Male.....	3,584	5	2	3	7	14	48	177	328	741	1,297	962	-
Female.....	4,861	5	1	3	7	13	57	123	287	669	1,482	2,214	-
Black, both sexes.....	1,322	2	-	2	1	13	35	83	150	259	382	395	-
Male.....	528	1	-	2	1	5	12	45	82	123	155	102	-
Female.....	794	1	-	-	-	8	23	38	68	136	227	293	-
American Indian 1/, both sexes.....	48	-	-	-	-	1	1	6	10	9	12	9	-
Male.....	15	-	-	-	-	1	1	2	4	1	2	4	-
Female.....	33	-	-	-	-	-	-	4	6	8	10	5	-
Asian or Pacific Islander 2/, both sexes	125	1	-	-	1	-	2	7	14	22	37	41	-
Male.....	39	-	-	-	1	-	1	4	6	7	9	11	-
Female.....	86	1	-	-	-	-	1	3	8	15	28	30	-

Other disorders of circulatory system (I80-I99)

All races, both sexes.....	4,673	29	2	5	35	137	313	559	623	672	1,165	1,133	-
Male.....	2,083	18	-	3	19	72	162	329	351	328	505	296	-
Female.....	2,590	11	2	2	16	65	151	230	272	344	660	837	-
White, both sexes.....	3,795	22	2	3	23	82	198	401	490	545	1,013	1,016	-
Male.....	1,683	15	-	2	10	41	108	245	285	270	439	268	-
Female.....	2,112	7	2	1	13	41	90	156	205	275	574	748	-
Black, both sexes.....	799	7	-	1	10	51	111	145	122	115	135	102	-
Male.....	359	3	-	-	7	28	53	78	60	51	54	25	-
Female.....	440	4	-	1	3	23	58	67	62	64	81	77	-
American Indian 1/, both sexes.....	20	-	-	-	-	2	2	3	4	3	3	3	-
Male.....	12	-	-	-	-	2	1	2	2	2	2	1	-
Female.....	8	-	-	-	-	-	1	1	2	1	1	2	-
Asian or Pacific Islander 2/, both sexes	59	-	-	1	2	2	2	10	7	9	14	12	-
Male.....	29	-	-	1	2	1	-	4	4	5	10	2	-
Female.....	30	-	-	-	-	1	2	6	3	4	4	10	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Influenza and pneumonia (J10-J18)</b>													
All races, both sexes.....	59,664	273	119	82	185	303	891	1,897	3,154	6,382	18,066	28,312	-
Male.....	26,861	166	47	47	118	194	494	1,142	1,823	3,605	9,013	10,212	-
Female.....	32,803	107	72	35	67	109	397	755	1,331	2,777	9,053	18,100	-
White, both sexes.....	52,430	161	77	57	142	228	635	1,399	2,510	5,330	16,014	25,877	-
Male.....	23,348	100	32	32	98	143	348	846	1,454	2,985	7,979	9,331	-
Female.....	29,082	61	45	25	44	85	287	553	1,056	2,345	8,035	16,546	-
Black, both sexes.....	5,700	93	35	20	40	66	229	447	552	863	1,564	1,791	-
Male.....	2,775	55	12	12	19	44	130	268	322	523	788	602	-
Female.....	2,925	38	23	8	21	22	99	179	230	340	776	1,189	-
American Indian 1/, both sexes.....	291	12	4	1	-	7	13	19	32	38	91	74	-
Male.....	142	7	1	-	-	5	7	12	13	18	46	33	-
Female.....	149	5	3	1	-	2	6	7	19	20	45	41	-
Asian or Pacific Islander 2/, both sexes	1,243	7	3	4	3	2	14	32	60	151	397	570	-
Male.....	596	4	2	3	1	2	9	16	34	79	200	246	-
Female.....	647	3	1	1	2	-	5	16	26	72	197	324	-
<b>Influenza (J10-J11)</b>													
All races, both sexes.....	1,100	18	18	13	7	4	16	25	55	99	291	554	-
Male.....	421	10	8	8	2	2	7	8	25	58	125	168	-
Female.....	679	8	10	5	5	2	9	17	30	41	166	386	-
White, both sexes.....	1,033	12	14	11	6	3	14	20	50	92	271	540	-
Male.....	388	5	5	7	2	1	6	6	23	54	114	165	-
Female.....	645	7	9	4	4	2	8	14	27	38	157	375	-
Black, both sexes.....	50	4	3	1	1	1	1	3	4	7	16	9	-
Male.....	25	4	2	-	-	1	-	2	1	4	10	1	-
Female.....	25	-	1	1	1	-	1	1	3	3	6	8	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	14	2	1	1	-	-	1	1	1	-	3	4	-
Male.....	8	1	1	1	-	-	1	-	1	-	1	2	-
Female.....	6	1	-	-	-	-	-	1	-	-	2	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonia (J12-J18)</b>													
All races, both sexes.....	58,564	255	101	69	178	299	875	1,872	3,099	6,283	17,775	27,758	-
Male.....	26,440	156	39	39	116	192	487	1,134	1,798	3,547	8,888	10,044	-
Female.....	32,124	99	62	30	62	107	388	738	1,301	2,736	8,887	17,714	-
White, both sexes.....	51,397	149	63	46	136	225	621	1,379	2,460	5,238	15,743	25,337	-
Male.....	22,960	95	27	25	96	142	342	840	1,431	2,931	7,865	9,166	-
Female.....	28,437	54	36	21	40	83	279	539	1,029	2,307	7,878	16,171	-
Black, both sexes.....	5,650	89	32	19	39	65	228	444	548	856	1,548	1,782	-
Male.....	2,750	51	10	12	19	43	130	266	321	519	778	601	-
Female.....	2,900	38	22	7	20	22	98	178	227	337	770	1,181	-
American Indian 1/, both sexes.....	288	12	4	1	-	7	13	18	32	38	90	73	-
Male.....	142	7	1	-	-	5	7	12	13	18	46	33	-
Female.....	146	5	3	1	-	2	6	6	19	20	44	40	-
Asian or Pacific Islander 2/, both sexes	1,229	5	2	3	3	2	13	31	59	151	394	566	-
Male.....	588	3	1	2	1	2	8	16	33	79	199	244	-
Female.....	641	2	1	1	2	-	5	15	26	72	195	322	-
<b>Other acute lower respiratory infections (J20-J22)</b>													
All races, both sexes.....	319	60	16	1	4	3	9	10	14	21	54	127	-
Male.....	137	34	9	1	3	2	6	8	6	12	18	38	-
Female.....	182	26	7	-	1	1	3	2	8	9	36	89	-
White, both sexes.....	279	43	9	1	3	3	9	8	13	19	49	122	-
Male.....	115	24	4	1	2	2	6	6	6	11	17	36	-
Female.....	164	19	5	-	1	1	3	2	7	8	32	86	-
Black, both sexes.....	31	13	6	-	1	-	-	1	-	2	5	3	-
Male.....	15	6	4	-	1	-	-	1	-	1	1	1	-
Female.....	16	7	2	-	-	-	-	-	-	1	4	2	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	3	1	-	-	-	-	-	1	-	-	2	-
Male.....	5	3	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Chronic lower respiratory diseases (J40-J47)</b>													
All races, both sexes.....	121,987	35	48	120	179	255	887	3,511	11,754	28,390	47,568	29,239	1
Male.....	58,646	24	30	75	110	151	431	1,806	6,029	14,503	23,255	12,231	1
Female.....	63,341	11	18	45	69	104	456	1,705	5,725	13,887	24,313	17,008	-
White, both sexes.....	112,914	23	22	53	91	150	644	2,830	10,483	26,273	44,742	27,602	1
Male.....	53,622	13	15	30	55	82	312	1,462	5,284	13,285	21,681	11,402	1
Female.....	59,292	10	7	23	36	68	332	1,368	5,199	12,988	23,061	16,200	-
Black, both sexes.....	7,400	11	22	64	79	101	225	622	1,106	1,770	2,216	1,184	-
Male.....	4,046	10	14	44	48	66	108	317	648	1,013	1,208	570	-
Female.....	3,354	1	8	20	31	35	117	305	458	757	1,008	614	-
American Indian 1/, both sexes.....	486	1	1	1	3	2	8	29	89	136	161	55	-
Male.....	235	1	-	-	2	1	5	13	46	68	75	24	-
Female.....	251	-	1	1	1	1	3	16	43	68	86	31	-
Asian or Pacific Islander 2/, both sexes	1,187	-	3	2	6	2	10	30	76	211	449	398	-
Male.....	743	-	1	1	5	2	6	14	51	137	291	235	-
Female.....	444	-	2	1	1	-	4	16	25	74	158	163	-
<b>Bronchitis, chronic and unspecified (J40-J42)</b>													
All races, both sexes.....	773	17	12	4	7	5	12	35	67	97	199	318	-
Male.....	338	12	9	4	4	4	5	22	35	54	83	106	-
Female.....	435	5	3	-	3	1	7	13	32	43	116	212	-
White, both sexes.....	691	12	6	3	5	5	8	26	56	91	186	293	-
Male.....	295	7	5	3	3	4	2	14	30	51	79	97	-
Female.....	396	5	1	-	2	1	6	12	26	40	107	196	-
Black, both sexes.....	65	5	5	1	2	-	4	9	9	5	8	17	-
Male.....	35	5	4	1	1	-	3	8	3	3	2	5	-
Female.....	30	-	1	-	1	-	1	1	6	2	6	12	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	15	-	1	-	-	-	-	-	2	1	4	7	-
Male.....	8	-	-	-	-	-	-	-	2	-	2	4	-
Female.....	7	-	1	-	-	-	-	-	-	1	2	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Emphysema (J43)</b>													
All races, both sexes.....	13,639	3	2	1	3	10	80	413	1,583	3,793	5,324	2,427	-
Male.....	7,075	2	-	1	3	5	49	244	873	2,051	2,725	1,122	-
Female.....	6,564	1	2	-	-	5	31	169	710	1,742	2,599	1,305	-
White, both sexes.....	12,757	1	1	1	2	7	61	342	1,431	3,559	5,052	2,300	-
Male.....	6,511	-	-	1	2	3	35	196	772	1,896	2,557	1,049	-
Female.....	6,246	1	1	-	-	4	26	146	659	1,663	2,495	1,251	-
Black, both sexes.....	719	2	-	-	1	2	15	64	131	186	220	98	-
Male.....	460	2	-	-	1	1	11	45	89	123	131	57	-
Female.....	259	-	-	-	-	1	4	19	42	63	89	41	-
American Indian 1/, both sexes.....	46	-	-	-	-	-	2	4	12	13	10	5	-
Male.....	24	-	-	-	-	-	2	1	6	7	6	2	-
Female.....	22	-	-	-	-	-	-	3	6	6	4	3	-
Asian or Pacific Islander 2/, both sexes	117	-	1	-	-	1	2	3	9	35	42	24	-
Male.....	80	-	-	-	-	1	1	2	6	25	31	14	-
Female.....	37	-	1	-	-	-	1	1	3	10	11	10	-
<b>Asthma (J45-J46)</b>													
All races, both sexes.....	3,816	7	29	105	159	197	376	562	520	504	673	684	-
Male.....	1,386	7	19	64	99	113	158	213	187	178	181	167	-
Female.....	2,430	-	10	41	60	84	218	349	333	326	492	517	-
White, both sexes.....	2,658	5	13	45	76	103	226	320	338	386	546	600	-
Male.....	851	5	9	24	47	51	92	115	106	129	133	140	-
Female.....	1,807	-	4	21	29	52	134	205	232	257	413	460	-
Black, both sexes.....	1,008	2	14	57	74	91	142	221	163	98	91	55	-
Male.....	455	2	9	39	45	60	61	89	67	40	31	12	-
Female.....	553	-	5	18	29	31	81	132	96	58	60	43	-
American Indian 1/, both sexes.....	19	-	1	1	3	2	2	4	3	1	2	-	-
Male.....	8	-	-	-	2	1	1	2	2	-	-	-	-
Female.....	11	-	1	1	1	1	1	2	1	1	2	-	-
Asian or Pacific Islander 2/, both sexes	131	-	1	2	6	1	6	17	16	19	34	29	-
Male.....	72	-	1	1	5	1	4	7	12	9	17	15	-
Female.....	59	-	-	1	1	-	2	10	4	10	17	14	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonitis due to solids and liquids (J69)</b>													
All races, both sexes.....	16,780	12	9	11	39	68	159	394	743	1,767	5,564	8,014	-
Male.....	8,593	4	5	6	20	40	97	250	451	1,085	3,059	3,576	-
Female.....	8,187	8	4	5	19	28	62	144	292	682	2,505	4,438	-
White, both sexes.....	14,968	5	7	9	28	52	122	314	588	1,497	4,994	7,352	-
Male.....	7,644	2	4	5	15	32	77	204	348	912	2,755	3,290	-
Female.....	7,324	3	3	4	13	20	45	110	240	585	2,239	4,062	-
Black, both sexes.....	1,495	6	2	1	11	14	35	65	140	241	467	513	-
Male.....	766	1	1	-	5	8	20	39	92	153	243	204	-
Female.....	729	5	1	1	6	6	15	26	48	88	224	309	-
American Indian 1/, both sexes.....	64	1	-	1	-	-	1	9	5	9	21	17	-
Male.....	31	1	-	1	-	-	-	3	3	4	12	7	-
Female.....	33	-	-	-	-	-	1	6	2	5	9	10	-
Asian or Pacific Islander 2/, both sexes	253	-	-	-	-	2	1	6	10	20	82	132	-
Male.....	152	-	-	-	-	-	-	4	8	16	49	75	-
Female.....	101	-	-	-	-	2	1	2	2	4	33	57	-
<b>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</b>													
All races, both sexes.....	27,310	266	105	62	123	174	537	1,349	2,769	5,523	9,629	6,773	-
Male.....	13,434	138	59	35	61	90	269	723	1,509	3,106	4,898	2,546	-
Female.....	13,876	128	46	27	62	84	268	626	1,260	2,417	4,731	4,227	-
White, both sexes.....	24,258	156	66	41	93	118	376	999	2,312	4,904	8,879	6,314	-
Male.....	11,944	80	39	22	48	61	182	548	1,275	2,780	4,536	2,373	-
Female.....	12,314	76	27	19	45	57	194	451	1,037	2,124	4,343	3,941	-
Black, both sexes.....	2,397	98	30	17	23	49	150	308	388	476	529	329	-
Male.....	1,162	53	15	11	11	27	82	153	197	249	248	116	-
Female.....	1,235	45	15	6	12	22	68	155	191	227	281	213	-
American Indian 1/, both sexes.....	182	6	2	1	5	1	5	23	22	46	43	28	-
Male.....	92	2	1	1	2	-	2	15	12	26	20	11	-
Female.....	90	4	1	-	3	1	3	8	10	20	23	17	-
Asian or Pacific Islander 2/, both sexes	473	6	7	3	2	6	6	19	47	97	178	102	-
Male.....	236	3	4	1	-	2	3	7	25	51	94	46	-
Female.....	237	3	3	2	2	4	3	12	22	46	84	56	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Peptic ulcer (K25-K28)</b>													
All races, both sexes.....	3,682	2	3	2	10	17	90	269	374	582	1,148	1,185	-
Male.....	1,690	1	2	1	6	14	57	176	228	304	530	371	-
Female.....	1,992	1	1	1	4	3	33	93	146	278	618	814	-
White, both sexes.....	3,215	1	1	1	9	10	62	198	309	493	1,030	1,101	-
Male.....	1,450	-	1	1	5	8	40	131	187	262	468	347	-
Female.....	1,765	1	-	-	4	2	22	67	122	231	562	754	-
Black, both sexes.....	366	-	1	1	1	6	28	63	59	73	77	57	-
Male.....	191	-	1	-	1	5	17	41	38	33	40	15	-
Female.....	175	-	-	1	-	1	11	22	21	40	37	42	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	3	1	4	3	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	11	-	-	-	-	-	-	3	1	3	2	2	-
Asian or Pacific Islander 2/, both sexes	88	1	1	-	-	1	-	5	5	12	38	25	-
Male.....	47	1	-	-	-	1	-	4	3	8	21	9	-
Female.....	41	-	1	-	-	-	-	1	2	4	17	16	-
<b>Diseases of appendix (K35-K38)</b>													
All races, both sexes.....	452	3	4	13	8	9	14	45	52	81	138	85	-
Male.....	253	3	4	11	4	7	13	32	29	43	70	37	-
Female.....	199	-	-	2	4	2	1	13	23	38	68	48	-
White, both sexes.....	377	3	3	8	5	5	10	35	44	69	117	78	-
Male.....	210	3	3	8	3	3	9	25	26	36	63	31	-
Female.....	167	-	-	-	2	2	1	10	18	33	54	47	-
Black, both sexes.....	59	-	1	3	2	4	3	8	7	10	16	5	-
Male.....	39	-	1	2	1	4	3	7	3	7	6	5	-
Female.....	20	-	-	1	1	-	-	1	4	3	10	-	-
American Indian 1/, both sexes.....	5	-	-	1	1	-	-	2	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	-	-	1	-	-	1	-	-	2	5	2	-
Male.....	3	-	-	-	-	-	1	-	-	-	1	1	-
Female.....	8	-	-	1	-	-	-	-	-	2	4	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hernia (K40-K46)</b>													
All races, both sexes.....	1,602	40	4	4	9	10	36	88	130	239	509	533	-
Male.....	652	20	1	2	5	7	22	45	62	120	198	170	-
Female.....	950	20	3	2	4	3	14	43	68	119	311	363	-
White, both sexes.....	1,423	32	2	4	7	8	25	69	107	208	469	492	-
Male.....	572	15	-	2	4	5	15	38	53	103	182	155	-
Female.....	851	17	2	2	3	3	10	31	54	105	287	337	-
Black, both sexes.....	150	6	2	-	2	2	9	17	20	28	31	33	-
Male.....	67	4	1	-	1	2	5	7	9	16	11	11	-
Female.....	83	2	1	-	1	-	4	10	11	12	20	22	-
American Indian 1/, both sexes.....	14	1	-	-	-	-	-	2	2	3	3	3	-
Male.....	5	1	-	-	-	-	-	-	-	1	1	2	-
Female.....	9	-	-	-	-	-	-	2	2	2	2	1	-
Asian or Pacific Islander 2/, both sexes	15	1	-	-	-	-	2	-	1	-	6	5	-
Male.....	8	-	-	-	-	-	2	-	-	-	4	2	-
Female.....	7	1	-	-	-	-	-	-	1	-	2	3	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>													
All races, both sexes.....	27,013	9	1	1	19	309	2,799	7,496	6,569	5,119	3,733	957	1
Male.....	17,545	6	-	-	9	221	1,916	5,382	4,587	3,122	1,917	385	-
Female.....	9,468	3	1	1	10	88	883	2,114	1,982	1,997	1,816	572	1
White, both sexes.....	23,562	7	1	1	12	251	2,327	6,348	5,619	4,613	3,494	888	1
Male.....	15,334	4	-	-	7	182	1,614	4,604	3,950	2,807	1,802	364	-
Female.....	8,228	3	1	1	5	69	713	1,744	1,669	1,806	1,692	524	1
Black, both sexes.....	2,534	2	-	-	4	22	310	903	733	374	143	43	-
Male.....	1,670	2	-	-	-	14	199	618	505	244	74	14	-
Female.....	864	-	-	-	4	8	111	285	228	130	69	29	-
American Indian 1/, both sexes.....	577	-	-	-	3	21	128	184	144	64	28	5	-
Male.....	323	-	-	-	2	11	75	105	84	30	15	1	-
Female.....	254	-	-	-	1	10	53	79	60	34	13	4	-
Asian or Pacific Islander 2/, both sexes	340	-	-	-	-	15	34	61	73	68	68	21	-
Male.....	218	-	-	-	-	14	28	55	48	41	26	6	-
Female.....	122	-	-	-	-	1	6	6	25	27	42	15	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alcoholic liver disease (K70)</b>													
All races, both sexes.....	12,548	-	-	-	11	228	1,871	4,392	3,393	1,841	709	102	1
Male.....	9,155	-	-	-	8	167	1,267	3,176	2,549	1,392	527	69	-
Female.....	3,393	-	-	-	3	61	604	1,216	844	449	182	33	1
White, both sexes.....	10,859	-	-	-	7	189	1,582	3,779	2,914	1,638	654	95	1
Male.....	7,992	-	-	-	6	140	1,082	2,771	2,203	1,238	487	65	-
Female.....	2,867	-	-	-	1	49	500	1,008	711	400	167	30	1
Black, both sexes.....	1,169	-	-	-	2	9	164	443	362	155	31	3	-
Male.....	812	-	-	-	-	7	106	294	262	122	19	2	-
Female.....	357	-	-	-	2	2	58	149	100	33	12	1	-
American Indian 1/, both sexes.....	389	-	-	-	2	20	104	134	87	27	13	2	-
Male.....	240	-	-	-	2	11	62	79	60	14	11	1	-
Female.....	149	-	-	-	-	9	42	55	27	13	2	1	-
Asian or Pacific Islander 2/, both sexes	131	-	-	-	-	10	21	36	30	21	11	2	-
Male.....	111	-	-	-	-	9	17	32	24	18	10	1	-
Female.....	20	-	-	-	-	1	4	4	6	3	1	1	-
<b>Other chronic liver disease and cirrhosis (K73-K74)</b>													
All races, both sexes.....	14,465	9	1	1	8	81	928	3,104	3,176	3,278	3,024	855	-
Male.....	8,390	6	-	-	1	54	649	2,206	2,038	1,730	1,390	316	-
Female.....	6,075	3	1	1	7	27	279	898	1,138	1,548	1,634	539	-
White, both sexes.....	12,703	7	1	1	5	62	745	2,569	2,705	2,975	2,840	793	-
Male.....	7,342	4	-	-	1	42	532	1,833	1,747	1,569	1,315	299	-
Female.....	5,361	3	1	1	4	20	213	736	958	1,406	1,525	494	-
Black, both sexes.....	1,365	2	-	-	2	13	146	460	371	219	112	40	-
Male.....	858	2	-	-	-	7	93	324	243	122	55	12	-
Female.....	507	-	-	-	2	6	53	136	128	97	57	28	-
American Indian 1/, both sexes.....	188	-	-	-	1	1	24	50	57	37	15	3	-
Male.....	83	-	-	-	-	-	13	26	24	16	4	-	-
Female.....	105	-	-	-	1	1	11	24	33	21	11	3	-
Asian or Pacific Islander 2/, both sexes	209	-	-	-	-	5	13	25	43	47	57	19	-
Male.....	107	-	-	-	-	5	11	23	24	23	16	5	-
Female.....	102	-	-	-	-	-	2	2	19	24	41	14	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cholelithiasis and other disorders of gallbladder (K80-K82)</b>													
All races, both sexes.....	3,086	-	-	-	8	17	55	138	247	458	1,008	1,155	-
Male.....	1,370	-	-	-	3	10	30	73	138	248	483	385	-
Female.....	1,716	-	-	-	5	7	25	65	109	210	525	770	-
White, both sexes.....	2,672	-	-	-	6	10	45	95	192	374	888	1,062	-
Male.....	1,205	-	-	-	3	7	24	49	113	211	435	363	-
Female.....	1,467	-	-	-	3	3	21	46	79	163	453	699	-
Black, both sexes.....	317	-	-	-	-	4	9	37	46	61	91	69	-
Male.....	122	-	-	-	-	2	5	22	21	26	32	14	-
Female.....	195	-	-	-	-	2	4	15	25	35	59	55	-
American Indian 1/, both sexes.....	27	-	-	-	-	1	-	1	5	5	7	8	-
Male.....	12	-	-	-	-	-	-	1	3	2	3	3	-
Female.....	15	-	-	-	-	1	-	-	2	3	4	5	-
Asian or Pacific Islander 2/, both sexes	70	-	-	-	2	2	1	5	4	18	22	16	-
Male.....	31	-	-	-	-	1	1	1	1	9	13	5	-
Female.....	39	-	-	-	2	1	-	4	3	9	9	11	-
<b>Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)</b>													
All races, both sexes.....	42,480	174	14	21	87	246	801	2,067	3,963	7,119	14,058	13,928	2
Male.....	20,370	110	10	11	50	113	451	1,208	2,120	3,677	7,007	5,612	1
Female.....	22,110	64	4	10	37	133	350	859	1,843	3,442	7,051	8,316	1
White, both sexes.....	33,691	97	10	17	53	128	465	1,186	2,552	5,254	11,739	12,188	2
Male.....	16,349	61	7	8	29	55	272	692	1,411	2,792	6,029	4,992	1
Female.....	17,342	36	3	9	24	73	193	494	1,141	2,462	5,710	7,196	1
Black, both sexes.....	7,834	67	4	3	31	103	317	820	1,291	1,653	2,017	1,528	-
Male.....	3,537	41	3	2	19	51	167	478	644	780	836	516	-
Female.....	4,297	26	1	1	12	52	150	342	647	873	1,181	1,012	-
American Indian 1/, both sexes.....	247	1	-	1	2	10	9	29	39	60	59	37	-
Male.....	112	1	-	1	1	3	4	17	19	28	22	16	-
Female.....	135	-	-	-	1	7	5	12	20	32	37	21	-
Asian or Pacific Islander 2/, both sexes	708	9	-	-	1	5	10	32	81	152	243	175	-
Male.....	372	7	-	-	1	4	8	21	46	77	120	88	-
Female.....	336	2	-	-	-	1	2	11	35	75	123	87	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	157	7	5	1	2	1	2	16	9	27	49	38	-
Male.....	73	2	4	-	2	1	1	10	4	14	24	11	-
Female.....	84	5	1	1	-	-	1	6	5	13	25	27	-
White, both sexes.....	127	3	4	1	1	-	-	13	8	22	43	32	-
Male.....	59	-	4	-	1	-	-	8	3	14	20	9	-
Female.....	68	3	-	1	-	-	-	5	5	8	23	23	-
Black, both sexes.....	24	2	1	-	1	-	2	3	1	5	5	4	-
Male.....	10	1	-	-	1	-	1	2	1	-	3	1	-
Female.....	14	1	1	-	-	-	1	1	-	5	2	3	-
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	-	-	-	-	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	553	1	-	2	5	21	30	39	64	88	168	135	-
Male.....	275	1	-	-	1	6	17	20	40	46	84	60	-
Female.....	278	-	-	2	4	15	13	19	24	42	84	75	-
White, both sexes.....	447	1	-	2	3	13	20	26	47	72	144	119	-
Male.....	221	1	-	-	-	5	12	15	28	36	73	51	-
Female.....	226	-	-	2	3	8	8	11	19	36	71	68	-
Black, both sexes.....	90	-	-	-	2	8	10	10	15	15	18	12	-
Male.....	42	-	-	-	1	1	5	4	10	9	7	5	-
Female.....	48	-	-	-	1	7	5	6	5	6	11	7	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	2	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	11	-	-	-	-	-	-	1	1	-	5	4	-
Male.....	9	-	-	-	-	-	-	-	1	-	4	4	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Inflammatory diseases of female pelvic organs (N70-N76)</b>													
All races, both sexes.....	112	1	-	-	2	4	8	11	15	16	21	34	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	112	1	-	-	2	4	8	11	15	16	21	34	-
White, both sexes.....	92	1	-	-	2	3	6	6	13	14	16	31	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	92	1	-	-	2	3	6	6	13	14	16	31	-
Black, both sexes.....	20	-	-	-	-	1	2	5	2	2	5	3	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	-	-	-	-	1	2	5	2	2	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pregnancy, childbirth and the puerperium (O00-O99)</b>													
All races, both sexes.....	697	...	...	2	168	287	157	79	1	1	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	697	...	...	2	168	287	157	79	1	1	2	-	-
White, both sexes.....	411	...	...	-	88	168	99	53	1	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	411	...	...	-	88	168	99	53	1	1	1	-	-
Black, both sexes.....	251	...	...	-	74	109	45	23	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	251	...	...	-	74	109	45	23	-	-	-	-	-
American Indian 1/, both sexes.....	6	...	...	-	1	1	3	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	-	1	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	...	...	2	5	9	10	2	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	...	...	2	5	9	10	2	-	-	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Pregnancy with abortive outcome (000-007)

All races, both sexes.....	32	...	...	-	14	11	6	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	32	...	...	-	14	11	6	1	-	-	-	-	-
White, both sexes.....	11	...	...	-	5	5	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	-	5	5	-	1	-	-	-	-	-
Black, both sexes.....	19	...	...	-	8	6	5	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	19	...	...	-	8	6	5	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	...	...	-	1	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	-	1	-	1	-	-	-	-	-	-

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races, both sexes.....	665	...	...	2	154	276	151	78	1	1	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	665	...	...	2	154	276	151	78	1	1	2	-	-
White, both sexes.....	400	...	...	-	83	163	99	52	1	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	400	...	...	-	83	163	99	52	1	1	1	-	-
Black, both sexes.....	232	...	...	-	66	103	40	23	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	232	...	...	-	66	103	40	23	-	-	-	-	-
American Indian 1/, both sexes.....	6	...	...	-	1	1	3	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	-	1	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	27	...	...	2	4	9	9	2	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	27	...	...	2	4	9	9	2	-	-	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	14,213	14,079	61	37	11	10	6	3	3	1	1	1	-
Male.....	8,093	8,013	38	23	5	3	5	1	3	1	1	-	-
Female.....	6,120	6,066	23	14	6	7	1	2	-	-	-	1	-
White, both sexes.....	8,732	8,643	33	26	10	8	4	3	3	-	1	1	-
Male.....	5,025	4,971	22	16	5	3	3	1	3	-	1	-	-
Female.....	3,707	3,672	11	10	5	5	1	2	-	-	-	1	-
Black, both sexes.....	4,920	4,883	23	9	1	2	2	-	-	-	-	-	-
Male.....	2,753	2,733	13	5	-	-	2	-	-	-	-	-	-
Female.....	2,167	2,150	10	4	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	137	136	1	-	-	-	-	-	-	-	-	-	-
Male.....	79	79	-	-	-	-	-	-	-	-	-	-	-
Female.....	58	57	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	424	417	4	2	-	-	-	-	-	1	-	-	-
Male.....	236	230	3	2	-	-	-	-	-	1	-	-	-
Female.....	188	187	1	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	10,498	5,622	569	389	483	420	493	692	634	428	472	296	-
Male.....	5,423	2,898	318	211	282	235	279	375	320	208	195	102	-
Female.....	5,075	2,724	251	178	201	185	214	317	314	220	277	194	-
White, both sexes.....	8,331	4,271	400	287	352	345	409	599	574	392	424	278	-
Male.....	4,260	2,182	222	162	196	189	227	330	288	192	174	98	-
Female.....	4,071	2,089	178	125	156	156	182	269	286	200	250	180	-
Black, both sexes.....	1,745	1,077	132	85	111	60	69	83	47	28	39	14	-
Male.....	942	573	77	39	73	37	42	40	25	14	18	4	-
Female.....	803	504	55	46	38	23	27	43	22	14	21	10	-
American Indian 1/, both sexes.....	125	90	8	7	5	7	4	1	3	-	-	-	-
Male.....	70	50	3	5	3	5	3	-	1	-	-	-	-
Female.....	55	40	5	2	2	2	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	297	184	29	10	15	8	11	9	10	8	9	4	-
Male.....	151	93	16	5	10	4	7	5	6	2	3	-	-
Female.....	146	91	13	5	5	4	4	4	4	6	6	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	30,126	3,361	189	120	658	1,092	1,900	2,402	2,041	2,323	5,159	10,762	119
Male.....	13,712	2,021	100	59	452	732	1,235	1,546	1,268	1,264	2,181	2,768	86
Female.....	16,414	1,340	89	61	206	360	665	856	773	1,059	2,978	7,994	33
White, both sexes.....	25,030	2,091	127	77	515	835	1,484	1,883	1,612	1,926	4,566	9,829	85
Male.....	11,082	1,250	68	42	358	576	985	1,208	997	1,060	1,940	2,532	66
Female.....	13,948	841	59	35	157	259	499	675	615	866	2,626	7,297	19
Black, both sexes.....	4,490	1,135	50	36	116	223	371	479	387	354	527	783	29
Male.....	2,312	689	28	16	76	137	216	314	246	179	212	183	16
Female.....	2,178	446	22	20	40	86	155	165	141	175	315	600	13
American Indian 1/, both sexes.....	214	64	5	3	16	16	22	15	13	14	14	29	3
Male.....	122	41	1	-	13	9	17	11	7	8	5	7	3
Female.....	92	23	4	3	3	7	5	4	6	6	9	22	-
Asian or Pacific Islander 2/, both sexes	392	71	7	4	11	18	23	25	29	29	52	121	2
Male.....	196	41	3	1	5	10	17	13	18	17	24	46	1
Female.....	196	30	4	3	6	8	6	12	11	12	28	75	1
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)													
All races, both sexes.....	201,914	1,192	611	893	1,956	3,232	8,072	16,205	19,486	26,104	53,123	71,028	12
Male.....	82,725	704	328	490	1,158	1,861	4,739	9,767	10,796	12,805	21,422	18,646	9
Female.....	119,189	488	283	403	798	1,371	3,333	6,438	8,690	13,299	31,701	52,382	3
White, both sexes.....	174,636	807	433	663	1,440	2,251	6,012	12,466	15,833	22,085	47,503	65,136	7
Male.....	70,636	481	235	377	886	1,363	3,707	7,717	8,847	10,861	19,119	17,039	4
Female.....	104,000	326	198	286	554	888	2,305	4,749	6,986	11,224	28,384	48,097	3
Black, both sexes.....	23,519	326	138	185	434	844	1,773	3,346	3,212	3,473	4,799	4,985	4
Male.....	10,328	188	75	87	223	424	869	1,815	1,712	1,691	1,940	1,300	4
Female.....	13,191	138	63	98	211	420	904	1,531	1,500	1,782	2,859	3,685	-
American Indian 1/, both sexes.....	1,226	12	15	14	30	73	168	222	187	169	182	153	1
Male.....	601	10	7	6	16	35	90	127	107	84	79	39	1
Female.....	625	2	8	8	14	38	78	95	80	85	103	114	-
Asian or Pacific Islander 2/, both sexes	2,533	47	25	31	52	64	119	171	254	377	639	754	-
Male.....	1,160	25	11	20	33	39	73	108	130	169	284	268	-
Female.....	1,373	22	14	11	19	25	46	63	124	208	355	486	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidents (unintentional injuries) (V01-X59,Y85-Y86)</b>													
All races, both sexes.....	112,012	1,052	1,641	2,666	15,449	13,032	16,471	16,942	9,651	8,116	13,457	13,447	88
Male.....	72,050	604	964	1,661	11,423	9,871	11,671	11,988	6,562	4,992	7,030	5,210	74
Female.....	39,962	448	677	1,005	4,026	3,161	4,800	4,954	3,089	3,124	6,427	8,237	14
White, both sexes.....	95,890	706	1,242	1,953	13,174	10,787	13,841	14,030	8,078	7,006	12,294	12,700	79
Male.....	61,267	414	734	1,223	9,770	8,180	9,865	9,933	5,438	4,327	6,423	4,892	68
Female.....	34,623	292	508	730	3,404	2,607	3,976	4,097	2,640	2,679	5,871	7,808	11
Black, both sexes.....	12,670	303	324	570	1,661	1,740	2,104	2,455	1,268	835	866	540	4
Male.....	8,603	163	188	351	1,228	1,333	1,457	1,747	912	532	474	215	3
Female.....	4,067	140	136	219	433	407	647	708	356	303	392	325	1
American Indian 1/, both sexes.....	1,520	23	42	61	295	262	290	234	117	89	65	37	5
Male.....	1,010	15	26	33	203	184	191	169	94	46	27	19	3
Female.....	510	8	16	28	92	78	99	65	23	43	38	18	2
Asian or Pacific Islander 2/, both sexes	1,932	20	33	82	319	243	236	223	188	186	232	170	-
Male.....	1,170	12	16	54	222	174	158	139	118	87	106	84	-
Female.....	762	8	17	28	97	69	78	84	70	99	126	86	-
<b>Transport accidents (V01-V99,Y85)</b>													
All races, both sexes.....	48,053	145	659	1,755	11,377	7,521	7,247	6,953	4,510	3,229	3,310	1,320	27
Male.....	33,311	81	359	1,039	8,113	5,641	5,297	5,042	3,114	1,998	1,905	701	21
Female.....	14,742	64	300	716	3,264	1,880	1,950	1,911	1,396	1,231	1,405	619	6
White, both sexes.....	40,279	104	499	1,377	9,648	6,022	5,965	5,740	3,854	2,805	2,995	1,245	25
Male.....	27,918	54	269	829	6,901	4,510	4,388	4,179	2,649	1,737	1,720	662	20
Female.....	12,361	50	230	548	2,747	1,512	1,577	1,561	1,205	1,068	1,275	583	5
Black, both sexes.....	5,868	32	132	295	1,260	1,154	982	959	502	285	215	52	-
Male.....	4,204	20	71	165	907	896	722	705	358	193	138	29	-
Female.....	1,664	12	61	130	353	258	260	254	144	92	77	23	-
American Indian 1/, both sexes.....	851	5	20	35	226	174	144	118	51	48	26	2	2
Male.....	569	4	12	16	148	124	93	85	46	26	13	1	1
Female.....	282	1	8	19	78	50	51	33	5	22	13	1	1
Asian or Pacific Islander 2/, both sexes	1,055	4	8	48	243	171	156	136	103	91	74	21	-
Male.....	620	3	7	29	157	111	94	73	61	42	34	9	-
Female.....	435	1	1	19	86	60	62	63	42	49	40	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All races, both sexes.....	44,933	143	635	1,653	10,987	7,036	6,663	6,276	4,093	2,974	3,180	1,267	26
Male.....	30,837	80	344	975	7,814	5,245	4,826	4,486	2,770	1,799	1,811	667	20
Female.....	14,096	63	291	678	3,173	1,791	1,837	1,790	1,323	1,175	1,369	600	6
White, both sexes.....	37,618	103	480	1,292	9,325	5,617	5,466	5,170	3,488	2,578	2,880	1,195	24
Male.....	25,816	54	258	775	6,662	4,184	3,989	3,707	2,347	1,556	1,635	630	19
Female.....	11,802	49	222	517	2,663	1,433	1,477	1,463	1,141	1,022	1,245	565	5
Black, both sexes.....	5,513	31	128	282	1,205	1,095	918	877	456	268	201	52	-
Male.....	3,910	19	68	158	858	843	667	639	320	180	129	29	-
Female.....	1,603	12	60	124	347	252	251	238	136	88	72	23	-
American Indian 1/, both sexes.....	802	5	19	34	219	163	138	102	49	43	26	2	2
Male.....	529	4	11	15	142	114	88	73	44	23	13	1	1
Female.....	273	1	8	19	77	49	50	29	5	20	13	1	1
Asian or Pacific Islander 2/, both sexes	1,000	4	8	45	238	161	141	127	100	85	73	18	-
Male.....	582	3	7	27	152	104	82	67	59	40	34	7	-
Female.....	418	1	1	18	86	57	59	60	41	45	39	11	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	1,199	1	19	57	190	184	211	222	132	92	63	27	1
Male.....	926	1	12	38	152	150	168	182	102	58	46	16	1
Female.....	273	-	7	19	38	34	43	40	30	34	17	11	-
White, both sexes.....	945	-	15	46	141	138	178	162	107	78	54	25	1
Male.....	723	-	9	31	109	111	140	133	83	51	40	15	1
Female.....	222	-	6	15	32	27	38	29	24	27	14	10	-
Black, both sexes.....	199	1	3	8	42	34	28	43	23	8	9	-	-
Male.....	163	1	2	5	37	30	25	34	17	6	6	-	-
Female.....	36	-	1	3	5	4	3	9	6	2	3	-	-
American Indian 1/, both sexes.....	32	-	1	1	6	7	3	12	1	1	-	-	-
Male.....	27	-	1	1	5	7	2	10	1	-	-	-	-
Female.....	5	-	-	-	1	-	1	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	23	-	-	2	1	5	2	5	1	5	-	2	-
Male.....	13	-	-	1	1	2	1	5	1	1	-	1	-
Female.....	10	-	-	1	-	3	1	-	-	4	-	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes.....	1,921	1	5	45	200	301	373	455	285	163	67	26	-
Male.....	1,548	-	3	26	147	246	303	374	242	141	48	18	-
Female.....	373	1	2	19	53	55	70	81	43	22	19	8	-
White, both sexes.....	1,716	1	4	39	182	267	321	408	259	149	61	25	-
Male.....	1,379	-	2	23	130	215	259	339	219	130	45	17	-
Female.....	337	1	2	16	52	52	62	69	40	19	16	8	-
Black, both sexes.....	156	-	1	5	13	25	36	39	23	9	5	-	-
Male.....	131	-	1	2	12	23	30	32	21	7	3	-	-
Female.....	25	-	-	3	1	2	6	7	2	2	2	-	-
American Indian 1/, both sexes.....	17	-	-	-	1	4	3	4	1	4	-	-	-
Male.....	13	-	-	-	1	3	3	2	1	3	-	-	-
Female.....	4	-	-	-	-	1	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	32	-	-	1	4	5	13	4	2	1	1	1	-
Male.....	25	-	-	1	4	5	11	1	1	1	-	1	-
Female.....	7	-	-	-	-	-	2	3	1	-	1	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	63,959	907	982	911	4,072	5,511	9,224	9,989	5,141	4,887	10,147	12,127	61
Male.....	38,739	523	605	622	3,310	4,230	6,374	6,946	3,448	2,994	5,125	4,509	53
Female.....	25,220	384	377	289	762	1,281	2,850	3,043	1,693	1,893	5,022	7,618	8
White, both sexes.....	55,611	602	743	576	3,526	4,765	7,876	8,290	4,224	4,201	9,299	11,455	54
Male.....	33,349	360	465	394	2,869	3,670	5,477	5,754	2,789	2,590	4,703	4,230	48
Female.....	22,262	242	278	182	657	1,095	2,399	2,536	1,435	1,611	4,596	7,225	6
Black, both sexes.....	6,802	271	192	275	401	586	1,122	1,496	766	550	651	488	4
Male.....	4,399	143	117	186	321	437	735	1,042	554	339	336	186	3
Female.....	2,403	128	75	89	80	149	387	454	212	211	315	302	1
American Indian 1/, both sexes.....	669	18	22	26	69	88	146	116	66	41	39	35	3
Male.....	441	11	14	17	55	60	98	84	48	20	14	18	2
Female.....	228	7	8	9	14	28	48	32	18	21	25	17	1
Asian or Pacific Islander 2/, both sexes	877	16	25	34	76	72	80	87	85	95	158	149	-
Male.....	550	9	9	25	65	63	64	66	57	45	72	75	-
Female.....	327	7	16	9	11	9	16	21	28	50	86	74	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental drowning and submersion (W65-W74)</b>													
All races, both sexes.....	3,308	62	430	269	574	385	435	444	271	188	158	78	14
Male.....	2,594	38	265	194	522	332	367	358	208	140	113	43	14
Female.....	714	24	165	75	52	53	68	86	63	48	45	35	-
White, both sexes.....	2,565	51	368	142	407	295	350	362	219	157	134	66	14
Male.....	2,004	29	225	102	369	253	295	292	168	120	99	38	14
Female.....	561	22	143	40	38	42	55	70	51	37	35	28	-
Black, both sexes.....	533	9	49	104	118	61	62	64	29	20	10	7	-
Male.....	426	7	37	75	108	51	53	50	22	15	7	1	-
Female.....	107	2	12	29	10	10	9	14	7	5	3	6	-
American Indian 1/, both sexes.....	57	1	4	9	12	6	10	9	4	1	1	-	-
Male.....	46	1	1	7	10	6	9	7	4	1	-	-	-
Female.....	11	-	3	2	2	-	1	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	153	1	9	14	37	23	13	9	19	10	13	5	-
Male.....	118	1	2	10	35	22	10	9	14	4	7	4	-
Female.....	35	-	7	4	2	1	3	-	5	6	6	1	-
<b>Accidental exposure to smoke, fire and flames (X00-X09)</b>													
All races, both sexes.....	3,229	26	223	255	186	240	313	490	412	349	459	273	3
Male.....	1,902	14	120	152	107	165	209	329	251	210	234	109	2
Female.....	1,327	12	103	103	79	75	104	161	161	139	225	164	1
White, both sexes.....	2,334	15	139	136	140	179	234	356	307	254	356	216	2
Male.....	1,375	9	76	80	82	124	153	234	190	153	185	88	1
Female.....	959	6	63	56	58	55	81	122	117	101	171	128	1
Black, both sexes.....	799	11	73	105	39	53	66	120	98	84	96	53	1
Male.....	475	5	38	64	22	35	45	87	57	54	48	19	1
Female.....	324	6	35	41	17	18	21	33	41	30	48	34	-
American Indian 1/, both sexes.....	47	-	7	5	3	3	7	7	5	5	4	1	-
Male.....	28	-	5	3	2	2	5	5	3	2	1	-	-
Female.....	19	-	2	2	1	1	2	2	2	3	3	1	-
Asian or Pacific Islander 2/, both sexes	49	-	4	9	4	5	6	7	2	6	3	3	-
Male.....	24	-	1	5	1	4	6	3	1	1	-	2	-
Female.....	25	-	3	4	3	1	-	4	1	5	3	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental poisoning and exposure to noxious substances (X40-X49)</b>													
All races, both sexes.....	20,950	13	18	55	2,259	3,641	6,444	6,033	1,577	421	315	165	9
Male.....	13,934	5	13	30	1,765	2,673	4,176	3,910	929	222	143	64	4
Female.....	7,016	8	5	25	494	968	2,268	2,123	648	199	172	101	5
White, both sexes.....	18,042	10	12	40	2,095	3,259	5,581	5,015	1,252	348	273	151	6
Male.....	12,022	3	7	25	1,645	2,413	3,648	3,235	692	173	119	59	3
Female.....	6,020	7	5	15	450	846	1,933	1,780	560	175	154	92	3
Black, both sexes.....	2,498	3	6	11	119	296	736	929	284	64	35	13	2
Male.....	1,638	2	6	3	87	202	441	617	209	45	20	5	1
Female.....	860	1	-	8	32	94	295	312	75	19	15	8	1
American Indian 1/, both sexes.....	262	-	-	4	28	59	90	56	18	5	1	-	1
Male.....	162	-	-	2	20	35	58	34	11	2	-	-	-
Female.....	100	-	-	2	8	24	32	22	7	3	1	-	1
Asian or Pacific Islander 2/, both sexes	148	-	-	-	17	27	37	33	23	4	6	1	-
Male.....	112	-	-	-	13	23	29	24	17	2	4	-	-
Female.....	36	-	-	-	4	4	8	9	6	2	2	1	-
<b>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</b>													
All races, both sexes.....	17,016	782	250	247	640	825	1,276	1,732	1,453	1,634	3,505	4,641	31
Male.....	9,880	453	165	184	550	694	1,009	1,347	1,044	995	1,754	1,655	30
Female.....	7,136	329	85	63	90	131	267	385	409	639	1,751	2,986	1
White, both sexes.....	14,783	507	185	191	550	696	1,074	1,465	1,225	1,384	3,148	4,330	28
Male.....	8,517	308	129	139	477	587	852	1,142	885	855	1,579	1,537	27
Female.....	6,266	199	56	52	73	109	222	323	340	529	1,569	2,793	1
Black, both sexes.....	1,844	245	48	41	64	107	164	229	189	203	304	249	1
Male.....	1,115	129	23	34	50	88	127	172	133	118	152	88	1
Female.....	729	116	25	7	14	19	37	57	56	85	152	161	-
American Indian 1/, both sexes.....	180	15	9	6	14	11	27	23	21	18	19	15	2
Male.....	126	8	8	3	13	9	21	21	16	10	8	7	2
Female.....	54	7	1	3	1	2	6	2	5	8	11	8	-
Asian or Pacific Islander 2/, both sexes	209	15	8	9	12	11	11	15	18	29	34	47	-
Male.....	122	8	5	8	10	10	9	12	10	12	15	23	-
Female.....	87	7	3	1	2	1	2	3	8	17	19	24	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	32,439	...	...	285	4,316	5,074	6,638	6,906	4,011	2,279	2,120	799	11
Male.....	25,566	...	...	187	3,596	4,142	5,067	5,078	3,088	1,901	1,817	679	11
Female.....	6,873	...	...	98	720	932	1,571	1,828	923	378	303	120	-
White, both sexes.....	29,251	...	...	218	3,610	4,288	6,031	6,420	3,751	2,137	2,019	768	9
Male.....	23,081	...	...	143	3,016	3,526	4,606	4,716	2,885	1,783	1,738	659	9
Female.....	6,170	...	...	75	594	762	1,425	1,704	866	354	281	109	-
Black, both sexes.....	2,019	...	...	49	465	521	381	288	166	76	60	12	1
Male.....	1,655	...	...	30	396	429	304	221	140	71	54	9	1
Female.....	364	...	...	19	69	92	77	67	26	5	6	3	-
American Indian 1/, both sexes.....	404	...	...	10	122	102	90	54	12	11	2	-	1
Male.....	306	...	...	6	92	76	71	40	9	9	2	-	1
Female.....	98	...	...	4	30	26	19	14	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes	765	...	...	8	119	163	136	144	82	55	39	19	-
Male.....	524	...	...	8	92	111	86	101	54	38	23	11	-
Female.....	241	...	...	-	27	52	50	43	28	17	16	8	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	16,750	...	...	59	2,104	2,283	2,868	3,349	2,328	1,631	1,588	537	3
Male.....	14,523	...	...	50	1,889	1,978	2,376	2,761	1,994	1,475	1,479	518	3
Female.....	2,227	...	...	9	215	305	492	588	334	156	109	19	-
White, both sexes.....	15,407	...	...	49	1,770	1,937	2,636	3,176	2,220	1,555	1,534	528	2
Male.....	13,341	...	...	41	1,590	1,671	2,178	2,618	1,901	1,403	1,427	510	2
Female.....	2,066	...	...	8	180	266	458	558	319	152	107	18	-
Black, both sexes.....	1,009	...	...	8	260	265	156	116	87	61	48	8	-
Male.....	904	...	...	7	231	239	139	100	75	60	46	7	-
Female.....	105	...	...	1	29	26	17	16	12	1	2	1	-
American Indian 1/, both sexes.....	152	...	...	1	42	37	32	23	7	7	2	-	1
Male.....	130	...	...	1	39	32	28	16	6	5	2	-	1
Female.....	22	...	...	-	3	5	4	7	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	182	...	...	1	32	44	44	34	14	8	4	1	-
Male.....	148	...	...	1	29	36	31	27	12	7	4	1	-
Female.....	34	...	...	-	3	8	13	7	2	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All races, both sexes.....	15,689	...	...	226	2,212	2,791	3,770	3,557	1,683	648	532	262	8
Male.....	11,043	...	...	137	1,707	2,164	2,691	2,317	1,094	426	338	161	8
Female.....	4,646	...	...	89	505	627	1,079	1,240	589	222	194	101	-
White, both sexes.....	13,844	...	...	169	1,840	2,351	3,395	3,244	1,531	582	485	240	7
Male.....	9,740	...	...	102	1,426	1,855	2,428	2,098	984	380	311	149	7
Female.....	4,104	...	...	67	414	496	967	1,146	547	202	174	91	-
Black, both sexes.....	1,010	...	...	41	205	256	225	172	79	15	12	4	1
Male.....	751	...	...	23	165	190	165	121	65	11	8	2	1
Female.....	259	...	...	18	40	66	60	51	14	4	4	2	-
American Indian 1/, both sexes.....	252	...	...	9	80	65	58	31	5	4	-	-	-
Male.....	176	...	...	5	53	44	43	24	3	4	-	-	-
Female.....	76	...	...	4	27	21	15	7	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	583	...	...	7	87	119	92	110	68	47	35	18	-
Male.....	376	...	...	7	63	75	55	74	42	31	19	10	-
Female.....	207	...	...	-	24	44	37	36	26	16	16	8	-

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

All races, both sexes.....	17,357	325	377	329	5,085	4,495	2,984	2,008	879	446	289	104	36
Male.....	13,578	167	204	200	4,380	3,764	2,224	1,492	637	302	138	41	29
Female.....	3,779	158	173	129	705	731	760	516	242	144	151	63	7
White, both sexes.....	8,643	208	201	184	2,126	1,920	1,592	1,170	582	323	219	84	34
Male.....	6,302	112	113	109	1,727	1,501	1,130	839	409	205	99	31	27
Female.....	2,341	96	88	75	399	419	462	331	173	118	120	53	7
Black, both sexes.....	8,135	103	163	131	2,803	2,445	1,297	752	254	104	63	18	2
Male.....	6,839	48	83	82	2,522	2,163	1,022	592	195	83	37	10	2
Female.....	1,296	55	80	49	281	282	275	160	59	21	26	8	-
American Indian 1/, both sexes.....	228	9	7	6	67	54	46	22	8	6	3	-	-
Male.....	181	5	5	4	53	47	38	18	5	5	1	-	-
Female.....	47	4	2	2	14	7	8	4	3	1	2	-	-
Asian or Pacific Islander 2/, both sexes	351	5	6	8	89	76	49	64	35	13	4	2	-
Male.....	256	2	3	5	78	53	34	43	28	9	1	-	-
Female.....	95	3	3	3	11	23	15	21	7	4	3	2	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004\*"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Assault (homicide) by discharge of firearms (*U01.4,X93-X95)</b>													
All races, both sexes.....	11,624	6	36	184	4,127	3,503	1,895	1,062	468	193	100	29	21
Male.....	9,921	2	18	134	3,718	3,111	1,556	821	347	138	41	15	20
Female.....	1,703	4	18	50	409	392	339	241	121	55	59	14	1
White, both sexes.....	5,119	3	11	92	1,530	1,342	954	604	311	144	84	24	20
Male.....	4,078	1	5	64	1,319	1,141	734	441	219	91	33	11	19
Female.....	1,041	2	6	28	211	201	220	163	92	53	51	13	1
Black, both sexes.....	6,201	3	22	81	2,500	2,089	893	414	138	41	14	5	1
Male.....	5,589	1	11	62	2,315	1,912	779	347	111	39	7	4	1
Female.....	612	2	11	19	185	177	114	67	27	2	7	1	-
American Indian 1/, both sexes.....	104	-	2	6	38	29	19	7	2	-	1	-	-
Male.....	87	-	2	4	31	24	18	5	2	-	1	-	-
Female.....	17	-	-	2	7	5	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	200	-	1	5	59	43	29	37	17	8	1	-	-
Male.....	167	-	-	4	53	34	25	28	15	8	-	-	-
Female.....	33	-	1	1	6	9	4	9	2	-	1	-	-
<b>Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)</b>													
All races, both sexes.....	5,733	319	341	145	958	992	1,089	946	411	253	189	75	15
Male.....	3,657	165	186	66	662	653	668	671	290	164	97	26	9
Female.....	2,076	154	155	79	296	339	421	275	121	89	92	49	6
White, both sexes.....	3,524	205	190	92	596	578	638	566	271	179	135	60	14
Male.....	2,224	111	108	45	408	360	396	398	190	114	66	20	8
Female.....	1,300	94	82	47	188	218	242	168	81	65	69	40	6
Black, both sexes.....	1,934	100	141	50	303	356	404	338	116	63	49	13	1
Male.....	1,250	47	72	20	207	251	243	245	84	44	30	6	1
Female.....	684	53	69	30	96	105	161	93	32	19	19	7	-
American Indian 1/, both sexes.....	124	9	5	-	29	25	27	15	6	6	2	-	-
Male.....	94	5	3	-	22	23	20	13	3	5	-	-	-
Female.....	30	4	2	-	7	2	7	2	3	1	2	-	-
Asian or Pacific Islander 2/, both sexes	151	5	5	3	30	33	20	27	18	5	3	2	-
Male.....	89	2	3	1	25	19	9	15	13	1	1	-	-
Female.....	62	3	2	2	5	14	11	12	5	4	2	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Legal intervention (Y35,Y89.0)</b>													
All races, both sexes.....	372	-	-	-	80	106	104	58	12	7	5	-	-
Male.....	363	-	-	-	79	104	103	55	11	6	5	-	-
Female.....	9	-	-	-	1	2	1	3	1	1	-	-	-
White, both sexes.....	262	-	-	-	55	66	81	42	8	5	5	-	-
Male.....	256	-	-	-	54	65	80	40	8	4	5	-	-
Female.....	6	-	-	-	1	1	1	2	-	1	-	-	-
Black, both sexes.....	92	-	-	-	20	34	19	13	4	2	-	-	-
Male.....	90	-	-	-	20	34	19	12	3	2	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	1	1	3	-	-	-	-	-	-
Male.....	5	-	-	-	1	1	3	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	13	-	-	-	4	5	1	3	-	-	-	-	-
Male.....	12	-	-	-	4	4	1	3	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
<b>Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)</b>													
All races, both sexes.....	4,976	104	47	64	501	806	1,389	1,302	399	156	119	80	9
Male.....	3,164	65	26	43	380	559	872	808	231	91	52	28	9
Female.....	1,812	39	21	21	121	247	517	494	168	65	67	52	-
White, both sexes.....	4,142	68	30	36	432	677	1,163	1,088	342	123	106	72	5
Male.....	2,607	44	16	24	329	471	724	659	191	72	46	26	5
Female.....	1,535	24	14	12	103	206	439	429	151	51	60	46	-
Black, both sexes.....	702	32	15	26	56	100	191	191	50	22	10	5	4
Male.....	479	18	9	18	43	73	124	133	38	14	5	-	4
Female.....	223	14	6	8	13	27	67	58	12	8	5	5	-
American Indian 1/, both sexes.....	68	3	-	2	6	16	23	10	4	3	1	-	-
Male.....	41	3	-	1	5	9	15	5	1	2	-	-	-
Female.....	27	-	-	1	1	7	8	5	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes	64	1	2	-	7	13	12	13	3	8	2	3	-
Male.....	37	-	1	-	3	6	9	11	1	3	1	2	-
Female.....	27	1	1	-	4	7	3	2	2	5	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Discharge of firearms, undetermined intent (Y22-Y24)</b>													
All races, both sexes.....	235	-	1	9	58	45	44	29	20	16	8	2	3
Male.....	179	-	-	7	50	33	30	22	14	13	6	1	3
Female.....	56	-	1	2	8	12	14	7	6	3	2	1	-
White, both sexes.....	187	-	-	4	42	31	39	25	19	15	8	2	2
Male.....	142	-	-	4	37	22	26	18	14	12	6	1	2
Female.....	45	-	-	-	5	9	13	7	5	3	2	1	-
Black, both sexes.....	39	-	1	4	15	9	4	3	1	1	-	-	1
Male.....	31	-	-	3	12	8	3	3	-	1	-	-	1
Female.....	8	-	1	1	3	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	1	1	4	1	-	-	-	-	-	-
Male.....	4	-	-	-	1	2	1	-	-	-	-	-	-
Female.....	3	-	-	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)</b>													
All races, both sexes.....	4,741	104	46	55	443	761	1,345	1,273	379	140	111	78	6
Male.....	2,985	65	26	36	330	526	842	786	217	78	46	27	6
Female.....	1,756	39	20	19	113	235	503	487	162	62	65	51	-
White, both sexes.....	3,955	68	30	32	390	646	1,124	1,063	323	108	98	70	3
Male.....	2,465	44	16	20	292	449	698	641	177	60	40	25	3
Female.....	1,490	24	14	12	98	197	426	422	146	48	58	45	-
Black, both sexes.....	663	32	14	22	41	91	187	188	49	21	10	5	3
Male.....	448	18	9	15	31	65	121	130	38	13	5	-	3
Female.....	215	14	5	7	10	26	66	58	11	8	5	5	-
American Indian 1/, both sexes.....	61	3	-	1	5	12	22	10	4	3	1	-	-
Male.....	37	3	-	1	4	7	14	5	1	2	-	-	-
Female.....	24	-	-	-	1	5	8	5	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes	62	1	2	-	7	12	12	12	3	8	2	3	-
Male.....	35	-	1	-	3	5	9	10	1	3	1	2	-
Female.....	27	1	1	-	4	7	3	2	2	5	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
---	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	28	-	-	-	4	1	3	-	4	1	14	1	-
Male.....	28	-	-	-	4	1	3	-	4	1	14	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	26	-	-	-	3	1	2	-	4	1	14	1	-
Male.....	26	-	-	-	3	1	2	-	4	1	14	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	2,883	16	19	19	48	71	157	293	403	557	787	513	-
Male.....	1,364	6	10	12	24	31	68	148	220	280	385	180	-
Female.....	1,519	10	9	7	24	40	89	145	183	277	402	333	-
White, both sexes.....	2,392	11	16	16	33	57	113	226	323	460	682	455	-
Male.....	1,162	4	8	10	16	26	54	120	179	241	344	160	-
Female.....	1,230	7	8	6	17	31	59	106	144	219	338	295	-
Black, both sexes.....	437	2	3	3	13	10	43	60	75	86	93	49	-
Male.....	173	1	2	2	6	3	14	23	38	33	36	15	-
Female.....	264	1	1	1	7	7	29	37	37	53	57	34	-
American Indian 1/, both sexes.....	11	2	-	-	-	-	-	3	1	4	-	1	-
Male.....	6	1	-	-	-	-	-	3	1	1	-	-	-
Female.....	5	1	-	-	-	-	-	-	-	3	-	1	-
Asian or Pacific Islander 2/, both sexes	43	1	-	-	2	4	1	4	4	7	12	8	-
Male.....	23	-	-	-	2	2	-	2	2	5	5	5	-
Female.....	20	1	-	-	-	2	1	2	2	2	7	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/</b>													
All races, both sexes.....	21,081	-	-	6	139	610	3,359	7,215	5,442	2,892	1,200	211	7
Male.....	15,906	-	-	5	107	468	2,434	5,401	4,224	2,232	894	135	6
Female.....	5,175	-	-	1	32	142	925	1,814	1,218	660	306	76	1
White, both sexes.....	17,875	-	-	4	111	482	2,821	6,123	4,586	2,459	1,089	196	4
Male.....	13,525	-	-	3	89	375	2,058	4,611	3,562	1,884	813	127	3
Female.....	4,350	-	-	1	22	107	763	1,512	1,024	575	276	69	1
Black, both sexes.....	2,351	-	-	-	13	53	324	843	681	348	76	10	3
Male.....	1,784	-	-	-	8	43	236	616	536	285	52	5	3
Female.....	567	-	-	-	5	10	88	227	145	63	24	5	-
American Indian 1/, both sexes.....	645	-	-	2	15	55	171	196	135	54	15	2	-
Male.....	417	-	-	2	10	31	103	127	94	36	13	1	-
Female.....	228	-	-	-	5	24	68	69	41	18	2	1	-
Asian or Pacific Islander 2/, both sexes	210	-	-	-	-	20	43	53	40	31	20	3	-
Male.....	180	-	-	-	-	19	37	47	32	27	16	2	-
Female.....	30	-	-	-	-	1	6	6	8	4	4	1	-
<b>Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0, G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/</b>													
All races, both sexes.....	30,711	30	24	63	2,913	5,061	9,228	9,021	2,651	785	619	304	12
Male.....	19,362	11	16	25	2,187	3,554	5,737	5,528	1,496	393	278	130	7
Female.....	11,349	19	8	38	726	1,507	3,491	3,493	1,155	392	341	174	5
White, both sexes.....	26,474	18	15	48	2,702	4,504	7,977	7,487	2,177	690	569	280	7
Male.....	16,634	7	8	23	2,039	3,191	4,980	4,540	1,151	323	249	119	4
Female.....	9,840	11	7	25	663	1,313	2,997	2,947	1,026	367	320	161	3
Black, both sexes.....	3,633	12	9	12	144	439	1,073	1,385	417	80	39	19	4
Male.....	2,352	4	8	2	103	294	641	891	311	61	25	9	3
Female.....	1,281	8	1	10	41	145	432	494	106	19	14	10	1
American Indian 1/, both sexes.....	354	-	-	3	39	73	119	83	28	6	2	-	1
Male.....	212	-	-	-	28	42	73	50	16	3	-	-	-
Female.....	142	-	-	3	11	31	46	33	12	3	2	-	1
Asian or Pacific Islander 2/, both sexes	250	-	-	-	28	45	59	66	29	9	9	5	-
Male.....	164	-	-	-	17	27	43	47	18	6	4	2	-
Female.....	86	-	-	-	11	18	16	19	11	3	5	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics Mortality, 2004." Data specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004\*"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	29,569	7	51	300	6,540	6,021	4,986	4,588	2,859	1,885	1,729	576	27
Male.....	25,498	2	29	231	5,895	5,302	4,130	3,733	2,391	1,663	1,554	542	26
Female.....	4,071	5	22	69	645	719	856	855	468	222	175	34	1
White, both sexes.....	21,442	4	17	182	3,514	3,433	3,776	3,936	2,586	1,754	1,655	561	24
Male.....	18,223	1	10	140	3,109	2,950	3,074	3,193	2,165	1,539	1,490	529	23
Female.....	3,219	3	7	42	405	483	702	743	421	215	165	32	1
Black, both sexes.....	7,448	3	30	102	2,841	2,422	1,079	548	233	108	66	14	2
Male.....	6,709	1	17	79	2,622	2,216	947	461	191	104	57	12	2
Female.....	739	2	13	23	219	206	132	87	42	4	9	2	-
American Indian 1/, both sexes.....	281	-	3	10	89	72	57	30	9	7	3	-	1
Male.....	236	-	2	7	77	60	52	21	8	5	3	-	1
Female.....	45	-	1	3	12	12	5	9	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	398	-	1	6	96	94	74	74	31	16	5	1	-
Male.....	330	-	-	5	87	76	57	58	27	15	4	1	-
Female.....	68	-	1	1	9	18	17	16	4	1	1	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.