

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>United States</b>												
All races, both sexes.....	2,448,017	28,440	4,756	2,837	3,765	13,703	20,531	19,568	22,357	31,420	53,365	79,383
Male.....	1,207,675	16,018	2,765	1,556	2,297	9,886	15,623	14,242	15,041	20,011	33,298	49,279
Female.....	1,240,342	12,422	1,991	1,281	1,468	3,817	4,908	5,326	7,316	11,409	20,067	30,104
White, both sexes.....	2,098,097	18,514	3,408	2,018	2,692	10,268	15,142	14,079	16,024	23,177	40,407	60,286
Male.....	1,028,152	10,471	1,996	1,109	1,640	7,299	11,493	10,323	10,909	15,031	25,793	38,117
Female.....	1,069,945	8,043	1,412	909	1,052	2,969	3,649	3,756	5,115	8,146	14,614	22,169
Black, both sexes.....	292,808	8,695	1,097	663	880	2,839	4,532	4,647	5,389	7,048	11,138	16,714
Male.....	149,108	4,867	623	361	548	2,189	3,520	3,334	3,509	4,247	6,379	9,765
Female.....	143,700	3,828	474	302	332	650	1,012	1,313	1,880	2,801	4,759	6,949
American Indian 1/, both sexes.....	13,918	357	100	46	64	282	353	364	356	497	726	874
Male.....	7,607	196	62	27	37	180	259	264	248	306	471	524
Female.....	6,311	161	38	19	27	102	94	100	108	191	255	350
Asian or Pacific Islander 2/, both sexes.....	43,194	874	151	110	129	314	504	478	588	698	1,094	1,509
Male.....	22,808	484	84	59	72	218	351	321	375	427	655	873
Female.....	20,386	390	67	51	57	96	153	157	213	271	439	636
<b>Alabama</b>												
All races, both sexes.....	47,090	568	87	48	79	284	443	442	505	660	1,128	1,688
Male.....	23,158	304	50	30	46	206	330	308	335	419	690	1,042
Female.....	23,932	264	37	18	33	78	113	134	170	241	438	646
White, both sexes.....	35,701	296	43	30	44	178	275	275	312	412	749	1,088
Male.....	17,430	154	25	18	28	121	213	191	206	266	466	679
Female.....	18,271	142	18	12	16	57	62	84	106	146	283	409
Black, both sexes.....	11,248	266	42	18	34	105	167	166	192	245	374	593
Male.....	5,663	148	24	12	17	84	117	117	128	153	220	358
Female.....	5,585	118	18	6	17	21	50	49	64	92	154	235
American Indian 1/, both sexes.....	65	3	1	-	1	-	-	1	1	2	4	3
Male.....	33	-	-	-	1	-	-	-	1	-	3	2
Female.....	32	3	1	-	-	-	-	1	-	2	1	1
Asian or Pacific Islander 2/, both sexes.....	76	3	1	-	-	1	1	-	-	1	1	4
Male.....	32	2	1	-	-	1	-	-	-	-	1	3
Female.....	44	1	-	-	-	-	1	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Alaska</b>												
All races, both sexes.....	3,168	62	9	6	20	48	67	60	58	88	139	189
Male.....	1,805	34	5	3	12	33	57	40	39	53	84	115
Female.....	1,363	28	4	3	8	15	10	20	19	35	55	74
White, both sexes.....	2,200	31	2	1	13	16	38	28	33	45	86	129
Male.....	1,265	16	-	1	8	12	34	18	23	29	51	81
Female.....	935	15	2	-	5	4	4	10	10	16	35	48
Black, both sexes.....	83	4	1	-	1	-	3	2	2	2	5	5
Male.....	51	-	-	-	1	-	2	2	1	2	3	5
Female.....	32	4	1	-	-	-	1	-	1	-	2	-
American Indian 1/, both sexes.....	778	22	5	4	6	28	20	27	22	38	45	49
Male.....	427	13	4	1	3	17	15	18	14	20	29	26
Female.....	351	9	1	3	3	11	5	9	8	18	16	23
Asian or Pacific Islander 2/, both sexes.....	107	5	1	1	-	4	6	3	1	3	3	6
Male.....	62	5	1	1	-	4	6	2	1	2	1	3
Female.....	45	-	-	-	-	-	-	1	-	1	2	3
<b>Arizona</b>												
All races, both sexes.....	45,827	662	132	83	78	362	508	458	523	671	1,055	1,511
Male.....	24,009	365	87	36	51	273	398	353	377	441	685	931
Female.....	21,818	297	45	47	27	89	110	105	146	230	370	580
White, both sexes.....	42,572	549	109	68	63	301	411	358	421	543	879	1,310
Male.....	22,230	301	73	30	39	226	328	283	304	357	564	820
Female.....	20,342	248	36	38	24	75	83	75	117	186	315	490
Black, both sexes.....	1,203	46	9	4	4	17	21	25	36	34	66	76
Male.....	637	31	6	2	4	15	16	19	25	21	41	38
Female.....	566	15	3	2	-	2	5	6	11	13	25	38
American Indian 1/, both sexes.....	1,704	52	12	9	11	42	67	70	60	83	103	112
Male.....	965	26	6	3	8	30	47	50	46	55	76	64
Female.....	739	26	6	6	3	12	20	20	14	28	27	48
Asian or Pacific Islander 2/, both sexes.....	348	15	2	2	-	2	9	5	6	11	7	13
Male.....	177	7	2	1	-	2	7	1	2	8	4	9
Female.....	171	8	-	1	-	-	2	4	4	3	3	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Arkansas</b>												
All races, both sexes.....	28,055	309	71	40	39	184	278	238	286	371	634	892
Male.....	14,129	183	48	22	26	140	213	169	191	218	398	554
Female.....	13,926	126	23	18	13	44	65	69	95	153	236	338
White, both sexes.....	23,992	196	57	29	28	140	202	168	223	280	472	687
Male.....	12,088	111	39	17	18	101	147	120	150	164	295	435
Female.....	11,904	85	18	12	10	39	55	48	73	116	177	252
Black, both sexes.....	3,949	111	13	10	9	42	76	66	62	89	154	202
Male.....	1,985	71	8	4	7	37	66	47	40	53	96	116
Female.....	1,964	40	5	6	2	5	10	19	22	36	58	86
American Indian 1/, both sexes.....	53	-	1	-	1	-	-	2	1	-	6	2
Male.....	28	-	1	-	-	-	-	2	1	-	6	2
Female.....	25	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	2	-	1	1	2	-	2	-	2	2	1
Male.....	28	1	-	1	1	2	-	-	-	1	1	1
Female.....	33	1	-	-	-	-	-	2	-	1	1	-
<b>California</b>												
All races, both sexes.....	237,037	2,930	561	300	414	1,583	2,235	2,120	2,239	3,356	5,530	8,134
Male.....	119,695	1,614	323	151	261	1,158	1,765	1,582	1,581	2,221	3,578	5,140
Female.....	117,342	1,316	238	149	153	425	470	538	658	1,135	1,952	2,994
White, both sexes.....	198,948	2,232	441	234	309	1,217	1,728	1,626	1,707	2,567	4,340	6,389
Male.....	99,653	1,218	261	118	196	878	1,364	1,234	1,206	1,739	2,862	4,102
Female.....	99,295	1,014	180	116	113	339	364	392	501	828	1,478	2,287
Black, both sexes.....	19,116	440	63	29	55	240	322	325	334	496	739	1,144
Male.....	10,054	247	31	15	40	195	267	236	242	303	439	692
Female.....	9,062	193	32	14	15	45	55	89	92	193	300	452
American Indian 1/, both sexes.....	1,226	21	3	1	8	16	15	19	20	45	60	70
Male.....	667	12	1	1	3	11	10	11	16	32	39	45
Female.....	559	9	2	-	5	5	5	8	4	13	21	25
Asian or Pacific Islander 2/, both sexes.....	17,747	237	54	36	42	110	170	150	178	248	391	531
Male.....	9,321	137	30	17	22	74	124	101	117	147	238	301
Female.....	8,426	100	24	19	20	36	46	49	61	101	153	230

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Colorado												
All races, both sexes.....	29,627	444	83	49	58	193	357	259	334	463	703	1,121
Male.....	14,898	247	51	23	34	140	261	201	239	329	462	717
Female.....	14,729	197	32	26	24	53	96	58	95	134	241	404
White, both sexes.....	28,050	379	71	44	54	175	326	229	308	415	641	1,029
Male.....	14,079	217	44	21	34	127	235	177	220	300	419	665
Female.....	13,971	162	27	23	20	48	91	52	88	115	222	364
Black, both sexes.....	1,081	51	7	4	3	12	24	23	19	31	43	68
Male.....	575	25	5	1	-	10	21	20	14	18	29	37
Female.....	506	26	2	3	3	2	3	3	5	13	14	31
American Indian 1/, both sexes.....	166	2	1	-	1	2	2	5	3	7	10	14
Male.....	86	1	1	-	-	1	2	2	3	5	7	7
Female.....	80	1	-	-	1	1	-	3	-	2	3	7
Asian or Pacific Islander 2/, both sexes.....	330	12	4	1	-	4	5	2	4	10	9	10
Male.....	158	4	1	1	-	2	3	2	2	6	7	8
Female.....	172	8	3	-	-	2	2	-	2	4	2	2
Connecticut												
All races, both sexes.....	29,467	243	31	26	33	106	189	135	189	336	522	756
Male.....	13,850	130	18	13	20	84	146	105	122	221	329	495
Female.....	15,617	113	13	13	13	22	43	30	67	115	193	261
White, both sexes.....	27,201	167	20	21	24	84	141	112	143	278	435	644
Male.....	12,685	86	13	8	14	66	108	86	92	181	278	432
Female.....	14,516	81	7	13	10	18	33	26	51	97	157	212
Black, both sexes.....	2,020	71	8	4	7	22	44	20	42	48	81	100
Male.....	1,049	43	5	4	5	18	34	17	28	35	48	54
Female.....	971	28	3	-	2	4	10	3	14	13	33	46
American Indian 1/, both sexes.....	39	1	-	-	-	-	-	-	1	2	2	1
Male.....	16	-	-	-	-	-	-	-	1	-	1	-
Female.....	23	1	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	207	4	3	1	2	-	4	3	3	8	4	11
Male.....	100	1	-	1	1	-	4	2	1	5	2	8
Female.....	107	3	3	-	1	-	-	1	2	3	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Delaware												
All races, both sexes.....	7,472	105	14	6	7	33	47	65	59	84	172	254
Male.....	3,709	55	4	4	4	20	36	54	41	57	101	162
Female.....	3,763	50	10	2	3	13	11	11	18	27	71	92
White, both sexes.....	6,170	49	9	5	4	27	31	43	39	53	126	180
Male.....	3,058	25	3	3	2	16	24	39	27	37	79	113
Female.....	3,112	24	6	2	2	11	7	4	12	16	47	67
Black, both sexes.....	1,245	55	5	1	3	6	16	21	18	29	45	71
Male.....	616	30	1	1	2	4	12	14	13	19	21	48
Female.....	629	25	4	-	1	2	4	7	5	10	24	23
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	44	1	-	-	-	-	-	1	2	2	1	2
Male.....	27	-	-	-	-	-	-	1	1	1	1	1
Female.....	17	1	-	-	-	-	-	-	1	1	-	1
Dist. of Columbia												
All races, both sexes.....	5,483	112	10	5	6	47	76	68	80	114	175	276
Male.....	2,802	64	5	5	5	41	65	47	49	72	111	156
Female.....	2,681	48	5	-	1	6	11	21	31	42	64	120
White, both sexes.....	1,084	21	1	-	-	4	5	11	15	15	23	24
Male.....	574	9	-	-	-	4	5	7	11	13	19	16
Female.....	510	12	1	-	-	-	-	4	4	2	4	8
Black, both sexes.....	4,330	91	8	5	6	43	68	55	65	97	151	251
Male.....	2,182	55	4	5	5	37	57	38	38	58	91	140
Female.....	2,148	36	4	-	1	6	11	17	27	39	60	111
American Indian 1/, both sexes.....	9	-	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	1	-	-	-	2	2	-	2	1	1
Male.....	42	-	1	-	-	-	2	2	-	1	1	-
Female.....	18	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Florida</b>												
All races, both sexes.....	170,791	1,629	318	155	220	876	1,286	1,271	1,514	2,148	3,655	5,364
Male.....	88,150	926	192	91	137	648	962	912	992	1,348	2,343	3,344
Female.....	82,641	703	126	64	83	228	324	359	522	800	1,312	2,020
White, both sexes.....	151,118	916	214	102	162	640	955	925	1,077	1,610	2,777	4,128
Male.....	77,922	538	132	60	101	469	716	687	734	1,051	1,852	2,628
Female.....	73,196	378	82	42	61	171	239	238	343	559	925	1,500
Black, both sexes.....	18,514	679	94	48	53	217	316	327	406	516	842	1,182
Male.....	9,623	367	54	26	33	167	235	214	237	284	465	688
Female.....	8,891	312	40	22	20	50	81	113	169	232	377	494
American Indian 1/, both sexes.....	196	1	2	1	1	3	3	4	8	4	10	8
Male.....	118	1	2	1	1	2	2	2	5	2	6	6
Female.....	78	-	-	-	-	1	1	2	3	2	4	2
Asian or Pacific Islander 2/, both sexes.....	963	33	8	4	4	16	12	15	23	18	26	46
Male.....	487	20	4	4	2	10	9	9	16	11	20	22
Female.....	476	13	4	-	2	6	3	6	7	7	6	24
<b>Georgia</b>												
All races, both sexes.....	66,736	1,159	181	108	122	461	660	694	855	1,199	1,854	2,780
Male.....	33,090	664	108	58	71	323	493	470	565	753	1,138	1,699
Female.....	33,646	495	73	50	51	138	167	224	290	446	716	1,081
White, both sexes.....	48,094	537	101	66	64	286	399	390	449	681	1,118	1,644
Male.....	23,824	320	59	33	34	200	312	270	295	438	713	1,051
Female.....	24,270	217	42	33	30	86	87	120	154	243	405	593
Black, both sexes.....	18,031	580	70	39	56	167	246	295	389	502	712	1,101
Male.....	8,950	324	43	23	35	117	170	196	256	308	411	632
Female.....	9,081	256	27	16	21	50	76	99	133	194	301	469
American Indian 1/, both sexes.....	134	10	5	1	1	2	-	1	2	4	1	6
Male.....	70	6	5	1	1	1	-	1	2	1	1	1
Female.....	64	4	-	-	-	1	-	-	-	3	-	5
Asian or Pacific Islander 2/, both sexes.....	477	32	5	2	1	6	15	8	15	12	23	29
Male.....	246	14	1	1	1	5	11	3	12	6	13	15
Female.....	231	18	4	1	-	1	4	5	3	6	10	14

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Hawaii</b>												
All races, both sexes.....	9,136	116	16	9	11	32	63	63	71	107	198	299
Male.....	4,989	64	12	5	7	21	47	45	52	73	130	190
Female.....	4,147	52	4	4	4	11	16	18	19	34	68	109
White, both sexes.....	2,650	32	2	-	2	6	26	22	13	33	59	122
Male.....	1,467	22	1	-	1	5	20	18	8	24	42	82
Female.....	1,183	10	1	-	1	1	6	4	5	9	17	40
Black, both sexes.....	74	5	1	1	1	-	1	2	5	-	6	7
Male.....	54	2	1	-	1	-	1	1	4	-	6	6
Female.....	20	3	-	1	-	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	1	1	-	-	-
Male.....	7	-	-	-	-	-	-	1	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6,395	79	13	8	8	26	36	38	52	74	133	170
Male.....	3,461	40	10	5	5	16	26	25	40	49	82	102
Female.....	2,934	39	3	3	3	10	10	13	12	25	51	68
<b>Idaho</b>												
All races, both sexes.....	10,556	141	32	15	18	61	96	94	91	115	199	271
Male.....	5,393	81	15	10	12	40	70	72	64	78	125	168
Female.....	5,163	60	17	5	6	21	26	22	27	37	74	103
White, both sexes.....	10,349	134	28	14	18	56	88	84	85	107	191	261
Male.....	5,274	76	14	10	12	39	65	65	61	72	123	162
Female.....	5,075	58	14	4	6	17	23	19	24	35	68	99
Black, both sexes.....	19	1	-	1	-	-	2	2	1	2	-	1
Male.....	15	1	-	-	-	-	2	2	1	2	-	-
Female.....	4	-	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	134	3	4	-	-	4	5	7	5	6	7	9
Male.....	73	2	1	-	-	1	3	4	2	4	2	6
Female.....	61	1	3	-	-	3	2	3	3	2	5	3
Asian or Pacific Islander 2/, both sexes.....	54	3	-	-	-	1	1	1	-	-	1	-
Male.....	31	2	-	-	-	-	-	1	-	-	-	-
Female.....	23	1	-	-	-	1	1	-	-	-	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Illinois												
All races, both sexes.....	103,974	1,328	186	93	139	559	855	792	889	1,183	2,151	3,134
Male.....	49,898	770	109	47	89	410	676	564	592	755	1,385	1,937
Female.....	54,076	558	77	46	50	149	179	228	297	428	766	1,197
White, both sexes.....	86,653	791	120	62	88	403	598	524	590	791	1,521	2,149
Male.....	41,029	461	69	30	55	277	471	384	404	510	997	1,368
Female.....	45,624	330	51	32	33	126	127	140	186	281	524	781
Black, both sexes.....	15,987	502	66	27	48	149	243	256	278	371	599	946
Male.....	8,184	287	40	15	33	129	195	172	173	236	367	552
Female.....	7,803	215	26	12	15	20	48	84	105	135	232	394
American Indian 1/, both sexes.....	75	4	-	-	-	-	-	-	2	3	5	4
Male.....	32	2	-	-	-	-	-	-	1	2	2	2
Female.....	43	2	-	1	-	-	-	-	1	1	3	2
Asian or Pacific Islander 2/, both sexes.....	1,259	31	-	3	3	7	14	12	19	18	26	35
Male.....	653	20	-	2	1	4	10	8	14	7	19	15
Female.....	606	11	-	1	2	3	4	4	5	11	7	20
Indiana												
All races, both sexes.....	55,675	698	132	83	89	288	493	435	510	633	1,122	1,742
Male.....	27,054	398	71	43	55	206	383	313	338	396	665	1,068
Female.....	28,621	300	61	40	34	82	110	122	172	237	457	674
White, both sexes.....	51,013	526	111	67	71	245	399	349	432	541	949	1,485
Male.....	24,643	301	63	36	45	173	303	248	285	347	561	920
Female.....	26,370	225	48	31	26	72	96	101	147	194	388	565
Black, both sexes.....	4,492	168	20	16	18	42	92	83	73	88	168	248
Male.....	2,330	95	8	7	10	32	78	62	49	48	101	145
Female.....	2,162	73	12	9	8	10	14	21	24	40	67	103
American Indian 1/, both sexes.....	22	1	-	-	-	-	2	1	-	1	1	1
Male.....	11	1	-	-	-	-	2	1	-	1	1	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	148	3	1	-	-	1	-	2	5	3	4	8
Male.....	70	1	-	-	-	1	-	2	4	-	2	3
Female.....	78	2	1	-	-	-	-	-	1	3	2	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Iowa</b>												
All races, both sexes.....	27,811	210	40	31	28	138	169	133	143	220	383	690
Male.....	13,295	124	29	19	14	95	116	96	93	149	218	410
Female.....	14,516	86	11	12	14	43	53	37	50	71	165	280
White, both sexes.....	27,305	185	38	29	27	128	159	122	135	198	363	654
Male.....	13,015	111	27	19	14	88	111	88	91	133	207	390
Female.....	14,290	74	11	10	13	40	48	34	44	65	156	264
Black, both sexes.....	393	21	1	1	-	6	8	10	5	18	19	25
Male.....	220	10	1	-	-	3	4	8	1	13	10	17
Female.....	173	11	-	1	-	3	4	2	4	5	9	8
American Indian 1/, both sexes.....	39	-	1	-	1	1	-	1	-	-	-	4
Male.....	18	-	1	-	-	1	-	-	-	-	-	1
Female.....	21	-	-	-	1	-	-	1	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	74	4	-	1	-	3	2	-	3	4	1	7
Male.....	42	3	-	-	-	3	1	-	1	3	1	2
Female.....	32	1	-	1	-	-	1	-	2	1	-	5
<b>Kansas</b>												
All races, both sexes.....	24,682	294	45	41	34	133	178	163	168	224	482	752
Male.....	11,911	162	24	24	19	86	133	123	121	138	287	469
Female.....	12,771	132	21	17	15	47	45	40	47	86	195	283
White, both sexes.....	23,029	233	35	33	30	114	147	137	144	198	426	651
Male.....	11,020	124	18	19	17	70	108	100	105	122	250	407
Female.....	12,009	109	17	14	13	44	39	37	39	76	176	244
Black, both sexes.....	1,299	55	9	7	2	13	25	23	15	20	39	75
Male.....	705	36	5	5	1	12	21	20	8	12	22	49
Female.....	594	19	4	2	1	1	4	3	7	8	17	26
American Indian 1/, both sexes.....	233	3	1	1	1	3	5	1	5	4	13	18
Male.....	132	2	1	-	-	2	3	1	5	2	11	10
Female.....	101	1	-	1	1	1	2	-	-	2	2	8
Asian or Pacific Islander 2/, both sexes.....	121	3	-	-	1	3	1	2	4	2	4	8
Male.....	54	-	-	-	1	2	1	2	3	2	4	3
Female.....	67	3	-	-	-	1	-	-	1	-	-	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Kentucky</b>												
All races, both sexes.....	40,223	375	88	42	61	235	342	372	415	564	975	1,349
Male.....	20,010	232	39	24	39	170	258	274	290	383	614	861
Female.....	20,213	143	49	18	22	65	84	98	125	181	361	488
White, both sexes.....	37,524	303	82	36	56	215	294	336	378	520	885	1,200
Male.....	18,643	183	35	21	35	154	223	247	264	350	559	777
Female.....	18,881	120	47	15	21	61	71	89	114	170	326	423
Black, both sexes.....	2,589	67	5	6	5	20	43	36	31	42	88	146
Male.....	1,306	47	3	3	4	16	32	27	21	31	53	83
Female.....	1,283	20	2	3	1	4	11	9	10	11	35	63
American Indian 1/, both sexes.....	19	-	-	-	-	-	1	-	1	-	1	1
Male.....	14	-	-	-	-	-	1	-	1	-	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	91	5	1	-	-	-	4	-	5	2	1	2
Male.....	47	2	1	-	-	-	2	-	4	2	1	-
Female.....	44	3	-	-	-	-	2	-	1	-	-	2
<b>Louisiana</b>												
All races, both sexes.....	44,355	613	132	64	103	349	571	585	551	749	1,189	1,852
Male.....	22,203	345	77	31	63	258	450	426	363	467	749	1,126
Female.....	22,152	268	55	33	40	91	121	159	188	282	440	726
White, both sexes.....	30,271	249	59	22	49	188	297	270	302	399	660	998
Male.....	14,944	139	31	9	33	136	217	203	202	271	434	633
Female.....	15,327	110	28	13	16	52	80	67	100	128	226	365
Black, both sexes.....	13,831	359	72	42	53	157	266	306	246	343	519	841
Male.....	7,116	203	45	22	29	119	226	215	159	191	311	483
Female.....	6,715	156	27	20	24	38	40	91	87	152	208	358
American Indian 1/, both sexes.....	62	-	-	-	-	-	1	4	1	2	2	2
Male.....	31	-	-	-	-	-	1	4	1	-	1	2
Female.....	31	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	191	5	1	-	1	4	7	5	2	5	8	11
Male.....	112	3	1	-	1	3	6	4	1	5	3	8
Female.....	79	2	-	-	-	1	1	1	1	-	5	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Maine												
All races, both sexes.....	12,868	97	14	7	17	59	72	67	82	108	206	315
Male.....	6,286	49	10	4	11	40	51	48	61	69	124	199
Female.....	6,582	48	4	3	6	19	21	19	21	39	82	116
White, both sexes.....	12,767	93	13	6	17	55	68	66	79	107	201	308
Male.....	6,230	46	10	4	11	37	48	47	59	69	121	192
Female.....	6,537	47	3	2	6	18	20	19	20	38	80	116
Black, both sexes.....	27	2	-	1	-	2	2	1	1	-	2	1
Male.....	20	2	-	-	-	2	2	1	1	-	2	1
Female.....	7	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	55	-	-	-	-	2	-	-	1	-	3	6
Male.....	27	-	-	-	-	1	-	-	-	-	1	6
Female.....	28	-	-	-	-	1	-	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	19	2	1	-	-	-	2	-	1	1	-	-
Male.....	9	1	-	-	-	-	1	-	1	-	-	-
Female.....	10	1	1	-	-	-	1	-	-	1	-	-
Maryland												
All races, both sexes.....	43,892	547	64	51	60	266	403	387	460	651	1,144	1,616
Male.....	21,553	311	35	30	32	209	332	301	306	415	674	1,020
Female.....	22,339	236	29	21	28	57	71	86	154	236	470	596
White, both sexes.....	31,315	219	30	27	33	131	194	201	221	330	568	867
Male.....	15,026	132	22	19	18	102	152	152	147	213	357	570
Female.....	16,289	87	8	8	15	29	42	49	74	117	211	297
Black, both sexes.....	11,834	308	31	24	26	124	204	178	225	306	556	714
Male.....	6,129	166	12	11	13	101	178	144	152	193	307	428
Female.....	5,705	142	19	13	13	23	26	34	73	113	249	286
American Indian 1/, both sexes.....	53	-	-	-	-	1	-	2	1	5	-	3
Male.....	27	-	-	-	-	-	-	2	1	2	-	2
Female.....	26	-	-	-	-	1	-	-	-	3	-	1
Asian or Pacific Islander 2/, both sexes.....	690	20	3	-	1	10	5	6	13	10	20	32
Male.....	371	13	1	-	1	6	2	3	6	7	10	20
Female.....	319	7	2	-	-	4	3	3	7	3	10	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Massachusetts</b>												
All races, both sexes.....	53,874	396	45	31	37	174	322	287	383	524	991	1,404
Male.....	25,136	229	30	13	21	124	242	204	254	334	613	868
Female.....	28,738	167	15	18	16	50	80	83	129	190	378	536
White, both sexes.....	50,931	302	38	26	25	125	270	238	326	458	883	1,255
Male.....	23,603	175	27	12	13	85	195	171	215	289	556	784
Female.....	27,328	127	11	14	12	40	75	67	111	169	327	471
Black, both sexes.....	2,318	72	5	3	9	37	44	41	45	56	87	131
Male.....	1,180	43	2	-	7	30	40	29	31	38	45	72
Female.....	1,138	29	3	3	2	7	4	12	14	18	42	59
American Indian 1/, both sexes.....	54	2	-	-	1	-	2	-	-	-	1	1
Male.....	24	1	-	-	-	-	2	-	-	-	-	1
Female.....	30	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	571	20	2	2	2	12	6	8	12	10	20	17
Male.....	329	10	1	1	1	9	5	4	8	7	11	11
Female.....	242	10	1	1	1	3	1	4	4	3	9	6
<b>Michigan</b>												
All races, both sexes.....	86,867	1,012	173	110	131	428	576	633	774	1,075	1,812	2,784
Male.....	42,238	546	97	52	79	316	416	474	534	659	1,117	1,707
Female.....	44,629	466	76	58	52	112	160	159	240	416	695	1,077
White, both sexes.....	73,724	580	113	68	90	313	400	424	498	771	1,379	2,035
Male.....	35,416	314	64	34	51	226	284	310	332	482	885	1,285
Female.....	38,308	266	49	34	39	87	116	114	166	289	494	750
Black, both sexes.....	12,297	411	55	36	38	109	163	198	262	278	406	708
Male.....	6,372	220	31	15	26	86	122	154	194	164	215	397
Female.....	5,925	191	24	21	12	23	41	44	68	114	191	311
American Indian 1/, both sexes.....	423	7	1	2	1	5	7	8	5	16	15	22
Male.....	213	2	-	1	1	3	5	8	3	7	11	15
Female.....	210	5	1	1	-	2	2	-	2	9	4	7
Asian or Pacific Islander 2/, both sexes.....	423	14	4	4	2	1	6	3	9	10	12	19
Male.....	237	10	2	2	1	1	5	2	5	6	6	10
Female.....	186	4	2	2	1	-	1	1	4	4	6	9

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Minnesota</b>												
All races, both sexes.....	37,535	362	42	36	65	182	250	225	261	363	657	1,009
Male.....	18,115	187	30	12	41	128	203	160	174	233	419	625
Female.....	19,420	175	12	24	24	54	47	65	87	130	238	384
White, both sexes.....	35,926	261	34	27	50	150	189	169	204	310	550	878
Male.....	17,230	144	26	9	32	105	153	119	142	201	360	545
Female.....	18,696	117	8	18	18	45	36	50	62	109	190	333
Black, both sexes.....	852	73	5	4	7	11	26	30	31	33	61	80
Male.....	488	34	2	-	4	10	21	22	18	20	35	49
Female.....	364	39	3	4	3	1	5	8	13	13	26	31
American Indian 1/, both sexes.....	384	9	1	2	4	16	20	17	14	11	29	33
Male.....	215	3	1	2	2	8	18	15	9	4	17	22
Female.....	169	6	-	-	2	8	2	2	5	7	12	11
Asian or Pacific Islander 2/, both sexes.....	373	19	2	3	4	5	15	9	12	9	17	18
Male.....	182	6	1	1	3	5	11	4	5	8	7	9
Female.....	191	13	1	2	1	-	4	5	7	1	10	9
<b>Mississippi</b>												
All races, both sexes.....	29,196	481	77	52	61	219	297	290	413	490	762	1,177
Male.....	14,646	286	44	30	41	156	207	200	260	294	464	718
Female.....	14,550	195	33	22	20	63	90	90	153	196	298	459
White, both sexes.....	19,639	153	40	25	36	141	140	148	197	252	407	661
Male.....	9,740	93	25	16	26	107	103	112	134	155	251	416
Female.....	9,899	60	15	9	10	34	37	36	63	97	156	245
Black, both sexes.....	9,387	321	37	27	25	75	151	139	212	236	347	504
Male.....	4,823	190	19	14	15	48	102	86	125	137	208	295
Female.....	4,564	131	18	13	10	27	49	53	87	99	139	209
American Indian 1/, both sexes.....	95	7	-	-	-	3	3	2	3	1	4	7
Male.....	50	3	-	-	-	1	1	2	-	1	2	4
Female.....	45	4	-	-	-	2	2	-	3	-	2	3
Asian or Pacific Islander 2/, both sexes.....	75	-	-	-	-	-	3	1	1	1	4	5
Male.....	33	-	-	-	-	-	1	-	1	1	3	3
Female.....	42	-	-	-	-	-	2	1	-	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Missouri</b>												
All races, both sexes.....	54,656	590	93	51	82	351	466	418	463	696	1,169	1,771
Male.....	26,734	329	62	27	54	249	370	306	301	449	719	1,090
Female.....	27,922	261	31	24	28	102	96	112	162	247	450	681
White, both sexes.....	48,763	412	74	43	58	269	358	313	356	565	948	1,434
Male.....	23,710	229	52	22	35	184	281	227	236	358	593	891
Female.....	25,053	183	22	21	23	85	77	86	120	207	355	543
Black, both sexes.....	5,602	171	18	8	24	77	106	102	99	123	211	324
Male.....	2,887	93	10	5	19	61	87	76	62	87	118	191
Female.....	2,715	78	8	3	5	16	19	26	37	36	93	133
American Indian 1/, both sexes.....	102	2	-	-	-	-	-	1	1	5	3	6
Male.....	53	2	-	-	-	-	-	1	1	2	2	3
Female.....	49	-	-	-	-	-	-	-	-	3	1	3
Asian or Pacific Islander 2/, both sexes.....	189	5	1	-	-	5	2	2	7	3	7	7
Male.....	84	5	-	-	-	4	2	2	2	2	6	5
Female.....	105	-	1	-	-	1	-	-	5	1	1	2
<b>Montana</b>												
All races, both sexes.....	8,528	81	18	6	15	60	84	71	79	104	159	241
Male.....	4,325	47	12	4	13	37	66	48	58	64	96	158
Female.....	4,203	34	6	2	2	23	18	23	21	40	63	83
White, both sexes.....	8,055	66	12	5	14	46	68	53	64	81	125	206
Male.....	4,089	40	7	4	12	28	54	35	51	53	79	134
Female.....	3,966	26	5	1	2	18	14	18	13	28	46	72
Black, both sexes.....	17	-	1	-	-	-	-	1	-	1	-	3
Male.....	11	-	-	-	-	-	-	1	-	1	-	2
Female.....	6	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	441	15	5	1	1	13	15	17	15	21	34	31
Male.....	218	7	5	-	1	8	12	12	7	9	17	22
Female.....	223	8	-	1	-	5	3	5	8	12	17	9
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	1	1	-	-	1	-	1
Male.....	7	-	-	-	-	1	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Nebraska</b>												
All races, both sexes.....	14,963	147	24	19	29	84	99	87	103	143	243	342
Male.....	7,240	85	14	11	17	55	73	67	64	90	148	198
Female.....	7,723	62	10	8	12	29	26	20	39	53	95	144
White, both sexes.....	14,299	120	22	18	24	77	82	65	86	125	228	301
Male.....	6,890	71	12	11	14	50	61	49	55	77	136	178
Female.....	7,409	49	10	7	10	27	21	16	31	48	92	123
Black, both sexes.....	487	18	2	1	4	4	12	17	13	11	11	31
Male.....	254	7	2	-	2	2	10	13	8	8	9	14
Female.....	233	11	-	1	2	2	2	4	5	3	2	17
American Indian 1/, both sexes.....	124	6	-	-	1	3	4	3	3	6	4	8
Male.....	66	4	-	-	1	3	1	3	-	5	3	5
Female.....	58	2	-	-	-	-	3	-	3	1	1	3
Asian or Pacific Islander 2/, both sexes.....	53	3	-	-	-	-	1	2	1	1	-	2
Male.....	30	3	-	-	-	-	1	2	1	-	-	1
Female.....	23	-	-	-	-	-	-	-	-	1	-	1
<b>Nevada</b>												
All races, both sexes.....	19,029	215	57	19	41	121	207	203	220	329	525	749
Male.....	10,434	120	38	10	21	83	151	160	149	232	331	493
Female.....	8,595	95	19	9	20	38	56	43	71	97	194	256
White, both sexes.....	16,906	160	43	13	32	98	172	161	171	266	437	624
Male.....	9,244	87	27	7	17	67	123	128	115	189	276	419
Female.....	7,662	73	16	6	15	31	49	33	56	77	161	205
Black, both sexes.....	1,336	44	7	5	6	16	23	31	29	46	68	90
Male.....	768	26	6	3	3	13	21	23	20	31	43	52
Female.....	568	18	1	2	3	3	2	8	9	15	25	38
American Indian 1/, both sexes.....	163	2	2	-	-	4	5	4	8	5	6	8
Male.....	88	1	1	-	-	2	3	4	6	4	5	5
Female.....	75	1	1	-	-	2	2	-	2	1	1	3
Asian or Pacific Islander 2/, both sexes.....	624	9	5	1	3	3	7	7	12	12	14	27
Male.....	334	6	4	-	1	1	4	5	8	8	7	17
Female.....	290	3	1	1	2	2	3	2	4	4	7	10



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
New Hampshire												
All races, both sexes.....	10,194	76	1	7	11	53	81	58	70	116	207	277
Male.....	4,914	42	1	6	6	34	60	42	43	77	137	168
Female.....	5,280	34	-	1	5	19	21	16	27	39	70	109
White, both sexes.....	10,116	68	1	7	11	51	79	56	67	115	205	274
Male.....	4,875	37	1	6	6	32	59	41	42	76	136	167
Female.....	5,241	31	-	1	5	19	20	15	25	39	69	107
Black, both sexes.....	35	3	-	-	-	1	2	1	1	1	2	2
Male.....	21	3	-	-	-	1	1	-	-	1	1	1
Female.....	14	-	-	-	-	-	1	1	1	-	1	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	39	5	-	-	-	1	-	1	2	-	-	1
Male.....	16	2	-	-	-	1	-	1	1	-	-	-
Female.....	23	3	-	-	-	-	-	-	1	-	-	1
New Jersey												
All races, both sexes.....	71,963	595	86	64	84	272	467	478	573	814	1,484	2,016
Male.....	34,165	319	48	35	52	187	347	362	386	501	897	1,207
Female.....	37,798	276	38	29	32	85	120	116	187	313	587	809
White, both sexes.....	61,105	332	59	47	43	187	316	305	355	534	1,010	1,419
Male.....	28,691	179	33	25	22	120	239	235	242	329	648	875
Female.....	32,414	153	26	22	21	67	77	70	113	205	362	544
Black, both sexes.....	9,441	220	21	14	32	76	132	144	192	256	431	542
Male.....	4,688	118	12	9	25	62	96	106	126	156	221	301
Female.....	4,753	102	9	5	7	14	36	38	66	100	210	241
American Indian 1/, both sexes.....	105	2	1	-	-	-	2	2	1	2	3	6
Male.....	55	2	-	-	-	-	2	1	1	2	2	3
Female.....	50	-	1	-	-	-	-	1	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	1,312	41	5	3	9	9	17	27	25	22	40	49
Male.....	731	20	3	1	5	5	10	20	17	14	26	28
Female.....	581	21	2	2	4	4	7	7	8	8	14	21

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
New Mexico												
All races, both sexes.....	14,983	177	54	21	41	129	193	171	181	237	418	588
Male.....	7,898	101	36	12	26	84	143	124	125	146	280	388
Female.....	7,085	76	18	9	15	45	50	47	56	91	138	200
White, both sexes.....	13,596	134	38	18	30	100	149	135	143	192	338	502
Male.....	7,114	76	27	10	17	67	111	98	96	118	227	334
Female.....	6,482	58	11	8	13	33	38	37	47	74	111	168
Black, both sexes.....	250	9	3	-	1	1	4	8	1	2	9	12
Male.....	123	7	2	-	-	1	1	6	1	1	5	6
Female.....	127	2	1	-	1	-	3	2	-	1	4	6
American Indian 1/, both sexes.....	1,077	34	13	3	10	27	39	28	36	43	69	72
Male.....	633	18	7	2	9	16	31	20	27	27	47	46
Female.....	444	16	6	1	1	11	8	8	9	16	22	26
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	1	1	-	1	-	2	2
Male.....	28	-	-	-	-	-	-	-	1	-	1	2
Female.....	32	-	-	-	-	1	1	-	-	-	1	-
New York												
All races, both sexes.....	152,427	1,431	226	141	189	590	1,008	924	1,045	1,752	2,941	4,386
Male.....	71,959	811	138	84	105	427	768	685	698	1,068	1,788	2,756
Female.....	80,468	620	88	57	84	163	240	239	347	684	1,153	1,630
White, both sexes.....	126,972	855	150	97	117	424	697	584	668	1,155	2,028	3,029
Male.....	59,512	483	94	61	66	307	532	432	463	730	1,287	1,995
Female.....	67,460	372	56	36	51	117	165	152	205	425	741	1,034
Black, both sexes.....	21,808	507	69	34	61	155	276	298	336	535	802	1,195
Male.....	10,438	289	41	19	34	113	215	223	214	301	431	661
Female.....	11,370	218	28	15	27	42	61	75	122	234	371	534
American Indian 1/, both sexes.....	204	3	-	-	-	1	2	2	1	6	10	9
Male.....	102	-	-	-	-	1	1	2	1	4	5	4
Female.....	102	3	-	-	-	-	1	-	-	2	5	5
Asian or Pacific Islander 2/, both sexes.....	3,443	66	7	10	11	10	33	40	40	56	101	153
Male.....	1,907	39	3	4	5	6	20	28	20	33	65	96
Female.....	1,536	27	4	6	6	4	13	12	20	23	36	57



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Ohio												
All races, both sexes.....	109,031	1,225	162	124	140	502	651	703	845	1,229	2,149	3,382
Male.....	52,784	707	88	71	90	360	487	484	601	735	1,341	2,083
Female.....	56,247	518	74	53	50	142	164	219	244	494	808	1,299
White, both sexes.....	96,559	809	127	92	102	376	497	535	638	960	1,754	2,783
Male.....	46,474	483	67	51	68	265	369	366	458	587	1,103	1,728
Female.....	50,085	326	60	41	34	111	128	169	180	373	651	1,055
Black, both sexes.....	12,121	408	34	30	36	123	147	164	201	256	379	587
Male.....	6,137	219	20	19	22	93	114	117	139	140	224	349
Female.....	5,984	189	14	11	14	30	33	47	62	116	155	238
American Indian 1/, both sexes.....	52	-	-	-	1	-	-	2	-	3	2	2
Male.....	24	-	-	-	-	-	-	1	-	1	2	1
Female.....	28	-	-	-	1	-	-	1	-	2	-	1
Asian or Pacific Islander 2/, both sexes.....	299	8	1	2	1	3	7	2	6	10	14	10
Male.....	149	5	1	1	-	2	4	-	4	7	12	5
Female.....	150	3	-	1	1	1	3	2	2	3	2	5
Oklahoma												
All races, both sexes.....	36,180	417	75	55	51	227	311	278	328	454	846	1,220
Male.....	17,870	233	40	28	33	160	224	187	211	302	532	739
Female.....	18,310	184	35	27	18	67	87	91	117	152	314	481
White, both sexes.....	31,591	291	53	26	41	168	242	189	240	334	669	970
Male.....	15,484	160	25	13	28	120	174	133	147	223	428	603
Female.....	16,107	131	28	13	13	48	68	56	93	111	241	367
Black, both sexes.....	2,244	74	10	15	5	23	31	37	45	53	80	111
Male.....	1,145	43	6	6	3	15	25	20	32	37	50	62
Female.....	1,099	31	4	9	2	8	6	17	13	16	30	49
American Indian 1/, both sexes.....	2,196	45	12	13	2	35	34	47	40	66	93	129
Male.....	1,171	28	9	9	1	25	21	30	31	41	51	68
Female.....	1,025	17	3	4	1	10	13	17	9	25	42	61
Asian or Pacific Islander 2/, both sexes.....	149	7	-	1	3	1	4	5	3	1	4	10
Male.....	70	2	-	-	1	-	4	4	1	1	3	6
Female.....	79	5	-	1	2	1	-	1	2	-	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>All causes</b>												
<b>Oregon</b>												
All races, both sexes.....	31,091	269	47	26	42	127	214	198	254	335	553	909
Male.....	15,288	148	23	14	22	97	161	159	171	234	340	550
Female.....	15,803	121	24	12	20	30	53	39	83	101	213	359
White, both sexes.....	30,007	243	45	25	38	119	195	174	232	300	515	848
Male.....	14,711	131	22	14	21	90	145	138	160	206	322	512
Female.....	15,296	112	23	11	17	29	50	36	72	94	193	336
Black, both sexes.....	396	10	1	-	2	5	9	8	11	8	14	19
Male.....	219	6	1	-	1	4	8	7	5	6	8	10
Female.....	177	4	-	-	1	1	1	1	6	2	6	9
American Indian 1/, both sexes.....	288	7	-	-	1	2	2	9	5	15	14	27
Male.....	160	6	-	-	-	2	2	9	3	13	8	17
Female.....	128	1	-	-	1	-	-	-	2	2	6	10
Asian or Pacific Islander 2/, both sexes.....	400	9	1	1	1	1	8	7	6	12	10	15
Male.....	198	5	-	-	-	1	6	5	3	9	2	11
Female.....	202	4	1	1	1	-	2	2	3	3	8	4
<b>Pennsylvania</b>												
All races, both sexes.....	129,532	1,061	172	104	140	581	924	808	849	1,280	2,220	3,491
Male.....	61,684	628	90	66	90	422	694	606	563	834	1,378	2,150
Female.....	67,848	433	82	38	50	159	230	202	286	446	842	1,341
White, both sexes.....	116,847	716	126	82	102	428	722	626	635	1,006	1,782	2,827
Male.....	55,208	422	65	52	61	296	533	463	419	653	1,138	1,761
Female.....	61,639	294	61	30	41	132	189	163	216	353	644	1,066
Black, both sexes.....	12,056	329	45	19	34	147	186	171	197	259	417	645
Male.....	6,132	200	24	13	26	121	148	133	135	171	231	375
Female.....	5,924	129	21	6	8	26	38	38	62	88	186	270
American Indian 1/, both sexes.....	56	-	-	-	1	-	1	-	2	1	-	1
Male.....	32	-	-	-	1	-	1	-	1	1	-	1
Female.....	24	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	573	16	1	3	3	6	15	11	15	14	21	18
Male.....	312	6	1	1	2	5	12	10	8	9	9	13
Female.....	261	10	-	2	1	1	3	1	7	5	12	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Rhode Island												
All races, both sexes.....	10,007	82	15	9	13	29	48	36	46	96	170	237
Male.....	4,603	41	12	6	6	21	39	25	31	68	97	144
Female.....	5,404	41	3	3	7	8	9	11	15	28	73	93
White, both sexes.....	9,548	62	13	8	9	23	43	31	37	89	151	208
Male.....	4,346	31	10	5	4	16	35	21	24	63	88	127
Female.....	5,202	31	3	3	5	7	8	10	13	26	63	81
Black, both sexes.....	353	15	2	1	3	4	3	3	8	5	16	22
Male.....	200	6	2	1	1	3	3	2	6	3	8	14
Female.....	153	9	-	-	2	1	-	1	2	2	8	8
American Indian 1/, both sexes.....	33	1	-	-	-	-	-	1	-	1	1	3
Male.....	12	1	-	-	-	-	-	1	-	1	1	1
Female.....	21	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	73	4	-	-	1	2	2	1	1	1	2	4
Male.....	45	3	-	-	1	2	1	1	1	1	-	2
Female.....	28	1	-	-	-	-	1	-	-	-	2	2
South Carolina												
All races, both sexes.....	38,707	543	73	59	68	251	373	367	469	592	965	1,482
Male.....	19,630	328	47	34	44	180	276	271	325	365	596	962
Female.....	19,077	215	26	25	24	71	97	96	144	227	369	520
White, both sexes.....	27,856	257	38	32	41	154	214	224	270	369	589	917
Male.....	14,039	150	25	20	27	112	166	165	194	229	385	585
Female.....	13,817	107	13	12	14	42	48	59	76	140	204	332
Black, both sexes.....	10,691	281	32	25	25	94	154	140	195	220	369	554
Male.....	5,510	174	20	13	17	67	109	103	128	133	208	371
Female.....	5,181	107	12	12	8	27	45	37	67	87	161	183
American Indian 1/, both sexes.....	50	1	2	-	1	1	1	1	2	1	3	2
Male.....	31	1	1	-	-	-	-	1	2	1	2	2
Female.....	19	-	1	-	1	1	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	110	4	1	2	1	2	4	2	2	2	4	9
Male.....	50	3	1	1	-	1	1	2	1	2	1	4
Female.....	60	1	-	1	1	1	3	-	1	-	3	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
South Dakota												
All races, both sexes.....	7,086	83	17	11	14	57	51	50	56	73	121	157
Male.....	3,574	48	8	5	12	41	40	37	31	49	83	107
Female.....	3,512	35	9	6	2	16	11	13	25	24	38	50
White, both sexes.....	6,534	56	7	8	11	38	34	34	35	50	87	125
Male.....	3,253	32	4	3	10	28	27	24	19	33	58	83
Female.....	3,281	24	3	5	1	10	7	10	16	17	29	42
Black, both sexes.....	18	1	-	-	-	1	-	-	1	-	1	2
Male.....	13	1	-	-	-	1	-	-	1	-	1	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	525	26	10	3	3	18	17	16	20	23	33	28
Male.....	303	15	4	2	2	12	13	13	11	16	24	20
Female.....	222	11	6	1	1	6	4	3	9	7	9	8
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	57,260	724	106	59	89	321	541	523	631	875	1,477	2,154
Male.....	28,476	418	56	36	52	223	405	367	425	525	912	1,314
Female.....	28,784	306	50	23	37	98	136	156	206	350	565	840
White, both sexes.....	48,478	455	79	38	64	244	380	370	465	670	1,111	1,646
Male.....	23,956	271	42	23	34	165	286	257	309	391	697	1,020
Female.....	24,522	184	37	15	30	79	94	113	156	279	414	626
Black, both sexes.....	8,540	258	26	19	25	75	157	145	161	203	359	498
Male.....	4,391	142	13	12	18	57	116	106	113	133	211	290
Female.....	4,149	116	13	7	7	18	41	39	48	70	148	208
American Indian 1/, both sexes.....	56	1	-	-	-	-	1	3	1	1	4	-
Male.....	36	1	-	-	-	-	1	1	1	-	2	-
Female.....	20	-	-	-	-	-	-	2	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	186	10	1	2	-	2	3	5	4	1	3	10
Male.....	93	4	1	1	-	1	2	3	2	1	2	4
Female.....	93	6	-	1	-	1	1	2	2	-	1	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Texas												
All races, both sexes.....	156,457	2,537	446	258	339	1,118	1,659	1,593	1,835	2,410	4,189	5,920
Male.....	79,197	1,409	254	152	198	820	1,255	1,172	1,180	1,575	2,602	3,719
Female.....	77,260	1,128	192	106	141	298	404	421	655	835	1,587	2,201
White, both sexes.....	135,170	1,872	346	198	271	928	1,343	1,253	1,400	1,872	3,348	4,688
Male.....	68,384	1,051	208	114	162	692	1,021	935	926	1,252	2,105	3,012
Female.....	66,786	821	138	84	109	236	322	318	474	620	1,243	1,676
Black, both sexes.....	19,448	620	89	55	62	167	283	305	391	493	770	1,144
Male.....	9,863	330	41	34	34	112	212	211	230	298	459	658
Female.....	9,585	290	48	21	28	55	71	94	161	195	311	486
American Indian 1/, both sexes.....	166	3	2	-	-	2	4	2	6	6	11	12
Male.....	90	1	1	-	-	1	2	1	3	3	8	7
Female.....	76	2	1	-	-	1	2	1	3	3	3	5
Asian or Pacific Islander 2/, both sexes.....	1,673	42	9	5	6	21	29	33	38	39	60	76
Male.....	860	27	4	4	2	15	20	25	21	22	30	42
Female.....	813	15	5	1	4	6	9	8	17	17	30	34
Utah												
All races, both sexes.....	13,432	230	54	28	44	109	202	201	173	216	306	442
Male.....	6,757	132	33	13	27	75	155	135	117	137	189	273
Female.....	6,675	98	21	15	17	34	47	66	56	79	117	169
White, both sexes.....	12,968	215	48	26	39	102	186	188	159	203	283	413
Male.....	6,499	127	30	11	26	70	147	127	107	128	174	252
Female.....	6,469	88	18	15	13	32	39	61	52	75	109	161
Black, both sexes.....	111	1	1	1	1	1	5	3	3	5	7	9
Male.....	63	-	-	-	-	1	2	2	1	4	3	7
Female.....	48	1	1	-	1	-	3	1	2	1	4	2
American Indian 1/, both sexes.....	120	4	2	1	1	2	3	3	6	2	8	13
Male.....	77	1	1	1	-	-	3	2	5	2	5	9
Female.....	43	3	1	-	1	2	-	1	1	-	3	4
Asian or Pacific Islander 2/, both sexes.....	233	10	3	-	3	4	8	7	5	6	8	7
Male.....	118	4	2	-	1	4	3	4	4	3	7	5
Female.....	115	6	1	-	2	-	5	3	1	3	1	2



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Vermont												
All races, both sexes.....	5,066	42	5	8	13	31	31	31	38	45	82	147
Male.....	2,455	28	1	2	8	23	23	19	27	27	54	84
Female.....	2,611	14	4	6	5	8	8	12	11	18	28	63
White, both sexes.....	5,037	39	5	8	11	31	31	31	37	44	82	146
Male.....	2,435	25	1	2	6	23	23	19	26	26	54	84
Female.....	2,602	14	4	6	5	8	8	12	11	18	28	62
Black, both sexes.....	14	2	-	-	1	-	-	-	-	-	-	1
Male.....	9	2	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	1	-	-	-	-	1	-	-
Male.....	7	1	-	-	1	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	57,855	781	109	72	89	303	496	462	503	762	1,254	1,903
Male.....	28,231	437	61	39	53	207	374	327	337	469	781	1,124
Female.....	29,624	344	48	33	36	96	122	135	166	293	473	779
White, both sexes.....	45,117	431	67	44	59	204	329	281	330	520	865	1,264
Male.....	21,814	238	35	24	34	132	247	201	220	327	569	768
Female.....	23,303	193	32	20	25	72	82	80	110	193	296	496
Black, both sexes.....	11,853	323	39	26	28	94	160	168	156	225	361	599
Male.....	5,981	185	25	13	17	73	124	120	105	133	194	330
Female.....	5,872	138	14	13	11	21	36	48	51	92	167	269
American Indian 1/, both sexes.....	55	3	1	-	-	1	1	2	3	1	2	1
Male.....	28	2	-	-	-	-	-	2	3	1	2	-
Female.....	27	1	1	-	-	1	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	830	24	2	2	2	4	6	11	14	16	26	39
Male.....	408	12	1	2	2	2	3	4	9	8	16	26
Female.....	422	12	1	-	-	2	3	7	5	8	10	13



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
Wisconsin												
All races, both sexes.....	46,709	469	70	50	79	259	343	324	316	484	838	1,261
Male.....	22,710	253	42	29	51	183	257	226	207	299	530	795
Female.....	23,999	216	28	21	28	76	86	98	109	185	308	466
White, both sexes.....	44,039	329	51	35	68	211	282	269	248	421	711	1,065
Male.....	21,234	180	29	21	45	145	205	186	168	261	449	667
Female.....	22,805	149	22	14	23	66	77	83	80	160	262	398
Black, both sexes.....	2,062	120	12	12	10	30	45	40	55	52	94	160
Male.....	1,132	60	8	6	5	28	39	27	31	30	58	106
Female.....	930	60	4	6	5	2	6	13	24	22	36	54
American Indian 1/, both sexes.....	380	9	3	-	-	14	11	8	9	8	22	30
Male.....	220	5	3	-	-	8	10	7	5	6	14	17
Female.....	160	4	-	-	-	6	1	1	4	2	8	13
Asian or Pacific Islander 2/, both sexes.....	228	11	4	3	1	4	5	7	4	3	11	6
Male.....	124	8	2	2	1	2	3	6	3	2	9	5
Female.....	104	3	2	1	-	2	2	1	1	1	2	1
Wyoming												
All races, both sexes.....	4,099	49	7	2	8	39	49	42	42	59	91	138
Male.....	2,136	31	4	1	5	30	39	34	26	43	51	81
Female.....	1,963	18	3	1	3	9	10	8	16	16	40	57
White, both sexes.....	4,008	47	6	2	8	38	46	41	40	51	87	129
Male.....	2,093	30	4	1	5	30	36	34	25	39	49	74
Female.....	1,915	17	2	1	3	8	10	7	15	12	38	55
Black, both sexes.....	21	-	-	-	-	-	-	-	-	2	1	2
Male.....	10	-	-	-	-	-	-	-	-	1	-	2
Female.....	11	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	61	1	1	-	-	1	3	1	2	5	3	7
Male.....	32	1	-	-	-	-	3	-	1	3	2	5
Female.....	29	-	1	-	-	1	-	1	1	2	1	2
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

United States

All races, both sexes.....	104,147	127,478	147,823	172,236	226,119	307,888	378,777	351,398	239,706	92,761	19,304	255
Male.....	65,193	77,988	87,441	98,412	124,395	159,114	176,121	139,812	75,026	20,972	2,986	199
Female.....	38,954	49,490	60,382	73,824	101,724	148,774	202,656	211,586	164,680	71,789	16,318	56
White, both sexes.....	79,938	101,212	121,006	143,202	193,160	270,366	340,454	321,335	219,853	84,513	16,838	205
Male.....	50,765	62,213	72,059	82,421	107,129	141,070	159,158	128,448	69,060	18,939	2,543	166
Female.....	29,173	38,999	48,947	60,781	86,031	129,296	181,296	192,887	150,793	65,574	14,295	39
Black, both sexes.....	21,035	22,656	22,760	24,368	27,350	30,903	31,095	24,013	16,002	6,795	2,142	47
Male.....	12,483	13,614	13,097	13,358	14,258	14,718	13,351	8,615	4,417	1,487	337	31
Female.....	8,552	9,042	9,663	11,010	13,092	16,185	17,744	15,398	11,585	5,308	1,805	16
American Indian 1/, both sexes.....	1,053	1,075	1,165	1,202	1,285	1,263	1,170	871	539	208	66	2
Male.....	636	678	663	624	673	611	533	367	179	55	13	1
Female.....	417	397	502	578	612	652	637	504	360	153	53	1
Asian or Pacific Islander 2/, both sexes.....	2,121	2,535	2,892	3,464	4,324	5,356	6,058	5,179	3,312	1,245	258	1
Male.....	1,309	1,483	1,622	2,009	2,335	2,715	3,079	2,382	1,370	491	93	1
Female.....	812	1,052	1,270	1,455	1,989	2,641	2,979	2,797	1,942	754	165	-

Alabama

All races, both sexes.....	2,236	2,773	3,303	3,747	4,727	6,014	6,850	5,830	3,975	1,406	294	3
Male.....	1,333	1,758	1,952	2,097	2,585	3,060	3,030	2,153	1,082	300	45	3
Female.....	903	1,015	1,351	1,650	2,142	2,954	3,820	3,677	2,893	1,106	249	-
White, both sexes.....	1,447	1,909	2,427	2,825	3,698	4,731	5,594	4,887	3,234	1,067	177	3
Male.....	876	1,216	1,451	1,604	2,059	2,445	2,504	1,794	864	225	22	3
Female.....	571	693	976	1,221	1,639	2,286	3,090	3,093	2,370	842	155	-
Black, both sexes.....	774	854	864	907	1,008	1,268	1,246	932	738	338	117	-
Male.....	448	538	496	484	520	608	522	355	217	74	23	-
Female.....	326	316	368	423	488	660	724	577	521	264	94	-
American Indian 1/, both sexes.....	7	4	6	6	8	7	7	3	1	-	-	-
Male.....	4	2	4	5	1	5	3	1	1	-	-	-
Female.....	3	2	2	1	7	2	4	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	6	6	9	13	8	3	8	2	1	-	-
Male.....	5	2	1	4	5	2	1	3	-	1	-	-
Female.....	3	4	5	5	8	6	2	5	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Alaska

All races, both sexes.....	234	231	267	237	291	336	360	270	143	41	12	-
Male.....	148	145	171	134	181	188	179	128	45	7	4	-
Female.....	86	86	96	103	110	148	181	142	98	34	8	-
White, both sexes.....	166	169	197	173	203	234	278	201	113	33	11	-
Male.....	106	107	133	103	123	136	144	92	38	6	4	-
Female.....	60	62	64	70	80	98	134	109	75	27	7	-
Black, both sexes.....	10	10	8	5	3	10	4	6	2	-	-	-
Male.....	5	6	4	4	3	5	3	5	-	-	-	-
Female.....	5	4	4	1	-	5	1	1	2	-	-	-
American Indian 1/, both sexes.....	56	44	56	53	73	76	64	57	24	8	1	-
Male.....	35	29	30	24	47	40	28	28	5	1	-	-
Female.....	21	15	26	29	26	36	36	29	19	7	1	-
Asian or Pacific Islander 2/, both sexes.....	2	8	6	6	12	16	14	6	4	-	-	-
Male.....	2	3	4	3	8	7	4	3	2	-	-	-
Female.....	-	5	2	3	4	9	10	3	2	-	-	-

Arizona

All races, both sexes.....	1,985	2,362	2,828	3,378	4,473	5,747	6,938	6,256	4,057	1,456	268	36
Male.....	1,263	1,462	1,673	1,949	2,553	3,104	3,427	2,724	1,405	377	48	27
Female.....	722	900	1,155	1,429	1,920	2,643	3,511	3,532	2,652	1,079	220	9
White, both sexes.....	1,728	2,126	2,605	3,110	4,176	5,475	6,691	6,062	3,920	1,387	245	35
Male.....	1,106	1,321	1,554	1,800	2,412	2,980	3,312	2,636	1,362	357	39	26
Female.....	622	805	1,051	1,310	1,764	2,495	3,379	3,426	2,558	1,030	206	9
Black, both sexes.....	103	96	85	101	122	107	100	76	48	21	6	-
Male.....	61	60	45	61	60	47	45	24	11	2	3	-
Female.....	42	36	40	40	62	60	55	52	37	19	3	-
American Indian 1/, both sexes.....	137	118	114	139	146	108	111	82	74	37	16	1
Male.....	84	74	66	70	67	54	49	45	25	13	6	1
Female.....	53	44	48	69	79	54	62	37	49	24	10	-
Asian or Pacific Islander 2/, both sexes.....	17	22	24	28	29	57	36	36	15	11	1	-
Male.....	12	7	8	18	14	23	21	19	7	5	-	-
Female.....	5	15	16	10	15	34	15	17	8	6	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Arkansas</b>												
All races, both sexes.....	1,246	1,593	1,933	2,293	2,790	3,369	3,995	3,640	2,642	1,017	195	-
Male.....	779	1,001	1,118	1,361	1,614	1,746	1,889	1,408	809	210	32	-
Female.....	467	592	815	932	1,176	1,623	2,106	2,232	1,833	807	163	-
White, both sexes.....	979	1,294	1,613	1,985	2,445	2,990	3,577	3,278	2,318	886	145	-
Male.....	619	826	945	1,190	1,440	1,570	1,711	1,271	714	184	21	-
Female.....	360	468	668	795	1,005	1,420	1,866	2,007	1,604	702	124	-
Black, both sexes.....	259	293	318	296	332	370	404	352	315	126	50	-
Male.....	158	171	173	163	167	174	170	134	93	26	11	-
Female.....	101	122	145	133	165	196	234	218	222	100	39	-
American Indian 1/, both sexes.....	4	4	2	7	2	4	7	5	3	2	-	-
Male.....	1	3	-	4	1	-	4	2	1	-	-	-
Female.....	3	1	2	3	1	4	3	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	5	11	5	7	5	6	3	-	-
Male.....	1	1	-	4	6	2	4	1	1	-	-	-
Female.....	3	1	-	1	5	3	3	4	5	3	-	-
<b>California</b>												
All races, both sexes.....	10,609	12,630	13,934	16,015	20,652	28,609	36,934	33,868	23,281	9,102	1,953	48
Male.....	6,639	7,637	8,266	9,041	11,317	14,728	17,683	14,207	8,088	2,340	333	42
Female.....	3,970	4,993	5,668	6,974	9,335	13,881	19,251	19,661	15,193	6,762	1,620	6
White, both sexes.....	8,335	10,010	11,265	12,914	16,972	24,186	32,009	29,870	20,765	8,081	1,706	45
Male.....	5,314	6,093	6,720	7,267	9,368	12,511	15,240	12,492	7,144	2,018	269	39
Female.....	3,021	3,917	4,545	5,647	7,604	11,675	16,769	17,378	13,621	6,063	1,437	6
Black, both sexes.....	1,405	1,519	1,466	1,652	1,787	1,956	2,073	1,549	955	428	136	3
Male.....	816	901	867	938	944	951	972	578	270	84	23	3
Female.....	589	618	599	714	843	1,005	1,101	971	685	344	113	-
American Indian 1/, both sexes.....	95	110	113	121	130	132	96	85	46	17	3	-
Male.....	56	68	66	63	64	64	47	34	21	3	-	-
Female.....	39	42	47	58	66	68	49	51	25	14	3	-
Asian or Pacific Islander 2/, both sexes.....	774	991	1,090	1,328	1,763	2,335	2,756	2,364	1,515	576	108	-
Male.....	453	575	613	773	941	1,202	1,424	1,103	653	235	41	-
Female.....	321	416	477	555	822	1,133	1,332	1,261	862	341	67	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Colorado

All races, both sexes.....	1,418	1,578	1,671	1,927	2,589	3,564	4,378	4,253	2,846	1,114	222	3
Male.....	896	940	993	1,097	1,394	1,830	2,101	1,755	905	241	40	2
Female.....	522	638	678	830	1,195	1,734	2,277	2,498	1,941	873	182	1
White, both sexes.....	1,301	1,465	1,565	1,801	2,426	3,371	4,226	4,145	2,775	1,085	216	3
Male.....	820	873	934	1,024	1,314	1,734	2,040	1,720	885	237	37	2
Female.....	481	592	631	777	1,112	1,637	2,186	2,425	1,890	848	179	1
Black, both sexes.....	89	78	76	82	115	116	92	70	53	21	4	-
Male.....	57	51	45	49	59	59	34	22	16	1	2	-
Female.....	32	27	31	33	56	57	58	48	37	20	2	-
American Indian 1/, both sexes.....	13	15	11	16	20	17	11	8	3	4	1	-
Male.....	9	9	5	7	10	8	5	2	2	-	-	-
Female.....	4	6	6	9	10	9	6	6	1	4	1	-
Asian or Pacific Islander 2/, both sexes.....	15	20	19	28	28	60	49	30	15	4	1	-
Male.....	10	7	9	17	11	29	22	11	2	3	1	-
Female.....	5	13	10	11	17	31	27	19	13	1	-	-

Connecticut

All races, both sexes.....	1,008	1,205	1,538	1,660	2,474	3,597	4,765	5,086	3,741	1,508	317	2
Male.....	606	750	886	933	1,374	1,854	2,216	2,016	1,185	301	44	2
Female.....	402	455	652	727	1,100	1,743	2,549	3,070	2,556	1,207	273	-
White, both sexes.....	848	1,035	1,340	1,455	2,253	3,362	4,526	4,904	3,644	1,463	300	2
Male.....	521	646	771	828	1,255	1,742	2,109	1,954	1,157	293	43	2
Female.....	327	389	569	627	998	1,620	2,417	2,950	2,487	1,170	257	-
Black, both sexes.....	147	153	177	183	194	211	205	161	90	38	14	-
Male.....	79	92	106	91	108	101	91	57	28	4	1	-
Female.....	68	61	71	92	86	110	114	104	62	34	13	-
American Indian 1/, both sexes.....	-	2	3	3	4	6	7	3	1	2	1	-
Male.....	-	2	2	2	3	2	2	-	-	-	-	-
Female.....	-	-	1	1	1	4	5	3	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	13	15	18	19	23	18	27	18	6	5	2	-
Male.....	6	10	7	12	8	9	14	5	-	4	-	-
Female.....	7	5	11	7	15	9	13	13	6	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
Delaware												
All races, both sexes.....	306	395	465	585	700	1,006	1,163	1,036	673	251	45	1
Male.....	184	233	288	345	386	509	543	421	200	55	6	1
Female.....	122	162	177	240	314	497	620	615	473	196	39	-
White, both sexes.....	222	311	353	460	586	876	1,027	922	589	222	35	1
Male.....	136	185	226	275	321	452	485	377	178	49	5	1
Female.....	86	126	127	185	265	424	542	545	411	173	30	-
Black, both sexes.....	81	81	109	119	105	125	133	106	77	29	10	-
Male.....	46	46	60	65	58	55	56	39	19	6	1	-
Female.....	35	35	49	54	47	70	77	67	58	23	9	-
American Indian 1/, both sexes.....	2	-	1	-	3	-	-	3	3	-	-	-
Male.....	1	-	-	-	3	-	-	2	2	-	-	-
Female.....	1	-	1	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	6	6	5	3	5	4	-	-	-
Male.....	1	2	2	5	4	2	2	3	1	-	-	-
Female.....	-	1	-	1	2	3	1	2	3	-	-	-
Dist. of Columbia												
All races, both sexes.....	366	368	388	389	454	595	675	615	416	189	53	6
Male.....	231	226	235	226	252	296	293	237	126	48	9	3
Female.....	135	142	153	163	202	299	382	378	290	141	44	3
White, both sexes.....	37	50	59	39	98	119	154	176	142	73	17	1
Male.....	25	29	40	24	60	70	78	85	57	19	3	-
Female.....	12	21	19	15	38	49	76	91	85	54	14	1
Black, both sexes.....	324	315	325	344	351	468	511	429	268	114	36	5
Male.....	202	194	193	198	188	220	208	147	67	28	6	3
Female.....	122	121	132	146	163	248	303	282	201	86	30	2
American Indian 1/, both sexes.....	-	-	2	2	-	1	2	1	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	2	4	5	7	8	9	6	2	-	-
Male.....	4	3	1	3	4	6	6	5	2	1	-	-
Female.....	1	-	1	1	1	1	2	4	4	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Florida

All races, both sexes.....	6,665	8,173	9,803	11,899	15,652	22,186	27,295	25,381	17,289	6,708	1,292	12
Male.....	4,230	5,046	6,019	7,038	8,994	11,874	13,539	11,286	6,176	1,779	265	9
Female.....	2,435	3,127	3,784	4,861	6,658	10,312	13,756	14,095	11,113	4,929	1,027	3
White, both sexes.....	5,227	6,755	8,343	10,176	13,809	20,236	25,400	23,906	16,277	6,294	1,182	7
Male.....	3,377	4,201	5,152	6,093	8,006	10,913	12,684	10,734	5,876	1,670	242	6
Female.....	1,850	2,554	3,191	4,083	5,803	9,323	12,716	13,172	10,401	4,624	940	1
Black, both sexes.....	1,344	1,338	1,368	1,628	1,723	1,824	1,772	1,370	958	397	107	5
Male.....	800	801	815	894	933	903	796	508	274	104	22	3
Female.....	544	537	553	734	790	921	976	862	684	293	85	2
American Indian 1/, both sexes.....	21	14	19	14	18	16	22	18	7	1	1	-
Male.....	12	9	12	7	11	8	17	9	3	-	-	-
Female.....	9	5	7	7	7	8	5	9	4	1	1	-
Asian or Pacific Islander 2/, both sexes.....	73	66	73	81	102	110	101	87	47	16	2	-
Male.....	41	35	40	44	44	50	42	35	23	5	1	-
Female.....	32	31	33	37	58	60	59	52	24	11	1	-

Georgia

All races, both sexes.....	3,567	4,286	4,937	5,310	6,398	7,790	8,974	7,890	5,171	1,893	444	3
Male.....	2,232	2,651	2,982	3,078	3,458	3,871	3,828	2,855	1,379	353	58	3
Female.....	1,335	1,635	1,955	2,232	2,940	3,919	5,146	5,035	3,792	1,540	386	-
White, both sexes.....	2,103	2,768	3,389	3,696	4,737	6,096	7,202	6,463	4,144	1,465	293	3
Male.....	1,367	1,767	2,089	2,191	2,607	3,139	3,113	2,403	1,120	261	39	3
Female.....	736	1,001	1,300	1,505	2,130	2,957	4,089	4,060	3,024	1,204	254	-
Black, both sexes.....	1,423	1,472	1,489	1,555	1,590	1,639	1,728	1,402	1,003	422	151	-
Male.....	839	861	858	856	820	707	694	439	252	90	19	-
Female.....	584	611	631	699	770	932	1,034	963	751	332	132	-
American Indian 1/, both sexes.....	8	11	12	10	15	19	10	6	8	2	-	-
Male.....	5	5	6	6	5	10	5	4	3	1	-	-
Female.....	3	6	6	4	10	9	5	2	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	33	35	47	49	56	36	34	19	16	4	-	-
Male.....	21	18	29	25	26	15	16	9	4	1	-	-
Female.....	12	17	18	24	30	21	18	10	12	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Hawaii</b>												
All races, both sexes.....	410	506	587	583	805	1,107	1,404	1,313	957	407	72	-
Male.....	272	321	352	347	455	600	779	637	404	156	20	-
Female.....	138	185	235	236	350	507	625	676	553	251	52	-
White, both sexes.....	143	169	216	169	223	313	366	349	258	112	15	-
Male.....	95	118	144	96	127	169	200	162	102	28	3	-
Female.....	48	51	72	73	96	144	166	187	156	84	12	-
Black, both sexes.....	8	7	6	7	4	4	6	1	2	-	-	-
Male.....	8	5	6	4	2	2	4	-	1	-	-	-
Female.....	-	2	-	3	2	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	1	1	2	4	-	-	-	-
Male.....	2	1	-	-	-	1	1	1	-	-	-	-
Female.....	-	1	1	2	1	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	257	328	364	405	577	789	1,030	959	697	295	57	-
Male.....	167	197	202	247	326	428	574	474	301	128	17	-
Female.....	90	131	162	158	251	361	456	485	396	167	40	-
<b>Idaho</b>												
All races, both sexes.....	420	472	592	785	942	1,271	1,674	1,673	1,132	398	64	-
Male.....	268	288	346	462	535	704	843	721	392	91	8	-
Female.....	152	184	246	323	407	567	831	952	740	307	56	-
White, both sexes.....	403	462	582	766	925	1,249	1,653	1,655	1,127	398	63	-
Male.....	256	281	341	451	526	692	830	709	390	91	8	-
Female.....	147	181	241	315	399	557	823	946	737	307	55	-
Black, both sexes.....	1	1	-	2	3	1	1	-	-	-	-	-
Male.....	1	-	-	2	2	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	8	8	9	9	18	11	8	1	-	1	-
Male.....	7	6	5	5	4	9	7	4	1	-	-	-
Female.....	4	2	3	4	5	9	4	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	1	2	8	5	3	9	10	4	-	-	-
Male.....	4	1	-	4	3	2	5	8	1	-	-	-
Female.....	1	-	2	4	2	1	4	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Illinois

All races, both sexes.....	4,195	5,180	6,099	7,072	9,369	12,933	16,163	15,676	10,760	4,303	912	3
Male.....	2,622	3,158	3,588	4,026	4,983	6,556	7,418	6,025	3,168	884	134	2
Female.....	1,573	2,022	2,511	3,046	4,386	6,377	8,745	9,651	7,592	3,419	778	1
White, both sexes.....	2,988	3,852	4,697	5,570	7,694	10,973	14,314	14,311	9,905	3,913	799	-
Male.....	1,881	2,368	2,791	3,182	4,151	5,643	6,656	5,508	2,921	790	112	-
Female.....	1,107	1,484	1,906	2,388	3,543	5,330	7,658	8,803	6,984	3,123	687	-
Black, both sexes.....	1,142	1,247	1,299	1,367	1,548	1,803	1,672	1,189	773	355	104	3
Male.....	700	738	737	765	762	839	687	438	215	82	20	2
Female.....	442	509	562	602	786	964	985	751	558	273	84	1
American Indian 1/, both sexes.....	6	6	10	8	6	5	5	8	1	1	-	-
Male.....	2	2	5	5	3	1	2	3	-	-	-	-
Female.....	4	4	5	3	3	4	3	5	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	59	75	93	127	121	152	172	168	81	34	9	-
Male.....	39	50	55	74	67	73	73	76	32	12	2	-
Female.....	20	25	38	53	54	79	99	92	49	22	7	-

Indiana

All races, both sexes.....	2,256	2,777	3,406	4,114	5,432	7,274	8,612	7,935	5,221	2,015	407	1
Male.....	1,421	1,719	1,999	2,316	2,893	3,716	3,974	3,051	1,542	431	55	1
Female.....	835	1,058	1,407	1,798	2,539	3,558	4,638	4,884	3,679	1,584	352	-
White, both sexes.....	1,929	2,471	3,074	3,710	4,957	6,727	8,145	7,545	4,985	1,929	365	1
Male.....	1,223	1,524	1,802	2,091	2,670	3,455	3,775	2,887	1,473	409	51	1
Female.....	706	947	1,272	1,619	2,287	3,272	4,370	4,658	3,512	1,520	314	-
Black, both sexes.....	317	297	320	381	455	522	454	375	230	84	41	-
Male.....	196	189	191	208	217	252	194	158	66	21	3	-
Female.....	121	108	129	173	238	270	260	217	164	63	38	-
American Indian 1/, both sexes.....	2	2	3	2	-	2	1	3	-	-	-	-
Male.....	1	2	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	2	1	-	2	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	7	9	21	20	23	12	12	6	2	1	-
Male.....	1	4	5	16	6	9	5	6	3	1	1	-
Female.....	7	3	4	5	14	14	7	6	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Iowa

All races, both sexes.....	847	1,048	1,394	1,760	2,313	3,373	4,737	4,710	3,507	1,535	401	1
Male.....	527	639	841	1,010	1,289	1,832	2,325	1,941	1,150	324	53	1
Female.....	320	409	553	750	1,024	1,541	2,412	2,769	2,357	1,211	348	-
White, both sexes.....	799	1,011	1,359	1,718	2,274	3,324	4,687	4,679	3,493	1,524	398	1
Male.....	495	616	818	988	1,265	1,804	2,302	1,927	1,144	323	53	1
Female.....	304	395	541	730	1,009	1,520	2,385	2,752	2,349	1,201	345	-
Black, both sexes.....	39	28	28	29	29	38	39	23	13	10	3	-
Male.....	26	18	19	15	17	22	19	11	5	1	-	-
Female.....	13	10	9	14	12	16	20	12	8	9	3	-
American Indian 1/, both sexes.....	7	4	2	1	5	3	6	2	1	-	-	-
Male.....	4	3	2	-	3	-	1	1	1	-	-	-
Female.....	3	1	-	1	2	3	5	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	5	12	5	8	5	6	-	1	-	-
Male.....	2	2	2	7	4	6	3	2	-	-	-	-
Female.....	-	3	3	5	1	2	2	4	-	1	-	-

Kansas

All races, both sexes.....	889	1,095	1,327	1,520	2,152	3,023	3,947	3,864	2,827	1,260	263	1
Male.....	557	645	811	880	1,160	1,603	1,883	1,534	919	289	43	1
Female.....	332	450	516	640	992	1,420	2,064	2,330	1,908	971	220	-
White, both sexes.....	785	978	1,185	1,396	2,002	2,842	3,752	3,728	2,731	1,227	254	1
Male.....	493	568	729	816	1,089	1,505	1,786	1,488	884	278	43	1
Female.....	292	410	456	580	913	1,337	1,966	2,240	1,847	949	211	-
Black, both sexes.....	91	87	113	89	107	147	150	117	79	30	6	-
Male.....	56	58	69	46	48	83	74	40	30	10	-	-
Female.....	35	29	44	43	59	64	76	77	49	20	6	-
American Indian 1/, both sexes.....	10	19	15	22	29	26	27	13	12	2	3	-
Male.....	7	14	9	12	17	12	15	3	5	1	-	-
Female.....	3	5	6	10	12	14	12	10	7	1	3	-
Asian or Pacific Islander 2/, both sexes.....	3	11	14	13	14	8	18	6	5	1	-	-
Male.....	1	5	4	6	6	3	8	3	-	-	-	-
Female.....	2	6	10	7	8	5	10	3	5	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
Kentucky												
All races, both sexes.....	1,793	2,258	2,831	3,279	4,167	5,185	5,985	5,147	3,364	1,141	255	-
Male.....	1,134	1,349	1,678	1,892	2,313	2,721	2,628	1,890	968	219	34	-
Female.....	659	909	1,153	1,387	1,854	2,464	3,357	3,257	2,396	922	221	-
White, both sexes.....	1,589	2,062	2,638	3,071	3,899	4,870	5,685	4,915	3,177	1,080	233	-
Male.....	1,011	1,232	1,563	1,793	2,161	2,565	2,513	1,795	922	209	31	-
Female.....	578	830	1,075	1,278	1,738	2,305	3,172	3,120	2,255	871	202	-
Black, both sexes.....	193	179	184	200	261	304	293	223	181	61	21	-
Male.....	117	108	108	96	149	148	113	91	44	10	2	-
Female.....	76	71	76	104	112	156	180	132	137	51	19	-
American Indian 1/, both sexes.....	4	3	2	2	1	-	1	2	-	-	-	-
Male.....	3	3	2	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	14	7	6	6	11	6	7	6	-	1	-
Male.....	3	6	5	2	3	8	2	3	2	-	1	-
Female.....	4	8	2	4	3	3	4	4	4	-	-	-
Louisiana												
All races, both sexes.....	2,231	2,730	2,952	3,353	4,292	5,448	6,162	5,286	3,540	1,318	281	4
Male.....	1,366	1,656	1,722	1,878	2,314	2,746	2,755	2,022	1,033	291	61	4
Female.....	865	1,074	1,230	1,475	1,978	2,702	3,407	3,264	2,507	1,027	220	-
White, both sexes.....	1,264	1,582	1,929	2,189	2,953	4,001	4,737	4,197	2,765	959	199	3
Male.....	816	963	1,155	1,262	1,613	2,063	2,128	1,612	805	177	39	3
Female.....	448	619	774	927	1,340	1,938	2,609	2,585	1,960	782	160	-
Black, both sexes.....	951	1,129	1,010	1,147	1,315	1,408	1,398	1,067	765	354	82	1
Male.....	544	680	558	604	689	661	616	398	227	113	22	1
Female.....	407	449	452	543	626	747	782	669	538	241	60	-
American Indian 1/, both sexes.....	4	5	1	8	9	8	5	6	3	1	-	-
Male.....	2	4	1	4	3	3	2	3	-	-	-	-
Female.....	2	1	-	4	6	5	3	3	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	14	12	9	15	31	22	16	7	4	-	-
Male.....	4	9	8	8	9	19	9	9	1	1	-	-
Female.....	8	5	4	1	6	12	13	7	6	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Maine</b>												
All races, both sexes.....	466	635	775	885	1,245	1,691	2,126	1,962	1,406	530	103	-
Male.....	317	404	459	495	696	872	1,000	809	438	116	14	-
Female.....	149	231	316	390	549	819	1,126	1,153	968	414	89	-
White, both sexes.....	456	630	768	873	1,238	1,679	2,118	1,958	1,402	529	103	-
Male.....	309	400	455	491	693	868	996	806	438	116	14	-
Female.....	147	230	313	382	545	811	1,122	1,152	964	413	89	-
Black, both sexes.....	4	-	1	2	3	3	-	1	1	-	-	-
Male.....	4	-	1	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	2	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	6	1	5	9	3	7	6	2	3	1	-	-
Male.....	4	1	2	3	1	3	4	1	-	-	-	-
Female.....	2	-	3	6	2	4	2	1	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	1	1	2	2	1	-	-	-	-
Male.....	-	3	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	2	2	-	-	-	-	-
<b>Maryland</b>												
All races, both sexes.....	2,078	2,492	2,826	3,156	3,898	5,388	6,770	5,944	3,886	1,463	335	7
Male.....	1,294	1,506	1,665	1,803	2,089	2,694	3,035	2,282	1,144	323	48	5
Female.....	784	986	1,161	1,353	1,809	2,694	3,735	3,662	2,742	1,140	287	2
White, both sexes.....	1,144	1,530	1,800	2,044	2,727	4,145	5,438	4,912	3,268	1,224	259	3
Male.....	743	936	1,065	1,173	1,455	2,103	2,472	1,900	985	269	39	2
Female.....	401	594	735	871	1,272	2,042	2,966	3,012	2,283	955	220	1
Black, both sexes.....	893	920	959	1,027	1,091	1,167	1,244	953	580	227	73	4
Male.....	527	543	559	575	591	557	519	348	143	51	8	3
Female.....	366	377	400	452	500	610	725	605	437	176	65	1
American Indian 1/, both sexes.....	7	4	6	5	5	4	4	3	2	1	-	-
Male.....	3	4	4	5	1	1	1	-	-	1	-	-
Female.....	4	-	2	-	4	3	3	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	38	61	80	75	72	84	76	36	11	3	-
Male.....	21	23	37	50	42	33	43	34	16	2	1	-
Female.....	13	15	24	30	33	39	41	42	20	9	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Massachusetts</b>												
All races, both sexes.....	1,867	2,380	2,729	3,280	4,639	6,707	8,942	9,101	6,467	2,586	582	-
Male.....	1,201	1,452	1,583	1,839	2,544	3,468	4,040	3,560	1,892	551	74	-
Female.....	666	928	1,146	1,441	2,095	3,239	4,902	5,541	4,575	2,035	508	-
White, both sexes.....	1,691	2,187	2,525	3,021	4,355	6,378	8,611	8,834	6,312	2,518	553	-
Male.....	1,082	1,341	1,467	1,692	2,402	3,297	3,901	3,451	1,848	528	72	-
Female.....	609	846	1,058	1,329	1,953	3,081	4,710	5,383	4,464	1,990	481	-
Black, both sexes.....	138	158	167	200	216	256	246	216	123	50	18	-
Male.....	89	86	95	117	108	130	95	82	28	13	-	-
Female.....	49	72	72	83	108	126	151	134	95	37	18	-
American Indian 1/, both sexes.....	5	2	4	4	8	9	7	3	3	1	1	-
Male.....	3	-	2	1	5	5	1	1	-	1	-	-
Female.....	2	2	2	3	3	4	6	2	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	33	33	33	55	60	64	78	48	29	17	10	-
Male.....	27	25	19	29	29	36	43	26	16	9	2	-
Female.....	6	8	14	26	31	28	35	22	13	8	8	-
<b>Michigan</b>												
All races, both sexes.....	3,941	4,730	5,317	6,027	7,933	11,238	13,589	12,560	8,361	3,048	615	-
Male.....	2,427	2,849	3,114	3,347	4,315	5,684	6,259	4,859	2,622	669	96	-
Female.....	1,514	1,881	2,203	2,680	3,618	5,554	7,330	7,701	5,739	2,379	519	-
White, both sexes.....	2,907	3,571	4,238	5,070	6,761	9,828	12,181	11,481	7,681	2,796	539	-
Male.....	1,822	2,162	2,493	2,793	3,692	5,019	5,619	4,428	2,429	608	84	-
Female.....	1,085	1,409	1,745	2,277	3,069	4,809	6,562	7,053	5,252	2,188	455	-
Black, both sexes.....	983	1,084	986	883	1,076	1,332	1,316	1,013	647	239	74	-
Male.....	573	645	571	510	574	625	594	406	180	58	12	-
Female.....	410	439	415	373	502	707	722	607	467	181	62	-
American Indian 1/, both sexes.....	30	43	54	36	47	43	34	27	13	6	1	-
Male.....	17	23	25	22	22	21	16	9	2	-	-	-
Female.....	13	20	29	14	25	22	18	18	11	6	1	-
Asian or Pacific Islander 2/, both sexes.....	21	32	39	38	49	35	58	39	20	7	1	-
Male.....	15	19	25	22	27	19	30	16	11	3	-	-
Female.....	6	13	14	16	22	16	28	23	9	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Minnesota</b>												
All races, both sexes.....	1,310	1,685	1,844	2,202	3,087	4,402	5,989	6,229	4,800	2,073	461	1
Male.....	812	1,033	1,091	1,284	1,710	2,427	2,939	2,571	1,470	494	71	1
Female.....	498	652	753	918	1,377	1,975	3,050	3,658	3,330	1,579	390	-
White, both sexes.....	1,189	1,560	1,719	2,098	2,954	4,283	5,886	6,155	4,745	2,059	455	1
Male.....	740	962	1,016	1,232	1,637	2,360	2,900	2,536	1,452	489	69	1
Female.....	449	598	703	866	1,317	1,923	2,986	3,619	3,293	1,570	386	-
Black, both sexes.....	74	75	64	53	53	55	51	35	21	8	2	-
Male.....	48	38	45	27	32	35	18	22	5	3	-	-
Female.....	26	37	19	26	21	20	33	13	16	5	2	-
American Indian 1/, both sexes.....	27	22	38	30	39	28	17	17	8	1	1	-
Male.....	14	16	21	14	24	13	6	3	3	-	-	-
Female.....	13	6	17	16	15	15	11	14	5	1	1	-
Asian or Pacific Islander 2/, both sexes.....	20	28	23	21	41	36	35	22	26	5	3	-
Male.....	10	17	9	11	17	19	15	10	10	2	2	-
Female.....	10	11	14	10	24	17	20	12	16	3	1	-
<b>Mississippi</b>												
All races, both sexes.....	1,470	1,797	2,005	2,297	2,825	3,630	3,912	3,361	2,319	1,021	232	8
Male.....	908	1,125	1,219	1,330	1,609	1,842	1,762	1,227	663	210	45	6
Female.....	562	672	786	967	1,216	1,788	2,150	2,134	1,656	811	187	2
White, both sexes.....	821	1,092	1,302	1,536	1,959	2,653	2,977	2,556	1,712	720	108	3
Male.....	522	685	795	902	1,148	1,378	1,347	920	467	122	13	3
Female.....	299	407	507	634	811	1,275	1,630	1,636	1,245	598	95	-
Black, both sexes.....	626	689	689	747	849	963	925	795	605	296	124	5
Male.....	374	431	418	420	456	457	409	302	195	87	32	3
Female.....	252	258	271	327	393	506	516	493	410	209	92	2
American Indian 1/, both sexes.....	13	11	11	9	9	6	2	1	1	2	-	-
Male.....	9	7	5	5	3	4	1	-	1	1	-	-
Female.....	4	4	6	4	6	2	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	5	3	5	8	8	8	9	1	3	-	-
Male.....	3	2	1	3	2	3	5	5	-	-	-	-
Female.....	7	3	2	2	6	5	3	4	1	3	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
Missouri												
All races, both sexes.....	2,262	2,655	3,253	3,822	5,292	7,005	8,434	7,690	5,442	2,179	465	7
Male.....	1,411	1,605	1,914	2,201	2,936	3,634	3,932	2,938	1,625	504	73	5
Female.....	851	1,050	1,339	1,621	2,356	3,371	4,502	4,752	3,817	1,675	392	2
White, both sexes.....	1,852	2,229	2,782	3,333	4,740	6,393	7,803	7,231	5,115	2,024	426	5
Male.....	1,159	1,350	1,657	1,935	2,665	3,342	3,645	2,788	1,521	471	65	4
Female.....	693	879	1,125	1,398	2,075	3,051	4,158	4,443	3,594	1,553	361	1
Black, both sexes.....	389	389	452	465	527	573	605	431	317	150	39	2
Male.....	244	238	249	255	259	276	276	141	99	32	8	1
Female.....	145	151	203	210	268	297	329	290	218	118	31	1
American Indian 1/, both sexes.....	12	16	6	11	5	8	9	12	4	1	-	-
Male.....	5	9	3	5	2	5	5	6	2	-	-	-
Female.....	7	7	3	6	3	3	4	6	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	21	13	13	20	31	17	16	6	4	-	-
Male.....	3	8	5	6	10	11	6	3	3	1	-	-
Female.....	6	13	8	7	10	20	11	13	3	3	-	-
Montana												
All races, both sexes.....	370	422	477	598	763	1,017	1,276	1,347	935	327	78	-
Male.....	245	258	275	349	422	550	640	590	308	78	7	-
Female.....	125	164	202	249	341	467	636	757	627	249	71	-
White, both sexes.....	331	396	434	557	729	979	1,243	1,327	924	320	75	-
Male.....	224	246	253	329	408	531	629	584	305	76	7	-
Female.....	107	150	181	228	321	448	614	743	619	244	68	-
Black, both sexes.....	1	-	4	1	1	1	1	2	-	-	-	-
Male.....	1	-	2	-	1	1	1	2	-	-	-	-
Female.....	-	-	2	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	38	24	38	39	32	34	31	18	10	7	2	-
Male.....	20	11	19	20	13	17	10	4	2	2	-	-
Female.....	18	13	19	19	19	17	21	14	8	5	2	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	3	1	-	1	-	1	-
Male.....	-	1	1	-	-	1	1	-	1	-	-	-
Female.....	-	1	-	1	1	2	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Nebraska</b>												
All races, both sexes.....	471	604	757	943	1,338	1,817	2,402	2,454	1,835	820	202	-
Male.....	297	377	456	514	758	996	1,189	1,007	581	210	33	-
Female.....	174	227	301	429	580	821	1,213	1,447	1,254	610	169	-
White, both sexes.....	418	560	700	873	1,268	1,760	2,352	2,408	1,809	804	199	-
Male.....	263	350	426	482	722	966	1,165	991	571	207	33	-
Female.....	155	210	274	391	546	794	1,187	1,417	1,238	597	166	-
Black, both sexes.....	35	32	44	50	51	40	42	31	20	16	2	-
Male.....	24	21	22	24	25	21	9	5	3	-	-	-
Female.....	11	11	22	26	26	15	21	22	15	13	2	-
American Indian 1/, both sexes.....	15	10	9	11	14	9	6	7	4	-	1	-
Male.....	7	5	5	5	10	2	2	2	3	-	-	-
Female.....	8	5	4	6	4	7	4	5	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	2	4	9	5	8	2	8	2	-	-	-
Male.....	3	1	3	3	1	3	1	5	2	-	-	-
Female.....	-	1	1	6	4	5	1	3	-	-	-	-
<b>Nevada</b>												
All races, both sexes.....	987	1,206	1,517	1,748	2,040	2,512	2,695	2,071	1,157	345	61	4
Male.....	609	784	925	1,049	1,192	1,373	1,355	863	396	85	12	3
Female.....	378	422	592	699	848	1,139	1,340	1,208	761	260	49	1
White, both sexes.....	831	1,047	1,321	1,546	1,802	2,288	2,505	1,935	1,073	320	57	4
Male.....	519	687	810	926	1,056	1,259	1,258	809	369	81	12	3
Female.....	312	360	511	620	746	1,029	1,247	1,126	704	239	45	1
Black, both sexes.....	102	108	117	125	146	123	117	72	45	13	3	-
Male.....	58	67	74	78	86	65	59	26	13	1	-	-
Female.....	44	41	43	47	60	58	58	46	32	12	3	-
American Indian 1/, both sexes.....	8	10	16	18	18	15	8	11	11	3	1	-
Male.....	4	6	9	9	13	6	2	6	2	-	-	-
Female.....	4	4	7	9	5	9	6	5	9	3	1	-
Asian or Pacific Islander 2/, both sexes.....	46	41	63	59	74	86	65	53	28	9	-	-
Male.....	28	24	32	36	37	43	36	22	12	3	-	-
Female.....	18	17	31	23	37	43	29	31	16	6	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
New Hampshire												
All races, both sexes.....	391	516	560	731	860	1,307	1,599	1,590	1,082	490	111	-
Male.....	254	306	351	418	466	674	730	635	341	110	13	-
Female.....	137	210	209	313	394	633	869	955	741	380	98	-
White, both sexes.....	386	510	556	723	853	1,295	1,594	1,586	1,078	490	111	-
Male.....	252	305	349	413	463	667	727	633	340	110	13	-
Female.....	134	205	207	310	390	628	867	953	738	380	98	-
Black, both sexes.....	1	2	4	4	2	5	1	2	1	-	-	-
Male.....	-	-	2	4	1	3	1	1	1	-	-	-
Female.....	1	2	2	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	-	2	5	7	4	2	3	-	-	-
Male.....	1	1	-	-	2	4	2	1	-	-	-	-
Female.....	1	3	-	2	3	3	2	1	3	-	-	-
New Jersey												
All races, both sexes.....	2,720	3,396	3,964	4,577	6,334	9,388	11,874	11,454	7,693	3,043	579	8
Male.....	1,706	2,083	2,310	2,550	3,382	4,824	5,396	4,467	2,343	664	92	7
Female.....	1,014	1,313	1,654	2,027	2,952	4,564	6,478	6,987	5,350	2,379	487	1
White, both sexes.....	1,970	2,615	3,082	3,658	5,255	8,203	10,669	10,607	7,145	2,786	503	5
Male.....	1,257	1,623	1,801	2,050	2,819	4,258	4,882	4,168	2,191	607	83	5
Female.....	713	992	1,281	1,608	2,436	3,945	5,787	6,439	4,954	2,179	420	-
Black, both sexes.....	665	683	760	798	925	1,044	1,032	712	470	220	70	2
Male.....	389	393	429	422	474	504	426	238	131	43	6	1
Female.....	276	290	331	376	451	540	606	474	339	177	64	1
American Indian 1/, both sexes.....	4	3	10	13	12	11	11	8	6	8	-	-
Male.....	4	2	2	7	7	5	5	5	1	4	-	-
Female.....	-	1	8	6	5	6	6	3	5	4	-	-
Asian or Pacific Islander 2/, both sexes.....	81	95	112	108	142	130	162	127	72	29	6	1
Male.....	56	65	78	71	82	57	83	56	20	10	3	1
Female.....	25	30	34	37	60	73	79	71	52	19	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>New Mexico</b>												
All races, both sexes.....	746	815	904	1,092	1,433	1,800	2,142	1,928	1,276	523	107	7
Male.....	473	496	546	631	809	925	1,074	854	449	154	19	3
Female.....	273	319	358	461	624	875	1,068	1,074	827	369	88	4
White, both sexes.....	639	731	809	995	1,319	1,683	2,012	1,837	1,204	482	99	7
Male.....	403	446	496	577	748	865	1,008	807	420	142	18	3
Female.....	236	285	313	418	571	818	1,004	1,030	784	340	81	4
Black, both sexes.....	17	12	17	17	26	31	36	18	12	12	2	-
Male.....	10	9	7	8	15	16	17	6	2	3	-	-
Female.....	7	3	10	9	11	15	19	12	10	9	2	-
American Indian 1/, both sexes.....	86	70	72	74	80	76	88	69	55	27	6	-
Male.....	57	40	40	44	43	41	45	38	25	9	1	-
Female.....	29	30	32	30	37	35	43	31	30	18	5	-
Asian or Pacific Islander 2/, both sexes.....	4	2	6	6	8	10	6	4	5	2	-	-
Male.....	3	1	3	2	3	3	4	3	2	-	-	-
Female.....	1	1	3	4	5	7	2	1	3	2	-	-
<b>New York</b>												
All races, both sexes.....	6,158	7,599	8,657	10,186	13,847	19,354	23,644	23,055	16,863	6,910	1,513	8
Male.....	3,823	4,510	4,975	5,574	7,458	9,778	10,778	8,794	5,271	1,472	193	5
Female.....	2,335	3,089	3,682	4,612	6,389	9,576	12,866	14,261	11,592	5,438	1,320	3
White, both sexes.....	4,471	5,678	6,600	7,963	11,287	16,514	20,769	20,786	15,482	6,304	1,308	6
Male.....	2,835	3,391	3,811	4,382	6,148	8,446	9,576	8,021	4,917	1,365	166	4
Female.....	1,636	2,287	2,789	3,581	5,139	8,068	11,193	12,765	10,565	4,939	1,142	2
Black, both sexes.....	1,488	1,696	1,800	1,887	2,167	2,428	2,408	1,865	1,096	524	179	2
Male.....	857	977	1,006	985	1,068	1,102	955	600	244	84	18	1
Female.....	631	719	794	902	1,099	1,326	1,453	1,265	852	440	161	1
American Indian 1/, both sexes.....	11	21	20	18	26	18	24	17	12	3	-	-
Male.....	8	15	11	5	13	9	10	9	4	-	-	-
Female.....	3	6	9	13	13	9	14	8	8	3	-	-
Asian or Pacific Islander 2/, both sexes.....	188	204	237	318	367	394	443	387	273	79	26	-
Male.....	123	127	147	202	229	221	237	164	106	23	9	-
Female.....	65	77	90	116	138	173	206	223	167	56	17	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
North Carolina												
All races, both sexes.....	3,474	4,174	4,962	5,715	7,485	9,418	11,263	9,793	6,371	2,325	469	8
Male.....	2,165	2,544	2,986	3,297	4,081	4,867	4,978	3,578	1,759	446	56	7
Female.....	1,309	1,630	1,976	2,418	3,404	4,551	6,285	6,215	4,612	1,879	413	1
White, both sexes.....	2,340	2,901	3,686	4,324	5,920	7,575	9,318	8,262	5,378	1,903	356	6
Male.....	1,512	1,756	2,241	2,537	3,278	3,986	4,193	3,057	1,489	368	39	5
Female.....	828	1,145	1,445	1,787	2,642	3,589	5,125	5,205	3,889	1,535	317	1
Black, both sexes.....	1,069	1,189	1,177	1,300	1,464	1,728	1,835	1,459	948	406	112	2
Male.....	614	734	688	706	758	825	743	493	253	75	17	2
Female.....	455	455	489	594	706	903	1,092	966	695	331	95	-
American Indian 1/, both sexes.....	43	62	68	71	68	86	76	49	31	10	1	-
Male.....	24	40	41	39	32	43	27	21	8	-	-	-
Female.....	19	22	27	32	36	43	49	28	23	10	1	-
Asian or Pacific Islander 2/, both sexes.....	22	22	31	20	33	29	34	23	14	6	-	-
Male.....	15	14	16	15	13	13	15	7	9	3	-	-
Female.....	7	8	15	5	20	16	19	16	5	3	-	-
North Dakota												
All races, both sexes.....	188	232	256	314	471	696	885	989	779	370	73	-
Male.....	115	144	155	192	269	397	473	430	263	87	10	-
Female.....	73	88	101	122	202	299	412	559	516	283	63	-
White, both sexes.....	170	211	237	290	449	672	866	975	778	367	72	-
Male.....	104	134	143	176	259	386	460	425	262	86	10	-
Female.....	66	77	94	114	190	286	406	550	516	281	62	-
Black, both sexes.....	-	1	-	1	2	2	-	-	-	-	-	-
Male.....	-	1	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	20	19	23	20	19	19	14	1	3	1	-
Male.....	11	9	12	15	9	10	13	5	1	1	-	-
Female.....	7	11	7	8	11	9	6	9	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
Ohio												
All races, both sexes.....	4,464	5,412	6,357	7,788	10,221	14,641	17,816	16,220	10,358	3,894	748	-
Male.....	2,819	3,316	3,674	4,431	5,521	7,443	8,159	6,327	3,114	823	110	-
Female.....	1,645	2,096	2,683	3,357	4,700	7,198	9,657	9,893	7,244	3,071	638	-
White, both sexes.....	3,633	4,506	5,450	6,727	9,004	13,129	16,366	15,081	9,703	3,630	657	-
Male.....	2,327	2,791	3,168	3,842	4,900	6,728	7,497	5,889	2,920	770	97	-
Female.....	1,306	1,715	2,282	2,885	4,104	6,401	8,869	9,192	6,783	2,860	560	-
Black, both sexes.....	810	886	878	1,021	1,189	1,472	1,398	1,113	637	262	90	-
Male.....	476	516	491	569	610	700	641	426	186	53	13	-
Female.....	334	370	387	452	579	772	757	687	451	209	77	-
American Indian 1/, both sexes.....	6	5	4	4	2	11	4	3	3	-	-	-
Male.....	4	3	3	1	-	4	3	-	1	-	-	-
Female.....	2	2	1	3	2	7	1	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	15	25	36	26	29	48	23	15	2	1	-
Male.....	12	6	12	19	11	11	18	12	7	-	-	-
Female.....	3	9	13	17	15	18	30	11	8	2	1	-
Oklahoma												
All races, both sexes.....	1,580	2,061	2,421	2,774	3,578	4,567	5,422	4,783	3,258	1,209	262	3
Male.....	991	1,250	1,416	1,584	1,966	2,297	2,502	1,890	963	285	36	1
Female.....	589	811	1,005	1,190	1,612	2,270	2,920	2,893	2,295	924	226	2
White, both sexes.....	1,273	1,686	2,062	2,394	3,156	4,102	4,945	4,412	3,005	1,107	224	2
Male.....	803	1,018	1,203	1,378	1,739	2,083	2,284	1,748	888	254	31	1
Female.....	470	668	859	1,016	1,417	2,019	2,661	2,664	2,117	853	193	1
Black, both sexes.....	147	194	172	175	188	217	236	209	137	62	23	-
Male.....	83	111	102	99	100	106	105	77	43	18	2	-
Female.....	64	83	70	76	88	111	131	132	94	44	21	-
American Indian 1/, both sexes.....	151	174	174	189	218	225	231	154	109	40	14	1
Male.....	99	119	102	99	122	96	109	63	32	13	3	-
Female.....	52	55	72	90	96	129	122	91	77	27	11	1
Asian or Pacific Islander 2/, both sexes.....	9	7	13	16	16	23	10	8	7	-	1	-
Male.....	6	2	9	8	5	12	4	2	-	-	-	-
Female.....	3	5	4	8	11	11	6	6	7	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Oregon

All races, both sexes.....	1,284	1,577	1,786	2,078	2,740	3,765	4,920	4,980	3,438	1,314	233	2
Male.....	834	985	1,063	1,152	1,462	1,952	2,311	2,090	1,131	344	43	2
Female.....	450	592	723	926	1,278	1,813	2,609	2,890	2,307	970	190	-
White, both sexes.....	1,201	1,502	1,683	1,996	2,651	3,648	4,810	4,870	3,386	1,296	229	1
Male.....	791	936	1,005	1,114	1,408	1,899	2,256	2,045	1,117	337	41	1
Female.....	410	566	678	882	1,243	1,749	2,554	2,825	2,269	959	188	-
Black, both sexes.....	35	31	33	32	30	35	44	38	22	7	1	1
Male.....	16	23	21	16	20	17	27	12	7	2	1	1
Female.....	19	8	12	16	10	18	17	26	15	5	-	-
American Indian 1/, both sexes.....	27	21	32	25	24	27	22	18	7	2	1	-
Male.....	10	9	17	14	14	13	11	8	2	1	1	-
Female.....	17	12	15	11	10	14	11	10	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	21	23	38	25	35	55	44	54	23	9	2	-
Male.....	17	17	20	8	20	23	17	25	5	4	-	-
Female.....	4	6	18	17	15	32	27	29	18	5	2	-

Pennsylvania

All races, both sexes.....	4,546	5,768	6,773	8,184	11,709	17,302	22,324	21,275	13,938	5,078	991	14
Male.....	2,847	3,569	3,956	4,636	6,429	8,863	10,246	8,202	4,194	1,074	139	8
Female.....	1,699	2,199	2,817	3,548	5,280	8,439	12,078	13,073	9,744	4,004	852	6
White, both sexes.....	3,667	4,812	5,843	7,152	10,469	15,865	20,775	20,209	13,279	4,809	907	8
Male.....	2,291	2,975	3,427	4,094	5,771	8,183	9,567	7,850	4,029	1,019	134	5
Female.....	1,376	1,837	2,416	3,058	4,698	7,682	11,208	12,359	9,250	3,790	773	3
Black, both sexes.....	834	919	884	968	1,173	1,367	1,475	1,022	625	254	80	6
Male.....	525	573	502	504	617	645	643	337	152	52	2	3
Female.....	309	346	382	464	556	722	832	685	473	202	78	3
American Indian 1/, both sexes.....	5	6	4	5	10	5	8	5	1	1	-	-
Male.....	4	2	2	3	7	3	4	2	-	-	-	-
Female.....	1	4	2	2	3	2	4	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	40	31	42	59	57	65	66	39	33	14	4	-
Male.....	27	19	25	35	34	32	32	13	13	3	3	-
Female.....	13	12	17	24	23	33	34	26	20	11	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

Rhode Island

All races, both sexes.....	338	420	494	553	837	1,253	1,707	1,750	1,276	505	92	1
Male.....	218	271	281	307	451	621	808	687	359	96	13	1
Female.....	120	149	213	246	386	632	899	1,063	917	409	79	-
White, both sexes.....	306	390	460	517	789	1,200	1,661	1,711	1,254	497	88	1
Male.....	197	247	260	287	429	590	784	672	353	93	9	1
Female.....	109	143	200	230	360	610	877	1,039	901	404	79	-
Black, both sexes.....	22	24	28	30	41	41	35	28	17	4	1	-
Male.....	15	20	20	18	19	22	17	12	5	2	1	-
Female.....	7	4	8	12	22	19	18	16	12	2	-	-
American Indian 1/, both sexes.....	2	2	2	3	2	3	3	6	2	-	1	-
Male.....	-	2	-	-	-	2	1	1	-	-	1	-
Female.....	2	-	2	3	2	1	2	5	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	4	4	3	5	9	8	5	3	4	2	-
Male.....	6	2	1	2	3	7	6	2	1	1	2	-
Female.....	2	2	3	1	2	2	2	3	2	3	-	-

South Carolina

All races, both sexes.....	1,975	2,477	2,723	3,194	3,816	4,825	5,587	4,667	2,923	1,046	220	12
Male.....	1,237	1,518	1,634	1,866	2,117	2,456	2,479	1,833	820	203	31	8
Female.....	738	959	1,089	1,328	1,699	2,369	3,108	2,834	2,103	843	189	4
White, both sexes.....	1,201	1,555	1,850	2,238	2,828	3,688	4,365	3,723	2,313	829	154	7
Male.....	747	958	1,129	1,335	1,595	1,912	1,975	1,497	652	156	20	5
Female.....	454	597	721	903	1,233	1,776	2,390	2,226	1,661	673	134	2
Black, both sexes.....	764	910	860	939	976	1,121	1,206	936	607	213	65	5
Male.....	482	550	499	522	516	539	499	332	168	46	11	3
Female.....	282	360	361	417	460	582	707	604	439	167	54	2
American Indian 1/, both sexes.....	4	7	6	6	3	1	2	2	2	1	1	-
Male.....	3	6	3	3	2	1	2	1	-	-	-	-
Female.....	1	1	3	3	1	-	-	1	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	6	5	7	11	9	15	14	6	1	3	-	-
Male.....	5	4	3	6	4	4	3	3	-	1	-	-
Female.....	1	1	4	5	5	11	11	3	1	2	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All causes

South Dakota

All races, both sexes.....	251	309	393	393	589	852	1,176	1,134	794	399	106	-
Male.....	167	200	238	233	336	474	595	503	265	84	18	-
Female.....	84	109	155	160	253	378	581	631	529	315	88	-
White, both sexes.....	211	261	347	338	547	810	1,144	1,113	781	392	105	-
Male.....	141	170	208	204	315	456	580	498	260	82	18	-
Female.....	70	91	139	134	232	354	564	615	521	310	87	-
Black, both sexes.....	1	-	2	1	1	3	-	1	1	2	-	-
Male.....	-	-	2	1	1	2	-	-	1	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	2	-	-
American Indian 1/, both sexes.....	38	47	44	53	41	37	30	20	12	5	1	-
Male.....	25	29	28	27	20	16	15	5	4	2	-	-
Female.....	13	18	16	26	21	21	15	15	8	3	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	2	2	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	-	-	-	-

Tennessee

All races, both sexes.....	2,767	3,539	3,835	4,643	5,684	7,058	8,268	7,247	4,629	1,741	348	1
Male.....	1,758	2,195	2,299	2,709	3,110	3,619	3,698	2,623	1,312	372	47	1
Female.....	1,009	1,344	1,536	1,934	2,574	3,439	4,570	4,624	3,317	1,369	301	-
White, both sexes.....	2,110	2,828	3,153	3,954	4,884	6,175	7,395	6,502	4,136	1,532	286	1
Male.....	1,358	1,758	1,885	2,355	2,687	3,193	3,336	2,358	1,174	321	35	1
Female.....	752	1,070	1,268	1,599	2,197	2,982	4,059	4,144	2,962	1,211	251	-
Black, both sexes.....	640	688	652	666	765	862	856	733	481	209	62	-
Male.....	391	421	391	344	405	414	358	260	133	51	12	-
Female.....	249	267	261	322	360	448	498	473	348	158	50	-
American Indian 1/, both sexes.....	4	9	7	7	6	4	3	3	2	-	-	-
Male.....	1	8	7	5	2	3	1	2	1	-	-	-
Female.....	3	1	-	2	4	1	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	14	23	16	29	17	14	9	10	-	-	-
Male.....	8	8	16	5	16	9	3	3	4	-	-	-
Female.....	5	6	7	11	13	8	11	6	6	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Texas</b>												
All races, both sexes.....	7,511	8,951	10,364	11,582	15,071	19,334	22,598	19,298	13,285	5,057	1,067	35
Male.....	4,707	5,496	6,143	6,685	8,473	9,983	10,401	7,534	4,111	1,145	151	32
Female.....	2,804	3,455	4,221	4,897	6,598	9,351	12,197	11,764	9,174	3,912	916	3
White, both sexes.....	5,927	7,292	8,684	9,802	13,089	17,096	20,435	17,655	12,132	4,576	928	35
Male.....	3,787	4,518	5,203	5,733	7,401	8,899	9,454	6,950	3,760	1,040	129	32
Female.....	2,140	2,774	3,481	4,069	5,688	8,197	10,981	10,705	8,372	3,536	799	3
Black, both sexes.....	1,470	1,537	1,536	1,603	1,809	2,022	1,963	1,478	1,072	449	130	-
Male.....	848	902	865	863	980	966	867	518	322	93	20	-
Female.....	622	635	671	740	829	1,056	1,096	960	750	356	110	-
American Indian 1/, both sexes.....	15	9	15	15	7	16	21	10	8	-	2	-
Male.....	11	6	11	8	1	10	7	5	4	-	-	-
Female.....	4	3	4	7	6	6	14	5	4	-	2	-
Asian or Pacific Islander 2/, both sexes.....	99	113	129	162	166	200	179	155	73	32	7	-
Male.....	61	70	64	81	91	108	73	61	25	12	2	-
Female.....	38	43	65	81	75	92	106	94	48	20	5	-
<b>Utah</b>												
All races, both sexes.....	513	582	731	846	1,121	1,627	2,111	2,059	1,330	454	51	2
Male.....	306	347	417	506	613	825	979	864	465	137	10	2
Female.....	207	235	314	340	508	802	1,132	1,195	865	317	41	-
White, both sexes.....	494	552	700	817	1,082	1,571	2,060	2,024	1,307	446	51	2
Male.....	294	326	398	486	594	799	951	850	455	135	10	2
Female.....	200	226	302	331	488	772	1,109	1,174	852	311	41	-
Black, both sexes.....	9	9	8	11	5	6	14	6	2	4	-	-
Male.....	8	6	6	8	2	4	5	1	1	1	-	-
Female.....	1	3	2	3	3	2	9	5	1	3	-	-
American Indian 1/, both sexes.....	4	9	8	5	12	13	13	5	4	2	-	-
Male.....	1	8	3	4	7	7	10	3	4	1	-	-
Female.....	3	1	5	1	5	6	3	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	12	15	13	22	37	24	24	17	2	-	-
Male.....	3	7	10	8	10	15	13	10	5	-	-	-
Female.....	3	5	5	5	12	22	11	14	12	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Vermont</b>												
All races, both sexes.....	160	222	250	321	454	664	802	801	627	235	57	-
Male.....	90	128	144	188	253	363	394	335	203	52	9	-
Female.....	70	94	106	133	201	301	408	466	424	183	48	-
White, both sexes.....	159	221	249	317	450	660	799	799	626	235	57	-
Male.....	90	127	144	185	251	361	391	334	202	52	9	-
Female.....	69	94	105	132	199	299	408	465	424	183	48	-
Black, both sexes.....	-	-	1	2	3	3	1	-	-	-	-	-
Male.....	-	-	-	2	1	2	1	-	-	-	-	-
Female.....	-	-	1	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	1	-	-	1	1	-	-	-
Male.....	-	-	-	1	1	-	-	1	1	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
<b>Virginia</b>												
All races, both sexes.....	2,563	3,293	3,906	4,426	5,601	7,246	8,810	7,906	5,158	1,839	371	2
Male.....	1,574	2,003	2,243	2,530	3,073	3,718	3,872	3,093	1,509	355	51	1
Female.....	989	1,290	1,663	1,896	2,528	3,528	4,938	4,813	3,649	1,484	320	1
White, both sexes.....	1,739	2,332	2,918	3,355	4,293	5,882	7,321	6,708	4,339	1,547	288	1
Male.....	1,070	1,408	1,696	1,912	2,397	3,045	3,216	2,656	1,277	306	36	-
Female.....	669	924	1,222	1,443	1,896	2,837	4,105	4,052	3,062	1,241	252	1
Black, both sexes.....	779	896	914	992	1,203	1,257	1,380	1,114	775	282	81	1
Male.....	478	563	509	575	615	622	609	410	218	48	14	1
Female.....	301	333	405	417	588	635	771	704	557	234	67	-
American Indian 1/, both sexes.....	2	3	6	7	5	3	7	5	2	-	-	-
Male.....	2	2	4	3	2	-	3	1	-	-	-	-
Female.....	-	1	2	4	3	3	4	4	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	62	68	72	100	104	102	79	42	10	2	-
Male.....	24	30	34	40	59	51	44	26	13	1	1	-
Female.....	19	32	34	32	41	53	58	53	29	9	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
Washington												
All races, both sexes.....	1,981	2,347	2,755	3,141	4,032	5,725	7,345	6,967	4,840	1,823	398	-
Male.....	1,246	1,430	1,641	1,767	2,218	2,980	3,480	2,930	1,620	444	76	-
Female.....	735	917	1,114	1,374	1,814	2,745	3,865	4,037	3,220	1,379	322	-
White, both sexes.....	1,743	2,103	2,511	2,878	3,742	5,356	6,973	6,668	4,664	1,775	383	-
Male.....	1,101	1,275	1,507	1,626	2,048	2,802	3,317	2,799	1,557	428	71	-
Female.....	642	828	1,004	1,252	1,694	2,554	3,656	3,869	3,107	1,347	312	-
Black, both sexes.....	118	111	89	89	101	134	120	94	41	11	5	-
Male.....	72	76	48	52	59	71	54	41	11	1	-	-
Female.....	46	35	41	37	42	63	66	53	30	10	5	-
American Indian 1/, both sexes.....	44	62	64	41	55	56	48	39	21	3	4	-
Male.....	25	40	38	22	32	30	14	13	4	-	1	-
Female.....	19	22	26	19	23	26	34	26	17	3	3	-
Asian or Pacific Islander 2/, both sexes.....	76	71	91	133	134	179	204	166	114	34	6	-
Male.....	48	39	48	67	79	77	95	77	48	15	4	-
Female.....	28	32	43	66	55	102	109	89	66	19	2	-
West Virginia												
All races, both sexes.....	832	1,176	1,284	1,610	2,177	2,849	3,337	2,769	1,787	655	145	-
Male.....	502	728	751	949	1,154	1,469	1,494	1,081	530	161	35	-
Female.....	330	448	533	661	1,023	1,380	1,843	1,688	1,257	494	110	-
White, both sexes.....	792	1,136	1,240	1,563	2,123	2,764	3,260	2,698	1,725	631	139	-
Male.....	480	703	723	926	1,126	1,428	1,467	1,056	516	156	34	-
Female.....	312	433	517	637	997	1,336	1,793	1,642	1,209	475	105	-
Black, both sexes.....	39	39	43	45	52	83	77	68	62	24	6	-
Male.....	22	25	27	23	27	41	27	24	14	5	1	-
Female.....	17	14	16	22	25	42	50	44	48	19	5	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
<b>All causes</b>												
<b>Wisconsin</b>												
All races, both sexes.....	1,623	2,093	2,438	2,918	3,960	5,857	7,369	7,764	5,507	2,246	441	-
Male.....	1,030	1,304	1,439	1,696	2,237	3,214	3,480	3,128	1,752	493	65	-
Female.....	593	789	999	1,222	1,723	2,643	3,889	4,636	3,755	1,753	376	-
White, both sexes.....	1,400	1,868	2,210	2,725	3,750	5,597	7,157	7,605	5,393	2,216	428	-
Male.....	907	1,149	1,311	1,588	2,116	3,083	3,388	3,062	1,724	486	64	-
Female.....	493	719	899	1,137	1,634	2,514	3,769	4,543	3,669	1,730	364	-
Black, both sexes.....	179	186	174	140	160	207	149	116	86	23	12	-
Male.....	94	127	96	86	89	106	65	42	22	6	1	-
Female.....	85	59	78	54	71	101	84	74	64	17	11	-
American Indian 1/, both sexes.....	33	22	39	39	28	34	33	21	14	3	-	-
Male.....	23	18	25	16	20	12	9	2	2	-	-	-
Female.....	10	4	14	23	8	14	21	12	12	3	-	-
Asian or Pacific Islander 2/, both sexes.....	11	17	15	14	22	19	30	22	14	4	1	-
Male.....	6	10	7	6	12	5	15	15	4	1	-	-
Female.....	5	7	8	8	10	14	15	7	10	3	1	-
<b>Wyoming</b>												
All races, both sexes.....	179	253	255	306	367	526	632	521	344	151	38	1
Male.....	102	148	158	190	196	294	310	217	137	35	4	-
Female.....	77	105	97	116	171	232	322	304	207	116	34	1
White, both sexes.....	173	241	251	302	357	520	623	514	342	151	38	1
Male.....	98	146	156	188	192	290	307	214	136	35	4	-
Female.....	75	95	95	114	165	230	316	300	206	116	34	1
Black, both sexes.....	2	4	-	-	3	1	1	4	1	-	-	-
Male.....	2	1	-	-	1	-	1	2	-	-	-	-
Female.....	-	3	-	-	2	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	4	7	3	4	6	5	6	2	-	-	-	-
Male.....	2	1	2	2	3	4	2	1	-	-	-	-
Female.....	2	6	1	2	3	1	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	1	-	1	-	2	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

I. Certain infectious and parasitic diseases (A00-B99)

Arkansas

All races, both sexes.....	784	4	4	2	2	2	2	9	13	14	36	38
Male.....	388	1	3	-	1	2	2	6	10	8	25	21
Female.....	396	3	1	2	1	-	-	3	3	6	11	17
White, both sexes.....	620	3	2	2	2	1	2	4	9	9	17	27
Male.....	308	1	2	-	1	1	2	4	7	5	12	15
Female.....	312	2	-	2	1	-	-	-	2	4	5	12
Black, both sexes.....	161	1	2	-	-	1	-	4	4	5	19	11
Male.....	78	-	1	-	-	1	-	1	3	3	13	6
Female.....	83	1	1	-	-	-	-	3	1	2	6	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,897	48	16	9	10	24	30	54	93	225	428	529
Male.....	3,079	28	7	4	6	15	22	41	78	183	342	414
Female.....	1,818	20	9	5	4	9	8	13	15	42	86	115
White, both sexes.....	3,860	34	13	7	8	17	25	45	59	155	346	400
Male.....	2,440	21	7	3	4	9	19	35	51	131	279	313
Female.....	1,420	13	6	4	4	8	6	10	8	24	67	87
Black, both sexes.....	603	7	1	1	1	4	3	6	27	56	63	105
Male.....	399	3	-	-	1	3	2	3	21	42	49	84
Female.....	204	4	1	1	-	1	1	3	6	14	14	21
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	1	5	3	4
Male.....	30	-	-	-	-	-	-	-	1	4	2	3
Female.....	16	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	388	7	2	1	1	3	2	3	6	9	16	20
Male.....	210	4	-	1	1	3	1	3	5	6	12	14
Female.....	178	3	2	-	-	-	1	-	1	3	4	6







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

I. Certain infectious and parasitic diseases (A00-B99)

Florida

All races, both sexes.....	5,062	37	8	6	3	7	25	84	153	258	448	538
Male.....	2,861	22	6	5	-	4	11	44	71	162	310	374
Female.....	2,201	15	2	1	3	3	14	40	82	96	138	164
White, both sexes.....	3,560	16	6	2	3	3	8	25	59	116	229	275
Male.....	2,002	10	4	2	-	2	4	18	34	92	179	204
Female.....	1,558	6	2	-	3	1	4	7	25	24	50	71
Black, both sexes.....	1,451	20	2	3	-	4	16	58	94	140	215	260
Male.....	825	11	2	2	-	2	7	25	37	68	128	168
Female.....	626	9	-	1	-	2	9	33	57	72	87	92
American Indian 1/, both sexes.....	12	-	-	1	-	-	-	-	-	1	2	1
Male.....	10	-	-	1	-	-	-	-	-	1	2	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	39	1	-	-	-	-	1	1	-	1	2	2
Male.....	24	1	-	-	-	-	-	1	-	1	1	1
Female.....	15	-	-	-	-	-	1	-	-	-	1	1

Georgia

All races, both sexes.....	2,426	19	5	5	2	10	14	47	85	138	191	219
Male.....	1,311	14	5	2	1	5	10	31	55	98	122	165
Female.....	1,115	5	-	3	1	5	4	16	30	40	69	54
White, both sexes.....	1,285	10	2	2	-	2	5	11	27	46	56	79
Male.....	659	7	2	1	-	1	4	5	16	36	38	61
Female.....	626	3	-	1	-	1	1	6	11	10	18	18
Black, both sexes.....	1,119	9	2	3	2	6	9	36	58	91	133	140
Male.....	640	7	2	1	1	3	6	26	39	61	83	104
Female.....	479	2	-	2	1	3	3	10	19	30	50	36
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	-	1	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	-	-	1	-	-	-	-	2	-
Male.....	9	-	1	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	1	-	-	-	-	1	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

I. Certain infectious and parasitic diseases (A00-B99)

Massachusetts

All races, both sexes.....	1,598	5	2	-	1	-	4	6	11	32	69	98
Male.....	786	3	2	-	-	-	3	2	6	20	42	68
Female.....	812	2	-	-	1	-	1	4	5	12	27	30
White, both sexes.....	1,442	3	2	-	1	-	3	6	6	23	50	83
Male.....	698	1	2	-	-	-	2	2	4	13	33	59
Female.....	744	2	-	-	1	-	1	4	2	10	17	24
Black, both sexes.....	140	2	-	-	-	-	1	-	4	8	19	13
Male.....	78	2	-	-	-	-	1	-	2	6	9	7
Female.....	62	-	-	-	-	-	-	-	2	2	10	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	1	1	-	2
Male.....	9	-	-	-	-	-	-	-	-	1	-	2
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	1,777	15	11	1	5	6	9	7	21	36	71	122
Male.....	892	10	2	1	4	3	5	5	14	29	47	76
Female.....	885	5	9	-	1	3	4	2	7	7	24	46
White, both sexes.....	1,299	9	7	1	4	5	7	2	5	21	35	64
Male.....	624	7	1	1	4	3	3	2	3	18	22	39
Female.....	675	2	6	-	-	2	4	-	2	3	13	25
Black, both sexes.....	445	6	4	-	-	1	2	5	16	14	34	54
Male.....	251	3	1	-	-	-	2	3	11	10	23	33
Female.....	194	3	3	-	-	1	-	2	5	4	11	21
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	2
Male.....	8	-	-	-	-	-	-	-	-	1	1	2
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	1	-	-	-	-	-	1	2
Male.....	9	-	-	-	-	-	-	-	-	-	1	2
Female.....	7	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

I. Certain infectious and parasitic diseases (A00-B99)

Nebraska

All races, both sexes.....	231	-	-	1	1	1	1	1	5	11	11	15
Male.....	116	-	-	-	-	-	1	1	3	8	6	8
Female.....	115	-	-	1	1	1	-	-	2	3	5	7
White, both sexes.....	207	-	-	1	1	1	1	1	2	9	8	11
Male.....	104	-	-	-	-	-	1	1	1	6	3	7
Female.....	103	-	-	1	1	1	-	-	1	3	5	4
Black, both sexes.....	21	-	-	-	-	-	-	-	3	2	2	4
Male.....	11	-	-	-	-	-	-	-	2	2	2	1
Female.....	10	-	-	-	-	-	-	-	1	-	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	645	9	2	1	1	1	2	3	13	31	32	53
Male.....	379	7	1	-	-	-	1	3	7	20	23	35
Female.....	266	2	1	1	1	1	1	-	6	11	9	18
White, both sexes.....	534	8	1	1	1	1	2	1	9	17	23	42
Male.....	319	6	1	-	-	-	1	1	5	12	17	30
Female.....	215	2	-	1	1	1	1	-	4	5	6	12
Black, both sexes.....	81	1	1	-	-	-	-	2	3	10	8	9
Male.....	43	1	-	-	-	-	-	2	1	6	5	4
Female.....	38	-	1	-	-	-	-	-	2	4	3	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	1	4	1	1
Male.....	15	-	-	-	-	-	-	-	1	2	1	-
Female.....	10	-	-	-	-	-	-	-	-	2	-	1



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

I. Certain infectious and parasitic diseases (A00-B99)

New Mexico

All races, both sexes.....	322	5	1	-	1	1	1	2	4	13	21	15
Male.....	199	3	1	-	1	-	-	1	3	12	15	15
Female.....	123	2	-	-	-	1	1	1	1	1	6	-
White, both sexes.....	291	1	1	-	1	1	1	1	3	12	19	14
Male.....	179	-	1	-	1	-	-	-	3	11	13	14
Female.....	112	1	-	-	-	1	1	1	-	1	6	-
Black, both sexes.....	7	1	-	-	-	-	-	-	-	-	-	-
Male.....	4	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	3	-	-	-	-	-	1	1	1	1	1
Male.....	14	2	-	-	-	-	-	1	-	1	1	1
Female.....	7	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5,126	26	9	6	10	15	31	34	107	210	363	497
Male.....	2,750	16	5	-	3	10	16	21	67	117	235	332
Female.....	2,376	10	4	6	7	5	15	13	40	93	128	165
White, both sexes.....	3,572	17	6	4	6	4	12	13	41	89	191	277
Male.....	1,876	11	2	-	1	3	10	7	28	52	137	209
Female.....	1,696	6	4	4	5	1	2	6	13	37	54	68
Black, both sexes.....	1,454	9	3	2	4	11	18	20	63	118	167	212
Male.....	818	5	3	-	2	7	6	13	37	63	94	118
Female.....	636	4	-	2	2	4	12	7	26	55	73	94
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	94	-	-	-	-	-	1	1	3	2	4	8
Male.....	55	-	-	-	-	-	-	1	2	2	4	5
Female.....	39	-	-	-	-	-	1	-	1	-	-	3





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

United States

All races, both sexes.....	5,608	4,677	3,869	4,154	5,274	6,917	8,347	7,141	4,319	1,515	253	4
Male.....	3,845	3,059	2,264	2,245	2,685	3,281	3,637	2,744	1,330	341	46	3
Female.....	1,763	1,618	1,605	1,909	2,589	3,636	4,710	4,397	2,989	1,174	207	1
White, both sexes.....	3,628	3,173	2,760	3,148	4,189	5,737	7,165	6,242	3,789	1,301	195	1
Male.....	2,522	2,053	1,618	1,689	2,134	2,757	3,131	2,395	1,165	293	37	-
Female.....	1,106	1,120	1,142	1,459	2,055	2,980	4,034	3,847	2,624	1,008	158	1
Black, both sexes.....	1,848	1,372	993	870	905	969	1,009	754	469	191	55	3
Male.....	1,235	924	585	494	461	427	414	282	128	40	8	3
Female.....	613	448	408	376	444	542	595	472	341	151	47	-
American Indian 1/, both sexes.....	61	47	41	42	31	34	31	24	8	6	-	-
Male.....	38	32	17	22	15	12	9	14	5	1	-	-
Female.....	23	15	24	20	16	22	22	10	3	5	-	-
Asian or Pacific Islander 2/, both sexes.....	71	85	75	94	149	177	142	121	53	17	3	-
Male.....	50	50	44	40	75	85	83	53	32	7	1	-
Female.....	21	35	31	54	74	92	59	68	21	10	2	-

Alabama

All races, both sexes.....	102	90	84	93	113	152	166	136	75	32	7	-
Male.....	67	58	46	47	53	73	69	42	24	6	2	-
Female.....	35	32	38	46	60	79	97	94	51	26	5	-
White, both sexes.....	62	54	59	66	77	121	130	124	47	22	3	-
Male.....	41	31	34	37	34	57	59	39	19	2	1	-
Female.....	21	23	25	29	43	64	71	85	28	20	2	-
Black, both sexes.....	39	34	25	26	35	31	36	12	27	10	4	-
Male.....	25	26	12	9	19	16	10	3	5	4	1	-
Female.....	14	8	13	17	16	15	26	9	22	6	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	1	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

Alaska

All races, both sexes.....	9	11	8	5	5	3	5	5	-	-	-	-
Male.....	9	7	6	4	4	2	2	4	-	-	-	-
Female.....	-	4	2	1	1	1	3	1	-	-	-	-
White, both sexes.....	7	5	6	3	2	1	4	1	-	-	-	-
Male.....	7	3	5	3	1	1	2	-	-	-	-	-
Female.....	-	2	1	-	1	-	2	1	-	-	-	-
Black, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	4	2	2	2	2	1	3	-	-	-	-
Male.....	2	2	1	1	2	1	-	3	-	-	-	-
Female.....	-	2	1	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	111	86	77	86	89	121	111	93	54	18	1	-
Male.....	77	58	54	50	56	59	48	42	15	3	1	-
Female.....	34	28	23	36	33	62	63	51	39	15	-	-
White, both sexes.....	91	76	66	78	84	110	105	89	52	16	-	-
Male.....	66	53	48	47	53	54	47	41	14	3	-	-
Female.....	25	23	18	31	31	56	58	48	38	13	-	-
Black, both sexes.....	11	3	5	1	4	4	3	2	-	1	1	-
Male.....	6	2	3	1	2	1	1	-	-	-	1	-
Female.....	5	1	2	-	2	3	2	2	-	1	-	-
American Indian 1/, both sexes.....	8	6	6	4	-	4	3	1	2	1	-	-
Male.....	5	3	3	2	-	3	-	1	1	-	-	-
Female.....	3	3	3	2	-	1	3	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	3	1	3	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	-	3	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Arkansas

All races, both sexes.....	67	49	43	59	60	81	115	88	64	29	3	-
Male.....	46	30	24	32	31	43	48	29	20	5	1	-
Female.....	21	19	19	27	29	38	67	59	44	24	2	-
White, both sexes.....	55	36	32	52	48	72	99	74	52	21	1	-
Male.....	37	23	19	29	25	40	43	24	15	2	1	-
Female.....	18	13	13	23	23	32	56	50	37	19	-	-
Black, both sexes.....	12	13	11	7	11	9	16	14	11	8	2	-
Male.....	9	7	5	3	6	3	5	5	4	3	-	-
Female.....	3	6	6	4	5	6	11	9	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	597	452	326	305	323	386	463	342	159	65	13	-
Male.....	438	327	203	181	168	186	218	141	53	21	3	-
Female.....	159	125	123	124	155	200	245	201	106	44	10	-
White, both sexes.....	483	346	243	235	247	306	389	288	147	55	12	-
Male.....	357	252	152	144	132	155	185	119	50	19	3	-
Female.....	126	94	91	91	115	151	204	169	97	36	9	-
Black, both sexes.....	80	69	52	35	28	20	20	15	4	5	1	-
Male.....	57	47	32	24	15	7	4	5	-	-	-	-
Female.....	23	22	20	11	13	13	16	10	4	5	1	-
American Indian 1/, both sexes.....	11	8	5	2	2	2	1	1	-	1	-	-
Male.....	7	6	3	1	1	-	1	1	-	-	-	-
Female.....	4	2	2	1	1	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	23	29	26	33	46	58	53	38	8	4	-	-
Male.....	17	22	16	12	20	24	28	16	3	2	-	-
Female.....	6	7	10	21	26	34	25	22	5	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

Colorado

All races, both sexes.....	55	57	35	42	36	70	64	62	39	12	-	-
Male.....	39	36	19	14	14	30	32	22	15	3	-	-
Female.....	16	21	16	28	22	40	32	40	24	9	-	-
White, both sexes.....	51	48	33	38	31	63	63	61	37	12	-	-
Male.....	36	31	18	14	11	29	31	21	13	3	-	-
Female.....	15	17	15	24	20	34	32	40	24	9	-	-
Black, both sexes.....	3	8	1	3	4	3	1	1	2	-	-	-
Male.....	3	5	1	-	2	1	1	1	2	-	-	-
Female.....	-	3	-	3	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	3	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	3	-	-	-	-	-	-

Connecticut

All races, both sexes.....	58	52	51	54	79	123	141	140	90	44	4	-
Male.....	36	35	28	21	40	68	63	57	26	9	-	-
Female.....	22	17	23	33	39	55	78	83	64	35	4	-
White, both sexes.....	40	35	41	44	70	115	126	136	88	43	4	-
Male.....	25	22	23	14	34	62	60	55	26	9	-	-
Female.....	15	13	18	30	36	53	66	81	62	34	4	-
Black, both sexes.....	18	17	9	9	7	6	11	3	2	1	-	-
Male.....	11	13	5	7	5	4	3	2	-	-	-	-
Female.....	7	4	4	2	2	2	8	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	2	2	1	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Florida

All races, both sexes.....	477	370	275	251	336	441	551	458	266	60	10	-
Male.....	329	246	177	142	197	209	258	191	91	10	2	-
Female.....	148	124	98	109	139	232	293	267	175	50	8	-
White, both sexes.....	286	251	201	191	283	370	504	422	244	58	8	-
Male.....	201	164	123	103	170	178	237	182	83	10	2	-
Female.....	85	87	78	88	113	192	267	240	161	48	6	-
Black, both sexes.....	186	115	72	58	48	59	43	33	22	1	2	-
Male.....	124	78	52	38	25	24	18	8	8	-	-	-
Female.....	62	37	20	20	23	35	25	25	14	1	2	-
American Indian 1/, both sexes.....	3	1	-	1	-	1	-	1	-	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	1	5	11	4	2	-	1	-	-
Male.....	1	3	2	-	2	7	3	1	-	-	-	-
Female.....	1	-	-	1	3	4	1	1	-	1	-	-

Georgia

All races, both sexes.....	213	184	178	159	170	202	238	200	101	39	7	-
Male.....	144	119	105	79	81	82	96	67	19	10	1	-
Female.....	69	65	73	80	89	120	142	133	82	29	6	-
White, both sexes.....	84	103	96	100	117	134	171	145	66	25	4	-
Male.....	56	69	61	48	57	61	71	43	13	8	1	-
Female.....	28	34	35	52	60	73	100	102	53	17	3	-
Black, both sexes.....	127	80	78	57	53	66	66	53	34	13	3	-
Male.....	86	50	42	30	24	21	25	22	5	2	-	-
Female.....	41	30	36	27	29	45	41	31	29	11	3	-
American Indian 1/, both sexes.....	-	-	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	1	-	1	-	2	1	1	-	-
Male.....	2	-	1	1	-	-	-	2	1	-	-	-
Female.....	-	1	2	-	-	1	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Maine

All races, both sexes.....	15	10	14	23	28	39	58	46	35	15	-	-
Male.....	10	6	8	12	12	19	18	17	12	1	-	-
Female.....	5	4	6	11	16	20	40	29	23	14	-	-
White, both sexes.....	14	10	14	22	28	39	58	46	35	15	-	-
Male.....	9	6	8	12	12	19	18	17	12	1	-	-
Female.....	5	4	6	10	16	20	40	29	23	14	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	185	164	121	94	145	206	271	197	114	35	6	1
Male.....	116	109	66	52	77	90	114	79	36	9	1	1
Female.....	69	55	55	42	68	116	157	118	78	26	5	-
White, both sexes.....	67	57	49	50	87	142	201	145	90	28	3	-
Male.....	49	40	26	29	46	65	84	53	25	8	-	-
Female.....	18	17	23	21	41	77	117	92	65	20	3	-
Black, both sexes.....	116	107	70	40	52	57	64	49	21	7	3	1
Male.....	66	69	38	21	28	24	26	24	9	1	1	1
Female.....	50	38	32	19	24	33	38	25	12	6	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	4	6	6	6	3	3	-	-	-
Male.....	-	-	2	2	3	1	4	2	2	-	-	-
Female.....	1	-	-	2	3	5	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Massachusetts

All races, both sexes.....	107	87	83	85	135	187	243	220	152	54	17	-
Male.....	78	56	47	40	66	96	110	85	47	12	3	-
Female.....	29	31	36	45	69	91	133	135	105	42	14	-
White, both sexes.....	83	72	73	77	123	175	236	210	148	53	15	-
Male.....	60	48	42	36	57	88	109	81	46	12	3	-
Female.....	23	24	31	41	66	87	127	129	102	41	12	-
Black, both sexes.....	23	14	8	7	9	11	6	8	4	1	2	-
Male.....	17	8	4	4	7	7	1	2	1	-	-	-
Female.....	6	6	4	3	2	4	5	6	3	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	1	1	2	-	-	-	-
Male.....	1	-	1	-	1	1	-	2	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	160	124	105	115	133	184	230	227	142	42	11	-
Male.....	112	72	53	66	61	82	103	83	49	13	2	-
Female.....	48	52	52	49	72	102	127	144	93	29	9	-
White, both sexes.....	88	81	78	91	98	144	200	188	126	36	9	-
Male.....	62	44	41	52	43	64	92	68	41	12	2	-
Female.....	26	37	37	39	55	80	108	120	85	24	7	-
Black, both sexes.....	69	42	25	20	30	37	27	36	15	6	2	-
Male.....	49	27	12	13	16	17	9	14	7	1	-	-
Female.....	20	15	13	7	14	20	18	22	8	5	2	-
American Indian 1/, both sexes.....	3	-	2	3	1	1	2	1	-	-	-	-
Male.....	1	-	-	1	-	-	1	1	-	-	-	-
Female.....	2	-	2	2	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	4	2	1	2	1	-	-	-
Male.....	-	1	-	-	2	1	1	-	1	-	-	-
Female.....	-	-	-	1	2	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Minnesota

All races, both sexes.....	36	36	29	25	44	50	91	73	44	26	1	-
Male.....	27	20	18	14	18	22	47	35	15	6	-	-
Female.....	9	16	11	11	26	28	44	38	29	20	1	-
White, both sexes.....	28	26	23	23	36	49	87	72	44	26	1	-
Male.....	22	15	15	13	14	21	46	35	15	6	-	-
Female.....	6	11	8	10	22	28	41	37	29	20	1	-
Black, both sexes.....	6	6	4	-	2	-	2	1	-	-	-	-
Male.....	4	3	2	-	1	-	-	-	-	-	-	-
Female.....	2	3	2	-	1	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	2	1	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	1	1	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	5	-	1	-	-	-	-	-
Male.....	1	1	1	-	3	-	-	-	-	-	-	-
Female.....	-	1	1	-	2	-	1	-	-	-	-	-

Mississippi

All races, both sexes.....	68	45	62	66	81	111	98	84	49	18	3	-
Male.....	42	35	35	35	34	52	40	33	11	3	-	-
Female.....	26	10	27	31	47	59	58	51	38	15	3	-
White, both sexes.....	32	21	37	36	52	83	61	55	35	10	-	-
Male.....	22	17	17	18	22	41	25	20	9	2	-	-
Female.....	10	4	20	18	30	42	36	35	26	8	-	-
Black, both sexes.....	35	23	24	30	27	28	37	28	14	7	3	-
Male.....	20	18	17	17	10	11	15	12	2	1	-	-
Female.....	15	5	7	13	17	17	22	16	12	6	3	-
American Indian 1/, both sexes.....	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

Nebraska

All races, both sexes.....	11	9	14	16	18	35	34	26	19	2	-	-
Male.....	6	8	8	5	12	19	18	10	3	-	-	-
Female.....	5	1	6	11	6	16	16	16	16	2	-	-
White, both sexes.....	8	8	13	13	18	34	33	26	18	1	-	-
Male.....	4	7	7	5	12	19	18	10	3	-	-	-
Female.....	4	1	6	8	6	15	15	16	15	1	-	-
Black, both sexes.....	3	1	1	1	-	1	1	-	1	1	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	50	56	51	51	65	78	76	43	20	6	-	1
Male.....	29	38	29	29	36	52	40	20	8	1	-	-
Female.....	21	18	22	22	29	26	36	23	12	5	-	1
White, both sexes.....	40	45	42	45	55	69	66	41	19	5	-	1
Male.....	22	30	25	26	32	46	38	19	7	1	-	-
Female.....	18	15	17	19	23	23	28	22	12	4	-	1
Black, both sexes.....	9	8	4	6	7	5	7	-	-	1	-	-
Male.....	6	6	3	3	2	3	1	-	-	-	-	-
Female.....	3	2	1	3	5	2	6	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	3	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	-	3	4	3	2	-	-	-	-
Male.....	1	2	1	-	2	3	1	1	-	-	-	-
Female.....	-	1	1	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

New Hampshire

All races, both sexes.....	6	12	9	14	17	34	36	35	18	4	-	-
Male.....	5	7	4	6	9	16	14	18	7	-	-	-
Female.....	1	5	5	8	8	18	22	17	11	4	-	-
White, both sexes.....	6	12	9	14	17	33	36	34	18	4	-	-
Male.....	5	7	4	6	9	16	14	17	7	-	-	-
Female.....	1	5	5	8	8	17	22	17	11	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

New Jersey

All races, both sexes.....	189	196	151	167	253	365	426	431	300	105	13	-
Male.....	132	134	90	99	126	175	181	160	87	15	1	-
Female.....	57	62	61	68	127	190	245	271	213	90	12	-
White, both sexes.....	101	127	99	108	199	294	368	368	269	89	7	-
Male.....	72	86	57	65	99	140	150	138	78	11	1	-
Female.....	29	41	42	43	100	154	218	230	191	78	6	-
Black, both sexes.....	85	66	49	55	45	62	52	57	26	14	6	-
Male.....	58	46	31	32	23	30	26	20	6	4	-	-
Female.....	27	20	18	23	22	32	26	37	20	10	6	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	1	-	1	-	-
Male.....	1	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	3	9	9	5	5	5	1	-	-
Male.....	1	2	2	1	4	5	5	1	3	-	-	-
Female.....	1	1	1	2	5	4	-	4	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

New Mexico

All races, both sexes.....	43	35	22	26	19	37	29	26	17	4	-	-
Male.....	35	27	11	13	7	19	16	9	9	2	-	-
Female.....	8	8	11	13	12	18	13	17	8	2	-	-
White, both sexes.....	41	33	19	22	16	35	28	23	16	4	-	-
Male.....	33	25	11	11	6	17	15	8	8	2	-	-
Female.....	8	8	8	11	10	18	13	15	8	2	-	-
Black, both sexes.....	1	1	1	1	1	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	3	2	1	1	1	1	-	-	-
Male.....	1	1	-	2	1	1	1	-	1	-	-	-
Female.....	-	-	2	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	537	417	285	294	313	453	563	497	318	122	19	-
Male.....	384	281	174	151	161	203	263	184	100	23	4	-
Female.....	153	136	111	143	152	250	300	313	218	99	15	-
White, both sexes.....	306	239	182	210	235	386	497	442	291	108	16	-
Male.....	226	163	112	111	114	175	239	158	94	21	3	-
Female.....	80	76	70	99	121	211	258	284	197	87	13	-
Black, both sexes.....	222	172	96	79	64	54	54	47	24	13	2	-
Male.....	152	113	59	40	38	20	18	23	5	1	1	-
Female.....	70	59	37	39	26	34	36	24	19	12	1	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	6	5	13	13	11	8	3	1	1	-
Male.....	6	4	3	-	9	8	6	3	1	1	-	-
Female.....	3	1	3	5	4	5	5	5	2	-	1	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

Oregon

All races, both sexes.....	74	51	33	25	36	51	51	40	22	11	7	-
Male.....	59	36	14	15	20	19	24	16	7	3	2	-
Female.....	15	15	19	10	16	32	27	24	15	8	5	-
White, both sexes.....	66	47	28	23	36	47	50	39	22	11	7	-
Male.....	54	33	13	15	20	18	23	16	7	3	2	-
Female.....	12	14	15	8	16	29	27	23	15	8	5	-
Black, both sexes.....	1	2	-	-	-	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	2	2	-	-	1	-	-	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	2	-	2	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	2	2	-	2	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	219	251	195	227	325	489	665	621	330	114	18	1
Male.....	139	169	115	123	168	229	281	233	89	29	2	1
Female.....	80	82	80	104	157	260	384	388	241	85	16	-
White, both sexes.....	137	170	151	185	261	429	590	572	300	107	13	-
Male.....	80	110	88	96	130	201	247	220	79	27	2	-
Female.....	57	60	63	89	131	228	343	352	221	80	11	-
Black, both sexes.....	81	79	44	39	59	56	71	48	27	7	5	1
Male.....	58	58	27	24	35	27	30	12	8	2	-	1
Female.....	23	21	17	15	24	29	41	36	19	5	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	3	5	4	4	1	3	-	-	-
Male.....	1	1	-	3	3	1	4	1	2	-	-	-
Female.....	-	1	-	-	2	3	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

South Dakota

All races, both sexes.....	5	4	5	3	8	17	19	12	14	4	1	-
Male.....	3	2	1	1	5	11	7	2	5	1	-	-
Female.....	2	2	4	2	3	6	12	10	9	3	1	-
White, both sexes.....	3	2	4	2	7	17	19	11	14	3	1	-
Male.....	3	1	1	-	5	11	7	2	5	-	-	-
Female.....	-	1	3	2	2	6	12	9	9	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	1	1	-	-	1	-	1	-	-
Male.....	-	1	-	1	-	-	-	-	-	1	-	-
Female.....	2	1	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	125	92	90	88	118	144	158	115	71	18	4	-
Male.....	94	62	52	49	66	74	71	45	24	3	2	-
Female.....	31	30	38	39	52	70	87	70	47	15	2	-
White, both sexes.....	75	60	65	66	99	119	130	99	62	14	2	-
Male.....	56	40	39	37	56	61	56	41	22	2	1	-
Female.....	19	20	26	29	43	58	74	58	40	12	1	-
Black, both sexes.....	50	30	25	22	18	24	27	16	9	4	2	-
Male.....	38	21	13	12	9	12	15	4	2	1	1	-
Female.....	12	9	12	10	9	12	12	12	7	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

Texas

All races, both sexes.....	433	364	294	338	418	481	516	396	245	92	15	-
Male.....	286	256	160	190	202	237	215	141	73	27	2	-
Female.....	147	108	134	148	216	244	301	255	172	65	13	-
White, both sexes.....	323	267	233	270	348	399	437	349	213	80	13	-
Male.....	213	186	129	151	166	197	182	121	65	22	2	-
Female.....	110	81	104	119	182	202	255	228	148	58	11	-
Black, both sexes.....	106	93	58	61	63	68	71	39	26	11	2	-
Male.....	69	68	31	35	33	36	30	16	4	4	-	-
Female.....	37	25	27	26	30	32	41	23	22	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	6	7	13	8	7	6	1	-	-
Male.....	4	2	-	3	3	4	3	4	4	1	-	-
Female.....	-	2	3	3	4	9	5	3	2	-	-	-

Utah

All races, both sexes.....	16	10	13	15	26	15	18	23	8	3	-	-
Male.....	6	6	6	10	16	7	7	11	5	-	-	-
Female.....	10	4	7	5	10	8	11	12	3	3	-	-
White, both sexes.....	15	9	13	12	24	14	18	22	8	3	-	-
Male.....	6	5	6	7	15	6	7	10	5	-	-	-
Female.....	9	4	7	5	9	8	11	12	3	3	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	1	-	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

I. Certain infectious and parasitic diseases (A00-B99)

Vermont

All races, both sexes.....	5	7	2	4	6	7	24	10	7	4	2	-
Male.....	5	2	1	4	4	3	12	4	2	-	-	-
Female.....	-	5	1	-	2	4	12	6	5	4	2	-
White, both sexes.....	5	7	2	3	6	7	24	10	7	4	2	-
Male.....	5	2	1	3	4	3	12	4	2	-	-	-
Female.....	-	5	1	-	2	4	12	6	5	4	2	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	130	119	108	103	176	200	277	249	155	49	9	-
Male.....	87	78	64	60	84	87	107	101	43	7	2	-
Female.....	43	41	44	43	92	113	170	148	112	42	7	-
White, both sexes.....	74	74	72	66	120	160	222	200	118	37	6	-
Male.....	53	43	45	36	53	68	86	80	31	7	1	-
Female.....	21	31	27	30	67	92	136	120	87	30	5	-
Black, both sexes.....	51	43	35	35	52	32	50	47	35	11	3	-
Male.....	31	33	18	22	29	16	19	20	10	-	1	-
Female.....	20	10	17	13	23	16	31	27	25	11	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	2	4	7	5	2	2	1	-	-
Male.....	2	2	1	2	2	3	2	1	2	-	-	-
Female.....	2	-	-	-	2	4	3	1	-	1	-	-











































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intestinal infectious diseases (A00-A09)												
New Mexico												
All races, both sexes.....	21	-	1	-	-	-	-	-	-	-	-	1
Male.....	8	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	20	-	1	-	-	-	-	-	-	-	-	1
Male.....	7	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	338	-	3	-	-	-	1	1	2	2	-	5
Male.....	122	-	-	-	-	-	1	-	1	2	-	5
Female.....	216	-	3	-	-	-	-	1	1	-	-	-
White, both sexes.....	315	-	3	-	-	-	1	1	1	2	-	5
Male.....	116	-	-	-	-	-	1	-	1	2	-	5
Female.....	199	-	3	-	-	-	-	1	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intestinal infectious diseases (A00-A09)

Arkansas

All races, both sexes.....	2	1	1	3	8	9	10	13	5	2	-	-
Male.....	-	1	-	2	4	4	7	5	-	-	-	-
Female.....	2	-	1	1	4	5	3	8	5	2	-	-
White, both sexes.....	2	1	1	3	8	8	9	13	5	2	-	-
Male.....	-	1	-	2	4	4	6	5	-	-	-	-
Female.....	2	-	1	1	4	4	3	8	5	2	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	14	13	30	39	69	116	115	54	19	3	-
Male.....	5	5	7	18	22	31	49	42	19	8	2	-
Female.....	2	9	6	12	17	38	67	73	35	11	1	-
White, both sexes.....	6	11	8	26	35	60	108	107	54	19	3	-
Male.....	4	4	5	18	18	26	43	41	19	8	2	-
Female.....	2	7	3	8	17	34	65	66	35	11	1	-
Black, both sexes.....	1	2	4	2	3	3	3	3	-	-	-	-
Male.....	1	-	1	-	3	2	1	-	-	-	-	-
Female.....	-	2	3	2	-	1	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	6	4	5	-	-	-	-
Male.....	-	1	1	-	1	3	4	1	-	-	-	-
Female.....	-	-	-	1	-	3	-	4	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intestinal infectious diseases (A00-A09)

New Hampshire

All races, both sexes.....	-	1	1	4	6	11	13	16	5	4	-	-
Male.....	-	-	-	1	4	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
White, both sexes.....	-	1	1	4	6	11	13	16	5	4	-	-
Male.....	-	-	-	1	4	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	5	11	27	35	60	63	45	13	2	-
Male.....	1	1	4	5	9	15	15	27	14	-	-	-
Female.....	-	2	1	6	18	20	45	36	31	13	2	-
White, both sexes.....	1	3	5	11	23	33	59	60	43	12	2	-
Male.....	1	1	4	5	8	15	15	26	13	-	-	-
Female.....	-	2	1	6	15	18	44	34	30	12	2	-
Black, both sexes.....	-	-	-	-	4	2	1	2	1	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	3	2	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intestinal infectious diseases (A00-A09)

New Mexico

All races, both sexes.....	2	-	-	2	-	4	3	6	1	1	-	-
Male.....	2	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
White, both sexes.....	1	-	-	2	-	4	3	6	1	1	-	-
Male.....	1	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	9	8	12	29	53	68	72	53	16	-	-
Male.....	3	5	6	4	9	22	29	16	18	1	-	-
Female.....	1	4	2	8	20	31	39	56	35	15	-	-
White, both sexes.....	3	9	7	11	26	47	66	67	50	16	-	-
Male.....	3	5	5	4	8	20	27	16	18	1	-	-
Female.....	-	4	2	7	18	27	39	51	32	15	-	-
Black, both sexes.....	1	-	1	1	2	6	1	4	2	-	-	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	-	-	1	2	4	-	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other intestinal infectious diseases (A01-A08)

New Mexico

All races, both sexes.....	21	-	1	-	-	-	-	-	-	-	-	1
Male.....	8	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	20	-	1	-	-	-	-	-	-	-	-	1
Male.....	7	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	334	-	3	-	-	-	1	1	2	2	-	5
Male.....	119	-	-	-	-	-	1	-	1	2	-	5
Female.....	215	-	3	-	-	-	-	1	1	-	-	-
White, both sexes.....	311	-	3	-	-	-	1	1	1	2	-	5
Male.....	113	-	-	-	-	-	1	-	1	2	-	5
Female.....	198	-	3	-	-	-	-	1	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other intestinal infectious diseases (A01-A08)

Arkansas

All races, both sexes.....	2	1	1	3	8	9	10	13	5	2	-	-
Male.....	-	1	-	2	4	4	7	5	-	-	-	-
Female.....	2	-	1	1	4	5	3	8	5	2	-	-
White, both sexes.....	2	1	1	3	8	8	9	13	5	2	-	-
Male.....	-	1	-	2	4	4	6	5	-	-	-	-
Female.....	2	-	1	1	4	4	3	8	5	2	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	13	13	28	37	68	114	112	49	18	3	-
Male.....	5	5	7	17	21	31	49	41	19	7	2	-
Female.....	2	8	6	11	16	37	65	71	30	11	1	-
White, both sexes.....	6	10	8	24	34	59	106	104	49	18	3	-
Male.....	4	4	5	17	18	26	43	40	19	7	2	-
Female.....	2	6	3	7	16	33	63	64	30	11	1	-
Black, both sexes.....	1	2	4	2	2	3	3	3	-	-	-	-
Male.....	1	-	1	-	2	2	1	-	-	-	-	-
Female.....	-	2	3	2	-	1	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	6	4	5	-	-	-	-
Male.....	-	1	1	-	1	3	4	1	-	-	-	-
Female.....	-	-	-	1	-	3	-	4	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other intestinal infectious diseases (A01-A08)

New Hampshire

All races, both sexes.....	-	1	1	4	5	11	13	16	5	4	-	-
Male.....	-	-	-	1	3	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
White, both sexes.....	-	1	1	4	5	11	13	16	5	4	-	-
Male.....	-	-	-	1	3	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	5	11	27	35	58	62	43	11	1	-
Male.....	1	1	4	5	9	15	14	26	14	-	-	-
Female.....	-	2	1	6	18	20	44	36	29	11	1	-
White, both sexes.....	1	3	5	11	23	33	57	59	41	10	1	-
Male.....	1	1	4	5	8	15	14	25	13	-	-	-
Female.....	-	2	1	6	15	18	43	34	28	10	1	-
Black, both sexes.....	-	-	-	-	4	2	1	2	1	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	3	2	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other intestinal infectious diseases (A01-A08)

New Mexico

All races, both sexes.....	2	-	-	2	-	4	3	6	1	1	-	-
Male.....	2	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
White, both sexes.....	1	-	-	2	-	4	3	6	1	1	-	-
Male.....	1	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	9	8	12	28	53	68	72	50	16	-	-
Male.....	3	5	6	4	8	22	29	16	16	1	-	-
Female.....	1	4	2	8	20	31	39	56	34	15	-	-
White, both sexes.....	3	9	7	11	25	47	66	67	47	16	-	-
Male.....	3	5	5	4	7	20	27	16	16	1	-	-
Female.....	-	4	2	7	18	27	39	51	31	15	-	-
Black, both sexes.....	1	-	1	1	2	6	1	4	2	-	-	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	-	-	1	2	4	-	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-















































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Intestinal infections due to other specified organisms (A04,A07-A08)

New Mexico

All races, both sexes.....	20	-	1	-	-	-	-	-	-	-	-	1
Male.....	7	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	19	-	1	-	-	-	-	-	-	-	-	1
Male.....	6	-	1	-	-	-	-	-	-	-	-	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	332	-	3	-	-	-	1	1	2	2	-	5
Male.....	118	-	-	-	-	-	1	-	1	2	-	5
Female.....	214	-	3	-	-	-	-	1	1	-	-	-
White, both sexes.....	309	-	3	-	-	-	1	1	1	2	-	5
Male.....	112	-	-	-	-	-	1	-	1	2	-	5
Female.....	197	-	3	-	-	-	-	1	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intestinal infections due to other specified organisms (A04,A07-A08)

Arkansas

All races, both sexes.....	2	1	1	3	8	9	10	13	5	2	-	-
Male.....	-	1	-	2	4	4	7	5	-	-	-	-
Female.....	2	-	1	1	4	5	3	8	5	2	-	-
White, both sexes.....	2	1	1	3	8	8	9	13	5	2	-	-
Male.....	-	1	-	2	4	4	6	5	-	-	-	-
Female.....	2	-	1	1	4	4	3	8	5	2	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	13	11	28	37	68	111	112	49	18	3	-
Male.....	4	5	5	17	21	31	48	41	19	7	2	-
Female.....	2	8	6	11	16	37	63	71	30	11	1	-
White, both sexes.....	5	10	7	24	34	59	104	104	49	18	3	-
Male.....	3	4	4	17	18	26	43	40	19	7	2	-
Female.....	2	6	3	7	16	33	61	64	30	11	1	-
Black, both sexes.....	1	2	3	2	2	3	3	3	-	-	-	-
Male.....	1	-	-	-	2	2	1	-	-	-	-	-
Female.....	-	2	3	2	-	1	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	6	3	5	-	-	-	-
Male.....	-	1	1	-	1	3	3	1	-	-	-	-
Female.....	-	-	-	1	-	3	-	4	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intestinal infections due to other specified organisms (A04,A07-A08)

New Hampshire

All races, both sexes.....	-	1	1	4	5	11	13	16	5	4	-	-
Male.....	-	-	-	1	3	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
White, both sexes.....	-	1	1	4	5	11	13	16	5	4	-	-
Male.....	-	-	-	1	3	6	6	10	3	-	-	-
Female.....	-	1	1	3	2	5	7	6	2	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	5	11	27	35	58	62	43	11	1	-
Male.....	1	1	4	5	9	15	14	26	14	-	-	-
Female.....	-	2	1	6	18	20	44	36	29	11	1	-
White, both sexes.....	1	3	5	11	23	33	57	59	41	10	1	-
Male.....	1	1	4	5	8	15	14	25	13	-	-	-
Female.....	-	2	1	6	15	18	43	34	28	10	1	-
Black, both sexes.....	-	-	-	-	4	2	1	2	1	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	3	2	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intestinal infections due to other specified organisms (A04,A07-A08)

New Mexico

All races, both sexes.....	1	-	-	2	-	4	3	6	1	1	-	-
Male.....	1	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
White, both sexes.....	-	-	-	2	-	4	3	6	1	1	-	-
Male.....	-	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	2	-	3	2	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	8	8	12	28	53	67	72	50	16	-	-
Male.....	3	4	6	4	8	22	29	16	16	1	-	-
Female.....	1	4	2	8	20	31	38	56	34	15	-	-
White, both sexes.....	3	8	7	11	25	47	65	67	47	16	-	-
Male.....	3	4	5	4	7	20	27	16	16	1	-	-
Female.....	-	4	2	7	18	27	38	51	31	15	-	-
Black, both sexes.....	1	-	1	1	2	6	1	4	2	-	-	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	-	-	1	2	4	-	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-















































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Tuberculosis (A16-A19)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	121	1	1	-	-	5	3	2	3	5	-	2
Male.....	74	1	1	-	-	2	2	2	2	5	-	2
Female.....	47	-	-	-	-	3	1	-	1	-	-	-
White, both sexes.....	58	1	1	-	-	4	1	1	1	4	-	2
Male.....	40	1	1	-	-	1	1	1	1	4	-	2
Female.....	18	-	-	-	-	3	-	-	-	-	-	-
Black, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	-
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	53	-	-	-	-	1	2	1	2	-	-	-
Male.....	27	-	-	-	-	1	1	1	1	-	-	-
Female.....	26	-	-	-	-	-	1	-	1	-	-	-























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

Alaska

All races, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	2	-	3	1	-	3	2	3	2	-	-	-
Male.....	2	-	3	-	-	3	2	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	2	1	-	-	-
White, both sexes.....	2	-	2	1	-	2	2	2	1	-	-	-
Male.....	2	-	2	-	-	2	2	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

Arkansas

All races, both sexes.....	-	-	1	2	1	2	-	1	-	-	-	-
Male.....	-	-	1	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	2	1	2	-	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	6	9	8	13	18	18	12	3	2	-	-
Male.....	5	4	5	4	9	9	11	9	1	-	-	-
Female.....	5	2	4	4	4	9	7	3	2	2	-	-
White, both sexes.....	5	4	5	5	4	3	8	5	3	1	-	-
Male.....	4	3	3	3	3	2	5	4	1	-	-	-
Female.....	1	1	2	2	1	1	3	1	2	1	-	-
Black, both sexes.....	2	-	-	1	2	3	-	1	-	-	-	-
Male.....	1	-	-	1	2	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	4	2	7	12	10	6	-	1	-	-
Male.....	-	1	2	-	4	6	6	4	-	-	-	-
Female.....	3	1	2	2	3	6	4	2	-	1	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

Maine

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	-	1	-	2	2	2	1	1	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	1	-	-	-
White, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

Massachusetts

All races, both sexes.....	-	1	2	-	2	-	2	3	-	-	-	-
Male.....	-	1	2	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-
White, both sexes.....	-	1	1	-	1	-	2	3	-	-	-	-
Male.....	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2	2	-	1	2	2	2	3	3	-	-	-
Male.....	1	1	-	-	1	1	-	1	1	-	-	-
Female.....	1	1	-	1	1	1	2	2	2	-	-	-
White, both sexes.....	-	1	-	1	2	1	2	2	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	1	-	1	1	-	2	1	1	-	-	-
Black, both sexes.....	2	1	-	-	-	1	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	2	1	2	2	1	2	2	3	-	-	-
Male.....	1	2	1	1	1	-	1	-	1	-	-	-
Female.....	1	-	-	1	1	1	1	2	2	-	-	-
White, both sexes.....	-	1	1	2	1	1	1	1	3	-	-	-
Male.....	-	1	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	1	1	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

Oregon

All races, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	-	2	-	-	3	4	2	6	2	-	-	-
Male.....	-	-	-	-	2	2	2	3	1	-	-	-
Female.....	-	2	-	-	1	2	-	3	1	-	-	-
White, both sexes.....	-	2	-	-	2	4	-	4	-	-	-	-
Male.....	-	-	-	-	1	2	-	2	-	-	-	-
Female.....	-	2	-	-	1	2	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	2	1	1	-	-	-
Male.....	-	-	-	-	1	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Respiratory tuberculosis (A16)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	90	1	-	-	-	3	1	-	2	4	-	1
Male.....	52	1	-	-	-	-	-	-	1	4	-	1
Female.....	38	-	-	-	-	3	1	-	1	-	-	-
White, both sexes.....	39	1	-	-	-	3	-	-	1	3	-	1
Male.....	25	1	-	-	-	-	-	-	1	3	-	1
Female.....	14	-	-	-	-	3	-	-	-	-	-	-
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	1	-	1	-	-	-
Male.....	21	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	-	-	-	1	-	1	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
Alaska												
All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	-	1	1	-	3	2	3	1	-	-	-
Male.....	2	-	1	-	-	3	2	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	2	-	-	-	-
White, both sexes.....	2	-	-	1	-	2	2	2	-	-	-	-
Male.....	2	-	-	-	-	2	2	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
Arkansas												
All races, both sexes.....	-	-	1	2	1	2	-	1	-	-	-	-
Male.....	-	-	1	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	2	1	2	-	1	-	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9	2	7	6	11	13	16	11	2	1	-	-
Male.....	4	1	4	3	8	5	10	9	1	-	-	-
Female.....	5	1	3	3	3	8	6	2	1	1	-	-
White, both sexes.....	4	-	5	4	3	1	6	5	2	-	-	-
Male.....	3	-	3	2	2	-	4	4	1	-	-	-
Female.....	1	-	2	2	1	1	2	1	1	-	-	-
Black, both sexes.....	2	-	-	1	2	2	-	1	-	-	-	-
Male.....	1	-	-	1	2	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	1	6	10	10	5	-	1	-	-
Male.....	-	1	1	-	4	5	6	4	-	-	-	-
Female.....	3	1	1	1	2	5	4	1	-	1	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
Maine												
All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1	-	-	-	1	2	2	1	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	1	-	-	-
White, both sexes.....	1	-	-	-	1	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
Massachusetts												
All races, both sexes.....	-	1	2	-	2	-	2	1	-	-	-	-
Male.....	-	1	2	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	-	-	-	-
White, both sexes.....	-	1	1	-	1	-	2	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	1	2	-	-	1	1	1	3	3	-	-	-
Male.....	1	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	-	-	1	1	1	2	2	-	-	-
White, both sexes.....	-	1	-	-	1	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	1	-	-	-
Black, both sexes.....	1	1	-	-	-	1	-	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Respiratory tuberculosis (A16)												
New Hampshire												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	2	2	1	2	1	1	2	2	3	-	-	-
Male.....	1	2	1	1	1	-	1	-	1	-	-	-
Female.....	1	-	-	1	-	1	1	2	2	-	-	-
White, both sexes.....	-	1	1	2	-	1	1	1	3	-	-	-
Male.....	-	1	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	1	2	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Respiratory tuberculosis (A16)

Oregon

All races, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	-	-	-	-	2	3	2	5	2	-	-	-
Male.....	-	-	-	-	1	1	2	3	1	-	-	-
Female.....	-	-	-	-	1	2	-	2	1	-	-	-
White, both sexes.....	-	-	-	-	2	3	-	3	-	-	-	-
Male.....	-	-	-	-	1	1	-	2	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-













































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other tuberculosis (A17-A19)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1	4	2	2	2	5	2	1	1	1	-	-
Male.....	1	3	1	1	1	4	1	-	-	-	-	-
Female.....	-	1	1	1	1	1	1	1	1	1	-	-
White, both sexes.....	1	4	-	1	1	2	2	-	1	1	-	-
Male.....	1	3	-	1	1	2	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-

































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Zoonotic and other bacterial diseases (A20-A49)

Florida

All races, both sexes.....	1,983	26	3	3	2	4	3	7	16	16	38	53
Male.....	958	16	2	3	-	4	2	4	3	11	22	31
Female.....	1,025	10	1	-	2	-	1	3	13	5	16	22
White, both sexes.....	1,687	11	2	1	2	2	2	6	12	10	21	40
Male.....	813	7	1	1	-	2	2	3	3	6	12	26
Female.....	874	4	1	-	2	-	-	3	9	4	9	14
Black, both sexes.....	276	14	1	2	-	2	1	1	4	6	17	13
Male.....	133	8	1	2	-	2	-	1	-	5	10	5
Female.....	143	6	-	-	-	-	1	-	4	1	7	8
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	1	-	-	-	-	-	-	-	-	-	-
Male.....	11	1	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1,367	15	3	3	2	7	3	12	11	18	37	54
Male.....	601	10	3	2	1	3	2	5	6	7	24	28
Female.....	766	5	-	1	1	4	1	7	5	11	13	26
White, both sexes.....	848	7	1	1	-	2	1	4	6	8	23	18
Male.....	386	4	1	1	-	1	1	1	3	4	16	11
Female.....	462	3	-	-	-	1	-	3	3	4	7	7
Black, both sexes.....	508	8	2	2	2	4	2	8	5	10	14	36
Male.....	210	6	2	1	1	2	1	4	3	3	8	17
Female.....	298	2	-	1	1	2	1	4	2	7	6	19
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Zoonotic and other bacterial diseases (A20-A49)

Massachusetts

All races, both sexes.....	1,037	1	1	-	1	-	3	5	6	9	15	28
Male.....	479	-	1	-	-	-	3	2	2	5	9	15
Female.....	558	1	-	-	1	-	-	3	4	4	6	13
White, both sexes.....	969	1	1	-	1	-	2	5	3	7	13	24
Male.....	445	-	1	-	-	-	2	2	1	3	8	13
Female.....	524	1	-	-	1	-	-	3	2	4	5	11
Black, both sexes.....	60	-	-	-	-	-	1	-	2	1	2	4
Male.....	29	-	-	-	-	-	1	-	1	1	1	2
Female.....	31	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	978	10	3	-	5	6	5	2	4	6	16	27
Male.....	428	6	-	-	4	3	2	1	3	4	8	14
Female.....	550	4	3	-	1	3	3	1	1	2	8	13
White, both sexes.....	760	6	2	-	4	5	5	1	2	4	10	14
Male.....	327	4	-	-	4	3	2	1	2	2	4	7
Female.....	433	2	2	-	-	2	3	-	-	2	6	7
Black, both sexes.....	205	4	1	-	-	1	-	1	2	1	6	13
Male.....	95	2	-	-	-	-	-	-	1	1	4	7
Female.....	110	2	1	-	-	1	-	1	1	-	2	6
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

United States

All races, both sexes.....	1,419	1,931	2,193	2,717	3,659	4,963	6,192	5,311	3,249	1,151	189	3
Male.....	752	1,037	1,154	1,415	1,854	2,373	2,713	2,078	997	274	32	2
Female.....	667	894	1,039	1,302	1,805	2,590	3,479	3,233	2,252	877	157	1
White, both sexes.....	979	1,409	1,645	2,081	2,920	4,079	5,229	4,567	2,777	954	136	1
Male.....	516	753	888	1,083	1,482	1,981	2,315	1,779	853	228	23	-
Female.....	463	656	757	998	1,438	2,098	2,914	2,788	1,924	726	113	1
Black, both sexes.....	402	473	500	569	659	770	861	645	423	178	50	2
Male.....	217	258	247	298	323	333	348	252	115	39	8	2
Female.....	185	215	253	271	336	437	513	393	308	139	42	-
American Indian 1/, both sexes.....	16	22	24	26	21	21	25	18	7	6	-	-
Male.....	5	14	9	16	13	10	7	9	4	1	-	-
Female.....	11	8	15	10	8	11	18	9	3	5	-	-
Asian or Pacific Islander 2/, both sexes.....	22	27	24	41	59	93	77	81	42	13	3	-
Male.....	14	12	10	18	36	49	43	38	25	6	1	-
Female.....	8	15	14	23	23	44	34	43	17	7	2	-

Alabama

All races, both sexes.....	48	51	57	75	92	127	140	115	64	29	7	-
Male.....	26	31	28	40	45	56	56	37	22	6	2	-
Female.....	22	20	29	35	47	71	84	78	42	23	5	-
White, both sexes.....	25	32	42	51	62	99	108	103	40	19	3	-
Male.....	14	16	22	31	27	42	48	34	17	2	1	-
Female.....	11	16	20	20	35	57	60	69	23	17	2	-
Black, both sexes.....	22	18	15	23	29	28	32	12	23	10	4	-
Male.....	11	14	6	8	18	14	8	3	5	4	1	-
Female.....	11	4	9	15	11	14	24	9	18	6	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Alaska

All races, both sexes.....	3	4	4	3	3	1	3	3	-	-	-	-
Male.....	3	2	4	3	2	1	1	2	-	-	-	-
Female.....	-	2	-	-	1	-	2	1	-	-	-	-
White, both sexes.....	2	1	3	2	1	1	2	1	-	-	-	-
Male.....	2	1	3	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	2	-	1	1	-	-	-	-
Male.....	1	-	1	1	2	-	-	1	-	-	-	-
Female.....	-	2	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	33	32	35	49	57	75	80	62	32	12	1	-
Male.....	19	20	22	28	34	37	32	31	9	2	1	-
Female.....	14	12	13	21	23	38	48	31	23	10	-	-
White, both sexes.....	24	27	30	46	55	66	75	60	31	10	-	-
Male.....	15	17	20	26	32	33	31	30	9	2	-	-
Female.....	9	10	10	20	23	33	44	30	22	8	-	-
Black, both sexes.....	5	-	2	-	1	3	3	1	-	1	1	-
Male.....	2	-	1	-	1	1	1	-	-	-	1	-
Female.....	3	-	1	-	-	2	2	1	-	1	-	-
American Indian 1/, both sexes.....	4	5	3	3	-	4	2	1	1	1	-	-
Male.....	2	3	1	2	-	3	-	1	-	-	-	-
Female.....	2	2	2	1	-	1	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Arkansas

All races, both sexes.....	28	31	23	49	41	63	99	69	55	27	3	-
Male.....	16	13	13	25	21	36	35	19	18	5	1	-
Female.....	12	18	10	24	20	27	64	50	37	22	2	-
White, both sexes.....	24	23	18	42	31	55	84	56	43	19	1	-
Male.....	13	10	11	22	16	33	31	14	13	2	1	-
Female.....	11	13	7	20	15	22	53	42	30	17	-	-
Black, both sexes.....	4	8	5	7	10	8	15	13	11	8	2	-
Male.....	3	3	2	3	5	3	4	5	4	3	-	-
Female.....	1	5	3	4	5	5	11	8	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	55	68	76	75	108	157	204	162	86	37	10	-
Male.....	33	37	40	34	53	81	102	76	27	13	1	-
Female.....	22	31	36	41	55	76	102	86	59	24	9	-
White, both sexes.....	47	56	63	61	87	136	176	137	75	30	9	-
Male.....	28	32	33	29	42	71	94	64	24	11	1	-
Female.....	19	24	30	32	45	65	82	73	51	19	8	-
Black, both sexes.....	4	8	9	5	11	7	14	8	4	4	1	-
Male.....	2	3	6	3	4	2	2	4	-	-	-	-
Female.....	2	5	3	2	7	5	12	4	4	4	1	-
American Indian 1/, both sexes.....	-	2	2	-	1	1	-	1	-	1	-	-
Male.....	-	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	9	9	13	14	16	7	2	-	-
Male.....	3	1	-	2	6	8	6	7	3	2	-	-
Female.....	1	1	2	7	3	5	8	9	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Colorado

All races, both sexes.....	12	17	22	34	25	39	40	45	24	12	-	-
Male.....	6	7	12	11	7	21	21	17	8	3	-	-
Female.....	6	10	10	23	18	18	19	28	16	9	-	-
White, both sexes.....	12	14	22	31	23	36	40	44	23	12	-	-
Male.....	6	6	12	11	7	21	21	16	7	3	-	-
Female.....	6	8	10	20	16	15	19	28	16	9	-	-
Black, both sexes.....	-	3	-	2	2	1	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	2	-	2	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Connecticut

All races, both sexes.....	17	22	25	34	57	97	106	121	70	38	4	-
Male.....	7	13	14	12	30	55	49	49	21	7	-	-
Female.....	10	9	11	22	27	42	57	72	49	31	4	-
White, both sexes.....	16	16	20	28	51	91	92	117	68	37	4	-
Male.....	6	8	12	8	27	51	46	47	21	7	-	-
Female.....	10	8	8	20	24	40	46	70	47	30	4	-
Black, both sexes.....	1	6	4	5	5	6	10	3	2	1	-	-
Male.....	1	5	2	4	3	4	3	2	-	-	-	-
Female.....	-	1	2	1	2	2	7	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Florida

All races, both sexes.....	73	110	109	149	202	273	379	297	177	36	7	-
Male.....	39	59	62	80	116	130	179	127	60	7	1	-
Female.....	34	51	47	69	86	143	200	170	117	29	6	-
White, both sexes.....	53	91	92	120	177	230	351	265	160	34	5	-
Male.....	28	47	49	64	103	113	166	119	53	7	1	-
Female.....	25	44	43	56	74	117	185	146	107	27	4	-
Black, both sexes.....	18	17	16	28	24	37	26	29	17	1	2	-
Male.....	10	10	12	16	12	14	11	7	7	-	-	-
Female.....	8	7	4	12	12	23	15	22	10	1	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	1	6	2	2	-	1	-	-
Male.....	1	1	1	-	1	3	2	1	-	-	-	-
Female.....	1	-	-	1	-	3	-	1	-	1	-	-

Georgia

All races, both sexes.....	67	96	117	113	135	175	203	173	85	33	5	-
Male.....	39	55	62	58	60	72	79	58	16	10	1	-
Female.....	28	41	55	55	75	103	124	115	69	23	4	-
White, both sexes.....	31	63	67	66	94	115	144	122	52	21	2	-
Male.....	19	42	39	34	42	54	57	36	11	8	1	-
Female.....	12	21	28	32	52	61	87	86	41	13	1	-
Black, both sexes.....	36	32	46	46	41	60	58	49	33	11	3	-
Male.....	20	13	21	23	18	18	22	20	5	2	-	-
Female.....	16	19	25	23	23	42	36	29	28	9	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	1	-	-	-	2	-	1	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	1	2	-	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Zoonotic and other bacterial diseases (A20-A49)

Maine

All races, both sexes.....	3	5	11	14	16	19	24	22	12	7	-	-
Male.....	1	3	7	7	6	9	6	9	4	1	-	-
Female.....	2	2	4	7	10	10	18	13	8	6	-	-
White, both sexes.....	3	5	11	14	16	19	24	22	12	7	-	-
Male.....	1	3	7	7	6	9	6	9	4	1	-	-
Female.....	2	2	4	7	10	10	18	13	8	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	51	80	74	70	117	164	210	158	94	24	5	1
Male.....	25	45	37	38	62	68	90	60	29	7	1	1
Female.....	26	35	37	32	55	96	120	98	65	17	4	-
White, both sexes.....	25	34	33	40	73	111	153	112	72	20	2	-
Male.....	15	23	20	22	38	49	68	37	18	6	-	-
Female.....	10	11	13	18	35	62	85	75	54	14	2	-
Black, both sexes.....	25	46	40	27	40	48	52	43	19	4	3	1
Male.....	10	22	16	14	22	19	18	21	9	1	1	1
Female.....	15	24	24	13	18	29	34	22	10	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	4	4	5	3	3	-	-	-
Male.....	-	-	1	2	2	-	4	2	2	-	-	-
Female.....	1	-	-	1	2	4	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Massachusetts

All races, both sexes.....	28	45	58	59	103	147	189	167	120	38	14	-
Male.....	16	28	32	29	50	79	87	69	41	9	2	-
Female.....	12	17	26	30	53	68	102	98	79	29	12	-
White, both sexes.....	22	36	54	56	97	139	184	159	116	37	12	-
Male.....	10	23	32	27	46	74	86	66	40	9	2	-
Female.....	12	13	22	29	51	65	98	93	76	28	10	-
Black, both sexes.....	5	9	3	3	4	7	5	7	4	1	2	-
Male.....	5	5	-	2	3	4	1	2	1	-	-	-
Female.....	-	4	3	1	1	3	4	5	3	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	39	45	64	79	86	120	148	161	110	35	7	-
Male.....	24	20	26	45	42	50	68	62	35	11	-	-
Female.....	15	25	38	34	44	70	80	99	75	24	7	-
White, both sexes.....	23	35	48	65	64	90	124	126	97	30	5	-
Male.....	12	15	19	38	29	37	60	49	29	10	-	-
Female.....	11	20	29	27	35	53	64	77	68	20	5	-
Black, both sexes.....	16	10	14	12	20	27	23	34	13	5	2	-
Male.....	12	5	7	6	11	12	7	13	6	1	-	-
Female.....	4	5	7	6	9	15	16	21	7	4	2	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Minnesota

All races, both sexes.....	7	11	14	13	33	32	53	47	30	16	1	-
Male.....	3	5	9	7	13	15	28	21	8	5	-	-
Female.....	4	6	5	6	20	17	25	26	22	11	1	-
White, both sexes.....	5	9	13	11	28	31	50	47	30	16	1	-
Male.....	2	5	8	6	10	14	27	21	8	5	-	-
Female.....	3	4	5	5	18	17	23	26	22	11	1	-
Black, both sexes.....	-	1	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	4	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	27	23	45	49	68	93	84	73	47	18	2	-
Male.....	13	16	25	24	28	44	34	28	10	3	-	-
Female.....	14	7	20	25	40	49	50	45	37	15	2	-
White, both sexes.....	14	12	30	28	44	70	51	48	34	10	-	-
Male.....	8	9	14	14	19	34	21	17	9	2	-	-
Female.....	6	3	16	14	25	36	30	31	25	8	-	-
Black, both sexes.....	12	10	15	21	22	23	33	24	13	7	2	-
Male.....	5	7	11	10	7	10	13	10	1	1	-	-
Female.....	7	3	4	11	15	13	20	14	12	6	2	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Nebraska

All races, both sexes.....	2	2	7	11	11	23	24	19	17	2	-	-
Male.....	-	1	4	3	7	13	13	9	2	-	-	-
Female.....	2	1	3	8	4	10	11	10	15	2	-	-
White, both sexes.....	2	2	7	9	11	22	24	19	16	1	-	-
Male.....	-	1	4	3	7	13	13	9	2	-	-	-
Female.....	2	1	3	6	4	9	11	10	14	1	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	20	36	41	40	54	73	67	36	17	5	-	1
Male.....	9	20	22	24	29	49	33	13	7	1	-	-
Female.....	11	16	19	16	25	24	34	23	10	4	-	1
White, both sexes.....	16	31	32	34	46	64	58	35	16	4	-	1
Male.....	8	18	18	21	26	43	32	13	6	1	-	-
Female.....	8	13	14	13	20	21	26	22	10	3	-	1
Black, both sexes.....	4	3	4	6	7	5	7	-	-	1	-	-
Male.....	1	1	3	3	2	3	1	-	-	-	-	-
Female.....	3	2	1	3	5	2	6	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	3	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	-	1	4	2	1	-	-	-	-
Male.....	-	1	1	-	1	3	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

New Hampshire

All races, both sexes.....	2	5	6	10	10	19	21	17	9	-	-	-
Male.....	2	3	3	5	4	8	7	7	1	-	-	-
Female.....	-	2	3	5	6	11	14	10	8	-	-	-
White, both sexes.....	2	5	6	10	10	18	21	16	9	-	-	-
Male.....	2	3	3	5	4	8	7	6	1	-	-	-
Female.....	-	2	3	5	6	10	14	10	8	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

New Jersey

All races, both sexes.....	46	92	99	115	187	289	339	354	245	88	10	-
Male.....	23	47	57	66	95	144	155	130	68	15	1	-
Female.....	23	45	42	49	92	145	184	224	177	73	9	-
White, both sexes.....	35	69	73	73	150	231	285	295	216	74	4	-
Male.....	20	39	40	42	77	111	127	109	60	11	1	-
Female.....	15	30	33	31	73	120	158	186	156	63	3	-
Black, both sexes.....	10	21	24	39	31	52	49	55	25	12	6	-
Male.....	3	7	15	23	15	28	24	19	6	4	-	-
Female.....	7	14	9	16	16	24	25	36	19	8	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	6	6	4	3	4	1	-	-
Male.....	-	1	2	1	3	5	4	1	2	-	-	-
Female.....	1	1	-	2	3	1	-	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

New Mexico

All races, both sexes.....	12	14	9	18	13	23	22	17	12	3	-	-
Male.....	9	9	4	10	5	12	13	8	7	1	-	-
Female.....	3	5	5	8	8	11	9	9	5	2	-	-
White, both sexes.....	12	12	9	15	11	21	22	14	11	3	-	-
Male.....	9	7	4	8	4	10	13	7	6	1	-	-
Female.....	3	5	5	7	7	11	9	7	5	2	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	1	1	-	1	1	-	-	-
Male.....	-	1	-	2	1	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	73	98	133	176	207	339	446	382	247	100	19	-
Male.....	43	54	64	84	105	151	208	152	76	20	4	-
Female.....	30	44	69	92	102	188	238	230	171	80	15	-
White, both sexes.....	55	71	98	138	163	291	392	342	225	86	16	-
Male.....	32	43	55	70	79	131	190	131	71	18	3	-
Female.....	23	28	43	68	84	160	202	211	154	68	13	-
Black, both sexes.....	17	26	32	36	39	41	45	34	20	13	2	-
Male.....	10	10	9	14	22	16	15	19	4	1	1	-
Female.....	7	16	23	22	17	25	30	15	16	12	1	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	4	7	8	6	2	1	1	-
Male.....	1	-	-	-	4	4	3	2	1	1	-	-
Female.....	-	-	2	2	-	3	5	4	1	-	1	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Oregon

All races, both sexes.....	9	12	13	7	17	31	36	21	13	7	3	-
Male.....	4	4	2	4	7	14	17	8	6	2	1	-
Female.....	5	8	11	3	10	17	19	13	7	5	2	-
White, both sexes.....	7	11	11	7	17	29	36	21	13	7	3	-
Male.....	4	3	2	4	7	13	17	8	6	2	1	-
Female.....	3	8	9	3	10	16	19	13	7	5	2	-
Black, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	81	150	135	182	247	363	528	460	247	81	15	1
Male.....	42	90	76	95	133	160	220	170	68	18	-	1
Female.....	39	60	59	87	114	203	308	290	179	63	15	-
White, both sexes.....	54	116	104	151	196	314	460	420	221	75	10	-
Male.....	23	71	59	75	100	140	191	159	59	16	-	-
Female.....	31	45	45	76	96	174	269	261	162	59	10	-
Black, both sexes.....	26	32	31	30	49	46	67	40	24	6	5	1
Male.....	18	18	17	19	31	20	28	11	7	2	-	1
Female.....	8	14	14	11	18	26	39	29	17	4	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	2	3	1	-	2	-	-	-
Male.....	1	1	-	1	2	-	1	-	2	-	-	-
Female.....	-	1	-	-	-	3	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

South Dakota

All races, both sexes.....	1	2	3	1	5	9	11	9	7	3	1	-
Male.....	-	1	-	-	5	6	4	1	2	1	-	-
Female.....	1	1	3	1	-	3	7	8	5	2	1	-
White, both sexes.....	-	2	2	1	5	9	11	8	7	2	1	-
Male.....	-	1	-	-	5	6	4	1	2	-	-	-
Female.....	-	1	2	1	-	3	7	7	5	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	35	37	56	61	79	95	119	73	51	11	2	-
Male.....	21	20	29	31	41	51	57	32	19	2	1	-
Female.....	14	17	27	30	38	44	62	41	32	9	1	-
White, both sexes.....	23	27	38	46	64	77	97	62	44	8	-	-
Male.....	12	15	20	25	34	42	45	29	18	2	-	-
Female.....	11	12	18	21	30	35	52	33	26	6	-	-
Black, both sexes.....	12	10	18	15	15	17	21	11	7	3	2	-
Male.....	9	5	9	6	7	8	12	3	1	-	1	-
Female.....	3	5	9	9	8	9	9	8	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Texas

All races, both sexes.....	122	148	172	230	308	375	412	330	203	76	12	-
Male.....	68	84	86	129	154	187	174	112	60	24	2	-
Female.....	54	64	86	101	154	188	238	218	143	52	10	-
White, both sexes.....	90	108	137	188	259	309	347	290	175	64	10	-
Male.....	48	57	70	104	129	155	147	95	54	19	2	-
Female.....	42	51	67	84	130	154	200	195	121	45	8	-
Black, both sexes.....	30	38	33	40	47	59	59	32	24	11	2	-
Male.....	18	26	16	23	23	30	25	13	4	4	-	-
Female.....	12	12	17	17	24	29	34	19	20	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	2	7	6	7	4	1	-	-
Male.....	2	1	-	1	2	2	2	4	2	1	-	-
Female.....	-	1	2	-	-	5	4	3	2	-	-	-

Utah

All races, both sexes.....	3	5	7	10	13	8	12	17	8	1	-	-
Male.....	-	2	2	6	10	3	3	9	5	-	-	-
Female.....	3	3	5	4	3	5	9	8	3	1	-	-
White, both sexes.....	3	4	7	8	11	7	12	17	8	1	-	-
Male.....	-	1	2	4	9	2	3	9	5	-	-	-
Female.....	3	3	5	4	2	5	9	8	3	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

Vermont

All races, both sexes.....	-	3	-	1	2	3	11	5	2	1	2	-
Male.....	-	-	-	1	1	2	5	2	1	-	-	-
Female.....	-	3	-	-	1	1	6	3	1	1	2	-
White, both sexes.....	-	3	-	1	2	3	11	5	2	1	2	-
Male.....	-	-	-	1	1	2	5	2	1	-	-	-
Female.....	-	3	-	-	1	1	6	3	1	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	35	57	79	78	141	157	222	207	134	44	9	-
Male.....	14	29	42	49	65	71	88	86	39	6	2	-
Female.....	21	28	37	29	76	86	134	121	95	38	7	-
White, both sexes.....	24	35	52	48	99	128	176	164	101	32	6	-
Male.....	10	14	30	29	44	57	70	67	28	6	1	-
Female.....	14	21	22	19	55	71	106	97	73	26	5	-
Black, both sexes.....	10	20	27	28	40	25	41	42	31	11	3	-
Male.....	4	13	12	18	20	13	16	19	9	-	1	-
Female.....	6	7	15	10	20	12	25	23	22	11	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	2	4	5	1	2	1	-	-
Male.....	-	2	-	2	1	1	2	-	2	-	-	-
Female.....	1	-	-	-	1	3	3	1	-	1	-	-















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Plague (A20)

Ohio

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Ohio: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Oklahoma

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oklahoma: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.























































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Brucellosis (A23)

Oregon

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Oregon (All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female).

Pennsylvania

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Pennsylvania (All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female).

























































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Whooping cough (A37)												
New Hampshire												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Septicemia (A40-A41)												
Florida												
All races, both sexes.....	1,845	22	2	3	1	3	1	5	14	15	32	45
Male.....	879	12	1	3	-	3	1	3	3	10	17	26
Female.....	966	10	1	-	1	-	-	2	11	5	15	19
White, both sexes.....	1,569	9	2	1	1	1	1	4	10	10	18	33
Male.....	747	5	1	1	-	1	1	2	3	6	10	22
Female.....	822	4	1	-	1	-	-	2	7	4	8	11
Black, both sexes.....	259	12	-	2	-	2	-	1	4	5	14	12
Male.....	122	6	-	2	-	2	-	1	-	4	7	4
Female.....	137	6	-	-	-	-	-	-	4	1	7	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	-	-	-	-	-	-	-	-	-	-
Male.....	9	1	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	1,321	13	3	3	1	6	3	10	10	16	36	51
Male.....	572	8	3	2	-	3	2	4	5	5	23	26
Female.....	749	5	-	1	1	3	1	6	5	11	13	25
White, both sexes.....	824	6	1	1	-	2	1	3	6	7	23	16
Male.....	369	3	1	1	-	1	1	-	3	3	16	9
Female.....	455	3	-	-	-	1	-	3	3	4	7	7
Black, both sexes.....	486	7	2	2	1	3	2	7	4	9	13	35
Male.....	198	5	2	1	-	2	1	4	2	2	7	17
Female.....	288	2	-	1	1	1	1	3	2	7	6	18
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Septicemia (A40-A41)

Massachusetts

All races, both sexes.....	980	1	1	-	1	-	2	3	6	8	14	26
Male.....	448	-	1	-	-	-	2	1	2	5	9	14
Female.....	532	1	-	-	1	-	-	2	4	3	5	12
White, both sexes.....	916	1	1	-	1	-	2	3	3	6	12	22
Male.....	416	-	1	-	-	-	2	1	1	3	8	12
Female.....	500	1	-	-	1	-	-	2	2	3	4	10
Black, both sexes.....	57	-	-	-	-	-	-	-	2	1	2	4
Male.....	27	-	-	-	-	-	-	-	1	1	1	2
Female.....	30	-	-	-	-	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	1	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	924	10	1	-	5	5	4	2	3	6	15	25
Male.....	409	6	-	-	4	2	2	1	3	4	8	14
Female.....	515	4	1	-	1	3	2	1	-	2	7	11
White, both sexes.....	717	6	-	-	4	4	4	1	2	4	9	14
Male.....	311	4	-	-	4	2	2	1	2	2	4	7
Female.....	406	2	-	-	-	2	2	-	-	2	5	7
Black, both sexes.....	194	4	1	-	-	1	-	1	1	1	6	11
Male.....	92	2	-	-	-	-	-	-	1	1	4	7
Female.....	102	2	1	-	-	1	-	1	-	-	2	4
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	-	-	-

































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
United States												
All races, both sexes.....	1,313	1,822	2,090	2,602	3,471	4,715	5,911	5,125	3,138	1,098	183	3
Male.....	691	970	1,104	1,349	1,746	2,234	2,589	2,001	950	257	30	2
Female.....	622	852	986	1,253	1,725	2,481	3,322	3,124	2,188	841	153	1
White, both sexes.....	897	1,314	1,563	1,985	2,766	3,856	4,973	4,402	2,682	907	132	1
Male.....	468	696	848	1,028	1,395	1,857	2,201	1,706	814	214	22	-
Female.....	429	618	715	957	1,371	1,999	2,772	2,696	1,868	693	110	1
Black, both sexes.....	381	460	482	551	632	751	839	631	408	173	48	2
Male.....	205	249	239	287	307	321	340	252	107	37	7	2
Female.....	176	211	243	264	325	430	499	379	301	136	41	-
American Indian 1/, both sexes.....	14	22	23	26	21	21	24	17	7	6	-	-
Male.....	5	14	8	16	13	10	6	9	4	1	-	-
Female.....	9	8	15	10	8	11	18	8	3	5	-	-
Asian or Pacific Islander 2/, both sexes.....	21	26	22	40	52	87	75	75	41	12	3	-
Male.....	13	11	9	18	31	46	42	34	25	5	1	-
Female.....	8	15	13	22	21	41	33	41	16	7	2	-
Alabama												
All races, both sexes.....	45	50	56	74	86	122	136	111	60	29	6	-
Male.....	26	30	28	39	42	54	52	34	19	6	1	-
Female.....	19	20	28	35	44	68	84	77	41	23	5	-
White, both sexes.....	24	31	41	50	57	94	104	99	37	19	2	-
Male.....	14	15	22	30	25	40	44	31	14	2	-	-
Female.....	10	16	19	20	32	54	60	68	23	17	2	-
Black, both sexes.....	20	18	15	23	28	28	32	12	22	10	4	-
Male.....	11	14	6	8	17	14	8	3	5	4	1	-
Female.....	9	4	9	15	11	14	24	9	17	6	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Septicemia (A40-A41)

Alaska

All races, both sexes.....	3	3	4	3	3	1	2	2	-	-	-	-
Male.....	3	1	4	3	2	1	1	1	-	-	-	-
Female.....	-	2	-	-	1	-	1	1	-	-	-	-
White, both sexes.....	2	1	3	2	1	1	1	1	-	-	-	-
Male.....	2	1	3	2	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	2	-	1	1	-	-	-	-
Male.....	1	-	1	1	2	-	-	1	-	-	-	-
Female.....	-	2	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	30	31	33	43	54	72	77	59	31	11	-	-
Male.....	16	19	20	23	32	36	31	31	9	2	-	-
Female.....	14	12	13	20	22	36	46	28	22	9	-	-
White, both sexes.....	21	26	29	40	52	63	72	57	30	10	-	-
Male.....	12	16	19	21	30	32	30	30	9	2	-	-
Female.....	9	10	10	19	22	31	42	27	21	8	-	-
Black, both sexes.....	5	-	2	-	1	3	3	1	-	-	-	-
Male.....	2	-	1	-	1	1	1	-	-	-	-	-
Female.....	3	-	1	-	-	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	4	5	2	3	-	4	2	1	1	1	-	-
Male.....	2	3	-	2	-	3	-	1	-	-	-	-
Female.....	2	2	2	1	-	1	2	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Arkansas												
All races, both sexes.....	28	30	22	48	41	62	98	67	55	27	3	-
Male.....	16	13	13	24	21	36	35	18	18	5	1	-
Female.....	12	17	9	24	20	26	63	49	37	22	2	-
White, both sexes.....	24	22	17	41	31	54	83	54	43	19	1	-
Male.....	13	10	11	21	16	33	31	13	13	2	1	-
Female.....	11	12	6	20	15	21	52	41	30	17	-	-
Black, both sexes.....	4	8	5	7	10	8	15	13	11	8	2	-
Male.....	3	3	2	3	5	3	4	5	4	3	-	-
Female.....	1	5	3	4	5	5	11	8	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	49	58	66	66	94	135	182	150	80	32	10	-
Male.....	30	30	36	29	45	66	91	71	25	11	1	-
Female.....	19	28	30	37	49	69	91	79	55	21	9	-
White, both sexes.....	41	46	55	55	78	115	158	127	70	26	9	-
Male.....	25	25	30	25	37	57	84	61	22	10	1	-
Female.....	16	21	25	30	41	58	74	66	48	16	8	-
Black, both sexes.....	4	8	8	3	9	7	12	8	4	4	1	-
Male.....	2	3	5	2	4	2	2	4	-	-	-	-
Female.....	2	5	3	1	5	5	10	4	4	4	1	-
American Indian 1/, both sexes.....	-	2	2	-	1	1	-	1	-	1	-	-
Male.....	-	1	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	8	6	12	12	14	6	1	-	-
Male.....	3	1	-	2	3	7	5	5	3	1	-	-
Female.....	1	1	1	6	3	5	7	9	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Colorado												
All races, both sexes.....	10	16	22	32	21	34	38	42	23	10	-	-
Male.....	5	6	12	9	4	19	20	15	8	3	-	-
Female.....	5	10	10	23	17	15	18	27	15	7	-	-
White, both sexes.....	10	14	22	29	19	31	38	41	22	10	-	-
Male.....	5	6	12	9	4	19	20	14	7	3	-	-
Female.....	5	8	10	20	15	12	18	27	15	7	-	-
Black, both sexes.....	-	2	-	2	2	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	2	-	2	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	17	22	25	33	56	94	94	119	69	37	4	-
Male.....	7	13	14	12	29	53	41	48	21	7	-	-
Female.....	10	9	11	21	27	41	53	71	48	30	4	-
White, both sexes.....	16	16	20	27	50	88	81	115	67	36	4	-
Male.....	6	8	12	8	26	49	38	46	21	7	-	-
Female.....	10	8	8	19	24	39	43	69	46	29	4	-
Black, both sexes.....	1	6	4	5	5	6	9	3	2	1	-	-
Male.....	1	5	2	4	3	4	3	2	-	-	-	-
Female.....	-	1	2	1	2	2	6	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Septicemia (A40-A41)

Florida

All races, both sexes.....	62	102	104	141	183	262	357	283	169	32	7	-
Male.....	32	54	60	75	105	122	168	121	57	5	1	-
Female.....	30	48	44	66	78	140	189	162	112	27	6	-
White, both sexes.....	44	83	89	112	159	220	331	254	152	30	5	-
Male.....	23	42	48	59	93	106	155	113	50	5	1	-
Female.....	21	41	41	53	66	114	176	141	102	25	4	-
Black, both sexes.....	17	17	15	28	23	36	24	27	17	1	2	-
Male.....	9	10	12	16	11	13	11	7	7	-	-	-
Female.....	8	7	3	12	12	23	13	20	10	1	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	6	2	2	-	1	-	-
Male.....	-	1	-	-	1	3	2	1	-	-	-	-
Female.....	1	-	-	1	-	3	-	1	-	1	-	-

Georgia

All races, both sexes.....	59	91	115	112	132	174	196	173	82	30	5	-
Male.....	34	51	61	57	58	71	76	58	15	9	1	-
Female.....	25	40	54	55	74	103	120	115	67	21	4	-
White, both sexes.....	28	59	65	66	92	114	139	122	51	20	2	-
Male.....	17	39	38	34	41	53	54	36	11	7	1	-
Female.....	11	20	27	32	51	61	85	86	40	13	1	-
Black, both sexes.....	31	31	46	45	40	60	56	49	31	9	3	-
Male.....	17	12	21	22	17	18	22	20	4	2	-	-
Female.....	14	19	25	23	23	42	34	29	27	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	1	-	-	-	2	-	1	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	1	2	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Maine												
All races, both sexes.....	3	5	10	14	16	19	21	22	11	7	-	-
Male.....	1	3	6	7	6	9	6	9	4	1	-	-
Female.....	2	2	4	7	10	10	15	13	7	6	-	-
White, both sexes.....	3	5	10	14	16	19	21	22	11	7	-	-
Male.....	1	3	6	7	6	9	6	9	4	1	-	-
Female.....	2	2	4	7	10	10	15	13	7	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	46	79	70	67	111	160	206	155	89	23	5	1
Male.....	23	45	35	37	57	66	88	60	28	7	1	1
Female.....	23	34	35	30	54	94	118	95	61	16	4	-
White, both sexes.....	21	33	29	37	70	107	150	110	67	19	2	-
Male.....	13	23	18	21	35	47	66	37	17	6	-	-
Female.....	8	10	11	16	35	60	84	73	50	13	2	-
Black, both sexes.....	24	46	40	27	38	48	51	43	19	4	3	1
Male.....	10	22	16	14	21	19	18	21	9	1	1	1
Female.....	14	24	24	13	17	29	33	22	10	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	3	4	5	2	3	-	-	-
Male.....	-	-	1	2	1	-	4	2	2	-	-	-
Female.....	1	-	-	1	2	4	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Septicemia (A40-A41)

Massachusetts

All races, both sexes.....	27	42	56	58	92	135	181	159	117	38	13	-
Male.....	15	26	30	28	46	72	83	63	40	9	2	-
Female.....	12	16	26	30	46	63	98	96	77	29	11	-
White, both sexes.....	21	33	52	55	88	128	176	151	113	37	11	-
Male.....	9	21	30	26	42	68	82	60	39	9	2	-
Female.....	12	12	22	29	46	60	94	91	74	28	9	-
Black, both sexes.....	5	9	3	3	3	6	5	7	4	1	2	-
Male.....	5	5	-	2	3	3	1	2	1	-	-	-
Female.....	-	4	3	1	-	3	4	5	3	1	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	39	40	61	75	79	116	140	153	105	33	7	-
Male.....	24	17	25	43	39	50	65	59	33	10	-	-
Female.....	15	23	36	32	40	66	75	94	72	23	7	-
White, both sexes.....	23	32	46	62	57	86	117	120	93	28	5	-
Male.....	12	13	18	37	26	37	58	46	27	9	-	-
Female.....	11	19	28	25	31	49	59	74	66	19	5	-
Black, both sexes.....	16	8	13	11	20	27	22	32	12	5	2	-
Male.....	12	4	7	5	11	12	6	13	6	1	-	-
Female.....	4	4	6	6	9	15	16	19	6	4	2	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Minnesota												
All races, both sexes.....	5	9	13	13	31	28	48	45	28	12	1	-
Male.....	2	4	8	7	12	13	26	20	7	4	-	-
Female.....	3	5	5	6	19	15	22	25	21	8	1	-
White, both sexes.....	3	8	12	11	26	27	46	45	28	12	1	-
Male.....	1	4	7	6	9	12	26	20	7	4	-	-
Female.....	2	4	5	5	17	15	20	25	21	8	1	-
Black, both sexes.....	-	-	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	4	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	26	23	45	47	68	86	81	70	46	17	1	-
Male.....	12	16	25	24	28	40	34	28	10	2	-	-
Female.....	14	7	20	23	40	46	47	42	36	15	1	-
White, both sexes.....	13	12	30	27	44	64	49	45	33	9	-	-
Male.....	7	9	14	14	19	31	21	17	9	1	-	-
Female.....	6	3	16	13	25	33	28	28	24	8	-	-
Black, both sexes.....	12	10	15	20	22	22	32	24	13	7	1	-
Male.....	5	7	11	10	7	9	13	10	1	1	-	-
Female.....	7	3	4	10	15	13	19	14	12	6	1	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Nebraska												
All races, both sexes.....	1	2	6	11	10	20	23	19	17	2	-	-
Male.....	-	1	4	3	7	10	13	9	2	-	-	-
Female.....	1	1	2	8	3	10	10	10	15	2	-	-
White, both sexes.....	1	2	6	9	10	19	23	19	16	1	-	-
Male.....	-	1	4	3	7	10	13	9	2	-	-	-
Female.....	1	1	2	6	3	9	10	10	14	1	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	19	34	38	39	53	69	65	34	16	5	-	1
Male.....	9	19	20	24	28	46	32	13	6	1	-	-
Female.....	10	15	18	15	25	23	33	21	10	4	-	1
White, both sexes.....	16	30	30	34	45	62	56	33	15	4	-	1
Male.....	8	18	17	21	25	41	31	13	5	1	-	-
Female.....	8	12	13	13	20	21	25	20	10	3	-	1
Black, both sexes.....	3	2	3	5	7	4	7	-	-	1	-	-
Male.....	1	-	2	3	2	3	1	-	-	-	-	-
Female.....	2	2	1	2	5	1	6	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	3	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	-	1	3	2	1	-	-	-	-
Male.....	-	1	1	-	1	2	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
New Hampshire												
All races, both sexes.....	1	3	5	10	10	17	19	16	8	-	-	-
Male.....	1	2	2	5	4	7	6	6	1	-	-	-
Female.....	-	1	3	5	6	10	13	10	7	-	-	-
White, both sexes.....	1	3	5	10	10	16	19	16	8	-	-	-
Male.....	1	2	2	5	4	7	6	6	1	-	-	-
Female.....	-	1	3	5	6	9	13	10	7	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	44	91	99	113	181	280	332	346	240	86	10	-
Male.....	23	46	57	64	92	138	151	129	66	13	1	-
Female.....	21	45	42	49	89	142	181	217	174	73	9	-
White, both sexes.....	33	68	73	72	146	223	278	289	211	73	4	-
Male.....	20	38	40	41	74	106	123	108	58	10	1	-
Female.....	13	30	33	31	72	117	155	181	153	63	3	-
Black, both sexes.....	10	21	24	38	30	51	49	53	25	11	6	-
Male.....	3	7	15	22	15	27	24	19	6	3	-	-
Female.....	7	14	9	16	15	24	25	34	19	8	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	3	5	6	4	3	4	1	-	-
Male.....	-	1	2	1	3	5	4	1	2	-	-	-
Female.....	1	1	-	2	2	1	-	2	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
New Mexico												
All races, both sexes.....	9	14	8	16	11	23	20	16	11	3	-	-
Male.....	8	9	3	9	4	12	13	8	7	1	-	-
Female.....	1	5	5	7	7	11	7	8	4	2	-	-
White, both sexes.....	9	12	8	13	9	21	20	14	10	3	-	-
Male.....	8	7	3	7	3	10	13	7	6	1	-	-
Female.....	1	5	5	6	6	11	7	7	4	2	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	1	1	-	1	1	-	-	-
Male.....	-	1	-	2	1	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	67	96	123	173	196	322	430	369	239	95	19	-
Male.....	40	53	63	81	98	142	206	146	71	20	4	-
Female.....	27	43	60	92	98	180	224	223	168	75	15	-
White, both sexes.....	49	69	92	136	155	274	377	330	217	81	16	-
Male.....	29	42	54	68	73	122	189	125	66	18	3	-
Female.....	20	27	38	68	82	152	188	205	151	63	13	-
Black, both sexes.....	17	26	28	35	36	41	44	33	20	13	2	-
Male.....	10	10	9	13	21	16	14	19	4	1	1	-
Female.....	7	16	19	22	15	25	30	14	16	12	1	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	4	7	8	6	2	1	1	-
Male.....	1	-	-	-	4	4	3	2	1	1	-	-
Female.....	-	-	2	2	-	3	5	4	1	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Septicemia (A40-A41)

Oregon

All races, both sexes.....	9	10	13	6	14	25	33	19	13	6	3	-
Male.....	4	3	2	4	7	13	16	6	6	2	1	-
Female.....	5	7	11	2	7	12	17	13	7	4	2	-
White, both sexes.....	7	9	11	6	14	23	33	19	13	6	3	-
Male.....	4	2	2	4	7	12	16	6	6	2	1	-
Female.....	3	7	9	2	7	11	17	13	7	4	2	-
Black, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	77	141	131	177	237	349	506	447	241	75	14	1
Male.....	39	83	75	94	127	150	208	165	65	16	-	1
Female.....	38	58	56	83	110	199	298	282	176	59	14	-
White, both sexes.....	51	108	101	148	189	300	440	407	216	69	9	-
Male.....	21	65	58	75	96	130	180	154	57	14	-	-
Female.....	30	43	43	73	93	170	260	253	159	55	9	-
Black, both sexes.....	25	31	30	28	46	46	65	40	23	6	5	1
Male.....	17	17	17	18	29	20	27	11	6	2	-	1
Female.....	8	14	13	10	17	26	38	29	17	4	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	1	2	3	1	-	2	-	-	-
Male.....	1	1	-	1	2	-	1	-	2	-	-	-
Female.....	-	1	-	-	-	3	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Septicemia (A40-A41)

South Dakota

All races, both sexes.....	1	1	3	-	3	9	11	9	5	3	1	-
Male.....	-	1	-	-	3	6	4	1	1	1	-	-
Female.....	1	-	3	-	-	3	7	8	4	2	1	-
White, both sexes.....	-	1	2	-	3	9	11	8	5	2	1	-
Male.....	-	1	-	-	3	6	4	1	1	-	-	-
Female.....	-	-	2	-	-	3	7	7	4	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	30	35	55	59	76	92	113	71	49	11	2	-
Male.....	18	18	29	29	39	49	53	32	19	2	1	-
Female.....	12	17	26	30	37	43	60	39	30	9	1	-
White, both sexes.....	19	26	37	44	61	74	92	60	42	8	-	-
Male.....	10	14	20	23	32	40	42	29	18	2	-	-
Female.....	9	12	17	21	29	34	50	31	24	6	-	-
Black, both sexes.....	11	9	18	15	15	17	20	11	7	3	2	-
Male.....	8	4	9	6	7	8	11	3	1	-	1	-
Female.....	3	5	9	9	8	9	9	8	6	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Septicemia (A40-A41)

Texas

All races, both sexes.....	115	139	163	220	301	362	400	317	199	74	12	-
Male.....	61	77	82	121	150	182	170	109	59	24	2	-
Female.....	54	62	81	99	151	180	230	208	140	50	10	-
White, both sexes.....	84	99	129	180	253	296	337	277	171	62	10	-
Male.....	42	50	66	98	126	150	143	92	53	19	2	-
Female.....	42	49	63	82	127	146	194	185	118	43	8	-
Black, both sexes.....	29	38	32	38	46	59	57	32	24	11	2	-
Male.....	17	26	16	21	22	30	25	13	4	4	-	-
Female.....	12	12	16	17	24	29	32	19	20	7	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	1	2	7	6	7	4	1	-	-
Male.....	2	1	-	1	2	2	2	4	2	1	-	-
Female.....	-	1	2	-	-	5	4	3	2	-	-	-

Utah

All races, both sexes.....	3	5	7	10	13	7	11	15	8	1	-	-
Male.....	-	2	2	6	10	2	2	7	5	-	-	-
Female.....	3	3	5	4	3	5	9	8	3	1	-	-
White, both sexes.....	3	4	7	8	11	7	11	15	8	1	-	-
Male.....	-	1	2	4	9	2	2	7	5	-	-	-
Female.....	3	3	5	4	2	5	9	8	3	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
Vermont												
All races, both sexes.....	-	2	-	1	1	3	10	5	2	1	2	-
Male.....	-	-	-	1	1	2	4	2	1	-	-	-
Female.....	-	2	-	-	-	1	6	3	1	1	2	-
White, both sexes.....	-	2	-	1	1	3	10	5	2	1	2	-
Male.....	-	-	-	1	1	2	4	2	1	-	-	-
Female.....	-	2	-	-	-	1	6	3	1	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	33	54	77	76	132	151	210	202	129	43	9	-
Male.....	14	28	41	47	59	68	79	83	38	6	2	-
Female.....	19	26	36	29	73	83	131	119	91	37	7	-
White, both sexes.....	22	33	50	46	92	123	166	159	99	31	6	-
Male.....	10	13	29	27	40	54	63	64	28	6	1	-
Female.....	12	20	21	19	52	69	103	95	71	25	5	-
Black, both sexes.....	10	19	27	28	39	25	39	42	28	11	3	-
Male.....	4	13	12	18	19	13	14	19	8	-	1	-
Female.....	6	6	15	10	20	12	25	23	20	11	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	1	3	5	1	2	1	-	-
Male.....	-	2	-	2	-	1	2	-	2	-	-	-
Female.....	1	-	-	-	1	2	3	1	-	1	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

Arkansas

All races, both sexes.....	-	1	1	1	-	1	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	1	1	1	-	-	-	-
White, both sexes.....	-	1	1	1	-	1	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	9	9	8	14	22	22	11	6	5	-	-
Male.....	1	6	3	5	8	15	11	5	2	2	-	-
Female.....	2	3	6	3	6	7	11	6	4	3	-	-
White, both sexes.....	3	9	7	5	9	21	18	9	5	4	-	-
Male.....	1	6	2	4	5	14	10	3	2	1	-	-
Female.....	2	3	5	1	4	7	8	6	3	3	-	-
Black, both sexes.....	-	-	1	2	2	-	2	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	3	1	2	2	1	1	-	-
Male.....	-	-	-	-	3	1	1	2	-	1	-	-
Female.....	-	-	1	1	-	-	1	-	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

Maine

All races, both sexes.....	-	-	1	-	-	-	3	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	-	-	-
White, both sexes.....	-	-	1	-	-	-	3	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	5	1	4	3	6	4	4	3	5	1	-	-
Male.....	2	-	2	1	5	2	2	-	1	-	-	-
Female.....	3	1	2	2	1	2	2	3	4	1	-	-
White, both sexes.....	4	1	4	3	3	4	3	2	5	1	-	-
Male.....	2	-	2	1	3	2	2	-	1	-	-	-
Female.....	2	1	2	2	-	2	1	2	4	1	-	-
Black, both sexes.....	1	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

Vermont

All races, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	3	2	2	8	6	12	5	5	1	-	-
Male.....	-	1	1	2	6	3	9	3	1	-	-	-
Female.....	2	2	1	-	2	3	3	2	4	1	-	-
White, both sexes.....	2	2	2	2	6	5	10	5	2	1	-	-
Male.....	-	1	1	2	4	3	7	3	-	-	-	-
Female.....	2	1	1	-	2	2	3	2	2	1	-	-
Black, both sexes.....	-	1	-	-	1	-	2	-	3	-	-	-
Male.....	-	-	-	-	1	-	2	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Syphilis (A50-A53)

Colorado

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Colorado: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Connecticut

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Connecticut: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Syphilis (A50-A53)

Minnesota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Minnesota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Mississippi

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Mississippi: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.



























































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Gonococcal infection (A54)

Arkansas

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Arkansas (All races, White, Black, American Indian, Asian or Pacific Islander).

California

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for California (All races, White, Black, American Indian, Asian or Pacific Islander).











































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Gonococcal infection (A54)

South Dakota

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for South Dakota (All races, White, Black, American Indian, Asian or Pacific Islander).

Tennessee

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and 13 rows for Tennessee (All races, White, Black, American Indian, Asian or Pacific Islander).







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Gonococcal infection (A54)

Wisconsin

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wisconsin: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Wyoming

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Wyoming: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.















































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

Lyme disease (A69.2)

Ohio

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Ohio: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Oklahoma

Table with 13 columns (Cause of death, All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years) and rows for Oklahoma: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.































































































































































































