

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Shigellosis and amebiasis (A03,A06)</b>													
All races, both sexes.....	10	-	1	2	-	-	-	1	2	2	2	-	-
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	7	-	1	1	-	-	-	-	1	2	2	-	-
White, both sexes.....	10	-	1	2	-	-	-	1	2	2	2	-	-
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	7	-	1	1	-	-	-	-	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Certain other intestinal infections (A04,A07-A09)</b>													
All races, both sexes.....	5,667	10	12	10	3	11	32	104	253	829	2,070	2,333	-
Male.....	2,209	7	4	5	3	6	17	53	132	377	865	740	-
Female.....	3,458	3	8	5	-	5	15	51	121	452	1,205	1,593	-
White, both sexes.....	5,271	6	9	8	2	9	23	85	208	749	1,945	2,227	-
Male.....	2,044	4	2	3	2	5	11	43	110	347	804	713	-
Female.....	3,227	2	7	5	-	4	12	42	98	402	1,141	1,514	-
Black, both sexes.....	324	3	3	2	1	1	8	17	38	66	98	87	-
Male.....	131	2	2	2	1	1	5	9	17	26	47	19	-
Female.....	193	1	1	-	-	-	3	8	21	40	51	68	-
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	2	4	7	7	2	-
Male.....	5	-	-	-	-	-	-	1	2	-	1	1	-
Female.....	17	-	-	-	-	-	-	1	2	7	6	1	-
Asian or Pacific Islander 2/, both sexes	50	1	-	-	-	1	1	-	3	7	20	17	-
Male.....	29	1	-	-	-	-	1	-	3	4	13	7	-
Female.....	21	-	-	-	-	1	-	-	-	3	7	10	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Tuberculosis (A16-A19)</b>													
All races, both sexes.....	648	2	3	1	18	21	38	79	91	116	165	114	-
Male.....	392	2	2	-	12	12	30	54	64	74	89	53	-
Female.....	256	-	1	1	6	9	8	25	27	42	76	61	-
White, both sexes.....	376	2	2	1	9	10	25	44	46	63	96	78	-
Male.....	226	2	2	-	6	7	19	35	34	38	48	35	-
Female.....	150	-	-	1	3	3	6	9	12	25	48	43	-
Black, both sexes.....	153	-	1	-	6	7	10	24	28	32	29	16	-
Male.....	94	-	-	-	4	2	9	16	19	25	13	6	-
Female.....	59	-	1	-	2	5	1	8	9	7	16	10	-
American Indian 1/, both sexes.....	15	-	-	-	-	1	2	1	3	4	1	3	-
Male.....	11	-	-	-	-	1	2	1	2	1	1	3	-
Female.....	4	-	-	-	-	-	-	-	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes	104	-	-	-	3	3	1	10	14	17	39	17	-
Male.....	61	-	-	-	2	2	-	2	9	10	27	9	-
Female.....	43	-	-	-	1	1	1	8	5	7	12	8	-
<b>Respiratory tuberculosis (A16)</b>													
All races, both sexes.....	480	2	1	-	9	11	28	62	62	81	129	95	-
Male.....	291	2	1	-	4	3	23	43	46	57	68	44	-
Female.....	189	-	-	-	5	8	5	19	16	24	61	51	-
White, both sexes.....	273	2	1	-	5	4	18	33	31	44	74	61	-
Male.....	160	2	1	-	2	1	14	27	24	28	34	27	-
Female.....	113	-	-	-	3	3	4	6	7	16	40	34	-
Black, both sexes.....	115	-	-	-	3	5	10	20	19	23	20	15	-
Male.....	73	-	-	-	2	1	9	14	13	20	9	5	-
Female.....	42	-	-	-	1	4	1	6	6	3	11	10	-
American Indian 1/, both sexes.....	9	-	-	-	-	1	-	1	2	2	-	3	-
Male.....	7	-	-	-	-	1	-	1	1	1	-	3	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	83	-	-	-	1	1	-	8	10	12	35	16	-
Male.....	51	-	-	-	-	-	-	1	8	8	25	9	-
Female.....	32	-	-	-	1	1	-	7	2	4	10	7	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other tuberculosis (A17-A19)</b>													
All races, both sexes.....	168	-	2	1	9	10	10	17	29	35	36	19	-
Male.....	101	-	1	-	8	9	7	11	18	17	21	9	-
Female.....	67	-	1	1	1	1	3	6	11	18	15	10	-
White, both sexes.....	103	-	1	1	4	6	7	11	15	19	22	17	-
Male.....	66	-	1	-	4	6	5	8	10	10	14	8	-
Female.....	37	-	-	1	-	-	2	3	5	9	8	9	-
Black, both sexes.....	38	-	1	-	3	2	-	4	9	9	9	1	-
Male.....	21	-	-	-	2	1	-	2	6	5	4	1	-
Female.....	17	-	1	-	1	1	-	2	3	4	5	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	2	-	1	2	1	-	-
Male.....	4	-	-	-	-	-	2	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes	21	-	-	-	2	2	1	2	4	5	4	1	-
Male.....	10	-	-	-	2	2	-	1	1	2	2	-	-
Female.....	11	-	-	-	-	-	1	1	3	3	2	1	-
<b>Whooping cough (A37)</b>													
All races, both sexes.....	31	28	-	1	-	-	-	-	-	1	1	-	-
Male.....	19	18	-	1	-	-	-	-	-	-	-	-	-
Female.....	12	10	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	23	21	-	1	-	-	-	-	-	-	1	-	-
Male.....	13	12	-	1	-	-	-	-	-	-	-	-	-
Female.....	10	9	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	5	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Measles (B05)</b>													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>													
All races, both sexes.....	5,529	-	-	1	14	61	509	2,314	1,377	648	482	123	-
Male.....	3,612	-	-	1	3	34	349	1,697	977	317	193	41	-
Female.....	1,917	-	-	-	11	27	160	617	400	331	289	82	-
White, both sexes.....	4,395	-	-	-	9	40	421	1,895	1,059	471	397	103	-
Male.....	2,934	-	-	-	2	24	295	1,409	760	240	169	35	-
Female.....	1,461	-	-	-	7	16	126	486	299	231	228	68	-
Black, both sexes.....	872	-	-	1	3	18	65	355	257	107	53	13	-
Male.....	530	-	-	1	-	7	39	240	175	53	13	2	-
Female.....	342	-	-	-	3	11	26	115	82	54	40	11	-
American Indian 1/, both sexes.....	56	-	-	-	-	-	10	23	14	6	2	1	-
Male.....	38	-	-	-	-	-	7	18	10	2	-	1	-
Female.....	18	-	-	-	-	-	3	5	4	4	2	-	-
Asian or Pacific Islander 2/, both sexes	206	-	-	-	2	3	13	41	47	64	30	6	-
Male.....	110	-	-	-	1	3	8	30	32	22	11	3	-
Female.....	96	-	-	-	1	-	5	11	15	42	19	3	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	7,727	169	63	64	86	130	403	1,364	1,273	1,309	1,785	1,081	-
Male.....	4,216	100	40	29	43	80	270	933	768	711	864	378	-
Female.....	3,511	69	23	35	43	50	133	431	505	598	921	703	-
White, both sexes.....	6,427	117	45	51	55	85	299	1,101	1,039	1,108	1,556	971	-
Male.....	3,519	68	27	20	26	53	204	776	628	613	761	343	-
Female.....	2,908	49	18	31	29	32	95	325	411	495	795	628	-
Black, both sexes.....	976	43	13	10	22	40	84	209	182	137	151	85	-
Male.....	524	27	8	6	11	22	55	120	110	69	71	25	-
Female.....	452	16	5	4	11	18	29	89	72	68	80	60	-
American Indian 1/, both sexes.....	80	4	1	2	3	1	10	24	16	7	10	2	-
Male.....	47	3	1	2	2	1	6	15	9	4	3	1	-
Female.....	33	1	-	-	1	-	4	9	7	3	7	1	-
Asian or Pacific Islander 2/, both sexes	244	5	4	1	6	4	10	30	36	57	68	23	-
Male.....	126	2	4	1	4	4	5	22	21	25	29	9	-
Female.....	118	3	-	-	2	-	5	8	15	32	39	14	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	559,312	75	377	1,000	1,717	3,601	14,566	50,405	99,240	138,446	166,421	83,455	9
Male.....	290,422	45	217	557	1,035	1,805	6,338	25,403	54,039	76,685	87,096	37,197	5
Female.....	268,890	30	160	443	682	1,796	8,228	25,002	45,201	61,761	79,325	46,258	4
White, both sexes.....	482,132	64	293	787	1,365	2,694	11,352	39,717	82,439	119,280	148,732	75,404	5
Male.....	250,478	38	168	429	826	1,378	5,072	20,194	44,816	66,080	77,915	33,559	3
Female.....	231,654	26	125	358	539	1,316	6,280	19,523	37,623	53,200	70,817	41,845	2
Black, both sexes.....	63,165	10	64	172	264	688	2,560	8,901	13,960	15,719	14,295	6,528	4
Male.....	32,726	6	37	103	155	321	973	4,365	7,767	8,724	7,386	2,887	2
Female.....	30,439	4	27	69	109	367	1,587	4,536	6,193	6,995	6,909	3,641	2
American Indian 1/, both sexes.....	2,465	-	4	4	15	29	116	340	580	676	518	183	-
Male.....	1,297	-	3	4	10	16	62	161	321	358	267	95	-
Female.....	1,168	-	1	-	5	13	54	179	259	318	251	88	-
Asian or Pacific Islander 2/, both sexes	11,550	1	16	37	73	190	538	1,447	2,261	2,771	2,876	1,340	-
Male.....	5,921	1	9	21	44	90	231	683	1,135	1,523	1,528	656	-
Female.....	5,629	-	7	16	29	100	307	764	1,126	1,248	1,348	684	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</b>													
All races, both sexes.....	7,773	-	1	2	24	54	258	1,123	1,936	1,835	1,673	867	-
Male.....	5,273	-	-	1	16	32	188	874	1,501	1,309	999	353	-
Female.....	2,500	-	1	1	8	22	70	249	435	526	674	514	-
White, both sexes.....	6,409	-	1	2	12	31	187	828	1,538	1,531	1,487	792	-
Male.....	4,247	-	-	1	9	19	130	642	1,181	1,074	872	319	-
Female.....	2,162	-	1	1	3	12	57	186	357	457	615	473	-
Black, both sexes.....	1,080	-	-	-	10	14	49	252	325	246	137	47	-
Male.....	841	-	-	-	5	9	41	202	266	194	101	23	-
Female.....	239	-	-	-	5	5	8	50	59	52	36	24	-
American Indian 1/, both sexes.....	38	-	-	-	-	-	2	3	16	10	3	4	-
Male.....	31	-	-	-	-	-	2	3	13	7	3	3	-
Female.....	7	-	-	-	-	-	-	-	3	3	-	1	-
Asian or Pacific Islander 2/, both sexes	246	-	-	-	2	9	20	40	57	48	46	24	-
Male.....	154	-	-	-	2	4	15	27	41	34	23	8	-
Female.....	92	-	-	-	-	5	5	13	16	14	23	16	-
<b>Malignant neoplasm of esophagus (C15)</b>													
All races, both sexes.....	13,499	-	-	1	3	35	316	1,510	3,100	3,682	3,581	1,271	-
Male.....	10,611	-	-	-	3	30	263	1,302	2,619	2,977	2,679	738	-
Female.....	2,888	-	-	1	-	5	53	208	481	705	902	533	-
White, both sexes.....	11,783	-	-	1	3	31	254	1,235	2,611	3,212	3,249	1,187	-
Male.....	9,364	-	-	-	3	28	216	1,099	2,239	2,623	2,455	701	-
Female.....	2,419	-	-	1	-	3	38	136	372	589	794	486	-
Black, both sexes.....	1,468	-	-	-	-	4	51	246	431	397	274	65	-
Male.....	1,075	-	-	-	-	2	39	186	334	298	187	29	-
Female.....	393	-	-	-	-	2	12	60	97	99	87	36	-
American Indian 1/, both sexes.....	69	-	-	-	-	-	4	12	17	19	14	3	-
Male.....	52	-	-	-	-	-	4	7	14	15	10	2	-
Female.....	17	-	-	-	-	-	-	5	3	4	4	1	-
Asian or Pacific Islander 2/, both sexes	179	-	-	-	-	-	7	17	41	54	44	16	-
Male.....	120	-	-	-	-	-	4	10	32	41	27	6	-
Female.....	59	-	-	-	-	-	3	7	9	13	17	10	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of stomach (C16)</b>													
All races, both sexes.....	11,514	-	-	-	20	115	448	1,103	1,783	2,615	3,470	1,960	-
Male.....	6,752	-	-	-	9	58	266	693	1,204	1,681	1,972	869	-
Female.....	4,762	-	-	-	11	57	182	410	579	934	1,498	1,091	-
White, both sexes.....	8,711	-	-	-	14	69	296	779	1,302	1,949	2,709	1,593	-
Male.....	5,107	-	-	-	6	41	173	489	880	1,251	1,559	708	-
Female.....	3,604	-	-	-	8	28	123	290	422	698	1,150	885	-
Black, both sexes.....	1,973	-	-	-	3	24	101	231	343	466	527	278	-
Male.....	1,162	-	-	-	2	11	68	151	243	300	264	123	-
Female.....	811	-	-	-	1	13	33	80	100	166	263	155	-
American Indian 1/, both sexes.....	85	-	-	-	-	1	8	12	21	21	15	7	-
Male.....	52	-	-	-	-	1	2	7	12	14	12	4	-
Female.....	33	-	-	-	-	-	6	5	9	7	3	3	-
Asian or Pacific Islander 2/, both sexes	745	-	-	-	3	21	43	81	117	179	219	82	-
Male.....	431	-	-	-	1	5	23	46	69	116	137	34	-
Female.....	314	-	-	-	2	16	20	35	48	63	82	48	-
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>													
All races, both sexes.....	53,252	1	-	4	47	305	1,297	4,343	8,153	11,792	16,254	11,054	2
Male.....	26,843	1	-	4	27	167	694	2,401	4,812	6,789	8,003	3,943	2
Female.....	26,409	-	-	-	20	138	603	1,942	3,341	5,003	8,251	7,111	-
White, both sexes.....	44,994	1	-	4	35	228	993	3,285	6,503	9,860	14,201	9,883	1
Male.....	22,782	1	-	4	20	120	553	1,848	3,885	5,744	7,062	3,544	1
Female.....	22,212	-	-	-	15	108	440	1,437	2,618	4,116	7,139	6,339	-
Black, both sexes.....	6,884	-	-	-	10	62	244	897	1,382	1,607	1,702	979	1
Male.....	3,344	-	-	-	6	39	116	465	784	844	771	318	1
Female.....	3,540	-	-	-	4	23	128	432	598	763	931	661	-
American Indian 1/, both sexes.....	240	-	-	-	-	4	15	43	50	53	54	21	-
Male.....	136	-	-	-	-	2	8	26	30	35	25	10	-
Female.....	104	-	-	-	-	2	7	17	20	18	29	11	-
Asian or Pacific Islander 2/, both sexes	1,134	-	-	-	2	11	45	118	218	272	297	171	-
Male.....	581	-	-	-	1	6	17	62	113	166	145	71	-
Female.....	553	-	-	-	1	5	28	56	105	106	152	100	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>													
All races, both sexes.....	16,076	8	21	16	30	89	380	2,515	3,438	3,747	4,176	1,655	1
Male.....	10,548	6	13	9	18	63	258	2,003	2,615	2,470	2,374	719	-
Female.....	5,528	2	8	7	12	26	122	512	823	1,277	1,802	936	1
White, both sexes.....	12,735	7	19	11	19	46	240	1,823	2,564	2,989	3,564	1,453	-
Male.....	8,278	6	12	8	9	32	155	1,442	1,941	1,976	2,047	650	-
Female.....	4,457	1	7	3	10	14	85	381	623	1,013	1,517	803	-
Black, both sexes.....	2,118	1	2	3	7	28	84	488	619	440	336	109	1
Male.....	1,483	-	1	1	6	20	58	397	488	292	186	34	-
Female.....	635	1	1	2	1	8	26	91	131	148	150	75	1
American Indian 1/, both sexes.....	119	-	-	-	-	-	6	24	28	35	20	6	-
Male.....	73	-	-	-	-	-	3	18	23	21	5	3	-
Female.....	46	-	-	-	-	-	3	6	5	14	15	3	-
Asian or Pacific Islander 2/, both sexes	1,104	-	-	2	4	15	50	180	227	283	256	87	-
Male.....	714	-	-	-	3	11	42	146	163	181	136	32	-
Female.....	390	-	-	2	1	4	8	34	64	102	120	55	-
<b>Malignant neoplasm of pancreas (C25)</b>													
All races, both sexes.....	32,760	-	-	2	3	64	565	2,744	5,984	8,288	10,147	4,962	1
Male.....	16,147	-	-	2	1	39	332	1,613	3,551	4,421	4,540	1,648	-
Female.....	16,613	-	-	-	2	25	233	1,131	2,433	3,867	5,607	3,314	1
White, both sexes.....	28,092	-	-	2	1	47	451	2,163	4,980	7,069	8,942	4,436	1
Male.....	13,958	-	-	2	-	28	269	1,287	2,992	3,843	4,050	1,487	-
Female.....	14,134	-	-	-	1	19	182	876	1,988	3,226	4,892	2,949	1
Black, both sexes.....	3,783	-	-	-	1	13	86	487	824	1,002	953	417	-
Male.....	1,756	-	-	-	1	8	44	275	464	475	381	108	-
Female.....	2,027	-	-	-	-	5	42	212	360	527	572	309	-
American Indian 1/, both sexes.....	133	-	-	-	-	2	2	18	28	34	41	8	-
Male.....	73	-	-	-	-	2	1	8	20	21	17	4	-
Female.....	60	-	-	-	-	-	1	10	8	13	24	4	-
Asian or Pacific Islander 2/, both sexes	752	-	-	-	1	2	26	76	152	183	211	101	-
Male.....	360	-	-	-	-	1	18	43	75	82	92	49	-
Female.....	392	-	-	-	1	1	8	33	77	101	119	52	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of larynx (C32)</b>													
All races, both sexes.....	3,797	-	-	-	-	3	64	423	916	1,156	914	320	1
Male.....	2,983	-	-	-	-	2	47	320	752	916	693	252	1
Female.....	814	-	-	-	-	1	17	103	164	240	221	68	-
White, both sexes.....	3,060	-	-	-	-	2	49	308	684	934	807	275	1
Male.....	2,388	-	-	-	-	1	36	236	553	736	609	216	1
Female.....	672	-	-	-	-	1	13	72	131	198	198	59	-
Black, both sexes.....	680	-	-	-	-	1	13	111	214	203	100	38	-
Male.....	548	-	-	-	-	1	9	80	186	163	78	31	-
Female.....	132	-	-	-	-	-	4	31	28	40	22	7	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	2	9	7	1	2	-
Male.....	17	-	-	-	-	-	-	2	7	6	1	1	-
Female.....	4	-	-	-	-	-	-	-	2	1	-	1	-
Asian or Pacific Islander 2/, both sexes	36	-	-	-	-	-	2	2	9	12	6	5	-
Male.....	30	-	-	-	-	-	2	2	6	11	5	4	-
Female.....	6	-	-	-	-	-	-	-	3	1	1	1	-
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All races, both sexes.....	159,292	-	3	1	16	133	2,323	12,624	31,363	48,390	49,032	15,404	3
Male.....	90,187	-	3	-	9	77	1,197	7,327	18,663	28,207	27,196	7,506	2
Female.....	69,105	-	-	1	7	56	1,126	5,297	12,700	20,183	21,836	7,898	1
White, both sexes.....	139,442	-	3	1	14	98	1,851	10,046	26,469	42,527	44,428	14,003	2
Male.....	78,379	-	3	-	8	59	943	5,814	15,517	24,638	24,606	6,790	1
Female.....	61,063	-	-	1	6	39	908	4,232	10,952	17,889	19,822	7,213	1
Black, both sexes.....	16,567	-	-	-	1	19	388	2,250	4,211	4,912	3,703	1,082	1
Male.....	9,887	-	-	-	1	11	204	1,334	2,721	3,013	2,069	533	1
Female.....	6,680	-	-	-	-	8	184	916	1,490	1,899	1,634	549	-
American Indian 1/, both sexes.....	674	-	-	-	-	2	20	78	172	221	149	32	-
Male.....	357	-	-	-	-	-	14	39	99	110	80	15	-
Female.....	317	-	-	-	-	2	6	39	73	111	69	17	-
Asian or Pacific Islander 2/, both sexes	2,609	-	-	-	1	14	64	250	511	730	752	287	-
Male.....	1,564	-	-	-	-	7	36	140	326	446	441	168	-
Female.....	1,045	-	-	-	1	7	28	110	185	284	311	119	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant melanoma of skin (C43)</b>													
All races, both sexes.....	8,345	-	1	3	40	216	524	1,197	1,575	1,748	2,031	1,010	-
Male.....	5,283	-	1	-	23	138	313	748	1,030	1,177	1,294	559	-
Female.....	3,062	-	-	3	17	78	211	449	545	571	737	451	-
White, both sexes.....	8,146	-	1	2	35	211	506	1,170	1,531	1,716	1,992	982	-
Male.....	5,184	-	1	-	20	133	299	734	1,005	1,166	1,276	550	-
Female.....	2,962	-	-	2	15	78	207	436	526	550	716	432	-
Black, both sexes.....	124	-	-	1	2	3	10	13	26	19	30	20	-
Male.....	57	-	-	-	1	3	8	7	15	5	13	5	-
Female.....	67	-	-	1	1	-	2	6	11	14	17	15	-
American Indian 1/, both sexes.....	20	-	-	-	2	-	5	2	7	2	1	1	-
Male.....	15	-	-	-	2	-	4	2	4	2	1	-	-
Female.....	5	-	-	-	-	-	1	-	3	-	-	1	-
Asian or Pacific Islander 2/, both sexes	55	-	-	-	1	2	3	12	11	11	8	7	-
Male.....	27	-	-	-	-	2	2	5	6	4	4	4	-
Female.....	28	-	-	-	1	-	1	7	5	7	4	3	-
<b>Malignant neoplasm of breast (C50)</b>													
All races, both sexes.....	41,491	1	-	-	12	356	2,497	6,232	8,646	8,113	9,382	6,252	-
Male.....	375	1	-	-	-	-	9	33	73	109	111	39	-
Female.....	41,116	-	-	-	12	356	2,488	6,199	8,573	8,004	9,271	6,213	-
White, both sexes.....	34,663	1	-	-	7	235	1,787	4,646	7,002	6,936	8,393	5,656	-
Male.....	311	1	-	-	-	-	5	26	60	88	96	35	-
Female.....	34,352	-	-	-	7	235	1,782	4,620	6,942	6,848	8,297	5,621	-
Black, both sexes.....	5,858	-	-	-	5	103	614	1,370	1,386	1,011	829	540	-
Male.....	56	-	-	-	-	-	2	6	12	21	13	2	-
Female.....	5,802	-	-	-	5	103	612	1,364	1,374	990	816	538	-
American Indian 1/, both sexes.....	167	-	-	-	-	5	12	27	27	44	42	10	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	166	-	-	-	-	5	12	27	27	44	42	9	-
Asian or Pacific Islander 2/, both sexes	803	-	-	-	-	13	84	189	231	122	118	46	-
Male.....	7	-	-	-	-	-	2	1	1	-	2	1	-
Female.....	796	-	-	-	-	13	82	188	230	122	116	45	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of cervix uteri (C53)</b>													
All races, both sexes.....	3,924	-	-	-	14	168	622	958	796	575	518	273	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,924	-	-	-	14	168	622	958	796	575	518	273	-
White, both sexes.....	2,982	-	-	-	10	133	471	713	595	443	399	218	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2,982	-	-	-	10	133	471	713	595	443	399	218	-
Black, both sexes.....	783	-	-	-	4	30	133	189	159	112	107	49	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	783	-	-	-	4	30	133	189	159	112	107	49	-
American Indian 1/, both sexes.....	34	-	-	-	-	1	4	17	7	4	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	34	-	-	-	-	1	4	17	7	4	-	1	-
Asian or Pacific Islander 2/, both sexes	125	-	-	-	-	4	14	39	35	16	12	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	125	-	-	-	-	4	14	39	35	16	12	5	-
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>													
All races, both sexes.....	7,096	-	-	-	4	22	146	568	1,468	1,808	1,955	1,125	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7,096	-	-	-	4	22	146	568	1,468	1,808	1,955	1,125	-
White, both sexes.....	5,742	-	-	-	2	13	110	449	1,118	1,414	1,639	997	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,742	-	-	-	2	13	110	449	1,118	1,414	1,639	997	-
Black, both sexes.....	1,180	-	-	-	2	7	25	95	301	355	278	117	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,180	-	-	-	2	7	25	95	301	355	278	117	-
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	3	4	7	6	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	-	-	-	-	-	-	3	4	7	6	2	-
Asian or Pacific Islander 2/, both sexes	152	-	-	-	-	2	11	21	45	32	32	9	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	152	-	-	-	-	2	11	21	45	32	32	9	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>													
All races, both sexes.....	12,517	8	16	30	17	49	294	1,277	2,514	3,143	3,510	1,659	-
Male.....	7,783	4	9	13	11	35	181	890	1,752	2,078	1,999	811	-
Female.....	4,734	4	7	17	6	14	113	387	762	1,065	1,511	848	-
White, both sexes.....	11,091	7	12	21	7	23	234	1,076	2,186	2,806	3,204	1,515	-
Male.....	6,888	3	8	7	4	16	140	744	1,527	1,857	1,831	751	-
Female.....	4,203	4	4	14	3	7	94	332	659	949	1,373	764	-
Black, both sexes.....	1,155	-	2	9	10	22	49	167	272	269	241	114	-
Male.....	723	-	-	6	7	17	35	122	190	176	128	42	-
Female.....	432	-	2	3	3	5	14	45	82	93	113	72	-
American Indian 1/, both sexes.....	87	-	-	-	-	2	6	11	24	24	17	3	-
Male.....	58	-	-	-	-	2	3	5	17	14	15	2	-
Female.....	29	-	-	-	-	-	3	6	7	10	2	1	-
Asian or Pacific Islander 2/, both sexes	184	1	2	-	-	2	5	23	32	44	48	27	-
Male.....	114	1	1	-	-	-	3	19	18	31	25	16	-
Female.....	70	-	1	-	-	2	2	4	14	13	23	11	-
<b>Malignant neoplasm of bladder (C67)</b>													
All races, both sexes.....	13,253	-	-	-	-	15	122	523	1,482	2,772	4,859	3,480	-
Male.....	9,190	-	-	-	-	9	81	358	1,115	2,072	3,436	2,119	-
Female.....	4,063	-	-	-	-	6	41	165	367	700	1,423	1,361	-
White, both sexes.....	12,100	-	-	-	-	13	110	440	1,320	2,509	4,498	3,210	-
Male.....	8,523	-	-	-	-	8	74	314	1,010	1,907	3,225	1,985	-
Female.....	3,577	-	-	-	-	5	36	126	310	602	1,273	1,225	-
Black, both sexes.....	961	-	-	-	-	2	12	74	141	218	299	215	-
Male.....	546	-	-	-	-	1	7	39	90	134	166	109	-
Female.....	415	-	-	-	-	1	5	35	51	84	133	106	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	2	6	9	10	3	-
Male.....	18	-	-	-	-	-	-	2	3	7	5	1	-
Female.....	12	-	-	-	-	-	-	-	3	2	5	2	-
Asian or Pacific Islander 2/, both sexes	162	-	-	-	-	-	-	7	15	36	52	52	-
Male.....	103	-	-	-	-	-	-	3	12	24	40	24	-
Female.....	59	-	-	-	-	-	-	4	3	12	12	28	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	13,152	18	84	324	234	379	948	1,943	2,839	2,943	2,633	807	-
Male.....	7,317	12	38	171	144	248	604	1,160	1,653	1,643	1,335	309	-
Female.....	5,835	6	46	153	90	131	344	783	1,186	1,300	1,298	498	-
White, both sexes.....	12,079	15	68	257	197	329	850	1,766	2,624	2,744	2,472	757	-
Male.....	6,715	10	28	132	121	214	549	1,055	1,526	1,539	1,249	292	-
Female.....	5,364	5	40	125	76	115	301	711	1,098	1,205	1,223	465	-
Black, both sexes.....	793	3	13	52	24	30	65	138	164	147	122	35	-
Male.....	440	2	8	28	14	23	36	85	95	76	64	9	-
Female.....	353	1	5	24	10	7	29	53	69	71	58	26	-
American Indian 1/, both sexes.....	44	-	1	2	3	2	7	5	15	2	6	1	-
Male.....	28	-	1	2	2	2	4	2	11	-	3	1	-
Female.....	16	-	-	-	1	-	3	3	4	2	3	-	-
Asian or Pacific Islander 2/, both sexes	236	-	2	13	10	18	26	34	36	50	33	14	-
Male.....	134	-	1	9	7	9	15	18	21	28	19	7	-
Female.....	102	-	1	4	3	9	11	16	15	22	14	7	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	55,028	24	128	335	655	811	1,498	3,687	7,623	12,487	18,109	9,671	-
Male.....	30,031	12	84	206	411	464	880	2,175	4,543	7,385	9,662	4,209	-
Female.....	24,997	12	44	129	244	347	618	1,512	3,080	5,102	8,447	5,462	-
White, both sexes.....	48,703	20	93	274	522	583	1,172	2,912	6,457	10,966	16,663	9,041	-
Male.....	26,707	10	60	164	332	334	703	1,729	3,895	6,566	8,936	3,978	-
Female.....	21,996	10	33	110	190	249	469	1,183	2,562	4,400	7,727	5,063	-
Black, both sexes.....	5,046	4	27	45	104	182	261	623	936	1,210	1,142	512	-
Male.....	2,633	2	18	32	64	100	142	364	527	651	556	177	-
Female.....	2,413	2	9	13	40	82	119	259	409	559	586	335	-
American Indian 1/, both sexes.....	222	-	2	1	6	6	10	29	53	62	38	15	-
Male.....	121	-	2	1	3	4	7	15	23	38	23	5	-
Female.....	101	-	-	-	3	2	3	14	30	24	15	10	-
Asian or Pacific Islander 2/, both sexes	1,057	-	6	15	23	40	55	123	177	249	266	103	-
Male.....	570	-	4	9	12	26	28	67	98	130	147	49	-
Female.....	487	-	2	6	11	14	27	56	79	119	119	54	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hodgkin's disease (C81)</b>													
All races, both sexes.....	1,272	-	-	11	61	116	118	168	184	205	304	105	-
Male.....	684	-	-	7	27	65	71	94	121	118	131	50	-
Female.....	588	-	-	4	34	51	47	74	63	87	173	55	-
White, both sexes.....	1,095	-	-	11	48	73	88	137	163	189	289	97	-
Male.....	582	-	-	7	22	38	55	76	103	108	124	49	-
Female.....	513	-	-	4	26	35	33	61	60	81	165	48	-
Black, both sexes.....	145	-	-	-	9	36	26	28	17	13	11	5	-
Male.....	85	-	-	-	4	22	14	15	15	8	6	1	-
Female.....	60	-	-	-	5	14	12	13	2	5	5	4	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	3	-	-	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	-	-	-	4	6	4	2	4	2	4	3	-
Male.....	14	-	-	-	1	4	2	2	3	1	1	-	-
Female.....	15	-	-	-	3	2	2	-	1	1	3	3	-
<b>Non-Hodgkin's lymphoma (C82-C85)</b>													
All races, both sexes.....	20,873	1	6	48	127	222	566	1,410	2,925	4,626	7,111	3,831	-
Male.....	11,131	-	2	40	90	134	365	909	1,745	2,677	3,557	1,612	-
Female.....	9,742	1	4	8	37	88	201	501	1,180	1,949	3,554	2,219	-
White, both sexes.....	18,970	1	5	38	92	152	431	1,140	2,547	4,206	6,707	3,651	-
Male.....	10,118	-	1	30	70	89	291	733	1,530	2,450	3,378	1,546	-
Female.....	8,852	1	4	8	22	63	140	407	1,017	1,756	3,329	2,105	-
Black, both sexes.....	1,392	-	1	9	30	57	112	214	280	297	266	126	-
Male.....	752	-	1	9	17	34	61	143	166	167	111	43	-
Female.....	640	-	-	-	13	23	51	71	114	130	155	83	-
American Indian 1/, both sexes.....	83	-	-	-	-	3	5	10	25	19	13	8	-
Male.....	39	-	-	-	-	2	3	4	11	11	6	2	-
Female.....	44	-	-	-	-	1	2	6	14	8	7	6	-
Asian or Pacific Islander 2/, both sexes	428	-	-	1	5	10	18	46	73	104	125	46	-
Male.....	222	-	-	1	3	9	10	29	38	49	62	21	-
Female.....	206	-	-	-	2	1	8	17	35	55	63	25	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Leukemia (C91-C95)</b>													
All races, both sexes.....	21,623	22	120	275	466	461	680	1,419	2,662	4,673	6,832	4,013	-
Male.....	12,231	11	81	159	293	257	358	762	1,649	2,902	3,957	1,802	-
Female.....	9,392	11	39	116	173	204	322	657	1,013	1,771	2,875	2,211	-
White, both sexes.....	19,414	18	87	224	381	351	558	1,160	2,332	4,192	6,334	3,777	-
Male.....	11,034	9	58	127	239	203	291	630	1,462	2,628	3,672	1,715	-
Female.....	8,380	9	29	97	142	148	267	530	870	1,564	2,662	2,062	-
Black, both sexes.....	1,718	4	25	36	65	84	89	201	257	374	388	195	-
Male.....	911	2	17	23	43	40	48	102	145	211	213	67	-
Female.....	807	2	8	13	22	44	41	99	112	163	175	128	-
American Indian 1/, both sexes.....	73	-	2	1	6	2	4	7	10	17	17	7	-
Male.....	43	-	2	1	3	1	3	4	4	12	10	3	-
Female.....	30	-	-	-	3	1	1	3	6	5	7	4	-
Asian or Pacific Islander 2/, both sexes	418	-	6	14	14	24	29	51	63	90	93	34	-
Male.....	243	-	4	8	8	13	16	26	38	51	62	17	-
Female.....	175	-	2	6	6	11	13	25	25	39	31	17	-
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>													
All races, both sexes.....	11,200	-	-	-	1	11	131	688	1,842	2,969	3,846	1,712	-
Male.....	5,945	-	-	-	1	8	83	409	1,021	1,678	2,006	739	-
Female.....	5,255	-	-	-	-	3	48	279	821	1,291	1,840	973	-
White, both sexes.....	9,171	-	-	-	1	6	92	473	1,406	2,367	3,319	1,507	-
Male.....	4,937	-	-	-	1	4	63	289	794	1,372	1,752	662	-
Female.....	4,234	-	-	-	-	2	29	184	612	995	1,567	845	-
Black, both sexes.....	1,785	-	-	-	-	5	34	180	381	524	476	185	-
Male.....	882	-	-	-	-	4	19	104	200	263	226	66	-
Female.....	903	-	-	-	-	1	15	76	181	261	250	119	-
American Indian 1/, both sexes.....	63	-	-	-	-	-	1	11	18	25	8	-	-
Male.....	36	-	-	-	-	-	1	6	8	14	7	-	-
Female.....	27	-	-	-	-	-	-	5	10	11	1	-	-
Asian or Pacific Islander 2/, both sexes	181	-	-	-	-	-	4	24	37	53	43	20	-
Male.....	90	-	-	-	-	-	-	10	19	29	21	11	-
Female.....	91	-	-	-	-	-	4	14	18	24	22	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</b>													
All races, both sexes.....	60	1	2	1	-	1	3	2	10	14	16	10	-
Male.....	40	1	1	-	-	-	3	1	7	10	11	6	-
Female.....	20	-	1	1	-	1	-	1	3	4	5	4	-
White, both sexes.....	53	1	1	1	-	1	3	2	9	12	14	9	-
Male.....	36	1	1	-	-	-	3	1	6	8	10	6	-
Female.....	17	-	-	1	-	1	-	1	3	4	4	3	-
Black, both sexes.....	6	-	1	-	-	-	-	-	1	2	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</b>													
All races, both sexes.....	62,851	15	122	279	579	701	1,827	5,558	10,422	14,019	18,480	10,848	1
Male.....	32,194	9	68	151	362	440	1,001	3,111	6,002	7,687	9,137	4,226	-
Female.....	30,657	6	54	128	217	261	826	2,447	4,420	6,332	9,343	6,622	1
White, both sexes.....	54,604	13	95	210	468	533	1,446	4,367	8,693	12,122	16,702	9,955	-
Male.....	28,050	7	55	111	293	343	814	2,470	5,039	6,670	8,342	3,906	-
Female.....	26,554	6	40	99	175	190	632	1,897	3,654	5,452	8,360	6,049	-
Black, both sexes.....	6,672	2	20	61	81	130	310	990	1,417	1,513	1,459	688	1
Male.....	3,352	2	10	36	48	76	154	532	806	818	632	238	-
Female.....	3,320	-	10	25	33	54	156	458	611	695	827	450	1
American Indian 1/, both sexes.....	292	-	1	1	4	3	12	35	74	82	45	35	-
Male.....	152	-	-	1	3	3	9	22	34	44	20	16	-
Female.....	140	-	1	-	1	-	3	13	40	38	25	19	-
Asian or Pacific Islander 2/, both sexes	1,283	-	6	7	26	35	59	166	238	302	274	170	-
Male.....	640	-	3	3	18	18	24	87	123	155	143	66	-
Female.....	643	-	3	4	8	17	35	79	115	147	131	104	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,710	59	52	76	93	162	368	729	1,318	2,350	4,594	3,909	-
Male.....	6,820	22	31	36	54	86	186	404	754	1,342	2,419	1,486	-
Female.....	6,890	37	21	40	39	76	182	325	564	1,008	2,175	2,423	-
White, both sexes.....	12,249	42	42	57	76	129	282	577	1,109	2,067	4,220	3,648	-
Male.....	6,161	16	26	29	47	69	146	326	644	1,206	2,251	1,401	-
Female.....	6,088	26	16	28	29	60	136	251	465	861	1,969	2,247	-
Black, both sexes.....	1,151	15	5	14	11	27	77	125	165	226	282	204	-
Male.....	499	6	2	4	5	13	35	63	85	103	124	59	-
Female.....	652	9	3	10	6	14	42	62	80	123	158	145	-
American Indian 1/, both sexes.....	51	-	-	-	2	1	2	8	6	5	14	13	-
Male.....	23	-	-	-	1	1	1	5	4	2	6	3	-
Female.....	28	-	-	-	1	-	1	3	2	3	8	10	-
Asian or Pacific Islander 2/, both sexes	259	2	5	5	4	5	7	19	38	52	78	44	-
Male.....	137	-	3	3	1	3	4	10	21	31	38	23	-
Female.....	122	2	2	2	3	2	3	9	17	21	40	21	-
Anemias (D50-D64)													
All races, both sexes.....	4,624	19	23	26	103	157	189	253	304	494	1,193	1,863	-
Male.....	1,787	13	9	14	57	85	97	108	141	224	502	537	-
Female.....	2,837	6	14	12	46	72	92	145	163	270	691	1,326	-
White, both sexes.....	3,499	9	11	11	22	25	37	114	202	372	1,021	1,675	-
Male.....	1,288	6	4	5	10	16	15	50	96	171	428	487	-
Female.....	2,211	3	7	6	12	9	22	64	106	201	593	1,188	-
Black, both sexes.....	1,032	6	11	15	77	131	147	136	92	109	149	159	-
Male.....	456	6	5	9	45	69	79	58	35	47	63	40	-
Female.....	576	-	6	6	32	62	68	78	57	62	86	119	-
American Indian 1/, both sexes.....	24	-	-	-	1	-	-	1	4	7	2	9	-
Male.....	13	-	-	-	-	-	-	-	4	4	1	4	-
Female.....	11	-	-	-	1	-	-	1	-	3	1	5	-
Asian or Pacific Islander 2/, both sexes	69	4	1	-	3	1	5	2	6	6	21	20	-
Male.....	30	1	-	-	2	-	3	-	6	2	10	6	-
Female.....	39	3	1	-	1	1	2	2	-	4	11	14	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diabetes mellitus (E10-E14)</b>													
All races, both sexes.....	75,119	1	2	38	202	617	2,045	5,691	11,301	16,183	23,136	15,903	-
Male.....	36,538	-	-	15	115	372	1,270	3,467	6,570	8,505	10,701	5,523	-
Female.....	38,581	1	2	23	87	245	775	2,224	4,731	7,678	12,435	10,380	-
White, both sexes.....	59,755	1	1	25	124	372	1,428	4,079	8,458	12,476	19,212	13,579	-
Male.....	29,628	-	-	11	73	227	912	2,555	5,045	6,778	9,170	4,857	-
Female.....	30,127	1	1	14	51	145	516	1,524	3,413	5,698	10,042	8,722	-
Black, both sexes.....	12,970	-	1	12	73	219	541	1,410	2,440	3,128	3,251	1,895	-
Male.....	5,730	-	-	3	39	128	310	780	1,287	1,430	1,253	500	-
Female.....	7,240	-	1	9	34	91	231	630	1,153	1,698	1,998	1,395	-
American Indian 1/, both sexes.....	818	-	-	-	4	17	41	98	177	234	159	88	-
Male.....	412	-	-	-	2	11	27	63	94	115	69	31	-
Female.....	406	-	-	-	2	6	14	35	83	119	90	57	-
Asian or Pacific Islander 2/, both sexes	1,576	-	-	1	1	9	35	104	226	345	514	341	-
Male.....	768	-	-	1	1	6	21	69	144	182	209	135	-
Female.....	808	-	-	-	-	3	14	35	82	163	305	206	-
<b>Nutritional deficiencies (E40-E64)</b>													
All races, both sexes.....	3,183	5	3	4	3	19	38	118	157	353	915	1,568	-
Male.....	1,116	3	1	1	1	7	14	56	88	157	341	447	-
Female.....	2,067	2	2	3	2	12	24	62	69	196	574	1,121	-
White, both sexes.....	2,677	2	2	3	1	11	28	88	121	281	763	1,377	-
Male.....	924	1	-	-	-	4	11	42	64	127	282	393	-
Female.....	1,753	1	2	3	1	7	17	46	57	154	481	984	-
Black, both sexes.....	430	3	1	1	1	7	9	28	34	61	126	159	-
Male.....	156	2	1	1	1	2	3	14	23	24	45	40	-
Female.....	274	1	-	-	-	5	6	14	11	37	81	119	-
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	2	2	6	4	6	-
Male.....	11	-	-	-	-	-	-	-	1	4	3	3	-
Female.....	9	-	-	-	-	-	-	2	1	2	1	3	-
Asian or Pacific Islander 2/, both sexes	56	-	-	-	1	1	1	-	-	5	22	26	-
Male.....	25	-	-	-	-	1	-	-	-	2	11	11	-
Female.....	31	-	-	-	1	-	1	-	-	3	11	15	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Meningitis (G00,G03)</b>													
All races, both sexes.....	669	57	32	26	28	32	74	118	106	74	76	45	1
Male.....	353	29	21	15	15	24	44	68	53	37	32	14	1
Female.....	316	28	11	11	13	8	30	50	53	37	44	31	-
White, both sexes.....	496	35	20	18	21	20	49	88	82	60	63	39	1
Male.....	262	17	13	9	13	14	30	54	41	30	28	12	1
Female.....	234	18	7	9	8	6	19	34	41	30	35	27	-
Black, both sexes.....	143	18	6	7	5	11	22	28	20	13	8	5	-
Male.....	76	9	3	6	1	9	13	13	10	7	3	2	-
Female.....	67	9	3	1	4	2	9	15	10	6	5	3	-
American Indian 1/, both sexes.....	11	2	3	1	-	-	2	-	1	-	2	-	-
Male.....	6	2	2	-	-	-	1	-	1	-	-	-	-
Female.....	5	-	1	1	-	-	1	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	19	2	3	-	2	1	1	2	3	1	3	1	-
Male.....	9	1	3	-	1	1	-	1	1	-	1	-	-
Female.....	10	1	-	-	1	-	1	1	2	1	2	1	-
<b>Parkinson's disease (G20-G21)</b>													
All races, both sexes.....	19,544	-	-	-	3	4	7	66	434	2,414	9,294	7,322	-
Male.....	11,247	-	-	-	3	2	3	44	275	1,596	5,658	3,666	-
Female.....	8,297	-	-	-	-	2	4	22	159	818	3,636	3,656	-
White, both sexes.....	18,496	-	-	-	3	4	7	60	395	2,224	8,797	7,006	-
Male.....	10,649	-	-	-	3	2	3	39	250	1,472	5,374	3,506	-
Female.....	7,847	-	-	-	-	2	4	21	145	752	3,423	3,500	-
Black, both sexes.....	711	-	-	-	-	-	-	5	25	127	342	212	-
Male.....	412	-	-	-	-	-	-	4	15	90	198	105	-
Female.....	299	-	-	-	-	-	-	1	10	37	144	107	-
American Indian 1/, both sexes.....	66	-	-	-	-	-	-	1	6	10	31	18	-
Male.....	34	-	-	-	-	-	-	1	3	3	18	9	-
Female.....	32	-	-	-	-	-	-	-	3	7	13	9	-
Asian or Pacific Islander 2/, both sexes	271	-	-	-	-	-	-	-	8	53	124	86	-
Male.....	152	-	-	-	-	-	-	-	7	31	68	46	-
Female.....	119	-	-	-	-	-	-	-	1	22	56	40	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alzheimer's disease (G30)</b>													
All races, both sexes.....	71,599	-	-	-	-	2	10	80	648	3,813	23,139	43,906	1
Male.....	20,559	-	-	-	-	-	6	30	287	1,648	8,326	10,262	-
Female.....	51,040	-	-	-	-	2	4	50	361	2,165	14,813	33,644	1
White, both sexes.....	66,191	-	-	-	-	2	10	72	592	3,383	21,272	40,860	-
Male.....	18,990	-	-	-	-	-	6	26	265	1,465	7,669	9,559	-
Female.....	47,201	-	-	-	-	2	4	46	327	1,918	13,603	31,301	-
Black, both sexes.....	4,620	-	-	-	-	-	-	6	47	390	1,596	2,580	1
Male.....	1,292	-	-	-	-	-	-	4	18	163	549	558	-
Female.....	3,328	-	-	-	-	-	-	2	29	227	1,047	2,022	1
American Indian 1/, both sexes.....	173	-	-	-	-	-	-	-	-	10	69	94	-
Male.....	48	-	-	-	-	-	-	-	-	6	19	23	-
Female.....	125	-	-	-	-	-	-	-	-	4	50	71	-
Asian or Pacific Islander 2/, both sexes	615	-	-	-	-	-	-	2	9	30	202	372	-
Male.....	229	-	-	-	-	-	-	-	4	14	89	122	-
Female.....	386	-	-	-	-	-	-	2	5	16	113	250	-
<b>Major cardiovascular diseases (I00-I78)</b>													
All races, both sexes.....	856,030	503	217	367	1,391	4,041	15,852	46,928	79,896	124,366	256,362	326,066	41
Male.....	405,780	282	126	200	914	2,657	10,664	32,548	53,484	73,733	125,037	106,106	29
Female.....	450,250	221	91	167	477	1,384	5,188	14,380	26,412	50,633	131,325	219,960	12
White, both sexes.....	737,248	318	141	240	926	2,574	11,085	33,972	61,969	102,044	225,723	298,229	27
Male.....	348,454	177	86	137	610	1,748	7,753	24,447	42,448	61,578	111,597	97,854	19
Female.....	388,794	141	55	103	316	826	3,332	9,525	19,521	40,466	114,126	200,375	8
Black, both sexes.....	100,099	153	60	104	405	1,284	4,212	11,565	15,671	18,845	25,274	22,513	13
Male.....	47,584	89	30	53	266	779	2,524	7,136	9,589	10,139	10,830	6,140	9
Female.....	52,515	64	30	51	139	505	1,688	4,429	6,082	8,706	14,444	16,373	4
American Indian 1/, both sexes.....	3,534	8	1	2	15	52	157	414	604	757	839	685	-
Male.....	1,837	3	1	-	8	37	102	261	387	419	389	230	-
Female.....	1,697	5	-	2	7	15	55	153	217	338	450	455	-
Asian or Pacific Islander 2/, both sexes	15,149	24	15	21	45	131	398	977	1,652	2,720	4,526	4,639	1
Male.....	7,905	13	9	10	30	93	285	704	1,060	1,597	2,221	1,882	1
Female.....	7,244	11	6	11	15	38	113	273	592	1,123	2,305	2,757	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>													
All races, both sexes.....	652,091	358	151	252	1,119	3,249	12,688	38,103	65,208	96,729	190,693	243,504	37
Male.....	322,841	197	81	131	770	2,206	8,931	27,486	44,895	59,050	96,580	82,489	25
Female.....	329,250	161	70	121	349	1,043	3,757	10,617	20,313	37,679	94,113	161,015	12
White, both sexes.....	564,796	228	93	159	736	2,084	9,101	28,374	51,407	80,273	168,711	223,603	27
Male.....	279,324	125	55	90	509	1,469	6,644	21,173	36,235	49,895	86,700	76,410	19
Female.....	285,472	103	38	69	227	615	2,457	7,201	15,172	30,378	82,011	147,193	8
Black, both sexes.....	74,159	107	45	77	334	1,022	3,189	8,716	12,115	14,005	18,351	16,189	9
Male.....	36,343	62	19	36	229	633	1,989	5,569	7,505	7,676	8,069	4,551	5
Female.....	37,816	45	26	41	105	389	1,200	3,147	4,610	6,329	10,282	11,638	4
American Indian 1/, both sexes.....	2,659	5	1	2	13	46	120	330	485	552	597	508	-
Male.....	1,471	1	1	-	7	33	84	221	328	319	294	183	-
Female.....	1,188	4	-	2	6	13	36	109	157	233	303	325	-
Asian or Pacific Islander 2/, both sexes	10,477	18	12	14	36	97	278	683	1,201	1,899	3,034	3,204	1
Male.....	5,703	9	6	5	25	71	214	523	827	1,160	1,517	1,345	1
Female.....	4,774	9	6	9	11	26	64	160	374	739	1,517	1,859	-
<b>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</b>													
All races, both sexes.....	3,365	1	1	4	9	27	82	191	354	613	1,114	969	-
Male.....	1,044	1	-	2	7	14	38	81	141	210	326	224	-
Female.....	2,321	-	1	2	2	13	44	110	213	403	788	745	-
White, both sexes.....	3,029	1	1	4	4	17	57	134	284	546	1,044	937	-
Male.....	926	1	-	2	2	11	28	60	116	188	305	213	-
Female.....	2,103	-	1	2	2	6	29	74	168	358	739	724	-
Black, both sexes.....	227	-	-	-	2	8	16	48	44	42	44	23	-
Male.....	81	-	-	-	2	2	8	18	17	13	15	6	-
Female.....	146	-	-	-	-	6	8	30	27	29	29	17	-
American Indian 1/, both sexes.....	20	-	-	-	-	-	4	3	3	3	5	2	-
Male.....	7	-	-	-	-	-	1	1	1	2	1	1	-
Female.....	13	-	-	-	-	-	3	2	2	1	4	1	-
Asian or Pacific Islander 2/, both sexes	89	-	-	-	3	2	5	6	23	22	21	7	-
Male.....	30	-	-	-	3	1	1	2	7	7	5	4	-
Female.....	59	-	-	-	-	1	4	4	16	15	16	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hypertensive heart disease (I11)</b>													
All races, both sexes.....	29,282	2	-	3	36	328	1,368	3,293	3,954	3,806	6,370	10,119	3
Male.....	13,219	1	-	2	24	222	958	2,278	2,649	2,147	2,570	2,365	3
Female.....	16,063	1	-	1	12	106	410	1,015	1,305	1,659	3,800	7,754	-
White, both sexes.....	21,686	1	-	2	12	171	774	1,936	2,609	2,598	4,922	8,658	3
Male.....	9,408	1	-	2	8	130	577	1,420	1,801	1,486	2,002	1,978	3
Female.....	12,278	-	-	-	4	41	197	516	808	1,112	2,920	6,680	-
Black, both sexes.....	6,923	1	-	1	23	140	545	1,274	1,261	1,115	1,298	1,265	-
Male.....	3,459	-	-	-	15	78	345	796	794	600	507	324	-
Female.....	3,464	1	-	1	8	62	200	478	467	515	791	941	-
American Indian 1/, both sexes.....	127	-	-	-	-	8	13	22	25	19	19	21	-
Male.....	68	-	-	-	-	5	8	16	17	9	7	6	-
Female.....	59	-	-	-	-	3	5	6	8	10	12	15	-
Asian or Pacific Islander 2/, both sexes	546	-	-	-	1	9	36	61	59	74	131	175	-
Male.....	284	-	-	-	1	9	28	46	37	52	54	57	-
Female.....	262	-	-	-	-	-	8	15	22	22	77	118	-
<b>Hypertensive heart and renal disease (I13)</b>													
All races, both sexes.....	3,172	-	-	-	5	33	83	189	240	426	908	1,288	-
Male.....	1,369	-	-	-	4	20	52	125	142	209	378	439	-
Female.....	1,803	-	-	-	1	13	31	64	98	217	530	849	-
White, both sexes.....	2,186	-	-	-	2	7	28	61	94	240	658	1,096	-
Male.....	886	-	-	-	2	4	19	45	57	116	275	368	-
Female.....	1,300	-	-	-	-	3	9	16	37	124	383	728	-
Black, both sexes.....	889	-	-	-	3	25	54	124	138	169	216	160	-
Male.....	432	-	-	-	2	16	33	78	82	82	85	54	-
Female.....	457	-	-	-	1	9	21	46	56	87	131	106	-
American Indian 1/, both sexes.....	12	-	-	-	-	1	-	1	2	2	3	3	-
Male.....	7	-	-	-	-	-	-	-	1	2	2	2	-
Female.....	5	-	-	-	-	1	-	1	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes	85	-	-	-	-	-	1	3	6	15	31	29	-
Male.....	44	-	-	-	-	-	-	2	2	9	16	15	-
Female.....	41	-	-	-	-	-	1	1	4	6	15	14	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Ischemic heart diseases (I20-I25)</b>													
All races, both sexes.....	445,687	13	7	14	151	1,014	6,860	25,310	46,799	70,121	134,435	160,935	28
Male.....	232,115	7	4	9	121	774	5,188	19,233	33,548	44,497	71,352	57,364	18
Female.....	213,572	6	3	5	30	240	1,672	6,077	13,251	25,624	63,083	103,571	10
White, both sexes.....	390,421	7	5	12	106	738	5,325	19,853	37,912	59,065	119,496	147,883	19
Male.....	203,924	5	2	9	89	564	4,136	15,478	27,773	38,208	64,375	53,273	12
Female.....	186,497	2	3	3	17	174	1,189	4,375	10,139	20,857	55,121	94,610	7
Black, both sexes.....	46,027	5	1	2	36	220	1,316	4,769	7,680	9,230	12,267	10,493	8
Male.....	22,933	2	1	-	26	161	868	3,212	4,902	5,172	5,588	2,996	5
Female.....	23,094	3	-	2	10	59	448	1,557	2,778	4,058	6,679	7,497	3
American Indian 1/, both sexes.....	1,788	-	-	-	1	16	60	216	355	390	419	331	-
Male.....	1,028	-	-	-	-	13	48	154	250	225	220	118	-
Female.....	760	-	-	-	1	3	12	62	105	165	199	213	-
Asian or Pacific Islander 2/, both sexes	7,451	1	1	-	8	40	159	472	852	1,436	2,253	2,228	1
Male.....	4,230	-	1	-	6	36	136	389	623	892	1,169	977	1
Female.....	3,221	1	-	-	2	4	23	83	229	544	1,084	1,251	-
<b>Acute myocardial infarction (I21-I22)</b>													
All races, both sexes.....	151,004	11	2	7	68	392	2,734	10,070	18,553	26,674	45,449	47,041	3
Male.....	80,079	6	2	3	54	297	2,025	7,563	13,151	16,676	23,540	16,759	3
Female.....	70,925	5	-	4	14	95	709	2,507	5,402	9,998	21,909	30,282	-
White, both sexes.....	132,364	6	-	5	50	278	2,160	8,172	15,493	22,852	40,417	42,929	2
Male.....	70,791	4	-	3	42	214	1,646	6,308	11,219	14,615	21,276	15,462	2
Female.....	61,573	2	-	2	8	64	514	1,864	4,274	8,237	19,141	27,467	-
Black, both sexes.....	15,536	4	1	2	16	95	498	1,668	2,616	3,173	4,124	3,338	1
Male.....	7,527	2	1	-	12	67	315	1,072	1,617	1,683	1,804	953	1
Female.....	8,009	2	-	2	4	28	183	596	999	1,490	2,320	2,385	-
American Indian 1/, both sexes.....	589	-	-	-	-	6	19	72	125	127	156	84	-
Male.....	339	-	-	-	-	4	17	54	84	67	77	36	-
Female.....	250	-	-	-	-	2	2	18	41	60	79	48	-
Asian or Pacific Islander 2/, both sexes	2,515	1	1	-	2	13	57	158	319	522	752	690	-
Male.....	1,422	-	1	-	-	12	47	129	231	311	383	308	-
Female.....	1,093	1	-	-	2	1	10	29	88	211	369	382	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other acute ischemic heart diseases (I24)</b>													
All races, both sexes.....	3,565	-	1	1	3	11	82	351	515	606	935	1,060	-
Male.....	1,823	-	-	1	2	7	59	245	371	364	450	324	-
Female.....	1,742	-	1	-	1	4	23	106	144	242	485	736	-
White, both sexes.....	2,924	-	1	1	3	7	60	237	383	493	801	938	-
Male.....	1,480	-	-	1	2	4	45	183	280	296	385	284	-
Female.....	1,444	-	1	-	1	3	15	54	103	197	416	654	-
Black, both sexes.....	558	-	-	-	-	4	19	101	115	98	119	102	-
Male.....	296	-	-	-	-	3	12	56	79	58	58	30	-
Female.....	262	-	-	-	-	1	7	45	36	40	61	72	-
American Indian 1/, both sexes.....	44	-	-	-	-	-	3	8	10	11	5	7	-
Male.....	26	-	-	-	-	-	2	2	7	8	3	4	-
Female.....	18	-	-	-	-	-	1	6	3	3	2	3	-
Asian or Pacific Islander 2/, both sexes	39	-	-	-	-	-	-	5	7	4	10	13	-
Male.....	21	-	-	-	-	-	-	4	5	2	4	6	-
Female.....	18	-	-	-	-	-	-	1	2	2	6	7	-
<b>Other forms of chronic ischemic heart disease (I20,I25)</b>													
All races, both sexes.....	291,118	2	4	6	80	611	4,044	14,889	27,731	42,841	88,051	112,834	25
Male.....	150,213	1	2	5	65	470	3,104	11,425	20,026	27,457	47,362	40,281	15
Female.....	140,905	1	2	1	15	141	940	3,464	7,705	15,384	40,689	72,553	10
White, both sexes.....	255,133	1	4	6	53	453	3,105	11,444	22,036	35,720	78,278	104,016	17
Male.....	131,653	1	2	5	45	346	2,445	8,987	16,274	23,297	42,714	37,527	10
Female.....	123,480	-	2	1	8	107	660	2,457	5,762	12,423	35,564	66,489	7
Black, both sexes.....	29,933	1	-	-	20	121	799	3,000	4,949	5,959	8,024	7,053	7
Male.....	15,110	-	-	-	14	91	541	2,084	3,206	3,431	3,726	2,013	4
Female.....	14,823	1	-	-	6	30	258	916	1,743	2,528	4,298	5,040	3
American Indian 1/, both sexes.....	1,155	-	-	-	1	10	38	136	220	252	258	240	-
Male.....	663	-	-	-	-	9	29	98	159	150	140	78	-
Female.....	492	-	-	-	1	1	9	38	61	102	118	162	-
Asian or Pacific Islander 2/, both sexes	4,897	-	-	-	6	27	102	309	526	910	1,491	1,525	1
Male.....	2,787	-	-	-	6	24	89	256	387	579	782	663	1
Female.....	2,110	-	-	-	-	3	13	53	139	331	709	862	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	62,799	1	-	-	16	182	1,420	5,884	9,565	10,246	16,286	19,182	17
Male.....	34,453	-	-	-	15	146	1,120	4,643	7,160	6,709	8,384	6,266	10
Female.....	28,346	1	-	-	1	36	300	1,241	2,405	3,537	7,902	12,916	7
White, both sexes.....	51,717	-	-	-	14	124	1,073	4,420	7,200	8,026	13,720	17,129	11
Male.....	28,155	-	-	-	13	97	876	3,583	5,503	5,304	7,102	5,672	5
Female.....	23,562	-	-	-	1	27	197	837	1,697	2,722	6,618	11,457	6
Black, both sexes.....	9,576	1	-	-	1	42	296	1,288	2,070	1,928	2,188	1,757	5
Male.....	5,372	-	-	-	1	34	202	911	1,432	1,225	1,078	485	4
Female.....	4,204	1	-	-	-	8	94	377	638	703	1,110	1,272	1
American Indian 1/, both sexes.....	344	-	-	-	-	6	19	57	80	72	66	44	-
Male.....	216	-	-	-	-	5	14	44	57	40	39	17	-
Female.....	128	-	-	-	-	1	5	13	23	32	27	27	-
Asian or Pacific Islander 2/, both sexes	1,162	-	-	-	1	10	32	119	215	220	312	252	1
Male.....	710	-	-	-	1	10	28	105	168	140	165	92	1
Female.....	452	-	-	-	-	-	4	14	47	80	147	160	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	228,319	1	4	6	64	429	2,624	9,005	18,166	32,595	71,765	93,652	8
Male.....	115,760	1	2	5	50	324	1,984	6,782	12,866	20,748	38,978	34,015	5
Female.....	112,559	-	2	1	14	105	640	2,223	5,300	11,847	32,787	59,637	3
White, both sexes.....	203,416	1	4	6	39	329	2,032	7,024	14,836	27,694	64,558	86,887	6
Male.....	103,498	1	2	5	32	249	1,569	5,404	10,771	17,993	35,612	31,855	5
Female.....	99,918	-	2	1	7	80	463	1,620	4,065	9,701	28,946	55,032	1
Black, both sexes.....	20,357	-	-	-	19	79	503	1,712	2,879	4,031	5,836	5,296	2
Male.....	9,738	-	-	-	13	57	339	1,173	1,774	2,206	2,648	1,528	-
Female.....	10,619	-	-	-	6	22	164	539	1,105	1,825	3,188	3,768	2
American Indian 1/, both sexes.....	811	-	-	-	1	4	19	79	140	180	192	196	-
Male.....	447	-	-	-	-	4	15	54	102	110	101	61	-
Female.....	364	-	-	-	1	-	4	25	38	70	91	135	-
Asian or Pacific Islander 2/, both sexes	3,735	-	-	-	5	17	70	190	311	690	1,179	1,273	-
Male.....	2,077	-	-	-	5	14	61	151	219	439	617	571	-
Female.....	1,658	-	-	-	-	3	9	39	92	251	562	702	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other heart diseases (I26-I51)</b>													
All races, both sexes.....	170,585	342	143	231	918	1,847	4,295	9,120	13,861	21,763	47,866	70,193	6
Male.....	75,094	188	77	118	614	1,176	2,695	5,769	8,415	11,987	21,954	22,097	4
Female.....	95,491	154	66	113	304	671	1,600	3,351	5,446	9,776	25,912	48,096	2
White, both sexes.....	147,474	219	87	141	612	1,151	2,917	6,390	10,508	17,824	42,591	65,029	5
Male.....	64,180	118	53	77	408	760	1,884	4,170	6,488	9,897	19,743	20,578	4
Female.....	83,294	101	34	64	204	391	1,033	2,220	4,020	7,927	22,848	44,451	1
Black, both sexes.....	20,093	101	44	74	270	629	1,258	2,501	2,992	3,449	4,526	4,248	1
Male.....	9,438	60	18	36	184	376	735	1,465	1,710	1,809	1,874	1,171	-
Female.....	10,655	41	26	38	86	253	523	1,036	1,282	1,640	2,652	3,077	1
American Indian 1/, both sexes.....	712	5	1	2	12	21	43	88	100	138	151	151	-
Male.....	361	1	1	-	7	15	27	50	59	81	64	56	-
Female.....	351	4	-	2	5	6	16	38	41	57	87	95	-
Asian or Pacific Islander 2/, both sexes	2,306	17	11	14	24	46	77	141	261	352	598	765	-
Male.....	1,115	9	5	5	15	25	49	84	158	200	273	292	-
Female.....	1,191	8	6	9	9	21	28	57	103	152	325	473	-
<b>Acute and subacute endocarditis (I33)</b>													
All races, both sexes.....	1,209	4	-	3	8	28	78	173	198	234	328	155	-
Male.....	695	3	-	-	5	20	51	113	125	124	173	81	-
Female.....	514	1	-	3	3	8	27	60	73	110	155	74	-
White, both sexes.....	949	3	-	1	6	20	46	112	135	197	286	143	-
Male.....	553	2	-	-	4	14	31	74	84	108	159	77	-
Female.....	396	1	-	1	2	6	15	38	51	89	127	66	-
Black, both sexes.....	229	1	-	2	2	6	28	55	58	31	36	10	-
Male.....	124	1	-	-	1	5	19	34	37	13	11	3	-
Female.....	105	-	-	2	1	1	9	21	21	18	25	7	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	2	5	2	3	-	-	-
Male.....	6	-	-	-	-	-	-	4	1	1	-	-	-
Female.....	6	-	-	-	-	-	2	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	19	-	-	-	-	2	2	1	3	3	6	2	-
Male.....	12	-	-	-	-	1	1	1	3	2	3	1	-
Female.....	7	-	-	-	-	1	1	-	-	1	3	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>													
All races, both sexes.....	864	21	17	30	34	53	84	132	110	132	155	96	-
Male.....	439	9	10	9	21	31	46	77	57	71	78	30	-
Female.....	425	12	7	21	13	22	38	55	53	61	77	66	-
White, both sexes.....	661	8	4	15	26	32	61	102	82	114	131	86	-
Male.....	344	3	4	6	18	18	33	63	42	63	66	28	-
Female.....	317	5	-	9	8	14	28	39	40	51	65	58	-
Black, both sexes.....	164	11	11	9	5	15	17	28	25	14	21	8	-
Male.....	73	5	5	1	3	10	7	13	12	5	11	1	-
Female.....	91	6	6	8	2	5	10	15	13	9	10	7	-
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	36	2	2	6	3	4	6	1	3	4	3	2	-
Male.....	19	1	1	2	-	1	6	-	3	3	1	1	-
Female.....	17	1	1	4	3	3	-	1	-	1	2	1	-
<b>Heart failure (I50)</b>													
All races, both sexes.....	58,933	27	6	11	42	94	316	1,087	2,610	5,888	17,331	31,521	-
Male.....	23,026	14	4	5	27	61	207	653	1,509	3,069	7,804	9,673	-
Female.....	35,907	13	2	6	15	33	109	434	1,101	2,819	9,527	21,848	-
White, both sexes.....	52,570	15	3	4	25	47	178	686	1,941	4,844	15,471	29,356	-
Male.....	20,414	8	3	1	18	32	111	421	1,135	2,546	7,047	9,092	-
Female.....	32,156	7	-	3	7	15	67	265	806	2,298	8,424	20,264	-
Black, both sexes.....	5,609	8	3	6	16	46	131	372	618	946	1,631	1,832	-
Male.....	2,275	4	1	3	9	29	90	216	344	465	659	455	-
Female.....	3,334	4	2	3	7	17	41	156	274	481	972	1,377	-
American Indian 1/, both sexes.....	228	2	-	-	1	-	3	15	23	44	72	68	-
Male.....	106	1	-	-	-	-	3	8	13	27	27	27	-
Female.....	122	1	-	-	1	-	-	7	10	17	45	41	-
Asian or Pacific Islander 2/, both sexes	526	2	-	1	-	1	4	14	28	54	157	265	-
Male.....	231	1	-	1	-	-	3	8	17	31	71	99	-
Female.....	295	1	-	-	-	1	1	6	11	23	86	166	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	109,579	290	120	187	834	1,672	3,817	7,728	10,943	15,509	30,052	38,421	6
Male.....	50,934	162	63	104	561	1,064	2,391	4,926	6,724	8,723	13,899	12,313	4
Female.....	58,645	128	57	83	273	608	1,426	2,802	4,219	6,786	16,153	26,108	2
White, both sexes.....	93,294	193	80	121	555	1,052	2,632	5,490	8,350	12,669	26,703	35,444	5
Male.....	42,869	105	46	70	368	696	1,709	3,612	5,227	7,180	12,471	11,381	4
Female.....	50,425	88	34	51	187	356	923	1,878	3,123	5,489	14,232	24,063	1
Black, both sexes.....	14,091	81	30	57	247	562	1,082	2,046	2,291	2,458	2,838	2,398	1
Male.....	6,966	50	12	32	171	332	619	1,202	1,317	1,326	1,193	712	-
Female.....	7,125	31	18	25	76	230	463	844	974	1,132	1,645	1,686	1
American Indian 1/, both sexes.....	469	3	1	2	11	19	38	67	75	91	79	83	-
Male.....	246	-	1	-	7	13	24	37	45	53	37	29	-
Female.....	223	3	-	2	4	6	14	30	30	38	42	54	-
Asian or Pacific Islander 2/, both sexes	1,725	13	9	7	21	39	65	125	227	291	432	496	-
Male.....	853	7	4	2	15	23	39	75	135	164	198	191	-
Female.....	872	6	5	5	6	16	26	50	92	127	234	305	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	24,902	2	-	3	22	84	406	1,166	1,954	3,306	7,256	10,703	-
Male.....	9,458	1	-	1	12	45	243	733	1,151	1,639	2,917	2,716	-
Female.....	15,444	1	-	2	10	39	163	433	803	1,667	4,339	7,987	-
White, both sexes.....	19,254	-	-	3	10	29	194	602	1,211	2,222	5,805	9,178	-
Male.....	7,018	-	-	1	7	15	130	397	727	1,101	2,326	2,314	-
Female.....	12,236	-	-	2	3	14	64	205	484	1,121	3,479	6,864	-
Black, both sexes.....	4,953	2	-	-	11	52	197	532	691	958	1,234	1,276	-
Male.....	2,128	1	-	-	5	28	104	310	400	472	497	311	-
Female.....	2,825	1	-	-	6	24	93	222	291	486	737	965	-
American Indian 1/, both sexes.....	113	-	-	-	-	1	2	10	7	28	38	27	-
Male.....	56	-	-	-	-	1	-	9	4	16	18	8	-
Female.....	57	-	-	-	-	-	2	1	3	12	20	19	-
Asian or Pacific Islander 2/, both sexes	582	-	-	-	1	2	13	22	45	98	179	222	-
Male.....	256	-	-	-	-	1	9	17	20	50	76	83	-
Female.....	326	-	-	-	1	1	4	5	25	48	103	139	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cerebrovascular diseases (I60-I69)</b>													
All races, both sexes.....	143,579	126	62	95	196	546	2,260	6,381	10,028	18,839	46,859	58,183	4
Male.....	56,586	73	41	55	94	301	1,148	3,446	5,636	9,688	19,688	16,412	4
Female.....	86,993	53	21	40	102	245	1,112	2,935	4,392	9,151	27,171	41,771	-
White, both sexes.....	121,868	79	45	64	136	356	1,450	4,083	7,140	14,829	40,832	52,854	-
Male.....	47,194	46	28	35	65	197	754	2,239	3,986	7,645	17,264	14,935	-
Female.....	74,674	33	17	29	71	159	696	1,844	3,154	7,184	23,568	37,919	-
Black, both sexes.....	17,541	40	14	24	51	163	689	2,004	2,430	3,235	4,746	4,141	4
Male.....	7,519	23	10	15	24	89	332	1,050	1,417	1,653	1,844	1,058	4
Female.....	10,022	17	4	9	27	74	357	954	1,013	1,582	2,902	3,083	-
American Indian 1/, both sexes.....	627	2	-	-	2	4	32	64	89	142	163	129	-
Male.....	249	1	-	-	1	2	16	27	43	65	60	34	-
Female.....	378	1	-	-	1	2	16	37	46	77	103	95	-
Asian or Pacific Islander 2/, both sexes	3,543	5	3	7	7	23	89	230	369	633	1,118	1,059	-
Male.....	1,624	3	3	5	4	13	46	130	190	325	520	385	-
Female.....	1,919	2	-	2	3	10	43	100	179	308	598	674	-
<b>Atherosclerosis (I70)</b>													
All races, both sexes.....	11,841	-	1	-	2	6	31	193	440	1,008	3,387	6,773	-
Male.....	4,472	-	1	-	1	3	20	134	269	560	1,532	1,952	-
Female.....	7,369	-	-	-	1	3	11	59	171	448	1,855	4,821	-
White, both sexes.....	10,845	-	-	-	1	5	26	148	366	855	3,088	6,356	-
Male.....	4,093	-	-	-	-	2	17	107	225	478	1,410	1,854	-
Female.....	6,752	-	-	-	1	3	9	41	141	377	1,678	4,502	-
Black, both sexes.....	844	-	1	-	1	1	5	38	63	131	238	366	-
Male.....	312	-	1	-	1	1	3	21	38	71	95	81	-
Female.....	532	-	-	-	-	-	2	17	25	60	143	285	-
American Indian 1/, both sexes.....	51	-	-	-	-	-	-	3	10	12	16	10	-
Male.....	24	-	-	-	-	-	-	3	5	6	6	4	-
Female.....	27	-	-	-	-	-	-	-	5	6	10	6	-
Asian or Pacific Islander 2/, both sexes	101	-	-	-	-	-	-	4	1	10	45	41	-
Male.....	43	-	-	-	-	-	-	3	1	5	21	13	-
Female.....	58	-	-	-	-	-	-	1	-	5	24	28	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of circulatory system (I71-I78)</b>													
All races, both sexes.....	23,617	17	3	17	52	156	467	1,085	2,266	4,484	8,167	6,903	-
Male.....	12,423	11	3	13	37	102	322	749	1,533	2,796	4,320	2,537	-
Female.....	11,194	6	-	4	15	54	145	336	733	1,688	3,847	4,366	-
White, both sexes.....	20,485	11	3	14	43	100	314	765	1,845	3,865	7,287	6,238	-
Male.....	10,825	6	3	11	29	65	208	531	1,275	2,459	3,897	2,341	-
Female.....	9,660	5	-	3	14	35	106	234	570	1,406	3,390	3,897	-
Black, both sexes.....	2,602	4	-	3	8	46	132	275	372	516	705	541	-
Male.....	1,282	3	-	2	7	28	96	186	229	267	325	139	-
Female.....	1,320	1	-	1	1	18	36	89	143	249	380	402	-
American Indian 1/, both sexes.....	84	1	-	-	-	1	3	7	13	23	25	11	-
Male.....	37	1	-	-	-	1	2	1	7	13	11	1	-
Female.....	47	-	-	-	-	-	1	6	6	10	14	10	-
Asian or Pacific Islander 2/, both sexes	446	1	-	-	1	9	18	38	36	80	150	113	-
Male.....	279	1	-	-	1	8	16	31	22	57	87	56	-
Female.....	167	-	-	-	-	1	2	7	14	23	63	57	-
<b>Aortic aneurysm and dissection (I71)</b>													
All races, both sexes.....	13,843	1	-	4	34	114	329	758	1,456	2,870	4,971	3,306	-
Male.....	8,168	1	-	4	26	83	265	577	1,063	1,911	2,778	1,460	-
Female.....	5,675	-	-	-	8	31	64	181	393	959	2,193	1,846	-
White, both sexes.....	12,156	1	-	3	31	76	213	517	1,209	2,539	4,532	3,035	-
Male.....	7,203	1	-	3	23	53	168	405	903	1,723	2,563	1,361	-
Female.....	4,953	-	-	-	8	23	45	112	306	816	1,969	1,674	-
Black, both sexes.....	1,304	-	-	1	3	29	98	205	213	255	312	188	-
Male.....	719	-	-	1	3	21	81	144	138	133	143	55	-
Female.....	585	-	-	-	-	8	17	61	75	122	169	133	-
American Indian 1/, both sexes.....	43	-	-	-	-	1	1	2	4	13	15	7	-
Male.....	21	-	-	-	-	1	1	-	2	10	7	-	-
Female.....	22	-	-	-	-	-	-	2	2	3	8	7	-
Asian or Pacific Islander 2/, both sexes	340	-	-	-	-	8	17	34	30	63	112	76	-
Male.....	225	-	-	-	-	8	15	28	20	45	65	44	-
Female.....	115	-	-	-	-	-	2	6	10	18	47	32	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of arteries, arterioles and capillaries (I72-I78)</b>													
All races, both sexes.....	9,774	16	3	13	18	42	138	327	810	1,614	3,196	3,597	-
Male.....	4,255	10	3	9	11	19	57	172	470	885	1,542	1,077	-
Female.....	5,519	6	-	4	7	23	81	155	340	729	1,654	2,520	-
White, both sexes.....	8,329	10	3	11	12	24	101	248	636	1,326	2,755	3,203	-
Male.....	3,622	5	3	8	6	12	40	126	372	736	1,334	980	-
Female.....	4,707	5	-	3	6	12	61	122	264	590	1,421	2,223	-
Black, both sexes.....	1,298	4	-	2	5	17	34	70	159	261	393	353	-
Male.....	563	3	-	1	4	7	15	42	91	134	182	84	-
Female.....	735	1	-	1	1	10	19	28	68	127	211	269	-
American Indian 1/, both sexes.....	41	1	-	-	-	-	2	5	9	10	10	4	-
Male.....	16	1	-	-	-	-	1	1	5	3	4	1	-
Female.....	25	-	-	-	-	-	1	4	4	7	6	3	-
Asian or Pacific Islander 2/, both sexes	106	1	-	-	1	1	1	4	6	17	38	37	-
Male.....	54	1	-	-	1	-	1	3	2	12	22	12	-
Female.....	52	-	-	-	-	1	-	1	4	5	16	25	-
<b>Other disorders of circulatory system (I80-I99)</b>													
All races, both sexes.....	4,813	26	6	5	36	132	332	620	641	713	1,128	1,174	-
Male.....	2,156	13	3	3	15	62	164	382	381	379	446	308	-
Female.....	2,657	13	3	2	21	70	168	238	260	334	682	866	-
White, both sexes.....	3,936	21	3	5	21	87	223	457	492	584	968	1,075	-
Male.....	1,723	11	2	3	8	41	114	286	295	305	382	276	-
Female.....	2,213	10	1	2	13	46	109	171	197	279	586	799	-
Black, both sexes.....	796	4	2	-	15	42	99	152	137	113	141	91	-
Male.....	388	2	-	-	7	18	44	89	77	65	59	27	-
Female.....	408	2	2	-	8	24	55	63	60	48	82	64	-
American Indian 1/, both sexes.....	27	1	1	-	-	-	6	7	2	4	6	-	-
Male.....	16	-	1	-	-	-	4	5	2	2	2	-	-
Female.....	11	1	-	-	-	-	2	2	-	2	4	-	-
Asian or Pacific Islander 2/, both sexes	54	-	-	-	-	3	4	4	10	12	13	8	-
Male.....	29	-	-	-	-	3	2	2	7	7	3	5	-
Female.....	25	-	-	-	-	-	2	2	3	5	10	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Influenza and pneumonia (J10-J18)</b>													
All races, both sexes.....	63,001	265	110	106	172	354	934	2,183	3,422	6,623	18,563	30,267	2
Male.....	28,052	148	56	53	117	196	540	1,299	1,988	3,648	9,203	10,802	2
Female.....	34,949	117	54	53	55	158	394	884	1,434	2,975	9,360	19,465	-
White, both sexes.....	55,540	158	76	77	134	262	683	1,623	2,700	5,490	16,547	27,788	2
Male.....	24,425	96	36	36	90	142	391	959	1,545	3,014	8,225	9,889	2
Female.....	31,115	62	40	41	44	120	292	664	1,155	2,476	8,322	17,899	-
Black, both sexes.....	5,780	98	29	22	31	78	217	499	611	918	1,514	1,763	-
Male.....	2,729	47	17	13	23	45	129	302	377	512	692	572	-
Female.....	3,051	51	12	9	8	33	88	197	234	406	822	1,191	-
American Indian 1/, both sexes.....	354	5	1	1	1	5	18	27	43	50	98	105	-
Male.....	180	2	-	1	-	4	12	16	24	24	52	45	-
Female.....	174	3	1	-	1	1	6	11	19	26	46	60	-
Asian or Pacific Islander 2/, both sexes	1,327	4	4	6	6	9	16	34	68	165	404	611	-
Male.....	718	3	3	3	4	5	8	22	42	98	234	296	-
Female.....	609	1	1	3	2	4	8	12	26	67	170	315	-
<b>Influenza (J10-J11)</b>													
All races, both sexes.....	1,812	19	19	20	12	11	19	45	66	137	482	982	-
Male.....	657	9	10	10	6	3	11	26	37	61	192	292	-
Female.....	1,155	10	9	10	6	8	8	19	29	76	290	690	-
White, both sexes.....	1,710	14	15	13	10	10	13	35	59	128	459	954	-
Male.....	609	9	8	7	4	3	8	19	32	58	183	278	-
Female.....	1,101	5	7	6	6	7	5	16	27	70	276	676	-
Black, both sexes.....	69	5	3	5	1	1	6	7	7	5	14	15	-
Male.....	32	-	2	3	1	-	3	5	5	2	3	8	-
Female.....	37	5	1	2	-	1	3	2	2	3	11	7	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	1	-	3	2	5	-
Male.....	6	-	-	-	-	-	-	1	-	1	2	2	-
Female.....	5	-	-	-	-	-	-	-	-	2	-	3	-
Asian or Pacific Islander 2/, both sexes	22	-	1	2	1	-	-	2	-	1	7	8	-
Male.....	10	-	-	-	1	-	-	1	-	-	4	4	-
Female.....	12	-	1	2	-	-	-	1	-	1	3	4	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonia (J12-J18)</b>													
All races, both sexes.....	61,189	246	91	86	160	343	915	2,138	3,356	6,486	18,081	29,285	2
Male.....	27,395	139	46	43	111	193	529	1,273	1,951	3,587	9,011	10,510	2
Female.....	33,794	107	45	43	49	150	386	865	1,405	2,899	9,070	18,775	-
White, both sexes.....	53,830	144	61	64	124	252	670	1,588	2,641	5,362	16,088	26,834	2
Male.....	23,816	87	28	29	86	139	383	940	1,513	2,956	8,042	9,611	2
Female.....	30,014	57	33	35	38	113	287	648	1,128	2,406	8,046	17,223	-
Black, both sexes.....	5,711	93	26	17	30	77	211	492	604	913	1,500	1,748	-
Male.....	2,697	47	15	10	22	45	126	297	372	510	689	564	-
Female.....	3,014	46	11	7	8	32	85	195	232	403	811	1,184	-
American Indian 1/, both sexes.....	343	5	1	1	1	5	18	26	43	47	96	100	-
Male.....	174	2	-	1	-	4	12	15	24	23	50	43	-
Female.....	169	3	1	-	1	1	6	11	19	24	46	57	-
Asian or Pacific Islander 2/, both sexes	1,305	4	3	4	5	9	16	32	68	164	397	603	-
Male.....	708	3	3	3	3	5	8	21	42	98	230	292	-
Female.....	597	1	-	1	2	4	8	11	26	66	167	311	-
<b>Other acute lower respiratory infections (J20-J22)</b>													
All races, both sexes.....	404	51	16	4	4	6	15	15	19	26	78	170	-
Male.....	172	30	10	4	3	2	6	12	5	10	41	49	-
Female.....	232	21	6	-	1	4	9	3	14	16	37	121	-
White, both sexes.....	351	30	13	3	4	5	12	11	18	22	72	161	-
Male.....	147	18	9	3	3	2	4	8	5	8	40	47	-
Female.....	204	12	4	-	1	3	8	3	13	14	32	114	-
Black, both sexes.....	41	18	2	1	-	1	3	2	1	3	4	6	-
Male.....	17	9	-	1	-	-	2	2	-	1	-	2	-
Female.....	24	9	2	-	-	1	1	-	1	2	4	4	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	10	3	1	-	-	-	-	1	-	1	2	2	-
Male.....	7	3	1	-	-	-	-	1	-	1	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Chronic lower respiratory diseases (J40-J47)</b>													
All races, both sexes.....	130,933	33	56	104	148	258	890	3,977	12,747	29,910	50,333	32,473	4
Male.....	62,435	19	33	63	95	130	426	2,034	6,589	15,414	24,479	13,150	3
Female.....	68,498	14	23	41	53	128	464	1,943	6,158	14,496	25,854	19,323	1
White, both sexes.....	120,884	20	24	45	71	152	647	3,208	11,372	27,517	47,232	30,593	3
Male.....	56,911	13	11	26	46	72	311	1,641	5,821	14,050	22,693	12,225	2
Female.....	63,973	7	13	19	25	80	336	1,567	5,551	13,467	24,539	18,368	1
Black, both sexes.....	8,229	12	31	53	75	97	219	703	1,207	2,020	2,439	1,372	1
Male.....	4,464	6	22	34	48	53	103	354	669	1,159	1,375	640	1
Female.....	3,765	6	9	19	27	44	116	349	538	861	1,064	732	-
American Indian 1/, both sexes.....	518	1	1	2	-	3	12	33	91	142	164	69	-
Male.....	257	-	-	1	-	1	3	18	45	65	92	32	-
Female.....	261	1	1	1	-	2	9	15	46	77	72	37	-
Asian or Pacific Islander 2/, both sexes	1,302	-	-	4	2	6	12	33	77	231	498	439	-
Male.....	803	-	-	2	1	4	9	21	54	140	319	253	-
Female.....	499	-	-	2	1	2	3	12	23	91	179	186	-
<b>Bronchitis, chronic and unspecified (J40-J42)</b>													
All races, both sexes.....	866	25	12	3	5	6	15	27	73	119	205	376	-
Male.....	361	16	5	2	3	3	10	18	35	52	100	117	-
Female.....	505	9	7	1	2	3	5	9	38	67	105	259	-
White, both sexes.....	784	15	10	3	4	6	11	23	58	106	188	360	-
Male.....	315	10	4	2	2	3	7	16	31	44	89	107	-
Female.....	469	5	6	1	2	3	4	7	27	62	99	253	-
Black, both sexes.....	54	9	1	-	1	-	3	4	11	9	10	6	-
Male.....	33	6	1	-	1	-	2	2	4	6	7	4	-
Female.....	21	3	-	-	-	-	1	2	7	3	3	2	-
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	1	1	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	23	-	-	-	-	-	1	-	3	4	5	10	-
Male.....	12	-	-	-	-	-	1	-	-	2	3	6	-
Female.....	11	-	-	-	-	-	-	-	3	2	2	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Emphysema (J43)</b>													
All races, both sexes.....	14,002	2	1	-	-	8	77	444	1,677	3,749	5,400	2,643	1
Male.....	7,264	-	1	-	-	5	54	277	973	2,039	2,767	1,147	1
Female.....	6,738	2	-	-	-	3	23	167	704	1,710	2,633	1,496	-
White, both sexes.....	12,987	1	1	-	-	6	58	367	1,522	3,480	5,054	2,497	1
Male.....	6,618	-	1	-	-	4	39	225	863	1,868	2,553	1,064	1
Female.....	6,369	1	-	-	-	2	19	142	659	1,612	2,501	1,433	-
Black, both sexes.....	815	1	-	-	-	2	17	69	138	221	265	102	-
Male.....	509	-	-	-	-	1	13	47	100	139	154	55	-
Female.....	306	1	-	-	-	1	4	22	38	82	111	47	-
American Indian 1/, both sexes.....	54	-	-	-	-	-	1	4	11	14	18	6	-
Male.....	30	-	-	-	-	-	1	1	6	8	12	2	-
Female.....	24	-	-	-	-	-	-	3	5	6	6	4	-
Asian or Pacific Islander 2/, both sexes	146	-	-	-	-	-	1	4	6	34	63	38	-
Male.....	107	-	-	-	-	-	1	4	4	24	48	26	-
Female.....	39	-	-	-	-	-	-	-	2	10	15	12	-
<b>Asthma (J45-J46)</b>													
All races, both sexes.....	3,884	4	37	97	131	207	369	595	520	475	709	740	-
Male.....	1,315	1	25	61	83	101	151	215	170	150	218	140	-
Female.....	2,569	3	12	36	48	106	218	380	350	325	491	600	-
White, both sexes.....	2,714	2	9	39	58	116	225	362	343	322	574	664	-
Male.....	843	1	4	24	37	53	91	134	110	99	166	124	-
Female.....	1,871	1	5	15	21	63	134	228	233	223	408	540	-
Black, both sexes.....	1,016	2	28	52	71	85	133	211	164	127	99	44	-
Male.....	411	-	21	34	45	45	56	69	54	40	39	8	-
Female.....	605	2	7	18	26	40	77	142	110	87	60	36	-
American Indian 1/, both sexes.....	31	-	-	2	-	2	7	6	4	6	1	3	-
Male.....	11	-	-	1	-	-	-	4	2	3	1	-	-
Female.....	20	-	-	1	-	2	7	2	2	3	-	3	-
Asian or Pacific Islander 2/, both sexes	123	-	-	4	2	4	4	16	9	20	35	29	-
Male.....	50	-	-	2	1	3	4	8	4	8	12	8	-
Female.....	73	-	-	2	1	1	-	8	5	12	23	21	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonitis due to solids and liquids (J69)</b>													
All races, both sexes.....	17,279	17	8	13	43	66	172	476	833	1,741	5,558	8,352	-
Male.....	8,760	10	3	8	23	43	88	280	506	1,065	3,057	3,677	-
Female.....	8,519	7	5	5	20	23	84	196	327	676	2,501	4,675	-
White, both sexes.....	15,338	13	3	9	32	53	143	382	681	1,460	4,932	7,630	-
Male.....	7,759	8	1	7	17	32	75	221	413	890	2,711	3,384	-
Female.....	7,579	5	2	2	15	21	68	161	268	570	2,221	4,246	-
Black, both sexes.....	1,620	3	5	3	10	12	26	87	136	235	530	573	-
Male.....	825	2	2	1	5	11	12	56	83	146	290	217	-
Female.....	795	1	3	2	5	1	14	31	53	89	240	356	-
American Indian 1/, both sexes.....	65	1	-	-	-	1	1	4	5	15	17	21	-
Male.....	35	-	-	-	-	-	1	1	4	8	12	9	-
Female.....	30	1	-	-	-	1	-	3	1	7	5	12	-
Asian or Pacific Islander 2/, both sexes	256	-	-	1	1	-	2	3	11	31	79	128	-
Male.....	141	-	-	-	1	-	-	2	6	21	44	67	-
Female.....	115	-	-	1	-	-	2	1	5	10	35	61	-
<b>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</b>													
All races, both sexes.....	27,056	303	94	61	110	181	474	1,360	2,676	5,373	9,466	6,955	3
Male.....	13,168	187	57	33	60	91	226	737	1,486	2,974	4,787	2,529	1
Female.....	13,888	116	37	28	50	90	248	623	1,190	2,399	4,679	4,426	2
White, both sexes.....	23,860	191	66	49	77	125	343	1,000	2,207	4,706	8,668	6,426	2
Male.....	11,574	114	38	25	43	67	170	551	1,221	2,649	4,383	2,312	1
Female.....	12,286	77	28	24	34	58	173	449	986	2,057	4,285	4,114	1
Black, both sexes.....	2,481	102	23	11	28	50	121	312	371	512	566	384	1
Male.....	1,209	68	15	7	15	21	53	157	209	248	274	142	-
Female.....	1,272	34	8	4	13	29	68	155	162	264	292	242	1
American Indian 1/, both sexes.....	185	3	3	-	-	3	6	14	37	46	43	30	-
Male.....	100	1	3	-	-	2	3	8	22	26	25	10	-
Female.....	85	2	-	-	-	1	3	6	15	20	18	20	-
Asian or Pacific Islander 2/, both sexes	530	7	2	1	5	3	4	34	61	109	189	115	-
Male.....	285	4	1	1	2	1	-	21	34	51	105	65	-
Female.....	245	3	1	-	3	2	4	13	27	58	84	50	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Peptic ulcer (K25-K28)</b>													
All races, both sexes.....	3,478	2	1	1	8	25	108	281	376	544	1,040	1,092	-
Male.....	1,722	1	-	1	6	17	73	203	244	305	512	360	-
Female.....	1,756	1	1	-	2	8	35	78	132	239	528	732	-
White, both sexes.....	2,995	1	-	1	4	17	77	209	314	459	923	990	-
Male.....	1,453	1	-	1	3	12	50	146	204	253	458	325	-
Female.....	1,542	-	-	-	1	5	27	63	110	206	465	665	-
Black, both sexes.....	363	1	1	-	4	8	28	62	50	69	75	65	-
Male.....	211	-	-	-	3	5	20	50	36	42	33	22	-
Female.....	152	1	1	-	1	3	8	12	14	27	42	43	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	1	3	1	1	4	2	-
Male.....	6	-	-	-	-	-	1	2	-	1	2	-	-
Female.....	6	-	-	-	-	-	-	1	1	-	2	2	-
Asian or Pacific Islander 2/, both sexes	108	-	-	-	-	-	2	7	11	15	38	35	-
Male.....	52	-	-	-	-	-	2	5	4	9	19	13	-
Female.....	56	-	-	-	-	-	-	2	7	6	19	22	-
<b>Diseases of appendix (K35-K38)</b>													
All races, both sexes.....	439	2	4	12	9	9	19	33	57	76	110	108	-
Male.....	247	-	2	9	7	4	15	18	37	53	57	45	-
Female.....	192	2	2	3	2	5	4	15	20	23	53	63	-
White, both sexes.....	373	2	4	7	4	8	14	23	46	65	98	102	-
Male.....	208	-	2	6	3	4	10	12	31	46	52	42	-
Female.....	165	2	2	1	1	4	4	11	15	19	46	60	-
Black, both sexes.....	55	-	-	4	5	1	5	9	9	9	9	4	-
Male.....	33	-	-	3	4	-	5	5	5	6	4	1	-
Female.....	22	-	-	1	1	1	-	4	4	3	5	3	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	1	-	-	-	1	1	2	2	1	-
Male.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	5	-	-	1	-	-	-	-	1	1	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hernia (K40-K46)</b>													
All races, both sexes.....	1,639	43	4	2	2	5	39	83	181	210	454	616	-
Male.....	646	28	1	1	-	1	15	45	91	86	175	203	-
Female.....	993	15	3	1	2	4	24	38	90	124	279	413	-
White, both sexes.....	1,456	35	4	1	1	4	29	65	149	182	414	572	-
Male.....	568	22	1	-	-	1	12	38	76	76	157	185	-
Female.....	888	13	3	1	1	3	17	27	73	106	257	387	-
Black, both sexes.....	152	5	-	1	1	1	8	16	28	25	33	34	-
Male.....	66	4	-	1	-	-	3	7	12	10	16	13	-
Female.....	86	1	-	-	1	1	5	9	16	15	17	21	-
American Indian 1/, both sexes.....	17	2	-	-	-	-	2	-	3	3	4	3	-
Male.....	5	1	-	-	-	-	-	-	2	-	1	1	-
Female.....	12	1	-	-	-	-	2	-	1	3	3	2	-
Asian or Pacific Islander 2/, both sexes	14	1	-	-	-	-	-	2	1	-	3	7	-
Male.....	7	1	-	-	-	-	-	-	1	-	1	4	-
Female.....	7	-	-	-	-	-	-	2	-	-	2	3	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>													
All races, both sexes.....	27,530	10	1	2	23	311	2,688	7,517	7,126	5,066	3,781	1,002	3
Male.....	17,937	6	1	1	13	196	1,786	5,423	5,094	3,052	1,920	442	3
Female.....	9,593	4	-	1	10	115	902	2,094	2,032	2,014	1,861	560	-
White, both sexes.....	24,003	8	1	2	15	231	2,284	6,342	6,138	4,581	3,472	927	2
Male.....	15,679	5	1	1	7	152	1,539	4,633	4,407	2,761	1,759	412	2
Female.....	8,324	3	-	1	8	79	745	1,709	1,731	1,820	1,713	515	-
Black, both sexes.....	2,530	2	-	-	4	33	239	892	763	357	193	46	1
Male.....	1,656	1	-	-	4	14	144	603	536	230	106	17	1
Female.....	874	1	-	-	-	19	95	289	227	127	87	29	-
American Indian 1/, both sexes.....	596	-	-	-	3	36	125	196	143	61	27	5	-
Male.....	348	-	-	-	2	22	70	116	95	29	11	3	-
Female.....	248	-	-	-	1	14	55	80	48	32	16	2	-
Asian or Pacific Islander 2/, both sexes	401	-	-	-	1	11	40	87	82	67	89	24	-
Male.....	254	-	-	-	-	8	33	71	56	32	44	10	-
Female.....	147	-	-	-	1	3	7	16	26	35	45	14	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alcoholic liver disease (K70)</b>													
All races, both sexes.....	12,928	-	-	-	7	217	1,806	4,490	3,721	1,844	747	94	2
Male.....	9,425	-	-	-	6	147	1,189	3,274	2,850	1,352	537	68	2
Female.....	3,503	-	-	-	1	70	617	1,216	871	492	210	26	-
White, both sexes.....	11,205	-	-	-	4	164	1,523	3,859	3,243	1,641	682	87	2
Male.....	8,250	-	-	-	3	116	1,025	2,837	2,507	1,207	490	63	2
Female.....	2,955	-	-	-	1	48	498	1,022	736	434	192	24	-
Black, both sexes.....	1,169	-	-	-	2	15	152	447	347	154	46	6	-
Male.....	801	-	-	-	2	6	84	309	250	113	33	4	-
Female.....	368	-	-	-	-	9	68	138	97	41	13	2	-
American Indian 1/, both sexes.....	410	-	-	-	1	29	104	137	98	30	10	1	-
Male.....	258	-	-	-	1	19	58	87	68	18	6	1	-
Female.....	152	-	-	-	-	10	46	50	30	12	4	-	-
Asian or Pacific Islander 2/, both sexes	144	-	-	-	-	9	27	47	33	19	9	-	-
Male.....	116	-	-	-	-	6	22	41	25	14	8	-	-
Female.....	28	-	-	-	-	3	5	6	8	5	1	-	-
<b>Other chronic liver disease and cirrhosis (K73-K74)</b>													
All races, both sexes.....	14,602	10	1	2	16	94	882	3,027	3,405	3,222	3,034	908	1
Male.....	8,512	6	1	1	7	49	597	2,149	2,244	1,700	1,383	374	1
Female.....	6,090	4	-	1	9	45	285	878	1,161	1,522	1,651	534	-
White, both sexes.....	12,798	8	1	2	11	67	761	2,483	2,895	2,940	2,790	840	-
Male.....	7,429	5	1	1	4	36	514	1,796	1,900	1,554	1,269	349	-
Female.....	5,369	3	-	1	7	31	247	687	995	1,386	1,521	491	-
Black, both sexes.....	1,361	2	-	-	2	18	87	445	416	203	147	40	1
Male.....	855	1	-	-	2	8	60	294	286	117	73	13	1
Female.....	506	1	-	-	-	10	27	151	130	86	74	27	-
American Indian 1/, both sexes.....	186	-	-	-	2	7	21	59	45	31	17	4	-
Male.....	90	-	-	-	1	3	12	29	27	11	5	2	-
Female.....	96	-	-	-	1	4	9	30	18	20	12	2	-
Asian or Pacific Islander 2/, both sexes	257	-	-	-	1	2	13	40	49	48	80	24	-
Male.....	138	-	-	-	-	2	11	30	31	18	36	10	-
Female.....	119	-	-	-	1	-	2	10	18	30	44	14	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cholelithiasis and other disorders of gallbladder (K80-K82)</b>													
All races, both sexes.....	3,072	-	-	4	8	16	42	113	217	448	1,055	1,169	-
Male.....	1,363	-	-	1	5	8	17	59	118	271	495	389	-
Female.....	1,709	-	-	3	3	8	25	54	99	177	560	780	-
White, both sexes.....	2,655	-	-	4	6	13	28	74	175	359	936	1,060	-
Male.....	1,193	-	-	1	4	8	13	37	96	223	453	358	-
Female.....	1,462	-	-	3	2	5	15	37	79	136	483	702	-
Black, both sexes.....	325	-	-	-	2	3	12	31	35	72	93	77	-
Male.....	135	-	-	-	1	-	4	17	17	38	37	21	-
Female.....	190	-	-	-	1	3	8	14	18	34	56	56	-
American Indian 1/, both sexes.....	27	-	-	-	-	-	1	3	5	4	7	7	-
Male.....	10	-	-	-	-	-	-	1	3	2	2	2	-
Female.....	17	-	-	-	-	-	1	2	2	2	5	5	-
Asian or Pacific Islander 2/, both sexes	65	-	-	-	-	-	1	5	2	13	19	25	-
Male.....	25	-	-	-	-	-	-	4	2	8	3	8	-
Female.....	40	-	-	-	-	-	1	1	-	5	16	17	-
<b>Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)</b>													
All races, both sexes.....	43,901	159	16	23	91	285	742	2,028	4,141	7,320	14,403	14,693	-
Male.....	21,268	88	12	10	45	153	423	1,237	2,352	3,733	7,177	6,038	-
Female.....	22,633	71	4	13	46	132	319	791	1,789	3,587	7,226	8,655	-
White, both sexes.....	34,806	96	13	18	60	152	401	1,221	2,663	5,343	11,995	12,844	-
Male.....	17,137	51	9	7	32	82	238	768	1,545	2,867	6,139	5,399	-
Female.....	17,669	45	4	11	28	70	163	453	1,118	2,476	5,856	7,445	-
Black, both sexes.....	8,075	58	3	4	29	121	313	754	1,346	1,756	2,103	1,588	-
Male.....	3,645	36	3	2	11	61	165	443	750	756	899	519	-
Female.....	4,430	22	-	2	18	60	148	311	596	1,000	1,204	1,069	-
American Indian 1/, both sexes.....	265	2	-	1	1	6	15	20	47	65	62	46	-
Male.....	105	1	-	1	1	5	9	6	17	28	18	19	-
Female.....	160	1	-	-	-	1	6	14	30	37	44	27	-
Asian or Pacific Islander 2/, both sexes	755	3	-	-	1	6	13	33	85	156	243	215	-
Male.....	381	-	-	-	1	5	11	20	40	82	121	101	-
Female.....	374	3	-	-	-	1	2	13	45	74	122	114	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)													
All races, both sexes.....	137	6	2	2	-	3	4	6	15	17	43	39	-
Male.....	67	2	2	-	-	2	4	4	8	11	19	15	-
Female.....	70	4	-	2	-	1	-	2	7	6	24	24	-
White, both sexes.....	114	4	2	1	-	-	3	4	15	15	38	32	-
Male.....	60	1	2	-	-	-	3	3	8	10	19	14	-
Female.....	54	3	-	1	-	-	-	1	7	5	19	18	-
Black, both sexes.....	18	1	-	1	-	3	1	2	-	2	4	4	-
Male.....	6	-	-	-	-	2	1	1	-	1	-	1	-
Female.....	12	1	-	1	-	1	-	1	-	1	4	3	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-	-	-	-	-	1	3	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	3	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)													
All races, both sexes.....	867	2	1	2	11	21	30	48	93	132	252	275	-
Male.....	444	-	1	-	4	15	23	32	53	67	129	120	-
Female.....	423	2	-	2	7	6	7	16	40	65	123	155	-
White, both sexes.....	686	1	-	2	8	13	18	28	65	98	215	238	-
Male.....	350	-	-	-	4	9	13	20	37	54	108	105	-
Female.....	336	1	-	2	4	4	5	8	28	44	107	133	-
Black, both sexes.....	161	1	1	-	3	6	10	17	27	28	34	34	-
Male.....	81	-	1	-	-	4	8	9	16	9	21	13	-
Female.....	80	1	-	-	3	2	2	8	11	19	13	21	-
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	-	-	2	1	2	-
Male.....	4	-	-	-	-	1	1	-	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes	13	-	-	-	-	1	1	3	1	4	2	1	-
Male.....	9	-	-	-	-	1	1	3	-	3	-	1	-
Female.....	4	-	-	-	-	-	-	-	1	1	2	-	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Inflammatory diseases of female pelvic organs (N70-N76)</b>													
All races, both sexes.....	120	-	-	-	1	5	7	13	9	23	33	29	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	120	-	-	-	1	5	7	13	9	23	33	29	-
White, both sexes.....	98	-	-	-	-	3	6	7	7	19	31	25	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	98	-	-	-	-	3	6	7	7	19	31	25	-
Black, both sexes.....	19	-	-	-	1	1	-	6	2	3	2	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	19	-	-	-	1	1	-	6	2	3	2	4	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
<b>Pregnancy, childbirth and the puerperium (000-099)</b>													
All races, both sexes.....	760	...	...	-	183	312	207	54	3	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	760	...	...	-	183	312	207	54	3	1	-	-	-
White, both sexes.....	453	...	...	-	110	179	126	35	2	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	453	...	...	-	110	179	126	35	2	1	-	-	-
Black, both sexes.....	267	...	...	-	69	117	65	15	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	267	...	...	-	69	117	65	15	1	-	-	-	-
American Indian 1/, both sexes.....	7	...	...	-	2	1	4	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	-	2	1	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	33	...	...	-	2	15	12	4	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	33	...	...	-	2	15	12	4	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pregnancy with abortive outcome (000-007)</b>													
All races, both sexes.....	33	...	...	-	6	14	11	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	33	...	...	-	6	14	11	2	-	-	-	-	-
White, both sexes.....	15	...	...	-	4	4	5	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	15	...	...	-	4	4	5	2	-	-	-	-	-
Black, both sexes.....	13	...	...	-	1	8	4	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	13	...	...	-	1	8	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	...	...	-	1	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	...	...	-	-	2	2	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	-	-	2	2	-	-	-	-	-	-
<b>Other complications of pregnancy, childbirth and the puerperium (010-099)</b>													
All races, both sexes.....	727	...	...	-	177	298	196	52	3	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	727	...	...	-	177	298	196	52	3	1	-	-	-
White, both sexes.....	438	...	...	-	106	175	121	33	2	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	438	...	...	-	106	175	121	33	2	1	-	-	-
Black, both sexes.....	254	...	...	-	68	109	61	15	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	254	...	...	-	68	109	61	15	1	-	-	-	-
American Indian 1/, both sexes.....	6	...	...	-	1	1	4	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	-	1	1	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	...	...	-	2	13	10	4	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	...	...	-	2	13	10	4	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,549	14,423	58	26	18	6	6	6	2	-	1	-	3
Male.....	8,187	8,113	36	11	12	3	4	5	1	-	1	-	1
Female.....	6,362	6,310	22	15	6	3	2	1	1	-	-	-	2
White, both sexes.....	8,906	8,815	35	22	15	5	5	6	2	-	1	-	-
Male.....	5,026	4,971	20	11	11	3	3	5	1	-	1	-	-
Female.....	3,880	3,844	15	11	4	2	2	1	1	-	-	-	-
Black, both sexes.....	5,050	5,018	23	3	3	-	1	-	-	-	-	-	2
Male.....	2,828	2,809	16	-	1	-	1	-	-	-	-	-	1
Female.....	2,222	2,209	7	3	2	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	130	129	-	-	-	-	-	-	-	-	-	-	1
Male.....	75	75	-	-	-	-	-	-	-	-	-	-	-
Female.....	55	54	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	463	461	-	1	-	1	-	-	-	-	-	-	-
Male.....	258	258	-	-	-	-	-	-	-	-	-	-	-
Female.....	205	203	-	1	-	1	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,410	5,552	522	396	504	436	517	693	716	338	408	327	1
Male.....	5,447	2,965	264	195	326	244	272	356	370	153	191	111	-
Female.....	4,963	2,587	258	201	178	192	245	337	346	185	217	216	1
White, both sexes.....	8,254	4,187	385	285	386	339	427	606	645	316	379	298	1
Male.....	4,321	2,239	201	145	252	193	220	312	333	146	181	99	-
Female.....	3,933	1,948	184	140	134	146	207	294	312	170	198	199	1
Black, both sexes.....	1,719	1,080	106	88	100	81	75	71	59	16	21	22	-
Male.....	891	564	48	41	64	43	44	33	31	5	9	9	-
Female.....	828	516	58	47	36	38	31	38	28	11	12	13	-
American Indian 1/, both sexes.....	117	77	11	6	1	3	8	5	5	-	1	-	-
Male.....	61	44	4	1	-	1	4	4	3	-	-	-	-
Female.....	56	33	7	5	1	2	4	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	320	208	20	17	17	13	7	11	7	6	7	7	-
Male.....	174	118	11	8	10	7	4	7	3	2	1	3	-
Female.....	146	90	9	9	7	6	3	4	4	4	6	4	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	31,999	3,589	233	155	775	1,178	2,052	2,831	2,199	2,390	5,088	11,436	73
Male.....	14,647	2,139	132	94	546	807	1,263	1,822	1,367	1,321	2,150	2,949	57
Female.....	17,352	1,450	101	61	229	371	789	1,009	832	1,069	2,938	8,487	16
White, both sexes.....	26,595	2,331	153	91	591	907	1,596	2,191	1,731	1,953	4,498	10,490	63
Male.....	11,861	1,435	88	59	421	638	1,007	1,435	1,073	1,081	1,891	2,682	51
Female.....	14,734	896	65	32	170	269	589	756	658	872	2,607	7,808	12
Black, both sexes.....	4,798	1,121	65	57	162	235	400	596	429	394	524	805	10
Male.....	2,475	632	36	30	113	146	220	359	269	217	232	215	6
Female.....	2,323	489	29	27	49	89	180	237	160	177	292	590	4
American Indian 1/, both sexes.....	220	71	3	1	10	10	24	26	15	14	17	29	-
Male.....	109	38	2	1	3	7	12	14	8	11	6	7	-
Female.....	111	33	1	-	7	3	12	12	7	3	11	22	-
Asian or Pacific Islander 2/, both sexes	386	66	12	6	12	26	32	18	24	29	49	112	-
Male.....	202	34	6	4	9	16	24	14	17	12	21	45	-
Female.....	184	32	6	2	3	10	8	4	7	17	28	67	-
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)													
All races, both sexes.....	217,632	1,198	612	857	2,060	3,159	8,118	17,122	21,108	27,236	56,700	79,449	13
Male.....	88,869	732	352	474	1,245	1,821	4,837	10,253	11,828	13,311	23,071	20,934	11
Female.....	128,763	466	260	383	815	1,338	3,281	6,869	9,280	13,925	33,629	58,515	2
White, both sexes.....	188,445	801	446	594	1,562	2,283	6,078	13,188	17,210	23,027	50,542	72,703	11
Male.....	76,187	491	257	337	978	1,388	3,789	8,129	9,739	11,307	20,573	19,190	9
Female.....	112,258	310	189	257	584	895	2,289	5,059	7,471	11,720	29,969	53,513	2
Black, both sexes.....	24,843	335	130	221	423	747	1,758	3,452	3,399	3,555	5,204	5,617	2
Male.....	10,603	212	77	120	224	362	876	1,842	1,806	1,686	2,061	1,335	2
Female.....	14,240	123	53	101	199	385	882	1,610	1,593	1,869	3,143	4,282	-
American Indian 1/, both sexes.....	1,363	19	14	12	33	50	158	260	206	206	206	199	-
Male.....	668	8	8	2	15	30	95	147	124	95	89	55	-
Female.....	695	11	6	10	18	20	63	113	82	111	117	144	-
Asian or Pacific Islander 2/, both sexes	2,981	43	22	30	42	79	124	222	293	448	748	930	-
Male.....	1,411	21	10	15	28	41	77	135	159	223	348	354	-
Female.....	1,570	22	12	15	14	38	47	87	134	225	400	576	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidents (unintentional injuries) (V01-X59,Y85-Y86)</b>													
All races, both sexes.....	117,809	1,083	1,664	2,415	15,753	13,997	16,919	18,339	10,853	8,632	13,854	14,243	57
Male.....	76,375	578	1,027	1,493	11,827	10,665	12,026	13,002	7,507	5,343	7,337	5,521	49
Female.....	41,434	505	637	922	3,926	3,332	4,893	5,337	3,346	3,289	6,517	8,722	8
White, both sexes.....	100,406	734	1,262	1,785	13,325	11,628	14,172	15,135	9,032	7,424	12,524	13,333	52
Male.....	64,600	388	793	1,101	10,035	8,876	10,096	10,714	6,185	4,586	6,627	5,153	46
Female.....	35,806	346	469	684	3,290	2,752	4,076	4,421	2,847	2,838	5,897	8,180	6
Black, both sexes.....	13,652	314	327	501	1,780	1,796	2,208	2,689	1,471	927	980	654	5
Male.....	9,329	172	184	314	1,334	1,369	1,557	1,936	1,094	594	530	242	3
Female.....	4,323	142	143	187	446	427	651	753	377	333	450	412	2
American Indian 1/, both sexes.....	1,626	19	44	55	321	324	305	258	135	75	60	30	-
Male.....	1,118	10	31	36	223	240	213	181	99	45	28	12	-
Female.....	508	9	13	19	98	84	92	77	36	30	32	18	-
Asian or Pacific Islander 2/, both sexes	2,125	16	31	74	327	249	234	257	215	206	290	226	-
Male.....	1,328	8	19	42	235	180	160	171	129	118	152	114	-
Female.....	797	8	12	32	92	69	74	86	86	88	138	112	-
<b>Transport accidents (V01-V99,Y85)</b>													
All races, both sexes.....	48,441	147	646	1,547	11,288	7,638	7,295	7,101	4,918	3,353	3,168	1,329	11
Male.....	34,086	74	369	910	8,208	5,840	5,303	5,208	3,435	2,157	1,835	737	10
Female.....	14,355	73	277	637	3,080	1,798	1,992	1,893	1,483	1,196	1,333	592	1
White, both sexes.....	40,647	100	492	1,210	9,478	6,168	6,022	5,942	4,214	2,911	2,859	1,241	10
Male.....	28,568	54	278	711	6,898	4,707	4,372	4,380	2,950	1,868	1,654	687	9
Female.....	12,079	46	214	499	2,580	1,461	1,650	1,562	1,264	1,043	1,205	554	1
Black, both sexes.....	5,842	38	119	261	1,328	1,099	990	904	523	316	201	62	1
Male.....	4,237	16	65	155	975	870	745	654	377	217	126	36	1
Female.....	1,605	22	54	106	353	229	245	250	146	99	75	26	-
American Indian 1/, both sexes.....	875	5	27	38	235	201	150	111	59	31	15	3	-
Male.....	622	3	21	25	163	143	107	84	46	20	8	2	-
Female.....	253	2	6	13	72	58	43	27	13	11	7	1	-
Asian or Pacific Islander 2/, both sexes	1,077	4	8	38	247	170	133	144	122	95	93	23	-
Male.....	659	1	5	19	172	120	79	90	62	52	47	12	-
Female.....	418	3	3	19	75	50	54	54	60	43	46	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</b>													
All races, both sexes.....	45,343	146	617	1,447	10,908	7,239	6,748	6,397	4,454	3,110	2,991	1,280	6
Male.....	31,631	74	351	848	7,904	5,501	4,869	4,631	3,055	1,976	1,709	708	5
Female.....	13,712	72	266	599	3,004	1,738	1,879	1,766	1,399	1,134	1,282	572	1
White, both sexes.....	38,041	99	470	1,126	9,172	5,842	5,557	5,376	3,797	2,697	2,702	1,197	6
Male.....	26,508	54	263	661	6,660	4,427	4,005	3,913	2,610	1,709	1,542	659	5
Female.....	11,533	45	207	465	2,512	1,415	1,552	1,463	1,187	988	1,160	538	1
Black, both sexes.....	5,491	38	114	249	1,277	1,049	929	798	491	297	190	59	-
Male.....	3,957	16	63	145	930	830	696	571	351	201	119	35	-
Female.....	1,534	22	51	104	347	219	233	227	140	96	71	24	-
American Indian 1/, both sexes.....	801	5	26	35	223	188	135	95	51	27	13	3	-
Male.....	556	3	20	23	153	131	94	70	38	16	6	2	-
Female.....	245	2	6	12	70	57	41	25	13	11	7	1	-
Asian or Pacific Islander 2/, both sexes	1,010	4	7	37	236	160	127	128	115	89	86	21	-
Male.....	610	1	5	19	161	113	74	77	56	50	42	12	-
Female.....	400	3	2	18	75	47	53	51	59	39	44	9	-
<b>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</b>													
All races, both sexes.....	1,241	1	27	50	192	162	210	267	138	81	84	25	4
Male.....	957	-	17	35	156	136	160	212	110	54	58	15	4
Female.....	284	1	10	15	36	26	50	55	28	27	26	10	-
White, both sexes.....	970	1	20	41	148	120	170	196	117	59	73	22	3
Male.....	738	-	14	28	117	101	129	153	90	38	51	14	3
Female.....	232	1	6	13	31	19	41	43	27	21	22	8	-
Black, both sexes.....	204	-	5	8	32	32	34	56	13	15	6	2	1
Male.....	163	-	2	6	27	26	26	46	12	12	4	1	1
Female.....	41	-	3	2	5	6	8	10	1	3	2	1	-
American Indian 1/, both sexes.....	36	-	1	1	6	8	6	8	3	2	1	-	-
Male.....	34	-	1	1	6	8	5	7	3	2	1	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	31	-	1	-	6	2	-	7	5	5	4	1	-
Male.....	22	-	-	-	6	1	-	6	5	2	2	-	-
Female.....	9	-	1	-	-	1	-	1	-	3	2	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,857	-	2	50	188	237	337	437	326	162	93	24	1
Male.....	1,498	-	1	27	148	203	274	365	270	127	68	14	1
Female.....	359	-	1	23	40	34	63	72	56	35	25	10	-
White, both sexes.....	1,636	-	2	43	158	206	295	370	300	155	84	22	1
Male.....	1,322	-	1	22	121	179	238	314	250	121	61	14	1
Female.....	314	-	1	21	37	27	57	56	50	34	23	8	-
Black, both sexes.....	147	-	-	4	19	18	27	50	19	4	5	1	-
Male.....	117	-	-	4	18	14	23	37	14	4	3	-	-
Female.....	30	-	-	-	1	4	4	13	5	-	2	1	-
American Indian 1/, both sexes.....	38	-	-	2	6	5	9	8	5	2	1	-	-
Male.....	32	-	-	1	4	4	8	7	5	2	1	-	-
Female.....	6	-	-	1	2	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	36	-	-	1	5	8	6	9	2	1	3	1	-
Male.....	27	-	-	-	5	6	5	7	1	-	3	-	-
Female.....	9	-	-	1	-	2	1	2	1	1	-	1	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	69,368	936	1,018	868	4,465	6,359	9,624	11,238	5,935	5,279	10,686	12,914	46
Male.....	42,289	504	658	583	3,619	4,825	6,723	7,794	4,072	3,186	5,502	4,784	39
Female.....	27,079	432	360	285	846	1,534	2,901	3,444	1,863	2,093	5,184	8,130	7
White, both sexes.....	59,759	634	770	575	3,847	5,460	8,150	9,193	4,818	4,513	9,665	12,092	42
Male.....	36,032	334	515	390	3,137	4,169	5,724	6,334	3,235	2,718	4,973	4,466	37
Female.....	23,727	300	255	185	710	1,291	2,426	2,859	1,583	1,795	4,692	7,626	5
Black, both sexes.....	7,810	276	208	240	452	697	1,218	1,785	948	611	779	592	4
Male.....	5,092	156	119	159	359	499	812	1,282	717	377	404	206	2
Female.....	2,718	120	89	81	93	198	406	503	231	234	375	386	2
American Indian 1/, both sexes.....	751	14	17	17	86	123	155	147	76	44	45	27	-
Male.....	496	7	10	11	60	97	106	97	53	25	20	10	-
Female.....	255	7	7	6	26	26	49	50	23	19	25	17	-
Asian or Pacific Islander 2/, both sexes	1,048	12	23	36	80	79	101	113	93	111	197	203	-
Male.....	669	7	14	23	63	60	81	81	67	66	105	102	-
Female.....	379	5	9	13	17	19	20	32	26	45	92	101	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Falls (W00-W19)</b>													
All races, both sexes.....	19,656	16	34	32	236	295	607	1,181	1,451	2,319	5,957	7,526	2
Male.....	10,154	6	20	24	198	256	489	897	1,023	1,384	3,051	2,804	2
Female.....	9,502	10	14	8	38	39	118	284	428	935	2,906	4,722	-
White, both sexes.....	18,113	13	19	24	218	248	524	993	1,247	2,088	5,556	7,181	2
Male.....	9,246	5	12	18	184	219	423	750	877	1,253	2,848	2,655	2
Female.....	8,867	8	7	6	34	29	101	243	370	835	2,708	4,526	-
Black, both sexes.....	1,027	2	12	6	11	30	54	156	146	156	257	197	-
Male.....	602	-	5	4	9	21	44	124	107	92	128	68	-
Female.....	425	2	7	2	2	9	10	32	39	64	129	129	-
American Indian 1/, both sexes.....	117	1	-	1	5	8	16	20	17	12	21	16	-
Male.....	65	1	-	1	4	7	12	12	10	5	6	7	-
Female.....	52	-	-	-	1	1	4	8	7	7	15	9	-
Asian or Pacific Islander 2/, both sexes	399	-	3	1	2	9	13	12	41	63	123	132	-
Male.....	241	-	3	1	1	9	10	11	29	34	69	74	-
Female.....	158	-	-	-	1	-	3	1	12	29	54	58	-
<b>Accidental discharge of firearms (W32-W34)</b>													
All races, both sexes.....	789	1	22	52	203	130	114	108	67	44	33	15	-
Male.....	683	1	18	39	190	118	94	88	58	37	27	13	-
Female.....	106	-	4	13	13	12	20	20	9	7	6	2	-
White, both sexes.....	601	-	10	37	139	82	92	92	65	41	31	12	-
Male.....	516	-	9	29	134	71	73	75	56	34	25	10	-
Female.....	85	-	1	8	5	11	19	17	9	7	6	2	-
Black, both sexes.....	154	1	12	14	50	40	17	11	2	3	1	3	-
Male.....	138	1	9	9	45	39	17	9	2	3	1	3	-
Female.....	16	-	3	5	5	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	1	4	5	1	-	-	-	-	-	-
Male.....	9	-	-	1	3	5	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	23	-	-	-	10	3	4	5	-	-	1	-	-
Male.....	20	-	-	-	8	3	4	4	-	-	1	-	-
Female.....	3	-	-	-	2	-	-	1	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental drowning and submersion (W65-W74)</b>													
All races, both sexes.....	3,582	64	493	253	649	385	497	492	266	193	180	92	18
Male.....	2,818	27	336	184	588	328	410	393	218	135	121	62	16
Female.....	764	37	157	69	61	57	87	99	48	58	59	30	2
White, both sexes.....	2,819	56	418	147	470	304	391	404	224	160	147	80	18
Male.....	2,191	21	288	98	426	257	316	320	179	112	102	56	16
Female.....	628	35	130	49	44	47	75	84	45	48	45	24	2
Black, both sexes.....	556	8	58	88	134	60	72	61	31	25	14	5	-
Male.....	471	6	36	72	125	54	62	56	29	19	9	3	-
Female.....	85	2	22	16	9	6	10	5	2	6	5	2	-
American Indian 1/, both sexes.....	64	-	5	3	18	9	17	7	-	1	4	-	-
Male.....	49	-	4	1	12	7	17	5	-	1	2	-	-
Female.....	15	-	1	2	6	2	-	2	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	143	-	12	15	27	12	17	20	11	7	15	7	-
Male.....	107	-	8	13	25	10	15	12	10	3	8	3	-
Female.....	36	-	4	2	2	2	2	8	1	4	7	4	-
<b>Accidental exposure to smoke, fire and flames (X00-X09)</b>													
All races, both sexes.....	3,197	34	204	222	168	224	334	497	398	390	468	254	4
Male.....	1,886	16	124	125	103	137	226	325	244	224	245	113	4
Female.....	1,311	18	80	97	65	87	108	172	154	166	223	141	-
White, both sexes.....	2,351	23	123	125	123	161	258	390	281	303	366	194	4
Male.....	1,392	10	81	75	77	104	171	253	166	171	194	86	4
Female.....	959	13	42	50	46	57	87	137	115	132	172	108	-
Black, both sexes.....	746	10	73	82	36	52	64	98	107	76	94	54	-
Male.....	442	6	38	44	20	27	45	70	73	46	49	24	-
Female.....	304	4	35	38	16	25	19	28	34	30	45	30	-
American Indian 1/, both sexes.....	54	-	6	5	6	8	7	5	6	7	2	2	-
Male.....	33	-	4	3	4	6	6	1	3	4	1	1	-
Female.....	21	-	2	2	2	2	1	4	3	3	1	1	-
Asian or Pacific Islander 2/, both sexes	46	1	2	10	3	3	5	4	4	4	6	4	-
Male.....	19	-	1	3	2	-	4	1	2	3	1	2	-
Female.....	27	1	1	7	1	3	1	3	2	1	5	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental poisoning and exposure to noxious substances (X40-X49)</b>													
All races, both sexes.....	23,618	20	21	51	2,484	4,386	6,729	6,983	2,007	435	317	179	6
Male.....	15,884	11	12	31	1,940	3,193	4,423	4,537	1,269	228	161	74	5
Female.....	7,734	9	9	20	544	1,193	2,306	2,446	738	207	156	105	1
White, both sexes.....	20,163	12	11	38	2,313	3,878	5,788	5,755	1,579	344	277	163	5
Male.....	13,561	7	5	25	1,823	2,844	3,841	3,700	943	162	136	70	5
Female.....	6,602	5	6	13	490	1,034	1,947	2,055	636	182	141	93	-
Black, both sexes.....	2,986	7	7	9	118	401	820	1,107	397	78	30	11	1
Male.....	2,015	4	6	4	80	275	505	756	303	60	19	3	-
Female.....	971	3	1	5	38	126	315	351	94	18	11	8	1
American Indian 1/, both sexes.....	289	-	2	2	32	67	79	80	17	7	2	1	-
Male.....	182	-	1	2	21	48	45	50	12	2	1	-	-
Female.....	107	-	1	-	11	19	34	30	5	5	1	1	-
Asian or Pacific Islander 2/, both sexes	180	1	1	2	21	40	42	41	14	6	8	4	-
Male.....	126	-	-	-	16	26	32	31	11	4	5	1	-
Female.....	54	1	1	2	5	14	10	10	3	2	3	3	-
<b>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</b>													
All races, both sexes.....	18,526	801	244	258	725	939	1,343	1,977	1,746	1,898	3,731	4,848	16
Male.....	10,864	443	148	180	600	793	1,081	1,554	1,260	1,178	1,897	1,718	12
Female.....	7,662	358	96	78	125	146	262	423	486	720	1,834	3,130	4
White, both sexes.....	15,712	530	189	204	584	787	1,097	1,559	1,422	1,577	3,288	4,462	13
Male.....	9,126	291	120	145	493	674	900	1,236	1,014	986	1,668	1,589	10
Female.....	6,586	239	69	59	91	113	197	323	408	591	1,620	2,873	3
Black, both sexes.....	2,341	248	46	41	103	114	191	352	265	273	383	322	3
Male.....	1,424	139	25	26	80	83	139	267	203	157	198	105	2
Female.....	917	109	21	15	23	31	52	85	62	116	185	217	1
American Indian 1/, both sexes.....	216	13	4	5	21	26	35	35	36	17	16	8	-
Male.....	158	6	1	3	16	24	26	29	28	13	10	2	-
Female.....	58	7	3	2	5	2	9	6	8	4	6	6	-
Asian or Pacific Islander 2/, both sexes	257	10	5	8	17	12	20	31	23	31	44	56	-
Male.....	156	7	2	6	11	12	16	22	15	22	21	22	-
Female.....	101	3	3	2	6	-	4	9	8	9	23	34	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	32,637	...	...	272	4,212	4,990	6,550	6,991	4,210	2,344	2,200	860	8
Male.....	25,907	...	...	204	3,498	4,066	5,063	5,269	3,250	1,940	1,889	721	7
Female.....	6,730	...	...	68	714	924	1,487	1,722	960	404	311	139	1
White, both sexes.....	29,527	...	...	209	3,540	4,229	5,917	6,505	3,979	2,215	2,106	819	8
Male.....	23,478	...	...	160	2,945	3,447	4,572	4,906	3,080	1,848	1,817	696	7
Female.....	6,049	...	...	49	595	782	1,345	1,599	899	367	289	123	1
Black, both sexes.....	1,992	...	...	41	437	485	419	314	144	79	56	17	-
Male.....	1,621	...	...	27	382	402	337	240	109	62	47	15	-
Female.....	371	...	...	14	55	83	82	74	35	17	9	2	-
American Indian 1/, both sexes.....	392	...	...	14	128	91	84	53	12	5	5	-	-
Male.....	313	...	...	11	99	73	68	42	11	4	5	-	-
Female.....	79	...	...	3	29	18	16	11	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	726	...	...	8	107	185	130	119	75	45	33	24	-
Male.....	495	...	...	6	72	144	86	81	50	26	20	10	-
Female.....	231	...	...	2	35	41	44	38	25	19	13	14	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	17,002	...	...	84	1,962	2,269	2,855	3,472	2,470	1,669	1,649	571	1
Male.....	14,916	...	...	72	1,771	1,981	2,416	2,945	2,140	1,501	1,548	542	-
Female.....	2,086	...	...	12	191	288	439	527	330	168	101	29	1
White, both sexes.....	15,681	...	...	75	1,637	1,943	2,612	3,277	2,374	1,602	1,599	561	1
Male.....	13,730	...	...	65	1,474	1,687	2,197	2,772	2,057	1,446	1,500	532	-
Female.....	1,951	...	...	10	163	256	415	505	317	156	99	29	1
Black, both sexes.....	1,009	...	...	6	247	249	189	137	73	57	41	10	-
Male.....	911	...	...	5	230	224	172	122	62	47	39	10	-
Female.....	98	...	...	1	17	25	17	15	11	10	2	-	-
American Indian 1/, both sexes.....	163	...	...	2	49	39	29	28	8	3	5	-	-
Male.....	145	...	...	1	43	35	26	26	7	2	5	-	-
Female.....	18	...	...	1	6	4	3	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	149	...	...	1	29	38	25	30	15	7	4	-	-
Male.....	130	...	...	1	24	35	21	25	14	6	4	-	-
Female.....	19	...	...	-	5	3	4	5	1	1	-	-	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	15,635	...	...	188	2,250	2,721	3,695	3,519	1,740	675	551	289	7
Male.....	10,991	...	...	132	1,727	2,085	2,647	2,324	1,110	439	341	179	7
Female.....	4,644	...	...	56	523	636	1,048	1,195	630	236	210	110	-
White, both sexes.....	13,846	...	...	134	1,903	2,286	3,305	3,228	1,605	613	507	258	7
Male.....	9,748	...	...	95	1,471	1,760	2,375	2,134	1,023	402	317	164	7
Female.....	4,098	...	...	39	432	526	930	1,094	582	211	190	94	-
Black, both sexes.....	983	...	...	35	190	236	230	177	71	22	15	7	-
Male.....	710	...	...	22	152	178	165	118	47	15	8	5	-
Female.....	273	...	...	13	38	58	65	59	24	7	7	2	-
American Indian 1/, both sexes.....	229	...	...	12	79	52	55	25	4	2	-	-	-
Male.....	168	...	...	10	56	38	42	16	4	2	-	-	-
Female.....	61	...	...	2	23	14	13	9	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	577	...	...	7	78	147	105	89	60	38	29	24	-
Male.....	365	...	...	5	48	109	65	56	36	20	16	10	-
Female.....	212	...	...	2	30	38	40	33	24	18	13	14	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	18,124	306	375	341	5,466	4,752	3,109	2,060	862	440	283	109	21
Male.....	14,376	173	214	204	4,765	4,008	2,317	1,579	636	282	138	44	16
Female.....	3,748	133	161	137	701	744	792	481	226	158	145	65	5
White, both sexes.....	8,770	195	217	168	2,172	2,022	1,615	1,182	573	295	223	88	20
Male.....	6,457	109	119	96	1,800	1,587	1,134	881	410	177	100	28	16
Female.....	2,313	86	98	72	372	435	481	301	163	118	123	60	4
Black, both sexes.....	8,669	95	140	150	3,077	2,591	1,369	797	248	125	58	18	1
Male.....	7,412	54	88	97	2,790	2,319	1,091	633	196	93	37	14	-
Female.....	1,257	41	52	53	287	272	278	164	52	32	21	4	1
American Indian 1/, both sexes.....	257	5	10	7	82	60	45	29	11	8	-	-	-
Male.....	193	4	4	3	67	45	32	25	9	4	-	-	-
Female.....	64	1	6	4	15	15	13	4	2	4	-	-	-
Asian or Pacific Islander 2/, both sexes	428	11	8	16	135	79	80	52	30	12	2	3	-
Male.....	314	6	3	8	108	57	60	40	21	8	1	2	-
Female.....	114	5	5	8	27	22	20	12	9	4	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	12,352	6	37	187	4,499	3,780	2,010	1,097	405	201	97	24	9
Male.....	10,561	6	22	131	4,096	3,344	1,599	859	312	131	44	10	7
Female.....	1,791	-	15	56	403	436	411	238	93	70	53	14	2
White, both sexes.....	5,266	4	23	87	1,577	1,433	988	630	274	140	82	19	9
Male.....	4,177	4	13	61	1,390	1,191	721	468	202	83	32	5	7
Female.....	1,089	-	10	26	187	242	267	162	72	57	50	14	2
Black, both sexes.....	6,703	2	13	89	2,762	2,260	961	434	108	54	15	5	-
Male.....	6,067	2	9	65	2,568	2,080	827	364	91	44	12	5	-
Female.....	636	-	4	24	194	180	134	70	17	10	3	-	-
American Indian 1/, both sexes.....	117	-	-	4	57	34	12	4	4	2	-	-	-
Male.....	96	-	-	1	50	29	9	2	4	1	-	-	-
Female.....	21	-	-	3	7	5	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	266	-	1	7	103	53	49	29	19	5	-	-	-
Male.....	221	-	-	4	88	44	42	25	15	3	-	-	-
Female.....	45	-	1	3	15	9	7	4	4	2	-	-	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,772	300	338	154	967	972	1,099	963	457	239	186	85	12
Male.....	3,815	167	192	73	669	664	718	720	324	151	94	34	9
Female.....	1,957	133	146	81	298	308	381	243	133	88	92	51	3
White, both sexes.....	3,504	191	194	81	595	589	627	552	299	155	141	69	11
Male.....	2,280	105	106	35	410	396	413	413	208	94	68	23	9
Female.....	1,224	86	88	46	185	193	214	139	91	61	73	46	2
Black, both sexes.....	1,966	93	127	61	315	331	408	363	140	71	43	13	1
Male.....	1,345	52	79	32	222	239	264	269	105	49	25	9	-
Female.....	621	41	48	29	93	92	144	94	35	22	18	4	1
American Indian 1/, both sexes.....	140	5	10	3	25	26	33	25	7	6	-	-	-
Male.....	97	4	4	2	17	16	23	23	5	3	-	-	-
Female.....	43	1	6	1	8	10	10	2	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes	162	11	7	9	32	26	31	23	11	7	2	3	-
Male.....	93	6	3	4	20	13	18	15	6	5	1	2	-
Female.....	69	5	4	5	12	13	13	8	5	2	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Legal intervention (Y35,Y89.0)</b>													
All races, both sexes.....	414	-	-	1	83	110	124	56	30	7	3	-	-
Male.....	401	-	-	1	82	109	119	54	28	5	3	-	-
Female.....	13	-	-	-	1	1	5	2	2	2	-	-	-
White, both sexes.....	289	-	-	-	59	68	85	43	26	6	2	-	-
Male.....	277	-	-	-	58	67	81	41	24	4	2	-	-
Female.....	12	-	-	-	1	1	4	2	2	2	-	-	-
Black, both sexes.....	112	-	-	1	24	39	31	13	2	1	1	-	-
Male.....	111	-	-	1	24	39	30	13	2	1	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	2	4	-	1	-	-	-	-
Male.....	7	-	-	-	-	2	4	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	-	-	1	4	-	1	-	-	-	-
Male.....	6	-	-	-	-	1	4	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)</b>													
All races, both sexes.....	4,742	104	69	64	484	742	1,194	1,314	424	157	106	74	10
Male.....	2,861	67	44	43	355	478	695	758	245	91	49	26	10
Female.....	1,881	37	25	21	129	264	499	556	179	66	57	48	-
White, both sexes.....	3,917	68	43	47	406	629	975	1,093	360	135	88	67	6
Male.....	2,327	45	28	32	299	402	566	613	197	76	38	25	6
Female.....	1,590	23	15	15	107	227	409	480	163	59	50	42	-
Black, both sexes.....	685	31	23	11	56	92	189	190	52	18	13	7	3
Male.....	453	19	14	8	41	62	114	131	40	12	8	1	3
Female.....	232	12	9	3	15	30	75	59	12	6	5	6	-
American Indian 1/, both sexes.....	64	3	2	1	9	9	11	17	7	2	2	-	1
Male.....	37	1	2	-	6	5	5	9	5	1	2	-	1
Female.....	27	2	-	1	3	4	6	8	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	76	2	1	5	13	12	19	14	5	2	3	-	-
Male.....	44	2	-	3	9	9	10	5	3	2	1	-	-
Female.....	32	-	1	2	4	3	9	9	2	-	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	221	-	3	12	77	35	28	28	23	10	3	2	-
Male.....	178	-	2	10	68	29	21	22	14	7	3	2	-
Female.....	43	-	1	2	9	6	7	6	9	3	-	-	-
White, both sexes.....	175	-	-	10	57	28	22	24	21	9	2	2	-
Male.....	141	-	-	8	49	22	17	20	14	7	2	2	-
Female.....	34	-	-	2	8	6	5	4	7	2	-	-	-
Black, both sexes.....	36	-	2	1	16	6	5	3	2	1	-	-	-
Male.....	28	-	1	1	15	6	4	1	-	-	-	-	-
Female.....	8	-	1	-	1	-	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	7	-	1	-	3	1	-	1	-	-	1	-	-
Male.....	7	-	1	-	3	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,521	104	66	52	407	707	1,166	1,286	401	147	103	72	10
Male.....	2,683	67	42	33	287	449	674	736	231	84	46	24	10
Female.....	1,838	37	24	19	120	258	492	550	170	63	57	48	-
White, both sexes.....	3,742	68	43	37	349	601	953	1,069	339	126	86	65	6
Male.....	2,186	45	28	24	250	380	549	593	183	69	36	23	6
Female.....	1,556	23	15	13	99	221	404	476	156	57	50	42	-
Black, both sexes.....	649	31	21	10	40	86	184	187	50	17	13	7	3
Male.....	425	19	13	7	26	56	110	130	40	12	8	1	3
Female.....	224	12	8	3	14	30	74	57	10	5	5	6	-
American Indian 1/, both sexes.....	57	3	1	1	6	8	11	16	7	2	1	-	1
Male.....	30	1	1	-	3	4	5	8	5	1	1	-	1
Female.....	27	2	-	1	3	4	6	8	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	73	2	1	4	12	12	18	14	5	2	3	-	-
Male.....	42	2	-	2	8	9	10	5	3	2	1	-	-
Female.....	31	-	1	2	4	3	8	9	2	-	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Operations of war and their sequelae (Y36,Y89.1)</b>													
All races, both sexes.....	27	-	-	-	3	3	4	1	3	2	10	1	-
Male.....	27	-	-	-	3	3	4	1	3	2	10	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	21	-	-	-	3	1	3	-	2	2	9	1	-
Male.....	21	-	-	-	3	1	3	-	2	2	9	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	-	-	2	1	1	1	-	1	-	-
Male.....	6	-	-	-	-	2	1	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Complications of medical and surgical care (Y40-Y84,Y88)</b>													
All races, both sexes.....	2,653	19	16	16	29	70	144	287	364	487	759	462	-
Male.....	1,220	16	10	9	16	26	62	131	192	250	335	173	-
Female.....	1,433	3	6	7	13	44	82	156	172	237	424	289	-
White, both sexes.....	2,170	11	13	14	23	54	112	203	283	379	657	421	-
Male.....	1,014	8	9	8	13	23	53	94	145	207	292	162	-
Female.....	1,156	3	4	6	10	31	59	109	138	172	365	259	-
Black, both sexes.....	434	8	2	2	5	15	29	78	76	94	91	34	-
Male.....	181	8	-	1	2	3	8	35	42	36	36	10	-
Female.....	253	-	2	1	3	12	21	43	34	58	55	24	-
American Indian 1/, both sexes.....	20	-	-	-	-	-	2	5	2	6	3	2	-
Male.....	9	-	-	-	-	-	1	1	2	3	2	-	-
Female.....	11	-	-	-	-	-	1	4	-	3	1	2	-
Asian or Pacific Islander 2/, both sexes	29	-	1	-	1	1	1	1	3	8	8	5	-
Male.....	16	-	1	-	1	-	-	1	3	4	5	1	-
Female.....	13	-	-	-	-	1	1	-	-	4	3	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	21,634	-	-	2	149	541	3,281	7,463	5,930	2,822	1,201	236	9
Male.....	16,238	-	-	1	127	405	2,336	5,569	4,616	2,133	895	149	7
Female.....	5,396	-	-	1	22	136	945	1,894	1,314	689	306	87	2
White, both sexes.....	18,432	-	-	1	119	429	2,743	6,304	5,092	2,452	1,071	213	8
Male.....	13,917	-	-	1	106	325	1,986	4,728	3,983	1,850	796	136	6
Female.....	4,515	-	-	-	13	104	757	1,576	1,109	602	275	77	2
Black, both sexes.....	2,316	-	-	-	16	48	321	857	661	292	99	21	1
Male.....	1,698	-	-	-	11	33	206	632	501	227	76	11	1
Female.....	618	-	-	-	5	15	115	225	160	65	23	10	-
American Indian 1/, both sexes.....	655	-	-	1	12	43	173	230	130	48	16	2	-
Male.....	432	-	-	-	8	30	108	147	94	33	10	2	-
Female.....	223	-	-	1	4	13	65	83	36	15	6	-	-
Asian or Pacific Islander 2/, both sexes	231	-	-	-	2	21	44	72	47	30	15	-	-
Male.....	191	-	-	-	2	17	36	62	38	23	13	-	-
Female.....	40	-	-	-	-	4	8	10	9	7	2	-	-
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/													
All races, both sexes.....	33,541	35	30	51	3,095	5,730	9,333	10,041	3,240	887	706	388	5
Male.....	21,208	18	23	24	2,319	3,970	5,829	6,143	1,912	452	354	159	5
Female.....	12,333	17	7	27	776	1,760	3,504	3,898	1,328	435	352	229	-
White, both sexes.....	28,804	25	15	38	2,885	5,066	8,021	8,298	2,661	776	647	367	5
Male.....	18,152	12	11	21	2,182	3,542	5,050	4,994	1,485	376	321	153	5
Female.....	10,652	13	4	17	703	1,524	2,971	3,304	1,176	400	326	214	-
Black, both sexes.....	4,098	10	14	10	140	529	1,144	1,567	535	91	43	15	-
Male.....	2,677	6	11	3	95	347	679	1,043	399	66	24	4	-
Female.....	1,421	4	3	7	45	182	465	524	136	25	19	11	-
American Indian 1/, both sexes.....	362	-	1	1	38	77	98	107	23	13	3	1	-
Male.....	205	-	1	-	22	47	52	62	14	6	1	-	-
Female.....	157	-	-	1	16	30	46	45	9	7	2	1	-
Asian or Pacific Islander 2/, both sexes	277	-	-	2	32	58	70	69	21	7	13	5	-
Male.....	174	-	-	-	20	34	48	44	14	4	8	2	-
Female.....	103	-	-	2	12	24	22	25	7	3	5	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas: see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,694	7	62	335	6,821	6,302	5,101	4,744	2,987	1,929	1,784	612	10
Male.....	26,657	7	42	252	6,204	5,559	4,221	3,951	2,544	1,679	1,624	567	7
Female.....	4,037	-	20	83	617	743	880	793	443	250	160	45	3
White, both sexes.....	21,958	4	33	209	3,467	3,541	3,780	4,056	2,752	1,797	1,715	594	10
Male.....	18,788	4	22	163	3,103	3,025	3,071	3,366	2,345	1,573	1,560	549	7
Female.....	3,170	-	11	46	364	516	709	690	407	224	155	45	3
Black, both sexes.....	7,984	3	27	110	3,098	2,585	1,192	591	187	115	58	18	-
Male.....	7,226	3	19	80	2,881	2,379	1,040	502	157	94	53	18	-
Female.....	758	-	8	30	217	206	152	89	30	21	5	-	-
American Indian 1/, both sexes.....	305	-	1	7	113	81	46	33	13	5	6	-	-
Male.....	264	-	1	3	99	72	39	29	12	3	6	-	-
Female.....	41	-	-	4	14	9	7	4	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	447	-	1	9	143	95	83	64	35	12	5	-	-
Male.....	379	-	-	6	121	83	71	54	30	9	5	-	-
Female.....	68	-	1	3	22	12	12	10	5	3	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.