













Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)</b>												
All origins 3/, both sexes.....	2.6	4.1	0.4	0.2	0.2	0.3	0.9	3.2	4.2	7.0	13.7	21.2
Male.....	2.9	4.8	0.5	0.1	0.2	0.4	1.2	4.5	5.3	8.3	16.4	23.6
Female.....	2.3	3.4	0.3	0.2	0.2	0.3	0.6	2.0	3.2	5.9	11.8	20.1
Hispanic, both sexes.....	1.8	3.5	*	*	*	0.4	1.3	4.8	5.5	8.6	13.3	15.4
Male.....	2.0	*	*	*	*	0.5	1.7	7.0	7.2	8.8	13.0	*
Female.....	1.6	*	*	*	*	0.8	2.6	4.0	8.3	13.5	17.6	21.5
Non-Hispanic 4/, both sexes.....	2.7	4.3	0.4	0.2	0.2	0.3	0.9	3.0	4.1	6.9	13.7	21.5
Male.....	3.0	5.1	0.5	0.1	0.2	0.4	1.1	4.2	5.0	8.3	16.5	24.2
Female.....	2.5	3.4	*	0.2	0.2	0.2	0.6	1.9	3.1	5.7	11.7	20.2
Non-Hispanic white 5/, both sexes.....	2.8	3.7	0.4	0.2	0.2	0.2	0.7	2.9	3.8	6.7	13.4	21.5
Male.....	3.1	4.4	0.4	*	*	0.2	1.0	4.1	4.7	8.2	16.2	24.4
Female.....	2.5	2.9	*	0.2	0.2	0.5	1.7	3.0	5.5	11.4	20.1	22.7
Non-Hispanic black 5/, both sexes.....	2.6	6.8	*	*	0.4	0.8	1.5	4.2	6.0	7.8	15.2	22.7
Male.....	2.9	8.4	*	*	*	0.9	2.1	5.2	8.2	9.4	19.6	23.8
Female.....	2.3	*	*	*	*	*	1.0	3.4	4.2	6.7	12.7	22.2
<b>Malignant neoplasms (C00-C97)</b>												
All origins 3/, both sexes.....	188.7	1.8	2.3	2.5	4.1	9.0	33.2	118.6	326.9	742.7	1,274.8	1,637.7
Male.....	198.9	2.1	2.6	2.7	4.8	8.8	28.9	121.6	369.5	899.1	1,649.7	2,319.3
Female.....	178.8	1.5	2.0	2.2	3.3	9.1	37.5	115.8	287.4	610.9	1,020.3	1,324.6
Hispanic, both sexes.....	61.3	*	2.2	2.5	4.5	6.8	22.1	77.9	203.3	481.3	882.8	1,128.1
Male.....	63.0	*	2.8	2.5	5.3	6.5	17.8	75.9	236.9	603.5	1,161.8	1,601.5
Female.....	59.5	*	1.6	2.5	3.6	7.1	27.0	79.9	172.5	382.5	688.5	880.4
Non-Hispanic 4/, both sexes.....	209.8	1.8	2.3	2.5	4.0	9.5	35.0	122.9	336.9	761.5	1,296.6	1,660.5
Male.....	222.8	2.4	2.6	2.7	4.7	9.4	30.8	126.5	379.9	919.5	1,677.1	2,354.9
Female.....	197.5	*	2.1	2.2	3.3	9.5	39.2	119.5	296.8	627.7	1,038.6	1,343.6
Non-Hispanic white 5/, both sexes.....	227.7	2.0	2.3	2.5	4.0	9.0	34.0	117.1	329.0	762.3	1,304.0	1,668.6
Male.....	240.7	2.7	2.5	2.7	4.7	9.0	30.5	120.3	366.1	910.4	1,673.7	2,358.3
Female.....	215.1	*	2.2	2.2	3.3	8.9	37.5	113.9	293.6	634.4	1,049.5	1,353.2
Non-Hispanic black 5/, both sexes.....	167.4	*	2.5	2.6	4.1	12.7	46.2	179.7	466.0	906.1	1,435.5	1,764.4
Male.....	181.8	*	2.8	3.1	4.8	12.3	37.4	190.4	581.2	1,205.6	2,047.4	2,720.4
Female.....	154.3	*	2.1	2.2	3.5	13.1	54.0	170.6	373.3	692.1	1,088.7	1,379.5
<b>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</b>												
All origins 3/, both sexes.....	2.6	*	*	*	0.1	0.1	0.6	2.6	6.4	9.8	12.8	17.0
Male.....	3.6	*	*	*	*	0.2	0.9	4.2	10.3	15.3	18.9	22.0
Female.....	1.7	*	*	*	*	0.1	0.3	1.2	2.8	5.2	8.7	14.7
Hispanic, both sexes.....	0.7	*	*	*	*	*	*	1.2	3.5	5.4	10.4	*
Male.....	1.1	*	*	*	*	*	1.9	6.1	10.0	16.0	16.0	*
Female.....	0.4	*	*	*	*	*	*	*	*	6.5	6.5	*
Non-Hispanic 4/, both sexes.....	2.9	*	*	*	0.1	0.2	0.7	2.8	6.6	10.2	12.9	17.6
Male.....	4.1	*	*	*	*	0.2	1.0	4.4	10.6	15.7	19.1	22.8
Female.....	1.9	*	*	*	*	0.1	0.4	1.2	2.9	5.5	8.8	15.2
Non-Hispanic white 5/, both sexes.....	3.0	*	*	*	*	0.1	0.6	2.5	6.2	9.8	12.9	17.9
Male.....	4.1	*	*	*	*	*	0.8	3.9	9.7	14.8	18.5	22.9
Female.....	2.0	*	*	*	*	*	0.4	1.1	2.8	5.6	9.1	15.6
Non-Hispanic black 5/, both sexes.....	2.9	*	*	*	*	*	0.9	5.1	10.9	14.2	13.7	12.8
Male.....	4.7	*	*	*	*	*	1.6	8.8	20.0	26.7	27.8	21.9
Female.....	1.2	*	*	*	*	*	*	1.9	3.5	5.2	5.7	9.2

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Malignant neoplasm of esophagus (C15)</b>												
All origins 3/, both sexes.....	4.6	*	*	*	*	0.1	0.7	3.6	10.2	19.8	27.4	24.9
Male.....	7.3	*	*	*	*	0.1	1.2	6.2	17.9	34.9	50.7	46.0
Female.....	1.9	*	*	*	*	*	0.2	1.0	3.1	7.0	11.6	15.3
Hispanic, both sexes.....	1.1	*	*	*	*	*	*	1.6	4.3	11.2	14.5	18.8
Male.....	1.8	*	*	*	*	*	*	2.7	7.8	20.7	26.7	37.4
Female.....	0.4	*	*	*	*	*	*	*	*	3.6	6.0	*
Non-Hispanic 4/, both sexes.....	5.1	*	*	*	*	0.1	0.8	3.8	10.7	20.4	28.2	25.2
Male.....	8.2	*	*	*	*	0.2	1.4	6.6	18.7	35.9	52.2	46.3
Female.....	2.2	*	*	*	*	*	0.3	1.0	3.2	7.2	11.9	15.5
Non-Hispanic white 5/, both sexes.....	5.6	*	*	*	*	0.1	0.8	3.8	10.6	20.7	28.8	26.2
Male.....	9.1	*	*	*	*	0.2	1.4	6.7	18.7	36.4	53.4	49.0
Female.....	2.3	*	*	*	*	*	0.2	0.8	3.0	7.1	11.8	15.8
Non-Hispanic black 5/, both sexes.....	3.9	*	*	*	*	*	0.9	4.9	14.5	22.9	27.7	17.5
Male.....	6.0	*	*	*	*	*	1.5	8.0	25.2	41.1	52.1	26.6
Female.....	2.0	*	*	*	*	*	*	2.3	5.9	9.9	13.8	13.8
<b>Malignant neoplasm of stomach (C16)</b>												
All origins 3/, both sexes.....	3.9	*	*	*	0.0	0.3	1.0	2.6	5.9	14.0	26.6	38.5
Male.....	4.6	*	*	*	*	0.3	1.2	3.3	8.2	19.7	37.4	54.2
Female.....	3.2	*	*	*	*	0.3	0.8	1.9	3.7	9.2	19.3	31.2
Hispanic, both sexes.....	3.0	*	*	*	*	0.5	1.5	4.6	9.3	20.7	44.0	50.9
Male.....	3.4	*	*	*	*	0.5	1.5	5.0	12.1	27.6	65.8	76.0
Female.....	2.6	*	*	*	*	*	1.4	4.2	6.8	15.2	28.8	37.8
Non-Hispanic 4/, both sexes.....	4.0	*	*	*	*	0.2	0.9	2.4	5.6	13.5	25.5	37.8
Male.....	4.8	*	*	*	*	0.2	1.1	3.1	7.9	19.1	35.6	53.0
Female.....	3.3	*	*	*	*	0.3	0.7	1.6	3.4	8.7	18.7	30.9
Non-Hispanic white 5/, both sexes.....	3.7	*	*	*	*	0.1	0.7	1.9	4.6	11.3	22.0	33.8
Male.....	4.4	*	*	*	*	*	0.8	2.5	6.5	15.9	30.8	47.2
Female.....	3.0	*	*	*	*	*	0.6	1.3	2.8	7.3	15.9	27.7
Non-Hispanic black 5/, both sexes.....	5.2	*	*	*	*	0.4	1.8	4.6	11.5	27.0	52.6	75.4
Male.....	6.4	*	*	*	*	*	2.6	6.5	18.3	41.6	72.0	117.0
Female.....	4.1	*	*	*	*	*	1.1	3.0	6.0	16.5	41.6	58.6
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>												
All origins 3/, both sexes.....	18.0	*	*	*	0.1	0.8	3.0	10.2	26.9	63.3	124.5	216.9
Male.....	18.4	*	*	*	0.1	0.8	3.2	11.5	32.9	79.6	151.6	245.9
Female.....	17.6	*	*	*	0.1	0.7	2.8	9.0	21.2	49.5	106.1	203.6
Hispanic, both sexes.....	6.0	*	*	*	*	0.5	1.9	7.1	18.4	46.5	92.4	146.7
Male.....	6.1	*	*	*	*	*	1.8	8.0	23.3	60.3	111.6	176.8
Female.....	5.8	*	*	*	*	0.7	2.0	6.2	13.9	35.3	79.1	131.0
Non-Hispanic 4/, both sexes.....	20.0	*	*	*	0.1	0.8	3.1	10.5	27.5	64.4	126.2	220.1
Male.....	20.5	*	*	*	0.1	0.9	3.4	11.9	33.7	80.9	153.7	249.2
Female.....	19.4	*	*	*	*	0.7	2.9	9.3	21.8	50.5	107.6	206.8
Non-Hispanic white 5/, both sexes.....	21.2	*	*	*	0.1	0.8	3.0	9.6	25.7	62.5	124.0	218.8
Male.....	21.8	*	*	*	*	0.8	3.3	10.9	31.5	78.5	151.2	248.8
Female.....	20.6	*	*	*	*	0.7	2.6	8.3	20.2	48.6	105.2	205.1
Non-Hispanic black 5/, both sexes.....	18.2	*	*	*	*	1.2	4.4	18.1	46.1	92.4	170.7	264.1
Male.....	18.5	*	*	*	*	1.5	4.5	20.2	58.5	116.4	213.6	297.8
Female.....	17.9	*	*	*	*	0.8	4.3	16.3	36.2	75.3	146.3	250.5



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>												
All origins 3/, both sexes.....	5.4	*	0.1	*	0.1	0.2	0.9	5.9	11.3	20.1	32.0	32.5
Male.....	7.2	*	*	*	*	0.3	1.2	9.6	17.9	29.0	45.0	44.8
Female.....	3.7	*	*	*	*	0.1	0.6	2.4	5.2	12.6	23.2	26.8
Hispanic, both sexes.....	4.2	*	*	*	*	*	0.9	8.0	18.2	33.8	52.1	54.8
Male.....	5.4	*	*	*	*	*	1.1	12.6	28.8	46.9	68.5	71.0
Female.....	3.0	*	*	*	*	*	0.7	3.3	8.6	23.1	40.7	46.3
Non-Hispanic 4/, both sexes.....	5.6	*	*	*	0.1	0.3	0.9	5.7	10.7	19.0	30.8	31.3
Male.....	7.5	*	*	*	*	0.4	1.2	9.2	16.9	27.6	43.5	43.4
Female.....	3.8	*	*	*	*	0.1	0.5	2.3	4.9	11.8	22.1	25.8
Non-Hispanic white 5/, both sexes.....	5.5	*	*	*	*	0.2	0.6	4.8	9.0	17.2	29.2	30.4
Male.....	7.2	*	*	*	*	0.2	0.8	7.6	14.0	24.8	41.5	43.4
Female.....	3.8	*	*	*	*	*	0.5	2.0	4.3	10.6	20.8	24.5
Non-Hispanic black 5/, both sexes.....	5.6	*	*	*	*	0.5	1.5	9.9	20.5	25.4	33.6	28.9
Male.....	8.2	*	*	*	*	*	2.2	17.3	36.4	40.2	51.0	31.4
Female.....	3.2	*	*	*	*	*	0.9	3.5	7.8	14.8	23.7	28.0
<b>Malignant neoplasm of pancreas (C25)</b>												
All origins 3/, both sexes.....	11.1	*	*	*	*	0.2	1.3	6.5	19.7	44.5	77.7	97.4
Male.....	11.1	*	*	*	*	0.2	1.5	7.7	24.3	51.8	86.0	102.8
Female.....	11.0	*	*	*	*	0.1	1.1	5.2	15.5	38.2	72.1	94.9
Hispanic, both sexes.....	4.1	*	*	*	*	*	0.9	4.4	15.5	36.0	63.8	78.7
Male.....	4.0	*	*	*	*	*	1.1	5.2	19.2	40.5	65.8	77.2
Female.....	4.2	*	*	*	*	*	0.8	3.5	12.1	32.3	62.3	79.5
Non-Hispanic 4/, both sexes.....	12.2	*	*	*	*	0.2	1.3	6.7	20.0	45.0	78.5	98.1
Male.....	12.3	*	*	*	*	0.2	1.6	8.0	24.7	52.6	87.2	104.1
Female.....	12.1	*	*	*	*	0.1	1.1	5.4	15.7	38.7	72.6	95.4
Non-Hispanic white 5/, both sexes.....	13.2	*	*	*	*	0.2	1.3	6.4	19.6	44.5	77.7	97.6
Male.....	13.3	*	*	*	*	0.2	1.6	7.6	24.2	52.5	86.7	104.3
Female.....	13.0	*	*	*	*	*	1.1	5.1	15.2	37.7	71.5	94.5
Non-Hispanic black 5/, both sexes.....	10.0	*	*	*	*	*	1.6	9.8	27.5	57.7	95.9	111.7
Male.....	9.8	*	*	*	*	*	1.7	12.1	34.7	65.7	106.0	101.8
Female.....	10.3	*	*	*	*	*	1.5	7.9	21.7	52.0	90.2	115.7
<b>Malignant neoplasm of larynx (C32)</b>												
All origins 3/, both sexes.....	1.3	*	*	*	*	*	0.1	1.0	3.0	6.2	7.0	6.3
Male.....	2.0	*	*	*	*	*	0.2	1.5	5.1	10.7	13.1	15.7
Female.....	0.5	*	*	*	*	*	*	0.5	1.0	2.4	2.8	1.9
Hispanic, both sexes.....	0.4	*	*	*	*	*	*	0.6	1.3	3.9	7.3	*
Male.....	0.7	*	*	*	*	*	*	1.0	2.5	8.5	15.4	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.4	*	*	*	*	*	0.2	1.0	3.2	6.4	7.0	6.2
Male.....	2.3	*	*	*	*	*	0.2	1.6	5.4	10.9	13.0	15.7
Female.....	0.6	*	*	*	*	*	*	0.5	1.1	2.5	2.9	1.9
Non-Hispanic white 5/, both sexes.....	1.4	*	*	*	*	*	0.1	0.9	2.8	6.0	6.9	5.9
Male.....	2.3	*	*	*	*	*	0.2	1.4	4.6	10.0	12.7	14.8
Female.....	0.6	*	*	*	*	*	*	0.4	1.1	2.5	3.0	1.8
Non-Hispanic black 5/, both sexes.....	1.8	*	*	*	*	*	*	2.3	7.2	11.6	9.8	10.4
Male.....	3.0	*	*	*	*	*	*	3.5	14.0	22.5	21.0	29.5
Female.....	0.7	*	*	*	*	*	*	1.2	1.7	3.9	3.5	*



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Malignant neoplasm of cervix uteri (C53)</b>												
All origins 3/, both sexes.....	1.3	*	*	*	*	0.4	1.4	2.3	2.6	3.1	4.0	5.4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2.6	*	*	*	*	0.9	2.8	4.4	5.1	5.7	6.7	7.8
Hispanic, both sexes.....	1.0	*	*	*	*	0.3	1.6	2.8	3.8	4.8	4.5	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2.2	*	*	*	*	0.6	3.4	5.7	7.2	8.8	7.7	*
Non-Hispanic 4/, both sexes.....	1.4	*	*	*	*	0.5	1.4	2.2	2.5	2.9	3.9	5.3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2.7	*	*	*	*	0.9	2.7	4.3	4.9	5.4	6.6	7.7
Non-Hispanic white 5/, both sexes.....	1.3	*	*	*	*	0.5	1.3	1.9	2.1	2.6	3.4	4.7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2.5	*	*	*	*	0.9	2.5	3.8	4.2	4.8	5.7	6.8
Non-Hispanic black 5/, both sexes.....	2.1	*	*	*	*	0.5	2.4	3.8	5.3	6.5	10.7	13.4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4.0	*	*	*	*	1.1	4.6	7.1	9.5	11.2	16.8	18.8
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>												
All origins 3/, both sexes.....	2.4	*	*	*	*	0.1	0.3	1.3	4.8	9.7	15.0	22.1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4.7	*	*	*	*	0.1	0.7	2.6	9.3	17.9	25.1	32.2
Hispanic, both sexes.....	0.9	*	*	*	*	*	0.4	1.5	3.4	7.8	11.9	11.1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1.9	*	*	*	*	*	0.8	3.1	6.5	14.1	20.2	16.9
Non-Hispanic 4/, both sexes.....	2.6	*	*	*	*	0.1	0.3	1.3	4.9	9.8	15.1	22.6
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5.2	*	*	*	*	0.1	0.6	2.6	9.5	18.2	25.4	32.9
Non-Hispanic white 5/, both sexes.....	2.7	*	*	*	*	*	0.3	1.2	4.4	8.9	14.3	22.2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5.3	*	*	*	*	*	0.6	2.5	8.6	16.5	24.1	32.4
Non-Hispanic black 5/, both sexes.....	3.1	*	*	*	*	*	0.4	1.9	10.0	20.6	27.5	32.0
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6.0	*	*	*	*	*	0.8	3.5	18.1	35.3	43.1	44.8
<b>Malignant neoplasm of ovary (C56)</b>												
All origins 3/, both sexes.....	5.0	*	*	*	*	0.2	0.9	4.0	10.0	19.1	30.9	38.1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	9.8	*	*	*	*	0.4	1.9	7.8	19.4	35.3	51.8	55.6
Hispanic, both sexes.....	1.7	*	*	*	*	*	0.6	3.1	7.1	13.1	19.9	27.4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3.6	*	*	*	*	*	1.4	6.2	13.6	23.7	33.7	41.7
Non-Hispanic 4/, both sexes.....	5.5	*	*	*	*	0.2	1.0	4.1	10.3	19.6	31.5	38.6
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10.8	*	*	*	*	0.4	2.0	8.0	19.9	36.2	52.9	56.2
Non-Hispanic white 5/, both sexes.....	6.2	*	*	*	*	0.2	1.0	4.2	10.7	20.1	32.4	40.0
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12.2	*	*	*	*	0.5	2.0	8.4	20.9	37.5	54.7	58.2
Non-Hispanic black 5/, both sexes.....	3.2	*	*	*	*	*	1.0	3.2	8.8	18.9	28.2	31.1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6.2	*	*	*	*	*	1.9	6.0	15.9	32.4	44.2	43.7

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Malignant neoplasm of prostate (C61)</b>												
All origins 3/, both sexes.....	9.8	*	*	*	*	*	0.1	0.9	7.1	30.9	89.4	174.6
Male.....	19.8	*	*	*	*	*	0.1	1.9	14.7	67.6	221.0	554.7
Female.....	..	..	..	..	..	..	..	..	..	..	..	..
Hispanic, both sexes.....	3.0	*	*	*	*	*	*	0.6	5.3	24.1	67.7	142.5
Male.....	5.9	*	*	*	*	*	*	1.2	11.0	54.0	165.0	414.7
Female.....	..	..	..	..	..	..	..	..	..	..	..	..
Non-Hispanic 4/, both sexes.....	10.9	*	*	*	*	*	0.1	1.0	7.2	31.4	90.5	176.0
Male.....	22.2	*	*	*	*	*	0.1	2.0	15.0	68.4	224.1	561.7
Female.....	..	..	..	..	..	..	..	..	..	..	..	..
Non-Hispanic white 5/, both sexes.....	11.1	*	*	*	*	*	*	0.8	6.1	27.6	84.5	167.8
Male.....	22.7	*	*	*	*	*	*	1.6	12.5	59.5	207.2	534.8
Female.....	..	..	..	..	..	..	..	..	..	..	..	..
Non-Hispanic black 5/, both sexes.....	12.8	*	*	*	*	*	*	2.4	18.3	72.7	177.9	299.6
Male.....	26.8	*	*	*	*	*	*	5.3	40.9	174.5	491.7	1,043.8
Female.....	..	..	..	..	..	..	..	..	..	..	..	..
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>												
All origins 3/, both sexes.....	4.2	*	*	0.1	*	0.1	0.7	3.0	8.3	16.9	26.9	32.6
Male.....	5.3	*	*	*	*	0.2	0.8	4.3	12.0	24.4	37.9	50.6
Female.....	3.1	*	*	*	*	* 1	0.5	1.8	4.8	10.5	19.4	24.3
Hispanic, both sexes.....	1.8	*	*	*	*	*	0.7	2.8	6.3	15.7	23.4	32.9
Male.....	2.2	*	*	*	*	*	0.7	3.4	9.3	22.5	33.1	46.1
Female.....	1.4	*	*	*	*	*	*	2.2	3.5	10.1	16.7	26.1
Non-Hispanic 4/, both sexes.....	4.6	*	*	0.1	*	0.1	0.7	3.0	8.4	16.9	27.1	32.5
Male.....	5.9	*	*	*	*	0.2	0.8	4.3	12.2	24.4	38.1	50.7
Female.....	3.4	*	*	*	*	*	0.5	1.7	5.0	10.6	19.6	24.2
Non-Hispanic white 5/, both sexes.....	5.1	*	*	*	*	*	0.7	3.1	8.6	17.5	27.8	33.0
Male.....	6.5	*	*	*	*	*	0.8	4.3	12.3	25.1	38.9	52.1
Female.....	3.8	*	*	*	*	*	0.5	1.8	5.1	11.0	20.1	24.3
Non-Hispanic black 5/, both sexes.....	3.1	*	*	*	*	0.4	0.9	3.3	9.1	15.5	24.4	30.9
Male.....	4.0	*	*	*	*	*	1.4	5.3	14.2	24.3	35.9	40.0
Female.....	2.2	*	*	*	*	*	*	1.7	5.0	9.2	18.0	27.2
<b>Malignant neoplasm of bladder (C67)</b>												
All origins 3/, both sexes.....	4.5	*	*	*	*	*	0.3	1.2	4.9	14.9	37.2	68.3
Male.....	6.3	*	*	*	*	*	0.4	1.7	7.6	24.3	65.1	132.1
Female.....	2.7	*	*	*	*	*	0.2	0.8	2.3	6.9	18.3	39.0
Hispanic, both sexes.....	1.0	*	*	*	*	*	*	0.5	2.2	8.1	20.7	39.4
Male.....	1.4	*	*	*	*	*	*	*	3.7	13.5	34.1	83.4
Female.....	0.6	*	*	*	*	*	*	*	3.7	11.4	16.3	26.1
Non-Hispanic 4/, both sexes.....	5.0	*	*	*	*	*	0.3	1.3	5.1	15.4	38.2	69.6
Male.....	7.1	*	*	*	*	*	0.4	1.8	7.9	25.1	66.9	134.6
Female.....	3.0	*	*	*	*	*	0.2	0.8	2.5	7.2	18.7	40.0
Non-Hispanic white 5/, both sexes.....	5.8	*	*	*	*	*	0.3	1.3	5.4	16.2	39.8	71.5
Male.....	8.3	*	*	*	*	*	0.5	1.9	8.4	26.6	70.2	140.2
Female.....	3.4	*	*	*	*	*	0.2	0.8	2.5	7.3	18.9	40.1
Non-Hispanic black 5/, both sexes.....	2.5	*	*	*	*	*	* 5	1.5	4.7	12.5	29.8	57.6
Male.....	3.0	*	*	*	*	*	*	1.7	6.6	18.3	45.7	101.8
Female.....	2.1	*	*	*	*	*	*	1.3	3.1	8.4	20.8	39.8



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Non-Hodgkin's lymphoma (C82-C85)</b>												
All origins 3/, both sexes.....	7.0	*	*	0.1	0.3	0.6	1.3	3.3	9.6	24.8	54.5	75.2
Male.....	7.6	*	*	0.2	0.4	0.7	1.7	4.4	11.9	31.4	67.4	100.5
Female.....	6.5	*	*	*	0.2	0.4	0.9	2.3	7.5	19.3	45.7	63.5
Hispanic, both sexes.....	2.6	*	*	*	0.3	0.4	1.0	2.9	7.7	19.5	44.7	44.5
Male.....	2.7	*	*	*	*	0.5	1.2	3.2	8.9	23.9	52.8	52.3
Female.....	2.5	*	*	*	*	*	0.8	2.5	6.5	15.9	39.1	40.4
Non-Hispanic 4/, both sexes.....	7.8	*	*	0.1	0.3	0.6	1.3	3.4	9.8	25.2	55.0	76.6
Male.....	8.5	*	*	0.2	0.4	0.7	1.8	4.5	12.2	31.9	68.2	103.0
Female.....	7.1	*	*	*	0.2	0.5	0.9	2.3	7.6	19.5	46.0	64.6
Non-Hispanic white 5/, both sexes.....	8.9	*	*	0.1	0.3	0.5	1.3	3.3	10.0	26.6	58.4	81.3
Male.....	9.7	*	*	0.2	0.4	0.6	1.7	4.3	12.4	33.6	72.4	109.8
Female.....	8.2	*	*	*	*	0.4	0.8	2.3	7.8	20.6	48.8	68.3
Non-Hispanic black 5/, both sexes.....	3.7	*	*	*	0.4	1.1	2.0	4.4	9.2	17.2	27.0	34.4
Male.....	4.2	*	*	*	*	1.3	2.3	6.3	12.3	23.1	31.1	40.9
Female.....	3.3	*	*	*	*	0.8	1.7	2.7	6.7	13.0	24.6	31.8
<b>Leukemia (C91-C95)</b>												
All origins 3/, both sexes.....	7.3	0.5	0.7	0.7	1.1	1.1	1.6	3.3	8.8	25.1	52.3	78.7
Male.....	8.4	*	1.0	0.8	1.4	1.3	1.6	3.6	11.3	34.0	75.0	112.4
Female.....	6.2	*	0.5	0.6	0.8	1.0	1.5	3.0	6.4	17.5	37.0	63.3
Hispanic, both sexes.....	3.0	*	0.7	1.0	1.7	1.3	1.5	3.2	7.0	17.6	28.2	40.6
Male.....	3.4	*	*	1.1	2.2	1.5	1.7	3.4	8.4	22.9	41.8	57.3
Female.....	2.5	*	*	0.9	1.2	1.1	1.3	3.0	5.7	13.4	18.8	31.9
Non-Hispanic 4/, both sexes.....	8.0	*	0.8	0.6	1.0	1.1	1.5	3.3	8.9	25.6	53.7	80.6
Male.....	9.3	*	1.0	0.7	1.2	1.2	1.6	3.7	11.5	34.8	76.9	115.3
Female.....	6.8	*	0.5	0.5	0.8	1.0	1.5	3.0	6.5	17.8	38.0	64.8
Non-Hispanic white 5/, both sexes.....	9.1	*	0.7	0.6	1.0	1.0	1.6	3.3	9.2	26.7	56.1	84.5
Male.....	10.5	*	0.8	0.7	1.1	1.1	1.6	3.6	11.9	36.3	79.7	121.9
Female.....	7.7	*	0.5	0.5	0.8	0.9	1.6	3.0	6.6	18.5	39.9	67.3
Non-Hispanic black 5/, both sexes.....	4.5	*	1.0	0.6	1.0	1.6	1.6	4.0	8.6	21.5	39.0	53.0
Male.....	5.1	*	*	0.7	1.3	1.6	1.9	4.5	10.8	29.2	59.1	63.8
Female.....	4.1	*	*	*	0.7	1.6	1.3	3.7	6.7	16.0	27.6	48.6
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>												
All origins 3/, both sexes.....	3.8	*	*	*	*	*	0.3	1.6	6.1	15.9	29.5	33.6
Male.....	4.1	*	*	*	*	*	0.4	2.0	7.0	19.7	38.0	46.1
Female.....	3.5	*	*	*	*	*	0.2	1.3	5.2	12.8	23.7	27.9
Hispanic, both sexes.....	1.4	*	*	*	*	*	*	1.5	5.4	13.4	21.4	20.1
Male.....	1.3	*	*	*	*	*	*	1.8	4.9	15.2	26.4	29.9
Female.....	1.4	*	*	*	*	*	*	1.3	5.8	11.9	17.9	15.0
Non-Hispanic 4/, both sexes.....	4.2	*	*	*	*	*	0.3	1.6	6.1	16.1	29.9	34.2
Male.....	4.6	*	*	*	*	*	0.4	2.0	7.2	20.0	38.7	46.9
Female.....	3.8	*	*	*	*	*	0.2	1.3	5.1	12.8	24.0	28.5
Non-Hispanic white 5/, both sexes.....	4.3	*	*	*	*	*	0.3	1.3	5.4	14.8	29.0	33.5
Male.....	4.7	*	*	*	*	*	0.4	1.6	6.4	18.7	37.6	46.5
Female.....	3.9	*	*	*	*	*	0.2	1.0	4.5	11.4	23.1	27.5
Non-Hispanic black 5/, both sexes.....	4.7	*	*	*	*	*	0.6	3.7	12.7	30.3	47.6	50.2
Male.....	4.9	*	*	*	*	*	*	4.6	15.0	36.3	62.8	62.8
Female.....	4.6	*	*	*	*	*	*	2.9	10.8	26.0	38.9	45.2

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</b>												
All origins 3/, both sexes.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Hispanic, both sexes.....	*	*	*	*	*	*	*	*	*	*	*	*
Male.....	*	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white 5/, both sexes.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black 5/, both sexes.....	*	*	*	*	*	*	*	*	*	*	*	*
Male.....	*	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
<b>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31, C37-C41,C44-C49, C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</b>												
All origins 3/, both sexes.....	21.2	*	0.8	0.7	1.4	1.7	4.2	13.1	34.3	75.2	141.6	212.9
Male.....	22.1	*	0.8	0.7	1.7	2.2	4.6	14.9	41.0	90.1	173.1	263.5
Female.....	20.4	*	0.7	0.6	1.1	1.3	3.8	11.3	28.1	62.6	120.2	189.6
Hispanic, both sexes.....	7.6	*	0.6	0.6	1.3	1.7	3.1	8.0	22.7	55.8	108.9	139.5
Male.....	7.8	*	0.5	0.5	1.6	2.0	3.5	8.5	27.7	67.1	129.6	159.4
Female.....	7.4	*	*	0.6	1.0	1.4	2.6	7.6	18.1	46.7	94.4	129.0
Non-Hispanic 4/, both sexes.....	23.5	*	0.8	0.7	1.4	1.7	4.3	13.6	35.3	76.6	143.4	216.2
Male.....	24.5	*	0.8	0.8	1.7	2.2	4.7	15.6	42.1	91.7	175.5	268.7
Female.....	22.4	*	0.8	0.7	1.1	1.3	3.9	11.7	28.9	63.8	121.6	192.2
Non-Hispanic white 5/, both sexes.....	25.6	*	0.8	0.7	1.4	1.7	4.3	12.9	34.5	76.9	145.8	220.9
Male.....	26.8	*	0.8	0.7	1.7	2.1	4.7	14.8	41.0	91.3	178.8	276.1
Female.....	24.5	*	0.7	0.7	1.1	1.2	3.8	11.1	28.4	64.3	123.1	195.6
Non-Hispanic black 5/, both sexes.....	17.7	*	*	1.0	1.3	2.4	5.6	19.9	47.3	87.2	146.5	184.6
Male.....	18.6	*	*	1.1	1.5	3.0	5.9	23.2	60.3	112.9	175.5	221.7
Female.....	16.8	*	*	0.8	1.1	1.9	5.3	17.1	36.8	68.8	130.1	169.7
<b>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</b>												
All origins 3/, both sexes.....	4.6	1.4	0.3	0.2	0.2	0.4	0.8	1.7	4.3	12.6	35.2	76.7
Male.....	4.7	1.0	0.4	0.2	0.2	0.4	0.8	1.9	5.2	15.7	45.8	92.7
Female.....	4.6	1.8	0.3	0.2	0.2	0.4	0.8	1.5	3.6	10.0	28.0	69.4
Hispanic, both sexes.....	1.3	*	*	*	*	0.3	0.4	1.3	3.2	8.1	20.8	34.2
Male.....	1.4	*	*	*	*	*	*	1.5	3.9	10.7	27.4	37.4
Female.....	1.3	*	*	*	*	*	*	1.0	2.5	6.0	16.3	32.6
Non-Hispanic 4/, both sexes.....	5.2	1.3	0.3	0.2	0.2	0.4	0.9	1.8	4.4	12.9	36.0	78.6
Male.....	5.2	*	0.4	0.2	0.3	0.4	0.9	2.0	5.2	16.1	46.8	95.4
Female.....	5.1	1.8	*	0.2	0.2	0.4	0.9	1.6	3.7	10.3	28.6	71.0
Non-Hispanic white 5/, both sexes.....	5.8	1.2	0.3	0.2	0.2	0.4	0.9	1.7	4.4	13.2	37.2	81.7
Male.....	5.9	*	0.4	0.2	0.3	0.5	0.9	1.9	5.2	16.6	48.7	100.0
Female.....	5.7	*	*	0.2	0.2	0.4	0.8	1.5	3.6	10.3	29.3	73.4
Non-Hispanic black 5/, both sexes.....	3.1	*	*	*	*	0.5	1.4	2.5	5.5	13.1	28.4	55.7
Male.....	2.8	*	*	*	*	*	1.4	2.7	6.3	14.2	34.5	56.1
Female.....	3.3	*	*	*	*	*	1.5	2.3	4.9	12.3	24.9	55.5

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Anemias (D50-D64)</b>												
All origins 3/, both sexes.....	1.6	*	0.1	0.1	0.2	0.4	0.4	0.6	1.0	2.7	9.1	36.6
Male.....	1.2	*	*	*	0.3	0.4	0.4	0.5	1.0	2.6	9.5	33.5
Female.....	1.9	*	*	*	0.2	0.4	0.4	0.7	1.0	2.7	8.9	38.0
Hispanic, both sexes.....	0.4	*	*	*	*	*	*	*	*	2.4	6.4	21.4
Male.....	0.4	*	*	*	*	*	*	*	*	*	7.0	*
Female.....	0.5	*	*	*	*	*	*	*	*	3.0	6.0	21.5
Non-Hispanic 4/, both sexes.....	1.7	*	*	0.1	0.3	0.5	0.5	0.6	1.0	2.7	9.3	37.2
Male.....	1.4	*	*	*	0.3	0.5	0.5	0.6	1.0	2.7	9.7	34.1
Female.....	2.1	*	*	*	0.3	0.4	0.5	0.7	1.1	2.6	9.0	38.6
Non-Hispanic white 5/, both sexes.....	1.7	*	*	*	*	*	0.1	0.3	0.8	2.3	8.9	37.2
Male.....	1.2	*	*	*	*	*	*	0.3	0.8	2.3	9.2	34.3
Female.....	2.1	*	*	*	*	*	*	0.4	0.9	2.3	8.8	38.5
Non-Hispanic black 5/, both sexes.....	2.7	*	*	*	1.2	2.5	2.6	2.8	3.0	6.3	14.9	43.4
Male.....	2.5	*	*	*	1.4	2.7	3.0	2.6	2.6	6.6	17.4	38.1
Female.....	2.9	*	*	*	1.0	2.3	2.3	2.9	3.4	6.2	13.5	45.6
<b>Diabetes mellitus (E10-E14)</b>												
All origins 3/, both sexes.....	25.3	*	*	0.1	0.5	1.5	4.7	13.4	37.2	86.8	177.2	312.1
Male.....	25.0	*	*	*	0.5	1.8	5.8	16.6	44.9	99.7	202.7	344.4
Female.....	25.7	*	*	0.1	0.4	1.2	3.5	10.3	30.1	75.9	159.9	297.2
Hispanic, both sexes.....	15.6	*	*	*	*	0.9	3.4	14.8	49.1	126.4	267.0	404.7
Male.....	14.9	*	*	*	*	0.9	4.5	17.5	58.2	143.9	293.0	404.7
Female.....	16.3	*	*	*	*	0.8	2.1	12.0	40.7	112.2	248.9	404.7
Non-Hispanic 4/, both sexes.....	26.9	*	*	0.1	0.5	1.7	4.9	13.2	36.1	83.7	171.6	307.2
Male.....	26.8	*	*	*	0.6	2.1	6.0	16.4	43.7	96.3	196.9	340.9
Female.....	27.1	*	*	0.1	0.5	1.3	3.8	10.1	29.1	73.0	154.4	291.9
Non-Hispanic white 5/, both sexes.....	26.5	*	*	0.1	0.4	1.3	4.1	11.1	30.9	73.1	158.4	289.8
Male.....	26.8	*	*	*	0.5	1.5	5.2	14.1	38.1	86.5	186.6	331.5
Female.....	26.3	*	*	*	0.4	1.0	3.1	8.1	24.1	61.5	139.1	270.7
Non-Hispanic black 5/, both sexes.....	34.4	*	*	*	1.2	4.1	9.8	28.5	81.3	180.6	325.0	513.4
Male.....	31.8	*	*	*	1.2	5.0	12.0	34.1	96.2	197.4	346.5	471.0
Female.....	36.7	*	*	*	1.1	3.3	7.8	23.7	69.4	168.6	312.9	530.4
<b>Nutritional deficiencies (E40-E64)</b>												
All origins 3/, both sexes.....	1.1	*	*	*	*	*	0.1	0.3	0.5	1.9	7.0	30.8
Male.....	0.8	*	*	*	*	*	*	0.3	0.6	1.8	6.5	27.9
Female.....	1.4	*	*	*	*	*	0.1	0.3	0.4	1.9	7.4	32.1
Hispanic, both sexes.....	0.3	*	*	*	*	*	*	*	*	1.5	6.9	23.1
Male.....	0.3	*	*	*	*	*	*	*	*	*	7.0	*
Female.....	0.4	*	*	*	*	*	*	*	*	*	6.7	22.8
Non-Hispanic 4/, both sexes.....	1.2	*	*	*	*	*	0.1	0.3	0.5	1.9	7.0	31.1
Male.....	0.8	*	*	*	*	*	*	0.3	0.6	1.8	6.4	28.0
Female.....	1.5	*	*	*	*	*	0.1	0.3	0.5	2.0	7.4	32.5
Non-Hispanic white 5/, both sexes.....	1.3	*	*	*	*	*	0.1	0.3	0.5	1.8	6.5	30.3
Male.....	0.9	*	*	*	*	*	*	0.3	0.5	1.7	5.8	27.4
Female.....	1.6	*	*	*	*	*	*	0.3	0.5	1.8	7.0	31.7
Non-Hispanic black 5/, both sexes.....	1.1	*	*	*	*	*	*	0.6	1.1	3.4	12.8	43.1
Male.....	0.9	*	*	*	*	*	*	*	1.7	3.1	12.6	37.1
Female.....	1.4	*	*	*	*	*	*	*	3.6	12.9	45.6	





Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Parkinson's disease (G20-G21)</b>												
All origins 3/, both sexes.....	6.6	*	*	*	*	*	*	0.2	1.4	13.0	71.2	143.7
Male.....	7.7	*	*	*	*	*	*	0.2	1.9	18.7	107.2	228.6
Female.....	5.5	*	*	*	*	*	*	0.1	1.0	8.1	46.8	104.7
Hispanic, both sexes.....	1.7	*	*	*	*	*	*	*	0.9	9.0	48.5	95.0
Male.....	1.9	*	*	*	*	*	*	*	*	13.5	71.2	138.2
Female.....	1.5	*	*	*	*	5.3	*	*	*	5.3	32.8	72.3
Non-Hispanic 4/, both sexes.....	7.4	*	*	*	*	*	*	0.2	1.5	13.2	72.5	145.9
Male.....	8.7	*	*	*	*	*	*	0.2	2.0	19.1	109.3	233.1
Female.....	6.1	*	*	*	*	*	*	*	1.0	8.3	47.5	106.1
Non-Hispanic white 5/, both sexes.....	8.9	*	*	*	*	*	*	0.2	1.6	14.2	77.4	155.5
Male.....	10.4	*	*	*	*	*	*	0.2	2.1	20.3	116.1	247.9
Female.....	7.4	*	*	*	*	*	*	*	1.1	9.0	50.7	113.2
Non-Hispanic black 5/, both sexes.....	1.9	*	*	*	*	*	*	*	0.8	7.3	34.4	57.3
Male.....	2.3	*	*	*	*	*	*	*	*	12.6	54.9	99.0
Female.....	1.5	*	*	*	*	*	*	*	*	3.6	22.7	40.6
<b>Alzheimer's disease (G30)</b>												
All origins 3/, both sexes.....	24.2	*	*	*	*	*	*	0.2	2.1	20.5	177.3	861.6
Male.....	14.1	*	*	*	*	*	*	0.1	2.0	19.3	157.7	639.9
Female.....	33.9	*	*	*	*	*	*	0.2	2.3	21.4	190.5	963.4
Hispanic, both sexes.....	5.2	*	*	*	*	*	*	*	1.3	13.0	109.8	507.8
Male.....	3.5	*	*	*	*	*	*	*	*	13.9	112.6	412.2
Female.....	7.0	*	*	*	*	*	*	*	1.6	12.3	107.9	557.9
Non-Hispanic 4/, both sexes.....	27.3	*	*	*	*	*	*	0.2	2.2	21.0	181.0	877.5
Male.....	15.9	*	*	*	*	*	*	0.2	2.0	19.7	160.2	650.9
Female.....	38.2	*	*	*	*	*	*	0.2	2.3	22.1	195.2	980.9
Non-Hispanic white 5/, both sexes.....	31.9	*	*	*	*	*	*	0.2	2.4	21.7	187.5	909.1
Male.....	18.5	*	*	*	*	*	*	0.2	2.2	20.1	164.7	673.6
Female.....	44.8	*	*	*	*	*	*	0.3	2.5	23.0	203.3	1,016.8
Non-Hispanic black 5/, both sexes.....	12.3	*	*	*	*	*	*	*	1.5	22.7	160.1	698.8
Male.....	7.2	*	*	*	*	*	*	*	*	22.8	152.8	527.2
Female.....	16.9	*	*	*	*	*	*	*	1.7	22.7	164.3	767.9
<b>Major cardiovascular diseases (I00-I78)</b>												
All origins 3/, both sexes.....	288.8	12.2	1.3	0.9	3.3	10.1	36.1	110.5	263.2	667.2	1,963.8	6,398.5
Male.....	277.9	13.4	1.5	1.0	4.2	13.0	48.6	155.8	365.7	864.5	2,368.4	6,615.9
Female.....	299.3	11.0	1.1	0.8	2.3	7.0	23.7	66.6	167.9	500.8	1,689.1	6,298.7
Hispanic, both sexes.....	91.4	10.5	1.1	0.8	2.8	5.9	20.9	71.1	197.8	545.3	1,564.7	4,469.4
Male.....	92.3	11.3	1.5	0.9	3.3	7.9	28.7	100.6	273.3	712.2	1,895.1	4,556.5
Female.....	90.4	9.7	*	0.7	2.1	3.5	12.2	41.1	128.8	410.4	1,334.6	4,423.7
Non-Hispanic 4/, both sexes.....	321.4	12.8	1.4	0.9	3.4	11.0	38.6	114.5	267.9	674.9	1,983.0	6,483.0
Male.....	310.3	14.0	1.5	1.0	4.4	14.3	52.1	161.6	372.1	873.3	2,391.7	6,716.9
Female.....	332.0	11.4	1.3	0.9	2.4	7.8	25.4	69.2	170.9	506.9	1,707.0	6,376.3
Non-Hispanic white 5/, both sexes.....	348.4	9.8	1.1	0.8	2.8	8.8	33.3	99.5	242.6	640.3	1,963.3	6,596.0
Male.....	333.6	10.7	1.3	0.8	3.6	11.6	46.2	144.4	341.7	834.9	2,380.1	6,880.5
Female.....	362.8	8.9	0.9	0.7	1.9	5.9	20.3	55.3	148.4	472.1	1,676.5	6,465.9
Non-Hispanic black 5/, both sexes.....	265.1	23.5	2.4	1.6	6.4	24.0	76.5	233.4	522.3	1,084.7	2,531.9	6,088.3
Male.....	264.0	26.8	2.4	1.6	8.4	30.3	97.5	311.4	715.4	1,400.0	2,994.3	5,778.7
Female.....	266.1	20.1	2.4	1.6	4.5	18.1	58.0	166.5	366.9	859.2	2,269.7	6,212.9

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>												
All origins 3/, both sexes.....	220.0	8.7	0.9	0.6	2.7	8.1	28.9	89.7	214.8	518.9	1,460.8	4,778.4
Male.....	221.1	9.4	1.0	0.6	3.6	10.8	40.7	131.5	306.9	692.3	1,829.4	5,143.4
Female.....	218.9	8.0	0.9	0.6	1.7	5.3	17.1	49.2	129.1	372.7	1,210.5	4,610.8
Hispanic, both sexes.....	69.2	7.6	0.6	0.4	1.9	4.5	15.0	52.3	153.1	420.1	1,176.9	3,407.5
Male.....	72.1	8.0	*	0.5	2.4	6.3	21.7	77.9	219.3	561.5	1,469.2	3,534.2
Female.....	66.2	7.2	*	*	1.4	2.3	7.4	26.2	92.6	305.9	973.4	3,341.3
Non-Hispanic 4/, both sexes.....	244.9	9.0	1.0	0.7	2.8	8.9	31.2	93.5	219.3	525.1	1,474.7	4,837.9
Male.....	247.1	9.8	1.0	0.7	3.8	12.0	44.0	137.2	313.2	699.9	1,847.0	5,222.0
Female.....	242.8	8.3	1.0	0.7	1.8	5.9	18.7	51.5	131.9	377.2	1,222.3	4,662.6
Non-Hispanic white 5/, both sexes.....	267.1	7.0	0.8	0.5	2.3	7.2	27.8	84.0	202.4	504.3	1,466.8	4,942.5
Male.....	267.8	7.5	0.8	0.6	3.1	9.9	40.3	126.2	293.0	677.6	1,849.3	5,374.1
Female.....	266.4	6.5	0.7	0.5	1.4	4.5	15.2	42.4	116.1	354.6	1,203.6	4,745.1
Non-Hispanic black 5/, both sexes.....	196.3	16.5	1.8	1.2	5.3	19.0	58.0	175.8	403.4	806.0	1,837.3	4,373.6
Male.....	201.5	19.0	*	1.1	7.2	24.6	76.8	242.9	559.3	1,059.7	2,229.0	4,277.2
Female.....	191.6	14.0	2.1	1.3	3.4	13.9	41.3	118.2	278.0	624.6	1,615.3	4,412.4
<b>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</b>												
All origins 3/, both sexes.....	1.1	*	*	*	*	0.1	0.2	0.4	1.2	3.3	8.5	19.0
Male.....	0.7	*	*	*	*	*	0.2	0.4	1.0	2.5	6.2	14.0
Female.....	1.5	*	*	*	*	* 5	0.2	0.5	1.4	4.0	10.1	21.3
Hispanic, both sexes.....	0.4	*	*	*	*	*	*	0.5	1.1	3.0	5.6	8.6
Male.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.6	*	*	*	*	*	*	*	3.7	8.1	*	*
Non-Hispanic 4/, both sexes.....	1.3	*	*	*	*	0.1	0.2	0.4	1.2	3.3	8.7	19.5
Male.....	0.8	*	*	*	*	*	0.2	0.4	1.0	2.5	6.4	14.6
Female.....	1.7	*	*	*	*	*	0.2	0.5	1.4	4.0	10.3	21.8
Non-Hispanic white 5/, both sexes.....	1.4	*	*	*	*	*	0.2	0.4	1.1	3.4	9.2	21.0
Male.....	0.9	*	*	*	*	*	0.2	0.3	0.9	2.5	6.7	15.4
Female.....	1.9	*	*	*	*	*	0.2	0.4	1.2	4.2	10.9	23.6
Non-Hispanic black 5/, both sexes.....	0.6	*	*	*	*	*	*	1.0	1.5	2.4	4.5	6.3
Male.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.7	*	*	*	*	*	*	1.1	1.6	2.9	4.6	*
<b>Hypertensive heart disease (I11)</b>												
All origins 3/, both sexes.....	9.9	*	*	*	0.1	0.8	3.1	7.8	13.0	20.4	48.8	198.6
Male.....	9.1	*	*	*	0.1	1.1	4.4	10.9	18.1	25.2	48.7	147.5
Female.....	10.7	*	*	*	*	0.5	1.9	4.7	8.3	16.4	48.9	222.0
Hispanic, both sexes.....	3.5	*	*	*	*	0.4	1.7	4.9	10.8	16.5	42.8	145.0
Male.....	3.5	*	*	*	*	0.6	2.5	7.0	14.3	19.5	45.8	118.3
Female.....	3.4	*	*	*	*	*	0.9	2.8	7.6	14.1	40.7	159.0
Non-Hispanic 4/, both sexes.....	10.9	*	*	*	0.1	0.9	3.3	8.0	13.2	20.6	49.0	200.7
Male.....	10.0	*	*	*	0.1	1.2	4.7	11.3	18.3	25.4	48.7	148.7
Female.....	11.8	*	*	*	*	0.6	2.0	4.9	8.3	16.6	49.2	224.5
Non-Hispanic white 5/, both sexes.....	10.1	*	*	*	*	0.6	2.3	5.6	10.0	16.1	42.3	190.6
Male.....	8.8	*	*	*	*	0.9	3.4	8.3	14.2	19.9	42.0	137.6
Female.....	11.3	*	*	*	*	0.3	1.2	2.9	5.9	12.8	42.5	214.9
Non-Hispanic black 5/, both sexes.....	18.3	*	*	*	0.4	2.6	9.8	25.6	42.0	64.0	129.0	341.9
Male.....	19.1	*	*	*	*	3.0	13.2	34.7	59.1	82.6	138.8	304.5
Female.....	17.5	*	*	*	*	2.3	6.9	17.9	28.2	50.7	123.5	356.9

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Hypertensive heart and renal disease (I13)</b>												
All origins 3/, both sexes.....	1.1	*	*	*	*	0.1	0.2	0.4	0.8	2.3	7.0	25.3
Male.....	0.9	*	*	*	*	0.1	0.2	0.6	1.0	2.5	7.2	27.4
Female.....	1.2	*	*	*	*	*	0.1	0.3	0.6	2.1	6.8	24.3
Hispanic, both sexes.....	0.5	*	*	*	*	*	*	*	1.2	3.3	7.1	22.2
Male.....	0.4	*	*	*	*	*	*	*	*	*	8.4	*
Female.....	0.5	*	*	*	*	*	*	*	*	3.3	6.3	22.8
Non-Hispanic 4/, both sexes.....	1.2	*	*	*	*	0.1	0.2	0.5	0.8	2.2	6.9	25.4
Male.....	1.0	*	*	*	*	0.1	0.2	0.6	0.9	2.4	7.0	27.7
Female.....	1.3	*	*	*	*	*	0.2	0.3	0.6	2.0	6.8	24.4
Non-Hispanic white 5/, both sexes.....	1.0	*	*	*	*	*	*	0.2	0.3	1.3	5.5	24.0
Male.....	0.8	*	*	*	*	*	*	0.2	0.4	1.4	5.6	25.7
Female.....	1.2	*	*	*	*	*	*	*	0.2	1.2	5.5	23.2
Non-Hispanic black 5/, both sexes.....	2.4	*	*	*	*	0.5	1.0	2.5	4.6	9.8	21.8	42.9
Male.....	2.4	*	*	*	*	*	1.3	3.4	6.0	11.3	23.5	50.4
Female.....	2.3	*	*	*	*	*	0.7	1.7	3.4	8.7	20.8	39.8
<b>Ischemic heart diseases (I20-I25)</b>												
All origins 3/, both sexes.....	150.4	*	*	*	0.4	2.5	15.6	59.6	154.2	376.2	1,029.8	3,158.1
Male.....	159.0	*	*	*	0.6	3.8	23.6	92.0	229.4	521.7	1,351.5	3,576.8
Female.....	142.0	*	*	*	0.1	1.2	7.6	28.2	84.2	253.4	811.4	2,965.8
Hispanic, both sexes.....	51.0	*	*	*	0.3	1.3	7.9	35.7	115.4	326.7	910.6	2,528.4
Male.....	54.2	*	*	*	*	1.9	12.0	55.2	171.0	449.6	1,165.5	2,694.8
Female.....	47.6	*	*	*	*	*	3.2	15.9	64.5	227.5	733.1	2,441.3
Non-Hispanic 4/, both sexes.....	166.7	*	*	*	0.4	2.8	16.9	62.0	156.9	379.0	1,034.7	3,183.8
Male.....	177.2	*	*	*	0.6	4.3	25.7	95.9	233.5	525.5	1,359.6	3,618.5
Female.....	156.7	*	*	*	0.1	1.4	8.3	29.4	85.7	254.9	814.5	2,985.4
Non-Hispanic white 5/, both sexes.....	183.9	*	*	*	0.3	2.6	16.4	58.8	149.0	369.5	1,033.7	3,253.9
Male.....	195.1	*	*	*	0.5	4.0	25.4	92.4	224.3	517.2	1,367.9	3,732.9
Female.....	173.1	*	*	*	*	1.3	7.4	25.7	77.3	241.8	803.8	3,034.8
Non-Hispanic black 5/, both sexes.....	121.7	*	*	*	0.6	4.1	24.0	96.3	255.2	530.1	1,226.6	2,830.2
Male.....	127.0	*	*	*	0.8	6.3	33.6	140.2	364.5	712.6	1,542.6	2,808.9
Female.....	116.8	*	*	*	*	2.1	15.5	58.7	167.2	399.7	1,047.6	2,838.7
<b>Acute myocardial infarction (I21-I22)</b>												
All origins 3/, both sexes.....	50.9	*	*	*	0.2	1.0	6.2	23.7	61.1	143.1	348.2	923.1
Male.....	54.8	*	*	*	0.2	1.5	9.2	36.2	89.9	195.5	445.9	1,045.0
Female.....	47.2	*	*	*	*	0.5	3.2	11.6	34.3	98.9	281.8	867.1
Hispanic, both sexes.....	17.6	*	*	*	*	0.5	2.7	12.5	43.2	119.4	318.7	787.2
Male.....	18.8	*	*	*	*	0.6	3.8	18.9	62.2	160.9	406.2	875.4
Female.....	16.4	*	*	*	*	*	1.6	6.0	25.8	85.8	257.7	741.0
Non-Hispanic 4/, both sexes.....	56.5	*	*	*	0.2	1.1	6.8	24.9	62.5	144.7	349.4	928.4
Male.....	61.2	*	*	*	0.3	1.7	10.2	38.0	92.0	197.8	447.5	1,052.8
Female.....	52.0	*	*	*	*	0.5	3.5	12.2	35.0	99.7	282.9	871.7
Non-Hispanic white 5/, both sexes.....	62.3	*	*	*	0.1	1.0	6.8	24.5	61.3	143.7	349.1	941.9
Male.....	67.8	*	*	*	0.3	1.6	10.4	38.2	91.3	198.9	451.0	1,077.9
Female.....	57.0	*	*	*	*	0.4	3.2	11.1	32.7	95.9	279.1	879.7
Non-Hispanic black 5/, both sexes.....	41.1	*	*	*	*	1.8	9.1	33.6	86.9	182.8	413.4	901.2
Male.....	41.8	*	*	*	*	2.6	12.2	46.6	120.2	233.2	499.2	898.3
Female.....	40.5	*	*	*	*	1.0	6.3	22.5	60.2	146.8	364.8	902.3

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Other acute ischemic heart diseases (I24)</b>												
All origins 3/, both sexes.....	1.2	*	*	*	*	*	0.2	0.8	1.7	3.3	7.2	20.8
Male.....	1.2	*	*	*	*	*	0.3	1.2	2.5	4.3	8.5	20.2
Female.....	1.2	*	*	*	*	*	0.1	0.5	0.9	2.4	6.2	21.1
Hispanic, both sexes.....	0.2	*	*	*	*	*	*	*	*	*	3.2	10.7
Male.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.4	*	*	*	*	*	0.2	0.9	1.8	3.4	7.4	21.2
Male.....	1.4	*	*	*	*	*	0.3	1.3	2.7	4.4	8.7	20.9
Female.....	1.3	*	*	*	*	*	0.1	0.5	1.0	2.5	6.5	21.4
Non-Hispanic white 5/, both sexes.....	1.4	*	*	*	*	*	0.2	0.7	1.6	3.2	7.1	20.9
Male.....	1.5	*	*	*	*	*	0.3	1.1	2.4	4.1	8.4	20.3
Female.....	1.4	*	*	*	*	*	*	0.3	0.8	2.4	6.3	21.2
Non-Hispanic black 5/, both sexes.....	1.5	*	*	*	*	*	*	2.0	3.9	5.7	11.8	27.9
Male.....	1.6	*	*	*	*	*	*	2.4	6.0	8.1	15.7	28.5
Female.....	1.3	*	*	*	*	*	*	1.6	2.2	4.0	9.5	27.6
<b>Other forms of chronic ischemic heart disease (I20,I25)</b>												
All origins 3/, both sexes.....	98.2	*	*	*	0.2	1.5	9.2	35.0	91.4	229.8	674.5	2,214.2
Male.....	102.9	*	*	*	0.3	2.3	14.1	54.7	136.9	321.9	897.1	2,511.6
Female.....	93.7	*	*	*	*	0.7	4.3	16.0	49.0	152.2	523.3	2,077.6
Hispanic, both sexes.....	33.2	*	*	*	*	0.8	5.1	23.0	71.8	205.9	588.8	1,730.5
Male.....	35.2	*	*	*	*	1.3	8.2	36.0	108.3	287.2	754.3	1,811.9
Female.....	31.0	*	*	*	*	*	1.6	9.7	38.5	140.3	473.5	1,687.9
Non-Hispanic 4/, both sexes.....	108.9	*	*	*	0.2	1.7	9.9	36.3	92.6	230.9	677.9	2,234.1
Male.....	114.6	*	*	*	0.3	2.6	15.2	56.6	138.8	323.3	903.3	2,544.8
Female.....	103.4	*	*	*	*	0.8	4.7	16.7	49.7	152.8	525.1	2,092.3
Non-Hispanic white 5/, both sexes.....	120.2	*	*	*	0.2	1.6	9.5	33.6	86.1	222.7	677.4	2,291.1
Male.....	125.9	*	*	*	0.3	2.4	14.8	53.1	130.7	314.2	908.5	2,634.7
Female.....	114.7	*	*	*	*	0.8	4.2	14.4	43.7	143.6	518.4	2,133.9
Non-Hispanic black 5/, both sexes.....	79.1	*	*	*	*	2.3	14.5	60.7	164.4	341.6	801.4	1,901.2
Male.....	83.6	*	*	*	*	3.5	20.9	91.2	238.4	471.3	1,027.6	1,882.1
Female.....	75.0	*	*	*	*	1.1	8.9	34.6	104.8	248.9	673.2	1,908.8
<b>Atherosclerotic cardiovascular disease, so described (I25.0)</b>												
All origins 3/, both sexes.....	21.2	*	*	*	*	0.5	3.2	13.9	31.5	55.0	124.8	376.4
Male.....	23.6	*	*	*	*	0.7	5.1	22.2	49.0	78.7	158.8	390.7
Female.....	18.8	*	*	*	*	0.2	1.4	5.7	15.3	35.0	101.6	369.9
Hispanic, both sexes.....	8.2	*	*	*	*	*	1.7	10.9	29.1	55.2	113.8	274.7
Male.....	10.2	*	*	*	*	*	2.8	17.9	47.8	82.8	156.0	308.8
Female.....	6.0	*	*	*	*	*	*	3.7	11.9	32.8	84.4	256.8
Non-Hispanic 4/, both sexes.....	23.3	*	*	*	*	0.5	3.5	14.1	31.5	54.6	124.8	380.6
Male.....	25.8	*	*	*	*	0.8	5.5	22.6	48.7	77.7	158.1	394.0
Female.....	20.8	*	*	*	*	0.2	1.5	6.0	15.5	35.0	102.2	374.5
Non-Hispanic white 5/, both sexes.....	24.0	*	*	*	*	0.4	3.3	12.7	27.5	49.1	117.9	377.8
Male.....	26.3	*	*	*	*	0.7	5.3	20.7	43.0	69.8	148.8	396.1
Female.....	21.9	*	*	*	*	0.2	1.2	4.8	12.8	31.2	96.6	369.4
Non-Hispanic black 5/, both sexes.....	25.3	*	*	*	*	0.8	5.4	26.1	68.6	110.2	218.2	475.2
Male.....	29.7	*	*	*	*	1.3	7.9	39.8	106.1	168.1	296.8	452.0
Female.....	21.3	*	*	*	*	*	3.2	14.3	38.4	68.9	173.7	484.5

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</b>												
All origins 3/, both sexes.....	77.0	*	*	*	0.2	1.1	6.0	21.2	59.8	174.9	549.7	1,837.8
Male.....	79.3	*	*	*	0.2	1.6	9.0	32.5	88.0	243.3	738.3	2,120.9
Female.....	74.8	*	*	*	*	0.5	2.9	10.3	33.7	117.2	421.7	1,707.7
Hispanic, both sexes.....	25.0	*	*	*	*	0.6	3.4	12.1	42.8	150.8	475.0	1,455.8
Male.....	25.0	*	*	*	*	0.9	5.5	18.1	60.5	204.4	598.3	1,503.1
Female.....	25.0	*	*	*	*	*	1.0	6.0	26.6	107.4	389.1	1,431.1
Non-Hispanic 4/, both sexes.....	85.6	*	*	*	0.2	1.2	6.4	22.2	61.1	176.4	553.1	1,853.4
Male.....	88.8	*	*	*	0.3	1.8	9.7	34.0	90.1	245.6	745.1	2,150.8
Female.....	82.6	*	*	*	*	0.6	3.2	10.7	34.2	117.8	422.8	1,717.8
Non-Hispanic white 5/, both sexes.....	96.2	*	*	*	0.1	1.2	6.2	20.9	58.6	173.6	559.5	1,913.3
Male.....	99.6	*	*	*	0.2	1.7	9.4	32.5	87.7	244.4	759.7	2,238.6
Female.....	92.9	*	*	*	*	0.6	2.9	9.5	30.9	112.4	421.8	1,764.6
Non-Hispanic black 5/, both sexes.....	53.8	*	*	*	*	1.5	9.1	34.6	95.8	231.4	583.2	1,426.0
Male.....	53.9	*	*	*	*	2.2	13.0	51.4	132.3	303.3	730.8	1,430.2
Female.....	53.7	*	*	*	*	0.8	5.7	20.3	66.4	180.0	499.6	1,424.3
<b>Other heart diseases (I26-I51)</b>												
All origins 3/, both sexes.....	57.6	8.3	0.9	0.6	2.2	4.6	9.8	21.5	45.7	116.8	366.7	1,377.4
Male.....	51.4	8.9	0.9	0.6	2.8	5.8	12.3	27.6	57.5	140.5	415.8	1,377.8
Female.....	63.5	7.7	0.8	0.6	1.5	3.4	7.3	15.5	34.6	96.7	333.3	1,377.3
Hispanic, both sexes.....	13.9	7.5	0.6	0.4	1.5	2.7	5.1	10.9	24.7	70.6	210.8	703.3
Male.....	13.7	8.0	*	*	1.9	3.7	6.9	14.9	31.8	87.0	247.5	697.4
Female.....	14.1	7.0	*	*	1.2	1.5	3.1	6.8	18.3	57.3	185.1	706.4
Non-Hispanic 4/, both sexes.....	64.8	8.6	1.0	0.6	2.3	5.0	10.6	22.6	47.3	120.1	375.4	1,408.5
Male.....	58.0	9.2	1.0	0.6	3.0	6.3	13.2	29.0	59.5	144.2	425.3	1,412.5
Female.....	71.2	7.9	1.0	0.6	1.6	3.8	8.0	16.4	36.0	99.6	341.5	1,406.6
Non-Hispanic white 5/, both sexes.....	70.6	6.7	0.7	0.5	1.9	3.9	8.8	19.1	42.0	114.0	376.1	1,453.0
Male.....	62.2	6.9	0.8	0.5	2.5	4.9	11.2	24.9	53.1	136.5	427.1	1,462.5
Female.....	78.8	6.4	0.6	0.4	1.3	2.8	6.4	13.3	31.4	94.6	340.9	1,448.6
Non-Hispanic black 5/, both sexes.....	53.4	15.6	1.8	1.2	4.3	11.7	22.9	50.4	100.2	199.7	455.4	1,152.4
Male.....	52.6	18.4	*	1.1	5.8	14.6	28.4	63.9	128.3	251.6	520.0	1,107.6
Female.....	54.2	12.7	2.1	1.2	2.8	9.0	18.0	38.9	77.6	162.6	418.8	1,170.4
<b>Acute and subacute endocarditis (I33)</b>												
All origins 3/, both sexes.....	0.4	*	*	*	*	0.1	0.2	0.4	0.7	1.3	2.5	3.0
Male.....	0.5	*	*	*	*	0.1	0.2	0.5	0.9	1.5	3.3	5.1
Female.....	0.3	*	*	*	*	*	0.1	0.3	0.5	1.1	2.0	2.1
Hispanic, both sexes.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.4	*	*	*	*	0.1	0.2	0.4	0.6	1.3	2.5	3.1
Male.....	0.5	*	*	*	*	*	0.2	0.6	0.8	1.4	3.3	5.3
Female.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.1	2.0	2.2
Non-Hispanic white 5/, both sexes.....	0.4	*	*	*	*	*	0.1	0.3	0.5	1.2	2.5	3.2
Male.....	0.5	*	*	*	*	*	0.2	0.4	0.6	1.4	3.4	5.6
Female.....	0.4	*	*	*	*	*	*	0.2	0.4	1.1	1.9	2.1
Non-Hispanic black 5/, both sexes.....	0.6	*	*	*	*	*	0.5	1.1	2.0	1.8	3.7	*
Male.....	0.7	*	*	*	*	*	*	1.5	2.8	*	*	*
Female.....	0.5	*	*	*	*	*	*	0.8	1.3	*	4.0	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>												
All origins 3/, both sexes.....	0.3	0.5	*	0.1	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.9
Male.....	0.3	*	*	*	0.1	0.2	0.2	0.4	0.4	0.8	1.5	1.9
Female.....	0.3	*	*	0.1	*	0.1	0.2	0.3	0.3	0.6	1.0	1.9
Hispanic, both sexes.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.3	*	*	0.1	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.9
Male.....	0.3	*	*	*	*	0.1	0.2	0.4	0.4	0.8	1.5	2.0
Female.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.6	1.0	1.9
Non-Hispanic white 5/, both sexes.....	0.3	*	*	*	0.1	0.1	0.2	0.3	0.3	0.7	1.1	1.9
Male.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.8	1.4	2.0
Female.....	0.3	*	*	*	*	*	0.2	0.3	0.3	0.6	0.9	1.8
Non-Hispanic black 5/, both sexes.....	0.4	*	*	*	*	*	*	0.6	0.8	*	2.1	*
Male.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.5	*	*	*	*	*	*	*	*	*	*	*
<b>Heart failure (I50)</b>												
All origins 3/, both sexes.....	19.9	0.7	*	*	0.1	0.2	0.7	2.6	8.6	31.6	132.8	618.6
Male.....	15.8	*	*	*	0.1	0.3	0.9	3.1	10.3	36.0	147.8	603.1
Female.....	23.9	*	*	*	*	0.2	0.5	2.0	7.0	27.9	122.5	625.6
Hispanic, both sexes.....	4.0	*	*	*	*	*	*	1.1	4.5	18.5	75.6	316.6
Male.....	3.3	*	*	*	*	*	*	1.4	4.2	21.5	90.2	295.1
Female.....	4.8	*	*	*	*	*	*	*	4.7	16.0	65.4	327.8
Non-Hispanic 4/, both sexes.....	22.5	0.7	*	*	0.1	0.3	0.8	2.7	8.9	32.5	136.0	632.5
Male.....	18.0	*	*	*	0.1	0.3	1.0	3.3	10.8	37.0	151.0	618.8
Female.....	26.9	*	*	*	*	0.2	0.6	2.1	7.2	28.8	125.7	638.7
Non-Hispanic white 5/, both sexes.....	25.4	*	*	*	0.1	0.2	0.5	2.1	7.8	31.1	136.7	655.9
Male.....	20.0	*	*	*	*	0.2	0.7	2.5	9.4	35.2	152.3	646.8
Female.....	30.5	*	*	*	*	*	0.4	1.6	6.2	27.5	125.9	660.0
Non-Hispanic black 5/, both sexes.....	14.9	*	*	*	*	0.8	2.4	7.5	20.7	54.8	163.9	497.8
Male.....	12.7	*	*	*	*	1.1	3.5	9.4	26.0	65.0	182.8	431.0
Female.....	16.9	*	*	*	*	*	1.4	5.8	16.5	47.5	153.2	524.7
<b>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</b>												
All origins 3/, both sexes.....	37.0	7.1	0.7	0.5	2.0	4.2	8.7	18.2	36.0	83.2	230.2	754.0
Male.....	34.9	7.7	0.8	0.5	2.6	5.2	10.9	23.6	46.0	102.3	263.3	767.7
Female.....	39.0	6.4	0.7	0.4	1.3	3.1	6.5	13.0	26.8	67.1	207.8	747.6
Hispanic, both sexes.....	9.5	6.4	*	0.3	1.4	2.5	4.5	9.2	19.3	50.3	132.5	384.2
Male.....	10.0	6.9	*	*	1.7	3.4	6.1	12.7	26.3	62.3	153.7	401.0
Female.....	9.0	5.9	*	*	1.0	1.4	2.7	5.6	12.9	40.5	117.7	375.4
Non-Hispanic 4/, both sexes.....	41.5	7.2	0.8	0.5	2.1	4.6	9.4	19.1	37.4	85.5	235.7	770.9
Male.....	39.2	7.9	0.8	0.5	2.8	5.7	11.7	24.7	47.4	105.0	269.4	786.5
Female.....	43.7	6.5	0.8	0.5	1.4	3.4	7.1	13.7	28.0	69.1	212.8	763.9
Non-Hispanic white 5/, both sexes.....	44.5	5.9	0.7	0.4	1.7	3.6	8.0	16.4	33.4	81.0	235.8	792.0
Male.....	41.4	6.2	0.7	0.5	2.3	4.5	10.2	21.6	42.7	99.1	270.0	808.1
Female.....	47.6	5.5	0.6	0.3	1.2	2.6	5.8	11.2	24.5	65.4	212.2	784.6
Non-Hispanic black 5/, both sexes.....	37.4	12.7	1.2	0.9	3.9	10.5	19.7	41.3	76.7	142.3	285.8	649.7
Male.....	38.8	15.2	*	1.0	5.4	12.9	23.9	52.5	98.6	184.1	331.0	672.7
Female.....	36.2	10.1	*	0.8	2.5	8.2	15.9	31.8	59.0	112.3	260.1	640.4

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Essential (primary) hypertension and hypertensive renal disease (I10,I12)</b>												
All origins 3/, both sexes.....	8.4	*	*	*	0.1	0.2	0.9	2.7	6.4	17.7	55.6	210.0
Male.....	6.5	*	*	*	*	0.2	1.1	3.5	7.9	19.2	55.3	169.3
Female.....	10.3	*	*	*	*	0.2	0.7	2.0	5.1	16.5	55.8	228.7
Hispanic, both sexes.....	3.1	*	*	*	*	*	0.6	1.9	6.3	18.6	52.9	169.4
Male.....	2.5	*	*	*	*	*	0.8	2.1	6.1	20.5	54.1	140.7
Female.....	3.7	*	*	*	*	*	*	1.7	6.5	17.1	52.1	184.4
Non-Hispanic 4/, both sexes.....	9.3	*	*	*	*	0.2	1.0	2.8	6.4	17.6	55.6	211.8
Male.....	7.2	*	*	*	*	0.3	1.2	3.7	8.0	19.0	55.3	170.7
Female.....	11.3	*	*	*	*	0.2	0.8	2.0	5.0	16.4	55.9	230.6
Non-Hispanic white 5/, both sexes.....	9.0	*	*	*	*	*	0.5	1.7	4.5	13.4	49.6	201.5
Male.....	6.6	*	*	*	*	*	0.7	2.3	5.7	14.3	48.6	160.8
Female.....	11.2	*	*	*	*	*	0.4	1.1	3.3	12.6	50.3	220.1
Non-Hispanic black 5/, both sexes.....	13.1	*	*	*	*	1.0	3.6	10.8	23.0	55.2	124.3	345.2
Male.....	11.8	*	*	*	*	1.1	4.0	13.6	29.8	65.0	139.0	294.0
Female.....	14.3	*	*	*	*	0.8	3.1	8.3	17.6	48.2	116.0	365.8
<b>Cerebrovascular diseases (I60-I69)</b>												
All origins 3/, both sexes.....	48.4	3.1	0.4	0.2	0.5	1.4	5.2	15.0	33.0	101.1	359.0	1,141.8
Male.....	38.8	3.5	0.5	0.3	0.4	1.5	5.2	16.5	38.5	113.6	372.9	1,023.3
Female.....	57.8	2.6	0.3	0.2	0.5	1.2	5.1	13.6	27.9	89.5	349.5	1,196.1
Hispanic, both sexes.....	16.0	2.6	*	*	0.6	1.0	4.6	15.0	33.4	90.4	275.5	738.4
Male.....	14.4	*	*	*	0.7	1.2	5.2	17.8	40.3	106.2	294.0	692.4
Female.....	17.7	*	*	*	*	0.9	3.9	12.1	27.1	75.8	262.6	762.5
Non-Hispanic 4/, both sexes.....	53.8	3.2	0.4	0.2	0.4	1.4	5.2	15.0	33.0	101.7	363.3	1,159.8
Male.....	43.0	3.6	0.5	0.3	0.4	1.6	5.2	16.3	38.3	113.9	377.0	1,039.8
Female.....	64.1	2.8	*	0.2	0.5	1.3	5.2	13.7	28.0	91.4	354.1	1,214.5
Non-Hispanic white 5/, both sexes.....	57.4	2.4	0.3	0.2	0.3	1.1	3.9	11.1	26.9	92.3	355.8	1,171.8
Male.....	44.8	2.8	0.4	0.2	0.3	1.2	4.0	12.1	30.7	102.4	368.2	1,050.5
Female.....	69.6	2.0	*	*	0.4	1.1	3.9	10.2	23.3	83.6	347.2	1,227.3
Non-Hispanic black 5/, both sexes.....	46.5	6.2	*	0.4	0.8	3.1	12.5	40.5	81.5	186.0	475.7	1,122.3
Male.....	41.8	6.8	*	*	0.8	3.5	12.8	45.9	106.6	228.5	510.4	998.2
Female.....	50.8	*	*	*	0.9	2.7	12.2	35.9	61.3	155.6	456.0	1,172.3
<b>Atherosclerosis (I70)</b>												
All origins 3/, both sexes.....	4.0	*	*	*	*	*	0.1	0.5	1.4	5.4	25.9	132.9
Male.....	3.1	*	*	*	*	*	0.1	0.6	1.8	6.6	29.0	121.7
Female.....	4.9	*	*	*	*	*	*	0.3	1.1	4.4	23.9	138.1
Hispanic, both sexes.....	0.9	*	*	*	*	*	*	*	0.9	3.9	17.7	79.6
Male.....	0.8	*	*	*	*	*	*	*	*	5.2	20.4	83.4
Female.....	1.1	*	*	*	*	*	*	*	*	2.7	15.8	77.6
Non-Hispanic 4/, both sexes.....	4.5	*	*	*	*	*	0.1	0.5	1.5	5.5	26.4	135.3
Male.....	3.5	*	*	*	*	*	0.1	0.7	1.9	6.7	29.5	123.7
Female.....	5.5	*	*	*	*	*	*	0.3	1.1	4.6	24.3	140.6
Non-Hispanic white 5/, both sexes.....	5.2	*	*	*	*	*	0.1	0.4	1.5	5.4	27.1	141.3
Male.....	4.0	*	*	*	*	*	*	0.7	1.9	6.5	30.3	130.6
Female.....	6.4	*	*	*	*	*	*	0.2	1.1	4.5	24.9	146.2
Non-Hispanic black 5/, both sexes.....	2.2	*	*	*	*	*	*	0.8	2.1	7.6	24.0	99.7
Male.....	1.7	*	*	*	*	*	*	0.9	2.8	9.8	26.6	77.1
Female.....	2.7	*	*	*	*	*	*	*	1.5	6.0	22.6	108.8



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Other diseases of circulatory system (I71-I78)</b>												
All origins 3/, both sexes.....	8.0	*	*	*	0.1	0.4	1.1	2.6	7.5	24.1	62.6	135.5
Male.....	8.5	*	*	*	0.2	0.5	1.5	3.6	10.5	32.8	81.8	158.2
Female.....	7.4	*	*	*	*	0.3	0.7	1.6	4.7	16.7	49.5	125.0
Hispanic, both sexes.....	2.1	*	*	*	*	*	0.8	1.8	4.1	13.3	41.7	74.4
Male.....	2.5	*	*	*	*	*	1.0	2.6	6.5	18.8	57.5	105.9
Female.....	1.7	*	*	*	*	*	0.9	1.9	8.9	30.7	58.0	
Non-Hispanic 4/, both sexes.....	8.9	*	*	*	0.1	0.4	1.1	2.6	7.7	24.8	63.7	138.2
Male.....	9.5	*	*	*	0.2	0.5	1.6	3.7	10.8	33.7	83.0	160.6
Female.....	8.3	*	*	*	*	0.3	0.7	1.6	4.9	17.3	50.5	128.0
Non-Hispanic white 5/, both sexes.....	9.8	*	*	*	0.1	0.3	0.9	2.2	7.4	24.9	64.0	138.9
Male.....	10.4	*	*	*	0.2	0.4	1.2	3.1	10.4	34.2	83.7	164.5
Female.....	9.1	*	*	*	*	0.3	0.6	1.4	4.6	16.9	50.4	127.2
Non-Hispanic black 5/, both sexes.....	6.9	*	*	*	*	0.9	2.4	5.5	12.3	29.9	70.5	147.5
Male.....	7.1	*	*	*	*	1.1	3.7	8.0	16.9	37.0	89.1	132.3
Female.....	6.7	*	*	*	*	*	1.2	3.4	8.5	24.9	59.9	153.6
<b>Aortic aneurysm and dissection (I71)</b>												
All origins 3/, both sexes.....	4.7	*	*	*	0.1	0.3	0.8	1.8	4.8	15.4	38.1	64.9
Male.....	5.6	*	*	*	0.1	0.4	1.2	2.8	7.3	22.4	52.6	91.0
Female.....	3.8	*	*	*	*	0.2	0.3	0.8	2.5	9.5	28.2	52.9
Hispanic, both sexes.....	1.1	*	*	*	*	*	0.5	1.1	2.6	7.3	19.9	29.1
Male.....	1.5	*	*	*	*	*	0.8	1.9	4.8	10.7	30.7	43.6
Female.....	0.7	*	*	*	*	*	*	*	4.5	12.3	21.5	
Non-Hispanic 4/, both sexes.....	5.3	*	*	*	0.1	0.3	0.8	1.9	5.0	16.0	39.1	66.5
Male.....	6.3	*	*	*	0.1	0.4	1.3	2.9	7.4	23.2	53.8	93.3
Female.....	4.3	*	*	*	*	0.2	0.3	0.9	2.7	9.9	29.1	54.2
Non-Hispanic white 5/, both sexes.....	5.8	*	*	*	0.1	0.3	0.6	1.5	4.9	16.5	40.2	67.9
Male.....	7.0	*	*	*	*	0.4	1.0	2.4	7.4	24.2	55.6	96.7
Female.....	4.7	*	*	*	*	0.2	0.3	0.7	2.5	9.9	29.7	54.8
Non-Hispanic black 5/, both sexes.....	3.4	*	*	*	*	0.5	1.8	4.1	7.0	14.8	31.1	51.3
Male.....	4.0	*	*	*	*	0.8	3.2	6.2	10.1	18.4	39.2	52.3
Female.....	3.0	*	*	*	*	*	*	2.3	4.4	12.2	26.5	50.9
<b>Other diseases of arteries, arterioles and capillaries (I72-I78)</b>												
All origins 3/, both sexes.....	3.3	*	*	*	*	0.1	0.3	0.8	2.7	8.7	24.5	70.6
Male.....	2.9	*	*	*	*	*	0.3	0.8	3.2	10.4	29.2	67.2
Female.....	3.7	*	*	*	*	0.1	0.4	0.7	2.2	7.2	21.3	72.2
Hispanic, both sexes.....	1.0	*	*	*	*	*	*	0.6	1.4	6.1	21.8	45.3
Male.....	1.0	*	*	*	*	*	*	*	1.8	8.1	26.7	62.3
Female.....	1.0	*	*	*	*	*	*	*	4.4	18.4	36.5	
Non-Hispanic 4/, both sexes.....	3.7	*	*	*	*	0.1	0.3	0.8	2.8	8.8	24.6	71.7
Male.....	3.2	*	*	*	*	*	0.3	0.8	3.3	10.5	29.2	67.3
Female.....	4.1	*	*	*	*	0.1	0.4	0.7	2.3	7.4	21.4	73.7
Non-Hispanic white 5/, both sexes.....	3.9	*	*	*	*	0.1	0.3	0.7	2.6	8.4	23.7	70.9
Male.....	3.4	*	*	*	*	*	0.2	0.7	3.1	10.0	28.1	67.8
Female.....	4.4	*	*	*	*	*	0.4	0.7	2.1	7.0	20.8	72.4
Non-Hispanic black 5/, both sexes.....	3.4	*	*	*	*	*	0.6	1.4	5.3	15.1	39.3	96.1
Male.....	3.1	*	*	*	*	*	*	1.9	6.8	18.6	49.9	79.9
Female.....	3.7	*	*	*	*	*	*	1.1	4.1	12.7	33.4	102.6







Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
<b>Emphysema (J43)</b>													
All origins 3/, both sexes.....	4.7	*	*	*	*	*	0.2	1.0	5.5	20.1	41.4	51.9	
Male.....	5.0	*	*	*	*	*	0.2	1.3	6.7	23.9	52.4	71.5	
Female.....	4.5	*	*	*	*	*	0.1	0.8	4.5	16.9	33.9	42.8	
Hispanic, both sexes.....	0.7	*	*	*	*	*	*	*	1.3	5.4	16.6	24.8	
Male.....	0.8	*	*	*	*	*	*	*	1.8	8.6	22.7	38.6	
Female.....	0.6	*	*	*	*	*	*	*	*	2.9	12.3	17.6	
Non-Hispanic 4/, both sexes.....	5.4	*	*	*	*	*	0.2	1.1	5.9	21.2	42.8	53.1	
Male.....	5.7	*	*	*	*	*	0.3	1.4	7.0	25.0	54.1	73.1	
Female.....	5.1	*	*	*	*	*	0.1	0.8	4.8	18.0	35.1	44.0	
Non-Hispanic white 5/, both sexes.....	6.3	*	*	*	*	*	0.2	1.1	6.3	23.0	45.2	55.9	
Male.....	6.5	*	*	*	*	*	0.2	1.4	7.3	26.4	55.8	75.5	
Female.....	6.1	*	*	*	*	*	*	0.9	5.4	20.0	37.8	47.0	
Non-Hispanic black 5/, both sexes.....	2.2	*	*	*	*	*	*	1.4	4.6	12.9	26.7	27.3	
Male.....	2.8	*	*	*	*	*	*	2.1	7.5	19.4	42.9	50.4	
Female.....	1.6	*	*	*	*	*	*	0.8	2.3	8.2	17.5	18.0	
<b>Asthma (J45-J46)</b>													
All origins 3/, both sexes.....	1.3	*	0.2	0.2	0.3	0.5	0.8	1.4	1.7	2.5	5.4	14.5	
Male.....	0.9	*	0.3	0.3	0.4	0.5	0.7	1.0	1.2	1.8	4.1	8.7	
Female.....	1.7	*	*	0.2	0.2	0.5	1.0	1.8	2.2	3.2	6.3	17.2	
Hispanic, both sexes.....	0.6	*	*	*	*	*	0.5	0.8	1.6	2.9	4.8	13.7	
Male.....	0.5	*	*	*	*	*	*	*	*	*	*	*	
Female.....	0.7	*	*	*	*	*	*	*	2.1	3.4	5.6	13.0	
Non-Hispanic 4/, both sexes.....	1.4	*	0.3	0.3	0.4	0.6	0.9	1.5	1.7	2.5	5.5	14.5	
Male.....	1.0	*	0.4	0.3	0.4	0.6	0.7	1.1	1.2	1.7	4.1	8.4	
Female.....	1.9	*	*	0.2	0.3	0.6	1.1	1.9	2.2	3.2	6.3	17.3	
Non-Hispanic white 5/, both sexes.....	1.2	*	*	0.1	0.2	0.4	0.7	1.1	1.3	1.9	4.9	14.5	
Male.....	0.8	*	*	*	0.2	0.4	0.5	0.8	0.9	1.3	3.5	8.2	
Female.....	1.7	*	*	*	0.2	0.5	0.8	1.3	1.7	2.5	5.9	17.4	
Non-Hispanic black 5/, both sexes.....	2.7	*	1.1	0.8	1.1	1.6	2.4	4.3	5.5	7.2	9.9	12.0	
Male.....	2.3	*	1.6	1.0	1.4	1.7	2.2	3.0	4.1	5.3	10.7	*	
Female.....	3.1	*	*	*	0.8	1.5	2.6	5.4	6.6	8.6	9.5	13.8	
<b>Other chronic lower respiratory diseases (J44,J47)</b>													
All origins 3/, both sexes.....	37.8	*	*	*	*	*	0.1	1.0	6.9	34.5	137.2	337.2	563.5
Male.....	36.6	*	*	*	*	*	0.1	1.0	7.3	37.0	154.4	405.2	732.4
Female.....	39.0	*	*	*	*	*	*	1.0	6.4	32.2	122.6	291.0	485.9
Hispanic, both sexes.....	6.7	*	*	*	*	*	*	*	2.5	9.7	42.0	148.9	367.9
Male.....	6.9	*	*	*	*	*	*	*	2.6	13.0	53.5	205.8	468.2
Female.....	6.5	*	*	*	*	*	*	*	2.3	6.6	32.7	109.3	315.4
Non-Hispanic 4/, both sexes.....	43.0	*	*	*	*	*	0.1	1.1	7.3	36.5	144.2	347.8	572.1
Male.....	41.8	*	*	*	*	*	*	1.1	7.8	38.9	161.6	416.5	745.0
Female.....	44.1	*	*	*	*	*	*	1.1	6.9	34.3	129.4	301.2	493.2
Non-Hispanic white 5/, both sexes.....	50.6	*	*	*	*	*	0.1	1.1	7.6	39.0	155.5	369.2	600.8
Male.....	48.4	*	*	*	*	*	*	1.1	7.8	40.5	170.4	432.7	770.7
Female.....	52.8	*	*	*	*	*	*	1.2	7.3	37.6	142.5	325.5	523.1
Non-Hispanic black 5/, both sexes.....	16.8	*	*	*	*	*	*	1.2	8.5	29.8	95.7	207.2	328.2
Male.....	19.5	*	*	*	*	*	*	1.2	10.3	38.0	134.5	325.7	534.8
Female.....	14.4	*	*	*	*	*	*	1.2	6.8	23.2	68.0	140.0	245.1

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Pneumoconioses and chemical effects (J60-J66,J68)</b>												
All origins 3/, both sexes.....	0.3	*	*	*	*	*	*	0.1	0.2	0.9	3.4	5.7
Male.....	0.7	*	*	*	*	*	*	*	0.4	2.0	8.1	17.1
Female.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Hispanic, both sexes.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Male.....	*	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.4	*	*	*	*	*	*	0.1	0.2	1.0	3.6	5.8
Male.....	0.8	*	*	*	*	*	*	*	0.5	2.1	8.5	17.8
Female.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white 5/, both sexes.....	0.5	*	*	*	*	*	*	*	0.3	1.1	3.8	6.2
Male.....	0.9	*	*	*	*	*	*	*	0.5	2.3	9.0	18.7
Female.....	0.0	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black 5/, both sexes.....	0.1	*	*	*	*	*	*	*	*	*	*	*
Male.....	0.2	*	*	*	*	*	*	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
<b>Pneumonitis due to solids and liquids (J69)</b>												
All origins 3/, both sexes.....	5.8	*	*	*	0.1	0.2	0.4	1.1	2.7	9.3	42.6	163.9
Male.....	6.0	*	*	*	0.1	0.2	0.4	1.3	3.5	12.5	57.9	229.3
Female.....	5.7	*	*	*	0.1	0.1	0.4	0.9	2.1	6.7	32.2	133.9
Hispanic, both sexes.....	1.4	*	*	*	*	*	*	0.7	1.4	5.3	24.3	109.9
Male.....	1.4	*	*	*	*	*	*	*	2.2	6.1	32.1	154.4
Female.....	1.3	*	*	*	*	*	*	*	*	4.7	18.8	86.7
Non-Hispanic 4/, both sexes.....	6.6	*	*	*	0.1	0.2	0.4	1.2	2.8	9.6	43.6	166.3
Male.....	6.8	*	*	*	0.1	0.2	0.5	1.4	3.6	12.9	59.3	232.8
Female.....	6.3	*	*	*	0.1	0.1	0.4	1.0	2.2	6.8	32.9	136.0
Non-Hispanic white 5/, both sexes.....	7.4	*	*	*	0.1	0.2	0.5	1.1	2.7	9.4	43.5	169.0
Male.....	7.6	*	*	*	*	0.2	0.5	1.3	3.4	12.4	58.7	237.8
Female.....	7.2	*	*	*	*	0.2	0.4	1.0	2.1	6.8	33.1	137.5
Non-Hispanic black 5/, both sexes.....	4.3	*	*	*	*	*	0.5	1.8	4.6	13.5	53.2	155.4
Male.....	4.6	*	*	*	*	*	2.5	6.3	20.0	81.0	205.5	
Female.....	4.0	*	*	*	*	*	*	1.1	3.2	8.9	37.5	135.2
<b>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</b>												
All origins 3/, both sexes.....	9.1	7.4	0.6	0.2	0.3	0.5	1.1	3.2	8.8	28.8	72.5	136.5
Male.....	9.0	8.9	0.7	0.2	0.3	0.4	1.0	3.5	10.2	34.9	90.7	157.7
Female.....	9.2	5.8	0.5	0.1	0.2	0.5	1.1	2.9	7.6	23.7	60.2	126.7
Hispanic, both sexes.....	3.7	5.8	*	*	0.3	0.4	0.7	2.6	8.8	26.9	67.7	104.0
Male.....	3.5	6.3	*	*	*	0.5	0.7	3.0	9.9	29.1	81.8	114.6
Female.....	3.9	5.3	*	*	*	*	0.8	2.2	7.8	25.2	57.9	98.4
Non-Hispanic 4/, both sexes.....	10.0	7.8	0.6	0.2	0.3	0.5	1.1	3.3	8.8	28.9	72.7	138.0
Male.....	10.0	9.6	0.8	0.2	0.3	0.4	1.1	3.6	10.2	35.3	91.0	159.9
Female.....	10.1	5.9	0.4	0.2	0.2	0.5	1.2	3.0	7.5	23.6	60.3	128.0
Non-Hispanic white 5/, both sexes.....	11.1	6.0	0.5	0.2	0.2	0.4	1.0	2.9	8.5	29.4	74.8	141.8
Male.....	11.0	7.3	0.7	0.2	0.2	0.4	1.0	3.2	9.7	36.1	92.9	162.2
Female.....	11.2	4.8	*	0.2	0.2	0.4	1.0	2.6	7.4	23.6	62.4	132.5
Non-Hispanic black 5/, both sexes.....	6.6	15.7	0.9	*	0.4	0.9	2.2	6.3	12.3	29.6	57.1	104.0
Male.....	6.7	20.5	*	*	*	0.8	2.0	6.9	15.4	34.4	76.5	134.2
Female.....	6.5	10.7	*	*	*	1.0	2.4	5.9	9.8	26.2	46.1	91.9



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>												
All origins 3/, both sexes.....	9.3	*	*	*	0.1	0.8	6.1	17.7	23.5	27.2	29.0	19.7
Male.....	12.3	*	*	*	*	1.0	8.1	26.0	34.8	35.8	36.4	27.6
Female.....	6.4	*	*	*	*	0.6	4.1	9.7	12.9	19.9	23.9	16.0
Hispanic, both sexes.....	8.3	*	*	*	*	1.0	7.3	23.5	36.9	48.8	54.0	34.7
Male.....	11.6	*	*	*	*	1.4	10.9	37.8	58.4	69.1	68.8	36.1
Female.....	4.8	*	*	*	*	*	3.2	8.9	17.1	32.4	43.7	33.9
Non-Hispanic 4/, both sexes.....	9.4	*	*	*	0.1	0.7	5.9	17.0	22.3	25.5	27.4	18.9
Male.....	12.3	*	*	*	*	0.8	7.6	24.4	32.7	33.2	34.4	27.1
Female.....	6.6	*	*	*	*	0.6	4.2	9.8	12.5	18.9	22.7	15.2
Non-Hispanic white 5/, both sexes.....	10.2	*	*	*	*	0.6	6.2	17.1	22.3	26.5	28.2	19.5
Male.....	13.3	*	*	*	*	0.8	7.9	24.6	32.5	34.2	34.9	28.1
Female.....	7.2	*	*	*	*	0.5	4.4	9.7	12.6	19.9	23.6	15.6
Non-Hispanic black 5/, both sexes.....	6.7	*	*	*	*	0.6	4.3	18.0	25.3	20.5	19.3	12.0
Male.....	9.2	*	*	*	*	*	5.5	26.5	39.9	31.4	29.4	*
Female.....	4.4	*	*	*	*	*	3.2	10.8	13.6	12.7	13.5	10.7
<b>Alcoholic liver disease (K70)</b>												
All origins 3/, both sexes.....	4.4	*	*	*	*	0.5	4.1	10.6	12.3	9.9	5.7	1.8
Male.....	6.5	*	*	*	*	0.7	5.4	15.7	19.5	15.9	10.2	4.2
Female.....	2.3	*	*	*	*	0.4	2.8	5.6	5.5	4.9	2.7	0.7
Hispanic, both sexes.....	4.2	*	*	*	*	0.8	4.9	14.4	18.9	20.2	11.4	*
Male.....	6.8	*	*	*	*	1.2	7.6	23.9	33.4	38.1	23.7	*
Female.....	1.4	*	*	*	*	*	2.0	4.8	5.6	5.7	*	*
Non-Hispanic 4/, both sexes.....	4.4	*	*	*	*	0.5	3.9	10.1	11.6	9.0	5.4	1.7
Male.....	6.4	*	*	*	*	0.6	5.0	14.6	18.2	14.1	9.4	3.8
Female.....	2.5	*	*	*	*	0.4	2.9	5.7	5.5	4.8	2.7	0.8
Non-Hispanic white 5/, both sexes.....	4.7	*	*	*	*	0.4	4.1	10.4	11.8	9.2	5.5	1.8
Male.....	6.8	*	*	*	*	0.5	5.2	14.9	18.4	14.2	9.4	3.9
Female.....	2.6	*	*	*	*	0.3	3.0	5.9	5.5	4.9	2.8	0.8
Non-Hispanic black 5/, both sexes.....	3.1	*	*	*	*	*	2.7	9.1	11.5	8.8	4.6	*
Male.....	4.4	*	*	*	*	*	3.2	13.7	18.6	15.4	9.0	*
Female.....	1.9	*	*	*	*	*	2.3	5.2	5.8	4.1	*	*
<b>Other chronic liver disease and cirrhosis (K73-K74)</b>												
All origins 3/, both sexes.....	4.9	*	*	*	*	0.2	2.0	7.1	11.2	17.3	23.2	17.8
Male.....	5.8	*	*	*	*	0.2	2.7	10.3	15.3	19.9	26.2	23.3
Female.....	4.0	*	*	*	*	0.2	1.3	4.1	7.4	15.1	21.2	15.3
Hispanic, both sexes.....	4.1	*	*	*	*	*	2.4	9.1	18.0	28.6	42.6	30.4
Male.....	4.8	*	*	*	*	*	3.4	13.9	25.0	31.0	45.1	*
Female.....	3.4	*	*	*	*	*	1.2	4.2	11.5	26.7	40.9	33.9
Non-Hispanic 4/, both sexes.....	5.1	*	*	*	*	0.2	1.9	6.9	10.6	16.4	22.0	17.2
Male.....	6.0	*	*	*	*	0.2	2.6	9.8	14.5	19.1	25.0	23.3
Female.....	4.1	*	*	*	*	0.2	1.3	4.1	7.0	14.1	20.0	14.4
Non-Hispanic white 5/, both sexes.....	5.5	*	*	*	*	0.2	2.1	6.7	10.5	17.3	22.7	17.7
Male.....	6.5	*	*	*	*	0.2	2.7	9.7	14.1	20.0	25.4	24.2
Female.....	4.6	*	*	*	*	0.2	1.4	3.8	7.1	15.0	20.8	14.8
Non-Hispanic black 5/, both sexes.....	3.6	*	*	*	*	*	1.6	9.0	13.8	11.7	14.7	10.7
Male.....	4.7	*	*	*	*	*	2.3	12.8	21.3	16.1	20.5	*
Female.....	2.5	*	*	*	*	*	0.9	5.7	7.7	8.6	11.4	10.0









Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Pregnancy, childbirth and the puerperium (000-099)</b>												
All origins 3/, both sexes.....	0.3	...	...	*	0.4	0.8	0.5	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.5	...	...	*	0.9	1.6	0.9	0.3	*	*	*	*
Hispanic, both sexes.....	0.3	...	...	*	0.5	0.8	0.5	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.6	...	...	*	1.0	1.7	1.1	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.2	...	...	*	0.4	0.8	0.5	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.5	...	...	*	0.9	1.6	0.9	0.3	*	*	*	*
Non-Hispanic white 5/, both sexes.....	0.2	...	...	*	0.3	0.5	0.3	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.3	...	...	*	0.6	1.0	0.6	0.2	*	*	*	*
Non-Hispanic black 5/, both sexes.....	0.7	...	...	*	1.1	2.2	1.2	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1.4	...	...	*	2.2	4.2	2.2	*	*	*	*	*
<b>Pregnancy with abortive outcome (000-007)</b>												
All origins 3/, both sexes.....	0.0	...	...	*	*	*	*	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.0	...	...	*	*	*	*	*	*	*	*	*
Hispanic, both sexes.....	*	...	...	*	*	*	*	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	*	...	...	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.0	...	...	*	*	*	*	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.0	...	...	*	*	*	*	*	*	*	*	*
Non-Hispanic white 5/, both sexes.....	*	...	...	*	*	*	*	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	*	...	...	*	*	*	*	*	*	*	*	*
Non-Hispanic black 5/, both sexes.....	*	...	...	*	*	*	*	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	*	...	...	*	*	*	*	*	*	*	*	*
<b>Other complications of pregnancy, childbirth and the puerperium (010-099)</b>												
All origins 3/, both sexes.....	0.2	...	...	*	0.4	0.7	0.4	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.5	...	...	*	0.9	1.5	0.9	0.2	*	*	*	*
Hispanic, both sexes.....	0.3	...	...	*	0.5	0.8	0.5	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.6	...	...	*	1.0	1.7	1.1	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.2	...	...	*	0.4	0.7	0.4	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.5	...	...	*	0.8	1.5	0.9	0.3	*	*	*	*
Non-Hispanic white 5/, both sexes.....	0.2	...	...	*	0.3	0.5	0.3	0.1	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	0.3	...	...	*	0.6	1.0	0.6	0.2	*	*	*	*
Non-Hispanic black 5/, both sexes.....	0.7	...	...	*	1.1	2.0	1.1	*	*	*	*	*
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1.3	...	...	*	2.2	3.9	2.1	*	*	*	*	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain conditions originating in the perinatal period (P00-P96)												
All origins 3/, both sexes.....	4.9	351.2	0.4	0.1	*	*	*	*	*	*	*	*
Male.....	5.6	386.1	0.4	*	*	*	*	*	*	*	*	*
Female.....	4.2	314.6	0.3	*	*	*	*	*	*	*	*	*
Hispanic, both sexes.....	6.6	300.6	*	*	*	*	*	*	*	*	*	*
Male.....	7.3	336.8	*	*	*	*	*	*	*	*	*	*
Female.....	5.8	262.8	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	4.6	361.7	0.4	0.1	*	*	*	*	*	*	*	*
Male.....	5.2	396.2	0.5	*	*	*	*	*	*	*	*	*
Female.....	3.9	325.6	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white 5/, both sexes.....	3.1	265.1	0.3	*	*	*	*	*	*	*	*	*
Male.....	3.6	290.8	*	*	*	*	*	*	*	*	*	*
Female.....	2.7	238.1	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black 5/, both sexes.....	13.0	763.4	0.9	*	*	*	*	*	*	*	*	*
Male.....	15.2	837.9	*	*	*	*	*	*	*	*	*	*
Female.....	10.9	685.6	*	*	*	*	*	*	*	*	*	*
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
All origins 3/, both sexes.....	3.5	135.2	3.2	1.0	1.2	1.1	1.2	1.6	2.4	1.8	3.1	6.4
Male.....	3.7	141.1	3.2	0.9	1.5	1.2	1.2	1.7	2.5	1.8	3.6	6.9
Female.....	3.3	129.0	3.3	1.0	0.9	1.0	1.1	1.6	2.2	1.8	2.8	6.2
Hispanic, both sexes.....	4.4	148.3	3.3	1.1	1.0	0.7	0.7	1.2	1.7	*	3.2	*
Male.....	4.5	151.2	3.5	1.2	1.1	0.7	0.8	1.1	2.0	*	*	*
Female.....	4.4	145.2	3.1	1.0	0.9	0.6	0.7	1.3	*	*	*	*
Non-Hispanic 4/, both sexes.....	3.3	130.4	3.2	1.0	1.2	1.2	1.3	1.7	2.4	1.9	3.1	6.6
Male.....	3.6	137.1	3.1	0.9	1.6	1.3	1.3	1.8	2.6	1.9	3.6	7.2
Female.....	3.1	123.3	3.3	1.0	0.9	1.1	1.2	1.6	2.3	1.9	2.8	6.3
Non-Hispanic white 5/, both sexes.....	3.2	123.0	2.9	0.9	1.2	1.2	1.3	1.8	2.6	2.0	3.3	6.7
Male.....	3.4	129.9	3.0	0.8	1.6	1.3	1.3	1.9	2.7	2.0	3.8	7.2
Female.....	3.0	115.8	2.9	0.9	0.8	1.0	1.3	1.7	2.4	2.0	2.9	6.5
Non-Hispanic black 5/, both sexes.....	4.4	163.4	4.1	1.3	1.6	1.5	1.4	1.4	2.0	*	2.1	6.0
Male.....	4.8	167.1	3.6	1.2	2.0	1.7	1.7	1.5	2.3	*	*	*
Female.....	4.1	159.6	4.7	1.4	1.2	1.4	1.1	1.4	1.7	*	*	*
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
All origins 3/, both sexes.....	10.8	87.4	1.4	0.4	1.8	2.9	4.7	6.7	7.2	12.8	39.0	224.4
Male.....	10.0	101.8	1.6	0.5	2.5	4.0	5.8	8.7	9.3	15.5	40.7	183.9
Female.....	11.5	72.3	1.3	0.3	1.1	1.9	3.6	4.7	5.3	10.6	37.8	243.0
Hispanic, both sexes.....	4.4	59.5	1.2	0.3	1.5	2.4	3.1	3.6	3.6	7.8	18.6	105.2
Male.....	5.1	68.9	1.3	*	2.0	3.6	4.3	5.5	5.1	10.2	21.0	99.6
Female.....	3.5	49.8	1.2	*	0.9	0.9	1.8	1.6	2.3	5.9	17.0	108.2
Non-Hispanic 4/, both sexes.....	11.8	94.5	1.5	0.4	1.9	3.1	4.9	6.9	7.5	13.1	39.9	229.6
Male.....	10.8	110.2	1.7	0.5	2.6	4.0	5.9	8.9	9.6	15.8	41.6	187.5
Female.....	12.7	78.0	1.3	0.3	1.1	2.1	3.9	4.9	5.5	10.8	38.8	248.9
Non-Hispanic white 5/, both sexes.....	12.3	77.9	1.2	0.3	1.8	3.0	4.8	6.5	6.9	12.5	39.8	234.9
Male.....	10.9	94.6	1.4	0.3	2.5	4.0	5.9	8.4	8.8	14.9	41.0	189.8
Female.....	13.7	60.4	1.0	0.2	1.1	2.0	3.7	4.6	5.2	10.4	39.0	255.5
Non-Hispanic black 5/, both sexes.....	12.4	170.4	2.5	0.9	2.5	4.2	7.0	11.7	13.9	22.1	51.8	213.3
Male.....	13.3	187.0	2.7	0.9	3.4	5.4	8.1	15.2	19.6	29.5	62.5	196.0
Female.....	11.5	153.1	2.3	0.8	1.5	3.1	5.9	8.6	9.4	16.9	45.8	220.2

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12, G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39, N41-N64,N80-N98)</b>												
All origins 3/, both sexes.....	73.4	29.2	3.8	2.1	4.9	7.9	18.5	40.3	69.5	146.1	434.3	1,559.1
Male.....	60.9	34.8	4.3	2.3	5.8	8.9	22.0	49.1	80.9	156.1	437.0	1,305.3
Female.....	85.6	23.2	3.3	1.9	4.0	6.8	15.0	31.8	59.0	137.7	432.5	1,675.6
Hispanic, both sexes.....	24.0	29.1	4.1	1.6	4.0	6.1	13.3	28.3	52.5	107.5	290.7	890.7
Male.....	23.2	34.6	4.2	1.6	4.8	7.2	16.6	36.7	64.9	115.5	300.0	789.5
Female.....	24.9	23.3	3.9	1.6	3.2	4.8	9.6	19.8	41.1	101.0	284.2	943.7
Non-Hispanic 4/, both sexes.....	81.6	28.9	3.7	2.2	5.1	8.3	19.3	41.5	70.8	148.8	442.3	1,589.3
Male.....	67.4	34.5	4.2	2.4	5.9	9.4	23.0	50.3	81.9	158.7	444.6	1,330.8
Female.....	95.1	23.0	3.1	2.0	4.1	7.2	15.8	33.1	60.5	140.4	440.7	1,707.2
Non-Hispanic white 5/, both sexes.....	88.9	23.2	3.3	2.0	4.8	7.5	17.8	38.5	67.6	145.9	443.5	1,618.2
Male.....	72.3	27.7	3.8	2.2	5.9	8.9	22.0	47.5	78.1	154.6	442.1	1,354.9
Female.....	105.0	18.4	2.8	1.7	3.7	6.1	13.7	29.6	57.7	138.4	444.5	1,738.7
Non-Hispanic black 5/, both sexes.....	65.9	51.0	4.9	3.4	6.7	13.8	31.8	69.9	113.4	204.5	523.9	1,525.4
Male.....	58.9	63.8	5.8	3.7	7.0	13.9	33.4	80.6	135.0	232.6	573.0	1,261.7
Female.....	72.3	37.6	4.0	3.1	6.3	13.8	30.4	60.7	96.1	184.5	496.1	1,631.5
<b>Accidents (unintentional injuries) (V01-X59,Y85-Y86)</b>												
All origins 3/, both sexes.....	39.7	26.4	10.3	6.0	37.4	34.9	38.6	43.2	35.8	46.3	106.1	279.5
Male.....	52.3	27.5	12.4	7.2	54.6	52.2	54.8	62.2	51.3	62.6	139.0	344.2
Female.....	27.5	25.2	8.0	4.7	19.2	16.9	22.3	24.7	21.3	32.5	83.8	249.8
Hispanic, both sexes.....	26.9	18.5	10.6	4.7	37.1	29.4	30.0	34.1	30.3	39.4	79.7	153.6
Male.....	39.0	18.3	13.3	5.6	55.8	44.9	44.8	52.9	46.6	58.4	106.2	168.1
Female.....	13.8	18.6	7.7	3.9	15.9	10.5	13.5	14.8	15.3	23.9	61.2	146.0
Non-Hispanic 4/, both sexes.....	41.8	28.5	10.2	6.3	37.4	36.0	39.9	44.0	36.1	46.7	107.5	285.1
Male.....	54.5	30.0	12.1	7.6	54.3	53.9	56.4	62.9	51.5	62.7	140.7	352.9
Female.....	29.6	26.9	8.1	4.9	19.8	18.2	23.6	25.7	21.7	33.1	85.0	254.1
Non-Hispanic white 5/, both sexes.....	44.4	24.5	9.8	5.9	40.7	38.6	41.7	43.9	35.2	46.5	109.4	297.2
Male.....	57.0	25.6	11.8	7.1	58.9	57.1	58.4	61.9	49.1	61.6	141.9	366.3
Female.....	32.3	23.4	7.6	4.6	21.6	19.8	25.0	26.1	22.0	33.4	87.1	265.6
Non-Hispanic black 5/, both sexes.....	35.9	48.6	12.6	7.9	27.7	33.1	39.6	54.0	48.5	53.6	97.8	176.7
Male.....	51.3	52.3	14.1	9.8	41.2	52.4	59.3	83.8	80.9	82.3	145.2	227.4
Female.....	21.8	44.8	11.1	6.0	14.0	15.3	22.1	28.5	22.5	33.2	70.9	156.3
<b>Transport accidents (V01-V99,Y85)</b>												
All origins 3/, both sexes.....	16.3	3.6	4.0	3.8	26.8	19.0	16.6	16.7	16.2	18.0	24.3	26.1
Male.....	23.3	3.5	4.5	4.4	37.9	28.6	24.2	24.9	23.5	25.3	34.8	46.0
Female.....	9.5	3.6	3.5	3.2	15.1	9.1	9.1	8.8	9.4	11.8	17.1	17.0
Hispanic, both sexes.....	14.9	4.7	5.3	3.6	28.4	18.3	14.9	14.9	14.3	16.3	24.1	15.4
Male.....	21.7	4.4	6.5	4.2	41.5	27.4	21.2	22.2	20.9	25.7	35.4	*
Female.....	7.6	5.0	4.1	3.1	13.6	7.2	7.7	7.5	8.3	8.6	16.3	*
Non-Hispanic 4/, both sexes.....	16.5	3.2	3.6	3.9	26.4	19.1	16.9	16.9	16.3	18.1	24.2	26.5
Male.....	23.6	3.3	3.9	4.4	37.1	28.8	24.6	25.1	23.6	25.2	34.6	47.1
Female.....	9.8	3.2	3.3	3.3	15.3	9.5	9.3	8.9	9.5	12.1	17.2	17.1
Non-Hispanic white 5/, both sexes.....	17.1	2.5	3.3	3.8	28.4	19.6	17.3	17.0	16.4	18.2	24.6	27.5
Male.....	24.2	2.8	3.5	4.4	39.6	29.0	24.9	25.3	23.5	25.0	34.8	48.7
Female.....	10.3	2.3	3.2	3.2	16.6	10.1	9.7	8.9	9.6	12.3	17.5	17.8
Non-Hispanic black 5/, both sexes.....	15.4	5.7	4.7	4.1	20.7	20.4	17.8	18.2	17.3	18.3	20.0	16.9
Male.....	23.4	*	5.1	4.8	30.2	33.5	28.5	28.4	28.0	30.2	34.2	34.3
Female.....	8.1	6.5	4.3	3.4	11.1	8.2	8.3	9.4	8.8	9.9	11.9	10.0







Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Accidental drowning and submersion (W65-W74)</b>												
All origins 3/, both sexes.....	1.2	1.6	3.0	0.6	1.5	1.0	1.1	1.2	0.9	1.0	1.4	1.8
Male.....	1.9	1.3	4.1	0.9	2.7	1.6	1.9	1.9	1.5	1.6	2.3	3.9
Female.....	0.5	1.8	2.0	0.3	0.3	0.3	0.4	0.5	0.3	0.6	0.8	0.9
Hispanic, both sexes.....	1.2	*	2.9	0.4	2.2	1.0	0.8	0.8	0.9	*	*	*
Male.....	1.9	*	4.0	*	3.8	1.7	1.4	1.5	*	*	*	*
Female.....	0.4	*	1.8	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.2	1.5	3.1	0.7	1.4	0.9	1.2	1.2	0.9	1.1	1.4	1.8
Male.....	1.9	1.3	4.1	1.0	2.5	1.6	2.0	1.9	1.5	1.6	2.4	3.8
Female.....	0.5	1.8	2.0	0.4	0.3	0.3	0.4	0.5	0.3	0.6	0.8	0.9
Non-Hispanic white 5/, both sexes.....	1.2	1.8	3.4	0.5	1.2	0.9	1.2	1.2	0.9	1.0	1.3	1.8
Male.....	1.8	*	4.6	0.6	2.1	1.5	1.8	1.9	1.4	1.5	2.3	3.9
Female.....	0.5	2.3	2.3	0.3	0.2	0.3	0.5	0.5	0.3	0.6	0.7	0.8
Non-Hispanic black 5/, both sexes.....	1.5	*	2.2	1.4	2.1	1.1	1.3	1.2	1.0	1.5	*	*
Male.....	2.6	*	2.8	2.3	3.9	2.1	2.4	2.3	2.2	*	*	*
Female.....	0.4	*	1.6	*	*	*	*	*	*	*	*	*
<b>Accidental exposure to smoke, fire and flames (X00-X09)</b>												
All origins 3/, both sexes.....	1.1	0.8	1.3	0.5	0.4	0.6	0.8	1.2	1.3	2.1	3.6	5.0
Male.....	1.3	*	1.5	0.6	0.5	0.7	1.0	1.6	1.7	2.6	4.6	7.0
Female.....	0.9	*	1.0	0.5	0.3	0.4	0.5	0.8	1.0	1.6	2.9	4.0
Hispanic, both sexes.....	0.5	*	0.8	*	*	0.3	0.4	0.6	*	*	3.4	*
Male.....	0.6	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.4	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.2	0.8	1.4	0.6	0.4	0.6	0.8	1.2	1.4	2.1	3.6	5.1
Male.....	1.4	*	1.6	0.7	0.5	0.8	1.1	1.6	1.7	2.7	4.7	7.2
Female.....	0.9	*	1.1	0.5	0.4	0.5	0.5	0.8	1.0	1.7	2.8	4.1
Non-Hispanic white 5/, both sexes.....	1.1	*	1.0	0.5	0.4	0.6	0.8	1.2	1.1	1.9	3.1	4.3
Male.....	1.3	*	1.4	0.5	0.5	0.7	1.1	1.5	1.4	2.3	4.1	6.1
Female.....	0.9	*	0.7	0.4	0.3	0.4	0.5	0.8	0.9	1.6	2.4	3.5
Non-Hispanic black 5/, both sexes.....	2.0	*	2.8	1.3	0.6	1.0	1.2	2.0	3.4	4.4	9.4	14.5
Male.....	2.4	*	2.8	1.4	0.6	1.1	1.8	3.1	5.2	6.4	13.5	21.9
Female.....	1.5	*	2.7	1.2	*	0.9	*	1.1	2.0	2.9	7.2	11.5
<b>Accidental poisoning and exposure to noxious substances (X40-X49)</b>												
All origins 3/, both sexes.....	8.0	0.5	0.1	0.1	5.9	10.9	15.3	16.4	6.6	2.3	2.4	3.5
Male.....	10.9	*	*	0.1	9.0	15.6	20.2	21.7	8.7	2.7	3.0	4.6
Female.....	5.1	*	*	0.1	2.7	6.0	10.5	11.3	4.7	2.0	2.0	3.0
Hispanic, both sexes.....	4.7	*	*	*	3.4	6.2	9.9	10.9	5.5	2.2	*	*
Male.....	7.3	*	*	*	5.2	9.3	15.0	16.8	9.3	*	*	*
Female.....	2.0	*	*	*	1.4	2.3	4.3	5.0	1.9	*	*	*
Non-Hispanic 4/, both sexes.....	8.5	*	*	0.1	6.4	12.0	16.2	16.9	6.7	2.3	2.5	3.5
Male.....	11.5	*	*	0.2	9.8	17.3	21.0	22.1	8.5	2.6	3.1	4.7
Female.....	5.6	*	*	*	2.9	6.8	11.5	12.0	4.9	2.1	2.0	3.0
Non-Hispanic white 5/, both sexes.....	9.0	*	*	0.1	7.9	14.0	17.6	16.9	6.1	2.1	2.4	3.6
Male.....	12.2	*	*	0.2	12.1	20.1	22.7	21.5	7.3	2.1	3.0	4.9
Female.....	6.1	*	*	*	3.5	7.9	12.4	12.4	5.0	2.2	2.1	2.9
Non-Hispanic black 5/, both sexes.....	7.8	*	*	*	1.8	7.3	14.6	22.2	13.1	4.5	2.9	*
Male.....	11.0	*	*	*	2.4	10.4	19.0	32.7	22.4	8.2	*	*
Female.....	4.9	*	*	*	1.2	4.5	10.8	13.3	5.7	*	*	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</b>												
All origins 3/, both sexes.....	6.3	19.5	1.5	0.6	1.7	2.3	3.1	4.7	5.8	10.2	28.6	95.1
Male.....	7.4	21.1	1.8	0.9	2.8	3.9	4.9	7.4	8.6	13.8	35.9	107.1
Female.....	5.1	17.9	1.2	0.4	0.6	0.7	1.2	2.0	3.1	7.1	23.6	89.6
Hispanic, both sexes.....	2.8	11.0	1.2	0.4	1.7	2.4	2.6	3.8	4.1	6.8	15.1	38.1
Male.....	4.0	11.5	1.5	0.5	2.9	4.1	4.4	6.4	6.4	9.7	18.0	46.1
Female.....	1.5	10.5	*	*	*	*	*	1.3	2.0	4.5	13.0	33.9
Non-Hispanic 4/, both sexes.....	6.8	21.9	1.6	0.7	1.7	2.3	3.1	4.7	5.8	10.4	29.3	97.7
Male.....	8.0	23.8	1.9	1.0	2.8	3.8	5.0	7.5	8.7	14.0	36.9	110.2
Female.....	5.7	19.9	1.3	0.4	0.7	0.8	1.3	2.0	3.2	7.3	24.2	92.0
Non-Hispanic white 5/, both sexes.....	7.2	18.6	1.6	0.7	1.8	2.5	3.2	4.5	5.6	10.0	29.1	100.2
Male.....	8.4	20.1	2.0	1.0	2.9	4.1	5.1	7.1	8.1	13.5	36.3	113.3
Female.....	6.2	17.0	1.2	0.4	0.6	0.8	1.2	1.9	3.2	7.0	24.2	94.2
Non-Hispanic black 5/, both sexes.....	6.2	38.8	1.7	0.7	1.6	2.1	3.4	7.1	8.8	15.8	38.4	87.4
Male.....	7.9	42.6	1.8	0.8	2.4	3.1	5.3	11.7	15.2	21.8	54.4	99.0
Female.....	4.7	34.7	1.6	*	0.7	1.1	1.8	3.2	3.7	11.6	29.4	82.7
<b>Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)</b>												
All origins 3/, both sexes.....	11.0	...	...	0.7	10.0	12.4	14.9	16.5	13.9	12.6	16.9	16.9
Male.....	17.7	...	...	1.0	16.2	19.9	23.1	25.2	22.2	22.7	35.8	45.0
Female.....	4.5	...	...	0.3	3.5	4.7	6.8	8.0	6.1	4.0	4.0	4.0
Hispanic, both sexes.....	5.1	...	...	0.5	7.7	6.8	7.4	6.6	6.0	5.9	8.8	9.0
Male.....	8.3	...	...	0.7	12.1	10.7	11.8	11.0	10.2	10.7	18.7	*
Female.....	1.7	...	...	*	2.7	2.1	2.4	2.2	2.1	*	*	*
Non-Hispanic 4/, both sexes.....	12.0	...	...	0.7	10.5	13.8	16.2	17.5	14.5	13.1	17.3	17.2
Male.....	19.3	...	...	1.1	17.0	22.3	25.0	26.8	23.1	23.6	36.6	45.9
Female.....	4.9	...	...	0.4	3.6	5.3	7.5	8.6	6.4	4.1	4.1	4.1
Non-Hispanic white 5/, both sexes.....	13.6	...	...	0.7	11.4	15.3	18.5	20.0	16.2	14.4	18.7	18.3
Male.....	22.0	...	...	1.1	18.4	24.5	28.3	30.2	25.7	26.0	39.5	49.4
Female.....	5.6	...	...	0.3	3.9	5.9	8.7	9.9	7.2	4.4	4.3	4.0
Non-Hispanic black 5/, both sexes.....	5.2	...	...	0.7	6.8	9.0	7.6	6.3	4.7	4.5	5.4	*
Male.....	8.9	...	...	0.8	11.9	15.5	13.0	10.5	8.0	8.4	12.6	*
Female.....	1.8	...	...	*	1.7	2.9	2.8	2.7	2.1	*	*	*
<b>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</b>												
All origins 3/, both sexes.....	5.7	...	...	0.2	4.7	5.7	6.5	8.2	8.1	9.0	12.6	11.2
Male.....	10.2	...	...	0.3	8.2	9.7	11.0	14.1	14.6	17.6	29.3	33.8
Female.....	1.4	...	...	*	0.9	1.5	2.0	2.4	2.1	1.7	1.3	0.8
Hispanic, both sexes.....	1.9	...	...	*	3.1	2.6	2.6	2.3	2.0	2.5	4.5	*
Male.....	3.4	...	...	*	5.4	4.3	4.4	4.3	4.1	5.2	11.0	*
Female.....	0.3	...	...	*	*	0.6	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	6.4	...	...	0.2	5.0	6.4	7.2	8.8	8.6	9.4	13.1	11.4
Male.....	11.4	...	...	0.4	8.8	11.1	12.2	15.2	15.4	18.5	30.3	34.7
Female.....	1.6	...	...	*	1.0	1.6	2.2	2.7	2.3	1.8	1.4	0.8
Non-Hispanic white 5/, both sexes.....	7.4	...	...	0.3	5.4	7.2	8.3	10.2	9.8	10.6	14.3	12.5
Male.....	13.2	...	...	0.5	9.4	12.3	13.9	17.3	17.4	20.6	32.9	37.9
Female.....	1.8	...	...	*	1.1	2.0	2.7	3.2	2.6	1.9	1.5	0.9
Non-Hispanic black 5/, both sexes.....	2.7	...	...	*	3.9	4.7	3.4	2.8	2.4	3.3	4.0	*
Male.....	5.1	...	...	*	7.2	8.8	6.6	5.4	4.6	6.4	10.4	*
Female.....	0.5	...	...	*	*	0.8	*	*	*	*	*	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)</b>												
All origins 3/, both sexes.....	5.3	...	...	0.5	5.3	6.8	8.4	8.3	5.7	3.6	4.2	5.7
Male.....	7.5	...	...	0.6	8.0	10.2	12.1	11.1	7.6	5.1	6.5	11.2
Female.....	3.1	...	...	0.3	2.6	3.2	4.8	5.5	4.0	2.3	2.7	3.1
Hispanic, both sexes.....	3.2	...	...	0.4	4.6	4.2	4.8	4.3	4.0	3.4	4.3	*
Male.....	4.9	...	...	0.6	6.7	6.5	7.4	6.7	6.1	5.4	7.7	*
Female.....	1.4	...	...	*	2.2	1.5	1.9	1.8	2.0	*	*	*
Non-Hispanic 4/, both sexes.....	5.6	...	...	0.5	5.5	7.4	9.0	8.7	5.8	3.6	4.2	5.8
Male.....	8.0	...	...	0.7	8.2	11.2	12.9	11.6	7.7	5.1	6.3	11.3
Female.....	3.4	...	...	0.3	2.6	3.6	5.2	5.9	4.1	2.4	2.7	3.2
Non-Hispanic white 5/, both sexes.....	6.2	...	...	0.4	6.0	8.1	10.2	9.8	6.4	3.8	4.3	5.7
Male.....	8.8	...	...	0.6	9.0	12.2	14.4	12.8	8.3	5.4	6.6	11.5
Female.....	3.7	...	...	0.2	2.8	4.0	6.0	6.7	4.6	2.5	2.8	3.1
Non-Hispanic black 5/, both sexes.....	2.6	...	...	0.6	2.9	4.3	4.2	3.5	2.3	1.2	*	*
Male.....	3.9	...	...	0.7	4.7	6.7	6.4	5.1	3.4	*	*	*
Female.....	1.4	...	...	*	1.2	2.1	2.2	2.1	1.4	*	*	*
<b>Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)</b>												
All origins 3/, both sexes.....	6.1	7.5	2.3	0.8	13.0	11.8	7.1	4.8	2.8	2.4	2.2	2.1
Male.....	9.8	8.2	2.6	1.0	22.0	19.6	10.6	7.6	4.3	3.3	2.6	2.7
Female.....	2.5	6.6	2.0	0.7	3.4	3.8	3.6	2.2	1.4	1.6	1.9	1.9
Hispanic, both sexes.....	8.2	6.4	2.3	0.8	18.2	13.9	8.1	6.2	3.0	2.7	3.2	*
Male.....	13.6	6.3	2.5	1.0	31.0	22.3	12.7	10.1	4.7	4.4	*	*
Female.....	2.5	6.6	2.0	0.6	3.6	3.7	3.1	2.2	*	*	*	*
Non-Hispanic 4/, both sexes.....	5.7	7.7	2.3	0.9	11.8	11.3	6.9	4.7	2.8	2.3	2.1	2.2
Male.....	9.1	8.8	2.6	1.0	19.9	18.8	10.1	7.2	4.3	3.2	2.4	2.8
Female.....	2.5	6.6	2.0	0.7	3.4	3.8	3.7	2.2	1.4	1.6	1.9	1.9
Non-Hispanic white 5/, both sexes.....	2.7	6.0	1.5	0.5	3.4	4.0	3.7	3.0	2.1	1.8	1.8	1.9
Male.....	3.6	6.9	1.6	0.5	4.7	5.4	4.8	4.3	3.1	2.2	1.9	2.0
Female.....	1.8	5.0	1.4	0.4	2.0	2.6	2.7	1.6	1.2	1.4	1.8	1.9
Non-Hispanic black 5/, both sexes.....	22.8	14.5	5.5	2.3	48.5	47.9	24.8	16.0	8.2	7.2	5.9	*
Male.....	40.9	15.9	6.9	2.9	87.0	89.4	41.9	27.6	14.6	13.0	10.4	*
Female.....	6.3	13.0	4.1	1.7	9.0	9.7	9.5	6.1	3.1	3.1	3.3	*
<b>Assault (homicide) by discharge of firearms (*U01.4,X93-X95)</b>												
All origins 3/, both sexes.....	4.2	*	0.2	0.5	10.7	9.4	4.6	2.6	1.3	1.1	0.7	0.5
Male.....	7.2	*	0.3	0.6	18.9	16.4	7.3	4.1	2.1	1.5	0.8	*
Female.....	1.2	*	*	0.3	2.0	2.2	1.9	1.1	0.6	0.7	0.7	*
Hispanic, both sexes.....	5.7	*	*	0.5	14.5	10.6	5.3	3.3	1.3	1.5	*	*
Male.....	10.0	*	*	0.8	25.5	17.6	8.3	5.5	2.3	*	*	*
Female.....	1.2	*	*	*	1.9	2.1	1.9	1.2	*	*	*	*
Non-Hispanic 4/, both sexes.....	3.9	*	0.2	0.5	9.9	9.1	4.4	2.5	1.3	1.0	0.8	0.5
Male.....	6.7	*	*	0.6	17.4	15.9	7.0	3.9	2.1	1.5	0.8	*
Female.....	1.2	*	*	0.3	2.0	2.2	1.9	1.1	0.6	0.7	0.7	*
Non-Hispanic white 5/, both sexes.....	1.4	*	*	0.2	2.1	2.6	2.2	1.6	1.0	0.8	0.7	*
Male.....	2.1	*	*	0.3	3.2	3.8	3.0	2.3	1.5	1.0	0.7	*
Female.....	0.8	*	*	*	1.0	1.4	1.4	0.9	0.6	0.7	0.7	*
Non-Hispanic black 5/, both sexes.....	17.7	*	*	1.4	43.6	41.8	17.4	8.7	3.6	3.1	*	*
Male.....	33.6	*	*	2.0	80.3	80.3	31.8	15.9	6.9	6.1	*	*
Female.....	3.2	*	*	0.7	6.1	6.4	4.6	2.5	*	*	*	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>Assault (homicide) by other and unspecified means and their sequelae</b> (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)												
All origins 3/, both sexes.....	1.9	7.3	2.1	0.4	2.3	2.4	2.5	2.3	1.5	1.3	1.4	1.7
Male.....	2.6	7.9	2.3	0.4	3.1	3.3	3.3	3.4	2.2	1.8	1.8	2.1
Female.....	1.3	6.6	1.8	0.4	1.5	1.6	1.7	1.1	0.8	0.9	1.2	1.5
Hispanic, both sexes.....	2.5	6.3	2.1	0.3	3.7	3.3	2.8	2.8	1.7	*	*	*
Male.....	3.6	6.1	2.3	*	5.5	4.7	4.4	4.6	2.4	*	*	*
Female.....	1.3	6.6	1.9	*	1.7	1.6	1.2	1.0	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.8	7.6	2.1	0.4	2.0	2.2	2.4	2.2	1.5	1.3	1.4	1.7
Male.....	2.4	8.5	2.3	0.4	2.5	2.9	3.0	3.3	2.2	1.8	1.6	2.2
Female.....	1.3	6.6	1.8	0.4	1.4	1.6	1.8	1.1	0.8	0.9	1.2	1.4
Non-Hispanic white 5/, both sexes.....	1.2	5.9	1.3	0.2	1.3	1.4	1.5	1.4	1.1	0.9	1.1	1.5
Male.....	1.5	6.7	1.4	0.2	1.5	1.7	1.8	2.0	1.6	1.2	1.2	1.6
Female.....	0.9	5.0	1.2	0.3	1.0	1.1	1.2	0.8	0.7	0.7	1.1	1.4
Non-Hispanic black 5/, both sexes.....	5.1	14.1	5.0	0.9	4.9	6.1	7.4	7.3	4.6	4.1	4.4	*
Male.....	7.4	15.2	6.2	0.9	6.7	9.1	10.1	11.7	7.7	6.8	7.0	*
Female.....	3.1	13.0	3.7	0.9	2.9	3.3	4.9	3.6	2.1	2.1	*	*
<b>Legal intervention (Y35,Y89.0)</b>												
All origins 3/, both sexes.....	0.1	*	*	*	0.2	0.3	0.3	0.1	0.1	*	*	*
Male.....	0.3	*	*	*	0.4	0.5	0.5	0.3	0.2	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Hispanic, both sexes.....	0.2	*	*	*	0.4	0.3	0.3	*	*	*	*	*
Male.....	0.4	*	*	*	0.8	0.6	0.6	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic 4/, both sexes.....	0.1	*	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*
Male.....	0.3	*	*	*	0.3	0.5	0.5	0.3	0.2	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic white 5/, both sexes.....	0.1	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*
Male.....	0.2	*	*	*	0.2	0.4	0.4	0.2	0.2	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
Non-Hispanic black 5/, both sexes.....	0.3	*	*	*	0.4	0.7	0.6	*	*	*	*	*
Male.....	0.6	*	*	*	0.8	1.5	1.2	*	*	*	*	*
Female.....	*	*	*	*	*	*	*	*	*	*	*	*
<b>Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)</b>												
All origins 3/, both sexes.....	1.6	2.5	0.4	0.2	1.2	1.8	2.7	3.1	1.4	0.8	0.8	1.5
Male.....	2.0	3.2	0.5	0.2	1.6	2.3	3.2	3.6	1.7	1.1	0.9	1.6
Female.....	1.3	1.8	0.3	0.1	0.6	1.3	2.3	2.6	1.1	0.7	0.7	1.4
Hispanic, both sexes.....	0.8	*	*	*	0.8	0.8	1.2	1.6	*	*	*	*
Male.....	1.0	*	*	*	1.0	1.0	1.6	1.8	*	*	*	*
Female.....	0.5	*	*	*	0.6	*	0.7	1.3	*	*	*	*
Non-Hispanic 4/, both sexes.....	1.7	2.7	0.5	0.2	1.2	2.1	3.0	3.2	1.4	0.9	0.8	1.5
Male.....	2.1	3.6	0.6	0.2	1.8	2.7	3.5	3.8	1.7	1.1	0.9	1.7
Female.....	1.4	1.9	0.4	*	0.6	1.5	2.5	2.7	1.2	0.7	0.7	1.4
Non-Hispanic white 5/, both sexes.....	1.8	2.2	0.4	0.2	1.3	2.4	3.1	3.3	1.4	0.9	0.7	1.5
Male.....	2.1	3.0	0.4	0.2	1.9	2.9	3.5	3.7	1.6	1.0	0.7	1.8
Female.....	1.5	*	*	*	0.7	1.8	2.6	2.9	1.3	0.7	0.7	1.4
Non-Hispanic black 5/, both sexes.....	1.8	4.9	0.9	*	0.9	1.7	3.4	3.8	1.7	*	*	*
Male.....	2.5	*	*	*	1.3	2.4	4.4	5.7	2.9	*	*	*
Female.....	1.2	*	*	*	*	1.0	2.6	2.2	*	*	*	*



Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
--	-------------	-----------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------

Complications of medical and surgical care (Y40-Y84,Y88)

All origins 3/, both sexes.....	0.9	*	*	*	0.1	0.2	0.3	0.7	1.2	2.6	5.8	9.1
Male.....	0.8	*	*	*	*	0.1	0.3	0.6	1.3	2.9	6.3	10.8
Female.....	1.0	*	*	*	*	0.2	0.4	0.7	1.1	2.3	4.5	8.3
Hispanic, both sexes.....	0.4	*	*	*	*	*	*	0.6	*	2.3	4.9	*
Male.....	0.3	*	*	*	*	*	*	*	*	*	*	*
Female.....	0.5	*	*	*	*	*	*	*	*	*	5.6	*
Non-Hispanic 4/, both sexes.....	1.0	*	*	*	0.1	0.2	0.4	0.7	1.2	2.6	5.8	9.2
Male.....	0.9	*	*	*	*	0.1	0.3	0.7	1.3	3.0	6.4	11.2
Female.....	1.0	*	*	*	*	0.2	0.4	0.7	1.1	2.3	5.4	8.4
Non-Hispanic white 5/, both sexes.....	1.0	*	*	*	0.1	0.2	0.3	0.6	1.1	2.3	5.7	9.4
Male.....	1.0	*	*	*	*	0.2	0.3	0.6	1.2	2.8	6.3	11.6
Female.....	1.0	*	*	*	*	0.2	0.4	0.6	1.1	1.9	5.3	8.3
Non-Hispanic black 5/, both sexes.....	1.1	*	*	*	*	*	0.5	1.6	2.5	5.5	9.0	9.3
Male.....	1.0	*	*	*	*	*	*	1.5	3.1	5.0	9.5	*
Female.....	1.3	*	*	*	*	*	0.7	1.6	2.1	5.8	8.7	9.2

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 6/

All origins 3/, both sexes.....	7.3	*	*	*	0.4	1.3	7.5	17.6	19.5	15.1	9.2	4.6
Male.....	11.1	*	*	*	0.6	2.0	10.6	26.7	31.6	25.0	17.0	9.3
Female.....	3.6	*	*	*	0.1	0.7	4.3	8.8	8.4	6.8	3.9	2.5
Hispanic, both sexes.....	6.2	*	*	*	0.6	2.0	8.4	20.0	25.0	25.9	14.4	*
Male.....	10.3	*	*	*	1.1	3.2	13.1	33.7	45.0	49.8	29.7	*
Female.....	1.9	*	*	*	*	0.6	3.1	6.0	6.7	6.6	*	*
Non-Hispanic 4/, both sexes.....	7.4	*	*	*	0.3	1.2	7.3	17.2	19.0	14.2	8.9	4.4
Male.....	11.2	*	*	*	0.5	1.7	10.1	25.7	30.2	23.0	16.2	8.6
Female.....	3.8	*	*	*	*	0.7	4.5	9.0	8.5	6.8	3.9	2.5
Non-Hispanic white 5/, both sexes.....	7.9	*	*	*	0.3	1.1	7.5	17.5	19.0	14.2	8.9	4.4
Male.....	11.8	*	*	*	0.5	1.6	10.5	25.8	30.0	22.5	15.9	8.7
Female.....	4.0	*	*	*	*	0.7	4.5	9.3	8.5	7.0	4.0	2.5
Non-Hispanic black 5/, both sexes.....	6.1	*	*	*	*	0.9	5.8	17.3	22.0	16.7	9.9	5.5
Male.....	9.4	*	*	*	*	1.2	7.8	27.7	37.2	31.0	21.0	*
Female.....	3.1	*	*	*	*	*	3.9	8.4	9.7	6.4	3.7	*

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3,F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 6/

All origins 3/, both sexes.....	11.3	0.9	0.2	0.1	7.4	14.3	21.3	23.6	10.7	4.8	5.4	7.6
Male.....	14.5	*	0.3	0.1	10.7	19.4	26.6	29.4	13.1	5.3	6.7	9.9
Female.....	8.2	*	*	0.1	3.8	8.9	16.0	18.1	8.4	4.3	4.5	6.6
Hispanic, both sexes.....	6.1	*	*	*	3.9	7.4	12.5	15.1	7.8	3.7	4.0	*
Male.....	8.9	*	*	*	5.8	10.8	17.9	22.2	13.0	4.9	*	*
Female.....	3.0	*	*	*	1.9	3.3	6.4	7.9	3.1	2.7	*	*
Non-Hispanic 4/, both sexes.....	12.1	0.9	0.2	0.1	8.0	15.9	22.7	24.4	10.9	4.8	5.5	7.7
Male.....	15.4	*	0.3	0.1	11.7	21.7	28.0	30.0	13.0	5.3	6.8	10.0
Female.....	9.0	*	*	0.2	4.2	10.1	17.4	19.1	8.9	4.4	4.6	6.7
Non-Hispanic white 5/, both sexes.....	13.1	0.9	*	0.1	9.9	18.5	24.6	24.5	10.5	4.9	5.7	8.1
Male.....	16.4	*	*	*	14.5	25.3	30.2	29.1	11.6	5.1	6.9	10.7
Female.....	9.8	*	*	*	5.0	11.7	19.0	20.0	9.4	4.8	4.8	7.0
Non-Hispanic black 5/, both sexes.....	10.8	*	*	*	2.2	9.7	20.5	31.5	17.7	5.2	4.3	*
Male.....	14.7	*	*	*	2.9	13.2	25.7	45.3	29.6	8.9	6.4	*
Female.....	7.2	*	*	*	1.4	6.5	15.9	19.7	8.1	2.5	*	*

Worktable Orig250R. Death rates for 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2005

[Rates per 100,000 population in specified group. Rates based on populations estimated as of July 1, 2005. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), Hispanic origin, race for non-Hispanic population, and sex	All ages 1/	Under 1 year 2/	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 6/												
All origins 3/, both sexes.....	10.4	*	0.4	0.8	16.2	15.7	11.6	11.2	9.8	10.3	13.7	12.0
Male.....	18.3	*	0.5	1.2	28.7	27.2	19.2	18.9	17.4	19.7	30.8	35.4
Female.....	2.7	*	0.3	0.4	3.0	3.8	4.0	3.7	2.8	2.5	2.1	1.3
Hispanic, both sexes.....	8.1	*	*	0.6	18.8	13.8	8.3	6.1	3.4	4.2	5.3	*
Male.....	14.2	*	*	0.9	33.0	22.9	13.4	10.4	6.7	8.1	12.0	*
Female.....	1.6	*	*	*	2.6	2.8	2.5	1.7	*	*	*	*
Non-Hispanic 4/, both sexes.....	10.7	*	0.4	0.9	15.6	16.1	12.1	11.7	10.3	10.8	14.1	12.3
Male.....	18.9	*	0.6	1.3	27.6	28.2	20.2	19.8	18.2	20.5	31.8	36.3
Female.....	2.8	*	*	0.5	3.1	4.0	4.2	3.9	3.0	2.6	2.1	1.3
Non-Hispanic white 5/, both sexes.....	9.2	*	0.3	0.7	8.2	10.3	11.1	12.2	11.3	11.8	15.3	13.3
Male.....	15.9	*	*	1.0	13.9	16.9	17.8	20.3	19.6	22.2	34.2	39.2
Female.....	2.8	*	*	0.3	2.2	3.5	4.3	4.2	3.3	2.7	2.4	1.5
Non-Hispanic black 5/, both sexes.....	21.1	*	1.1	1.7	48.9	47.9	21.6	11.9	6.3	6.6	5.7	*
Male.....	40.0	*	*	2.5	90.1	92.0	40.0	21.9	11.8	13.0	14.3	*
Female.....	3.8	*	*	0.9	6.9	7.3	5.2	3.3	1.8	2.1	*	*

\* Figure does not meet standards of reliability or precision.

0.0 Quantity more than zero but less than 0.05.

... Category not applicable.

1/ Figures for age not stated included in "All ages" but not distributed among age groups.

2/ Death rates for "Under 1 year" (based on population estimates) differ from infant mortality rates (based on live births).

3/ Figures for origin not stated are included in "All origins" but not distributed among specified origins.

4/ Includes races other than white and black.

5/ Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005."

6/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.