

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	6	-	3	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	2	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	6,639	13	9	3	1	2	8	4	7	9	24	41	83
Male.....	2,550	5	6	1	1	2	2	3	5	6	15	27	37
Female.....	4,089	8	3	2	-	-	6	1	2	3	9	14	46
White, both sexes.....	6,165	8	4	2	1	2	7	2	6	5	19	31	57
Male.....	2,353	4	3	1	1	2	2	2	5	3	12	20	25
Female.....	3,812	4	1	1	-	-	5	-	1	2	7	11	32
Black, both sexes.....	379	3	3	1	-	-	-	2	1	3	5	8	24
Male.....	145	-	2	-	-	-	-	1	-	2	3	5	10
Female.....	234	3	1	1	-	-	-	1	1	1	2	3	14
American Indian 1/, both sexes.....	30	1	-	-	-	-	-	-	-	1	-	1	2
Male.....	16	1	-	-	-	-	-	-	-	1	-	1	2
Female.....	14	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	1	2	-	-	-	1	-	-	-	-	1	-
Male.....	36	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	29	1	1	-	-	-	1	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Scarlet fever and erysipelas (A38,A46)													
All races, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)													
All races, both sexes.....	105	11	14	4	3	14	8	6	7	2	4	5	8
Male.....	67	10	10	2	1	9	7	3	6	2	2	2	6
Female.....	38	1	4	2	2	5	1	3	1	-	2	3	2
White, both sexes.....	79	10	13	3	1	10	6	3	4	-	4	2	6
Male.....	50	9	9	1	-	6	5	1	4	-	2	2	4
Female.....	29	1	4	2	1	4	1	2	-	-	2	-	2
Black, both sexes.....	23	1	1	1	2	4	2	3	-	2	-	3	2
Male.....	15	1	1	1	1	3	2	2	-	2	-	-	2
Female.....	8	-	-	-	1	1	-	1	-	-	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Septicemia (A40-A41)													
All races, both sexes.....	34,234	269	88	40	44	50	89	128	163	327	543	899	1,361
Male.....	15,522	143	43	25	27	24	44	64	88	160	292	476	771
Female.....	18,712	126	45	15	17	26	45	64	75	167	251	423	590
White, both sexes.....	27,373	156	59	29	34	37	53	80	106	209	363	591	918
Male.....	12,450	84	29	17	21	17	26	42	57	108	198	329	527
Female.....	14,923	72	30	12	13	20	27	38	49	101	165	262	391
Black, both sexes.....	6,108	102	21	10	10	11	30	41	48	106	167	282	398
Male.....	2,717	54	12	7	6	6	15	18	27	47	87	132	222
Female.....	3,391	48	9	3	4	5	15	23	21	59	80	150	176
American Indian 1/, both sexes.....	207	3	2	-	-	1	2	3	3	5	8	14	23
Male.....	99	1	-	-	-	-	2	-	2	3	5	7	12
Female.....	108	2	2	-	-	1	-	3	3	3	5	7	11
Asian or Pacific Islander 2/, both sexes.....	546	8	6	1	-	1	4	4	6	7	5	12	22
Male.....	256	4	2	1	-	1	1	4	4	3	4	8	10
Female.....	290	4	4	-	-	-	3	-	2	4	1	4	12
Syphilis (A50-A53)													
All races, both sexes.....	38	-	1	-	-	1	-	-	-	4	-	3	1
Male.....	20	-	1	-	-	-	-	-	-	2	-	2	1
Female.....	18	-	-	-	-	1	-	-	-	2	-	1	-
White, both sexes.....	13	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	24	-	1	-	-	-	-	-	-	2	-	3	1
Male.....	15	-	1	-	-	-	-	-	-	-	-	2	1
Female.....	9	-	-	-	-	-	-	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Measles (B05)													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	7,250	1	1	-	-	3	8	19	42	128	406	1,089	1,822
Male.....	4,745	-	-	-	-	2	4	10	29	87	283	763	1,339
Female.....	2,505	1	1	-	-	1	4	9	13	41	123	326	483
White, both sexes.....	5,759	1	1	-	-	2	5	17	30	89	332	914	1,501
Male.....	3,822	-	-	-	-	1	1	9	21	58	233	652	1,118
Female.....	1,937	1	1	-	-	1	4	8	9	31	99	262	383
Black, both sexes.....	1,094	-	-	-	-	-	2	2	8	20	53	135	261
Male.....	694	-	-	-	-	-	2	1	5	11	32	83	176
Female.....	400	-	-	-	-	-	-	1	3	9	21	52	85
American Indian 1/, both sexes.....	102	-	-	-	-	-	-	-	1	8	10	14	27
Male.....	66	-	-	-	-	-	-	-	1	8	8	10	20
Female.....	36	-	-	-	-	-	-	-	-	-	2	4	7
Asian or Pacific Islander 2/, both sexes.....	295	-	-	-	-	1	1	-	3	11	11	26	33
Male.....	163	-	-	-	-	1	1	-	2	10	10	18	25
Female.....	132	-	-	-	-	-	-	-	1	1	1	8	8

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races, both sexes.....	5,897	167	64	30	37	41	46	58	71	96	173	232	330
Male.....	3,028	95	41	18	17	21	23	34	34	60	109	137	206
Female.....	2,869	72	23	12	20	20	23	24	37	36	64	95	124
White, both sexes.....	4,874	89	47	25	29	34	32	40	39	60	118	165	248
Male.....	2,488	54	30	14	13	19	20	23	20	40	71	100	153
Female.....	2,386	35	17	11	16	15	12	17	19	20	47	65	95
Black, both sexes.....	836	67	13	4	7	7	11	13	26	30	45	57	76
Male.....	428	35	9	3	3	2	2	9	11	17	30	31	51
Female.....	408	32	4	1	4	5	9	4	15	13	15	26	25
American Indian 1/, both sexes.....	47	5	-	-	-	-	-	-	3	4	4	3	2
Male.....	29	4	-	-	-	-	-	-	2	3	3	3	1
Female.....	18	1	-	-	-	-	-	-	1	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	140	6	4	1	1	-	3	5	3	2	6	7	4
Male.....	83	2	2	1	1	-	1	2	1	-	5	3	1
Female.....	57	4	2	-	-	-	2	3	2	2	1	4	3
Malignant neoplasms (C00-C97)													
All races, both sexes.....	559,888	76	377	459	448	675	969	1,390	2,266	4,398	9,519	19,174	31,160
Male.....	290,069	39	207	258	249	416	591	742	1,028	1,827	4,152	9,086	16,255
Female.....	269,819	37	170	201	199	259	378	648	1,238	2,571	5,367	10,088	14,905
White, both sexes.....	482,575	64	286	367	353	531	763	1,069	1,730	3,391	7,364	14,996	24,799
Male.....	250,322	33	162	207	194	329	476	593	803	1,454	3,272	7,203	12,960
Female.....	232,253	31	124	160	159	202	287	476	927	1,937	4,092	7,793	11,839
Black, both sexes.....	63,082	9	65	73	72	107	157	238	401	783	1,732	3,488	5,312
Male.....	32,556	3	35	41	42	66	87	109	163	288	692	1,583	2,786
Female.....	30,526	6	30	32	30	41	70	129	238	495	1,040	1,905	2,526
American Indian 1/, both sexes.....	2,447	-	7	4	1	7	9	10	22	28	65	122	186
Male.....	1,217	-	2	3	-	4	6	5	8	8	27	54	97
Female.....	1,230	-	5	1	1	3	3	5	14	20	38	68	89
Asian or Pacific Islander 2/, both sexes.....	11,784	3	19	15	22	30	40	73	113	196	358	568	863
Male.....	5,974	3	8	7	13	17	22	35	54	77	161	246	412
Female.....	5,810	-	11	8	9	13	18	38	59	119	197	322	451

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,720	1	-	-	2	2	12	14	27	75	197	418	710
Male.....	5,266	1	-	-	-	1	6	12	17	49	140	321	560
Female.....	2,454	-	-	-	2	1	6	2	10	26	57	97	150
White, both sexes.....	6,419	1	-	-	2	1	6	12	20	55	142	309	546
Male.....	4,321	1	-	-	-	-	2	10	13	36	101	242	436
Female.....	2,098	-	-	-	2	1	4	2	7	19	41	67	110
Black, both sexes.....	1,015	-	-	-	-	1	6	1	5	13	34	90	132
Male.....	751	-	-	-	-	1	4	1	4	10	23	67	99
Female.....	264	-	-	-	-	-	2	-	1	3	11	23	33
American Indian 1/, both sexes.....	45	-	-	-	-	-	-	-	-	-	3	4	6
Male.....	29	-	-	-	-	-	-	-	-	-	2	2	4
Female.....	16	-	-	-	-	-	-	-	-	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	241	-	-	-	-	-	-	1	2	7	18	15	26
Male.....	165	-	-	-	-	-	-	1	-	3	14	10	21
Female.....	76	-	-	-	-	-	-	-	2	4	4	5	5
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,686	-	-	-	-	-	3	13	16	81	198	532	992
Male.....	10,723	-	-	-	-	-	3	12	13	69	172	457	817
Female.....	2,963	-	-	-	-	-	-	1	3	12	26	75	175
White, both sexes.....	11,959	-	-	-	-	-	1	11	16	73	171	437	798
Male.....	9,476	-	-	-	-	-	1	10	13	62	151	385	671
Female.....	2,483	-	-	-	-	-	-	1	3	11	20	52	127
Black, both sexes.....	1,452	-	-	-	-	-	1	2	-	7	24	84	176
Male.....	1,045	-	-	-	-	-	1	2	-	6	19	63	133
Female.....	407	-	-	-	-	-	-	-	-	1	5	21	43
American Indian 1/, both sexes.....	66	-	-	-	-	-	-	-	-	-	-	4	9
Male.....	45	-	-	-	-	-	-	-	-	-	-	3	6
Female.....	21	-	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	209	-	-	-	-	-	1	-	-	1	3	7	9
Male.....	157	-	-	-	-	-	1	-	-	1	2	6	7
Female.....	52	-	-	-	-	-	-	-	-	-	1	1	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,345	-	-	-	1	3	15	38	86	171	294	480	685
Male.....	6,653	-	-	-	1	1	9	15	43	79	154	288	441
Female.....	4,692	-	-	-	-	2	6	23	43	92	140	192	244
White, both sexes.....	8,582	-	-	-	2	10	29	60	117	188	331	502	502
Male.....	5,102	-	-	-	-	1	6	11	28	59	96	206	329
Female.....	3,480	-	-	-	-	1	4	18	32	58	92	125	173
Black, both sexes.....	1,916	-	-	-	1	-	3	5	15	32	67	101	125
Male.....	1,092	-	-	-	1	-	2	3	10	11	40	62	83
Female.....	824	-	-	-	-	-	1	2	5	21	27	39	42
American Indian 1/, both sexes.....	84	-	-	-	-	-	-	-	2	2	4	9	4
Male.....	58	-	-	-	-	-	-	-	2	2	3	5	1
Female.....	26	-	-	-	-	-	-	-	-	-	1	4	3
Asian or Pacific Islander 2/, both sexes.....	763	-	-	-	-	1	2	4	9	20	35	39	54
Male.....	401	-	-	-	-	-	1	1	3	7	15	15	28
Female.....	362	-	-	-	-	1	1	3	6	13	20	24	26
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	53,549	-	-	-	1	8	34	108	215	426	904	1,737	2,762
Male.....	26,921	-	-	-	1	6	14	55	111	225	472	960	1,514
Female.....	26,628	-	-	-	-	2	20	53	104	201	432	777	1,248
White, both sexes.....	45,245	-	-	-	-	6	28	79	150	323	661	1,323	2,139
Male.....	22,775	-	-	-	-	6	13	39	83	170	350	734	1,182
Female.....	22,470	-	-	-	-	-	15	40	67	153	311	589	957
Black, both sexes.....	6,895	-	-	-	-	1	4	21	50	86	200	356	532
Male.....	3,438	-	-	-	-	-	1	12	22	47	100	195	287
Female.....	3,457	-	-	-	-	1	3	9	28	39	100	161	245
American Indian 1/, both sexes.....	230	-	-	-	-	-	1	-	3	2	1	15	17
Male.....	124	-	-	-	-	-	-	-	-	1	-	9	10
Female.....	106	-	-	-	-	-	1	-	3	1	1	6	7
Asian or Pacific Islander 2/, both sexes.....	1,179	-	-	-	1	1	1	8	12	15	42	43	74
Male.....	584	-	-	-	1	-	-	4	6	7	22	22	35
Female.....	595	-	-	-	-	1	1	4	6	8	20	21	39

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	16,525	2	15	7	9	12	19	31	56	103	258	733	1,673
Male.....	10,759	2	10	5	4	4	10	23	31	68	183	558	1,332
Female.....	5,766	-	5	2	5	8	9	8	25	35	75	175	341
White, both sexes.....	13,103	1	12	5	9	11	17	17	34	54	170	502	1,225
Male.....	8,419	1	8	4	4	4	9	10	14	33	110	385	976
Female.....	4,684	-	4	1	5	7	8	7	20	21	60	117	249
Black, both sexes.....	2,187	-	2	2	-	1	1	7	13	23	50	151	338
Male.....	1,515	-	1	1	-	-	1	6	10	16	40	105	264
Female.....	672	-	1	1	-	1	-	1	3	7	10	46	74
American Indian 1/, both sexes.....	134	-	-	-	-	-	-	-	1	1	1	9	15
Male.....	88	-	-	-	-	-	-	-	-	-	1	9	12
Female.....	46	-	-	-	-	-	-	-	1	1	-	-	3
Asian or Pacific Islander 2/, both sexes.....	1,101	1	1	-	-	-	1	7	8	25	37	71	95
Male.....	737	1	1	-	-	-	-	7	7	19	32	59	80
Female.....	364	-	-	-	-	-	1	-	1	6	5	12	15
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	33,454	-	2	1	-	2	3	16	33	123	383	992	1,738
Male.....	16,559	-	1	-	-	2	1	5	16	88	220	584	1,077
Female.....	16,895	-	1	1	-	-	2	11	17	35	163	408	661
White, both sexes.....	28,677	-	-	1	-	2	3	12	26	96	296	777	1,393
Male.....	14,374	-	-	-	-	2	1	4	14	69	175	472	870
Female.....	14,303	-	-	1	-	-	2	8	12	27	121	305	523
Black, both sexes.....	3,868	-	1	-	-	-	-	4	4	22	67	175	299
Male.....	1,768	-	-	-	-	-	-	1	1	15	37	87	182
Female.....	2,100	-	1	-	-	-	-	3	3	7	30	88	117
American Indian 1/, both sexes.....	138	-	-	-	-	-	-	-	-	-	5	5	3
Male.....	55	-	-	-	-	-	-	-	-	-	3	2	3
Female.....	83	-	-	-	-	-	-	-	-	-	2	3	-
Asian or Pacific Islander 2/, both sexes.....	771	-	1	-	-	-	-	-	3	5	15	35	43
Male.....	362	-	1	-	-	-	-	-	1	4	5	23	22
Female.....	409	-	-	-	-	-	-	-	2	1	10	12	21

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,821	-	-	-	-	-	-	-	2	1	57	169	282
Male.....	2,991	-	-	-	-	-	-	-	1	1	39	133	231
Female.....	830	-	-	-	-	-	-	-	1	-	18	36	51
White, both sexes.....	3,123	-	-	-	-	-	-	-	1	-	40	124	205
Male.....	2,420	-	-	-	-	-	-	-	-	-	26	95	165
Female.....	703	-	-	-	-	-	-	-	1	-	14	29	40
Black, both sexes.....	635	-	-	-	-	-	-	-	1	1	15	44	67
Male.....	515	-	-	-	-	-	-	-	1	1	11	37	56
Female.....	120	-	-	-	-	-	-	-	-	-	4	7	11
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	-	1	1	4
Male.....	15	-	-	-	-	-	-	-	-	-	1	1	4
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	-	-	-	-	-	-	-	-	-	1	-	6
Male.....	41	-	-	-	-	-	-	-	-	-	1	-	6
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	158,664	1	1	1	1	11	16	43	112	426	1,597	4,544	8,064
Male.....	89,279	1	1	1	-	4	6	26	59	216	818	2,432	4,764
Female.....	69,385	-	-	-	1	7	10	17	53	210	779	2,112	3,300
White, both sexes.....	138,814	-	1	-	-	7	11	29	83	331	1,262	3,572	6,363
Male.....	77,476	-	1	-	-	2	4	16	45	169	647	1,899	3,726
Female.....	61,338	-	-	-	-	5	7	13	38	162	615	1,673	2,637
Black, both sexes.....	16,493	1	-	1	-	3	5	10	22	73	274	853	1,481
Male.....	9,823	1	-	1	-	2	2	8	11	37	139	472	893
Female.....	6,670	-	-	-	-	1	3	2	11	36	135	381	588
American Indian 1/, both sexes.....	635	-	-	-	-	1	-	-	-	-	10	24	39
Male.....	339	-	-	-	-	-	-	-	-	-	5	10	27
Female.....	296	-	-	-	-	1	-	-	-	-	5	14	12
Asian or Pacific Islander 2/, both sexes.....	2,722	-	-	-	1	-	-	4	7	22	51	95	181
Male.....	1,641	-	-	-	-	-	-	2	3	10	27	51	118
Female.....	1,081	-	-	-	1	-	-	2	4	12	24	44	63

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant melanoma of skin (C43)													
All races, both sexes.....	8,441	-	2	-	2	11	36	56	131	191	314	510	658
Male.....	5,477	-	2	-	1	7	21	37	74	124	184	311	434
Female.....	2,964	-	-	-	1	4	15	19	57	67	130	199	224
White, both sexes.....	8,250	-	2	-	-	10	35	54	129	185	301	506	642
Male.....	5,381	-	2	-	-	7	20	36	72	121	179	309	426
Female.....	2,869	-	-	-	-	3	15	18	57	64	122	197	216
Black, both sexes.....	126	-	-	-	1	-	1	1	2	4	7	3	9
Male.....	66	-	-	-	1	-	1	-	2	2	3	1	6
Female.....	60	-	-	-	-	-	-	1	-	2	4	2	3
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	1	2	-	2
Male.....	12	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	2	-	2
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	1	1	-	1	-	1	4	1	5
Male.....	18	-	-	-	-	-	-	1	-	-	2	1	2
Female.....	26	-	-	-	1	1	-	-	-	1	2	-	3
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,210	-	1	-	-	1	12	74	294	795	1,557	2,641	3,474
Male.....	389	-	-	-	-	-	1	-	3	1	5	17	26
Female.....	40,821	-	1	-	-	1	11	74	291	794	1,552	2,624	3,448
White, both sexes.....	34,464	-	1	-	-	1	5	46	199	550	1,142	1,941	2,675
Male.....	327	-	-	-	-	-	-	-	3	-	4	12	16
Female.....	34,137	-	1	-	-	1	5	46	196	550	1,138	1,929	2,659
Black, both sexes.....	5,752	-	-	-	-	-	6	23	85	211	365	602	657
Male.....	58	-	-	-	-	-	1	-	-	1	1	5	10
Female.....	5,694	-	-	-	-	-	5	23	85	210	364	597	647
American Indian 1/, both sexes.....	160	-	-	-	-	-	-	1	2	9	8	17	17
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	160	-	-	-	-	-	-	1	2	9	8	17	17
Asian or Pacific Islander 2/, both sexes.....	834	-	-	-	-	-	1	4	8	25	42	81	125
Male.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	830	-	-	-	-	-	1	4	8	25	42	81	125

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,976	-	-	-	1	-	8	48	133	248	379	469	494
Male.....
Female.....	3,976	-	-	-	1	-	8	48	133	248	379	469	494
White, both sexes.....	3,014	-	-	-	1	-	5	37	89	196	270	359	377
Male.....
Female.....	3,014	-	-	-	1	-	5	37	89	196	270	359	377
Black, both sexes.....	784	-	-	-	-	-	3	11	31	44	93	89	95
Male.....
Female.....	784	-	-	-	-	-	3	11	31	44	93	89	95
American Indian 1/, both sexes.....	26	-	-	-	-	-	-	-	3	1	2	3	3
Male.....
Female.....	26	-	-	-	-	-	-	-	3	1	2	3	3
Asian or Pacific Islander 2/, both sexes.....	152	-	-	-	-	-	-	-	10	7	14	18	19
Male.....
Female.....	152	-	-	-	-	-	-	-	10	7	14	18	19
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	7,384	1	-	-	-	-	2	8	19	46	99	220	379
Male.....
Female.....	7,384	1	-	-	-	-	2	8	19	46	99	220	379
White, both sexes.....	5,954	1	-	-	-	-	-	5	15	39	79	166	308
Male.....
Female.....	5,954	1	-	-	-	-	-	5	15	39	79	166	308
Black, both sexes.....	1,240	-	-	-	-	-	1	3	4	4	15	40	49
Male.....
Female.....	1,240	-	-	-	-	-	1	3	4	4	15	40	49
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	-	-	1	1	2	3
Male.....
Female.....	30	-	-	-	-	-	-	-	-	1	1	2	3
Asian or Pacific Islander 2/, both sexes.....	160	-	-	-	-	-	1	-	-	2	4	12	19
Male.....
Female.....	160	-	-	-	-	-	1	-	-	2	4	12	19

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races, both sexes.....	12,379	2	11	23	7	11	9	19	40	77	190	454	762
Male.....	7,699	2	4	14	4	5	6	12	25	48	140	316	542
Female.....	4,680	-	7	9	3	6	3	7	15	29	50	138	220
White, both sexes.....	10,961	2	10	19	3	7	4	7	24	56	145	377	627
Male.....	6,811	2	4	11	-	3	2	3	11	32	109	260	456
Female.....	4,150	-	6	8	3	4	2	4	13	24	36	117	171
Black, both sexes.....	1,138	-	-	4	4	4	4	10	14	17	38	69	116
Male.....	714	-	-	3	4	2	3	8	12	13	29	50	74
Female.....	424	-	-	1	-	2	1	2	2	4	9	19	42
American Indian 1/, both sexes.....	79	-	1	-	-	-	-	-	-	2	2	1	7
Male.....	52	-	-	-	-	-	-	-	-	2	1	-	4
Female.....	27	-	1	-	-	-	-	-	-	-	1	1	3
Asian or Pacific Islander 2/, both sexes.....	201	-	-	-	-	-	1	2	2	2	5	7	12
Male.....	122	-	-	-	-	-	1	1	2	1	1	6	8
Female.....	79	-	-	-	-	-	-	1	-	1	4	1	4
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	13,474	-	-	-	-	-	1	4	14	33	71	180	348
Male.....	9,412	-	-	-	-	-	1	2	9	16	53	124	263
Female.....	4,062	-	-	-	-	-	-	2	5	17	18	56	85
White, both sexes.....	12,286	-	-	-	-	-	1	2	11	26	56	155	303
Male.....	8,735	-	-	-	-	-	1	1	7	13	43	110	230
Female.....	3,551	-	-	-	-	-	-	1	4	13	13	45	73
Black, both sexes.....	1,007	-	-	-	-	-	-	1	3	6	11	24	40
Male.....	558	-	-	-	-	-	-	-	2	3	8	14	30
Female.....	449	-	-	-	-	-	-	1	1	3	3	10	10
American Indian 1/, both sexes.....	37	-	-	-	-	-	-	1	-	1	2	1	1
Male.....	26	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	144	-	-	-	-	-	-	-	-	-	2	-	4
Male.....	93	-	-	-	-	-	-	-	-	-	1	-	3
Female.....	51	-	-	-	-	-	-	-	-	-	1	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,886	16	101	176	129	102	104	158	219	335	528	792	1,159
Male.....	7,198	5	56	95	71	60	58	92	123	206	329	479	682
Female.....	5,688	11	45	81	58	42	46	66	96	129	199	313	477
White, both sexes.....	11,850	13	77	142	104	79	85	134	193	296	474	725	1,063
Male.....	6,650	5	47	81	59	46	47	84	108	184	301	441	627
Female.....	5,200	8	30	61	45	33	38	50	85	112	173	284	436
Black, both sexes.....	765	3	18	28	19	14	15	13	12	28	38	55	75
Male.....	409	-	7	12	8	10	10	6	7	18	21	32	43
Female.....	356	3	11	16	11	4	5	7	5	10	17	23	32
American Indian 1/, both sexes.....	40	-	3	1	1	-	1	2	2	1	3	2	1
Male.....	21	-	1	1	-	-	1	-	1	-	2	1	1
Female.....	19	-	2	-	1	-	-	2	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	231	-	3	5	5	9	3	9	12	10	13	10	20
Male.....	118	-	1	1	4	4	-	2	7	4	5	5	11
Female.....	113	-	2	4	1	5	3	7	5	6	8	5	9
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	55,045	32	132	115	183	270	392	398	430	583	953	1,438	2,258
Male.....	30,007	18	71	67	110	180	255	242	258	330	576	833	1,401
Female.....	25,038	14	61	48	73	90	137	156	172	253	377	605	857
White, both sexes.....	48,549	26	108	93	143	217	306	322	325	445	746	1,105	1,848
Male.....	26,521	14	57	51	86	145	203	202	195	254	448	648	1,151
Female.....	22,028	12	51	42	57	72	103	120	130	191	298	457	697
Black, both sexes.....	5,267	4	17	17	31	43	64	57	78	113	174	281	346
Male.....	2,813	2	10	13	19	27	38	30	45	64	109	160	208
Female.....	2,454	2	7	4	12	16	26	27	33	49	65	121	138
American Indian 1/, both sexes.....	194	-	1	-	-	2	5	2	4	3	9	5	19
Male.....	105	-	1	-	-	2	3	2	1	1	4	4	13
Female.....	89	-	-	-	-	-	2	-	3	2	5	1	6
Asian or Pacific Islander 2/, both sexes.....	1,035	2	6	5	9	8	17	17	23	22	24	47	45
Male.....	568	2	3	3	5	6	11	8	17	11	15	21	29
Female.....	467	-	3	2	4	2	6	9	6	11	9	26	16

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hodgkin's disease (C81)													
All races, both sexes.....	1,327	-	-	-	5	18	47	71	65	71	83	66	82
Male.....	770	-	-	-	3	13	29	41	42	41	62	39	58
Female.....	557	-	-	-	2	5	18	30	23	30	21	27	24
White, both sexes.....	1,160	-	-	-	5	14	38	57	50	63	68	48	75
Male.....	666	-	-	-	3	11	25	31	32	36	51	29	52
Female.....	494	-	-	-	2	3	13	26	18	27	17	19	23
Black, both sexes.....	137	-	-	-	-	2	6	9	14	8	13	17	7
Male.....	82	-	-	-	-	1	3	6	9	5	9	9	6
Female.....	55	-	-	-	-	1	3	3	5	3	4	8	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	1	1	-	-	2	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	2	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	2	2	4	1	-	-	1	-
Male.....	18	-	-	-	-	1	1	3	1	-	-	1	-
Female.....	6	-	-	-	-	1	1	1	-	-	-	-	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	20,594	1	7	11	25	45	86	103	116	180	335	563	854
Male.....	10,933	1	6	10	18	35	59	64	70	104	216	353	565
Female.....	9,661	-	1	1	7	10	27	39	46	76	119	210	289
White, both sexes.....	18,636	1	5	11	17	33	61	77	85	122	249	429	719
Male.....	9,871	1	4	10	13	26	44	48	53	73	162	268	473
Female.....	8,765	-	1	1	4	7	17	29	32	49	87	161	246
Black, both sexes.....	1,475	-	2	-	6	11	18	22	24	50	70	117	112
Male.....	801	-	2	-	4	9	9	14	12	28	46	77	76
Female.....	674	-	-	-	2	2	9	8	12	22	24	40	36
American Indian 1/, both sexes.....	68	-	-	-	-	-	-	-	1	1	4	1	6
Male.....	31	-	-	-	-	-	-	-	-	-	-	1	4
Female.....	37	-	-	-	-	-	-	-	1	1	4	-	2
Asian or Pacific Islander 2/, both sexes.....	415	-	-	-	2	1	7	4	6	7	12	16	17
Male.....	230	-	-	-	1	-	6	2	5	3	8	7	12
Female.....	185	-	-	-	1	1	1	2	1	4	4	9	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Leukemia (C91-C95)													
All races, both sexes.....	21,944	31	124	104	152	207	258	222	238	303	412	565	833
Male.....	12,385	17	64	57	89	132	166	136	138	168	225	305	491
Female.....	9,559	14	60	47	63	75	92	86	100	135	187	260	342
White, both sexes.....	19,654	25	102	82	121	170	207	186	184	244	336	471	711
Male.....	11,110	13	52	41	70	108	134	122	106	136	177	259	417
Female.....	8,544	12	50	41	51	62	73	64	78	108	159	212	294
Black, both sexes.....	1,804	4	15	17	24	30	39	26	36	42	63	73	97
Male.....	999	2	8	13	15	17	25	10	20	23	41	34	56
Female.....	805	2	7	4	9	13	14	16	16	19	22	39	41
American Indian 1/, both sexes.....	71	-	1	-	-	2	4	1	3	2	2	3	7
Male.....	45	-	1	-	-	2	3	1	1	1	1	3	6
Female.....	26	-	-	-	-	-	1	-	2	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	415	2	6	5	7	5	8	9	15	15	11	18	18
Male.....	231	2	3	3	4	5	4	3	11	8	6	9	12
Female.....	184	-	3	2	3	-	4	6	4	7	5	9	6
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,111	-	-	-	-	-	1	2	10	28	122	244	487
Male.....	5,882	-	-	-	-	-	1	1	7	17	72	136	286
Female.....	5,229	-	-	-	-	-	-	1	3	11	50	108	201
White, both sexes.....	9,038	-	-	-	-	-	-	2	6	15	93	157	342
Male.....	4,843	-	-	-	-	-	-	1	4	9	58	92	209
Female.....	4,195	-	-	-	-	-	-	1	2	6	35	65	133
Black, both sexes.....	1,844	-	-	-	-	-	1	-	3	13	27	74	129
Male.....	926	-	-	-	-	-	1	-	3	8	12	40	69
Female.....	918	-	-	-	-	-	-	-	-	5	15	34	60
American Indian 1/, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	1	6
Male.....	25	-	-	-	-	-	-	-	-	-	1	-	3
Female.....	24	-	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	180	-	-	-	-	-	-	-	1	-	1	12	10
Male.....	88	-	-	-	-	-	-	-	-	-	1	4	5
Female.....	92	-	-	-	-	-	-	-	1	-	-	8	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	69	-	1	-	1	-	-	-	1	1	1	-	2
Male.....	37	-	1	-	-	-	-	-	1	-	1	-	1
Female.....	32	-	-	-	1	-	-	-	-	1	-	-	1
White, both sexes.....	61	-	1	-	-	-	-	-	-	1	-	-	1
Male.....	31	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	30	-	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	7	-	-	-	1	-	-	-	1	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	63,100	20	111	136	108	236	285	333	384	565	1,218	2,143	3,373
Male.....	32,364	10	62	76	56	146	199	206	243	304	630	1,180	1,859
Female.....	30,736	10	49	60	52	90	86	127	141	261	588	963	1,514
White, both sexes.....	54,834	19	75	107	87	184	230	252	307	447	961	1,691	2,682
Male.....	28,332	10	43	60	44	113	167	166	196	250	507	939	1,477
Female.....	26,502	9	32	47	43	71	63	86	111	197	454	752	1,205
Black, both sexes.....	6,659	1	26	21	16	38	42	63	57	87	211	369	581
Male.....	3,293	-	17	11	9	24	22	30	35	43	101	207	328
Female.....	3,366	1	9	10	7	14	20	33	22	44	110	162	253
American Indian 1/, both sexes.....	344	-	2	3	-	4	2	4	5	4	10	16	27
Male.....	144	-	-	2	-	2	2	2	4	1	4	7	12
Female.....	200	-	2	1	-	2	-	2	1	3	6	9	15
Asian or Pacific Islander 2/, both sexes.....	1,263	-	8	5	5	10	11	14	15	27	36	67	83
Male.....	595	-	2	3	3	7	8	8	8	10	18	27	42
Female.....	668	-	6	2	2	3	3	6	7	17	18	40	41

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	14,122	65	60	38	38	55	45	70	73	125	191	339	455
Male.....	6,984	33	24	24	17	26	25	31	36	70	97	177	255
Female.....	7,138	32	36	14	21	29	20	39	37	55	94	162	200
White, both sexes.....	12,553	50	51	31	28	36	34	52	55	94	139	262	379
Male.....	6,254	26	19	19	14	19	20	23	29	55	75	141	223
Female.....	6,299	24	32	12	14	17	14	29	26	39	64	121	156
Black, both sexes.....	1,232	13	9	6	9	16	9	14	17	24	40	65	64
Male.....	567	6	5	4	3	7	4	6	7	10	15	30	26
Female.....	665	7	4	2	6	9	5	8	10	14	25	35	38
American Indian 1/, both sexes.....	65	1	-	-	1	3	-	-	-	2	4	3	1
Male.....	31	-	-	-	-	-	-	-	-	-	4	2	1
Female.....	34	1	-	-	1	3	-	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	272	1	-	1	-	-	2	4	1	5	8	9	11
Male.....	132	1	-	1	-	-	1	2	-	5	3	4	5
Female.....	140	-	-	-	-	-	1	2	1	-	5	5	6
Anemias (D50-D64)													
All races, both sexes.....	3,996	11	26	16	18	35	58	74	67	83	109	123	109
Male.....	1,592	5	15	9	7	20	35	40	31	35	54	51	48
Female.....	2,404	6	11	7	11	15	23	34	36	48	55	72	61
White, both sexes.....	2,989	3	13	6	7	12	13	12	11	21	22	48	47
Male.....	1,163	2	5	3	3	8	8	7	6	9	13	19	24
Female.....	1,826	1	8	3	4	4	5	5	5	12	9	29	23
Black, both sexes.....	917	3	12	9	11	22	42	57	55	60	86	73	58
Male.....	388	-	9	5	4	12	25	30	25	25	40	32	23
Female.....	529	3	3	4	7	10	17	27	30	35	46	41	35
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	1	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	76	5	1	1	-	1	3	4	1	2	1	2	2
Male.....	36	3	1	1	-	-	2	3	-	1	1	-	1
Female.....	40	2	-	-	-	1	1	1	1	1	-	2	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alzheimer's disease (G30)													
All races, both sexes.....	72,432	-	-	-	-	-	-	-	1	1	11	31	73
Male.....	21,151	-	-	-	-	-	-	-	-	-	8	16	37
Female.....	51,281	-	-	-	-	-	-	-	1	1	3	15	36
White, both sexes.....	67,088	-	-	-	-	-	-	-	1	1	8	30	64
Male.....	19,654	-	-	-	-	-	-	-	-	-	7	16	34
Female.....	47,434	-	-	-	-	-	-	-	1	1	1	14	30
Black, both sexes.....	4,455	-	-	-	-	-	-	-	-	-	3	1	8
Male.....	1,190	-	-	-	-	-	-	-	-	-	1	-	3
Female.....	3,265	-	-	-	-	-	-	-	-	-	2	1	5
American Indian 1/, both sexes.....	169	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	62	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	107	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	720	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	245	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	475	-	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	823,746	508	218	139	224	464	912	1,490	2,609	4,958	10,462	18,970	28,067
Male.....	394,840	283	115	78	129	289	593	1,009	1,756	3,350	7,020	13,012	19,621
Female.....	428,906	225	103	61	95	175	319	481	853	1,608	3,442	5,958	8,446
White, both sexes.....	707,419	314	151	95	154	321	634	967	1,675	3,304	7,460	13,709	20,518
Male.....	337,670	172	76	57	99	207	429	669	1,171	2,298	5,233	9,746	14,823
Female.....	369,749	142	75	38	55	114	205	298	504	1,006	2,227	3,963	5,695
Black, both sexes.....	97,389	170	57	33	57	132	241	462	825	1,468	2,641	4,675	6,749
Male.....	47,276	98	35	14	28	76	141	296	506	917	1,532	2,846	4,247
Female.....	50,113	72	22	19	29	56	100	166	319	551	1,109	1,829	2,502
American Indian 1/, both sexes.....	3,496	9	2	3	2	5	14	11	29	48	130	180	224
Male.....	1,855	4	2	2	-	1	6	7	19	36	93	128	161
Female.....	1,641	5	-	1	2	4	8	4	10	12	37	52	63
Asian or Pacific Islander 2/, both sexes.....	15,442	15	8	8	11	6	23	50	80	138	231	406	576
Male.....	8,039	9	2	5	2	5	17	37	60	99	162	292	390
Female.....	7,403	6	6	3	9	1	6	13	20	39	69	114	186

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	631,636	346	161	90	163	360	716	1,210	2,097	3,950	8,389	15,367	22,728
Male.....	315,706	187	89	49	91	236	475	833	1,465	2,758	5,867	10,974	16,459
Female.....	315,930	159	72	41	72	124	241	377	632	1,192	2,522	4,393	6,269
White, both sexes.....	545,974	210	110	62	108	238	492	782	1,361	2,688	6,191	11,376	17,086
Male.....	272,117	114	60	35	64	164	341	552	985	1,938	4,499	8,386	12,772
Female.....	273,857	96	50	27	44	74	151	230	376	750	1,692	2,990	4,314
Black, both sexes.....	72,253	116	44	21	46	112	196	379	654	1,136	1,942	3,557	5,055
Male.....	36,230	62	27	9	26	66	117	245	418	721	1,171	2,258	3,253
Female.....	36,023	54	17	12	20	46	79	134	236	415	771	1,299	1,802
American Indian 1/, both sexes.....	2,736	7	-	1	2	4	10	11	24	42	99	144	188
Male.....	1,532	3	-	1	-	1	4	7	16	33	71	106	136
Female.....	1,204	4	-	-	2	3	6	4	8	9	28	38	52
Asian or Pacific Islander 2/, both sexes.....	10,673	13	7	6	7	6	18	38	58	84	157	290	399
Male.....	5,827	8	2	4	1	5	13	29	46	66	126	224	298
Female.....	4,846	5	5	2	6	1	5	9	12	18	31	66	101
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,257	3	-	1	6	3	4	9	22	21	45	84	92
Male.....	1,008	2	-	1	1	2	3	4	13	11	17	41	40
Female.....	2,249	1	-	-	5	1	1	5	9	10	28	43	52
White, both sexes.....	2,903	3	-	-	2	1	2	7	13	13	29	61	63
Male.....	887	2	-	-	-	1	2	3	8	8	14	32	27
Female.....	2,016	1	-	-	2	-	-	4	5	5	15	29	36
Black, both sexes.....	249	-	-	-	3	2	-	1	6	7	13	22	17
Male.....	87	-	-	-	1	1	-	1	3	3	3	9	7
Female.....	162	-	-	-	2	1	-	-	3	4	10	13	10
American Indian 1/, both sexes.....	20	-	-	1	-	-	2	-	-	-	-	-	3
Male.....	6	-	-	1	-	-	1	-	-	-	-	-	2
Female.....	14	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	1	-	-	1	3	1	3	1	9
Male.....	28	-	-	-	-	-	-	-	2	-	-	-	4
Female.....	57	-	-	-	1	-	-	1	1	1	3	1	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hypertensive heart disease (I11)													
All races, both sexes.....	29,788	1	-	1	1	7	45	104	184	456	902	1,542	2,044
Male.....	13,677	1	-	-	1	4	38	78	133	337	588	1,100	1,386
Female.....	16,111	-	-	1	-	3	7	26	51	119	314	442	658
White, both sexes.....	22,220	-	-	-	-	4	30	48	92	270	544	938	1,245
Male.....	9,755	-	-	-	-	3	25	36	72	213	387	709	909
Female.....	12,465	-	-	-	-	1	5	12	20	57	157	229	336
Black, both sexes.....	6,845	1	-	1	1	2	15	51	88	177	330	574	741
Male.....	3,559	1	-	-	1	1	13	38	58	118	176	367	441
Female.....	3,286	-	-	1	-	1	2	13	30	59	154	207	300
American Indian 1/, both sexes.....	133	-	-	-	-	-	-	1	3	3	12	13	20
Male.....	80	-	-	-	-	-	-	-	2	3	11	9	11
Female.....	53	-	-	-	-	-	-	1	1	-	1	4	9
Asian or Pacific Islander 2/, both sexes.....	590	-	-	-	-	1	-	4	1	6	16	17	38
Male.....	283	-	-	-	-	-	-	4	1	3	14	15	25
Female.....	307	-	-	-	-	1	-	-	-	3	2	2	13
Hypertensive heart and renal disease (I13)													
All races, both sexes.....	2,918	-	-	-	-	1	5	8	23	35	46	75	104
Male.....	1,290	-	-	-	-	-	3	5	19	23	34	38	63
Female.....	1,628	-	-	-	-	1	2	3	4	12	12	37	41
White, both sexes.....	1,985	-	-	-	-	-	-	3	10	13	14	27	36
Male.....	836	-	-	-	-	-	-	2	9	10	12	13	22
Female.....	1,149	-	-	-	-	-	-	1	1	3	2	14	14
Black, both sexes.....	824	-	-	-	-	1	3	4	12	21	30	47	63
Male.....	404	-	-	-	-	-	2	2	9	12	21	25	38
Female.....	420	-	-	-	-	1	1	2	3	9	9	22	25
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	1	-	1	1	1
Male.....	8	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	92	-	-	-	-	-	2	1	-	1	1	-	4
Male.....	42	-	-	-	-	-	1	1	-	1	1	-	3
Female.....	50	-	-	-	-	-	1	-	-	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	425,425	22	7	3	10	38	100	286	768	1,872	4,827	9,627	15,363
Male.....	224,510	15	5	2	5	30	76	224	605	1,410	3,665	7,249	11,723
Female.....	200,915	7	2	1	5	8	24	62	163	462	1,162	2,378	3,640
White, both sexes.....	371,445	15	5	3	7	29	77	207	563	1,399	3,810	7,501	12,109
Male.....	196,396	12	3	2	5	26	60	168	452	1,083	2,982	5,809	9,485
Female.....	175,049	3	2	1	2	3	17	39	111	316	828	1,692	2,624
Black, both sexes.....	44,530	6	2	-	2	9	23	68	166	411	867	1,831	2,873
Male.....	22,713	2	2	-	-	4	16	47	119	272	561	1,204	1,936
Female.....	21,817	4	-	-	2	5	7	21	47	139	306	627	937
American Indian 1/, both sexes.....	1,880	-	-	-	-	-	-	3	11	12	55	88	123
Male.....	1,082	-	-	-	-	-	-	2	9	11	38	68	96
Female.....	798	-	-	-	-	-	-	1	2	1	17	20	27
Asian or Pacific Islander 2/, both sexes.....	7,570	1	-	-	1	-	-	8	28	50	95	207	258
Male.....	4,319	1	-	-	-	-	-	7	25	44	84	168	206
Female.....	3,251	-	-	-	1	-	-	1	3	6	11	39	52
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	141,462	11	5	1	5	20	40	124	298	757	1,919	3,761	5,985
Male.....	76,089	8	4	1	2	15	27	90	225	558	1,453	2,787	4,491
Female.....	65,373	3	1	-	3	5	13	34	73	199	466	974	1,494
White, both sexes.....	123,549	10	3	1	3	16	33	92	224	595	1,545	3,014	4,865
Male.....	66,946	8	2	1	2	14	24	67	173	453	1,198	2,299	3,750
Female.....	56,603	2	1	-	1	2	9	25	51	142	347	715	1,115
Black, both sexes.....	14,776	1	2	-	2	4	7	29	63	146	325	652	987
Male.....	7,392	-	2	-	-	1	3	21	43	91	217	414	641
Female.....	7,384	1	-	-	2	3	4	8	20	55	108	238	346
American Indian 1/, both sexes.....	665	-	-	-	-	-	-	3	4	3	23	31	50
Male.....	371	-	-	-	-	-	-	2	3	2	15	24	41
Female.....	294	-	-	-	-	-	-	1	1	1	8	7	9
Asian or Pacific Islander 2/, both sexes.....	2,472	-	-	-	-	-	-	-	7	13	26	64	83
Male.....	1,380	-	-	-	-	-	-	-	6	12	23	50	59
Female.....	1,092	-	-	-	-	-	-	-	1	1	3	14	24

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,932	2	1	-	-	4	3	6	15	31	61	129	225
Male.....	2,016	1	-	-	-	4	2	5	12	14	40	90	164
Female.....	1,916	1	1	-	-	-	1	1	3	17	21	39	61
White, both sexes.....	3,289	2	1	-	-	3	2	6	9	16	44	88	162
Male.....	1,664	1	-	-	-	3	1	5	8	6	30	65	123
Female.....	1,625	1	1	-	-	-	1	1	1	10	14	23	39
Black, both sexes.....	534	-	-	-	-	1	1	-	6	14	14	32	54
Male.....	291	-	-	-	-	1	1	-	4	7	8	19	35
Female.....	243	-	-	-	-	-	-	-	2	7	6	13	19
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	-	-	-	3	5	6
Male.....	29	-	-	-	-	-	-	-	-	-	2	3	3
Female.....	23	-	-	-	-	-	-	-	-	-	1	2	3
Asian or Pacific Islander 2/, both sexes.....	57	-	-	-	-	-	-	-	-	1	-	4	3
Male.....	32	-	-	-	-	-	-	-	-	1	-	3	3
Female.....	25	-	-	-	-	-	-	-	-	-	-	1	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	280,031	9	1	2	5	14	57	156	455	1,084	2,847	5,737	9,153
Male.....	146,405	6	1	1	3	11	47	129	368	838	2,172	4,372	7,068
Female.....	133,626	3	-	1	2	3	10	27	87	246	675	1,365	2,085
White, both sexes.....	244,607	3	1	2	4	10	42	109	330	788	2,221	4,399	7,082
Male.....	127,786	3	1	1	3	9	35	96	271	624	1,754	3,445	5,612
Female.....	116,821	-	-	1	1	1	7	13	59	164	467	954	1,470
Black, both sexes.....	29,220	5	-	-	-	4	15	39	97	251	528	1,147	1,832
Male.....	15,030	2	-	-	-	2	12	26	72	174	336	771	1,260
Female.....	14,190	3	-	-	-	2	3	13	25	77	192	376	572
American Indian 1/, both sexes.....	1,163	-	-	-	-	-	-	-	7	9	29	52	67
Male.....	682	-	-	-	-	-	-	-	6	9	21	41	52
Female.....	481	-	-	-	-	-	-	-	1	-	8	11	15
Asian or Pacific Islander 2/, both sexes.....	5,041	1	-	-	1	-	-	8	21	36	69	139	172
Male.....	2,907	1	-	-	-	-	-	7	19	31	61	115	144
Female.....	2,134	-	-	-	1	-	-	1	2	5	8	24	28

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	61,030	-	-	-	-	1	19	47	163	408	1,033	2,149	3,671
Male.....	34,157	-	-	-	-	1	16	38	135	330	789	1,678	2,934
Female.....	26,873	-	-	-	-	-	3	9	28	78	244	471	737
White, both sexes.....	50,146	-	-	-	-	1	15	28	110	298	774	1,608	2,744
Male.....	27,777	-	-	-	-	1	12	27	94	243	614	1,288	2,253
Female.....	22,369	-	-	-	-	-	3	1	16	55	160	320	491
Black, both sexes.....	9,362	-	-	-	-	-	4	17	41	94	223	471	825
Male.....	5,410	-	-	-	-	-	4	9	31	72	144	326	591
Female.....	3,952	-	-	-	-	-	-	8	10	22	79	145	234
American Indian 1/, both sexes.....	317	-	-	-	-	-	-	-	4	3	10	22	25
Male.....	210	-	-	-	-	-	-	-	3	3	7	18	21
Female.....	107	-	-	-	-	-	-	-	1	-	3	4	4
Asian or Pacific Islander 2/, both sexes.....	1,205	-	-	-	-	-	-	2	8	13	26	48	77
Male.....	760	-	-	-	-	-	-	2	7	12	24	46	69
Female.....	445	-	-	-	-	-	-	-	1	1	2	2	8
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	219,001	9	1	2	5	13	38	109	292	676	1,814	3,588	5,482
Male.....	112,248	6	1	1	3	10	31	91	233	508	1,383	2,694	4,134
Female.....	106,753	3	-	1	2	3	7	18	59	168	431	894	1,348
White, both sexes.....	194,461	3	1	2	4	9	27	81	220	490	1,447	2,791	4,338
Male.....	100,009	3	1	1	3	8	23	69	177	381	1,140	2,157	3,359
Female.....	94,452	-	-	1	1	1	4	12	43	109	307	634	979
Black, both sexes.....	19,858	5	-	-	-	4	11	22	56	157	305	676	1,007
Male.....	9,620	2	-	-	-	2	8	17	41	102	192	445	669
Female.....	10,238	3	-	-	-	2	3	5	15	55	113	231	338
American Indian 1/, both sexes.....	846	-	-	-	-	-	-	-	3	6	19	30	42
Male.....	472	-	-	-	-	-	-	-	3	6	14	23	31
Female.....	374	-	-	-	-	-	-	-	-	-	5	7	11
Asian or Pacific Islander 2/, both sexes.....	3,836	1	-	-	1	-	-	6	13	23	43	91	95
Male.....	2,147	1	-	-	-	-	-	5	12	19	37	69	75
Female.....	1,689	-	-	-	1	-	-	1	1	4	6	22	20

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	107,879	283	120	65	131	283	507	734	1,002	1,388	2,252	3,423	4,206
Male.....	50,212	146	65	38	78	183	327	484	629	870	1,375	2,147	2,658
Female.....	57,667	137	55	27	53	100	180	250	373	518	877	1,276	1,548
White, both sexes.....	91,808	173	77	46	90	187	346	474	628	892	1,583	2,461	3,042
Male.....	42,125	89	42	27	55	123	236	317	407	569	982	1,562	1,951
Female.....	49,683	84	35	19	35	64	110	157	221	323	601	899	1,091
Black, both sexes.....	13,904	93	37	16	36	87	140	233	340	455	605	869	1,063
Male.....	6,955	49	21	8	22	54	77	148	201	274	352	527	639
Female.....	6,949	44	16	8	14	33	63	85	139	181	253	342	424
American Indian 1/, both sexes.....	449	7	-	-	1	4	6	5	9	20	24	34	29
Male.....	245	3	-	-	-	1	3	4	4	13	15	23	21
Female.....	204	4	-	-	1	3	3	1	5	7	9	11	8
Asian or Pacific Islander 2/, both sexes.....	1,718	10	6	3	4	5	15	22	25	21	40	59	72
Male.....	887	5	2	3	1	5	11	15	17	14	26	35	47
Female.....	831	5	4	-	3	-	4	7	8	7	14	24	25
Essential hypertension and hypertensive renal disease (I10,I12,I15)													
All races, both sexes.....	23,855	-	1	1	2	4	17	26	84	115	270	487	812
Male.....	9,415	-	-	1	1	1	10	18	48	75	167	297	516
Female.....	14,440	-	1	-	1	3	7	8	36	40	103	190	296
White, both sexes.....	18,264	-	1	1	2	1	9	11	33	53	111	258	435
Male.....	6,990	-	-	1	1	-	4	8	20	36	73	169	289
Female.....	11,274	-	1	-	1	1	5	3	13	17	38	89	146
Black, both sexes.....	4,900	-	-	-	-	3	7	14	50	61	148	216	354
Male.....	2,126	-	-	-	-	1	5	9	27	39	88	120	212
Female.....	2,774	-	-	-	-	2	2	5	23	22	60	96	142
American Indian 1/, both sexes.....	106	-	-	-	-	-	1	-	-	-	4	7	3
Male.....	52	-	-	-	-	-	1	-	-	-	2	6	3
Female.....	54	-	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	585	-	-	-	-	-	-	1	1	1	7	6	20
Male.....	247	-	-	-	-	-	-	1	1	-	4	2	12
Female.....	338	-	-	-	-	-	-	-	-	1	3	4	8

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	22,484	18	1	3	9	27	41	66	82	168	276	508	654
Male.....	11,836	12	-	2	7	16	28	47	59	117	202	352	454
Female.....	10,648	6	1	1	2	11	13	19	23	51	74	156	200
White, both sexes.....	19,497	13	1	2	7	23	32	47	58	121	190	370	463
Male.....	10,373	9	-	2	7	12	23	34	43	80	143	265	331
Female.....	9,124	4	1	-	-	11	9	13	15	41	47	105	132
Black, both sexes.....	2,482	5	-	-	2	4	7	16	21	36	80	124	170
Male.....	1,184	3	-	-	-	4	4	12	14	27	54	80	109
Female.....	1,298	2	-	-	2	-	3	4	7	9	26	44	61
American Indian 1/, both sexes.....	79	-	-	-	-	-	1	-	-	1	1	4	2
Male.....	34	-	-	-	-	-	-	-	-	1	1	1	2
Female.....	45	-	-	-	-	-	1	-	-	-	-	3	-
Asian or Pacific Islander 2/, both sexes.....	426	-	-	1	-	-	1	3	3	10	5	10	19
Male.....	245	-	-	-	-	-	1	1	2	9	4	6	12
Female.....	181	-	-	1	-	-	-	2	1	1	1	4	7
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,238	2	-	1	6	16	27	49	58	124	216	356	439
Male.....	7,732	1	-	1	6	11	21	41	46	99	170	269	331
Female.....	5,506	1	-	-	-	5	6	8	12	25	46	87	108
White, both sexes.....	11,613	-	-	1	6	13	23	36	38	93	147	258	303
Male.....	6,836	-	-	1	6	8	19	30	32	71	123	203	240
Female.....	4,777	-	-	-	-	5	4	6	6	22	24	55	63
Black, both sexes.....	1,267	2	-	-	-	3	3	11	17	21	64	87	120
Male.....	678	1	-	-	-	3	2	10	12	19	43	59	81
Female.....	589	1	-	-	-	-	1	1	5	2	21	28	39
American Indian 1/, both sexes.....	38	-	-	-	-	-	1	-	-	-	-	2	1
Male.....	20	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	18	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	320	-	-	-	-	-	-	2	3	10	5	9	15
Male.....	198	-	-	-	-	-	-	1	2	9	4	6	9
Female.....	122	-	-	-	-	-	-	1	1	1	1	3	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	9,246	16	1	2	3	11	14	17	24	44	60	152	215
Male.....	4,104	11	-	1	1	5	7	6	13	18	32	83	123
Female.....	5,142	5	1	1	2	6	7	11	11	26	28	69	92
White, both sexes.....	7,884	13	1	1	1	10	9	11	20	28	43	112	160
Male.....	3,537	9	-	1	1	4	4	4	11	9	20	62	91
Female.....	4,347	4	1	-	-	6	5	7	9	19	23	50	69
Black, both sexes.....	1,215	3	-	-	2	1	4	5	4	15	16	37	50
Male.....	506	2	-	-	-	1	2	2	2	8	11	21	28
Female.....	709	1	-	-	2	-	2	3	2	7	5	16	22
American Indian 1/, both sexes.....	41	-	-	-	-	-	-	-	-	1	1	2	1
Male.....	14	-	-	-	-	-	-	-	-	1	1	-	1
Female.....	27	-	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	106	-	-	1	-	-	1	1	-	-	-	1	4
Male.....	47	-	-	-	-	-	1	-	-	-	-	-	3
Female.....	59	-	-	1	-	-	-	1	-	-	-	1	1
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	3,995	35	3	3	2	14	32	35	79	116	162	260	277
Male.....	1,772	18	1	3	-	7	12	16	38	64	85	141	182
Female.....	2,223	17	2	-	2	7	20	19	41	52	77	119	95
White, both sexes.....	3,213	29	3	2	1	9	19	20	52	78	101	178	199
Male.....	1,414	14	1	2	-	3	6	7	26	48	56	104	129
Female.....	1,799	15	2	-	1	6	13	13	26	30	45	74	70
Black, both sexes.....	713	4	-	1	1	5	13	15	26	37	55	76	72
Male.....	324	2	-	1	-	4	6	9	11	15	25	34	51
Female.....	389	2	-	-	1	1	7	6	15	22	30	42	21
American Indian 1/, both sexes.....	22	1	-	-	-	-	-	-	1	-	3	5	1
Male.....	8	1	-	-	-	-	-	-	1	-	2	2	1
Female.....	14	-	-	-	-	-	-	-	-	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	47	1	-	-	-	-	-	-	-	1	3	1	5
Male.....	26	1	-	-	-	-	-	-	-	1	2	1	1
Female.....	21	-	-	-	-	-	-	-	-	-	1	-	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Emphysema (J43)													
All races, both sexes.....	12,551	2	-	1	1	-	1	2	7	10	76	158	296
Male.....	6,318	2	-	1	-	-	-	1	5	6	43	80	187
Female.....	6,233	-	-	-	1	-	1	1	2	4	33	78	109
White, both sexes.....	11,689	1	-	1	-	-	1	2	5	7	59	134	262
Male.....	5,784	1	-	1	-	-	-	1	3	4	34	64	157
Female.....	5,905	-	-	-	-	-	1	1	2	3	25	70	105
Black, both sexes.....	707	1	-	-	-	-	-	-	1	3	17	20	31
Male.....	430	1	-	-	-	-	-	-	1	2	9	13	27
Female.....	277	-	-	-	-	-	-	-	-	1	8	7	4
American Indian 1/, both sexes.....	32	-	-	-	-	-	-	-	1	-	-	1	1
Male.....	16	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	16	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	123	-	-	-	1	-	-	-	-	-	-	3	2
Male.....	88	-	-	-	-	-	-	-	-	-	-	2	2
Female.....	35	-	-	-	1	-	-	-	-	-	-	1	-
Asthma (J45-J46)													
All races, both sexes.....	3,613	6	26	45	54	56	79	92	102	141	232	277	289
Male.....	1,296	3	17	30	41	36	46	56	49	62	93	96	115
Female.....	2,317	3	9	15	13	20	33	36	53	79	139	181	174
White, both sexes.....	2,497	4	13	19	14	16	39	50	48	78	142	168	173
Male.....	805	2	7	15	12	9	22	31	17	34	56	55	60
Female.....	1,692	2	6	4	2	7	17	19	31	44	86	113	113
Black, both sexes.....	957	2	12	26	37	37	37	39	52	61	78	102	102
Male.....	423	1	10	15	27	25	21	22	30	26	36	38	46
Female.....	534	1	2	11	10	12	16	17	22	35	42	64	56
American Indian 1/, both sexes.....	20	-	-	-	2	-	1	-	-	1	4	2	1
Male.....	7	-	-	-	1	-	1	-	-	1	-	1	-
Female.....	13	-	-	-	1	-	-	-	-	-	4	1	1
Asian or Pacific Islander 2/, both sexes.....	139	-	1	-	1	3	2	3	2	1	8	5	13
Male.....	61	-	-	-	1	2	2	3	2	1	1	2	9
Female.....	78	-	1	-	-	1	-	-	-	-	7	3	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	16,887	11	9	6	7	11	19	34	44	52	114	184	253
Male.....	8,916	5	3	4	7	4	11	22	31	34	69	109	163
Female.....	7,971	6	6	2	-	7	8	12	13	18	45	75	90
White, both sexes.....	15,136	7	6	5	5	7	12	23	34	40	86	147	212
Male.....	7,984	2	1	3	5	2	8	14	24	24	55	91	136
Female.....	7,152	5	5	2	-	5	4	9	10	16	31	56	76
Black, both sexes.....	1,439	4	-	1	2	2	7	11	9	10	27	33	40
Male.....	757	3	-	1	2	1	3	8	6	8	14	14	26
Female.....	682	1	-	-	-	1	4	3	3	2	13	19	14
American Indian 1/, both sexes.....	68	-	-	-	-	1	-	-	1	1	1	2	1
Male.....	39	-	-	-	-	-	-	-	1	1	-	2	1
Female.....	29	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	244	-	3	-	-	1	-	-	-	1	-	2	-
Male.....	136	-	2	-	-	1	-	-	-	1	-	2	-
Female.....	108	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	27,644	334	97	37	33	53	50	84	120	188	335	535	819
Male.....	13,728	195	61	21	17	33	33	43	53	105	164	272	427
Female.....	13,916	139	36	16	16	20	17	41	67	83	171	263	392
White, both sexes.....	24,463	182	66	29	21	37	33	68	90	137	240	384	625
Male.....	12,183	99	42	15	11	23	20	33	39	77	118	203	338
Female.....	12,280	83	24	14	10	14	13	35	51	60	122	181	287
Black, both sexes.....	2,442	132	22	6	11	13	17	14	29	42	83	139	165
Male.....	1,168	82	15	4	6	8	13	8	13	23	39	63	72
Female.....	1,274	50	7	2	5	5	4	6	16	19	44	76	93
American Indian 1/, both sexes.....	225	9	4	1	1	1	-	1	-	3	5	5	15
Male.....	110	7	2	1	-	-	-	1	-	1	2	3	10
Female.....	115	2	2	-	1	1	-	-	-	2	3	2	5
Asian or Pacific Islander 2/, both sexes.....	514	11	5	1	-	2	-	1	1	6	7	7	14
Male.....	267	7	2	1	-	2	-	1	1	4	5	3	7
Female.....	247	4	3	-	-	-	-	-	-	2	2	4	7

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hernia (K40-K46)													
All races, both sexes.....	1,744	34	3	1	1	2	5	4	5	18	22	28	59
Male.....	739	20	2	1	-	1	4	3	3	10	12	13	32
Female.....	1,005	14	1	-	1	1	1	1	2	8	10	15	27
White, both sexes.....	1,547	27	3	-	1	1	5	4	3	10	20	23	46
Male.....	654	16	2	-	-	1	4	3	3	7	11	12	26
Female.....	893	11	1	-	1	-	1	1	-	3	9	11	20
Black, both sexes.....	172	4	-	1	-	-	-	-	2	8	2	5	13
Male.....	72	2	-	1	-	-	-	-	-	3	1	1	6
Female.....	100	2	-	-	-	-	-	-	2	5	1	4	7
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	-	-	-	1	-	-	-	-	-	-	-
Male.....	8	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	-	-	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	27,555	5	3	-	-	2	24	67	249	709	1,842	3,364	4,348
Male.....	17,866	2	3	-	-	1	13	45	170	459	1,207	2,327	3,190
Female.....	9,689	3	-	-	-	1	11	22	79	250	635	1,037	1,158
White, both sexes.....	24,191	3	2	-	-	1	16	49	201	588	1,548	2,891	3,719
Male.....	15,739	2	2	-	-	1	9	33	141	396	1,028	2,025	2,747
Female.....	8,452	1	-	-	-	-	7	16	60	192	520	866	972
Black, both sexes.....	2,349	2	1	-	-	1	5	8	14	67	189	311	493
Male.....	1,519	-	1	-	-	-	3	4	5	33	122	200	342
Female.....	830	2	-	-	-	1	2	4	9	34	67	111	151
American Indian 1/, both sexes.....	596	-	-	-	-	-	3	8	23	43	78	115	86
Male.....	330	-	-	-	-	-	1	6	15	22	37	66	53
Female.....	266	-	-	-	-	-	2	2	8	21	41	49	33
Asian or Pacific Islander 2/, both sexes.....	419	-	-	-	-	-	2	2	11	11	27	47	50
Male.....	278	-	-	-	-	-	-	2	9	8	20	36	48
Female.....	141	-	-	-	-	-	-	-	2	3	7	11	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcoholic liver disease (K70)													
All races, both sexes.....	13,050	-	-	-	-	-	14	52	193	503	1,229	2,095	2,467
Male.....	9,443	-	-	-	-	-	6	39	136	326	796	1,448	1,847
Female.....	3,607	-	-	-	-	-	8	13	57	177	433	647	620
White, both sexes.....	11,413	-	-	-	-	-	8	37	154	420	1,047	1,814	2,147
Male.....	8,346	-	-	-	-	-	3	28	112	283	694	1,260	1,627
Female.....	3,067	-	-	-	-	-	5	9	42	137	353	554	520
Black, both sexes.....	1,045	-	-	-	-	-	3	6	11	42	101	169	224
Male.....	712	-	-	-	-	-	2	4	4	22	61	116	153
Female.....	333	-	-	-	-	-	1	2	7	20	40	53	71
American Indian 1/, both sexes.....	426	-	-	-	-	-	3	8	21	34	61	85	70
Male.....	246	-	-	-	-	-	1	6	14	16	27	49	42
Female.....	180	-	-	-	-	-	2	2	7	18	34	36	28
Asian or Pacific Islander 2/, both sexes.....	166	-	-	-	-	-	-	1	7	7	20	27	26
Male.....	139	-	-	-	-	-	-	1	6	5	14	23	25
Female.....	27	-	-	-	-	-	-	-	1	2	6	4	1
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	14,505	5	3	-	-	2	10	15	56	206	613	1,269	1,881
Male.....	8,423	2	3	-	-	1	7	6	34	133	411	879	1,343
Female.....	6,082	3	-	-	-	1	3	9	22	73	202	390	538
White, both sexes.....	12,778	3	2	-	-	1	8	12	47	168	501	1,077	1,572
Male.....	7,393	2	2	-	-	1	6	5	29	113	334	765	1,120
Female.....	5,385	1	-	-	-	-	2	7	18	55	167	312	452
Black, both sexes.....	1,304	2	1	-	-	1	2	2	3	25	88	142	269
Male.....	807	-	1	-	-	-	1	-	1	11	61	84	189
Female.....	497	2	-	-	-	1	2	2	2	14	27	58	80
American Indian 1/, both sexes.....	170	-	-	-	-	-	-	-	2	9	17	30	16
Male.....	84	-	-	-	-	-	-	-	1	6	10	17	11
Female.....	86	-	-	-	-	-	-	-	1	3	7	13	5
Asian or Pacific Islander 2/, both sexes.....	253	-	-	-	-	-	-	1	4	4	7	20	24
Male.....	139	-	-	-	-	-	-	1	3	3	6	13	23
Female.....	114	-	-	-	-	-	-	-	1	1	1	7	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	3,114	-	-	-	1	2	7	6	14	16	28	44	81
Male.....	1,376	-	-	-	1	-	2	4	4	9	13	21	47
Female.....	1,738	-	-	-	-	2	5	2	10	7	15	23	34
White, both sexes.....	2,671	-	-	-	1	1	6	5	11	14	17	31	56
Male.....	1,195	-	-	-	1	-	1	3	3	9	10	17	34
Female.....	1,476	-	-	-	-	1	5	2	8	5	7	14	22
Black, both sexes.....	324	-	-	-	-	1	1	1	1	2	11	10	22
Male.....	117	-	-	-	-	-	1	1	-	-	3	3	11
Female.....	207	-	-	-	-	1	-	-	1	2	8	7	11
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	14	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	95	-	-	-	-	-	-	-	1	-	-	2	3
Male.....	50	-	-	-	-	-	-	-	1	-	-	1	2
Female.....	45	-	-	-	-	-	-	-	-	-	-	1	1
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	45,344	162	14	7	11	27	72	87	189	269	516	867	1,378
Male.....	22,094	101	9	2	10	15	41	42	115	151	307	532	806
Female.....	23,250	61	5	5	1	12	31	45	74	118	209	335	572
White, both sexes.....	35,793	112	12	5	8	18	48	44	114	143	268	531	803
Male.....	17,715	72	8	1	7	12	31	22	73	81	171	337	483
Female.....	18,078	40	4	4	1	6	17	22	41	62	97	194	320
Black, both sexes.....	8,397	43	2	1	1	7	23	39	68	114	222	310	531
Male.....	3,812	24	1	1	1	2	9	18	39	60	123	179	301
Female.....	4,585	19	1	-	-	5	14	21	29	54	99	131	230
American Indian 1/, both sexes.....	288	1	-	-	1	2	1	2	5	5	12	13	20
Male.....	135	1	-	-	1	1	1	1	3	5	5	7	11
Female.....	153	-	-	-	-	1	-	1	2	-	7	6	9
Asian or Pacific Islander 2/, both sexes.....	866	6	-	1	1	-	-	2	2	7	14	13	24
Male.....	432	4	-	-	1	-	-	1	-	5	8	9	11
Female.....	434	2	-	1	-	-	-	1	2	2	6	4	13

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)													
All races, both sexes.....	138	5	4	2	2	1	3	-	4	1	3	3	8
Male.....	70	4	2	1	2	-	1	-	3	-	1	3	6
Female.....	68	1	2	1	-	1	2	-	1	1	2	-	2
White, both sexes.....	111	3	4	2	1	-	2	-	3	1	2	2	3
Male.....	55	3	2	1	1	-	1	-	2	-	1	2	2
Female.....	56	-	2	1	-	-	1	-	1	1	1	-	1
Black, both sexes.....	20	1	-	-	-	1	1	-	1	-	1	1	5
Male.....	11	1	-	-	-	-	-	-	1	-	-	-	4
Female.....	9	-	-	-	-	1	1	-	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)													
All races, both sexes.....	1,841	3	-	-	1	2	4	7	14	16	18	27	55
Male.....	897	3	-	-	1	-	3	5	9	10	9	17	27
Female.....	944	-	-	-	-	2	1	2	5	6	9	10	28
White, both sexes.....	1,421	3	-	-	1	2	3	2	7	7	7	15	32
Male.....	692	3	-	-	1	-	3	2	4	5	5	10	16
Female.....	729	-	-	-	-	2	-	-	3	2	2	5	16
Black, both sexes.....	349	-	-	-	-	-	1	4	6	7	5	11	21
Male.....	169	-	-	-	-	-	-	3	5	3	1	6	10
Female.....	180	-	-	-	-	-	1	1	1	4	4	5	11
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	1	-	-	2	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	58	-	-	-	-	-	-	-	1	2	4	1	2
Male.....	30	-	-	-	-	-	-	-	-	2	2	1	1
Female.....	28	-	-	-	-	-	-	-	1	-	2	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	112	1	-	-	-	1	1	2	1	4	3	7	6
Male.....
Female.....	112	1	-	-	-	1	1	2	1	4	3	7	6
White, both sexes.....	90	-	-	-	-	1	1	-	1	3	3	4	3
Male.....
Female.....	90	-	-	-	-	1	1	-	1	3	3	4	3
Black, both sexes.....	20	1	-	-	-	-	-	2	-	1	-	3	2
Male.....
Female.....	20	1	-	-	-	-	-	2	-	1	-	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	760	2	33	146	173	151	140	52	33	26
Male.....
Female.....	760	2	33	146	173	151	140	52	33	26
White, both sexes.....	446	1	23	93	92	88	76	37	17	15
Male.....
Female.....	446	1	23	93	92	88	76	37	17	15
Black, both sexes.....	259	1	9	49	68	50	51	10	13	8
Male.....
Female.....	259	1	9	49	68	50	51	10	13	8
American Indian 1/, both sexes.....	12	-	1	1	4	-	1	2	1	2
Male.....
Female.....	12	-	1	1	4	-	1	2	1	2
Asian or Pacific Islander 2/, both sexes.....	43	-	-	3	9	13	12	3	2	1
Male.....
Female.....	43	-	-	3	9	13	12	3	2	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	26	-	-	6	7	8	3	1	1	-
Male.....
Female.....	26	-	-	6	7	8	3	1	1	-
White, both sexes.....	10	-	-	4	2	3	-	-	1	-
Male.....
Female.....	10	-	-	4	2	3	-	-	1	-
Black, both sexes.....	12	-	-	2	3	4	2	1	-	-
Male.....
Female.....	12	-	-	2	3	4	2	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	1	1	-	-	-
Male.....
Female.....	3	-	-	-	1	1	1	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	734	2	33	140	166	143	137	51	32	26
Male.....
Female.....	734	2	33	140	166	143	137	51	32	26
White, both sexes.....	436	1	23	89	90	85	76	37	16	15
Male.....
Female.....	436	1	23	89	90	85	76	37	16	15
Black, both sexes.....	247	1	9	47	65	46	49	9	13	8
Male.....
Female.....	247	1	9	47	65	46	49	9	13	8
American Indian 1/, both sexes.....	11	-	1	1	3	-	1	2	1	2
Male.....
Female.....	11	-	1	1	3	-	1	2	1	2
Asian or Pacific Islander 2/, both sexes.....	40	-	-	3	8	12	11	3	2	1
Male.....
Female.....	40	-	-	3	8	12	11	3	2	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,442	14,321	65	15	9	8	6	2	2	3	1	3	1
Male.....	8,097	8,025	37	8	6	6	5	2	1	2	-	2	-
Female.....	6,345	6,296	28	7	3	2	1	-	1	1	1	1	1
White, both sexes.....	8,730	8,646	40	11	7	7	4	2	2	3	1	3	1
Male.....	4,938	4,882	26	7	5	6	3	2	1	2	-	2	-
Female.....	3,792	3,764	14	4	2	1	1	-	1	1	1	1	1
Black, both sexes.....	5,121	5,087	22	4	2	1	2	-	-	-	-	-	-
Male.....	2,811	2,797	9	1	1	-	2	-	-	-	-	-	-
Female.....	2,310	2,290	13	3	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	137	136	1	-	-	-	-	-	-	-	-	-	-
Male.....	91	90	1	-	-	-	-	-	-	-	-	-	-
Female.....	46	46	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	454	452	2	-	-	-	-	-	-	-	-	-	-
Male.....	257	256	1	-	-	-	-	-	-	-	-	-	-
Female.....	197	196	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,489	5,819	515	182	162	228	232	235	202	230	238	343	325
Male.....	5,587	3,098	244	90	91	140	139	146	117	135	130	189	187
Female.....	4,902	2,721	271	92	71	88	93	89	85	95	108	154	138
White, both sexes.....	8,246	4,383	376	139	120	169	174	182	167	182	199	285	270
Male.....	4,403	2,326	191	76	72	104	102	116	96	111	107	155	156
Female.....	3,843	2,057	185	63	48	65	72	66	71	71	92	130	114
Black, both sexes.....	1,808	1,161	107	35	32	47	41	45	28	44	30	47	49
Male.....	947	614	42	14	15	28	25	26	18	22	16	28	27
Female.....	861	547	65	21	17	19	16	19	10	22	14	19	22
American Indian 1/, both sexes.....	117	73	10	1	4	4	7	1	1	1	3	4	1
Male.....	65	41	3	-	2	3	6	-	-	1	2	1	1
Female.....	52	32	7	1	2	1	1	1	1	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	318	202	27	6	8	10	7	6	3	6	6	7	5
Male.....	172	117	8	-	2	5	6	4	3	1	5	5	3
Female.....	146	85	14	7	4	3	4	3	3	2	1	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	31,725	3,462	239	64	62	195	464	491	522	681	946	1,109	1,157
Male.....	13,981	2,012	134	38	37	125	311	338	374	427	612	705	726
Female.....	17,744	1,450	105	26	25	70	153	153	148	254	334	404	431
White, both sexes.....	26,672	2,244	152	41	45	146	366	389	396	541	724	875	888
Male.....	11,422	1,337	84	27	27	95	249	273	287	346	470	551	558
Female.....	15,250	907	68	14	18	51	117	116	109	195	254	324	330
Black, both sexes.....	4,379	1,059	74	20	16	40	80	86	105	119	200	215	242
Male.....	2,202	576	42	11	10	25	50	54	73	68	123	142	154
Female.....	2,177	483	32	9	6	15	30	32	32	51	77	73	88
American Indian 1/, both sexes.....	224	90	8	1	1	6	5	5	5	8	12	9	8
Male.....	125	55	4	-	-	4	2	4	4	7	10	3	6
Female.....	99	35	4	1	1	2	3	1	1	1	2	6	2
Asian or Pacific Islander 2/, both sexes.....	450	69	5	2	-	3	13	11	16	13	10	10	19
Male.....	232	44	4	-	-	1	10	7	10	6	9	9	8
Female.....	218	25	1	2	-	2	3	4	6	7	1	1	11

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5, N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	237,421	1,173	548	346	446	829	1,291	1,542	1,822	2,848	5,181	7,595	9,759
Male.....	96,201	687	299	187	246	503	760	907	1,047	1,639	3,043	4,476	5,804
Female.....	141,220	486	249	159	200	326	531	635	775	1,209	2,138	3,119	3,955
White, both sexes.....	206,332	762	394	260	335	600	991	1,150	1,303	2,071	3,904	5,835	7,605
Male.....	82,811	447	214	139	187	376	624	716	803	1,242	2,377	3,552	4,635
Female.....	123,521	315	180	121	148	224	367	434	500	829	1,527	2,283	2,970
Black, both sexes.....	26,205	352	118	69	97	188	251	336	426	624	1,088	1,550	1,918
Male.....	11,201	205	66	42	53	109	117	160	189	311	549	808	1,035
Female.....	15,004	147	52	27	44	79	134	176	237	313	539	742	883
American Indian 1/, both sexes.....	1,483	15	11	1	4	14	13	24	43	85	103	107	119
Male.....	695	9	8	1	1	8	3	15	24	45	63	56	63
Female.....	788	6	3	-	3	6	10	9	19	40	40	51	56
Asian or Pacific Islander 2/, both sexes.....	3,401	44	25	16	10	27	36	32	50	68	86	103	117
Male.....	1,494	26	11	5	5	10	16	16	31	41	54	60	71
Female.....	1,907	18	14	11	5	17	20	16	19	27	32	43	46

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	121,599	1,147	1,610	1,044	1,214	6,659	9,570	8,042	6,912	7,808	9,726	10,721	8,954
Male.....	78,941	667	927	618	767	4,697	7,537	6,263	5,203	5,617	6,814	7,519	6,318
Female.....	42,658	480	683	426	447	1,962	2,033	1,779	1,709	2,191	2,912	3,202	2,636
White, both sexes.....	103,853	730	1,170	726	942	5,611	8,213	6,759	5,714	6,497	8,150	8,884	7,361
Male.....	66,843	421	675	427	590	3,918	6,505	5,272	4,292	4,667	5,726	6,228	5,152
Female.....	37,010	309	495	299	352	1,693	1,708	1,487	1,422	1,830	2,424	2,656	2,209
Black, both sexes.....	13,917	358	371	256	215	758	992	994	939	1,056	1,291	1,511	1,345
Male.....	9,605	213	214	157	138	584	747	774	729	773	896	1,065	990
Female.....	4,312	145	157	99	77	174	245	220	210	283	395	446	355
American Indian 1/, both sexes.....	1,704	36	32	24	19	148	180	162	143	141	159	172	141
Male.....	1,184	21	15	12	14	97	140	124	101	103	107	124	105
Female.....	520	15	17	12	5	51	40	38	42	38	52	48	36
Asian or Pacific Islander 2/, both sexes.....	2,125	23	37	38	38	142	185	127	116	114	126	154	107
Male.....	1,309	12	23	22	25	98	145	93	81	74	85	102	71
Female.....	816	11	14	16	13	44	40	34	35	40	41	52	36
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,412	142	615	617	836	5,092	6,300	4,333	3,420	3,476	3,773	3,914	3,350
Male.....	34,065	70	329	350	499	3,414	4,867	3,370	2,581	2,522	2,711	2,891	2,456
Female.....	14,347	72	286	267	337	1,678	1,433	963	839	954	1,062	1,023	894
White, both sexes.....	40,422	100	445	454	667	4,310	5,288	3,477	2,716	2,840	3,135	3,220	2,835
Male.....	28,429	52	233	252	393	2,870	4,109	2,721	2,037	2,052	2,267	2,390	2,082
Female.....	11,993	48	212	202	274	1,440	1,179	756	679	788	868	830	753
Black, both sexes.....	5,983	31	137	127	130	548	734	646	563	494	498	528	401
Male.....	4,333	15	77	78	80	398	548	498	448	380	355	387	298
Female.....	1,650	16	60	49	50	150	186	148	115	114	143	141	103
American Indian 1/, both sexes.....	930	8	16	14	14	123	138	116	75	75	77	81	57
Male.....	638	2	8	9	9	76	102	84	50	54	48	59	44
Female.....	292	6	8	5	5	47	36	32	25	21	29	22	13
Asian or Pacific Islander 2/, both sexes.....	1,077	3	17	22	25	111	140	94	66	67	63	85	57
Male.....	665	1	11	11	17	70	108	67	46	36	41	55	32
Female.....	412	2	6	11	8	41	32	27	20	31	22	30	25

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	45,316	140	588	577	762	4,939	6,076	4,122	3,226	3,222	3,455	3,578	3,037
Male.....	31,633	70	316	324	441	3,304	4,682	3,189	2,439	2,310	2,455	2,614	2,203
Female.....	13,683	70	272	253	321	1,635	1,394	933	787	912	1,000	964	834
White, both sexes.....	37,769	99	426	421	602	4,181	5,091	3,311	2,553	2,631	2,864	2,933	2,570
Male.....	26,348	52	224	232	342	2,778	3,946	2,577	1,918	1,879	2,047	2,155	1,869
Female.....	11,421	47	202	189	260	1,403	1,145	734	635	752	817	778	701
Black, both sexes.....	5,660	30	133	122	124	532	718	614	539	461	462	485	367
Male.....	4,068	15	76	74	75	385	535	470	428	350	329	349	268
Female.....	1,592	15	57	48	49	147	183	144	111	111	133	136	99
American Indian 1/, both sexes.....	867	8	13	12	13	120	133	106	71	67	70	76	49
Male.....	593	2	6	7	8	75	97	78	48	48	42	56	39
Female.....	274	6	7	5	5	45	36	28	23	19	28	20	10
Asian or Pacific Islander 2/, both sexes.....	1,020	3	16	22	23	106	134	91	63	63	59	84	51
Male.....	624	1	10	11	16	66	104	64	45	33	37	54	27
Female.....	396	2	6	11	7	40	30	27	18	30	22	30	24
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,181	1	12	15	35	81	87	74	62	101	116	120	124
Male.....	921	-	5	12	28	60	74	60	44	84	98	98	98
Female.....	260	1	7	3	7	21	13	14	18	17	18	22	26
White, both sexes.....	959	-	7	10	32	65	76	49	55	78	90	97	96
Male.....	748	-	3	7	25	49	65	42	38	66	79	77	75
Female.....	211	-	4	3	7	16	11	7	17	12	11	20	21
Black, both sexes.....	152	1	2	3	2	11	7	16	6	16	17	21	19
Male.....	122	-	-	3	2	8	5	12	5	14	11	19	17
Female.....	30	1	2	-	-	3	2	4	1	2	6	2	2
American Indian 1/, both sexes.....	40	-	3	2	-	1	3	7	1	5	6	1	6
Male.....	29	-	2	2	-	-	3	4	1	3	5	1	4
Female.....	11	-	1	-	-	1	-	3	-	2	1	-	2
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	1	4	1	2	-	2	3	1	3
Male.....	22	-	-	-	1	3	1	2	-	1	3	1	2
Female.....	8	-	-	-	-	1	-	-	-	1	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,915	1	15	25	39	72	137	137	132	153	202	216	189
Male.....	1,511	-	8	14	30	50	111	121	98	128	158	179	155
Female.....	404	1	7	11	9	22	26	16	34	25	44	37	34
White, both sexes.....	1,694	1	12	23	33	64	121	117	108	131	181	190	169
Male.....	1,333	-	6	13	26	43	98	102	81	107	141	158	138
Female.....	361	1	6	10	7	21	23	15	27	24	40	32	31
Black, both sexes.....	171	-	2	2	4	5	9	16	18	17	19	22	15
Male.....	143	-	1	1	3	5	8	16	15	16	15	19	13
Female.....	28	-	1	1	1	-	1	-	3	1	4	3	2
American Indian 1/, both sexes.....	23	-	-	-	1	2	2	3	3	3	1	4	2
Male.....	16	-	-	-	1	1	2	2	1	3	1	2	1
Female.....	7	-	-	-	-	1	-	1	2	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	1	1	5	1	3	2	1	-	3
Male.....	19	-	1	-	-	1	3	1	1	2	1	-	3
Female.....	8	-	-	-	1	-	2	-	2	-	-	-	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	73,187	1,005	995	427	378	1,567	3,270	3,709	3,492	4,332	5,953	6,807	5,604
Male.....	44,876	597	598	268	268	1,283	2,670	2,893	2,622	3,095	4,103	4,628	3,862
Female.....	28,311	408	397	159	110	284	600	816	870	1,237	1,850	2,179	1,742
White, both sexes.....	63,431	630	725	272	275	1,301	2,925	3,282	2,998	3,657	5,015	5,664	4,526
Male.....	38,414	369	442	175	197	1,048	2,396	2,551	2,255	2,615	3,459	3,838	3,070
Female.....	25,017	261	283	97	78	253	529	731	743	1,042	1,556	1,826	1,456
Black, both sexes.....	7,934	327	234	129	85	210	258	348	376	562	793	983	944
Male.....	5,272	198	137	79	58	186	199	276	281	393	541	678	692
Female.....	2,662	129	97	50	27	24	59	72	95	169	252	305	252
American Indian 1/, both sexes.....	774	28	16	10	5	25	42	46	68	66	82	91	84
Male.....	546	19	7	3	5	21	38	40	51	49	59	65	61
Female.....	228	9	9	7	-	4	4	6	17	17	23	26	23
Asian or Pacific Islander 2/, both sexes.....	1,048	20	20	16	13	31	45	33	50	47	63	69	50
Male.....	644	11	12	11	8	28	37	26	35	38	44	47	39
Female.....	404	9	8	5	5	3	8	7	15	9	19	22	11

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,579	51	458	142	114	312	304	258	178	211	255	283	208
Male.....	2,774	27	289	104	89	282	268	230	163	172	199	222	165
Female.....	805	24	169	38	25	30	36	28	15	39	56	61	43
White, both sexes.....	2,837	45	370	84	75	208	241	207	129	166	215	241	167
Male.....	2,174	23	231	62	56	180	210	181	122	134	166	190	131
Female.....	663	22	139	22	19	28	31	26	7	32	49	51	36
Black, both sexes.....	538	5	69	46	34	85	44	34	31	29	27	28	28
Male.....	451	4	49	34	28	83	41	33	28	27	23	24	24
Female.....	87	1	20	12	6	2	3	1	3	2	4	4	4
American Indian 1/, both sexes.....	50	1	6	4	-	4	4	4	4	4	4	4	5
Male.....	38	-	2	3	-	4	4	3	4	2	4	4	3
Female.....	12	1	4	1	-	-	-	1	-	2	-	-	2
Asian or Pacific Islander 2/, both sexes.....	154	-	13	8	5	15	15	13	14	12	9	10	8
Male.....	111	-	7	5	5	15	13	13	9	9	6	4	7
Female.....	43	-	6	3	-	-	2	-	5	3	3	6	1
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,109	27	199	118	63	81	104	102	97	131	165	250	226
Male.....	1,819	14	117	57	30	48	69	70	62	80	105	153	147
Female.....	1,290	13	82	61	33	33	35	32	35	51	60	97	79
White, both sexes.....	2,349	18	118	69	41	65	78	73	73	95	132	190	180
Male.....	1,389	8	77	32	22	40	54	50	46	57	83	114	117
Female.....	960	10	41	37	19	25	24	23	27	38	49	76	63
Black, both sexes.....	699	7	78	48	19	14	21	25	24	31	29	54	44
Male.....	389	5	40	24	6	7	10	17	16	19	19	33	28
Female.....	310	2	38	24	13	7	11	8	8	12	10	21	16
American Indian 1/, both sexes.....	28	1	2	-	1	-	4	3	-	1	1	4	-
Male.....	22	1	-	-	1	-	4	3	-	1	1	4	-
Female.....	6	-	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	1	1	1	2	2	1	1	-	4	3	2	2
Male.....	19	-	-	1	1	1	1	-	-	3	2	2	2
Female.....	14	1	1	-	1	1	-	1	-	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	27,531	16	27	18	40	738	2,198	2,698	2,569	3,194	4,348	4,730	3,504
Male.....	18,581	7	16	9	26	574	1,745	2,036	1,858	2,179	2,841	3,034	2,257
Female.....	8,950	9	11	9	14	164	453	662	711	1,015	1,507	1,696	1,247
White, both sexes.....	23,476	9	19	11	31	693	2,049	2,460	2,254	2,728	3,677	3,950	2,812
Male.....	15,784	5	12	5	19	542	1,635	1,849	1,629	1,863	2,409	2,519	1,770
Female.....	7,692	4	7	6	12	151	414	611	625	865	1,268	1,431	1,042
Black, both sexes.....	3,526	6	8	4	3	30	113	202	250	404	591	684	638
Male.....	2,439	1	4	3	3	21	80	160	182	271	380	453	453
Female.....	1,087	5	4	1	-	9	33	42	68	133	211	231	185
American Indian 1/, both sexes.....	324	1	-	2	2	9	17	23	45	39	48	60	40
Male.....	220	1	-	-	2	7	15	20	33	26	29	37	26
Female.....	104	-	-	2	-	2	2	3	12	13	19	23	14
Asian or Pacific Islander 2/, both sexes.....	205	-	-	1	4	6	19	13	20	23	32	36	14
Male.....	138	-	-	1	2	4	15	7	14	19	23	25	8
Female.....	67	-	-	-	2	2	4	6	6	4	9	11	6
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,503	888	260	114	117	255	410	442	426	534	745	920	916
Male.....	10,327	533	139	77	88	215	353	372	352	451	603	733	712
Female.....	7,176	355	121	37	29	40	57	70	74	83	142	187	204
White, both sexes.....	15,090	541	192	87	93	204	357	373	353	445	612	756	741
Male.....	8,818	321	104	61	73	171	315	323	297	376	498	604	569
Female.....	6,272	220	88	26	20	33	42	50	56	69	114	152	172
Black, both sexes.....	1,965	304	59	22	22	37	34	54	50	67	106	139	140
Male.....	1,213	185	29	14	14	32	22	36	39	55	85	108	113
Female.....	752	119	30	8	8	5	12	18	11	12	21	31	27
American Indian 1/, both sexes.....	239	24	6	2	1	11	15	11	17	17	19	14	26
Male.....	177	16	3	-	1	9	13	9	13	16	16	13	23
Female.....	62	8	3	2	-	2	2	2	4	1	3	1	3
Asian or Pacific Islander 2/, both sexes.....	209	19	3	3	1	3	4	4	6	5	8	11	9
Male.....	119	11	3	2	-	3	3	4	3	4	4	8	7
Female.....	90	8	-	1	1	-	1	-	3	1	4	3	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	33,300	3	216	1,555	2,634	2,560	2,425	3,115	3,476	3,893	3,533
Male.....	26,308	2	151	1,262	2,266	2,087	1,966	2,419	2,646	2,926	2,650
Female.....	6,992	1	65	293	368	473	459	696	830	967	883
White, both sexes.....	30,138	3	164	1,293	2,184	2,179	2,080	2,777	3,168	3,613	3,311
Male.....	23,767	2	115	1,051	1,888	1,764	1,677	2,142	2,406	2,711	2,481
Female.....	6,371	1	49	242	296	415	403	635	762	902	830
Black, both sexes.....	1,954	-	37	145	271	256	218	228	190	173	137
Male.....	1,669	-	30	123	235	227	194	196	156	143	108
Female.....	285	-	7	22	36	29	24	32	34	30	29
American Indian 1/, both sexes.....	395	-	12	60	76	39	38	45	41	25	26
Male.....	309	-	4	47	63	32	31	35	28	21	18
Female.....	86	-	8	13	13	7	7	10	13	4	8
Asian or Pacific Islander 2/, both sexes.....	813	-	3	57	103	86	89	65	77	82	59
Male.....	563	-	2	41	80	64	64	46	56	51	43
Female.....	250	-	1	16	23	22	25	19	21	31	16
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	16,883	-	62	701	1,277	1,121	1,029	1,310	1,511	1,783	1,698
Male.....	14,734	-	52	639	1,157	978	914	1,105	1,253	1,476	1,431
Female.....	2,149	-	10	62	120	143	115	205	258	307	267
White, both sexes.....	15,539	-	57	583	1,049	933	884	1,186	1,392	1,688	1,615
Male.....	13,527	-	48	534	951	807	782	993	1,148	1,396	1,360
Female.....	2,012	-	9	49	98	126	102	193	244	292	255
Black, both sexes.....	1,015	-	2	82	168	150	111	95	89	72	57
Male.....	922	-	2	74	154	138	100	87	81	63	49
Female.....	93	-	-	8	14	12	11	8	8	9	8
American Indian 1/, both sexes.....	154	-	2	23	27	14	15	16	17	11	12
Male.....	132	-	1	21	24	13	14	14	12	8	10
Female.....	22	-	1	2	3	1	1	2	5	3	2
Asian or Pacific Islander 2/, both sexes.....	175	-	1	13	33	24	19	13	13	12	14
Male.....	153	-	1	10	28	20	18	11	12	9	12
Female.....	22	-	-	3	5	4	1	2	1	3	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	16,417	3	154	854	1,357	1,439	1,396	1,805	1,965	2,110	1,835
Male.....	11,574	2	99	623	1,109	1,109	1,052	1,314	1,393	1,450	1,219
Female.....	4,843	1	55	231	248	330	344	491	572	660	616
White, both sexes.....	14,599	3	107	710	1,135	1,246	1,196	1,591	1,776	1,925	1,696
Male.....	10,240	2	67	517	937	957	895	1,149	1,258	1,315	1,121
Female.....	4,359	1	40	193	198	289	301	442	518	610	575
Black, both sexes.....	939	-	35	63	103	106	107	133	101	101	80
Male.....	747	-	28	49	81	89	94	109	75	80	59
Female.....	192	-	7	14	22	17	13	24	26	21	21
American Indian 1/, both sexes.....	241	-	10	37	49	25	23	29	24	14	14
Male.....	177	-	3	26	39	19	17	21	16	13	8
Female.....	64	-	7	11	10	6	6	8	8	1	6
Asian or Pacific Islander 2/, both sexes.....	638	-	2	44	70	62	70	52	64	70	45
Male.....	410	-	1	31	52	44	46	35	44	42	31
Female.....	228	-	1	13	18	18	24	17	20	28	14
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	18,573	336	366	149	241	2,291	3,426	2,795	1,930	1,602	1,418	1,280	929
Male.....	14,717	199	208	78	168	1,990	3,001	2,370	1,613	1,218	1,051	959	669
Female.....	3,856	137	158	71	73	301	425	425	317	384	367	321	260
White, both sexes.....	8,860	220	190	93	134	894	1,319	1,106	796	797	772	737	546
Male.....	6,514	121	109	40	90	739	1,085	894	626	575	556	532	378
Female.....	2,346	99	81	53	44	155	234	212	170	222	216	205	168
Black, both sexes.....	9,032	109	154	50	99	1,305	1,990	1,606	1,064	750	597	481	344
Male.....	7,677	72	84	34	71	1,170	1,812	1,409	937	609	459	384	266
Female.....	1,355	37	70	16	28	135	178	197	127	141	138	97	78
American Indian 1/, both sexes.....	254	4	11	-	2	30	47	39	28	19	29	20	10
Male.....	206	4	9	-	2	26	43	33	20	12	22	12	9
Female.....	48	-	2	-	-	4	4	6	8	7	7	8	1
Asian or Pacific Islander 2/, both sexes.....	427	3	11	6	6	62	70	44	42	36	20	42	29
Male.....	320	2	6	4	5	55	61	34	30	22	14	31	16
Female.....	107	1	5	2	1	7	9	10	12	14	6	11	13

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	12,791	6	42	62	175	1,940	2,887	2,240	1,527	1,106	881	701	484
Male.....	10,886	2	25	32	135	1,751	2,624	1,983	1,339	891	695	550	359
Female.....	1,905	4	17	30	40	189	263	257	188	215	186	151	125
White, both sexes.....	5,279	2	22	39	90	702	974	778	560	505	459	377	263
Male.....	4,179	-	14	18	67	612	853	664	466	378	353	264	183
Female.....	1,100	2	8	21	23	90	121	114	94	127	106	113	80
Black, both sexes.....	7,113	4	20	19	81	1,167	1,822	1,410	921	575	399	290	200
Male.....	6,374	2	11	11	64	1,073	1,687	1,273	838	496	327	257	163
Female.....	739	2	9	8	17	94	135	137	83	79	72	33	37
American Indian 1/, both sexes.....	119	-	-	-	2	19	33	20	13	7	11	6	2
Male.....	105	-	-	-	2	18	32	19	10	4	8	4	2
Female.....	14	-	-	-	-	1	1	1	3	3	3	2	-
Asian or Pacific Islander 2/, both sexes.....	280	-	-	4	2	52	58	32	33	19	12	28	19
Male.....	228	-	-	3	2	48	52	27	25	13	7	25	11
Female.....	52	-	-	1	-	4	6	5	8	6	5	3	8
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,782	330	324	87	66	351	539	555	403	496	537	579	445
Male.....	3,831	197	183	46	33	239	377	387	274	327	356	409	310
Female.....	1,951	133	141	41	33	112	162	168	129	169	181	170	135
White, both sexes.....	3,581	218	168	54	44	192	345	328	236	292	313	360	283
Male.....	2,335	121	95	22	23	127	232	230	160	197	203	268	195
Female.....	1,246	97	73	32	21	65	113	98	76	95	110	92	88
Black, both sexes.....	1,919	105	134	31	18	138	168	196	143	175	198	191	144
Male.....	1,303	70	73	23	7	97	125	136	99	113	132	127	103
Female.....	616	35	61	8	11	41	43	60	44	62	66	64	41
American Indian 1/, both sexes.....	135	4	11	-	-	11	14	19	15	12	18	14	8
Male.....	101	4	9	-	-	8	11	14	10	8	14	8	7
Female.....	34	-	2	-	-	3	3	5	5	4	4	6	1
Asian or Pacific Islander 2/, both sexes.....	147	3	11	2	4	10	12	12	9	17	8	14	10
Male.....	92	2	6	1	3	7	9	7	5	9	7	6	5
Female.....	55	1	5	1	1	3	3	5	4	8	1	8	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	434	-	-	-	1	34	51	70	71	48	67	40	26
Male.....	417	-	-	-	1	32	50	69	70	47	65	38	23
Female.....	17	-	-	-	-	2	1	1	1	1	2	2	3
White, both sexes.....	300	-	-	-	-	21	31	43	48	32	50	33	20
Male.....	286	-	-	-	-	19	31	42	47	31	48	31	18
Female.....	14	-	-	-	-	2	-	1	1	1	2	2	2
Black, both sexes.....	117	-	-	-	1	11	16	25	19	14	15	7	5
Male.....	114	-	-	-	1	11	15	25	19	14	15	7	4
Female.....	3	-	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	9	-	-	-	-	1	2	2	1	1	2	-	-
Male.....	9	-	-	-	-	1	2	2	1	1	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	2	-	3	1	-	-	1
Male.....	8	-	-	-	-	1	2	-	3	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	5,131	92	52	22	37	181	421	412	405	549	729	795	567
Male.....	3,249	57	29	15	28	134	318	299	270	336	431	478	354
Female.....	1,882	35	23	7	9	47	103	113	135	213	298	317	213
White, both sexes.....	4,220	63	28	11	30	160	361	351	345	452	605	656	458
Male.....	2,616	41	12	7	22	119	272	249	230	271	347	382	276
Female.....	1,604	22	16	4	8	41	89	102	115	181	258	274	182
Black, both sexes.....	718	23	22	10	6	15	42	45	42	79	105	117	88
Male.....	508	12	15	7	5	12	33	37	29	52	74	83	66
Female.....	210	11	7	3	1	3	9	8	13	27	31	34	22
American Indian 1/, both sexes.....	95	2	2	1	1	5	9	9	8	12	11	11	11
Male.....	62	1	2	1	1	2	6	9	6	9	6	5	5
Female.....	33	1	-	-	-	3	3	-	2	3	5	6	6
Asian or Pacific Islander 2/, both sexes.....	98	4	-	-	-	1	9	7	10	6	8	11	10
Male.....	63	3	-	-	-	1	7	4	5	4	4	8	7
Female.....	35	1	-	-	-	-	2	3	5	2	4	3	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	220	-	2	-	5	35	41	30	15	27	12	13	9
Male.....	181	-	2	-	5	32	36	26	11	21	10	10	6
Female.....	39	-	-	-	-	3	5	4	4	6	2	3	3
White, both sexes.....	169	-	1	-	4	25	27	18	12	22	10	12	7
Male.....	133	-	1	-	4	22	22	14	9	16	9	10	4
Female.....	36	-	-	-	-	3	5	4	3	6	1	2	3
Black, both sexes.....	48	-	1	-	1	10	13	11	2	5	2	1	2
Male.....	45	-	1	-	1	10	13	11	1	5	1	-	2
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,911	92	50	22	32	146	380	382	390	522	717	782	558
Male.....	3,068	57	27	15	23	102	282	273	259	315	421	468	348
Female.....	1,843	35	23	7	9	44	98	109	131	207	296	314	210
White, both sexes.....	4,051	63	27	11	26	135	334	333	333	430	595	644	451
Male.....	2,483	41	11	7	18	97	250	235	221	255	338	372	272
Female.....	1,568	22	16	4	8	38	84	98	112	175	257	272	179
Black, both sexes.....	670	23	21	10	5	5	29	34	40	74	103	116	86
Male.....	463	12	14	7	4	2	20	26	28	47	73	83	64
Female.....	207	11	7	3	1	3	9	8	12	27	30	33	22
American Indian 1/, both sexes.....	93	2	2	1	1	5	8	8	8	12	11	11	11
Male.....	60	1	2	1	1	2	5	8	6	9	6	5	5
Female.....	33	1	-	-	-	3	3	-	2	3	5	6	6
Asian or Pacific Islander 2/, both sexes.....	97	4	-	-	-	1	9	7	9	6	8	11	10
Male.....	62	3	-	-	-	1	7	4	4	4	4	8	7
Female.....	35	1	-	-	-	-	2	3	5	2	4	3	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	28	-	-	-	-	2	11	3	1	1	1	-	1
Male.....	28	-	-	-	-	2	11	3	1	1	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	27	-	-	-	-	2	11	3	1	1	-	-	1
Male.....	27	-	-	-	-	2	11	3	1	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,521	23	22	7	12	22	23	31	31	39	79	118	158
Male.....	1,121	13	11	4	7	14	9	10	15	17	34	58	87
Female.....	1,400	10	11	3	5	8	14	21	16	22	45	60	71
White, both sexes.....	2,046	16	17	5	9	17	18	25	19	26	58	87	114
Male.....	926	9	8	3	5	11	7	7	8	13	29	39	70
Female.....	1,120	7	9	2	4	6	11	18	11	13	29	48	44
Black, both sexes.....	427	7	4	1	3	2	5	6	11	11	20	29	41
Male.....	179	4	3	-	2	1	2	3	7	4	5	17	17
Female.....	248	3	1	1	1	1	3	3	4	7	15	12	24
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	36	-	1	1	-	3	-	-	1	1	-	2	1
Male.....	12	-	-	1	-	2	-	-	-	-	-	2	-
Female.....	24	-	1	-	-	1	-	-	1	1	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	22,073	-	-	-	2	46	103	212	425	967	2,270	3,571	4,025
Male.....	16,472	-	-	-	2	44	79	176	320	672	1,574	2,567	3,069
Female.....	5,601	-	-	-	-	2	24	36	105	295	696	1,004	956
White, both sexes.....	18,917	-	-	-	-	39	85	165	336	785	1,909	3,064	3,451
Male.....	14,186	-	-	-	-	37	66	138	266	561	1,345	2,214	2,644
Female.....	4,731	-	-	-	-	2	19	27	70	224	564	850	807
Black, both sexes.....	2,172	-	-	-	1	3	11	22	32	90	213	338	424
Male.....	1,599	-	-	-	1	3	9	18	15	54	135	238	314
Female.....	573	-	-	-	-	-	2	4	17	36	78	100	110
American Indian 1/, both sexes.....	717	-	-	-	1	4	7	21	42	76	113	126	107
Male.....	458	-	-	-	1	4	4	16	26	44	65	79	69
Female.....	259	-	-	-	-	-	3	5	16	32	48	47	38
Asian or Pacific Islander 2/, both sexes.....	267	-	-	-	-	-	-	4	15	16	35	43	43
Male.....	229	-	-	-	-	-	-	4	13	13	29	36	42
Female.....	38	-	-	-	-	-	-	-	2	3	6	7	1

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	38,396	44	36	15	43	880	2,772	3,408	3,379	4,279	5,887	6,464	5,081
Male.....	24,507	23	20	9	24	654	2,127	2,466	2,342	2,752	3,681	3,943	3,139
Female.....	13,889	21	16	6	19	226	645	942	1,037	1,527	2,206	2,521	1,942
White, both sexes.....	32,866	28	22	8	37	827	2,587	3,116	2,958	3,660	4,989	5,409	4,122
Male.....	20,786	16	12	5	19	618	1,999	2,248	2,041	2,348	3,117	3,257	2,478
Female.....	12,080	12	10	3	18	209	588	868	917	1,312	1,872	2,152	1,644
Black, both sexes.....	4,790	15	12	6	5	32	137	244	328	523	796	946	869
Male.....	3,261	6	7	3	4	20	93	185	237	341	508	618	613
Female.....	1,529	9	5	3	1	12	44	59	91	182	288	328	256
American Indian 1/, both sexes.....	407	1	2	-	-	14	21	29	53	57	55	64	52
Male.....	253	1	1	-	-	11	16	24	39	34	28	39	27
Female.....	154	-	1	-	-	3	5	5	14	23	27	25	25
Asian or Pacific Islander 2/, both sexes.....	333	-	-	1	1	7	27	19	40	39	47	45	38
Male.....	207	-	-	1	1	5	19	9	25	29	28	29	21
Female.....	126	-	-	-	-	2	8	10	15	10	19	16	17

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,896	6	57	80	266	2,809	4,346	3,522	2,667	2,509	2,503	2,575	2,253
Male.....	26,712	2	38	42	216	2,549	3,954	3,111	2,352	2,075	2,046	2,102	1,847
Female.....	4,184	4	19	38	50	260	392	411	315	434	457	473	406
White, both sexes.....	21,721	2	27	52	167	1,390	2,135	1,815	1,523	1,765	1,943	2,145	1,935
Male.....	18,496	-	18	27	135	1,243	1,908	1,564	1,318	1,431	1,581	1,727	1,589
Female.....	3,225	2	9	25	32	147	227	251	205	334	362	418	346
Black, both sexes.....	8,409	4	29	22	91	1,307	2,051	1,612	1,058	687	503	373	269
Male.....	7,563	2	19	12	74	1,204	1,901	1,463	961	600	422	329	222
Female.....	846	2	10	10	17	103	150	149	97	87	81	44	47
American Indian 1/, both sexes.....	291	-	-	1	5	43	64	38	29	24	31	17	15
Male.....	253	-	-	-	4	40	60	36	25	19	23	12	12
Female.....	38	-	-	1	1	3	4	2	4	5	8	5	3
Asian or Pacific Islander 2/, both sexes.....	475	-	1	5	3	69	96	57	57	33	26	40	34
Male.....	400	-	1	3	3	62	85	48	48	25	20	34	24
Female.....	75	-	-	2	-	7	11	9	9	8	6	6	10

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)											
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)											
All races, both sexes.....	157	206	342	569	999	1,485	1,417	916	306	38	-
Male.....	81	112	178	242	432	551	511	263	64	6	-
Female.....	76	94	164	327	567	934	906	653	242	32	-
White, both sexes.....	128	174	307	512	934	1,413	1,350	877	290	36	-
Male.....	67	95	161	219	403	521	484	254	63	6	-
Female.....	61	79	146	293	531	892	866	623	227	30	-
Black, both sexes.....	24	29	28	50	49	57	48	31	11	2	-
Male.....	12	15	13	19	21	20	16	6	-	-	-
Female.....	12	14	15	31	28	37	32	25	11	2	-
American Indian 1/, both sexes.....	2	1	4	1	6	2	6	1	2	-	-
Male.....	-	1	3	1	3	-	3	-	-	-	-
Female.....	2	-	1	-	3	2	3	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	6	10	13	13	7	3	-	-
Male.....	2	1	1	3	5	10	8	3	1	-	-
Female.....	1	1	2	3	5	3	5	4	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Tuberculosis (A16-A19)											
All races, both sexes.....	48	53	59	58	70	98	71	36	4	-	-
Male.....	38	43	41	36	44	54	31	20	1	-	-
Female.....	10	10	18	22	26	44	40	16	3	-	-
White, both sexes.....	24	31	37	28	50	62	47	28	3	-	-
Male.....	19	24	23	18	29	34	18	13	1	-	-
Female.....	5	7	14	10	21	28	29	15	2	-	-
Black, both sexes.....	18	16	14	22	9	17	7	2	1	-	-
Male.....	15	14	12	12	8	8	4	2	-	-	-
Female.....	3	2	2	10	1	9	3	-	1	-	-
American Indian 1/, both sexes.....	2	-	1	1	1	3	1	-	-	-	-
Male.....	1	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	6	7	7	10	16	16	6	-	-	-
Male.....	3	5	5	5	7	11	9	5	-	-	-
Female.....	1	1	2	2	3	5	7	1	-	-	-
Respiratory tuberculosis (A16)											
All races, both sexes.....	35	48	41	43	54	78	51	30	4	-	-
Male.....	30	40	31	28	38	44	24	16	1	-	-
Female.....	5	8	10	15	16	34	27	14	3	-	-
White, both sexes.....	16	28	24	21	37	51	32	22	3	-	-
Male.....	13	22	17	13	24	29	13	9	1	-	-
Female.....	3	6	7	8	13	22	19	13	2	-	-
Black, both sexes.....	16	14	10	16	7	12	5	2	1	-	-
Male.....	14	13	9	10	7	6	2	2	-	-	-
Female.....	2	1	1	6	-	6	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	2	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	6	5	9	13	14	6	-	-	-
Male.....	3	5	4	4	7	9	9	5	-	-	-
Female.....	-	1	2	1	2	4	5	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute poliomyelitis (A80)											
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (A83-A84,A85.2)											
All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Measles (B05)											
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)											
All races, both sexes.....	1,455	672	462	381	371	227	111	42	8	2	-
Male.....	1,057	445	253	179	160	83	36	12	3	-	-
Female.....	398	227	209	202	211	144	75	30	5	2	-
White, both sexes.....	1,110	516	338	300	290	178	94	34	5	2	-
Male.....	811	343	186	144	128	70	34	10	3	-	-
Female.....	299	173	152	156	162	108	60	24	2	2	-
Black, both sexes.....	280	116	89	40	42	29	10	5	2	-	-
Male.....	205	78	48	21	21	8	2	1	-	-	-
Female.....	75	38	41	19	21	21	8	4	2	-	-
American Indian 1/, both sexes.....	22	6	6	1	5	1	1	-	-	-	-
Male.....	13	2	2	-	2	-	-	-	-	-	-
Female.....	9	4	4	1	3	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	34	29	40	34	19	6	3	1	-	-
Male.....	28	22	17	14	9	5	-	1	-	-	-
Female.....	15	12	12	26	25	14	6	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated 2004), race, and sex

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes.....	421	443	500	606	721	781	592	353	110	24	1
Male.....	252	240	270	311	362	374	258	133	27	5	1
Female.....	169	203	230	295	359	407	334	220	83	19	-
White, both sexes.....	329	363	421	523	639	694	542	322	96	18	1
Male.....	192	191	235	269	318	334	241	123	23	4	1
Female.....	137	172	186	254	321	360	301	199	73	14	-
Black, both sexes.....	79	60	65	65	64	62	42	27	11	5	-
Male.....	49	36	26	32	34	25	12	7	3	1	-
Female.....	30	24	39	33	30	37	30	20	8	4	-
American Indian 1/, both sexes.....	6	4	3	5	1	4	2	-	-	1	-
Male.....	6	2	1	1	-	2	1	-	-	-	-
Female.....	-	2	2	4	1	2	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	16	11	13	17	21	6	4	3	-	-
Male.....	5	11	8	9	10	13	4	3	1	-	-
Female.....	2	5	3	4	7	8	2	1	2	-	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	46,057	55,397	63,820	73,734	84,503	80,386	53,811	24,265	6,213	783	8
Male.....	24,968	30,380	35,401	40,067	44,987	41,447	25,605	10,020	2,125	214	5
Female.....	21,089	25,017	28,419	33,667	39,516	38,939	28,206	14,245	4,088	569	3
White, both sexes.....	37,756	46,665	54,405	63,875	74,952	72,198	48,803	21,990	5,540	672	6
Male.....	20,472	25,597	30,182	34,731	40,029	37,287	23,229	9,064	1,863	178	4
Female.....	17,284	21,068	24,223	29,144	34,923	34,911	25,574	12,926	3,677	494	2
Black, both sexes.....	6,918	7,253	7,751	8,016	7,658	6,579	3,975	1,851	552	91	1
Male.....	3,826	3,979	4,300	4,395	3,986	3,328	1,868	748	201	29	1
Female.....	3,092	3,274	3,451	3,621	3,672	3,251	2,107	1,103	351	62	-
American Indian 1/, both sexes.....	248	295	351	329	290	270	130	49	17	7	-
Male.....	122	158	190	162	155	125	56	25	7	3	-
Female.....	126	137	161	167	135	145	74	24	10	4	-
Asian or Pacific Islander 2/, both sexes.....	1,135	1,184	1,313	1,514	1,603	1,339	903	375	104	13	1
Male.....	548	646	729	779	817	707	452	183	54	4	-
Female.....	587	538	584	735	786	632	451	192	50	9	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races, both sexes.....	941	882	906	908	961	799	511	271	72	11	-
Male.....	747	676	674	612	615	466	240	104	23	2	-
Female.....	194	206	232	296	346	333	271	167	49	9	-
White, both sexes.....	742	706	737	764	847	724	478	251	65	11	-
Male.....	588	540	541	512	541	417	222	97	20	2	-
Female.....	154	166	196	252	306	307	256	154	45	9	-
Black, both sexes.....	163	143	135	114	85	53	22	13	5	-	-
Male.....	131	112	109	81	56	37	11	4	1	-	-
Female.....	32	31	26	33	29	16	11	9	4	-	-
American Indian 1/, both sexes.....	2	4	8	8	2	5	1	2	-	-	-
Male.....	2	3	5	6	2	2	1	-	-	-	-
Female.....	-	1	3	2	-	3	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	29	26	22	27	17	10	5	2	-	-
Male.....	26	21	19	13	16	10	6	3	2	-	-
Female.....	8	8	7	9	11	7	4	2	-	-	-

Malignant neoplasm of esophagus (C15)

All races, both sexes.....	1,525	1,764	1,810	1,881	1,984	1,531	919	362	67	7	1
Male.....	1,323	1,478	1,490	1,484	1,466	1,119	599	196	24	-	1
Female.....	202	286	320	397	518	412	320	166	43	7	-
White, both sexes.....	1,271	1,515	1,559	1,657	1,783	1,411	844	343	62	6	1
Male.....	1,134	1,290	1,300	1,315	1,333	1,051	548	188	23	-	1
Female.....	137	225	259	342	450	360	296	155	39	6	-
Black, both sexes.....	222	218	216	182	150	100	51	14	4	1	-
Male.....	163	163	163	137	99	57	33	5	1	-	-
Female.....	59	55	53	45	51	43	18	9	3	1	-
American Indian 1/, both sexes.....	7	11	11	10	10	2	2	-	-	-	-
Male.....	5	8	9	9	4	-	1	-	-	-	-
Female.....	2	3	2	1	6	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	20	24	32	41	18	22	5	1	-	-
Male.....	21	17	18	23	30	11	17	3	-	-	-
Female.....	4	3	6	9	11	7	5	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of stomach (C16)											
All races, both sexes.....	911	959	1,140	1,322	1,647	1,696	1,184	555	140	18	-
Male.....	620	642	743	821	975	974	584	210	47	6	-
Female.....	291	317	397	501	672	722	600	345	93	12	-
White, both sexes.....	669	700	842	994	1,274	1,321	960	466	109	8	-
Male.....	467	472	561	629	772	768	473	180	40	4	-
Female.....	202	228	281	365	502	553	487	286	69	4	-
Black, both sexes.....	161	190	208	227	251	272	162	63	25	8	-
Male.....	109	124	131	124	151	147	72	17	5	-	-
Female.....	52	66	77	103	100	125	90	46	20	8	-
American Indian 1/, both sexes.....	10	6	11	9	8	11	6	-	-	2	-
Male.....	5	5	9	6	4	8	6	-	-	2	-
Female.....	5	1	2	3	4	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	71	63	79	92	114	92	56	26	6	-	-
Male.....	39	41	42	62	48	51	33	13	2	-	-
Female.....	32	22	37	30	66	41	23	13	4	-	-
Malignant neoplasms of colon, rectum and anus (C18-C21)											
All races, both sexes.....	3,973	4,653	5,399	6,310	7,705	8,319	6,377	3,493	998	124	3
Male.....	2,267	2,751	3,142	3,520	3,970	3,951	2,525	1,140	267	28	2
Female.....	1,706	1,902	2,257	2,790	3,735	4,368	3,852	2,353	731	96	1
White, both sexes.....	3,182	3,758	4,441	5,348	6,626	7,308	5,718	3,134	909	110	2
Male.....	1,853	2,253	2,624	2,996	3,460	3,468	2,262	1,018	237	26	1
Female.....	1,329	1,505	1,817	2,352	3,166	3,840	3,456	2,116	672	84	1
Black, both sexes.....	652	740	795	811	882	836	538	307	74	9	1
Male.....	344	399	426	448	421	389	217	104	24	1	1
Female.....	308	341	369	363	461	447	321	203	50	8	-
American Indian 1/, both sexes.....	29	35	33	19	37	21	13	2	-	-	-
Male.....	18	19	22	10	18	10	6	1	-	-	-
Female.....	11	16	11	9	19	11	7	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	110	120	130	132	160	154	108	50	13	5	-
Male.....	52	80	70	66	71	84	40	17	6	1	-
Female.....	58	40	60	66	89	70	68	33	7	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes.....	2,095	1,747	1,789	2,041	2,228	1,933	1,189	462	116	7	-
Male.....	1,640	1,252	1,244	1,293	1,315	1,046	543	170	25	1	-
Female.....	455	495	545	748	913	887	646	292	91	6	-
White, both sexes.....	1,521	1,335	1,400	1,675	1,881	1,658	1,052	414	103	7	-
Male.....	1,173	941	966	1,070	1,128	918	483	157	24	1	-
Female.....	348	394	434	605	753	740	569	257	79	6	-
Black, both sexes.....	438	264	224	213	184	156	81	29	10	-	-
Male.....	369	199	158	138	101	67	32	6	1	-	-
Female.....	69	65	66	75	83	89	49	23	9	-	-
American Indian 1/, both sexes.....	17	16	23	15	12	19	3	2	-	-	-
Male.....	13	12	17	5	10	8	-	1	-	-	-
Female.....	4	4	6	10	2	11	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	119	132	142	138	151	100	53	17	3	-	-
Male.....	85	100	103	80	76	53	28	6	-	-	-
Female.....	34	32	39	58	75	47	25	11	3	-	-

Malignant neoplasm of pancreas (C25)

All races, both sexes.....	2,795	3,503	3,914	4,559	5,179	5,081	3,290	1,471	329	40	-
Male.....	1,701	2,034	2,193	2,344	2,412	2,157	1,234	410	75	5	-
Female.....	1,094	1,469	1,721	2,215	2,767	2,924	2,056	1,061	254	35	-
White, both sexes.....	2,292	2,932	3,312	3,879	4,554	4,527	2,952	1,295	299	29	-
Male.....	1,411	1,729	1,889	2,037	2,165	1,964	1,133	366	71	2	-
Female.....	881	1,203	1,423	1,842	2,389	2,563	1,819	929	228	27	-
Black, both sexes.....	417	481	494	537	508	422	261	143	25	8	-
Male.....	250	259	250	246	194	144	71	26	3	2	-
Female.....	167	222	244	291	314	278	190	117	22	6	-
American Indian 1/, both sexes.....	13	21	19	19	14	24	11	4	-	-	-
Male.....	7	11	9	4	6	4	3	3	-	-	-
Female.....	6	10	10	15	8	20	8	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	73	69	89	124	103	108	66	29	5	3	-
Male.....	33	35	45	57	47	45	27	15	1	1	-
Female.....	40	34	44	67	56	63	39	14	4	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of larynx (C32)											
All races, both sexes.....	476	502	540	531	510	418	229	83	21	-	-
Male.....	385	396	444	402	389	320	168	65	17	-	-
Female.....	91	106	96	129	121	98	61	18	4	-	-
White, both sexes.....	367	410	423	447	445	366	203	72	20	-	-
Male.....	299	321	344	332	335	280	150	57	16	-	-
Female.....	68	89	79	115	110	86	53	15	4	-	-
Black, both sexes.....	104	85	109	77	61	40	23	7	1	-	-
Male.....	83	69	92	63	50	31	15	5	1	-	-
Female.....	21	16	17	14	11	9	8	2	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	-	4	1	2	-	-	-
Male.....	1	2	2	-	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	6	7	4	8	2	2	-	-	-
Male.....	2	4	6	7	4	7	2	2	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)											
All races, both sexes.....	13,084	18,233	22,505	25,377	27,070	21,662	11,386	3,694	752	83	1
Male.....	7,812	10,702	13,182	14,513	15,159	11,856	5,742	1,669	288	28	-
Female.....	5,272	7,531	9,323	10,864	11,911	9,806	5,644	2,025	464	55	1
White, both sexes.....	10,885	15,614	19,600	22,387	24,449	19,653	10,458	3,369	670	69	1
Male.....	6,400	9,043	11,363	12,719	13,638	10,750	5,271	1,506	253	24	-
Female.....	4,485	6,571	8,237	9,668	10,811	8,903	5,187	1,863	417	45	1
Black, both sexes.....	1,880	2,243	2,472	2,438	2,116	1,601	704	246	60	10	-
Male.....	1,220	1,430	1,558	1,470	1,214	870	346	125	21	3	-
Female.....	660	813	914	968	902	731	358	121	39	7	-
American Indian 1/, both sexes.....	74	88	112	111	88	57	22	7	1	1	-
Male.....	37	44	63	59	54	27	8	3	1	1	-
Female.....	37	44	49	52	34	30	14	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	245	288	321	441	417	351	202	72	21	3	-
Male.....	155	185	198	265	253	209	117	35	13	-	-
Female.....	90	103	123	176	164	142	85	37	8	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)											
All races, both sexes.....	818	824	855	925	1,034	1,007	710	279	64	14	-
Male.....	546	576	578	608	703	652	437	153	27	2	-
Female.....	272	248	277	317	331	355	273	126	37	12	-
White, both sexes.....	800	805	843	908	1,010	985	694	266	61	14	-
Male.....	539	560	573	601	689	643	429	147	26	2	-
Female.....	261	245	270	307	321	342	265	119	35	12	-
Black, both sexes.....	13	13	5	12	16	18	7	12	2	-	-
Male.....	6	11	2	4	11	6	4	5	1	-	-
Female.....	7	2	3	8	5	12	3	7	1	-	-
American Indian 1/, both sexes.....	1	3	1	2	2	2	4	-	1	-	-
Male.....	-	3	1	1	1	2	3	-	-	-	-
Female.....	1	-	-	1	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	6	3	6	2	5	1	-	-	-
Male.....	1	2	2	2	2	1	1	1	-	-	-
Female.....	3	1	4	1	4	1	4	-	-	-	-
Malignant neoplasm of breast (C50)											
All races, both sexes.....	4,496	4,375	3,939	4,022	4,658	4,688	3,375	1,985	702	120	1
Male.....	38	50	40	46	55	56	39	9	1	2	-
Female.....	4,458	4,325	3,899	3,976	4,603	4,632	3,336	1,976	701	118	1
White, both sexes.....	3,578	3,642	3,347	3,456	4,118	4,198	3,060	1,786	610	109	-
Male.....	30	42	34	39	50	49	38	8	-	2	-
Female.....	3,548	3,600	3,313	3,417	4,068	4,149	3,022	1,778	610	107	-
Black, both sexes.....	762	613	500	472	466	442	274	179	85	10	-
Male.....	8	6	6	7	4	6	1	1	1	-	-
Female.....	754	607	494	465	462	436	273	178	84	10	-
American Indian 1/, both sexes.....	24	18	15	15	10	10	8	5	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	18	15	15	10	10	8	5	-	1	-
Asian or Pacific Islander 2/, both sexes.....	132	102	77	79	64	38	33	15	7	-	1
Male.....	-	2	-	-	1	1	-	-	-	-	-
Female.....	132	100	77	79	63	37	33	15	7	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)											
All races, both sexes.....	461	360	317	287	263	230	164	90	19	5	-
Male.....
Female.....	461	360	317	287	263	230	164	90	19	5	-
White, both sexes.....	371	283	235	208	198	185	114	65	17	4	-
Male.....
Female.....	371	283	235	208	198	185	114	65	17	4	-
Black, both sexes.....	65	63	67	68	49	38	42	23	2	1	-
Male.....
Female.....	65	63	67	68	49	38	42	23	2	1	-
American Indian 1/, both sexes.....	5	2	3	3	1	-	-	-	-	-	-
Male.....
Female.....	5	2	3	3	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	12	12	8	15	7	8	2	-	-	-
Male.....
Female.....	20	12	12	8	15	7	8	2	-	-	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)											
All races, both sexes.....	691	831	908	989	1,052	997	678	334	117	13	-
Male.....
Female.....	691	831	908	989	1,052	997	678	334	117	13	-
White, both sexes.....	533	627	671	757	867	855	606	305	108	12	-
Male.....
Female.....	533	627	671	757	867	855	606	305	108	12	-
Black, both sexes.....	134	180	209	206	165	130	65	27	7	1	-
Male.....
Female.....	134	180	209	206	165	130	65	27	7	1	-
American Indian 1/, both sexes.....	3	2	3	5	4	2	2	-	2	-	-
Male.....
Female.....	3	2	3	5	4	2	2	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	21	22	25	21	16	10	5	2	-	-	-
Male.....
Female.....	21	22	25	21	16	10	5	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)											
All races, both sexes.....	1,178	1,284	1,534	1,551	1,772	1,640	1,165	514	126	10	-
Male.....	838	895	1,046	958	1,075	889	607	226	46	1	-
Female.....	340	389	488	593	697	751	558	288	80	9	-
White, both sexes.....	1,025	1,139	1,358	1,378	1,620	1,499	1,071	468	113	9	-
Male.....	720	795	923	858	992	818	560	210	41	1	-
Female.....	305	344	435	520	628	681	511	258	72	8	-
Black, both sexes.....	129	109	133	133	115	110	80	37	11	1	-
Male.....	97	76	94	75	61	58	39	12	4	-	-
Female.....	32	33	39	58	54	52	41	25	7	1	-
American Indian 1/, both sexes.....	7	11	11	13	7	11	2	3	1	-	-
Male.....	7	6	7	10	6	5	2	2	-	-	-
Female.....	-	5	4	3	1	6	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	17	25	32	27	30	20	12	6	1	-	-
Male.....	14	18	22	15	16	8	6	2	1	-	-
Female.....	3	7	10	12	14	12	6	4	-	-	-
Malignant neoplasm of bladder (C67)											
All races, both sexes.....	635	933	1,166	1,644	2,216	2,658	2,138	1,098	301	34	-
Male.....	487	705	857	1,202	1,602	1,870	1,421	647	140	13	-
Female.....	148	228	309	442	614	788	717	451	161	21	-
White, both sexes.....	550	842	1,051	1,471	2,034	2,461	1,995	1,022	275	31	-
Male.....	428	639	788	1,108	1,507	1,763	1,349	607	128	13	-
Female.....	122	203	263	363	527	698	646	415	147	18	-
Black, both sexes.....	74	80	97	145	153	163	119	65	23	3	-
Male.....	49	59	53	81	73	82	59	34	11	-	-
Female.....	25	21	44	64	80	81	60	31	12	3	-
American Indian 1/, both sexes.....	3	1	2	5	8	6	4	2	-	-	-
Male.....	3	1	2	3	7	5	2	1	-	-	-
Female.....	-	-	-	2	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	10	16	23	21	28	20	9	3	-	-
Male.....	7	6	14	10	15	20	11	5	1	-	-
Female.....	1	4	2	13	6	8	9	4	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)											
All races, both sexes.....	1,477	1,448	1,347	1,434	1,367	1,109	626	206	47	6	-
Male.....	874	863	794	781	714	558	265	76	14	3	-
Female.....	603	585	553	653	653	551	361	130	33	3	-
White, both sexes.....	1,341	1,364	1,248	1,335	1,304	1,043	594	189	42	5	-
Male.....	795	815	739	729	685	521	251	70	12	3	-
Female.....	546	549	509	606	619	522	343	119	30	2	-
Black, both sexes.....	105	65	70	74	44	52	23	11	2	1	-
Male.....	64	37	36	40	18	28	10	2	-	-	-
Female.....	41	28	34	34	26	24	13	9	2	1	-
American Indian 1/, both sexes.....	3	4	5	5	1	4	1	-	-	-	-
Male.....	-	2	4	2	1	4	-	-	-	-	-
Female.....	3	2	1	3	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	15	24	20	18	10	8	6	3	-	-
Male.....	15	9	15	10	10	5	4	4	2	-	-
Female.....	13	6	9	10	8	5	4	2	1	-	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)											
All races, both sexes.....	3,372	4,323	5,361	6,974	8,787	9,187	6,455	2,713	608	80	1
Male.....	2,069	2,625	3,179	3,962	4,917	4,782	2,883	1,034	198	16	1
Female.....	1,303	1,698	2,182	3,012	3,870	4,405	3,572	1,679	410	64	-
White, both sexes.....	2,792	3,655	4,657	6,155	7,961	8,499	5,993	2,520	558	74	1
Male.....	1,727	2,243	2,781	3,531	4,493	4,460	2,684	958	174	15	1
Female.....	1,065	1,412	1,876	2,624	3,468	4,039	3,309	1,562	384	59	-
Black, both sexes.....	501	554	576	666	652	540	357	150	40	6	-
Male.....	300	317	325	360	323	245	149	50	18	1	-
Female.....	201	237	251	306	329	295	208	100	22	5	-
American Indian 1/, both sexes.....	11	23	20	26	21	23	12	6	2	-	-
Male.....	8	15	9	13	9	11	3	5	1	-	-
Female.....	3	8	11	13	12	12	9	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	68	91	108	127	153	125	93	37	8	-	-
Male.....	34	50	64	58	92	66	47	21	5	-	-
Female.....	34	41	44	69	61	59	46	16	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hodgkin's disease (C81)

All races, both sexes.....	96	92	97	108	156	132	97	36	5	-	-
Male.....	67	58	59	60	71	65	44	15	3	-	-
Female.....	29	34	38	48	85	67	53	21	2	-	-
White, both sexes.....	81	83	88	95	145	124	88	34	4	-	-
Male.....	55	53	52	53	66	60	40	15	2	-	-
Female.....	26	30	36	42	79	64	48	19	2	-	-
Black, both sexes.....	13	7	9	9	7	7	7	2	-	-	-
Male.....	10	3	7	4	3	4	3	-	-	-	-
Female.....	3	4	2	5	4	3	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	4	2	1	2	-	1	-	-
Male.....	2	2	-	3	1	1	1	-	1	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-

Non-Hodgkin's lymphoma (C82-C85)

All races, both sexes.....	1,215	1,671	1,972	2,571	3,413	3,594	2,547	1,048	224	12	1
Male.....	776	1,019	1,152	1,425	1,787	1,759	1,065	381	65	2	1
Female.....	439	652	820	1,146	1,626	1,835	1,482	667	159	10	-
White, both sexes.....	1,026	1,465	1,758	2,356	3,195	3,390	2,418	997	210	11	1
Male.....	659	901	1,030	1,315	1,685	1,675	1,006	364	58	2	1
Female.....	367	564	728	1,041	1,510	1,715	1,412	633	152	9	-
Black, both sexes.....	163	159	153	154	150	133	87	32	11	1	-
Male.....	104	92	86	77	67	51	38	4	5	-	-
Female.....	59	67	67	77	83	82	49	28	6	1	-
American Indian 1/, both sexes.....	3	5	9	9	6	11	8	4	-	-	-
Male.....	1	3	3	5	4	4	2	4	-	-	-
Female.....	2	2	6	4	2	7	6	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	42	52	52	62	60	34	15	3	-	-
Male.....	12	23	33	28	31	29	19	9	2	-	-
Female.....	11	19	19	24	31	31	15	6	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Leukemia (C91-C95)											
All races, both sexes.....	1,272	1,551	2,065	2,670	3,300	3,563	2,550	1,158	306	60	-
Male.....	773	960	1,274	1,595	2,021	2,000	1,213	443	105	13	-
Female.....	499	591	791	1,075	1,279	1,563	1,337	715	201	47	-
White, both sexes.....	1,097	1,348	1,842	2,397	2,992	3,337	2,387	1,080	280	55	-
Male.....	669	846	1,136	1,446	1,844	1,882	1,139	408	93	12	-
Female.....	428	502	706	951	1,148	1,455	1,248	672	187	43	-
Black, both sexes.....	141	165	180	228	234	176	127	62	20	5	-
Male.....	85	94	115	125	131	90	58	27	9	1	-
Female.....	56	71	65	103	103	86	69	35	11	4	-
American Indian 1/, both sexes.....	6	9	6	6	10	3	3	1	2	-	-
Male.....	5	6	2	6	4	2	-	-	1	-	-
Female.....	1	3	4	-	6	1	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	28	29	37	39	64	47	33	15	4	-	-
Male.....	14	14	21	18	42	26	16	8	2	-	-
Female.....	14	15	16	21	22	21	17	7	2	-	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)											
All races, both sexes.....	783	1,006	1,223	1,620	1,905	1,888	1,248	464	72	8	-
Male.....	450	585	691	878	1,031	954	557	191	24	1	-
Female.....	333	421	532	742	874	934	691	273	48	7	-
White, both sexes.....	583	757	965	1,303	1,616	1,638	1,088	402	63	8	-
Male.....	341	441	560	714	891	839	496	167	20	1	-
Female.....	242	316	405	589	725	799	592	235	43	7	-
Black, both sexes.....	183	222	234	274	261	224	136	54	9	-	-
Male.....	101	127	117	153	122	100	50	19	4	-	-
Female.....	82	95	117	121	139	124	86	35	5	-	-
American Indian 1/, both sexes.....	2	9	5	11	3	9	1	1	-	-	-
Male.....	2	6	4	2	-	5	1	1	-	-	-
Female.....	-	3	1	9	3	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	18	19	32	25	17	23	7	-	-	-
Male.....	6	11	10	9	18	10	10	4	-	-	-
Female.....	9	7	9	23	7	7	13	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	6	3	4	5	13	10	13	7	1	-	-
Male.....	3	3	3	4	7	4	4	4	1	-	-
Female.....	3	-	1	1	6	6	9	3	-	-	-
White, both sexes.....	5	2	4	4	13	10	12	7	1	-	-
Male.....	3	2	3	3	7	4	3	4	1	-	-
Female.....	2	-	1	1	6	6	9	3	-	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	4,901	5,683	6,486	7,707	9,054	9,229	6,732	3,358	910	127	1
Male.....	2,788	3,295	3,586	4,127	4,696	4,518	2,941	1,168	242	31	1
Female.....	2,113	2,388	2,900	3,580	4,358	4,711	3,791	2,190	668	96	-
White, both sexes.....	4,020	4,789	5,528	6,760	8,088	8,424	6,141	3,105	822	114	1
Male.....	2,309	2,830	3,107	3,667	4,240	4,156	2,705	1,097	220	28	1
Female.....	1,711	1,959	2,421	3,093	3,848	4,268	3,436	2,008	602	86	-
Black, both sexes.....	751	744	774	769	761	631	439	198	70	10	-
Male.....	414	396	386	379	361	291	170	52	15	2	-
Female.....	337	348	388	390	400	340	269	146	55	8	-
American Indian 1/, both sexes.....	25	36	45	45	42	34	27	7	4	2	-
Male.....	9	19	17	17	19	13	11	1	2	-	-
Female.....	16	17	28	28	23	21	16	6	2	2	-
Asian or Pacific Islander 2/, both sexes.....	105	114	139	133	163	140	125	48	14	1	-
Male.....	56	50	76	64	76	58	55	18	5	1	-
Female.....	49	64	63	69	87	82	70	30	9	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated)

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	571	744	937	1,432	2,124	2,626	2,317	1,367	399	51	-
Male.....	332	400	538	822	1,193	1,326	958	490	100	10	-
Female.....	239	344	399	610	931	1,300	1,359	877	299	41	-
White, both sexes.....	487	622	820	1,269	1,918	2,417	2,135	1,266	363	45	-
Male.....	287	342	473	742	1,098	1,224	878	447	92	8	-
Female.....	200	280	347	527	820	1,193	1,257	819	271	37	-
Black, both sexes.....	73	101	92	118	155	167	132	74	30	4	-
Male.....	41	49	52	59	73	80	57	25	6	2	-
Female.....	32	52	40	59	82	87	75	49	24	2	-
American Indian 1/, both sexes.....	1	5	5	6	8	7	11	5	2	-	-
Male.....	1	3	3	2	3	5	3	3	1	-	-
Female.....	-	2	2	4	5	2	8	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	16	20	39	43	35	39	22	4	2	-
Male.....	3	6	10	19	19	17	20	15	1	-	-
Female.....	7	10	10	20	24	18	19	7	3	2	-

Anemias (D50-D64)

All races, both sexes.....	149	155	143	258	380	595	682	566	274	65	-
Male.....	70	73	73	106	168	253	241	183	64	11	-
Female.....	79	82	70	152	212	342	441	383	210	54	-
White, both sexes.....	92	106	110	210	323	526	615	499	238	55	-
Male.....	40	48	59	86	143	225	222	167	57	9	-
Female.....	52	58	51	124	180	301	393	332	181	46	-
Black, both sexes.....	56	44	30	44	48	57	53	58	31	8	-
Male.....	29	22	13	17	21	23	11	15	6	1	-
Female.....	27	22	17	27	27	34	42	43	25	7	-
American Indian 1/, both sexes.....	-	2	-	1	2	1	1	1	3	-	-
Male.....	-	1	-	1	1	-	1	-	1	-	-
Female.....	-	1	-	-	1	1	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	3	7	11	13	8	2	2	-
Male.....	1	2	1	2	3	5	7	1	-	1	-
Female.....	-	1	2	1	4	6	6	7	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)											
All races, both sexes.....	5,233	6,199	7,084	8,399	10,471	11,292	8,994	4,528	1,352	231	1
Male.....	3,049	3,621	3,903	4,441	5,225	5,061	3,620	1,455	311	33	1
Female.....	2,184	2,578	3,181	3,958	5,246	6,231	5,374	3,073	1,041	198	-
White, both sexes.....	3,844	4,638	5,351	6,564	8,499	9,399	7,654	3,864	1,161	188	1
Male.....	2,289	2,805	3,070	3,588	4,407	4,378	3,172	1,274	271	26	1
Female.....	1,555	1,833	2,281	2,976	4,092	5,021	4,482	2,590	890	162	-
Black, both sexes.....	1,186	1,314	1,465	1,543	1,628	1,553	1,079	552	151	34	-
Male.....	627	679	697	718	665	546	342	141	32	4	-
Female.....	559	635	768	825	963	1,007	737	411	119	30	-
American Indian 1/, both sexes.....	84	106	88	102	88	96	53	28	7	1	-
Male.....	52	51	43	39	34	32	18	10	1	-	-
Female.....	32	55	45	63	54	64	35	18	6	1	-
Asian or Pacific Islander 2/, both sexes.....	119	141	180	190	256	244	208	84	33	8	-
Male.....	81	86	93	96	119	105	88	30	7	3	-
Female.....	38	55	87	94	137	139	120	54	26	5	-
Nutritional deficiencies (E40-E64)											
All races, both sexes.....	84	101	110	165	294	426	548	407	188	57	-
Male.....	38	44	53	80	123	176	164	110	36	5	-
Female.....	46	57	57	85	171	250	384	297	152	52	-
White, both sexes.....	65	83	83	136	255	359	481	368	157	47	-
Male.....	25	35	38	65	101	143	141	101	31	3	-
Female.....	40	48	45	71	154	216	340	267	126	44	-
Black, both sexes.....	19	16	26	27	30	57	54	32	22	10	-
Male.....	13	7	15	15	17	27	18	8	4	2	-
Female.....	6	9	11	12	13	30	36	24	18	8	-
American Indian 1/, both sexes.....	-	1	1	-	1	2	4	2	2	-	-
Male.....	-	1	-	-	-	1	1	-	1	-	-
Female.....	-	-	1	-	1	1	3	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	8	8	9	5	7	-	-
Male.....	-	1	-	-	5	5	4	1	-	-	-
Female.....	-	-	-	2	3	3	5	4	7	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

All races, both sexes.....	82	91	105	157	275	398	512	375	167	51	-
Male.....	37	39	49	74	114	162	155	102	34	5	-
Female.....	45	52	56	83	161	236	357	273	133	46	-
White, both sexes.....	64	76	78	128	241	333	447	337	138	42	-
Male.....	24	32	34	59	94	131	132	93	29	3	-
Female.....	40	44	44	69	147	202	315	244	109	39	-
Black, both sexes.....	18	13	26	27	26	55	52	31	21	9	-
Male.....	13	5	15	15	15	25	18	8	4	2	-
Female.....	5	8	11	12	11	30	34	23	17	7	-
American Indian 1/, both sexes.....	-	1	1	-	1	2	4	2	2	-	-
Male.....	-	1	-	-	-	1	1	-	1	-	-
Female.....	-	-	1	-	1	1	3	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	7	8	9	5	6	-	-
Male.....	-	1	-	-	5	5	4	1	-	-	-
Female.....	-	-	-	2	2	3	5	4	6	-	-

Other nutritional deficiencies (E50-E64)

All races, both sexes.....	2	10	5	8	19	28	36	32	21	6	-
Male.....	1	5	4	6	9	14	9	8	2	-	-
Female.....	1	5	1	2	10	14	27	24	19	6	-
White, both sexes.....	1	7	5	8	14	26	34	31	19	5	-
Male.....	1	3	4	6	7	12	9	8	2	-	-
Female.....	-	4	1	2	7	14	25	23	17	5	-
Black, both sexes.....	1	3	-	-	4	2	2	1	1	1	-
Male.....	-	2	-	-	2	2	-	-	-	-	-
Female.....	1	1	-	-	2	-	2	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Meningitis (G00,G03)											
All races, both sexes.....	45	32	36	40	42	47	32	12	4	-	-
Male.....	21	19	13	20	19	20	15	4	-	-	-
Female.....	24	13	23	20	23	27	17	8	4	-	-
White, both sexes.....	30	26	29	36	35	42	31	10	4	-	-
Male.....	13	13	9	19	19	19	15	3	-	-	-
Female.....	17	13	20	17	16	23	16	7	4	-	-
Black, both sexes.....	15	6	4	4	6	4	1	2	-	-	-
Male.....	8	6	2	1	-	1	-	1	-	-	-
Female.....	7	-	2	3	6	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	1	1	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-
Parkinson's disease (G20-G21)											
All races, both sexes.....	122	275	621	1,689	3,695	5,406	4,840	2,278	492	59	-
Male.....	81	181	409	1,113	2,372	3,174	2,638	1,078	179	16	-
Female.....	41	94	212	576	1,323	2,232	2,202	1,200	313	43	-
White, both sexes.....	110	244	556	1,564	3,484	5,157	4,634	2,170	475	53	-
Male.....	74	161	367	1,031	2,240	3,023	2,540	1,029	175	16	-
Female.....	36	83	189	533	1,244	2,134	2,094	1,141	300	37	-
Black, both sexes.....	11	20	41	92	149	157	123	56	14	5	-
Male.....	6	13	28	60	95	92	53	23	3	-	-
Female.....	5	7	13	32	54	65	70	33	11	5	-
American Indian 1/, both sexes.....	-	1	7	4	10	14	14	6	-	-	-
Male.....	-	-	4	3	5	12	6	2	-	-	-
Female.....	-	1	3	1	5	2	8	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	10	17	29	52	78	69	46	3	1	-
Male.....	1	7	10	19	32	47	39	24	1	-	-
Female.....	-	3	7	10	20	31	30	22	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)											
All races, both sexes.....	205	450	1,000	2,812	7,472	15,443	20,363	16,620	6,743	1,207	-
Male.....	86	218	499	1,210	2,966	5,329	6,012	3,622	1,028	120	-
Female.....	119	232	501	1,602	4,506	10,114	14,351	12,998	5,715	1,087	-
White, both sexes.....	191	407	910	2,523	6,822	14,304	19,044	15,468	6,228	1,087	-
Male.....	81	197	455	1,091	2,735	4,966	5,646	3,378	939	109	-
Female.....	110	210	455	1,432	4,087	9,338	13,398	12,090	5,289	978	-
Black, both sexes.....	13	40	76	260	540	955	1,082	932	440	105	-
Male.....	5	20	36	107	198	293	281	166	72	8	-
Female.....	8	20	40	153	342	662	801	766	368	97	-
American Indian 1/, both sexes.....	-	1	7	8	26	47	36	29	14	1	-
Male.....	-	-	4	5	8	17	13	14	1	-	-
Female.....	-	1	3	3	18	30	23	15	13	1	-
Asian or Pacific Islander 2/, both sexes.....	1	2	7	21	84	137	201	191	61	14	-
Male.....	-	1	4	7	25	53	72	64	16	3	-
Female.....	1	1	3	14	59	84	129	127	45	11	-
Major cardiovascular diseases (I00-I78)											
All races, both sexes.....	37,492	43,222	50,883	68,219	100,998	139,864	148,877	109,991	45,228	9,910	41
Male.....	25,746	28,309	31,836	39,374	53,442	64,989	58,504	33,838	10,008	1,509	30
Female.....	11,746	14,913	19,047	28,845	47,556	74,875	90,373	76,153	35,220	8,401	11
White, both sexes.....	28,442	34,104	40,659	56,373	87,235	124,310	135,815	101,079	41,397	8,670	33
Male.....	19,994	22,748	25,896	33,039	46,875	58,527	53,873	31,266	9,140	1,308	24
Female.....	8,448	11,356	14,763	23,334	40,360	65,783	81,942	69,813	32,257	7,362	9
Black, both sexes.....	7,947	7,894	8,618	10,002	11,289	12,585	10,285	7,032	3,160	1,059	8
Male.....	4,983	4,790	4,939	5,335	5,319	5,104	3,433	1,853	632	146	6
Female.....	2,964	3,104	3,679	4,667	5,970	7,481	6,852	5,179	2,528	913	2
American Indian 1/, both sexes.....	276	307	366	359	425	450	334	232	70	20	-
Male.....	189	190	220	200	213	182	123	62	12	5	-
Female.....	87	117	146	159	212	268	211	170	58	15	-
Asian or Pacific Islander 2/, both sexes.....	827	917	1,240	1,485	2,049	2,519	2,443	1,648	601	161	-
Male.....	580	581	781	800	1,035	1,176	1,075	657	224	50	-
Female.....	247	336	459	685	1,014	1,343	1,368	991	377	111	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)											
All races, both sexes.....	30,564	34,913	40,147	52,605	76,147	104,304	111,245	83,507	34,788	7,799	40
Male.....	21,618	23,559	25,860	31,405	41,831	50,547	45,445	26,686	8,006	1,236	30
Female.....	8,946	11,354	14,287	21,200	34,316	53,757	65,800	56,821	26,782	6,563	10
White, both sexes.....	23,701	28,014	32,517	43,856	66,185	93,161	101,898	77,071	31,985	6,850	32
Male.....	17,180	19,227	21,320	26,616	36,883	45,742	42,029	24,773	7,342	1,071	24
Female.....	6,521	8,787	11,197	17,240	29,302	47,419	59,869	52,298	24,643	5,779	8
Black, both sexes.....	6,054	5,996	6,470	7,462	8,254	9,116	7,422	5,102	2,308	803	8
Male.....	3,839	3,729	3,789	4,065	4,041	3,830	2,566	1,395	478	119	6
Female.....	2,215	2,267	2,681	3,397	4,213	5,286	4,856	3,707	1,830	684	2
American Indian 1/, both sexes.....	230	262	288	283	333	338	244	165	47	14	-
Male.....	160	162	182	164	177	147	101	49	8	4	-
Female.....	70	100	106	119	156	191	143	116	39	10	-
Asian or Pacific Islander 2/, both sexes.....	579	641	872	1,004	1,375	1,689	1,681	1,169	448	132	-
Male.....	439	441	569	560	730	828	749	469	178	42	-
Female.....	140	200	303	444	645	861	932	700	270	90	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)											
All races, both sexes.....	157	195	257	351	502	621	512	258	96	18	-
Male.....	61	74	92	116	159	168	134	51	17	1	-
Female.....	96	121	165	235	343	453	378	207	79	17	-
White, both sexes.....	125	152	219	309	460	586	500	251	89	18	-
Male.....	46	59	79	101	146	163	131	49	15	1	-
Female.....	79	93	140	208	314	423	369	202	74	17	-
Black, both sexes.....	22	32	28	25	28	26	6	7	4	-	-
Male.....	10	13	10	9	10	4	-	2	1	-	-
Female.....	12	19	18	16	18	22	6	5	3	-	-
American Indian 1/, both sexes.....	3	3	1	1	4	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	3	1	1	4	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	9	16	10	7	6	-	3	-	-
Male.....	3	2	3	6	3	1	3	-	1	-	-
Female.....	4	6	6	10	7	6	3	-	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)											
All races, both sexes.....	2,143	1,987	1,891	1,969	2,595	3,637	4,322	3,698	1,818	439	2
Male.....	1,437	1,300	1,160	1,066	1,255	1,376	1,261	807	301	46	2
Female.....	706	687	731	903	1,340	2,261	3,061	2,891	1,517	393	-
White, both sexes.....	1,380	1,317	1,258	1,319	1,939	2,938	3,689	3,234	1,611	362	2
Male.....	966	872	763	725	928	1,100	1,068	676	261	40	2
Female.....	414	445	495	594	1,011	1,838	2,621	2,558	1,350	322	-
Black, both sexes.....	720	626	572	599	578	614	527	383	175	70	-
Male.....	441	401	359	308	290	241	160	108	31	6	-
Female.....	279	225	213	291	288	373	367	275	144	64	-
American Indian 1/, both sexes.....	14	6	16	7	15	8	5	9	-	1	-
Male.....	10	3	12	4	8	2	3	2	-	-	-
Female.....	4	3	4	3	7	6	2	7	-	1	-
Asian or Pacific Islander 2/, both sexes.....	29	38	45	44	63	77	101	72	32	6	-
Male.....	20	24	26	29	29	33	30	21	9	-	-
Female.....	9	14	19	15	34	44	71	51	23	6	-
Hypertensive heart and renal disease (I13)											
All races, both sexes.....	123	136	150	209	317	489	554	439	178	26	-
Male.....	81	81	76	101	148	217	205	138	51	7	-
Female.....	42	55	74	108	169	272	349	301	127	19	-
White, both sexes.....	54	57	77	113	200	387	455	368	151	20	-
Male.....	35	35	35	53	91	177	170	121	45	6	-
Female.....	19	22	42	60	109	210	285	247	106	14	-
Black, both sexes.....	66	74	65	88	100	89	83	48	24	6	-
Male.....	44	43	35	44	51	34	28	10	5	1	-
Female.....	22	31	30	44	49	55	55	38	19	5	-
American Indian 1/, both sexes.....	-	2	1	2	1	2	2	3	-	-	-
Male.....	-	1	1	2	-	1	1	1	-	-	-
Female.....	-	1	-	-	1	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	7	6	16	11	14	20	3	-	-
Male.....	2	2	5	2	6	5	6	6	1	-	-
Female.....	1	1	2	4	10	6	8	14	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)											
All races, both sexes.....	21,524	25,182	28,956	37,729	53,618	71,607	73,652	53,357	21,915	4,931	31
Male.....	15,921	17,672	19,361	23,487	30,824	36,451	31,702	17,998	5,256	807	22
Female.....	5,603	7,510	9,595	14,242	22,794	35,156	41,950	35,359	16,659	4,124	9
White, both sexes.....	17,229	20,680	23,865	31,856	46,869	64,121	67,463	49,176	20,096	4,339	26
Male.....	13,016	14,756	16,257	20,177	27,359	33,093	29,352	16,749	4,830	701	19
Female.....	4,213	5,924	7,608	11,679	19,510	31,028	38,111	32,427	15,266	3,638	7
Black, both sexes.....	3,703	3,823	4,240	4,919	5,506	5,992	4,833	3,275	1,483	493	5
Male.....	2,450	2,440	2,535	2,765	2,776	2,608	1,728	881	292	72	3
Female.....	1,253	1,383	1,705	2,154	2,730	3,384	3,105	2,394	1,191	421	2
American Indian 1/, both sexes.....	166	191	204	216	242	248	173	109	33	6	-
Male.....	117	124	129	127	138	110	71	32	8	2	-
Female.....	49	67	75	89	104	138	102	77	25	4	-
Asian or Pacific Islander 2/, both sexes.....	426	488	647	738	1,001	1,246	1,183	797	303	93	-
Male.....	338	352	440	418	551	640	551	336	126	32	-
Female.....	88	136	207	320	450	606	632	461	177	61	-
Acute myocardial infarction (I21-I22)											
All races, both sexes.....	8,503	9,870	11,097	13,698	18,600	23,024	22,202	14,766	5,635	1,136	5
Male.....	6,189	6,842	7,343	8,424	10,333	11,486	9,327	4,874	1,413	193	4
Female.....	2,314	3,028	3,754	5,274	8,267	11,538	12,875	9,892	4,222	943	1
White, both sexes.....	7,008	8,333	9,351	11,714	16,308	20,642	20,184	13,506	5,118	980	4
Male.....	5,214	5,864	6,331	7,358	9,231	10,429	8,574	4,497	1,293	161	3
Female.....	1,794	2,469	3,020	4,356	7,077	10,213	11,610	9,009	3,825	819	1
Black, both sexes.....	1,292	1,304	1,456	1,653	1,859	1,894	1,562	991	421	125	1
Male.....	828	820	834	884	874	807	533	273	83	22	1
Female.....	464	484	622	769	985	1,087	1,029	718	338	103	-
American Indian 1/, both sexes.....	64	67	72	70	91	84	55	36	11	1	-
Male.....	39	47	43	33	50	37	21	8	5	1	-
Female.....	25	20	29	37	41	47	34	28	6	-	-
Asian or Pacific Islander 2/, both sexes.....	139	166	218	261	342	404	401	233	85	30	-
Male.....	108	111	135	149	178	213	199	96	32	9	-
Female.....	31	55	83	112	164	191	202	137	53	21	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other acute ischemic heart diseases (I24)

All races, both sexes.....	266	330	296	380	472	569	539	378	183	39	3
Male.....	172	228	176	226	248	263	218	108	39	3	3
Female.....	94	102	120	154	224	306	321	270	144	36	-
White, both sexes.....	209	265	241	307	405	497	482	348	167	33	2
Male.....	135	185	147	184	211	227	191	98	39	3	2
Female.....	74	80	94	123	194	270	291	250	128	30	-
Black, both sexes.....	51	58	47	61	54	60	41	21	12	6	1
Male.....	34	39	24	36	28	28	19	7	-	-	1
Female.....	17	19	23	25	26	32	22	14	12	6	-
American Indian 1/, both sexes.....	4	5	3	5	7	5	4	4	1	-	-
Male.....	2	3	1	2	6	3	2	2	-	-	-
Female.....	2	2	2	3	1	2	2	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	7	6	7	12	5	3	-	-
Male.....	1	1	4	4	3	5	6	1	-	-	-
Female.....	1	1	1	3	3	2	6	4	3	-	-

Other forms of chronic ischemic heart disease (I20,I25)

All races, both sexes.....	12,755	14,982	17,563	23,651	34,546	48,014	50,911	38,213	16,097	3,756	23
Male.....	9,560	10,602	11,842	14,837	20,243	24,702	22,157	13,016	3,804	611	15
Female.....	3,195	4,380	5,721	8,814	14,303	23,312	28,754	25,197	12,293	3,145	8
White, both sexes.....	10,012	12,082	14,273	19,835	30,156	42,982	46,797	35,322	14,811	3,326	20
Male.....	7,667	8,707	9,779	12,635	17,917	22,437	20,587	12,154	3,498	537	14
Female.....	2,345	3,375	4,494	7,200	12,239	20,545	26,210	23,168	11,313	2,789	6
Black, both sexes.....	2,360	2,461	2,737	3,205	3,593	4,038	3,230	2,263	1,050	362	3
Male.....	1,588	1,581	1,677	1,845	1,874	1,773	1,176	601	209	50	1
Female.....	772	880	1,060	1,360	1,719	2,265	2,054	1,662	841	312	2
American Indian 1/, both sexes.....	98	119	129	141	144	159	114	69	21	5	-
Male.....	76	74	85	92	82	70	48	22	3	1	-
Female.....	22	45	44	49	62	89	66	47	18	4	-
Asian or Pacific Islander 2/, both sexes.....	285	320	424	470	653	835	770	559	215	63	-
Male.....	229	240	301	265	370	422	346	239	94	23	-
Female.....	56	80	123	205	283	413	424	320	121	40	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)											
All races, both sexes.....	4,749	5,151	4,919	5,501	6,573	8,332	8,618	6,217	2,760	703	16
Male.....	3,673	3,754	3,383	3,471	3,678	4,099	3,509	1,937	608	114	10
Female.....	1,076	1,397	1,536	2,030	2,895	4,233	5,109	4,280	2,152	589	6
White, both sexes.....	3,591	3,988	3,790	4,324	5,401	7,128	7,670	5,583	2,482	598	13
Male.....	2,835	2,929	2,629	2,748	3,051	3,530	3,127	1,758	537	92	9
Female.....	756	1,059	1,161	1,576	2,350	3,598	4,543	3,825	1,945	506	4
Black, both sexes.....	1,008	1,009	976	1,011	997	1,033	793	524	242	91	3
Male.....	715	713	648	620	534	481	307	140	58	16	1
Female.....	293	296	328	391	463	552	486	384	184	75	2
American Indian 1/, both sexes.....	41	36	30	40	33	36	21	11	3	2	-
Male.....	32	23	22	28	19	16	12	4	1	1	-
Female.....	9	13	8	12	14	20	9	7	2	1	-
Asian or Pacific Islander 2/, both sexes.....	109	118	123	126	142	135	134	99	33	12	-
Male.....	91	89	84	75	74	72	63	35	12	5	-
Female.....	18	29	39	51	68	63	71	64	21	7	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)											
All races, both sexes.....	8,006	9,831	12,644	18,150	27,973	39,682	42,293	31,996	13,337	3,053	7
Male.....	5,887	6,848	8,459	11,366	16,565	20,603	18,648	11,079	3,196	497	5
Female.....	2,119	2,983	4,185	6,784	11,408	19,079	23,645	20,917	10,141	2,556	2
White, both sexes.....	6,421	8,094	10,483	15,511	24,755	35,854	39,127	29,739	12,329	2,728	7
Male.....	4,832	5,778	7,150	9,887	14,866	18,907	17,460	10,396	2,961	445	5
Female.....	1,589	2,316	3,333	5,624	9,889	16,947	21,667	19,343	9,368	2,283	2
Black, both sexes.....	1,352	1,452	1,761	2,194	2,596	3,005	2,437	1,739	808	271	-
Male.....	873	868	1,029	1,225	1,340	1,292	869	461	151	34	-
Female.....	479	584	732	969	1,256	1,713	1,568	1,278	657	237	-
American Indian 1/, both sexes.....	57	83	99	101	111	123	93	58	18	3	-
Male.....	44	51	63	64	63	54	36	18	2	-	-
Female.....	13	32	36	37	48	69	57	40	16	3	-
Asian or Pacific Islander 2/, both sexes.....	176	202	301	344	511	700	636	460	182	51	-
Male.....	138	151	217	190	296	350	283	204	82	18	-
Female.....	38	51	84	154	215	350	353	256	100	33	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)											
All races, both sexes.....	6,617	7,413	8,893	12,347	19,115	27,950	32,205	25,755	10,781	2,385	7
Male.....	4,118	4,432	5,171	6,635	9,445	12,335	12,143	7,692	2,381	375	6
Female.....	2,499	2,981	3,722	5,712	9,670	15,615	20,062	18,063	8,400	2,010	1
White, both sexes.....	4,913	5,808	7,098	10,259	16,717	25,129	29,791	24,042	10,038	2,111	4
Male.....	3,117	3,505	4,186	5,560	8,359	11,209	11,308	7,178	2,191	323	3
Female.....	1,796	2,303	2,912	4,699	8,358	13,920	18,483	16,864	7,847	1,788	1
Black, both sexes.....	1,543	1,441	1,565	1,831	2,042	2,395	1,973	1,389	622	234	3
Male.....	894	832	850	939	914	943	650	394	149	40	3
Female.....	649	609	715	892	1,128	1,452	1,323	995	473	194	-
American Indian 1/, both sexes.....	47	60	66	57	71	78	64	44	14	7	-
Male.....	31	34	40	31	31	34	26	14	-	2	-
Female.....	16	26	26	26	40	44	38	30	14	5	-
Asian or Pacific Islander 2/, both sexes.....	114	104	164	200	285	348	377	280	107	33	-
Male.....	76	61	95	105	141	149	159	106	41	10	-
Female.....	38	43	69	95	144	199	218	174	66	23	-
Acute and subacute endocarditis (I33)											
All races, both sexes.....	123	105	100	119	165	154	74	36	3	3	-
Male.....	84	58	59	61	72	73	27	11	1	-	-
Female.....	39	47	41	58	93	81	47	25	2	3	-
White, both sexes.....	84	75	83	101	136	142	64	31	3	3	-
Male.....	58	43	47	55	63	65	26	11	1	-	-
Female.....	26	32	36	46	73	77	38	20	2	3	-
Black, both sexes.....	36	26	14	16	25	10	9	4	-	-	-
Male.....	23	14	11	4	8	7	-	-	-	-	-
Female.....	13	12	3	12	17	3	9	4	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	1	3	2	1	1	-	-	-
Male.....	3	1	1	1	1	1	1	-	-	-	-
Female.....	-	2	1	-	2	1	-	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)											
All races, both sexes.....	57	65	46	70	79	72	53	34	8	-	-
Male.....	34	37	28	35	34	37	20	8	2	-	-
Female.....	23	28	18	35	45	35	33	26	6	-	-
White, both sexes.....	44	59	40	59	71	67	49	33	6	-	-
Male.....	28	36	24	31	33	35	18	8	2	-	-
Female.....	16	23	16	28	38	32	31	25	4	-	-
Black, both sexes.....	10	5	5	8	7	4	1	1	2	-	-
Male.....	6	-	4	4	1	1	1	-	-	-	-
Female.....	4	5	1	4	6	3	-	1	2	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	3	-	1	3	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	3	-	-	2	-	-	-	-
Heart failure (I50)											
All races, both sexes.....	1,202	1,599	2,275	3,685	6,547	10,762	13,590	12,139	5,491	1,324	3
Male.....	724	924	1,286	1,916	3,223	4,652	5,067	3,630	1,197	219	2
Female.....	478	675	989	1,769	3,324	6,110	8,523	8,509	4,294	1,105	1
White, both sexes.....	864	1,259	1,824	3,112	5,788	9,778	12,635	11,346	5,142	1,200	3
Male.....	546	738	1,058	1,616	2,898	4,266	4,755	3,404	1,111	196	2
Female.....	318	521	766	1,496	2,890	5,512	7,880	7,942	4,031	1,004	1
Black, both sexes.....	311	316	413	517	654	845	806	651	305	107	-
Male.....	160	177	209	267	282	327	257	177	69	16	-
Female.....	151	139	204	250	372	518	549	474	236	91	-
American Indian 1/, both sexes.....	8	14	20	20	26	39	29	25	7	3	-
Male.....	7	5	13	11	11	13	14	8	-	2	-
Female.....	1	9	7	9	15	26	15	17	7	1	-
Asian or Pacific Islander 2/, both sexes.....	19	10	18	36	79	100	120	117	37	14	-
Male.....	11	4	6	22	32	46	41	41	17	5	-
Female.....	8	6	12	14	47	54	79	76	20	9	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)											
All races, both sexes.....	5,235	5,644	6,472	8,473	12,324	16,962	18,488	13,546	5,279	1,058	4
Male.....	3,276	3,413	3,798	4,623	6,116	7,573	7,029	4,043	1,181	156	4
Female.....	1,959	2,231	2,674	3,850	6,208	9,389	11,459	9,503	4,098	902	-
White, both sexes.....	3,921	4,415	5,151	6,987	10,722	15,142	17,043	12,632	4,887	908	1
Male.....	2,485	2,688	3,057	3,858	5,365	6,843	6,509	3,755	1,077	127	1
Female.....	1,436	1,727	2,094	3,129	5,357	8,299	10,534	8,877	3,810	781	-
Black, both sexes.....	1,186	1,094	1,133	1,290	1,356	1,536	1,157	733	315	127	3
Male.....	705	641	626	664	623	608	392	217	80	24	3
Female.....	481	453	507	626	733	928	765	516	235	103	-
American Indian 1/, both sexes.....	38	45	44	36	43	39	35	19	7	4	-
Male.....	24	29	27	19	20	21	12	6	-	-	-
Female.....	14	16	17	17	23	18	23	13	7	4	-
Asian or Pacific Islander 2/, both sexes.....	90	90	144	160	203	245	253	162	70	19	-
Male.....	62	55	88	82	108	101	116	65	24	5	-
Female.....	28	35	56	78	95	144	137	97	46	14	-
Essential hypertension and hypertensive renal disease (I10,I12,I15)											
All races, both sexes.....	1,005	1,173	1,377	1,797	2,705	3,949	4,456	3,452	1,673	449	-
Male.....	595	678	733	873	1,141	1,573	1,484	869	283	52	-
Female.....	410	495	644	924	1,564	2,376	2,972	2,583	1,390	397	-
White, both sexes.....	604	757	897	1,283	2,058	3,208	3,803	2,957	1,419	363	-
Male.....	359	468	488	610	889	1,275	1,278	745	236	41	-
Female.....	245	289	409	673	1,169	1,933	2,525	2,212	1,183	322	-
Black, both sexes.....	368	372	431	456	559	634	538	395	221	73	-
Male.....	216	188	214	236	217	250	167	93	38	6	-
Female.....	152	184	217	220	342	384	371	302	183	67	-
American Indian 1/, both sexes.....	5	8	14	8	12	11	14	8	8	3	-
Male.....	3	4	9	4	7	4	3	3	2	1	-
Female.....	2	4	5	4	5	7	11	5	6	2	-
Asian or Pacific Islander 2/, both sexes.....	28	36	35	50	76	96	101	92	25	10	-
Male.....	17	18	22	23	28	44	36	28	7	4	-
Female.....	11	18	13	27	48	52	65	64	18	6	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)											
All races, both sexes.....	4,811	5,707	7,334	10,889	17,739	25,980	27,647	18,996	7,135	1,290	1
Male.....	2,757	3,140	3,963	5,400	8,097	10,210	9,252	5,003	1,327	160	-
Female.....	2,054	2,567	3,371	5,489	9,642	15,770	18,395	13,993	5,808	1,130	1
White, both sexes.....	3,271	4,146	5,546	8,684	15,070	22,914	25,037	17,341	6,504	1,127	1
Male.....	1,848	2,262	3,002	4,310	6,946	9,095	8,411	4,552	1,206	142	-
Female.....	1,423	1,884	2,544	4,374	8,124	13,819	16,626	12,789	5,298	985	1
Black, both sexes.....	1,303	1,310	1,439	1,770	2,085	2,357	1,962	1,269	508	149	-
Male.....	775	748	765	879	894	847	578	306	87	16	-
Female.....	528	562	674	891	1,191	1,510	1,384	963	421	133	-
American Indian 1/, both sexes.....	32	34	49	56	65	82	67	52	11	3	-
Male.....	21	23	24	26	22	26	15	10	2	-	-
Female.....	11	11	25	30	43	56	52	42	9	3	-
Asian or Pacific Islander 2/, both sexes.....	205	217	300	379	519	627	581	334	112	11	-
Male.....	113	107	172	185	235	242	248	135	32	2	-
Female.....	92	110	128	194	284	385	333	199	80	9	-
Atherosclerosis (I70)											
All races, both sexes.....	155	233	328	521	929	1,540	1,852	1,774	881	257	-
Male.....	104	140	183	280	442	643	708	498	199	35	-
Female.....	51	93	145	241	487	897	1,144	1,276	682	222	-
White, both sexes.....	124	191	276	444	830	1,387	1,712	1,663	822	238	-
Male.....	80	119	152	237	397	574	655	468	182	32	-
Female.....	44	72	124	207	433	813	1,057	1,195	640	206	-
Black, both sexes.....	28	40	45	70	85	124	122	89	51	14	-
Male.....	22	21	28	37	37	57	43	25	14	2	-
Female.....	6	19	17	33	48	67	79	64	37	12	-
American Indian 1/, both sexes.....	1	-	3	1	1	6	3	5	3	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	2	-	1	6	2	5	3	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	6	13	23	15	17	5	5	-
Male.....	1	-	2	5	8	12	9	5	3	1	-
Female.....	1	2	2	1	5	11	6	12	2	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated 2004), race, and sex

Other diseases of circulatory system (I71-I78)

All races, both sexes.....	957	1,196	1,697	2,407	3,478	4,091	3,677	2,262	751	115	-
Male.....	672	792	1,097	1,416	1,931	2,016	1,615	782	193	26	-
Female.....	285	404	600	991	1,547	2,075	2,062	1,480	558	89	-
White, both sexes.....	742	996	1,423	2,106	3,092	3,640	3,365	2,047	667	92	-
Male.....	527	672	934	1,266	1,760	1,841	1,500	728	174	22	-
Female.....	215	324	489	840	1,332	1,799	1,865	1,319	493	70	-
Black, both sexes.....	194	176	233	244	306	354	241	177	72	20	-
Male.....	131	104	143	118	130	120	79	34	15	3	-
Female.....	63	72	90	126	176	234	162	143	57	17	-
American Indian 1/, both sexes.....	8	3	12	11	14	13	6	2	1	-	-
Male.....	4	1	4	5	7	5	3	-	-	-	-
Female.....	4	2	8	6	7	8	3	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	21	29	46	66	84	65	36	11	3	-
Male.....	10	15	16	27	34	50	33	20	4	1	-
Female.....	3	6	13	19	32	34	32	16	7	2	-

Aortic aneurysm and dissection (I71)

All races, both sexes.....	615	751	1,096	1,539	2,177	2,445	1,994	1,039	254	34	-
Male.....	467	537	735	952	1,281	1,285	947	427	96	9	-
Female.....	148	214	361	587	896	1,160	1,047	612	158	25	-
White, both sexes.....	483	639	935	1,367	1,981	2,232	1,844	953	230	31	-
Male.....	375	468	637	862	1,191	1,195	880	400	87	8	-
Female.....	108	171	298	505	790	1,037	964	553	143	23	-
Black, both sexes.....	116	97	131	128	141	144	99	60	21	2	-
Male.....	80	58	79	64	59	51	37	12	7	1	-
Female.....	36	39	52	64	82	93	62	48	14	1	-
American Indian 1/, both sexes.....	4	-	5	6	7	6	5	1	-	-	-
Male.....	3	-	3	2	4	4	2	-	-	-	-
Female.....	1	-	2	4	3	2	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	15	25	38	48	63	46	25	3	1	-
Male.....	9	11	16	24	27	35	28	15	2	-	-
Female.....	3	4	9	14	21	28	18	10	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)											
All races, both sexes.....	342	445	601	868	1,301	1,646	1,683	1,223	497	81	-
Male.....	205	255	362	464	650	731	668	355	97	17	-
Female.....	137	190	239	404	651	915	1,015	868	400	64	-
White, both sexes.....	259	357	488	739	1,111	1,408	1,521	1,094	437	61	-
Male.....	152	204	297	404	569	646	620	328	87	14	-
Female.....	107	153	191	335	542	762	901	766	350	47	-
Black, both sexes.....	78	79	102	116	165	210	142	117	51	18	-
Male.....	51	46	64	54	71	69	42	22	8	2	-
Female.....	27	33	38	62	94	141	100	95	43	16	-
American Indian 1/, both sexes.....	4	3	7	5	7	7	1	1	1	-	-
Male.....	1	1	1	3	3	1	1	-	-	-	-
Female.....	3	2	6	2	4	6	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	4	8	18	21	19	11	8	2	-
Male.....	1	4	-	3	7	15	5	5	2	1	-
Female.....	-	2	4	5	11	6	14	6	6	1	-
Other disorders of circulatory system (I80-I99)											
All races, both sexes.....	285	255	251	302	413	495	489	322	139	26	-
Male.....	170	144	115	133	189	180	157	80	31	6	-
Female.....	115	111	136	169	224	315	332	242	108	20	-
White, both sexes.....	229	190	202	254	360	424	430	290	122	21	-
Male.....	144	106	94	115	167	148	136	77	26	5	-
Female.....	85	84	108	139	193	276	294	213	96	16	-
Black, both sexes.....	53	57	42	46	48	63	50	28	16	5	-
Male.....	25	35	20	18	18	25	16	3	5	1	-
Female.....	28	22	22	28	30	38	34	25	11	4	-
American Indian 1/, both sexes.....	-	3	2	1	-	1	2	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	3	2	1	-	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	5	1	5	7	7	2	1	-	-
Male.....	1	3	1	-	4	7	4	-	-	-	-
Female.....	2	2	4	1	1	-	3	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza and pneumonia (J10-J18)											
All races, both sexes.....	1,391	1,763	2,399	3,662	6,365	10,303	11,675	9,517	4,341	1,084	3
Male.....	830	1,047	1,359	2,012	3,372	4,943	5,064	3,417	1,198	221	2
Female.....	561	716	1,040	1,650	2,993	5,360	6,611	6,100	3,143	863	1
White, both sexes.....	1,108	1,449	1,924	3,137	5,570	9,180	10,639	8,693	3,945	960	3
Male.....	670	852	1,095	1,715	2,963	4,419	4,624	3,104	1,073	190	2
Female.....	438	597	829	1,422	2,607	4,761	6,015	5,589	2,872	770	1
Black, both sexes.....	249	262	399	407	593	832	717	582	278	98	-
Male.....	140	166	214	224	311	358	276	190	76	23	-
Female.....	109	96	185	183	282	474	441	392	202	75	-
American Indian 1/, both sexes.....	11	15	17	23	28	39	38	18	13	6	-
Male.....	5	6	12	15	10	26	22	7	4	-	-
Female.....	6	9	5	8	18	13	16	11	9	6	-
Asian or Pacific Islander 2/, both sexes.....	23	37	59	95	174	252	281	224	105	20	-
Male.....	15	23	38	58	88	140	142	116	45	8	-
Female.....	8	14	21	37	86	112	139	108	60	12	-
Influenza (J10-J11)											
All races, both sexes.....	21	22	31	50	93	143	156	133	67	16	-
Male.....	10	10	15	27	39	65	62	49	22	3	-
Female.....	11	12	16	23	54	78	94	84	45	13	-
White, both sexes.....	21	20	27	48	90	135	153	125	66	15	-
Male.....	10	9	14	26	37	60	62	44	22	2	-
Female.....	11	11	13	22	53	75	91	81	44	13	-
Black, both sexes.....	-	2	2	1	2	8	1	5	1	-	-
Male.....	-	1	1	-	1	5	-	3	-	-	-
Female.....	-	1	1	1	1	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	-	1	3	-	1	-
Male.....	-	-	-	1	1	-	-	2	-	1	-
Female.....	-	-	2	-	-	-	1	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)											
All races, both sexes.....	1,370	1,741	2,368	3,612	6,272	10,160	11,519	9,384	4,274	1,068	3
Male.....	820	1,037	1,344	1,985	3,333	4,878	5,002	3,368	1,176	218	2
Female.....	550	704	1,024	1,627	2,939	5,282	6,517	6,016	3,098	850	1
White, both sexes.....	1,087	1,429	1,897	3,089	5,480	9,045	10,486	8,568	3,879	945	3
Male.....	660	843	1,081	1,689	2,926	4,359	4,562	3,060	1,051	188	2
Female.....	427	586	816	1,400	2,554	4,686	5,924	5,508	2,828	757	1
Black, both sexes.....	249	260	397	406	591	824	716	577	277	98	-
Male.....	140	165	213	224	310	353	276	187	76	23	-
Female.....	109	95	184	182	281	471	440	390	201	75	-
American Indian 1/, both sexes.....	11	15	17	23	28	39	37	18	13	6	-
Male.....	5	6	12	15	10	26	22	7	4	-	-
Female.....	6	9	5	8	18	13	15	11	9	6	-
Asian or Pacific Islander 2/, both sexes.....	23	37	57	94	173	252	280	221	105	19	-
Male.....	15	23	38	57	87	140	142	114	45	7	-
Female.....	8	14	19	37	86	112	138	107	60	12	-
Other acute lower respiratory infections (J20-J22)											
All races, both sexes.....	6	7	8	16	25	36	39	48	15	6	-
Male.....	2	4	1	7	12	11	12	17	2	-	-
Female.....	4	3	7	9	13	25	27	31	13	6	-
White, both sexes.....	3	5	8	14	21	36	38	46	14	6	-
Male.....	-	3	1	6	9	11	12	15	2	-	-
Female.....	3	2	7	8	12	25	26	31	12	6	-
Black, both sexes.....	3	2	-	2	2	-	-	2	-	-	-
Male.....	2	1	-	1	2	-	-	2	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes.....	4,699	7,676	11,601	16,635	22,770	24,636	18,703	9,363	2,738	399	4
Male.....	2,427	3,955	5,799	8,353	11,371	11,796	8,231	3,658	843	113	3
Female.....	2,272	3,721	5,802	8,282	11,399	12,840	10,472	5,705	1,895	286	1
White, both sexes.....	4,100	6,900	10,609	15,446	21,241	23,149	17,692	8,841	2,534	358	3
Male.....	2,103	3,492	5,231	7,685	10,527	10,959	7,708	3,423	760	98	2
Female.....	1,997	3,408	5,378	7,761	10,714	12,190	9,984	5,418	1,774	260	1
Black, both sexes.....	534	671	839	979	1,193	1,110	745	360	138	36	-
Male.....	293	397	478	550	643	610	370	142	50	11	-
Female.....	241	274	361	429	550	500	375	218	88	25	-
American Indian 1/, both sexes.....	31	55	61	76	94	72	44	16	7	1	-
Male.....	12	32	28	34	42	31	21	5	1	1	-
Female.....	19	23	33	42	52	41	23	11	6	-	-
Asian or Pacific Islander 2/, both sexes.....	34	50	92	134	242	305	222	146	59	4	1
Male.....	19	34	62	84	159	196	132	88	32	3	1
Female.....	15	16	30	50	83	109	90	58	27	1	-

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes.....	23	26	35	54	82	118	145	99	56	18	-
Male.....	13	10	16	24	33	49	49	33	14	4	-
Female.....	10	16	19	30	49	69	96	66	42	14	-
White, both sexes.....	17	25	32	48	73	105	136	95	51	15	-
Male.....	9	9	15	21	27	44	47	32	14	3	-
Female.....	8	16	17	27	46	61	89	63	37	12	-
Black, both sexes.....	6	1	3	6	8	8	7	3	3	1	-
Male.....	4	1	1	3	5	3	1	1	-	-	-
Female.....	2	-	2	3	3	5	6	2	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	4	1	1	2	2	-
Male.....	-	-	-	-	1	2	1	-	-	1	-
Female.....	-	-	-	-	-	2	-	1	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)											
All races, both sexes.....	575	948	1,368	1,905	2,444	2,355	1,547	679	149	25	2
Male.....	308	503	730	967	1,258	1,150	739	288	38	10	2
Female.....	267	445	638	938	1,186	1,205	808	391	111	15	-
White, both sexes.....	521	858	1,258	1,791	2,290	2,221	1,474	643	136	23	2
Male.....	271	438	660	907	1,160	1,070	702	268	32	9	2
Female.....	250	420	598	884	1,130	1,151	772	375	104	14	-
Black, both sexes.....	50	86	89	92	122	103	58	24	8	2	-
Male.....	34	62	57	47	72	60	28	13	3	1	-
Female.....	16	24	32	45	50	43	30	11	5	1	-
American Indian 1/, both sexes.....	1	2	5	8	5	5	1	1	1	-	-
Male.....	1	1	3	2	3	3	-	-	-	-	-
Female.....	-	1	2	6	2	2	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	16	14	27	26	14	11	4	-	-
Male.....	2	2	10	11	23	17	9	7	3	-	-
Female.....	1	-	6	3	4	9	5	4	1	-	-
Asthma (J45-J46)											
All races, both sexes.....	250	242	210	233	266	360	318	239	85	11	-
Male.....	89	79	66	80	89	96	81	52	18	2	-
Female.....	161	163	144	153	177	264	237	187	67	9	-
White, both sexes.....	156	155	150	170	220	305	279	218	72	8	-
Male.....	49	46	44	55	76	77	72	47	18	1	-
Female.....	107	109	106	115	144	228	207	171	54	7	-
Black, both sexes.....	85	79	49	50	30	31	27	10	9	2	-
Male.....	36	32	17	18	8	8	5	2	-	-	-
Female.....	49	47	32	32	22	23	22	8	9	2	-
American Indian 1/, both sexes.....	1	1	2	2	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-
Female.....	1	1	1	2	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	7	9	11	16	22	11	11	4	1	-
Male.....	4	1	4	7	5	9	4	3	-	1	-
Female.....	4	6	5	4	11	13	7	8	4	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)											
All races, both sexes.....	359	496	658	1,092	1,956	3,328	4,037	2,903	1,091	223	-
Male.....	222	315	420	672	1,162	1,867	2,056	1,298	376	66	-
Female.....	137	181	238	420	794	1,461	1,981	1,605	715	157	-
White, both sexes.....	295	426	551	913	1,713	3,038	3,748	2,668	1,010	190	-
Male.....	184	269	348	568	1,012	1,714	1,912	1,202	354	56	-
Female.....	111	157	203	345	701	1,324	1,836	1,466	656	134	-
Black, both sexes.....	56	63	92	158	196	233	233	174	64	24	-
Male.....	32	43	64	91	123	124	110	65	13	6	-
Female.....	24	20	28	67	73	109	123	109	51	18	-
American Indian 1/, both sexes.....	4	3	12	3	14	2	10	12	-	1	-
Male.....	3	1	7	2	7	1	7	5	-	1	-
Female.....	1	2	5	1	7	1	3	7	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	18	33	55	46	49	17	8	-
Male.....	3	2	1	11	20	28	27	26	9	3	-
Female.....	1	2	2	7	13	27	19	23	8	5	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)											
All races, both sexes.....	1,212	1,593	2,216	3,128	4,364	5,208	4,138	2,263	707	130	-
Male.....	681	892	1,258	1,775	2,362	2,572	1,764	803	176	21	-
Female.....	531	701	958	1,353	2,002	2,636	2,374	1,460	531	109	-
White, both sexes.....	963	1,336	1,926	2,800	3,986	4,814	3,844	2,110	663	109	-
Male.....	572	755	1,111	1,594	2,180	2,391	1,642	745	161	14	-
Female.....	391	581	815	1,206	1,806	2,423	2,202	1,365	502	95	-
Black, both sexes.....	211	207	202	257	264	261	214	103	32	18	-
Male.....	89	112	103	143	128	117	82	37	7	4	-
Female.....	122	95	99	114	136	144	132	66	25	14	-
American Indian 1/, both sexes.....	17	17	30	23	28	32	20	11	1	1	-
Male.....	6	7	15	10	16	15	10	3	-	1	-
Female.....	11	10	15	13	12	17	10	8	1	-	-
Asian or Pacific Islander 2/, both sexes.....	21	33	58	48	86	101	60	39	11	2	-
Male.....	14	18	29	28	38	49	30	18	8	2	-
Female.....	7	15	29	20	48	52	30	21	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)											
All races, both sexes.....	180	203	218	302	391	546	557	380	140	20	-
Male.....	127	123	126	154	196	240	202	128	37	4	-
Female.....	53	80	92	148	195	306	355	252	103	16	-
White, both sexes.....	145	162	179	250	337	500	515	349	126	19	-
Male.....	104	99	104	121	167	221	183	114	34	3	-
Female.....	41	63	75	129	170	279	332	235	92	16	-
Black, both sexes.....	33	33	29	38	42	31	29	16	11	1	-
Male.....	22	18	16	27	22	12	10	7	1	1	-
Female.....	11	15	13	11	20	19	19	9	10	-	-
American Indian 1/, both sexes.....	-	2	1	4	3	2	1	-	-	-	-
Male.....	-	2	1	4	2	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	9	10	9	13	12	15	3	-	-
Male.....	1	4	5	2	5	6	8	7	2	-	-
Female.....	1	2	4	8	4	7	4	8	1	-	-
Diseases of appendix (K35-K38)											
All races, both sexes.....	33	25	37	46	42	57	51	33	5	2	-
Male.....	22	11	26	31	33	32	23	14	-	1	-
Female.....	11	14	11	15	9	25	28	19	5	1	-
White, both sexes.....	25	16	33	39	36	50	46	32	5	2	-
Male.....	18	7	24	24	27	28	20	14	-	1	-
Female.....	7	9	9	15	9	22	26	18	5	1	-
Black, both sexes.....	7	9	4	3	5	6	3	1	-	-	-
Male.....	3	4	2	3	5	4	1	-	-	-	-
Female.....	4	5	2	-	-	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	4	-	1	2	-	-	-	-
Male.....	1	-	-	4	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)											
All races, both sexes.....	83	95	92	142	206	304	318	223	88	11	-
Male.....	34	49	39	73	90	125	127	74	25	2	-
Female.....	49	46	53	69	116	179	191	149	63	9	-
White, both sexes.....	68	86	79	121	182	270	298	205	85	10	-
Male.....	26	45	33	63	80	109	118	69	24	2	-
Female.....	42	41	46	58	102	161	180	136	61	8	-
Black, both sexes.....	15	9	11	20	22	24	17	15	3	1	-
Male.....	8	4	5	9	8	11	7	5	1	-	-
Female.....	7	5	6	11	14	13	10	10	2	1	-
American Indian 1/, both sexes.....	-	-	2	1	1	4	-	-	-	-	-
Male.....	-	-	1	1	1	2	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	6	3	3	-	-	-
Male.....	-	-	-	-	1	3	2	-	-	-	-
Female.....	-	-	-	-	-	3	1	3	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)											
All races, both sexes.....	4,154	3,063	2,573	2,344	2,182	1,596	775	212	35	4	4
Male.....	2,983	2,112	1,649	1,359	1,152	750	346	86	9	-	3
Female.....	1,171	951	924	985	1,030	846	429	126	26	4	1
White, both sexes.....	3,587	2,698	2,282	2,142	2,002	1,497	729	199	33	3	4
Male.....	2,590	1,874	1,461	1,247	1,056	710	324	82	8	-	3
Female.....	997	824	821	895	946	787	402	117	25	3	1
Black, both sexes.....	446	264	211	129	116	51	31	8	1	1	-
Male.....	313	168	147	73	71	20	15	1	1	-	-
Female.....	133	96	64	56	45	31	16	7	-	1	-
American Indian 1/, both sexes.....	87	48	48	25	17	8	7	-	-	-	-
Male.....	53	29	26	11	7	3	1	-	-	-	-
Female.....	34	19	22	14	10	5	6	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	53	32	48	47	40	11	5	1	-	-
Male.....	27	41	15	28	18	17	6	3	-	-	-
Female.....	7	12	17	20	29	23	5	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alcoholic liver disease (K70)											
All races, both sexes.....	2,278	1,545	1,050	733	520	253	97	16	4	-	1
Male.....	1,713	1,157	816	541	374	164	67	10	2	-	1
Female.....	565	388	234	192	146	89	30	6	2	-	-
White, both sexes.....	1,998	1,383	922	657	477	236	94	15	3	-	1
Male.....	1,510	1,048	716	490	345	154	64	9	2	-	1
Female.....	488	335	206	167	132	82	30	6	1	-	-
Black, both sexes.....	192	111	89	52	31	11	3	-	-	-	-
Male.....	142	72	72	33	22	6	3	-	-	-	-
Female.....	50	39	17	19	9	5	-	-	-	-	-
American Indian 1/, both sexes.....	66	30	29	10	5	4	-	-	-	-	-
Male.....	41	20	20	5	2	3	-	-	-	-	-
Female.....	25	10	9	5	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	21	10	14	7	2	-	1	1	-	-
Male.....	20	17	8	13	5	1	-	1	-	-	-
Female.....	2	4	2	1	2	1	-	-	1	-	-
Other chronic liver disease and cirrhosis (K73-K74)											
All races, both sexes.....	1,876	1,518	1,523	1,611	1,662	1,343	678	196	31	4	3
Male.....	1,270	955	833	818	778	586	279	76	7	-	2
Female.....	606	563	690	793	884	757	399	120	24	4	1
White, both sexes.....	1,589	1,315	1,360	1,485	1,525	1,261	632	184	30	3	3
Male.....	1,080	826	745	757	711	556	260	73	6	-	2
Female.....	509	489	615	728	814	705	372	111	24	3	1
Black, both sexes.....	254	153	122	77	85	40	28	8	1	1	-
Male.....	171	96	75	40	49	14	12	1	1	-	-
Female.....	83	57	47	37	36	26	16	7	-	1	-
American Indian 1/, both sexes.....	21	18	19	15	12	4	7	-	-	-	-
Male.....	12	9	6	6	5	-	1	-	-	-	-
Female.....	9	9	13	9	7	4	6	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	32	22	34	40	38	11	4	-	-	-
Male.....	7	24	7	15	13	16	6	2	-	-	-
Female.....	5	8	15	19	27	22	5	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes.....	105	165	187	280	459	563	568	419	137	32	-
Male.....	55	78	113	153	238	272	211	121	27	7	-
Female.....	50	87	74	127	221	291	357	298	110	25	-
White, both sexes.....	78	129	140	221	395	505	523	391	118	29	-
Male.....	40	60	87	126	209	248	202	117	22	6	-
Female.....	38	69	53	95	186	257	321	274	96	23	-
Black, both sexes.....	21	25	34	37	54	38	28	21	15	2	-
Male.....	11	12	16	12	23	12	5	4	3	-	-
Female.....	10	13	18	25	31	26	23	17	12	2	-
American Indian 1/, both sexes.....	1	4	3	5	1	2	3	1	1	1	-
Male.....	1	2	3	4	1	1	1	-	-	1	-
Female.....	-	2	-	1	-	1	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	10	17	9	18	14	6	3	-	-
Male.....	3	4	7	11	5	11	3	-	2	-	-
Female.....	2	3	3	6	4	7	11	6	1	-	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes.....	1,945	2,423	3,161	4,292	6,377	8,159	8,058	5,208	1,787	335	-
Male.....	1,100	1,342	1,634	2,275	3,278	3,968	3,650	2,022	600	94	-
Female.....	845	1,081	1,527	2,017	3,099	4,191	4,408	3,186	1,187	241	-
White, both sexes.....	1,250	1,625	2,181	3,176	5,155	6,905	7,037	4,536	1,561	261	-
Male.....	711	948	1,165	1,753	2,724	3,433	3,275	1,802	532	74	-
Female.....	539	677	1,016	1,423	2,431	3,472	3,762	2,734	1,029	187	-
Black, both sexes.....	629	717	869	977	1,062	1,076	873	571	195	67	-
Male.....	352	365	422	441	470	457	299	177	56	15	-
Female.....	277	352	447	536	592	619	574	394	139	52	-
American Indian 1/, both sexes.....	20	32	45	36	26	26	22	12	6	1	-
Male.....	12	9	17	19	14	10	12	5	-	1	-
Female.....	8	23	28	17	12	16	10	7	6	-	-
Asian or Pacific Islander 2/, both sexes.....	46	49	66	103	134	152	126	89	25	6	-
Male.....	25	20	30	62	70	68	64	38	12	4	-
Female.....	21	29	36	41	64	84	62	51	13	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated 2004), race, and sex

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	5	5	9	8	16	25	19	10	4	1	-
Male.....	4	2	3	4	9	9	9	4	3	-	-
Female.....	1	3	6	4	7	16	10	6	1	1	-
White, both sexes.....	4	4	6	6	16	21	18	8	4	1	-
Male.....	3	2	2	3	9	6	9	3	3	-	-
Female.....	1	2	4	3	7	15	9	5	1	1	-
Black, both sexes.....	-	1	3	1	-	3	-	1	-	-	-
Male.....	-	-	1	-	-	2	-	1	-	-	-
Female.....	-	1	2	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	1	1	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	71	78	108	152	235	340	335	257	101	17	-
Male.....	37	52	62	70	135	167	163	87	37	3	-
Female.....	34	26	46	82	100	173	172	170	64	14	-
White, both sexes.....	45	53	67	115	190	276	282	215	87	12	-
Male.....	19	36	39	58	109	140	139	71	30	2	-
Female.....	26	17	28	57	81	136	143	144	57	10	-
Black, both sexes.....	26	23	36	34	34	50	45	31	11	4	-
Male.....	18	15	21	11	18	21	19	11	6	1	-
Female.....	8	8	15	23	16	29	26	20	5	3	-
American Indian 1/, both sexes.....	-	-	5	-	1	2	-	1	1	-	-
Male.....	-	-	2	-	1	1	-	1	-	-	-
Female.....	-	-	3	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	3	10	12	8	10	2	1	-
Male.....	-	1	-	1	7	5	5	4	1	-	-
Female.....	-	1	-	2	3	7	3	6	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated 2004), race, and sex

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	1	-	-	-	-	2	-	-	-	-	3
Male.....	1	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	1	-	-	-	-	2
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	1
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	405	315	195	172	196	196	164	94	30	9	2
Male.....	225	170	93	87	94	97	66	36	10	2	1
Female.....	180	145	102	85	102	99	98	58	20	7	1
White, both sexes.....	356	290	172	152	180	176	152	85	27	8	2
Male.....	196	157	82	77	84	91	60	32	9	2	1
Female.....	160	133	90	75	96	85	92	53	18	6	1
Black, both sexes.....	40	23	14	14	11	19	11	8	1	1	-
Male.....	22	11	8	8	8	6	6	3	-	-	-
Female.....	18	12	6	6	3	13	5	5	1	1	-
American Indian 1/, both sexes.....	2	-	3	2	-	-	-	-	-	-	-
Male.....	2	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	6	4	5	1	1	1	2	-	-
Male.....	5	2	1	1	2	-	-	1	1	-	-
Female.....	2	-	5	3	3	1	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100 years and over Age not stated 2004), race, and sex

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	1,075	964	982	1,325	2,117	3,318	4,309	4,540	2,605	1,054	44
Male.....	684	572	578	709	1,008	1,335	1,441	1,131	507	148	29
Female.....	391	392	404	616	1,109	1,983	2,868	3,409	2,098	906	15
White, both sexes.....	854	795	813	1,104	1,839	2,949	3,952	4,202	2,380	942	35
Male.....	549	483	480	574	876	1,184	1,333	1,034	453	127	25
Female.....	305	312	333	530	963	1,765	2,619	3,168	1,927	815	10
Black, both sexes.....	199	143	150	195	245	320	295	286	186	96	8
Male.....	122	73	88	118	118	135	89	71	42	15	3
Female.....	77	70	62	77	127	185	206	215	144	81	5
American Indian 1/, both sexes.....	8	8	3	6	7	9	10	7	4	3	1
Male.....	5	5	-	3	3	3	2	2	1	1	1
Female.....	3	3	3	3	4	6	8	5	3	2	-
Asian or Pacific Islander 2/, both sexes.....	14	18	16	20	26	40	52	45	35	13	-
Male.....	8	11	10	14	11	13	17	24	11	5	-
Female.....	6	7	6	6	15	27	35	21	24	8	-

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	11,266	11,358	12,308	16,375	24,741	36,646	41,587	32,696	14,076	2,970	18
Male.....	6,454	6,143	6,338	7,953	10,915	14,220	13,499	8,137	2,565	363	16
Female.....	4,812	5,215	5,970	8,422	13,826	22,426	28,088	24,559	11,511	2,607	2
White, both sexes.....	8,941	9,455	10,309	13,960	21,880	32,914	38,135	30,056	12,883	2,576	13
Male.....	5,183	5,137	5,381	6,794	9,672	12,791	12,416	7,460	2,345	308	12
Female.....	3,758	4,318	4,928	7,166	12,208	20,123	25,719	22,596	10,538	2,268	1
Black, both sexes.....	2,049	1,635	1,663	2,046	2,388	3,094	2,821	2,145	1,015	328	4
Male.....	1,110	872	807	986	1,026	1,173	860	521	159	40	3
Female.....	939	763	856	1,060	1,362	1,921	1,961	1,624	856	288	1
American Indian 1/, both sexes.....	131	112	122	99	95	145	112	85	29	14	-
Male.....	73	59	57	44	40	51	43	22	8	2	-
Female.....	58	53	65	55	55	94	69	63	21	12	-
Asian or Pacific Islander 2/, both sexes.....	145	156	214	270	378	493	519	410	149	52	1
Male.....	88	75	93	129	177	205	180	134	53	13	1
Female.....	57	81	121	141	201	288	339	276	96	39	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes.....	6,765	4,681	4,109	4,311	6,004	7,704	7,362	5,010	1,818	371	57
Male.....	4,682	3,166	2,668	2,544	3,348	3,846	3,306	1,835	485	66	48
Female.....	2,083	1,515	1,441	1,767	2,656	3,858	4,056	3,175	1,333	305	9
White, both sexes.....	5,580	3,934	3,510	3,756	5,399	7,130	6,936	4,754	1,708	339	50
Male.....	3,834	2,649	2,289	2,213	3,002	3,582	3,113	1,730	456	59	43
Female.....	1,746	1,285	1,221	1,543	2,397	3,548	3,823	3,024	1,252	280	7
Black, both sexes.....	988	569	455	410	428	396	286	183	90	21	5
Male.....	714	408	296	252	245	183	125	72	22	4	4
Female.....	274	161	159	158	183	213	161	111	68	17	1
American Indian 1/, both sexes.....	90	67	37	48	34	34	24	8	2	2	1
Male.....	69	45	27	28	22	17	13	-	-	-	-
Female.....	21	22	10	20	12	17	11	8	2	2	1
Asian or Pacific Islander 2/, both sexes.....	107	111	107	97	143	144	116	65	18	9	1
Male.....	65	64	56	51	79	64	55	33	7	3	1
Female.....	42	47	51	46	64	80	61	32	11	6	-

Transport accidents (V01-V99,Y85)

All races, both sexes.....	2,834	2,152	1,677	1,493	1,591	1,491	891	345	50	4	16
Male.....	2,025	1,458	1,110	916	940	818	520	184	19	1	14
Female.....	809	694	567	577	651	673	371	161	31	3	2
White, both sexes.....	2,371	1,822	1,454	1,308	1,407	1,357	831	321	48	3	13
Male.....	1,708	1,238	964	800	828	752	483	167	18	1	12
Female.....	663	584	490	508	579	605	348	154	30	2	1
Black, both sexes.....	364	237	156	123	120	84	40	17	2	1	2
Male.....	255	167	108	82	75	41	26	14	1	-	2
Female.....	109	70	48	41	45	43	14	3	1	1	-
American Indian 1/, both sexes.....	38	39	11	19	15	11	1	1	-	-	1
Male.....	28	28	8	12	11	5	1	-	-	-	-
Female.....	10	11	3	7	4	6	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	61	54	56	43	49	39	19	6	-	-	-
Male.....	34	25	30	22	26	20	10	3	-	-	-
Female.....	27	29	26	21	23	19	9	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)

All races, both sexes.....	2,560	1,958	1,541	1,375	1,491	1,415	853	336	47	4	14
Male.....	1,815	1,304	1,008	824	868	763	497	176	18	1	12
Female.....	745	654	533	551	623	652	356	160	29	3	2
White, both sexes.....	2,132	1,645	1,332	1,199	1,320	1,286	800	313	45	3	12
Male.....	1,526	1,100	872	717	763	698	464	160	17	1	11
Female.....	606	545	460	482	557	588	336	153	28	2	1
Black, both sexes.....	334	227	147	118	112	80	35	16	2	1	1
Male.....	231	157	101	77	70	40	23	13	1	-	1
Female.....	103	70	46	41	42	40	12	3	1	1	-
American Indian 1/, both sexes.....	37	37	9	18	14	11	1	1	-	-	1
Male.....	27	26	7	11	10	5	1	-	-	-	-
Female.....	10	11	2	7	4	6	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	57	49	53	40	45	38	17	6	-	-	-
Male.....	31	21	28	19	25	20	9	3	-	-	-
Female.....	26	28	25	21	20	18	8	3	-	-	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9, V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	93	58	51	44	44	34	21	5	1	-	2
Male.....	69	43	35	37	31	24	14	4	1	-	2
Female.....	24	15	16	7	13	10	7	1	-	-	-
White, both sexes.....	79	48	44	39	37	31	19	5	1	-	1
Male.....	57	34	30	32	28	23	12	4	1	-	1
Female.....	22	14	14	7	9	8	7	1	-	-	-
Black, both sexes.....	12	5	4	3	3	2	1	-	-	-	1
Male.....	10	5	3	3	2	1	1	-	-	-	1
Female.....	2	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	1	-	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	1	1	4	1	1	-	-	-	-
Male.....	1	3	1	1	1	-	1	-	-	-	-
Female.....	-	1	-	-	3	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes.....	181	136	85	74	56	42	17	4	2	-	-
Male.....	141	111	67	55	41	31	9	4	-	-	-
Female.....	40	25	18	19	15	11	8	-	2	-	-
White, both sexes.....	160	129	78	70	50	40	12	3	2	-	-
Male.....	125	104	62	51	37	31	7	3	-	-	-
Female.....	35	25	16	19	13	9	5	-	2	-	-
Black, both sexes.....	18	5	5	2	5	2	4	1	-	-	-
Male.....	14	5	4	2	3	-	2	1	-	-	-
Female.....	4	-	1	-	2	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	2	2	-	-	1	-	-	-	-
Male.....	2	1	1	2	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	3,931	2,529	2,432	2,818	4,413	6,213	6,471	4,665	1,768	367	41
Male.....	2,657	1,708	1,558	1,628	2,408	3,028	2,786	1,651	466	65	34
Female.....	1,274	821	874	1,190	2,005	3,185	3,685	3,014	1,302	302	7
White, both sexes.....	3,209	2,112	2,056	2,448	3,992	5,773	6,105	4,433	1,660	336	37
Male.....	2,126	1,411	1,325	1,413	2,174	2,830	2,630	1,563	438	58	31
Female.....	1,083	701	731	1,035	1,818	2,943	3,475	2,870	1,222	278	6
Black, both sexes.....	624	332	299	287	308	312	246	166	88	20	3
Male.....	459	241	188	170	170	142	99	58	21	4	2
Female.....	165	91	111	117	138	170	147	108	67	16	1
American Indian 1/, both sexes.....	52	28	26	29	19	23	23	7	2	2	-
Male.....	41	17	19	16	11	12	12	-	-	-	-
Female.....	11	11	7	13	8	11	11	7	2	2	-
Asian or Pacific Islander 2/, both sexes.....	46	57	51	54	94	105	97	59	18	9	1
Male.....	31	39	26	29	53	44	45	30	7	3	1
Female.....	15	18	25	25	41	61	52	29	11	6	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental drowning and submersion (W65-W74)											
All races, both sexes.....	189	121	116	101	116	78	45	25	2	1	11
Male.....	145	90	77	72	79	50	27	13	1	-	10
Female.....	44	31	39	29	37	28	18	12	1	1	1
White, both sexes.....	157	99	101	83	100	74	40	23	2	1	9
Male.....	118	72	70	63	70	48	25	13	1	-	8
Female.....	39	27	31	20	30	26	15	10	1	1	1
Black, both sexes.....	23	16	11	13	7	-	4	2	-	-	2
Male.....	19	13	6	6	5	-	2	-	-	-	2
Female.....	4	3	5	7	2	-	2	2	-	-	-
American Indian 1/, both sexes.....	2	1	1	2	-	-	-	-	-	-	-
Male.....	2	-	1	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	3	3	9	4	1	-	-	-	-
Male.....	6	5	-	1	4	2	-	-	-	-	-
Female.....	1	-	3	2	5	2	1	-	-	-	-
Accidental exposure to smoke, fire and flames (X00-X09)											
All races, both sexes.....	264	197	213	191	235	213	136	64	25	3	5
Male.....	169	123	130	97	126	112	60	33	11	2	4
Female.....	95	74	83	94	109	101	76	31	14	1	1
White, both sexes.....	207	159	169	153	180	167	108	51	17	2	4
Male.....	132	98	101	79	93	92	53	27	10	1	3
Female.....	75	61	68	74	87	75	55	24	7	1	1
Black, both sexes.....	52	34	43	33	54	42	25	13	8	1	-
Male.....	33	23	28	15	33	18	7	6	1	1	-
Female.....	19	11	15	18	21	24	18	7	7	-	-
American Indian 1/, both sexes.....	2	2	-	4	-	1	2	-	-	-	-
Male.....	2	2	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	1	1	3	1	-	-	-	1
Male.....	2	-	1	1	-	1	-	-	-	-	1
Female.....	1	2	-	-	1	2	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races, both sexes.....	1,794	621	291	192	177	163	129	58	13	2	11
Male.....	1,126	386	146	103	94	58	53	22	3	-	8
Female.....	668	235	145	89	83	105	76	36	10	2	3
White, both sexes.....	1,424	485	226	155	156	147	116	52	9	2	11
Male.....	850	280	105	76	82	54	50	19	3	-	8
Female.....	574	205	121	79	74	93	66	33	6	2	3
Black, both sexes.....	342	120	54	28	17	11	11	6	4	-	-
Male.....	257	96	36	21	10	3	2	3	-	-	-
Female.....	85	24	18	7	7	8	9	3	4	-	-
American Indian 1/, both sexes.....	20	6	7	3	-	2	-	-	-	-	-
Male.....	14	3	5	2	-	-	-	-	-	-	-
Female.....	6	3	2	1	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	10	4	6	4	3	2	-	-	-	-
Male.....	5	7	-	4	2	1	1	-	-	-	-
Female.....	3	3	4	2	2	2	1	-	-	-	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)											
All races, both sexes.....	862	771	803	918	1,388	1,995	2,148	1,727	686	168	10
Male.....	624	549	541	557	765	976	887	589	173	29	9
Female.....	238	222	262	361	623	1,019	1,261	1,138	513	139	1
White, both sexes.....	721	656	677	770	1,228	1,840	2,017	1,631	634	152	10
Male.....	524	473	464	472	686	905	830	556	162	25	9
Female.....	197	183	213	298	542	935	1,187	1,075	472	127	1
Black, both sexes.....	118	96	100	128	132	119	104	77	45	12	-
Male.....	82	62	61	74	65	53	46	26	10	2	-
Female.....	36	34	39	54	67	66	58	51	35	10	-
American Indian 1/, both sexes.....	16	9	11	9	9	10	6	5	-	1	-
Male.....	13	7	9	3	6	6	1	-	-	-	-
Female.....	3	2	2	6	3	4	5	5	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	10	15	11	19	26	21	14	7	3	-
Male.....	5	7	7	8	8	12	10	7	1	2	-
Female.....	2	3	8	3	11	14	11	7	6	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All races, both sexes.....	1,312	709	418	277	281	232	182	63	14	4	7
Male.....	848	431	276	170	165	130	124	44	7	2	7
Female.....	464	278	142	107	116	102	58	19	7	2	-
White, both sexes.....	1,212	656	376	245	257	214	172	61	14	4	3
Male.....	776	398	246	156	151	124	117	42	7	2	3
Female.....	436	258	130	89	106	90	55	19	7	2	-
Black, both sexes.....	57	21	11	11	3	3	3	-	-	-	1
Male.....	44	13	9	8	3	2	3	-	-	-	1
Female.....	13	8	2	3	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	9	2	4	-	1	-	-	-	-	-	-
Male.....	9	2	3	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	30	27	21	20	15	7	2	-	-	3
Male.....	19	18	18	6	10	4	4	2	-	-	3
Female.....	15	12	9	15	10	11	3	-	-	-	-

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All races, both sexes.....	618	394	210	188	149	130	61	22	17	2	19
Male.....	456	282	139	121	91	50	25	8	5	-	16
Female.....	162	112	71	67	58	80	36	14	12	2	3
White, both sexes.....	383	273	137	138	113	112	48	18	15	2	17
Male.....	264	194	81	81	64	41	21	5	4	-	14
Female.....	119	79	56	57	49	71	27	13	11	2	3
Black, both sexes.....	206	103	66	43	30	15	12	4	2	-	2
Male.....	168	77	53	33	23	7	3	3	1	-	2
Female.....	38	26	13	10	7	8	9	1	1	-	-
American Indian 1/, both sexes.....	5	5	2	1	2	-	-	-	-	-	-
Male.....	5	4	2	1	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	13	5	6	4	3	1	-	-	-	-
Male.....	19	7	3	6	2	2	1	-	-	-	-
Female.....	5	6	2	-	2	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)											
All races, both sexes.....	283	185	90	68	48	36	15	3	4	-	8
Male.....	202	137	56	48	30	11	5	2	1	-	8
Female.....	81	48	34	20	18	25	10	1	3	-	-
White, both sexes.....	184	130	55	47	34	34	11	2	4	-	7
Male.....	121	92	27	30	16	10	2	1	1	-	7
Female.....	63	38	28	17	18	24	9	1	3	-	-
Black, both sexes.....	87	48	33	18	12	2	3	1	-	-	1
Male.....	73	40	27	15	12	1	2	1	-	-	1
Female.....	14	8	6	3	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	1	-	-	-	-	-	-
Male.....	1	2	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	5	1	2	1	-	1	-	-	-	-
Male.....	7	3	1	2	1	-	1	-	-	-	-
Female.....	4	2	-	-	-	-	-	-	-	-	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)											
All races, both sexes.....	335	209	120	120	101	94	46	19	13	2	11
Male.....	254	145	83	73	61	39	20	6	4	-	8
Female.....	81	64	37	47	40	55	26	13	9	2	3
White, both sexes.....	199	143	82	91	79	78	37	16	11	2	10
Male.....	143	102	54	51	48	31	19	4	3	-	7
Female.....	56	41	28	40	31	47	18	12	8	2	3
Black, both sexes.....	119	55	33	25	18	13	9	3	2	-	1
Male.....	95	37	26	18	11	6	1	2	1	-	1
Female.....	24	18	7	7	7	7	8	1	1	-	-
American Indian 1/, both sexes.....	4	3	1	-	1	-	-	-	-	-	-
Male.....	4	2	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	8	4	4	3	3	-	-	-	-	-
Male.....	12	4	2	4	1	2	-	-	-	-	-
Female.....	1	4	2	-	2	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Legal intervention (Y35,Y89.0)											
All races, both sexes.....	10	7	4	3	1	-	-	1	-	-	-
Male.....	8	7	3	3	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	9	5	4	3	1	-	-	-	-	-	-
Male.....	7	5	3	3	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	2	-	-	-	-	-	1	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)											
All races, both sexes.....	337	155	95	68	71	65	38	28	6	-	6
Male.....	200	89	59	33	38	38	19	16	2	-	6
Female.....	137	66	36	35	33	27	19	12	4	-	-
White, both sexes.....	267	134	82	51	52	55	28	23	3	-	5
Male.....	153	75	48	22	23	32	15	14	1	-	5
Female.....	114	59	34	29	29	23	13	9	2	-	-
Black, both sexes.....	59	16	9	15	12	3	3	3	3	-	1
Male.....	40	11	8	10	9	2	-	1	1	-	1
Female.....	19	5	1	5	3	1	3	2	2	-	-
American Indian 1/, both sexes.....	5	4	2	-	1	1	-	-	-	-	-
Male.....	3	3	1	-	1	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	2	2	6	6	7	2	-	-	-
Male.....	4	-	2	1	5	3	4	1	-	-	-
Female.....	2	1	-	1	1	3	3	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Discharge of firearms, undetermined intent (Y22-Y24)

All races, both sexes.....	13	7	5	3	1	2	-	-	-	-	-
Male.....	9	5	4	1	1	2	-	-	-	-	-
Female.....	4	2	1	2	-	-	-	-	-	-	-
White, both sexes.....	13	7	5	3	1	2	-	-	-	-	-
Male.....	9	5	4	1	1	2	-	-	-	-	-
Female.....	4	2	1	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes.....	324	148	90	65	70	63	38	28	6	-	6
Male.....	191	84	55	32	37	36	19	16	2	-	6
Female.....	133	64	35	33	33	27	19	12	4	-	-
White, both sexes.....	254	127	77	48	51	53	28	23	3	-	5
Male.....	144	70	44	21	22	30	15	14	1	-	5
Female.....	110	57	33	27	29	23	13	9	2	-	-
Black, both sexes.....	59	16	9	15	12	3	3	3	3	-	1
Male.....	40	11	8	10	9	2	-	1	1	-	1
Female.....	19	5	1	5	3	1	3	2	2	-	-
American Indian 1/, both sexes.....	5	4	2	-	1	1	-	-	-	-	-
Male.....	3	3	1	-	1	1	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	2	2	6	6	7	2	-	-	-
Male.....	4	-	2	1	5	3	4	1	-	-	-
Female.....	2	1	-	1	1	3	3	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 55-59 years 60-64 years 65-69 years 70-74 years 75-79 years 80-84 years 85-89 years 90-94 years 95-99 years 100 years and over Age not stated)

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	1	1	1	1	-	4	-	-	-	-	-
Male.....	1	1	1	1	-	4	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	1	1	-	4	-	-	-	-	-
Male.....	1	1	1	1	-	4	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	173	178	209	266	345	343	259	132	46	5	-
Male.....	85	79	99	111	164	155	100	34	15	-	-
Female.....	88	99	110	155	181	188	159	98	31	5	-
White, both sexes.....	121	136	169	227	291	297	229	121	41	3	-
Male.....	63	60	84	93	142	141	89	31	14	-	-
Female.....	58	76	85	134	149	156	140	90	27	3	-
Black, both sexes.....	45	40	39	34	49	40	25	8	5	2	-
Male.....	18	19	15	15	21	14	11	-	1	-	-
Female.....	27	21	24	19	28	26	14	8	4	2	-
American Indian 1/, both sexes.....	2	1	-	3	1	1	-	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	2	4	5	5	3	-	-	-
Male.....	3	-	-	1	-	-	-	3	-	-	-
Female.....	2	1	1	1	4	5	5	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	3,635	2,492	1,662	1,126	811	458	195	47	15	1	10
Male.....	2,816	1,920	1,309	849	597	308	126	24	9	1	10
Female.....	819	572	353	277	214	150	69	23	6	-	-
White, both sexes.....	3,092	2,176	1,429	982	739	420	182	43	13	-	7
Male.....	2,393	1,678	1,121	738	547	283	118	22	8	-	7
Female.....	699	498	308	244	192	137	64	21	5	-	-
Black, both sexes.....	408	249	176	107	56	28	10	1	1	-	2
Male.....	324	192	144	83	41	18	7	-	1	-	2
Female.....	84	57	32	24	15	10	3	1	-	-	-
American Indian 1/, both sexes.....	99	43	42	17	7	8	2	2	-	-	-
Male.....	66	31	32	11	3	6	-	1	-	-	-
Female.....	33	12	10	6	4	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	24	15	20	9	2	1	1	1	1	1
Male.....	33	19	12	17	6	1	1	1	-	1	1
Female.....	3	5	3	3	3	1	-	-	1	-	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	2,779	1,089	593	415	404	384	250	135	36	7	16
Male.....	1,657	604	292	212	193	175	108	61	11	1	13
Female.....	1,122	485	301	203	211	209	142	74	25	6	3
White, both sexes.....	2,250	874	500	351	364	355	236	122	31	5	15
Male.....	1,269	444	228	166	172	166	104	56	10	1	12
Female.....	981	430	272	185	192	189	132	66	21	4	3
Black, both sexes.....	489	192	74	50	28	18	8	12	4	1	1
Male.....	359	146	56	38	15	6	1	4	-	-	1
Female.....	130	46	18	12	13	12	7	8	4	1	-
American Indian 1/, both sexes.....	25	10	9	4	4	5	2	-	-	-	-
Male.....	18	6	4	2	1	1	1	-	-	-	-
Female.....	7	4	5	2	3	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	13	10	10	8	6	4	1	1	1	-
Male.....	11	8	4	6	5	2	2	1	1	-	-
Female.....	4	5	6	4	3	4	2	-	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All races, both sexes.....	1,811	1,300	1,006	886	942	741	440	149	18	1	9
Male.....	1,508	1,084	871	796	874	669	411	141	14	1	9
Female.....	303	216	135	90	68	72	29	8	4	-	-
White, both sexes.....	1,652	1,193	930	836	900	723	417	145	17	1	8
Male.....	1,370	993	804	751	833	652	391	139	13	1	8
Female.....	282	200	126	85	67	71	26	6	4	-	-
Black, both sexes.....	128	89	65	42	36	18	19	4	1	-	1
Male.....	112	76	57	37	35	17	16	2	1	-	1
Female.....	16	13	8	5	1	1	3	2	-	-	-
American Indian 1/, both sexes.....	6	8	3	3	3	-	1	-	-	-	-
Male.....	5	7	3	3	3	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	10	8	5	3	-	3	-	-	-	-
Male.....	21	8	7	5	3	-	3	-	-	-	-
Female.....	4	2	1	-	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.