

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All causes												
All origins, both sexes.....	2,423,712	29,138	4,703	2,711	3,436	13,299	20,683	20,931	21,641	30,881	48,725	77,738
Male.....	1,203,968	16,293	2,634	1,519	2,066	9,558	15,758	15,107	14,685	19,755	30,350	47,904
Female.....	1,219,744	12,845	2,069	1,192	1,370	3,741	4,925	5,824	6,956	11,126	18,375	29,834
Hispanic, both sexes.....	135,519	6,068	1,009	566	591	2,169	3,517	3,315	3,231	3,768	4,927	6,552
Male.....	75,708	3,343	556	314	349	1,674	2,832	2,575	2,381	2,624	3,413	4,441
Female.....	59,811	2,725	453	252	242	495	685	740	850	1,144	1,514	2,111
Mexican, both sexes.....	77,274	4,236	732	404	416	1,523	2,394	2,235	2,133	2,374	2,915	3,876
Male.....	44,389	2,337	399	222	244	1,186	1,933	1,747	1,595	1,669	2,025	2,617
Female.....	32,885	1,899	333	182	172	337	461	488	538	705	890	1,259
Puerto Rican, both sexes.....	16,959	547	84	37	50	149	295	319	307	490	687	909
Male.....	9,342	311	48	19	29	113	218	245	213	333	465	629
Female.....	7,617	236	36	18	21	36	77	74	94	157	222	280
Cuban, both sexes.....	12,942	78	10	6	12	35	66	45	70	87	192	303
Male.....	6,644	48	6	3	9	20	52	35	52	61	141	211
Female.....	6,298	30	4	3	3	15	14	10	18	26	51	92
Central and South American, both sexes.....	14,341	551	93	64	71	242	509	460	464	485	628	748
Male.....	7,634	299	57	45	45	185	435	358	342	333	441	501
Female.....	6,707	252	36	19	26	57	74	102	122	152	187	247
Other and Unknown Hispanic, both sexes.....	14,003	656	90	55	42	220	253	256	257	332	505	716
Male.....	7,699	348	46	25	22	170	194	190	179	228	341	483
Female.....	6,304	308	44	30	20	50	59	66	78	104	164	233
Non-Hispanic 1/, both sexes.....	2,284,446	22,883	3,680	2,144	2,836	11,108	17,125	17,570	18,350	27,037	43,670	70,999
Male.....	1,125,974	12,839	2,074	1,205	1,709	7,866	12,893	12,498	12,259	17,083	26,852	43,330
Female.....	1,158,472	10,044	1,606	939	1,127	3,242	4,232	5,072	6,091	9,954	16,818	27,669
Non-Hispanic white 2/, both sexes.....	1,939,606	12,998	2,325	1,461	1,901	7,668	11,939	12,138	12,619	19,087	31,879	53,142
Male.....	948,662	7,340	1,316	810	1,135	5,239	8,890	8,646	8,492	12,228	19,911	33,039
Female.....	990,944	5,658	1,009	651	766	2,429	3,049	3,492	4,127	6,859	11,968	20,103
Non-Hispanic black 2/, both sexes.....	286,366	8,629	1,102	563	772	2,893	4,344	4,672	4,849	6,751	10,046	15,453
Male.....	146,474	4,794	609	325	476	2,247	3,388	3,341	3,197	4,092	5,889	8,858
Female.....	139,892	3,835	493	238	296	646	956	1,331	1,652	2,659	4,157	6,595
Origin not stated 3/, both sexes.....	3,747	187	14	1	9	22	41	46	60	76	128	187
Male.....	2,286	111	4	-	8	18	33	34	45	48	85	133
Female.....	1,461	76	10	1	1	4	8	12	15	28	43	54

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Septicemia (A40-A41)												
All origins, both sexes.....	34,828	283	78	36	38	53	107	127	170	328	582	1,002
Male.....	15,839	152	44	24	21	24	61	66	87	169	294	540
Female.....	18,989	131	34	12	17	29	46	61	83	159	288	462
Hispanic, both sexes.....	1,894	65	18	11	5	6	11	13	28	36	45	85
Male.....	944	35	6	5	5	3	7	6	13	22	27	57
Female.....	950	30	12	6	-	3	4	7	15	14	18	28
Mexican, both sexes.....	1,089	41	12	4	2	5	5	8	20	20	35	50
Male.....	533	22	3	2	2	2	3	3	9	13	20	35
Female.....	556	19	9	2	-	3	2	5	11	7	15	15
Puerto Rican, both sexes.....	283	7	3	2	1	-	2	1	3	8	3	17
Male.....	143	3	2	1	1	-	1	1	1	4	3	8
Female.....	140	4	1	1	-	-	1	-	2	4	-	9
Cuban, both sexes.....	182	1	-	-	-	-	1	-	-	4	-	4
Male.....	98	-	-	-	-	-	1	-	-	3	-	3
Female.....	84	1	-	-	-	-	-	-	-	1	-	1
Central and South American, both sexes.....	167	8	2	2	1	1	2	3	2	2	4	5
Male.....	74	7	1	1	1	1	2	1	2	1	3	4
Female.....	93	1	1	1	-	-	-	2	-	1	1	1
Other and Unknown Hispanic, both sexes.....	173	8	1	3	1	-	1	1	3	2	3	9
Male.....	96	3	-	1	1	-	-	1	1	1	1	7
Female.....	77	5	1	2	-	-	1	-	2	1	2	2
Non-Hispanic 1/, both sexes.....	32,865	217	60	25	32	47	96	114	141	290	536	915
Male.....	14,857	116	38	19	16	21	54	60	73	146	266	481
Female.....	18,008	101	22	6	16	26	42	54	68	144	270	434
Non-Hispanic white 2/, both sexes.....	25,856	98	42	17	26	31	58	64	89	178	347	577
Male.....	11,653	52	27	16	13	13	36	36	48	93	176	307
Female.....	14,203	46	15	1	13	18	22	28	41	85	171	270
Non-Hispanic black 2/, both sexes.....	6,241	110	16	6	4	12	35	45	44	107	166	302
Male.....	2,807	60	11	2	2	6	16	21	19	49	77	152
Female.....	3,434	50	5	4	2	6	19	24	25	58	89	150
Origin not stated 3/, both sexes.....	69	1	-	-	1	-	-	-	1	2	1	2
Male.....	38	1	-	-	-	-	-	-	1	1	1	2
Female.....	31	-	-	-	1	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral hepatitis (B15-B19)												
All origins, both sexes.....	7,407	1	1	-	-	3	11	24	48	116	373	1,019
Male.....	4,910	1	-	-	-	3	6	16	33	87	239	712
Female.....	2,497	-	1	-	-	-	5	8	15	29	134	307
Hispanic, both sexes.....	1,121	-	1	-	-	1	5	5	12	23	78	173
Male.....	758	-	-	-	-	1	2	4	9	18	61	136
Female.....	363	-	1	-	-	-	3	1	3	5	17	37
Mexican, both sexes.....	657	-	-	-	-	1	2	3	7	14	49	115
Male.....	449	-	-	-	-	1	1	3	6	11	39	92
Female.....	208	-	-	-	-	-	1	-	1	3	10	23
Puerto Rican, both sexes.....	218	-	-	-	-	-	3	1	2	6	12	27
Male.....	164	-	-	-	-	-	1	1	2	6	11	24
Female.....	54	-	-	-	-	-	2	-	-	-	1	3
Cuban, both sexes.....	48	-	-	-	-	-	-	-	-	-	-	2
Male.....	29	-	-	-	-	-	-	-	-	-	-	2
Female.....	19	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	60	-	-	-	-	-	-	1	1	1	2	2
Male.....	28	-	-	-	-	-	-	-	-	1	-	1
Female.....	32	-	-	-	-	-	-	1	1	-	2	1
Other and Unknown Hispanic, both sexes.....	138	-	1	-	-	-	-	-	2	2	15	27
Male.....	88	-	-	-	-	-	-	-	1	-	11	17
Female.....	50	-	1	-	-	-	-	-	1	2	4	10
Non-Hispanic 1/, both sexes.....	6,264	1	-	-	-	2	6	19	35	93	293	842
Male.....	4,137	1	-	-	-	2	4	12	24	69	176	574
Female.....	2,127	-	-	-	-	-	2	7	11	24	117	268
Non-Hispanic white 2/, both sexes.....	4,855	1	-	-	-	1	2	12	26	72	216	688
Male.....	3,256	1	-	-	-	1	1	6	18	51	130	469
Female.....	1,599	-	-	-	-	-	1	6	8	21	86	219
Non-Hispanic black 2/, both sexes.....	1,025	-	-	-	-	1	3	5	8	11	51	121
Male.....	673	-	-	-	-	1	2	5	5	10	30	76
Female.....	352	-	-	-	-	-	1	-	3	1	21	45
Origin not stated 3/, both sexes.....	22	-	-	-	-	-	-	-	1	-	2	4
Male.....	15	-	-	-	-	-	-	-	-	-	2	2
Female.....	7	-	-	-	-	-	-	-	1	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
All origins, both sexes.....	11,295	5	4	1	9	33	127	412	679	1,382	2,190	2,267
Male.....	8,097	5	3	1	2	14	74	245	408	923	1,583	1,624
Female.....	3,198	-	1	-	7	19	53	167	271	459	607	643
Hispanic, both sexes.....	1,516	1	-	1	1	4	28	64	118	181	324	290
Male.....	1,180	1	-	1	-	1	22	50	85	149	247	226
Female.....	336	-	-	-	1	3	6	14	33	32	77	64
Mexican, both sexes.....	579	1	-	1	-	-	14	36	59	89	138	94
Male.....	491	1	-	1	-	-	12	29	45	78	121	83
Female.....	88	-	-	-	-	-	2	7	14	11	17	11
Puerto Rican, both sexes.....	527	-	-	-	-	4	6	4	24	51	109	114
Male.....	345	-	-	-	-	1	3	-	12	35	66	77
Female.....	182	-	-	-	-	3	3	4	12	16	43	37
Cuban, both sexes.....	88	-	-	-	-	-	-	-	3	2	12	16
Male.....	79	-	-	-	-	-	-	-	1	2	9	14
Female.....	9	-	-	-	-	-	-	-	2	-	3	2
Central and South American, both sexes.....	211	-	-	-	-	-	7	21	28	22	38	34
Male.....	181	-	-	-	-	-	6	18	24	20	30	31
Female.....	30	-	-	-	-	-	1	3	4	2	8	3
Other and Unknown Hispanic, both sexes.....	111	-	-	-	1	-	1	3	4	17	27	32
Male.....	84	-	-	-	-	-	1	3	3	14	21	21
Female.....	27	-	-	-	1	-	-	-	1	3	6	11
Non-Hispanic 1/, both sexes.....	9,726	4	4	-	8	29	99	347	558	1,198	1,857	1,968
Male.....	6,874	4	3	-	2	13	52	194	320	772	1,330	1,391
Female.....	2,852	-	1	-	6	16	47	153	238	426	527	577
Non-Hispanic white 2/, both sexes.....	3,182	1	3	-	-	4	15	59	128	366	653	700
Male.....	2,638	1	2	-	-	2	7	40	90	292	560	573
Female.....	544	-	1	-	-	2	8	19	38	74	93	127
Non-Hispanic black 2/, both sexes.....	6,398	1	1	-	8	25	84	283	418	809	1,181	1,234
Male.....	4,127	1	1	-	2	11	45	151	221	464	753	792
Female.....	2,271	-	-	-	6	14	39	132	197	345	428	442
Origin not stated 3/, both sexes.....	53	-	-	-	-	-	-	1	3	3	9	9
Male.....	43	-	-	-	-	-	-	1	3	2	6	7
Female.....	10	-	-	-	-	-	-	-	-	1	3	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
All origins, both sexes.....	562,875	72	364	480	479	673	980	1,318	2,145	4,237	9,051	18,778
Male.....	292,857	39	191	255	244	395	592	715	977	1,757	3,944	8,901
Female.....	270,018	33	173	225	235	278	388	603	1,168	2,480	5,107	9,877
Hispanic, both sexes.....	27,660	19	68	117	111	138	207	229	380	582	903	1,514
Male.....	14,493	7	38	61	53	86	123	122	160	235	398	718
Female.....	13,167	12	30	56	58	52	84	107	220	347	505	796
Mexican, both sexes.....	15,046	13	43	89	74	97	147	147	243	360	523	908
Male.....	7,969	6	24	44	33	57	88	78	99	143	223	421
Female.....	7,077	7	19	45	41	40	59	69	144	217	300	487
Puerto Rican, both sexes.....	3,330	-	7	1	7	9	6	18	36	58	107	159
Male.....	1,777	-	3	1	5	8	1	11	16	20	52	91
Female.....	1,553	-	4	-	2	1	5	7	20	38	55	68
Cuban, both sexes.....	2,844	-	1	-	3	1	3	7	8	20	35	82
Male.....	1,599	-	1	-	2	1	2	3	5	10	16	44
Female.....	1,245	-	-	-	1	-	1	4	3	10	19	38
Central and South American, both sexes.....	3,587	3	9	13	17	16	30	44	68	103	159	211
Male.....	1,631	-	6	10	8	10	23	21	29	44	71	87
Female.....	1,956	3	3	3	9	6	7	23	39	59	88	124
Other and Unknown Hispanic, both sexes.....	2,853	3	8	14	10	15	21	13	25	41	79	154
Male.....	1,517	1	4	6	5	10	9	9	11	18	36	75
Female.....	1,336	2	4	8	5	5	12	4	14	23	43	79
Non-Hispanic 1/, both sexes.....	534,614	53	296	363	368	535	772	1,089	1,764	3,649	8,134	17,241
Male.....	278,027	32	153	194	191	309	469	593	816	1,520	3,539	8,171
Female.....	256,587	21	143	169	177	226	303	496	948	2,129	4,595	9,070
Non-Hispanic white 2/, both sexes.....	456,576	41	224	284	275	392	566	792	1,268	2,731	6,099	13,192
Male.....	237,672	24	111	150	143	231	345	444	608	1,183	2,714	6,298
Female.....	218,904	17	113	134	132	161	221	348	660	1,548	3,385	6,894
Non-Hispanic black 2/, both sexes.....	63,441	9	51	57	77	104	154	232	380	703	1,629	3,339
Male.....	32,766	6	31	29	41	54	88	109	151	245	650	1,530
Female.....	30,675	3	20	28	36	50	66	123	229	458	979	1,809
Origin not stated 3/, both sexes.....	601	-	-	-	-	-	1	-	1	6	14	23
Male.....	337	-	-	-	-	-	-	-	1	2	7	12
Female.....	264	-	-	-	-	-	1	-	-	4	7	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant melanoma of skin (C43)												
All origins, both sexes.....	8,461	-	1	1	1	7	24	75	100	160	306	504
Male.....	5,506	-	-	-	-	3	17	38	57	89	177	308
Female.....	2,955	-	1	1	1	4	7	37	43	71	129	196
Hispanic, both sexes.....	194	-	1	-	-	-	2	4	2	15	9	19
Male.....	112	-	-	-	-	-	1	2	1	7	5	13
Female.....	82	-	1	-	-	-	1	2	1	8	4	6
Mexican, both sexes.....	105	-	-	-	-	-	1	1	1	8	5	10
Male.....	60	-	-	-	-	-	-	-	-	2	2	6
Female.....	45	-	-	-	-	-	1	1	1	6	3	4
Puerto Rican, both sexes.....	22	-	-	-	-	-	-	2	1	2	2	1
Male.....	10	-	-	-	-	-	-	1	1	-	1	1
Female.....	12	-	-	-	-	-	-	1	-	2	1	-
Cuban, both sexes.....	19	-	-	-	-	-	1	-	-	1	2	2
Male.....	12	-	-	-	-	-	1	-	-	1	2	2
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	27	-	-	-	-	-	-	1	-	3	-	2
Male.....	19	-	-	-	-	-	-	1	-	3	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	21	-	1	-	-	-	-	-	-	1	-	4
Male.....	11	-	-	-	-	-	-	-	-	1	-	3
Female.....	10	-	1	-	-	-	-	-	-	-	-	1
Non-Hispanic 1/, both sexes.....	8,262	-	-	1	1	7	22	71	98	143	296	485
Male.....	5,390	-	-	-	-	3	16	36	56	81	171	295
Female.....	2,872	-	-	1	1	4	6	35	42	62	125	190
Non-Hispanic white 2/, both sexes.....	8,063	-	-	1	1	6	22	69	96	139	286	467
Male.....	5,294	-	-	-	-	3	16	35	54	79	168	284
Female.....	2,769	-	-	1	1	3	6	34	42	60	118	183
Non-Hispanic black 2/, both sexes.....	133	-	-	-	-	1	-	1	1	4	6	9
Male.....	57	-	-	-	-	-	-	1	1	2	2	5
Female.....	76	-	-	-	-	1	-	-	-	2	4	4
Origin not stated 3/, both sexes.....	5	-	-	-	-	-	-	-	-	2	1	-
Male.....	4	-	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	40,970	-	-	-	-	1	14	65	279	740	1,444	2,506
Male.....	371	-	-	-	-	-	-	-	-	4	6	12
Female.....	40,599	-	-	-	-	1	14	65	279	736	1,438	2,494
Hispanic, both sexes.....	2,092	-	-	-	-	-	6	10	42	99	140	204
Male.....	16	-	-	-	-	-	-	-	-	1	-	-
Female.....	2,076	-	-	-	-	-	6	10	42	98	140	204
Mexican, both sexes.....	1,175	-	-	-	-	-	3	7	32	65	87	128
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,169	-	-	-	-	-	3	7	32	65	87	128
Puerto Rican, both sexes.....	232	-	-	-	-	-	3	1	2	7	8	22
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	230	-	-	-	-	-	3	1	2	7	8	22
Cuban, both sexes.....	205	-	-	-	-	-	-	-	-	4	3	6
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	201	-	-	-	-	-	-	-	-	4	3	6
Central and South American, both sexes.....	276	-	-	-	-	-	-	2	5	15	28	25
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	274	-	-	-	-	-	-	2	5	14	28	25
Other and Unknown Hispanic, both sexes.....	204	-	-	-	-	-	-	-	3	8	14	23
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	202	-	-	-	-	-	-	-	3	8	14	23
Non-Hispanic 1/, both sexes.....	38,842	-	-	-	-	1	7	55	237	639	1,303	2,300
Male.....	355	-	-	-	-	-	-	-	-	3	6	12
Female.....	38,487	-	-	-	-	1	7	55	237	636	1,297	2,288
Non-Hispanic white 2/, both sexes.....	32,106	-	-	-	-	1	1	29	138	420	897	1,626
Male.....	300	-	-	-	-	-	-	-	-	2	6	8
Female.....	31,806	-	-	-	-	1	1	29	138	418	891	1,618
Non-Hispanic black 2/, both sexes.....	5,800	-	-	-	-	-	6	25	82	190	352	579
Male.....	52	-	-	-	-	-	-	-	-	1	-	4
Female.....	5,748	-	-	-	-	-	6	25	82	189	352	575
Origin not stated 3/, both sexes.....	36	-	-	-	-	-	1	-	-	2	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	36	-	-	-	-	-	1	-	-	2	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
All origins, both sexes.....	63,192	20	113	120	125	237	321	314	386	623	1,119	2,130
Male.....	32,887	8	56	60	57	152	219	197	240	333	575	1,148
Female.....	30,305	12	57	60	68	85	102	117	146	290	544	982
Hispanic, both sexes.....	3,427	9	18	26	25	45	64	53	74	94	118	182
Male.....	1,784	3	9	11	15	30	51	37	44	55	63	97
Female.....	1,643	6	9	15	10	15	13	16	30	39	55	85
Mexican, both sexes.....	1,951	5	11	16	12	31	48	34	45	62	66	124
Male.....	1,041	2	6	7	8	19	39	23	28	33	33	70
Female.....	910	3	5	9	4	12	9	11	17	29	33	54
Puerto Rican, both sexes.....	357	-	2	-	1	6	2	3	6	5	15	12
Male.....	185	-	1	-	1	6	1	3	3	2	7	7
Female.....	172	-	1	-	-	-	1	-	3	3	8	5
Cuban, both sexes.....	296	-	-	-	2	-	1	1	4	2	6	4
Male.....	158	-	-	-	1	-	1	-	4	2	2	2
Female.....	138	-	-	-	1	-	-	1	-	-	4	2
Central and South American, both sexes.....	472	1	2	2	7	4	7	10	15	21	22	23
Male.....	207	-	1	2	3	3	6	7	6	15	14	8
Female.....	265	1	1	-	4	1	1	3	9	6	8	15
Other and Unknown Hispanic, both sexes.....	351	3	3	8	3	4	6	5	4	4	9	19
Male.....	193	1	1	2	2	2	4	4	3	3	7	10
Female.....	158	2	2	6	1	2	2	1	1	1	2	9
Non-Hispanic 1/, both sexes.....	59,687	11	95	94	100	192	257	261	312	528	1,000	1,944
Male.....	31,052	5	47	49	42	122	168	160	196	278	512	1,048
Female.....	28,635	6	48	45	58	70	89	101	116	250	488	896
Non-Hispanic white 2/, both sexes.....	51,383	9	70	71	74	148	190	195	224	391	749	1,500
Male.....	26,886	5	34	35	33	94	127	121	140	203	383	804
Female.....	24,497	4	36	36	41	54	63	74	84	188	366	696
Non-Hispanic black 2/, both sexes.....	6,599	1	19	19	20	33	50	42	73	103	200	381
Male.....	3,314	-	11	11	7	20	27	24	47	57	100	212
Female.....	3,285	1	8	8	13	13	23	18	26	46	100	169
Origin not stated 3/, both sexes.....	78	-	-	-	-	-	-	-	-	1	1	4
Male.....	51	-	-	-	-	-	-	-	-	-	-	3
Female.....	27	-	-	-	-	-	-	-	-	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	71,382	7	5	10	11	55	113	215	395	749	1,235	2,161
Male.....	35,478	5	3	6	5	31	67	123	236	479	749	1,376
Female.....	35,904	2	2	4	6	24	46	92	159	270	486	785
Hispanic, both sexes.....	6,417	3	1	1	2	6	12	21	38	98	130	233
Male.....	3,199	1	1	1	-	5	9	12	27	70	82	159
Female.....	3,218	2	-	-	2	1	3	9	11	28	48	74
Mexican, both sexes.....	4,037	3	1	-	1	6	8	12	27	63	84	142
Male.....	2,033	1	1	-	-	5	5	7	20	45	54	97
Female.....	2,004	2	-	-	1	1	3	5	7	18	30	45
Puerto Rican, both sexes.....	838	-	-	-	1	-	-	4	3	11	16	34
Male.....	393	-	-	-	-	-	-	3	2	7	11	23
Female.....	445	-	-	-	1	-	-	1	1	4	5	11
Cuban, both sexes.....	460	-	-	-	-	-	-	2	1	1	5	7
Male.....	237	-	-	-	-	-	-	1	-	1	3	6
Female.....	223	-	-	-	-	-	-	1	1	-	2	1
Central and South American, both sexes.....	481	-	-	1	-	-	2	1	3	15	14	23
Male.....	244	-	-	1	-	-	2	-	2	13	9	17
Female.....	237	-	-	-	-	-	-	1	1	2	5	6
Other and Unknown Hispanic, both sexes.....	601	-	-	-	-	-	2	2	4	8	11	27
Male.....	292	-	-	-	-	-	2	1	3	4	5	16
Female.....	309	-	-	-	-	-	-	1	1	4	6	11
Non-Hispanic 1/, both sexes.....	64,863	4	4	9	9	49	101	194	356	646	1,103	1,925
Male.....	32,226	4	2	5	5	26	58	111	209	404	666	1,214
Female.....	32,637	-	2	4	4	23	43	83	147	242	437	711
Non-Hispanic white 2/, both sexes.....	50,046	2	3	7	5	29	63	107	214	402	716	1,320
Male.....	25,584	2	2	5	3	18	42	67	129	257	452	856
Female.....	24,462	-	1	2	2	11	21	40	85	145	264	464
Non-Hispanic black 2/, both sexes.....	12,343	2	1	2	4	20	35	83	129	208	346	533
Male.....	5,434	2	-	-	2	8	13	42	74	121	188	315
Female.....	6,909	-	1	2	2	12	22	41	55	87	158	218
Origin not stated 3/, both sexes.....	102	-	-	-	-	-	-	-	1	5	2	3
Male.....	53	-	-	-	-	-	-	-	-	5	1	3
Female.....	49	-	-	-	-	-	-	-	1	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Meningitis (G00,G03)												
All origins, both sexes.....	655	82	16	9	16	9	26	18	16	35	31	49
Male.....	346	35	10	3	9	5	13	12	5	24	18	33
Female.....	309	47	6	6	7	4	13	6	11	11	13	16
Hispanic, both sexes.....	71	17	2	-	3	-	6	2	5	4	5	3
Male.....	36	7	1	-	1	-	3	2	1	2	3	2
Female.....	35	10	1	-	2	-	3	-	4	2	2	1
Mexican, both sexes.....	39	10	2	-	1	-	3	1	2	3	2	-
Male.....	20	5	1	-	-	-	2	1	1	2	1	-
Female.....	19	5	1	-	1	-	1	-	1	1	1	-
Puerto Rican, both sexes.....	13	3	-	-	1	-	2	-	1	-	1	1
Male.....	6	1	-	-	1	-	-	-	-	-	1	1
Female.....	7	2	-	-	-	-	2	-	1	-	-	-
Cuban, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	9	1	-	-	-	-	1	1	2	-	1	-
Male.....	5	-	-	-	-	-	1	1	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	2	-	1	-
Other and Unknown Hispanic, both sexes.....	8	3	-	-	-	-	-	-	-	1	1	2
Male.....	4	1	-	-	-	-	-	-	-	-	1	1
Female.....	4	2	-	-	-	-	-	-	-	1	-	1
Non-Hispanic 1/, both sexes.....	583	65	14	9	13	9	20	15	11	31	26	46
Male.....	310	28	9	3	8	5	10	10	4	22	15	31
Female.....	273	37	5	6	5	4	10	5	7	9	11	15
Non-Hispanic white 2/, both sexes.....	428	35	10	6	10	6	11	12	10	23	20	35
Male.....	222	13	6	-	6	4	5	8	3	15	10	23
Female.....	206	22	4	6	4	2	6	4	7	8	10	12
Non-Hispanic black 2/, both sexes.....	132	23	3	2	3	1	8	3	1	7	6	9
Male.....	77	12	3	2	2	-	5	2	1	6	5	7
Female.....	55	11	-	-	1	1	3	1	-	1	1	2
Origin not stated 3/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Major cardiovascular diseases (I00-I78)												
All origins, both sexes.....	806,156	571	230	152	186	449	920	1,521	2,429	4,956	9,911	18,388
Male.....	388,049	323	104	84	97	291	583	980	1,587	3,328	6,779	12,640
Female.....	418,107	248	126	68	89	158	337	541	842	1,628	3,132	5,748
Hispanic, both sexes.....	38,694	123	47	30	28	64	133	217	296	519	829	1,338
Male.....	20,236	63	21	19	13	37	97	154	206	368	635	994
Female.....	18,458	60	26	11	15	27	36	63	90	151	194	344
Mexican, both sexes.....	20,844	87	35	21	18	37	91	138	184	335	511	809
Male.....	11,215	41	16	13	11	23	64	96	128	237	388	601
Female.....	9,629	46	19	8	7	14	27	42	56	98	123	208
Puerto Rican, both sexes.....	5,160	9	3	3	4	9	11	26	32	77	118	196
Male.....	2,731	5	1	3	1	5	8	16	21	56	91	135
Female.....	2,429	4	2	-	3	4	3	10	11	21	27	61
Cuban, both sexes.....	4,921	2	1	1	-	1	1	2	6	5	29	67
Male.....	2,369	1	-	1	-	-	1	2	6	4	25	51
Female.....	2,552	1	1	-	-	1	-	-	-	1	4	16
Central and South American, both sexes.....	3,958	11	3	3	3	9	22	30	48	60	99	149
Male.....	1,964	8	1	2	1	6	19	23	35	42	80	112
Female.....	1,994	3	2	1	2	3	3	7	13	18	19	37
Other and Unknown Hispanic, both sexes.....	3,811	14	5	2	3	8	8	21	26	42	72	117
Male.....	1,957	8	3	-	-	3	5	17	16	29	51	95
Female.....	1,854	6	2	2	3	5	3	4	10	13	21	22
Non-Hispanic 1/, both sexes.....	766,265	444	183	122	158	385	787	1,302	2,127	4,429	9,061	17,007
Male.....	367,072	258	83	65	84	254	486	824	1,377	2,952	6,128	11,613
Female.....	399,193	186	100	57	74	131	301	478	750	1,477	2,933	5,394
Non-Hispanic white 2/, both sexes.....	652,763	241	106	81	102	236	477	771	1,268	2,833	6,161	12,072
Male.....	311,345	139	44	41	59	150	279	493	844	1,935	4,281	8,584
Female.....	341,418	102	62	40	43	86	198	278	424	898	1,880	3,488
Non-Hispanic black 2/, both sexes.....	95,059	171	58	30	48	137	276	458	750	1,403	2,527	4,406
Male.....	46,159	106	32	19	21	96	184	280	454	881	1,579	2,649
Female.....	48,900	65	26	11	27	41	92	178	296	522	948	1,757
Origin not stated 3/, both sexes.....	1,197	4	-	-	-	-	-	2	6	8	21	43
Male.....	741	2	-	-	-	-	-	2	4	8	16	33
Female.....	456	2	-	-	-	-	-	-	2	-	5	10

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	616,067	424	173	110	131	346	738	1,269	1,954	3,898	7,941	14,865
Male.....	309,821	237	82	63	70	230	470	847	1,330	2,704	5,641	10,624
Female.....	306,246	187	91	47	61	116	268	422	624	1,194	2,300	4,241
Hispanic, both sexes.....	29,021	91	39	23	17	47	98	169	209	369	593	959
Male.....	15,657	49	17	15	8	30	74	123	154	269	474	755
Female.....	13,364	42	22	8	9	17	24	46	55	100	119	204
Mexican, both sexes.....	15,158	63	30	16	10	24	65	105	128	228	358	565
Male.....	8,443	31	13	11	7	17	46	74	91	165	285	447
Female.....	6,715	32	17	5	3	7	19	31	37	63	73	118
Puerto Rican, both sexes.....	4,097	7	3	2	3	7	10	23	24	61	95	140
Male.....	2,211	4	1	2	-	5	8	16	16	46	72	97
Female.....	1,886	3	2	-	3	2	2	7	8	15	23	43
Cuban, both sexes.....	3,963	2	1	1	-	1	1	2	5	4	23	59
Male.....	1,930	1	-	1	-	-	1	2	5	4	21	47
Female.....	2,033	1	1	-	-	1	-	-	-	-	2	12
Central and South American, both sexes.....	2,946	9	1	2	2	8	16	21	33	40	65	105
Male.....	1,518	6	-	1	1	5	14	17	29	26	56	86
Female.....	1,428	3	1	1	1	3	2	4	4	14	9	19
Other and Unknown Hispanic, both sexes.....	2,857	10	4	2	2	7	6	18	19	36	52	90
Male.....	1,555	7	3	-	-	3	5	14	13	28	40	78
Female.....	1,302	3	1	2	2	4	1	4	6	8	12	12
Non-Hispanic 1/, both sexes.....	586,077	330	134	87	114	299	640	1,098	1,741	3,521	7,328	13,868
Male.....	293,547	187	65	48	62	200	396	722	1,173	2,427	5,152	9,840
Female.....	292,530	143	69	39	52	99	244	376	568	1,094	2,176	4,028
Non-Hispanic white 2/, both sexes.....	502,683	168	75	57	70	180	385	642	1,066	2,309	5,149	10,215
Male.....	251,229	96	30	28	40	115	228	422	741	1,629	3,689	7,508
Female.....	251,454	72	45	29	30	65	157	220	325	680	1,460	2,707
Non-Hispanic black 2/, both sexes.....	70,443	135	42	23	40	111	233	395	590	1,071	1,891	3,286
Male.....	35,243	79	28	16	19	79	154	253	370	691	1,238	2,050
Female.....	35,200	56	14	7	21	32	79	142	220	380	653	1,236
Origin not stated 3/, both sexes.....	969	3	-	-	-	-	-	2	4	8	20	38
Male.....	617	1	-	-	-	-	-	2	3	8	15	29
Female.....	352	2	-	-	-	-	-	-	1	-	5	9

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other heart diseases (I26-I51)												
All origins, both sexes.....	172,748	397	163	98	121	296	576	800	977	1,615	2,486	3,870
Male.....	77,178	225	77	57	64	196	353	506	594	1,009	1,568	2,414
Female.....	95,570	172	86	41	57	100	223	294	383	606	918	1,456
Hispanic, both sexes.....	6,511	84	37	20	16	41	84	99	117	168	200	243
Male.....	3,286	46	16	14	7	26	62	67	80	114	149	174
Female.....	3,225	38	21	6	9	15	22	32	37	54	51	69
Mexican, both sexes.....	3,704	58	28	13	9	21	54	67	73	112	132	155
Male.....	1,891	30	12	10	6	14	37	44	47	75	96	113
Female.....	1,813	28	16	3	3	7	17	23	26	37	36	42
Puerto Rican, both sexes.....	749	6	3	2	3	6	8	14	10	24	28	27
Male.....	383	3	1	2	-	5	6	9	6	18	22	16
Female.....	366	3	2	-	3	1	2	5	4	6	6	11
Cuban, both sexes.....	747	2	1	1	-	1	-	-	2	1	5	11
Male.....	362	1	-	1	-	-	-	-	2	1	5	7
Female.....	385	1	1	-	-	1	-	-	-	-	-	4
Central and South American, both sexes.....	588	8	1	2	2	7	16	9	24	13	20	24
Male.....	302	5	-	1	1	4	14	6	21	9	16	19
Female.....	286	3	1	1	1	3	2	3	3	4	4	5
Other and Unknown Hispanic, both sexes.....	723	10	4	2	2	6	6	9	8	18	15	26
Male.....	348	7	3	-	-	3	5	8	4	11	10	19
Female.....	375	3	1	2	2	3	1	1	4	7	5	7
Non-Hispanic 1/, both sexes.....	166,042	310	126	78	105	255	492	701	857	1,444	2,281	3,616
Male.....	73,785	178	61	43	57	170	291	439	512	892	1,416	2,232
Female.....	92,257	132	65	35	48	85	201	262	345	552	865	1,384
Non-Hispanic white 2/, both sexes.....	142,820	154	71	49	64	156	305	412	516	898	1,501	2,478
Male.....	62,599	88	28	24	37	99	169	263	318	556	919	1,574
Female.....	80,221	66	43	25	27	57	136	149	198	342	582	904
Non-Hispanic black 2/, both sexes.....	20,206	132	40	22	38	91	168	256	296	497	701	1,053
Male.....	9,660	78	27	15	18	65	110	152	164	299	441	600
Female.....	10,546	54	13	7	20	26	58	104	132	198	260	453
Origin not stated 3/, both sexes.....	195	3	-	-	-	-	-	-	3	3	5	11
Male.....	107	1	-	-	-	-	-	-	2	3	3	8
Female.....	88	2	-	-	-	-	-	-	1	-	2	3

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins, both sexes.....	114,091	348	132	76	106	266	506	732	873	1,427	2,175	3,347
Male.....	53,092	196	60	43	54	176	318	463	523	894	1,354	2,089
Female.....	60,999	152	72	33	52	90	188	269	350	533	821	1,258
Hispanic, both sexes.....	4,476	76	35	14	13	35	75	92	103	150	166	209
Male.....	2,346	42	14	11	5	20	56	63	70	103	120	148
Female.....	2,130	34	21	3	8	15	19	29	33	47	46	61
Mexican, both sexes.....	2,517	51	27	9	8	20	48	63	65	102	108	133
Male.....	1,321	27	11	7	5	13	34	42	42	71	77	97
Female.....	1,196	24	16	2	3	7	14	21	23	31	31	36
Puerto Rican, both sexes.....	525	6	3	2	3	4	7	14	9	20	23	21
Male.....	277	3	1	2	-	3	5	9	6	14	17	11
Female.....	248	3	2	-	3	1	2	5	3	6	6	10
Cuban, both sexes.....	567	2	1	1	-	1	-	-	2	1	5	11
Male.....	282	1	-	1	-	-	-	-	2	1	5	7
Female.....	285	1	1	-	-	1	-	-	-	-	-	4
Central and South American, both sexes.....	411	8	1	2	-	6	14	7	20	10	17	21
Male.....	221	5	-	1	-	3	12	5	17	6	13	16
Female.....	190	3	1	1	-	3	2	2	3	4	4	5
Other and Unknown Hispanic, both sexes.....	456	9	3	-	2	4	6	8	7	17	13	23
Male.....	245	6	2	-	-	1	5	7	3	11	8	17
Female.....	211	3	1	-	2	3	1	1	4	6	5	6
Non-Hispanic 1/, both sexes.....	109,469	269	97	62	93	231	431	640	767	1,274	2,004	3,131
Male.....	50,663	153	46	32	49	156	262	400	451	788	1,231	1,935
Female.....	58,806	116	51	30	44	75	169	240	316	486	773	1,196
Non-Hispanic white 2/, both sexes.....	92,818	137	51	41	53	139	265	372	465	798	1,342	2,176
Male.....	42,362	77	19	19	30	90	154	234	283	492	816	1,395
Female.....	50,456	60	32	22	23	49	111	138	182	306	526	781
Non-Hispanic black 2/, both sexes.....	14,377	112	33	17	37	84	149	239	260	433	590	877
Male.....	7,115	66	22	11	17	60	96	145	141	263	365	487
Female.....	7,262	46	11	6	20	24	53	94	119	170	225	390
Origin not stated 3/, both sexes.....	146	3	-	-	-	-	-	-	3	3	5	7
Male.....	83	1	-	-	-	-	-	-	2	3	3	6
Female.....	63	2	-	-	-	-	-	-	1	-	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Cerebrovascular diseases (I60-I69)												
All origins, both sexes.....	135,952	132	52	38	45	71	124	180	325	733	1,400	2,616
Male.....	54,111	77	20	17	20	40	73	90	162	401	742	1,410
Female.....	81,841	55	32	21	25	31	51	90	163	332	658	1,206
Hispanic, both sexes.....	7,078	29	8	7	9	12	25	38	62	118	183	300
Male.....	3,319	13	4	4	4	4	16	24	36	74	120	189
Female.....	3,759	16	4	3	5	8	9	14	26	44	63	111
Mexican, both sexes.....	4,226	21	5	5	6	10	19	25	38	89	119	194
Male.....	2,049	9	3	2	3	4	12	16	23	59	76	124
Female.....	2,177	12	2	3	3	6	7	9	15	30	43	70
Puerto Rican, both sexes.....	724	2	-	1	1	1	-	3	7	9	17	39
Male.....	354	1	-	1	1	-	-	-	4	3	13	27
Female.....	370	1	-	-	-	1	-	3	3	6	4	12
Cuban, both sexes.....	666	-	-	-	-	-	-	-	-	1	4	7
Male.....	283	-	-	-	-	-	-	-	-	-	3	4
Female.....	383	-	-	-	-	-	-	-	-	1	1	3
Central and South American, both sexes.....	755	2	2	1	1	-	4	7	12	15	28	36
Male.....	330	2	1	1	-	-	4	5	6	11	20	19
Female.....	425	-	1	-	1	-	-	2	6	4	8	17
Other and Unknown Hispanic, both sexes.....	707	4	1	-	1	1	2	3	5	4	15	24
Male.....	303	1	-	-	-	-	-	3	3	1	8	15
Female.....	404	3	1	-	1	1	2	-	2	3	7	9
Non-Hispanic 1/, both sexes.....	128,705	102	44	31	36	59	99	142	262	615	1,217	2,312
Male.....	50,697	63	16	13	16	36	57	66	126	327	622	1,218
Female.....	78,008	39	28	18	20	23	42	76	136	288	595	1,094
Non-Hispanic white 2/, both sexes.....	107,678	64	26	21	26	40	62	91	140	357	711	1,387
Male.....	41,416	37	12	10	14	24	32	45	62	181	381	740
Female.....	66,262	27	14	11	12	16	30	46	78	176	330	647
Non-Hispanic black 2/, both sexes.....	16,934	34	16	6	7	16	29	43	105	214	434	789
Male.....	7,470	25	4	2	1	11	19	19	52	124	206	399
Female.....	9,464	9	12	4	6	5	10	24	53	90	228	390
Origin not stated 3/, both sexes.....	169	1	-	-	-	-	-	-	1	-	-	4
Male.....	95	1	-	-	-	-	-	-	-	-	-	3
Female.....	74	-	-	-	-	-	-	-	1	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other disorders of circulatory system (I80-I99)												
All origins, both sexes.....	4,101	53	3	3	3	16	24	51	69	132	190	281
Male.....	1,902	31	1	2	2	7	15	22	45	74	114	162
Female.....	2,199	22	2	1	1	9	9	29	24	58	76	119
Hispanic, both sexes.....	241	16	-	-	-	3	6	8	6	12	10	21
Male.....	123	10	-	-	-	1	2	4	6	6	6	13
Female.....	118	6	-	-	-	2	4	4	-	6	4	8
Mexican, both sexes.....	139	11	-	-	-	1	5	7	4	6	7	14
Male.....	69	6	-	-	-	1	1	4	4	4	4	8
Female.....	70	5	-	-	-	-	4	3	-	2	3	6
Puerto Rican, both sexes.....	31	-	-	-	-	-	-	-	-	2	2	3
Male.....	16	-	-	-	-	-	-	-	-	1	1	2
Female.....	15	-	-	-	-	-	-	-	-	1	1	1
Cuban, both sexes.....	26	-	-	-	-	1	1	-	-	-	1	-
Male.....	11	-	-	-	-	-	1	-	-	-	1	-
Female.....	15	-	-	-	-	1	-	-	-	-	-	-
Central and South American, both sexes.....	27	5	-	-	-	-	-	-	2	2	-	4
Male.....	16	4	-	-	-	-	-	-	2	-	-	3
Female.....	11	1	-	-	-	-	-	-	-	2	-	1
Other and Unknown Hispanic, both sexes.....	18	-	-	-	-	1	-	1	-	2	-	-
Male.....	11	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	-	-	-	1	-	1	-	1	-	-
Non-Hispanic 1/, both sexes.....	3,847	37	3	3	3	13	18	42	63	118	179	259
Male.....	1,772	21	1	2	2	6	13	18	39	67	107	148
Female.....	2,075	16	2	1	1	7	5	24	24	51	72	111
Non-Hispanic white 2/, both sexes.....	3,092	24	3	2	3	9	9	23	42	72	122	166
Male.....	1,398	12	1	2	2	3	4	11	26	40	78	97
Female.....	1,694	12	2	-	1	6	5	12	16	32	44	69
Non-Hispanic black 2/, both sexes.....	692	12	-	-	-	4	7	18	21	46	53	86
Male.....	344	9	-	-	-	3	7	7	13	27	26	46
Female.....	348	3	-	-	-	1	-	11	8	19	27	40
Origin not stated 3/, both sexes.....	13	-	-	-	-	-	-	1	-	2	1	1
Male.....	7	-	-	-	-	-	-	-	-	1	1	1
Female.....	6	-	-	-	-	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Influenza and pneumonia (J09-J18)												
All origins, both sexes.....	52,717	222	109	48	55	52	111	155	176	287	497	800
Male.....	24,071	135	55	25	27	23	68	90	97	154	289	466
Female.....	28,646	87	54	23	28	29	43	65	79	133	208	334
Hispanic, both sexes.....	2,735	47	24	10	10	3	10	15	23	34	51	46
Male.....	1,361	28	13	4	7	1	5	8	14	23	36	27
Female.....	1,374	19	11	6	3	2	5	7	9	11	15	19
Mexican, both sexes.....	1,518	39	15	6	9	3	8	7	16	21	28	20
Male.....	775	23	6	2	6	1	4	3	9	14	18	13
Female.....	743	16	9	4	3	2	4	4	7	7	10	7
Puerto Rican, both sexes.....	402	1	4	-	-	-	-	3	3	6	13	7
Male.....	222	1	3	-	-	-	-	2	2	5	9	3
Female.....	180	-	1	-	-	-	-	1	1	1	4	4
Cuban, both sexes.....	203	-	-	-	-	-	-	-	-	-	1	2
Male.....	85	-	-	-	-	-	-	-	-	-	1	1
Female.....	118	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	320	3	1	1	1	-	2	4	1	5	2	6
Male.....	138	2	1	-	1	-	1	2	1	3	1	4
Female.....	182	1	-	1	-	-	1	2	-	2	1	2
Other and Unknown Hispanic, both sexes.....	292	4	4	3	-	-	-	1	3	2	7	11
Male.....	141	2	3	2	-	-	-	1	2	1	7	6
Female.....	151	2	1	1	-	-	-	-	1	1	-	5
Non-Hispanic 1/, both sexes.....	49,896	175	84	38	45	49	101	139	152	252	444	749
Male.....	22,662	107	42	21	20	22	63	81	83	131	251	434
Female.....	27,234	68	42	17	25	27	38	58	69	121	193	315
Non-Hispanic white 2/, both sexes.....	43,219	88	50	27	31	37	79	92	97	171	325	512
Male.....	19,361	57	21	14	11	18	50	53	53	90	176	285
Female.....	23,858	31	29	13	20	19	29	39	44	81	149	227
Non-Hispanic black 2/, both sexes.....	5,091	74	28	7	14	8	15	46	46	70	105	205
Male.....	2,464	42	15	4	9	3	9	27	24	35	65	129
Female.....	2,627	32	13	3	5	5	6	19	22	35	40	76
Origin not stated 3/, both sexes.....	86	-	1	-	-	-	-	1	1	1	2	5
Male.....	48	-	-	-	-	-	-	1	-	-	2	5
Female.....	38	-	1	-	-	-	-	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
All origins, both sexes.....	52,306	209	90	28	40	48	105	149	173	284	487	795
Male.....	23,884	126	42	14	21	23	67	89	97	153	284	464
Female.....	28,422	83	48	14	19	25	38	60	76	131	203	331
Hispanic, both sexes.....	2,703	42	20	6	5	3	10	15	22	34	50	45
Male.....	1,343	24	10	1	5	1	5	8	14	23	36	26
Female.....	1,360	18	10	5	-	2	5	7	8	11	14	19
Mexican, both sexes.....	1,494	35	12	3	4	3	8	7	15	21	27	20
Male.....	761	20	4	-	4	1	4	3	9	14	18	13
Female.....	733	15	8	3	-	2	4	4	6	7	9	7
Puerto Rican, both sexes.....	398	-	4	-	-	-	-	3	3	6	13	6
Male.....	220	-	3	-	-	-	-	2	2	5	9	2
Female.....	178	-	1	-	-	-	-	1	1	1	4	4
Cuban, both sexes.....	202	-	-	-	-	-	-	-	-	-	1	2
Male.....	85	-	-	-	-	-	-	-	-	-	1	1
Female.....	117	-	-	-	-	-	-	-	-	-	-	1
Central and South American, both sexes.....	320	3	1	1	1	-	2	4	1	5	2	6
Male.....	138	2	1	-	1	-	1	2	1	3	1	4
Female.....	182	1	-	1	-	-	1	2	-	2	1	2
Other and Unknown Hispanic, both sexes.....	289	4	3	2	-	-	-	1	3	2	7	11
Male.....	139	2	2	1	-	-	-	1	2	1	7	6
Female.....	150	2	1	1	-	-	-	-	1	1	-	5
Non-Hispanic 1/, both sexes.....	49,518	167	69	22	35	45	95	133	150	249	435	745
Male.....	22,494	102	32	13	16	22	62	80	83	130	246	433
Female.....	27,024	65	37	9	19	23	33	53	67	119	189	312
Non-Hispanic white 2/, both sexes.....	42,877	84	40	13	22	33	73	87	96	170	316	508
Male.....	19,210	55	15	8	7	18	49	52	53	90	171	284
Female.....	23,667	29	25	5	15	15	24	35	43	80	145	224
Non-Hispanic black 2/, both sexes.....	5,065	70	23	6	13	8	15	45	45	68	105	205
Male.....	2,451	39	11	3	9	3	9	27	24	34	65	129
Female.....	2,614	31	12	3	4	5	6	18	21	34	40	76
Origin not stated 3/, both sexes.....	85	-	1	-	-	-	-	1	1	1	2	5
Male.....	47	-	-	-	-	-	-	1	-	-	2	5
Female.....	38	-	1	-	-	-	-	-	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	29,165	4	4	-	-	3	27	111	273	742	1,828	3,540
Male.....	19,151	3	2	-	-	2	12	68	193	492	1,230	2,429
Female.....	10,014	1	2	-	-	1	15	43	80	250	598	1,111
Hispanic, both sexes.....	3,913	2	1	-	-	-	3	28	75	153	309	519
Male.....	2,799	2	1	-	-	-	1	20	61	124	258	420
Female.....	1,114	-	-	-	-	-	2	8	14	29	51	99
Mexican, both sexes.....	2,626	-	1	-	-	-	1	21	57	120	212	348
Male.....	1,912	-	1	-	-	-	-	16	47	96	178	285
Female.....	714	-	-	-	-	-	1	5	10	24	34	63
Puerto Rican, both sexes.....	381	-	-	-	-	-	1	2	2	5	22	41
Male.....	263	-	-	-	-	-	-	1	-	4	14	33
Female.....	118	-	-	-	-	-	1	1	2	1	8	8
Cuban, both sexes.....	139	1	-	-	-	-	-	-	1	2	8	8
Male.....	92	1	-	-	-	-	-	-	1	2	7	6
Female.....	47	-	-	-	-	-	-	-	-	-	1	2
Central and South American, both sexes.....	315	1	-	-	-	-	1	2	3	13	35	45
Male.....	206	1	-	-	-	-	1	2	3	12	32	39
Female.....	109	-	-	-	-	-	-	-	-	1	3	6
Other and Unknown Hispanic, both sexes.....	452	-	-	-	-	-	-	3	12	13	32	77
Male.....	326	-	-	-	-	-	-	1	10	10	27	57
Female.....	126	-	-	-	-	-	-	2	2	3	5	20
Non-Hispanic 1/, both sexes.....	25,190	2	3	-	-	3	22	82	194	589	1,515	3,016
Male.....	16,299	1	1	-	-	2	10	47	128	368	968	2,004
Female.....	8,891	1	2	-	-	1	12	35	66	221	547	1,012
Non-Hispanic white 2/, both sexes.....	21,598	1	3	-	-	1	15	60	146	486	1,240	2,513
Male.....	14,007	-	1	-	-	-	5	33	102	302	795	1,702
Female.....	7,591	1	2	-	-	1	10	27	44	184	445	811
Non-Hispanic black 2/, both sexes.....	2,525	-	-	-	-	2	4	8	18	41	159	346
Male.....	1,662	-	-	-	-	2	3	5	9	25	96	204
Female.....	863	-	-	-	-	-	1	3	9	16	63	142
Origin not stated 3/, both sexes.....	62	-	-	-	-	-	2	1	4	-	4	5
Male.....	53	-	-	-	-	-	1	1	4	-	4	5
Female.....	9	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcoholic liver disease (K70)												
All origins, both sexes.....	14,406	-	-	-	-	-	17	87	206	553	1,281	2,310
Male.....	10,549	-	-	-	-	-	8	53	148	366	854	1,605
Female.....	3,857	-	-	-	-	-	9	34	58	187	427	705
Hispanic, both sexes.....	2,129	-	-	-	-	-	2	23	54	108	215	358
Male.....	1,776	-	-	-	-	-	1	17	45	88	184	295
Female.....	353	-	-	-	-	-	1	6	9	20	31	63
Mexican, both sexes.....	1,494	-	-	-	-	-	-	17	42	83	148	247
Male.....	1,261	-	-	-	-	-	-	13	35	66	125	208
Female.....	233	-	-	-	-	-	-	4	7	17	23	39
Puerto Rican, both sexes.....	157	-	-	-	-	-	1	1	-	2	12	22
Male.....	125	-	-	-	-	-	-	1	-	2	8	17
Female.....	32	-	-	-	-	-	1	-	-	-	4	5
Cuban, both sexes.....	50	-	-	-	-	-	-	-	-	1	4	5
Male.....	43	-	-	-	-	-	-	-	-	1	3	4
Female.....	7	-	-	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.....	173	-	-	-	-	-	1	2	2	10	26	35
Male.....	141	-	-	-	-	-	1	2	2	10	26	31
Female.....	32	-	-	-	-	-	-	-	-	-	-	4
Other and Unknown Hispanic, both sexes.....	255	-	-	-	-	-	-	3	10	12	25	49
Male.....	206	-	-	-	-	-	-	1	8	9	22	35
Female.....	49	-	-	-	-	-	-	2	2	3	3	14
Non-Hispanic 1/, both sexes.....	12,240	-	-	-	-	-	13	63	148	445	1,064	1,947
Male.....	8,740	-	-	-	-	-	6	35	99	278	668	1,305
Female.....	3,500	-	-	-	-	-	7	28	49	167	396	642
Non-Hispanic white 2/, both sexes.....	10,423	-	-	-	-	-	9	46	110	371	874	1,634
Male.....	7,494	-	-	-	-	-	4	25	78	230	549	1,113
Female.....	2,929	-	-	-	-	-	5	21	32	141	325	521
Non-Hispanic black 2/, both sexes.....	1,191	-	-	-	-	-	3	6	13	29	97	195
Male.....	843	-	-	-	-	-	2	3	7	18	58	120
Female.....	348	-	-	-	-	-	1	3	6	11	39	75
Origin not stated 3/, both sexes.....	37	-	-	-	-	-	2	1	4	-	2	5
Male.....	33	-	-	-	-	-	1	1	4	-	2	5
Female.....	4	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
All origins, both sexes.....	46,448	144	22	14	10	21	65	104	157	281	473	883
Male.....	22,616	78	11	8	5	8	34	56	85	151	277	485
Female.....	23,832	66	11	6	5	13	31	48	72	130	196	398
Hispanic, both sexes.....	2,691	36	2	3	-	3	13	10	19	24	50	88
Male.....	1,363	23	-	2	-	1	6	4	9	18	27	48
Female.....	1,328	13	2	1	-	2	7	6	10	6	23	40
Mexican, both sexes.....	1,662	27	-	3	-	3	8	4	11	15	35	59
Male.....	832	17	-	2	-	1	5	2	5	12	18	30
Female.....	830	10	-	1	-	2	3	2	6	3	17	29
Puerto Rican, both sexes.....	328	2	-	-	-	-	3	1	3	5	6	7
Male.....	180	1	-	-	-	-	1	-	1	3	3	5
Female.....	148	1	-	-	-	-	2	1	2	2	3	2
Cuban, both sexes.....	245	1	-	-	-	-	1	1	-	-	-	6
Male.....	126	1	-	-	-	-	-	-	-	-	-	4
Female.....	119	-	-	-	-	-	1	1	-	-	-	2
Central and South American, both sexes.....	228	2	-	-	-	-	-	2	4	2	3	6
Male.....	99	1	-	-	-	-	-	1	2	2	3	3
Female.....	129	1	-	-	-	-	-	1	2	-	-	3
Other and Unknown Hispanic, both sexes.....	228	4	2	-	-	-	1	2	1	2	6	10
Male.....	126	3	-	-	-	-	-	1	1	1	3	6
Female.....	102	1	2	-	-	-	1	1	-	1	3	4
Non-Hispanic 1/, both sexes.....	43,694	108	20	11	10	18	52	94	137	257	423	790
Male.....	21,216	55	11	6	5	7	28	52	76	133	250	432
Female.....	22,478	53	9	5	5	11	24	42	61	124	173	358
Non-Hispanic white 2/, both sexes.....	34,219	62	13	6	9	9	32	43	71	116	218	428
Male.....	16,896	28	6	2	4	3	17	24	40	70	129	252
Female.....	17,323	34	7	4	5	6	15	19	31	46	89	176
Non-Hispanic black 2/, both sexes.....	8,318	44	6	3	-	8	20	46	64	135	194	338
Male.....	3,730	26	4	2	-	3	11	24	35	61	115	171
Female.....	4,588	18	2	1	-	5	9	22	29	74	79	167
Origin not stated 3/, both sexes.....	63	-	-	-	-	-	-	-	1	-	-	5
Male.....	37	-	-	-	-	-	-	-	-	-	-	5
Female.....	26	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Renal failure (N17-N19)												
All origins, both sexes.....	43,263	138	16	9	9	19	58	92	145	259	437	813
Male.....	21,038	74	11	6	5	7	30	50	75	144	256	448
Female.....	22,225	64	5	3	4	12	28	42	70	115	181	365
Hispanic, both sexes.....	2,495	35	-	2	-	3	11	8	16	21	46	82
Male.....	1,257	22	-	2	-	1	5	3	7	16	26	45
Female.....	1,238	13	-	-	-	2	6	5	9	5	20	37
Mexican, both sexes.....	1,539	26	-	2	-	3	6	4	8	13	32	54
Male.....	769	16	-	2	-	1	4	2	3	11	17	27
Female.....	770	10	-	-	-	2	2	2	5	2	15	27
Puerto Rican, both sexes.....	309	2	-	-	-	-	3	1	3	5	5	7
Male.....	168	1	-	-	-	-	1	-	1	3	3	5
Female.....	141	1	-	-	-	-	2	1	2	2	2	2
Cuban, both sexes.....	234	1	-	-	-	-	1	1	-	-	-	6
Male.....	120	1	-	-	-	-	-	-	-	-	-	4
Female.....	114	-	-	-	-	-	1	1	-	-	-	2
Central and South American, both sexes.....	202	2	-	-	-	-	-	1	4	1	3	5
Male.....	86	1	-	-	-	-	-	-	2	1	3	3
Female.....	116	1	-	-	-	-	-	1	2	-	-	2
Other and Unknown Hispanic, both sexes.....	211	4	-	-	-	-	1	1	1	2	6	10
Male.....	114	3	-	-	-	-	-	1	1	1	3	6
Female.....	97	1	-	-	-	-	1	-	-	1	3	4
Non-Hispanic 1/, both sexes.....	40,706	103	16	7	9	16	47	84	128	238	391	726
Male.....	19,745	52	11	4	5	6	25	47	68	128	230	398
Female.....	20,961	51	5	3	4	10	22	37	60	110	161	328
Non-Hispanic white 2/, both sexes.....	31,878	58	10	4	8	8	27	38	66	105	200	390
Male.....	15,720	25	6	2	4	3	14	21	36	65	118	229
Female.....	16,158	33	4	2	4	5	13	17	30	40	82	161
Non-Hispanic black 2/, both sexes.....	7,761	43	5	2	-	7	20	41	60	127	181	313
Male.....	3,481	26	4	1	-	2	11	22	31	61	106	160
Female.....	4,280	17	1	1	-	5	9	19	29	66	75	153
Origin not stated 3/, both sexes.....	62	-	-	-	-	-	-	-	1	-	-	5
Male.....	36	-	-	-	-	-	-	-	-	-	-	5
Female.....	26	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pregnancy, childbirth and the puerperium (000-099)												
All origins, both sexes.....	769	1	44	116	158	168	156	64	35
Male.....
Female.....	769	1	44	116	158	168	156	64	35
Hispanic, both sexes.....	134	1	7	21	27	31	25	14	4
Male.....
Female.....	134	1	7	21	27	31	25	14	4
Mexican, both sexes.....	97	1	7	14	19	23	16	9	4
Male.....
Female.....	97	1	7	14	19	23	16	9	4
Puerto Rican, both sexes.....	8	-	-	4	2	-	1	1	-
Male.....
Female.....	8	-	-	4	2	-	1	1	-
Cuban, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	18	-	-	3	4	5	5	1	-
Male.....
Female.....	18	-	-	3	4	5	5	1	-
Other and Unknown Hispanic, both sexes.....	10	-	-	-	2	3	2	3	-
Male.....
Female.....	10	-	-	-	2	3	2	3	-
Non-Hispanic 1/, both sexes.....	634	-	37	95	131	136	131	50	31
Male.....
Female.....	634	-	37	95	131	136	131	50	31
Non-Hispanic white 2/, both sexes.....	334	-	12	47	64	72	73	26	22
Male.....
Female.....	334	-	12	47	64	72	73	26	22
Non-Hispanic black 2/, both sexes.....	248	-	20	48	56	50	43	18	8
Male.....
Female.....	248	-	20	48	56	50	43	18	8
Origin not stated 3/, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other complications of pregnancy, childbirth and the puerperium (010-099)												
All origins, both sexes.....	738	1	42	111	153	157	152	62	34
Male.....
Female.....	738	1	42	111	153	157	152	62	34
Hispanic, both sexes.....	129	1	6	20	26	30	25	13	4
Male.....
Female.....	129	1	6	20	26	30	25	13	4
Mexican, both sexes.....	93	1	6	14	18	22	16	8	4
Male.....
Female.....	93	1	6	14	18	22	16	8	4
Puerto Rican, both sexes.....	8	-	-	4	2	-	1	1	-
Male.....
Female.....	8	-	-	4	2	-	1	1	-
Cuban, both sexes.....	1	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-
Central and South American, both sexes.....	17	-	-	2	4	5	5	1	-
Male.....
Female.....	17	-	-	2	4	5	5	1	-
Other and Unknown Hispanic, both sexes.....	10	-	-	-	2	3	2	3	-
Male.....
Female.....	10	-	-	-	2	3	2	3	-
Non-Hispanic 1/, both sexes.....	608	-	36	91	127	126	127	49	30
Male.....
Female.....	608	-	36	91	127	126	127	49	30
Non-Hispanic white 2/, both sexes.....	326	-	12	47	64	67	71	26	22
Male.....
Female.....	326	-	12	47	64	67	71	26	22
Non-Hispanic black 2/, both sexes.....	231	-	19	44	52	46	41	17	7
Male.....
Female.....	231	-	19	44	52	46	41	17	7
Origin not stated 3/, both sexes.....	1	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
All origins, both sexes.....	10,421	5,785	546	196	178	191	211	226	191	233	280	321
Male.....	5,455	3,066	286	97	97	113	128	134	109	119	138	185
Female.....	4,966	2,719	260	99	81	78	83	92	82	114	142	136
Hispanic, both sexes.....	1,991	1,520	132	44	29	30	25	28	28	23	21	21
Male.....	1,063	787	76	19	16	21	18	20	17	14	12	16
Female.....	928	733	56	25	13	9	7	8	11	9	9	5
Mexican, both sexes.....	1,442	1,120	107	30	21	22	18	15	20	16	13	10
Male.....	771	580	60	12	12	15	13	13	14	9	7	8
Female.....	671	540	47	18	9	7	5	2	6	7	6	2
Puerto Rican, both sexes.....	140	95	9	2	3	1	1	5	4	2	1	5
Male.....	75	49	6	2	1	-	1	3	2	1	-	4
Female.....	65	46	3	-	2	1	-	2	2	1	1	1
Cuban, both sexes.....	28	14	-	-	1	-	-	-	-	-	2	1
Male.....	14	7	-	-	1	-	-	-	-	-	1	1
Female.....	14	7	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	198	153	10	8	4	1	2	5	1	1	3	2
Male.....	107	81	7	4	2	1	1	2	1	1	2	-
Female.....	91	72	3	4	2	-	1	3	-	-	1	2
Other and Unknown Hispanic, both sexes.....	183	138	6	4	-	6	4	3	3	4	2	3
Male.....	96	70	3	1	-	5	3	2	-	3	2	3
Female.....	87	68	3	3	-	1	1	1	3	1	-	-
Non-Hispanic 1/, both sexes.....	8,392	4,240	411	151	149	160	186	198	163	209	259	298
Male.....	4,371	2,264	209	78	81	91	110	114	92	105	126	169
Female.....	4,021	1,976	202	73	68	69	76	84	71	104	133	129
Non-Hispanic white 2/, both sexes.....	6,202	2,871	266	101	101	103	142	146	121	160	216	242
Male.....	3,248	1,559	136	55	56	55	81	84	64	81	107	134
Female.....	2,954	1,312	130	46	45	48	61	62	57	79	109	108
Non-Hispanic black 2/, both sexes.....	1,760	1,096	116	41	36	45	36	40	42	44	35	41
Male.....	904	564	57	20	17	27	25	25	28	23	16	25
Female.....	856	532	59	21	19	18	11	15	14	21	19	16
Origin not stated 3/, both sexes.....	38	25	3	1	-	1	-	-	-	1	-	2
Male.....	21	15	1	-	-	1	-	-	-	-	-	-
Female.....	17	10	2	1	-	-	-	-	-	1	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
All origins, both sexes.....	33,500	3,617	237	43	67	205	370	447	430	594	830	1,043
Male.....	14,282	2,098	133	23	40	140	256	307	279	363	527	650
Female.....	19,218	1,519	104	20	27	65	114	140	151	231	303	393
Hispanic, both sexes.....	1,952	558	54	9	12	39	72	89	60	72	94	92
Male.....	1,134	324	28	5	7	32	61	68	47	58	68	66
Female.....	818	234	26	4	5	7	11	21	13	14	26	26
Mexican, both sexes.....	1,222	375	31	5	11	28	56	60	41	44	56	57
Male.....	734	209	14	3	6	24	50	46	35	35	44	43
Female.....	488	166	17	2	5	4	6	14	6	9	12	14
Puerto Rican, both sexes.....	241	53	8	1	-	2	4	9	2	11	15	17
Male.....	121	37	5	1	-	1	2	6	1	6	5	10
Female.....	120	16	3	-	-	1	2	3	1	5	10	7
Cuban, both sexes.....	97	8	1	-	-	1	-	1	-	-	3	2
Male.....	50	5	1	-	-	1	-	1	-	-	3	2
Female.....	47	3	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	185	39	8	2	1	4	8	16	12	14	12	10
Male.....	120	23	5	1	1	3	7	13	8	14	9	7
Female.....	65	16	3	1	-	1	1	3	4	-	3	3
Other and Unknown Hispanic, both sexes.....	207	83	6	1	-	4	4	3	5	3	8	6
Male.....	109	50	3	-	-	3	2	2	3	3	7	4
Female.....	98	33	3	1	-	1	2	1	2	-	1	2
Non-Hispanic 1/, both sexes.....	31,464	3,047	182	34	55	165	298	354	367	520	730	949
Male.....	13,099	1,769	105	18	33	108	195	236	231	304	455	582
Female.....	18,365	1,278	77	16	22	57	103	118	136	216	275	367
Non-Hispanic white 2/, both sexes.....	26,199	1,837	120	23	36	114	216	242	249	366	548	688
Male.....	10,525	1,098	73	13	21	72	142	166	155	202	348	425
Female.....	15,674	739	47	10	15	42	74	76	94	164	200	263
Non-Hispanic black 2/, both sexes.....	4,580	1,065	47	9	15	42	73	105	104	130	167	238
Male.....	2,223	583	24	4	9	30	47	65	66	81	99	142
Female.....	2,357	482	23	5	6	12	26	40	38	49	68	96
Origin not stated 3/, both sexes.....	84	12	1	-	-	1	-	4	3	2	6	2
Male.....	49	5	-	-	-	-	-	3	1	1	4	2
Female.....	35	7	1	-	-	1	-	1	2	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
All origins, both sexes.....	238,192	1,337	599	385	491	781	1,176	1,455	1,694	2,661	4,407	7,047
Male.....	96,447	779	326	226	292	465	689	838	949	1,516	2,522	4,158
Female.....	141,745	558	273	159	199	316	487	617	745	1,145	1,885	2,889
Hispanic, both sexes.....	11,711	298	121	73	90	108	180	206	207	325	430	581
Male.....	5,534	176	61	41	50	64	97	123	130	202	277	379
Female.....	6,177	122	60	32	40	44	83	83	77	123	153	202
Mexican, both sexes.....	6,464	197	91	51	61	77	115	133	132	186	250	356
Male.....	3,145	112	46	31	31	45	60	80	84	117	154	223
Female.....	3,319	85	45	20	30	32	55	53	48	69	96	133
Puerto Rican, both sexes.....	1,528	35	7	9	9	4	26	27	22	45	67	91
Male.....	723	22	5	2	8	2	15	16	14	26	46	61
Female.....	805	13	2	7	1	2	11	11	8	19	21	30
Cuban, both sexes.....	1,281	3	-	1	1	1	2	2	2	13	13	29
Male.....	541	3	-	1	1	1	1	2	1	8	10	18
Female.....	740	-	-	-	-	-	1	-	1	5	3	11
Central and South American, both sexes.....	1,100	33	14	7	13	11	21	24	30	39	47	56
Male.....	488	20	6	4	9	6	11	15	19	26	34	44
Female.....	612	13	8	3	4	5	10	9	11	13	13	12
Other and Unknown Hispanic, both sexes.....	1,338	30	9	5	6	15	16	20	21	42	53	49
Male.....	637	19	4	3	1	10	10	10	12	25	33	33
Female.....	701	11	5	2	5	5	6	10	9	17	20	16
Non-Hispanic 1/, both sexes.....	226,142	1,035	478	312	401	671	996	1,246	1,483	2,330	3,964	6,444
Male.....	90,742	600	265	185	242	400	592	713	816	1,313	2,240	3,764
Female.....	135,400	435	213	127	159	271	404	533	667	1,017	1,724	2,680
Non-Hispanic white 2/, both sexes.....	195,259	553	285	210	277	479	717	858	980	1,611	2,833	4,875
Male.....	77,408	316	162	122	166	299	437	513	570	939	1,661	2,943
Female.....	117,851	237	123	88	111	180	280	345	410	672	1,172	1,932
Non-Hispanic black 2/, both sexes.....	26,130	408	151	85	101	161	234	337	426	625	993	1,388
Male.....	11,166	239	78	51	64	82	127	171	204	315	498	720
Female.....	14,964	169	73	34	37	79	107	166	222	310	495	668
Origin not stated 3/, both sexes.....	339	4	-	-	-	2	-	3	4	6	13	22
Male.....	171	3	-	-	-	1	-	2	3	1	5	15
Female.....	168	1	-	-	-	1	-	1	1	5	8	7

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All origins, both sexes.....	123,706	1,285	1,588	965	1,229	6,493	9,404	8,134	6,843	7,737	9,194	10,717
Male.....	79,827	715	987	572	774	4,542	7,363	6,246	5,138	5,582	6,440	7,369
Female.....	43,879	570	601	393	455	1,951	2,041	1,888	1,705	2,155	2,754	3,348
Hispanic, both sexes.....	11,723	167	348	199	188	934	1,577	1,285	1,036	970	988	915
Male.....	8,844	92	225	122	122	713	1,322	1,077	862	776	782	721
Female.....	2,879	75	123	77	66	221	255	208	174	194	206	194
Mexican, both sexes.....	7,549	122	261	147	143	661	1,072	897	699	627	593	536
Male.....	5,711	64	164	87	90	511	892	753	588	503	464	420
Female.....	1,838	58	97	60	53	150	180	144	111	124	129	116
Puerto Rican, both sexes.....	1,153	17	25	9	9	61	114	103	101	127	131	115
Male.....	865	9	17	5	4	45	92	87	84	102	111	95
Female.....	288	8	8	4	5	16	22	16	17	25	20	20
Cuban, both sexes.....	489	-	6	4	4	20	42	23	30	19	37	39
Male.....	349	-	3	1	4	11	36	19	24	15	31	30
Female.....	140	-	3	3	-	9	6	4	6	4	6	9
Central and South American, both sexes.....	1,373	11	31	20	18	109	231	165	140	111	118	112
Male.....	1,089	7	22	18	13	84	204	142	117	88	98	92
Female.....	284	4	9	2	5	25	27	23	23	23	20	20
Other and Unknown Hispanic, both sexes.....	1,159	17	25	19	14	83	118	97	66	86	109	113
Male.....	830	12	19	11	11	62	98	76	49	68	78	84
Female.....	329	5	6	8	3	21	20	21	17	18	31	29
Non-Hispanic 1/, both sexes.....	111,641	1,114	1,236	766	1,038	5,551	7,811	6,825	5,790	6,745	8,177	9,761
Male.....	70,739	619	760	450	649	3,822	6,029	5,153	4,263	4,793	5,640	6,620
Female.....	40,902	495	476	316	389	1,729	1,782	1,672	1,527	1,952	2,537	3,141
Non-Hispanic white 2/, both sexes.....	94,584	641	835	511	739	4,569	6,463	5,642	4,705	5,484	6,786	8,113
Male.....	59,274	365	521	296	467	3,113	5,024	4,254	3,455	3,878	4,659	5,483
Female.....	35,310	276	314	215	272	1,456	1,439	1,388	1,250	1,606	2,127	2,630
Non-Hispanic black 2/, both sexes.....	13,332	422	318	216	236	723	976	914	834	1,006	1,112	1,373
Male.....	9,093	219	186	132	143	529	738	710	632	733	798	969
Female.....	4,239	203	132	84	93	194	238	204	202	273	314	404
Origin not stated 3/, both sexes.....	342	4	4	-	3	8	16	24	17	22	29	41
Male.....	244	4	2	-	3	7	12	16	13	13	18	28
Female.....	98	-	2	-	-	1	4	8	4	9	11	13

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	46,844	127	581	552	822	4,856	6,072	4,261	3,191	3,326	3,503	3,810
Male.....	33,434	58	328	316	497	3,236	4,707	3,272	2,438	2,504	2,580	2,834
Female.....	13,410	69	253	236	325	1,620	1,365	989	753	822	923	976
Hispanic, both sexes.....	6,117	31	166	135	134	692	1,157	820	575	489	433	382
Male.....	4,641	15	96	82	87	513	944	670	471	375	320	295
Female.....	1,476	16	70	53	47	179	213	150	104	114	113	87
Mexican, both sexes.....	4,243	27	131	109	105	503	814	601	405	342	293	241
Male.....	3,214	14	73	63	67	381	660	493	331	266	214	187
Female.....	1,029	13	58	46	38	122	154	108	74	76	79	54
Puerto Rican, both sexes.....	423	1	11	5	4	45	78	53	46	34	32	25
Male.....	319	-	6	2	2	33	61	43	38	24	30	18
Female.....	104	1	5	3	2	12	17	10	8	10	2	7
Cuban, both sexes.....	236	-	3	2	4	17	32	13	19	11	17	23
Male.....	175	-	1	1	4	10	27	11	15	7	14	18
Female.....	61	-	2	1	-	7	5	2	4	4	3	5
Central and South American, both sexes.....	781	2	11	9	12	76	160	108	84	69	49	66
Male.....	618	1	8	8	8	56	136	91	70	52	35	53
Female.....	163	1	3	1	4	20	24	17	14	17	14	13
Other and Unknown Hispanic, both sexes.....	434	1	10	10	9	51	73	45	21	33	42	27
Male.....	315	-	8	8	6	33	60	32	17	26	27	19
Female.....	119	1	2	2	3	18	13	13	4	7	15	8
Non-Hispanic 1/, both sexes.....	40,604	96	414	417	685	4,159	4,907	3,429	2,604	2,824	3,062	3,416
Male.....	28,695	43	231	234	407	2,719	3,756	2,591	1,958	2,122	2,255	2,528
Female.....	11,909	53	183	183	278	1,440	1,151	838	646	702	807	888
Non-Hispanic white 2/, both sexes.....	33,035	63	263	299	517	3,421	3,896	2,669	1,954	2,173	2,464	2,800
Male.....	23,270	32	152	168	305	2,207	3,003	2,010	1,454	1,627	1,810	2,079
Female.....	9,765	31	111	131	212	1,214	893	659	500	546	654	721
Non-Hispanic black 2/, both sexes.....	5,748	28	117	103	130	542	737	594	497	519	468	494
Male.....	4,249	11	61	61	77	380	564	472	390	404	364	375
Female.....	1,499	17	56	42	53	162	173	122	107	115	104	119
Origin not stated 3/, both sexes.....	123	-	1	-	3	5	8	12	12	13	8	12
Male.....	98	-	1	-	3	4	7	11	9	7	5	11
Female.....	25	-	-	-	-	1	1	1	3	6	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	43,945	124	551	515	770	4,723	5,845	4,086	3,001	3,115	3,255	3,472
Male.....	31,102	57	309	293	472	3,137	4,530	3,128	2,285	2,322	2,380	2,544
Female.....	12,843	67	242	222	298	1,586	1,315	958	716	793	875	928
Hispanic, both sexes.....	5,824	30	159	133	128	680	1,126	795	549	461	406	347
Male.....	4,390	15	91	80	85	502	918	648	447	349	298	263
Female.....	1,434	15	68	53	43	178	208	147	102	112	108	84
Mexican, both sexes.....	4,064	26	124	107	102	496	799	586	386	324	277	222
Male.....	3,057	14	68	61	65	374	646	480	313	249	200	169
Female.....	1,007	12	56	46	37	122	153	106	73	75	77	53
Puerto Rican, both sexes.....	393	1	11	5	4	44	72	51	43	31	30	23
Male.....	293	-	6	2	2	32	56	42	35	21	28	17
Female.....	100	1	5	3	2	12	16	9	8	10	2	6
Cuban, both sexes.....	218	-	3	2	4	15	31	11	18	11	16	16
Male.....	160	-	1	1	4	9	26	9	14	7	13	11
Female.....	58	-	2	1	-	6	5	2	4	4	3	5
Central and South American, both sexes.....	744	2	11	9	10	74	153	103	81	65	45	59
Male.....	589	1	8	8	8	54	132	86	68	48	32	47
Female.....	155	1	3	1	2	20	21	17	13	17	13	12
Other and Unknown Hispanic, both sexes.....	405	1	10	10	8	51	71	44	21	30	38	27
Male.....	291	-	8	8	6	33	58	31	17	24	25	19
Female.....	114	1	2	2	2	18	13	13	4	6	13	8
Non-Hispanic 1/, both sexes.....	38,013	94	391	382	639	4,038	4,711	3,279	2,441	2,643	2,841	3,115
Male.....	26,626	42	217	213	384	2,631	3,605	2,469	1,829	1,968	2,077	2,272
Female.....	11,387	52	174	169	255	1,407	1,106	810	612	675	764	843
Non-Hispanic white 2/, both sexes.....	30,900	62	245	275	480	3,323	3,745	2,550	1,828	2,025	2,288	2,555
Male.....	21,564	32	141	153	289	2,137	2,882	1,913	1,354	1,501	1,666	1,872
Female.....	9,336	30	104	122	191	1,186	863	637	474	524	622	683
Non-Hispanic black 2/, both sexes.....	5,415	27	114	95	123	521	705	572	476	495	438	447
Male.....	3,976	10	59	56	72	364	541	453	375	383	340	333
Female.....	1,439	17	55	39	51	157	164	119	101	112	98	114
Origin not stated 3/, both sexes.....	108	-	1	-	3	5	8	12	11	11	8	10
Male.....	86	-	1	-	3	4	7	11	9	5	5	9
Female.....	22	-	-	-	-	1	1	1	2	6	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
All origins, both sexes.....	1,083	1	19	18	35	70	104	72	62	80	101	125
Male.....	856	-	13	12	15	50	79	61	53	68	82	104
Female.....	227	1	6	6	20	20	25	11	9	12	19	21
Hispanic, both sexes.....	167	1	6	1	6	9	18	15	12	16	17	12
Male.....	144	-	4	1	2	9	14	14	11	15	15	12
Female.....	23	1	2	-	4	-	4	1	1	1	2	-
Mexican, both sexes.....	115	1	6	1	3	6	10	12	10	10	10	10
Male.....	103	-	4	1	2	6	9	11	10	9	10	10
Female.....	12	1	2	-	1	-	1	1	-	1	-	-
Puerto Rican, both sexes.....	18	-	-	-	-	1	2	1	-	3	1	1
Male.....	16	-	-	-	-	1	1	1	-	3	1	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Cuban, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	21	-	-	-	2	2	5	1	2	3	2	1
Male.....	15	-	-	-	-	2	3	1	1	3	1	1
Female.....	6	-	-	-	2	-	2	-	1	-	1	-
Other and Unknown Hispanic, both sexes.....	11	-	-	-	1	-	1	-	-	-	3	-
Male.....	8	-	-	-	-	-	1	-	-	-	2	-
Female.....	3	-	-	-	1	-	-	-	-	-	1	-
Non-Hispanic 1/, both sexes.....	907	-	13	17	29	61	86	57	49	63	84	111
Male.....	705	-	9	11	13	41	65	47	42	52	67	90
Female.....	202	-	4	6	16	20	21	10	7	11	17	21
Non-Hispanic white 2/, both sexes.....	685	-	8	12	23	49	63	43	31	39	56	85
Male.....	532	-	6	7	8	33	51	36	28	32	45	69
Female.....	153	-	2	5	15	16	12	7	3	7	11	16
Non-Hispanic black 2/, both sexes.....	159	-	3	4	5	12	17	8	11	17	18	21
Male.....	125	-	2	3	4	8	10	7	8	15	14	17
Female.....	34	-	1	1	1	4	7	1	3	2	4	4
Origin not stated 3/, both sexes.....	9	-	-	-	-	-	-	-	1	1	-	2
Male.....	7	-	-	-	-	-	-	-	-	1	-	2
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	76,862	1,158	1,007	413	407	1,637	3,332	3,873	3,652	4,411	5,691	6,907
Male.....	46,393	657	659	256	277	1,306	2,656	2,974	2,700	3,078	3,860	4,535
Female.....	30,469	501	348	157	130	331	676	899	952	1,333	1,831	2,372
Hispanic, both sexes.....	5,606	136	182	64	54	242	420	465	461	481	555	533
Male.....	4,203	77	129	40	35	200	378	407	391	401	462	426
Female.....	1,403	59	53	24	19	42	42	58	70	80	93	107
Mexican, both sexes.....	3,306	95	130	38	38	158	258	296	294	285	300	295
Male.....	2,497	50	91	24	23	130	232	260	257	237	250	233
Female.....	809	45	39	14	15	28	26	36	37	48	50	62
Puerto Rican, both sexes.....	730	16	14	4	5	16	36	50	55	93	99	90
Male.....	546	9	11	3	2	12	31	44	46	78	81	77
Female.....	184	7	3	1	3	4	5	6	9	15	18	13
Cuban, both sexes.....	253	-	3	2	-	3	10	10	11	8	20	16
Male.....	174	-	2	-	-	1	9	8	9	8	17	12
Female.....	79	-	1	2	-	2	1	2	2	-	3	4
Central and South American, both sexes.....	592	9	20	11	6	33	71	57	56	42	69	46
Male.....	471	6	14	10	5	28	68	51	47	36	63	39
Female.....	121	3	6	1	1	5	3	6	9	6	6	7
Other and Unknown Hispanic, both sexes.....	725	16	15	9	5	32	45	52	45	53	67	86
Male.....	515	12	11	3	5	29	38	44	32	42	51	65
Female.....	210	4	4	6	-	3	7	8	13	11	16	21
Non-Hispanic 1/, both sexes.....	71,037	1,018	822	349	353	1,392	2,904	3,396	3,186	3,921	5,115	6,345
Male.....	42,044	576	529	216	242	1,103	2,273	2,562	2,305	2,671	3,385	4,092
Female.....	28,993	442	293	133	111	289	631	834	881	1,250	1,730	2,253
Non-Hispanic white 2/, both sexes.....	61,549	578	572	212	222	1,148	2,567	2,973	2,751	3,311	4,322	5,313
Male.....	36,004	333	369	128	162	906	2,021	2,244	2,001	2,251	2,849	3,404
Female.....	25,545	245	203	84	60	242	546	729	750	1,060	1,473	1,909
Non-Hispanic black 2/, both sexes.....	7,584	394	201	113	106	181	239	320	337	487	644	879
Male.....	4,844	208	125	71	66	149	174	238	242	329	434	594
Female.....	2,740	186	76	42	40	32	65	82	95	158	210	285
Origin not stated 3/, both sexes.....	219	4	3	-	-	3	8	12	5	9	21	29
Male.....	146	4	1	-	-	3	5	5	4	6	13	17
Female.....	73	-	2	-	-	-	3	7	1	3	8	12

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins, both sexes.....	3,286	38	201	134	77	86	108	122	100	118	189	235
Male.....	1,943	20	130	76	40	52	72	70	67	69	129	145
Female.....	1,343	18	71	58	37	34	36	52	33	49	60	90
Hispanic, both sexes.....	230	6	37	19	4	11	13	17	13	13	13	11
Male.....	150	4	27	10	2	6	11	9	8	9	11	9
Female.....	80	2	10	9	2	5	2	8	5	4	2	2
Mexican, both sexes.....	166	4	29	13	4	10	11	14	11	9	6	11
Male.....	105	3	21	6	2	6	9	6	8	6	5	9
Female.....	61	1	8	7	2	4	2	8	3	3	1	2
Puerto Rican, both sexes.....	19	-	1	-	-	1	1	-	-	-	2	-
Male.....	12	-	1	-	-	-	1	-	-	-	1	-
Female.....	7	-	-	-	-	1	-	-	-	-	1	-
Cuban, both sexes.....	7	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Central and South American, both sexes.....	24	2	3	2	-	-	1	2	1	2	4	-
Male.....	19	1	2	2	-	-	1	2	-	2	4	-
Female.....	5	1	1	-	-	-	-	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	14	-	4	4	-	-	-	1	-	2	-	-
Male.....	9	-	3	2	-	-	-	1	-	1	-	-
Female.....	5	-	1	2	-	-	-	-	-	1	-	-
Non-Hispanic 1/, both sexes.....	3,041	32	164	115	73	75	95	104	87	104	176	223
Male.....	1,786	16	103	66	38	46	61	61	59	60	118	135
Female.....	1,255	16	61	49	35	29	34	43	28	44	58	88
Non-Hispanic white 2/, both sexes.....	2,188	17	74	56	36	56	73	68	64	72	124	163
Male.....	1,276	7	51	28	20	36	47	42	44	40	80	98
Female.....	912	10	23	28	16	20	26	26	20	32	44	65
Non-Hispanic black 2/, both sexes.....	764	15	80	52	35	16	19	30	23	28	44	51
Male.....	454	9	45	32	17	8	11	15	15	18	32	33
Female.....	310	6	35	20	18	8	8	15	8	10	12	18
Origin not stated 3/, both sexes.....	15	-	-	-	-	-	-	1	-	1	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	1	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins, both sexes.....	29,846	19	34	12	69	838	2,321	2,919	2,781	3,344	4,231	4,931
Male.....	19,644	13	17	7	43	642	1,788	2,185	1,986	2,233	2,714	3,013
Female.....	10,202	6	17	5	26	196	533	734	795	1,111	1,517	1,918
Hispanic, both sexes.....	2,436	4	4	3	11	101	205	274	282	333	361	362
Male.....	1,943	3	2	1	5	74	179	236	227	266	293	291
Female.....	493	1	2	2	6	27	26	38	55	67	68	71
Mexican, both sexes.....	1,302	4	3	3	9	58	112	148	163	179	185	175
Male.....	1,034	3	1	1	5	42	99	126	135	139	147	136
Female.....	268	1	2	2	4	16	13	22	28	40	38	39
Puerto Rican, both sexes.....	470	-	-	-	1	8	27	47	46	85	81	80
Male.....	379	-	-	-	-	5	22	43	39	71	69	69
Female.....	91	-	-	-	1	3	5	4	7	14	12	11
Cuban, both sexes.....	70	-	-	-	-	3	7	9	8	5	9	13
Male.....	57	-	-	-	-	1	6	8	7	5	7	9
Female.....	13	-	-	-	-	2	1	1	1	-	2	4
Central and South American, both sexes.....	200	-	1	-	1	13	28	24	27	22	34	23
Male.....	163	-	1	-	-	8	26	20	20	16	29	20
Female.....	37	-	-	-	1	5	2	4	7	6	5	3
Other and Unknown Hispanic, both sexes.....	394	-	-	-	-	19	31	46	38	42	52	71
Male.....	310	-	-	-	-	18	26	39	26	35	41	57
Female.....	84	-	-	-	-	1	5	7	12	7	11	14
Non-Hispanic 1/, both sexes.....	27,307	15	30	9	58	736	2,109	2,637	2,496	3,005	3,856	4,549
Male.....	17,640	10	15	6	38	567	1,605	1,946	1,757	1,963	2,414	2,713
Female.....	9,667	5	15	3	20	169	504	691	739	1,042	1,442	1,836
Non-Hispanic white 2/, both sexes.....	23,531	5	14	6	41	677	1,946	2,417	2,212	2,608	3,356	3,872
Male.....	15,204	4	10	3	27	526	1,495	1,789	1,570	1,706	2,117	2,295
Female.....	8,327	1	4	3	14	151	451	628	642	902	1,239	1,577
Non-Hispanic black 2/, both sexes.....	3,215	8	15	3	11	34	112	166	218	330	425	596
Male.....	2,107	4	5	3	8	25	75	118	151	210	258	375
Female.....	1,108	4	10	-	3	9	37	48	67	120	167	221
Origin not stated 3/, both sexes.....	103	-	-	-	-	1	7	8	3	6	14	20
Male.....	61	-	-	-	-	1	4	3	2	4	7	9
Female.....	42	-	-	-	-	-	3	5	1	2	7	11

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All origins, both sexes.....	17,043	1,019	260	114	112	237	361	390	404	471	648	844
Male.....	9,991	578	164	68	78	199	310	330	336	387	522	664
Female.....	7,052	441	96	46	34	38	51	60	68	84	126	180
Hispanic, both sexes.....	1,183	109	47	20	14	39	70	78	77	68	97	72
Male.....	880	62	32	16	6	35	62	71	72	63	83	55
Female.....	303	47	15	4	8	4	8	7	5	5	14	17
Mexican, both sexes.....	780	74	33	13	11	30	47	62	56	51	60	53
Male.....	597	39	22	12	4	27	40	60	53	47	51	42
Female.....	183	35	11	1	7	3	7	2	3	4	9	11
Puerto Rican, both sexes.....	86	13	6	2	1	1	1	3	4	4	5	4
Male.....	50	6	4	2	-	1	1	1	3	3	4	4
Female.....	36	7	2	-	1	-	-	2	1	1	1	-
Cuban, both sexes.....	54	-	-	-	-	-	1	-	-	2	6	2
Male.....	38	-	-	-	-	-	1	-	-	2	5	2
Female.....	16	-	-	-	-	-	-	-	-	-	1	-
Central and South American, both sexes.....	139	7	5	3	-	6	14	10	15	8	17	4
Male.....	108	5	3	2	-	6	14	8	14	8	17	2
Female.....	31	2	2	1	-	-	-	2	1	-	-	2
Other and Unknown Hispanic, both sexes.....	124	15	3	2	2	2	7	3	2	3	9	9
Male.....	87	12	3	-	2	1	6	2	2	3	6	5
Female.....	37	3	-	2	-	1	1	1	-	-	3	4
Non-Hispanic 1/, both sexes.....	15,821	906	210	94	98	197	290	310	327	401	548	771
Male.....	9,080	512	131	52	72	163	247	258	264	322	436	608
Female.....	6,741	394	79	42	26	34	43	52	63	79	112	163
Non-Hispanic white 2/, both sexes.....	13,392	513	155	68	77	166	246	247	264	316	406	609
Male.....	7,614	298	96	39	59	140	216	208	216	259	315	485
Female.....	5,778	215	59	29	18	26	30	39	48	57	91	124
Non-Hispanic black 2/, both sexes.....	1,976	350	46	18	14	23	28	50	46	67	109	130
Male.....	1,171	182	28	10	9	18	15	40	33	50	91	100
Female.....	805	168	18	8	5	5	13	10	13	17	18	30
Origin not stated 3/, both sexes.....	39	4	3	-	-	1	1	2	-	2	3	1
Male.....	31	4	1	-	-	1	1	1	-	2	3	1
Female.....	8	-	2	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	34,598	4	180	1,481	2,659	2,673	2,605	3,022	3,700	4,051
Male.....	27,269	3	128	1,221	2,260	2,190	2,091	2,360	2,792	3,043
Female.....	7,329	1	52	260	399	483	514	662	908	1,008
Hispanic, both sexes.....	2,465	-	19	215	312	342	307	245	254	204
Male.....	2,078	-	13	181	270	280	268	203	214	165
Female.....	387	-	6	34	42	62	39	42	40	39
Mexican, both sexes.....	1,416	-	13	139	214	224	197	152	138	98
Male.....	1,201	-	10	113	187	181	172	132	119	81
Female.....	215	-	3	26	27	43	25	20	19	17
Puerto Rican, both sexes.....	229	-	3	11	25	32	25	27	25	26
Male.....	203	-	1	9	24	31	22	21	22	23
Female.....	26	-	2	2	1	1	3	6	3	3
Cuban, both sexes.....	191	-	1	7	7	3	8	10	20	21
Male.....	161	-	-	5	4	3	6	9	17	18
Female.....	30	-	1	2	3	-	2	1	3	3
Central and South American, both sexes.....	283	-	1	22	37	40	37	29	30	26
Male.....	225	-	1	22	31	32	32	19	21	19
Female.....	58	-	-	-	6	8	5	10	9	7
Other and Unknown Hispanic, both sexes.....	346	-	1	36	29	43	40	27	41	33
Male.....	288	-	1	32	24	33	36	22	35	24
Female.....	58	-	-	4	5	10	4	5	6	9
Non-Hispanic 1/, both sexes.....	32,061	4	160	1,265	2,344	2,330	2,294	2,771	3,438	3,841
Male.....	25,133	3	114	1,039	1,987	1,909	1,820	2,153	2,571	2,874
Female.....	6,928	1	46	226	357	421	474	618	867	967
Non-Hispanic white 2/, both sexes.....	28,897	2	105	1,030	1,902	1,946	1,946	2,423	3,112	3,573
Male.....	22,660	1	77	846	1,614	1,601	1,542	1,882	2,327	2,677
Female.....	6,237	1	28	184	288	345	404	541	785	896
Non-Hispanic black 2/, both sexes.....	1,916	2	39	139	257	244	227	220	195	174
Male.....	1,571	2	27	118	225	205	194	175	154	134
Female.....	345	-	12	21	32	39	33	45	41	40
Origin not stated 3/, both sexes.....	72	-	1	1	3	1	4	6	8	6
Male.....	58	-	1	1	3	1	3	4	7	4
Female.....	14	-	-	-	-	-	1	2	1	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
All origins, both sexes.....	17,352	-	53	630	1,270	1,151	1,155	1,276	1,603	1,763
Male.....	15,181	-	45	572	1,155	1,030	1,003	1,080	1,313	1,463
Female.....	2,171	-	8	58	115	121	152	196	290	300
Hispanic, both sexes.....	931	-	2	90	121	129	107	83	86	71
Male.....	855	-	1	82	112	122	98	75	77	61
Female.....	76	-	1	8	9	7	9	8	9	10
Mexican, both sexes.....	558	-	1	61	88	82	74	52	47	35
Male.....	517	-	1	54	84	79	67	48	44	31
Female.....	41	-	-	7	4	3	7	4	3	4
Puerto Rican, both sexes.....	83	-	1	4	7	17	4	11	11	11
Male.....	78	-	-	4	7	17	4	10	9	10
Female.....	5	-	1	-	-	-	-	1	2	1
Cuban, both sexes.....	80	-	-	2	5	1	4	4	7	8
Male.....	70	-	-	1	3	1	3	3	6	7
Female.....	10	-	-	1	2	-	1	1	1	1
Central and South American, both sexes.....	71	-	-	4	10	9	12	9	8	6
Male.....	64	-	-	4	8	8	11	8	7	5
Female.....	7	-	-	-	2	1	1	1	1	1
Other and Unknown Hispanic, both sexes.....	139	-	-	19	11	20	13	7	13	11
Male.....	126	-	-	19	10	17	13	6	11	8
Female.....	13	-	-	-	1	3	-	1	2	3
Non-Hispanic 1/, both sexes.....	16,386	-	50	539	1,147	1,021	1,046	1,191	1,513	1,691
Male.....	14,295	-	43	489	1,041	907	903	1,004	1,232	1,402
Female.....	2,091	-	7	50	106	114	143	187	281	289
Non-Hispanic white 2/, both sexes.....	15,073	-	41	431	925	859	904	1,068	1,403	1,595
Male.....	13,129	-	35	388	834	765	775	897	1,137	1,324
Female.....	1,944	-	6	43	91	94	129	171	266	271
Non-Hispanic black 2/, both sexes.....	975	-	8	78	155	126	121	99	77	72
Male.....	870	-	7	74	144	112	108	85	67	60
Female.....	105	-	1	4	11	14	13	14	10	12
Origin not stated 3/, both sexes.....	35	-	1	1	2	1	2	2	4	1
Male.....	31	-	1	1	2	1	2	1	4	-
Female.....	4	-	-	-	-	-	-	1	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)												
All origins, both sexes.....	17,246	4	127	851	1,389	1,522	1,450	1,746	2,097	2,288
Male.....	12,088	3	83	649	1,105	1,160	1,088	1,280	1,479	1,580
Female.....	5,158	1	44	202	284	362	362	466	618	708
Hispanic, both sexes.....	1,534	-	17	125	191	213	200	162	168	133
Male.....	1,223	-	12	99	158	158	170	128	137	104
Female.....	311	-	5	26	33	55	30	34	31	29
Mexican, both sexes.....	858	-	12	78	126	142	123	100	91	63
Male.....	684	-	9	59	103	102	105	84	75	50
Female.....	174	-	3	19	23	40	18	16	16	13
Puerto Rican, both sexes.....	146	-	2	7	18	15	21	16	14	15
Male.....	125	-	1	5	17	14	18	11	13	13
Female.....	21	-	1	2	1	1	3	5	1	2
Cuban, both sexes.....	111	-	1	5	2	2	4	6	13	13
Male.....	91	-	-	4	1	2	3	6	11	11
Female.....	20	-	1	1	1	-	1	-	2	2
Central and South American, both sexes.....	212	-	1	18	27	31	25	20	22	20
Male.....	161	-	1	18	23	24	21	11	14	14
Female.....	51	-	-	-	4	7	4	9	8	6
Other and Unknown Hispanic, both sexes.....	207	-	1	17	18	23	27	20	28	22
Male.....	162	-	1	13	14	16	23	16	24	16
Female.....	45	-	-	4	4	7	4	4	4	6
Non-Hispanic 1/, both sexes.....	15,675	4	110	726	1,197	1,309	1,248	1,580	1,925	2,150
Male.....	10,838	3	71	550	946	1,002	917	1,149	1,339	1,472
Female.....	4,837	1	39	176	251	307	331	431	586	678
Non-Hispanic white 2/, both sexes.....	13,824	2	64	599	977	1,087	1,042	1,355	1,709	1,978
Male.....	9,531	1	42	458	780	836	767	985	1,190	1,353
Female.....	4,293	1	22	141	197	251	275	370	519	625
Non-Hispanic black 2/, both sexes.....	941	2	31	61	102	118	106	121	118	102
Male.....	701	2	20	44	81	93	86	90	87	74
Female.....	240	-	11	17	21	25	20	31	31	28
Origin not stated 3/, both sexes.....	37	-	-	-	1	-	2	4	4	5
Male.....	27	-	-	-	1	-	1	3	3	4
Female.....	10	-	-	-	-	-	1	1	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)												
All origins, both sexes.....	18,361	352	398	133	213	2,224	3,327	2,717	2,041	1,619	1,433	1,234
Male.....	14,538	206	213	66	144	1,932	2,897	2,306	1,713	1,254	1,035	881
Female.....	3,823	146	185	67	69	292	430	411	328	365	398	353
Hispanic, both sexes.....	3,466	81	76	23	53	524	771	579	449	284	218	153
Male.....	2,926	44	30	9	39	474	697	509	389	236	170	128
Female.....	540	37	46	14	14	50	74	70	60	48	48	25
Mexican, both sexes.....	2,360	52	53	14	36	385	536	415	321	194	134	99
Male.....	2,021	29	24	5	29	350	489	366	279	161	108	84
Female.....	339	23	29	9	7	35	47	49	42	33	26	15
Puerto Rican, both sexes.....	329	15	7	4	6	40	75	58	30	27	10	15
Male.....	266	9	2	1	4	37	61	48	26	23	8	10
Female.....	63	6	5	3	2	3	14	10	4	4	2	5
Cuban, both sexes.....	79	1	-	-	1	1	7	4	6	8	18	8
Male.....	61	1	-	-	1	-	6	4	4	6	13	6
Female.....	18	-	-	-	-	1	1	-	2	2	5	2
Central and South American, both sexes.....	478	3	4	4	8	54	122	74	66	41	41	23
Male.....	408	-	1	3	5	47	114	69	57	34	32	21
Female.....	70	3	3	1	3	7	8	5	9	7	9	2
Other and Unknown Hispanic, both sexes.....	220	10	12	1	2	44	31	28	26	14	15	8
Male.....	170	5	3	-	-	40	27	22	23	12	9	7
Female.....	50	5	9	1	2	4	4	6	3	2	6	1
Non-Hispanic 1/, both sexes.....	14,798	268	319	110	157	1,691	2,539	2,133	1,581	1,325	1,205	1,076
Male.....	11,529	159	182	57	102	1,450	2,185	1,792	1,313	1,010	858	749
Female.....	3,269	109	137	53	55	241	354	341	268	315	347	327
Non-Hispanic white 2/, both sexes.....	5,512	150	147	71	48	345	592	566	488	501	571	559
Male.....	3,669	86	87	35	22	231	427	406	349	339	372	365
Female.....	1,843	64	60	36	26	114	165	160	139	162	199	194
Non-Hispanic black 2/, both sexes.....	8,746	106	160	37	101	1,298	1,864	1,498	1,026	770	585	476
Male.....	7,477	67	88	21	73	1,181	1,690	1,334	915	634	456	357
Female.....	1,269	39	72	16	28	117	174	164	111	136	129	119
Origin not stated 3/, both sexes.....	97	3	3	-	3	9	17	5	11	10	10	5
Male.....	83	3	1	-	3	8	15	5	11	8	7	4
Female.....	14	-	2	-	-	1	2	-	-	2	3	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
All origins, both sexes.....	12,632	15	48	47	154	1,897	2,772	2,181	1,570	1,119	919	699
Male.....	10,767	11	23	25	116	1,696	2,503	1,942	1,382	928	717	538
Female.....	1,865	4	25	22	38	201	269	239	188	191	202	161
Hispanic, both sexes.....	2,385	6	8	6	39	427	625	432	321	188	133	90
Male.....	2,133	5	3	3	32	390	579	392	290	164	110	76
Female.....	252	1	5	3	7	37	46	40	31	24	23	14
Mexican, both sexes.....	1,680	6	8	5	31	320	441	316	225	132	83	59
Male.....	1,512	5	3	2	27	293	411	286	206	115	70	50
Female.....	168	1	5	3	4	27	30	30	19	17	13	9
Puerto Rican, both sexes.....	215	-	-	-	2	33	61	45	27	18	7	10
Male.....	192	-	-	-	1	31	56	41	23	17	6	7
Female.....	23	-	-	-	1	2	5	4	4	1	1	3
Cuban, both sexes.....	51	-	-	-	-	1	6	3	5	7	12	5
Male.....	40	-	-	-	-	-	5	3	3	6	10	5
Female.....	11	-	-	-	-	1	1	-	2	1	2	-
Central and South American, both sexes.....	310	-	-	1	6	39	92	47	45	21	25	14
Male.....	278	-	-	1	4	35	86	45	40	17	20	12
Female.....	32	-	-	-	2	4	6	2	5	4	5	2
Other and Unknown Hispanic, both sexes.....	129	-	-	-	-	34	25	21	19	10	6	2
Male.....	111	-	-	-	-	31	21	17	18	9	4	2
Female.....	18	-	-	-	-	3	4	4	1	1	2	-
Non-Hispanic 1/, both sexes.....	10,193	9	40	41	113	1,464	2,135	1,744	1,240	923	781	607
Male.....	8,584	6	20	22	82	1,301	1,912	1,545	1,083	757	603	460
Female.....	1,609	3	20	19	31	163	223	199	157	166	178	147
Non-Hispanic white 2/, both sexes.....	3,053	4	19	25	32	242	403	391	333	310	344	297
Male.....	2,165	3	11	12	18	170	304	302	247	227	246	206
Female.....	888	1	8	13	14	72	99	89	86	83	98	91
Non-Hispanic black 2/, both sexes.....	6,867	5	19	16	75	1,191	1,681	1,313	873	586	413	290
Male.....	6,192	3	8	10	58	1,105	1,561	1,209	805	509	340	238
Female.....	675	2	11	6	17	86	120	104	68	77	73	52
Origin not stated 3/, both sexes.....	54	-	-	-	2	6	12	5	9	8	5	2
Male.....	50	-	-	-	2	5	12	5	9	7	4	2
Female.....	4	-	-	-	-	1	-	-	-	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)												
All origins, both sexes.....	5,729	337	350	86	59	327	555	536	471	500	514	535
Male.....	3,771	195	190	41	28	236	394	364	331	326	318	343
Female.....	1,958	142	160	45	31	91	161	172	140	174	196	192
Hispanic, both sexes.....	1,081	75	68	17	14	97	146	147	128	96	85	63
Male.....	793	39	27	6	7	84	118	117	99	72	60	52
Female.....	288	36	41	11	7	13	28	30	29	24	25	11
Mexican, both sexes.....	680	46	45	9	5	65	95	99	96	62	51	40
Male.....	509	24	21	3	2	57	78	80	73	46	38	34
Female.....	171	22	24	6	3	8	17	19	23	16	13	6
Puerto Rican, both sexes.....	114	15	7	4	4	7	14	13	3	9	3	5
Male.....	74	9	2	1	3	6	5	7	3	6	2	3
Female.....	40	6	5	3	1	1	9	6	-	3	1	2
Cuban, both sexes.....	28	1	-	-	1	-	1	1	1	1	6	3
Male.....	21	1	-	-	1	-	1	1	1	-	3	1
Female.....	7	-	-	-	-	-	-	-	-	1	3	2
Central and South American, both sexes.....	168	3	4	3	2	15	30	27	21	20	16	9
Male.....	130	-	1	2	1	12	28	24	17	17	12	9
Female.....	38	3	3	1	1	3	2	3	4	3	4	-
Other and Unknown Hispanic, both sexes.....	91	10	12	1	2	10	6	7	7	4	9	6
Male.....	59	5	3	-	-	9	6	5	5	3	5	5
Female.....	32	5	9	1	2	1	-	2	2	1	4	1
Non-Hispanic 1/, both sexes.....	4,605	259	279	69	44	227	404	389	341	402	424	469
Male.....	2,945	153	162	35	20	149	273	247	230	253	255	289
Female.....	1,660	106	117	34	24	78	131	142	111	149	169	180
Non-Hispanic white 2/, both sexes.....	2,459	146	128	46	16	103	189	175	155	191	227	262
Male.....	1,504	83	76	23	4	61	123	104	102	112	126	159
Female.....	955	63	52	23	12	42	66	71	53	79	101	103
Non-Hispanic black 2/, both sexes.....	1,879	101	141	21	26	107	183	185	153	184	172	186
Male.....	1,285	64	80	11	15	76	129	125	110	125	116	119
Female.....	594	37	61	10	11	31	54	60	43	59	56	67
Origin not stated 3/, both sexes.....	43	3	3	-	1	3	5	-	2	2	5	3
Male.....	33	3	1	-	1	3	3	-	2	1	3	2
Female.....	10	-	2	-	-	-	2	-	-	1	2	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 4/												
All origins, both sexes.....	23,199	2	-	-	4	54	140	264	471	1,001	2,137	3,708
Male.....	17,428	2	-	-	3	37	109	199	354	715	1,495	2,659
Female.....	5,771	-	-	-	1	17	31	65	117	286	642	1,049
Hispanic, both sexes.....	2,977	-	-	-	1	13	32	73	119	187	323	485
Male.....	2,539	-	-	-	1	10	29	63	106	158	280	411
Female.....	438	-	-	-	-	3	3	10	13	29	43	74
Mexican, both sexes.....	1,989	-	-	-	1	10	18	48	89	127	212	319
Male.....	1,705	-	-	-	1	7	17	42	80	104	181	271
Female.....	284	-	-	-	-	3	1	6	9	23	31	48
Puerto Rican, both sexes.....	229	-	-	-	-	-	2	2	2	7	16	33
Male.....	193	-	-	-	-	-	1	2	2	6	12	28
Female.....	36	-	-	-	-	-	1	-	-	1	4	5
Cuban, both sexes.....	77	-	-	-	-	-	-	-	1	2	6	6
Male.....	68	-	-	-	-	-	-	-	1	2	5	5
Female.....	9	-	-	-	-	-	-	-	-	-	1	1
Central and South American, both sexes.....	319	-	-	-	-	2	10	16	16	27	51	60
Male.....	273	-	-	-	-	2	10	14	14	27	48	55
Female.....	46	-	-	-	-	-	-	2	2	-	3	5
Other and Unknown Hispanic, both sexes.....	363	-	-	-	-	1	2	7	11	24	38	67
Male.....	300	-	-	-	-	1	1	5	9	19	34	52
Female.....	63	-	-	-	-	-	1	2	2	5	4	15
Non-Hispanic 1/, both sexes.....	20,130	2	-	-	3	41	106	189	347	813	1,809	3,210
Male.....	14,811	2	-	-	2	27	79	134	243	556	1,211	2,236
Female.....	5,319	-	-	-	1	14	27	55	104	257	598	974
Non-Hispanic white 2/, both sexes.....	16,935	1	-	-	2	35	86	140	260	659	1,483	2,680
Male.....	12,474	1	-	-	2	26	63	99	189	449	993	1,876
Female.....	4,461	-	-	-	-	9	23	41	71	210	490	804
Non-Hispanic black 2/, both sexes.....	2,210	1	-	-	-	2	9	19	35	76	183	350
Male.....	1,674	1	-	-	-	1	8	15	23	52	120	238
Female.....	536	-	-	-	-	1	1	4	12	24	63	112
Origin not stated 3/, both sexes.....	92	-	-	-	-	-	2	2	5	1	5	13
Male.....	78	-	-	-	-	-	1	2	5	1	4	12
Female.....	14	-	-	-	-	-	1	-	-	-	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7- F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14,K85.3,R50.2) 4/												
All origins, both sexes.....	38,371	33	44	16	59	959	2,716	3,546	3,404	4,219	5,452	6,396
Male.....	23,883	18	21	7	36	725	2,035	2,542	2,317	2,698	3,323	3,716
Female.....	14,488	15	23	9	23	234	681	1,004	1,087	1,521	2,129	2,680
Hispanic, both sexes.....	2,723	7	4	2	9	104	202	301	291	371	412	406
Male.....	2,045	4	1	-	4	73	160	244	220	277	317	309
Female.....	678	3	3	2	5	31	42	57	71	94	95	97
Mexican, both sexes.....	1,385	5	2	2	5	58	109	166	154	187	206	192
Male.....	1,036	3	-	-	3	40	85	130	119	140	156	143
Female.....	349	2	2	2	2	18	24	36	35	47	50	49
Puerto Rican, both sexes.....	564	-	1	-	1	8	29	58	50	97	99	93
Male.....	441	-	-	-	-	4	23	52	41	76	80	78
Female.....	123	-	1	-	1	4	6	6	9	21	19	15
Cuban, both sexes.....	93	-	-	-	1	4	7	9	9	6	13	16
Male.....	68	-	-	-	-	2	6	8	7	5	10	10
Female.....	25	-	-	-	1	2	1	1	2	1	3	6
Central and South American, both sexes.....	196	1	1	-	1	11	22	16	26	25	34	22
Male.....	143	1	1	-	-	6	18	13	18	14	27	18
Female.....	53	-	-	-	1	5	4	3	8	11	7	4
Other and Unknown Hispanic, both sexes.....	485	1	-	-	1	23	35	52	52	56	60	83
Male.....	357	-	-	-	1	21	28	41	35	42	44	60
Female.....	128	1	-	-	-	2	7	11	17	14	16	23
Non-Hispanic 1/, both sexes.....	35,532	26	40	14	50	854	2,507	3,235	3,109	3,841	5,023	5,969
Male.....	21,771	14	20	7	32	651	1,871	2,293	2,095	2,417	2,997	3,398
Female.....	13,761	12	20	7	18	203	636	942	1,014	1,424	2,026	2,571
Non-Hispanic white 2/, both sexes.....	30,755	11	19	12	39	792	2,315	2,972	2,774	3,322	4,350	5,110
Male.....	18,760	6	11	5	24	606	1,744	2,115	1,882	2,093	2,607	2,886
Female.....	11,995	5	8	7	15	186	571	857	892	1,229	1,743	2,224
Non-Hispanic black 2/, both sexes.....	4,126	11	19	1	9	34	127	211	262	437	582	772
Male.....	2,662	6	9	1	7	25	89	142	172	276	344	472
Female.....	1,464	5	10	-	2	9	38	69	90	161	238	300
Origin not stated 3/, both sexes.....	116	-	-	-	-	1	7	10	4	7	17	21
Male.....	67	-	-	-	-	1	4	5	2	4	9	9
Female.....	49	-	-	-	-	-	3	5	2	3	8	12

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/												
All origins, both sexes.....	31,224	16	69	69	244	2,669	4,233	3,489	2,813	2,505	2,615	2,553
Male.....	27,047	12	39	43	194	2,402	3,835	3,116	2,465	2,101	2,111	2,078
Female.....	4,177	4	30	26	50	267	398	373	348	404	504	475
Hispanic, both sexes.....	3,492	6	13	8	46	544	786	594	444	284	231	168
Male.....	3,155	5	7	5	38	499	730	544	404	251	199	144
Female.....	337	1	6	3	8	45	56	50	40	33	32	24
Mexican, both sexes.....	2,362	6	12	7	37	397	557	420	311	193	140	99
Male.....	2,148	5	6	4	33	363	522	386	285	171	124	86
Female.....	214	1	6	3	4	34	35	34	26	22	16	13
Puerto Rican, both sexes.....	310	-	-	-	3	43	70	62	32	29	19	22
Male.....	282	-	-	-	1	41	65	58	28	27	16	18
Female.....	28	-	-	-	2	2	5	4	4	2	3	4
Cuban, both sexes.....	133	-	-	-	-	3	11	5	9	11	19	13
Male.....	111	-	-	-	-	1	8	4	6	9	16	12
Female.....	22	-	-	-	-	2	3	1	3	2	3	1
Central and South American, both sexes.....	396	-	-	1	6	45	106	60	57	32	34	20
Male.....	355	-	-	1	4	41	98	57	51	27	28	17
Female.....	41	-	-	-	2	4	8	3	6	5	6	3
Other and Unknown Hispanic, both sexes.....	291	-	1	-	-	56	42	47	35	19	19	14
Male.....	259	-	1	-	-	53	37	39	34	17	15	11
Female.....	32	-	-	-	-	3	5	8	1	2	4	3
Non-Hispanic 1/, both sexes.....	27,641	10	56	61	195	2,118	3,432	2,889	2,358	2,211	2,375	2,381
Male.....	23,809	7	32	38	153	1,897	3,090	2,566	2,050	1,842	1,904	1,931
Female.....	3,832	3	24	23	42	221	342	323	308	369	471	450
Non-Hispanic white 2/, both sexes.....	18,861	4	28	35	98	722	1,403	1,313	1,287	1,450	1,815	1,963
Male.....	15,925	3	18	18	76	603	1,207	1,123	1,065	1,182	1,439	1,589
Female.....	2,936	1	10	17	22	119	196	190	222	268	376	374
Non-Hispanic black 2/, both sexes.....	8,133	6	25	25	89	1,330	1,903	1,497	1,014	705	501	371
Male.....	7,326	4	13	19	69	1,236	1,765	1,376	932	612	418	305
Female.....	807	2	12	6	20	94	138	121	82	93	83	66
Origin not stated 3/, both sexes.....	91	-	-	-	3	7	15	6	11	10	9	4
Male.....	83	-	-	-	3	6	15	6	11	8	8	3
Female.....	8	-	-	-	-	1	-	-	-	2	1	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All causes												
All origins, both sexes.....	106,948	132,458	154,652	174,991	214,247	289,029	363,653	359,224	240,180	94,477	19,766	201
Male.....	66,552	81,590	92,028	100,492	117,852	149,669	171,134	146,114	77,477	22,102	3,173	156
Female.....	40,396	50,868	62,624	74,499	96,395	139,360	192,519	213,110	162,703	72,375	16,593	45
Hispanic, both sexes.....	7,848	8,464	8,960	9,806	11,321	14,185	15,305	12,498	7,497	3,164	731	27
Male.....	5,193	5,313	5,451	5,764	6,214	7,280	7,158	5,233	2,499	886	191	24
Female.....	2,655	3,151	3,509	4,042	5,107	6,905	8,147	7,265	4,998	2,278	540	3
Mexican, both sexes.....	4,700	4,927	5,159	5,430	6,162	7,787	8,246	6,288	3,472	1,495	356	14
Male.....	3,133	3,091	3,118	3,158	3,413	3,998	3,936	2,772	1,243	440	99	14
Female.....	1,567	1,836	2,041	2,272	2,749	3,789	4,310	3,516	2,229	1,055	257	-
Puerto Rican, both sexes.....	1,068	1,260	1,331	1,467	1,658	1,716	1,797	1,520	828	362	76	2
Male.....	698	807	827	836	908	861	834	559	269	104	14	2
Female.....	370	453	504	631	750	855	963	961	559	258	62	-
Cuban, both sexes.....	420	498	596	909	1,158	1,829	2,278	2,127	1,456	638	126	3
Male.....	313	347	380	593	685	1,009	1,107	923	455	160	32	2
Female.....	107	151	216	316	473	820	1,171	1,204	1,001	478	94	1
Central and South American, both sexes.....	861	925	955	1,032	1,209	1,388	1,367	1,114	782	300	89	4
Male.....	528	525	541	589	575	639	509	374	213	79	19	2
Female.....	333	400	414	443	634	749	858	740	569	221	70	2
Other and Unknown Hispanic, both sexes.....	799	854	919	968	1,134	1,465	1,617	1,449	959	369	84	4
Male.....	521	543	585	588	633	773	772	605	319	103	27	4
Female.....	278	311	334	380	501	692	845	844	640	266	57	-
Non-Hispanic 1/, both sexes.....	98,809	123,637	145,379	164,893	202,584	274,482	348,003	346,392	232,482	91,251	19,013	119
Male.....	61,146	76,027	86,358	94,533	111,415	142,166	163,804	140,743	74,911	21,198	2,979	86
Female.....	37,663	47,610	59,021	70,360	91,169	132,316	184,199	205,649	157,571	70,053	16,034	33
Non-Hispanic white 2/, both sexes.....	74,756	95,806	118,070	135,914	170,428	239,043	310,709	315,107	213,005	82,997	16,533	81
Male.....	46,892	59,418	70,559	78,445	94,422	124,921	147,477	128,774	68,929	19,207	2,509	63
Female.....	27,864	36,388	47,511	57,469	76,006	114,122	163,232	186,333	144,076	63,790	14,024	18
Non-Hispanic black 2/, both sexes.....	21,012	23,951	23,248	24,324	26,566	28,763	29,635	24,656	15,275	6,731	2,100	31
Male.....	12,402	14,320	13,503	13,452	13,925	13,839	12,684	8,980	4,375	1,411	349	18
Female.....	8,610	9,631	9,745	10,872	12,641	14,924	16,951	15,676	10,900	5,320	1,751	13
Origin not stated 3/, both sexes.....	291	357	313	292	342	362	345	334	201	62	22	55
Male.....	213	250	219	195	223	223	172	138	67	18	3	46
Female.....	78	107	94	97	119	139	173	196	134	44	19	9

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Certain other intestinal infections (A04,A07-A09)												
All origins, both sexes.....	86	137	188	355	560	1,004	1,442	1,568	933	326	37	-
Male.....	37	84	90	165	242	426	544	539	277	71	8	-
Female.....	49	53	98	190	318	578	898	1,029	656	255	29	-
Hispanic, both sexes.....	4	10	7	29	19	43	50	59	26	8	1	-
Male.....	1	6	4	15	7	26	16	18	11	3	-	-
Female.....	3	4	3	14	12	17	34	41	15	5	1	-
Mexican, both sexes.....	3	6	6	20	11	25	29	34	11	2	1	-
Male.....	1	3	3	10	5	16	10	10	6	1	-	-
Female.....	2	3	3	10	6	9	19	24	5	1	1	-
Puerto Rican, both sexes.....	1	2	1	5	3	4	7	5	5	1	-	-
Male.....	-	2	1	3	1	2	3	3	1	-	-	-
Female.....	1	-	-	2	2	2	4	2	4	1	-	-
Cuban, both sexes.....	-	-	-	2	2	6	5	8	6	3	-	-
Male.....	-	-	-	1	-	3	1	2	3	-	-	-
Female.....	-	-	-	1	2	3	4	6	3	3	-	-
Central and South American, both sexes.....	-	2	-	2	2	6	4	8	3	1	-	-
Male.....	-	1	-	1	1	4	1	2	1	1	-	-
Female.....	-	1	-	1	1	2	3	6	2	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	1	2	5	4	1	1	-	-
Male.....	-	-	-	-	-	1	1	1	-	1	-	-
Female.....	-	-	-	-	1	1	4	3	1	-	-	-
Non-Hispanic 1/, both sexes.....	82	127	181	325	541	961	1,391	1,509	906	318	36	-
Male.....	36	78	86	149	235	400	528	521	266	68	8	-
Female.....	46	49	95	176	306	561	863	988	640	250	28	-
Non-Hispanic white 2/, both sexes.....	63	105	153	281	488	886	1,307	1,432	861	297	33	-
Male.....	31	66	72	131	206	370	495	498	253	65	7	-
Female.....	32	39	81	150	282	516	812	934	608	232	26	-
Non-Hispanic black 2/, both sexes.....	17	19	24	40	43	62	71	62	41	20	2	-
Male.....	5	10	12	16	22	25	27	17	13	3	-	-
Female.....	12	9	12	24	21	37	44	45	28	17	2	-
Origin not stated 3/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Septicemia (A40-A41)												
All origins, both sexes.....	1,429	1,958	2,273	2,796	3,549	4,629	5,774	5,335	3,059	1,033	187	2
Male.....	765	1,051	1,152	1,442	1,814	2,200	2,568	2,064	1,021	253	26	1
Female.....	664	907	1,121	1,354	1,735	2,429	3,206	3,271	2,038	780	161	1
Hispanic, both sexes.....	97	131	122	163	212	225	273	187	113	38	9	1
Male.....	55	71	73	86	116	113	131	68	34	9	1	1
Female.....	42	60	49	77	96	112	142	119	79	29	8	-
Mexican, both sexes.....	57	86	71	97	118	127	159	91	59	16	5	1
Male.....	34	45	40	47	61	62	74	31	19	5	-	1
Female.....	23	41	31	50	57	65	85	60	40	11	5	-
Puerto Rican, both sexes.....	19	19	23	35	37	26	32	27	11	6	1	-
Male.....	8	12	16	22	17	15	12	12	2	2	-	-
Female.....	11	7	7	13	20	11	20	15	9	4	1	-
Cuban, both sexes.....	4	1	6	10	22	31	33	34	23	8	-	-
Male.....	2	1	5	6	19	17	18	14	8	1	-	-
Female.....	2	-	1	4	3	14	15	20	15	7	-	-
Central and South American, both sexes.....	8	9	13	11	14	21	28	18	8	3	2	-
Male.....	3	4	8	4	4	8	15	2	1	-	1	-
Female.....	5	5	5	7	10	13	13	16	7	3	1	-
Other and Unknown Hispanic, both sexes.....	9	16	9	10	21	20	21	17	12	5	1	-
Male.....	8	9	4	7	15	11	12	9	4	1	-	-
Female.....	1	7	5	3	6	9	9	8	8	4	1	-
Non-Hispanic 1/, both sexes.....	1,325	1,823	2,148	2,627	3,330	4,395	5,493	5,143	2,937	992	178	1
Male.....	704	977	1,077	1,354	1,695	2,082	2,435	1,992	983	243	25	-
Female.....	621	846	1,071	1,273	1,635	2,313	3,058	3,151	1,954	749	153	1
Non-Hispanic white 2/, both sexes.....	868	1,269	1,599	1,949	2,526	3,569	4,625	4,427	2,517	841	139	-
Male.....	455	677	794	1,004	1,288	1,722	2,107	1,732	843	196	18	-
Female.....	413	592	805	945	1,238	1,847	2,518	2,695	1,674	645	121	-
Non-Hispanic black 2/, both sexes.....	413	503	493	617	697	732	768	626	370	140	35	-
Male.....	224	270	254	313	345	315	285	224	114	41	7	-
Female.....	189	233	239	304	352	417	483	402	256	99	28	-
Origin not stated 3/, both sexes.....	7	4	3	6	7	9	8	5	9	3	-	-
Male.....	6	3	2	2	3	5	2	4	4	1	-	-
Female.....	1	1	1	4	4	4	6	1	5	2	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral hepatitis (B15-B19)												
All origins, both sexes.....	1,796	1,641	772	464	407	317	253	119	37	4	1	-
Male.....	1,285	1,227	534	273	191	136	113	45	9	-	-	-
Female.....	511	414	238	191	216	181	140	74	28	4	1	-
Hispanic, both sexes.....	219	233	125	86	71	42	30	12	5	-	-	-
Male.....	153	174	85	45	37	15	12	5	1	-	-	-
Female.....	66	59	40	41	34	27	18	7	4	-	-	-
Mexican, both sexes.....	138	128	68	49	40	19	15	8	1	-	-	-
Male.....	94	93	44	27	21	8	7	2	-	-	-	-
Female.....	44	35	24	22	19	11	8	6	1	-	-	-
Puerto Rican, both sexes.....	47	55	25	19	10	7	2	1	1	-	-	-
Male.....	36	42	18	11	8	2	-	1	1	-	-	-
Female.....	11	13	7	8	2	5	2	-	-	-	-	-
Cuban, both sexes.....	5	7	5	4	5	9	9	1	1	-	-	-
Male.....	5	7	3	-	3	3	5	1	-	-	-	-
Female.....	-	-	2	4	2	6	4	-	1	-	-	-
Central and South American, both sexes.....	9	12	11	7	9	3	2	-	-	-	-	-
Male.....	6	8	7	2	3	-	-	-	-	-	-	-
Female.....	3	4	4	5	6	3	2	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	20	31	16	7	7	4	2	2	2	-	-	-
Male.....	12	24	13	5	2	2	-	1	-	-	-	-
Female.....	8	7	3	2	5	2	2	1	2	-	-	-
Non-Hispanic 1/, both sexes.....	1,571	1,407	643	375	335	275	223	107	32	4	1	-
Male.....	1,126	1,052	446	227	154	121	101	40	8	-	-	-
Female.....	445	355	197	148	181	154	122	67	24	4	1	-
Non-Hispanic white 2/, both sexes.....	1,269	1,067	472	279	247	209	176	88	25	4	1	-
Male.....	927	811	333	176	110	98	82	36	6	-	-	-
Female.....	342	256	139	103	137	111	94	52	19	4	1	-
Non-Hispanic black 2/, both sexes.....	254	279	120	57	47	31	25	10	2	-	-	-
Male.....	173	201	86	33	27	14	9	1	-	-	-	-
Female.....	81	78	34	24	20	17	16	9	2	-	-	-
Origin not stated 3/, both sexes.....	6	1	4	3	1	-	-	-	-	-	-	-
Male.....	6	1	3	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	2	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
All origins, both sexes.....	300	407	512	519	579	694	769	630	330	123	21	-
Male.....	192	222	280	261	323	339	379	292	125	25	7	-
Female.....	108	185	232	258	256	355	390	338	205	98	14	-
Hispanic, both sexes.....	41	33	46	38	35	38	43	21	15	5	2	-
Male.....	30	20	22	15	16	15	21	9	7	2	1	-
Female.....	11	13	24	23	19	23	22	12	8	3	1	-
Mexican, both sexes.....	27	17	30	24	21	23	22	13	8	3	1	-
Male.....	23	12	13	11	8	9	13	4	4	2	-	-
Female.....	4	5	17	13	13	14	9	9	4	1	1	-
Puerto Rican, both sexes.....	8	8	4	7	3	5	4	3	2	-	-	-
Male.....	4	4	1	2	3	4	1	2	1	-	-	-
Female.....	4	4	3	5	-	1	3	1	1	-	-	-
Cuban, both sexes.....	1	1	1	2	5	5	5	2	4	1	-	-
Male.....	-	1	-	2	2	1	2	1	2	-	-	-
Female.....	1	-	1	-	3	4	3	1	2	1	-	-
Central and South American, both sexes.....	2	3	4	4	2	4	4	2	1	1	1	-
Male.....	1	-	3	-	1	-	2	1	-	-	1	-
Female.....	1	3	1	4	1	4	2	1	1	1	-	-
Other and Unknown Hispanic, both sexes.....	3	4	7	1	4	1	8	1	-	-	-	-
Male.....	2	3	5	-	2	1	3	1	-	-	-	-
Female.....	1	1	2	1	2	-	5	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	259	374	466	481	543	654	724	608	315	118	19	-
Male.....	162	202	258	246	306	323	357	283	118	23	6	-
Female.....	97	172	208	235	237	331	367	325	197	95	13	-
Non-Hispanic white 2/, both sexes.....	197	294	374	399	462	563	642	554	294	108	17	-
Male.....	125	163	210	197	261	282	322	257	108	22	6	-
Female.....	72	131	164	202	201	281	320	297	186	86	11	-
Non-Hispanic black 2/, both sexes.....	57	62	80	67	54	66	62	40	18	8	2	-
Male.....	36	29	40	42	31	27	24	20	7	1	-	-
Female.....	21	33	40	25	23	39	38	20	11	7	2	-
Origin not stated 3/, both sexes.....	-	-	-	-	1	2	2	1	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
All origins, both sexes.....	31,389	45,476	57,695	65,624	72,842	82,988	80,620	55,872	24,574	6,374	836	8
Male.....	16,469	24,740	31,819	36,166	39,758	44,488	41,439	27,005	10,512	2,205	242	4
Female.....	14,920	20,736	25,876	29,458	33,084	38,500	39,181	28,867	14,062	4,169	594	4
Hispanic, both sexes.....	2,040	2,541	2,785	3,176	3,296	3,570	3,113	1,877	768	200	26	-
Male.....	1,073	1,324	1,549	1,805	1,798	1,936	1,612	960	344	80	11	-
Female.....	967	1,217	1,236	1,371	1,498	1,634	1,501	917	424	120	15	-
Mexican, both sexes.....	1,200	1,405	1,540	1,651	1,745	1,843	1,636	920	352	95	15	-
Male.....	636	711	867	943	970	1,027	879	512	161	39	8	-
Female.....	564	694	673	708	775	816	757	408	191	56	7	-
Puerto Rican, both sexes.....	228	354	383	443	462	387	319	234	86	22	4	-
Male.....	129	204	220	248	238	211	157	115	35	11	1	-
Female.....	99	150	163	195	224	176	162	119	51	11	3	-
Cuban, both sexes.....	134	183	220	352	365	478	464	311	140	33	4	-
Male.....	82	110	124	220	214	273	260	145	70	16	1	-
Female.....	52	73	96	132	151	205	204	166	70	17	3	-
Central and South American, both sexes.....	295	349	358	406	386	467	345	187	94	25	2	-
Male.....	131	164	167	210	191	213	130	74	35	7	-	-
Female.....	164	185	191	196	195	254	215	113	59	18	2	-
Other and Unknown Hispanic, both sexes.....	183	250	284	324	338	395	349	225	96	25	1	-
Male.....	95	135	171	184	185	212	186	114	43	7	1	-
Female.....	88	115	113	140	153	183	163	111	53	18	-	-
Non-Hispanic 1/, both sexes.....	29,311	42,873	54,833	62,374	69,451	79,336	77,449	53,944	23,793	6,169	810	7
Male.....	15,374	23,377	30,224	34,322	37,893	42,511	39,799	26,018	10,163	2,124	231	4
Female.....	13,937	19,496	24,609	28,052	31,558	36,825	37,650	27,926	13,630	4,045	579	3
Non-Hispanic white 2/, both sexes.....	22,860	34,274	45,829	52,809	59,622	69,738	69,216	48,719	21,454	5,509	679	3
Male.....	12,060	18,670	25,283	29,077	32,554	37,517	35,658	23,420	9,123	1,873	184	2
Female.....	10,800	15,604	20,546	23,732	27,068	32,221	33,558	25,299	12,331	3,636	495	1
Non-Hispanic black 2/, both sexes.....	5,415	7,146	7,476	7,943	7,944	7,655	6,487	4,101	1,863	560	112	4
Male.....	2,804	3,953	4,160	4,351	4,299	3,962	3,216	2,013	836	198	38	2
Female.....	2,611	3,193	3,316	3,592	3,645	3,693	3,271	2,088	1,027	362	74	2
Origin not stated 3/, both sexes.....	38	62	77	74	95	82	58	51	13	5	-	1
Male.....	22	39	46	39	67	41	28	27	5	1	-	-
Female.....	16	23	31	35	28	41	30	24	8	4	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of esophagus (C15)												
All origins, both sexes.....	909	1,516	1,863	1,814	1,912	1,788	1,588	966	337	69	8	-
Male.....	785	1,287	1,580	1,514	1,492	1,372	1,165	639	191	28	2	-
Female.....	124	229	283	300	420	416	423	327	146	41	6	-
Hispanic, both sexes.....	45	60	57	56	65	60	53	26	8	1	1	-
Male.....	41	53	53	44	53	46	40	18	4	1	1	-
Female.....	4	7	4	12	12	14	13	8	4	-	-	-
Mexican, both sexes.....	30	31	25	31	33	30	27	14	5	-	1	-
Male.....	28	29	24	24	29	23	22	10	3	-	1	-
Female.....	2	2	1	7	4	7	5	4	2	-	-	-
Puerto Rican, both sexes.....	7	14	13	11	10	5	11	6	1	1	-	-
Male.....	6	12	12	8	8	4	8	6	-	1	-	-
Female.....	1	2	1	3	2	1	3	-	1	-	-	-
Cuban, both sexes.....	3	3	3	4	7	10	7	4	1	-	-	-
Male.....	3	1	3	4	6	7	4	2	-	-	-	-
Female.....	-	2	-	-	1	3	3	2	1	-	-	-
Central and South American, both sexes.....	4	6	7	5	8	8	4	1	-	-	-	-
Male.....	3	6	6	4	6	7	2	-	-	-	-	-
Female.....	1	-	1	1	2	1	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	6	9	5	7	7	4	1	1	-	-	-
Male.....	1	5	8	4	4	5	4	-	1	-	-	-
Female.....	-	1	1	1	3	2	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	863	1,454	1,804	1,756	1,845	1,728	1,533	939	329	68	7	-
Male.....	743	1,232	1,525	1,469	1,438	1,326	1,124	620	187	27	1	-
Female.....	120	222	279	287	407	402	409	319	142	41	6	-
Non-Hispanic white 2/, both sexes.....	696	1,177	1,551	1,526	1,622	1,553	1,385	868	301	63	6	-
Male.....	611	1,016	1,331	1,295	1,276	1,199	1,025	576	169	25	1	-
Female.....	85	161	220	231	346	354	360	292	132	38	5	-
Non-Hispanic black 2/, both sexes.....	148	239	227	202	187	143	115	55	17	3	-	-
Male.....	115	182	175	156	135	101	72	33	12	2	-	-
Female.....	33	57	52	46	52	42	43	22	5	1	-	-
Origin not stated 3/, both sexes.....	1	2	2	2	2	-	2	1	-	-	-	-
Male.....	1	2	2	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All origins, both sexes.....	2,971	4,089	4,969	5,415	6,219	7,376	8,041	6,556	3,355	1,019	139	2
Male.....	1,675	2,367	2,972	3,114	3,503	3,836	3,816	2,587	1,119	239	27	1
Female.....	1,296	1,722	1,997	2,301	2,716	3,540	4,225	3,969	2,236	780	112	1
Hispanic, both sexes.....	224	277	296	284	317	359	330	233	106	29	5	-
Male.....	135	162	171	182	182	183	152	93	44	6	-	-
Female.....	89	115	125	102	135	176	178	140	62	23	5	-
Mexican, both sexes.....	137	146	163	130	141	162	170	117	44	13	2	-
Male.....	80	81	99	95	80	87	88	50	19	4	-	-
Female.....	57	65	64	35	61	75	82	67	25	9	2	-
Puerto Rican, both sexes.....	18	33	40	47	59	47	29	29	14	2	1	-
Male.....	10	23	18	27	32	24	10	9	4	-	-	-
Female.....	8	10	22	20	27	23	19	20	10	2	1	-
Cuban, both sexes.....	11	26	27	43	46	61	53	41	17	6	-	-
Male.....	4	15	17	27	28	22	27	18	5	1	-	-
Female.....	7	11	10	16	18	39	26	23	12	5	-	-
Central and South American, both sexes.....	40	31	35	31	30	40	39	19	9	5	2	-
Male.....	27	18	17	11	19	19	11	7	4	-	-	-
Female.....	13	13	18	20	11	21	28	12	5	5	2	-
Other and Unknown Hispanic, both sexes.....	18	41	31	33	41	49	39	27	22	3	-	-
Male.....	14	25	20	22	23	31	16	9	12	1	-	-
Female.....	4	16	11	11	18	18	23	18	10	2	-	-
Non-Hispanic 1/, both sexes.....	2,744	3,808	4,662	5,122	5,891	7,011	7,705	6,318	3,247	989	134	2
Male.....	1,538	2,201	2,795	2,926	3,316	3,649	3,662	2,492	1,075	233	27	1
Female.....	1,206	1,607	1,867	2,196	2,575	3,362	4,043	3,826	2,172	756	107	1
Non-Hispanic white 2/, both sexes.....	2,067	2,902	3,712	4,196	4,897	6,005	6,789	5,648	2,909	890	115	1
Male.....	1,176	1,690	2,270	2,414	2,792	3,171	3,269	2,244	954	204	21	-
Female.....	891	1,212	1,442	1,782	2,105	2,834	3,520	3,404	1,955	686	94	1
Non-Hispanic black 2/, both sexes.....	586	757	799	771	812	818	760	535	260	87	17	1
Male.....	319	417	446	424	427	390	323	194	91	24	4	1
Female.....	267	340	353	347	385	428	437	341	169	63	13	-
Origin not stated 3/, both sexes.....	3	4	11	9	11	6	6	5	2	1	-	-
Male.....	2	4	6	6	5	4	2	2	-	-	-	-
Female.....	1	-	5	3	6	2	4	3	2	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
All origins, both sexes.....	1,731	2,249	1,932	1,840	2,044	2,215	2,051	1,218	429	111	8	-
Male.....	1,409	1,792	1,449	1,244	1,308	1,336	1,110	575	161	31	2	-
Female.....	322	457	483	596	736	879	941	643	268	80	6	-
Hispanic, both sexes.....	201	255	220	244	220	227	204	75	29	11	1	-
Male.....	172	198	167	164	124	129	110	40	7	5	-	-
Female.....	29	57	53	80	96	98	94	35	22	6	1	-
Mexican, both sexes.....	129	149	134	145	129	144	130	41	16	9	1	-
Male.....	109	119	98	96	73	81	76	23	5	4	-	-
Female.....	20	30	36	49	56	63	54	18	11	5	1	-
Puerto Rican, both sexes.....	34	52	40	36	31	23	16	8	2	-	-	-
Male.....	29	47	31	27	17	18	8	4	-	-	-	-
Female.....	5	5	9	9	14	5	8	4	2	-	-	-
Cuban, both sexes.....	6	8	6	7	15	25	27	8	3	-	-	-
Male.....	6	5	5	6	10	16	10	1	-	-	-	-
Female.....	-	3	1	1	5	9	17	7	3	-	-	-
Central and South American, both sexes.....	17	19	18	30	22	20	19	9	4	-	-	-
Male.....	14	8	13	20	10	8	8	4	1	-	-	-
Female.....	3	11	5	10	12	12	11	5	3	-	-	-
Other and Unknown Hispanic, both sexes.....	15	27	22	26	23	15	12	9	4	2	-	-
Male.....	14	19	20	15	14	6	8	8	1	1	-	-
Female.....	1	8	2	11	9	9	4	1	3	1	-	-
Non-Hispanic 1/, both sexes.....	1,529	1,991	1,707	1,592	1,820	1,984	1,846	1,141	400	99	7	-
Male.....	1,236	1,591	1,277	1,077	1,181	1,206	999	533	154	26	2	-
Female.....	293	400	430	515	639	778	847	608	246	73	5	-
Non-Hispanic white 2/, both sexes.....	1,082	1,375	1,242	1,227	1,437	1,651	1,566	992	345	82	4	-
Male.....	871	1,100	910	826	933	1,011	868	462	132	21	2	-
Female.....	211	275	332	401	504	640	698	530	213	61	2	-
Non-Hispanic black 2/, both sexes.....	324	446	315	225	218	199	147	86	35	14	1	-
Male.....	259	361	250	158	137	113	67	39	15	4	-	-
Female.....	65	85	65	67	81	86	80	47	20	10	1	-
Origin not stated 3/, both sexes.....	1	3	5	4	4	4	1	2	-	1	-	-
Male.....	1	3	5	3	3	1	1	2	-	-	-	-
Female.....	-	-	-	1	1	3	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of pancreas (C25)												
All origins, both sexes.....	1,881	2,841	3,666	4,083	4,588	5,167	5,150	3,362	1,462	349	44	-
Male.....	1,149	1,705	2,167	2,292	2,372	2,462	2,220	1,326	459	75	4	-
Female.....	732	1,136	1,499	1,791	2,216	2,705	2,930	2,036	1,003	274	40	-
Hispanic, both sexes.....	120	183	185	209	256	249	239	137	49	14	-	-
Male.....	74	106	109	114	124	100	78	57	16	3	-	-
Female.....	46	77	76	95	132	149	161	80	33	11	-	-
Mexican, both sexes.....	78	112	99	116	144	119	125	61	19	9	-	-
Male.....	45	71	60	65	72	49	35	31	7	2	-	-
Female.....	33	41	39	51	72	70	90	30	12	7	-	-
Puerto Rican, both sexes.....	8	24	26	25	28	21	30	15	3	-	-	-
Male.....	5	14	16	11	13	10	8	6	-	-	-	-
Female.....	3	10	10	14	15	11	22	9	3	-	-	-
Cuban, both sexes.....	5	6	18	21	27	39	32	25	11	-	-	-
Male.....	4	3	13	12	14	16	16	8	7	-	-	-
Female.....	1	3	5	9	13	23	16	17	4	-	-	-
Central and South American, both sexes.....	21	28	24	29	40	42	28	14	9	3	-	-
Male.....	14	13	11	16	16	12	11	4	1	1	-	-
Female.....	7	15	13	13	24	30	17	10	8	2	-	-
Other and Unknown Hispanic, both sexes.....	8	13	18	18	17	28	24	22	7	2	-	-
Male.....	6	5	9	10	9	13	8	8	1	-	-	-
Female.....	2	8	9	8	8	15	16	14	6	2	-	-
Non-Hispanic 1/, both sexes.....	1,760	2,654	3,477	3,871	4,329	4,908	4,908	3,220	1,412	334	44	-
Male.....	1,075	1,595	2,055	2,176	2,246	2,359	2,141	1,264	442	72	4	-
Female.....	685	1,059	1,422	1,695	2,083	2,549	2,767	1,956	970	262	40	-
Non-Hispanic white 2/, both sexes.....	1,350	2,119	2,929	3,248	3,634	4,259	4,307	2,866	1,247	283	31	-
Male.....	838	1,282	1,740	1,877	1,923	2,091	1,921	1,147	392	60	4	-
Female.....	512	837	1,189	1,371	1,711	2,168	2,386	1,719	855	223	27	-
Non-Hispanic black 2/, both sexes.....	355	464	443	517	553	525	471	275	128	39	12	-
Male.....	203	276	261	245	253	215	154	85	33	7	-	-
Female.....	152	188	182	272	300	310	317	190	95	32	12	-
Origin not stated 3/, both sexes.....	1	4	4	3	3	10	3	5	1	1	-	-
Male.....	-	4	3	2	2	3	1	5	1	-	-	-
Female.....	1	-	1	1	1	7	2	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
All origins, both sexes.....	8,127	12,627	18,589	22,966	25,191	26,602	21,756	11,804	3,879	768	77	3
Male.....	4,641	7,516	10,810	13,331	14,237	14,767	11,708	6,006	1,734	287	22	2
Female.....	3,486	5,111	7,779	9,635	10,954	11,835	10,048	5,798	2,145	481	55	1
Hispanic, both sexes.....	262	367	488	707	723	766	574	331	120	23	1	-
Male.....	166	225	320	455	450	463	351	181	58	12	1	-
Female.....	96	142	168	252	273	303	223	150	62	11	-	-
Mexican, both sexes.....	128	165	247	345	378	377	296	165	65	12	1	-
Male.....	80	98	164	242	242	234	188	95	35	8	1	-
Female.....	48	67	83	125	136	143	108	70	30	4	-	-
Puerto Rican, both sexes.....	38	65	74	115	104	89	48	39	14	2	-	-
Male.....	23	39	51	73	58	47	24	24	8	-	-	-
Female.....	15	26	23	42	46	42	24	15	6	2	-	-
Cuban, both sexes.....	45	60	58	91	83	110	101	63	18	3	-	-
Male.....	35	43	43	66	59	81	70	33	10	2	-	-
Female.....	10	17	15	25	24	29	31	30	8	1	-	-
Central and South American, both sexes.....	31	52	45	71	70	91	52	21	13	4	-	-
Male.....	16	24	22	42	43	50	27	5	2	1	-	-
Female.....	15	28	23	29	27	41	25	16	11	3	-	-
Other and Unknown Hispanic, both sexes.....	20	25	64	85	88	99	77	43	10	2	-	-
Male.....	12	21	40	54	48	51	42	24	3	1	-	-
Female.....	8	4	24	31	40	48	35	19	7	1	-	-
Non-Hispanic 1/, both sexes.....	7,853	12,246	18,079	22,230	24,435	25,810	21,172	11,461	3,757	745	76	3
Male.....	4,466	7,283	10,479	12,859	13,764	14,289	11,351	5,819	1,676	275	21	2
Female.....	3,387	4,963	7,600	9,371	10,671	11,521	9,821	5,642	2,081	470	55	1
Non-Hispanic white 2/, both sexes.....	6,238	10,059	15,459	19,263	21,469	23,119	19,224	10,425	3,388	659	66	1
Male.....	3,506	5,876	8,851	11,037	12,001	12,774	10,264	5,232	1,505	234	19	1
Female.....	2,732	4,183	6,608	8,226	9,468	10,345	8,960	5,193	1,883	425	47	-
Non-Hispanic black 2/, both sexes.....	1,401	1,885	2,227	2,512	2,421	2,124	1,519	774	281	63	8	2
Male.....	841	1,244	1,410	1,560	1,446	1,178	839	432	130	26	2	1
Female.....	560	641	817	952	975	946	680	342	151	37	6	1
Origin not stated 3/, both sexes.....	12	14	22	29	33	26	10	12	2	-	-	-
Male.....	9	8	11	17	23	15	6	6	-	-	-	-
Female.....	3	6	11	12	10	11	4	6	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
All origins, both sexes.....	3,484	4,268	4,488	4,237	3,942	4,415	4,660	3,568	2,031	703	124	1
Male.....	24	30	40	42	49	51	53	31	26	3	-	-
Female.....	3,460	4,238	4,448	4,195	3,893	4,364	4,607	3,537	2,005	700	124	1
Hispanic, both sexes.....	250	248	231	201	183	170	148	94	47	18	1	-
Male.....	1	3	2	2	2	2	3	-	-	-	-	-
Female.....	249	245	229	199	181	168	145	94	47	18	1	-
Mexican, both sexes.....	139	152	117	118	85	81	85	45	20	11	-	-
Male.....	-	-	1	2	2	-	1	-	-	-	-	-
Female.....	139	152	116	116	83	81	84	45	20	11	-	-
Puerto Rican, both sexes.....	22	30	30	26	30	19	14	10	6	2	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	22	29	30	26	30	19	13	10	6	2	-	-
Cuban, both sexes.....	9	9	29	23	31	30	27	23	8	2	1	-
Male.....	-	1	-	-	-	2	1	-	-	-	-	-
Female.....	9	8	29	23	31	28	26	23	8	2	1	-
Central and South American, both sexes.....	43	34	36	20	21	23	10	8	5	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	43	33	36	20	21	23	10	8	5	1	-	-
Other and Unknown Hispanic, both sexes.....	37	23	19	14	16	17	12	8	8	2	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	36	23	18	14	16	17	12	8	8	2	-	-
Non-Hispanic 1/, both sexes.....	3,229	4,017	4,253	4,035	3,757	4,242	4,507	3,470	1,982	684	123	1
Male.....	23	27	38	40	47	49	50	31	26	3	-	-
Female.....	3,206	3,990	4,215	3,995	3,710	4,193	4,457	3,439	1,956	681	123	1
Non-Hispanic white 2/, both sexes.....	2,438	3,105	3,490	3,385	3,203	3,699	4,021	3,154	1,789	603	107	-
Male.....	19	17	34	31	43	40	46	29	23	2	-	-
Female.....	2,419	3,088	3,456	3,354	3,160	3,659	3,975	3,125	1,766	601	107	-
Non-Hispanic black 2/, both sexes.....	684	779	637	562	471	464	425	285	169	75	14	1
Male.....	4	10	4	9	4	7	4	2	2	1	-	-
Female.....	680	769	633	553	467	457	421	283	167	74	14	1
Origin not stated 3/, both sexes.....	5	3	4	1	2	3	5	4	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	3	4	1	2	3	5	4	2	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
All origins, both sexes.....	374	668	915	1,038	983	990	970	678	303	116	10	-
Male.....
Female.....	374	668	915	1,038	983	990	970	678	303	116	10	-
Hispanic, both sexes.....	26	41	56	57	62	41	26	17	5	1	-	-
Male.....
Female.....	26	41	56	57	62	41	26	17	5	1	-	-
Mexican, both sexes.....	16	26	31	29	26	24	9	11	1	-	-	-
Male.....
Female.....	16	26	31	29	26	24	9	11	1	-	-	-
Puerto Rican, both sexes.....	3	5	7	7	14	3	3	1	1	-	-	-
Male.....
Female.....	3	5	7	7	14	3	3	1	1	-	-	-
Cuban, both sexes.....	1	3	6	5	6	5	4	3	-	-	-	-
Male.....
Female.....	1	3	6	5	6	5	4	3	-	-	-	-
Central and South American, both sexes.....	3	3	8	9	10	6	7	1	3	-	-	-
Male.....
Female.....	3	3	8	9	10	6	7	1	3	-	-	-
Other and Unknown Hispanic, both sexes.....	3	4	4	7	6	3	3	1	-	1	-	-
Male.....
Female.....	3	4	4	7	6	3	3	1	-	1	-	-
Non-Hispanic 1/, both sexes.....	348	626	859	977	921	946	943	660	298	115	10	-
Male.....
Female.....	348	626	859	977	921	946	943	660	298	115	10	-
Non-Hispanic white 2/, both sexes.....	273	491	659	706	693	755	785	586	265	103	8	-
Male.....
Female.....	273	491	659	706	693	755	785	586	265	103	8	-
Non-Hispanic black 2/, both sexes.....	61	108	177	249	200	171	136	65	29	11	2	-
Male.....
Female.....	61	108	177	249	200	171	136	65	29	11	2	-
Origin not stated 3/, both sexes.....	-	1	-	4	-	3	1	1	-	-	-	-
Male.....
Female.....	-	1	-	4	-	3	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of ovary (C56)												
All origins, both sexes.....	978	1,369	1,628	1,755	1,861	1,951	1,995	1,364	577	119	11	-
Male.....
Female.....	978	1,369	1,628	1,755	1,861	1,951	1,995	1,364	577	119	11	-
Hispanic, both sexes.....	69	73	92	96	77	103	70	40	20	4	-	-
Male.....
Female.....	69	73	92	96	77	103	70	40	20	4	-	-
Mexican, both sexes.....	39	49	48	51	43	45	31	19	9	2	-	-
Male.....
Female.....	39	49	48	51	43	45	31	19	9	2	-	-
Puerto Rican, both sexes.....	6	5	14	10	9	15	5	4	3	1	-	-
Male.....
Female.....	6	5	14	10	9	15	5	4	3	1	-	-
Cuban, both sexes.....	8	6	4	10	9	11	14	9	2	-	-	-
Male.....
Female.....	8	6	4	10	9	11	14	9	2	-	-	-
Central and South American, both sexes.....	11	9	17	16	8	19	8	3	3	-	-	-
Male.....
Female.....	11	9	17	16	8	19	8	3	3	-	-	-
Other and Unknown Hispanic, both sexes.....	5	4	9	9	8	13	12	5	3	1	-	-
Male.....
Female.....	5	4	9	9	8	13	12	5	3	1	-	-
Non-Hispanic 1/, both sexes.....	908	1,296	1,534	1,659	1,782	1,847	1,923	1,323	557	115	11	-
Male.....
Female.....	908	1,296	1,534	1,659	1,782	1,847	1,923	1,323	557	115	11	-
Non-Hispanic white 2/, both sexes.....	765	1,117	1,350	1,483	1,584	1,675	1,765	1,228	516	105	10	-
Male.....
Female.....	765	1,117	1,350	1,483	1,584	1,675	1,765	1,228	516	105	10	-
Non-Hispanic black 2/, both sexes.....	100	131	144	144	155	139	119	72	28	8	1	-
Male.....
Female.....	100	131	144	144	155	139	119	72	28	8	1	-
Origin not stated 3/, both sexes.....	1	-	2	-	2	1	2	1	-	-	-	-
Male.....
Female.....	1	-	2	-	2	1	2	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
All origins, both sexes.....	769	1,156	1,428	1,578	1,581	1,790	1,749	1,222	474	112	10	-
Male.....	554	810	1,011	1,062	983	1,089	994	657	207	38	2	-
Female.....	215	346	417	516	598	701	755	565	267	74	8	-
Hispanic, both sexes.....	67	97	97	97	104	115	108	51	15	5	-	-
Male.....	53	66	72	62	68	78	68	30	7	1	-	-
Female.....	14	31	25	35	36	37	40	21	8	4	-	-
Mexican, both sexes.....	52	59	67	57	61	84	61	26	7	-	-	-
Male.....	42	42	49	35	45	55	37	19	3	-	-	-
Female.....	10	17	18	22	16	29	24	7	4	-	-	-
Puerto Rican, both sexes.....	3	11	9	5	7	6	6	3	2	1	-	-
Male.....	2	3	7	3	4	3	4	2	1	-	-	-
Female.....	1	8	2	2	3	3	2	1	1	1	-	-
Cuban, both sexes.....	4	6	4	8	9	12	15	12	3	2	-	-
Male.....	3	4	4	6	8	11	9	6	1	1	-	-
Female.....	1	2	-	2	1	1	6	6	2	1	-	-
Central and South American, both sexes.....	3	8	6	11	14	12	10	4	2	1	-	-
Male.....	3	8	4	8	5	8	7	1	1	-	-	-
Female.....	-	-	2	3	9	4	3	3	1	1	-	-
Other and Unknown Hispanic, both sexes.....	5	13	11	16	13	1	16	6	1	1	-	-
Male.....	3	9	8	10	6	1	11	2	1	-	-	-
Female.....	2	4	3	6	7	-	5	4	-	1	-	-
Non-Hispanic 1/, both sexes.....	701	1,057	1,329	1,481	1,476	1,672	1,641	1,171	459	107	10	-
Male.....	500	743	937	1,000	914	1,009	926	627	200	37	2	-
Female.....	201	314	392	481	562	663	715	544	259	70	8	-
Non-Hispanic white 2/, both sexes.....	565	886	1,151	1,292	1,303	1,481	1,486	1,073	412	90	9	-
Male.....	409	624	808	870	803	913	843	579	185	31	2	-
Female.....	156	262	343	422	500	568	643	494	227	59	7	-
Non-Hispanic black 2/, both sexes.....	104	137	147	141	133	153	121	70	38	12	1	-
Male.....	72	92	106	96	80	73	62	34	11	4	-	-
Female.....	32	45	41	45	53	80	59	36	27	8	1	-
Origin not stated 3/, both sexes.....	1	2	2	-	1	3	-	-	-	-	-	-
Male.....	1	1	2	-	1	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All origins, both sexes.....	1,091	1,443	1,532	1,537	1,465	1,421	1,187	646	208	31	4	-
Male.....	651	860	922	880	765	740	542	282	82	11	-	-
Female.....	440	583	610	657	700	681	645	364	126	20	4	-
Hispanic, both sexes.....	73	83	72	61	67	62	53	23	7	1	-	-
Male.....	33	44	42	29	32	33	26	10	1	-	-	-
Female.....	40	39	30	32	35	29	27	13	6	1	-	-
Mexican, both sexes.....	38	42	36	28	30	34	24	9	3	-	-	-
Male.....	19	20	21	10	14	17	12	6	-	-	-	-
Female.....	19	22	15	18	16	17	12	3	3	-	-	-
Puerto Rican, both sexes.....	5	12	6	4	8	5	9	4	1	-	-	-
Male.....	2	8	5	2	4	2	4	1	-	-	-	-
Female.....	3	4	1	2	4	3	5	3	1	-	-	-
Cuban, both sexes.....	8	7	10	13	10	7	10	4	3	1	-	-
Male.....	3	4	4	9	7	5	6	2	1	-	-	-
Female.....	5	3	6	4	3	2	4	2	2	1	-	-
Central and South American, both sexes.....	15	18	14	7	12	11	7	5	-	-	-	-
Male.....	5	9	8	4	3	5	2	-	-	-	-	-
Female.....	10	9	6	3	9	6	5	5	-	-	-	-
Other and Unknown Hispanic, both sexes.....	7	4	6	9	7	5	3	1	-	-	-	-
Male.....	4	3	4	4	4	4	2	1	-	-	-	-
Female.....	3	1	2	5	3	1	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,017	1,360	1,458	1,475	1,397	1,357	1,132	623	200	30	4	-
Male.....	618	816	879	851	732	706	515	272	81	11	-	-
Female.....	399	544	579	624	665	651	617	351	119	19	4	-
Non-Hispanic white 2/, both sexes.....	908	1,232	1,363	1,361	1,301	1,294	1,076	588	186	27	4	-
Male.....	560	737	825	789	686	676	497	260	79	10	-	-
Female.....	348	495	538	572	615	618	579	328	107	17	4	-
Non-Hispanic black 2/, both sexes.....	90	98	76	94	78	46	42	22	10	3	-	-
Male.....	49	59	44	47	38	20	15	8	1	1	-	-
Female.....	41	39	32	47	40	26	27	14	9	2	-	-
Origin not stated 3/, both sexes.....	1	-	2	1	1	2	2	-	1	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	1	-	1	1	-	1	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
All origins, both sexes.....	2,180	3,305	4,389	5,374	6,849	8,718	9,166	6,673	2,831	656	68	2
Male.....	1,349	1,988	2,643	3,217	3,958	4,872	4,809	3,141	1,117	229	16	1
Female.....	831	1,317	1,746	2,157	2,891	3,846	4,357	3,532	1,714	427	52	1
Hispanic, both sexes.....	185	265	297	313	386	387	353	181	69	15	1	-
Male.....	111	131	165	172	207	193	174	93	30	8	-	-
Female.....	74	134	132	141	179	194	179	88	39	7	1	-
Mexican, both sexes.....	114	156	171	170	204	194	171	81	36	5	1	-
Male.....	70	80	92	101	100	101	92	49	20	3	-	-
Female.....	44	76	79	69	104	93	79	32	16	2	1	-
Puerto Rican, both sexes.....	26	33	32	49	52	48	32	27	7	2	-	-
Male.....	17	16	21	25	34	22	19	12	2	2	-	-
Female.....	9	17	11	24	18	26	13	15	5	-	-	-
Cuban, both sexes.....	10	11	16	26	42	44	51	30	11	6	-	-
Male.....	5	6	9	12	26	22	27	13	5	2	-	-
Female.....	5	5	7	14	16	22	24	17	6	4	-	-
Central and South American, both sexes.....	24	36	51	41	54	61	57	24	10	2	-	-
Male.....	12	16	30	22	27	27	14	10	2	1	-	-
Female.....	12	20	21	19	27	34	43	14	8	1	-	-
Other and Unknown Hispanic, both sexes.....	11	29	27	27	34	40	42	19	5	-	-	-
Male.....	7	13	13	12	20	21	22	9	1	-	-	-
Female.....	4	16	14	15	14	19	20	10	4	-	-	-
Non-Hispanic 1/, both sexes.....	1,991	3,036	4,086	5,057	6,455	8,322	8,799	6,483	2,762	641	67	1
Male.....	1,235	1,854	2,476	3,045	3,747	4,675	4,630	3,045	1,087	221	16	1
Female.....	756	1,182	1,610	2,012	2,708	3,647	4,169	3,438	1,675	420	51	-
Non-Hispanic white 2/, both sexes.....	1,549	2,418	3,459	4,330	5,649	7,491	8,069	6,014	2,590	603	58	1
Male.....	976	1,510	2,146	2,652	3,324	4,264	4,289	2,834	1,024	210	14	1
Female.....	573	908	1,313	1,678	2,325	3,227	3,780	3,180	1,566	393	44	-
Non-Hispanic black 2/, both sexes.....	366	503	518	590	649	622	558	369	141	31	8	-
Male.....	218	272	273	312	329	303	244	153	50	7	2	-
Female.....	148	231	245	278	320	319	314	216	91	24	6	-
Origin not stated 3/, both sexes.....	4	4	6	4	8	9	14	9	-	-	-	1
Male.....	3	3	2	-	4	4	5	3	-	-	-	-
Female.....	1	1	4	4	4	5	9	6	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hodgkin's disease (C81)												
All origins, both sexes.....	87	84	92	98	111	135	151	101	27	4	-	-
Male.....	62	46	53	58	57	77	63	39	9	1	-	-
Female.....	25	38	39	40	54	58	88	62	18	3	-	-
Hispanic, both sexes.....	3	12	9	9	13	9	9	5	2	1	-	-
Male.....	3	8	4	5	7	5	2	4	-	-	-	-
Female.....	-	4	5	4	6	4	7	1	2	1	-	-
Mexican, both sexes.....	1	9	6	4	6	5	4	2	1	-	-	-
Male.....	1	6	4	2	2	3	1	2	-	-	-	-
Female.....	-	3	2	2	4	2	3	-	1	-	-	-
Puerto Rican, both sexes.....	-	1	-	4	3	1	2	-	-	-	-	-
Male.....	-	1	-	2	2	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	2	-	-	-	-	-
Cuban, both sexes.....	-	1	-	1	2	1	1	1	-	1	-	-
Male.....	-	1	-	1	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Central and South American, both sexes.....	2	1	2	-	1	2	1	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	2	-	1	1	1	-	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	1	-	1	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	84	72	83	89	98	126	141	96	25	3	-	-
Male.....	59	38	49	53	50	72	61	35	9	1	-	-
Female.....	25	34	34	36	48	54	80	61	16	2	-	-
Non-Hispanic white 2/, both sexes.....	63	54	72	77	93	120	138	93	24	2	-	-
Male.....	44	28	42	47	48	68	60	34	9	-	-	-
Female.....	19	26	30	30	45	52	78	59	15	2	-	-
Non-Hispanic black 2/, both sexes.....	19	16	11	9	3	6	2	2	1	1	-	-
Male.....	14	10	7	4	-	4	-	1	-	1	-	-
Female.....	5	6	4	5	3	2	2	1	1	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Non-Hodgkin's lymphoma (C82-C85)												
All origins, both sexes.....	835	1,296	1,626	1,992	2,484	3,295	3,573	2,612	1,109	233	21	-
Male.....	531	814	974	1,211	1,418	1,741	1,749	1,141	405	77	5	-
Female.....	304	482	652	781	1,066	1,554	1,824	1,471	704	156	16	-
Hispanic, both sexes.....	68	100	119	108	152	159	162	88	39	5	1	-
Male.....	44	50	64	65	85	79	83	34	15	3	-	-
Female.....	24	50	55	43	67	80	79	54	24	2	1	-
Mexican, both sexes.....	38	63	77	66	92	80	83	38	24	-	1	-
Male.....	27	30	40	42	49	38	48	21	12	-	-	-
Female.....	11	33	37	24	43	42	35	17	12	-	1	-
Puerto Rican, both sexes.....	11	12	17	12	13	16	12	12	1	1	-	-
Male.....	7	5	11	9	9	7	6	3	-	1	-	-
Female.....	4	7	6	3	4	9	6	9	1	-	-	-
Cuban, both sexes.....	4	5	4	9	13	24	25	14	7	3	-	-
Male.....	2	2	2	2	9	14	14	4	2	1	-	-
Female.....	2	3	2	7	4	10	11	10	5	2	-	-
Central and South American, both sexes.....	8	9	14	12	22	24	23	14	4	1	-	-
Male.....	4	6	9	8	10	11	4	4	-	1	-	-
Female.....	4	3	5	4	12	13	19	10	4	-	-	-
Other and Unknown Hispanic, both sexes.....	7	11	7	9	12	15	19	10	3	-	-	-
Male.....	4	7	2	4	8	9	11	2	1	-	-	-
Female.....	3	4	5	5	4	6	8	8	2	-	-	-
Non-Hispanic 1/, both sexes.....	764	1,194	1,506	1,883	2,330	3,132	3,405	2,524	1,070	228	20	-
Male.....	485	762	910	1,146	1,332	1,659	1,665	1,107	390	74	5	-
Female.....	279	432	596	737	998	1,473	1,740	1,417	680	154	15	-
Non-Hispanic white 2/, both sexes.....	619	990	1,312	1,686	2,113	2,890	3,200	2,388	1,030	221	18	-
Male.....	394	641	806	1,026	1,206	1,550	1,567	1,045	375	73	5	-
Female.....	225	349	506	660	907	1,340	1,633	1,343	655	148	13	-
Non-Hispanic black 2/, both sexes.....	112	159	147	151	148	139	123	86	29	7	2	-
Male.....	72	93	81	93	83	63	49	32	10	1	-	-
Female.....	40	66	66	58	65	76	74	54	19	6	2	-
Origin not stated 3/, both sexes.....	3	2	1	1	2	4	6	-	-	-	-	-
Male.....	2	2	-	-	1	3	1	-	-	-	-	-
Female.....	1	-	1	1	1	1	5	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Leukemia (C91-C95)												
All origins, both sexes.....	780	1,189	1,612	2,002	2,609	3,323	3,535	2,649	1,226	314	39	1
Male.....	467	726	989	1,234	1,575	1,982	2,038	1,324	502	106	11	1
Female.....	313	463	623	768	1,034	1,341	1,497	1,325	724	208	28	-
Hispanic, both sexes.....	75	91	88	94	109	114	111	59	19	7	-	-
Male.....	41	50	49	55	54	60	55	36	11	4	-	-
Female.....	34	41	39	39	55	54	56	23	8	3	-	-
Mexican, both sexes.....	50	49	47	50	57	54	54	26	6	4	-	-
Male.....	27	29	25	32	23	30	28	15	5	2	-	-
Female.....	23	20	22	18	34	24	26	11	1	2	-	-
Puerto Rican, both sexes.....	9	14	6	15	15	15	10	11	4	1	-	-
Male.....	6	7	3	8	11	7	8	6	1	1	-	-
Female.....	3	7	3	7	4	8	2	5	3	-	-	-
Cuban, both sexes.....	4	3	6	10	16	13	13	13	4	2	-	-
Male.....	2	2	4	6	9	7	8	7	3	1	-	-
Female.....	2	1	2	4	7	6	5	6	1	1	-	-
Central and South American, both sexes.....	9	17	19	12	13	21	22	3	5	-	-	-
Male.....	4	8	11	5	6	9	5	3	2	-	-	-
Female.....	5	9	8	7	7	12	17	-	3	-	-	-
Other and Unknown Hispanic, both sexes.....	3	8	10	7	8	11	12	6	-	-	-	-
Male.....	2	4	6	4	5	7	6	5	-	-	-	-
Female.....	1	4	4	3	3	4	6	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	705	1,097	1,523	1,907	2,496	3,206	3,418	2,583	1,207	307	39	1
Male.....	426	675	939	1,179	1,518	1,921	1,979	1,286	491	102	11	1
Female.....	279	422	584	728	978	1,285	1,439	1,297	716	205	28	-
Non-Hispanic white 2/, both sexes.....	567	915	1,330	1,668	2,211	2,937	3,174	2,418	1,139	288	34	1
Male.....	348	577	837	1,041	1,364	1,780	1,859	1,207	464	97	9	1
Female.....	219	338	493	627	847	1,157	1,315	1,211	675	191	25	-
Non-Hispanic black 2/, both sexes.....	112	144	158	181	229	208	191	137	52	14	4	-
Male.....	65	77	80	102	122	105	88	65	21	2	2	-
Female.....	47	67	78	79	107	103	103	72	31	12	2	-
Origin not stated 3/, both sexes.....	-	1	1	1	4	3	6	7	-	-	-	-
Male.....	-	1	1	-	3	1	4	2	-	-	-	-
Female.....	-	-	-	1	1	2	2	5	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
All origins, both sexes.....	476	734	1,054	1,280	1,637	1,953	1,900	1,303	463	105	8	1
Male.....	288	401	623	713	904	1,064	957	634	199	45	-	-
Female.....	188	333	431	567	733	889	943	669	264	60	8	1
Hispanic, both sexes.....	39	62	81	102	112	105	71	29	9	2	-	-
Male.....	23	23	48	47	61	49	34	19	4	1	-	-
Female.....	16	39	33	55	51	56	37	10	5	1	-	-
Mexican, both sexes.....	25	35	41	50	49	55	30	15	5	1	-	-
Male.....	15	15	23	25	26	30	15	11	3	1	-	-
Female.....	10	20	18	25	23	25	15	4	2	-	-	-
Puerto Rican, both sexes.....	6	6	9	18	21	16	8	4	2	-	-	-
Male.....	4	3	7	6	12	7	5	3	1	-	-	-
Female.....	2	3	2	12	9	9	3	1	1	-	-	-
Cuban, both sexes.....	2	2	6	6	11	6	12	2	-	-	-	-
Male.....	1	1	3	3	6	1	4	1	-	-	-	-
Female.....	1	1	3	3	5	5	8	1	-	-	-	-
Central and South American, both sexes.....	5	9	16	17	18	14	11	7	-	1	-	-
Male.....	2	2	10	9	11	6	5	3	-	-	-	-
Female.....	3	7	6	8	7	8	6	4	-	1	-	-
Other and Unknown Hispanic, both sexes.....	1	10	9	11	13	14	10	1	2	-	-	-
Male.....	1	2	5	4	6	5	5	1	-	-	-	-
Female.....	-	8	4	7	7	9	5	-	2	-	-	-
Non-Hispanic 1/, both sexes.....	436	671	969	1,176	1,523	1,846	1,828	1,272	454	103	8	-
Male.....	264	378	574	666	843	1,015	923	614	195	44	-	-
Female.....	172	293	395	510	680	831	905	658	259	59	8	-
Non-Hispanic white 2/, both sexes.....	299	457	741	897	1,225	1,532	1,552	1,108	393	92	6	-
Male.....	189	263	458	537	703	858	801	546	175	40	-	-
Female.....	110	194	283	360	522	674	751	562	218	52	6	-
Non-Hispanic black 2/, both sexes.....	122	184	201	249	268	269	240	143	57	9	2	-
Male.....	67	92	104	113	123	131	107	54	18	3	-	-
Female.....	55	92	97	136	145	138	133	89	39	6	2	-
Origin not stated 3/, both sexes.....	1	1	4	2	2	2	1	2	-	-	-	1
Male.....	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	3	2	2	2	1	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
All origins, both sexes.....	3,306	4,910	6,032	6,594	7,260	8,942	9,246	6,991	3,329	931	143	-
Male.....	1,928	2,848	3,481	3,699	4,005	4,655	4,590	3,103	1,223	272	38	-
Female.....	1,378	2,062	2,551	2,895	3,255	4,287	4,656	3,888	2,106	659	105	-
Hispanic, both sexes.....	263	286	325	364	334	407	359	242	106	25	8	-
Male.....	154	157	171	195	176	210	151	109	39	5	2	-
Female.....	109	129	154	169	158	197	208	133	67	20	6	-
Mexican, both sexes.....	152	151	197	196	193	232	182	125	53	12	4	-
Male.....	89	88	104	107	100	125	74	66	16	2	2	-
Female.....	63	63	93	89	93	107	108	59	37	10	2	-
Puerto Rican, both sexes.....	31	36	38	50	41	29	36	31	8	3	2	-
Male.....	20	19	21	28	18	17	13	12	5	1	-	-
Female.....	11	17	17	22	23	12	23	19	3	2	2	-
Cuban, both sexes.....	14	16	18	43	28	49	50	30	23	3	2	-
Male.....	12	9	9	26	16	26	26	11	10	1	-	-
Female.....	2	7	9	17	12	23	24	19	13	2	2	-
Central and South American, both sexes.....	39	46	45	45	38	54	50	28	10	3	-	-
Male.....	16	22	20	16	22	19	14	10	3	-	-	-
Female.....	23	24	25	29	16	35	36	18	7	3	-	-
Other and Unknown Hispanic, both sexes.....	27	37	27	30	34	43	41	28	12	4	-	-
Male.....	17	19	17	18	20	23	24	10	5	1	-	-
Female.....	10	18	10	12	14	20	17	18	7	3	-	-
Non-Hispanic 1/, both sexes.....	3,038	4,608	5,701	6,221	6,915	8,526	8,879	6,743	3,221	906	135	-
Male.....	1,772	2,682	3,304	3,499	3,819	4,440	4,432	2,991	1,183	267	36	-
Female.....	1,266	1,926	2,397	2,722	3,096	4,086	4,447	3,752	2,038	639	99	-
Non-Hispanic white 2/, both sexes.....	2,338	3,709	4,745	5,262	5,981	7,591	8,018	6,210	2,958	830	120	-
Male.....	1,392	2,187	2,780	2,976	3,354	4,017	4,049	2,789	1,085	247	31	-
Female.....	946	1,522	1,965	2,286	2,627	3,574	3,969	3,421	1,873	583	89	-
Non-Hispanic black 2/, both sexes.....	585	744	785	775	724	728	638	398	199	68	14	-
Male.....	322	419	444	418	348	329	277	145	74	17	5	-
Female.....	263	325	341	357	376	399	361	253	125	51	9	-
Origin not stated 3/, both sexes.....	5	16	6	9	11	9	8	6	2	-	-	-
Male.....	2	9	6	5	10	5	7	3	1	-	-	-
Female.....	3	7	-	4	1	4	1	3	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
All origins, both sexes.....	413	634	782	1,006	1,396	2,066	2,651	2,370	1,374	415	50	-
Male.....	228	380	458	583	771	1,161	1,409	1,055	526	109	10	-
Female.....	185	254	324	423	625	905	1,242	1,315	848	306	40	-
Hispanic, both sexes.....	33	41	42	44	62	91	107	82	37	11	-	-
Male.....	17	20	27	28	25	43	41	30	11	4	-	-
Female.....	16	21	15	16	37	48	66	52	26	7	-	-
Mexican, both sexes.....	22	19	24	21	29	51	59	40	16	5	-	-
Male.....	10	9	18	13	13	25	18	19	3	1	-	-
Female.....	12	10	6	8	16	26	41	21	13	4	-	-
Puerto Rican, both sexes.....	4	3	7	6	6	6	10	11	3	2	-	-
Male.....	2	1	2	4	3	5	5	3	1	2	-	-
Female.....	2	2	5	2	3	1	5	8	2	-	-	-
Cuban, both sexes.....	1	5	5	4	9	17	15	13	6	2	-	-
Male.....	1	2	3	2	4	8	6	4	1	1	-	-
Female.....	-	3	2	2	5	9	9	9	5	1	-	-
Central and South American, both sexes.....	4	6	2	9	9	7	10	8	5	-	-	-
Male.....	2	4	1	5	2	3	6	-	3	-	-	-
Female.....	2	2	1	4	7	4	4	8	2	-	-	-
Other and Unknown Hispanic, both sexes.....	2	8	4	4	9	10	13	10	7	2	-	-
Male.....	2	4	3	4	3	2	6	4	3	-	-	-
Female.....	-	4	1	-	6	8	7	6	4	2	-	-
Non-Hispanic 1/, both sexes.....	377	592	739	962	1,333	1,972	2,543	2,287	1,336	404	50	-
Male.....	210	359	430	555	745	1,116	1,367	1,024	515	105	10	-
Female.....	167	233	309	407	588	856	1,176	1,263	821	299	40	-
Non-Hispanic white 2/, both sexes.....	309	492	614	823	1,157	1,780	2,326	2,129	1,248	377	44	-
Male.....	174	297	359	473	651	1,023	1,262	956	480	96	10	-
Female.....	135	195	255	350	506	757	1,064	1,173	768	281	34	-
Non-Hispanic black 2/, both sexes.....	56	81	93	105	144	144	162	107	66	21	4	-
Male.....	29	50	55	59	76	64	76	42	24	7	-	-
Female.....	27	31	38	46	68	80	86	65	42	14	4	-
Origin not stated 3/, both sexes.....	3	1	1	-	1	3	1	1	1	-	-	-
Male.....	1	1	1	-	1	2	1	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Anemias (D50-D64)												
All origins, both sexes.....	126	142	180	223	337	474	750	855	742	327	65	-
Male.....	69	70	84	112	152	222	314	313	221	66	10	-
Female.....	57	72	96	111	185	252	436	542	521	261	55	-
Hispanic, both sexes.....	5	11	16	10	16	21	48	18	15	9	7	-
Male.....	1	6	9	9	5	13	21	9	7	1	4	-
Female.....	4	5	7	1	11	8	27	9	8	8	3	-
Mexican, both sexes.....	3	7	9	8	7	11	28	6	7	4	5	-
Male.....	1	5	5	7	3	7	12	3	3	-	3	-
Female.....	2	2	4	1	4	4	16	3	4	4	2	-
Puerto Rican, both sexes.....	-	2	5	1	1	1	4	2	3	1	-	-
Male.....	-	1	3	1	-	-	2	1	2	-	-	-
Female.....	-	1	2	-	1	1	2	1	1	1	-	-
Cuban, both sexes.....	1	-	1	1	1	3	4	6	1	2	1	-
Male.....	-	-	-	1	1	3	4	-	-	-	1	-
Female.....	1	-	1	-	-	2	1	2	1	2	-	-
Central and South American, both sexes.....	1	2	1	-	3	2	3	-	1	1	1	-
Male.....	-	-	1	-	1	2	-	-	-	1	-	-
Female.....	1	2	-	-	2	-	3	-	1	-	1	-
Other and Unknown Hispanic, both sexes.....	-	-	-	-	4	4	9	4	3	1	-	-
Male.....	-	-	-	-	-	3	4	1	2	-	-	-
Female.....	-	-	-	-	4	1	5	3	1	1	-	-
Non-Hispanic 1/, both sexes.....	120	131	164	213	320	453	702	836	727	317	58	-
Male.....	67	64	75	103	146	209	293	303	214	65	6	-
Female.....	53	67	89	110	174	244	409	533	513	252	52	-
Non-Hispanic white 2/, both sexes.....	61	65	119	161	251	384	609	750	662	287	52	-
Male.....	36	33	55	78	120	178	259	275	192	57	6	-
Female.....	25	32	64	83	131	206	350	475	470	230	46	-
Non-Hispanic black 2/, both sexes.....	55	61	39	48	60	56	77	65	53	18	5	-
Male.....	28	30	16	23	21	24	29	17	18	4	-	-
Female.....	27	31	23	25	39	32	48	48	35	14	5	-
Origin not stated 3/, both sexes.....	1	-	-	-	1	-	-	1	-	1	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)												
All origins, both sexes.....	3,592	5,085	6,219	6,879	8,233	10,012	11,177	9,085	4,613	1,294	235	2
Male.....	2,137	3,042	3,602	3,914	4,365	4,841	5,033	3,620	1,487	312	43	2
Female.....	1,455	2,043	2,617	2,965	3,868	5,171	6,144	5,465	3,126	982	192	-
Hispanic, both sexes.....	398	505	626	727	808	972	892	602	246	81	15	-
Male.....	224	303	358	414	404	440	370	225	71	19	4	-
Female.....	174	202	268	313	404	532	522	377	175	62	11	-
Mexican, both sexes.....	274	346	404	463	473	621	555	355	147	42	10	-
Male.....	161	211	236	258	226	277	235	132	48	11	3	-
Female.....	113	135	168	205	247	344	320	223	99	31	7	-
Puerto Rican, both sexes.....	49	67	88	109	119	104	116	77	26	13	1	-
Male.....	26	38	42	58	56	39	48	29	8	3	-	-
Female.....	23	29	46	51	63	65	68	48	18	10	1	-
Cuban, both sexes.....	17	22	23	39	64	88	80	76	20	14	1	-
Male.....	7	16	17	27	37	50	29	35	6	2	-	-
Female.....	10	6	6	12	27	38	51	41	14	12	1	-
Central and South American, both sexes.....	32	26	52	54	74	66	61	33	19	4	1	-
Male.....	15	13	31	34	38	32	21	13	3	-	-	-
Female.....	17	13	21	20	36	34	40	20	16	4	1	-
Other and Unknown Hispanic, both sexes.....	26	44	59	62	78	93	80	61	34	8	2	-
Male.....	15	25	32	37	47	42	37	16	6	3	1	-
Female.....	11	19	27	25	31	51	43	45	28	5	1	-
Non-Hispanic 1/, both sexes.....	3,182	4,567	5,587	6,146	7,412	9,025	10,273	8,476	4,365	1,211	218	1
Male.....	1,906	2,731	3,240	3,498	3,953	4,394	4,657	3,394	1,416	293	39	1
Female.....	1,276	1,836	2,347	2,648	3,459	4,631	5,616	5,082	2,949	918	179	-
Non-Hispanic white 2/, both sexes.....	2,185	3,174	4,098	4,543	5,585	7,177	8,390	7,151	3,721	990	163	1
Male.....	1,358	1,968	2,475	2,720	3,120	3,655	3,970	2,961	1,246	247	30	1
Female.....	827	1,206	1,623	1,823	2,465	3,522	4,420	4,190	2,475	743	133	-
Non-Hispanic black 2/, both sexes.....	879	1,190	1,270	1,325	1,518	1,523	1,508	1,041	499	182	45	-
Male.....	469	643	633	633	675	603	550	312	121	26	4	-
Female.....	410	547	637	692	843	920	958	729	378	156	41	-
Origin not stated 3/, both sexes.....	12	13	6	6	13	15	12	7	2	2	2	1
Male.....	7	8	4	2	8	7	6	1	-	-	-	1
Female.....	5	5	2	4	5	8	6	6	2	2	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nutritional deficiencies (E40-E64)												
All origins, both sexes.....	59	86	115	140	193	317	491	600	485	201	57	-
Male.....	29	45	52	72	96	131	202	190	149	47	6	-
Female.....	30	41	63	68	97	186	289	410	336	154	51	-
Hispanic, both sexes.....	4	7	5	3	8	16	16	20	18	6	2	-
Male.....	4	2	1	1	4	4	9	8	2	2	-	-
Female.....	-	5	4	2	4	12	7	12	16	4	2	-
Mexican, both sexes.....	2	3	3	3	6	11	14	10	13	4	1	-
Male.....	2	1	1	1	3	3	8	6	2	2	-	-
Female.....	-	2	2	2	3	8	6	4	11	2	1	-
Puerto Rican, both sexes.....	1	1	-	-	1	1	-	2	-	-	1	-
Male.....	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	1	-
Cuban, both sexes.....	-	-	-	-	-	1	-	1	-	1	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	1	-
Central and South American, both sexes.....	-	-	2	-	-	1	1	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	1	2	2	-	-	-
Other and Unknown Hispanic, both sexes.....	1	3	-	-	1	2	1	5	2	1	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	3	-	-	-	2	-	4	2	1	-	-
Non-Hispanic 1/, both sexes.....	55	78	109	137	185	301	475	579	467	195	55	-
Male.....	25	42	50	71	92	127	193	182	147	45	6	-
Female.....	30	36	59	66	93	174	282	397	320	150	49	-
Non-Hispanic white 2/, both sexes.....	44	60	91	104	137	247	402	495	404	168	41	-
Male.....	18	30	40	52	67	103	164	158	128	36	4	-
Female.....	26	30	51	52	70	144	238	337	276	132	37	-
Non-Hispanic black 2/, both sexes.....	10	15	16	28	42	47	60	68	43	24	10	-
Male.....	6	11	9	15	21	22	25	19	12	7	1	-
Female.....	4	4	7	13	21	25	35	49	31	17	9	-
Origin not stated 3/, both sexes.....	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)												
All origins, both sexes.....	55	81	107	133	181	298	457	555	445	179	53	-
Male.....	28	42	47	67	87	122	191	174	137	43	6	-
Female.....	27	39	60	66	94	176	266	381	308	136	47	-
Hispanic, both sexes.....	3	6	5	2	7	15	16	20	17	6	2	-
Male.....	3	2	1	-	4	4	9	8	2	2	-	-
Female.....	-	4	4	2	3	11	7	12	15	4	2	-
Mexican, both sexes.....	2	3	3	2	5	10	14	10	13	4	1	-
Male.....	2	1	1	-	3	3	8	6	2	2	-	-
Female.....	-	2	2	2	2	7	6	4	11	2	1	-
Puerto Rican, both sexes.....	1	1	-	-	1	1	-	2	-	-	1	-
Male.....	1	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	1	-
Cuban, both sexes.....	-	-	-	-	-	1	-	1	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	-	-
Central and South American, both sexes.....	-	-	2	-	-	1	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	1	1	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	-	2	-	-	1	2	1	5	2	1	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	2	-	-	-	2	-	4	2	1	-	-
Non-Hispanic 1/, both sexes.....	52	74	101	131	174	283	441	534	428	173	51	-
Male.....	25	39	45	67	83	118	182	166	135	41	6	-
Female.....	27	35	56	64	91	165	259	368	293	132	45	-
Non-Hispanic white 2/, both sexes.....	42	56	85	99	126	232	370	455	371	147	38	-
Male.....	18	27	37	48	58	95	153	143	117	33	4	-
Female.....	24	29	48	51	68	137	217	312	254	114	34	-
Non-Hispanic black 2/, both sexes.....	9	15	14	27	42	44	58	64	42	24	9	-
Male.....	6	11	7	15	21	21	25	19	12	7	1	-
Female.....	3	4	7	12	21	23	33	45	30	17	8	-
Origin not stated 3/, both sexes.....	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Parkinson's disease (G20-G21)												
All origins, both sexes.....	41	119	277	700	1,610	3,697	5,666	4,955	2,383	514	59	2
Male.....	26	69	182	474	1,033	2,323	3,371	2,720	1,123	194	14	2
Female.....	15	50	95	226	577	1,374	2,295	2,235	1,260	320	45	-
Hispanic, both sexes.....	3	9	15	40	78	181	230	120	76	16	2	-
Male.....	2	8	11	24	46	110	135	59	36	8	2	-
Female.....	1	1	4	16	32	71	95	61	40	8	-	-
Mexican, both sexes.....	2	4	10	19	45	95	118	62	38	10	1	-
Male.....	2	4	8	12	29	56	70	31	17	6	1	-
Female.....	-	-	2	7	16	39	48	31	21	4	-	-
Puerto Rican, both sexes.....	-	-	3	7	12	20	28	9	6	3	-	-
Male.....	-	-	2	4	8	10	16	4	3	1	-	-
Female.....	-	-	1	3	4	10	12	5	3	2	-	-
Cuban, both sexes.....	-	2	1	3	8	23	35	25	15	2	-	-
Male.....	-	2	1	3	2	16	24	11	7	1	-	-
Female.....	-	-	-	-	6	7	11	14	8	1	-	-
Central and South American, both sexes.....	1	-	-	7	2	18	18	11	9	-	-	-
Male.....	-	-	-	3	1	12	7	6	5	-	-	-
Female.....	1	-	-	4	1	6	11	5	3	-	-	-
Other and Unknown Hispanic, both sexes.....	-	3	1	4	11	25	31	13	9	1	1	-
Male.....	-	2	-	2	6	16	18	7	4	-	1	-
Female.....	-	1	1	2	5	9	13	6	5	1	-	-
Non-Hispanic 1/, both sexes.....	38	109	262	660	1,531	3,516	5,432	4,833	2,304	498	57	2
Male.....	24	61	171	450	987	2,213	3,234	2,661	1,086	186	12	2
Female.....	14	48	91	210	544	1,303	2,198	2,172	1,218	312	45	-
Non-Hispanic white 2/, both sexes.....	32	101	226	598	1,403	3,305	5,116	4,586	2,187	464	47	1
Male.....	21	59	150	404	902	2,091	3,063	2,533	1,027	175	10	1
Female.....	11	42	76	194	501	1,214	2,053	2,053	1,160	289	37	-
Non-Hispanic black 2/, both sexes.....	4	4	31	45	86	149	209	149	77	25	8	1
Male.....	2	1	19	35	58	85	114	71	36	6	2	1
Female.....	2	3	12	10	28	64	95	78	41	19	6	-
Origin not stated 3/, both sexes.....	-	1	-	-	1	-	4	2	3	-	-	-
Male.....	-	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	1	-	-	1	-	2	2	2	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
All origins, both sexes.....	64	231	497	1,074	2,910	7,575	15,434	21,111	17,075	7,268	1,350	3
Male.....	32	108	222	473	1,221	2,949	5,301	6,324	3,920	1,120	115	1
Female.....	32	123	275	601	1,689	4,626	10,133	14,787	13,155	6,148	1,235	2
Hispanic, both sexes.....	2	16	30	47	134	315	552	626	497	209	40	-
Male.....	1	6	10	18	67	119	196	203	123	49	9	-
Female.....	1	10	20	29	67	196	356	423	374	160	31	-
Mexican, both sexes.....	1	10	10	28	71	164	293	314	232	95	17	-
Male.....	1	4	4	13	42	65	107	110	68	22	5	-
Female.....	-	6	6	15	29	99	186	204	164	73	12	-
Puerto Rican, both sexes.....	-	4	12	10	21	45	71	74	50	22	3	-
Male.....	-	2	5	-	7	16	22	18	8	8	-	-
Female.....	-	2	7	10	14	29	49	56	42	14	3	-
Cuban, both sexes.....	-	1	-	3	15	64	102	114	101	38	11	-
Male.....	-	-	-	1	9	27	40	40	23	7	2	-
Female.....	-	1	-	2	6	37	62	74	78	31	9	-
Central and South American, both sexes.....	-	-	4	1	16	14	27	46	49	17	4	-
Male.....	-	-	1	1	5	2	7	14	7	3	2	-
Female.....	-	-	3	-	11	12	20	32	42	14	2	-
Other and Unknown Hispanic, both sexes.....	1	1	4	5	11	28	59	78	65	37	5	-
Male.....	-	-	-	3	4	9	20	21	17	9	-	-
Female.....	1	1	4	2	7	19	39	57	48	28	5	-
Non-Hispanic 1/, both sexes.....	62	215	467	1,025	2,772	7,255	14,873	20,466	16,563	7,055	1,308	3
Male.....	31	102	212	453	1,152	2,827	5,101	6,113	3,794	1,070	106	1
Female.....	31	113	255	572	1,620	4,428	9,772	14,353	12,769	5,985	1,202	2
Non-Hispanic white 2/, both sexes.....	56	205	425	927	2,453	6,546	13,702	19,084	15,378	6,494	1,149	2
Male.....	29	95	191	420	1,016	2,563	4,727	5,718	3,538	982	86	-
Female.....	27	110	234	507	1,437	3,983	8,975	13,366	11,840	5,512	1,063	2
Non-Hispanic black 2/, both sexes.....	5	9	29	76	281	615	1,005	1,134	972	454	143	1
Male.....	2	6	11	27	123	227	310	314	195	60	16	1
Female.....	3	3	18	49	158	388	695	820	777	394	127	-
Origin not stated 3/, both sexes.....	-	-	-	2	4	5	9	19	15	4	2	-
Male.....	-	-	-	2	2	3	4	8	3	1	-	-
Female.....	-	-	-	-	2	2	5	11	12	3	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Major cardiovascular diseases (I00-I78)												
All origins, both sexes.....	27,892	36,578	44,219	50,547	65,076	95,203	133,847	148,466	109,176	45,637	9,765	37
Male.....	19,398	25,316	29,330	31,590	37,842	50,537	62,475	58,693	34,182	10,342	1,520	28
Female.....	8,494	11,262	14,889	18,957	27,234	44,666	71,372	89,773	74,994	35,295	8,245	9
Hispanic, both sexes.....	1,820	2,279	2,667	2,998	3,655	5,010	5,884	5,377	3,444	1,578	356	2
Male.....	1,292	1,596	1,751	1,860	2,067	2,574	2,725	2,165	1,103	417	79	-
Female.....	528	683	916	1,138	1,588	2,436	3,159	3,212	2,341	1,161	277	2
Mexican, both sexes.....	1,126	1,326	1,542	1,658	1,936	2,724	3,125	2,681	1,550	740	170	-
Male.....	806	934	986	1,019	1,103	1,389	1,462	1,130	529	201	38	-
Female.....	320	392	556	639	833	1,335	1,663	1,551	1,021	539	132	-
Puerto Rican, both sexes.....	251	335	395	472	579	661	729	647	398	169	36	-
Male.....	163	234	286	280	337	333	360	218	128	45	5	-
Female.....	88	101	109	192	242	328	369	429	270	124	31	-
Cuban, both sexes.....	97	153	188	276	396	660	945	957	729	340	64	1
Male.....	77	118	125	192	238	358	432	421	219	83	15	-
Female.....	20	35	63	84	158	302	513	536	510	257	49	1
Central and South American, both sexes.....	193	263	280	316	410	485	516	501	353	155	48	1
Male.....	144	175	180	196	204	233	207	154	94	41	7	-
Female.....	49	88	100	120	206	252	309	347	259	114	41	1
Other and Unknown Hispanic, both sexes.....	153	202	262	276	334	480	569	591	414	174	38	-
Male.....	102	135	174	173	185	261	264	242	133	47	14	-
Female.....	51	67	88	103	149	219	305	349	281	127	24	-
Non-Hispanic 1/, both sexes.....	25,997	34,176	41,436	47,439	61,285	90,056	127,822	142,946	105,636	44,038	9,400	29
Male.....	18,048	23,633	27,492	29,644	35,680	47,870	59,682	56,474	33,047	9,917	1,439	22
Female.....	7,949	10,543	13,944	17,795	25,605	42,186	68,140	86,472	72,589	34,121	7,961	7
Non-Hispanic white 2/, both sexes.....	18,589	25,209	32,268	37,436	49,921	76,992	113,042	129,646	96,952	40,094	8,245	21
Male.....	13,389	17,946	21,885	23,914	29,607	41,565	53,480	51,799	30,617	9,049	1,227	18
Female.....	5,200	7,263	10,383	13,522	20,314	35,427	59,562	77,847	66,335	31,045	7,018	3
Non-Hispanic black 2/, both sexes.....	6,659	7,917	8,003	8,533	9,590	10,764	11,803	10,486	6,821	3,221	991	7
Male.....	4,121	4,980	4,861	4,842	5,067	5,106	4,851	3,483	1,764	619	161	3
Female.....	2,538	2,937	3,142	3,691	4,523	5,658	6,952	7,003	5,057	2,602	830	4
Origin not stated 3/, both sexes.....	75	123	116	110	136	137	141	143	96	21	9	6
Male.....	58	87	87	86	95	93	68	54	32	8	2	6
Female.....	17	36	29	24	41	44	73	89	64	13	7	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All origins, both sexes.....	22,569	29,793	35,734	39,690	49,899	71,589	99,668	110,176	82,401	35,010	7,662	27
Male.....	16,287	21,227	24,331	25,585	29,947	39,346	48,659	45,558	27,021	8,281	1,260	21
Female.....	6,282	8,566	11,403	14,105	19,952	32,243	51,009	64,618	55,380	26,729	6,402	6
Hispanic, both sexes.....	1,358	1,696	2,055	2,274	2,759	3,735	4,379	3,998	2,646	1,226	279	2
Male.....	1,015	1,225	1,389	1,468	1,599	1,981	2,099	1,646	865	340	62	-
Female.....	343	471	666	806	1,160	1,754	2,280	2,352	1,781	886	217	2
Mexican, both sexes.....	839	970	1,145	1,222	1,413	1,942	2,263	1,943	1,140	558	131	-
Male.....	631	705	752	784	827	1,026	1,106	838	397	160	30	-
Female.....	208	265	393	438	586	916	1,157	1,105	743	398	101	-
Puerto Rican, both sexes.....	190	259	339	377	459	522	564	513	333	136	30	-
Male.....	132	181	246	232	273	266	285	173	112	39	5	-
Female.....	58	78	93	145	186	256	279	340	221	97	25	-
Cuban, both sexes.....	82	120	151	219	320	535	744	772	584	279	57	1
Male.....	68	97	103	151	198	294	336	341	177	70	13	-
Female.....	14	23	48	68	122	241	408	431	407	209	44	1
Central and South American, both sexes.....	136	189	220	240	318	377	380	362	274	115	32	1
Male.....	106	130	147	158	161	187	160	115	76	34	3	-
Female.....	30	59	73	82	157	190	220	247	198	81	29	1
Other and Unknown Hispanic, both sexes.....	111	158	200	216	249	359	428	408	315	138	29	-
Male.....	78	112	141	143	140	208	212	179	103	37	11	-
Female.....	33	46	59	73	109	151	216	229	212	101	18	-
Non-Hispanic 1/, both sexes.....	21,152	27,989	33,580	37,323	47,034	67,747	95,183	106,069	79,676	33,770	7,374	20
Male.....	15,225	19,925	22,867	24,042	28,271	37,292	46,507	43,869	26,129	7,936	1,196	16
Female.....	5,927	8,064	10,713	13,281	18,763	30,455	48,676	62,200	53,547	25,834	6,178	4
Non-Hispanic white 2/, both sexes.....	15,608	21,200	26,603	29,878	38,686	58,336	84,631	96,636	73,440	30,844	6,490	15
Male.....	11,599	15,498	18,503	19,697	23,717	32,639	41,961	40,448	24,320	7,279	1,029	13
Female.....	4,009	5,702	8,100	10,181	14,969	25,697	42,670	56,188	49,120	23,565	5,461	2
Non-Hispanic black 2/, both sexes.....	4,999	6,038	6,118	6,380	7,127	7,825	8,534	7,506	4,929	2,412	754	4
Male.....	3,201	3,876	3,797	3,679	3,826	3,788	3,591	2,583	1,328	468	127	2
Female.....	1,798	2,162	2,321	2,701	3,301	4,037	4,943	4,923	3,601	1,944	627	2
Origin not stated 3/, both sexes.....	59	108	99	93	106	107	106	109	79	14	9	5
Male.....	47	77	75	75	77	73	53	43	27	5	2	5
Female.....	12	31	24	18	29	34	53	66	52	9	7	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)												
All origins, both sexes.....	2,048	2,279	2,208	1,909	2,100	2,601	3,723	4,410	3,861	1,892	435	2
Male.....	1,401	1,535	1,474	1,186	1,080	1,248	1,425	1,315	907	326	52	2
Female.....	647	744	734	723	1,020	1,353	2,298	3,095	2,954	1,566	383	-
Hispanic, both sexes.....	143	143	144	124	139	150	197	192	130	64	16	-
Male.....	101	108	88	71	78	76	80	60	37	7	4	-
Female.....	42	35	56	53	61	74	117	132	93	57	12	-
Mexican, both sexes.....	75	69	68	48	61	69	95	95	51	27	6	-
Male.....	55	53	37	27	40	30	46	31	13	2	2	-
Female.....	20	16	31	21	21	39	49	64	38	25	4	-
Puerto Rican, both sexes.....	29	36	27	25	17	23	29	28	21	11	2	-
Male.....	16	26	20	16	5	12	8	7	7	1	1	-
Female.....	13	10	7	9	12	11	21	21	14	10	1	-
Cuban, both sexes.....	14	7	18	13	15	21	34	26	22	14	4	-
Male.....	11	7	12	8	9	11	11	10	8	3	1	-
Female.....	3	-	6	5	6	10	23	16	14	11	3	-
Central and South American, both sexes.....	11	21	20	26	31	21	26	25	15	6	1	-
Male.....	8	14	12	15	15	14	10	8	3	-	-	-
Female.....	3	7	8	11	16	7	16	17	12	6	1	-
Other and Unknown Hispanic, both sexes.....	14	10	11	12	15	16	13	18	21	6	3	-
Male.....	11	8	7	5	9	9	5	4	6	1	-	-
Female.....	3	2	4	7	6	7	8	14	15	5	3	-
Non-Hispanic 1/, both sexes.....	1,896	2,121	2,057	1,779	1,949	2,444	3,526	4,212	3,727	1,827	419	2
Male.....	1,293	1,418	1,380	1,109	994	1,168	1,345	1,252	869	318	48	2
Female.....	603	703	677	670	955	1,276	2,181	2,960	2,858	1,509	371	-
Non-Hispanic white 2/, both sexes.....	1,128	1,314	1,309	1,190	1,320	1,778	2,804	3,539	3,257	1,583	351	1
Male.....	815	915	901	753	682	865	1,051	1,048	752	269	37	1
Female.....	313	399	408	437	638	913	1,753	2,491	2,505	1,314	314	-
Non-Hispanic black 2/, both sexes.....	726	754	691	539	577	601	619	575	388	211	60	1
Male.....	454	467	441	321	291	272	250	168	93	39	8	1
Female.....	272	287	250	218	286	329	369	407	295	172	52	-
Origin not stated 3/, both sexes.....	9	15	7	6	12	7	-	6	4	1	-	-
Male.....	7	9	6	6	8	4	-	3	1	1	-	-
Female.....	2	6	1	-	4	3	-	3	3	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)												
All origins, both sexes.....	15,109	20,733	25,431	28,094	34,933	49,453	66,699	71,378	51,375	21,614	4,759	21
Male.....	11,475	15,446	18,030	18,881	21,896	28,400	34,293	31,157	17,665	5,263	804	15
Female.....	3,634	5,287	7,401	9,213	13,037	21,053	32,406	40,221	33,710	16,351	3,955	6
Hispanic, both sexes.....	913	1,221	1,537	1,718	2,042	2,774	3,234	2,877	1,862	885	199	2
Male.....	717	915	1,086	1,160	1,218	1,512	1,610	1,214	613	246	36	-
Female.....	196	306	451	558	824	1,262	1,624	1,663	1,249	639	163	2
Mexican, both sexes.....	583	701	852	931	1,011	1,424	1,622	1,361	782	396	87	-
Male.....	462	530	586	629	605	784	833	606	278	117	16	-
Female.....	121	171	266	302	406	640	789	755	504	279	71	-
Puerto Rican, both sexes.....	114	183	255	285	371	404	448	386	244	107	24	-
Male.....	82	135	197	183	227	215	231	132	79	31	2	-
Female.....	32	48	58	102	144	189	217	254	165	76	22	-
Cuban, both sexes.....	53	99	106	171	244	409	574	583	438	203	42	1
Male.....	46	78	76	118	154	227	262	254	128	48	7	-
Female.....	7	21	30	53	90	182	312	329	310	155	35	1
Central and South American, both sexes.....	98	129	161	178	232	284	292	265	202	89	26	1
Male.....	73	92	111	121	122	140	126	88	57	26	3	-
Female.....	15	37	50	57	110	144	166	177	145	63	23	1
Other and Unknown Hispanic, both sexes.....	75	109	163	153	184	253	298	282	196	90	20	-
Male.....	54	80	116	109	110	146	158	134	71	24	8	-
Female.....	21	29	47	44	74	107	140	148	125	66	12	-
Non-Hispanic 1/, both sexes.....	14,159	19,437	23,817	26,302	32,815	46,594	63,378	68,428	49,466	20,718	4,555	15
Male.....	10,727	14,478	16,885	17,663	20,619	26,829	32,638	29,913	17,034	5,014	767	11
Female.....	3,432	4,959	6,932	8,639	12,196	19,765	30,740	38,515	32,432	15,704	3,788	4
Non-Hispanic white 2/, both sexes.....	10,973	15,293	19,391	21,485	27,322	40,367	56,540	62,303	45,548	18,909	4,013	11
Male.....	8,525	11,662	14,036	14,764	17,528	23,635	29,634	27,591	15,879	4,610	667	9
Female.....	2,448	3,631	5,355	6,721	9,794	16,732	26,906	34,712	29,669	14,299	3,346	2
Non-Hispanic black 2/, both sexes.....	2,793	3,602	3,811	4,037	4,580	5,060	5,435	4,811	3,032	1,464	449	3
Male.....	1,877	2,396	2,427	2,389	2,528	2,542	2,322	1,725	820	278	75	1
Female.....	916	1,206	1,384	1,648	2,052	2,518	3,113	3,086	2,212	1,186	374	2
Origin not stated 3/, both sexes.....	37	75	77	74	76	85	87	73	47	11	5	4
Male.....	31	53	59	58	59	59	45	30	18	3	1	4
Female.....	6	22	18	16	17	26	42	43	29	8	4	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Acute myocardial infarction (I21-I22)												
All origins, both sexes.....	5,858	8,085	9,750	10,713	12,728	16,712	20,917	21,094	14,065	5,398	1,154	4
Male.....	4,402	5,920	6,824	7,037	7,787	9,279	10,419	8,905	4,786	1,333	182	3
Female.....	1,456	2,165	2,926	3,676	4,941	7,433	10,498	12,189	9,279	4,065	972	1
Hispanic, both sexes.....	331	444	518	578	706	930	1,090	938	549	246	48	-
Male.....	267	312	356	373	420	524	549	394	174	67	7	-
Female.....	64	132	162	205	286	406	541	544	375	179	41	-
Mexican, both sexes.....	238	272	314	344	381	525	608	477	251	126	26	-
Male.....	194	194	211	214	233	300	320	210	100	40	2	-
Female.....	44	78	103	130	148	225	288	267	151	86	24	-
Puerto Rican, both sexes.....	24	63	64	73	94	102	105	117	52	13	4	-
Male.....	20	45	49	47	53	49	53	38	17	4	-	-
Female.....	4	18	15	26	41	53	52	79	35	9	4	-
Cuban, both sexes.....	18	34	37	56	95	141	202	214	149	62	10	-
Male.....	15	25	25	36	59	76	101	95	34	15	3	-
Female.....	3	9	12	20	36	65	101	119	115	47	7	-
Central and South American, both sexes.....	31	40	42	55	73	82	90	66	49	20	4	-
Male.....	24	24	28	40	35	45	38	19	13	3	-	-
Female.....	7	16	14	15	38	37	52	47	36	17	4	-
Other and Unknown Hispanic, both sexes.....	20	35	61	50	63	80	85	64	48	25	4	-
Male.....	14	24	43	36	40	54	37	32	10	5	2	-
Female.....	6	11	18	14	23	26	48	32	38	20	2	-
Non-Hispanic 1/, both sexes.....	5,516	7,618	9,216	10,117	12,001	15,763	19,802	20,143	13,506	5,149	1,105	4
Male.....	4,125	5,593	6,457	6,649	7,348	8,741	9,856	8,507	4,608	1,266	174	3
Female.....	1,391	2,025	2,759	3,468	4,653	7,022	9,946	11,636	8,898	3,883	931	1
Non-Hispanic white 2/, both sexes.....	4,408	6,205	7,712	8,448	10,118	13,731	17,573	18,243	12,315	4,641	948	2
Male.....	3,391	4,679	5,526	5,700	6,301	7,732	8,912	7,814	4,255	1,138	151	2
Female.....	1,017	1,526	2,186	2,748	3,817	5,999	8,661	10,429	8,060	3,503	797	-
Non-Hispanic black 2/, both sexes.....	957	1,239	1,293	1,401	1,572	1,649	1,785	1,515	928	409	132	2
Male.....	614	784	784	777	854	793	721	527	248	88	17	1
Female.....	343	455	509	624	718	856	1,064	988	680	321	115	1
Origin not stated 3/, both sexes.....	11	23	16	18	21	19	25	13	10	3	1	-
Male.....	10	15	11	15	19	14	14	4	4	-	1	-
Female.....	1	8	5	3	2	5	11	9	6	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)												
All origins, both sexes.....	228	320	359	361	379	472	549	542	396	164	43	-
Male.....	168	240	247	245	234	238	262	197	99	25	11	-
Female.....	60	80	112	116	145	234	287	345	297	139	32	-
Hispanic, both sexes.....	4	9	11	10	20	17	13	16	4	2	1	-
Male.....	3	8	8	6	12	8	8	7	1	1	-	-
Female.....	1	1	3	4	8	9	5	9	3	1	1	-
Mexican, both sexes.....	3	6	6	6	13	12	5	10	2	1	-	-
Male.....	2	6	4	3	10	4	3	6	-	1	-	-
Female.....	1	-	2	3	3	8	2	4	2	-	-	-
Puerto Rican, both sexes.....	-	-	2	1	3	-	3	2	-	-	-	-
Male.....	-	-	2	1	-	-	3	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	2	-	-	-	-
Cuban, both sexes.....	1	1	1	2	2	2	3	1	-	-	-	-
Male.....	1	1	1	1	1	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	-	-	-	-
Central and South American, both sexes.....	-	1	2	-	1	3	2	1	1	-	1	-
Male.....	-	1	1	-	1	2	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	1	-	1	-
Other and Unknown Hispanic, both sexes.....	-	1	-	1	1	-	-	2	1	1	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	-	2	-	1	-	-
Non-Hispanic 1/, both sexes.....	224	308	344	350	359	455	535	526	392	162	42	-
Male.....	165	229	235	238	222	230	254	190	98	24	11	-
Female.....	59	79	109	112	137	225	281	336	294	138	31	-
Non-Hispanic white 2/, both sexes.....	162	241	277	283	292	382	479	472	360	144	36	-
Male.....	120	181	187	197	182	190	231	172	92	20	8	-
Female.....	42	60	90	86	110	192	248	300	268	124	28	-
Non-Hispanic black 2/, both sexes.....	53	59	53	54	57	64	49	44	25	11	6	-
Male.....	38	41	38	32	35	35	18	14	4	3	3	-
Female.....	15	18	15	22	22	29	31	30	21	8	3	-
Origin not stated 3/, both sexes.....	-	3	4	1	-	-	1	-	-	-	-	-
Male.....	-	3	4	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other forms of chronic ischemic heart disease (I20,I25)												
All origins, both sexes.....	9,023	12,328	15,322	17,020	21,826	32,269	45,233	49,742	36,914	16,052	3,562	17
Male.....	6,905	9,286	10,959	11,599	13,875	18,883	23,612	22,055	12,780	3,905	611	12
Female.....	2,118	3,042	4,363	5,421	7,951	13,386	21,621	27,687	24,134	12,147	2,951	5
Hispanic, both sexes.....	578	768	1,008	1,130	1,316	1,827	2,131	1,923	1,309	637	150	2
Male.....	447	595	722	781	786	980	1,053	813	438	178	29	-
Female.....	131	173	286	349	530	847	1,078	1,110	871	459	121	2
Mexican, both sexes.....	342	423	532	581	617	887	1,009	874	529	269	61	-
Male.....	266	330	371	412	362	480	510	390	178	76	14	-
Female.....	76	93	161	169	255	407	499	484	351	193	47	-
Puerto Rican, both sexes.....	90	120	189	211	274	302	340	267	192	94	20	-
Male.....	62	90	146	135	174	166	175	94	62	27	2	-
Female.....	28	30	43	76	100	136	165	173	130	67	18	-
Cuban, both sexes.....	34	64	68	113	147	266	369	368	289	141	32	1
Male.....	30	52	50	81	94	149	160	159	94	33	4	-
Female.....	4	12	18	32	53	117	209	209	195	108	28	1
Central and South American, both sexes.....	57	88	117	123	158	199	200	198	152	69	21	1
Male.....	49	67	82	81	86	93	87	68	44	23	3	-
Female.....	8	21	35	42	72	106	113	130	108	46	18	1
Other and Unknown Hispanic, both sexes.....	55	73	102	102	120	173	213	216	147	64	16	-
Male.....	40	56	73	72	70	92	121	102	60	19	6	-
Female.....	15	17	29	30	50	81	92	114	87	45	10	-
Non-Hispanic 1/, both sexes.....	8,419	11,511	14,257	15,835	20,455	30,376	43,041	47,759	35,568	15,407	3,408	11
Male.....	6,437	8,656	10,193	10,776	13,049	17,858	22,528	21,216	12,328	3,724	582	8
Female.....	1,982	2,855	4,064	5,059	7,406	12,518	20,513	26,543	23,240	11,683	2,826	3
Non-Hispanic white 2/, both sexes.....	6,403	8,847	11,402	12,754	16,912	26,254	38,488	43,588	32,873	14,124	3,029	9
Male.....	5,014	6,802	8,323	8,867	11,045	15,713	20,491	19,605	11,532	3,452	508	7
Female.....	1,389	2,045	3,079	3,887	5,867	10,541	17,997	23,983	21,341	10,672	2,521	2
Non-Hispanic black 2/, both sexes.....	1,783	2,304	2,465	2,582	2,951	3,347	3,601	3,252	2,079	1,044	311	1
Male.....	1,225	1,571	1,605	1,580	1,639	1,714	1,583	1,184	568	187	55	-
Female.....	558	733	860	1,002	1,312	1,633	2,018	2,068	1,511	857	256	1
Origin not stated 3/, both sexes.....	26	49	57	55	55	66	61	60	37	8	4	4
Male.....	21	35	44	42	40	45	31	26	14	3	-	4
Female.....	5	14	13	13	15	21	30	34	23	5	4	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)												
All origins, both sexes.....	3,719	4,721	5,334	4,782	5,102	6,298	7,923	8,007	6,021	2,690	629	10
Male.....	2,905	3,657	3,926	3,305	3,244	3,589	3,963	3,298	1,806	595	95	7
Female.....	814	1,064	1,408	1,477	1,858	2,709	3,960	4,709	4,215	2,095	534	3
Hispanic, both sexes.....	252	326	392	356	314	355	354	302	180	83	24	1
Male.....	195	260	294	271	208	193	169	131	64	22	6	-
Female.....	57	66	98	85	106	162	185	171	116	61	18	1
Mexican, both sexes.....	159	176	213	194	151	187	188	159	85	43	11	-
Male.....	126	137	161	150	98	96	85	74	32	10	4	-
Female.....	33	39	52	44	53	91	103	85	53	33	7	-
Puerto Rican, both sexes.....	33	54	72	56	65	50	39	38	22	10	5	-
Male.....	21	43	58	41	51	28	25	16	8	2	1	-
Female.....	12	11	14	15	14	22	14	22	14	8	4	-
Cuban, both sexes.....	9	15	15	30	20	33	35	31	22	9	2	-
Male.....	6	14	11	26	14	19	13	13	7	5	-	-
Female.....	3	1	4	4	6	14	22	18	15	4	2	-
Central and South American, both sexes.....	29	47	50	43	42	45	44	32	21	10	2	1
Male.....	25	40	34	30	25	24	21	11	7	3	1	-
Female.....	4	7	16	13	17	21	23	21	14	7	1	1
Other and Unknown Hispanic, both sexes.....	22	34	42	33	36	40	48	42	30	11	4	-
Male.....	17	26	30	24	20	26	25	17	10	2	-	-
Female.....	5	8	12	9	16	14	23	25	20	9	4	-
Non-Hispanic 1/, both sexes.....	3,451	4,369	4,905	4,391	4,755	5,904	7,548	7,683	5,830	2,604	604	7
Male.....	2,696	3,378	3,600	3,008	3,010	3,369	3,782	3,155	1,737	572	89	5
Female.....	755	991	1,305	1,383	1,745	2,535	3,766	4,528	4,093	2,032	515	2
Non-Hispanic white 2/, both sexes.....	2,557	3,256	3,778	3,328	3,707	4,811	6,451	6,790	5,224	2,309	519	7
Male.....	2,048	2,568	2,818	2,333	2,378	2,782	3,256	2,816	1,567	511	70	5
Female.....	509	688	960	995	1,329	2,029	3,195	3,974	3,657	1,798	449	2
Non-Hispanic black 2/, both sexes.....	790	981	993	932	916	920	907	735	510	255	75	-
Male.....	555	704	682	592	557	494	441	274	136	50	16	-
Female.....	235	277	311	340	359	426	466	461	374	205	59	-
Origin not stated 3/, both sexes.....	16	26	37	35	33	39	21	22	11	3	1	2
Male.....	14	19	32	26	26	27	12	12	5	1	-	2
Female.....	2	7	5	9	7	12	9	10	6	2	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
All origins, both sexes.....	5,304	7,607	9,988	12,238	16,724	25,971	37,310	41,735	30,893	13,362	2,933	7
Male.....	4,000	5,629	7,033	8,294	10,631	15,294	19,649	18,757	10,974	3,310	516	5
Female.....	1,304	1,978	2,955	3,944	6,093	10,677	17,661	22,978	19,919	10,052	2,417	2
Hispanic, both sexes.....	326	442	616	774	1,002	1,472	1,777	1,621	1,129	554	126	1
Male.....	252	335	428	510	578	787	884	682	374	156	23	-
Female.....	74	107	188	264	424	685	893	939	755	398	103	1
Mexican, both sexes.....	183	247	319	387	466	700	821	715	444	226	50	-
Male.....	140	193	210	262	264	384	425	316	146	66	10	-
Female.....	43	54	109	125	202	316	396	399	298	160	40	-
Puerto Rican, both sexes.....	57	66	117	155	209	252	301	229	170	84	15	-
Male.....	41	47	88	94	123	138	150	78	54	25	1	-
Female.....	16	19	29	61	86	114	151	151	116	59	14	-
Cuban, both sexes.....	25	49	53	83	127	233	334	337	267	132	30	1
Male.....	24	38	39	55	80	130	147	146	87	28	4	-
Female.....	1	11	14	28	47	103	187	191	180	104	26	1
Central and South American, both sexes.....	28	41	67	80	116	154	156	166	131	59	19	-
Male.....	24	27	48	51	61	69	66	57	37	20	2	-
Female.....	4	14	19	29	55	85	90	109	94	39	17	-
Other and Unknown Hispanic, both sexes.....	33	39	60	69	84	133	165	174	117	53	12	-
Male.....	23	30	43	48	50	66	96	85	50	17	6	-
Female.....	10	9	17	21	34	67	69	89	67	36	6	-
Non-Hispanic 1/, both sexes.....	4,968	7,142	9,352	11,444	15,700	24,472	35,493	40,076	29,738	12,803	2,804	4
Male.....	3,741	5,278	6,593	7,768	10,039	14,489	18,746	18,061	10,591	3,152	493	3
Female.....	1,227	1,864	2,759	3,676	5,661	9,983	16,747	22,015	19,147	9,651	2,311	1
Non-Hispanic white 2/, both sexes.....	3,846	5,591	7,624	9,426	13,205	21,443	32,037	36,798	27,649	11,815	2,510	2
Male.....	2,966	4,234	5,505	6,534	8,667	12,931	17,235	16,789	9,965	2,941	438	2
Female.....	880	1,357	2,119	2,892	4,538	8,512	14,802	20,009	17,684	8,874	2,072	-
Non-Hispanic black 2/, both sexes.....	993	1,323	1,472	1,650	2,035	2,427	2,694	2,517	1,569	789	236	1
Male.....	670	867	923	988	1,082	1,220	1,142	910	432	137	39	-
Female.....	323	456	549	662	953	1,207	1,552	1,607	1,137	652	197	1
Origin not stated 3/, both sexes.....	10	23	20	20	22	27	40	38	26	5	3	2
Male.....	7	16	12	16	14	18	19	14	9	2	-	2
Female.....	3	7	8	4	8	9	21	24	17	3	3	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)												
All origins, both sexes.....	5,215	6,503	7,743	9,297	12,348	18,764	28,170	33,259	26,410	11,220	2,416	4
Male.....	3,300	4,104	4,658	5,348	6,772	9,397	12,564	12,713	8,242	2,618	395	4
Female.....	1,915	2,399	3,085	3,949	5,576	9,367	15,606	20,546	18,168	8,602	2,021	-
Hispanic, both sexes.....	278	309	339	413	548	763	907	891	627	265	62	-
Male.....	180	192	201	227	290	381	392	357	206	84	21	-
Female.....	98	117	138	186	258	382	515	534	421	181	41	-
Mexican, both sexes.....	167	188	206	233	322	419	520	470	290	129	38	-
Male.....	103	117	120	122	173	206	217	194	103	40	12	-
Female.....	64	71	86	111	149	213	303	276	187	89	26	-
Puerto Rican, both sexes.....	43	37	49	65	68	91	84	94	66	17	4	-
Male.....	30	19	27	31	40	38	45	32	25	6	2	-
Female.....	13	18	22	34	28	53	39	62	41	11	2	-
Cuban, both sexes.....	14	14	26	35	59	98	132	154	122	60	9	-
Male.....	10	12	15	25	35	53	61	72	40	18	4	-
Female.....	4	2	11	10	24	45	71	82	82	42	5	-
Central and South American, both sexes.....	34	34	35	33	51	69	61	68	53	19	5	-
Male.....	24	21	22	21	22	32	24	19	13	8	-	-
Female.....	10	13	13	12	29	37	37	49	40	11	5	-
Other and Unknown Hispanic, both sexes.....	20	36	23	47	48	86	110	105	96	40	6	-
Male.....	13	23	17	28	20	52	45	40	25	12	3	-
Female.....	7	13	6	19	28	34	65	65	71	28	3	-
Non-Hispanic 1/, both sexes.....	4,925	6,178	7,390	8,872	11,783	17,986	27,244	32,338	25,755	10,953	2,350	3
Male.....	3,111	3,899	4,447	5,111	6,473	9,006	12,164	12,346	8,028	2,533	373	3
Female.....	1,814	2,279	2,943	3,761	5,310	8,980	15,080	19,992	17,727	8,420	1,977	-
Non-Hispanic white 2/, both sexes.....	3,424	4,464	5,698	6,954	9,673	15,596	24,397	29,839	23,984	10,103	2,081	3
Male.....	2,209	2,858	3,475	4,071	5,372	7,907	10,969	11,492	7,515	2,335	318	3
Female.....	1,215	1,606	2,223	2,883	4,301	7,689	13,428	18,347	16,469	7,768	1,763	-
Non-Hispanic black 2/, both sexes.....	1,400	1,577	1,515	1,704	1,875	2,058	2,363	2,011	1,453	715	241	-
Male.....	832	952	869	927	965	926	976	655	400	145	44	-
Female.....	568	625	646	777	910	1,132	1,387	1,356	1,053	570	197	-
Origin not stated 3/, both sexes.....	12	16	14	12	17	15	19	30	28	2	4	1
Male.....	9	13	10	10	9	10	8	10	8	1	1	1
Female.....	3	3	4	2	8	5	11	20	20	1	3	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Heart failure (I50)												
All origins, both sexes.....	690	1,139	1,619	2,291	3,458	5,985	9,950	12,855	11,224	5,230	1,249	1
Male.....	407	716	927	1,312	1,889	2,926	4,360	4,916	3,489	1,219	198	1
Female.....	283	423	692	979	1,569	3,059	5,590	7,939	7,735	4,011	1,051	-
Hispanic, both sexes.....	37	48	87	103	177	254	333	360	269	120	34	-
Male.....	25	29	52	56	100	112	139	146	87	40	11	-
Female.....	12	19	35	47	77	142	194	214	182	80	23	-
Mexican, both sexes.....	20	28	62	63	113	144	199	209	133	62	22	-
Male.....	14	20	37	33	67	67	86	86	48	21	7	-
Female.....	6	8	25	30	46	77	113	123	85	41	15	-
Puerto Rican, both sexes.....	9	8	10	18	19	34	27	30	30	9	2	-
Male.....	6	3	8	8	9	12	12	12	8	4	2	-
Female.....	3	5	2	10	10	22	15	18	22	5	-	-
Cuban, both sexes.....	3	2	5	3	8	16	35	41	40	19	5	-
Male.....	3	1	3	3	4	8	16	21	12	7	1	-
Female.....	-	1	2	-	4	8	19	20	28	12	4	-
Central and South American, both sexes.....	3	3	7	8	16	23	26	28	22	9	3	-
Male.....	1	2	2	6	10	11	8	7	8	4	-	-
Female.....	2	1	5	2	6	12	18	21	14	5	3	-
Other and Unknown Hispanic, both sexes.....	2	7	3	11	21	37	46	52	44	21	2	-
Male.....	1	3	2	6	10	14	17	20	11	4	1	-
Female.....	1	4	1	5	11	23	29	32	33	17	1	-
Non-Hispanic 1/, both sexes.....	653	1,086	1,530	2,183	3,277	5,729	9,614	12,485	10,945	5,109	1,213	1
Male.....	382	683	873	1,251	1,788	2,813	4,220	4,767	3,398	1,179	187	1
Female.....	271	403	657	932	1,489	2,916	5,394	7,718	7,547	3,930	1,026	-
Non-Hispanic white 2/, both sexes.....	408	733	1,159	1,715	2,735	4,989	8,674	11,564	10,233	4,725	1,096	1
Male.....	248	465	667	1,010	1,512	2,473	3,849	4,468	3,190	1,091	163	1
Female.....	160	268	492	705	1,223	2,516	4,825	7,096	7,043	3,634	933	-
Non-Hispanic black 2/, both sexes.....	236	333	344	413	501	665	804	784	616	328	102	-
Male.....	130	206	194	209	256	299	312	247	171	68	21	-
Female.....	106	127	150	204	245	366	492	537	445	260	81	-
Origin not stated 3/, both sexes.....	-	5	2	5	4	2	3	10	10	1	2	-
Male.....	-	4	2	5	1	1	1	3	4	-	-	-
Female.....	-	1	-	-	3	1	2	7	6	1	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All origins, both sexes.....	4,351	5,194	5,964	6,826	8,715	12,555	17,999	20,245	15,125	5,964	1,163	2
Male.....	2,789	3,285	3,631	3,940	4,786	6,342	8,102	7,734	4,719	1,395	197	2
Female.....	1,562	1,909	2,333	2,886	3,929	6,213	9,897	12,511	10,406	4,569	966	-
Hispanic, both sexes.....	225	254	242	301	367	495	565	529	358	144	28	-
Male.....	146	159	141	168	188	259	250	211	119	43	10	-
Female.....	79	95	101	133	179	236	315	318	239	101	18	-
Mexican, both sexes.....	138	156	137	163	206	267	316	260	157	67	16	-
Male.....	82	95	78	86	104	134	129	108	55	19	5	-
Female.....	56	61	59	77	102	133	187	152	102	48	11	-
Puerto Rican, both sexes.....	32	28	38	47	48	54	57	64	36	7	2	-
Male.....	24	16	18	23	31	23	33	20	17	1	-	-
Female.....	8	12	20	24	17	31	24	44	19	6	2	-
Cuban, both sexes.....	10	12	21	31	51	81	97	113	82	41	4	-
Male.....	6	11	12	22	31	45	45	51	28	11	3	-
Female.....	4	1	9	9	20	36	52	62	54	30	1	-
Central and South American, both sexes.....	28	31	26	25	35	45	33	39	31	10	2	-
Male.....	23	19	18	15	12	20	15	12	5	4	-	-
Female.....	5	12	8	10	23	25	18	27	26	6	2	-
Other and Unknown Hispanic, both sexes.....	17	27	20	35	27	48	62	53	52	19	4	-
Male.....	11	18	15	22	10	37	28	20	14	8	2	-
Female.....	6	9	5	13	17	11	34	33	38	11	2	-
Non-Hispanic 1/, both sexes.....	4,114	4,929	5,710	6,518	8,336	12,047	17,418	19,696	14,749	5,819	1,133	1
Male.....	2,634	3,117	3,482	3,767	4,591	6,074	7,845	7,516	4,596	1,351	186	1
Female.....	1,480	1,812	2,228	2,751	3,745	5,973	9,573	12,180	10,153	4,468	947	-
Non-Hispanic white 2/, both sexes.....	2,910	3,614	4,427	5,109	6,800	10,427	15,521	18,137	13,696	5,356	981	1
Male.....	1,899	2,324	2,738	2,994	3,780	5,331	7,028	6,968	4,294	1,241	155	1
Female.....	1,011	1,290	1,689	2,115	3,020	5,096	8,493	11,169	9,402	4,115	826	-
Non-Hispanic black 2/, both sexes.....	1,118	1,203	1,136	1,253	1,347	1,368	1,552	1,213	833	384	139	-
Male.....	674	719	654	694	697	615	659	403	227	77	23	-
Female.....	444	484	482	559	650	753	893	810	606	307	116	-
Origin not stated 3/, both sexes.....	12	11	12	7	12	13	16	20	18	1	2	1
Male.....	9	9	8	5	7	9	7	7	4	1	1	1
Female.....	3	2	4	2	5	4	9	13	14	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Essential hypertension and hypertensive renal disease (I10,I12,I15)												
All origins, both sexes.....	800	951	1,173	1,376	1,757	2,574	3,868	4,687	3,716	1,695	438	1
Male.....	489	577	696	735	866	1,194	1,473	1,486	949	326	44	-
Female.....	311	374	477	641	891	1,380	2,395	3,201	2,767	1,369	394	1
Hispanic, both sexes.....	70	78	92	118	121	160	225	196	154	75	14	-
Male.....	43	44	57	63	67	64	96	81	48	18	2	-
Female.....	27	34	35	55	54	96	129	115	106	57	12	-
Mexican, both sexes.....	42	49	53	70	68	92	128	107	80	51	10	-
Male.....	25	28	34	37	39	38	56	44	23	14	2	-
Female.....	17	21	19	33	29	54	72	63	57	37	8	-
Puerto Rican, both sexes.....	10	9	11	21	16	24	29	31	14	6	1	-
Male.....	6	4	7	10	8	6	15	12	5	-	-	-
Female.....	4	5	4	11	8	18	14	19	9	6	1	-
Cuban, both sexes.....	2	4	5	10	14	15	30	24	26	7	1	-
Male.....	1	2	4	6	10	9	14	12	10	2	-	-
Female.....	1	2	1	4	4	6	16	12	16	5	1	-
Central and South American, both sexes.....	7	9	12	8	16	17	22	18	14	6	2	-
Male.....	4	7	5	6	9	6	5	7	4	1	-	-
Female.....	3	2	7	2	7	11	17	11	10	5	2	-
Other and Unknown Hispanic, both sexes.....	9	7	11	9	7	12	16	16	20	5	-	-
Male.....	7	3	7	4	1	5	6	6	6	1	-	-
Female.....	2	4	4	5	6	7	10	10	14	4	-	-
Non-Hispanic 1/, both sexes.....	728	873	1,079	1,257	1,630	2,411	3,637	4,486	3,561	1,619	424	1
Male.....	445	533	638	672	797	1,128	1,374	1,405	901	308	42	-
Female.....	283	340	441	585	833	1,283	2,263	3,081	2,660	1,311	382	1
Non-Hispanic white 2/, both sexes.....	378	486	663	811	1,144	1,807	2,928	3,801	3,082	1,378	355	-
Male.....	241	333	398	440	563	865	1,116	1,184	782	253	35	-
Female.....	137	153	265	371	581	942	1,812	2,617	2,300	1,125	320	-
Non-Hispanic black 2/, both sexes.....	331	362	383	398	424	519	566	557	374	189	60	1
Male.....	191	188	214	206	202	228	203	161	89	34	4	-
Female.....	140	174	169	192	222	291	363	396	285	155	56	1
Origin not stated 3/, both sexes.....	2	-	2	1	6	3	6	5	1	1	-	-
Male.....	1	-	1	-	2	2	3	-	-	-	-	-
Female.....	1	-	1	1	4	1	3	5	1	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cerebrovascular diseases (I60-I69)												
All origins, both sexes.....	3,769	4,745	5,755	7,461	10,546	16,973	25,006	28,161	19,235	7,315	1,264	6
Male.....	2,097	2,757	3,235	3,978	5,373	7,868	9,832	9,423	4,955	1,376	161	4
Female.....	1,672	1,988	2,520	3,483	5,173	9,105	15,174	18,738	14,280	5,939	1,103	2
Hispanic, both sexes.....	356	452	459	526	646	929	1,093	1,017	528	231	50	-
Male.....	210	290	266	279	329	431	441	377	147	49	12	-
Female.....	146	162	193	247	317	498	652	640	381	182	38	-
Mexican, both sexes.....	226	283	306	317	385	577	640	552	278	110	21	-
Male.....	139	182	177	168	194	264	261	221	86	22	4	-
Female.....	87	101	129	149	191	313	379	331	192	88	17	-
Puerto Rican, both sexes.....	42	57	40	64	85	94	112	83	42	21	4	-
Male.....	17	42	29	34	46	48	45	27	10	6	-	-
Female.....	25	15	11	30	39	46	67	56	32	15	4	-
Cuban, both sexes.....	13	24	27	40	49	92	131	137	93	42	6	-
Male.....	8	14	16	28	24	45	57	52	23	7	2	-
Female.....	5	10	11	12	25	47	74	85	70	35	4	-
Central and South American, both sexes.....	45	55	40	58	66	79	102	105	54	33	10	-
Male.....	30	33	22	26	30	33	38	28	12	6	3	-
Female.....	15	22	18	32	36	46	64	77	42	27	7	-
Other and Unknown Hispanic, both sexes.....	30	33	46	47	61	87	108	140	61	25	9	-
Male.....	16	19	22	23	35	41	40	49	16	8	3	-
Female.....	14	14	24	24	26	46	68	91	45	17	6	-
Non-Hispanic 1/, both sexes.....	3,400	4,280	5,283	6,923	9,876	16,022	23,891	27,117	18,694	7,081	1,214	5
Male.....	1,877	2,459	2,960	3,692	5,028	7,421	9,382	9,035	4,806	1,325	149	3
Female.....	1,523	1,821	2,323	3,231	4,848	8,601	14,509	18,082	13,888	5,756	1,065	2
Non-Hispanic white 2/, both sexes.....	2,106	2,745	3,788	5,141	7,720	13,425	20,906	24,397	17,005	6,459	1,057	4
Male.....	1,196	1,565	2,127	2,733	3,935	6,246	8,200	8,186	4,368	1,202	117	3
Female.....	910	1,180	1,661	2,408	3,785	7,179	12,706	16,211	12,637	5,257	940	1
Non-Hispanic black 2/, both sexes.....	1,137	1,294	1,278	1,490	1,734	2,055	2,291	2,044	1,292	489	136	1
Male.....	595	771	715	807	885	916	907	597	299	91	25	-
Female.....	542	523	563	683	849	1,139	1,384	1,447	993	398	111	1
Origin not stated 3/, both sexes.....	13	13	13	12	24	22	22	27	13	3	-	1
Male.....	10	8	9	7	16	16	9	11	2	2	-	1
Female.....	3	5	4	5	8	6	13	16	11	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerosis (I70)												
All origins, both sexes.....	91	153	197	303	526	895	1,403	1,856	1,608	848	278	-
Male.....	62	101	142	188	286	426	601	674	483	165	38	-
Female.....	29	52	55	115	240	469	802	1,182	1,125	683	240	-
Hispanic, both sexes.....	8	6	6	10	31	55	65	59	49	22	11	-
Male.....	5	4	4	5	19	28	29	19	15	6	2	-
Female.....	3	2	2	5	12	27	36	40	34	16	9	-
Mexican, both sexes.....	3	5	5	7	17	37	33	31	26	6	7	-
Male.....	1	3	3	4	10	21	11	10	10	2	2	-
Female.....	2	2	2	3	7	16	22	21	16	4	5	-
Puerto Rican, both sexes.....	2	-	-	2	3	6	8	5	5	4	1	-
Male.....	2	-	-	-	2	4	5	1	1	-	-	-
Female.....	-	-	-	2	1	2	3	4	4	4	1	-
Cuban, both sexes.....	-	-	-	-	4	4	18	4	8	9	-	-
Male.....	-	-	-	-	3	2	11	2	1	3	-	-
Female.....	-	-	-	-	1	2	7	2	7	6	-	-
Central and South American, both sexes.....	2	1	-	1	2	1	-	5	3	-	3	-
Male.....	2	1	-	1	1	-	-	2	1	-	-	-
Female.....	-	-	-	-	1	1	-	3	2	-	3	-
Other and Unknown Hispanic, both sexes.....	1	-	1	-	5	7	6	14	7	3	-	-
Male.....	-	-	1	-	3	1	2	4	2	1	-	-
Female.....	1	-	-	-	2	6	4	10	5	2	-	-
Non-Hispanic 1/, both sexes.....	83	147	191	292	495	839	1,337	1,795	1,557	825	267	-
Male.....	57	97	138	182	267	398	571	655	466	159	36	-
Female.....	26	50	53	110	228	441	766	1,140	1,091	666	231	-
Non-Hispanic white 2/, both sexes.....	67	121	152	249	416	742	1,214	1,662	1,444	763	243	-
Male.....	46	79	105	154	227	361	528	604	438	148	33	-
Female.....	21	42	47	95	189	381	686	1,058	1,006	615	210	-
Non-Hispanic black 2/, both sexes.....	15	21	33	33	66	78	99	112	90	54	21	-
Male.....	11	15	27	20	34	30	33	41	22	9	2	-
Female.....	4	6	6	13	32	48	66	71	68	45	19	-
Origin not stated 3/, both sexes.....	-	-	-	1	-	1	1	2	2	1	-	-
Male.....	-	-	-	1	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of circulatory system (I71-I78)												
All origins, both sexes.....	663	936	1,360	1,717	2,348	3,172	3,902	3,586	2,216	769	123	3
Male.....	463	654	926	1,104	1,370	1,703	1,910	1,552	774	194	17	3
Female.....	200	282	434	613	978	1,469	1,992	2,034	1,442	575	106	-
Hispanic, both sexes.....	28	47	55	70	98	131	122	107	67	24	2	-
Male.....	19	33	35	45	53	70	60	42	28	4	1	-
Female.....	9	14	20	25	45	61	62	65	39	20	1	-
Mexican, both sexes.....	16	19	33	42	53	76	61	48	26	15	1	-
Male.....	10	16	20	26	33	40	28	17	13	3	-	-
Female.....	6	3	13	16	20	36	33	31	13	12	1	-
Puerto Rican, both sexes.....	7	10	5	8	16	15	16	15	4	2	-	-
Male.....	6	7	4	4	8	9	10	5	-	-	-	-
Female.....	1	3	1	4	8	6	6	10	4	2	-	-
Cuban, both sexes.....	-	5	5	7	9	14	22	20	18	3	-	-
Male.....	-	5	2	7	3	8	14	14	8	1	-	-
Female.....	-	-	3	-	6	6	8	6	10	2	-	-
Central and South American, both sexes.....	3	9	8	9	8	11	12	11	8	1	1	-
Male.....	2	4	6	5	3	7	4	2	1	-	1	-
Female.....	1	5	2	4	5	4	8	9	7	1	-	-
Other and Unknown Hispanic, both sexes.....	2	4	4	4	12	15	11	13	11	3	-	-
Male.....	1	1	3	3	6	6	4	4	6	-	-	-
Female.....	1	3	1	1	6	9	7	9	5	3	-	-
Non-Hispanic 1/, both sexes.....	634	887	1,303	1,644	2,250	3,037	3,774	3,479	2,148	743	121	3
Male.....	444	619	889	1,056	1,317	1,631	1,848	1,510	745	189	16	3
Female.....	190	268	414	588	933	1,406	1,926	1,969	1,403	554	105	-
Non-Hispanic white 2/, both sexes.....	430	657	1,062	1,357	1,955	2,682	3,363	3,150	1,981	650	100	2
Male.....	307	471	752	890	1,165	1,454	1,675	1,377	709	167	13	2
Female.....	123	186	310	467	790	1,228	1,688	1,773	1,272	483	87	-
Non-Hispanic black 2/, both sexes.....	177	202	191	232	239	287	313	267	136	77	20	1
Male.....	123	130	108	130	120	144	117	101	26	17	3	1
Female.....	54	72	83	102	119	143	196	166	110	60	17	-
Origin not stated 3/, both sexes.....	1	2	2	3	-	4	6	-	1	2	-	-
Male.....	-	2	2	3	-	2	2	-	1	1	-	-
Female.....	1	-	-	-	-	2	4	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Aortic aneurysm and dissection (I71)												
All origins, both sexes.....	448	610	873	1,094	1,522	1,992	2,354	1,964	1,019	274	22	1
Male.....	341	453	640	751	947	1,119	1,222	937	430	83	3	1
Female.....	107	157	233	343	575	873	1,132	1,027	589	191	19	-
Hispanic, both sexes.....	20	23	30	35	57	66	64	56	32	8	-	-
Male.....	14	17	22	26	31	37	38	24	18	3	-	-
Female.....	6	6	8	9	26	29	26	32	14	5	-	-
Mexican, both sexes.....	11	7	18	18	32	32	32	22	8	5	-	-
Male.....	7	6	12	14	20	17	18	8	7	2	-	-
Female.....	4	1	6	4	12	15	14	14	1	3	-	-
Puerto Rican, both sexes.....	5	7	2	3	8	10	7	9	3	-	-	-
Male.....	4	5	2	2	4	5	6	3	-	-	-	-
Female.....	1	2	-	1	4	5	1	6	3	-	-	-
Cuban, both sexes.....	-	1	2	6	5	7	14	13	10	1	-	-
Male.....	-	1	2	6	1	5	9	10	7	1	-	-
Female.....	-	-	-	-	4	2	5	3	3	-	-	-
Central and South American, both sexes.....	3	7	6	6	6	9	5	6	6	1	-	-
Male.....	2	4	4	2	2	6	3	1	-	-	-	-
Female.....	1	3	2	4	4	3	2	5	6	1	-	-
Other and Unknown Hispanic, both sexes.....	1	1	2	2	6	8	6	6	5	1	-	-
Male.....	1	1	2	2	4	4	2	2	4	-	-	-
Female.....	-	-	-	-	2	4	4	4	1	1	-	-
Non-Hispanic 1/, both sexes.....	428	586	841	1,058	1,465	1,925	2,287	1,908	987	266	22	1
Male.....	327	435	616	724	916	1,081	1,183	913	412	80	3	1
Female.....	101	151	225	334	549	844	1,104	995	575	186	19	-
Non-Hispanic white 2/, both sexes.....	290	442	699	892	1,316	1,745	2,086	1,769	925	241	18	1
Male.....	227	338	534	628	834	987	1,097	852	401	71	2	1
Female.....	63	104	165	264	482	758	989	917	524	170	16	-
Non-Hispanic black 2/, both sexes.....	120	122	105	127	109	136	131	96	43	18	3	-
Male.....	89	84	60	70	57	72	44	36	7	5	1	-
Female.....	31	38	45	57	52	64	87	60	36	13	2	-
Origin not stated 3/, both sexes.....	-	1	2	1	-	1	3	-	-	-	-	-
Male.....	-	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)												
All origins, both sexes.....	215	326	487	623	826	1,180	1,548	1,622	1,197	495	101	2
Male.....	122	201	286	353	423	584	688	615	344	111	14	2
Female.....	93	125	201	270	403	596	860	1,007	853	384	87	-
Hispanic, both sexes.....	8	24	25	35	41	65	58	51	35	16	2	-
Male.....	5	16	13	19	22	33	22	18	10	1	1	-
Female.....	3	8	12	16	19	32	36	33	25	15	1	-
Mexican, both sexes.....	5	12	15	24	21	44	29	26	18	10	1	-
Male.....	3	10	8	12	13	23	10	9	6	1	-	-
Female.....	2	2	7	12	8	21	19	17	12	9	1	-
Puerto Rican, both sexes.....	2	3	3	5	8	5	9	6	1	2	-	-
Male.....	2	2	2	2	4	4	4	2	-	-	-	-
Female.....	-	1	1	3	4	1	5	4	1	2	-	-
Cuban, both sexes.....	-	4	3	1	4	7	8	7	8	2	-	-
Male.....	-	4	-	1	2	3	5	4	1	-	-	-
Female.....	-	-	3	-	2	4	3	3	7	2	-	-
Central and South American, both sexes.....	-	2	2	3	2	2	7	5	2	-	1	-
Male.....	-	-	2	3	1	1	1	1	1	-	1	-
Female.....	-	2	-	-	1	1	6	4	1	-	-	-
Other and Unknown Hispanic, both sexes.....	1	3	2	2	6	7	5	7	6	2	-	-
Male.....	-	-	1	1	2	2	2	2	2	-	-	-
Female.....	1	3	1	1	4	5	3	5	4	2	-	-
Non-Hispanic 1/, both sexes.....	206	301	462	586	785	1,112	1,487	1,571	1,161	477	99	2
Male.....	117	184	273	332	401	550	665	597	333	109	13	2
Female.....	89	117	189	254	384	562	822	974	828	368	86	-
Non-Hispanic white 2/, both sexes.....	140	215	363	465	639	937	1,277	1,381	1,056	409	82	1
Male.....	80	133	218	262	331	467	578	525	308	96	11	1
Female.....	60	82	145	203	308	470	699	856	748	313	71	-
Non-Hispanic black 2/, both sexes.....	57	80	86	105	130	151	182	171	93	59	17	1
Male.....	34	46	48	60	63	72	73	65	19	12	2	1
Female.....	23	34	38	45	67	79	109	106	74	47	15	-
Origin not stated 3/, both sexes.....	1	1	-	2	-	3	3	-	1	2	-	-
Male.....	-	1	-	2	-	1	1	-	1	1	-	-
Female.....	1	-	-	-	-	2	2	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other disorders of circulatory system (I80-I99)												
All origins, both sexes.....	289	296	290	250	302	419	469	495	303	124	38	1
Male.....	173	172	158	132	147	180	184	162	87	30	2	-
Female.....	116	124	132	118	155	239	285	333	216	94	36	1
Hispanic, both sexes.....	16	21	21	17	14	18	25	11	9	7	-	-
Male.....	10	13	12	10	8	7	7	2	6	-	-	-
Female.....	6	8	9	7	6	11	18	9	3	7	-	-
Mexican, both sexes.....	10	8	13	7	7	9	15	5	5	5	-	-
Male.....	7	5	5	4	4	4	4	1	3	-	-	-
Female.....	3	3	8	3	3	5	11	4	2	5	-	-
Puerto Rican, both sexes.....	-	7	3	1	2	4	2	3	2	-	-	-
Male.....	-	4	3	1	1	1	1	-	1	-	-	-
Female.....	-	3	-	-	1	3	1	3	1	-	-	-
Cuban, both sexes.....	1	-	2	4	1	4	6	2	1	2	-	-
Male.....	1	-	2	3	-	1	1	-	1	-	-	-
Female.....	-	-	-	1	1	3	5	2	-	2	-	-
Central and South American, both sexes.....	4	5	-	2	2	1	-	-	-	-	-	-
Male.....	1	4	-	-	1	1	-	-	-	-	-	-
Female.....	3	1	-	2	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	1	3	3	2	-	2	1	1	-	-	-
Male.....	1	-	2	2	2	-	1	1	1	-	-	-
Female.....	-	1	1	1	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	273	273	268	231	288	400	443	484	293	117	38	1
Male.....	163	159	145	120	139	172	177	160	81	30	2	-
Female.....	110	114	123	111	149	228	266	324	212	87	36	1
Non-Hispanic white 2/, both sexes.....	210	199	207	191	237	349	391	430	266	105	31	1
Male.....	125	109	113	98	122	152	156	143	73	29	2	-
Female.....	85	90	94	93	115	197	235	287	193	76	29	1
Non-Hispanic black 2/, both sexes.....	57	65	59	38	44	47	45	52	21	11	6	-
Male.....	34	44	32	21	16	19	17	17	6	-	-	-
Female.....	23	21	27	17	28	28	28	35	15	11	6	-
Origin not stated 3/, both sexes.....	-	2	1	2	-	1	1	-	1	-	-	-
Male.....	-	-	1	2	-	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	1	-	1	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza and pneumonia (J09-J18)												
All origins, both sexes.....	1,109	1,396	1,756	2,197	3,350	5,740	9,119	11,206	9,081	4,119	1,129	3
Male.....	660	834	1,047	1,232	1,812	2,955	4,457	4,876	3,319	1,191	256	3
Female.....	449	562	709	965	1,538	2,785	4,662	6,330	5,762	2,928	873	-
Hispanic, both sexes.....	84	99	127	152	241	336	470	437	308	162	45	1
Male.....	52	67	76	90	126	176	243	188	105	53	18	1
Female.....	32	32	51	62	115	160	227	249	203	109	27	-
Mexican, both sexes.....	42	51	71	94	124	206	268	231	150	86	23	-
Male.....	24	35	42	60	69	96	144	113	53	29	11	-
Female.....	18	16	29	34	55	110	124	118	97	57	12	-
Puerto Rican, both sexes.....	23	19	20	26	50	42	70	57	30	23	4	1
Male.....	17	12	15	13	27	30	39	22	14	5	2	1
Female.....	6	7	5	13	23	12	31	35	16	18	2	-
Cuban, both sexes.....	1	6	3	15	8	22	35	50	45	13	2	-
Male.....	1	3	1	8	3	13	18	17	13	6	-	-
Female.....	-	3	2	7	5	9	17	33	32	7	2	-
Central and South American, both sexes.....	5	16	20	11	35	28	58	45	47	20	9	-
Male.....	4	11	11	7	16	16	23	11	15	5	3	-
Female.....	1	5	9	4	19	12	35	34	32	15	6	-
Other and Unknown Hispanic, both sexes.....	13	7	13	6	24	38	39	54	36	20	7	-
Male.....	6	6	7	2	11	21	19	25	10	8	2	-
Female.....	7	1	6	4	13	17	20	29	26	12	5	-
Non-Hispanic 1/, both sexes.....	1,019	1,290	1,625	2,042	3,102	5,399	8,637	10,752	8,766	3,952	1,082	2
Male.....	603	763	968	1,139	1,683	2,774	4,207	4,681	3,212	1,137	238	2
Female.....	416	527	657	903	1,419	2,625	4,430	6,071	5,554	2,815	844	-
Non-Hispanic white 2/, both sexes.....	758	967	1,286	1,637	2,524	4,627	7,647	9,722	8,010	3,592	938	2
Male.....	442	583	758	899	1,361	2,367	3,731	4,211	2,943	1,036	200	2
Female.....	316	384	528	738	1,163	2,260	3,916	5,511	5,067	2,556	738	-
Non-Hispanic black 2/, both sexes.....	229	287	280	328	463	574	724	741	493	249	105	-
Male.....	138	157	171	192	259	300	334	308	162	60	21	-
Female.....	91	130	109	136	204	274	390	433	331	189	84	-
Origin not stated 3/, both sexes.....	6	7	4	3	7	5	12	17	7	5	2	-
Male.....	5	4	3	3	3	5	7	7	2	1	-	-
Female.....	1	3	1	-	4	-	5	10	5	4	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
All origins, both sexes.....	1,095	1,379	1,736	2,183	3,326	5,708	9,072	11,137	9,040	4,095	1,124	3
Male.....	651	825	1,036	1,225	1,800	2,940	4,435	4,847	3,304	1,182	256	3
Female.....	444	554	700	958	1,526	2,768	4,637	6,290	5,736	2,913	868	-
Hispanic, both sexes.....	82	99	124	152	239	336	469	436	307	161	45	1
Male.....	50	67	74	90	125	176	243	188	105	53	18	1
Female.....	32	32	50	62	114	160	226	248	202	108	27	-
Mexican, both sexes.....	40	51	69	94	122	206	268	231	149	86	23	-
Male.....	22	35	40	60	68	96	144	113	53	29	11	-
Female.....	18	16	29	34	54	110	124	118	96	57	12	-
Puerto Rican, both sexes.....	23	19	19	26	50	42	70	57	30	22	4	1
Male.....	17	12	15	13	27	30	39	22	14	5	2	1
Female.....	6	7	4	13	23	12	31	35	16	17	2	-
Cuban, both sexes.....	1	6	3	15	8	22	35	49	45	13	2	-
Male.....	1	3	1	8	3	13	18	17	13	6	-	-
Female.....	-	3	2	7	5	9	17	32	32	7	2	-
Central and South American, both sexes.....	5	16	20	11	35	28	58	45	47	20	9	-
Male.....	4	11	11	7	16	16	23	11	15	5	3	-
Female.....	1	5	9	4	19	12	35	34	32	15	6	-
Other and Unknown Hispanic, both sexes.....	13	7	13	6	24	38	38	54	36	20	7	-
Male.....	6	6	7	2	11	21	19	25	10	8	2	-
Female.....	7	1	6	4	13	17	19	29	26	12	5	-
Non-Hispanic 1/, both sexes.....	1,007	1,273	1,608	2,028	3,080	5,367	8,591	10,685	8,726	3,929	1,077	2
Male.....	596	754	959	1,132	1,672	2,759	4,185	4,653	3,197	1,128	238	2
Female.....	411	519	649	896	1,408	2,608	4,406	6,032	5,529	2,801	839	-
Non-Hispanic white 2/, both sexes.....	749	953	1,271	1,625	2,504	4,599	7,602	9,658	7,970	3,569	933	2
Male.....	435	576	749	892	1,351	2,354	3,710	4,184	2,928	1,027	200	2
Female.....	314	377	522	733	1,153	2,245	3,892	5,474	5,042	2,542	733	-
Non-Hispanic black 2/, both sexes.....	227	284	279	327	462	572	724	740	493	249	105	-
Male.....	138	155	171	192	258	299	334	308	162	60	21	-
Female.....	89	129	108	135	204	273	390	432	331	189	84	-
Origin not stated 3/, both sexes.....	6	7	4	3	7	5	12	16	7	5	2	-
Male.....	5	4	3	3	3	5	7	6	2	1	-	-
Female.....	1	3	1	-	4	-	5	10	5	4	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
All origins, both sexes.....	2,756	4,641	8,136	11,975	16,689	22,758	25,283	19,724	9,810	2,936	387	6
Male.....	1,422	2,478	4,255	6,207	8,472	11,303	12,136	8,729	3,737	927	87	6
Female.....	1,334	2,163	3,881	5,768	8,217	11,455	13,147	10,995	6,073	2,009	300	-
Hispanic, both sexes.....	80	122	175	271	374	602	719	562	315	106	16	1
Male.....	48	71	102	147	240	341	377	274	127	46	7	1
Female.....	32	51	73	124	134	261	342	288	188	60	9	-
Mexican, both sexes.....	37	61	90	124	194	303	331	266	126	44	5	1
Male.....	24	33	49	72	129	180	194	147	66	22	1	1
Female.....	13	28	41	52	65	123	137	119	60	22	4	-
Puerto Rican, both sexes.....	15	24	31	48	50	95	94	64	39	16	-	-
Male.....	9	15	18	23	30	48	39	27	11	5	-	-
Female.....	6	9	13	25	20	47	55	37	28	11	-	-
Cuban, both sexes.....	6	8	20	47	50	93	126	117	68	24	7	-
Male.....	5	6	13	28	32	56	65	56	24	9	4	-
Female.....	1	2	7	19	18	37	61	61	44	15	3	-
Central and South American, both sexes.....	8	9	10	17	20	39	48	42	34	6	3	-
Male.....	3	5	7	8	10	16	17	12	7	2	1	-
Female.....	5	4	3	9	10	23	31	30	27	4	2	-
Other and Unknown Hispanic, both sexes.....	14	20	24	35	60	72	120	73	48	16	1	-
Male.....	7	12	15	16	39	41	62	32	19	8	1	-
Female.....	7	8	9	19	21	31	58	41	29	8	-	-
Non-Hispanic 1/, both sexes.....	2,668	4,501	7,945	11,685	16,297	22,127	24,528	19,151	9,483	2,826	371	5
Male.....	1,368	2,394	4,141	6,048	8,223	10,946	11,737	8,449	3,602	881	80	5
Female.....	1,300	2,107	3,804	5,637	8,074	11,181	12,791	10,702	5,881	1,945	291	-
Non-Hispanic white 2/, both sexes.....	2,207	3,905	7,195	10,663	15,057	20,599	23,038	18,083	8,934	2,629	327	4
Male.....	1,155	2,082	3,689	5,471	7,527	10,070	10,927	7,921	3,340	803	67	4
Female.....	1,052	1,823	3,506	5,192	7,530	10,529	12,111	10,162	5,594	1,826	260	-
Non-Hispanic black 2/, both sexes.....	409	519	647	864	1,022	1,205	1,110	769	395	143	34	-
Male.....	189	271	392	485	570	682	601	355	179	55	10	-
Female.....	220	248	255	379	452	523	509	414	216	88	24	-
Origin not stated 3/, both sexes.....	8	18	16	19	18	29	36	11	12	4	-	-
Male.....	6	13	12	12	9	16	22	6	8	-	-	-
Female.....	2	5	4	7	9	13	14	5	4	4	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
All origins, both sexes.....	322	597	993	1,396	1,898	2,421	2,414	1,588	728	172	21	1
Male.....	199	342	561	768	1,021	1,270	1,187	750	288	54	3	1
Female.....	123	255	432	628	877	1,151	1,227	838	440	118	18	-
Hispanic, both sexes.....	11	12	18	27	46	39	71	40	18	2	-	1
Male.....	6	10	14	13	33	23	43	23	8	1	-	1
Female.....	5	2	4	14	13	16	28	17	10	1	-	-
Mexican, both sexes.....	6	5	9	8	27	20	36	18	5	1	-	1
Male.....	5	3	8	5	21	12	21	13	4	1	-	1
Female.....	1	2	1	3	6	8	15	5	1	-	-	-
Puerto Rican, both sexes.....	-	3	2	4	8	7	12	7	6	1	-	-
Male.....	-	3	1	2	6	3	5	1	2	-	-	-
Female.....	-	-	1	2	2	4	7	6	4	1	-	-
Cuban, both sexes.....	-	-	3	9	5	7	7	8	5	-	-	-
Male.....	-	-	2	5	3	4	5	6	2	-	-	-
Female.....	-	-	1	4	2	3	2	2	3	-	-	-
Central and South American, both sexes.....	2	1	3	1	2	3	5	3	1	-	-	-
Male.....	-	1	3	1	1	3	3	1	-	-	-	-
Female.....	2	-	-	-	1	-	2	2	1	-	-	-
Other and Unknown Hispanic, both sexes.....	3	3	1	5	4	2	11	4	1	-	-	-
Male.....	1	3	-	-	2	1	9	2	-	-	-	-
Female.....	2	-	1	5	2	1	2	2	1	-	-	-
Non-Hispanic 1/, both sexes.....	309	583	972	1,366	1,849	2,379	2,341	1,546	709	169	21	-
Male.....	192	331	545	753	987	1,246	1,142	725	279	53	3	-
Female.....	117	252	427	613	862	1,133	1,199	821	430	116	18	-
Non-Hispanic white 2/, both sexes.....	267	525	882	1,257	1,727	2,211	2,206	1,467	671	163	17	-
Male.....	163	294	481	681	917	1,140	1,062	677	258	49	3	-
Female.....	104	231	401	576	810	1,071	1,144	790	413	114	14	-
Non-Hispanic black 2/, both sexes.....	38	52	77	96	96	132	100	54	31	6	4	-
Male.....	25	33	55	63	60	82	56	33	17	4	-	-
Female.....	13	19	22	33	36	50	44	21	14	2	4	-
Origin not stated 3/, both sexes.....	2	2	3	3	3	3	2	2	1	1	-	-
Male.....	1	1	2	2	1	1	2	2	1	-	-	-
Female.....	1	1	1	1	2	2	-	-	-	1	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic lower respiratory diseases (J44,J47)												
All origins, both sexes.....	2,143	3,773	6,901	10,329	14,541	20,024	22,432	17,699	8,770	2,623	331	3
Male.....	1,109	2,019	3,595	5,346	7,375	9,923	10,801	7,862	3,382	846	80	3
Female.....	1,034	1,754	3,306	4,983	7,166	10,101	11,631	9,837	5,388	1,777	251	-
Hispanic, both sexes.....	56	90	141	228	314	538	627	500	284	99	15	-
Male.....	36	50	82	126	201	309	325	241	118	45	6	-
Female.....	20	40	59	102	113	229	302	259	166	54	9	-
Mexican, both sexes.....	27	48	72	106	160	271	287	237	116	41	5	-
Male.....	17	25	37	64	104	166	169	128	62	21	1	-
Female.....	10	23	35	42	56	105	118	109	54	20	4	-
Puerto Rican, both sexes.....	11	18	27	40	39	81	78	51	32	14	-	-
Male.....	6	11	17	18	22	41	33	24	9	5	-	-
Female.....	5	7	10	22	17	40	45	27	23	9	-	-
Cuban, both sexes.....	4	6	15	37	44	83	114	108	59	24	7	-
Male.....	4	5	11	22	29	50	57	49	21	9	4	-
Female.....	-	1	4	15	15	33	57	59	38	15	3	-
Central and South American, both sexes.....	3	6	6	16	16	33	41	39	31	6	2	-
Male.....	3	4	3	7	9	12	14	11	7	2	-	-
Female.....	-	2	3	9	7	21	27	28	24	4	2	-
Other and Unknown Hispanic, both sexes.....	11	12	21	29	55	70	107	65	46	14	1	-
Male.....	6	5	14	15	37	40	52	29	19	8	1	-
Female.....	5	7	7	14	18	30	55	36	27	6	-	-
Non-Hispanic 1/, both sexes.....	2,081	3,667	6,747	10,085	14,212	19,460	21,772	17,190	8,475	2,521	316	3
Male.....	1,068	1,957	3,503	5,210	7,166	9,599	10,457	7,617	3,257	801	74	3
Female.....	1,013	1,710	3,244	4,875	7,046	9,861	11,315	9,573	5,218	1,720	242	-
Non-Hispanic white 2/, both sexes.....	1,779	3,228	6,160	9,238	13,153	18,146	20,487	16,252	7,986	2,350	280	3
Male.....	927	1,726	3,150	4,733	6,561	8,849	9,754	7,151	3,022	733	62	3
Female.....	852	1,502	3,010	4,505	6,592	9,297	10,733	9,101	4,964	1,617	218	-
Non-Hispanic black 2/, both sexes.....	269	381	508	716	876	1,042	967	684	351	124	27	-
Male.....	127	202	308	398	493	587	529	316	160	48	10	-
Female.....	142	179	200	318	383	455	438	368	191	76	17	-
Origin not stated 3/, both sexes.....	6	16	13	16	15	26	33	9	11	3	-	-
Male.....	5	12	10	10	8	15	19	4	7	-	-	-
Female.....	1	4	3	6	7	11	14	5	4	3	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumoconioses and chemical effects (J60-J66,J68)												
All origins, both sexes.....	14	26	33	49	126	162	222	179	79	14	-	-
Male.....	14	22	31	47	122	157	215	170	75	13	-	-
Female.....	-	4	2	2	4	5	7	9	4	1	-	-
Hispanic, both sexes.....	1	-	1	2	2	3	4	4	2	1	-	-
Male.....	1	-	1	2	2	3	4	3	2	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Mexican, both sexes.....	1	-	1	1	1	3	1	3	2	1	-	-
Male.....	1	-	1	1	1	3	1	2	2	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Puerto Rican, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	13	26	32	47	124	159	217	175	77	13	-	-
Male.....	13	22	30	45	120	154	211	167	73	12	-	-
Female.....	-	4	2	2	4	5	6	8	4	1	-	-
Non-Hispanic white 2/, both sexes.....	10	25	29	43	120	147	205	171	76	13	-	-
Male.....	10	21	28	41	116	144	200	163	72	12	-	-
Female.....	-	4	1	2	4	3	5	8	4	1	-	-
Non-Hispanic black 2/, both sexes.....	3	1	3	4	4	10	12	4	1	-	-	-
Male.....	3	1	2	4	4	9	11	4	1	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-
Origin not stated 3/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
All origins, both sexes.....	255	393	491	628	1,096	1,876	3,311	4,070	2,970	1,165	246	1
Male.....	161	259	290	376	666	1,125	1,801	2,121	1,341	419	63	1
Female.....	94	134	201	252	430	751	1,510	1,949	1,629	746	183	-
Hispanic, both sexes.....	11	30	24	27	48	67	88	97	67	32	14	-
Male.....	9	16	11	17	28	44	43	54	30	11	4	-
Female.....	2	14	13	10	20	23	45	43	37	21	10	-
Mexican, both sexes.....	7	20	16	16	29	40	54	56	35	16	5	-
Male.....	5	10	7	11	18	24	30	30	18	6	-	-
Female.....	2	10	9	5	11	16	24	26	17	10	5	-
Puerto Rican, both sexes.....	1	4	4	3	7	10	10	12	6	2	1	-
Male.....	1	2	1	2	4	7	5	4	1	1	-	-
Female.....	-	2	3	1	3	3	5	8	5	1	1	-
Cuban, both sexes.....	1	2	1	3	6	6	10	15	15	7	5	-
Male.....	1	1	1	1	2	4	3	10	5	1	1	-
Female.....	-	1	-	2	4	2	7	5	10	6	4	-
Central and South American, both sexes.....	-	1	1	-	3	1	5	3	1	3	1	-
Male.....	-	1	-	-	2	1	2	2	-	1	1	-
Female.....	-	-	1	-	1	-	3	1	1	2	-	-
Other and Unknown Hispanic, both sexes.....	2	3	2	5	3	10	9	11	10	4	2	-
Male.....	2	2	2	3	2	8	3	8	6	2	2	-
Female.....	-	1	-	2	1	2	6	3	4	2	-	-
Non-Hispanic 1/, both sexes.....	241	360	467	601	1,046	1,806	3,219	3,971	2,901	1,131	231	1
Male.....	151	240	279	359	638	1,078	1,755	2,065	1,311	406	59	1
Female.....	90	120	188	242	408	728	1,464	1,906	1,590	725	172	-
Non-Hispanic white 2/, both sexes.....	191	276	385	504	904	1,590	2,899	3,636	2,695	1,047	201	1
Male.....	123	181	232	304	549	949	1,585	1,911	1,223	376	53	1
Female.....	68	95	153	200	355	641	1,314	1,725	1,472	671	148	-
Non-Hispanic black 2/, both sexes.....	44	78	77	83	122	178	258	260	152	64	23	-
Male.....	25	53	44	51	78	106	136	117	52	16	2	-
Female.....	19	25	33	32	44	72	122	143	100	48	21	-
Origin not stated 3/, both sexes.....	3	3	-	-	2	3	4	2	2	2	1	-
Male.....	1	3	-	-	-	3	3	2	-	2	-	-
Female.....	2	-	-	-	2	-	1	-	2	-	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All origins, both sexes.....	842	1,268	1,770	2,350	3,206	4,354	5,181	4,447	2,311	762	137	-
Male.....	488	708	995	1,303	1,819	2,361	2,564	1,976	795	202	34	-
Female.....	354	560	775	1,047	1,387	1,993	2,617	2,471	1,516	560	103	-
Hispanic, both sexes.....	71	93	131	165	220	246	266	185	72	30	7	-
Male.....	49	52	75	100	105	116	121	84	32	6	4	-
Female.....	22	41	56	65	115	130	145	101	40	24	3	-
Mexican, both sexes.....	55	61	71	86	122	132	155	97	32	14	3	-
Male.....	36	35	38	53	62	60	75	39	16	3	2	-
Female.....	19	26	33	33	60	72	80	58	16	11	1	-
Puerto Rican, both sexes.....	8	14	24	21	24	28	25	15	9	3	2	-
Male.....	6	8	13	10	11	9	12	5	4	-	1	-
Female.....	2	6	11	11	13	19	13	10	5	3	1	-
Cuban, both sexes.....	2	2	6	14	16	30	27	24	4	6	-	-
Male.....	1	-	5	10	7	12	12	-	-	1	-	-
Female.....	1	2	1	4	9	18	15	12	4	5	-	-
Central and South American, both sexes.....	3	6	16	28	38	24	32	24	12	6	1	-
Male.....	3	4	10	18	13	17	10	15	4	2	1	-
Female.....	-	2	6	10	25	7	22	9	8	4	-	-
Other and Unknown Hispanic, both sexes.....	3	10	14	16	20	32	27	25	15	1	1	-
Male.....	3	5	9	9	12	18	12	13	8	-	-	-
Female.....	-	5	5	7	8	14	15	12	7	1	1	-
Non-Hispanic 1/, both sexes.....	768	1,170	1,638	2,184	2,986	4,102	4,912	4,259	2,238	732	130	-
Male.....	437	653	920	1,202	1,714	2,240	2,442	1,892	762	196	30	-
Female.....	331	517	718	982	1,272	1,862	2,470	2,367	1,476	536	100	-
Non-Hispanic white 2/, both sexes.....	571	908	1,369	1,875	2,593	3,717	4,527	3,937	2,085	684	113	-
Male.....	328	516	769	1,049	1,503	2,072	2,252	1,764	711	180	27	-
Female.....	243	392	600	826	1,090	1,645	2,275	2,173	1,374	504	86	-
Non-Hispanic black 2/, both sexes.....	177	223	222	239	292	275	267	216	114	32	14	-
Male.....	95	118	123	113	148	120	124	85	39	7	2	-
Female.....	82	105	99	126	144	155	143	131	75	25	12	-
Origin not stated 3/, both sexes.....	3	5	1	1	-	6	3	3	1	-	-	-
Male.....	2	3	-	1	-	5	1	-	1	-	-	-
Female.....	1	2	1	-	-	1	2	3	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hernia (K40-K46)												
All origins, both sexes.....	56	70	100	103	141	198	276	291	238	88	8	-
Male.....	31	40	51	37	74	85	106	106	80	26	2	-
Female.....	25	30	49	66	67	113	170	185	158	62	6	-
Hispanic, both sexes.....	5	3	6	8	6	8	12	12	12	4	-	-
Male.....	3	2	3	2	1	3	5	2	5	1	-	-
Female.....	2	1	3	6	5	5	7	10	7	3	-	-
Mexican, both sexes.....	2	-	4	6	2	7	8	7	6	3	-	-
Male.....	-	-	3	2	-	3	3	1	3	1	-	-
Female.....	2	-	1	4	2	4	5	6	3	2	-	-
Puerto Rican, both sexes.....	1	1	-	1	2	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	2	-	1	-	-	1	-	-
Cuban, both sexes.....	1	1	-	-	-	-	1	1	2	-	-	-
Male.....	1	1	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Central and South American, both sexes.....	-	1	-	1	1	1	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	1	1	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	1	-	2	-	1	-	2	3	3	-	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	2	-	-	-	1	2	3	-	-	-
Non-Hispanic 1/, both sexes.....	50	67	94	94	134	190	263	279	226	84	8	-
Male.....	27	38	48	34	73	82	101	104	75	25	2	-
Female.....	23	29	46	60	61	108	162	175	151	59	6	-
Non-Hispanic white 2/, both sexes.....	34	57	78	76	114	171	231	267	215	81	6	-
Male.....	18	30	38	29	62	69	86	97	73	22	1	-
Female.....	16	27	40	47	52	102	145	170	142	59	5	-
Non-Hispanic black 2/, both sexes.....	13	9	15	17	19	12	29	11	10	2	1	-
Male.....	7	7	10	4	10	8	14	7	2	2	1	-
Female.....	6	2	5	13	9	4	15	4	8	-	-	-
Origin not stated 3/, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic liver disease and cirrhosis (K70,K73-K74)												
All origins, both sexes.....	4,672	4,485	3,519	2,745	2,422	2,143	1,551	794	257	40	2	3
Male.....	3,359	3,278	2,454	1,809	1,410	1,186	763	356	86	15	1	3
Female.....	1,313	1,207	1,065	936	1,012	957	788	438	171	25	1	-
Hispanic, both sexes.....	648	493	461	363	337	271	149	77	22	1	-	1
Male.....	509	387	336	238	203	140	55	35	8	-	-	1
Female.....	139	106	125	125	134	131	94	42	14	1	-	-
Mexican, both sexes.....	441	343	297	235	233	175	85	42	14	1	-	-
Male.....	351	276	210	151	146	92	35	22	6	-	-	-
Female.....	90	67	87	84	87	83	50	20	8	1	-	-
Puerto Rican, both sexes.....	66	52	54	49	37	29	9	9	3	-	-	-
Male.....	50	38	41	36	21	19	3	2	1	-	-	-
Female.....	16	14	13	13	16	10	6	7	2	-	-	-
Cuban, both sexes.....	16	11	15	15	18	15	17	9	3	-	-	-
Male.....	14	8	13	11	11	9	4	4	1	-	-	-
Female.....	2	3	2	4	7	6	13	5	2	-	-	-
Central and South American, both sexes.....	53	36	36	21	17	22	18	9	2	-	-	1
Male.....	36	23	25	12	8	5	2	4	-	-	-	1
Female.....	17	13	11	9	9	17	16	5	2	-	-	-
Other and Unknown Hispanic, both sexes.....	72	51	59	43	32	30	20	8	-	-	-	-
Male.....	58	42	47	28	17	15	11	3	-	-	-	-
Female.....	14	9	12	15	15	15	9	5	-	-	-	-
Non-Hispanic 1/, both sexes.....	4,010	3,981	3,048	2,377	2,084	1,870	1,400	716	235	39	2	2
Male.....	2,836	2,882	2,109	1,568	1,206	1,045	708	320	78	15	1	2
Female.....	1,174	1,099	939	809	878	825	692	396	157	24	1	-
Non-Hispanic white 2/, both sexes.....	3,338	3,291	2,636	2,087	1,843	1,708	1,307	664	218	38	1	2
Male.....	2,379	2,402	1,840	1,369	1,066	951	666	304	74	14	-	2
Female.....	959	889	796	718	777	757	641	360	144	24	1	-
Non-Hispanic black 2/, both sexes.....	497	538	319	220	179	107	48	30	8	-	1	-
Male.....	348	380	218	159	112	70	20	9	1	-	1	-
Female.....	149	158	101	61	67	37	28	21	7	-	-	-
Origin not stated 3/, both sexes.....	14	11	10	5	1	2	2	1	-	-	-	-
Male.....	14	9	9	3	1	1	-	1	-	-	-	-
Female.....	-	2	1	2	-	1	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic liver disease and cirrhosis (K73-K74)												
All origins, both sexes.....	1,856	1,992	1,703	1,580	1,628	1,639	1,308	704	236	34	1	-
Male.....	1,284	1,376	1,062	912	802	807	588	288	73	12	1	-
Female.....	572	616	641	668	826	832	720	416	163	22	-	-
Hispanic, both sexes.....	242	197	213	198	218	186	120	63	16	1	-	-
Male.....	174	133	125	99	101	73	36	21	4	-	-	-
Female.....	68	64	88	99	117	113	84	42	12	1	-	-
Mexican, both sexes.....	151	132	136	128	147	111	62	33	8	1	-	-
Male.....	109	91	74	57	68	42	19	13	2	-	-	-
Female.....	42	41	62	71	79	69	43	20	6	1	-	-
Puerto Rican, both sexes.....	35	30	28	32	23	23	7	8	3	-	-	-
Male.....	28	19	19	21	10	14	1	1	1	-	-	-
Female.....	7	11	9	11	13	9	6	7	2	-	-	-
Cuban, both sexes.....	6	4	7	10	14	12	16	7	3	-	-	-
Male.....	5	2	5	7	8	6	4	2	1	-	-	-
Female.....	1	2	2	3	6	6	12	5	2	-	-	-
Central and South American, both sexes.....	22	11	19	11	13	18	15	7	2	-	-	-
Male.....	10	6	13	6	6	3	1	2	-	-	-	-
Female.....	12	5	6	5	7	15	14	5	2	-	-	-
Other and Unknown Hispanic, both sexes.....	28	20	23	17	21	22	20	8	-	-	-	-
Male.....	22	15	14	8	9	8	11	3	-	-	-	-
Female.....	6	5	9	9	12	14	9	5	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,608	1,789	1,487	1,380	1,409	1,451	1,186	640	220	33	1	-
Male.....	1,104	1,238	934	812	700	733	552	266	69	12	1	-
Female.....	504	551	553	568	709	718	634	374	151	21	-	-
Non-Hispanic white 2/, both sexes.....	1,294	1,420	1,285	1,222	1,262	1,330	1,110	595	204	32	-	-
Male.....	901	982	817	716	634	671	520	254	66	11	-	-
Female.....	393	438	468	506	628	659	590	341	138	21	-	-
Non-Hispanic black 2/, both sexes.....	262	298	165	121	104	77	39	24	8	-	1	-
Male.....	174	208	101	80	52	45	15	6	1	-	1	-
Female.....	88	90	64	41	52	32	24	18	7	-	-	-
Origin not stated 3/, both sexes.....	6	6	3	2	1	2	2	1	-	-	-	-
Male.....	6	5	3	1	1	1	-	1	-	-	-	-
Female.....	-	1	-	1	-	1	2	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)												
All origins, both sexes.....	79	118	122	208	274	418	593	666	427	162	29	-
Male.....	41	69	62	115	154	220	287	260	125	33	4	-
Female.....	38	49	60	93	120	198	306	406	302	129	25	-
Hispanic, both sexes.....	6	13	14	25	21	33	35	33	23	6	5	-
Male.....	4	12	7	16	11	16	16	13	6	3	3	-
Female.....	2	1	7	9	10	17	19	20	17	3	2	-
Mexican, both sexes.....	3	8	8	15	10	22	19	20	12	2	2	-
Male.....	2	7	4	10	6	10	9	9	4	1	1	-
Female.....	1	1	4	5	4	12	10	11	8	1	1	-
Puerto Rican, both sexes.....	1	1	3	2	2	4	-	1	2	-	1	-
Male.....	1	1	1	-	1	2	-	-	-	-	1	-
Female.....	-	-	2	2	1	2	-	1	2	-	-	-
Cuban, both sexes.....	-	-	1	1	1	1	4	3	1	-	1	-
Male.....	-	-	1	1	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	1	-	1	-
Central and South American, both sexes.....	1	1	1	3	5	4	4	3	2	2	1	-
Male.....	-	1	-	2	2	2	2	1	-	2	1	-
Female.....	1	-	1	1	3	2	2	2	2	-	-	-
Other and Unknown Hispanic, both sexes.....	1	3	1	4	3	2	8	6	6	2	-	-
Male.....	1	3	1	3	1	1	3	2	2	-	-	-
Female.....	-	-	-	1	2	1	5	4	4	2	-	-
Non-Hispanic 1/, both sexes.....	73	104	108	183	253	385	558	631	404	156	24	-
Male.....	37	57	55	99	143	204	271	246	119	30	1	-
Female.....	36	47	53	84	110	181	287	385	285	126	23	-
Non-Hispanic white 2/, both sexes.....	49	78	85	150	216	325	500	579	376	143	22	-
Male.....	25	44	49	88	122	184	243	228	109	26	1	-
Female.....	24	34	36	62	94	141	257	351	267	117	21	-
Non-Hispanic black 2/, both sexes.....	18	22	20	25	26	48	38	37	22	11	1	-
Male.....	8	11	5	9	13	18	19	13	7	3	-	-
Female.....	10	11	15	16	13	30	19	24	15	8	1	-
Origin not stated 3/, both sexes.....	-	1	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
All origins, both sexes.....	1,350	1,977	2,463	3,248	4,504	6,385	8,326	8,434	5,326	1,861	400	-
Male.....	775	1,110	1,368	1,693	2,351	3,253	4,182	3,853	2,123	609	101	-
Female.....	575	867	1,095	1,555	2,153	3,132	4,144	4,581	3,203	1,252	299	-
Hispanic, both sexes.....	142	172	199	270	341	406	381	289	161	65	17	-
Male.....	96	92	115	139	172	198	193	126	65	23	6	-
Female.....	46	80	84	131	169	208	188	163	96	42	11	-
Mexican, both sexes.....	89	116	129	175	209	250	232	166	90	33	8	-
Male.....	59	59	71	90	97	117	120	70	41	13	3	-
Female.....	30	57	58	85	112	133	112	96	49	20	5	-
Puerto Rican, both sexes.....	22	23	32	37	51	49	33	28	18	8	-	-
Male.....	17	13	19	20	30	25	19	15	5	3	-	-
Female.....	5	10	13	17	21	24	14	13	13	5	-	-
Cuban, both sexes.....	8	8	5	16	27	39	52	44	20	12	5	-
Male.....	6	6	3	9	15	21	29	21	8	2	1	-
Female.....	2	2	2	7	12	18	23	23	12	10	4	-
Central and South American, both sexes.....	15	14	20	20	21	36	34	22	19	8	-	-
Male.....	8	6	15	8	9	16	10	7	4	4	-	-
Female.....	7	8	5	12	12	20	24	15	15	4	-	-
Other and Unknown Hispanic, both sexes.....	8	11	13	22	33	32	30	29	14	4	4	-
Male.....	6	8	7	12	21	19	15	13	7	1	2	-
Female.....	2	3	6	10	12	13	15	16	7	3	2	-
Non-Hispanic 1/, both sexes.....	1,203	1,797	2,259	2,972	4,157	5,977	7,940	8,135	5,158	1,794	382	-
Male.....	678	1,014	1,249	1,550	2,173	3,054	3,987	3,721	2,055	585	95	-
Female.....	525	783	1,010	1,422	1,984	2,923	3,953	4,414	3,103	1,209	287	-
Non-Hispanic white 2/, both sexes.....	692	1,098	1,427	2,041	3,013	4,772	6,733	7,021	4,543	1,566	306	-
Male.....	395	648	801	1,077	1,641	2,539	3,474	3,315	1,844	515	72	-
Female.....	297	450	626	964	1,372	2,233	3,259	3,706	2,699	1,051	234	-
Non-Hispanic black 2/, both sexes.....	477	633	744	826	998	1,041	1,005	959	504	208	65	-
Male.....	259	328	395	414	451	448	409	335	160	62	17	-
Female.....	218	305	349	412	547	593	596	624	344	146	48	-
Origin not stated 3/, both sexes.....	5	8	5	6	6	2	5	10	7	2	1	-
Male.....	1	4	4	4	6	1	2	6	3	1	-	-
Female.....	4	4	1	2	-	1	3	4	4	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
All origins, both sexes.....	1,278	1,886	2,319	3,079	4,251	5,988	7,730	7,810	4,872	1,687	368	-
Male.....	726	1,053	1,283	1,600	2,207	3,048	3,885	3,568	1,921	547	94	-
Female.....	552	833	1,036	1,479	2,044	2,940	3,845	4,242	2,951	1,140	274	-
Hispanic, both sexes.....	130	166	188	256	323	376	343	263	149	61	16	-
Male.....	87	88	106	130	160	184	170	117	62	21	5	-
Female.....	43	78	82	126	163	192	173	146	87	40	11	-
Mexican, both sexes.....	82	112	123	166	201	231	208	151	80	29	8	-
Male.....	53	56	66	84	92	111	105	67	38	11	3	-
Female.....	29	56	57	82	109	120	103	84	42	18	5	-
Puerto Rican, both sexes.....	21	23	30	34	46	47	31	25	18	8	-	-
Male.....	16	13	17	19	26	24	18	13	5	3	-	-
Female.....	5	10	13	15	20	23	13	12	13	5	-	-
Cuban, both sexes.....	8	8	3	16	26	36	48	43	20	12	5	-
Male.....	6	6	2	9	14	18	28	21	8	2	1	-
Female.....	2	2	1	7	12	18	20	22	12	10	4	-
Central and South American, both sexes.....	11	12	19	19	18	34	30	18	17	8	-	-
Male.....	6	5	14	7	8	15	8	5	4	4	-	-
Female.....	5	7	5	12	10	19	22	13	13	4	-	-
Other and Unknown Hispanic, both sexes.....	8	11	13	21	32	28	26	26	14	4	3	-
Male.....	6	8	7	11	20	16	11	11	7	1	1	-
Female.....	2	3	6	10	12	12	15	15	7	3	2	-
Non-Hispanic 1/, both sexes.....	1,143	1,713	2,126	2,817	3,922	5,610	7,382	7,537	4,716	1,624	351	-
Male.....	638	962	1,173	1,466	2,041	2,863	3,713	3,445	1,856	525	89	-
Female.....	505	751	953	1,351	1,881	2,747	3,669	4,092	2,860	1,099	262	-
Non-Hispanic white 2/, both sexes.....	656	1,042	1,336	1,934	2,843	4,477	6,285	6,520	4,162	1,425	284	-
Male.....	372	613	748	1,018	1,541	2,379	3,245	3,077	1,672	464	68	-
Female.....	284	429	588	916	1,302	2,098	3,040	3,443	2,490	961	216	-
Non-Hispanic black 2/, both sexes.....	455	608	706	781	942	975	920	877	458	182	58	-
Male.....	244	313	373	390	423	420	376	305	140	56	17	-
Female.....	211	295	333	391	519	555	544	572	318	126	41	-
Origin not stated 3/, both sexes.....	5	7	5	6	6	2	5	10	7	2	1	-
Male.....	1	3	4	4	6	1	2	6	3	1	-	-
Female.....	4	4	1	2	-	1	3	4	4	1	1	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases,Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All origins, both sexes.....	1,152	1,161	1,068	1,071	1,428	2,230	3,604	4,915	4,975	2,852	1,118	43
Male.....	719	730	664	602	775	1,032	1,403	1,578	1,265	539	129	30
Female.....	433	431	404	469	653	1,198	2,201	3,337	3,710	2,313	989	13
Hispanic, both sexes.....	78	66	51	41	65	88	104	98	111	64	31	4
Male.....	54	35	39	24	37	44	43	37	25	19	9	4
Female.....	24	31	12	17	28	44	61	61	86	45	22	-
Mexican, both sexes.....	51	31	32	25	42	53	53	53	66	31	19	2
Male.....	36	18	26	15	24	27	23	24	13	10	7	2
Female.....	15	13	6	10	18	26	30	29	53	21	12	-
Puerto Rican, both sexes.....	13	11	5	7	5	14	18	16	16	10	3	1
Male.....	9	3	3	3	3	5	7	5	5	2	1	1
Female.....	4	8	2	4	2	9	11	11	11	8	2	-
Cuban, both sexes.....	2	8	5	2	8	8	13	8	13	13	1	-
Male.....	1	6	3	1	5	6	5	3	4	3	-	-
Female.....	1	2	2	1	3	2	8	5	9	10	1	-
Central and South American, both sexes.....	5	9	4	2	5	6	5	7	8	5	3	-
Male.....	4	4	4	2	1	4	3	2	2	2	1	-
Female.....	1	5	-	-	4	2	2	5	6	3	2	-
Other and Unknown Hispanic, both sexes.....	7	7	5	5	5	7	15	14	8	5	5	1
Male.....	4	4	3	3	4	2	5	3	1	2	-	1
Female.....	3	3	2	2	1	5	10	11	7	3	5	-
Non-Hispanic 1/, both sexes.....	1,068	1,091	1,015	1,026	1,358	2,137	3,498	4,815	4,862	2,786	1,085	22
Male.....	659	693	624	576	736	984	1,360	1,539	1,239	519	120	14
Female.....	409	398	391	450	622	1,153	2,138	3,276	3,623	2,267	965	8
Non-Hispanic white 2/, both sexes.....	785	842	819	818	1,137	1,853	3,103	4,397	4,485	2,548	962	11
Male.....	482	531	508	462	621	856	1,219	1,416	1,139	466	102	8
Female.....	303	311	311	356	516	997	1,884	2,981	3,346	2,082	860	3
Non-Hispanic black 2/, both sexes.....	250	216	178	181	197	251	344	342	311	198	108	9
Male.....	156	144	107	103	107	114	122	94	72	32	17	5
Female.....	94	72	71	78	90	137	222	248	239	166	91	4
Origin not stated 3/, both sexes.....	6	4	2	4	5	5	2	2	2	2	2	17
Male.....	6	2	1	2	2	4	-	2	1	1	-	12
Female.....	-	2	1	2	3	1	2	-	1	1	2	5

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All origins, both sexes.....	9,452	11,032	11,863	12,770	16,068	24,728	36,425	42,904	33,347	14,382	3,180	8
Male.....	5,629	6,305	6,417	6,589	7,774	10,905	14,316	14,205	8,526	2,627	389	5
Female.....	3,823	4,727	5,446	6,181	8,294	13,823	22,109	28,699	24,821	11,755	2,791	3
Hispanic, both sexes.....	694	680	702	676	847	1,160	1,395	1,395	965	460	116	2
Male.....	438	409	368	348	414	526	530	509	262	106	22	2
Female.....	256	271	334	328	433	634	865	886	703	354	94	-
Mexican, both sexes.....	401	411	416	398	475	649	733	658	411	211	51	1
Male.....	254	247	226	193	235	298	278	252	116	53	9	1
Female.....	147	164	190	205	240	351	455	406	295	158	42	-
Puerto Rican, both sexes.....	94	100	120	101	106	128	176	188	100	55	18	-
Male.....	60	59	56	57	54	52	64	58	30	13	3	-
Female.....	34	41	64	44	52	76	112	130	70	42	15	-
Cuban, both sexes.....	39	26	37	46	85	160	220	259	210	108	23	1
Male.....	31	18	21	23	47	84	98	92	50	23	7	1
Female.....	8	8	16	23	38	76	122	167	160	85	16	-
Central and South American, both sexes.....	65	58	60	54	90	95	119	118	98	38	10	-
Male.....	37	29	26	28	33	34	32	42	25	8	-	-
Female.....	28	29	34	26	57	61	87	76	73	30	10	-
Other and Unknown Hispanic, both sexes.....	95	85	69	77	91	128	147	172	146	48	14	-
Male.....	56	56	39	47	45	58	58	65	41	9	3	-
Female.....	39	29	30	30	46	70	89	107	105	39	11	-
Non-Hispanic 1/, both sexes.....	8,726	10,316	11,130	12,073	15,197	23,539	34,998	41,468	32,358	13,911	3,061	5
Male.....	5,173	5,867	6,030	6,228	7,349	10,362	13,769	13,686	8,261	2,519	366	2
Female.....	3,553	4,449	5,100	5,845	7,848	13,177	21,229	27,782	24,097	11,392	2,695	3
Non-Hispanic white 2/, both sexes.....	6,662	8,145	9,112	9,992	12,838	20,525	31,401	37,937	29,651	12,671	2,644	3
Male.....	4,012	4,680	4,968	5,169	6,224	9,063	12,421	12,564	7,594	2,274	310	1
Female.....	2,650	3,465	4,144	4,823	6,614	11,462	18,980	25,373	22,057	10,397	2,334	2
Non-Hispanic black 2/, both sexes.....	1,832	1,925	1,742	1,762	1,975	2,520	2,983	2,924	2,165	1,034	357	2
Male.....	1,017	1,055	921	905	940	1,079	1,107	893	484	173	42	1
Female.....	815	870	821	857	1,035	1,441	1,876	2,031	1,681	861	315	1
Origin not stated 3/, both sexes.....	32	36	31	21	24	29	32	41	24	11	3	1
Male.....	18	29	19	13	11	17	17	10	3	2	1	1
Female.....	14	7	12	8	13	12	15	31	21	9	2	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All origins, both sexes.....	9,598	7,100	5,093	4,187	4,566	5,922	7,814	8,064	5,249	2,115	375	34
Male.....	6,648	4,944	3,413	2,749	2,844	3,305	3,963	3,655	1,865	600	81	32
Female.....	2,950	2,156	1,680	1,438	1,722	2,617	3,851	4,409	3,384	1,515	294	2
Hispanic, both sexes.....	744	478	317	252	275	296	320	225	132	54	14	9
Male.....	594	341	215	175	177	170	166	101	61	18	3	9
Female.....	150	137	102	77	98	126	154	124	71	36	11	-
Mexican, both sexes.....	454	283	192	141	154	157	190	109	69	27	9	6
Male.....	367	206	130	92	96	94	90	47	35	9	3	6
Female.....	87	77	62	49	58	63	100	62	34	18	6	-
Puerto Rican, both sexes.....	71	66	40	20	41	32	30	28	7	5	1	-
Male.....	49	48	27	11	27	18	17	10	4	3	-	-
Female.....	22	18	13	9	14	14	13	18	3	2	1	-
Cuban, both sexes.....	32	18	19	24	23	43	41	35	21	8	1	-
Male.....	28	15	13	20	15	26	27	20	7	4	-	-
Female.....	4	3	6	4	8	17	14	15	14	4	1	-
Central and South American, both sexes.....	79	56	27	36	27	26	20	19	11	5	1	-
Male.....	69	34	17	30	18	13	10	8	5	-	-	-
Female.....	10	22	10	6	9	13	10	11	6	5	1	-
Other and Unknown Hispanic, both sexes.....	108	55	39	31	30	38	39	34	24	9	2	3
Male.....	81	38	28	22	21	19	22	16	10	2	-	3
Female.....	27	17	11	9	9	19	17	18	14	7	2	-
Non-Hispanic 1/, both sexes.....	8,812	6,588	4,757	3,921	4,283	5,604	7,488	7,828	5,113	2,061	361	11
Male.....	6,019	4,577	3,186	2,564	2,662	3,122	3,791	3,548	1,801	582	78	11
Female.....	2,793	2,011	1,571	1,357	1,621	2,482	3,697	4,280	3,312	1,479	283	-
Non-Hispanic white 2/, both sexes.....	7,232	5,380	4,022	3,299	3,698	5,015	6,939	7,377	4,846	1,946	332	10
Male.....	4,915	3,715	2,695	2,139	2,308	2,791	3,526	3,329	1,721	541	69	10
Female.....	2,317	1,665	1,327	1,160	1,390	2,224	3,413	4,048	3,125	1,405	263	-
Non-Hispanic black 2/, both sexes.....	1,351	1,001	583	469	431	403	353	314	194	81	22	-
Male.....	950	726	412	332	262	230	162	149	51	24	6	-
Female.....	401	275	171	137	169	173	191	165	143	57	16	-
Origin not stated 3/, both sexes.....	42	34	19	14	8	22	6	11	4	-	-	14
Male.....	35	26	12	10	5	13	6	6	3	-	-	12
Female.....	7	8	7	4	3	9	-	5	1	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Transport accidents (V01-V99,Y85)												
All origins, both sexes.....	3,389	2,800	2,038	1,639	1,555	1,559	1,424	953	318	50	5	13
Male.....	2,514	2,042	1,418	1,121	1,017	980	818	554	158	24	5	13
Female.....	875	758	620	518	538	579	606	399	160	26	-	-
Hispanic, both sexes.....	308	218	129	111	114	87	81	36	10	2	1	6
Male.....	238	158	83	82	76	54	47	21	5	2	1	6
Female.....	70	60	46	29	38	33	34	15	5	-	-	-
Mexican, both sexes.....	196	142	83	62	62	51	43	20	6	2	1	4
Male.....	146	109	52	42	39	31	26	12	1	2	1	4
Female.....	50	33	31	20	23	20	17	8	5	-	-	-
Puerto Rican, both sexes.....	10	21	8	11	17	4	11	6	1	-	-	-
Male.....	9	15	6	7	10	3	7	4	1	-	-	-
Female.....	1	6	2	4	7	1	4	2	-	-	-	-
Cuban, both sexes.....	19	9	9	14	9	15	14	5	1	-	-	-
Male.....	16	7	5	12	7	8	9	2	1	-	-	-
Female.....	3	2	4	2	2	7	5	3	-	-	-	-
Central and South American, both sexes.....	46	29	18	16	13	6	4	2	1	-	-	-
Male.....	38	16	12	15	10	5	2	1	1	-	-	-
Female.....	8	13	6	1	3	1	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	37	17	11	8	13	11	9	3	1	-	-	2
Male.....	29	11	8	6	10	7	3	2	1	-	-	2
Female.....	8	6	3	2	3	4	6	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,067	2,572	1,902	1,521	1,440	1,465	1,342	917	308	48	4	5
Male.....	2,265	1,875	1,329	1,035	940	920	770	533	153	22	4	5
Female.....	802	697	573	486	500	545	572	384	155	26	-	-
Non-Hispanic white 2/, both sexes.....	2,534	2,142	1,625	1,303	1,231	1,301	1,209	848	275	40	3	5
Male.....	1,871	1,569	1,137	888	810	813	688	485	135	19	3	5
Female.....	663	573	488	415	421	488	521	363	140	21	-	-
Non-Hispanic black 2/, both sexes.....	426	331	211	149	143	109	80	43	24	3	-	-
Male.....	322	241	155	106	94	76	51	31	13	1	-	-
Female.....	104	90	56	43	49	33	29	12	11	2	-	-
Origin not stated 3/, both sexes.....	14	10	7	7	1	7	1	-	-	-	-	2
Male.....	11	9	6	4	1	6	1	-	-	-	-	2
Female.....	3	1	1	3	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
All origins, both sexes.....	3,058	2,525	1,834	1,508	1,432	1,486	1,359	916	307	49	5	9
Male.....	2,245	1,816	1,249	1,011	913	922	772	526	153	24	5	9
Female.....	813	709	585	497	519	564	587	390	154	25	-	-
Hispanic, both sexes.....	283	198	116	102	107	79	78	31	9	2	1	4
Male.....	216	138	74	73	69	47	46	19	5	2	1	4
Female.....	67	60	42	29	38	32	32	12	4	-	-	-
Mexican, both sexes.....	180	130	76	57	59	45	41	16	5	2	1	3
Male.....	131	97	48	37	36	26	26	10	1	2	1	3
Female.....	49	33	28	20	23	19	15	6	4	-	-	-
Puerto Rican, both sexes.....	10	17	7	10	15	3	10	5	1	-	-	-
Male.....	9	11	5	6	8	2	6	4	1	-	-	-
Female.....	1	6	2	4	7	1	4	1	-	-	-	-
Cuban, both sexes.....	18	8	7	14	9	15	14	5	1	-	-	-
Male.....	16	6	4	12	7	8	9	2	1	-	-	-
Female.....	2	2	3	2	2	7	5	3	-	-	-	-
Central and South American, both sexes.....	45	29	18	14	13	6	4	2	1	-	-	-
Male.....	37	16	12	13	10	5	2	1	1	-	-	-
Female.....	8	13	6	1	3	1	2	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	30	14	8	7	11	10	9	3	1	-	-	1
Male.....	23	8	5	5	8	6	3	2	1	-	-	1
Female.....	7	6	3	2	3	4	6	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,764	2,319	1,711	1,401	1,324	1,401	1,281	885	298	47	4	4
Male.....	2,020	1,671	1,169	935	843	870	726	507	148	22	4	4
Female.....	744	648	542	466	481	531	555	378	150	25	-	-
Non-Hispanic white 2/, both sexes.....	2,275	1,933	1,454	1,201	1,130	1,244	1,156	819	266	39	3	4
Male.....	1,665	1,402	993	803	727	768	649	461	130	19	3	4
Female.....	610	531	461	398	403	476	507	358	136	20	-	-
Non-Hispanic black 2/, both sexes.....	391	299	193	139	131	104	76	43	23	3	-	-
Male.....	292	213	140	97	83	72	48	31	13	1	-	-
Female.....	99	86	53	42	48	32	28	12	10	2	-	-
Origin not stated 3/, both sexes.....	11	8	7	5	1	6	-	-	-	-	-	1
Male.....	9	7	6	3	1	5	-	-	-	-	-	1
Female.....	2	1	1	2	-	1	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Nontransport accidents (W00-X59,Y86)												
All origins, both sexes.....	6,209	4,300	3,055	2,548	3,011	4,363	6,390	7,111	4,931	2,065	370	21
Male.....	4,134	2,902	1,995	1,628	1,827	2,325	3,145	3,101	1,707	576	76	19
Female.....	2,075	1,398	1,060	920	1,184	2,038	3,245	4,010	3,224	1,489	294	2
Hispanic, both sexes.....	436	260	188	141	161	209	239	189	122	52	13	3
Male.....	356	183	132	93	101	116	119	80	56	16	2	3
Female.....	80	77	56	48	60	93	120	109	66	36	11	-
Mexican, both sexes.....	258	141	109	79	92	106	147	89	63	25	8	2
Male.....	221	97	78	50	57	63	64	35	34	7	2	2
Female.....	37	44	31	29	35	43	83	54	29	18	6	-
Puerto Rican, both sexes.....	61	45	32	9	24	28	19	22	6	5	1	-
Male.....	40	33	21	4	17	15	10	6	3	3	-	-
Female.....	21	12	11	5	7	13	9	16	3	2	1	-
Cuban, both sexes.....	13	9	10	10	14	28	27	30	20	8	1	-
Male.....	12	8	8	8	8	18	18	18	6	4	-	-
Female.....	1	1	2	2	6	10	9	12	14	4	1	-
Central and South American, both sexes.....	33	27	9	20	14	20	16	17	10	5	1	-
Male.....	31	18	5	15	8	8	8	7	4	-	-	-
Female.....	2	9	4	5	6	12	8	10	6	5	1	-
Other and Unknown Hispanic, both sexes.....	71	38	28	23	17	27	30	31	23	9	2	1
Male.....	52	27	20	16	11	12	19	14	9	2	-	1
Female.....	19	11	8	7	6	15	11	17	14	7	2	-
Non-Hispanic 1/, both sexes.....	5,745	4,016	2,855	2,400	2,843	4,139	6,146	6,911	4,805	2,013	357	6
Male.....	3,754	2,702	1,857	1,529	1,722	2,202	3,021	3,015	1,648	560	74	6
Female.....	1,991	1,314	998	871	1,121	1,937	3,125	3,896	3,157	1,453	283	-
Non-Hispanic white 2/, both sexes.....	4,698	3,238	2,397	1,996	2,467	3,714	5,730	6,529	4,571	1,906	329	5
Male.....	3,044	2,146	1,558	1,251	1,498	1,978	2,838	2,844	1,586	522	66	5
Female.....	1,654	1,092	839	745	969	1,736	2,892	3,685	2,985	1,384	263	-
Non-Hispanic black 2/, both sexes.....	925	670	372	320	288	294	273	271	170	78	22	-
Male.....	628	485	257	226	168	154	111	118	38	23	6	-
Female.....	297	185	115	94	120	140	162	153	132	55	16	-
Origin not stated 3/, both sexes.....	28	24	12	7	7	15	5	11	4	-	-	12
Male.....	24	17	6	6	4	7	5	6	3	-	-	10
Female.....	4	7	6	1	3	8	-	5	1	-	-	2

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
All origins, both sexes.....	692	832	907	1,059	1,535	2,543	4,009	4,597	3,111	1,275	205	2
Male.....	499	586	597	678	904	1,376	1,955	2,015	1,074	360	46	2
Female.....	193	246	310	381	631	1,167	2,054	2,582	2,037	915	159	-
Hispanic, both sexes.....	65	60	73	53	88	121	160	134	79	37	9	2
Male.....	55	38	48	25	52	67	73	59	32	12	2	2
Female.....	10	22	25	28	36	54	87	75	47	25	7	-
Mexican, both sexes.....	35	38	48	29	51	57	95	64	41	17	7	1
Male.....	30	24	32	15	28	33	34	25	21	5	2	1
Female.....	5	14	16	14	23	24	61	39	20	12	5	-
Puerto Rican, both sexes.....	5	11	10	4	11	15	12	19	4	5	-	-
Male.....	4	9	7	1	10	9	7	6	2	3	-	-
Female.....	1	2	3	3	1	6	5	13	2	2	-	-
Cuban, both sexes.....	3	-	3	5	9	22	17	20	14	5	-	-
Male.....	3	-	2	3	6	14	11	12	3	3	-	-
Female.....	-	-	1	2	3	8	6	8	11	2	-	-
Central and South American, both sexes.....	11	5	4	6	7	12	13	10	4	4	-	-
Male.....	9	2	2	3	2	5	7	5	2	-	-	-
Female.....	2	3	2	3	5	7	6	5	2	4	-	-
Other and Unknown Hispanic, both sexes.....	11	6	8	9	10	15	23	21	16	6	2	1
Male.....	9	3	5	3	6	6	14	11	4	1	-	1
Female.....	2	3	3	6	4	9	9	10	12	5	2	-
Non-Hispanic 1/, both sexes.....	626	770	830	1,003	1,443	2,413	3,845	4,454	3,029	1,238	196	-
Male.....	443	546	547	650	850	1,304	1,878	1,951	1,039	348	44	-
Female.....	183	224	283	353	593	1,109	1,967	2,503	1,990	890	152	-
Non-Hispanic white 2/, both sexes.....	528	661	728	870	1,304	2,240	3,636	4,267	2,921	1,185	186	-
Male.....	371	466	480	558	768	1,209	1,782	1,867	1,006	329	41	-
Female.....	157	195	248	312	536	1,031	1,854	2,400	1,915	856	145	-
Non-Hispanic black 2/, both sexes.....	76	82	68	85	84	97	109	109	68	35	8	-
Male.....	55	61	48	61	51	50	47	46	18	9	2	-
Female.....	21	21	20	24	33	47	62	63	50	26	6	-
Origin not stated 3/, both sexes.....	1	2	4	3	4	9	4	9	3	-	-	-
Male.....	1	2	2	3	2	5	4	5	3	-	-	-
Female.....	-	-	2	-	2	4	-	4	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental exposure to smoke, fire and flames (X00-X09)												
All origins, both sexes.....	253	245	247	217	204	201	235	168	73	26	5	4
Male.....	161	167	163	135	117	100	112	78	28	7	2	3
Female.....	92	78	84	82	87	101	123	90	45	19	3	1
Hispanic, both sexes.....	7	11	7	6	8	14	10	5	4	1	-	-
Male.....	5	7	5	4	3	8	8	1	2	1	-	-
Female.....	2	4	2	2	5	6	2	4	2	-	-	-
Mexican, both sexes.....	6	6	4	2	4	10	5	3	4	-	-	-
Male.....	4	3	3	1	1	5	4	1	2	-	-	-
Female.....	2	3	1	1	3	5	1	2	2	-	-	-
Puerto Rican, both sexes.....	1	2	2	1	2	3	3	-	-	-	-	-
Male.....	1	2	1	-	1	2	2	-	-	-	-	-
Female.....	-	-	1	1	1	1	1	-	-	-	-	-
Cuban, both sexes.....	-	-	1	-	1	-	2	-	-	1	-	-
Male.....	-	-	1	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Central and South American, both sexes.....	-	2	-	2	1	1	-	1	-	-	-	-
Male.....	-	1	-	2	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	245	233	240	210	195	184	224	162	68	25	5	2
Male.....	155	160	158	131	113	91	103	76	26	6	2	2
Female.....	90	73	82	79	82	93	121	86	42	19	3	-
Non-Hispanic white 2/, both sexes.....	193	175	197	159	146	138	183	123	49	19	1	2
Male.....	123	117	129	94	84	70	84	54	22	4	-	2
Female.....	70	58	68	65	62	68	99	69	27	15	1	-
Non-Hispanic black 2/, both sexes.....	49	54	37	45	45	43	37	36	16	6	3	-
Male.....	30	39	26	35	25	20	17	20	3	2	2	-
Female.....	19	15	11	10	20	23	20	16	13	4	1	-
Origin not stated 3/, both sexes.....	1	1	-	1	1	3	1	1	1	-	-	2
Male.....	1	-	-	-	1	1	1	1	-	-	-	1
Female.....	-	1	-	1	-	2	-	-	1	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)												
All origins, both sexes.....	4,075	2,198	922	371	231	191	164	120	52	18	2	3
Male.....	2,522	1,380	525	221	133	76	78	42	17	6	-	3
Female.....	1,553	818	397	150	98	115	86	78	35	12	2	-
Hispanic, both sexes.....	266	123	52	21	19	8	3	3	1	-	-	-
Male.....	206	83	37	16	15	5	1	2	1	-	-	-
Female.....	60	40	15	5	4	3	2	1	-	-	-	-
Mexican, both sexes.....	150	59	26	11	8	4	3	2	-	-	-	-
Male.....	124	39	19	6	6	3	1	2	-	-	-	-
Female.....	26	20	7	5	2	1	2	-	-	-	-	-
Puerto Rican, both sexes.....	50	25	11	2	4	2	-	-	1	-	-	-
Male.....	32	16	7	2	3	-	-	-	1	-	-	-
Female.....	18	9	4	-	1	2	-	-	-	-	-	-
Cuban, both sexes.....	7	6	-	1	1	1	-	-	-	-	-	-
Male.....	6	5	-	1	1	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	10	9	-	3	3	1	-	1	-	-	-	-
Male.....	10	6	-	3	3	1	-	-	-	-	-	-
Female.....	-	3	-	-	-	-	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	49	24	15	4	3	-	-	-	-	-	-	-
Male.....	34	17	11	4	2	-	-	-	-	-	-	-
Female.....	15	7	4	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	3,791	2,058	865	348	211	183	161	117	51	18	2	2
Male.....	2,302	1,285	486	203	118	71	77	40	16	6	-	2
Female.....	1,489	773	379	145	93	112	84	77	35	12	2	-
Non-Hispanic white 2/, both sexes.....	3,105	1,625	711	281	177	159	145	106	47	17	2	2
Male.....	1,859	978	384	152	98	60	70	38	16	5	-	2
Female.....	1,246	647	327	129	79	99	75	68	31	12	2	-
Non-Hispanic black 2/, both sexes.....	631	386	141	63	31	21	11	9	3	1	-	-
Male.....	414	279	98	48	19	10	4	2	-	1	-	-
Female.....	217	107	43	15	12	11	7	7	3	-	-	-
Origin not stated 3/, both sexes.....	18	17	5	2	1	-	-	-	-	-	-	1
Male.....	14	12	2	2	-	-	-	-	-	-	-	1
Female.....	4	5	3	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All origins, both sexes.....	911	833	790	779	938	1,309	1,886	2,163	1,669	741	157	7
Male.....	726	616	558	504	592	694	934	923	573	201	28	6
Female.....	185	217	232	275	346	615	952	1,240	1,096	540	129	1
Hispanic, both sexes.....	73	56	47	54	42	60	62	45	36	13	4	-
Male.....	66	46	37	42	28	32	34	16	19	3	-	-
Female.....	7	10	10	12	14	28	28	29	17	10	4	-
Mexican, both sexes.....	50	31	28	34	27	32	42	20	17	8	1	-
Male.....	47	25	22	25	20	19	23	7	10	2	-	-
Female.....	3	6	6	9	7	13	19	13	7	6	1	-
Puerto Rican, both sexes.....	4	7	7	2	6	8	3	3	1	-	1	-
Male.....	2	6	5	1	2	4	1	-	-	-	-	-
Female.....	2	1	2	1	4	4	2	3	1	-	1	-
Cuban, both sexes.....	2	3	5	4	2	4	7	9	5	1	1	-
Male.....	2	3	4	4	1	3	4	5	2	-	-	-
Female.....	-	-	1	-	1	1	3	4	3	1	1	-
Central and South American, both sexes.....	8	8	3	7	3	6	3	4	6	1	1	-
Male.....	8	6	3	5	2	1	1	1	2	-	-	-
Female.....	-	2	-	2	1	5	2	3	4	1	1	-
Other and Unknown Hispanic, both sexes.....	9	7	4	7	4	10	7	9	7	3	-	-
Male.....	7	6	3	7	3	5	5	3	5	1	-	-
Female.....	2	1	1	-	1	5	2	6	2	2	-	-
Non-Hispanic 1/, both sexes.....	832	774	741	724	895	1,246	1,824	2,117	1,633	728	153	2
Male.....	654	568	519	461	563	661	900	907	554	198	28	2
Female.....	178	206	222	263	332	585	924	1,210	1,079	530	125	-
Non-Hispanic white 2/, both sexes.....	660	623	607	589	758	1,078	1,679	1,977	1,533	681	139	1
Male.....	522	467	439	373	484	573	841	847	529	182	25	1
Female.....	138	156	168	216	274	505	838	1,130	1,004	499	114	-
Non-Hispanic black 2/, both sexes.....	142	128	110	115	117	127	115	113	81	36	11	-
Male.....	107	87	72	74	64	70	43	48	17	11	2	-
Female.....	35	41	38	41	53	57	72	65	64	25	9	-
Origin not stated 3/, both sexes.....	6	3	2	1	1	3	-	1	-	-	-	5
Male.....	6	2	2	1	1	1	-	-	-	-	-	4
Female.....	-	1	-	-	-	2	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)												
All origins, both sexes.....	3,727	2,962	2,107	1,382	1,062	1,203	916	591	229	36	2	6
Male.....	2,781	2,212	1,614	1,125	878	1,032	792	514	194	32	2	5
Female.....	946	750	493	257	184	171	124	77	35	4	-	1
Hispanic, both sexes.....	187	123	68	54	45	42	26	19	3	-	-	-
Male.....	152	103	59	49	39	38	26	16	2	-	-	-
Female.....	35	20	9	5	6	4	-	3	1	-	-	-
Mexican, both sexes.....	94	54	25	15	19	17	10	7	-	-	-	-
Male.....	77	46	25	12	16	15	10	5	-	-	-	-
Female.....	17	8	-	3	3	2	-	2	-	-	-	-
Puerto Rican, both sexes.....	18	15	7	6	3	5	-	1	-	-	-	-
Male.....	17	14	6	5	2	5	-	1	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
Cuban, both sexes.....	22	21	10	14	13	14	12	7	1	-	-	-
Male.....	20	15	7	13	12	12	12	7	1	-	-	-
Female.....	2	6	3	1	1	2	-	-	-	-	-	-
Central and South American, both sexes.....	19	14	11	6	7	1	1	2	-	-	-	-
Male.....	12	12	8	6	6	1	1	2	-	-	-	-
Female.....	7	2	3	-	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	34	19	15	13	3	5	3	2	2	-	-	-
Male.....	26	16	13	13	3	5	3	1	1	-	-	-
Female.....	8	3	2	-	-	-	-	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	3,532	2,831	2,031	1,322	1,013	1,159	887	571	225	36	2	5
Male.....	2,623	2,103	1,547	1,071	836	992	764	498	191	32	2	4
Female.....	909	728	484	251	177	167	123	73	34	4	-	1
Non-Hispanic white 2/, both sexes.....	3,293	2,676	1,917	1,254	957	1,094	852	555	219	36	1	4
Male.....	2,442	1,985	1,465	1,013	795	945	739	486	187	32	1	3
Female.....	851	691	452	241	162	149	113	69	32	4	-	1
Non-Hispanic black 2/, both sexes.....	143	98	55	40	31	33	13	4	1	-	-	1
Male.....	108	78	43	36	28	28	12	2	1	-	-	1
Female.....	35	20	12	4	3	5	1	2	-	-	-	-
Origin not stated 3/, both sexes.....	8	8	8	6	4	2	3	1	1	-	-	1
Male.....	6	6	8	5	3	2	2	-	1	-	-	1
Female.....	2	2	-	1	1	-	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)												
All origins, both sexes.....	1,959	1,412	871	441	303	284	246	156	81	14	1	4
Male.....	1,267	881	548	281	183	177	164	95	50	11	1	3
Female.....	692	531	323	160	120	107	82	61	31	3	-	1
Hispanic, both sexes.....	122	78	42	27	22	14	11	8	1	-	-	-
Male.....	95	62	33	22	18	11	11	5	-	-	-	-
Female.....	27	16	9	5	4	3	-	3	1	-	-	-
Mexican, both sexes.....	57	31	13	5	9	2	3	3	-	-	-	-
Male.....	45	25	13	2	7	1	3	1	-	-	-	-
Female.....	12	6	-	3	2	1	-	2	-	-	-	-
Puerto Rican, both sexes.....	12	13	4	4	3	2	-	-	-	-	-	-
Male.....	11	12	3	3	2	2	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	-	-	-	-	-
Cuban, both sexes.....	14	12	8	10	3	10	5	3	-	-	-	-
Male.....	13	7	5	9	3	8	5	3	-	-	-	-
Female.....	1	5	3	1	-	2	-	-	-	-	-	-
Central and South American, both sexes.....	17	11	10	3	5	-	1	1	-	-	-	-
Male.....	10	9	7	3	4	-	1	1	-	-	-	-
Female.....	7	2	3	-	1	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	22	11	7	5	2	-	2	1	1	-	-	-
Male.....	16	9	5	5	2	-	2	-	-	-	-	-
Female.....	6	2	2	-	-	-	-	1	1	-	-	-
Non-Hispanic 1/, both sexes.....	1,833	1,329	827	410	280	269	233	147	79	14	1	4
Male.....	1,169	815	513	256	165	165	152	90	49	11	1	3
Female.....	664	514	314	154	115	104	81	57	30	3	-	1
Non-Hispanic white 2/, both sexes.....	1,691	1,243	767	378	252	241	212	134	75	14	1	3
Male.....	1,073	756	479	232	148	150	140	80	47	11	1	2
Female.....	618	487	288	146	104	91	72	54	28	3	-	1
Non-Hispanic black 2/, both sexes.....	74	51	20	14	11	6	2	1	-	-	-	1
Male.....	50	35	12	11	9	4	2	-	-	-	-	1
Female.....	24	16	8	3	2	2	-	1	-	-	-	-
Origin not stated 3/, both sexes.....	4	5	2	4	1	1	2	1	1	-	-	-
Male.....	3	4	2	3	-	1	1	-	1	-	-	-
Female.....	1	1	-	1	1	-	1	1	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)												
All origins, both sexes.....	906	599	381	240	171	146	122	57	19	3	1	25
Male.....	691	453	274	165	114	94	55	22	2	1	1	19
Female.....	215	146	107	75	57	52	67	35	17	2	-	6
Hispanic, both sexes.....	100	60	35	15	20	10	6	1	1	-	1	6
Male.....	81	49	26	14	15	6	3	1	-	-	1	5
Female.....	19	11	9	1	5	4	3	-	1	-	-	1
Mexican, both sexes.....	46	37	10	8	6	6	4	-	-	-	1	3
Male.....	36	31	7	7	5	4	3	-	-	-	1	3
Female.....	10	6	3	1	1	2	1	-	-	-	-	-
Puerto Rican, both sexes.....	16	8	6	3	5	2	-	1	1	-	-	-
Male.....	13	8	6	3	5	1	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	-
Cuban, both sexes.....	4	3	6	3	6	1	1	-	-	-	-	1
Male.....	4	3	4	3	4	1	-	-	-	-	-	1
Female.....	-	-	2	-	2	-	1	-	-	-	-	-
Central and South American, both sexes.....	21	6	5	-	2	1	1	-	-	-	-	2
Male.....	17	4	3	-	-	-	-	-	-	-	-	1
Female.....	4	2	2	-	2	1	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	13	6	8	1	1	-	-	-	-	-	-	-
Male.....	11	3	6	1	1	-	-	-	-	-	-	-
Female.....	2	3	2	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	804	535	345	224	149	135	115	56	18	3	-	10
Male.....	609	400	247	150	98	87	52	21	2	1	-	5
Female.....	195	135	98	74	51	48	63	35	16	2	-	5
Non-Hispanic white 2/, both sexes.....	459	302	217	143	109	86	92	41	16	1	-	8
Male.....	331	210	142	86	73	50	39	14	-	1	-	4
Female.....	128	92	75	57	36	36	53	27	16	-	-	4
Non-Hispanic black 2/, both sexes.....	320	209	107	68	37	44	22	13	2	2	-	1
Male.....	260	174	92	55	23	36	13	6	2	-	-	-
Female.....	60	35	15	13	14	8	9	7	-	2	-	1
Origin not stated 3/, both sexes.....	2	4	1	1	2	1	1	-	-	-	-	9
Male.....	1	4	1	1	1	1	-	-	-	-	-	9
Female.....	1	-	-	-	1	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02.X85-X92,X96-Y09,Y87.1)												
All origins, both sexes.....	446	319	215	132	94	95	85	38	16	3	-	16
Male.....	327	243	143	96	62	61	40	20	2	1	-	10
Female.....	119	76	72	36	32	34	45	18	14	2	-	6
Hispanic, both sexes.....	48	33	23	11	13	7	5	1	1	-	-	3
Male.....	34	30	17	10	10	5	3	1	-	-	-	2
Female.....	14	3	6	1	3	2	2	-	1	-	-	1
Mexican, both sexes.....	21	19	9	5	4	4	4	-	-	-	-	1
Male.....	14	19	6	4	3	3	3	-	-	-	-	1
Female.....	7	-	3	1	1	1	1	-	-	-	-	-
Puerto Rican, both sexes.....	8	7	5	3	4	1	-	1	1	-	-	-
Male.....	6	7	5	3	4	1	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Cuban, both sexes.....	3	2	2	2	2	1	-	-	-	-	-	1
Male.....	3	2	1	2	2	1	-	-	-	-	-	1
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	8	2	3	-	2	1	1	-	-	-	-	1
Male.....	5	-	2	-	-	-	-	-	-	-	-	-
Female.....	3	2	1	-	2	1	1	-	-	-	-	1
Other and Unknown Hispanic, both sexes.....	8	3	4	1	1	-	-	-	-	-	-	-
Male.....	6	2	3	1	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	397	284	191	120	79	87	79	37	15	3	-	6
Male.....	292	211	125	85	51	55	37	19	2	1	-	1
Female.....	105	73	66	35	28	32	42	18	13	2	-	5
Non-Hispanic white 2/, both sexes.....	242	172	117	75	55	52	63	26	13	1	-	5
Male.....	179	122	68	50	38	31	28	13	-	1	-	1
Female.....	63	50	49	25	17	21	35	13	13	-	-	4
Non-Hispanic black 2/, both sexes.....	147	97	57	38	21	30	16	9	2	2	-	1
Male.....	108	80	46	31	11	23	9	5	2	-	-	-
Female.....	39	17	11	7	10	7	7	4	-	2	-	1
Origin not stated 3/, both sexes.....	1	2	1	1	2	1	1	-	-	-	-	7
Male.....	1	2	1	1	1	1	-	-	-	-	-	7
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
All origins, both sexes.....	700	395	204	107	76	66	66	37	28	4	1	8
Male.....	403	238	119	66	43	40	38	16	11	1	-	7
Female.....	297	157	85	41	33	26	28	21	17	3	1	1
Hispanic, both sexes.....	25	16	7	4	4	5	3	1	1	-	-	-
Male.....	20	11	6	4	4	1	2	-	1	-	-	-
Female.....	5	5	1	-	-	4	1	1	-	-	-	-
Mexican, both sexes.....	11	11	5	2	-	3	1	-	1	-	-	-
Male.....	9	6	4	2	-	-	1	-	1	-	-	-
Female.....	2	5	1	-	-	3	-	-	-	-	-	-
Puerto Rican, both sexes.....	3	1	-	-	2	-	-	-	-	-	-	-
Male.....	3	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	5	1	1	2	1	2	-	-	-	-	-	-
Male.....	5	1	1	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	6	3	1	-	1	-	2	1	-	-	-	-
Male.....	3	3	1	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	673	377	196	102	72	60	63	35	27	4	1	4
Male.....	382	226	112	61	39	38	36	16	10	1	-	4
Female.....	291	151	84	41	33	22	27	19	17	3	1	-
Non-Hispanic white 2/, both sexes.....	555	303	153	86	57	51	48	34	25	3	-	2
Male.....	300	173	89	49	29	31	26	16	10	-	-	2
Female.....	255	130	64	37	28	20	22	18	15	3	-	-
Non-Hispanic black 2/, both sexes.....	110	65	33	14	13	6	12	-	2	-	-	2
Male.....	75	49	21	11	8	5	8	-	-	-	-	2
Female.....	35	16	12	3	5	1	4	-	2	-	-	-
Origin not stated 3/, both sexes.....	2	2	1	1	-	1	-	1	-	-	-	4
Male.....	1	1	1	1	-	1	-	-	-	-	-	3
Female.....	1	1	-	-	-	-	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All origins, both sexes.....	679	375	189	97	69	62	64	36	28	4	1	8
Male.....	388	223	107	57	39	37	36	15	11	1	-	7
Female.....	291	152	82	40	30	25	28	21	17	3	1	1
Hispanic, both sexes.....	25	15	7	3	4	5	3	1	1	-	-	-
Male.....	20	10	6	3	4	1	2	-	1	-	-	-
Female.....	5	5	1	-	-	4	1	1	-	-	-	-
Mexican, both sexes.....	11	11	5	1	-	3	1	-	1	-	-	-
Male.....	9	6	4	1	-	-	1	-	1	-	-	-
Female.....	2	5	1	-	-	3	-	-	-	-	-	-
Puerto Rican, both sexes.....	3	1	-	-	2	-	-	-	-	-	-	-
Male.....	3	1	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Cuban, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	5	1	1	2	1	2	-	-	-	-	-	-
Male.....	5	1	1	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	6	2	1	-	1	-	2	1	-	-	-	-
Male.....	3	2	1	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	652	358	181	93	65	56	61	34	27	4	1	4
Male.....	367	212	100	53	35	35	34	15	10	1	-	4
Female.....	285	146	81	40	30	21	27	19	17	3	1	-
Non-Hispanic white 2/, both sexes.....	538	286	139	77	52	48	46	33	25	3	-	2
Male.....	287	161	77	41	26	29	24	15	10	-	-	2
Female.....	251	125	62	36	26	19	22	18	15	3	-	-
Non-Hispanic black 2/, both sexes.....	106	64	32	14	11	5	12	-	2	-	-	2
Male.....	73	48	21	11	7	4	8	-	-	-	-	2
Female.....	33	16	11	3	4	1	4	-	2	-	-	-
Origin not stated 3/, both sexes.....	2	2	1	1	-	1	-	1	-	-	-	4
Male.....	1	1	1	1	-	1	-	-	-	-	-	3
Female.....	1	1	-	-	-	-	-	1	-	-	-	1

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3,F17.5-F17.7,F17.9-F18.0,F18.5-F18.7,F18.9-F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14,K85.3,R50.2) 4/

All origins, both sexes.....	5,396	3,101	1,352	568	337	275	230	163	79	19	3	4
Male.....	3,131	1,812	725	303	170	106	97	66	25	6	1	3
Female.....	2,265	1,289	627	265	167	169	133	97	54	13	2	1
Hispanic, both sexes.....	312	168	70	26	19	10	4	4	1	-	-	-
Male.....	229	110	51	22	14	6	1	3	-	-	-	-
Female.....	83	58	19	4	5	4	3	1	1	-	-	-
Mexican, both sexes.....	164	75	31	13	5	5	3	3	-	-	-	-
Male.....	127	46	24	10	3	3	1	3	-	-	-	-
Female.....	37	29	7	3	2	2	2	-	-	-	-	-
Puerto Rican, both sexes.....	64	38	17	2	4	3	-	-	-	-	-	-
Male.....	44	25	12	2	3	1	-	-	-	-	-	-
Female.....	20	13	5	-	1	2	-	-	-	-	-	-
Cuban, both sexes.....	9	11	2	3	2	1	-	-	-	-	-	-
Male.....	8	6	1	2	2	1	-	-	-	-	-	-
Female.....	1	5	1	1	-	-	-	-	-	-	-	-
Central and South American, both sexes.....	11	12	3	3	6	1	-	1	-	-	-	-
Male.....	7	9	2	3	5	1	-	-	-	-	-	-
Female.....	4	3	1	-	1	-	-	1	-	-	-	-
Other and Unknown Hispanic, both sexes.....	64	32	17	5	2	-	1	-	1	-	-	-
Male.....	43	24	12	5	1	-	-	-	-	-	-	-
Female.....	21	8	5	-	1	-	1	-	1	-	-	-
Non-Hispanic 1/, both sexes.....	5,062	2,915	1,278	539	317	265	226	159	78	19	3	3
Male.....	2,886	1,690	673	278	156	100	96	63	25	6	1	2
Female.....	2,176	1,225	605	261	161	165	130	96	53	13	2	1
Non-Hispanic white 2/, both sexes.....	4,183	2,356	1,075	453	283	239	207	148	72	18	3	2
Male.....	2,322	1,295	544	210	139	90	90	59	25	5	1	1
Female.....	1,861	1,061	531	243	144	149	117	89	47	13	2	1
Non-Hispanic black 2/, both sexes.....	822	504	177	81	28	23	14	6	4	1	-	1
Male.....	538	362	121	66	16	9	3	2	-	1	-	1
Female.....	284	142	56	15	12	14	11	4	4	-	-	-
Origin not stated 3/, both sexes.....	22	18	4	3	1	-	-	-	-	-	-	1
Male.....	16	12	1	3	-	-	-	-	-	-	-	1
Female.....	6	6	3	-	1	-	-	-	-	-	-	-

Worktable Orig210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, specified Hispanic origin, race for non-Hispanic population, and sex: United States, 2007

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision Second Edition, 2004), Hispanic origin, race for non-Hispanic population, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 4/												
All origins, both sexes.....	2,308	1,888	1,450	1,085	853	990	726	459	154	23	2	11
Male.....	1,948	1,592	1,238	942	759	905	660	426	146	22	2	11
Female.....	360	296	212	143	94	85	66	33	8	1	-	-
Hispanic, both sexes.....	125	75	42	32	30	31	16	11	2	-	1	3
Male.....	111	63	37	32	26	28	15	11	2	-	1	3
Female.....	14	12	5	-	4	3	1	-	-	-	-	-
Mexican, both sexes.....	68	43	15	14	12	17	7	4	-	-	1	2
Male.....	59	35	15	14	11	15	7	4	-	-	1	2
Female.....	9	8	-	-	1	2	-	-	-	-	-	-
Puerto Rican, both sexes.....	15	3	4	2	1	4	-	1	-	-	-	-
Male.....	14	3	4	2	1	3	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Cuban, both sexes.....	10	10	6	5	14	4	8	4	1	-	-	-
Male.....	9	9	5	5	11	4	7	4	1	-	-	-
Female.....	1	1	1	-	3	-	1	-	-	-	-	-
Central and South American, both sexes.....	15	7	5	3	2	1	-	1	-	-	-	1
Male.....	14	7	2	3	2	1	-	1	-	-	-	1
Female.....	1	-	3	-	-	-	-	-	-	-	-	-
Other and Unknown Hispanic, both sexes.....	17	12	12	8	1	5	1	1	1	-	-	-
Male.....	15	9	11	8	1	5	1	1	1	-	-	-
Female.....	2	3	1	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	2,178	1,808	1,402	1,051	820	958	709	448	152	23	1	5
Male.....	1,834	1,525	1,195	908	730	876	644	415	144	22	1	5
Female.....	344	283	207	143	90	82	65	33	8	1	-	-
Non-Hispanic white 2/, both sexes.....	1,879	1,612	1,291	976	773	906	688	441	150	23	-	4
Male.....	1,574	1,359	1,097	843	692	830	627	412	142	22	-	4
Female.....	305	253	194	133	81	76	61	29	8	1	-	-
Non-Hispanic black 2/, both sexes.....	251	164	88	58	39	42	17	7	1	-	-	-
Male.....	217	142	79	50	33	38	14	3	1	-	-	-
Female.....	34	22	9	8	6	4	3	4	-	-	-	-
Origin not stated 3/, both sexes.....	5	5	6	2	3	1	1	-	-	-	-	3
Male.....	3	4	6	2	3	1	1	-	-	-	-	3
Female.....	2	1	-	-	-	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data - mortality."

3/ Includes deaths for which Hispanic origin was not reported on the death certificate.

4/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.