

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	343,217	71,117	32,412	14,665	21,759	28,524	28,067	28,302	34,089	39,722	32,530	10,842	1,188
1901	332,203	62,759	28,017	13,563	20,936	28,348	28,672	28,987	35,169	40,237	33,260	10,931	1,324
1902	318,636	62,634	27,756	12,822	19,790	26,709	27,319	27,686	33,304	38,562	30,907	10,021	1,126
1903	327,295	60,751	26,220	13,482	20,311	27,181	28,365	29,030	35,507	40,874	33,219	10,989	1,366
1904	349,855	64,805	27,467	14,554	22,034	28,845	30,331	31,386	37,894	44,107	35,269	11,957	1,206
1905	345,863	66,894	26,296	13,630	21,333	27,908	29,777	31,390	37,545	43,588	34,923	11,901	678
1906	531,005	108,721	43,930	20,573	33,976	43,890	45,989	47,846	55,199	63,332	49,649	16,321	1,579
1907	550,245	105,907	41,600	20,282	34,808	45,276	48,971	51,222	59,558	69,441	54,375	17,810	995
1908	567,245	113,165	44,247	21,650	35,135	44,878	48,201	52,686	60,667	70,580	56,532	18,748	756
1909	630,057	121,728	48,578	22,884	37,038	48,648	53,642	59,023	68,657	82,355	65,147	21,658	699
1910	696,856	135,020	54,030	25,592	41,206	53,914	59,191	65,658	75,138	90,442	71,989	23,983	693
1911	749,918	133,636	52,553	26,871	45,956	59,079	65,896	73,040	84,226	101,101	79,727	26,625	1,208
1912	745,771	131,461	49,839	25,158	43,905	57,555	65,205	74,156	86,807	102,161	81,656	26,822	1,046
1913	802,909	144,211	58,224	29,353	47,409	61,436	69,815	79,387	91,417	107,460	84,953	27,824	1,420
1914	810,914	140,026	52,533	28,915	47,081	62,132	71,139	81,441	95,795	113,414	88,377	28,886	1,175
1915	815,500	134,384	48,137	26,957	45,791	61,369	71,113	83,118	100,083	118,864	93,994	30,659	1,031
1916	924,971	152,335	64,079	31,970	52,947	69,258	80,064	92,595	112,097	130,618	103,435	34,353	1,220
1917	981,239	157,487	64,805	35,451	58,662	75,724	86,202	99,189	119,649	137,679	108,982	35,493	1,916
1918	1,430,079	188,771	108,915	65,720	144,149	209,932	147,017	125,304	136,112	150,287	113,332	36,647	3,893
1919	1,072,263	158,235	66,728	45,078	76,654	102,539	98,519	105,135	124,112	142,085	112,648	38,281	2,249
1920	1,118,070	170,911	72,099	45,581	72,662	96,824	96,661	107,025	131,999	153,851	126,079	42,772	1,606
1921	1,009,673	156,329	59,315	43,394	58,782	71,155	82,160	100,330	126,956	148,318	120,729	41,053	1,152
1922	1,083,952	155,756	58,659	40,033	61,243	76,630	90,575	110,994	140,450	168,430	133,961	45,582	1,639
1923	1,174,065	163,354	66,332	41,775	65,337	80,200	96,916	119,826	153,175	184,754	149,388	51,402	1,606
1924	1,151,076	158,038	57,283	39,937	65,544	77,623	96,722	121,652	153,158	184,479	146,131	49,012	1,497
1925	1,191,809	158,080	54,937	40,074	67,419	80,198	100,170	126,054	160,657	195,439	154,139	52,983	1,659
1926	1,257,256	159,411	61,924	40,042	67,850	82,131	104,948	134,828	171,068	210,296	166,699	56,566	1,493
1927	1,211,627	143,752	51,154	40,320	66,115	80,207	103,868	133,259	169,015	208,217	160,212	53,627	1,881
1928	1,361,987	153,492	59,045	44,225	75,340	88,799	117,090	150,981	189,138	234,205	184,353	62,878	2,441
1929	1,369,757	146,661	56,262	43,147	75,275	89,395	117,948	154,216	195,184	239,511	186,559	63,333	2,266
1930	1,327,240	143,201	49,096	40,108	71,251	84,281	112,695	152,963	195,698	236,333	179,613	60,158	1,843
1931	1,307,273	130,911	44,940	38,822	68,610	82,137	112,393	153,206	196,219	236,483	181,373	60,512	1,667
1932	1,293,269	119,431	38,565	35,838	62,575	77,008	106,841	150,284	199,252	243,574	193,096	65,243	1,562
1933	1,342,106	120,887	41,015	36,482	63,222	79,713	109,734	157,501	209,254	254,787	201,112	66,558	1,841
1934	1,396,903	130,185	43,175	37,103	63,984	80,874	111,330	165,127	217,313	264,309	212,444	69,388	1,671
1935	1,392,752	120,138	36,807	36,690	63,296	80,883	112,085	165,354	218,853	268,525	217,321	71,500	1,300
1936	1,479,228	122,535	36,292	35,099	65,470	83,307	117,782	175,036	233,100	288,213	241,282	79,732	1,380
1937	1,450,427	119,931	34,392	31,778	62,099	79,714	112,980	173,761	232,272	286,217	239,196	76,976	1,111
1938	1,381,391	116,702	31,820	28,016	54,168	70,053	101,338	163,246	222,916	283,565	234,152	74,387	1,028
1939	1,387,897	108,846	26,887	24,952	50,624	67,080	97,212	163,315	228,958	292,805	245,467	80,759	992

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	179,016	39,608	16,899	7,334	10,698	14,429	15,153	15,164	17,808	20,346	16,139	4,689	749
1901	174,867	35,050	14,726	7,047	10,449	14,779	15,747	15,900	18,516	20,605	16,469	4,726	853
1902	168,639	34,927	14,468	6,661	9,790	13,821	15,134	15,327	17,817	20,019	15,488	4,458	729
1903	172,623	33,918	13,623	6,944	10,209	14,121	15,629	16,124	18,776	21,089	16,498	4,807	885
1904	184,991	36,186	14,428	7,363	10,772	14,987	17,007	17,496	20,490	22,716	17,498	5,264	784
1905	183,085	37,489	13,946	6,947	10,652	14,529	16,656	17,563	20,110	22,224	17,297	5,222	450
1906	287,691	60,820	22,998	10,703	18,064	23,951	26,941	27,536	30,446	33,120	24,803	7,165	1,144
1907	299,799	59,149	21,822	10,612	19,019	25,434	28,883	29,966	32,981	36,579	26,835	7,812	707
1908	307,359	63,231	23,290	11,245	18,699	24,609	27,797	30,583	33,794	36,831	28,443	8,277	560
1909	341,551	68,072	25,583	11,972	19,548	26,644	30,854	34,445	38,230	43,362	32,557	9,746	538
1910	380,073	75,561	28,493	13,253	22,202	30,064	34,613	38,513	42,438	47,753	35,866	10,783	534
1911	408,133	74,740	27,627	14,114	24,263	32,568	38,270	42,863	47,537	53,607	39,823	11,900	821
1912	408,093	73,929	26,424	13,285	23,449	31,885	37,897	43,983	49,265	54,443	40,694	12,114	725
1913	440,347	81,143	30,719	15,508	25,568	34,400	40,787	46,879	52,148	57,565	42,236	12,459	935
1914	443,622	78,665	27,881	15,281	24,872	34,380	41,421	47,690	54,540	61,061	44,102	12,933	796
1915	443,928	76,066	25,519	14,375	23,840	33,784	40,945	48,441	56,675	63,314	46,528	13,703	738
1916	504,887	86,220	34,099	17,186	27,363	38,075	46,357	54,509	64,029	70,015	51,082	15,137	815
1917	538,523	89,427	34,426	18,848	30,688	42,140	50,286	58,881	68,586	74,359	53,974	15,593	1,315
1918	784,307	106,472	56,059	33,341	76,485	117,919	87,440	73,093	77,315	81,005	56,399	16,125	2,654
1919	567,185	89,648	35,418	23,920	37,176	50,717	53,934	58,932	68,871	75,107	55,189	16,923	1,350
1920	586,136	97,086	37,993	24,390	35,133	46,327	51,281	58,852	72,176	81,261	61,949	18,729	959
1921	533,267	88,795	31,608	23,513	28,757	35,095	44,102	55,041	69,714	78,660	59,441	17,845	696
1922	575,927	88,644	31,604	21,755	30,001	37,925	48,958	61,910	77,931	90,234	66,333	19,645	987
1923	625,259	92,255	35,346	22,736	32,286	40,470	53,174	67,414	85,393	99,058	73,864	22,265	998
1924	619,874	90,096	30,855	21,892	32,563	39,339	53,508	68,634	86,370	100,827	73,435	21,412	943
1925	641,397	90,051	29,335	22,153	33,485	40,752	55,013	71,699	90,525	106,572	77,676	23,106	1,030
1926	677,032	90,523	33,182	22,117	33,969	41,592	58,125	76,821	96,271	114,600	84,159	24,725	948
1927	656,697	81,896	27,460	22,444	33,119	40,685	57,695	76,126	96,459	114,341	81,628	23,694	1,150
1928	738,891	87,676	31,666	24,494	38,169	45,437	64,645	87,090	107,981	128,639	94,035	27,570	1,489
1929	745,491	83,144	30,168	24,113	38,499	45,951	66,005	89,413	111,884	131,814	95,193	27,893	1,414
1930	726,680	81,174	26,631	22,425	36,870	43,954	63,154	89,173	112,527	130,776	92,103	26,792	1,101
1931	717,630	74,485	24,301	21,646	35,838	42,789	63,542	89,488	113,003	130,834	93,416	27,264	1,024
1932	704,506	67,839	20,641	19,873	32,435	39,553	59,480	87,265	114,826	133,625	98,977	29,048	944
1933	737,312	68,331	22,127	20,420	33,403	41,461	61,674	92,414	121,602	141,206	103,582	29,938	1,154
1934	772,595	73,950	23,296	20,785	34,424	42,668	63,188	98,061	127,041	146,970	110,034	31,167	1,011
1935	771,320	68,805	19,848	20,621	34,132	42,802	63,849	98,098	128,272	149,155	112,829	32,088	821
1936	821,439	69,749	19,692	19,948	35,553	44,312	67,778	105,324	137,881	160,049	124,626	35,642	885
1937	808,834	68,173	18,573	18,107	34,100	42,962	64,697	104,727	138,214	159,814	124,124	34,631	712
1938	764,902	66,462	17,143	15,850	29,338	37,458	57,309	97,651	131,535	157,936	120,176	33,379	665
1939	768,877	61,985	14,659	14,517	27,841	35,952	54,932	97,743	135,459	163,225	125,799	36,126	639

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	164,201	31,509	15,513	7,331	11,061	14,095	12,914	13,138	16,281	19,376	16,391	6,153	439
1901	157,336	27,709	13,291	6,516	10,487	13,569	12,925	13,087	16,653	19,632	16,791	6,205	471
1902	149,997	27,707	13,288	6,161	10,000	12,888	12,185	12,359	15,487	18,543	15,419	5,563	397
1903	154,672	26,833	12,597	6,538	10,102	13,060	12,736	12,906	16,731	19,785	16,721	6,182	481
1904	164,864	28,619	13,039	7,191	11,262	13,858	13,324	13,890	17,404	21,391	17,771	6,693	422
1905	162,778	29,405	12,350	6,683	10,681	13,379	13,121	13,827	17,435	21,364	17,626	6,679	228
1906	243,314	47,901	20,932	9,870	15,912	19,939	19,048	20,310	24,753	30,212	24,846	9,156	435
1907	250,446	46,758	19,778	9,670	15,789	19,842	20,088	21,256	26,577	32,862	27,540	9,998	288
1908	259,886	49,934	20,957	10,405	16,436	20,269	20,404	22,103	26,873	33,749	28,089	10,471	196
1909	288,506	53,656	22,995	10,912	17,490	22,004	22,788	24,578	30,427	38,993	32,990	11,912	161
1910	316,783	59,459	25,537	12,339	19,004	23,850	24,578	27,145	32,700	42,689	36,123	13,200	159
1911	341,785	58,896	24,926	12,757	21,693	26,511	27,626	30,177	36,689	47,494	39,904	14,725	387
1912	337,678	57,532	23,415	11,873	20,456	25,670	27,308	30,173	37,542	47,718	40,962	14,708	321
1913	362,562	63,068	27,505	13,845	21,841	27,036	29,028	32,508	39,269	49,895	42,717	15,365	485
1914	367,292	61,361	24,652	13,634	22,209	27,752	29,718	33,751	41,255	52,353	44,275	15,953	379
1915	371,572	58,318	22,618	12,582	21,951	27,585	30,168	34,677	43,408	55,550	47,466	16,956	293
1916	420,084	66,115	29,980	14,784	25,584	31,183	33,707	38,086	48,068	60,603	52,353	19,216	405
1917	442,716	68,060	30,379	16,603	27,974	33,584	35,916	40,308	51,063	63,320	55,008	19,900	601
1918	645,772	82,299	52,856	32,379	67,664	92,013	59,577	52,211	58,797	69,282	56,933	20,522	1,239
1919	505,078	68,587	31,310	21,158	39,478	51,822	44,585	46,203	55,241	66,978	57,459	21,358	899
1920	531,934	73,825	34,106	21,191	37,529	50,497	45,380	48,173	59,823	72,590	64,130	24,043	647
1921	476,406	67,534	27,707	19,881	30,025	36,060	38,058	45,289	57,242	69,658	61,288	23,208	456
1922	508,025	67,112	27,055	18,278	31,242	38,705	41,617	49,084	62,519	78,196	67,628	25,937	652
1923	548,806	71,099	30,986	19,039	33,051	39,730	43,742	52,412	67,782	85,696	75,524	29,137	608
1924	531,202	67,942	26,428	18,045	32,981	38,284	43,214	53,018	66,788	83,652	72,696	27,600	554
1925	550,412	68,029	25,602	17,921	33,934	39,446	45,157	54,355	70,132	88,867	76,463	29,877	629
1926	580,224	68,888	28,742	17,925	33,881	40,539	46,823	58,007	74,797	95,696	82,540	31,841	545
1927	554,930	61,856	23,694	17,876	32,996	39,522	46,173	57,133	72,556	93,876	78,584	29,933	731
1928	623,096	65,816	27,379	19,731	37,171	43,362	52,445	63,891	81,157	105,566	90,318	35,308	952
1929	624,266	63,517	26,094	19,034	36,776	43,444	51,943	64,803	83,300	107,697	91,366	35,440	852
1930	600,560	62,027	22,465	17,683	34,381	40,327	49,541	63,790	83,171	105,557	87,510	33,366	742
1931	589,643	56,426	20,639	17,176	32,772	39,348	48,851	63,718	83,216	105,649	87,957	33,248	643
1932	588,763	51,592	17,924	15,965	30,140	37,455	47,361	63,019	84,426	109,949	94,119	36,195	618
1933	604,794	52,556	18,888	16,062	29,819	38,252	48,060	65,087	87,652	113,581	97,530	36,620	687
1934	624,308	56,235	19,879	16,318	29,560	38,206	48,142	67,066	90,272	117,339	102,410	38,221	660
1935	621,432	51,333	16,959	16,069	29,164	38,081	48,236	67,256	90,581	119,370	104,492	39,412	479
1936	657,789	52,786	16,600	15,151	29,917	38,995	50,004	69,712	95,219	128,164	116,656	44,090	495
1937	641,593	51,758	15,819	13,671	27,999	36,752	48,283	69,034	94,058	126,403	115,072	42,345	399
1938	616,489	50,240	14,677	12,166	24,830	32,595	44,029	65,595	91,381	125,629	113,976	41,008	363
1939	619,020	46,861	12,228	10,435	22,783	31,128	42,280	65,572	93,499	129,580	119,668	44,633	353

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	332,810	68,581	31,221	14,078	20,689	27,464	27,139	27,347	33,273	39,106	32,130	10,632	1,150
1901	321,948	60,371	27,050	13,078	19,873	27,188	27,617	27,945	34,325	39,643	32,883	10,710	1,265
1902	308,550	60,213	26,704	12,349	18,719	25,593	26,309	26,749	32,538	37,946	30,536	9,822	1,072
1903	316,650	58,356	25,094	13,001	19,255	25,902	27,295	28,052	34,620	40,167	32,845	10,755	1,308
1904	338,301	62,258	26,316	14,010	20,827	27,472	29,135	30,314	36,864	43,396	34,828	11,735	1,146
1905	334,344	64,353	25,160	13,077	20,088	26,517	28,605	30,231	36,608	42,843	34,532	11,698	632
1906	506,553	103,448	41,333	19,301	31,474	40,955	43,336	45,561	53,139	61,846	48,798	15,902	1,460
1907	525,259	100,660	39,175	19,158	32,288	42,197	46,060	48,720	57,416	67,823	53,473	17,384	905
1908	542,800	108,082	41,955	20,469	32,727	41,858	45,436	50,079	58,557	68,948	55,661	18,326	702
1909	603,551	116,402	46,181	21,680	34,517	45,444	50,553	56,141	66,277	80,443	64,165	21,135	613
1910	669,475	129,517	51,623	24,479	38,705	50,541	55,708	62,593	72,690	88,494	70,980	23,504	641
1911	713,244	127,452	49,554	25,277	42,205	54,539	61,247	68,885	80,771	98,306	78,254	25,792	962
1912	709,531	125,565	47,238	23,738	40,277	53,110	60,425	69,767	83,195	99,322	80,037	26,037	820
1913	752,265	135,247	54,352	27,182	42,286	55,492	63,537	73,637	86,625	103,481	82,707	26,725	994
1914	758,600	131,113	48,745	26,721	41,804	55,869	64,502	75,289	90,737	109,215	86,011	27,675	919
1915	762,289	125,841	44,595	24,829	40,518	55,145	64,234	76,764	94,596	114,268	91,343	29,353	803
1916	842,597	137,086	57,150	28,359	44,351	60,057	70,445	83,990	104,594	124,040	99,418	32,221	886
1917	882,735	140,151	56,353	30,880	47,859	64,624	74,470	88,788	110,882	129,914	104,403	33,010	1,401
1918	1,282,533	167,268	94,566	56,776	122,339	188,598	129,306	111,469	125,826	141,436	108,142	33,870	2,937
1919	945,436	137,641	57,502	38,053	60,331	86,678	83,242	91,352	114,180	133,016	106,858	35,132	1,451
1920	990,859	148,615	62,932	39,459	57,698	81,711	81,543	93,118	121,493	144,196	119,882	39,230	982
1921	895,593	135,876	51,786	38,287	45,905	58,209	66,551	87,315	116,810	139,434	114,889	37,839	692
1922	951,452	133,651	50,398	34,644	46,805	61,590	74,386	94,778	128,079	157,630	126,931	41,592	968
1923	1,028,101	139,340	55,674	35,999	49,818	63,853	79,459	101,942	139,475	173,018	141,635	46,904	984
1924	997,617	132,738	47,003	34,082	48,800	60,702	78,284	102,296	138,435	171,999	138,025	44,406	847
1925	1,035,500	133,525	45,902	34,121	50,289	62,125	80,662	105,784	145,412	182,788	145,759	48,202	931
1926	1,093,850	134,575	51,642	34,131	50,860	62,938	84,526	112,862	154,515	197,139	157,980	51,855	827
1927	1,050,358	119,979	42,060	34,362	49,513	61,143	83,012	111,043	152,026	195,265	151,926	49,045	984
1928	1,168,269	126,855	48,281	37,088	55,248	66,265	92,164	123,305	168,078	218,439	174,057	57,207	1,282
1929	1,175,490	121,571	46,249	36,310	55,528	66,526	92,135	125,590	173,186	223,549	175,993	57,627	1,226
1930	1,136,884	118,036	39,936	33,399	52,167	62,260	87,706	124,056	173,350	220,117	170,048	54,799	1,008
1931	1,125,377	107,938	36,711	32,539	50,176	60,352	87,786	125,784	174,539	220,749	172,046	55,746	1,011
1932	1,122,470	98,184	32,076	30,263	46,353	57,295	83,769	124,072	177,423	228,038	183,741	60,255	1,001
1933	1,162,398	98,614	33,931	30,476	46,977	59,143	85,723	129,768	186,068	237,641	191,451	61,409	1,197
1934	1,207,197	105,521	35,017	31,141	47,618	59,627	86,126	135,707	193,168	245,976	202,247	63,940	1,109
1935	1,207,359	97,907	30,004	30,853	47,408	60,114	86,412	136,461	194,338	249,948	207,207	65,907	800
1936	1,278,379	99,504	29,537	29,423	48,414	60,939	89,759	143,833	206,148	266,485	229,931	73,553	853
1937	1,254,787	97,064	27,610	26,508	45,956	58,507	86,023	142,973	205,887	264,105	228,270	71,229	655
1938	1,195,431	94,485	25,292	22,978	39,392	50,909	76,754	133,794	197,242	261,450	223,604	68,941	590
1939	1,207,078	87,841	21,221	20,453	37,296	48,901	73,898	134,531	202,633	270,077	234,452	75,177	598

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	173,731	38,224	16,318	7,088	10,197	13,869	14,681	14,657	17,381	20,037	15,954	4,601	724
1901	169,530	33,781	14,239	6,818	9,957	14,137	15,159	15,336	18,052	20,295	16,298	4,641	817
1902	163,387	33,585	13,941	6,435	9,299	13,233	14,588	14,827	17,389	19,711	15,297	4,386	696
1903	167,134	32,622	13,045	6,740	9,714	13,446	15,075	15,599	18,295	20,712	16,309	4,728	849
1904	178,963	34,827	13,831	7,123	10,217	14,238	16,346	16,918	19,924	22,348	17,278	5,174	739
1905	177,105	36,098	13,358	6,721	10,073	13,809	16,005	16,932	19,609	21,840	17,095	5,146	419
1906	274,579	57,954	21,662	10,120	16,897	22,326	25,384	26,229	29,252	32,306	24,399	6,994	1,056
1907	286,269	56,309	20,583	10,086	17,791	23,660	27,207	28,524	31,735	35,687	26,392	7,656	639
1908	294,173	60,473	22,122	10,675	17,549	22,943	26,166	29,073	32,581	35,943	28,022	8,103	523
1909	327,153	65,195	24,381	11,435	18,303	24,849	29,042	32,717	36,897	42,289	32,047	9,515	483
1910	365,042	72,567	27,239	12,731	20,973	28,136	32,561	36,712	41,020	46,664	35,346	10,595	498
1911	388,238	71,373	26,076	13,358	22,465	30,024	35,567	40,464	45,562	52,014	39,102	11,563	670
1912	388,302	70,753	25,101	12,625	21,693	29,397	35,070	41,435	47,177	52,849	39,832	11,771	599
1913	413,225	76,254	28,734	14,504	23,132	31,190	37,205	43,605	49,509	55,348	41,065	11,995	684
1914	415,493	73,781	25,979	14,241	22,302	30,986	37,655	44,240	51,689	58,682	42,869	12,430	639
1915	415,476	71,344	23,733	13,347	21,328	30,465	36,992	44,895	53,642	60,821	45,176	13,129	604
1916	461,432	77,726	30,462	15,499	23,407	33,425	41,202	49,702	59,884	66,370	48,952	14,188	615
1917	486,208	79,809	30,050	16,670	25,538	36,374	43,849	53,064	63,768	69,997	51,559	14,522	1,008
1918	706,613	94,807	48,803	29,185	65,363	106,809	77,807	65,355	71,688	76,182	53,628	14,917	2,069
1919	502,968	78,213	30,619	20,623	29,846	43,549	46,281	51,455	63,583	70,205	52,148	15,516	930
1920	521,440	84,720	33,294	21,451	28,343	39,458	43,781	51,367	66,587	76,025	58,695	17,116	603
1921	475,172	77,592	27,729	20,983	22,975	29,090	37,241	48,095	64,349	73,898	56,331	16,445	444
1922	507,567	76,505	27,178	19,065	23,438	30,797	40,732	53,063	71,465	84,327	62,518	17,857	622
1923	549,623	79,061	29,780	19,936	25,194	32,519	44,148	57,713	78,150	92,630	69,630	20,233	629
1924	539,303	76,012	25,445	18,996	24,838	30,970	43,955	58,159	78,202	93,931	68,959	19,269	567
1925	559,356	76,378	24,614	19,127	25,729	31,729	44,972	60,461	82,144	99,577	73,149	20,870	606
1926	590,852	76,615	27,760	19,148	26,148	32,007	47,528	64,757	87,054	107,355	79,401	22,534	545
1927	572,061	68,733	22,615	19,401	25,575	31,326	47,001	64,007	86,976	107,116	77,124	21,559	628
1928	637,063	72,867	25,973	20,913	28,953	34,296	51,978	71,927	96,217	119,811	88,395	24,921	812
1929	642,463	69,191	24,878	20,541	29,349	34,531	52,610	73,671	99,564	122,810	89,359	25,146	813
1930	625,792	67,268	21,763	19,014	28,020	32,822	50,116	73,334	100,033	121,709	86,841	24,226	646
1931	621,120	61,747	19,950	18,419	27,170	31,832	50,549	74,599	100,855	122,162	88,224	24,948	665
1932	614,093	56,094	17,253	16,977	24,834	29,661	47,357	73,102	102,689	125,044	93,841	26,617	624
1933	641,725	56,054	18,399	17,323	25,573	31,051	48,809	77,401	108,663	131,852	98,407	27,428	765
1934	670,476	60,255	18,878	17,737	26,543	31,697	49,627	81,711	113,529	136,756	104,506	28,545	692
1935	671,298	56,380	16,263	17,546	26,493	32,093	49,896	82,037	114,592	138,787	107,235	29,448	528
1936	712,126	56,923	16,084	16,925	27,342	32,586	52,416	87,622	122,768	147,765	118,447	32,667	581
1937	702,630	55,505	14,931	15,379	26,251	31,956	50,207	87,476	123,434	147,137	118,021	31,895	438
1938	665,559	54,090	13,676	13,237	22,422	27,752	44,419	81,439	117,424	145,428	114,511	30,775	386
1939	672,047	50,171	11,628	12,087	21,642	26,728	42,717	81,934	121,010	150,466	119,756	33,501	407

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	159,079	30,357	14,903	6,990	10,492	13,595	12,458	12,690	15,892	19,069	16,176	6,031	426
1901	152,418	26,590	12,811	6,260	9,916	13,051	12,458	12,609	16,273	19,348	16,585	6,069	448
1902	145,163	26,628	12,763	5,914	9,420	12,360	11,721	11,922	15,149	18,235	15,239	5,436	376
1903	149,516	25,734	12,049	6,261	9,541	12,456	12,220	12,453	16,325	19,455	16,536	6,027	459
1904	159,338	27,431	12,485	6,887	10,610	13,234	12,789	13,396	16,940	21,048	17,550	6,561	407
1905	157,239	28,255	11,802	6,356	10,015	12,708	12,600	13,299	16,999	21,003	17,437	6,552	213
1906	231,974	45,494	19,671	9,181	14,577	18,629	17,952	19,332	23,887	29,540	24,399	8,908	404
1907	238,990	44,351	18,592	9,072	14,497	18,537	18,853	20,196	25,681	32,136	27,081	9,728	266
1908	248,627	47,609	19,833	9,794	15,178	18,915	19,270	21,006	25,976	33,005	27,639	10,223	179
1909	276,398	51,207	21,800	10,245	16,214	20,595	21,511	23,424	29,380	38,154	32,118	11,620	130
1910	304,433	56,950	24,384	11,748	17,732	22,405	23,147	25,881	31,670	41,830	35,634	12,909	143
1911	325,006	56,079	23,478	11,919	19,740	24,515	25,680	28,421	35,209	46,292	39,152	14,229	292
1912	321,229	54,812	22,137	11,113	18,584	23,713	25,355	28,332	36,018	46,473	40,205	14,266	221
1913	339,040	58,993	25,618	12,678	19,154	24,302	26,332	30,032	37,116	48,133	41,642	14,730	310
1914	343,107	57,332	22,766	12,480	19,502	24,883	26,847	31,049	39,048	50,533	43,142	15,245	280
1915	346,813	54,497	20,862	11,482	19,190	24,680	27,242	31,869	40,954	53,447	46,167	16,224	199
1916	381,165	59,360	26,688	12,860	20,944	26,632	29,243	34,288	44,710	57,670	50,466	18,033	271
1917	396,527	60,342	26,303	14,210	22,321	28,250	30,621	35,724	47,114	59,917	52,844	18,488	393
1918	575,920	72,461	45,763	27,591	56,976	81,789	51,499	46,114	54,138	65,254	54,514	18,953	868
1919	442,468	59,428	26,883	17,430	30,485	43,129	36,961	39,897	50,597	62,811	54,710	19,616	521
1920	469,419	63,895	29,638	18,008	29,355	42,253	37,762	41,751	54,906	68,171	61,187	22,114	379
1921	420,421	58,284	24,057	17,304	22,930	29,119	31,310	39,220	52,461	65,536	58,558	21,394	248
1922	443,885	57,146	23,220	15,579	23,367	30,793	33,654	41,715	56,614	73,303	64,413	23,735	346
1923	478,478	60,279	25,894	16,063	24,624	31,334	35,311	44,229	61,325	80,388	72,005	26,671	355
1924	458,314	56,726	21,558	15,086	23,962	29,732	34,329	44,137	60,233	78,068	69,066	25,137	280
1925	476,144	57,147	21,288	14,994	24,560	30,396	35,690	45,323	63,268	83,211	72,610	27,332	325
1926	502,998	57,960	23,882	14,983	24,712	30,931	36,998	48,105	67,461	89,784	78,579	29,321	282
1927	478,297	51,246	19,445	14,961	23,938	29,817	36,011	47,036	65,050	88,149	74,802	27,486	356
1928	531,206	53,988	22,308	16,175	26,295	31,969	40,186	51,378	71,861	98,628	85,662	32,286	470
1929	533,027	52,380	21,371	15,769	26,179	31,995	39,525	51,919	73,622	100,739	86,634	32,481	413
1930	511,092	50,768	18,173	14,385	24,147	29,438	37,590	50,724	73,317	98,408	83,207	30,573	362
1931	504,257	46,191	16,761	14,120	23,006	28,520	37,237	51,185	73,684	98,587	83,822	30,798	346
1932	508,377	42,090	14,823	13,286	21,519	27,634	36,412	50,970	74,734	102,994	89,900	33,638	377
1933	520,673	42,560	15,532	13,153	21,404	28,092	36,914	52,367	77,405	105,789	93,044	33,981	432
1934	536,721	45,266	16,139	13,404	21,075	27,930	36,499	53,996	79,639	109,220	97,741	35,395	417
1935	536,061	41,527	13,741	13,307	20,915	28,021	36,516	54,424	79,746	111,161	99,972	36,459	272
1936	566,253	42,581	13,453	12,498	21,072	28,353	37,343	56,211	83,380	118,720	111,484	40,886	272
1937	552,157	41,559	12,679	11,129	19,705	26,551	35,816	55,497	82,453	116,968	110,249	39,334	217
1938	529,872	40,395	11,616	9,741	16,970	23,157	32,335	52,355	79,818	116,022	109,093	38,166	204
1939	535,031	37,670	9,593	8,366	15,654	22,173	31,181	52,597	81,623	119,611	114,696	41,676	191

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL OTHER, BOTH SEXES													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	10,407	2,536	1,191	587	1,070	1,060	928	955	816	616	400	210	38
1901	10,255	2,388	967	485	1,063	1,160	1,055	1,042	844	594	377	221	59
1902	10,086	2,421	1,052	473	1,071	1,116	1,010	937	766	616	371	199	54
1903	10,645	2,395	1,126	481	1,056	1,279	1,070	978	887	707	374	234	58
1904	11,554	2,547	1,151	544	1,207	1,373	1,196	1,072	1,030	711	441	222	60
1905	11,519	2,541	1,136	553	1,245	1,391	1,159	937	745	391	203	203	46
1906	24,452	5,273	2,597	1,272	2,502	2,935	2,653	2,285	2,060	1,486	851	419	119
1907	24,986	5,247	2,425	1,124	2,520	3,079	2,911	2,502	2,142	1,618	902	426	90
1908	24,445	5,083	2,292	1,181	2,408	3,020	2,765	2,607	2,110	1,632	871	422	54
1909	26,506	5,326	2,397	1,204	2,521	3,204	3,089	2,882	2,380	1,912	982	523	86
1910	27,381	5,503	2,407	1,113	2,501	3,373	3,483	3,065	2,448	1,948	1,009	479	52
1911	36,674	6,184	2,999	1,594	3,751	4,540	4,649	4,155	3,455	2,795	1,473	833	246
1912	36,240	5,896	2,601	1,420	3,628	4,445	4,780	4,389	3,612	2,839	1,619	785	226
1913	50,644	8,964	3,872	2,171	5,123	5,944	6,278	5,750	4,792	3,979	2,246	1,099	426
1914	52,314	8,913	3,788	2,194	5,277	6,263	6,637	6,152	5,058	4,199	2,366	1,211	256
1915	53,211	8,543	3,542	2,128	5,273	6,224	6,879	6,354	5,487	4,596	2,651	1,306	228
1916	82,374	15,249	6,929	3,611	8,596	9,201	9,619	8,605	7,503	6,578	4,017	2,132	334
1917	98,504	17,336	8,452	4,571	10,803	11,100	11,732	10,401	8,767	7,765	4,579	2,483	515
1918	147,546	21,503	14,349	8,944	21,810	21,334	17,711	13,835	10,286	8,851	5,190	2,777	956
1919	126,827	20,594	9,226	7,025	16,323	15,861	15,277	13,783	9,932	9,069	5,790	3,149	798
1920	127,211	22,296	9,167	6,122	14,964	15,113	15,118	13,907	10,506	9,655	6,197	3,542	624
1921	114,080	20,453	7,529	5,107	12,877	12,946	13,609	13,015	10,146	8,884	5,840	3,214	460
1922	132,500	22,105	8,261	5,389	14,438	15,040	16,189	16,216	12,371	10,800	7,030	3,990	671
1923	145,964	24,014	10,658	5,776	15,519	16,347	17,457	17,884	13,700	11,736	7,753	4,498	622
1924	153,459	25,300	10,280	5,855	16,744	16,921	18,438	19,356	14,723	12,480	8,106	4,606	650
1925	156,309	24,555	9,035	5,953	17,130	18,073	19,508	20,270	15,245	12,651	8,380	4,781	728
1926	163,406	24,836	10,282	5,911	16,990	19,193	20,422	21,966	16,553	13,157	8,719	4,711	666
1927	161,269	23,773	9,094	5,958	16,602	19,064	20,856	22,216	16,989	12,952	8,286	4,582	897
1928	193,718	26,637	10,764	7,137	20,092	22,534	24,926	27,676	21,060	15,766	10,296	5,671	1,159
1929	194,267	25,090	10,013	6,837	19,747	22,869	25,813	28,626	21,998	15,962	10,566	5,706	1,040
1930	190,356	25,165	9,160	6,709	19,084	22,021	24,989	28,905	22,348	16,216	9,565	5,359	835
1931	181,896	22,973	8,229	6,283	18,434	21,785	24,607	27,422	21,680	15,734	9,327	4,766	656
1932	170,799	21,247	6,489	5,575	16,222	19,713	23,072	26,212	21,829	15,536	9,355	4,988	561
1933	179,708	22,273	7,084	6,006	16,245	20,570	24,011	27,733	23,186	17,146	9,661	5,149	644
1934	189,706	24,664	8,158	5,962	16,366	21,247	25,204	29,420	24,145	18,333	10,197	5,448	562
1935	185,393	22,231	6,803	5,837	15,888	20,769	25,673	28,893	24,515	18,577	10,114	5,593	500
1936	200,849	23,031	6,755	5,676	17,056	22,368	28,023	31,203	26,952	21,728	11,351	6,179	527
1937	195,640	22,867	6,782	5,270	16,143	21,207	26,957	30,788	26,385	22,112	10,926	5,747	456
1938	185,960	22,217	6,528	5,038	14,776	19,144	24,584	29,452	25,674	22,115	10,548	5,446	438
1939	180,819	21,005	5,666	4,499	13,328	18,179	23,314	28,784	26,325	22,728	11,015	5,582	394

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	5,285	1,384	581	246	501	560	472	507	427	309	185	88	25
1901	5,337	1,269	487	229	492	642	588	564	464	310	171	85	36
1902	5,252	1,342	527	226	491	588	546	500	428	308	191	72	33
1903	5,489	1,296	578	204	495	675	554	525	481	377	189	79	36
1904	6,028	1,359	597	240	555	749	661	578	566	368	220	90	45
1905	5,980	1,391	588	226	579	720	651	631	501	384	202	76	31
1906	13,112	2,866	1,336	583	1,167	1,625	1,557	1,307	1,194	814	404	171	88
1907	13,530	2,840	1,239	526	1,228	1,774	1,676	1,442	1,246	892	443	156	68
1908	13,186	2,758	1,168	570	1,150	1,666	1,631	1,510	1,213	888	421	174	37
1909	14,398	2,877	1,202	537	1,245	1,795	1,812	1,728	1,333	1,073	510	231	55
1910	15,031	2,994	1,254	522	1,229	1,928	2,052	1,801	1,418	1,089	520	188	36
1911	19,895	3,367	1,551	756	1,798	2,544	2,703	2,399	1,975	1,593	721	337	151
1912	19,791	3,176	1,323	660	1,756	2,488	2,827	2,548	2,088	1,594	862	343	126
1913	27,122	4,889	1,985	1,004	2,436	3,210	3,582	3,274	2,639	2,217	1,171	464	251
1914	28,129	4,884	1,902	1,040	2,570	3,394	3,766	3,450	2,851	2,379	1,233	503	157
1915	28,452	4,722	1,786	1,028	2,512	3,319	3,953	3,546	3,033	2,493	1,352	574	134
1916	43,455	8,494	3,637	1,687	3,956	4,650	5,155	4,807	4,145	3,645	2,130	949	200
1917	52,315	9,618	4,376	2,178	5,150	5,766	6,437	5,817	4,818	4,362	2,415	1,071	307
1918	77,694	11,665	7,256	4,156	11,122	11,110	9,633	7,738	5,627	4,823	2,771	1,208	585
1919	64,217	11,435	4,799	3,297	7,330	7,168	7,653	7,477	5,288	4,902	3,041	1,407	420
1920	64,696	12,366	4,699	2,939	6,790	6,869	7,500	7,485	5,589	5,236	3,254	1,613	356
1921	58,095	11,203	3,879	2,530	5,782	6,005	6,861	6,946	5,365	4,762	3,110	1,400	252
1922	68,360	12,139	4,426	2,690	6,563	7,128	8,226	8,847	6,466	5,907	3,815	1,788	365
1923	75,636	13,194	5,566	2,800	7,092	7,951	9,026	9,701	7,243	6,428	4,234	2,032	369
1924	80,571	14,084	5,410	2,896	7,725	8,369	9,553	10,475	8,168	6,896	4,476	2,143	376
1925	82,041	13,673	4,721	3,026	7,756	9,023	10,041	11,238	8,381	6,995	4,527	2,236	424
1926	86,180	13,908	5,422	2,969	7,821	9,585	10,597	12,064	9,217	7,245	4,758	2,191	403
1927	84,636	13,163	4,845	3,043	7,544	9,359	10,694	12,119	9,483	7,225	4,504	2,135	522
1928	101,828	14,809	5,693	3,581	9,216	11,141	12,667	15,163	11,764	8,828	5,640	2,649	677
1929	103,028	13,953	5,290	3,572	9,150	11,420	13,395	15,742	12,320	9,004	5,834	2,747	601
1930	100,888	13,906	4,868	3,411	8,850	11,132	13,038	15,839	12,494	9,067	5,262	2,566	455
1931	96,510	12,738	4,351	3,227	8,668	10,957	12,993	14,889	12,148	8,672	5,192	2,316	359
1932	90,413	11,745	3,388	2,896	7,601	9,892	12,123	14,163	12,137	8,581	5,136	2,431	320
1933	95,587	12,277	3,728	3,097	7,830	10,410	12,865	15,013	12,939	9,354	5,175	2,510	389
1934	102,119	13,695	4,418	3,048	7,881	10,971	13,561	16,350	13,512	10,214	5,528	2,622	319
1935	100,022	12,425	3,585	3,075	7,639	10,709	13,953	16,061	13,680	10,368	5,594	2,640	293
1936	109,313	12,826	3,608	3,023	8,211	11,726	15,362	17,702	15,113	12,284	6,179	2,975	304
1937	106,204	12,668	3,642	2,728	7,849	11,006	14,490	17,251	14,780	12,677	6,103	2,736	274
1938	99,343	12,372	3,467	2,613	6,916	9,706	12,890	16,212	14,111	12,508	5,665	2,604	279
1939	96,830	11,814	3,031	2,430	6,199	9,224	12,215	15,809	14,449	12,759	6,043	2,625	232

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ALL CAUSES

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	5,122	1,152	610	341	569	500	456	448	389	307	215	122	13
1901	4,918	1,119	480	256	571	518	467	478	380	284	206	136	23
1902	4,834	1,079	525	247	580	528	464	437	338	308	180	127	21
1903	5,156	1,099	548	277	561	604	516	453	406	330	185	155	22
1904	5,526	1,188	554	304	652	624	535	494	464	343	221	132	15
1905	5,539	1,150	548	327	666	671	521	528	436	361	189	127	15
1906	11,340	2,407	1,261	689	1,335	1,310	1,096	978	866	672	447	248	31
1907	11,456	2,407	1,186	598	1,292	1,305	1,235	1,060	896	726	459	270	22
1908	11,259	2,325	1,124	611	1,258	1,354	1,134	1,097	897	744	450	248	17
1909	12,108	2,449	1,195	667	1,276	1,409	1,277	1,154	1,047	839	472	292	31
1910	12,350	2,509	1,153	591	1,272	1,445	1,431	1,264	1,030	859	489	291	16
1911	16,779	2,817	1,448	838	1,953	1,996	1,946	1,756	1,480	1,202	752	496	95
1912	16,449	2,720	1,278	760	1,872	1,957	1,953	1,841	1,524	1,245	757	442	100
1913	23,522	4,075	1,887	1,167	2,687	2,734	2,696	2,476	2,153	1,762	1,075	635	175
1914	24,185	4,029	1,886	1,154	2,707	2,869	2,871	2,702	2,207	1,820	1,133	708	99
1915	24,759	3,821	1,756	1,100	2,761	2,905	2,926	2,808	2,454	2,103	1,299	732	94
1916	38,919	6,755	3,292	1,924	4,640	4,551	4,464	3,798	3,358	2,933	1,887	1,183	134
1917	46,189	7,718	4,076	2,393	5,653	5,334	5,295	4,584	3,949	3,403	2,164	1,412	208
1918	69,852	9,838	7,093	4,788	10,688	10,224	8,078	6,097	4,659	4,028	2,419	1,569	371
1919	62,610	9,159	4,427	3,728	8,993	8,693	7,624	6,306	4,644	4,167	2,749	1,742	378
1920	62,515	9,930	4,468	3,183	8,174	8,244	7,618	6,422	4,917	4,419	2,943	1,929	268
1921	55,985	9,250	3,650	2,577	7,095	6,941	6,748	6,069	4,781	4,122	2,730	1,814	208
1922	64,140	9,966	3,835	2,699	7,875	7,912	7,963	7,369	5,905	4,893	3,215	2,202	306
1923	70,328	10,820	5,092	2,976	8,427	8,396	8,431	8,183	6,457	5,308	3,519	2,466	253
1924	72,888	11,216	4,870	2,959	9,019	8,552	8,885	8,881	6,555	5,584	3,630	2,463	274
1925	74,268	10,882	4,314	2,927	9,374	9,050	9,467	9,032	6,864	5,656	3,853	2,545	304
1926	77,226	10,928	4,860	2,942	9,169	9,608	9,825	9,902	7,336	5,912	3,961	2,520	263
1927	76,633	10,610	4,249	2,915	9,058	9,705	10,162	10,097	7,506	5,727	3,782	2,447	375
1928	91,890	11,828	5,071	3,556	10,876	11,393	12,259	12,513	9,296	6,938	4,656	3,022	482
1929	91,239	11,137	4,723	3,265	10,597	11,449	12,418	12,884	9,678	6,958	4,732	2,959	439
1930	89,468	11,259	4,292	3,298	10,234	10,889	11,951	13,066	9,854	7,149	4,303	2,793	380
1931	85,386	10,235	3,878	3,056	9,766	10,828	11,614	12,533	9,532	7,062	4,135	2,450	297
1932	80,386	9,502	3,101	2,679	8,621	9,821	10,949	12,049	9,692	6,955	4,219	2,557	241
1933	84,121	9,996	3,356	2,909	8,415	10,160	11,146	12,720	10,247	7,792	4,486	2,639	255
1934	87,587	10,969	3,740	2,914	8,485	10,276	11,643	13,070	10,633	8,119	4,669	2,826	243
1935	85,371	9,806	3,218	2,762	8,249	10,060	11,720	12,832	10,835	8,209	4,520	2,953	207
1936	91,536	10,205	3,147	2,653	8,845	10,642	12,661	13,501	11,839	9,444	5,172	3,204	223
1937	89,436	10,199	3,140	2,542	8,294	10,201	12,467	13,537	11,605	9,435	4,823	3,011	182
1938	86,617	9,845	3,061	2,425	7,860	9,438	11,694	13,240	11,563	9,607	4,883	2,842	159
1939	83,989	9,191	2,635	2,069	7,129	8,955	11,099	12,975	11,876	9,969	4,972	2,957	162

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	13-22
Fourth	1930-1938	23-32
Third	1921-1929	31-37
Second	1910-1920	28-35
First	1900-1909	26-35

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	38,820	1,364	1,663	1,377	7,642	10,241	6,957	4,081	2,791	1,805	737	85	77
1901	38,434	1,299	1,559	1,346	7,579	10,005	7,115	4,061	2,803	1,818	668	82	99
1902	35,859	1,156	1,477	1,282	7,075	9,378	6,717	3,839	2,549	1,602	622	80	82
1903	37,102	1,172	1,578	1,344	7,432	9,682	6,817	3,967	2,682	1,635	614	69	110
1904	40,125	1,338	1,667	1,489	8,159	10,358	7,570	4,335	2,756	1,703	581	77	92
1905	39,168	1,229	1,775	1,470	7,828	9,955	7,308	4,463	2,717	1,714	575	68	66
1906	59,393	1,946	2,667	2,282	11,662	14,942	11,155	6,894	4,213	2,536	870	109	117
1907	60,194	2,004	2,653	2,212	11,506	14,792	11,568	7,246	4,349	2,709	974	99	82
1908	62,628	1,922	2,783	2,412	12,151	15,535	12,008	7,428	4,534	2,755	939	104	57
1909	69,105	2,165	3,070	2,573	13,443	16,976	12,965	8,370	5,070	3,177	1,118	120	58
1910	73,028	2,182	3,273	2,593	13,806	17,926	14,154	8,986	5,523	3,312	1,115	111	47
1911	83,663	2,414	3,733	3,144	16,160	20,077	15,986	10,051	6,489	4,021	1,291	161	136
1912	79,734	2,180	3,442	2,908	15,248	19,458	15,320	9,955	6,097	3,650	1,221	156	99
1913	83,434	2,323	3,816	3,182	15,608	19,797	15,966	10,517	6,697	3,937	1,331	138	122
1914	86,359	2,238	3,477	3,298	16,250	20,673	16,917	11,022	7,040	3,883	1,315	134	112
1915	86,726	2,213	3,540	3,157	16,435	20,859	16,802	11,228	6,935	4,011	1,311	150	85
1916	92,688	2,352	3,868	3,606	17,882	22,249	17,696	11,374	7,492	4,443	1,423	180	123
1917	100,789	2,525	4,209	3,913	19,510	24,016	19,128	12,772	8,098	4,655	1,581	209	173
1918	118,334	2,449	4,449	4,825	24,540	29,555	21,708	14,647	9,057	5,041	1,561	200	302
1919	104,486	2,110	3,637	4,011	21,289	25,496	19,468	13,291	8,324	4,843	1,597	195	225
1920	97,366	1,972	3,316	3,861	20,292	23,567	17,557	12,044	7,909	4,796	1,673	228	151
1921	85,739	1,771	2,744	3,315	17,964	20,354	15,235	10,810	7,342	4,376	1,548	179	101
1922	88,385	1,690	2,777	3,018	18,343	21,262	15,747	11,096	7,593	4,891	1,633	191	144
1923	88,788	1,571	2,886	3,095	18,490	20,945	15,821	11,210	7,708	4,991	1,728	216	127
1924	87,346	1,505	2,813	3,124	18,757	20,557	15,461	11,037	7,443	4,697	1,657	188	107
1925	86,510	1,460	2,595	3,018	18,246	20,305	15,418	11,023	7,472	5,014	1,624	191	144
1926	88,740	1,367	2,907	3,016	18,380	20,469	15,878	11,511	7,845	5,193	1,837	217	120
1927	85,194	1,219	2,571	2,892	17,833	19,958	15,192	11,078	7,431	4,942	1,718	208	152
1928	89,007	1,227	2,614	2,981	18,536	20,077	16,253	11,808	8,018	5,249	1,863	218	163
1929	86,885	973	2,419	2,755	17,819	20,004	15,846	11,803	7,877	5,135	1,856	222	176
1930	83,352	1,070	2,254	2,781	16,476	18,590	15,272	11,703	7,902	5,140	1,841	203	120
1931	80,129	927	2,082	2,512	15,441	17,689	15,010	11,553	7,742	5,022	1,805	227	119
1932	74,267	816	1,678	2,278	13,509	16,144	14,080	10,987	7,589	5,012	1,874	208	92
1933	74,842	786	1,638	2,145	13,281	16,451	14,038	11,343	8,012	4,957	1,878	199	114
1934	71,609	725	1,564	1,987	12,118	15,432	13,344	11,376	7,882	4,951	1,931	215	84
1935	70,080	700	1,361	1,890	11,451	14,879	13,591	11,095	7,916	4,985	1,954	204	54
1936	71,527	670	1,312	1,807	11,712	15,100	13,641	11,472	8,269	5,233	1,965	276	70
1937	69,324	628	1,303	1,653	11,070	14,481	13,049	11,528	8,184	5,256	1,909	211	52
1938	63,735	570	1,294	1,507	10,248	13,103	11,753	10,339	7,903	4,997	1,735	236	50
1939	61,609	540	1,149	1,375	9,387	12,399	11,109	10,604	7,800	5,105	1,854	243	44

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	20,092	748	882	554	3,376	5,093	3,916	2,469	1,657	969	344	47	37
1901	20,392	714	827	563	3,401	5,124	4,114	2,548	1,686	995	334	39	47
1902	18,922	641	739	547	3,054	4,824	3,931	2,375	1,563	836	323	38	51
1903	19,414	633	813	555	3,234	4,885	3,919	2,517	1,602	874	301	28	53
1904	21,141	746	845	584	3,488	5,305	4,522	2,722	1,643	914	285	37	50
1905	20,859	671	911	594	3,405	5,127	4,384	2,876	1,641	888	291	30	41
1906	32,279	1,072	1,441	912	5,147	7,778	6,738	4,591	2,603	1,431	452	52	62
1907	33,248	1,099	1,402	950	5,228	7,898	7,024	4,846	2,727	1,487	494	42	51
1908	35,100	1,038	1,478	1,040	5,698	8,428	7,417	4,919	2,925	1,562	512	48	35
1909	38,430	1,218	1,626	1,097	6,320	9,141	7,934	5,435	3,204	1,786	570	60	39
1910	40,804	1,162	1,721	1,071	6,457	9,561	8,722	5,989	3,599	1,887	549	56	30
1911	46,606	1,323	1,936	1,339	7,457	10,727	9,781	6,679	4,252	2,299	671	79	63
1912	44,968	1,174	1,842	1,222	7,173	10,496	9,539	6,731	3,987	2,084	591	76	53
1913	47,340	1,263	2,014	1,342	7,318	10,885	9,938	7,165	4,393	2,253	637	67	65
1914	49,558	1,304	1,833	1,391	7,659	11,426	10,751	7,541	4,624	2,235	674	59	61
1915	49,457	1,228	1,805	1,323	7,593	11,578	10,482	7,741	4,585	2,356	655	64	47
1916	52,313	1,325	2,066	1,549	7,963	12,182	11,026	7,800	5,000	2,601	662	67	72
1917	56,794	1,425	2,199	1,666	8,608	13,077	12,075	8,759	5,382	2,682	743	91	87
1918	66,410	1,343	2,346	2,012	10,927	16,011	13,686	10,064	6,056	2,948	762	93	162
1919	56,547	1,168	1,943	1,696	8,902	12,923	11,802	8,905	5,436	2,795	776	87	114
1920	51,076	1,086	1,774	1,606	8,213	11,640	10,152	7,733	5,041	2,802	838	103	88
1921	45,106	947	1,450	1,412	7,280	10,003	8,926	6,978	4,701	2,524	753	78	54
1922	46,747	913	1,501	1,255	7,361	10,501	9,215	7,168	4,971	2,890	815	85	72
1923	46,820	849	1,507	1,366	7,151	10,349	9,451	7,347	4,932	2,876	833	92	67
1924	46,075	821	1,508	1,330	7,255	10,197	9,204	7,136	4,859	2,797	822	88	58
1925	45,560	795	1,388	1,300	7,023	9,889	9,204	7,214	4,775	2,974	830	86	82
1926	46,924	756	1,529	1,334	7,055	9,895	9,604	7,566	5,093	2,994	929	103	66
1927	45,000	632	1,332	1,269	6,706	9,685	9,217	7,327	4,862	2,917	889	88	76
1928	47,468	665	1,314	1,324	7,149	9,829	9,808	7,916	5,266	3,052	975	81	89
1929	46,306	516	1,292	1,190	6,840	9,602	9,686	7,873	5,160	3,014	918	112	103
1930	45,195	579	1,178	1,225	6,468	9,171	9,280	7,902	5,244	3,066	935	89	58
1931	43,881	535	1,115	1,087	6,101	8,633	9,432	7,814	5,077	2,976	937	108	66
1932	40,846	442	851	1,017	5,223	7,928	8,742	7,460	5,103	2,985	969	81	45
1933	41,450	420	835	951	5,210	7,894	8,769	7,850	5,394	2,981	991	89	66
1934	40,242	396	863	856	4,786	7,536	8,362	7,965	5,332	2,999	1,000	109	38
1935	39,840	388	710	837	4,500	7,367	8,602	7,864	5,432	3,016	1,009	83	32
1936	40,912	344	702	813	4,543	7,397	8,632	8,258	5,750	3,238	1,074	126	35
1937	39,784	338	645	717	4,336	7,032	8,258	8,236	5,810	3,253	1,031	97	31
1938	36,593	292	689	645	4,022	6,311	7,325	7,518	5,586	3,138	916	117	34
1939	35,539	291	582	593	3,613	5,893	6,969	7,721	5,523	3,225	989	118	22

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	18,728	616	781	823	4,266	5,148	3,041	1,612	1,134	836	393	38	40
1901	18,042	585	732	783	4,178	4,881	3,001	1,513	1,117	823	334	43	52
1902	16,937	515	738	735	4,021	4,554	2,786	1,464	986	766	299	42	31
1903	17,688	539	765	789	4,198	4,797	2,898	1,450	1,080	761	313	41	57
1904	18,984	592	822	905	4,671	5,053	3,048	1,613	1,113	789	296	40	42
1905	18,309	558	864	876	4,423	4,828	2,924	1,587	1,076	826	284	38	25
1906	27,114	874	1,226	1,370	6,515	7,164	4,417	2,303	1,610	1,105	418	57	55
1907	26,946	905	1,251	1,262	6,278	6,894	4,544	2,400	1,622	1,222	480	57	31
1908	27,528	884	1,305	1,372	6,453	7,107	4,591	2,509	1,609	1,193	427	56	22
1909	30,675	947	1,444	1,476	7,123	7,835	5,031	2,935	1,866	1,391	548	60	19
1910	32,224	1,020	1,552	1,522	7,349	8,365	5,432	2,997	1,924	1,425	566	55	17
1911	37,057	1,091	1,797	1,805	8,703	9,350	6,205	3,372	2,237	1,722	620	82	73
1912	34,766	1,006	1,600	1,686	8,075	8,962	5,781	3,224	2,110	1,566	630	80	46
1913	36,094	1,060	1,802	1,840	8,290	8,912	6,028	3,352	2,304	1,684	694	71	57
1914	36,801	934	1,644	1,907	8,591	9,247	6,166	3,481	2,416	1,648	641	75	51
1915	37,269	985	1,735	1,834	8,842	9,281	6,320	3,487	2,350	1,655	656	86	38
1916	40,375	1,027	1,802	2,057	9,919	10,067	6,670	3,574	2,492	1,842	761	113	51
1917	43,995	1,100	2,008	2,247	10,902	10,939	7,053	4,013	2,716	1,973	838	118	88
1918	51,924	1,106	2,103	2,813	13,613	13,544	8,022	4,583	3,001	2,093	799	107	140
1919	47,939	942	1,694	2,315	12,387	12,573	7,666	4,386	2,888	2,048	821	108	111
1920	46,290	886	1,542	2,255	12,079	11,927	7,405	4,311	2,868	1,994	835	125	63
1921	40,633	824	1,294	1,903	10,684	10,351	6,309	3,832	2,641	1,852	795	101	47
1922	41,638	777	1,276	1,763	10,982	10,761	6,532	3,928	2,622	2,001	818	106	72
1923	41,968	722	1,379	1,729	11,339	10,596	6,370	3,863	2,776	2,115	895	124	60
1924	41,271	684	1,305	1,794	11,502	10,360	6,257	3,901	2,584	1,900	835	100	49
1925	40,950	665	1,207	1,718	11,223	10,416	6,214	3,809	2,697	2,040	794	105	62
1926	41,816	611	1,378	1,682	11,325	10,574	6,274	3,945	2,752	2,199	908	114	54
1927	40,194	587	1,239	1,623	11,127	10,273	5,975	3,751	2,569	2,025	829	120	76
1928	41,539	562	1,300	1,657	11,387	10,248	6,445	3,892	2,752	2,197	888	137	74
1929	40,579	457	1,127	1,565	10,979	10,402	6,160	3,930	2,717	2,121	938	110	73
1930	38,157	491	1,076	1,556	10,008	9,419	5,992	3,801	2,658	2,074	906	114	62
1931	36,248	392	967	1,425	9,340	9,056	5,578	3,739	2,665	2,046	868	119	53
1932	33,421	374	827	1,261	8,286	8,216	5,338	3,527	2,486	2,027	905	127	47
1933	33,392	366	803	1,194	8,071	8,557	5,269	3,493	2,618	1,976	887	110	48
1934	31,367	329	701	1,131	7,332	7,896	4,982	3,411	2,550	1,952	931	106	46
1935	30,240	312	651	1,053	6,951	7,512	4,989	3,231	2,484	1,969	945	121	22
1936	30,615	326	610	994	7,169	7,703	5,009	3,214	2,519	1,995	891	150	35
1937	29,540	290	658	936	6,734	7,449	4,791	3,292	2,374	2,003	878	114	21
1938	27,142	278	605	862	6,226	6,792	4,428	2,821	2,317	1,859	819	119	16
1939	26,070	249	567	782	5,774	6,506	4,140	2,883	2,277	1,880	865	125	22

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	67,413	---	---	---	---	---	---	---	---	---	---	---	---
1911	75,727	---	---	---	---	---	---	---	---	---	---	---	---
1912	72,172	---	---	---	---	---	---	---	---	---	---	---	---
1913	73,802	---	---	---	---	---	---	---	---	---	---	---	---
1914	76,069	2,006	3,013	2,555	13,619	18,176	15,106	10,019	6,514	3,628	1,231	120	82
1915	76,167	1,992	3,045	2,415	13,774	18,321	14,887	10,153	6,397	3,754	1,242	131	56
1916	78,806	2,078	3,272	2,596	14,157	18,892	15,249	10,088	6,861	4,070	1,316	157	70
1917	84,755	---	---	---	---	---	---	---	---	---	---	---	---
1918	98,383	2,138	3,618	3,369	18,648	24,739	18,503	12,798	8,198	4,595	1,416	168	193
1919	84,414	1,786	3,007	2,698	15,344	20,434	16,149	11,386	7,478	4,384	1,461	155	132
1920	78,479	1,671	2,749	2,642	14,562	18,894	14,475	10,242	7,094	4,337	1,535	195	83
1921	68,179	1,494	2,215	2,288	12,642	15,829	12,420	9,107	6,583	4,001	1,408	145	47
1922	69,362	1,410	2,203	2,043	12,715	16,324	12,512	9,292	6,740	4,417	1,483	159	64
1923	69,937	1,289	2,240	2,099	12,874	16,053	12,676	9,411	6,843	4,600	1,603	175	74
1924	67,705	1,222	2,161	2,000	12,788	15,552	12,350	9,107	6,546	4,270	1,505	151	53
1925	66,586	1,210	1,903	1,916	12,260	15,103	12,223	9,077	6,588	4,604	1,470	162	70
1926	68,162	1,096	2,142	1,865	12,362	15,031	12,528	9,550	6,892	4,764	1,694	180	58
1927	64,673	929	1,869	1,775	11,847	14,463	11,790	9,106	6,534	4,555	1,567	166	72
1928	66,359	915	1,883	1,737	11,782	14,200	12,544	9,533	7,034	4,793	1,680	183	75
1929	64,781	751	1,669	1,643	11,377	14,154	12,172	9,512	6,863	4,699	1,678	183	80
1930	60,966	783	1,523	1,507	10,051	12,727	11,520	9,393	6,929	4,636	1,677	174	46
1931	57,695	693	1,422	1,359	9,023	11,810	11,093	9,208	6,668	4,521	1,642	194	62
1932	52,460	568	1,012	1,117	7,631	10,489	10,118	8,618	6,494	4,483	1,712	176	42
1933	52,608	521	1,000	1,064	7,384	10,616	10,073	8,844	6,772	4,399	1,698	171	66
1934	50,510	456	936	962	6,574	9,891	9,583	8,943	6,727	4,432	1,778	177	51
1935	51,269	467	910	1,039	6,724	9,963	9,919	8,871	6,843	4,493	1,834	177	29
1936	51,728	473	894	959	6,642	9,882	9,795	9,131	7,106	4,730	1,840	237	39
1937	50,261	430	822	858	6,297	9,585	9,264	9,262	7,033	4,734	1,774	180	22
1938	45,604	385	823	820	5,557	8,427	8,332	8,197	6,759	4,468	1,606	203	27
1939	44,355	345	717	711	5,079	7,913	7,860	8,423	6,735	4,599	1,726	224	23

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	37,578	---	---	---	---	---	---	---	---	---	---	---	---
1911	42,209	---	---	---	---	---	---	---	---	---	---	---	---
1912	40,693	---	---	---	---	---	---	---	---	---	---	---	---
1913	42,148	---	---	---	---	---	---	---	---	---	---	---	---
1914	43,938	1,160	1,604	1,093	6,428	10,106	9,633	6,890	4,247	2,059	617	54	47
1915	43,718	1,096	1,561	1,013	6,419	10,224	9,299	7,023	4,202	2,185	610	53	33
1916	45,273	1,187	1,763	1,142	6,393	10,536	9,665	6,982	4,567	2,342	601	57	38
1917	48,617	---	---	---	---	---	---	---	---	---	---	---	---
1918	56,210	1,180	1,901	1,415	8,366	13,606	11,864	8,855	5,485	2,660	686	81	111
1919	46,746	1,005	1,614	1,163	6,418	10,602	9,989	7,732	4,878	2,501	704	71	69
1920	41,797	935	1,484	1,158	5,737	9,465	8,457	6,632	4,529	2,509	766	81	44
1921	36,457	799	1,176	1,010	5,052	7,846	7,367	5,942	4,215	2,299	667	58	26
1922	37,297	763	1,181	881	4,973	8,170	7,468	6,040	4,432	2,572	716	66	35
1923	37,666	707	1,165	962	4,928	8,033	7,716	6,237	4,406	2,632	765	74	41
1924	36,394	681	1,176	879	4,791	7,750	7,487	5,980	4,289	2,529	732	68	32
1925	35,811	655	1,027	851	4,579	7,373	7,468	6,057	4,236	2,713	739	70	43
1926	36,710	614	1,132	846	4,621	7,269	7,690	6,387	4,465	2,723	844	85	34
1927	34,886	486	971	799	4,331	7,050	7,303	6,095	4,276	2,664	798	71	42
1928	36,177	507	924	816	4,355	6,950	7,759	6,504	4,617	2,769	867	63	46
1929	35,322	399	897	727	4,207	6,811	7,618	6,478	4,499	2,726	813	90	57
1930	33,921	433	802	709	3,797	6,244	7,171	6,461	4,628	2,738	837	76	25
1931	32,363	394	752	621	3,433	5,731	7,072	6,357	4,375	2,657	848	90	33
1932	29,587	311	507	536	2,853	5,048	6,399	5,949	4,389	2,638	867	67	23
1933	29,903	271	518	503	2,791	5,034	6,354	6,245	4,569	2,620	883	76	39
1934	29,195	250	517	458	2,500	4,771	6,084	6,388	4,570	2,650	902	84	21
1935	29,870	253	484	468	2,605	4,890	6,380	6,372	4,704	2,689	937	70	18
1936	30,330	250	482	456	2,517	4,707	6,263	6,666	4,956	2,917	992	104	20
1937	29,720	221	414	402	2,403	4,604	5,938	6,766	5,023	2,910	945	79	15
1938	27,182	203	441	382	2,137	4,052	5,344	6,076	4,809	2,780	840	100	18
1939	26,497	184	364	329	1,915	3,716	4,990	6,247	4,815	2,898	915	108	16

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	29,835	---	---	---	---	---	---	---	---	---	---	---	---
1911	33,518	---	---	---	---	---	---	---	---	---	---	---	---
1912	31,479	---	---	---	---	---	---	---	---	---	---	---	---
1913	31,654	---	---	---	---	---	---	---	---	---	---	---	---
1914	32,131	846	1,409	1,462	7,191	8,070	5,473	3,129	2,267	1,569	614	66	35
1915	32,449	896	1,484	1,402	7,355	8,097	5,588	3,130	2,195	1,569	632	78	23
1916	33,533	891	1,509	1,454	7,764	8,356	5,584	3,106	2,294	1,728	715	100	32
1917	36,138	---	---	---	---	---	---	---	---	---	---	---	---
1918	42,173	958	1,717	1,954	10,282	11,133	6,639	3,943	2,713	1,935	730	87	82
1919	37,668	781	1,393	1,535	8,926	9,832	6,160	3,654	2,600	1,883	757	84	63
1920	36,682	736	1,265	1,484	8,825	9,429	6,018	3,610	2,565	1,828	769	114	39
1921	31,722	695	1,039	1,278	7,590	7,983	5,053	3,165	2,368	1,702	741	87	21
1922	32,065	647	1,022	1,162	7,742	8,154	5,044	3,252	2,308	1,845	767	93	29
1923	32,271	582	1,075	1,137	7,946	8,020	4,960	3,174	2,437	1,968	838	101	33
1924	31,311	541	985	1,121	7,997	7,802	4,863	3,127	2,257	1,741	773	83	21
1925	30,775	555	876	1,065	7,681	7,730	4,755	3,020	2,352	1,891	731	92	27
1926	31,452	482	1,010	1,019	7,741	7,762	4,838	3,163	2,427	2,041	850	95	24
1927	29,787	443	898	976	7,516	7,413	4,487	3,011	2,258	1,891	769	95	30
1928	30,182	408	959	921	7,427	7,250	4,785	3,029	2,417	2,024	813	120	29
1929	29,459	352	772	916	7,170	7,343	4,554	3,034	2,364	1,973	865	93	23
1930	27,045	350	721	798	6,254	6,483	4,349	2,932	2,301	1,898	840	98	21
1931	25,332	299	670	738	5,590	6,079	4,021	2,851	2,293	1,864	794	104	29
1932	22,873	257	505	581	4,778	5,441	3,719	2,669	2,105	1,845	845	109	19
1933	22,705	250	482	561	4,593	5,582	3,719	2,599	2,203	1,779	815	95	27
1934	21,315	206	419	504	4,074	5,120	3,499	2,555	2,157	1,782	876	93	30
1935	21,399	214	426	571	4,119	5,073	3,539	2,499	2,139	1,804	897	107	11
1936	21,398	223	412	503	4,125	5,175	3,532	2,465	2,150	1,813	848	133	19
1937	20,541	209	408	456	3,894	4,981	3,326	2,496	2,010	1,824	829	101	7
1938	18,422	182	382	438	3,420	4,375	2,988	2,121	1,950	1,688	766	103	9
1939	17,858	161	353	382	3,164	4,197	2,870	2,176	1,920	1,701	811	116	7

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	5,615	---	---	---	---	---	---	---	---	---	---	---	---
1911	7,936	---	---	---	---	---	---	---	---	---	---	---	---
1912	7,562	---	---	---	---	---	---	---	---	---	---	---	---
1913	9,632	---	---	---	---	---	---	---	---	---	---	---	---
1914	10,290	232	464	743	2,631	2,497	1,811	1,003	526	255	84	14	30
1915	10,559	221	495	742	2,661	2,538	1,915	1,075	538	257	69	19	29
1916	13,882	274	596	1,010	3,725	3,357	2,447	1,286	631	373	107	23	53
1917	16,034	---	---	---	---	---	---	---	---	---	---	---	---
1918	19,951	311	831	1,456	5,892	4,816	3,205	1,849	859	446	145	32	109
1919	20,072	324	630	1,313	5,945	5,062	3,319	1,905	846	459	136	40	93
1920	18,887	301	567	1,219	5,730	4,673	3,082	1,802	815	459	138	33	68
1921	17,560	277	529	1,027	5,322	4,525	2,815	1,703	759	375	140	34	54
1922	19,023	280	574	975	5,628	4,938	3,235	1,804	853	474	150	32	80
1923	18,851	282	646	996	5,616	4,892	3,145	1,799	865	391	125	41	53
1924	19,641	283	652	1,124	5,969	5,005	3,111	1,930	897	427	152	37	54
1925	19,924	250	692	1,102	5,986	5,202	3,195	1,946	884	410	154	29	74
1926	20,578	271	765	1,151	6,018	5,438	3,350	1,961	953	429	143	37	62
1927	20,521	290	702	1,117	5,986	5,495	3,402	1,972	897	387	151	42	80
1928	22,648	312	731	1,244	6,754	5,877	3,709	2,275	984	456	183	35	88
1929	22,104	222	750	1,112	6,442	5,850	3,674	2,291	1,014	436	178	39	96
1930	22,386	287	731	1,274	6,425	5,863	3,752	2,310	973	504	164	29	74
1931	22,434	234	660	1,153	6,418	5,879	3,917	2,345	1,074	501	163	33	57
1932	21,807	248	666	1,161	5,878	5,655	3,962	2,369	1,095	529	162	32	50
1933	22,234	265	638	1,081	5,897	5,835	3,965	2,499	1,240	558	180	28	48
1934	21,099	269	628	1,025	5,544	5,541	3,761	2,433	1,155	519	153	38	33
1935	18,811	233	451	851	4,727	4,916	3,672	2,224	1,073	492	120	27	25
1936	19,799	197	418	848	5,070	5,218	3,846	2,341	1,163	503	125	39	31
1937	19,063	198	481	795	4,773	4,896	3,785	2,266	1,151	522	135	31	30
1938	18,131	185	471	687	4,691	4,676	3,421	2,142	1,144	529	129	33	23
1939	17,254	195	432	664	4,308	4,486	3,249	2,181	1,065	506	128	19	21

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	3,226	---	---	---	---	---	---	---	---	---	---	---	---
1911	4,397	---	---	---	---	---	---	---	---	---	---	---	---
1912	4,275	---	---	---	---	---	---	---	---	---	---	---	---
1913	5,192	---	---	---	---	---	---	---	---	---	---	---	---
1914	5,620	144	229	298	1,231	1,320	1,118	651	377	176	57	5	14
1915	5,739	132	244	310	1,174	1,354	1,183	718	383	171	45	11	14
1916	7,040	138	303	407	1,570	1,646	1,361	818	433	259	61	10	34
1917	8,177	---	---	---	---	---	---	---	---	---	---	---	---
1918	10,200	163	445	597	2,561	2,405	1,822	1,209	571	288	76	12	51
1919	9,801	163	329	533	2,484	2,321	1,813	1,173	558	294	72	16	45
1920	9,279	151	290	448	2,476	2,175	1,695	1,101	512	293	72	22	44
1921	8,649	148	274	402	2,228	2,157	1,559	1,036	486	225	86	20	28
1922	9,450	150	320	374	2,388	2,331	1,747	1,128	539	318	99	19	37
1923	9,154	142	342	404	2,223	2,316	1,735	1,110	526	244	68	18	26
1924	9,681	140	332	451	2,464	2,447	1,717	1,156	570	268	90	20	26
1925	9,749	140	361	449	2,444	2,516	1,736	1,157	539	261	91	16	39
1926	10,214	142	397	488	2,434	2,626	1,914	1,179	628	271	85	18	32
1927	10,114	146	361	470	2,375	2,635	1,914	1,232	586	253	91	17	34
1928	11,291	158	390	508	2,794	2,879	2,049	1,412	649	283	108	18	43
1929	10,984	117	395	463	2,633	2,791	2,068	1,395	661	288	105	22	46
1930	11,274	146	376	516	2,671	2,927	2,109	1,441	616	328	98	13	33
1931	11,518	141	363	466	2,668	2,902	2,360	1,457	702	319	89	18	33
1932	11,259	131	344	481	2,370	2,880	2,343	1,511	714	347	102	14	22
1933	11,547	149	317	448	2,419	2,860	2,415	1,605	825	361	108	13	27
1934	11,047	146	346	398	2,286	2,765	2,278	1,577	762	349	98	25	17
1935	9,970	135	226	369	1,895	2,477	2,222	1,492	728	327	72	13	14
1936	10,582	94	220	357	2,026	2,690	2,369	1,592	794	321	82	22	15
1937	10,064	117	231	315	1,933	2,428	2,320	1,470	787	343	86	18	16
1938	9,411	89	248	263	1,885	2,259	1,981	1,442	777	358	76	17	16
1939	9,042	107	218	264	1,698	2,177	1,979	1,474	708	327	74	10	6

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

TUBERCULOSIS, ALL FORMS

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,389	---	---	---	---	---	---	---	---	---	---	---	---
1911	3,539	---	---	---	---	---	---	---	---	---	---	---	---
1912	3,287	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,440	---	---	---	---	---	---	---	---	---	---	---	---
1914	4,670	88	235	445	1,400	1,177	693	352	149	79	27	9	16
1915	4,820	89	251	432	1,487	1,184	732	357	155	86	24	8	15
1916	6,842	136	293	603	2,155	1,711	1,086	468	198	114	46	13	19
1917	7,857	---	---	---	---	---	---	---	---	---	---	---	---
1918	9,751	148	386	859	3,331	2,411	1,383	640	288	158	69	20	58
1919	10,271	161	301	780	3,461	2,741	1,506	732	288	165	64	24	48
1920	9,608	150	277	771	3,254	2,498	1,387	701	303	166	66	11	24
1921	8,911	129	255	625	3,094	2,368	1,256	667	273	150	54	14	26
1922	9,573	130	254	601	3,240	2,607	1,488	676	314	156	51	13	43
1923	9,697	140	304	592	3,393	2,576	1,410	689	339	147	57	23	27
1924	9,960	143	320	673	3,505	2,558	1,394	774	327	159	62	17	28
1925	10,175	110	331	653	3,542	2,686	1,459	789	345	149	63	13	35
1926	10,364	129	368	663	3,584	2,812	1,436	782	325	158	58	19	30
1927	10,407	144	341	647	3,611	2,860	1,488	740	311	134	60	25	46
1928	11,357	154	341	736	3,960	2,998	1,660	863	335	173	75	17	45
1929	11,120	105	355	649	3,809	3,059	1,606	896	353	148	73	17	50
1930	11,112	141	355	758	3,754	2,936	1,643	869	357	176	66	16	41
1931	10,916	93	297	687	3,750	2,977	1,557	888	372	182	74	15	24
1932	10,548	117	322	680	3,508	2,775	1,619	858	381	182	60	18	28
1933	10,687	116	321	633	3,478	2,975	1,550	894	415	197	72	15	21
1934	10,052	123	282	627	3,258	2,776	1,483	856	393	170	55	13	16
1935	8,841	98	225	482	2,832	2,439	1,450	732	345	165	48	14	11
1936	9,217	103	198	491	3,044	2,528	1,477	749	369	182	43	17	16
1937	8,999	81	250	480	2,840	2,468	1,465	796	364	179	49	13	14
1938	8,720	96	223	424	2,806	2,417	1,440	700	367	171	53	16	7
1939	8,212	88	214	400	2,610	2,309	1,270	707	357	179	54	9	15

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: 1) Values shown differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes---	1,316	2,110	1,973
Male	729	1,067	1,055
Female	587	1,043	918

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	45-55
Fourth	1930-1938	45-53
Third	1921-1929	43-49
Second	1910-1920	39-45
First	1900-1909	39-45

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	12,769	14	48	67	119	487	1,440	2,632	3,265	2,967	1,437	259	34
1901	13,438	16	56	37	115	476	1,681	2,851	3,417	3,013	1,472	263	41
1902	13,653	24	52	59	124	466	1,561	2,810	3,533	3,136	1,551	299	38
1903	14,650	13	45	56	119	472	1,669	2,981	3,898	3,413	1,616	299	69
1904	15,247	23	49	49	128	544	1,675	3,042	4,000	3,688	1,701	299	49
1905	15,983	16	46	56	130	521	1,817	3,249	4,108	3,821	1,851	339	29
1906	23,399	18	74	77	220	786	2,571	5,041	5,993	5,538	2,580	465	36
1907	24,666	20	82	101	228	826	2,697	5,272	6,427	5,747	2,681	544	41
1908	27,617	22	97	83	264	866	2,991	5,752	7,159	6,529	3,249	580	25
1909	32,723	29	105	127	276	1,009	3,550	6,647	8,404	7,961	3,885	707	23
1910	36,193	32	127	130	319	1,165	3,664	7,486	9,230	8,817	4,418	777	28
1911	40,024	35	129	130	349	1,258	4,062	8,276	10,233	9,691	4,944	878	39
1912	42,245	46	168	166	356	1,329	4,299	8,566	10,916	10,260	5,173	938	28
1913	45,643	35	161	171	398	1,420	4,625	9,350	11,716	11,068	5,613	1,047	39
1914	47,986	45	171	197	408	1,435	4,841	9,628	12,394	11,855	5,918	1,043	51
1915	49,935	47	164	202	407	1,540	4,975	9,923	13,032	12,257	6,272	1,087	29
1916	54,272	39	208	215	492	1,676	5,355	10,744	14,126	13,301	6,847	1,229	40
1917	56,764	64	186	236	505	1,780	5,553	11,053	14,953	14,017	7,106	1,249	62
1918	63,848	58	262	256	566	1,973	6,308	12,628	16,697	15,698	7,834	1,477	91
1919	67,329	38	222	272	546	2,006	6,302	13,094	17,939	16,524	8,661	1,654	71
1920	71,756	60	224	270	571	2,102	6,672	13,610	19,094	17,796	9,545	1,753	59
1921	75,113	49	268	275	626	2,106	6,802	14,242	19,864	18,935	9,973	1,921	52
1922	79,877	50	248	316	643	2,236	7,142	14,828	20,938	20,813	10,533	2,056	74
1923	85,575	72	273	335	658	2,346	7,552	15,594	22,391	22,387	11,660	2,226	81
1924	89,796	57	316	429	715	2,495	7,995	16,411	23,218	23,743	12,133	2,220	64
1925	93,905	58	295	334	711	2,544	8,031	16,815	24,201	25,130	13,271	2,434	81
1926	98,176	53	336	420	804	2,588	8,307	17,480	25,122	26,541	13,888	2,579	58
1927	101,954	41	309	414	836	2,770	8,712	17,886	25,810	27,600	14,695	2,781	100
1928	108,780	77	328	472	930	2,803	9,268	19,202	27,452	29,474	15,772	2,900	102
1929	110,481	55	330	441	928	2,801	9,292	19,489	27,962	30,269	15,703	3,100	111
1930	114,186	64	354	470	887	3,027	9,725	20,052	28,960	31,151	16,252	3,157	87
1931	117,006	57	341	480	1,000	2,919	9,834	20,411	29,315	32,046	17,186	3,329	88
1932	121,605	54	328	509	1,001	2,908	9,863	21,266	30,824	32,984	18,263	3,511	94
1933	128,479	56	341	537	1,069	3,063	10,256	22,073	32,164	35,493	19,658	3,654	115
1934	134,428	52	348	588	1,086	3,292	10,628	23,383	33,809	36,581	20,862	3,702	97
1935	137,649	62	331	510	1,111	3,282	10,663	23,401	34,279	38,010	21,782	4,131	87
1936	142,613	52	335	595	1,097	3,392	11,016	23,994	35,034	39,148	23,485	4,390	75
1937	144,774	57	344	535	1,102	3,374	11,050	24,145	35,918	39,959	23,924	4,304	62
1938	149,214	61	368	584	1,145	3,550	11,011	24,938	36,811	41,279	24,982	4,436	49
1939	153,846	77	394	632	1,230	3,656	11,189	25,589	38,226	42,311	25,671	4,807	64

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	4,703	5	30	40	54	160	396	807	1,174	1,296	623	103	15
1901	4,982	9	31	21	48	169	468	895	1,287	1,282	634	124	14
1902	4,950	13	26	31	54	147	431	852	1,306	1,301	655	114	20
1903	5,393	7	21	32	66	145	464	960	1,434	1,445	672	114	33
1904	5,631	13	25	23	68	182	429	969	1,551	1,541	689	118	23
1905	5,881	9	19	33	69	155	495	989	1,583	1,561	818	142	8
1906	8,817	10	39	47	114	227	747	1,640	2,316	2,395	1,071	193	18
1907	9,426	10	45	56	113	276	772	1,739	2,571	2,476	1,149	201	18
1908	10,702	10	45	42	142	297	822	1,912	2,971	2,809	1,414	228	10
1909	12,887	14	57	69	147	333	1,006	2,259	3,455	3,564	1,697	278	8
1910	14,418	14	71	70	166	381	1,076	2,604	3,863	3,915	1,915	329	14
1911	15,999	16	68	67	189	432	1,110	2,887	4,286	4,357	2,208	362	17
1912	16,760	26	94	102	174	404	1,257	2,959	4,582	4,515	2,263	368	16
1913	18,332	20	84	104	202	468	1,294	3,262	4,985	4,976	2,513	413	11
1914	19,474	18	87	114	205	472	1,363	3,406	5,282	5,481	2,590	437	19
1915	20,585	25	95	111	211	545	1,423	3,593	5,650	5,669	2,786	463	14
1916	22,187	19	108	114	259	582	1,591	3,867	6,019	6,104	3,009	503	12
1917	23,357	29	97	138	248	613	1,588	3,892	6,470	6,527	3,221	507	27
1918	26,154	31	135	140	271	642	1,897	4,531	7,154	7,174	3,509	632	38
1919	28,092	18	117	142	263	635	1,811	4,713	7,929	7,786	3,949	704	25
1920	30,465	29	127	146	269	694	1,941	5,009	8,482	8,576	4,435	732	25
1921	32,027	33	143	135	321	702	2,059	5,119	8,893	9,184	4,661	758	19
1922	34,663	28	138	162	337	689	2,127	5,464	9,505	10,316	5,045	822	30
1923	37,452	37	148	175	340	822	2,309	5,821	10,188	11,063	5,579	933	37
1924	39,311	30	164	243	375	844	2,444	6,027	10,625	11,770	5,830	931	28
1925	41,169	25	168	191	362	869	2,413	6,168	11,018	12,447	6,410	1,060	38
1926	43,537	25	188	240	398	917	2,556	6,391	11,497	13,301	6,890	1,110	24
1927	44,810	28	154	226	442	889	2,672	6,528	11,815	13,790	7,106	1,122	38
1928	48,410	33	177	263	485	946	2,854	7,242	12,456	14,804	7,911	1,199	40
1929	49,351	30	183	230	502	923	2,916	7,376	12,727	15,349	7,725	1,331	59
1930	51,288	34	187	238	455	986	3,016	7,673	13,323	15,904	8,093	1,351	28
1931	52,483	32	182	259	539	976	2,982	7,625	13,378	16,350	8,639	1,476	45
1932	54,893	34	174	287	511	961	3,050	7,986	14,356	16,732	9,202	1,562	38
1933	58,586	26	186	306	595	1,009	3,203	8,527	14,783	18,279	9,967	1,647	58
1934	61,610	32	200	338	565	1,118	3,253	9,089	15,611	18,805	10,858	1,704	37
1935	62,933	28	191	275	578	1,019	3,337	9,136	15,818	19,501	11,150	1,860	40
1936	65,545	29	176	315	580	1,079	3,533	9,521	16,361	20,029	11,901	1,988	33
1937	67,349	34	190	305	600	1,092	3,481	9,671	17,059	20,571	12,309	2,007	30
1938	69,857	26	204	324	604	1,196	3,532	10,092	17,436	21,439	12,951	2,038	15
1939	72,415	46	210	350	690	1,270	3,576	10,388	18,336	21,996	13,317	2,204	32

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	8,066	9	18	27	65	327	1,044	1,825	2,091	1,671	814	156	19
1901	8,456	7	25	16	67	307	1,213	1,956	2,130	1,731	838	139	27
1902	8,703	11	26	28	70	319	1,130	1,958	2,227	1,835	896	185	18
1903	9,257	6	24	24	53	327	1,205	2,021	2,464	1,968	944	185	36
1904	9,616	10	24	26	60	362	1,246	2,073	2,449	2,147	1,012	181	26
1905	10,102	7	27	23	61	366	1,322	2,260	2,525	2,260	1,033	197	21
1906	14,582	8	35	30	106	559	1,824	3,401	3,677	3,143	1,509	272	18
1907	15,240	10	37	45	115	550	1,925	3,533	3,856	3,271	1,532	343	23
1908	16,915	12	52	41	122	569	2,169	3,840	4,188	3,720	1,835	352	15
1909	19,836	15	48	58	129	676	2,544	4,388	4,949	4,397	2,188	429	15
1910	21,775	18	56	60	153	784	2,588	4,882	5,367	4,902	2,503	448	14
1911	24,025	19	61	63	160	826	2,952	5,389	5,947	5,334	2,736	516	22
1912	25,485	20	74	64	182	925	3,042	5,607	6,334	5,745	2,910	570	12
1913	27,311	15	77	67	196	952	3,331	6,088	6,731	6,092	3,100	634	28
1914	28,512	27	84	83	203	963	3,478	6,222	7,112	6,374	3,328	606	32
1915	29,350	22	69	91	196	995	3,552	6,330	7,382	6,588	3,486	624	15
1916	32,085	20	100	101	233	1,094	3,764	6,877	8,107	7,197	3,838	726	28
1917	33,407	35	89	98	257	1,167	3,965	7,161	8,483	7,490	3,885	742	35
1918	37,694	27	127	116	295	1,331	4,411	8,097	9,543	8,524	4,325	845	53
1919	39,237	20	105	130	283	1,371	4,491	8,381	10,010	8,738	4,712	950	46
1920	41,291	31	97	124	302	1,408	4,731	8,601	10,612	9,220	5,110	1,021	34
1921	43,086	16	125	140	305	1,404	4,743	9,123	10,971	9,751	5,312	1,163	33
1922	45,214	22	110	154	306	1,547	5,015	9,364	11,433	10,497	5,488	1,234	44
1923	48,123	35	125	160	318	1,524	5,243	9,773	12,203	11,324	6,081	1,293	44
1924	50,485	27	152	186	340	1,651	5,551	10,384	12,593	11,973	6,303	1,289	36
1925	52,736	33	127	143	349	1,675	5,618	10,647	13,183	12,683	6,861	1,374	43
1926	54,639	28	148	180	406	1,671	5,751	11,089	13,625	13,240	6,998	1,469	34
1927	57,144	13	155	188	394	1,881	6,040	11,358	13,995	13,810	7,589	1,659	62
1928	60,370	44	151	209	445	1,857	6,414	11,960	14,996	14,670	7,861	1,701	62
1929	61,130	25	147	211	426	1,878	6,376	12,113	15,235	14,920	7,978	1,769	52
1930	62,898	30	167	232	432	2,041	6,709	12,379	15,637	15,247	8,159	1,806	59
1931	64,523	25	159	221	461	1,943	6,852	12,786	15,937	15,696	8,547	1,853	43
1932	66,712	20	154	222	490	1,947	6,813	13,280	16,468	16,252	9,061	1,949	56
1933	69,893	30	155	231	474	2,054	7,053	13,546	17,381	17,214	9,691	2,007	57
1934	72,818	20	148	250	521	2,174	7,375	14,294	18,198	17,776	10,004	1,998	60
1935	74,716	34	140	235	533	2,263	7,326	14,265	18,461	18,509	10,632	2,271	47
1936	77,068	23	159	280	517	2,313	7,483	14,473	18,673	19,119	11,584	2,402	42
1937	77,425	23	154	230	502	2,282	7,569	14,474	18,859	19,388	11,615	2,297	32
1938	79,357	35	164	260	541	2,354	7,479	14,846	19,375	19,840	12,031	2,398	34
1939	81,431	31	184	282	540	2,386	7,613	15,201	19,890	20,315	12,354	2,603	32

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	35,513	---	---	---	---	---	---	---	---	---	---	---	---
1911	39,039	---	---	---	---	---	---	---	---	---	---	---	---
1912	41,237	---	---	---	---	---	---	---	---	---	---	---	---
1913	44,252	---	---	---	---	---	---	---	---	---	---	---	---
1914	46,549	43	166	185	391	1,343	4,571	9,240	12,067	11,638	5,832	1,026	47
1915	48,400	44	160	195	385	1,426	4,714	9,530	12,671	12,017	6,173	1,060	25
1916	52,136	39	197	202	454	1,532	4,951	10,250	13,643	12,956	6,704	1,179	29
1917	54,383	---	---	---	---	---	---	---	---	---	---	---	---
1918	60,979	56	248	238	505	1,767	5,723	11,879	16,092	15,275	7,698	1,427	71
1919	64,023	36	203	252	479	1,773	5,702	12,233	17,215	16,026	8,458	1,601	45
1920	68,266	55	208	245	512	1,847	5,994	12,718	18,323	17,307	9,335	1,681	41
1921	71,491	47	246	242	542	1,862	6,149	13,306	19,078	18,376	9,756	1,848	39
1922	75,580	45	237	291	570	1,922	6,353	13,712	19,984	20,138	10,292	1,985	51
1923	80,981	67	254	308	584	2,012	6,723	14,337	21,454	21,691	11,365	2,125	61
1924	84,928	56	295	402	618	2,164	7,054	15,085	22,195	23,038	11,855	2,121	45
1925	88,815	53	270	308	621	2,174	7,104	15,423	23,131	24,409	12,933	2,332	57
1926	92,819	50	301	387	715	2,217	7,359	15,990	23,953	25,747	13,578	2,485	37
1927	96,153	39	294	391	741	2,351	7,683	16,306	24,524	26,728	14,355	2,674	67
1928	102,363	74	305	433	818	2,333	8,062	17,449	26,024	28,613	15,393	2,794	65
1929	104,034	52	312	417	822	2,356	8,103	17,703	26,479	29,396	15,333	2,980	81
1930	107,586	60	326	431	777	2,553	8,509	18,191	27,498	30,250	15,881	3,052	58
1931	110,179	50	301	443	884	2,429	8,578	18,574	27,775	31,067	16,794	3,218	66
1932	114,219	51	292	476	866	2,437	8,539	19,197	29,086	31,937	17,884	3,383	71
1933	120,253	53	308	480	939	2,553	8,863	19,820	30,280	34,196	19,146	3,523	92
1934	125,793	45	324	534	943	2,749	9,161	21,056	31,777	35,207	20,355	3,567	75
1935	129,124	57	304	465	967	2,809	9,251	21,202	32,193	36,583	21,258	3,974	61
1936	133,953	48	306	558	965	2,863	9,509	21,764	33,048	37,635	22,962	4,244	51
1937	135,802	52	321	492	970	2,858	9,508	21,820	33,827	38,408	23,382	4,121	43
1938	139,627	54	342	532	1,007	2,982	9,437	22,497	34,508	39,564	24,374	4,299	31
1939	144,022	72	361	581	1,097	3,152	9,617	23,017	35,884	40,501	25,056	4,637	47

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	14,190	---	---	---	---	---	---	---	---	---	---	---	---
1911	15,678	---	---	---	---	---	---	---	---	---	---	---	---
1912	16,427	---	---	---	---	---	---	---	---	---	---	---	---
1913	17,887	---	---	---	---	---	---	---	---	---	---	---	---
1914	19,047	18	84	107	201	457	1,303	3,300	5,164	5,395	2,567	434	17
1915	20,068	25	92	108	201	518	1,347	3,484	5,508	5,563	2,753	457	12
1916	21,524	19	104	107	243	547	1,512	3,716	5,854	5,972	2,952	488	10
1917	22,637	---	---	---	---	---	---	---	---	---	---	---	---
1918	25,352	29	129	131	248	600	1,773	4,337	6,958	7,037	3,456	620	34
1919	27,122	16	109	133	243	586	1,689	4,465	7,706	7,587	3,877	691	20
1920	29,413	28	120	138	248	633	1,809	4,752	8,198	8,408	4,352	707	20
1921	30,880	31	132	121	289	653	1,910	4,853	8,606	8,959	4,576	735	15
1922	33,275	26	133	148	311	620	1,950	5,123	9,165	10,035	4,944	800	20
1923	35,974	33	140	161	317	752	2,133	5,432	9,838	10,781	5,449	906	32
1924	37,766	30	157	230	338	772	2,240	5,643	10,230	11,499	5,714	890	23
1925	39,473	23	149	176	325	791	2,183	5,729	10,608	12,147	6,288	1,024	30
1926	41,679	25	175	224	362	823	2,357	5,909	11,026	12,931	6,759	1,071	17
1927	42,922	27	149	217	408	804	2,457	6,048	11,319	13,416	6,963	1,083	31
1928	46,208	32	167	240	440	851	2,575	6,658	11,896	14,402	7,750	1,174	23
1929	47,109	27	168	216	463	814	2,613	6,804	12,141	14,960	7,567	1,290	46
1930	49,002	30	176	214	420	878	2,736	7,044	12,741	15,504	7,925	1,311	23
1931	50,139	29	162	242	497	871	2,691	7,074	12,728	15,903	8,479	1,427	36
1932	52,213	33	159	271	458	857	2,732	7,311	13,593	16,231	9,033	1,504	31
1933	55,596	24	171	276	531	888	2,876	7,777	13,984	17,693	9,730	1,597	49
1934	58,405	28	191	301	511	997	2,879	8,287	14,749	18,160	10,619	1,651	32
1935	59,793	25	175	249	521	928	2,995	8,413	14,923	18,830	10,912	1,790	32
1936	62,340	27	158	294	537	971	3,157	8,784	15,520	19,279	11,653	1,936	24
1937	63,899	32	178	285	546	999	3,091	8,817	16,155	19,796	12,037	1,937	26
1938	66,148	24	194	297	543	1,080	3,117	9,240	16,417	20,587	12,651	1,986	12
1939	68,525	43	193	325	635	1,151	3,182	9,461	17,277	21,077	13,017	2,141	23

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	21,323	---	---	---	---	---	---	---	---	---	---	---	---
1911	23,361	---	---	---	---	---	---	---	---	---	---	---	---
1912	24,810	---	---	---	---	---	---	---	---	---	---	---	---
1913	26,365	---	---	---	---	---	---	---	---	---	---	---	---
1914	27,502	25	82	78	190	886	3,268	5,940	6,903	6,243	3,265	592	30
1915	28,332	19	68	87	184	908	3,367	6,046	7,163	6,454	3,420	603	13
1916	30,612	20	93	95	211	985	3,439	6,534	7,789	6,984	3,752	691	19
1917	31,746	---	---	---	---	---	---	---	---	---	---	---	---
1918	35,627	27	119	107	257	1,167	3,950	7,542	9,134	8,238	4,242	807	37
1919	36,901	20	94	119	236	1,187	4,013	7,768	9,509	8,439	4,581	910	25
1920	38,853	27	88	107	264	1,214	4,185	7,966	10,125	8,899	4,983	974	21
1921	40,611	16	114	121	253	1,209	4,239	8,453	10,472	9,417	5,180	1,113	24
1922	42,305	19	104	143	259	1,302	4,403	8,589	10,819	10,103	5,348	1,185	31
1923	45,007	34	114	147	267	1,260	4,590	8,905	11,616	10,910	5,916	1,219	29
1924	47,162	26	138	172	280	1,392	4,814	9,442	11,965	11,539	6,141	1,231	22
1925	49,342	30	121	132	296	1,383	4,921	9,694	12,523	12,262	6,645	1,308	27
1926	51,140	25	126	163	353	1,394	5,002	10,081	12,927	12,816	6,819	1,414	20
1927	53,231	12	145	174	333	1,547	5,226	10,258	13,205	13,312	7,392	1,591	36
1928	56,155	42	138	193	378	1,482	5,487	10,791	14,128	14,211	7,643	1,620	42
1929	56,925	25	144	201	359	1,542	5,490	10,899	14,338	14,436	7,766	1,690	35
1930	58,584	30	150	217	357	1,675	5,773	11,147	14,757	14,746	7,956	1,741	35
1931	60,040	21	139	201	387	1,558	5,887	11,500	15,047	15,164	8,315	1,791	30
1932	62,006	18	133	205	408	1,580	5,807	11,886	15,493	15,706	8,851	1,879	40
1933	64,657	29	137	204	408	1,665	5,987	12,043	16,296	16,503	9,416	1,926	43
1934	67,388	17	133	233	432	1,752	6,282	12,769	17,028	17,047	9,736	1,916	43
1935	69,331	32	129	216	446	1,881	6,256	12,789	17,270	17,753	10,346	2,184	29
1936	71,613	21	148	264	428	1,892	6,352	12,980	17,528	18,356	11,309	2,308	27
1937	71,903	20	143	207	424	1,859	6,417	13,003	17,672	18,612	11,345	2,184	17
1938	73,479	30	148	235	464	1,902	6,320	13,257	18,091	18,977	11,723	2,313	19
1939	75,497	29	168	256	462	2,001	6,435	13,556	18,607	19,424	12,039	2,496	24

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	680	---	---	---	---	---	---	---	---	---	---	---	---
1911	985	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,008	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,391	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,437	2	5	12	17	92	270	388	327	217	86	17	4
1915	1,535	3	4	7	22	114	261	393	361	240	99	27	4
1916	2,136	-	11	13	38	144	404	494	483	345	143	50	11
1917	2,381	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,869	2	14	18	61	206	585	749	605	423	136	50	20
1919	3,306	2	19	20	67	233	600	861	724	498	203	53	26
1920	3,490	5	16	25	59	255	678	892	771	489	210	72	18
1921	3,622	2	22	33	84	244	653	936	786	559	217	73	13
1922	4,297	5	11	25	73	314	789	1,116	954	675	241	71	23
1923	4,594	5	19	27	74	334	829	1,257	937	696	295	101	20
1924	4,868	1	21	27	97	331	941	1,326	1,023	705	278	99	19
1925	5,090	5	25	26	90	370	927	1,392	1,070	721	338	102	24
1926	5,357	3	35	33	89	371	948	1,490	1,169	794	310	94	21
1927	5,801	2	15	23	95	419	1,029	1,580	1,286	872	340	107	33
1928	6,417	3	23	39	112	470	1,206	1,753	1,428	861	379	106	37
1929	6,447	3	18	24	106	445	1,189	1,786	1,483	873	370	120	30
1930	6,600	4	28	39	110	474	1,216	1,861	1,462	901	371	105	29
1931	6,827	7	40	37	116	490	1,256	1,837	1,540	979	392	111	22
1932	7,386	3	36	33	135	471	1,324	2,069	1,738	1,047	379	128	23
1933	8,226	3	33	57	130	510	1,393	2,253	1,884	1,297	512	131	23
1934	8,635	7	24	54	143	543	1,467	2,327	2,032	1,374	507	135	22
1935	8,525	5	27	45	144	473	1,412	2,199	2,086	1,427	524	157	26
1936	8,660	4	29	37	132	529	1,507	2,230	1,986	1,513	523	146	24
1937	8,972	5	23	43	132	516	1,542	2,325	2,091	1,551	542	183	19
1938	9,587	7	26	52	138	568	1,574	2,441	2,303	1,715	608	137	18
1939	9,824	5	33	51	133	504	1,572	2,572	2,342	1,810	615	170	17

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	228	---	---	---	---	---	---	---	---	---	---	---	---
1911	321	---	---	---	---	---	---	---	---	---	---	---	---
1912	333	---	---	---	---	---	---	---	---	---	---	---	---
1913	445	---	---	---	---	---	---	---	---	---	---	---	---
1914	427	-	3	7	4	15	60	106	118	86	23	3	2
1915	517	-	3	3	10	27	76	109	142	106	33	6	2
1916	663	-	4	7	16	35	79	151	165	132	57	15	2
1917	720	---	---	---	---	---	---	---	---	---	---	---	---
1918	802	2	6	9	23	42	124	194	196	137	53	12	4
1919	970	2	8	9	20	49	122	248	223	199	72	13	5
1920	1,052	1	7	8	21	61	132	257	284	168	83	25	5
1921	1,147	2	11	14	32	49	149	266	287	225	85	23	4
1922	1,388	2	5	14	26	69	177	341	340	281	101	22	10
1923	1,478	4	8	14	23	70	176	389	350	282	130	27	5
1924	1,545	-	7	13	37	72	204	384	395	271	116	41	5
1925	1,696	2	19	15	37	78	230	439	410	300	122	36	8
1926	1,858	-	13	16	36	94	199	482	471	370	131	39	7
1927	1,888	1	5	9	34	85	215	480	496	374	143	39	7
1928	2,202	1	10	23	45	95	279	584	560	402	161	25	17
1929	2,242	3	15	14	39	109	303	572	586	389	158	41	13
1930	2,286	4	11	24	35	108	280	629	582	400	168	40	5
1931	2,344	3	20	17	42	105	291	551	650	447	160	49	9
1932	2,680	1	15	16	53	104	318	675	763	501	169	58	7
1933	2,990	2	15	30	64	121	327	750	799	586	237	50	9
1934	3,205	4	9	37	54	121	374	802	862	645	239	53	5
1935	3,140	3	16	26	57	91	342	723	895	671	238	70	8
1936	3,205	2	18	21	43	108	376	737	841	750	248	52	9
1937	3,450	2	12	20	54	93	390	854	904	775	272	70	4
1938	3,709	2	10	27	61	116	415	852	1,019	852	300	52	3
1939	3,890	3	17	25	55	119	394	927	1,059	919	300	63	9

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MALIGNANT NEOPLASMS

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	452	---	---	---	---	---	---	---	---	---	---	---	---
1911	664	---	---	---	---	---	---	---	---	---	---	---	---
1912	675	---	---	---	---	---	---	---	---	---	---	---	---
1913	946	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,010	2	2	5	13	77	210	282	209	131	63	14	2
1915	1,018	3	1	4	12	87	185	284	219	134	66	21	2
1916	1,473	-	7	6	22	109	325	343	318	213	86	35	9
1917	1,661	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,067	-	8	9	38	164	461	555	409	286	83	38	16
1919	2,336	-	11	11	47	184	478	613	501	299	131	40	21
1920	2,438	4	9	17	38	194	546	635	487	321	127	47	13
1921	2,475	-	11	19	52	195	504	670	499	334	132	50	9
1922	2,909	3	6	11	47	245	612	775	614	394	140	49	13
1923	3,116	1	11	13	51	264	653	868	587	414	165	74	15
1924	3,323	1	14	14	60	259	737	942	628	434	162	58	14
1925	3,394	3	6	11	53	292	697	953	660	421	216	66	16
1926	3,499	3	22	17	53	277	749	1,008	698	424	179	55	14
1927	3,913	1	10	14	61	334	814	1,100	790	498	197	68	26
1928	4,215	2	13	16	67	375	927	1,169	868	459	218	81	20
1929	4,205	-	3	10	67	336	886	1,214	897	484	212	79	17
1930	4,314	-	17	15	75	366	936	1,232	880	501	203	65	24
1931	4,483	4	20	20	74	385	965	1,286	890	532	232	62	13
1932	4,706	2	21	17	82	367	1,006	1,394	975	546	210	70	16
1933	5,236	1	18	27	66	389	1,066	1,503	1,085	711	275	81	14
1934	5,430	3	15	17	89	422	1,093	1,525	1,170	729	268	82	17
1935	5,385	2	11	19	87	382	1,070	1,476	1,191	756	286	87	18
1936	5,455	2	11	16	89	421	1,131	1,493	1,145	763	275	94	15
1937	5,522	3	11	23	78	423	1,152	1,471	1,187	776	270	113	15
1938	5,878	5	16	25	77	452	1,159	1,589	1,284	863	308	85	15
1939	5,934	2	16	26	78	385	1,178	1,645	1,283	891	315	107	8

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes ...	282	493	456
Male....	104	193	195
Female...	178	300	261

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	61
Fourth	1930-1938	59
Third	1921-1929	57
Second	1910-1920	50
First	1900-1909	50

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	2,187	10	33	124	157	175	186	309	504	472	190	20	7
1901	2,339	12	41	151	134	188	226	371	543	475	179	16	3
1902	2,411	15	38	143	140	153	204	330	575	558	224	25	6
1903	2,650	5	26	143	140	203	208	393	662	600	237	25	8
1904	3,036	5	43	169	140	193	249	495	741	691	277	25	8
1905	3,066	8	37	163	158	187	231	470	794	713	265	36	4
1906	4,524	5	60	212	251	247	367	747	1,168	1,045	374	45	3
1907	4,914	5	47	231	285	306	378	732	1,284	1,191	395	54	6
1908	5,319	7	67	263	298	314	382	860	1,333	1,288	447	54	6
1909	6,256	4	77	292	304	368	498	959	1,565	1,529	589	66	5
1910	7,252	12	94	329	417	424	547	1,131	1,861	1,701	660	71	5
1911	8,151	23	74	371	432	472	659	1,182	2,071	1,984	783	94	6
1912	8,262	11	77	392	458	476	630	1,270	2,038	1,982	845	83	-
1913	8,946	17	106	417	499	524	651	1,393	2,264	2,108	847	113	7
1914	9,895	16	107	426	532	590	689	1,568	2,450	2,430	962	119	6
1915	10,914	16	113	509	533	625	761	1,652	2,832	2,677	1,078	114	4
1916	11,318	14	135	401	509	554	815	1,733	3,034	2,828	1,140	146	9
1917	11,857	23	156	467	568	687	786	1,701	3,206	2,864	1,210	177	12
1918	12,689	20	137	542	763	906	1,002	1,872	3,173	2,955	1,151	156	12
1919	12,488	16	153	518	634	700	918	1,853	3,214	3,086	1,220	166	10
1920	13,898	26	160	605	717	798	976	2,030	3,629	3,330	1,432	191	4
1921	14,681	18	155	667	726	864	1,026	2,118	3,963	3,457	1,443	232	12
1922	16,989	34	164	722	809	966	1,182	2,461	4,465	4,201	1,718	256	11
1923	17,153	22	132	487	620	739	1,109	2,488	4,716	4,678	1,906	239	17
1924	16,264	12	132	455	527	567	934	2,253	4,585	4,591	1,915	278	15
1925	17,112	21	113	437	526	559	971	2,392	4,824	4,933	2,088	242	6
1926	18,604	20	137	489	651	570	991	2,520	5,179	5,520	2,206	307	14
1927	18,680	22	115	477	521	589	1,048	2,490	5,263	5,604	2,221	319	11
1928	21,547	13	130	584	700	700	1,248	2,880	5,786	6,429	2,666	397	14
1929	21,631	15	113	434	598	673	1,213	2,812	6,077	6,549	2,763	375	9
1930	22,345	14	129	463	599	629	1,121	2,933	6,242	6,961	2,886	353	15
1931	24,144	17	98	447	595	652	1,281	3,114	6,584	7,696	3,211	436	13
1932	26,148	17	92	485	651	678	1,273	3,308	7,211	8,343	3,597	480	13
1933	26,835	11	86	407	577	599	1,184	3,235	7,345	9,007	3,883	477	24
1934	28,000	13	84	397	533	619	1,183	3,394	7,756	9,312	4,164	530	15
1935	28,364	18	95	354	580	537	1,128	3,463	7,621	9,568	4,402	581	17
1936	30,406	27	99	345	571	563	1,172	3,696	8,098	10,349	4,836	636	14
1937	30,587	16	64	334	563	590	1,209	3,809	8,254	10,202	4,959	582	5
1938	31,037	30	72	332	515	535	1,144	3,593	8,050	10,777	5,303	670	16
1939	33,395	27	69	334	540	557	1,164	3,918	8,789	11,484	5,758	741	14

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	1,124	5	19	59	84	92	110	149	232	243	111	15	5
1901	1,155	6	24	75	77	111	119	186	234	228	83	9	3
1902	1,177	5	17	68	83	78	111	162	256	271	107	17	2
1903	1,281	3	13	70	78	111	113	193	277	275	126	16	6
1904	1,479	3	24	83	70	113	139	250	336	323	124	12	2
1905	1,457	3	25	75	93	116	127	211	349	310	131	14	3
1906	2,092	4	32	102	139	108	215	369	488	431	179	24	1
1907	2,273	2	30	108	161	173	199	327	533	510	193	35	2
1908	2,476	4	31	108	175	173	183	382	587	594	208	30	1
1909	2,943	2	41	148	172	206	261	490	648	659	280	34	2
1910	3,430	7	56	159	217	218	289	570	809	771	302	27	5
1911	3,900	17	43	190	245	255	356	560	962	863	358	47	4
1912	3,856	4	39	194	242	260	331	650	871	842	380	43	-
1913	4,165	13	60	214	269	287	367	630	1,006	881	377	57	4
1914	4,579	11	60	192	329	355	353	719	1,066	980	453	58	3
1915	4,906	9	61	232	279	331	392	753	1,194	1,130	470	54	1
1916	5,132	8	75	195	277	302	432	771	1,281	1,202	510	74	5
1917	5,516	15	91	209	323	383	390	802	1,398	1,244	571	83	7
1918	5,957	12	75	263	413	531	529	903	1,334	1,292	523	76	6
1919	5,666	10	89	260	361	378	451	809	1,361	1,333	521	88	5
1920	6,301	20	87	285	404	435	517	902	1,490	1,399	669	92	1
1921	6,470	10	87	342	386	475	534	885	1,553	1,443	653	99	3
1922	7,484	17	90	340	465	534	600	1,018	1,803	1,745	761	106	5
1923	7,502	13	85	223	344	393	515	1,030	1,902	1,995	890	104	8
1924	6,793	9	79	204	276	271	406	903	1,768	1,899	840	131	7
1925	7,159	15	62	214	279	267	425	987	1,895	2,024	882	105	4
1926	7,744	11	81	247	331	271	460	1,038	1,940	2,225	997	133	10
1927	7,594	13	49	216	262	280	420	979	2,044	2,215	962	145	9
1928	8,750	8	61	270	351	333	519	1,137	2,178	2,568	1,122	197	6
1929	8,812	10	57	239	315	324	554	1,056	2,318	2,581	1,180	174	4
1930	8,904	8	62	214	286	314	459	1,123	2,254	2,743	1,262	170	9
1931	9,594	12	53	201	311	327	541	1,181	2,372	3,068	1,325	195	8
1932	10,368	9	54	234	318	346	543	1,305	2,620	3,209	1,517	206	7
1933	10,788	3	48	178	307	306	515	1,200	2,797	3,556	1,653	211	14
1934	10,961	9	46	181	266	290	503	1,296	2,828	3,560	1,739	235	8
1935	11,010	11	48	162	263	264	498	1,390	2,739	3,556	1,818	254	7
1936	11,793	12	49	157	280	262	501	1,379	2,925	3,884	2,061	276	7
1937	11,671	12	36	163	279	278	510	1,398	2,945	3,753	2,033	262	2
1938	11,606	20	33	146	223	244	492	1,345	2,766	3,922	2,134	273	8
1939	12,558	18	36	155	257	263	456	1,449	3,060	4,166	2,370	322	6

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	1,063	5	14	65	73	83	76	160	272	229	79	5	2
1901	1,184	6	17	76	57	77	107	185	309	247	96	7	-
1902	1,234	10	21	75	57	75	93	168	319	287	117	8	4
1903	1,369	2	13	73	62	92	95	200	385	325	111	9	2
1904	1,557	2	19	86	70	80	110	245	405	368	153	13	6
1905	1,609	5	12	88	65	71	104	259	445	403	134	22	1
1906	2,432	1	28	110	112	139	152	378	680	614	195	21	2
1907	2,641	3	17	123	124	133	179	405	751	681	202	19	4
1908	2,843	3	36	155	123	141	199	478	746	694	239	24	5
1909	3,313	2	36	144	132	162	237	469	917	870	309	32	3
1910	3,822	5	38	170	200	206	258	561	1,052	930	358	44	-
1911	4,251	6	31	181	187	217	303	622	1,109	1,121	425	47	2
1912	4,406	7	38	198	216	216	299	620	1,167	1,140	465	40	-
1913	4,781	4	46	203	230	237	284	763	1,258	1,227	470	56	3
1914	5,316	5	47	234	203	235	336	849	1,384	1,450	509	61	3
1915	6,008	7	52	277	254	294	369	899	1,638	1,547	608	60	3
1916	6,186	6	60	206	232	252	383	962	1,753	1,626	630	72	4
1917	6,341	8	65	258	245	304	396	899	1,808	1,620	639	94	5
1918	6,732	8	62	279	350	375	473	969	1,839	1,663	628	80	6
1919	6,822	6	64	258	273	322	467	1,044	1,853	1,753	699	78	5
1920	7,597	6	73	320	313	363	459	1,128	2,139	1,931	763	99	3
1921	8,211	8	68	325	340	389	492	1,233	2,410	2,014	790	133	9
1922	9,505	17	74	382	344	432	582	1,443	2,662	2,456	957	150	6
1923	9,651	9	47	264	276	346	594	1,458	2,814	2,683	1,016	135	9
1924	9,471	3	53	251	251	296	528	1,350	2,817	2,692	1,075	147	8
1925	9,953	6	51	223	247	292	546	1,405	2,929	2,909	1,206	137	2
1926	10,860	9	56	242	320	299	531	1,482	3,239	3,295	1,209	174	4
1927	11,086	9	66	261	259	309	628	1,511	3,219	3,389	1,259	174	2
1928	12,797	5	69	314	349	367	729	1,743	3,608	3,861	1,544	200	8
1929	12,819	5	56	195	283	349	659	1,756	3,759	3,968	1,583	201	5
1930	13,441	6	67	249	313	315	662	1,810	3,988	4,218	1,624	183	6
1931	14,550	5	45	246	284	325	740	1,933	4,212	4,628	1,886	241	5
1932	15,780	8	38	251	333	332	730	2,003	4,591	5,134	2,080	274	6
1933	16,047	8	38	229	270	293	669	2,035	4,548	5,451	2,230	266	10
1934	17,039	4	38	216	267	329	680	2,098	4,928	5,752	2,425	295	7
1935	17,354	7	47	192	317	273	630	2,073	4,882	6,012	2,584	327	10
1936	18,613	15	50	188	291	301	671	2,317	5,173	6,465	2,775	360	7
1937	18,916	4	28	171	284	312	699	2,411	5,309	6,449	2,926	320	3
1938	19,431	10	39	186	292	291	652	2,248	5,284	6,855	3,169	397	8
1939	20,837	9	33	179	283	294	708	2,469	5,729	7,318	3,388	419	8

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	7,161	---	---	---	---	---	---	---	---	---	---	---	---
1911	8,030	---	---	---	---	---	---	---	---	---	---	---	---
1912	8,091	---	---	---	---	---	---	---	---	---	---	---	---
1913	8,728	---	---	---	---	---	---	---	---	---	---	---	---
1914	9,667	15	105	424	515	573	664	1,520	2,387	2,396	948	114	6
1915	10,627	15	112	504	520	597	719	1,596	2,757	2,632	1,061	112	2
1916	10,979	14	131	394	486	532	775	1,665	2,944	2,769	1,120	142	7
1917	11,483	---	---	---	---	---	---	---	---	---	---	---	---
1918	12,246	19	132	530	725	864	949	1,772	3,067	2,902	1,129	147	10
1919	12,038	15	148	511	609	669	859	1,732	3,118	3,024	1,189	157	7
1920	13,325	21	158	589	687	755	898	1,896	3,495	3,249	1,399	175	3
1921	14,083	16	152	653	690	808	950	1,971	3,842	3,358	1,417	220	6
1922	16,223	32	159	701	779	912	1,066	2,268	4,303	4,095	1,665	237	6
1923	16,328	20	130	464	594	677	984	2,280	4,540	4,557	1,849	220	13
1924	15,333	12	124	431	478	501	789	2,040	4,382	4,459	1,844	263	10
1925	16,158	17	107	414	477	480	831	2,137	4,634	4,801	2,034	222	4
1926	17,523	19	129	471	604	506	827	2,230	4,954	5,347	2,145	281	10
1927	17,527	19	112	445	472	505	879	2,196	4,988	5,450	2,153	300	8
1928	20,120	13	125	545	638	598	1,050	2,500	5,461	6,246	2,574	361	9
1929	20,227	14	107	401	536	574	1,002	2,440	5,746	6,368	2,679	352	8
1930	20,858	10	118	429	543	545	908	2,510	5,873	6,765	2,820	329	8
1931	22,620	14	90	417	535	545	1,057	2,703	6,231	7,485	3,125	408	10
1932	24,523	12	89	454	593	577	1,054	2,859	6,804	8,103	3,516	452	10
1933	25,016	9	81	374	510	497	948	2,759	6,892	8,695	3,781	449	21
1934	26,162	11	77	363	485	518	929	2,905	7,290	9,016	4,056	503	9
1935	26,606	15	83	317	523	458	914	3,005	7,155	9,287	4,296	544	9
1936	28,485	22	91	311	530	478	931	3,181	7,590	10,023	4,710	605	13
1937	28,626	14	60	291	488	474	969	3,271	7,788	9,865	4,859	543	4
1938	28,965	24	67	296	455	433	886	3,092	7,501	10,375	5,193	636	7
1939	31,043	26	66	292	469	450	877	3,324	8,131	11,057	5,634	709	8

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	3,381	---	---	---	---	---	---	---	---	---	---	---	---
1911	3,837	---	---	---	---	---	---	---	---	---	---	---	---
1912	3,772	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,055	---	---	---	---	---	---	---	---	---	---	---	---
1914	4,462	10	58	190	318	349	339	690	1,036	965	446	58	3
1915	4,777	9	60	229	273	310	374	734	1,159	1,116	461	52	-
1916	4,970	8	75	193	263	292	413	739	1,238	1,173	500	72	4
1917	5,345	---	---	---	---	---	---	---	---	---	---	---	---
1918	5,740	11	73	258	389	511	504	857	1,290	1,263	509	70	5
1919	5,449	9	86	256	344	364	429	758	1,315	1,302	500	82	4
1920	6,041	17	86	277	387	417	481	843	1,436	1,363	651	82	1
1921	6,207	8	85	335	373	452	503	831	1,499	1,389	638	94	-
1922	7,143	16	86	327	446	507	554	938	1,742	1,695	732	98	2
1923	7,149	11	84	212	333	368	474	936	1,833	1,939	856	96	7
1924	6,404	9	75	193	243	246	356	827	1,681	1,835	811	125	3
1925	6,767	11	58	202	248	238	375	895	1,823	1,968	848	99	2
1926	7,289	10	75	240	306	242	395	937	1,848	2,146	963	118	9
1927	7,117	12	48	204	235	247	368	873	1,925	2,140	926	132	7
1928	8,171	8	57	253	312	292	454	1,007	2,048	2,481	1,076	179	4
1929	8,238	9	53	218	279	279	481	931	2,199	2,499	1,128	158	4
1930	8,359	6	54	199	264	276	400	983	2,114	2,665	1,235	158	5
1931	9,026	10	49	184	280	281	476	1,071	2,247	2,964	1,279	179	6
1932	9,740	7	52	218	284	305	464	1,149	2,482	3,101	1,477	196	5
1933	10,103	3	46	165	267	259	418	1,044	2,643	3,444	1,605	197	12
1934	10,312	7	42	164	239	261	415	1,147	2,671	3,442	1,695	223	6
1935	10,362	10	43	138	230	227	424	1,241	2,594	3,445	1,768	238	4
1936	11,113	10	45	139	263	230	444	1,218	2,749	3,750	1,999	260	6
1937	10,955	10	34	141	238	223	442	1,253	2,774	3,613	1,986	240	1
1938	10,936	18	32	132	195	213	425	1,198	2,594	3,775	2,087	262	5
1939	11,794	18	34	134	225	227	386	1,279	2,858	4,005	2,316	308	4

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	3,780	---	---	---	---	---	---	---	---	---	---	---	---
1911	4,193	---	---	---	---	---	---	---	---	---	---	---	---
1912	4,319	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,673	---	---	---	---	---	---	---	---	---	---	---	---
1914	5,205	5	47	234	197	224	325	830	1,351	1,431	502	56	3
1915	5,850	6	52	275	247	287	345	862	1,598	1,516	600	60	2
1916	6,009	6	56	201	223	240	362	926	1,706	1,596	620	70	3
1917	6,138	---	---	---	---	---	---	---	---	---	---	---	---
1918	6,506	8	59	272	336	353	445	915	1,777	1,639	620	77	5
1919	6,589	6	62	255	265	305	430	974	1,803	1,722	689	75	3
1920	7,284	4	72	312	300	338	417	1,053	2,059	1,886	748	93	2
1921	7,876	8	67	318	317	356	447	1,140	2,343	1,969	779	126	6
1922	9,080	16	73	374	333	405	512	1,330	2,561	2,400	933	139	4
1923	9,179	9	46	252	261	309	510	1,344	2,707	2,618	993	124	6
1924	8,929	3	49	238	235	255	433	1,213	2,701	2,624	1,033	138	7
1925	9,991	6	49	212	229	242	456	1,242	2,811	2,833	1,186	123	2
1926	10,234	9	54	231	298	264	432	1,293	3,106	3,201	1,182	163	1
1927	10,410	7	64	241	237	258	511	1,323	3,063	3,310	1,227	168	1
1928	11,949	5	68	292	326	306	596	1,493	3,413	3,765	1,498	182	5
1929	11,989	5	54	183	257	295	521	1,509	3,547	3,869	1,551	194	4
1930	12,499	4	64	230	279	269	508	1,527	3,759	4,100	1,585	171	3
1931	13,594	4	41	233	255	264	581	1,632	3,984	4,521	1,846	229	4
1932	14,783	5	37	236	309	272	590	1,710	4,322	5,002	2,039	256	5
1933	14,913	6	35	209	243	238	530	1,715	4,249	5,251	2,176	252	9
1934	15,850	4	35	199	246	257	514	1,758	4,619	5,574	2,361	280	3
1935	16,244	5	40	179	293	231	490	1,764	4,561	5,842	2,528	306	5
1936	17,372	12	46	172	267	248	487	1,963	4,841	6,273	2,711	345	7
1937	17,671	4	26	150	250	251	527	2,018	5,014	6,252	2,873	303	3
1938	18,029	6	35	164	260	220	461	1,894	4,907	6,600	3,106	374	2
1939	19,249	8	32	158	244	223	491	2,045	5,273	7,052	3,318	401	4

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	91	---	---	---	---	---	---	---	---	---	---	---	---
1911	121	---	---	---	---	---	---	---	---	---	---	---	---
1912	171	---	---	---	---	---	---	---	---	---	---	---	---
1913	218	---	---	---	---	---	---	---	---	---	---	---	---
1914	228	1	2	2	17	17	25	48	63	34	14	5	-
1915	287	1	1	5	13	28	42	56	75	45	17	2	2
1916	339	-	4	7	23	22	40	68	90	59	20	4	2
1917	374	---	---	---	---	---	---	---	---	---	---	---	---
1918	443	1	5	12	38	42	53	100	106	53	22	9	2
1919	450	1	5	7	25	31	59	121	96	62	31	9	3
1920	573	5	2	16	30	43	78	134	134	81	33	16	1
1921	598	2	3	14	36	56	76	147	121	99	26	12	6
1922	766	2	5	21	30	54	116	193	162	106	53	19	5
1923	825	2	2	23	26	62	125	208	176	121	57	19	4
1924	931	-	8	24	49	66	145	213	203	132	71	15	5
1925	954	4	6	23	49	79	140	255	190	132	54	20	2
1926	1,081	1	8	18	47	64	164	290	225	173	61	26	4
1927	1,153	3	3	32	49	84	169	294	275	154	68	19	3
1928	1,427	-	5	39	62	102	198	380	325	183	92	36	5
1929	1,404	1	6	33	62	99	211	372	331	181	84	23	1
1930	1,487	4	11	34	56	84	213	423	369	196	66	24	7
1931	1,524	3	8	30	60	107	224	411	353	211	86	28	3
1932	1,625	5	3	31	58	101	219	449	407	240	81	28	3
1933	1,819	2	5	33	67	102	236	476	453	312	102	28	3
1934	1,838	2	7	34	48	101	254	489	466	296	108	27	6
1935	1,758	3	12	37	57	79	214	458	466	281	106	37	8
1936	1,921	5	8	34	41	85	241	515	508	326	126	31	1
1937	1,961	2	4	43	75	116	240	538	466	337	100	39	1
1938	2,072	6	5	36	60	102	258	501	549	402	110	34	9
1939	2,352	1	3	42	71	107	287	594	658	427	124	32	6

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	49	---	---	---	---	---	---	---	---	---	---	---	---
1911	63	---	---	---	---	---	---	---	---	---	---	---	---
1912	84	---	---	---	---	---	---	---	---	---	---	---	---
1913	110	---	---	---	---	---	---	---	---	---	---	---	---
1914	117	1	2	2	11	6	14	29	30	15	7	-	-
1915	129	-	1	3	6	21	18	19	35	14	9	2	1
1916	162	-	-	2	14	10	19	32	43	29	10	2	1
1917	171	---	---	---	---	---	---	---	---	---	---	---	---
1918	217	1	2	5	24	20	25	46	44	29	14	6	1
1919	217	1	3	4	17	14	22	51	46	31	21	6	1
1920	260	3	1	8	17	18	36	59	54	36	18	10	-
1921	263	2	2	7	13	23	31	54	54	54	15	5	3
1922	341	1	4	13	19	27	46	80	61	50	29	8	3
1923	353	2	1	11	11	25	41	94	69	56	34	8	1
1924	389	-	4	11	33	25	50	76	87	64	29	6	4
1925	392	4	4	12	31	29	50	92	72	56	34	6	2
1926	455	1	6	7	25	29	65	101	92	79	34	15	1
1927	477	1	1	12	27	33	52	106	119	75	36	13	2
1928	579	-	4	17	39	41	65	130	130	87	46	18	2
1929	574	1	4	21	36	45	73	125	119	82	52	16	-
1930	545	2	8	15	22	38	59	140	140	78	27	12	4
1931	568	2	4	17	31	46	65	110	125	104	46	16	2
1932	628	2	2	16	34	41	79	156	138	108	40	10	2
1933	685	-	2	13	40	47	97	156	154	112	48	14	2
1934	649	2	4	17	27	29	88	149	157	118	44	12	2
1935	648	1	5	24	33	37	74	149	145	111	50	16	3
1936	680	2	4	18	17	32	57	161	176	134	62	16	1
1937	716	2	2	22	41	55	68	145	171	140	47	22	1
1938	670	2	1	14	28	31	67	147	172	147	47	11	3
1939	764	-	2	21	32	36	70	170	202	161	54	14	2

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DIABETES MELLITUS

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	42	---	---	---	---	---	---	---	---	---	---	---	---
1911	58	---	---	---	---	---	---	---	---	---	---	---	---
1912	87	---	---	---	---	---	---	---	---	---	---	---	---
1913	108	---	---	---	---	---	---	---	---	---	---	---	---
1914	111	-	-	-	6	11	11	19	33	19	7	5	-
1915	158	1	-	2	7	7	24	37	40	31	8	-	1
1916	177	-	4	5	9	12	21	36	47	30	10	2	1
1917	203	---	---	---	---	---	---	---	---	---	---	---	---
1918	226	-	3	7	14	22	28	54	62	24	8	3	1
1919	233	-	2	3	8	17	37	70	50	31	10	3	2
1920	313	2	1	8	13	25	42	75	80	45	15	6	1
1921	335	-	1	7	23	33	45	93	67	45	11	7	3
1922	425	1	1	8	11	27	70	113	101	56	24	11	2
1923	472	-	1	12	15	37	84	114	107	65	23	11	3
1924	542	-	4	13	16	41	95	137	116	68	42	9	1
1925	562	-	2	11	18	50	90	163	118	76	20	14	-
1926	626	-	2	11	22	35	99	189	133	94	27	11	3
1927	676	2	2	20	22	51	117	188	156	79	32	6	1
1928	848	-	1	22	23	61	133	250	195	96	46	18	3
1929	830	-	2	12	26	54	138	247	212	99	32	7	1
1930	942	2	3	19	34	46	154	283	229	118	39	12	3
1931	956	1	4	13	29	61	159	301	228	107	40	12	1
1932	997	3	1	15	24	60	140	293	269	132	41	18	1
1933	1,134	2	3	20	27	55	139	320	299	200	54	14	1
1934	1,189	-	3	17	21	72	166	340	309	178	64	15	4
1935	1,110	2	7	13	24	42	140	309	321	170	56	21	5
1936	1,241	3	4	16	24	53	184	354	332	192	64	15	-
1937	1,245	-	2	21	34	61	172	393	295	197	53	17	-
1938	1,402	4	4	22	32	71	191	354	377	255	63	23	6
1939	1,588	1	1	21	39	71	217	424	456	266	70	18	4

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both Sexes...	39	62	47
Male.	14	21	18
Female	25	41	29

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ICD Revision	Years in use	ICD Nos.
Fifth	1939	58, 83, 90-103
Fourth	1930-1938	56, 82, 90-95, 97-103
Third	1921-1929	51, 74, 75, 83, 87-90, 91b,c, 92-96, 151
Second	1910-1920	47, 64-66, 77-85, 142
First	1900-1909	64-66, 77-86, 142

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	52,766	1,444	643	1,280	1,560	2,308	3,631	5,891	9,720	13,385	10,321	2,421	162
1901	52,923	1,293	504	966	1,350	2,236	3,571	5,979	10,071	13,455	10,862	2,431	205
1902	54,514	1,258	484	1,011	1,346	2,296	3,724	6,160	10,331	14,144	10,970	2,577	213
1903	57,285	1,101	422	913	1,372	2,237	3,792	6,380	10,893	14,973	12,134	2,860	208
1904	61,996	1,099	467	1,095	1,421	2,280	3,961	6,690	11,895	16,414	13,153	3,319	202
1905	62,597	1,159	403	1,084	1,440	2,299	4,116	7,030	11,814	16,516	13,244	3,380	112
1906	92,037	1,598	606	1,555	2,167	3,512	6,136	10,263	17,399	24,377	19,174	5,042	208
1907	101,477	1,524	608	1,583	2,307	3,672	6,565	11,347	19,136	27,149	21,710	5,717	159
1908	104,466	1,609	646	1,752	2,314	3,634	6,379	11,499	19,533	28,100	22,692	6,186	122
1909	121,289	1,841	671	1,932	2,464	3,940	7,267	13,064	22,240	33,108	27,147	7,490	125
1910	136,357	1,866	858	2,751	3,227	4,583	8,293	14,821	24,407	36,513	30,493	8,450	95
1911	152,010	1,836	892	3,021	3,473	5,138	9,250	16,397	27,204	41,075	33,897	9,652	175
1912	156,888	1,570	840	2,656	3,452	5,108	9,533	17,275	28,541	42,270	35,368	10,094	181
1913	163,323	1,512	916	3,139	3,487	5,371	9,837	17,990	29,198	43,812	37,261	10,548	252
1914	173,028	1,343	909	3,384	3,646	5,468	10,125	18,568	31,148	47,546	39,204	11,488	199
1915	179,775	1,372	853	3,216	3,622	5,367	10,265	19,031	32,536	49,221	41,633	12,456	203
1916	197,072	1,355	986	3,402	3,933	6,201	11,373	21,311	35,994	53,150	45,539	13,615	213
1917	210,252	1,420	1,006	3,513	4,225	6,616	12,219	22,447	38,424	56,518	48,916	14,624	324
1918	234,504	1,576	1,170	4,086	5,728	8,774	14,484	25,611	43,156	61,583	52,205	15,708	423
1919	221,861	1,381	1,004	3,411	4,191	6,247	12,042	23,340	40,725	59,123	53,191	16,835	371
1920	243,180	1,613	1,147	4,057	4,645	6,920	12,491	24,759	44,137	64,499	59,505	19,107	300
1921	239,844	1,222	1,120	4,359	4,626	6,215	11,972	24,741	43,638	64,428	58,533	18,761	229
1922	264,108	1,316	1,132	3,956	4,640	6,557	13,301	27,489	48,092	72,518	64,193	20,583	331
1923	288,312	1,371	1,127	4,075	4,823	6,924	14,527	30,294	53,065	78,611	70,406	22,753	336
1924	299,423	1,294	1,076	4,412	5,257	7,251	15,457	32,084	54,591	81,986	72,797	22,911	307
1925	307,940	1,272	1,173	4,374	5,148	7,457	15,618	32,486	56,104	84,330	74,724	24,900	354
1926	330,441	1,149	1,108	4,017	5,288	7,681	16,643	35,003	60,301	91,409	80,745	26,761	336
1927	333,355	1,115	1,057	4,195	5,381	7,720	17,098	35,794	61,096	92,949	80,220	26,322	408
1928	373,795	1,090	1,115	4,109	5,562	8,692	19,530	40,733	68,594	103,863	90,154	29,815	538
1929	383,324	1,020	1,111	4,194	5,811	8,573	19,753	42,418	71,586	106,992	91,372	30,047	447
1930	384,289	982	919	3,768	5,595	8,550	19,667	43,210	73,019	107,299	90,875	29,978	427
1931	382,230	748	869	3,528	5,187	8,156	19,510	43,032	73,124	106,520	91,054	30,124	378
1932	397,563	561	779	3,303	4,927	7,992	19,337	43,339	75,579	111,539	97,469	32,375	363
1933	419,848	570	857	3,296	4,932	8,311	19,945	46,537	80,920	117,470	103,009	33,514	487
1934	441,343	555	763	3,039	4,985	8,455	21,127	49,405	84,296	122,757	109,799	35,720	442
1935	449,642	853	757	3,425	4,850	8,305	20,969	49,472	85,581	125,356	112,906	36,841	327
1936	487,776	880	728	3,374	4,962	8,457	22,426	52,553	91,783	135,013	126,139	41,096	365
1937	486,767	681	671	2,899	4,716	8,357	21,947	53,334	92,292	135,523	125,649	40,397	301
1938	489,542	726	643	2,924	4,634	8,038	21,597	53,612	91,991	138,457	126,443	40,176	301
1939	505,156	617	616	2,718	4,426	7,877	21,318	54,352	95,068	142,771	131,770	43,347	276

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	26,918	832	357	571	724	1,106	1,779	2,962	5,068	7,056	5,299	1,071	93
1901	27,478	752	274	456	654	1,116	1,832	3,110	5,352	7,142	5,552	1,124	114
1902	28,346	731	237	469	638	1,079	1,887	3,199	5,582	7,565	5,675	1,162	122
1903	29,796	625	223	430	705	1,103	1,900	3,337	5,789	7,976	6,275	1,309	124
1904	32,017	637	234	486	690	1,075	2,023	3,479	6,444	8,593	6,756	1,486	114
1905	32,101	656	220	445	685	1,119	2,094	3,661	6,254	8,632	6,710	1,556	69
1906	48,242	920	301	706	1,075	1,776	3,324	5,423	9,468	12,973	9,903	2,249	124
1907	53,678	917	304	760	1,193	1,839	3,535	6,235	10,521	14,629	11,010	2,635	100
1908	54,745	882	302	786	1,129	1,769	3,340	6,240	10,706	14,944	11,742	2,831	74
1909	63,814	1,092	333	848	1,173	1,971	3,798	7,083	12,322	17,649	13,983	3,482	80
1910	71,813	1,066	440	1,268	1,569	2,366	4,427	7,994	13,458	19,665	15,549	3,953	58
1911	80,041	1,062	440	1,393	1,708	2,632	4,913	8,993	15,034	21,957	17,377	4,428	104
1912	83,189	909	430	1,174	1,683	2,541	5,041	9,675	16,045	22,894	17,996	4,691	110
1913	85,996	855	471	1,434	1,714	2,718	5,189	9,849	16,261	23,758	18,742	4,861	144
1914	91,247	800	492	1,565	1,788	2,709	5,409	10,005	17,463	25,777	19,909	5,213	117
1915	94,228	797	444	1,490	1,712	2,653	5,411	10,264	18,260	26,377	21,020	5,691	109
1916	103,595	754	528	1,602	1,879	3,150	6,009	11,780	20,268	28,621	22,760	6,112	132
1917	110,867	766	509	1,665	2,039	3,362	6,450	12,361	21,571	30,688	24,742	6,511	203
1918	120,764	892	614	1,924	2,551	4,018	7,260	13,474	23,981	32,930	25,914	6,959	247
1919	112,640	795	519	1,605	1,958	2,888	5,988	12,162	22,300	30,918	25,822	7,477	208
1920	122,767	959	602	1,886	2,190	3,027	6,132	12,836	23,843	33,715	29,131	8,294	152
1921	121,612	671	575	2,081	2,151	2,846	5,985	12,878	23,690	33,821	28,645	8,144	125
1922	135,748	756	604	1,882	2,194	3,030	6,710	14,721	26,579	38,621	31,603	8,864	184
1923	149,587	800	592	1,905	2,290	3,290	7,448	16,261	29,736	42,209	34,967	9,894	195
1924	157,066	717	576	2,130	2,528	3,453	8,108	17,485	30,832	44,709	36,385	9,969	174
1925	162,255	753	601	2,117	2,443	3,556	8,199	18,087	32,023	45,937	37,581	10,748	210
1926	175,079	681	556	1,931	2,496	3,732	8,778	19,708	34,265	50,398	40,554	11,773	207
1927	177,873	640	538	2,022	2,543	3,656	9,230	20,128	35,310	51,191	40,734	11,641	240
1928	199,959	629	589	1,989	2,662	4,192	10,549	23,123	39,664	57,327	45,892	13,033	310
1929	206,436	605	579	1,935	2,742	4,217	10,883	24,468	41,746	59,292	46,463	13,237	269
1930	207,518	567	475	1,827	2,578	4,149	10,810	25,079	42,591	59,597	46,370	13,246	229
1931	207,764	418	456	1,702	2,433	3,963	10,885	25,193	43,005	59,307	46,615	13,561	226
1932	215,338	292	407	1,618	2,383	3,831	10,840	25,475	44,694	61,645	49,707	14,234	212
1933	229,585	313	470	1,557	2,393	4,105	11,218	27,688	48,433	65,556	52,730	14,841	281
1934	242,786	332	380	1,475	2,434	4,279	12,005	29,871	50,733	68,838	56,368	15,814	257
1935	247,611	497	366	1,646	2,435	4,181	11,929	29,832	51,776	70,270	58,160	16,329	190
1936	268,998	533	388	1,693	2,518	4,250	12,829	32,080	56,075	75,590	64,553	18,271	218
1937	269,972	385	330	1,376	2,266	4,293	12,672	33,024	56,521	76,444	64,638	17,856	167
1938	271,023	400	360	1,415	2,264	4,172	12,616	33,178	56,427	77,928	64,349	17,727	187
1939	280,159	356	319	1,391	2,227	4,138	12,505	34,046	58,611	80,491	66,769	19,142	164

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	25,848	612	286	709	836	1,202	1,852	2,929	4,652	6,329	5,022	1,350	69
1901	25,445	541	230	510	696	1,120	1,739	2,869	4,719	6,313	5,310	1,307	91
1902	26,168	527	247	542	708	1,217	1,837	2,961	4,749	6,579	5,295	1,415	91
1903	27,489	476	199	483	667	1,134	1,892	3,043	5,104	6,997	5,859	1,551	84
1904	29,979	462	233	609	731	1,205	1,938	3,211	5,451	7,821	6,397	1,833	88
1905	30,496	503	183	639	755	1,180	2,022	3,369	5,560	7,884	6,534	1,824	43
1906	43,795	678	305	849	1,092	1,736	2,812	4,840	7,931	11,404	9,271	2,793	84
1907	47,799	607	304	823	1,114	1,833	3,030	5,112	8,615	12,520	10,700	3,082	59
1908	49,721	727	344	966	1,185	1,865	3,039	5,259	8,827	13,156	10,950	3,355	48
1909	57,475	749	338	1,084	1,291	1,969	3,469	5,981	9,918	15,459	13,164	4,008	45
1910	64,544	800	418	1,483	1,658	2,217	3,866	6,827	10,949	16,848	14,944	4,497	37
1911	71,969	774	452	1,628	1,765	2,506	4,337	7,404	12,170	19,118	16,520	5,224	71
1912	73,699	661	410	1,482	1,769	2,567	4,492	7,600	12,496	19,376	17,372	5,403	71
1913	77,327	657	445	1,705	1,773	2,653	4,648	8,141	12,937	20,054	18,519	5,687	108
1914	81,781	543	417	1,819	1,858	2,759	4,716	8,563	13,685	21,769	19,295	6,275	82
1915	85,547	575	409	1,726	1,910	2,714	4,854	8,767	14,276	22,844	20,613	6,765	94
1916	93,477	601	458	1,800	2,054	3,051	5,364	9,531	15,726	24,529	22,779	7,503	81
1917	99,385	654	497	1,848	2,186	3,254	5,769	10,086	16,853	25,830	24,174	8,113	121
1918	113,740	684	556	2,162	3,177	4,756	7,224	12,137	19,175	28,653	26,291	8,749	176
1919	109,221	586	485	1,806	2,233	3,359	6,054	11,178	18,425	28,205	27,369	9,358	163
1920	120,413	654	545	2,171	2,455	3,893	6,359	11,923	20,294	30,784	30,374	10,813	148
1921	118,232	551	545	2,278	2,475	3,369	5,987	11,863	19,948	30,607	29,888	10,617	104
1922	128,360	560	528	2,074	2,446	3,527	6,591	12,768	21,513	33,897	32,590	11,719	147
1923	138,725	571	535	2,170	2,533	3,634	7,079	14,033	23,329	36,402	35,439	12,859	141
1924	142,357	577	500	2,282	2,729	3,798	7,349	14,599	23,759	37,277	36,412	12,942	133
1925	145,685	519	572	2,257	2,705	3,901	7,419	14,399	24,081	38,393	37,143	14,152	144
1926	155,362	468	552	2,086	2,792	3,949	7,865	15,295	26,036	41,011	40,191	14,988	129
1927	155,482	475	519	2,173	2,838	4,064	7,868	15,666	25,786	41,758	39,486	14,681	168
1928	173,836	461	526	2,120	2,900	4,500	8,981	17,610	28,930	46,536	44,262	16,782	228
1929	176,888	415	532	2,259	3,069	4,356	8,870	17,950	29,840	47,700	44,909	16,810	178
1930	176,771	415	444	1,941	3,017	4,401	8,857	18,131	30,428	47,702	44,505	16,732	198
1931	174,466	330	413	1,826	2,754	4,193	8,625	17,839	30,119	47,213	44,439	16,563	152
1932	182,225	269	372	1,685	2,544	4,161	8,497	17,864	30,885	49,894	47,762	18,141	151
1933	190,263	257	387	1,739	2,539	4,206	8,727	18,849	32,487	51,914	50,279	18,673	206
1934	198,557	223	383	1,564	2,551	4,176	9,122	19,534	33,563	53,919	53,431	19,906	185
1935	202,031	356	391	1,779	2,415	4,124	9,040	19,640	33,805	55,086	54,746	20,512	137
1936	218,778	347	340	1,681	2,444	4,207	9,597	20,473	35,708	59,423	61,586	22,825	147
1937	216,795	296	341	1,523	2,450	4,064	9,275	20,310	35,771	59,079	61,011	22,541	134
1938	218,519	326	283	1,509	2,370	3,866	8,981	20,434	35,564	60,529	62,094	22,449	114
1939	224,997	261	297	1,327	2,199	3,739	8,813	20,306	36,457	62,280	65,091	24,205	112

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	132,028	---	---	---	---	---	---	---	---	---	---	---	---
1911	145,931	---	---	---	---	---	---	---	---	---	---	---	---
1912	150,439	---	---	---	---	---	---	---	---	---	---	---	---
1913	154,859	---	---	---	---	---	---	---	---	---	---	---	---
1914	163,797	1,270	853	3,249	3,373	4,828	8,855	16,705	29,358	45,861	38,257	11,052	136
1915	170,211	1,306	814	3,088	3,359	4,732	8,969	17,211	30,546	47,444	40,571	12,020	151
1916	183,767	1,267	920	3,217	3,532	5,215	9,611	18,860	33,297	50,648	44,085	12,968	147
1917	194,325	---	---	---	---	---	---	---	---	---	---	---	---
1918	216,182	1,463	1,066	3,818	5,033	7,427	11,906	22,195	39,649	58,213	50,264	14,843	305
1919	203,577	1,292	907	3,156	3,530	5,095	9,613	19,657	37,350	55,749	51,059	15,926	243
1920	223,519	1,510	1,054	3,770	3,982	5,570	9,950	20,987	40,478	60,825	57,148	18,060	185
1921	220,332	1,124	1,021	4,031	3,955	4,972	9,410	20,885	39,930	60,892	56,212	17,761	139
1922	240,892	1,217	1,019	3,608	3,931	5,112	10,285	22,628	43,654	68,332	61,499	19,395	212
1923	262,516	1,256	1,019	3,720	4,097	5,405	11,229	24,784	48,014	73,947	67,463	21,366	216
1924	270,679	1,167	958	4,017	4,384	5,521	11,715	25,954	48,959	76,885	69,543	21,413	163
1925	278,692	1,146	1,048	3,994	4,254	5,700	11,810	26,135	50,373	79,201	71,489	23,336	206
1926	299,314	1,029	974	3,641	4,396	5,781	12,553	27,981	54,144	86,087	77,315	25,232	181
1927	301,729	1,016	925	3,811	4,535	5,800	12,876	28,695	54,614	87,598	76,819	24,823	217
1928	335,122	995	984	3,660	4,532	6,307	14,289	31,827	60,507	97,529	86,180	28,016	296
1929	343,287	920	965	3,716	4,692	6,126	14,381	33,170	63,197	100,383	87,248	28,228	261
1930	342,936	859	783	3,330	4,480	6,082	14,173	33,401	64,063	100,419	86,982	28,115	249
1931	343,514	652	768	3,130	4,229	5,895	14,338	34,016	64,652	99,918	87,282	28,402	232
1932	358,755	492	675	2,905	4,047	5,800	14,281	34,444	66,818	104,889	93,552	30,608	244
1933	378,023	475	730	2,854	4,066	6,060	14,805	36,989	71,403	110,002	98,747	31,595	297
1934	396,329	471	641	2,623	4,047	6,116	15,466	39,165	74,318	114,402	105,189	33,606	285
1935	405,787	754	657	2,986	3,995	6,086	15,376	39,641	75,581	117,259	108,548	34,716	188
1936	439,539	775	609	2,913	4,029	6,148	16,402	42,173	80,836	125,536	121,070	38,815	233
1937	438,832	594	578	2,484	3,879	6,142	16,228	42,760	81,437	125,519	120,842	38,194	175
1938	440,963	634	536	2,468	3,733	5,905	15,866	42,906	81,015	128,242	121,530	37,951	177
1939	457,497	531	502	2,310	3,651	5,871	15,881	44,192	84,043	132,479	126,737	41,139	161

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	69,610	---	---	---	---	---	---	---	---	---	---	---	---
1911	76,886	---	---	---	---	---	---	---	---	---	---	---	---
1912	79,826	---	---	---	---	---	---	---	---	---	---	---	---
1913	81,684	---	---	---	---	---	---	---	---	---	---	---	---
1914	86,530	761	459	1,505	1,671	2,380	4,734	9,081	16,520	24,875	19,421	5,043	80
1915	89,399	755	425	1,434	1,605	2,325	4,739	9,357	17,236	25,463	20,479	5,495	86
1916	96,791	702	480	1,514	1,705	2,615	5,133	10,534	18,871	27,307	22,014	5,818	98
1917	102,783	---	---	---	---	---	---	---	---	---	---	---	---
1918	111,652	834	562	1,794	2,264	3,375	5,985	11,782	22,200	31,185	24,927	6,561	183
1919	103,799	742	465	1,490	1,680	2,387	4,853	10,314	20,647	29,235	24,767	7,069	150
1920	113,149	908	552	1,762	1,909	2,422	4,935	10,945	22,012	31,837	27,936	7,829	102
1921	112,334	619	525	1,928	1,890	2,325	4,774	10,990	21,965	32,047	27,459	7,725	87
1922	124,421	703	535	1,720	1,895	2,396	5,267	12,302	24,409	36,482	30,239	8,341	132
1923	136,801	728	537	1,743	1,987	2,586	5,871	13,519	27,223	39,766	33,435	9,275	131
1924	142,613	649	508	1,945	2,158	2,664	6,300	14,412	27,882	42,046	34,674	9,281	94
1925	147,449	687	540	1,928	2,088	2,761	6,347	14,737	29,052	43,224	35,929	10,026	130
1926	159,211	610	478	1,756	2,121	2,843	6,806	16,029	31,047	47,576	38,761	11,068	116
1927	161,842	585	474	1,843	2,189	2,806	7,194	16,505	31,854	48,377	38,957	10,918	140
1928	180,180	571	514	1,770	2,221	3,058	8,022	18,482	35,345	54,014	43,772	12,226	185
1929	185,694	549	497	1,725	2,240	3,044	8,222	19,651	37,246	55,722	44,268	12,361	169
1930	186,191	509	409	1,602	2,131	3,009	8,110	19,926	37,791	55,902	44,299	12,359	144
1931	188,005	369	397	1,519	2,034	2,925	8,311	20,643	38,489	55,865	44,583	12,715	155
1932	195,582	260	349	1,438	2,011	2,856	8,330	20,969	40,034	58,178	47,607	13,398	152
1933	208,252	267	407	1,345	2,041	3,041	8,654	22,795	43,416	61,682	50,521	13,911	172
1934	219,553	284	316	1,281	2,049	3,144	9,198	24,547	45,372	64,402	53,952	14,832	176
1935	224,902	439	323	1,456	2,043	3,126	9,148	24,706	46,394	65,960	55,847	15,340	120
1936	243,947	474	322	1,459	2,088	3,166	9,823	26,596	50,224	70,500	61,933	17,215	147
1937	245,029	346	285	1,192	1,939	3,239	9,833	27,456	50,771	70,998	62,055	16,811	104
1938	245,904	354	308	1,208	1,895	3,172	9,766	27,592	50,689	72,332	61,777	16,702	109
1939	255,602	302	265	1,187	1,907	3,155	9,870	28,796	52,787	74,957	64,151	18,116	109

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	62,418	---	---	---	---	---	---	---	---	---	---	---	---
1911	69,045	---	---	---	---	---	---	---	---	---	---	---	---
1912	70,613	---	---	---	---	---	---	---	---	---	---	---	---
1913	73,175	---	---	---	---	---	---	---	---	---	---	---	---
1914	77,267	509	394	1,744	1,702	2,448	4,121	7,624	12,838	20,986	18,836	6,009	56
1915	80,812	551	389	1,654	1,754	2,407	4,230	7,854	13,310	21,981	20,092	6,525	65
1916	86,976	565	440	1,703	1,827	2,600	4,478	8,326	14,426	23,341	22,071	7,150	49
1917	91,542	---	---	---	---	---	---	---	---	---	---	---	---
1918	104,530	629	504	2,024	2,769	4,052	5,921	10,413	17,449	27,028	25,337	8,282	122
1919	99,778	550	442	1,666	1,850	2,708	4,760	9,343	16,703	26,514	26,292	8,857	93
1920	110,370	602	502	2,008	2,073	3,148	5,015	10,042	18,466	28,988	29,212	10,231	83
1921	107,998	505	496	2,103	2,065	2,647	4,636	9,895	17,965	28,845	28,753	10,036	52
1922	116,471	514	484	1,888	2,036	2,716	5,018	10,326	19,245	31,850	31,260	11,054	80
1923	125,715	528	482	1,977	2,110	2,819	5,358	11,265	20,791	34,181	34,028	12,091	85
1924	128,066	518	450	2,072	2,226	2,857	5,415	11,542	21,077	34,839	34,869	12,132	69
1925	131,243	459	508	2,066	2,166	2,939	5,463	11,398	21,321	35,977	35,560	13,310	76
1926	140,103	419	496	1,885	2,275	2,938	5,747	11,952	23,097	38,511	38,554	14,164	65
1927	139,887	431	451	1,968	2,346	2,994	5,682	12,190	22,760	39,221	37,862	13,905	77
1928	154,942	424	470	1,890	2,311	3,249	6,267	13,345	25,162	43,515	42,408	15,790	111
1929	157,593	371	468	1,991	2,452	3,082	6,159	13,519	25,951	44,661	42,980	15,867	92
1930	156,745	350	374	1,728	2,349	3,073	6,063	13,475	26,272	44,517	42,683	15,756	105
1931	155,509	283	371	1,611	2,195	2,970	6,027	13,373	26,163	44,053	42,699	15,687	77
1932	163,173	232	326	1,467	2,036	2,944	5,951	13,475	26,784	46,711	45,945	17,210	92
1933	169,771	208	323	1,509	2,025	3,019	6,151	14,194	27,987	48,320	48,226	17,684	125
1934	176,776	187	325	1,342	1,998	2,972	6,268	14,618	28,946	50,000	51,237	18,774	109
1935	180,885	315	334	1,530	1,952	2,960	6,228	14,935	29,187	51,299	52,701	19,376	68
1936	195,592	301	287	1,454	1,941	2,982	6,579	15,577	30,612	55,036	59,137	21,600	86
1937	193,803	248	293	1,292	1,940	2,903	6,395	15,304	30,666	54,521	58,787	21,383	71
1938	195,059	280	228	1,260	1,838	2,733	6,100	15,314	30,326	55,910	59,753	21,249	68
1939	201,895	229	237	1,123	1,744	2,716	6,011	15,396	31,256	57,522	62,586	23,023	52

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	4,329	---	---	---	---	---	---	---	---	---	---	---	---
1911	6,079	---	---	---	---	---	---	---	---	---	---	---	---
1912	6,449	---	---	---	---	---	---	---	---	---	---	---	---
1913	8,464	---	---	---	---	---	---	---	---	---	---	---	---
1914	9,231	73	56	135	273	640	1,270	1,863	1,790	1,685	947	436	63
1915	9,564	66	39	128	263	635	1,296	1,820	1,990	1,777	1,062	436	52
1916	13,305	88	66	185	401	986	1,762	2,451	2,697	2,502	1,454	647	66
1917	15,927	---	---	---	---	---	---	---	---	---	---	---	---
1918	18,322	113	104	268	695	1,347	2,578	3,416	3,507	3,370	1,941	865	118
1919	18,284	89	97	255	661	1,152	2,429	3,683	3,375	3,374	2,132	909	128
1920	19,661	103	93	287	663	1,350	2,541	3,772	3,659	3,674	2,357	1,047	115
1921	19,512	98	99	328	671	1,243	2,562	3,856	3,708	3,536	2,321	1,000	90
1922	23,216	99	113	348	709	1,445	3,016	4,861	4,438	4,186	2,694	1,188	119
1923	25,796	115	108	355	726	1,519	3,298	5,510	5,051	4,664	2,943	1,387	120
1924	28,744	127	118	395	873	1,730	3,742	6,130	5,632	5,101	3,254	1,498	144
1925	29,248	126	125	380	894	1,757	3,808	6,351	5,731	5,129	3,235	1,564	148
1926	31,127	120	134	376	892	1,900	4,090	7,022	6,157	5,322	3,430	1,529	155
1927	31,626	99	132	384	846	1,920	4,222	7,099	6,482	5,351	3,401	1,499	191
1928	38,673	95	131	449	1,030	2,385	5,241	8,906	8,087	6,334	3,974	1,799	242
1929	40,037	100	146	478	1,119	2,447	5,372	9,248	8,389	6,609	4,124	1,819	186
1930	41,353	123	136	438	1,115	2,468	5,494	9,809	8,956	6,880	3,893	1,863	178
1931	38,716	96	101	398	958	2,261	5,172	9,016	8,472	6,602	3,772	1,722	146
1932	38,808	69	104	398	880	2,192	5,056	8,895	8,761	6,650	3,917	1,767	119
1933	41,825	95	127	442	866	2,251	5,140	9,548	9,517	7,468	4,262	1,919	190
1934	45,014	84	122	416	938	2,339	5,661	10,240	9,978	8,355	4,610	2,114	157
1935	43,855	99	100	439	855	2,219	5,593	9,831	10,000	8,097	4,358	2,125	139
1936	48,237	105	119	461	933	2,309	6,024	10,380	10,947	9,477	5,069	2,281	132
1937	47,935	87	93	415	837	2,215	5,719	10,574	10,855	10,004	4,807	2,203	126
1938	48,579	92	107	456	901	2,133	5,731	10,706	10,976	10,215	4,913	2,225	124
1939	47,659	86	114	408	775	2,006	5,437	10,160	11,025	10,292	5,033	2,208	115

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,203	---	---	---	---	---	---	---	---	---	---	---	---
1911	3,155	---	---	---	---	---	---	---	---	---	---	---	---
1912	3,363	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,312	---	---	---	---	---	---	---	---	---	---	---	---
1914	4,717	39	33	60	117	329	675	924	943	902	488	170	37
1915	4,829	42	19	56	107	328	672	907	1,024	914	541	196	23
1916	6,804	52	48	88	174	535	876	1,246	1,397	1,314	746	294	34
1917	8,084	---	---	---	---	---	---	---	---	---	---	---	---
1918	9,112	58	52	130	287	643	1,275	1,692	1,781	1,745	987	398	64
1919	8,841	53	54	115	278	501	1,135	1,848	1,653	1,683	1,055	408	58
1920	9,618	51	50	124	281	605	1,197	1,891	1,831	1,878	1,195	465	50
1921	9,278	52	50	153	261	521	1,211	1,888	1,725	1,774	1,186	419	38
1922	11,327	53	69	162	299	634	1,443	2,419	2,170	2,139	1,364	523	52
1923	12,786	72	55	162	303	704	1,577	2,742	2,513	2,443	1,532	619	64
1924	14,453	68	68	185	370	789	1,808	3,073	2,950	2,663	1,711	688	80
1925	14,806	66	61	189	355	795	1,852	3,350	2,971	2,713	1,652	722	80
1926	15,868	71	78	175	375	889	1,972	3,679	3,218	2,822	1,793	705	91
1927	16,031	55	64	179	354	850	2,036	3,623	3,456	2,814	1,777	723	100
1928	19,779	58	75	219	441	1,134	2,527	4,641	4,319	3,313	2,120	807	125
1929	20,742	56	82	210	502	1,173	2,661	4,817	4,500	3,570	2,195	876	100
1930	21,327	58	66	225	447	1,140	2,700	5,153	4,800	3,695	2,071	887	85
1931	19,759	49	59	183	399	1,038	2,574	4,550	4,516	3,442	2,032	846	71
1932	19,756	32	58	180	372	975	2,510	4,506	4,660	3,467	2,100	836	60
1933	21,333	46	63	212	352	1,064	2,564	4,893	5,017	3,874	2,209	930	109
1934	23,233	48	64	194	385	1,135	2,807	5,324	5,361	4,436	2,416	982	81
1935	22,709	58	43	190	392	1,055	2,781	5,126	5,382	4,310	2,313	989	70
1936	25,051	59	66	234	430	1,084	3,006	5,484	5,851	5,090	2,620	1,056	71
1937	24,943	39	45	184	327	1,054	2,839	5,568	5,750	5,446	2,583	1,045	63
1938	25,119	46	52	207	369	1,000	2,850	5,586	5,738	5,596	2,572	1,025	78
1939	24,557	54	54	204	320	983	2,635	5,250	5,824	5,534	2,618	1,026	55

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE CARDIOVASCULAR SYSTEM

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,126	---	---	---	---	---	---	---	---	---	---	---	---
1911	2,924	---	---	---	---	---	---	---	---	---	---	---	---
1912	3,086	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,152	---	---	---	---	---	---	---	---	---	---	---	---
1914	4,514	34	23	75	156	311	595	939	847	783	459	266	26
1915	4,735	24	20	72	156	307	624	913	966	863	521	240	29
1916	6,501	36	18	97	227	451	886	1,205	1,300	1,188	708	353	32
1917	7,843	---	---	---	---	---	---	---	---	---	---	---	---
1918	9,210	55	52	138	408	704	1,303	1,724	1,726	1,625	954	467	54
1919	9,443	36	43	140	383	651	1,294	1,835	1,722	1,691	1,077	501	70
1920	10,043	52	43	163	382	745	1,344	1,881	1,828	1,796	1,162	582	65
1921	10,234	46	49	175	410	722	1,351	1,968	1,983	1,762	1,135	581	52
1922	11,889	46	44	186	410	811	1,573	2,442	2,268	2,047	1,330	665	67
1923	13,010	43	53	193	423	815	1,721	2,768	2,538	2,221	1,411	768	56
1924	14,291	59	50	210	503	941	1,934	3,057	2,682	2,438	1,543	810	64
1925	14,442	60	64	191	539	962	1,956	3,001	2,760	2,416	1,583	842	68
1926	15,259	49	56	201	517	1,011	2,118	3,343	2,939	2,500	1,637	824	64
1927	15,595	44	68	205	492	1,070	2,186	3,476	3,026	2,537	1,624	776	91
1928	18,894	37	56	230	589	1,251	2,714	4,265	3,768	3,021	1,854	992	117
1929	19,295	44	64	268	617	1,274	2,711	4,431	3,889	3,039	1,929	943	86
1930	20,026	65	70	213	668	1,328	2,794	4,656	4,156	3,185	1,822	976	93
1931	18,957	47	42	215	559	1,223	2,598	4,466	3,956	3,160	1,740	876	75
1932	19,052	37	46	218	508	1,217	2,546	4,389	4,101	3,183	1,817	931	59
1933	20,492	49	64	230	514	1,187	2,576	4,655	4,500	3,594	2,053	989	81
1934	21,781	36	58	222	553	1,204	2,854	4,916	4,617	3,919	2,194	1,132	76
1935	21,146	41	57	249	463	1,164	2,812	4,705	4,618	3,787	2,045	1,136	69
1936	23,186	46	53	227	503	1,225	3,018	4,896	5,096	4,387	2,449	1,225	61
1937	22,992	48	48	231	510	1,161	2,880	5,006	5,105	4,558	2,224	1,158	63
1938	23,460	46	55	249	532	1,133	2,881	5,120	5,238	4,619	2,341	1,200	46
1939	23,102	32	60	204	455	1,023	2,802	4,910	5,201	4,758	2,415	1,182	60

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Cause of death:

DISEASES OF CARDIOVASCULAR SYSTEM

NOTES:

For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes	724	1,112	1,194
Male.....	397	592	653
Female...	327	520	541

For 1901-09 deaths from rheumatic fever are included with total deaths, but are not distributed by age.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ICD Revision	Years in use	ICD Nos
Fifth	1939	90-95
Fourth	1930-1938	90-95
Third	1921-1929	87-90
Second	1910-1920	77-80
First	1900-1909	77-80

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	27,427	---	---	---	---	---	---	---	---	---	---	---	---
1901	28,329	---	---	---	---	---	---	---	---	---	---	---	---
1902	29,925	---	---	---	---	---	---	---	---	---	---	---	---
1903	31,797	---	---	---	---	---	---	---	---	---	---	---	---
1904	34,925	---	---	---	---	---	---	---	---	---	---	---	---
1905	35,252	---	---	---	---	---	---	---	---	---	---	---	---
1906	52,093	---	---	---	---	---	---	---	---	---	---	---	---
1907	57,567	---	---	---	---	---	---	---	---	---	---	---	---
1908	58,720	---	---	---	---	---	---	---	---	---	---	---	---
1909	67,646	---	---	---	---	---	---	---	---	---	---	---	---
1910	75,429	---	---	---	---	---	---	---	---	---	---	---	---
1911	84,320	---	---	---	---	---	---	---	---	---	---	---	---
1912	87,024	---	---	---	---	---	---	---	---	---	---	---	---
1913	89,889	---	---	---	---	---	---	---	---	---	---	---	---
1914	96,428	---	---	---	---	---	---	---	---	---	---	---	---
1915	101,429	---	---	---	---	---	---	---	---	---	---	---	---
1916	111,944	---	---	---	---	---	---	---	---	---	---	---	---
1917	119,307	---	---	---	---	---	---	---	---	---	---	---	---
1918	135,585	---	---	---	---	---	---	---	---	---	---	---	---
1919	123,007	---	---	---	---	---	---	---	---	---	---	---	---
1920	137,374	---	---	---	---	---	---	---	---	---	---	---	---
1921	137,157	---	---	---	---	---	---	---	---	---	---	---	---
1922	152,968	---	---	---	---	---	---	---	---	---	---	---	---
1923	168,401	---	---	---	---	---	---	---	---	---	---	---	---
1924	174,459	---	---	---	---	---	---	---	---	---	---	---	---
1925	188,554	---	---	---	---	---	---	---	---	---	---	---	---
1926	206,188	---	---	---	---	---	---	---	---	---	---	---	---
1927	209,091	---	---	---	---	---	---	---	---	---	---	---	---
1928	236,066	---	---	---	---	---	---	---	---	---	---	---	---
1929	243,524	---	---	---	---	---	---	---	---	---	---	---	---
1930	251,153	---	---	---	---	---	---	---	---	---	---	---	---
1931	252,079	---	---	---	---	---	---	---	---	---	---	---	---
1932	266,523	---	---	---	---	---	---	---	---	---	---	---	---
1933	286,360	---	---	---	---	---	---	---	---	---	---	---	---
1934	303,724	---	---	---	---	---	---	---	---	---	---	---	---
1935	312,333	---	---	---	---	---	---	---	---	---	---	---	---
1936	341,350	---	---	---	---	---	---	---	---	---	---	---	---
1937	346,401	---	---	---	---	---	---	---	---	---	---	---	---
1938	350,168	---	---	---	---	---	---	---	---	---	---	---	---
1939	360,634	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

DISEASES OF THE HEART

ALL OTHER, FEMALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	---	---	---	---	---	---	---	---	---	---	---	---	---
1911	---	---	---	---	---	---	---	---	---	---	---	---	---
1912	---	---	---	---	---	---	---	---	---	---	---	---	---
1913	---	---	---	---	---	---	---	---	---	---	---	---	---
1914	---	---	---	---	---	---	---	---	---	---	---	---	---
1915	---	---	---	---	---	---	---	---	---	---	---	---	---
1916	---	---	---	---	---	---	---	---	---	---	---	---	---
1917	---	---	---	---	---	---	---	---	---	---	---	---	---
1918	---	---	---	---	---	---	---	---	---	---	---	---	---
1919	---	---	---	---	---	---	---	---	---	---	---	---	---
1920	---	---	---	---	---	---	---	---	---	---	---	---	---
1921	---	---	---	---	---	---	---	---	---	---	---	---	---
1922	---	---	---	---	---	---	---	---	---	---	---	---	---
1923	---	---	---	---	---	---	---	---	---	---	---	---	---
1924	---	---	---	---	---	---	---	---	---	---	---	---	---
1925	---	---	---	---	---	---	---	---	---	---	---	---	---
1926	---	---	---	---	---	---	---	---	---	---	---	---	---
1927	---	---	---	---	---	---	---	---	---	---	---	---	---
1928	---	---	---	---	---	---	---	---	---	---	---	---	---
1929	---	---	---	---	---	---	---	---	---	---	---	---	---
1930	---	---	---	---	---	---	---	---	---	---	---	---	---
1931	---	---	---	---	---	---	---	---	---	---	---	---	---
1932	---	---	---	---	---	---	---	---	---	---	---	---	---
1933	---	---	---	---	---	---	---	---	---	---	---	---	---
1934	---	---	---	---	---	---	---	---	---	---	---	---	---
1935	---	---	---	---	---	---	---	---	---	---	---	---	---
1936	---	---	---	---	---	---	---	---	---	---	---	---	---
1937	---	---	---	---	---	---	---	---	---	---	---	---	---
1938	---	---	---	---	---	---	---	---	---	---	---	---	---
1939	---	---	---	---	---	---	---	---	---	---	---	---	---

--- Data not available in electronic form yet.

NOTES:
 For 1932-34, deaths of Mexicans are included with total deaths for the white population; but by age, are included with deaths for the ALL OTHER population.
 Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes ...	536	785	825
Male.....	301	443	478
Female...	235	342	347

Notes: Additional data for Diseases of heart can be obtained from Vital Statistics of the United States for these years.
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ICD Revision	Years in use	ICD Nos.
Fifth	1939	83
Fourth	1930-1938	82
Third	1921-1929	74, 75, 83
Second	1910-1920	64-66, 82
First	1900-1909	64-66, 82

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	21,353	513	314	166	296	537	1,099	2,228	4,000	5,837	5,047	1,257	59
1901	21,639	527	233	153	234	524	1,128	2,352	4,134	5,886	5,160	1,223	85
1902	21,391	436	202	121	199	527	1,115	2,332	4,130	6,041	4,938	1,258	92
1903	22,031	385	192	118	242	499	1,072	2,368	4,270	6,139	5,332	1,338	76
1904	23,172	375	185	120	219	493	1,058	2,403	4,612	6,512	5,646	1,472	77
1905	23,062	366	152	106	220	440	1,131	2,540	4,490	6,603	5,542	1,431	41
1906	33,319	527	221	147	312	716	1,592	3,574	6,485	9,488	8,019	2,162	76
1907	36,108	457	184	141	315	765	1,720	3,763	7,099	10,469	8,749	2,394	52
1908	36,921	455	183	129	324	779	1,661	3,869	7,384	10,693	8,963	2,442	39
1909	42,249	557	174	165	284	753	1,831	4,383	8,229	12,424	10,565	2,830	54
1910	45,461	545	179	152	351	843	2,009	4,743	8,761	13,381	11,450	3,017	30
1911	49,489	503	190	143	369	908	2,216	5,300	9,494	14,669	12,260	3,375	62
1912	50,384	400	175	129	331	871	2,198	5,442	10,101	14,925	12,313	3,435	64
1913	52,995	299	143	164	336	868	2,183	5,855	10,400	15,814	13,375	3,464	94
1914	57,033	270	152	143	372	892	2,319	6,095	11,314	17,488	14,068	3,846	74
1915	58,460	235	133	156	295	773	2,397	6,176	11,607	17,671	14,924	4,024	69
1916	63,394	209	142	154	378	967	2,604	6,909	12,777	18,977	15,897	4,308	72
1917	67,362	236	147	180	397	943	2,865	7,235	13,588	20,131	16,941	4,604	95
1918	74,257	272	197	248	516	1,155	3,064	8,096	15,208	22,076	18,291	4,986	148
1919	74,776	235	176	211	441	1,004	2,850	7,877	15,244	21,954	19,214	5,443	127
1920	80,019	245	168	207	440	1,071	3,007	8,284	16,054	23,694	20,829	5,908	112
1921	78,332	189	132	150	359	878	2,830	7,978	15,768	23,582	20,579	5,806	81
1922	85,341	183	144	186	342	966	3,073	8,774	16,797	26,055	22,416	6,277	128
1923	92,660	229	141	174	366	1,002	3,384	9,459	18,441	28,183	24,257	6,896	128
1924	96,500	224	141	156	370	985	3,546	10,169	19,024	29,603	25,255	6,910	117
1925	91,290	205	146	204	436	956	3,155	9,316	17,836	27,814	24,122	6,995	105
1926	94,767	200	137	184	427	1,043	3,485	9,752	18,517	28,911	24,823	7,167	121
1927	94,289	182	124	194	389	1,002	3,489	9,760	18,318	29,118	24,626	6,959	128
1928	104,545	189	166	222	501	1,239	4,053	11,144	20,408	31,730	26,953	7,757	183
1929	104,708	167	164	231	507	1,117	4,158	11,456	20,674	31,912	26,802	7,383	137
1930	104,345	173	122	185	501	1,161	4,141	11,610	20,901	31,624	26,315	7,489	123
1931	102,534	168	113	194	434	1,134	4,102	11,312	20,777	31,108	25,647	7,427	118
1932	103,983	129	113	200	438	1,101	3,972	11,116	20,769	31,592	26,782	7,657	114
1933	105,555	145	147	190	445	1,170	3,980	11,417	21,119	31,717	27,253	7,812	160
1934	108,110	149	138	168	509	1,169	4,245	11,696	21,233	32,383	28,490	7,829	101
1935	109,058	259	130	276	494	1,203	4,154	11,826	21,576	32,396	28,578	8,067	99
1936	116,562	276	147	301	551	1,212	4,572	12,294	22,638	34,454	31,226	8,782	109
1937	111,753	220	150	219	533	1,261	4,351	11,922	21,576	33,163	29,969	8,303	86
1938	111,567	243	142	256	481	1,221	4,193	11,830	21,381	33,576	29,865	8,304	75
1939	114,967	179	114	166	437	1,217	4,195	11,988	21,868	34,684	31,161	8,882	76

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	10,615	314	177	82	136	263	579	1,050	2,033	2,936	2,492	517	36
1901	10,848	318	136	77	120	265	608	1,158	2,142	2,953	2,508	522	41
1902	10,592	263	99	55	100	261	577	1,143	2,064	3,071	2,396	513	50
1903	11,009	231	99	65	106	262	545	1,183	2,166	3,120	2,613	579	40
1904	11,470	211	85	62	103	251	563	1,215	2,394	3,256	2,678	612	40
1905	11,320	217	78	44	107	228	581	1,280	2,259	3,287	2,611	607	21
1906	16,723	324	113	80	167	371	878	1,776	3,384	4,769	3,922	894	45
1907	18,159	270	89	62	165	400	930	1,898	3,691	5,391	4,211	1,019	33
1908	18,609	253	85	74	165	386	888	1,991	3,824	5,513	4,335	1,071	24
1909	21,352	338	96	84	153	377	931	2,235	4,329	6,332	5,201	1,241	35
1910	22,991	318	97	83	168	462	1,063	2,409	4,676	6,904	5,473	1,319	19
1911	25,039	294	100	79	193	474	1,181	2,700	5,066	7,555	5,931	1,422	44
1912	25,679	238	93	58	162	447	1,148	2,854	5,414	7,768	5,940	1,521	36
1913	26,811	170	70	86	167	471	1,150	2,991	5,501	8,253	6,445	1,452	55
1914	28,956	153	83	79	188	458	1,211	3,096	6,067	9,100	6,842	1,643	36
1915	29,514	141	69	88	139	377	1,218	3,133	6,315	9,128	7,106	1,763	37
1916	31,975	109	77	70	185	495	1,324	3,549	6,845	9,925	7,493	1,856	47
1917	33,735	109	76	95	205	472	1,449	3,680	7,168	10,402	8,102	1,917	60
1918	36,743	159	110	130	231	608	1,476	3,908	8,097	11,209	8,647	2,086	82
1919	36,346	133	85	108	213	490	1,376	3,814	7,863	11,016	8,855	2,317	76
1920	38,518	145	93	106	217	484	1,376	3,968	8,183	11,902	9,563	2,429	52
1921	37,979	110	75	72	167	443	1,334	3,729	8,090	11,900	9,592	2,429	38
1922	41,694	100	78	110	168	453	1,448	4,195	8,777	13,282	10,488	2,521	74
1923	45,844	147	79	78	176	475	1,603	4,473	9,704	14,645	11,529	2,855	80
1924	48,010	125	83	83	192	463	1,690	4,904	10,120	15,461	12,016	2,810	63
1925	45,330	108	86	120	206	485	1,493	4,532	9,421	14,346	11,626	2,840	67
1926	47,908	126	64	84	212	533	1,683	4,894	9,736	15,388	12,111	3,002	75
1927	47,705	109	75	95	193	500	1,699	4,805	9,815	15,268	12,111	2,973	62
1928	53,007	115	83	117	226	617	1,996	5,545	10,858	16,710	13,371	3,274	95
1929	53,275	96	89	109	259	558	2,071	5,688	11,213	16,695	13,288	3,134	75
1930	52,671	110	66	100	245	586	2,039	5,772	11,134	16,607	12,856	3,094	62
1931	52,149	91	59	98	215	566	2,011	5,590	11,051	16,506	12,731	3,167	64
1932	52,480	72	59	94	222	543	1,878	5,440	11,135	16,416	13,259	3,297	65
1933	52,971	74	82	94	220	582	1,915	5,544	11,158	16,624	13,207	3,380	91
1934	53,936	90	65	95	273	573	2,012	5,652	11,136	16,816	13,858	3,306	60
1935	54,578	149	57	144	258	601	1,948	5,698	11,462	16,827	13,966	3,406	62
1936	57,979	170	85	177	301	605	2,159	5,960	11,915	17,918	14,908	3,719	62
1937	55,591	128	74	118	270	677	2,058	5,802	11,240	17,208	14,538	3,434	44
1938	55,624	142	79	123	245	606	1,961	5,609	11,333	17,461	14,510	3,514	41
1939	57,184	103	66	82	235	617	1,954	5,754	11,371	18,051	15,123	3,783	45

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL RACES, FEMALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	10,738	199	137	84	160	274	520	1,178	1,967	2,901	2,555	740	23
1901	10,791	209	97	76	114	259	520	1,194	1,992	2,933	2,652	701	44
1902	10,799	173	103	66	99	266	538	1,189	2,066	2,970	2,542	745	42
1903	11,022	154	93	53	136	237	527	1,185	2,104	3,019	2,719	759	36
1904	11,702	164	100	58	116	242	495	1,188	2,218	3,256	2,968	860	37
1905	11,742	149	74	62	113	212	550	1,260	2,231	3,316	2,931	824	20
1906	16,596	203	108	67	145	345	714	1,798	3,101	4,719	4,097	1,268	31
1907	17,949	187	95	79	150	365	790	1,865	3,408	5,078	4,538	1,375	19
1908	18,312	202	98	55	159	393	773	1,878	3,560	5,180	4,628	1,371	15
1909	20,897	219	78	81	131	376	900	2,148	3,900	6,092	5,364	1,589	19
1910	22,470	227	82	69	183	381	946	2,334	4,085	6,477	5,977	1,698	11
1911	24,450	209	90	64	176	434	1,035	2,600	4,428	7,114	6,329	1,953	18
1912	24,705	162	82	71	169	424	1,050	2,588	4,687	7,157	6,373	1,914	28
1913	26,184	129	73	78	169	397	1,033	2,864	4,899	7,561	6,930	2,012	39
1914	28,077	117	69	64	184	434	1,108	2,999	5,247	8,388	7,226	2,203	38
1915	28,946	94	64	68	156	396	1,179	3,043	5,292	8,543	7,818	2,261	32
1916	31,419	100	65	84	193	472	1,280	3,360	5,932	9,052	8,404	2,452	25
1917	33,627	127	71	85	192	471	1,416	3,555	6,420	9,729	8,839	2,687	35
1918	37,514	113	87	118	285	547	1,588	4,188	7,111	10,867	9,644	2,900	66
1919	38,430	102	91	103	228	514	1,474	4,063	7,381	10,938	10,359	3,126	51
1920	41,501	100	75	101	223	587	1,631	4,316	7,871	11,792	11,266	3,479	60
1921	40,353	79	57	78	192	435	1,496	4,249	7,678	11,682	10,987	3,377	43
1922	43,647	83	66	76	174	513	1,625	4,579	8,020	12,773	11,928	3,756	54
1923	46,816	82	62	96	190	527	1,781	4,986	8,737	13,538	12,728	4,041	48
1924	48,490	99	58	73	178	522	1,856	5,265	8,904	14,142	13,239	4,100	54
1925	45,960	97	60	84	230	471	1,662	4,784	8,415	13,468	12,496	4,155	38
1926	46,859	74	73	100	215	510	1,802	4,858	8,781	13,523	12,712	4,165	46
1927	46,584	73	49	99	196	502	1,790	4,955	8,503	13,850	12,515	3,986	66
1928	51,538	74	83	105	275	622	2,057	5,599	9,550	15,020	13,582	4,483	88
1929	51,433	71	75	122	248	559	2,087	5,768	9,461	15,217	13,514	4,249	62
1930	51,674	63	56	85	256	575	2,102	5,838	9,767	15,017	13,459	4,395	61
1931	50,385	77	54	96	219	568	2,091	5,722	9,726	14,602	12,916	4,260	54
1932	51,503	57	54	106	216	558	2,094	5,676	9,634	15,176	13,523	4,360	49
1933	52,584	71	65	96	225	588	2,065	5,873	9,961	15,093	14,046	4,432	69
1934	54,174	59	73	73	236	596	2,233	6,044	10,097	15,567	14,632	4,523	41
1935	54,480	110	73	132	236	602	2,206	6,128	10,114	15,569	14,612	4,661	37
1936	58,583	106	62	124	250	607	2,413	6,334	10,723	16,536	16,318	5,063	47
1937	56,162	92	76	101	263	584	2,293	6,120	10,336	15,955	15,431	4,869	42
1938	55,943	101	63	133	236	615	2,232	6,221	10,048	16,115	15,355	4,790	34
1939	57,783	76	48	84	202	600	2,241	6,234	10,497	16,633	16,038	5,099	31

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	44,172	---	---	---	---	---	---	---	---	---	---	---	---
1911	47,789	---	---	---	---	---	---	---	---	---	---	---	---
1912	48,638	---	---	---	---	---	---	---	---	---	---	---	---
1913	50,386	---	---	---	---	---	---	---	---	---	---	---	---
1914	54,264	256	142	140	332	796	2,058	5,547	10,674	16,846	13,727	3,692	54
1915	55,536	221	126	141	261	667	2,102	5,614	10,872	17,042	14,564	3,873	53
1916	59,164	191	124	130	323	770	2,188	6,081	11,806	18,069	15,355	4,081	46
1917	62,409	---	---	---	---	---	---	---	---	---	---	---	---
1918	68,803	243	176	217	406	944	2,488	7,045	13,975	20,874	17,625	4,705	105
1919	68,837	210	147	174	337	814	2,264	6,624	13,981	20,664	18,406	5,134	82
1920	73,709	224	152	177	351	822	2,342	6,997	14,659	22,341	20,017	5,560	67
1921	72,047	175	114	117	264	661	2,173	6,710	14,376	22,261	19,709	5,439	48
1922	77,545	161	117	145	241	693	2,285	7,037	15,096	24,449	21,400	5,835	86
1923	84,261	203	127	137	273	728	2,550	7,651	16,511	26,401	23,190	6,404	86
1924	87,100	192	107	127	266	670	2,506	8,095	16,974	27,648	24,047	6,403	65
1925	82,303	177	125	171	321	652	2,251	7,305	15,775	26,029	22,993	6,448	56
1926	85,179	167	118	149	321	696	2,388	7,459	16,341	27,084	23,709	6,682	65
1927	84,723	164	109	155	295	677	2,417	7,468	16,101	27,259	23,528	6,491	59
1928	92,561	173	141	188	357	768	2,661	8,176	17,605	29,569	25,633	7,202	88
1929	92,533	140	134	189	361	677	2,707	8,385	17,818	29,781	25,444	6,819	78
1930	91,733	157	107	148	336	695	2,614	8,403	17,887	29,341	25,081	6,913	51
1931	90,728	143	101	165	315	701	2,688	8,352	17,943	28,944	24,398	6,910	68
1932	92,043	114	93	167	324	706	2,609	8,108	17,824	29,378	25,528	7,126	66
1933	93,139	118	127	156	343	735	2,636	8,404	18,018	29,391	25,897	7,227	87
1934	94,902	132	113	142	361	741	2,692	8,516	17,994	29,783	27,179	7,193	56
1935	95,717	227	114	233	367	731	2,617	8,652	18,228	29,771	27,262	7,464	51
1936	102,199	244	131	251	430	748	2,889	8,987	19,087	31,467	29,737	8,164	64
1937	97,790	197	132	179	413	797	2,787	8,610	18,198	30,063	28,621	7,745	48
1938	97,365	206	120	208	367	790	2,634	8,451	17,894	30,505	28,448	7,711	31
1939	100,367	150	94	136	348	770	2,677	8,647	18,179	31,400	29,670	8,256	40

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	22,426	---	---	---	---	---	---	---	---	---	---	---	---
1911	24,228	---	---	---	---	---	---	---	---	---	---	---	---
1912	24,861	---	---	---	---	---	---	---	---	---	---	---	---
1913	25,612	---	---	---	---	---	---	---	---	---	---	---	---
1914	27,685	150	77	78	168	418	1,092	2,847	5,752	8,797	6,695	1,586	25
1915	28,211	131	65	79	124	331	1,081	2,881	5,981	8,848	6,955	1,702	33
1916	30,013	101	66	60	159	394	1,135	3,166	6,404	9,486	7,246	1,764	32
1917	31,483	---	---	---	---	---	---	---	---	---	---	---	---
1918	34,283	145	98	113	183	499	1,247	3,455	7,532	10,655	8,340	1,956	60
1919	33,712	119	70	88	166	402	1,126	3,244	7,339	10,407	8,510	2,185	56
1920	35,633	136	83	95	175	379	1,097	3,359	7,540	11,238	9,203	2,293	35
1921	35,193	99	66	56	124	351	1,057	3,172	7,485	11,282	9,189	2,285	27
1922	38,191	89	57	88	123	330	1,088	3,426	8,020	12,545	10,022	2,347	56
1923	41,951	132	71	63	133	351	1,251	3,684	8,803	13,760	10,998	2,650	55
1924	43,621	105	65	67	139	327	1,248	3,945	9,128	14,509	11,453	2,599	36
1925	41,183	93	76	96	157	345	1,105	3,585	8,474	13,492	11,097	2,625	38
1926	43,377	104	56	69	162	367	1,171	3,805	8,705	14,511	11,589	2,796	42
1927	43,219	99	67	77	148	358	1,222	3,728	8,744	14,390	11,589	2,760	37
1928	47,253	106	70	102	162	401	1,357	4,100	9,484	15,681	12,703	3,034	53
1929	47,361	80	70	89	180	342	1,394	4,228	9,792	15,628	12,625	2,882	51
1930	46,499	101	60	79	163	366	1,320	4,207	9,610	15,474	12,248	2,835	36
1931	46,519	80	54	83	161	364	1,335	4,229	9,679	15,467	12,094	2,934	39
1932	46,735	65	49	84	160	358	1,283	4,025	9,668	15,334	12,625	3,043	41
1933	47,103	63	73	80	171	373	1,292	4,147	9,684	15,514	12,557	3,097	52
1934	47,658	82	52	75	202	368	1,309	4,159	9,584	15,540	13,228	3,028	31
1935	48,186	135	50	120	201	377	1,260	4,186	9,800	15,541	13,319	3,162	35
1936	51,103	149	76	146	236	387	1,419	4,380	10,211	16,405	14,206	3,448	40
1937	48,908	119	65	99	211	432	1,327	4,236	9,628	15,674	13,889	3,202	26
1938	48,807	125	68	101	188	407	1,264	4,055	9,626	15,852	13,856	3,249	16
1939	50,219	83	53	68	187	397	1,278	4,175	9,627	16,436	14,381	3,508	26

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	21,746	---	---	---	---	---	---	---	---	---	---	---	---
1911	23,561	---	---	---	---	---	---	---	---	---	---	---	---
1912	23,777	---	---	---	---	---	---	---	---	---	---	---	---
1913	24,774	---	---	---	---	---	---	---	---	---	---	---	---
1914	26,579	106	65	62	164	378	966	2,700	4,922	8,049	7,032	2,106	29
1915	27,325	90	61	62	137	336	1,021	2,733	4,891	8,194	7,609	2,171	20
1916	29,151	90	58	70	164	376	1,053	2,915	5,402	8,583	8,109	2,317	14
1917	30,926	---	---	---	---	---	---	---	---	---	---	---	---
1918	34,520	98	78	104	223	445	1,241	3,590	6,443	10,219	9,285	2,749	45
1919	35,125	91	77	86	171	412	1,138	3,380	6,642	10,257	9,896	2,949	26
1920	38,076	88	69	82	176	443	1,245	3,638	7,119	11,103	10,814	3,267	32
1921	36,854	76	48	61	140	310	1,116	3,538	6,891	10,979	10,520	3,154	21
1922	39,354	72	60	57	118	363	1,197	3,611	7,076	11,904	11,378	3,488	30
1923	42,310	71	56	74	140	377	1,299	3,967	7,708	12,641	12,192	3,754	31
1924	43,479	87	42	60	127	343	1,258	4,150	7,846	13,139	12,594	3,804	29
1925	41,120	84	49	75	164	307	1,146	3,720	7,301	12,537	11,896	3,823	18
1926	41,802	63	62	80	159	329	1,217	3,654	7,636	12,573	12,120	3,886	23
1927	41,504	65	42	78	147	319	1,195	3,740	7,357	12,869	11,939	3,731	22
1928	45,308	67	71	86	195	367	1,304	4,076	8,121	13,888	12,930	4,168	35
1929	45,172	60	64	100	181	335	1,313	4,157	8,026	14,153	12,819	3,937	27
1930	45,234	56	47	69	173	329	1,294	4,196	8,277	13,867	12,833	4,078	15
1931	44,209	63	47	82	154	337	1,353	4,123	8,264	13,477	12,304	3,976	29
1932	45,308	49	44	83	164	348	1,326	4,083	8,156	14,044	12,903	4,083	25
1933	46,036	55	54	76	172	362	1,344	4,257	8,334	13,877	13,340	4,130	35
1934	47,244	50	61	67	159	373	1,383	4,357	8,410	14,243	13,951	4,165	25
1935	47,531	92	64	113	166	354	1,357	4,466	8,428	14,230	13,943	4,302	16
1936	51,096	95	55	105	194	361	1,470	4,607	8,876	15,062	15,531	4,716	24
1937	48,882	78	67	80	202	365	1,460	4,374	8,570	14,389	14,732	4,543	22
1938	48,558	81	52	107	179	383	1,370	4,396	8,268	14,653	14,592	4,462	15
1939	50,148	67	41	68	161	373	1,399	4,472	8,552	14,964	15,289	4,748	14

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,289	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,700	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,746	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,609	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,769	14	10	3	40	96	261	548	640	642	341	154	20
1915	2,924	14	7	15	34	106	295	562	735	629	360	151	16
1916	4,230	18	18	24	55	197	416	828	971	908	542	227	26
1917	4,953	---	---	---	---	---	---	---	---	---	---	---	---
1918	5,454	29	21	31	110	211	576	1,051	1,233	1,202	666	281	43
1919	5,939	25	29	37	104	190	586	1,253	1,263	1,290	808	309	45
1920	6,310	21	16	30	89	249	665	1,287	1,395	1,353	812	348	45
1921	6,285	14	18	33	95	217	657	1,268	1,392	1,321	870	367	33
1922	7,796	22	27	41	101	273	788	1,737	1,701	1,606	1,016	442	42
1923	8,399	26	14	37	93	274	834	1,808	1,930	1,782	1,067	492	42
1924	9,400	32	34	29	104	315	1,040	2,074	2,050	1,955	1,208	507	52
1925	8,987	28	21	33	115	304	904	2,011	2,061	1,785	1,129	547	49
1926	9,588	33	19	35	106	347	1,097	2,293	2,176	1,827	1,114	485	56
1927	9,566	18	15	39	94	325	1,072	2,292	2,217	1,859	1,098	468	69
1928	11,984	16	25	34	144	471	1,392	2,968	2,803	2,161	1,320	555	95
1929	12,175	27	30	42	146	440	1,451	3,071	2,856	2,131	1,358	564	59
1930	12,612	16	15	37	165	466	1,527	3,207	3,014	2,283	1,234	576	72
1931	11,806	25	12	29	119	433	1,414	2,960	2,834	2,164	1,249	517	50
1932	11,940	15	20	33	114	395	1,363	3,008	2,945	2,214	1,254	531	48
1933	12,416	27	20	34	102	435	1,344	3,013	3,101	2,326	1,356	585	73
1934	13,208	17	25	26	148	428	1,553	3,180	3,239	2,600	1,311	636	45
1935	13,341	32	16	43	127	472	1,537	3,174	3,348	2,625	1,316	603	48
1936	14,363	32	16	50	121	464	1,683	3,307	3,551	2,987	1,489	618	45
1937	13,963	23	18	40	120	464	1,564	3,312	3,378	3,100	1,348	558	38
1938	14,202	37	22	48	114	431	1,559	3,379	3,487	3,071	1,417	593	44
1939	14,600	29	20	30	89	447	1,518	3,341	3,689	3,284	1,491	626	36

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	565	---	---	---	---	---	---	---	---	---	---	---	---
1911	811	---	---	---	---	---	---	---	---	---	---	---	---
1912	818	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,199	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,271	3	6	1	20	40	119	249	315	303	147	57	11
1915	1,303	10	4	9	15	46	137	252	334	280	151	61	4
1916	1,962	8	11	10	26	101	189	383	441	439	247	92	15
1917	2,252	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,460	14	12	17	48	109	229	453	565	554	307	130	22
1919	2,634	14	15	20	47	88	250	570	524	609	345	132	20
1920	2,885	9	10	11	42	105	279	609	643	664	360	136	17
1921	2,786	11	9	16	43	92	277	557	605	618	403	144	11
1922	3,503	11	21	22	45	123	360	769	757	737	466	174	18
1923	3,893	15	8	15	43	124	352	789	901	885	531	205	25
1924	4,389	20	18	16	53	136	442	959	992	952	563	211	27
1925	4,147	15	10	24	49	140	388	947	947	854	529	215	29
1926	4,531	22	8	15	50	166	512	1,089	1,031	877	522	206	33
1927	4,486	10	8	18	45	142	477	1,077	1,071	878	522	213	25
1928	5,754	9	13	15	64	216	639	1,445	1,374	1,029	668	240	42
1929	5,914	16	19	20	79	216	677	1,460	1,421	1,067	663	252	24
1930	6,172	9	6	21	82	220	719	1,565	1,524	1,133	608	259	26
1931	5,630	11	5	15	54	202	676	1,361	1,372	1,039	637	233	25
1932	5,745	7	10	10	62	185	595	1,415	1,467	1,082	634	254	24
1933	5,868	11	9	14	49	209	623	1,397	1,474	1,110	650	283	39
1934	6,278	8	13	20	71	205	703	1,493	1,552	1,276	630	278	29
1935	6,392	14	7	24	57	224	688	1,512	1,662	1,286	647	244	27
1936	6,876	21	9	31	65	218	740	1,580	1,704	1,513	702	271	22
1937	6,683	9	9	19	59	245	731	1,566	1,612	1,534	649	232	18
1938	6,817	17	11	22	57	199	697	1,554	1,707	1,609	654	265	25
1939	6,965	20	13	14	48	220	676	1,579	1,744	1,615	742	275	19

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	724	---	---	---	---	---	---	---	---	---	---	---	---
1911	889	---	---	---	---	---	---	---	---	---	---	---	---
1912	928	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,410	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,498	11	4	2	20	56	142	299	325	339	194	97	9
1915	1,621	4	3	6	19	60	158	310	401	349	209	90	12
1916	2,268	10	7	14	29	96	227	445	530	469	295	135	11
1917	2,701	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,994	15	9	14	62	102	347	598	668	648	359	151	21
1919	3,305	11	14	17	57	102	336	683	739	681	463	177	25
1920	3,425	12	6	19	47	144	386	678	752	689	452	212	28
1921	3,499	3	9	17	52	125	380	711	787	703	467	223	22
1922	4,293	11	6	19	56	150	482	968	944	869	550	268	24
1923	4,506	11	6	22	50	150	482	1,019	1,029	897	536	287	17
1924	5,011	12	16	13	51	179	598	1,115	1,058	1,003	645	296	25
1925	4,840	13	11	9	66	164	516	1,064	1,114	931	600	332	20
1926	5,057	11	11	20	56	181	585	1,204	1,145	950	592	279	23
1927	5,080	8	7	21	49	183	595	1,215	1,146	981	576	255	44
1928	6,230	7	12	19	80	255	753	1,523	1,429	1,132	652	315	53
1929	6,261	11	11	22	67	224	774	1,611	1,435	1,064	695	312	35
1930	6,440	7	9	16	83	246	808	1,642	1,490	1,150	626	317	46
1931	6,176	14	7	14	65	231	738	1,599	1,462	1,125	612	284	25
1932	6,195	8	10	23	52	210	768	1,593	1,478	1,132	620	277	24
1933	6,548	16	11	20	53	226	721	1,616	1,627	1,216	706	302	34
1934	6,930	9	12	6	77	223	850	1,687	1,687	1,324	681	358	16
1935	6,949	18	9	19	70	248	849	1,662	1,686	1,339	669	359	21
1936	7,487	11	7	19	56	246	943	1,727	1,847	1,474	787	347	23
1937	7,280	14	9	21	61	219	833	1,746	1,766	1,566	699	326	20
1938	7,385	20	11	26	57	232	862	1,825	1,780	1,462	763	328	19
1939	7,635	9	7	16	41	227	842	1,762	1,945	1,669	749	351	17

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Notes: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes ...	133	235	280
Male.....	65	104	127
Female...	68	131	153

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

INFLUENZA AND PNEUMONIA

ICD Revision	Years in use	ICD Nos.
Fifth	1939-33	107-109
Fourth	1930-1938	11, 107-109
Third	1921-1929	11, 100, 101
Second	1910-1920	10, 91, 92
First	1900-1909	10, 92, 93

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	40,362	7,364	6,317	1,450	1,789	2,653	3,129	3,316	4,123	4,880	4,040	1,205	96
1901	39,908	6,748	5,212	1,320	1,861	2,709	3,124	3,264	4,214	5,185	4,662	1,513	96
1902	33,208	7,445	5,973	1,220	1,440	2,020	2,394	2,518	2,985	3,480	2,841	815	77
1903	35,455	7,055	5,250	1,199	1,482	2,240	2,743	2,906	3,512	4,213	3,652	1,105	98
1904	40,989	7,660	5,730	1,273	1,698	2,672	3,490	3,567	4,275	4,970	4,116	1,432	106
1905	36,855	7,573	5,235	1,102	1,439	2,152	2,879	3,042	3,683	4,523	3,851	1,330	46
1906	52,797	12,384	9,034	1,662	2,125	3,017	3,900	4,156	4,881	5,676	4,493	1,387	82
1907	62,199	12,386	8,792	1,835	2,432	3,769	4,856	5,194	6,202	7,840	6,633	2,170	90
1908	58,294	12,901	8,741	1,892	2,170	3,018	4,055	4,771	5,508	7,037	6,175	1,971	55
1909	65,503	15,564	10,411	1,999	2,266	3,273	4,524	5,002	6,132	7,781	6,422	2,087	42
1910	73,983	16,693	11,044	2,213	2,649	3,866	5,193	6,005	7,161	9,059	7,617	2,448	35
1911	78,421	16,514	10,913	2,347	2,930	3,985	5,485	6,525	7,683	10,142	8,798	3,017	82
1912	75,896	17,650	10,851	2,065	2,695	3,917	5,254	6,149	7,388	9,248	7,967	2,654	58
1913	81,880	18,877	12,212	2,544	2,951	4,215	5,847	6,645	7,705	9,600	8,358	2,848	78
1914	80,703	18,812	11,015	2,530	2,864	4,021	5,654	6,843	8,060	9,643	8,383	2,801	77
1915	90,330	19,551	10,706	2,559	3,151	4,533	6,063	7,691	9,404	12,133	10,736	3,739	64
1916	109,335	20,387	12,782	3,003	4,234	5,766	8,001	9,549	11,710	15,113	13,625	5,074	91
1917	115,526	22,207	12,859	3,319	4,861	6,915	9,387	10,652	12,571	14,771	13,224	4,600	160
1918	464,959	38,428	49,699	28,054	78,158	126,792	60,902	28,596	19,632	17,643	11,829	3,680	1,546
1919	185,440	27,736	21,133	10,598	20,381	32,159	20,690	14,043	12,530	13,065	9,548	3,173	384
1920	178,438	27,693	20,717	7,796	15,099	25,812	19,543	14,472	14,317	15,987	12,666	4,099	237
1921	86,667	18,991	10,867	3,875	3,987	4,770	6,269	7,011	8,362	10,156	9,148	3,162	69
1922	122,622	25,401	15,021	4,484	5,962	7,805	9,884	10,166	11,714	14,750	12,833	4,468	134
1923	146,868	27,333	16,505	5,062	7,335	8,908	11,661	12,446	14,685	19,044	17,325	6,385	179
1924	114,456	24,394	12,726	3,971	5,606	6,675	9,218	10,344	11,347	13,750	11,882	4,421	122
1925	124,122	24,627	12,877	4,742	6,465	7,353	10,329	10,801	12,283	15,295	13,847	5,368	135
1926	147,143	28,665	16,953	4,772	6,481	8,453	11,935	13,044	14,536	18,357	17,235	6,564	148
1927	109,405	21,216	11,178	4,025	5,194	6,402	9,199	10,203	11,286	13,830	12,079	4,650	143
1928	161,903	27,757	16,102	6,259	8,752	10,104	14,350	15,186	15,903	20,249	19,223	7,742	276
1929	168,986	27,089	16,113	5,957	8,555	10,446	14,897	16,101	17,343	22,036	21,475	8,697	277
1930	120,171	22,622	10,728	4,397	5,919	7,040	10,100	12,019	13,404	15,501	13,298	4,973	170
1931	127,033	22,453	10,695	4,563	6,538	8,151	11,309	12,912	13,733	16,122	14,504	5,907	146
1932	127,626	20,070	9,671	4,749	6,614	7,844	10,968	12,413	13,869	16,980	17,003	7,315	130
1933	120,142	19,536	9,464	4,270	5,777	7,463	10,601	12,185	13,494	15,613	15,108	6,494	137
1934	122,441	20,573	9,809	4,295	5,709	7,210	10,294	12,928	14,510	16,184	14,950	5,864	115
1935	132,625	19,772	9,314	4,776	6,701	8,761	11,991	14,473	15,769	17,962	16,396	6,596	114
1936	153,189	21,248	9,842	5,191	8,375	10,177	14,075	17,223	18,761	21,127	19,376	7,654	140
1937	148,014	20,286	9,236	4,202	6,952	9,423	13,104	17,204	18,750	20,891	19,628	8,219	119
1938	104,443	18,134	7,474	3,162	4,372	5,620	7,722	10,604	12,461	14,939	14,300	5,571	84
1939	99,097	16,097	5,938	2,602	3,620	4,686	6,797	9,671	11,752	15,238	15,639	6,980	77

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	20,568	4,133	3,260	653	1,050	1,527	1,846	1,820	1,938	2,165	1,693	436	47
1901	20,439	3,747	2,734	666	1,062	1,566	1,837	1,835	2,017	2,294	2,043	584	54
1902	17,612	4,188	3,118	595	811	1,202	1,496	1,508	1,528	1,610	1,194	315	47
1903	18,289	3,899	2,724	557	814	1,317	1,670	1,707	1,725	1,870	1,501	452	53
1904	22,127	4,302	3,083	602	999	1,701	2,280	2,188	2,264	2,288	1,811	539	70
1905	19,327	4,273	2,722	532	792	1,308	1,842	1,812	1,903	1,974	1,622	516	31
1906	28,899	7,006	4,823	816	1,321	1,948	2,574	2,636	2,650	2,582	1,931	559	53
1907	33,299	6,950	4,610	904	1,531	2,377	3,172	3,188	3,227	3,640	2,794	854	52
1908	31,087	7,326	4,581	959	1,286	1,771	2,525	2,922	2,937	3,218	2,747	779	36
1909	35,036	8,659	5,533	1,001	1,343	1,959	2,896	3,130	3,300	3,599	2,744	844	28
1910	40,042	9,410	5,792	1,125	1,641	2,355	3,425	3,835	3,963	4,245	3,257	970	24
1911	42,243	9,286	5,772	1,168	1,802	2,497	3,564	4,085	4,240	4,789	3,764	1,240	36
1912	41,470	9,974	5,786	1,042	1,629	2,465	3,438	3,937	4,171	4,431	3,461	1,101	35
1913	44,942	10,626	6,489	1,238	1,784	2,667	3,911	4,334	4,367	4,595	3,678	1,211	42
1914	44,086	10,595	5,815	1,283	1,708	2,531	3,730	4,428	4,533	4,722	3,606	1,090	45
1915	48,423	11,016	5,661	1,325	1,846	2,731	3,852	4,753	5,196	5,840	4,648	1,517	38
1916	59,222	11,599	6,890	1,527	2,535	3,444	5,140	6,147	6,556	7,307	5,986	2,044	47
1917	65,287	12,687	6,894	1,716	3,154	4,707	6,531	7,164	7,329	7,403	5,730	1,881	91
1918	264,948	21,549	24,936	13,044	44,092	75,410	39,538	18,019	11,335	9,081	5,314	1,496	1,134
1919	96,919	15,704	10,966	4,977	9,988	15,866	12,172	8,306	6,874	6,429	4,160	1,266	211
1920	93,635	15,855	10,919	3,953	7,733	12,410	11,156	8,430	7,829	7,957	5,579	1,680	134
1921	46,840	10,778	5,877	2,014	2,296	2,617	3,802	4,368	4,699	4,986	4,105	1,262	36
1922	65,283	14,637	8,082	2,326	3,306	3,929	5,858	6,105	6,298	7,233	5,619	1,819	71
1923	77,555	15,383	8,782	2,599	4,099	4,710	6,889	7,554	8,057	9,300	7,590	2,504	88
1924	63,736	13,853	6,916	2,061	3,262	3,852	5,991	6,656	6,633	7,172	5,476	1,793	71
1925	68,402	14,129	6,933	2,425	3,695	4,192	6,413	6,925	7,101	7,901	6,374	2,230	84
1926	79,858	16,393	9,269	2,551	3,753	4,512	7,250	8,130	8,209	9,253	7,851	2,599	88
1927	61,078	12,056	6,021	2,099	2,973	3,746	5,978	6,528	6,703	7,268	5,664	1,964	78
1928	88,524	15,795	8,749	3,237	4,971	5,533	8,581	9,564	9,232	10,408	9,003	3,296	155
1929	91,773	15,433	8,581	3,059	4,748	5,699	8,983	10,025	9,966	11,375	10,106	3,641	157
1930	67,322	12,765	5,732	2,285	3,439	4,126	6,580	7,767	7,873	8,178	6,315	2,169	93
1931	70,725	12,722	5,798	2,393	3,736	4,643	7,096	8,274	8,182	8,379	6,882	2,529	91
1932	68,347	11,371	5,171	2,416	3,590	3,959	6,196	7,639	7,777	8,835	8,133	3,185	75
1933	65,789	11,034	5,131	2,222	3,178	3,983	6,392	7,592	7,849	8,245	7,229	2,854	80
1934	69,099	11,702	5,357	2,304	3,300	4,106	6,653	8,370	8,756	8,772	7,207	2,502	70
1935	75,107	11,357	5,094	2,586	3,935	5,017	7,526	9,386	9,656	9,655	7,967	2,863	65
1936	86,797	11,969	5,292	2,731	4,975	5,785	8,855	11,243	11,443	11,576	9,596	3,242	90
1937	83,666	11,517	5,044	2,255	4,013	5,277	8,085	11,132	11,540	11,354	9,777	3,595	77
1938	58,607	10,319	4,033	1,647	2,481	3,175	4,701	6,878	7,603	8,175	7,095	2,450	50
1939	54,712	9,101	3,204	1,391	1,935	2,543	4,017	6,016	7,231	8,380	7,750	3,100	44

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	19,794	3,231	3,057	797	739	1,126	1,283	1,496	2,185	2,715	2,347	769	49
1901	19,469	3,001	2,478	654	799	1,143	1,287	1,429	2,197	2,891	2,619	929	42
1902	15,596	3,257	2,855	625	629	818	898	1,010	1,457	1,870	1,647	500	30
1903	17,166	3,156	2,526	642	668	923	1,073	1,199	1,787	2,343	2,151	653	45
1904	18,862	3,358	2,647	671	699	971	1,210	1,379	2,011	2,682	2,305	893	36
1905	17,528	3,300	2,513	570	647	844	1,037	1,230	1,780	2,549	2,229	814	15
1906	23,898	5,378	4,211	846	804	1,069	1,326	1,520	2,231	3,094	2,562	828	29
1907	28,900	5,436	4,182	931	901	1,392	1,684	2,006	2,975	4,200	3,839	1,316	38
1908	27,207	5,575	4,160	933	884	1,247	1,530	1,849	2,571	3,819	3,428	1,192	19
1909	30,467	6,905	4,878	998	923	1,314	1,628	1,872	2,832	4,182	3,678	1,243	14
1910	33,941	7,283	5,252	1,088	1,008	1,511	1,768	2,170	3,198	4,814	4,360	1,478	11
1911	36,178	7,228	5,141	1,179	1,128	1,488	1,921	2,440	3,443	5,353	5,034	1,777	46
1912	34,426	7,676	5,065	1,023	1,066	1,452	1,816	2,212	3,217	4,817	4,506	1,553	23
1913	36,938	8,251	5,723	1,306	1,167	1,548	1,936	2,311	3,338	5,005	4,680	1,637	36
1914	36,617	8,217	5,200	1,247	1,156	1,490	1,924	2,415	3,527	4,921	4,777	1,711	32
1915	41,907	8,535	5,045	1,234	1,305	1,802	2,211	2,938	4,208	6,293	6,088	2,222	26
1916	50,113	8,788	5,892	1,476	1,699	2,322	2,861	3,402	5,154	7,806	7,639	3,030	44
1917	50,239	9,520	5,965	1,603	1,707	2,208	2,856	3,488	5,242	7,368	7,494	2,719	69
1918	200,011	16,879	24,763	15,010	34,066	51,382	21,364	10,577	8,297	8,562	6,515	2,184	412
1919	88,521	12,032	10,167	5,621	10,393	16,293	8,518	5,737	5,656	6,636	5,388	1,907	173
1920	84,803	11,838	9,798	3,843	7,366	13,402	8,387	6,042	6,488	8,030	7,087	2,419	103
1921	39,827	8,213	4,990	1,861	1,691	2,153	2,467	2,643	3,663	5,170	5,043	1,900	33
1922	57,339	10,764	6,939	2,158	2,656	3,876	4,026	4,061	5,416	7,517	7,214	2,649	63
1923	69,313	11,950	7,723	2,463	3,236	4,198	4,772	4,892	6,628	9,744	9,735	3,881	91
1924	50,720	10,541	5,810	1,910	2,344	2,823	3,227	3,688	4,714	6,578	6,406	2,628	51
1925	55,720	10,498	5,944	2,317	2,770	3,161	3,916	3,876	5,182	7,394	7,473	3,138	51
1926	67,285	12,272	7,684	2,221	2,728	3,941	4,685	4,914	6,327	9,104	9,384	3,965	60
1927	48,327	9,160	5,157	1,926	2,221	2,656	3,221	3,675	4,583	6,562	6,415	2,686	65
1928	73,379	11,962	7,353	3,022	3,781	4,571	5,769	5,622	6,671	9,841	10,220	4,446	121
1929	77,213	11,656	7,532	2,898	3,807	4,747	5,914	6,076	7,377	10,661	11,369	5,056	120
1930	52,849	9,857	4,996	2,112	2,480	2,914	3,520	4,252	5,531	7,323	6,983	2,804	77
1931	56,308	9,731	4,897	2,170	2,802	3,508	4,213	4,638	5,551	7,743	7,622	3,378	55
1932	59,279	8,699	4,500	2,333	3,024	3,885	4,772	4,774	6,092	8,145	8,870	4,130	55
1933	54,353	8,502	4,333	2,048	2,599	3,480	4,209	4,593	5,645	7,368	7,879	3,640	57
1934	53,342	8,871	4,452	1,991	2,409	3,104	3,641	4,558	5,754	7,412	7,743	3,362	45
1935	57,518	8,415	4,220	2,190	2,766	3,744	4,465	5,087	6,113	8,307	8,429	3,733	49
1936	66,392	9,279	4,550	2,460	3,400	4,392	5,220	5,980	7,318	9,551	9,780	4,412	50
1937	64,348	8,769	4,192	1,947	2,939	4,146	5,019	6,072	7,210	9,537	9,851	4,624	42
1938	45,836	7,815	3,441	1,515	1,891	2,445	3,021	3,726	4,858	6,764	7,205	3,121	34
1939	44,385	6,996	2,734	1,211	1,685	2,143	2,780	3,655	4,521	6,858	7,889	3,880	33

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	70,534	---	---	---	---	---	---	---	---	---	---	---	---
1911	74,097	---	---	---	---	---	---	---	---	---	---	---	---
1912	71,684	---	---	---	---	---	---	---	---	---	---	---	---
1913	76,410	---	---	---	---	---	---	---	---	---	---	---	---
1914	74,943	17,389	10,055	2,300	2,497	3,514	5,071	6,295	7,622	9,252	8,175	2,718	55
1915	83,880	18,128	9,745	2,338	2,748	3,927	5,381	7,038	8,845	11,606	10,437	3,638	49
1916	99,207	18,197	11,258	2,620	3,364	4,845	7,014	8,590	10,907	14,360	13,146	4,838	68
1917	102,783	---	---	---	---	---	---	---	---	---	---	---	---
1918	419,134	33,628	43,567	24,139	68,669	117,421	55,287	25,702	18,184	16,595	11,277	3,439	1,226
1919	160,624	23,631	17,843	8,451	16,563	28,563	17,791	12,035	11,380	12,148	9,015	2,958	246
1920	156,529	23,283	17,804	6,545	12,518	22,877	16,882	12,488	13,072	15,011	12,099	3,815	135
1921	76,172	16,138	9,259	3,384	3,046	3,915	5,268	6,083	7,668	9,582	8,798	2,989	42
1922	106,918	21,472	12,886	3,801	4,491	6,344	8,253	8,587	10,674	13,862	12,285	4,186	77
1923	125,414	22,492	13,501	4,166	5,283	6,813	9,359	10,303	13,139	17,794	16,499	5,969	96
1924	95,360	19,763	10,209	3,223	3,633	4,716	7,155	8,422	10,105	12,674	11,274	4,121	65
1925	104,385	20,133	10,386	3,872	4,351	5,300	8,052	8,777	10,983	14,302	13,169	4,987	73
1926	124,183	23,379	13,741	3,910	4,480	6,085	9,419	10,633	12,844	17,121	16,377	6,108	86
1927	91,877	17,027	8,870	3,307	3,633	4,635	7,213	8,277	9,973	12,998	11,518	4,348	78
1928	136,188	22,308	12,991	5,164	6,323	7,460	11,366	12,206	13,959	18,801	18,279	7,182	149
1929	140,867	21,814	13,024	4,839	5,955	7,423	11,394	12,714	14,958	20,367	20,256	7,981	142
1930	99,664	18,162	8,518	3,560	3,947	4,844	7,695	9,474	11,676	14,390	12,648	4,656	94
1931	105,245	18,044	8,549	3,684	4,510	5,593	8,592	10,077	11,881	14,878	13,796	5,560	81
1932	106,470	15,629	7,590	3,896	4,765	5,621	8,474	9,797	11,953	15,645	16,171	6,860	69
1933	98,839	14,755	7,363	3,364	4,022	5,223	8,096	9,624	11,587	14,287	14,341	6,088	89
1934	99,572	15,233	7,499	3,404	3,917	4,943	7,601	10,043	12,443	14,828	14,163	5,432	66
1935	110,457	15,487	7,449	3,956	4,775	6,237	9,038	11,471	13,597	16,536	15,649	6,185	77
1936	125,585	16,629	7,844	4,272	5,863	7,026	10,234	13,349	15,867	19,025	18,333	7,061	82
1937	121,555	15,762	7,221	3,338	4,705	6,404	9,453	13,406	16,066	18,818	18,655	7,674	53
1938	85,212	13,993	5,800	2,465	2,861	3,738	5,469	8,016	10,556	13,502	13,561	5,207	44
1939	81,460	12,308	4,434	2,023	2,469	3,094	4,790	7,328	9,799	13,739	14,862	6,569	45

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	38,086	---	---	---	---	---	---	---	---	---	---	---	---
1911	39,816	---	---	---	---	---	---	---	---	---	---	---	---
1912	39,090	---	---	---	---	---	---	---	---	---	---	---	---
1913	41,862	---	---	---	---	---	---	---	---	---	---	---	---
1914	40,892	9,834	5,322	1,172	1,485	2,216	3,378	4,084	4,284	4,514	3,506	1,064	33
1915	44,834	10,234	5,169	1,213	1,600	2,362	3,400	4,363	4,908	5,572	4,511	1,471	31
1916	53,462	10,377	6,054	1,348	2,009	2,893	4,501	5,530	6,114	6,901	5,750	1,949	36
1917	57,626	---	---	---	---	---	---	---	---	---	---	---	---
1918	239,240	18,896	21,896	11,293	38,498	69,968	36,098	16,200	10,506	8,514	5,054	1,405	912
1919	84,190	13,419	9,304	4,075	8,164	14,174	10,546	7,124	6,241	5,950	3,882	1,174	137
1920	82,022	13,391	9,405	3,336	6,439	11,033	9,631	7,243	7,181	7,453	5,290	1,544	76
1921	41,051	9,244	5,020	1,762	1,757	2,148	3,200	3,795	4,315	4,688	3,920	1,181	21
1922	56,643	12,461	6,927	1,996	2,502	3,149	4,876	5,158	5,730	6,761	5,339	1,700	44
1923	65,795	12,671	7,215	2,176	2,948	3,533	5,524	6,277	7,241	8,658	7,173	2,337	42
1924	52,808	11,276	5,579	1,687	2,102	2,658	4,656	5,473	5,906	6,594	5,160	1,675	42
1925	57,087	11,573	5,587	2,009	2,498	2,906	4,983	5,664	6,375	7,381	6,011	2,057	43
1926	67,054	13,392	7,507	2,106	2,637	3,182	5,734	6,722	7,295	8,603	7,411	2,412	53
1927	51,132	9,691	4,784	1,740	2,135	2,685	4,755	5,327	5,945	6,794	5,396	1,842	38
1928	74,264	12,756	7,100	2,692	3,638	4,054	6,831	7,790	8,139	9,617	8,531	3,038	78
1929	76,060	12,440	6,946	2,509	3,371	3,982	6,909	8,009	8,575	10,480	9,441	3,317	81
1930	55,533	10,246	4,542	1,880	2,322	2,816	5,034	6,217	6,876	7,560	5,969	2,019	52
1931	58,403	10,251	4,657	1,950	2,583	3,143	5,480	6,586	7,103	7,719	6,501	2,378	52
1932	56,758	8,883	4,051	1,999	2,628	2,756	4,783	6,099	6,718	8,111	7,718	2,972	40
1933	53,894	8,380	4,007	1,770	2,237	2,756	4,907	6,064	6,720	7,530	6,814	2,657	52
1934	56,071	8,709	4,097	1,858	2,342	2,799	4,954	6,612	7,562	7,997	6,793	2,305	43
1935	62,450	8,926	4,096	2,159	2,887	3,582	5,724	7,533	8,382	8,869	7,585	2,664	43
1936	70,760	9,379	4,201	2,274	3,522	3,919	6,462	8,832	9,772	10,350	9,019	2,978	52
1937	68,399	8,962	3,931	1,798	2,738	3,519	5,954	8,794	9,933	10,157	9,234	3,344	35
1938	47,614	7,994	3,108	1,308	1,649	2,066	3,363	5,281	6,472	7,363	6,717	2,267	26
1939	44,905	6,955	2,366	1,085	1,375	1,681	2,849	4,678	6,103	7,555	7,337	2,898	23

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	32,448	---	---	---	---	---	---	---	---	---	---	---	---
1911	34,281	---	---	---	---	---	---	---	---	---	---	---	---
1912	32,594	---	---	---	---	---	---	---	---	---	---	---	---
1913	34,548	---	---	---	---	---	---	---	---	---	---	---	---
1914	34,051	7,555	4,733	1,128	1,012	1,298	1,693	2,211	3,338	4,738	4,669	1,654	22
1915	39,046	7,894	4,576	1,125	1,148	1,565	1,981	2,675	3,937	6,034	5,926	2,167	18
1916	45,745	7,820	5,204	1,272	1,355	1,952	2,513	3,060	4,793	7,459	7,396	2,889	32
1917	45,157	---	---	---	---	---	---	---	---	---	---	---	---
1918	179,894	14,732	21,671	12,846	30,171	47,453	19,189	9,502	7,678	8,081	6,223	2,034	314
1919	76,434	10,212	8,539	4,376	8,399	14,389	7,245	4,911	5,139	6,198	5,133	1,784	109
1920	74,507	9,892	8,399	3,209	6,079	11,844	7,251	5,245	5,891	7,558	6,809	2,271	59
1921	35,121	6,894	4,239	1,622	1,289	1,767	2,068	2,288	3,353	4,894	4,878	1,808	21
1922	50,275	9,011	5,959	1,805	1,989	3,195	3,377	3,429	4,944	7,101	6,946	2,486	33
1923	59,619	9,821	6,286	1,990	2,335	3,280	3,835	4,026	5,898	9,136	9,326	3,632	54
1924	42,552	8,487	4,630	1,536	1,531	2,058	2,499	2,949	4,199	6,080	6,114	2,446	23
1925	47,298	8,560	4,799	1,863	1,853	2,394	3,069	3,113	4,608	6,921	7,158	2,930	30
1926	57,129	9,987	6,234	1,804	1,843	2,903	3,685	3,911	5,549	8,518	8,966	3,696	33
1927	40,745	7,336	4,086	1,567	1,498	1,950	2,458	2,950	4,028	6,204	6,122	2,506	40
1928	61,924	9,552	5,891	2,472	2,685	3,406	4,535	4,416	5,820	9,184	9,748	4,144	71
1929	64,807	9,374	6,078	2,330	2,584	3,441	4,485	4,705	6,383	9,887	10,815	4,664	61
1930	44,131	7,916	3,976	1,680	1,625	2,028	2,661	3,257	4,800	6,830	6,679	2,637	42
1931	46,842	7,793	3,892	1,734	1,927	2,450	3,112	3,491	4,778	7,159	7,295	3,182	29
1932	49,712	6,746	3,539	1,897	2,137	2,865	3,691	3,698	5,235	7,534	8,453	3,888	29
1933	44,945	6,375	3,356	1,594	1,785	2,467	3,189	3,560	4,867	6,757	7,527	3,431	37
1934	43,501	6,524	3,402	1,546	1,575	2,144	2,647	3,431	4,881	6,831	7,370	3,127	23
1935	48,007	6,561	3,353	1,797	1,888	2,655	3,314	3,938	5,215	7,667	8,064	3,521	34
1936	54,825	7,250	3,643	1,998	2,341	3,107	3,772	4,517	6,095	8,675	9,314	4,083	30
1937	53,156	6,800	3,290	1,540	1,967	2,885	3,499	4,612	6,133	8,661	9,421	4,330	18
1938	37,598	5,999	2,692	1,157	1,212	1,672	2,106	2,735	4,084	6,139	6,844	2,940	18
1939	36,555	5,353	2,068	938	1,094	1,413	1,941	2,650	3,696	6,184	7,525	3,671	22

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

ALL OTHER, BOTH SEXES													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	3,449	---	---	---	---	---	---	---	---	---	---	---	---
1911	4,324	---	---	---	---	---	---	---	---	---	---	---	---
1912	4,212	---	---	---	---	---	---	---	---	---	---	---	---
1913	5,470	---	---	---	---	---	---	---	---	---	---	---	---
1914	5,760	1,423	960	230	367	507	583	548	438	391	208	83	22
1915	6,450	1,423	961	221	403	606	682	653	559	527	299	101	15
1916	10,128	2,190	1,524	383	870	921	987	959	803	753	479	236	23
1917	12,743	---	---	---	---	---	---	---	---	---	---	---	---
1918	45,825	4,800	6,132	3,915	9,489	9,371	5,615	2,894	1,448	1,048	552	241	320
1919	24,816	4,105	3,290	2,147	3,818	3,596	2,899	2,008	1,150	917	533	215	138
1920	21,909	4,410	2,913	1,251	2,581	2,935	2,661	1,984	1,245	976	567	284	102
1921	10,495	2,853	1,608	491	941	855	1,001	928	694	574	350	173	27
1922	15,704	3,929	2,135	683	1,471	1,461	1,631	1,579	1,040	888	548	282	57
1923	21,454	4,841	3,004	896	2,052	2,095	2,302	2,143	1,546	1,250	826	416	83
1924	19,096	4,631	2,517	748	1,973	1,959	2,063	1,922	1,242	1,076	608	300	57
1925	19,737	4,494	2,491	870	2,114	2,053	2,277	2,024	1,300	993	678	381	62
1926	22,960	5,286	3,212	862	2,001	2,368	2,516	2,411	1,692	1,236	858	456	62
1927	17,528	4,189	2,308	718	1,561	1,767	1,986	1,926	1,313	832	561	302	65
1928	25,715	5,449	3,111	1,095	2,429	2,644	2,984	2,980	1,944	1,448	944	560	127
1929	28,119	5,275	3,089	1,118	2,600	3,023	3,503	3,387	2,385	1,669	1,219	716	135
1930	20,507	4,460	2,210	837	1,972	2,196	2,405	2,545	1,728	1,111	650	317	76
1931	21,788	4,409	2,146	879	2,028	2,558	2,717	2,835	1,852	1,244	708	347	65
1932	21,156	4,441	2,081	853	1,849	2,223	2,494	2,616	1,916	1,335	832	455	61
1933	21,303	4,781	2,101	906	1,755	2,240	2,505	2,561	1,907	1,326	767	406	48
1934	22,869	5,340	2,310	891	1,792	2,267	2,693	2,885	2,067	1,356	787	432	49
1935	22,168	4,285	1,865	820	1,926	2,524	2,953	3,002	2,172	1,426	747	411	37
1936	27,604	4,619	1,998	919	2,512	3,151	3,841	3,874	2,894	2,102	1,043	593	58
1937	26,459	4,524	2,015	864	2,247	3,019	3,651	3,798	2,684	2,073	973	545	66
1938	19,231	4,141	1,674	697	1,511	1,882	2,253	2,588	1,905	1,437	739	364	40
1939	17,637	3,789	1,504	579	1,151	1,592	2,007	2,343	1,953	1,499	777	411	32

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,956	---	---	---	---	---	---	---	---	---	---	---	---
1911	2,427	---	---	---	---	---	---	---	---	---	---	---	---
1912	2,380	---	---	---	---	---	---	---	---	---	---	---	---
1913	3,080	---	---	---	---	---	---	---	---	---	---	---	---
1914	3,194	761	493	111	223	315	352	344	249	208	100	26	12
1915	3,589	782	492	112	246	369	452	390	288	268	137	46	7
1916	5,760	1,222	836	179	526	551	639	617	442	406	236	95	11
1917	7,661	---	---	---	---	---	---	---	---	---	---	---	---
1918	25,708	2,653	3,040	1,751	5,594	5,442	3,440	1,819	829	567	260	91	222
1919	12,729	2,285	1,662	902	1,824	1,692	1,626	1,182	633	479	278	92	74
1920	11,613	2,464	1,514	617	1,294	1,377	1,525	1,187	648	504	289	136	58
1921	5,789	1,534	857	252	539	469	602	573	384	298	185	81	15
1922	8,640	2,176	1,155	330	804	780	982	947	568	472	280	119	27
1923	11,760	2,712	1,567	423	1,151	1,177	1,365	1,277	816	642	417	167	46
1924	10,928	2,577	1,337	374	1,160	1,194	1,335	1,183	727	578	316	118	29
1925	11,315	2,556	1,346	416	1,197	1,286	1,430	1,261	726	520	363	173	41
1926	12,804	3,001	1,762	445	1,116	1,330	1,516	1,408	914	650	440	187	35
1927	9,946	2,365	1,237	359	838	1,061	1,223	1,201	758	474	268	122	40
1928	14,260	3,039	1,649	545	1,333	1,479	1,750	1,774	1,093	791	472	258	77
1929	15,713	2,993	1,635	550	1,377	1,717	2,074	2,016	1,391	895	665	324	76
1930	11,789	2,519	1,190	405	1,117	1,310	1,546	1,550	997	618	346	150	41
1931	12,322	2,471	1,141	443	1,153	1,500	1,616	1,688	1,079	660	381	151	39
1932	11,589	2,488	1,120	417	962	1,203	1,413	1,540	1,059	724	415	213	35
1933	11,895	2,654	1,124	452	941	1,227	1,485	1,528	1,129	715	415	197	28
1934	13,028	2,993	1,260	446	958	1,307	1,699	1,758	1,194	775	414	197	27
1935	12,657	2,431	998	427	1,048	1,435	1,802	1,853	1,274	786	382	199	22
1936	16,037	2,590	1,091	457	1,453	1,866	2,393	2,411	1,671	1,226	577	264	38
1937	15,267	2,555	1,113	457	1,275	1,758	2,131	2,338	1,607	1,197	543	251	42
1938	10,993	2,325	925	339	832	1,109	1,338	1,597	1,131	812	378	183	24
1939	9,807	2,146	838	306	560	862	1,168	1,338	1,128	825	413	202	21

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Influenza and Pneumonia, except Pneumonia of Newborn

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,493	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,897	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,832	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,390	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,566	662	467	119	144	192	231	204	189	183	108	57	10
1915	2,861	641	469	109	157	237	230	263	271	259	162	55	8
1916	4,368	968	688	204	344	370	348	342	361	347	243	141	12
1917	5,082	---	---	---	---	---	---	---	---	---	---	---	---
1918	20,117	2,147	3,092	2,164	3,895	3,929	2,175	1,075	619	481	292	150	98
1919	12,087	1,820	1,628	1,245	1,994	1,904	1,273	826	517	438	255	123	64
1920	10,296	1,946	1,399	634	1,287	1,558	1,136	797	597	472	278	148	44
1921	4,706	1,319	751	239	402	386	399	355	310	276	165	92	12
1922	7,064	1,753	980	353	667	681	649	632	472	416	268	163	30
1923	9,694	2,129	1,437	473	901	918	937	866	730	608	409	249	37
1924	8,168	2,054	1,180	374	813	765	728	739	515	498	292	182	28
1925	8,422	1,938	1,145	454	917	767	847	763	574	473	315	208	21
1926	10,156	2,285	1,450	417	885	1,038	1,000	1,003	778	586	418	269	27
1927	7,582	1,824	1,071	359	723	706	763	725	555	358	293	180	25
1928	11,455	2,410	1,462	550	1,096	1,165	1,234	1,206	851	657	472	302	50
1929	12,406	2,282	1,454	568	1,223	1,306	1,429	1,371	994	774	554	392	59
1930	8,718	1,941	1,020	432	855	886	859	995	731	493	304	167	35
1931	9,466	1,938	1,005	436	875	1,058	1,101	1,147	773	584	327	196	26
1932	9,567	1,953	961	436	887	1,020	1,081	1,076	857	611	417	242	26
1933	9,408	2,127	977	454	814	1,013	1,020	1,033	778	611	352	209	20
1934	9,841	2,347	1,050	445	834	960	994	1,127	873	581	373	235	22
1935	9,511	1,854	867	393	878	1,089	1,151	1,149	898	640	365	212	15
1936	11,567	2,029	907	462	1,059	1,285	1,448	1,463	1,223	876	466	329	20
1937	11,192	1,969	902	407	972	1,261	1,520	1,460	1,077	876	430	294	24
1938	8,238	1,816	749	358	679	773	915	991	774	625	361	181	16
1939	7,830	1,643	666	273	591	730	839	1,005	825	674	364	209	11

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Notes: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total.

separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes...	1,271	1,943	1,950
Male	683	1,053	1,068
Female	588	890	882

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ICD Revision	Years in use	ICD Nos.
Fifth	1939	117
Fourth	1930-1938	117
Third	1921-1929	111
Second	1910-1920	102
First	1900-1909	103

ALL RACES, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	534	9	4	5	36	87	78	77	88	97	44	6	3
1901	566	6	5	16	48	55	82	83	108	92	61	7	3
1902	608	4	5	9	45	83	107	100	99	95	53	6	2
1903	565	6	10	9	41	72	84	89	100	86	57	6	5
1904	643	5	6	15	51	77	117	98	121	102	45	5	1
1905	646	4	1	5	47	75	122	107	98	108	66	11	2
1906	1,098	9	4	18	73	140	193	194	206	170	77	14	-
1907	1,121	5	8	16	69	136	181	222	198	186	80	18	2
1908	1,231	12	8	18	71	159	214	241	219	174	94	21	-
1909	1,494	11	10	17	94	184	235	278	276	228	138	20	3
1910	1,912	18	11	26	139	219	319	376	346	293	138	26	1
1911	1,896	14	15	18	114	229	340	331	346	316	145	27	1
1912	2,068	10	9	20	129	254	355	425	354	300	183	29	-
1913	2,230	12	9	24	119	282	412	396	422	347	174	31	2
1914	2,439	10	20	22	137	345	425	453	445	358	194	29	1
1915	2,615	12	6	25	135	310	482	517	487	392	218	30	1
1916	2,964	22	10	24	168	328	556	594	558	426	221	53	4
1917	3,043	13	10	28	157	361	582	573	573	465	225	50	6
1918	3,071	22	19	32	154	361	565	601	606	438	223	46	4
1919	2,897	16	11	15	120	296	542	622	565	438	223	42	7
1920	3,104	16	17	25	115	347	536	629	616	475	268	57	3
1921	4,226	22	19	28	184	506	823	906	810	591	277	57	3
1922	4,657	16	12	30	187	555	864	990	884	722	329	61	7
1923	5,023	21	13	30	220	582	895	1,166	988	699	334	68	7
1924	5,422	30	6	22	218	575	1,075	1,146	1,098	788	396	63	5
1925	6,007	22	11	19	242	665	1,155	1,309	1,168	912	430	70	4
1926	6,278	19	15	26	234	697	1,181	1,383	1,239	965	433	82	4
1927	6,736	17	13	31	226	673	1,325	1,549	1,400	975	444	80	3
1928	7,235	14	9	19	258	758	1,402	1,708	1,407	1,075	468	106	11
1929	7,345	15	13	21	261	773	1,419	1,717	1,455	1,075	494	90	12
1930	7,281	7	14	28	243	695	1,392	1,712	1,542	1,077	491	76	4
1931	7,176	13	11	32	233	685	1,288	1,719	1,456	1,140	508	85	6
1932	7,110	13	10	34	214	638	1,205	1,700	1,519	1,141	541	91	4
1933	7,539	11	11	29	221	614	1,308	1,852	1,654	1,167	558	103	11
1934	7,690	22	11	17	230	627	1,327	1,873	1,717	1,221	538	85	22
1935	8,430	18	6	33	221	694	1,395	2,102	1,911	1,308	634	104	4
1936	8,566	27	7	21	241	647	1,500	2,096	1,865	1,399	629	129	5
1937	8,765	19	7	25	212	687	1,415	2,145	2,060	1,395	687	110	3
1938	8,403	23	5	18	198	618	1,302	2,003	1,991	1,426	693	120	6
1939	8,875	21	8	15	183	575	1,286	2,151	2,181	1,569	760	120	6

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ALL RACES, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	269	6	3	3	11	34	33	37	50	57	30	3	2
1901	272	2	2	9	14	15	43	41	59	51	29	5	2
1902	301	1	3	-	15	34	48	59	54	55	27	5	-
1903	294	3	6	4	19	27	40	49	58	54	26	6	2
1904	322	4	3	9	14	31	55	55	69	59	21	2	-
1905	354	1	-	2	19	39	65	73	56	53	40	5	1
1906	561	4	1	8	18	65	105	103	121	90	39	7	-
1907	618	4	3	6	22	68	111	121	121	111	45	5	1
1908	702	8	5	5	25	82	118	147	138	105	57	12	-
1909	856	10	5	6	35	99	139	172	175	130	73	9	3
1910	1,100	9	7	9	54	124	197	244	220	152	71	13	-
1911	1,082	6	6	6	35	110	203	214	235	176	75	16	-
1912	1,251	4	5	10	63	138	227	290	222	175	99	18	-
1913	1,306	6	6	10	47	165	247	254	270	190	94	15	2
1914	1,416	4	12	6	62	190	267	282	291	190	102	10	-
1915	1,617	6	2	13	69	198	312	345	321	227	107	16	1
1916	1,835	11	4	12	88	203	361	389	376	247	113	28	3
1917	1,918	9	3	10	82	217	404	383	369	297	119	21	4
1918	2,007	12	11	18	72	243	385	412	417	268	139	27	3
1919	1,818	11	3	8	64	171	364	418	360	272	121	21	5
1920	1,931	9	13	10	56	212	345	435	399	295	133	22	2
1921	2,889	14	12	13	100	327	614	653	583	377	157	37	2
1922	3,167	7	6	11	110	388	635	710	623	471	172	30	4
1923	3,548	14	3	17	127	416	690	863	709	471	204	30	4
1924	3,909	21	3	6	135	436	839	853	807	544	237	25	3
1925	4,395	10	4	8	170	501	922	1,010	851	621	264	30	4
1926	4,602	11	9	12	175	520	947	1,050	911	656	263	44	4
1927	4,997	10	7	15	162	516	1,062	1,180	1,065	685	249	45	1
1928	5,408	9	4	6	167	605	1,132	1,331	1,064	768	266	48	8
1929	5,628	8	9	11	185	629	1,155	1,364	1,128	763	323	45	8
1930	5,565	2	7	19	177	518	1,154	1,381	1,205	760	312	28	2
1931	5,501	6	3	19	158	536	1,059	1,403	1,119	821	324	50	3
1932	5,565	7	6	21	158	512	999	1,403	1,211	852	348	45	3
1933	5,887	7	6	19	155	495	1,099	1,520	1,325	840	365	48	8
1934	6,071	11	5	9	178	512	1,109	1,541	1,401	892	350	47	16
1935	6,734	9	4	20	171	570	1,206	1,764	1,549	971	408	59	3
1936	6,878	18	3	11	189	542	1,274	1,758	1,534	1,050	428	66	5
1937	7,138	13	6	14	163	567	1,205	1,840	1,738	1,051	477	62	2
1938	6,833	15	4	10	159	506	1,101	1,712	1,672	1,090	494	65	5
1939	7,206	8	6	7	145	480	1,076	1,860	1,820	1,205	524	69	6

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ALL RACES, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	265	3	1	2	25	53	45	40	38	40	14	3	1
1901	294	4	3	7	34	40	39	42	49	41	32	2	1
1902	307	3	2	9	30	49	59	41	45	40	26	1	2
1903	271	3	4	5	22	45	44	40	42	32	31	-	3
1904	321	1	3	6	37	46	62	43	52	43	24	3	1
1905	292	3	1	3	28	36	57	34	42	55	26	6	1
1906	537	5	3	10	55	75	88	91	85	80	38	7	-
1907	503	1	5	10	47	68	70	101	77	75	35	13	1
1908	529	4	3	13	46	77	96	94	81	69	37	9	-
1909	638	1	5	11	59	85	96	106	101	98	65	11	-
1910	812	9	4	17	85	95	122	132	126	141	67	13	1
1911	814	8	9	12	79	119	137	117	111	140	70	11	1
1912	817	6	4	10	66	116	128	135	132	125	84	11	-
1913	924	6	3	14	72	117	165	142	152	157	80	16	-
1914	1,023	6	8	16	75	155	158	171	154	168	92	19	1
1915	998	6	4	12	66	112	170	172	166	165	111	14	-
1916	1,129	11	6	12	80	125	195	205	182	179	108	25	1
1917	1,125	4	7	18	75	144	178	190	204	168	106	29	2
1918	1,064	10	8	14	82	118	180	189	189	170	84	19	1
1919	1,079	5	8	7	56	125	178	204	205	166	102	21	2
1920	1,173	7	4	15	59	135	191	194	217	180	135	35	1
1921	1,337	8	7	15	84	179	209	253	227	214	120	20	1
1922	1,490	9	6	19	77	167	229	280	261	251	157	31	3
1923	1,475	7	10	13	93	166	205	303	279	228	130	38	3
1924	1,513	9	3	16	83	139	236	293	291	244	159	38	2
1925	1,612	12	7	11	72	164	233	299	317	291	166	40	-
1926	1,676	8	6	14	59	177	234	333	328	309	170	38	-
1927	1,739	7	6	16	64	157	263	369	335	290	195	35	2
1928	1,827	5	5	13	91	153	270	377	343	307	202	58	3
1929	1,717	7	4	10	76	144	264	353	327	312	171	45	4
1930	1,716	5	7	9	66	177	238	331	337	317	179	48	2
1931	1,675	7	8	13	75	149	229	316	337	319	184	35	3
1932	1,545	6	4	13	56	126	206	297	308	289	193	46	1
1933	1,652	4	5	10	66	119	209	332	329	327	193	55	3
1934	1,619	11	6	8	52	115	218	332	316	329	188	38	6
1935	1,696	9	2	13	50	124	189	338	362	337	226	45	1
1936	1,688	9	4	10	52	105	226	338	331	349	201	63	-
1937	1,627	6	1	11	49	120	210	305	322	344	210	48	1
1938	1,570	8	1	8	39	112	201	291	319	336	199	55	1
1939	1,669	13	2	8	38	95	210	291	361	364	236	51	-

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

WHITE, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,852	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,817	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,979	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,113	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,338	9	20	19	131	323	397	439	431	349	190	29	1
1915	2,485	12	6	22	125	289	448	489	470	379	216	28	1
1916	2,769	21	9	22	147	296	510	550	533	408	218	52	3
1917	2,822	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,863	22	17	30	133	325	515	561	580	421	216	40	3
1919	2,638	13	9	15	103	263	482	554	529	414	213	38	5
1920	2,830	14	12	24	97	307	470	568	574	452	255	55	2
1921	3,878	22	19	23	152	450	740	832	758	556	270	54	2
1922	4,263	16	11	28	158	489	771	902	833	679	314	56	6
1923	4,610	18	11	26	186	507	807	1,062	922	679	324	62	6
1924	5,020	28	3	20	181	532	966	1,047	1,044	760	376	58	5
1925	5,553	20	11	18	211	585	1,053	1,198	1,110	864	415	66	2
1926	5,803	18	15	22	203	607	1,064	1,272	1,168	930	420	80	4
1927	6,144	15	10	25	194	562	1,165	1,406	1,326	934	431	74	2
1928	6,610	14	8	17	205	659	1,265	1,536	1,313	1,036	451	100	6
1929	6,674	12	9	16	212	641	1,251	1,556	1,371	1,028	482	88	8
1930	6,552	7	13	23	191	581	1,222	1,504	1,431	1,028	475	73	4
1931	6,500	10	11	28	181	577	1,151	1,536	1,348	1,091	484	79	4
1932	6,412	13	4	28	165	526	1,052	1,514	1,395	1,087	525	87	4
1933	6,813	9	10	25	171	502	1,127	1,674	1,517	1,112	536	98	11
1934	6,961	18	9	15	171	517	1,142	1,662	1,619	1,170	517	81	20
1935	7,637	14	5	29	183	570	1,204	1,895	1,773	1,246	615	100	3
1936	7,794	24	5	20	202	545	1,299	1,892	1,745	1,323	611	124	4
1937	7,952	13	6	22	165	569	1,248	1,945	1,909	1,315	653	106	1
1938	7,579	20	5	15	156	496	1,101	1,785	1,852	1,346	681	117	5
1939	8,029	16	6	14	143	454	1,109	1,923	2,030	1,479	741	111	3

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

WHITE, MALE													
Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,068	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,049	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,197	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,246	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,359	4	12	5	60	176	249	275	285	184	99	10	-
1915	1,543	6	2	11	66	190	289	326	312	219	106	15	1
1916	1,732	10	3	12	75	187	336	368	363	238	111	27	2
1917	1,798	---	---	---	---	---	---	---	---	---	---	---	---
1918	1,899	12	10	17	66	227	358	386	403	258	135	24	3
1919	1,680	11	2	8	56	158	329	379	341	258	115	19	4
1920	1,774	7	10	10	48	186	308	398	371	285	128	21	2
1921	2,682	14	12	12	86	298	559	605	550	356	152	36	2
1922	2,952	7	6	10	99	355	578	657	597	444	169	27	3
1923	3,295	11	3	16	110	376	627	794	674	456	196	28	4
1924	3,676	21	1	6	119	410	781	786	769	529	228	23	3
1925	4,100	10	4	7	151	448	854	930	817	596	254	27	2
1926	4,312	10	9	10	153	471	873	981	869	635	255	42	4
1927	4,621	9	5	11	141	442	962	1,091	1,013	662	243	41	1
1928	5,033	9	4	5	140	545	1,043	1,222	1,012	746	257	45	5
1929	5,186	6	6	9	150	543	1,056	1,247	1,073	730	317	44	5
1930	5,098	2	6	14	150	451	1,029	1,251	1,134	730	301	28	2
1931	5,030	5	3	16	125	461	958	1,269	1,047	790	308	47	1
1932	5,077	7	4	18	128	428	901	1,263	1,118	819	337	44	3
1933	5,422	5	5	17	126	431	974	1,401	1,234	808	350	46	8
1934	5,583	9	4	7	142	440	979	1,398	1,331	861	336	46	16
1935	6,183	8	3	17	145	483	1,060	1,618	1,456	936	399	56	2
1936	6,360	16	2	11	168	468	1,141	1,617	1,449	1,004	417	63	4
1937	6,546	8	5	12	126	475	1,087	1,679	1,642	996	457	58	1
1938	6,254	13	4	8	132	418	960	1,558	1,568	1,038	486	65	4
1939	6,640	7	4	7	116	403	963	1,696	1,721	1,142	513	65	3

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

WHITE, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	784	---	---	---	---	---	---	---	---	---	---	---	---
1911	768	---	---	---	---	---	---	---	---	---	---	---	---
1912	782	---	---	---	---	---	---	---	---	---	---	---	---
1913	867	---	---	---	---	---	---	---	---	---	---	---	---
1914	979	5	8	14	71	147	148	164	146	165	91	19	1
1915	942	6	4	11	59	99	159	163	158	160	110	13	-
1916	1,037	11	6	10	72	109	174	182	170	170	107	25	1
1917	1,024	---	---	---	---	---	---	---	---	---	---	---	---
1918	964	10	7	13	67	98	157	175	177	163	81	16	-
1919	958	2	7	7	47	105	153	175	188	156	98	19	1
1920	1,056	7	2	14	49	121	162	170	203	167	127	34	-
1921	1,196	8	7	11	66	152	181	227	208	200	118	18	-
1922	1,311	9	5	18	59	134	193	245	236	235	145	29	3
1923	1,315	7	8	10	76	131	180	268	248	223	128	34	2
1924	1,344	7	2	14	62	122	185	261	275	231	148	35	2
1925	1,453	10	7	11	60	137	199	268	293	268	161	39	-
1926	1,491	8	6	12	50	136	191	291	299	295	165	38	-
1927	1,523	6	5	14	53	120	203	315	313	272	188	33	1
1928	1,577	5	4	12	65	114	222	314	301	290	194	55	1
1929	1,488	6	3	7	62	98	195	309	298	298	165	44	3
1930	1,454	5	7	9	41	130	193	253	297	298	174	45	2
1931	1,470	5	8	12	56	116	193	267	301	301	176	32	3
1932	1,335	6	-	10	37	98	151	251	277	268	188	43	1
1933	1,391	4	5	8	45	71	153	273	283	304	186	52	3
1934	1,378	9	5	8	29	77	163	264	288	309	181	35	4
1935	1,454	6	2	12	38	87	144	277	317	310	216	44	1
1936	1,434	8	3	9	34	77	158	275	296	319	194	61	-
1937	1,406	5	1	10	39	94	161	266	267	319	196	48	-
1938	1,325	7	1	7	24	78	141	227	284	308	195	52	1
1939	1,389	9	2	7	27	51	146	227	309	337	228	46	-

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ALL OTHER, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	60	---	---	---	---	---	---	---	---	---	---	---	---
1911	79	---	---	---	---	---	---	---	---	---	---	---	---
1912	89	---	---	---	---	---	---	---	---	---	---	---	---
1913	117	---	---	---	---	---	---	---	---	---	---	---	---
1914	101	1	-	3	6	22	28	14	14	9	4	-	-
1915	130	-	-	3	10	21	34	28	17	13	2	2	-
1916	195	1	1	2	21	32	46	44	25	18	3	1	1
1917	221	---	---	---	---	---	---	---	---	---	---	---	---
1918	208	-	2	2	21	36	50	40	26	17	7	6	1
1919	259	3	2	-	17	33	60	68	36	24	10	4	2
1920	274	2	5	1	18	40	66	61	42	23	13	2	1
1921	348	-	-	5	32	56	83	74	52	35	7	3	1
1922	394	-	1	2	29	66	93	88	51	43	15	5	1
1923	413	3	2	4	34	75	88	104	66	20	10	6	1
1924	402	2	3	2	37	43	109	99	54	28	20	5	-
1925	454	2	-	1	31	80	102	111	58	48	15	4	2
1926	475	1	-	4	31	90	117	111	71	35	13	2	-
1927	592	2	3	6	32	111	160	143	74	41	13	6	1
1928	625	-	1	2	53	99	137	172	94	39	17	6	5
1929	671	3	4	5	49	132	168	161	84	47	12	2	4
1930	729	-	1	5	52	114	170	208	111	49	16	3	-
1931	676	3	-	4	52	108	137	183	108	49	24	6	2
1932	698	-	6	6	49	112	153	186	124	54	16	4	-
1933	726	2	1	4	50	112	181	178	137	55	22	5	-
1934	729	4	2	2	59	110	185	211	98	51	21	4	2
1935	793	4	1	4	38	124	191	207	138	62	19	4	1
1936	772	3	2	1	39	102	201	204	120	76	18	5	1
1937	813	6	1	3	47	118	167	200	151	80	34	4	2
1938	824	3	-	3	42	122	201	218	139	80	12	3	1
1939	846	5	2	1	40	121	177	228	151	90	19	9	3

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ALL OTHER, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	32	---	---	---	---	---	---	---	---	---	---	---	---
1911	33	---	---	---	---	---	---	---	---	---	---	---	---
1912	54	---	---	---	---	---	---	---	---	---	---	---	---
1913	60	---	---	---	---	---	---	---	---	---	---	---	---
1914	57	-	-	1	2	14	18	7	6	6	3	-	-
1915	74	-	-	2	3	8	23	19	9	8	1	1	-
1916	103	1	1	-	13	16	25	21	13	9	2	1	1
1917	120	---	---	---	---	---	---	---	---	---	---	---	---
1918	108	-	1	1	6	16	27	26	14	10	4	3	-
1919	138	-	1	-	8	13	35	39	19	14	6	2	1
1920	157	2	3	-	8	26	37	37	28	10	5	1	-
1921	207	-	-	1	14	29	55	48	33	21	5	1	-
1922	215	-	-	1	11	33	57	53	26	27	3	3	1
1923	253	3	-	1	17	40	63	69	35	15	8	2	-
1924	233	-	2	-	16	26	58	67	38	15	9	2	-
1925	295	-	-	1	19	53	68	80	34	25	10	3	2
1926	290	1	-	2	22	49	74	69	42	21	8	2	-
1927	376	1	2	4	21	74	100	89	52	23	6	4	-
1928	375	-	-	1	27	60	89	109	52	22	9	3	3
1929	442	2	3	2	35	86	99	117	55	33	6	1	3
1930	467	-	1	5	27	67	125	130	71	30	11	-	-
1931	471	1	-	3	33	75	101	134	72	31	16	3	2
1932	488	-	2	3	30	84	98	140	93	33	11	1	-
1933	465	2	1	2	29	64	125	119	91	32	15	2	-
1934	488	2	1	2	36	72	130	143	70	31	14	1	-
1935	551	1	1	3	26	87	146	146	93	35	9	3	1
1936	518	2	1	-	21	74	133	141	85	46	11	3	1
1937	592	5	1	2	37	92	118	161	96	55	20	4	1
1938	579	2	-	2	27	88	141	154	104	52	8	-	1
1939	566	1	2	-	29	77	113	164	99	63	11	4	3

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ULCER OF STOMACH AND DUODENUM

ALL OTHER, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	28	---	---	---	---	---	---	---	---	---	---	---	---
1911	46	---	---	---	---	---	---	---	---	---	---	---	---
1912	35	---	---	---	---	---	---	---	---	---	---	---	---
1913	57	---	---	---	---	---	---	---	---	---	---	---	---
1914	44	1	-	2	4	8	10	7	8	3	1	-	-
1915	56	-	-	1	7	13	11	9	8	5	1	1	-
1916	92	-	-	2	8	16	21	23	12	9	1	-	-
1917	101	---	---	---	---	---	---	---	---	---	---	---	---
1918	100	-	1	1	15	20	23	14	12	7	3	3	1
1919	121	3	1	-	9	20	25	29	17	10	4	2	1
1920	117	-	2	1	10	14	29	24	14	13	8	1	1
1921	141	-	-	4	18	27	28	26	19	14	2	2	1
1922	179	-	1	1	18	33	36	35	25	16	12	2	-
1923	160	-	2	3	17	35	25	35	31	5	2	4	1
1924	169	2	1	2	21	17	51	32	16	13	11	3	-
1925	159	2	-	-	12	27	34	31	24	23	5	1	-
1926	185	-	-	2	9	41	43	42	29	14	5	-	-
1927	216	1	1	2	11	37	60	54	22	18	7	2	1
1928	250	-	1	1	26	39	48	63	42	17	8	3	2
1929	229	1	1	3	14	46	69	44	29	14	6	1	1
1930	262	-	-	-	25	47	45	78	40	19	5	3	-
1931	205	2	-	1	19	33	36	49	36	18	8	3	-
1932	210	-	4	3	19	28	55	46	31	21	5	3	-
1933	261	-	-	2	21	48	56	59	46	23	7	3	-
1934	241	2	1	-	23	38	55	68	28	20	7	3	2
1935	242	3	-	1	12	37	45	61	45	27	10	1	-
1936	254	1	1	1	18	28	68	63	35	30	7	2	-
1937	221	1	-	1	10	26	49	39	55	25	14	-	1
1938	245	1	-	1	15	34	60	64	35	28	4	3	-
1939	280	4	-	1	11	44	64	64	52	27	8	5	-

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population; but by age, are included with deaths for the nonwhite population. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of M

	1932	1933	1934
Both sexes.....	12	21	20
Male.....	7	17	14
Female.....	5	4	6

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ICD Revision	Years in use	ICD Nos.
Fifth	1939	119, 120
Fourth	1930-1938	119, 120
Third	1921-1929	15, 113, 114
Second	1910-1920	13, 104, 105
First	1900-1909	13, 105, 106

ALL RACES, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	28,491	19,393	4,951	333	212	260	289	352	617	919	836	281	48
1901	23,986	15,857	4,320	336	177	232	279	332	629	832	722	234	36
1902	21,599	14,286	4,067	269	136	192	235	296	542	711	656	181	28
1903	20,997	14,262	3,578	250	120	175	220	287	458	701	674	239	33
1904	23,791	16,467	4,073	311	133	158	208	295	458	735	677	245	31
1905	25,771	17,987	4,595	278	135	167	210	266	465	686	694	281	7
1906	41,741	29,151	7,640	378	173	268	288	428	666	1,091	1,185	443	30
1907	39,731	28,229	7,133	374	161	218	295	383	651	929	991	355	12
1908	43,452	30,839	7,989	414	159	260	320	375	609	980	1,059	442	6
1909	45,013	31,267	8,753	459	152	239	313	458	650	1,049	1,186	483	4
1910	54,795	38,722	10,511	529	172	263	331	446	685	1,210	1,359	560	7
1911	46,819	32,610	8,819	431	222	298	408	485	686	1,160	1,204	488	8
1912	43,651	29,778	8,715	421	196	295	363	485	713	1,052	1,173	454	6
1913	50,440	33,802	10,817	571	216	325	440	572	722	1,161	1,266	530	18
1914	45,811	30,629	9,566	593	222	368	446	523	694	1,073	1,197	481	19
1915	41,771	28,017	8,760	534	186	297	417	478	662	981	1,009	421	9
1916	50,575	32,657	12,292	641	244	363	518	535	711	1,020	1,112	467	15
1917	52,814	33,010	13,241	827	271	426	569	677	867	1,185	1,224	492	25
1918	57,039	35,719	14,436	907	292	467	558	722	821	1,192	1,342	540	43
1919	45,899	29,284	10,592	775	259	416	511	641	707	1,070	1,117	501	26
1920	46,266	30,118	10,323	702	252	431	515	653	712	958	1,140	445	17
1921	44,562	28,433	10,816	796	207	287	343	412	578	896	1,256	520	18
1922	36,075	23,486	8,297	536	197	263	334	421	512	739	877	392	21
1923	37,813	23,780	9,727	574	213	253	291	403	478	783	899	405	7
1924	33,488	20,785	8,458	541	213	254	313	369	506	785	885	362	17
1925	39,364	24,654	9,889	631	207	264	352	429	558	855	1,021	485	19
1926	34,190	21,266	8,568	567	194	257	317	471	487	797	853	396	17
1927	28,974	17,452	7,422	576	191	265	339	397	472	652	805	395	8
1928	30,038	17,257	8,474	576	218	253	326	439	485	760	847	390	13
1929	26,821	15,470	7,267	551	237	256	363	435	491	657	752	328	14
1930	30,502	17,367	8,327	705	238	264	371	448	589	768	948	458	19
1931	24,198	14,090	6,021	552	220	232	323	461	509	643	770	364	13
1932	19,125	10,791	4,744	411	194	226	304	415	459	567	700	310	4
1933	21,673	11,653	5,803	470	231	304	325	473	557	687	762	392	16
1934	23,211	13,165	5,603	510	232	299	367	492	557	723	830	416	17
1935	17,964	10,638	3,641	348	223	305	332	428	473	616	630	324	6
1936	20,951	12,275	4,775	371	215	283	315	455	504	577	806	366	9
1937	18,925	11,672	3,879	314	212	242	343	380	423	543	615	294	8
1938	18,508	11,415	3,749	298	219	250	292	362	450	531	638	295	9
1939	15,128	9,096	2,983	219	200	241	289	360	366	497	548	319	10

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ALL RACES, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	15,043	10,499	2,611	166	104	119	138	170	304	397	395	114	26
1901	12,659	8,631	2,267	178	81	95	133	152	294	394	328	83	23
1902	11,377	7,760	2,141	139	63	73	102	124	255	319	304	80	17
1903	11,145	7,793	1,935	124	57	72	109	129	206	313	303	87	17
1904	12,547	8,970	2,038	160	61	66	96	136	231	352	315	108	14
1905	13,815	9,853	2,518	149	67	83	99	119	225	308	283	109	2
1906	22,291	16,049	4,002	167	85	133	144	213	282	469	542	190	15
1907	21,255	15,519	3,744	186	77	91	150	188	326	404	415	148	7
1908	23,139	16,868	4,243	204	59	115	155	197	264	422	443	167	2
1909	24,099	17,153	4,625	231	65	110	142	232	307	505	530	196	3
1910	29,471	21,393	5,633	268	72	111	150	202	312	501	602	223	4
1911	25,114	18,028	4,618	215	83	168	197	247	342	508	512	192	4
1912	23,391	16,405	4,608	204	91	158	198	254	330	460	489	190	4
1913	27,192	18,681	5,717	314	110	166	239	304	356	542	539	210	14
1914	24,883	17,045	5,182	307	89	182	257	285	334	486	510	194	12
1915	22,685	15,606	4,714	279	96	161	232	259	324	431	410	169	4
1916	27,448	18,232	6,455	334	119	194	304	291	367	500	455	188	9
1917	28,923	18,594	7,127	413	137	209	305	393	453	544	527	205	16
1918	30,966	19,935	7,701	499	147	251	311	377	427	531	557	203	27
1919	25,023	16,365	5,756	411	114	217	289	321	374	491	467	197	21
1920	25,403	16,996	5,596	363	120	192	291	349	354	452	518	164	8
1921	24,083	15,966	5,760	422	93	103	158	188	265	383	522	212	11
1922	19,755	13,246	4,540	281	100	110	156	212	232	330	385	150	13
1923	20,568	13,372	5,229	293	96	115	151	207	233	333	376	158	5
1924	18,359	11,879	4,563	269	86	108	156	189	237	345	360	154	13
1925	21,476	13,875	5,289	329	105	111	184	227	278	405	465	195	13
1926	18,546	11,961	4,552	292	86	114	165	234	233	363	374	158	14
1927	15,775	9,919	3,987	303	86	109	174	203	218	284	338	148	6
1928	16,428	9,774	4,642	309	106	115	160	214	249	353	352	147	7
1929	14,570	8,688	3,972	298	107	100	183	213	239	294	340	128	8
1930	16,785	9,889	4,620	377	104	108	176	227	301	369	421	185	8
1931	13,020	7,890	3,170	295	92	107	157	236	264	318	338	145	8
1932	10,290	6,085	2,533	203	87	102	144	220	217	272	300	126	1
1933	11,724	6,575	3,174	247	100	128	157	228	291	331	349	134	10
1934	12,557	7,402	3,041	261	103	126	170	258	285	352	372	175	12
1935	9,713	5,988	2,006	179	104	143	158	221	228	284	277	123	2
1936	11,209	6,808	2,599	203	83	121	164	219	265	260	358	124	5
1937	10,290	6,615	2,105	167	86	105	176	205	194	239	276	119	3
1938	9,881	6,333	2,011	156	96	98	130	191	216	250	268	127	5
1939	8,147	5,099	1,604	119	98	109	133	205	178	223	234	137	8

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ALL RACES, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	13,448	8,894	2,340	167	108	141	151	182	313	522	441	167	22
1901	11,327	7,226	2,053	158	96	137	146	180	335	438	394	151	13
1902	10,222	6,526	1,926	130	73	119	133	172	287	392	352	101	11
1903	9,852	6,469	1,643	126	63	103	111	158	252	388	371	152	16
1904	11,244	7,497	2,035	151	72	92	112	159	227	383	362	137	17
1905	11,956	8,134	2,077	129	68	84	111	147	240	378	411	172	5
1906	19,450	13,102	3,638	211	88	135	144	215	384	622	643	253	15
1907	18,476	12,710	3,389	188	84	127	145	195	325	525	576	207	5
1908	20,313	13,971	3,746	210	100	145	165	178	345	558	616	275	4
1909	20,914	14,114	4,128	228	87	129	171	226	343	544	656	287	1
1910	25,324	17,329	4,878	261	100	152	181	244	373	709	757	337	3
1911	21,705	14,582	4,201	216	139	130	211	238	344	652	692	296	4
1912	20,260	13,373	4,107	217	105	137	165	231	383	592	684	264	2
1913	23,248	15,121	5,100	257	106	159	201	268	366	619	727	320	4
1914	20,928	13,584	4,384	286	133	186	189	238	360	587	687	287	7
1915	19,086	12,411	4,046	255	90	136	185	219	338	550	599	252	5
1916	23,127	14,425	5,837	307	125	169	214	244	344	520	657	279	6
1917	23,891	14,416	6,114	414	134	217	264	284	414	641	697	287	9
1918	26,073	15,784	6,735	408	145	216	247	345	394	661	785	337	16
1919	20,876	12,919	4,836	364	145	199	222	320	333	579	650	304	5
1920	20,863	13,122	4,727	339	132	239	224	304	358	506	622	281	9
1921	20,479	12,467	5,056	374	114	184	185	224	313	513	734	308	7
1922	16,320	10,240	3,757	255	97	153	178	209	280	409	492	242	8
1923	17,245	10,408	4,498	281	117	138	140	196	245	450	523	247	2
1924	15,129	8,906	3,895	272	127	146	157	180	269	440	525	208	4
1925	17,888	10,779	4,600	302	102	153	168	202	280	450	556	290	6
1926	15,644	9,305	4,016	275	108	143	152	237	254	434	479	238	3
1927	13,199	7,533	3,435	273	105	156	165	194	254	368	467	247	2
1928	13,610	7,483	3,832	267	112	138	166	225	236	407	495	243	6
1929	12,251	6,782	3,295	253	130	156	180	222	252	363	412	200	6
1930	13,717	7,478	3,707	328	134	156	195	221	288	399	527	273	11
1931	11,178	6,200	2,851	257	128	125	166	225	245	325	432	219	5
1932	8,835	4,706	2,211	208	107	124	160	195	242	295	400	184	3
1933	9,949	5,078	2,629	223	131	176	168	245	266	356	413	258	6
1934	10,654	5,763	2,562	249	129	173	197	234	272	371	458	241	5
1935	8,251	4,650	1,635	169	119	162	174	207	245	332	353	201	4
1936	9,742	5,467	2,176	168	132	162	151	236	239	317	448	242	4
1937	8,635	5,057	1,774	147	126	137	167	175	229	304	339	175	5
1938	8,627	5,082	1,738	142	123	152	162	171	234	281	370	168	4
1939	6,981	3,997	1,379	100	102	132	156	155	188	274	314	182	2

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

WHITE, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	52,941	---	---	---	---	---	---	---	---	---	---	---	---
1911	44,939	---	---	---	---	---	---	---	---	---	---	---	---
1912	41,960	---	---	---	---	---	---	---	---	---	---	---	---
1913	47,887	---	---	---	---	---	---	---	---	---	---	---	---
1914	43,367	29,000	9,070	558	197	335	401	478	653	1,028	1,169	464	14
1915	39,427	26,500	8,253	485	169	264	374	442	613	938	972	409	8
1916	46,382	30,117	11,108	567	209	322	447	482	654	958	1,059	445	14
1917	47,519	---	---	---	---	---	---	---	---	---	---	---	---
1918	51,065	32,425	12,494	773	228	393	457	622	748	1,109	1,277	507	32
1919	40,956	26,369	9,271	659	197	337	437	527	641	981	1,050	474	13
1920	41,126	26,981	9,002	611	195	345	414	550	637	881	1,087	411	12
1921	39,538	25,331	9,520	690	154	219	268	333	498	815	1,207	488	15
1922	31,398	20,634	7,087	462	150	199	249	318	433	672	827	353	14
1923	32,602	20,754	8,150	491	153	188	220	305	395	717	858	366	5
1924	27,905	17,565	6,800	448	143	173	243	271	416	696	820	321	9
1925	33,582	21,066	8,391	537	146	205	244	338	466	772	964	444	9
1926	28,890	18,122	7,074	475	129	199	240	355	399	715	808	362	12
1927	24,074	14,588	6,056	491	134	193	247	290	380	585	755	353	2
1928	24,723	14,310	6,871	478	149	163	221	312	384	689	790	349	7
1929	22,161	12,847	5,982	451	164	182	272	319	372	580	696	286	10
1930	25,369	14,479	6,885	593	159	180	280	316	475	693	896	404	9
1931	19,848	11,664	4,850	455	164	164	235	318	406	552	701	332	7
1932	15,880	8,519	3,868	328	148	170	216	306	346	494	636	278	2
1933	17,839	8,693	4,394	364	167	214	228	320	414	589	698	351	6
1934	18,749	9,859	4,165	401	174	207	249	335	428	616	762	365	11
1935	14,570	8,714	2,853	283	172	212	240	309	366	532	590	297	2
1936	16,981	9,976	3,834	299	160	188	202	314	408	505	755	332	8
1937	15,234	9,486	2,994	246	164	180	244	263	322	484	577	270	4
1938	14,628	9,083	2,866	227	174	188	211	241	337	452	590	251	8
1939	12,140	7,320	2,307	174	166	179	202	276	287	429	504	289	7

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

WHITE, MALE													
Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	28,459	---	---	---	---	---	---	---	---	---	---	---	---
1911	24,122	---	---	---	---	---	---	---	---	---	---	---	---
1912	22,502	---	---	---	---	---	---	---	---	---	---	---	---
1913	25,862	---	---	---	---	---	---	---	---	---	---	---	---
1914	23,592	16,160	4,925	285	80	165	232	266	318	461	500	191	9
1915	21,421	14,761	4,435	259	89	147	214	244	298	415	392	163	4
1916	25,197	16,824	5,838	297	105	179	266	264	342	470	427	176	9
1917	26,121	---	---	---	---	---	---	---	---	---	---	---	---
1918	27,872	18,174	6,693	430	120	230	267	330	394	488	528	197	21
1919	22,427	14,792	5,036	359	85	190	254	283	341	451	437	187	12
1920	22,715	15,286	4,894	326	102	164	252	307	322	415	490	152	5
1921	21,516	14,305	5,106	375	75	79	131	155	235	350	495	202	8
1922	17,284	11,708	3,873	239	78	91	119	162	201	301	361	143	8
1923	17,849	11,737	4,391	256	79	93	121	166	197	302	358	146	3
1924	15,362	10,090	3,648	226	62	78	129	147	205	305	331	135	6
1925	18,447	11,938	4,521	281	79	84	133	182	238	372	438	174	7
1926	15,734	10,228	3,770	252	60	94	130	177	198	321	350	143	11
1927	13,169	8,319	3,272	261	65	82	137	150	179	257	319	127	1
1928	13,566	8,160	3,758	257	72	84	113	154	191	314	327	132	4
1929	12,024	7,187	3,254	242	75	73	144	168	190	259	312	114	6
1930	14,100	8,326	3,852	327	67	83	138	173	248	330	396	156	4
1931	10,730	6,591	2,538	244	66	75	113	173	212	271	304	138	5
1932	8,612	4,876	2,061	168	66	79	106	167	169	233	274	114	1
1933	9,689	4,928	2,431	190	76	92	119	164	224	283	320	117	5
1934	10,182	5,578	2,234	210	81	89	125	190	225	303	338	157	9
1935	7,917	4,897	1,600	147	84	99	119	172	181	248	260	109	1
1936	9,116	5,557	2,083	162	68	87	109	158	215	227	337	108	5
1937	8,321	5,409	1,617	129	63	78	138	157	148	211	258	111	2
1938	7,857	5,040	1,546	129	78	83	101	137	172	209	250	107	5
1939	6,551	4,077	1,255	98	84	86	95	163	150	199	218	120	6

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

WHITE, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	24,482	---	---	---	---	---	---	---	---	---	---	---	---
1911	20,817	---	---	---	---	---	---	---	---	---	---	---	---
1912	19,458	---	---	---	---	---	---	---	---	---	---	---	---
1913	22,025	---	---	---	---	---	---	---	---	---	---	---	---
1914	19,775	12,840	4,145	273	117	170	169	212	335	567	669	273	5
1915	18,006	11,739	3,818	226	80	117	160	198	315	523	580	246	4
1916	21,185	13,293	5,270	270	104	143	181	218	312	488	632	269	5
1917	21,398	---	---	---	---	---	---	---	---	---	---	---	---
1918	23,193	14,251	5,801	343	108	163	190	292	354	621	749	310	11
1919	18,529	11,577	4,235	300	112	147	183	244	300	530	613	287	1
1920	18,411	11,695	4,108	285	93	181	162	243	315	466	597	259	7
1921	18,022	11,026	4,414	315	79	140	137	178	263	465	712	286	7
1922	14,114	8,926	3,214	223	72	108	130	156	232	371	466	210	6
1923	14,753	9,017	3,759	235	74	95	99	139	198	415	500	220	2
1924	12,543	7,475	3,152	222	81	95	114	124	211	391	489	186	3
1925	15,135	9,128	3,870	256	67	121	111	156	228	400	526	270	2
1926	13,156	7,894	3,304	223	69	105	110	178	201	394	458	219	1
1927	10,905	6,269	2,784	230	69	111	110	140	201	328	436	226	1
1928	11,157	6,150	3,113	221	77	79	108	158	193	375	463	217	3
1929	10,137	5,660	2,728	209	89	109	128	151	182	321	384	172	4
1930	11,269	6,153	3,033	266	92	97	142	143	227	363	500	248	5
1931	9,118	5,073	2,312	211	98	89	122	145	194	281	397	194	2
1932	7,268	3,643	1,807	160	82	91	110	139	177	261	362	164	1
1933	8,150	3,765	1,963	174	91	122	109	156	190	306	378	234	1
1934	8,567	4,281	1,931	191	93	118	124	145	203	313	424	208	2
1935	6,653	3,817	1,253	136	88	113	121	137	185	284	330	188	1
1936	7,865	4,419	1,751	137	92	101	93	156	193	278	418	224	3
1937	6,913	4,077	1,377	117	101	102	106	106	174	273	319	159	2
1938	6,771	4,043	1,320	98	96	105	110	104	165	243	340	144	3
1939	5,589	3,243	1,052	76	82	93	107	113	137	230	286	169	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ALL OTHER, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,854	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,880	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,691	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,553	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,444	1,629	496	35	25	33	45	45	41	45	28	17	5
1915	2,344	1,517	507	49	17	33	43	36	49	43	37	12	1
1916	4,193	2,540	1,184	74	35	41	71	53	57	62	53	22	1
1917	5,295	---	---	---	---	---	---	---	---	---	---	---	---
1918	5,974	3,294	1,942	134	64	74	101	100	73	83	65	33	11
1919	4,943	2,915	1,321	116	62	79	74	114	66	89	67	27	13
1920	5,140	3,137	1,321	91	57	86	101	103	75	77	53	34	5
1921	5,024	3,102	1,296	106	53	68	75	79	80	81	49	32	3
1922	4,677	2,852	1,210	74	47	64	85	103	79	67	50	39	7
1923	5,211	3,026	1,577	83	60	65	71	98	83	66	41	39	2
1924	5,583	3,020	1,658	93	70	81	70	98	90	89	65	41	8
1925	5,782	3,588	1,498	94	61	59	108	91	92	83	57	41	10
1926	5,300	3,144	1,494	92	65	58	77	116	88	82	45	34	5
1927	4,900	2,864	1,366	85	57	72	92	107	92	67	50	42	6
1928	5,315	2,947	1,603	98	69	90	105	127	101	71	57	41	6
1929	4,660	2,623	1,285	100	73	74	91	116	119	77	56	42	4
1930	5,133	2,888	1,442	112	79	84	91	132	114	75	52	54	10
1931	4,350	2,426	1,171	97	56	68	88	143	103	91	69	32	6
1932	3,245	2,272	876	83	46	56	88	109	113	73	64	32	2
1933	3,834	2,960	1,409	106	64	90	97	153	143	98	64	41	10
1934	4,462	3,306	1,438	109	58	92	118	157	129	107	68	51	6
1935	3,394	1,924	788	65	51	93	92	119	107	84	40	27	4
1936	3,970	2,299	941	72	55	95	113	141	96	72	51	34	1
1937	3,691	2,186	885	68	48	62	99	117	101	59	38	24	4
1938	3,880	2,332	883	71	45	62	81	121	113	79	48	44	1
1939	2,988	1,776	676	45	34	62	87	84	79	68	44	30	3

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ALL OTHER, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,012	---	---	---	---	---	---	---	---	---	---	---	---
1911	992	---	---	---	---	---	---	---	---	---	---	---	---
1912	889	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,330	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,291	885	257	22	9	17	25	19	16	25	10	3	3
1915	1,264	845	279	20	7	14	18	15	26	16	18	6	-
1916	2,251	1,408	617	37	14	15	38	27	25	30	28	12	-
1917	2,802	---	---	---	---	---	---	---	---	---	---	---	---
1918	3,094	1,761	1,008	69	27	21	44	47	33	43	29	6	6
1919	2,596	1,573	720	52	29	27	35	38	33	40	30	10	9
1920	2,688	1,710	702	37	18	28	39	42	32	37	28	12	3
1921	2,567	1,661	654	47	18	24	27	33	30	33	27	10	3
1922	2,471	1,538	667	42	22	19	37	50	31	29	24	7	5
1923	2,719	1,635	838	37	17	22	30	41	36	31	18	12	2
1924	2,997	1,789	915	43	24	30	27	42	32	40	29	19	7
1925	3,029	1,937	768	48	26	27	51	45	40	33	27	21	6
1926	2,812	1,733	782	40	26	20	35	57	35	42	24	15	3
1927	2,606	1,600	715	42	21	27	37	53	39	27	19	21	5
1928	2,862	1,614	884	52	34	31	47	60	58	39	25	15	3
1929	2,546	1,501	718	56	32	27	39	45	49	35	28	14	2
1930	2,685	1,563	768	50	37	25	38	54	53	39	25	29	4
1931	2,290	1,299	632	51	26	32	44	63	52	47	34	7	3
1932	1,678	1,209	472	35	21	23	38	53	48	39	26	12	-
1933	2,035	1,647	743	57	24	36	38	64	67	48	29	17	5
1934	2,375	1,824	807	51	22	37	45	68	60	49	34	18	3
1935	1,796	1,091	406	32	20	44	39	49	47	36	17	14	1
1936	2,093	1,251	516	41	15	34	55	61	50	33	21	16	-
1937	1,969	1,206	488	38	23	27	38	48	46	28	18	8	1
1938	2,024	1,293	465	27	18	15	29	54	44	41	18	20	-
1939	1,596	1,022	349	21	14	23	38	42	28	24	16	17	2

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

GASTRITIS, DUODENITIS, ENTERITIS AND COLITIS, EXCEPT DIARRHEA OF NEWBORN

ALL OTHER, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	842	---	---	---	---	---	---	---	---	---	---	---	---
1911	888	---	---	---	---	---	---	---	---	---	---	---	---
1912	802	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,223	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,153	744	239	13	16	16	20	26	25	20	18	14	2
1915	1,080	672	228	29	10	19	25	21	23	27	19	6	1
1916	1,942	1,132	567	37	21	26	33	26	32	32	25	10	1
1917	2,493	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,880	1,533	934	65	37	53	57	53	40	40	36	27	5
1919	2,347	1,342	601	64	33	52	39	76	33	49	37	17	4
1920	2,452	1,427	619	54	39	58	62	61	43	40	25	22	2
1921	2,457	1,441	642	59	35	44	48	46	50	48	22	22	-
1922	2,206	1,314	543	32	25	45	48	53	48	38	26	32	2
1923	2,492	1,391	739	46	43	43	41	57	47	35	23	27	-
1924	2,586	1,431	743	50	46	51	43	56	58	49	36	22	1
1925	2,753	1,651	730	46	35	32	57	46	52	50	30	20	4
1926	2,488	1,411	712	52	39	38	42	59	53	40	21	19	2
1927	2,294	1,264	651	43	36	45	55	54	53	40	31	21	1
1928	2,453	1,333	719	46	35	59	58	67	43	32	32	26	3
1929	2,114	1,122	567	44	41	47	52	71	70	42	28	28	2
1930	2,448	1,325	674	62	42	59	53	78	61	36	27	25	6
1931	2,060	1,127	539	46	30	36	44	80	51	44	35	25	3
1932	1,567	1,063	404	48	25	33	50	56	65	34	38	20	2
1933	1,799	1,313	666	49	40	54	59	89	76	50	35	24	5
1934	2,087	1,482	631	58	36	55	73	89	69	58	34	33	3
1935	1,598	833	382	33	31	49	53	70	60	48	23	13	3
1936	1,877	1,048	425	31	40	61	58	80	46	39	30	18	1
1937	1,722	980	397	30	25	35	61	69	55	31	20	16	3
1938	1,856	1,039	418	44	27	47	52	67	69	38	30	24	1
1939	1,392	754	327	24	20	39	49	42	51	44	28	13	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

NOTES:

For 1932-34 deaths of Mexicans are included with total deaths for the white population; but by age, are included with deaths for the nonwhite population. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes-----	569	1,401	1,177
Male-----	298	740	643
Female-----	271	661	534

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ICD Revision	Years in use	ICD Nos.
Fifth	1939	124
Fourth	1930-1938	124
Third	1921-1929	122
Second	1910-1920	113
First	1900-1909	112

ALL RACES, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	2,503	15	4	18	29	200	441	548	599	467	159	19	4
1901	2,647	15	8	15	34	175	461	615	604	520	180	14	6
1902	2,671	6	7	14	35	211	419	617	631	523	181	19	8
1903	2,834	12	6	12	25	193	499	581	699	553	227	22	5
1904	2,958	9	11	16	30	178	503	695	698	580	209	19	10
1905	3,041	5	15	11	33	212	471	726	723	591	221	27	6
1906	4,748	13	10	28	60	285	805	1,138	1,159	864	326	49	11
1907	5,112	9	14	23	48	322	840	1,231	1,211	956	402	53	3
1908	5,216	7	14	30	43	276	852	1,258	1,271	1,013	394	55	3
1909	5,939	9	16	25	47	333	875	1,396	1,464	1,202	505	67	-
1910	6,316	7	18	19	58	351	970	1,502	1,552	1,254	510	74	1
1911	7,361	18	26	37	70	394	1,065	1,759	1,718	1,522	664	82	6
1912	7,173	18	13	22	51	368	1,056	1,649	1,788	1,478	639	84	7
1913	7,502	14	19	30	65	378	1,145	1,767	1,776	1,590	623	91	4
1914	7,618	11	24	37	54	372	1,114	1,831	1,732	1,612	728	95	8
1915	7,481	22	28	32	70	369	1,045	1,694	1,830	1,562	709	110	10
1916	7,886	13	26	33	70	411	1,082	1,756	2,030	1,607	745	108	5
1917	7,643	10	18	34	59	313	987	1,763	1,929	1,608	797	117	8
1918	7,562	16	35	44	68	305	933	1,577	1,974	1,663	812	122	13
1919	6,564	17	25	29	50	194	660	1,319	1,687	1,572	874	126	11
1920	6,102	18	24	42	71	180	536	1,132	1,570	1,558	829	132	10
1921	6,453	22	25	43	66	202	540	1,184	1,716	1,648	856	145	6
1922	6,854	23	26	54	61	216	644	1,291	1,753	1,703	898	176	9
1923	6,916	6	26	45	66	187	656	1,370	1,768	1,720	885	178	9
1924	7,220	16	21	50	68	245	702	1,532	1,801	1,816	808	159	2
1925	7,397	18	26	41	70	236	804	1,464	1,897	1,741	927	163	10
1926	7,440	14	18	30	63	264	795	1,453	1,979	1,718	946	157	3
1927	7,949	17	24	49	90	262	866	1,595	1,968	1,984	921	163	10
1928	8,510	11	25	52	87	294	999	1,773	2,166	1,997	937	160	9
1929	8,273	14	17	33	82	268	1,012	1,764	2,081	1,944	871	173	14
1930	8,458	10	19	43	93	268	1,003	1,765	2,185	1,979	917	170	6
1931	8,749	15	26	43	85	308	989	1,898	2,231	1,989	975	185	5
1932	8,568	15	9	36	70	264	960	1,825	2,224	2,009	987	161	8
1933	9,349	8	18	44	73	314	1,039	1,974	2,434	2,178	1,082	174	11
1934	9,733	9	23	34	94	349	1,137	2,120	2,516	2,159	1,119	163	10
1935	10,083	23	16	36	81	313	1,160	2,235	2,580	2,289	1,156	192	2
1936	10,587	24	21	42	70	338	1,284	2,288	2,786	2,364	1,143	219	8
1937	10,960	19	28	54	89	349	1,300	2,504	2,791	2,413	1,214	194	5
1938	10,808	27	19	41	89	349	1,252	2,422	2,733	2,450	1,230	192	4
1939	10,904	21	15	39	89	359	1,215	2,361	2,875	2,501	1,212	212	5

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ALL RACES, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	1,551	6	3	11	15	132	268	345	394	282	83	11	1
1901	1,683	9	5	9	22	123	297	405	385	316	103	7	2
1902	1,728	2	4	8	17	129	293	405	432	319	106	7	6
1903	1,788	8	4	7	17	122	311	387	460	335	126	8	3
1904	1,837	8	8	7	14	107	327	458	456	333	109	5	5
1905	1,967	4	8	6	18	131	307	502	491	357	127	14	2
1906	3,081	5	4	15	38	167	541	763	795	541	179	25	8
1907	3,358	4	3	10	28	211	564	846	829	599	234	27	3
1908	3,416	3	8	22	25	162	569	862	859	645	225	34	2
1909	3,962	5	10	10	35	211	602	1,001	1,005	749	301	33	-
1910	4,206	2	5	8	29	211	669	1,052	1,082	821	292	34	1
1911	4,971	7	16	17	40	268	696	1,284	1,235	999	366	41	2
1912	4,882	9	7	7	30	250	716	1,170	1,282	975	378	51	7
1913	5,105	8	12	14	44	245	803	1,244	1,272	1,056	357	47	3
1914	5,230	4	15	25	28	254	780	1,341	1,267	1,045	427	39	5
1915	5,047	16	15	15	40	231	693	1,222	1,314	1,016	421	55	9
1916	5,357	4	10	15	46	262	737	1,276	1,442	1,087	420	57	1
1917	5,136	4	7	15	35	205	666	1,226	1,409	1,058	444	61	6
1918	5,115	8	14	25	36	188	645	1,160	1,403	1,114	460	53	9
1919	4,361	12	10	19	31	106	462	919	1,221	1,016	494	63	8
1920	3,940	9	15	19	34	104	364	777	1,074	1,008	459	70	7
1921	4,100	9	13	17	37	126	355	790	1,169	1,039	470	73	2
1922	4,431	13	17	32	32	120	423	878	1,219	1,086	515	88	8
1923	4,546	2	13	23	37	100	431	981	1,254	1,100	514	85	6
1924	4,774	9	11	31	30	146	474	1,059	1,289	1,192	451	80	2
1925	4,739	7	14	20	31	128	524	1,014	1,317	1,100	495	81	8
1926	4,826	8	12	13	39	135	504	1,011	1,363	1,127	539	73	2
1927	5,165	9	16	27	48	153	556	1,098	1,335	1,310	531	76	6
1928	5,587	5	11	36	40	170	616	1,217	1,520	1,337	553	75	7
1929	5,336	8	10	20	41	141	640	1,187	1,466	1,256	476	81	10
1930	5,463	7	12	27	44	147	617	1,175	1,540	1,307	508	75	4
1931	5,687	7	10	19	39	168	618	1,299	1,565	1,304	559	96	3
1932	5,577	6	5	13	35	147	609	1,233	1,552	1,321	576	73	7
1933	6,023	5	8	21	32	172	662	1,317	1,724	1,396	607	71	8
1934	6,426	5	8	17	37	198	746	1,459	1,792	1,436	644	79	5
1935	6,730	12	8	23	28	192	767	1,507	1,847	1,540	700	104	2
1936	7,074	16	12	22	33	193	840	1,575	1,988	1,582	701	104	8
1937	7,289	13	16	28	46	198	863	1,734	1,974	1,628	698	87	4
1938	7,161	15	13	21	45	204	780	1,670	1,977	1,640	694	100	2
1939	7,300	9	4	19	32	187	797	1,682	2,066	1,690	705	105	4

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ALL RACES, FEMALE

Years	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939
9	1	7	14	68	173	203	205	185	76	8	3																													
964	6	3	6	12	52	164	210	219	204	77	4																													
943	4	3	6	18	82	126	212	199	204	75	2																													
1,046	4	2	5	8	71	188	194	239	218	101	2																													
1,121	1	3	9	16	71	176	237	242	247	100	5																													
1,074	1	7	5	15	81	164	224	232	234	94	4																													
1,667	8	6	13	22	118	264	375	364	323	147	3																													
1,754	5	11	13	20	111	276	385	382	357	168	-																													
1,800	4	6	8	18	114	283	396	412	368	169	1																													
1,977	4	6	15	12	122	273	395	459	453	204	-																													
2,110	5	13	11	29	140	301	450	470	433	218	40																													
2,390	11	10	20	30	126	369	475	483	523	298	4																													
2,291	9	6	15	21	118	340	479	506	503	261	33																													
2,397	6	7	16	21	133	342	523	504	534	266	44																													
2,388	7	9	12	26	118	334	490	465	567	301	56																													
2,434	6	13	17	30	138	352	472	516	546	288	55																													
2,529	9	16	18	24	149	345	480	588	520	325	51																													
2,507	6	11	19	24	108	321	537	520	550	353	56																													
2,447	8	21	19	32	117	288	417	571	549	352	69																													
2,203	5	15	10	19	88	198	400	466	556	380	63																													
2,162	9	9	23	37	76	172	355	496	550	370	62																													
2,353	13	12	26	29	76	185	394	547	609	386	72																													
2,423	10	9	22	29	96	221	413	534	617	383	88																													
2,370	4	13	22	29	87	225	389	514	620	371	93																													
2,446	7	10	19	38	99	228	473	512	624	357	79																													
2,658	11	12	21	39	108	280	450	580	641	432	82																													
2,614	6	6	17	24	129	291	442	616	591	407	84																													
2,784	8	8	22	42	109	310	497	633	674	390	87																													
2,923	6	14	16	47	124	383	556	646	660	384	85																													
2,937	6	7	13	41	127	372	577	615	688	395	92																													
2,995	3	7	16	49	121	386	590	645	672	409	95																													
3,062	8	16	24	46	140	371	599	666	685	416	89																													
2,991	9	4	23	35	117	351	592	672	688	411	88																													
3,326	3	10	23	41	142	377	657	710	782	475	103																													
3,307	4	15	17	57	151	391	661	724	723	475	84																													
3,353	11	8	13	53	121	393	728	733	749	456	88																													
3,513	8	9	20	37	145	444	713	798	782	442	115																													
3,671	6	12	26	43	151	437	770	817	785	516	107																													
3,647	12	6	20	44	145	472	752	756	810	536	92																													
3,604	12	11	20	57	172	418	679	809	811	507	107																													

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

WHITE, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	6,177	---	---	---	---	---	---	---	---	---	---	---	---
1911	7,154	---	---	---	---	---	---	---	---	---	---	---	---
1912	6,934	---	---	---	---	---	---	---	---	---	---	---	---
1913	7,204	---	---	---	---	---	---	---	---	---	---	---	---
1914	7,313	8	23	33	47	333	1,040	1,763	1,678	1,577	712	92	7
1915	7,154	21	26	28	57	341	968	1,613	1,765	1,529	693	105	8
1916	7,524	12	22	29	56	374	1,004	1,681	1,952	1,559	729	104	2
1917	7,252	---	---	---	---	---	---	---	---	---	---	---	---
1918	7,090	13	31	39	56	270	855	1,464	1,858	1,588	789	117	10
1919	6,052	15	24	20	35	145	583	1,202	1,578	1,484	836	122	8
1920	5,615	15	20	32	43	139	458	989	1,493	1,487	810	123	6
1921	5,913	20	21	35	50	169	451	1,052	1,586	1,564	824	136	5
1922	6,304	22	23	39	42	176	537	1,143	1,643	1,634	871	167	7
1923	6,349	6	23	40	51	151	560	1,217	1,647	1,639	849	162	4
1924	6,613	15	15	39	43	188	616	1,357	1,679	1,734	778	147	2
1925	6,759	16	24	30	52	180	676	1,306	1,773	1,654	889	154	5
1926	6,846	14	13	25	49	214	695	1,299	1,857	1,634	902	144	-
1927	7,298	15	20	42	65	215	753	1,406	1,840	1,904	882	149	7
1928	7,805	9	23	44	62	227	859	1,572	2,029	1,920	908	148	4
1929	7,526	10	14	28	55	216	859	1,535	1,949	1,852	836	164	8
1930	7,679	9	16	38	62	212	847	1,560	2,018	1,884	874	156	3
1931	7,999	12	21	34	64	232	838	1,698	2,082	1,891	946	178	3
1932	7,923	14	3	33	45	213	828	1,650	2,076	1,921	949	153	8
1933	8,562	8	16	38	49	261	869	1,750	2,258	2,068	1,034	164	6
1934	8,967	8	16	29	62	279	975	1,915	2,338	2,051	1,078	153	8
1935	9,321	20	13	32	63	252	1,008	2,036	2,414	2,192	1,110	180	1
1936	9,724	23	16	40	53	274	1,105	2,056	2,603	2,233	1,105	209	7
1937	10,150	18	25	44	65	286	1,164	2,281	2,614	2,292	1,178	179	4
1938	10,062	22	18	35	74	295	1,111	2,224	2,581	2,335	1,183	182	2
1939	10,138	19	15	33	76	309	1,073	2,163	2,701	2,375	1,168	203	3

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

WHITE, MALE													
Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	4,116	---	---	---	---	---	---	---	---	---	---	---	---
1911	4,824	---	---	---	---	---	---	---	---	---	---	---	---
1912	4,716	---	---	---	---	---	---	---	---	---	---	---	---
1913	4,913	---	---	---	---	---	---	---	---	---	---	---	---
1914	5,007	2	14	21	25	232	725	1,287	1,225	1,018	415	39	4
1915	4,824	16	14	12	31	215	631	1,168	1,270	997	410	52	8
1916	5,113	4	8	15	36	236	679	1,224	1,385	1,061	409	56	-
1917	4,856	---	---	---	---	---	---	---	---	---	---	---	---
1918	4,800	8	12	23	31	166	587	1,084	1,322	1,066	444	50	7
1919	4,029	10	10	12	23	82	412	845	1,146	951	472	60	6
1920	3,648	7	13	15	23	84	317	689	1,021	959	449	66	5
1921	3,765	7	11	14	29	108	296	712	1,080	982	455	70	1
1922	4,078	12	15	24	24	97	355	777	1,153	1,041	492	82	6
1923	4,187	2	11	19	30	78	378	872	1,174	1,048	493	80	2
1924	4,379	8	6	27	23	111	416	939	1,205	1,140	428	74	2
1925	4,357	7	13	16	24	99	437	916	1,235	1,053	478	75	4
1926	4,446	8	9	12	29	106	447	908	1,285	1,067	507	68	-
1927	4,752	7	13	23	36	126	491	971	1,247	1,253	508	72	5
1928	5,155	3	10	29	36	133	533	1,086	1,431	1,289	535	67	3
1929	4,840	6	10	18	25	110	545	1,024	1,371	1,198	451	76	6
1930	4,982	6	11	23	30	118	522	1,041	1,432	1,247	482	68	2
1931	5,235	5	9	16	32	133	532	1,171	1,467	1,235	542	91	2
1932	5,193	5	2	11	27	119	533	1,123	1,453	1,270	556	68	7
1933	5,560	5	6	16	22	144	560	1,186	1,617	1,330	581	67	5
1934	5,952	5	5	14	29	158	649	1,331	1,666	1,370	617	73	5
1935	6,241	10	6	19	23	155	677	1,380	1,730	1,472	671	97	1
1936	6,507	15	9	20	25	159	735	1,417	1,855	1,493	672	100	7
1937	6,763	12	13	24	32	168	785	1,578	1,850	1,543	676	78	4
1938	6,690	11	12	17	35	181	691	1,551	1,872	1,563	663	93	1
1939	6,817	9	4	15	29	160	718	1,552	1,951	1,600	676	100	3

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

WHITE, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,061	---	---	---	---	---	---	---	---	---	---	---	---
1911	2,330	---	---	---	---	---	---	---	---	---	---	---	---
1912	2,218	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,291	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,306	6	9	12	22	101	315	476	453	559	297	53	3
1915	2,330	5	12	16	26	126	337	445	495	532	283	53	-
1916	2,411	8	14	14	20	138	325	457	567	498	320	48	2
1917	2,396	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,290	5	19	16	25	104	268	380	536	522	345	67	3
1919	2,023	5	14	8	12	63	171	357	432	533	364	62	2
1920	1,967	8	7	17	20	55	141	300	472	528	361	57	1
1921	2,148	13	10	21	21	61	155	340	506	582	369	66	4
1922	2,226	10	8	15	18	79	182	366	490	593	379	85	1
1923	2,162	4	12	21	21	73	182	345	473	591	356	82	2
1924	2,234	7	9	12	20	77	200	418	474	594	350	73	-
1925	2,402	9	11	14	28	81	239	390	538	601	411	79	1
1926	2,400	6	4	13	20	108	248	391	572	567	395	76	-
1927	2,546	8	7	19	29	89	262	435	593	651	374	77	2
1928	2,650	6	13	15	26	94	326	486	598	631	373	81	1
1929	2,686	4	4	10	30	106	314	511	578	654	385	88	2
1930	2,697	3	5	15	32	94	325	519	586	637	392	88	1
1931	2,764	7	12	18	32	99	306	527	615	656	404	87	1
1932	2,730	9	1	22	18	94	295	527	623	651	393	85	1
1933	3,002	3	10	22	27	117	309	564	641	738	453	97	1
1934	3,015	3	11	15	33	121	326	584	672	681	461	80	3
1935	3,080	10	7	13	40	97	331	656	684	720	439	83	-
1936	3,217	8	7	20	28	115	370	639	748	740	433	109	-
1937	3,387	6	12	20	33	118	379	703	764	749	502	101	-
1938	3,372	11	6	18	39	114	420	673	709	772	520	89	1
1939	3,321	10	11	18	47	149	355	611	750	775	492	103	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ALL OTHER, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	139	---	---	---	---	---	---	---	---	---	---	---	---
1911	207	---	---	---	---	---	---	---	---	---	---	---	---
1912	239	---	---	---	---	---	---	---	---	---	---	---	---
1913	298	---	---	---	---	---	---	---	---	---	---	---	---
1914	305	3	1	4	7	39	74	68	54	35	16	3	1
1915	327	1	2	4	13	28	77	81	65	33	16	5	2
1916	362	1	4	4	14	37	78	75	78	48	16	4	3
1917	391	---	---	---	---	---	---	---	---	---	---	---	---
1918	472	3	4	5	12	35	78	113	116	75	23	5	3
1919	512	2	1	9	15	49	77	117	109	88	38	4	3
1920	487	3	4	10	28	41	78	143	77	71	19	9	4
1921	540	2	4	8	16	33	89	132	130	84	32	9	1
1922	550	1	3	15	19	40	107	148	110	69	27	9	2
1923	567	-	3	5	15	36	96	153	121	81	36	16	5
1924	607	1	6	11	25	57	86	175	122	82	30	12	-
1925	638	2	2	11	18	56	128	158	124	87	38	9	5
1926	594	-	5	5	14	50	100	154	122	84	44	13	3
1927	651	2	4	7	25	47	113	189	128	80	39	12	3
1928	705	2	2	8	25	67	140	201	137	77	29	12	5
1929	747	4	3	5	27	52	153	229	132	92	35	9	6
1930	779	1	3	5	31	56	156	205	167	95	43	14	3
1931	750	3	5	9	21	76	151	200	149	98	29	7	2
1932	645	1	6	3	25	51	132	175	148	88	38	8	-
1933	787	-	2	6	24	53	170	224	176	110	48	10	5
1934	766	1	7	5	32	70	162	205	178	108	41	10	2
1935	762	3	3	4	18	61	152	199	166	97	46	12	1
1936	863	1	5	2	17	64	179	232	183	131	38	10	1
1937	810	1	3	10	24	63	136	223	177	121	36	15	1
1938	746	5	1	6	15	54	141	198	152	115	47	10	2
1939	766	2	-	6	13	50	142	198	174	126	44	9	2

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ALL OTHER, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	90	---	---	---	---	---	---	---	---	---	---	---	---
1911	147	---	---	---	---	---	---	---	---	---	---	---	---
1912	166	---	---	---	---	---	---	---	---	---	---	---	---
1913	192	---	---	---	---	---	---	---	---	---	---	---	---
1914	223	2	1	4	3	22	55	54	42	27	12	-	1
1915	223	-	1	3	9	16	62	54	44	19	11	3	1
1916	244	-	2	-	10	26	58	52	57	26	11	1	1
1917	280	---	---	---	---	---	---	---	---	---	---	---	---
1918	315	-	2	2	5	22	58	76	81	48	16	3	2
1919	332	2	-	7	8	24	50	74	75	65	22	3	2
1920	292	2	2	4	11	20	47	88	53	49	10	4	2
1921	335	2	2	3	8	18	59	78	89	57	15	3	1
1922	353	1	2	8	8	23	68	101	66	45	23	6	2
1923	359	-	2	4	7	22	53	109	80	52	21	5	4
1924	395	1	5	4	7	35	58	120	84	52	23	6	-
1925	382	-	1	4	7	29	87	98	82	47	17	6	4
1926	380	-	3	1	10	29	57	103	78	60	32	5	2
1927	413	2	3	4	12	27	65	127	88	57	23	4	1
1928	432	2	1	7	4	37	83	131	89	48	18	8	4
1929	496	2	-	2	16	31	95	163	95	58	25	5	4
1930	481	1	1	4	14	29	95	134	108	60	26	7	2
1931	452	2	1	3	7	35	86	128	98	69	17	5	1
1932	384	1	3	2	8	28	76	110	99	51	20	5	-
1933	463	-	2	5	10	28	102	131	107	66	26	4	3
1934	474	-	3	3	8	40	97	128	126	66	27	6	-
1935	489	2	2	4	5	37	90	127	117	68	29	7	1
1936	567	1	3	2	8	34	105	158	133	89	29	4	1
1937	526	1	3	4	14	30	78	156	124	85	22	9	-
1938	471	4	1	4	10	23	89	119	105	77	31	7	1
1939	483	-	-	4	3	27	79	130	115	90	29	5	1

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CIRRHOSIS OF LIVER

ALL OTHER, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	49	---	---	---	---	---	---	---	---	---	---	---	---
1911	60	---	---	---	---	---	---	---	---	---	---	---	---
1912	73	---	---	---	---	---	---	---	---	---	---	---	---
1913	106	---	---	---	---	---	---	---	---	---	---	---	---
1914	82	1	-	-	4	17	19	14	12	8	4	3	-
1915	104	1	1	1	4	12	15	27	21	14	5	2	1
1916	118	1	2	4	4	11	20	23	21	22	5	3	2
1917	111	---	---	---	---	---	---	---	---	---	---	---	---
1918	157	3	2	3	7	13	20	37	35	27	7	2	1
1919	180	-	1	2	7	25	27	43	34	23	16	1	1
1920	195	1	2	6	17	21	31	55	24	22	9	5	2
1921	205	-	2	5	8	15	30	54	41	27	17	6	-
1922	197	-	1	7	11	17	39	47	44	24	4	3	-
1923	208	-	1	1	8	14	43	44	41	29	15	11	1
1924	212	-	1	7	18	22	28	55	38	30	7	6	-
1925	256	2	1	7	11	27	41	60	42	40	21	3	1
1926	214	-	2	4	4	21	43	51	44	24	12	8	1
1927	238	-	1	3	13	20	48	62	40	23	16	10	2
1928	273	-	1	1	21	30	57	70	48	29	11	4	1
1929	251	2	3	3	11	21	58	66	37	34	10	4	2
1930	298	-	2	1	17	27	61	71	59	35	17	7	1
1931	298	1	4	6	14	41	65	72	51	29	12	2	1
1932	261	-	3	1	17	23	56	65	49	37	18	3	-
1933	324	-	-	1	14	25	68	93	69	44	22	6	2
1934	292	1	4	2	24	30	65	77	52	42	14	4	2
1935	273	1	1	-	13	24	62	72	49	29	17	5	-
1936	296	-	2	-	9	30	74	74	50	42	9	6	-
1937	284	-	-	6	10	33	58	67	53	36	14	6	1
1938	275	1	-	2	5	31	52	79	47	38	16	3	1
1939	283	2	-	2	10	23	63	68	59	36	15	4	1

-Quantity zero.

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

NOTES:

For 1932-34, deaths of Mexicans are included with total deaths for the white population; but by age, are included with deaths for the nonwhite population. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes.....	30	41	55
Male.....	19	21	30
Female.....	11	20	25

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	130
Fourth	1930-1938	130
Third	1921-1929	128
Second	1910-1920	119
First	1900-1909	119

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	1,536	89	126	118	175	230	217	190	167	133	74	14	3
1901	1,745	94	158	162	187	234	246	226	219	123	76	17	3
1902	2,038	116	170	173	215	318	273	240	218	197	100	17	1
1903	2,116	108	141	170	216	319	317	254	252	201	106	26	6
1904	2,277	113	167	183	213	295	332	292	273	237	136	31	5
1905	2,305	119	136	154	224	353	319	318	296	246	115	20	5
1906	3,277	215	223	254	303	452	459	404	396	347	182	38	4
1907	3,573	246	272	221	321	463	524	479	480	329	191	41	6
1908	3,834	235	305	301	326	535	546	506	453	365	204	56	2
1909	4,239	284	365	277	338	518	549	553	527	495	263	69	1
1910	4,844	321	358	377	377	577	663	651	613	535	285	85	2
1911	5,166	387	365	329	418	601	712	723	638	561	344	86	2
1912	5,507	337	377	326	432	622	786	794	665	656	397	110	5
1913	5,741	331	424	397	453	705	843	780	720	595	379	109	5
1914	5,198	320	385	352	428	606	746	709	622	548	371	108	3
1915	5,272	336	433	350	421	610	743	720	591	584	370	109	5
1916	5,382	356	391	367	474	627	706	760	700	546	356	95	4
1917	5,545	388	412	444	455	606	713	748	719	569	380	103	8
1918	5,695	374	498	443	473	665	750	726	669	593	382	109	13
1919	5,301	369	385	461	418	549	673	711	642	553	399	130	11
1920	5,450	417	396	456	458	573	678	670	606	595	445	141	15
1921	5,521	443	506	553	444	536	648	712	590	577	395	112	5
1922	5,590	460	500	466	429	488	718	734	669	579	399	135	13
1923	5,837	366	496	490	464	582	743	797	660	678	409	139	13
1924	5,873	423	457	490	460	555	760	803	712	597	450	156	10
1925	5,490	385	484	425	455	519	700	734	646	593	411	128	10
1926	5,174	337	433	432	429	498	739	703	615	495	355	127	11
1927	5,021	319	384	422	378	515	724	698	623	503	328	120	7
1928	5,423	321	392	432	436	557	717	821	648	538	397	145	19
1929	5,270	269	354	448	432	517	766	783	599	551	401	136	14
1930	5,092	258	349	386	419	485	721	727	660	536	405	134	12
1931	4,493	226	312	351	378	429	637	691	580	438	341	105	5
1932	4,252	190	267	327	332	423	629	634	560	458	287	139	6
1933	4,732	214	313	373	405	452	631	683	609	557	367	120	8
1934	4,508	178	263	369	354	424	610	668	580	526	386	139	11
1935	4,457	181	254	346	365	453	613	647	553	543	375	116	11
1936	4,161	172	242	278	364	461	545	584	564	478	349	119	5
1937	4,036	182	245	275	341	414	532	591	545	451	350	100	10
1938	3,573	152	234	281	312	357	466	524	443	400	301	101	2
1939	3,320	146	200	232	279	346	439	439	443	401	277	116	2

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	740	42	55	54	69	98	104	92	89	84	45	5	3
1901	915	59	83	88	80	113	129	126	117	68	39	13	-
1902	1,077	75	103	95	104	141	137	134	119	100	61	8	-
1903	1,097	64	76	94	99	129	171	126	134	111	68	19	6
1904	1,163	60	85	80	86	132	186	159	147	140	69	17	2
1905	1,203	77	68	71	104	157	152	184	168	147	58	15	2
1906	1,723	123	105	134	142	222	253	210	223	188	104	17	2
1907	1,950	147	162	113	142	205	297	264	274	198	121	24	3
1908	2,076	139	180	146	139	247	307	288	270	221	113	26	-
1909	2,292	182	200	146	151	250	293	317	301	258	156	37	1
1910	2,568	198	171	186	177	290	337	376	347	280	161	44	1
1911	2,746	219	192	160	187	303	380	400	347	308	209	40	1
1912	3,012	189	213	163	198	333	427	479	377	341	228	60	4
1913	3,085	182	243	192	219	357	440	437	410	329	216	59	1
1914	2,805	198	215	168	180	296	400	421	342	317	204	61	3
1915	2,857	203	241	171	190	320	382	385	338	333	227	62	5
1916	2,949	206	216	193	217	325	405	438	395	303	201	48	2
1917	3,065	232	223	227	237	324	403	386	416	334	222	58	3
1918	3,059	224	273	245	229	324	388	402	374	320	220	53	7
1919	2,860	202	200	252	204	265	345	394	378	315	226	71	8
1920	2,878	266	203	237	211	266	333	353	323	343	256	80	7
1921	2,926	266	271	282	214	254	330	377	317	315	224	74	2
1922	3,038	288	286	236	194	233	360	429	365	345	213	85	4
1923	3,081	210	256	264	207	274	365	443	377	381	218	80	6
1924	3,177	263	257	234	210	277	380	464	387	354	253	92	6
1925	2,977	229	260	200	210	250	358	426	393	358	224	63	6
1926	2,782	207	213	217	207	236	387	380	383	272	202	71	7
1927	2,721	190	210	212	178	226	394	398	381	299	166	63	4
1928	3,070	211	230	215	233	273	386	498	389	313	240	71	11
1929	2,878	155	186	237	208	250	407	441	362	338	215	70	9
1930	2,790	143	206	197	198	243	368	392	410	330	233	64	6
1931	2,452	135	182	177	183	203	344	408	316	255	187	60	2
1932	2,345	113	144	179	179	225	327	350	320	256	176	74	2
1933	2,613	136	170	186	213	224	325	393	361	324	203	71	7
1934	2,440	107	129	201	167	205	320	379	348	297	224	57	6
1935	2,491	103	149	167	211	221	330	365	327	319	230	59	10
1936	2,281	108	142	158	176	208	277	347	321	274	201	65	4
1937	2,272	112	138	143	175	223	262	351	330	277	200	51	10
1938	1,931	95	128	146	158	188	243	272	266	228	149	57	1
1939	1,790	89	122	131	123	182	218	252	250	201	152	69	1

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	796	47	71	64	106	132	113	98	78	49	29	9	-
1901	830	35	75	74	107	121	117	100	102	55	37	4	3
1902	961	41	67	78	111	177	136	106	99	97	39	9	1
1903	1,019	44	65	76	117	190	146	128	118	90	38	7	-
1904	1,114	53	82	103	127	163	146	133	126	97	67	14	3
1905	1,102	42	68	83	120	196	167	134	128	99	57	5	3
1906	1,554	92	118	120	161	230	206	194	173	159	78	21	2
1907	1,623	99	110	108	179	258	227	215	206	131	70	17	3
1908	1,758	96	125	155	187	288	239	218	183	144	91	30	2
1909	1,947	102	165	131	187	268	256	236	226	237	107	32	-
1910	2,276	123	187	191	200	287	326	275	266	255	124	41	1
1911	2,420	168	173	169	231	298	332	323	291	253	135	46	1
1912	2,495	148	164	163	234	289	359	315	288	315	169	50	1
1913	2,656	149	181	205	234	348	403	343	310	266	163	50	4
1914	2,393	122	170	184	248	310	346	288	280	231	167	47	-
1915	2,415	133	192	179	231	290	361	335	253	251	143	47	-
1916	2,433	150	175	174	257	302	301	322	305	243	155	47	2
1917	2,480	156	189	217	218	282	310	362	303	235	158	45	5
1918	2,636	150	225	198	244	341	362	324	295	273	162	56	6
1919	2,441	167	185	209	214	284	328	317	264	238	173	59	3
1920	2,572	151	193	219	247	307	345	317	283	252	189	61	8
1921	2,595	177	235	271	230	282	318	335	273	262	171	38	3
1922	2,552	172	214	230	235	255	358	305	304	234	186	50	9
1923	2,756	156	240	226	257	308	378	354	283	297	191	59	7
1924	2,696	160	200	256	250	278	380	339	325	243	197	64	4
1925	2,513	156	224	225	245	269	342	308	253	235	187	65	4
1926	2,392	130	220	215	222	262	352	323	232	223	153	56	4
1927	2,300	129	174	210	200	289	330	300	242	204	162	57	3
1928	2,353	110	162	217	203	284	331	323	259	225	157	74	8
1929	2,392	114	168	211	224	267	359	342	237	213	186	66	5
1930	2,302	115	143	189	221	242	353	335	250	206	172	70	6
1931	2,041	91	130	174	195	226	293	283	264	183	154	45	3
1932	1,907	77	123	148	153	198	302	284	240	202	111	65	4
1933	2,119	78	143	187	192	228	306	290	248	233	164	49	1
1934	2,068	71	134	168	187	219	290	289	232	229	162	82	5
1935	1,966	78	105	179	154	232	283	282	226	224	145	57	1
1936	1,880	64	100	120	188	253	268	237	243	204	148	54	1
1937	1,764	70	107	132	166	191	270	240	215	174	150	49	-
1938	1,642	57	106	135	154	169	223	252	177	172	152	44	1
1939	1,530	57	78	101	156	164	221	187	193	200	125	47	1

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	4,567	---	---	---	---	---	---	---	---	---	---	---	---
1911	4,830	---	---	---	---	---	---	---	---	---	---	---	---
1912	5,136	---	---	---	---	---	---	---	---	---	---	---	---
1913	5,270	---	---	---	---	---	---	---	---	---	---	---	---
1914	4,734	300	354	329	388	539	656	633	554	515	362	102	2
1915	4,721	316	380	325	376	545	636	630	523	529	356	101	4
1916	4,666	327	318	331	400	535	577	645	604	494	342	90	3
1917	4,736	---	---	---	---	---	---	---	---	---	---	---	---
1918	4,693	326	389	376	377	512	591	574	571	512	358	102	5
1919	4,348	318	321	392	332	421	542	560	522	461	361	112	6
1920	4,405	356	347	391	346	438	496	502	480	511	403	126	9
1921	4,457	377	408	470	330	381	475	540	494	514	364	100	4
1922	4,312	387	383	400	315	351	508	498	521	493	339	111	6
1923	4,533	303	383	426	332	429	536	555	508	575	358	121	7
1924	4,443	348	355	410	323	384	532	520	538	509	396	123	5
1925	4,158	329	362	349	314	358	482	506	489	490	372	103	4
1926	3,909	288	345	358	321	323	494	470	472	410	321	105	2
1927	3,764	267	297	346	265	339	493	458	478	427	290	100	4
1928	3,897	256	282	329	293	351	474	531	454	448	350	125	4
1929	3,708	207	257	351	277	310	460	494	417	453	361	115	6
1930	3,569	200	257	309	267	307	443	434	455	430	359	105	3
1931	3,235	182	220	275	275	260	419	446	422	356	289	89	2
1932	3,196	151	204	266	236	290	419	443	415	392	257	120	3
1933	3,445	172	241	284	282	288	415	451	433	445	328	104	2
1934	3,191	124	205	285	243	251	359	427	419	411	337	125	5
1935	3,229	152	200	270	269	282	378	426	389	433	328	97	5
1936	2,933	135	179	215	240	292	323	374	401	361	304	108	1
1937	2,870	141	172	220	227	260	319	374	402	357	305	87	6
1938	2,473	119	168	208	210	207	268	325	304	310	265	88	1
1939	2,363	120	149	175	196	225	270	273	302	303	247	102	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,426	---	---	---	---	---	---	---	---	---	---	---	---
1911	2,557	---	---	---	---	---	---	---	---	---	---	---	---
1912	2,813	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,859	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,559	187	199	159	160	261	355	379	308	294	198	57	2
1915	2,561	197	207	157	174	285	322	342	300	299	217	57	4
1916	2,566	186	168	180	196	277	331	372	343	276	191	45	1
1917	2,630	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,562	196	217	213	186	260	316	321	323	273	206	50	1
1919	2,391	184	166	216	168	225	282	310	310	258	202	65	5
1920	2,329	229	182	199	157	206	248	265	253	285	230	72	3
1921	2,389	230	223	241	159	189	249	287	262	279	205	64	1
1922	2,354	243	216	197	148	172	263	292	278	294	179	69	3
1923	2,448	170	200	225	160	217	278	331	292	316	188	67	4
1924	2,430	214	197	188	149	209	281	316	293	297	214	69	3
1925	2,261	197	190	160	154	174	245	295	297	294	202	51	2
1926	2,167	182	174	185	167	169	275	259	295	225	179	55	2
1927	2,113	159	160	175	134	164	292	275	294	255	149	54	2
1928	2,255	171	163	172	169	182	273	327	271	254	208	61	4
1929	2,059	122	129	182	134	159	265	286	252	270	195	61	4
1930	1,976	115	147	151	133	163	231	235	288	259	205	48	1
1931	1,785	106	129	135	134	137	237	272	228	206	152	48	1
1932	1,824	89	116	147	133	161	248	251	238	220	155	65	1
1933	1,938	113	130	144	151	156	224	264	257	253	183	61	2
1934	1,777	74	98	153	125	132	207	253	260	227	195	50	3
1935	1,845	83	115	134	165	143	208	247	237	258	201	49	5
1936	1,655	83	107	122	126	134	182	232	231	209	171	58	-
1937	1,656	88	95	113	130	145	162	230	255	219	170	43	6
1938	1,368	78	93	107	121	118	153	163	184	170	129	51	1
1939	1,293	75	91	102	91	115	147	162	174	142	133	60	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2,141	---	---	---	---	---	---	---	---	---	---	---	---
1911	2,273	---	---	---	---	---	---	---	---	---	---	---	---
1912	2,323	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,411	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,175	113	155	170	228	278	301	254	246	221	164	45	-
1915	2,160	119	173	168	202	260	314	288	223	230	139	44	-
1916	2,100	141	150	151	204	258	246	273	261	218	151	45	2
1917	2,106	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,131	130	172	163	191	252	275	253	248	239	152	52	4
1919	1,957	134	155	176	164	196	260	250	212	203	159	47	1
1920	2,076	127	165	192	189	232	248	237	227	226	173	54	6
1921	2,068	147	185	229	171	192	226	253	232	235	159	36	3
1922	1,958	144	167	203	167	179	245	206	243	199	160	42	3
1923	2,085	133	183	201	172	212	258	224	216	259	170	54	3
1924	2,013	134	158	222	174	175	251	204	245	212	182	54	2
1925	1,897	132	172	189	160	184	237	211	192	196	170	52	2
1926	1,742	106	171	173	154	154	219	211	177	185	142	50	-
1927	1,651	108	137	171	131	175	201	183	184	172	141	46	2
1928	1,642	85	119	157	124	169	201	204	183	194	142	64	-
1929	1,649	85	128	169	143	151	195	208	165	183	166	54	2
1930	1,593	85	110	158	134	144	212	199	167	171	154	57	2
1931	1,450	76	91	140	141	123	182	174	194	150	137	41	1
1932	1,372	62	88	119	103	129	171	192	177	172	102	55	2
1933	1,507	59	111	140	131	132	191	187	176	192	145	43	-
1934	1,414	50	107	132	118	119	152	174	159	184	142	75	2
1935	1,384	69	85	136	104	139	170	179	152	175	127	48	-
1936	1,278	52	72	93	114	158	141	142	170	152	133	50	1
1937	1,214	53	77	107	97	115	157	144	147	138	135	44	-
1938	1,105	41	75	101	89	89	115	162	120	140	136	37	-
1939	1,070	45	58	73	105	110	123	111	128	161	114	42	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	277	---	---	---	---	---	---	---	---	---	---	---	---
1911	336	---	---	---	---	---	---	---	---	---	---	---	---
1912	371	---	---	---	---	---	---	---	---	---	---	---	---
1913	471	---	---	---	---	---	---	---	---	---	---	---	---
1914	464	20	31	23	40	67	90	76	68	33	9	6	1
1915	551	20	53	25	45	65	107	90	68	55	14	8	1
1916	716	29	73	36	74	92	129	115	96	52	14	5	1
1917	809	---	---	---	---	---	---	---	---	---	---	---	---
1918	1,002	48	109	67	96	153	159	152	98	81	24	7	8
1919	953	51	64	69	86	128	131	151	120	92	38	18	5
1920	1,045	61	49	65	112	135	182	168	126	84	42	15	6
1921	1,064	66	98	83	114	155	173	172	96	63	31	12	1
1922	1,278	73	117	66	114	137	210	236	148	86	60	24	7
1923	1,304	63	113	64	132	153	207	242	152	103	51	18	6
1924	1,430	75	102	80	137	171	228	283	174	88	54	33	5
1925	1,332	56	122	76	141	161	218	228	157	103	39	25	6
1926	1,265	49	88	74	108	175	245	233	143	85	34	22	9
1927	1,257	52	87	76	113	176	231	240	145	76	38	20	3
1928	1,526	65	110	103	143	206	243	290	194	90	47	20	15
1929	1,562	62	97	97	155	207	306	289	182	98	40	21	8
1930	1,523	58	92	77	152	178	278	293	205	106	46	29	9
1931	1,258	44	92	76	103	169	218	245	158	82	52	16	3
1932	1,056	39	63	61	96	133	210	191	145	66	30	19	3
1933	1,287	42	72	89	123	164	216	232	176	112	39	16	6
1934	1,317	54	58	84	111	173	251	241	161	115	49	14	6
1935	1,228	29	54	76	96	171	235	221	164	110	47	19	6
1936	1,228	37	63	63	124	169	222	210	163	117	45	11	4
1937	1,166	41	73	55	114	154	213	217	143	94	45	13	4
1938	1,100	33	66	73	102	150	198	199	139	90	36	13	1
1939	957	26	51	57	83	121	169	166	141	98	30	14	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	142	---	---	---	---	---	---	---	---	---	---	---	---
1911	189	---	---	---	---	---	---	---	---	---	---	---	---
1912	199	---	---	---	---	---	---	---	---	---	---	---	---
1913	226	---	---	---	---	---	---	---	---	---	---	---	---
1914	246	11	16	9	20	35	45	42	34	23	6	4	1
1915	296	6	34	14	16	35	60	43	38	34	10	5	1
1916	383	20	48	13	21	48	74	66	52	27	10	3	1
1917	435	---	---	---	---	---	---	---	---	---	---	---	---
1918	497	28	56	32	43	64	72	81	51	47	14	3	6
1919	469	18	34	36	36	40	63	84	68	57	24	6	3
1920	549	37	21	38	54	60	85	88	70	58	26	8	4
1921	537	36	48	41	55	65	81	90	55	36	19	10	1
1922	684	45	70	39	46	61	97	137	87	51	34	16	1
1923	633	40	56	39	47	57	87	112	85	65	30	13	2
1924	747	49	60	46	61	68	99	148	94	57	39	23	3
1925	716	32	70	40	56	76	113	131	96	64	22	12	4
1926	615	25	39	32	40	67	112	121	88	47	23	16	5
1927	608	31	50	37	44	62	102	123	87	44	17	9	2
1928	815	40	67	43	64	91	113	171	118	59	32	10	7
1929	819	33	57	55	74	91	142	155	110	68	20	9	5
1930	814	28	59	46	65	80	137	157	122	71	28	16	5
1931	667	29	53	42	49	66	107	136	88	49	35	12	1
1932	521	24	28	32	46	64	79	99	82	36	21	9	1
1933	675	23	40	42	62	68	101	129	104	71	20	10	5
1934	663	33	31	48	42	73	113	126	88	70	29	7	3
1935	646	20	34	33	46	78	122	118	90	61	29	10	5
1936	626	25	35	36	50	74	95	115	90	65	30	7	4
1937	616	24	43	30	45	78	100	121	75	58	30	8	4
1938	563	17	35	39	37	70	90	109	82	58	20	6	-
1939	497	14	31	29	32	67	71	90	76	59	19	9	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACUTE NEPHRITIS AND NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	135	---	---	---	---	---	---	---	---	---	---	---	---
1911	147	---	---	---	---	---	---	---	---	---	---	---	---
1912	172	---	---	---	---	---	---	---	---	---	---	---	---
1913	245	---	---	---	---	---	---	---	---	---	---	---	---
1914	218	9	15	14	20	32	45	34	34	10	3	2	-
1915	255	14	19	11	29	30	47	47	30	21	4	3	-
1916	333	9	25	23	53	44	55	49	44	25	4	2	-
1917	374	---	---	---	---	---	---	---	---	---	---	---	---
1918	505	20	53	35	53	89	87	71	47	34	10	4	2
1919	484	33	30	33	50	88	68	67	52	35	14	12	2
1920	496	24	28	27	58	75	97	80	56	26	16	7	2
1921	527	30	50	42	59	90	92	82	41	27	12	2	-
1922	594	28	47	27	68	76	113	99	61	35	26	8	6
1923	671	23	57	25	85	96	120	130	67	38	21	5	4
1924	683	26	42	34	76	103	129	135	80	31	15	10	2
1925	616	24	52	36	85	85	105	97	61	39	17	13	2
1926	650	24	49	42	68	108	133	112	55	38	11	6	4
1927	649	21	37	39	69	114	129	117	58	32	21	11	1
1928	711	25	43	60	79	115	130	119	76	31	15	10	8
1929	743	29	40	42	81	116	164	134	72	30	20	12	3
1930	709	30	33	31	87	98	141	136	83	35	18	13	4
1931	591	15	39	34	54	103	111	109	70	33	17	4	2
1932	535	15	35	29	50	69	131	92	63	30	9	10	2
1933	612	19	32	47	61	96	115	103	72	41	19	6	1
1934	654	21	27	36	69	100	138	115	73	45	20	7	3
1935	582	9	20	43	50	93	113	103	74	49	18	9	1
1936	602	12	28	27	74	95	127	95	73	52	15	4	-
1937	550	17	30	25	69	76	113	96	68	36	15	5	-
1938	537	16	31	34	65	80	108	90	57	32	16	7	1
1939	460	12	20	28	51	54	98	76	65	39	11	5	1

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

NOTES:

Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ICD Revision	Years in use	ICD Nos.
Fifth	1939	158-161
Fourth	1930-1938	158-161
Third	1921-1929	160-162
Second	1910-1920	151, 152
First	1900-1909	151, 152

ALL RACES, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	12,507	12,507
1901	11,837	11,837
1902	12,634	12,634
1903	13,083	13,083
1904	13,942	13,942
1905	15,863	15,863
1906	26,139	26,139
1907	26,983	26,983
1908	29,317	29,317
1909	32,048	32,048
1910	34,640	34,640
1911	42,206	42,206
1912	44,208	44,208
1913	48,366	48,366
1914	48,139	48,139
1915	47,417	47,417
1916	51,882	51,882
1917	53,002	53,002
1918	60,339	60,339
1919	54,493	54,493
1920	59,603	59,603
1921	59,443	59,443
1922	58,262	58,262
1923	60,369	60,369
1924	62,150	62,150
1925	60,400	60,400
1926	59,737	59,737
1927	58,363	58,363
1928	60,725	60,725
1929	58,380	58,380
1930	58,181	58,181
1931	53,596	53,596
1932	50,915	50,915
1933	51,453	51,453
1934	54,348	54,348
1935	51,214	51,214
1936	51,761	51,761
1937	51,507	51,507
1938	51,106	51,106
1939	50,901	50,901

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	7,215	7,215
1901	6,860	6,860
1902	7,303	7,303
1903	7,481	7,481
1904	7,935	7,935
1905	9,076	9,076
1906	14,961	14,961
1907	15,307	15,307
1908	16,815	16,815
1909	18,307	18,307
1910	19,842	19,842
1911	23,928	23,928
1912	25,233	25,233
1913	27,667	27,667
1914	27,438	27,438
1915	27,157	27,157
1916	30,016	30,016
1917	30,514	30,514
1918	34,775	34,775
1919	31,240	31,240
1920	34,222	34,222
1921	34,352	34,352
1922	33,500	33,500
1923	34,605	34,605
1924	35,739	35,739
1925	34,849	34,849
1926	34,472	34,472
1927	33,789	33,789
1928	35,239	35,239
1929	33,443	33,443
1930	33,374	33,374
1931	31,166	31,166
1932	29,480	29,480
1933	29,603	29,603
1934	31,329	31,329
1935	29,766	29,766
1936	29,969	29,969
1937	29,706	29,706
1938	29,682	29,682
1939	29,405	29,405

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ALL RACES, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	5,292	5,292
1901	4,977	4,977
1902	5,331	5,331
1903	5,602	5,602
1904	6,007	6,007
1905	6,787	6,787
1906	11,178	11,178
1907	11,676	11,676
1908	12,502	12,502
1909	13,741	13,741
1910	14,798	14,798
1911	18,278	18,278
1912	18,975	18,975
1913	20,699	20,699
1914	20,701	20,701
1915	20,260	20,260
1916	21,866	21,866
1917	22,488	22,488
1918	25,564	25,564
1919	23,253	23,253
1920	25,381	25,381
1921	25,091	25,091
1922	24,762	24,762
1923	25,764	25,764
1924	26,411	26,411
1925	25,551	25,551
1926	25,265	25,265
1927	24,574	24,574
1928	25,486	25,486
1929	24,937	24,937
1930	24,807	24,807
1931	22,430	22,430
1932	21,435	21,435
1933	21,850	21,850
1934	23,019	23,019
1935	21,448	21,448
1936	21,792	21,792
1937	21,801	21,801
1938	21,424	21,424
1939	21,496	21,496

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

WHITE, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	33,269	33,269
1911	40,366	40,366
1912	42,409	42,409
1913	45,835	45,835
1914	45,508	45,508
1915	44,787	44,787
1916	47,256	47,256
1917	48,071	48,071
1918	54,712	54,712
1919	48,650	48,650
1920	53,415	53,415
1921	53,234	53,234
1922	51,773	51,773
1923	53,669	53,669
1924	54,628	54,628
1925	53,152	53,152
1926	52,645	52,645
1927	51,266	51,266
1928	52,872	52,872
1929	50,828	50,828
1930	50,432	50,432
1931	46,465	46,465
1932	43,776	43,776
1933	43,910	43,910
1934	46,372	46,372
1935	43,853	43,853
1936	44,208	44,208
1937	43,763	43,763
1938	43,637	43,637
1939	43,079	43,079

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

WHITE, MALE													
Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	19,060	19,060	---	---	---	---	---	---	---	---	---	---	---
1911	22,946	22,946	---	---	---	---	---	---	---	---	---	---	---
1912	24,257	24,257	---	---	---	---	---	---	---	---	---	---	---
1913	26,287	26,287	---	---	---	---	---	---	---	---	---	---	---
1914	25,978	25,978
1915	25,717	25,717
1916	27,395	27,395
1917	27,797	27,797
1918	31,667	31,667
1919	27,940	27,940
1920	30,717	30,717
1921	30,898	30,898
1922	29,936	29,936
1923	30,883	30,883
1924	31,513	31,513
1925	30,797	30,797
1926	30,481	30,481
1927	29,841	29,841
1928	30,851	30,851
1929	29,235	29,235
1930	29,048	29,048
1931	27,210	27,210
1932	25,472	25,472
1933	25,445	25,445
1934	26,888	26,888
1935	25,678	25,678
1936	25,714	25,714
1937	25,412	25,412
1938	25,518	25,518
1939	24,994	24,994

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

WHITE, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	14,209	14,209	---	---	---	---	---	---	---	---	---	---	---
1911	17,420	17,420	---	---	---	---	---	---	---	---	---	---	---
1912	18,152	18,152	---	---	---	---	---	---	---	---	---	---	---
1913	19,548	19,548	---	---	---	---	---	---	---	---	---	---	---
1914	19,530	19,530
1915	19,070	19,070
1916	19,861	19,861
1917	20,274	20,274
1918	23,045	23,045
1919	20,710	20,710
1920	22,698	22,698
1921	22,336	22,336
1922	21,837	21,837
1923	22,786	22,786
1924	23,115	23,115
1925	22,355	22,355
1926	22,164	22,164
1927	21,425	21,425
1928	22,021	22,021
1929	21,593	21,593
1930	21,384	21,384
1931	19,255	19,255
1932	18,304	18,304
1933	18,465	18,465
1934	19,484	19,484
1935	18,175	18,175
1936	18,494	18,494
1937	18,351	18,351
1938	18,119	18,119
1939	18,085	18,085

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, BOTH SEXES													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,371	1,371
1911	1,840	1,840
1912	1,799	1,799
1913	2,531	2,531
1914	2,631	2,631
1915	2,630	2,630
1916	4,626	4,626
1917	4,931	4,931
1918	5,627	5,627
1919	5,843	5,843
1920	6,188	6,188
1921	6,209	6,209
1922	6,489	6,489
1923	6,700	6,700
1924	7,522	7,522
1925	7,248	7,248
1926	7,092	7,092
1927	7,097	7,097
1928	7,853	7,853
1929	7,552	7,552
1930	7,749	7,749
1931	7,131	7,131
1932	7,139	7,139
1933	7,543	7,543
1934	7,976	7,976
1935	7,361	7,361
1936	7,553	7,553
1937	7,744	7,744
1938	7,469	7,469
1939	7,822	7,822

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	782	782	---	---	---	---	---	---	---	---	---	---	---
1911	982	982	---	---	---	---	---	---	---	---	---	---	---
1912	976	976	---	---	---	---	---	---	---	---	---	---	---
1913	1,380	1,380	---	---	---	---	---	---	---	---	---	---	---
1914	1,460	1,460
1915	1,440	1,440
1916	2,621	2,621
1917	2,717	2,717
1918	3,108	3,108
1919	3,300	3,300
1920	3,505	3,505
1921	3,454	3,454
1922	3,564	3,564
1923	3,722	3,722
1924	4,226	4,226
1925	4,052	4,052
1926	3,991	3,991
1927	3,948	3,948
1928	4,388	4,388
1929	4,208	4,208
1930	4,326	4,326
1931	3,956	3,956
1932	4,008	4,008
1933	4,158	4,158
1934	4,441	4,441
1935	4,088	4,088
1936	4,255	4,255
1937	4,294	4,294
1938	4,164	4,164
1939	4,411	4,411

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

CERTAIN DISEASES OF EARLY INFANCY

ALL OTHER, FEMALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	589	589	---	---	---	---	---	---	---	---	---	---	---
1911	858	858	---	---	---	---	---	---	---	---	---	---	---
1912	823	823	---	---	---	---	---	---	---	---	---	---	---
1913	1,151	1,151	---	---	---	---	---	---	---	---	---	---	---
1914	1,171	1,171
1915	1,190	1,190
1916	2,005	2,005
1917	2,214	2,214
1918	2,519	2,519
1919	2,543	2,543
1920	2,683	2,683
1921	2,755	2,755
1922	2,925	2,925
1923	2,978	2,978
1924	3,296	3,296
1925	3,196	3,196
1926	3,101	3,101
1927	3,149	3,149
1928	3,465	3,465
1929	3,344	3,344
1930	3,423	3,423
1931	3,175	3,175
1932	3,131	3,131
1933	3,385	3,385
1934	3,535	3,535
1935	3,273	3,273
1936	3,298	3,298
1937	3,450	3,450
1938	3,305	3,305
1939	3,411	3,411

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ICD Revision	Years in use	ICD Nos.
Fifth	1939	163, 164
Fourth	1930-1938	163-171
Third	1921-1929	165-174
Second	1910-1920	155-163
First	1900-1909	155-163

ALL RACES, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	2,036	7	253	388	433	376	294	184	77	9	15
1901	2,105	9	255	401	428	397	324	183	78	8	22
1902	2,124	8	283	368	457	395	313	186	82	15	17
1903	2,371	7	258	483	549	464	300	207	67	12	24
1904	2,611	9	341	518	510	527	370	210	90	10	26
1905	2,940	13	388	563	598	567	410	256	108	26	11
1906	4,323	17	513	829	931	874	621	362	128	19	29
1907	5,027	17	707	1,024	1,016	965	701	420	138	17	22
1908	6,506	18	836	1,304	1,356	1,378	930	468	162	25	29
1909	7,061	26	890	1,389	1,462	1,491	1,005	548	187	27	36
1910	7,283	30	968	1,454	1,478	1,428	1,060	575	228	32	30
1911	8,612	22	1,120	1,741	1,817	1,739	1,218	654	231	30	40
1912	8,549	28	1,015	1,731	1,785	1,727	1,300	642	259	32	30
1913	8,932	26	1,125	1,874	1,829	1,770	1,318	697	228	32	33
1914	9,802	31	1,215	1,966	1,976	2,019	1,525	749	250	39	32
1915	10,011	36	1,100	1,956	2,036	2,044	1,618	849	275	47	50
1916	9,181	28	1,046	1,736	1,837	1,826	1,517	830	287	41	33
1917	9,157	38	1,035	1,949	1,810	1,787	1,344	834	286	39	35
1918	9,685	38	989	2,024	2,108	1,805	1,492	820	305	52	52
1919	9,543	36	951	1,871	2,072	1,850	1,486	837	336	68	36
1920	8,790	36	923	1,639	1,873	1,794	1,353	801	299	56	16
1921	10,906	53	1,040	1,935	2,311	2,350	1,799	983	351	60	24
1922	10,876	33	1,023	1,839	2,285	2,337	1,797	1,090	374	62	36
1923	11,096	39	959	1,886	2,360	2,357	1,895	1,082	423	65	30
1924	11,846	38	1,089	1,937	2,523	2,495	2,086	1,207	384	58	29
1925	12,209	47	1,065	2,018	2,511	2,615	2,093	1,353	410	63	34
1926	13,082	44	1,199	2,045	2,727	2,802	2,267	1,428	480	65	25
1927	14,096	57	1,225	2,248	2,890	3,064	2,487	1,523	496	73	33
1928	15,390	40	1,375	2,393	3,042	3,433	2,681	1,744	580	70	32
1929	16,045	39	1,484	2,428	3,272	3,489	2,787	1,821	623	63	39
1930	18,323	50	1,608	2,687	3,752	4,145	3,357	1,968	639	77	40
1931	19,807	44	1,544	2,759	3,826	4,600	3,905	2,304	691	92	42
1932	20,646	50	1,588	2,865	3,846	4,733	4,178	2,502	768	77	39
1933	19,993	40	1,665	2,721	3,771	4,573	3,886	2,397	815	95	30
1934	18,828	46	1,710	2,876	3,562	4,142	3,435	2,186	768	79	24
1935	18,214	57	1,657	2,874	3,414	4,080	3,302	1,975	744	87	24
1936	18,294	67	1,591	2,941	3,561	4,005	3,300	1,971	754	88	16
1937	19,294	70	1,634	2,968	3,763	4,430	3,502	2,018	789	94	26
1938	19,802	39	1,585	3,019	3,840	4,591	3,786	2,073	761	97	11
1939	18,511	59	1,403	2,732	3,462	4,297	3,560	2,108	786	87	17

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ALL RACES, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	1,568	4	139	266	347	318	248	153	71	8	14
1901	1,567	7	147	277	297	317	275	148	74	6	19
1902	1,589	6	158	251	362	308	251	149	76	12	16
1903	1,807	5	155	330	430	387	239	172	57	11	21
1904	1,976	8	191	355	402	429	302	180	76	10	23
1905	2,208	8	214	385	462	454	346	219	90	21	9
1906	3,368	9	312	608	742	712	517	313	113	16	26
1907	3,861	12	444	750	778	786	577	359	119	16	20
1908	5,045	12	512	949	1,073	1,134	794	386	135	22	28
1909	5,481	15	523	1,002	1,186	1,219	840	473	164	25	34
1910	5,621	19	590	1,079	1,135	1,172	906	473	194	26	27
1911	6,637	12	672	1,266	1,439	1,416	1,030	541	197	26	38
1912	6,603	16	599	1,265	1,392	1,415	1,088	553	222	28	25
1913	6,914	12	654	1,383	1,425	1,480	1,119	595	192	23	31
1914	7,522	19	701	1,456	1,531	1,663	1,251	629	213	34	25
1915	7,712	19	650	1,426	1,571	1,658	1,361	705	231	42	49
1916	7,069	19	625	1,251	1,436	1,447	1,266	704	251	38	32
1917	6,880	24	614	1,395	1,341	1,389	1,118	694	243	30	32
1918	7,223	19	582	1,451	1,603	1,381	1,176	671	249	43	48
1919	6,968	24	526	1,312	1,533	1,363	1,161	678	281	59	31
1920	6,364	21	522	1,091	1,343	1,337	1,071	665	253	47	14
1921	8,430	34	621	1,372	1,808	1,892	1,488	837	301	54	23
1922	8,259	23	561	1,291	1,734	1,856	1,466	929	314	54	31
1923	8,344	26	502	1,276	1,792	1,864	1,518	928	357	54	27
1924	9,100	21	637	1,338	1,942	1,992	1,724	1,035	335	50	26
1925	9,297	30	637	1,355	1,884	2,039	1,738	1,162	366	54	32
1926	9,894	28	670	1,354	2,064	2,190	1,867	1,231	411	55	24
1927	10,831	34	742	1,531	2,172	2,444	2,070	1,316	432	63	27
1928	11,905	23	788	1,642	2,308	2,777	2,259	1,502	520	58	28
1929	12,305	31	885	1,642	2,483	2,790	2,274	1,566	543	55	36
1930	14,319	37	956	1,855	2,893	3,405	2,818	1,693	561	66	35
1931	15,662	32	932	1,894	2,934	3,793	3,323	2,030	605	82	37
1932	16,453	36	968	1,999	2,980	3,924	3,589	2,166	694	64	33
1933	15,785	27	1,002	1,890	2,859	3,776	3,282	2,104	734	83	28
1934	14,564	32	1,063	2,000	2,653	3,273	2,870	1,910	676	68	19
1935	13,942	38	1,044	1,956	2,512	3,255	2,705	1,669	667	78	18
1936	13,971	43	1,021	1,987	2,663	3,137	2,708	1,660	661	76	15
1937	14,793	54	1,054	2,080	2,798	3,457	2,850	1,703	690	83	24
1938	15,376	32	1,058	2,160	2,865	3,627	3,129	1,747	668	82	8
1939	14,259	47	948	1,968	2,542	3,306	2,911	1,744	702	74	17

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ALL RACES, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	468	3	114	122	86	58	46	31	6	1	1
1901	538	2	108	124	131	80	49	35	4	2	3
1902	535	2	125	117	95	87	62	37	6	3	1
1903	564	2	103	153	119	77	61	35	10	1	3
1904	635	1	150	163	108	98	68	30	14	-	3
1905	732	5	174	178	136	113	64	37	18	5	2
1906	955	8	201	221	189	162	104	49	15	3	3
1907	1,166	5	263	274	238	179	124	61	19	1	2
1908	1,461	6	324	355	283	244	136	82	27	3	1
1909	1,580	11	367	387	276	272	165	75	23	2	2
1910	1,662	11	378	375	343	256	154	102	34	6	3
1911	1,975	10	448	475	378	323	188	113	34	4	2
1912	1,946	12	416	466	393	312	212	89	37	4	5
1913	2,018	14	471	491	404	290	199	102	36	9	2
1914	2,280	12	514	510	445	356	274	120	37	5	7
1915	2,299	17	450	530	465	386	257	144	44	5	1
1916	2,112	9	421	485	401	379	251	126	36	3	1
1917	2,277	14	421	554	469	398	226	140	43	9	3
1918	2,462	19	407	573	505	424	316	149	56	9	4
1919	2,575	12	425	559	539	487	325	159	55	9	5
1920	2,426	15	401	548	530	457	282	136	46	9	2
1921	2,476	19	419	563	503	458	311	146	50	6	1
1922	2,617	10	462	548	551	481	331	161	60	8	5
1923	2,752	13	457	610	568	493	377	154	66	11	3
1924	2,746	17	452	599	581	503	362	172	49	8	3
1925	2,912	17	428	663	627	576	355	191	44	9	2
1926	3,188	16	529	691	663	612	400	197	69	10	1
1927	3,265	23	483	717	718	620	417	207	64	10	6
1928	3,485	17	587	751	734	656	422	242	60	12	4
1929	3,740	8	599	786	789	699	513	255	80	8	3
1930	4,004	13	652	832	859	740	539	275	78	11	5
1931	4,145	12	612	865	892	807	582	274	86	10	5
1932	4,193	14	620	866	866	809	589	336	74	13	6
1933	4,208	13	663	831	912	797	604	293	81	12	2
1934	4,264	14	647	876	909	869	565	276	92	11	5
1935	4,272	19	613	918	902	825	597	306	77	9	6
1936	4,323	24	570	954	898	868	592	311	93	12	1
1937	4,501	16	580	888	965	973	652	315	99	11	2
1938	4,426	7	527	859	975	964	657	326	93	15	3
1939	4,252	12	455	764	920	991	649	364	84	13	-

... Category not applicable

-Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

WHITE, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	7,134	---	---	---	---	---	---	---	---	---	---	---	---
1911	8,394	---	---	---	---	---	---	---	---	---	---	---	---
1912	8,378	---	---	---	---	---	---	---	---	---	---	---	---
1913	8,711	---	---	---	---	---	---	---	---	---	---	---	---
1914	9,548	30	1,174	1,876	1,915	1,996	1,503	738	248	39	29
1915	9,765	36	1,068	1,869	1,976	2,010	1,601	841	272	47	45
1916	8,966	28	1,009	1,668	1,784	1,794	1,504	821	285	41	32
1917	8,922	---	---	---	---	---	---	---	---	---	---	---	---
1918	9,370	37	930	1,936	2,030	1,773	1,466	798	300	52	48
1919	9,262	36	898	1,780	2,003	1,812	1,468	828	335	68	34
1920	8,529	33	870	1,573	1,819	1,745	1,333	789	295	56	16
1921	10,569	52	968	1,841	2,230	2,306	1,777	965	348	59	23
1922	10,509	30	957	1,751	2,183	2,279	1,771	1,076	367	62	33
1923	10,766	39	906	1,805	2,270	2,295	1,869	1,069	420	64	29
1924	11,461	35	1,023	1,828	2,426	2,441	2,049	1,193	380	57	29
1925	11,846	45	1,001	1,915	2,422	2,567	2,068	1,333	403	62	30
1926	12,680	40	1,138	1,930	2,642	2,732	2,226	1,411	474	64	23
1927	13,635	54	1,155	2,104	2,781	2,991	2,448	1,504	493	73	32
1928	14,844	38	1,282	2,245	2,918	3,342	2,624	1,725	572	68	30
1929	15,476	36	1,380	2,282	3,157	3,379	2,736	1,796	612	61	37
1930	17,740	48	1,513	2,541	3,620	4,044	3,299	1,933	631	75	36
1931	19,195	43	1,448	2,589	3,692	4,501	3,831	2,280	684	89	38
1932	19,997	45	1,473	2,708	3,682	4,617	4,088	2,476	756	76	36
1933	19,366	38	1,537	2,564	3,601	4,439	3,830	2,366	807	94	30
1934	18,220	43	1,573	2,697	3,428	4,033	3,368	2,163	753	76	22
1935	17,559	52	1,544	2,693	3,265	3,976	3,232	1,953	736	86	22
1936	17,686	58	1,481	2,790	3,420	3,918	3,228	1,945	744	88	14
1937	18,651	62	1,533	2,803	3,613	4,320	3,434	1,988	781	93	24
1938	19,150	33	1,477	2,855	3,697	4,480	3,708	2,047	747	95	11
1939	17,949	57	1,318	2,589	3,332	4,187	3,508	2,081	773	87	17

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

WHITE, MALE													
Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	5,507	---	---	---	---	---	---	---	---	---	---	---	---
1911	6,462	---	---	---	---	---	---	---	---	---	---	---	---
1912	6,475	---	---	---	---	---	---	---	---	---	---	---	---
1913	6,750	---	---	---	---	---	---	---	---	---	---	---	---
1914	7,325	18	680	1,387	1,480	1,643	1,230	620	211	34	22
1915	7,531	19	632	1,364	1,526	1,630	1,347	697	229	42	45
1916	6,897	19	605	1,196	1,389	1,420	1,254	696	249	28	31
1917	6,704	---	---	---	---	---	---	---	---	---	---	---	---
1918	6,979	18	546	1,383	1,538	1,355	1,153	654	245	43	44
1919	6,756	24	492	1,248	1,479	1,330	1,144	671	280	59	29
1920	6,174	19	497	1,043	1,300	1,297	1,053	654	250	47	14
1921	8,175	33	577	1,309	1,741	1,853	1,469	820	298	53	22
1922	7,983	22	523	1,228	1,651	1,810	1,444	915	307	54	29
1923	8,094	26	472	1,223	1,722	1,807	1,494	915	355	54	26
1924	8,818	19	601	1,268	1,862	1,948	1,691	1,022	331	50	26
1925	9,022	28	595	1,283	1,813	2,003	1,716	1,144	359	53	28
1926	9,610	26	636	1,280	2,002	2,136	1,832	1,215	407	54	22
1927	10,486	32	701	1,428	2,090	2,384	2,036	1,297	429	63	26
1928	11,496	23	730	1,545	2,207	2,697	2,210	1,489	513	56	26
1929	11,868	28	821	1,537	2,395	2,693	2,231	1,543	533	53	34
1930	13,877	36	906	1,746	2,790	3,319	2,767	1,662	554	65	32
1931	15,197	31	880	1,776	2,824	3,705	3,260	2,009	600	79	33
1932	15,950	33	900	1,887	2,854	3,822	3,509	2,142	682	63	30
1933	15,300	26	929	1,776	2,720	3,662	3,234	2,075	727	82	28
1934	14,126	30	985	1,878	2,556	3,183	2,811	1,891	663	67	17
1935	13,465	35	981	1,846	2,399	3,158	2,641	1,649	662	77	17
1936	13,522	38	952	1,891	2,547	3,067	2,643	1,638	657	76	13
1937	14,315	48	999	1,968	2,676	3,370	2,791	1,676	683	82	22
1938	14,894	28	990	2,057	2,751	3,534	3,064	1,727	654	81	8
1939	13,833	47	900	1,862	2,435	3,219	2,865	1,722	692	74	17

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

WHITE, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,627	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,932	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,903	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,961	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,223	12	494	489	435	353	273	118	37	5	7
1915	2,234	17	436	505	450	380	254	144	43	5	-
1916	2,069	9	404	472	395	374	250	125	36	3	1
1917	2,218	---	---	---	---	---	---	---	---	---	---	---	---
1918	2,391	19	384	553	492	418	313	144	55	9	4
1919	2,506	12	406	532	524	482	324	157	55	9	5
1920	2,355	14	373	530	519	448	280	135	45	9	2
1921	2,394	19	391	532	489	453	308	145	50	6	1
1922	2,526	8	434	523	532	469	327	161	60	8	4
1923	2,672	13	434	582	548	488	375	154	65	10	3
1924	2,643	16	422	560	564	493	358	171	49	7	3
1925	2,824	17	406	632	609	564	352	189	44	9	2
1926	3,070	14	502	650	640	596	394	196	67	10	1
1927	3,149	22	454	676	691	607	412	207	64	10	6
1928	3,348	15	552	700	711	645	414	236	59	12	4
1929	3,608	8	559	745	762	686	505	253	79	8	3
1930	3,863	12	607	795	830	725	532	271	77	10	4
1931	3,998	12	568	813	868	796	571	271	84	10	5
1932	4,047	12	573	821	828	795	579	334	74	13	6
1933	4,066	12	608	788	881	777	596	291	80	12	2
1934	4,094	13	588	819	872	850	557	272	90	9	5
1935	4,094	17	563	847	866	818	591	304	74	9	5
1936	4,164	20	529	899	873	851	585	307	87	12	1
1937	4,336	14	534	835	937	950	643	312	98	11	2
1938	4,256	5	487	798	946	946	644	320	93	14	3
1939	4,116	10	418	727	897	968	643	359	81	13	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ALL OTHER, BOTH SEXES

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	149	---	---	---	---	---	---	---	---	---	---	---	---
1911	218	---	---	---	---	---	---	---	---	---	---	---	---
1912	171	---	---	---	---	---	---	---	---	---	---	---	---
1913	221	---	---	---	---	---	---	---	---	---	---	---	---
1914	254	1	41	90	61	23	22	11	2	-	3
1915	246	-	32	87	60	34	17	8	3	-	5
1916	215	-	37	68	53	32	13	9	2	-	1
1917	235	---	---	---	---	---	---	---	---	---	---	---	---
1918	315	1	59	88	78	32	26	22	5	-	4
1919	281	-	53	91	69	38	18	9	1	-	2
1920	261	3	53	66	54	49	20	12	4	-	-
1921	337	1	72	94	81	44	22	18	3	1	1
1922	367	3	66	88	102	58	26	14	7	-	3
1923	330	-	53	81	90	62	26	13	3	1	1
1924	385	3	66	109	97	54	37	14	4	1	-
1925	363	2	64	103	89	48	25	20	7	1	4
1926	402	4	61	115	85	70	41	17	6	1	2
1927	461	3	70	144	109	73	39	19	3	-	1
1928	546	2	93	148	124	91	57	19	8	2	2
1929	569	3	104	146	115	110	51	25	11	2	2
1930	583	2	95	146	132	101	58	35	8	2	4
1931	612	1	96	170	134	99	74	24	7	3	4
1932	649	5	115	157	164	116	90	26	12	1	3
1933	627	2	128	157	170	134	56	31	8	1	-
1934	608	3	137	179	134	109	67	23	15	3	2
1935	655	5	113	181	149	104	70	22	8	1	2
1936	608	9	110	151	141	87	72	26	10	-	2
1937	643	8	101	165	150	110	68	30	8	1	2
1938	652	6	108	164	143	111	78	26	14	2	-
1939	562	2	85	143	130	110	52	27	13	-	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ALL OTHER, MALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	114	---	---	---	---	---	---	---	---	---	---	---	---
1911	175	---	---	---	---	---	---	---	---	---	---	---	---
1912	128	---	---	---	---	---	---	---	---	---	---	---	---
1913	164	---	---	---	---	---	---	---	---	---	---	---	---
1914	197	1	21	69	51	20	21	9	2	-	3
1915	181	-	18	62	45	28	14	8	2	-	4
1916	172	-	20	55	47	27	12	8	2	-	1
1917	176	---	---	---	---	---	---	---	---	---	---	---	---
1918	244	1	36	68	65	26	23	17	4	-	4
1919	212	-	34	64	54	33	17	7	1	-	2
1920	190	2	25	48	43	40	18	11	3	-	-
1921	255	1	44	63	67	39	19	17	3	1	1
1922	276	1	38	63	83	46	22	14	7	-	2
1923	250	-	30	53	70	57	24	13	2	-	1
1924	282	2	36	70	80	44	33	13	4	-	-
1925	275	2	42	72	71	36	22	18	7	1	4
1926	284	2	34	74	62	54	35	16	4	1	2
1927	345	2	41	103	82	60	34	19	3	-	1
1928	409	-	58	97	101	80	49	13	7	2	2
1929	437	3	64	105	88	97	43	23	10	2	2
1930	442	1	50	109	103	86	51	31	7	1	3
1931	465	1	52	118	110	88	63	21	5	3	4
1932	503	3	68	112	126	102	80	24	12	1	3
1933	485	1	73	114	139	114	48	29	7	1	-
1934	438	2	78	122	97	90	59	19	13	1	2
1935	477	3	63	110	113	97	64	20	5	1	1
1936	449	5	69	96	116	70	65	22	4	-	2
1937	478	6	55	112	122	87	59	27	7	1	2
1938	482	4	68	103	114	93	65	20	14	1	-
1939	426	-	48	106	107	87	46	22	10	-	-

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

-Quantity zero.

... Category not applicable

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

SUICIDE

ALL OTHER, FEMALE

Years	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	35	---	---	---	---	---	---	---	---	---	---	---	---
1911	43	---	---	---	---	---	---	---	---	---	---	---	---
1912	43	---	---	---	---	---	---	---	---	---	---	---	---
1913	57	---	---	---	---	---	---	---	---	---	---	---	---
1914	57	-	20	21	10	3	1	2	-	-	-
1915	65	-	14	25	15	6	3	-	1	-	1
1916	43	-	17	13	6	5	1	1	-	-	-
1917	59	---	---	---	---	---	---	---	---	---	---	---	---
1918	71	-	23	20	13	6	3	5	1	-	-
1919	69	-	19	27	15	5	1	2	-	-	-
1920	71	1	28	18	11	9	2	1	1	-	-
1921	82	-	28	31	14	5	3	1	-	-	-
1922	91	2	28	25	19	12	4	-	-	-	1
1923	80	-	23	28	20	5	2	-	1	1	-
1924	103	1	30	39	17	10	4	1	-	1	-
1925	88	-	22	31	18	12	3	2	-	-	-
1926	118	2	27	41	23	16	6	1	2	-	-
1927	116	1	29	41	27	13	5	-	-	-	-
1928	137	2	35	51	23	11	8	6	1	-	-
1929	132	-	40	41	27	13	8	2	1	-	-
1930	141	1	45	37	29	15	7	4	1	1	1
1931	147	-	44	52	24	11	11	3	2	-	-
1932	146	2	47	45	38	14	10	2	-	-	-
1933	142	1	55	43	31	20	8	2	1	-	-
1934	170	1	59	57	37	19	8	4	2	2	-
1935	178	2	50	71	36	7	6	2	3	-	1
1936	159	4	41	55	25	17	7	4	6	-	-
1937	165	2	46	53	28	23	9	3	1	-	-
1938	170	2	40	61	29	18	13	6	-	1	-
1939	136	2	37	37	23	23	6	5	3	-	-

NOTES:
 For 1932-34, deaths of Mexicans are included with total deaths for the white population; but by age, are included with deaths for the nonwhite population. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes.....	40	60	64
Male.....	28	41	45
Female.....	12	19	19

... Category not applicable
 --- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.
 Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).
 - Quantity zero.
 Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	169-176, 178-195
Fourth	1930-1938	176, 178-195, 201-214
Third	1921-1929	176-189, 192-196, 201, 202pt., 203
Second	1910-1920	165-181, 185, 186
First	1900-1909	164-175, 176pt.

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	14,429	564	1,231	1,457	1,983	2,178	2,147	1,525	1,138	927	725	278	276
1901	16,958	726	1,364	1,550	2,035	2,444	2,335	2,007	1,626	1,235	960	362	314
1902	14,915	451	1,147	1,454	2,028	2,342	2,218	1,665	1,297	1,016	746	340	211
1903	17,050	541	1,331	1,633	2,265	2,625	2,495	1,870	1,416	1,182	986	409	297
1904	18,228	569	1,487	1,930	2,441	2,769	2,561	1,967	1,490	1,201	1,100	458	255
1905	17,701	633	1,402	1,745	2,444	2,585	2,565	1,881	1,549	1,241	984	493	179
1906	31,894	984	2,429	2,876	4,802	5,345	4,662	3,459	2,463	1,970	1,577	679	648
1907	32,763	1,007	2,621	2,816	5,020	5,471	5,058	3,664	2,610	1,946	1,585	709	256
1908	32,034	1,087	2,775	2,939	4,755	4,999	4,535	3,638	2,587	2,028	1,737	740	214
1909	35,354	1,132	3,050	3,111	4,876	5,521	5,120	4,067	2,815	2,348	2,123	981	210
1910	39,971	1,169	3,194	3,314	5,825	6,610	5,949	4,575	3,129	2,721	2,217	1,036	232
1911	45,104	1,570	3,840	3,752	6,202	6,781	6,423	5,311	3,816	3,139	2,664	1,311	295
1912	44,336	1,334	3,898	3,948	6,253	6,797	6,137	5,130	3,769	2,980	2,623	1,208	259
1913	48,718	1,490	4,108	4,403	7,122	7,590	6,757	5,576	4,105	3,257	2,767	1,239	304
1914	46,755	1,552	4,161	4,293	6,404	6,959	6,341	5,248	3,972	3,345	2,879	1,309	292
1915	45,504	1,345	4,127	4,475	6,042	6,529	6,117	5,146	3,893	3,319	2,949	1,325	237
1916	54,627	1,766	4,791	5,148	7,191	7,867	7,591	6,450	4,898	3,876	3,273	1,526	250
1917	60,394	2,030	5,154	6,052	7,913	8,394	8,087	7,209	5,514	4,363	3,681	1,525	472
1918	64,346	1,779	5,776	7,451	8,318	8,485	8,371	7,308	5,849	4,842	3,893	1,740	534
1919	59,171	1,684	5,858	7,607	7,898	7,590	7,351	6,176	5,064	4,185	3,752	1,729	277
1920	60,225	1,856	5,858	7,649	8,209	7,709	7,020	6,069	5,021	4,575	4,147	1,921	191
1921	58,609	1,761	5,480	7,348	7,734	7,417	7,052	5,962	5,034	4,568	4,104	1,977	172
1922	63,388	1,829	5,792	7,678	8,221	7,904	7,590	6,775	5,657	5,046	4,527	2,132	237
1923	72,072	1,882	5,966	8,216	9,469	9,110	9,060	8,009	6,682	5,939	5,148	2,349	242
1924	73,450	2,080	6,294	8,348	9,865	8,805	9,132	8,112	6,796	6,174	5,179	2,422	243
1925	78,230	2,058	6,038	8,538	10,639	9,438	9,756	8,941	7,470	6,766	5,726	2,626	234
1926	80,228	2,176	5,858	8,494	10,752	9,665	10,163	9,438	7,804	6,953	6,030	2,684	211
1927	82,655	1,983	5,940	8,686	11,291	9,896	10,519	9,522	8,268	7,363	6,181	2,732	274
1928	88,838	2,100	5,994	9,139	12,184	10,647	11,073	10,601	8,773	8,027	6,963	2,965	372
1929	92,082	2,026	5,801	9,017	13,086	11,245	11,556	10,972	9,419	8,538	7,069	3,060	293
1930	93,505	2,146	5,333	8,422	13,171	11,279	11,589	11,361	9,786	9,114	7,616	3,436	252
1931	91,882	1,907	5,305	8,139	12,751	10,525	11,162	11,314	10,062	9,243	7,862	3,404	208
1932	84,154	1,756	4,804	7,551	11,377	9,543	9,872	9,862	9,177	8,792	7,685	3,532	203
1933	90,243	1,887	4,907	8,107	12,165	10,445	10,432	10,821	9,849	9,303	8,418	3,678	231
1934	100,239	2,084	4,780	8,213	13,218	11,574	11,572	12,609	11,422	10,854	9,610	4,067	236
1935	99,064	2,072	4,737	7,721	13,113	11,647	11,621	12,237	11,077	10,612	9,632	4,374	221
1936	109,379	2,433	4,851	7,803	13,657	12,400	12,475	13,590	12,799	12,515	11,573	5,071	212
1937	104,540	2,204	4,600	7,650	14,262	12,046	11,779	12,654	11,931	11,620	10,976	4,647	171
1938	93,199	2,233	4,269	6,545	12,078	10,367	9,993	11,115	10,433	10,788	10,574	4,662	142
1939	92,075	2,226	4,283	6,339	12,036	10,438	9,616	10,546	10,188	10,692	10,814	4,755	142

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	11,029	306	739	1,079	1,671	1,900	1,882	1,248	873	622	357	90	262
1901	12,559	431	744	1,148	1,722	2,093	1,983	1,613	1,176	762	481	121	285
1902	11,369	235	659	1,091	1,686	2,024	1,906	1,423	970	688	388	110	189
1903	12,921	309	740	1,246	1,920	2,281	2,149	1,573	1,065	776	452	137	273
1904	13,392	322	863	1,349	1,955	2,289	2,134	1,621	1,115	788	547	172	237
1905	13,429	379	792	1,284	2,098	2,259	2,236	1,620	1,185	787	462	168	159
1906	25,073	561	1,324	2,170	4,231	4,785	4,158	2,943	1,986	1,349	748	248	570
1907	25,832	552	1,426	2,098	4,491	4,940	4,536	3,208	2,075	1,256	745	263	242
1908	24,907	629	1,568	2,189	4,169	4,484	4,055	3,152	2,064	1,269	857	271	200
1909	27,282	614	1,694	2,274	4,322	5,010	4,569	3,520	2,235	1,507	969	365	203
1910	31,514	657	1,796	2,435	5,215	6,112	5,383	3,997	2,535	1,760	1,024	373	227
1911	34,533	857	2,168	2,765	5,367	6,107	5,764	4,544	3,032	2,012	1,203	445	269
1912	34,166	733	2,218	2,895	5,476	6,175	5,462	4,513	3,014	1,929	1,105	406	240
1913	37,781	810	2,300	3,212	6,294	6,837	6,081	4,869	3,344	2,115	1,225	411	283
1914	35,716	840	2,372	3,179	5,582	6,271	5,648	4,539	3,168	2,165	1,246	438	268
1915	34,594	737	2,376	3,333	5,238	5,876	5,460	4,419	3,050	2,117	1,302	460	226
1916	41,795	955	2,655	3,767	6,303	7,023	6,770	5,586	3,902	2,532	1,502	566	234
1917	45,422	1,106	2,791	4,261	6,799	7,456	7,153	6,167	4,351	2,782	1,621	496	439
1918	48,255	981	3,241	5,404	7,055	7,424	7,302	6,202	4,630	3,209	1,721	623	463
1919	43,567	966	3,216	5,501	6,676	6,546	6,395	5,179	3,905	2,724	1,630	590	239
1920	43,623	1,040	3,165	5,480	6,991	6,686	6,015	5,018	3,769	2,850	1,772	670	167
1921	42,539	969	3,106	5,323	6,606	6,374	6,069	4,921	3,750	2,838	1,773	661	149
1922	45,901	1,017	3,196	5,484	6,878	6,776	6,562	5,641	4,318	3,141	1,989	691	208
1923	52,521	1,052	3,329	5,818	7,964	7,778	7,758	6,679	5,155	3,795	2,218	763	212
1924	53,058	1,158	3,528	5,854	8,217	7,511	7,795	6,708	5,155	3,824	2,302	786	220
1925	56,569	1,110	3,330	6,076	8,771	8,006	8,283	7,367	5,634	4,351	2,514	931	196
1926	58,186	1,193	3,254	6,015	8,973	8,198	8,696	7,752	5,977	4,401	2,657	884	186
1927	60,484	1,095	3,410	6,175	9,488	8,457	8,936	7,909	6,335	4,676	2,817	936	250
1928	64,546	1,149	3,398	6,465	10,149	9,101	9,473	8,683	6,665	5,057	3,119	975	312
1929	67,101	1,126	3,227	6,422	10,833	9,519	9,835	9,086	7,173	5,384	3,284	958	254
1930	67,841	1,194	3,018	5,934	10,892	9,576	9,923	9,355	7,400	5,771	3,394	1,162	222
1931	66,109	1,045	2,983	5,751	10,425	8,870	9,425	9,287	7,587	5,787	3,603	1,166	180
1932	59,618	972	2,747	5,303	9,262	7,976	8,291	8,024	6,891	5,348	3,467	1,161	176
1933	63,910	1,032	2,752	5,803	9,828	8,709	8,647	8,821	7,371	5,776	3,722	1,257	192
1934	71,729	1,149	2,751	5,811	10,758	9,568	9,693	10,458	8,706	6,759	4,440	1,439	197
1935	70,212	1,144	2,643	5,448	10,516	9,660	9,731	9,990	8,369	6,624	4,403	1,499	185
1936	76,950	1,339	2,703	5,465	11,025	10,233	10,397	11,188	9,754	7,706	5,223	1,732	185
1937	74,463	1,243	2,619	5,407	11,583	10,046	9,829	10,424	9,237	7,195	5,063	1,670	147
1938	65,019	1,256	2,447	4,660	9,955	8,644	8,273	9,081	7,882	6,513	4,563	1,623	122
1939	64,296	1,260	2,478	4,620	9,947	8,745	8,056	8,655	7,658	6,480	4,719	1,552	126

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	3,400	258	492	378	312	278	265	277	265	305	368	188	14
1901	4,399	295	620	402	313	351	352	394	450	473	479	241	29
1902	3,546	216	488	363	342	318	312	242	327	328	358	230	22
1903	4,129	232	591	387	345	344	346	297	351	406	534	272	24
1904	4,836	247	624	581	486	480	427	346	375	413	553	286	18
1905	4,272	254	610	461	346	326	329	261	364	454	522	325	20
1906	6,821	423	1,105	706	571	560	504	516	477	621	829	431	78
1907	6,931	455	1,195	718	529	531	522	456	535	690	840	446	14
1908	7,127	458	1,207	750	586	515	480	486	523	759	880	469	14
1909	8,072	518	1,356	837	554	511	551	547	580	841	1,154	616	7
1910	8,457	512	1,398	879	610	498	566	578	594	961	1,193	663	5
1911	10,571	713	1,672	987	835	674	659	767	784	1,127	1,461	866	26
1912	10,170	601	1,680	1,053	777	622	675	617	755	1,051	1,518	802	19
1913	10,937	680	1,808	1,191	828	753	676	707	761	1,142	1,542	828	21
1914	11,039	712	1,789	1,114	822	688	693	709	804	1,180	1,633	871	24
1915	10,910	608	1,751	1,142	804	653	657	727	843	1,202	1,647	865	11
1916	12,832	811	2,136	1,381	888	844	821	864	996	1,344	1,771	960	16
1917	14,972	924	2,363	1,791	1,114	938	934	1,042	1,163	1,581	2,060	1,029	33
1918	16,091	798	2,535	2,047	1,263	1,061	1,069	1,106	1,219	1,633	2,172	1,117	71
1919	15,604	718	2,642	2,106	1,222	1,044	956	997	1,159	1,461	2,122	1,139	38
1920	16,602	816	2,693	2,169	1,218	1,023	1,005	1,051	1,252	1,725	2,375	1,251	24
1921	16,070	792	2,374	2,025	1,128	1,043	983	1,041	1,284	1,730	2,331	1,316	23
1922	17,487	812	2,596	2,194	1,343	1,128	1,028	1,134	1,339	1,905	2,538	1,441	29
1923	19,551	830	2,637	2,398	1,505	1,332	1,302	1,330	1,527	2,144	2,930	1,586	30
1924	20,392	922	2,766	2,494	1,648	1,294	1,337	1,404	1,641	2,350	2,877	1,636	23
1925	21,661	948	2,708	2,462	1,868	1,432	1,473	1,574	1,836	2,415	3,212	1,695	38
1926	22,042	983	2,604	2,479	1,779	1,467	1,467	1,686	1,827	2,552	3,373	1,800	25
1927	22,171	888	2,530	2,511	1,803	1,439	1,583	1,613	1,933	2,687	3,364	1,796	24
1928	24,292	951	2,596	2,674	2,035	1,546	1,600	1,918	2,108	2,970	3,844	1,990	60
1929	24,981	900	2,574	2,595	2,253	1,726	1,721	1,886	2,246	3,154	3,785	2,102	39
1930	25,664	952	2,315	2,488	2,279	1,703	1,666	2,006	2,386	3,343	4,222	2,274	30
1931	25,773	862	2,322	2,388	2,326	1,655	1,737	2,027	2,475	3,456	4,259	2,238	28
1932	24,536	784	2,057	2,248	2,115	1,567	1,581	1,838	2,286	3,444	4,218	2,371	27
1933	26,333	855	2,155	2,304	2,337	1,736	1,785	2,000	2,478	3,527	4,696	2,421	39
1934	28,510	935	2,029	2,402	2,460	2,006	1,879	2,151	2,716	4,095	5,170	2,628	39
1935	28,852	928	2,094	2,273	2,597	1,987	1,890	2,247	2,708	3,988	5,229	2,875	36
1936	32,429	1,094	2,148	2,338	2,632	2,167	2,078	2,402	3,045	4,809	6,350	3,339	27
1937	30,077	961	1,981	2,243	2,679	2,000	1,950	2,230	2,694	4,425	5,913	2,977	24
1938	28,180	977	1,822	1,885	2,123	1,723	1,720	2,034	2,551	4,275	6,011	3,039	20
1939	27,779	966	1,805	1,719	2,089	1,693	1,560	1,891	2,530	4,212	6,095	3,203	16

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	38,801	---	---	---	---	---	---	---	---	---	---	---	---
1911	43,371	---	---	---	---	---	---	---	---	---	---	---	---
1912	42,638	---	---	---	---	---	---	---	---	---	---	---	---
1913	46,277	---	---	---	---	---	---	---	---	---	---	---	---
1914	44,403	1,369	3,924	4,052	6,048	6,554	5,994	5,004	3,844	3,253	2,811	1,284	266
1915	43,245	1,217	3,884	4,215	5,693	6,197	5,782	4,914	3,741	3,216	2,892	1,290	204
1916	50,957	1,524	4,286	4,713	6,583	7,339	7,069	6,133	4,690	3,737	3,186	1,485	212
1917	55,747	---	---	---	---	---	---	---	---	---	---	---	---
1918	59,276	1,506	5,180	6,809	7,479	7,817	7,629	6,814	5,557	4,599	3,761	1,658	467
1919	53,818	1,377	5,199	6,816	6,967	6,867	6,695	5,669	4,793	3,941	3,602	1,673	219
1920	54,724	1,519	5,143	6,852	7,162	6,980	6,418	5,592	4,727	4,333	4,012	1,832	154
1921	53,546	1,441	4,919	6,650	6,762	6,743	6,409	5,494	4,771	4,343	3,980	1,911	123
1922	57,317	1,430	5,024	6,888	7,140	7,089	6,880	6,165	5,290	4,793	4,392	2,047	179
1923	65,006	1,513	5,143	7,312	8,177	8,045	8,201	7,326	6,285	5,636	4,958	2,238	172
1924	65,734	1,635	5,371	7,425	8,459	7,720	8,166	7,340	6,325	5,855	4,966	2,294	178
1925	70,240	1,667	5,217	7,606	9,143	8,203	8,663	8,108	6,986	6,469	5,508	2,508	162
1926	71,866	1,808	5,022	7,513	9,271	8,298	8,992	8,546	7,267	6,617	5,827	2,561	144
1927	73,818	1,563	5,156	7,677	9,735	8,480	9,229	8,544	7,707	7,015	5,944	2,616	152
1928	79,115	1,649	5,136	8,052	10,439	9,132	9,701	9,450	8,183	7,624	6,705	2,831	213
1929	82,084	1,610	4,968	7,904	11,338	9,594	10,112	9,783	8,702	8,140	6,800	2,931	202
1930	83,693	1,686	4,556	7,383	11,494	9,712	10,128	10,171	9,068	8,665	7,346	3,303	181
1931	82,732	1,511	4,617	7,099	11,235	9,046	9,851	10,150	9,348	8,795	7,632	3,298	150
1932	75,072	1,362	4,109	6,534	9,825	8,071	8,552	8,810	8,484	8,349	7,432	3,398	146
1933	80,087	1,426	4,205	6,949	10,451	8,836	8,969	9,572	9,023	8,781	8,162	3,543	170
1934	88,945	1,576	3,990	7,041	11,346	9,752	9,948	11,144	10,486	10,262	9,306	3,904	190
1935	88,761	1,612	4,054	6,700	11,432	9,990	10,036	10,980	10,244	10,014	9,342	4,189	168
1936	97,680	1,896	4,144	6,751	11,857	10,518	10,653	12,101	11,773	11,752	11,227	4,856	152
1937	93,599	1,701	3,865	6,626	12,474	10,358	10,111	11,272	10,997	10,928	10,660	4,482	125
1938	83,439	1,775	3,615	5,573	10,439	8,836	8,532	9,952	9,605	10,192	10,317	4,503	100
1939	82,438	1,758	3,629	5,379	10,432	8,966	8,268	9,346	9,383	10,045	10,541	4,593	98

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	30,587	---	---	---	---	---	---	---	---	---	---	---	---
1911	33,235	---	---	---	---	---	---	---	---	---	---	---	---
1912	32,848	---	---	---	---	---	---	---	---	---	---	---	---
1913	35,944	---	---	---	---	---	---	---	---	---	---	---	---
1914	33,979	742	2,254	3,038	5,275	5,911	5,349	4,350	3,072	2,106	1,211	427	244
1915	32,923	666	2,248	3,169	4,949	5,592	5,174	4,222	2,938	2,046	1,273	451	195
1916	39,079	818	2,396	3,512	5,787	6,565	6,318	5,313	3,740	2,430	1,454	547	199
1917	42,083	---	---	---	---	---	---	---	---	---	---	---	---
1918	44,561	837	2,933	4,995	6,333	6,866	6,690	5,803	4,416	3,050	1,641	589	408
1919	39,712	806	2,880	4,982	5,884	5,971	5,843	4,768	3,707	2,552	1,558	569	192
1920	39,722	861	2,816	5,008	6,099	6,079	5,516	4,636	3,543	2,692	1,704	628	140
1921	38,839	802	2,827	4,854	5,756	5,800	5,544	4,532	3,568	2,707	1,707	633	109
1922	41,578	803	2,830	4,987	5,987	6,091	5,994	5,134	4,044	2,977	1,912	661	158
1923	47,340	852	2,918	5,219	6,883	6,903	7,018	6,109	4,866	3,589	2,117	719	147
1924	47,596	915	3,082	5,279	7,072	6,631	7,000	6,108	4,801	3,628	2,185	734	161
1925	50,713	934	2,908	5,445	7,560	6,990	7,366	6,682	5,282	4,142	2,389	879	136
1926	51,993	997	2,824	5,378	7,740	7,063	7,740	7,024	5,561	4,180	2,534	826	126
1927	53,738	865	2,983	5,497	8,145	7,243	7,854	7,109	5,916	4,441	2,663	883	139
1928	57,384	912	2,976	5,772	8,703	7,829	8,338	7,773	6,235	4,780	2,972	908	186
1929	59,663	916	2,808	5,685	9,387	8,156	8,634	8,133	6,654	5,108	3,104	901	177
1930	60,513	947	2,614	5,256	9,486	8,270	8,699	8,404	6,896	5,456	3,223	1,103	159
1931	59,417	843	2,653	5,038	9,186	7,671	8,365	8,359	7,073	5,494	3,490	1,114	131
1932	52,885	765	2,385	4,618	7,957	6,770	7,207	7,201	6,373	5,061	3,329	1,094	125
1933	56,351	789	2,403	4,999	8,414	7,372	7,476	7,828	6,768	5,423	3,548	1,191	140
1934	63,351	894	2,326	5,018	9,227	8,076	8,378	9,283	8,016	6,348	4,262	1,363	160
1935	62,603	901	2,313	4,765	9,121	8,297	8,424	9,024	7,745	6,219	4,233	1,419	142
1936	68,360	1,046	2,375	4,761	9,558	8,715	8,897	9,998	9,002	7,216	5,022	1,634	136
1937	66,338	986	2,214	4,741	10,102	8,659	8,466	9,323	8,540	6,728	4,872	1,601	106
1938	57,864	1,016	2,126	3,996	8,614	7,372	7,102	8,184	7,284	6,118	4,423	1,544	85
1939	57,132	997	2,129	3,922	8,662	7,547	6,938	7,670	7,078	6,052	4,564	1,485	88

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	8,214	---	---	---	---	---	---	---	---	---	---	---	---
1911	10,136	---	---	---	---	---	---	---	---	---	---	---	---
1912	9,790	---	---	---	---	---	---	---	---	---	---	---	---
1913	10,333	---	---	---	---	---	---	---	---	---	---	---	---
1914	10,424	627	1,670	1,014	773	643	645	654	772	1,147	1,600	857	22
1915	10,322	551	1,636	1,046	744	605	608	692	803	1,170	1,619	839	9
1916	11,878	706	1,890	1,201	796	774	751	820	950	1,307	1,732	938	13
1917	13,664	---	---	---	---	---	---	---	---	---	---	---	---
1918	14,715	669	2,247	1,814	1,146	951	939	1,011	1,141	1,549	2,120	1,069	59
1919	14,106	571	2,319	1,834	1,083	896	852	901	1,086	1,389	2,044	1,104	27
1920	15,002	658	2,327	1,844	1,063	901	902	956	1,184	1,641	2,308	1,204	14
1921	14,707	639	2,092	1,796	1,006	943	865	962	1,203	1,636	2,273	1,278	14
1922	15,739	627	2,194	1,901	1,153	998	886	1,031	1,246	1,816	2,480	1,386	21
1923	17,666	661	2,225	2,093	1,294	1,142	1,183	1,217	1,419	2,047	2,841	1,519	25
1924	18,138	720	2,289	2,146	1,387	1,089	1,166	1,232	1,524	2,227	2,781	1,560	17
1925	19,527	733	2,309	2,161	1,583	1,213	1,297	1,426	1,704	2,327	3,119	1,629	26
1926	19,873	811	2,198	2,135	1,531	1,235	1,252	1,522	1,706	2,437	3,293	1,735	18
1927	20,080	698	2,173	2,180	1,590	1,237	1,375	1,435	1,791	2,574	3,281	1,733	13
1928	21,731	737	2,160	2,280	1,736	1,303	1,363	1,677	1,948	2,844	3,733	1,923	27
1929	22,421	694	2,160	2,219	1,951	1,438	1,478	1,650	2,048	3,032	3,696	2,030	25
1930	23,180	739	1,942	2,127	2,008	1,442	1,429	1,767	2,172	3,209	4,123	2,200	22
1931	23,315	668	1,964	2,061	2,049	1,375	1,486	1,791	2,275	3,301	4,142	2,184	19
1932	22,187	597	1,724	1,916	1,868	1,301	1,345	1,609	2,111	3,288	4,103	2,304	21
1933	23,736	637	1,802	1,950	2,037	1,464	1,493	1,744	2,255	3,358	4,614	2,352	30
1934	25,594	682	1,664	2,023	2,119	1,676	1,570	1,861	2,470	3,914	5,044	2,541	30
1935	26,158	711	1,741	1,935	2,311	1,693	1,612	1,956	2,499	3,795	5,109	2,770	26
1936	29,320	850	1,769	1,990	2,299	1,803	1,756	2,103	2,771	4,536	6,205	3,222	16
1937	27,261	715	1,651	1,885	2,372	1,699	1,645	1,949	2,457	4,200	5,788	2,881	19
1938	25,575	759	1,489	1,577	1,825	1,464	1,430	1,768	2,321	4,074	5,894	2,959	15
1939	25,306	761	1,500	1,457	1,770	1,419	1,330	1,676	2,305	3,993	5,977	3,108	10

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ALL OTHER, BOTH SEXES													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,170	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,733	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,698	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,441	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,352	183	237	241	356	405	347	244	128	92	68	25	26
1915	2,259	128	243	260	349	332	335	232	152	103	57	35	33
1916	3,670	242	505	435	608	528	522	317	208	139	87	41	38
1917	4,647	---	---	---	---	---	---	---	---	---	---	---	---
1918	5,070	273	596	642	839	668	742	494	292	243	132	82	67
1919	5,353	307	659	791	931	723	656	507	271	244	150	56	58
1920	5,501	337	715	797	1,047	729	602	477	294	242	135	89	37
1921	5,063	320	561	698	972	674	643	468	263	225	124	66	49
1922	6,071	399	768	790	1,081	815	710	610	367	253	135	85	58
1923	7,066	369	823	904	1,292	1,065	859	683	397	303	190	111	70
1924	7,716	445	923	923	1,406	1,085	966	772	471	319	213	128	65
1925	7,990	391	821	932	1,496	1,235	1,093	833	484	297	218	118	72
1926	8,362	368	836	981	1,481	1,367	1,171	892	537	336	203	123	67
1927	8,837	420	784	1,009	1,556	1,416	1,290	978	561	348	237	116	122
1928	9,723	451	858	1,087	1,745	1,515	1,372	1,151	590	403	258	134	159
1929	9,998	416	833	1,113	1,748	1,651	1,444	1,189	717	398	269	129	91
1930	9,812	460	777	1,039	1,677	1,567	1,461	1,190	718	449	270	133	71
1931	9,150	396	688	1,040	1,516	1,479	1,311	1,164	714	448	230	106	58
1932	9,082	394	695	1,017	1,552	1,472	1,320	1,052	693	443	253	134	57
1933	10,156	461	702	1,158	1,714	1,609	1,463	1,249	826	522	256	135	61
1934	11,294	508	790	1,172	1,872	1,822	1,624	1,465	936	592	304	163	46
1935	10,303	460	683	1,021	1,681	1,657	1,585	1,257	833	598	290	185	53
1936	11,699	537	707	1,052	1,800	1,882	1,822	1,489	1,026	763	346	215	60
1937	10,941	503	735	1,024	1,788	1,688	1,668	1,382	934	692	316	165	46
1938	9,760	458	654	972	1,639	1,531	1,461	1,163	828	596	257	159	42
1939	9,637	468	654	960	1,604	1,472	1,348	1,200	805	647	273	162	44

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	927	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,298	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,318	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,837	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,737	98	118	141	307	360	299	189	96	59	35	11	24
1915	1,671	71	128	164	289	284	286	197	112	71	29	9	31
1916	2,716	137	259	255	516	458	452	273	162	102	48	19	35
1917	3,339	---	---	---	---	---	---	---	---	---	---	---	---
1918	3,694	144	308	409	722	558	612	399	214	159	80	34	55
1919	3,855	160	336	519	792	575	552	411	198	172	72	21	47
1920	3,901	179	349	472	892	607	499	382	226	158	68	42	27
1921	3,700	167	279	469	850	574	525	389	182	131	66	28	40
1922	4,323	214	366	497	891	685	568	507	274	164	77	30	50
1923	5,181	200	411	599	1,081	875	740	570	289	206	101	44	65
1924	5,462	243	446	575	1,145	880	795	600	354	196	117	52	59
1925	5,856	176	422	631	1,211	1,016	917	685	352	209	125	52	60
1926	6,193	196	430	637	1,233	1,135	956	728	416	221	123	58	60
1927	6,746	230	427	678	1,343	1,214	1,082	800	419	235	154	53	111
1928	7,162	237	422	693	1,446	1,272	1,135	910	430	277	147	67	126
1929	7,438	210	419	737	1,446	1,363	1,201	953	519	276	180	57	77
1930	7,328	247	404	678	1,406	1,306	1,224	951	504	315	171	59	63
1931	6,692	202	330	713	1,239	1,199	1,060	928	514	293	113	52	49
1932	6,733	207	362	685	1,305	1,206	1,084	823	518	287	138	67	51
1933	7,559	243	349	804	1,414	1,337	1,171	993	603	353	174	66	52
1934	8,378	255	425	793	1,531	1,492	1,315	1,175	690	411	178	76	37
1935	7,609	243	330	683	1,395	1,363	1,307	966	624	405	170	80	43
1936	8,590	293	328	704	1,467	1,518	1,500	1,190	752	490	201	98	49
1937	8,125	257	405	666	1,481	1,387	1,363	1,101	697	467	191	69	41
1938	7,155	240	321	664	1,341	1,272	1,171	897	598	395	140	79	37
1939	7,164	263	349	698	1,285	1,198	1,118	985	580	428	155	67	38

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	243	---	---	---	---	---	---	---	---	---	---	---	---
1911	435	---	---	---	---	---	---	---	---	---	---	---	---
1912	380	---	---	---	---	---	---	---	---	---	---	---	---
1913	604	---	---	---	---	---	---	---	---	---	---	---	---
1914	615	85	119	100	49	45	48	55	32	33	33	14	2
1915	588	57	115	96	60	48	49	35	40	32	28	26	2
1916	954	105	246	180	92	70	70	44	46	37	39	22	3
1917	1,308	---	---	---	---	---	---	---	---	---	---	---	---
1918	1,376	129	288	233	117	110	130	95	78	84	52	48	12
1919	1,498	147	323	272	139	148	104	96	73	72	78	35	11
1920	1,600	158	366	325	155	122	103	95	68	84	67	47	10
1921	1,363	153	282	229	122	100	118	79	81	94	58	38	9
1922	1,748	185	402	293	190	130	142	103	93	89	58	55	8
1923	1,885	169	412	305	211	190	119	113	108	97	89	67	5
1924	2,254	202	477	348	261	205	171	172	117	123	96	76	6
1925	2,134	215	399	301	285	219	176	148	132	88	93	66	12
1926	2,169	172	406	344	248	232	215	164	121	115	80	65	7
1927	2,091	190	357	331	213	202	208	178	142	113	83	63	11
1928	2,561	214	436	394	299	243	237	241	160	126	111	67	33
1929	2,560	206	414	376	302	288	243	236	198	122	89	72	14
1930	2,484	213	373	361	271	261	237	239	214	134	99	74	8
1931	2,458	194	358	327	277	280	251	236	200	155	117	54	9
1932	2,349	187	333	332	247	266	236	229	175	156	115	67	6
1933	2,597	218	353	354	300	272	292	256	223	169	82	69	9
1934	2,916	253	365	379	341	330	309	290	246	181	126	87	9
1935	2,694	217	353	338	286	294	278	291	209	193	120	105	10
1936	3,109	244	379	348	333	364	322	299	274	273	145	117	11
1937	2,816	246	330	358	307	301	305	281	237	225	125	96	5
1938	2,605	218	333	308	298	259	290	266	230	201	117	80	5
1939	2,473	205	305	262	319	274	230	215	225	219	118	95	6

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Notes: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) 1922-1929 total excludes deaths from legal executions.

3) 1909 total includes auto collisions with motor cycle.

4) 1926 total excludes food poisoning.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

MOTOR-VEHICLE ACCIDENTS

ICD Revision	Years in use	ICD Nos.
Fifth	1939	170
Fourth	1930-1938	206, 208, 210, 211
Third	1921-1929	188pt
Second	1910-1920	175pt
First	1900-1909	166pt

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	149	-	5	34	8	25	14	26	16	17	2	2	-
1907	246	-	7	56	27	46	34	29	25	13	8	1	-
1908	317	2	14	70	35	41	44	36	39	21	13	1	1
1909	543	-	24	108	60	95	72	70	49	49	15	1	-
1910	833	3	24	213	98	111	125	91	74	61	28	4	1
1911	1,145	3	46	265	135	160	149	151	125	79	25	6	1
1912	1,562	4	99	369	207	183	224	185	154	98	35	4	-
1913	2,234	7	120	542	294	323	288	241	209	140	62	4	4
1914	2,557	10	136	580	345	337	346	310	245	176	60	8	4
1915	3,573	9	195	759	506	476	459	451	352	239	105	14	8
1916	4,737	15	286	1,001	651	661	612	562	487	308	123	23	8
1917	6,064	26	356	1,296	837	836	834	735	574	378	158	24	10
1918	7,310	34	492	1,743	905	875	892	865	758	489	211	32	14
1919	7,771	23	569	2,047	953	904	883	774	757	551	257	36	17
1920	8,878	34	665	2,242	1,157	1,131	923	899	829	646	301	44	7
1921	9,903	40	729	2,323	1,143	1,225	1,197	1,094	953	806	320	60	13
1922	11,466	50	783	2,554	1,466	1,465	1,319	1,253	1,143	933	429	59	12
1923	14,157	57	856	2,791	1,951	1,773	1,815	1,650	1,464	1,173	531	80	16
1924	15,221	80	980	2,926	2,183	1,877	1,838	1,758	1,565	1,324	595	74	21
1925	17,149	82	1,032	3,052	2,561	2,054	2,043	1,976	1,896	1,598	723	113	19
1926	20,413	114	1,051	3,287	3,306	2,650	2,587	2,534	2,104	1,799	833	114	34
1927	23,114	126	1,257	3,418	3,788	3,023	2,949	2,739	2,591	2,096	949	150	28
1928	26,311	122	1,301	3,542	4,484	3,404	3,371	3,309	3,035	2,396	1,131	161	55
1929	29,439	119	1,369	3,604	5,330	3,902	3,680	3,791	3,377	2,744	1,287	173	63
1930	31,256	138	1,265	3,425	5,835	4,337	3,918	4,049	3,605	3,049	1,355	220	60
1931	32,020	129	1,272	3,382	5,998	4,435	4,218	4,093	3,800	3,018	1,409	206	60
1932	28,029	87	1,080	2,781	4,905	3,991	3,765	3,650	3,422	2,776	1,307	211	54
1933	31,363	103	1,171	3,121	5,649	4,607	4,123	4,175	3,772	2,982	1,398	191	71
1934	36,101	108	1,102	3,182	6,561	5,421	4,811	5,033	4,497	3,531	1,568	221	66
1935	36,369	109	1,144	2,951	6,755	5,583	4,891	5,074	4,488	3,434	1,603	278	59
1936	38,089	124	1,200	3,026	7,184	5,752	5,055	5,247	4,842	3,667	1,692	228	72
1937	39,643	166	1,137	2,991	7,800	5,726	5,151	5,426	5,049	3,972	1,888	276	61
1938	32,582	125	997	2,511	6,016	4,749	4,023	4,476	4,235	3,484	1,676	251	39
1939	32,386	137	1,055	2,339	6,318	4,898	4,019	4,206	4,086	3,417	1,628	230	53

--- Data not available.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	127	-	2	33	7	19	11	22	16	14	2	1	-
1907	196	-	5	40	22	35	30	26	21	9	7	1	-
1908	250	1	11	51	31	29	38	32	27	17	11	1	1
1909	409	-	14	84	42	73	55	56	38	34	12	1	-
1910	659	-	13	157	80	95	99	82	54	51	24	3	1
1911	908	1	34	211	109	133	120	115	98	64	18	4	1
1912	1,217	1	66	270	156	158	189	152	122	75	26	2	-
1913	1,760	5	77	426	234	262	242	198	158	107	45	2	4
1914	2,021	8	80	465	267	283	280	262	189	135	41	7	4
1915	2,797	6	114	593	410	395	378	354	263	186	80	11	7
1916	3,748	7	181	794	524	559	503	445	383	238	90	19	5
1917	4,716	16	219	975	671	688	690	605	440	266	117	19	10
1918	5,634	18	320	1,338	701	711	745	679	568	372	144	26	12
1919	5,833	13	364	1,558	735	723	698	569	543	409	180	28	13
1920	6,665	15	425	1,722	890	928	742	661	574	451	214	36	7
1921	7,411	18	474	1,730	900	994	977	823	660	553	227	45	10
1922	8,621	21	504	1,885	1,114	1,204	1,072	980	807	660	317	46	11
1923	10,547	32	542	2,009	1,495	1,417	1,441	1,283	1,059	819	383	54	13
1924	11,223	51	629	2,122	1,658	1,488	1,432	1,351	1,079	919	424	51	19
1925	12,554	43	651	2,194	1,920	1,632	1,597	1,494	1,306	1,122	501	80	14
1926	15,080	61	643	2,324	2,514	2,086	2,036	1,929	1,500	1,279	591	87	30
1927	17,175	70	814	2,397	2,951	2,416	2,315	2,076	1,891	1,451	659	108	27
1928	19,607	56	811	2,452	3,522	2,751	2,664	2,478	2,223	1,708	789	108	45
1929	22,143	62	840	2,534	4,117	3,126	2,924	2,940	2,488	1,969	975	112	56
1930	23,578	85	773	2,386	4,573	3,508	3,169	3,106	2,664	2,154	945	169	46
1931	24,103	62	782	2,349	4,634	3,569	3,361	3,137	2,835	2,142	1,033	150	49
1932	21,166	52	692	1,891	3,763	3,206	3,038	2,827	2,569	1,997	945	143	43
1933	23,907	53	750	2,184	4,345	3,755	3,308	3,277	2,853	2,176	999	147	60
1934	27,892	64	695	2,199	5,141	4,367	3,919	4,077	3,471	2,595	1,151	155	58
1935	27,980	50	709	2,069	5,191	4,522	3,950	4,029	3,459	2,576	1,164	209	52
1936	29,267	58	730	2,115	5,541	4,616	4,052	4,193	3,771	2,705	1,251	171	64
1937	30,491	86	670	2,107	6,080	4,590	4,090	4,330	3,969	2,944	1,379	200	46
1938	25,092	70	614	1,774	4,747	3,824	3,206	3,538	3,299	2,567	1,231	190	32
1939	24,967	66	598	1,663	5,027	3,979	3,229	3,328	3,166	2,487	1,213	165	46

--- Data not available.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	22	-	3	1	1	6	3	4	-	3	-	1	-
1907	50	-	2	16	5	11	4	3	4	4	1	-	-
1908	67	1	3	19	4	12	6	4	12	4	2	-	-
1909	134	-	10	24	18	22	17	14	11	15	3	-	-
1910	174	3	11	56	18	16	26	9	20	10	4	1	-
1911	237	2	12	54	26	27	29	36	27	15	7	2	-
1912	345	3	33	99	51	25	35	33	32	23	9	2	-
1913	474	2	43	116	60	61	46	43	51	33	17	2	-
1914	536	2	56	115	78	54	66	48	56	41	19	1	-
1915	776	3	81	166	96	81	81	97	89	53	25	3	1
1916	989	8	105	207	127	102	109	117	104	70	33	4	3
1917	1,348	10	137	321	166	148	144	130	134	112	41	5	-
1918	1,676	16	172	405	204	164	147	186	190	117	67	6	2
1919	1,938	10	205	489	218	181	185	205	214	142	77	8	4
1920	2,213	19	240	520	267	203	181	238	255	195	87	8	-
1921	2,492	22	255	593	243	231	220	271	293	253	93	15	3
1922	2,845	29	279	669	352	261	247	273	336	273	112	13	1
1923	3,610	25	314	782	456	356	374	367	405	354	148	26	3
1924	3,998	29	351	804	525	389	406	407	486	405	171	23	2
1925	4,595	39	381	858	641	422	446	482	590	476	222	33	5
1926	5,333	53	408	963	792	564	551	605	604	520	242	27	4
1927	5,939	56	443	1,021	837	607	634	663	700	645	290	42	1
1928	6,704	66	490	1,090	962	653	707	831	812	688	342	53	10
1929	7,296	57	529	1,070	1,213	776	756	851	889	775	312	61	7
1930	7,678	53	492	1,039	1,262	829	749	943	941	895	410	51	14
1931	7,917	67	490	1,033	1,364	866	857	956	965	876	376	56	11
1932	6,863	35	388	890	1,142	785	727	823	853	779	362	68	11
1933	7,456	50	421	937	1,304	852	815	898	919	806	399	44	11
1934	8,209	44	407	983	1,420	1,054	892	956	1,026	936	417	66	8
1935	8,389	59	435	882	1,564	1,061	941	1,045	1,029	858	439	69	7
1936	8,822	66	470	911	1,643	1,136	1,003	1,054	1,071	962	441	57	8
1937	9,152	80	467	884	1,720	1,136	1,061	1,096	1,080	1,028	509	76	15
1938	7,490	55	383	737	1,269	925	817	938	936	917	445	61	7
1939	7,419	71	457	676	1,291	919	790	878	920	930	415	65	7

--- Data not available.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	821	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,118	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,520	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,175	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,505	10	135	568	337	325	339	308	240	173	58	8	4
1915	3,472	9	188	743	491	459	443	436	344	234	103	14	8
1916	4,588	15	277	967	632	636	588	549	476	297	122	22	7
1917	5,850	---	---	---	---	---	---	---	---	---	---	---	---
1918	6,983	33	471	1,660	858	837	843	830	734	473	203	28	13
1919	7,438	22	554	1,967	913	854	829	743	724	531	249	36	16
1920	8,496	32	641	2,149	1,092	1,067	875	869	794	632	296	42	7
1921	9,486	37	707	2,232	1,088	1,168	1,132	1,037	923	782	310	60	10
1922	10,873	49	746	2,449	1,388	1,358	1,216	1,180	1,101	898	421	57	10
1923	13,296	51	823	2,651	1,788	1,624	1,671	1,552	1,395	1,144	513	73	11
1924	14,112	75	923	2,764	1,989	1,690	1,665	1,604	1,486	1,272	567	66	11
1925	15,935	76	973	2,877	2,340	1,840	1,837	1,824	1,812	1,537	697	106	16
1926	18,901	111	986	3,084	3,022	2,358	2,334	2,349	1,992	1,723	809	108	25
1927	21,366	115	1,175	3,186	3,526	2,710	2,653	2,475	2,463	2,003	904	136	20
1928	24,261	113	1,216	3,285	4,138	3,058	3,034	2,992	2,858	2,295	1,090	141	41
1929	26,966	110	1,275	3,344	4,874	3,426	3,292	3,411	3,153	2,642	1,235	159	45
1930	28,682	133	1,175	3,165	5,323	3,858	3,506	3,664	3,371	2,923	1,308	209	47
1931	29,377	120	1,199	3,106	5,531	3,905	3,770	3,709	3,552	2,872	1,369	198	46
1932	25,559	78	989	2,518	4,512	3,523	3,319	3,276	3,198	2,644	1,266	192	44
1933	28,395	95	1,071	2,826	5,120	4,055	3,616	3,746	3,492	2,814	1,332	175	53
1934	32,659	99	998	2,849	5,952	4,737	4,252	4,527	4,153	3,333	1,508	198	53
1935	33,143	97	1,037	2,722	6,187	4,954	4,289	4,610	4,171	3,246	1,537	249	44
1936	34,463	107	1,109	2,781	6,522	5,071	4,334	4,735	4,468	3,454	1,624	208	50
1937	36,041	149	1,049	2,724	7,113	5,078	4,502	4,895	4,676	3,742	1,808	257	48
1938	29,461	113	903	2,264	5,427	4,153	3,445	4,050	3,920	3,298	1,619	238	31
1939	29,297	129	956	2,082	5,744	4,324	3,492	3,759	3,778	3,208	1,578	211	36

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	649	---	---	---	---	---	---	---	---	---	---	---	---
1911	886	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,180	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,714	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,974	8	79	455	259	271	274	261	185	132	39	7	4
1915	2,721	6	113	583	396	384	365	340	255	183	78	11	7
1916	3,623	7	175	767	508	540	480	434	373	228	89	18	4
1917	4,540	---	---	---	---	---	---	---	---	---	---	---	---
1918	5,372	18	303	1,273	662	679	706	652	551	356	137	23	12
1919	5,570	13	356	1,500	700	682	652	543	516	391	177	28	12
1920	6,361	13	413	1,645	835	877	703	638	546	440	210	34	7
1921	7,081	16	461	1,655	856	947	923	776	636	539	219	45	8
1922	8,165	20	483	1,804	1,056	1,116	995	917	774	636	310	45	9
1923	9,876	29	517	1,905	1,373	1,297	1,322	1,199	1,006	800	372	48	8
1924	10,366	49	588	1,999	1,501	1,348	1,296	1,227	1,020	880	401	48	9
1925	11,644	39	613	2,058	1,759	1,480	1,434	1,369	1,245	1,075	484	77	11
1926	13,925	59	604	2,174	2,292	1,860	1,839	1,780	1,416	1,222	574	83	22
1927	15,818	64	758	2,224	2,735	2,172	2,088	1,871	1,791	1,380	619	97	19
1928	18,042	51	764	2,276	3,243	2,482	2,396	2,230	2,088	1,625	762	91	34
1929	20,216	58	784	2,352	3,762	2,752	2,613	2,633	2,302	1,890	930	100	40
1930	21,552	81	727	2,199	4,150	3,130	2,826	2,793	2,484	2,063	906	158	35
1931	22,076	59	741	2,143	4,274	3,155	3,010	2,827	2,651	2,034	1,003	142	37
1932	19,255	44	640	1,708	3,438	2,841	2,681	2,533	2,394	1,898	918	127	33
1933	21,538	48	691	1,967	3,913	3,294	2,898	2,934	2,629	2,042	944	132	46
1934	25,150	58	634	1,969	4,637	3,809	3,462	3,664	3,198	2,434	1,101	137	47
1935	25,381	46	646	1,906	4,719	4,004	3,447	3,653	3,200	2,423	1,110	189	38
1936	26,384	48	676	1,936	5,018	4,084	3,454	3,762	3,464	2,544	1,197	156	45
1937	27,627	77	609	1,909	5,538	4,065	3,571	3,892	3,671	2,756	1,318	186	35
1938	22,641	63	555	1,598	4,269	3,347	2,742	3,209	3,051	2,414	1,187	179	27
1939	22,523	62	540	1,465	4,585	3,517	2,795	2,955	2,926	2,324	1,173	151	30

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	172	---	---	---	---	---	---	---	---	---	---	---	---
1911	232	---	---	---	---	---	---	---	---	---	---	---	---
1912	340	---	---	---	---	---	---	---	---	---	---	---	---
1913	461	---	---	---	---	---	---	---	---	---	---	---	---
1914	531	2	56	113	78	54	65	47	55	41	19	1	-
1915	751	3	75	160	95	75	78	96	89	51	25	3	1
1916	965	8	102	200	124	96	108	115	103	69	33	4	3
1917	1,310	---	---	---	---	---	---	---	---	---	---	---	---
1918	1,611	15	168	387	196	158	137	178	183	117	66	5	1
1919	1,868	9	198	467	213	172	177	200	208	140	72	8	4
1920	2,135	19	228	504	257	190	172	231	248	192	86	8	-
1921	2,405	21	246	577	232	221	209	261	287	243	91	15	2
1922	2,708	29	263	645	332	242	221	263	327	262	111	12	1
1923	3,420	22	306	746	415	327	349	353	389	344	141	25	3
1924	3,746	26	335	765	488	342	369	377	466	392	166	18	2
1925	4,291	37	360	819	581	360	403	455	567	462	213	29	5
1926	4,976	52	382	910	730	498	495	569	576	501	235	25	3
1927	5,548	51	417	962	791	538	565	604	672	623	285	39	1
1928	6,219	62	452	1,009	895	576	638	762	770	670	328	50	7
1929	6,750	52	491	992	1,112	674	679	778	851	752	305	59	5
1930	7,130	52	448	966	1,173	728	680	871	887	860	402	51	12
1931	7,301	61	458	963	1,257	750	760	882	901	838	366	56	9
1932	6,304	34	349	810	1,074	682	638	743	804	746	348	65	11
1933	6,857	47	380	859	1,207	761	718	812	863	772	388	43	7
1934	7,509	41	364	880	1,315	928	790	863	955	899	407	61	6
1935	7,762	51	391	816	1,468	950	842	957	971	823	427	60	6
1936	8,079	59	433	845	1,504	987	880	973	1,004	910	427	52	5
1937	8,414	72	440	815	1,575	1,013	931	1,003	1,005	986	490	71	13
1938	6,820	50	348	666	1,158	806	703	841	869	884	432	59	4
1939	6,774	67	416	617	1,159	807	697	804	852	884	405	60	6

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

ALL OTHER, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	12	---	---	---	---	---	---	---	---	---	---	---	---
1911	27	---	---	---	---	---	---	---	---	---	---	---	---
1912	42	---	---	---	---	---	---	---	---	---	---	---	---
1913	59	---	---	---	---	---	---	---	---	---	---	---	---
1914	52	-	1	12	8	12	7	2	5	3	2	-	-
1915	101	-	7	16	15	17	16	15	8	5	2	-	-
1916	149	-	9	34	19	25	24	13	11	11	1	1	1
1917	214	---	---	---	---	---	---	---	---	---	---	---	---
1918	327	1	21	83	47	38	49	35	24	16	8	4	1
1919	333	1	15	80	40	50	54	31	33	20	8	-	1
1920	382	2	24	93	65	64	48	30	35	14	5	2	-
1921	417	3	22	91	55	57	65	57	30	24	10	-	3
1922	593	1	37	105	78	107	103	73	42	35	8	2	2
1923	861	6	33	140	163	149	144	98	69	29	18	7	5
1924	1,109	5	57	162	194	187	173	154	79	52	28	8	10
1925	1,214	6	59	175	221	214	206	152	84	61	26	7	3
1926	1,512	3	65	203	284	292	253	185	112	76	24	6	9
1927	1,748	11	82	232	262	313	296	264	128	93	45	14	8
1928	2,050	9	85	257	346	346	337	317	177	101	41	20	14
1929	2,473	9	94	260	456	476	388	380	224	102	52	14	18
1930	2,574	5	90	260	512	479	412	385	234	126	47	11	13
1931	2,643	9	73	276	467	530	448	384	248	146	40	8	14
1932	2,470	9	91	263	393	468	446	374	224	132	41	19	10
1933	2,968	8	100	295	529	552	507	429	280	168	66	16	18
1934	3,442	9	104	333	609	684	559	506	344	198	60	23	13
1935	3,226	12	107	229	568	629	602	464	317	188	66	29	15
1936	3,626	17	91	245	662	681	721	512	374	213	68	20	22
1937	3,602	17	88	267	687	648	649	531	373	230	80	19	13
1938	3,121	12	94	247	589	596	578	426	315	186	57	13	8
1939	3,089	8	99	257	574	574	527	447	308	209	50	19	17

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	10	---	---	---	---	---	---	---	---	---	---	---	---
1911	22	---	---	---	---	---	---	---	---	---	---	---	---
1912	37	---	---	---	---	---	---	---	---	---	---	---	---
1913	46	---	---	---	---	---	---	---	---	---	---	---	---
1914	47	-	1	10	8	12	6	1	4	3	2	-	-
1915	76	-	1	10	14	11	13	14	8	3	2	-	-
1916	125	-	6	27	16	19	23	11	10	10	1	1	1
1917	176	---	---	---	---	---	---	---	---	---	---	---	---
1918	262	-	17	65	39	32	39	27	17	16	7	3	-
1919	263	-	8	58	35	41	46	26	27	18	3	-	1
1920	304	2	12	77	55	51	39	23	28	11	4	2	-
1921	330	2	13	75	44	47	54	47	24	14	8	-	2
1922	456	1	21	81	58	88	77	63	33	24	7	1	2
1923	671	3	25	104	122	120	119	84	53	19	11	6	5
1924	857	2	41	123	157	140	136	124	59	39	23	3	10
1925	910	4	38	136	161	152	163	125	61	47	17	3	3
1926	1,155	2	39	150	222	226	197	149	84	57	17	4	8
1927	1,357	6	56	173	216	244	227	205	100	71	40	11	8
1928	1,565	5	47	176	279	269	268	248	135	83	27	17	11
1929	1,927	4	56	182	355	374	311	307	186	79	45	12	16
1930	2,026	4	46	187	423	378	343	313	180	91	39	11	11
1931	2,027	3	41	206	360	414	351	310	184	108	30	8	12
1932	1,911	8	52	183	325	365	357	294	175	99	27	16	10
1933	2,369	5	59	217	432	461	410	343	224	134	55	15	14
1934	2,742	6	61	230	504	558	457	413	273	161	50	18	11
1935	2,599	4	63	163	472	518	503	376	259	153	54	20	14
1936	2,883	10	54	179	523	532	598	431	307	161	54	15	19
1937	2,864	9	61	198	542	525	519	438	298	188	61	14	11
1938	2,451	7	59	176	478	477	464	329	248	153	44	11	5
1939	2,444	4	58	198	442	462	434	373	240	163	40	14	16

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

Motor-vehicle Accidents

ALL OTHER, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	2	---	---	---	---	---	---	---	---	---	---	---	---
1911	5	---	---	---	---	---	---	---	---	---	---	---	---
1912	5	---	---	---	---	---	---	---	---	---	---	---	---
1913	13	---	---	---	---	---	---	---	---	---	---	---	---
1914	5	-	-	2	-	-	1	1	1	-	-	-	-
1915	25	-	6	6	1	6	3	1	-	2	-	-	-
1916	24	-	3	7	3	6	1	2	1	1	-	-	-
1917	38	---	---	---	---	---	---	---	---	---	---	---	---
1918	65	1	4	18	8	6	10	8	7	-	1	1	1
1919	70	1	7	22	5	9	8	5	6	2	5	-	-
1920	78	-	12	16	10	13	9	7	7	3	1	-	-
1921	87	1	9	16	11	10	11	10	6	10	2	-	1
1922	137	-	16	24	20	19	26	10	9	11	1	1	-
1923	190	3	8	36	41	29	25	14	16	10	7	1	-
1924	252	3	16	39	37	47	37	30	20	13	5	5	-
1925	304	2	21	39	60	62	43	27	23	14	9	4	-
1926	357	1	26	53	62	66	56	36	28	19	7	2	1
1927	391	5	26	59	46	69	69	59	28	22	5	3	-
1928	485	4	38	81	67	77	69	69	42	18	14	3	3
1929	546	5	38	78	101	102	77	73	38	23	7	2	2
1930	548	1	44	73	89	101	69	72	54	35	8	-	2
1931	616	6	32	70	107	116	97	74	64	38	10	-	2
1932	559	1	39	80	68	103	89	80	49	33	14	3	-
1933	599	3	41	78	97	91	97	86	56	34	11	1	4
1934	700	3	43	103	105	126	102	93	71	37	10	5	2
1935	627	8	44	66	96	111	99	88	58	35	12	9	1
1936	743	7	37	66	139	149	123	81	67	52	14	5	3
1937	738	8	27	69	145	123	130	93	75	42	19	5	2
1938	670	5	35	71	111	119	114	97	67	33	13	2	3
1939	645	4	41	59	132	112	93	74	68	46	10	5	1

--- Data not available. No original tables for the time period 1906-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

- Quantity zero.

Notes: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes ...	196	266	309
Male....	164	226	259
Female...	32	40	50

3) For 1926, deaths from automobile collisions with motorcycles included in total but not distributed by age.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

ICD Revision	Years in use	ICD Nos.
Fifth	1939	169, 171-176, 178-195
Fourth	1930-1938	176, 178-195, 201-205, 207, 209, 212-214
Third	1921-1929	176-187, 188pr, 189, 192-196, 201, 202pt, 203
Second	1910-1920	165-174, 175pt, 176-181, 185, 186
First	1900-1909	164, 165, 166pt, 167-175, 176pt

ALL RACES, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	14,429	564	1,231	1,457	1,983	2,178	2,147	1,525	1,138	927	725	278	276
1901	16,958	726	1,364	1,550	2,035	2,444	2,335	2,007	1,626	1,235	960	362	314
1902	14,915	451	1,147	1,454	2,028	2,342	2,218	1,665	1,297	1,016	746	340	211
1903	17,050	541	1,331	1,633	2,265	2,625	2,495	1,870	1,416	1,182	986	409	297
1904	18,228	569	1,487	1,930	2,441	2,769	2,561	1,967	1,490	1,201	1,100	458	255
1905	17,701	633	1,402	1,745	2,444	2,585	2,565	1,881	1,549	1,241	984	493	179
1906	31,745	984	2,424	2,842	4,794	5,320	4,648	3,433	2,447	1,953	1,575	677	648
1907	32,517	1,007	2,614	2,760	4,993	5,425	5,024	3,635	2,585	1,933	1,577	708	256
1908	31,717	1,085	2,761	2,869	4,720	4,958	4,491	3,602	2,548	2,007	1,724	739	213
1909	34,811	1,132	3,026	3,003	4,816	5,426	5,048	3,997	2,766	2,299	2,108	980	210
1910	39,138	1,166	3,170	3,101	5,727	6,499	5,824	4,484	3,055	2,660	2,189	1,032	231
1911	43,959	1,567	3,794	3,487	6,067	6,621	6,274	5,160	3,691	3,060	2,639	1,305	294
1912	42,774	1,330	3,799	3,579	6,046	6,614	5,913	4,945	3,615	2,882	2,588	1,204	259
1913	46,484	1,483	3,988	3,861	6,828	7,267	6,469	5,335	3,896	3,117	2,705	1,235	300
1914	44,198	1,542	4,025	3,713	6,059	6,622	5,995	4,938	3,727	3,169	2,819	1,301	288
1915	41,931	1,336	3,932	3,716	5,536	6,053	5,658	4,695	3,541	3,080	2,844	1,311	229
1916	49,890	1,751	4,505	4,147	6,540	7,206	6,979	5,888	4,411	3,568	3,150	1,503	242
1917	54,330	2,004	4,798	4,756	7,076	7,558	7,253	6,474	4,940	3,985	3,523	1,501	462
1918	57,036	1,745	5,284	5,708	7,413	7,610	7,479	6,443	5,091	4,353	3,682	1,708	520
1919	51,400	1,661	5,289	5,560	6,945	6,686	6,468	5,402	4,307	3,634	3,495	1,693	260
1920	51,347	1,822	5,193	5,407	7,052	6,578	6,097	5,170	4,192	3,929	3,846	1,877	184
1921	48,706	1,721	4,751	5,025	6,591	6,192	5,855	4,868	4,081	3,762	3,784	1,917	159
1922	51,922	1,779	5,009	5,124	6,755	6,439	6,271	5,522	4,514	4,113	4,098	2,073	225
1923	57,915	1,825	5,110	5,425	7,518	7,337	7,245	6,359	5,218	4,766	4,617	2,269	226
1924	58,229	2,000	5,314	5,422	7,682	6,928	7,294	6,354	5,231	4,850	4,584	2,348	222
1925	61,081	1,976	5,006	5,486	8,078	7,384	7,713	6,965	5,574	5,168	5,003	2,513	215
1926	59,815	2,062	4,807	5,207	7,446	7,015	7,576	6,904	5,700	5,154	5,197	2,570	177
1927	59,541	1,857	4,683	5,268	7,503	6,873	7,570	6,783	5,677	5,267	5,232	2,582	246
1928	62,527	1,978	4,693	5,597	7,700	7,243	7,702	7,292	5,738	5,631	5,832	2,804	317
1929	62,643	1,907	4,432	5,413	7,756	7,343	7,876	7,181	6,042	5,794	5,782	2,887	230
1930	62,249	2,008	4,068	4,997	7,336	6,942	7,671	7,312	6,181	6,065	6,261	3,216	192
1931	59,862	1,778	4,033	4,757	6,753	6,090	6,944	7,221	6,262	6,225	6,453	3,198	148
1932	56,125	1,669	3,724	4,770	6,472	5,552	6,107	6,212	5,755	6,016	6,378	3,321	149
1933	58,880	1,784	3,736	4,986	6,516	5,838	6,309	6,646	6,077	6,321	7,020	3,487	160
1934	64,138	1,976	3,678	5,031	6,657	6,153	6,761	7,576	6,925	7,323	8,042	3,846	170
1935	62,695	1,963	3,593	4,770	6,358	6,064	6,730	7,163	6,589	7,178	8,029	4,096	162
1936	71,290	2,309	3,651	4,777	6,473	6,648	7,420	8,343	7,957	8,848	9,881	4,843	140
1937	64,897	2,038	3,463	4,659	6,462	6,320	6,628	7,228	6,882	7,648	9,088	4,371	110
1938	60,617	2,108	3,272	4,034	6,062	5,618	5,970	6,639	6,198	7,304	8,898	4,411	103
1939	59,689	2,089	3,228	4,000	5,718	5,540	5,597	6,340	6,102	7,275	9,186	4,525	89

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

ALL RACES, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	11,029	306	739	1,079	1,671	1,900	1,882	1,248	873	622	357	90	262
1901	12,559	431	744	1,148	1,722	2,093	1,983	1,613	1,176	762	481	121	285
1902	11,369	235	659	1,091	1,686	2,024	1,906	1,423	970	688	388	110	189
1903	12,921	309	740	1,246	1,920	2,281	2,149	1,573	1,065	776	452	137	273
1904	13,392	322	863	1,349	1,955	2,289	2,134	1,621	1,115	788	547	172	237
1905	13,429	379	792	1,284	2,098	2,259	2,236	1,620	1,185	787	462	168	159
1906	24,946	561	1,322	2,137	4,224	4,766	4,147	2,921	1,970	1,335	746	247	570
1907	25,636	552	1,421	2,058	4,469	4,905	4,506	3,182	2,054	1,247	738	262	242
1908	24,657	628	1,557	2,138	4,138	4,455	4,017	3,120	2,037	1,252	846	270	199
1909	26,873	614	1,680	2,190	4,280	4,937	4,514	3,464	2,197	1,473	957	364	203
1910	30,855	657	1,783	2,278	5,135	6,017	5,284	3,915	2,481	1,709	1,000	370	226
1911	33,625	856	2,134	2,554	5,258	5,974	5,644	4,429	2,934	1,948	1,185	441	268
1912	32,949	732	2,152	2,625	5,320	6,017	5,273	4,361	2,892	1,854	1,079	404	240
1913	36,021	805	2,223	2,786	6,060	6,575	5,839	4,671	3,186	2,008	1,180	409	279
1914	33,695	832	2,292	2,714	5,315	5,988	5,368	4,277	2,979	2,030	1,205	431	264
1915	31,797	731	2,262	2,740	4,828	5,481	5,082	4,065	2,787	1,931	1,222	449	219
1916	38,047	948	2,474	2,973	5,779	6,464	6,267	5,141	3,519	2,294	1,412	547	229
1917	40,706	1,090	2,572	3,286	6,128	6,768	6,463	5,562	3,911	2,516	1,504	477	429
1918	42,621	963	2,921	4,066	6,354	6,713	6,557	5,523	4,062	2,837	1,577	597	451
1919	37,734	953	2,852	3,943	5,941	5,823	5,697	4,610	3,362	2,315	1,450	562	226
1920	36,958	1,025	2,740	3,758	6,101	5,758	5,273	4,357	3,195	2,399	1,558	634	160
1921	35,128	951	2,632	3,593	5,706	5,380	5,092	4,098	3,090	2,285	1,546	616	139
1922	37,280	996	2,692	3,599	5,764	5,572	4,661	3,511	2,481	1,672	1,079	645	197
1923	41,974	1,020	2,787	3,809	6,469	6,361	6,317	5,396	4,096	2,976	1,835	709	199
1924	41,835	1,107	2,899	3,732	6,559	6,023	6,363	5,357	4,076	2,905	1,878	735	201
1925	44,015	1,067	2,679	3,882	6,851	6,374	6,686	5,873	4,328	3,229	2,013	851	182
1926	43,106	1,132	2,611	3,691	6,459	6,112	6,660	5,823	4,477	3,122	2,066	797	156
1927	43,309	1,025	2,596	3,778	6,537	6,041	6,621	5,833	4,444	3,225	2,158	828	223
1928	44,939	1,093	2,587	4,013	6,627	6,350	6,809	6,205	4,442	3,349	2,330	867	267
1929	44,958	1,064	2,387	3,888	6,716	6,393	6,911	6,146	4,685	3,415	2,309	846	198
1930	44,263	1,109	2,245	3,548	6,319	6,068	6,754	6,249	4,736	3,617	2,449	993	176
1931	42,006	983	2,201	3,402	5,791	5,301	6,064	6,150	4,752	3,645	2,570	1,016	131
1932	38,452	920	2,055	3,412	5,499	4,770	5,253	5,197	4,322	3,351	2,522	1,018	133
1933	40,003	979	2,002	3,619	5,483	4,954	5,339	5,544	4,518	3,600	2,723	1,110	132
1934	43,837	1,085	2,056	3,612	5,617	5,201	5,774	6,381	5,235	4,164	3,289	1,284	139
1935	42,232	1,094	1,934	3,379	5,325	5,138	5,781	5,961	4,910	4,048	3,239	1,290	133
1936	47,683	1,281	1,973	3,350	5,484	5,617	6,345	6,995	5,983	5,001	3,972	1,561	121
1937	43,972	1,157	1,949	3,300	5,503	5,456	5,739	6,094	5,268	4,251	3,684	1,470	101
1938	39,927	1,186	1,833	2,886	5,208	4,820	5,067	5,543	4,583	3,946	3,332	1,433	90
1939	39,329	1,194	1,880	2,957	4,920	4,766	4,827	5,327	4,492	3,993	3,506	1,387	80

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

ALL RACES, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	3,400	258	492	378	312	278	265	277	265	305	368	188	14
1901	4,399	295	620	402	313	351	352	394	450	473	479	241	29
1902	3,546	216	488	363	342	318	312	242	327	328	358	230	22
1903	4,129	232	591	387	345	344	346	297	351	406	534	272	24
1904	4,836	247	624	581	486	480	427	346	375	413	553	286	18
1905	4,272	254	610	461	346	326	329	261	364	454	522	325	20
1906	6,799	423	1,102	705	570	554	501	512	477	618	829	430	78
1907	6,881	455	1,193	702	524	520	518	453	531	686	839	446	14
1908	7,060	457	1,204	731	582	503	474	482	511	755	878	469	14
1909	7,938	518	1,346	813	536	489	534	533	569	826	1,151	616	7
1910	8,283	509	1,387	823	592	482	540	569	574	951	1,189	662	5
1911	10,334	711	1,660	933	809	647	630	731	757	1,112	1,454	864	26
1912	9,825	598	1,647	954	726	597	640	584	723	1,028	1,509	800	19
1913	10,463	678	1,765	1,075	768	692	630	664	710	1,109	1,525	826	21
1914	10,503	710	1,733	999	744	634	627	661	748	1,139	1,614	870	24
1915	10,134	605	1,670	976	708	572	576	630	754	1,149	1,622	862	10
1916	11,843	803	2,031	1,174	761	742	712	747	892	1,274	1,738	956	13
1917	13,624	914	2,226	1,470	948	790	790	912	1,029	1,469	2,019	1,024	33
1918	14,415	782	2,363	1,642	1,059	897	922	920	1,029	1,516	2,105	1,111	69
1919	13,666	708	2,437	1,617	1,004	863	771	792	945	1,319	2,045	1,131	34
1920	14,389	797	2,453	1,649	951	820	824	813	997	1,530	2,288	1,243	24
1921	13,578	770	2,119	1,432	885	812	763	770	991	1,477	2,238	1,301	20
1922	14,642	783	2,317	1,525	991	867	781	861	1,003	1,632	2,426	1,428	28
1923	15,941	805	2,323	1,616	1,049	976	928	963	1,122	1,790	2,782	1,560	27
1924	16,394	893	2,415	1,690	1,123	905	931	997	1,155	1,945	2,706	1,613	21
1925	17,066	909	2,327	1,604	1,227	1,010	1,027	1,092	1,246	1,939	2,990	1,662	33
1926	16,709	930	2,196	1,516	987	903	916	1,081	1,223	2,032	3,131	1,773	21
1927	16,232	832	2,087	1,490	966	832	949	950	1,233	2,042	3,074	1,754	23
1928	17,588	885	2,106	1,584	1,073	893	893	1,087	1,296	2,282	3,502	1,937	50
1929	17,685	843	2,045	1,525	1,040	950	965	1,035	1,357	2,379	3,473	2,041	32
1930	17,986	899	1,823	1,449	1,017	874	917	1,063	1,445	2,448	3,812	2,223	16
1931	17,856	795	1,832	1,355	962	789	880	1,071	1,510	2,580	3,883	2,182	17
1932	17,673	749	1,669	1,358	973	782	854	1,015	1,433	2,665	3,856	2,303	16
1933	18,877	805	1,734	1,367	1,033	884	970	1,102	1,559	2,721	4,297	2,377	28
1934	20,301	891	1,622	1,419	1,040	952	987	1,195	1,690	3,159	4,753	2,562	31
1935	20,463	869	1,659	1,391	1,033	926	949	1,202	1,679	3,130	4,790	2,806	29
1936	23,607	1,028	1,678	1,427	989	1,031	1,075	1,348	1,974	3,847	5,909	3,282	19
1937	20,925	881	1,514	1,359	959	864	889	1,134	1,614	3,397	5,404	2,901	9
1938	20,690	922	1,439	1,148	854	798	903	1,096	1,615	3,358	5,566	2,978	13
1939	20,360	895	1,348	1,043	798	774	770	1,013	1,610	3,282	5,680	3,138	9

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

WHITE, BOTH SEXES

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	37,980	---	---	---	---	---	---	---	---	---	---	---	---
1911	42,253	---	---	---	---	---	---	---	---	---	---	---	---
1912	41,118	---	---	---	---	---	---	---	---	---	---	---	---
1913	44,102	---	---	---	---	---	---	---	---	---	---	---	---
1914	41,898	1,359	3,789	3,484	5,711	6,229	5,655	4,696	3,604	3,080	2,753	1,276	262
1915	39,773	1,208	3,696	3,472	5,202	5,738	5,339	4,478	3,397	2,982	2,789	1,276	196
1916	46,369	1,509	4,009	3,746	5,951	6,703	6,481	5,584	4,214	3,440	3,064	1,463	205
1917	49,897	---	---	---	---	---	---	---	---	---	---	---	---
1918	52,293	1,473	4,709	5,149	6,621	6,980	6,786	5,984	4,823	4,126	3,558	1,630	454
1919	46,380	1,355	4,645	4,849	6,054	6,013	5,866	4,926	4,069	3,410	3,353	1,637	203
1920	46,228	1,487	4,502	4,703	6,070	5,913	5,543	4,723	3,933	3,701	3,716	1,790	147
1921	44,060	1,404	4,212	4,418	5,674	5,575	5,277	4,457	3,848	3,561	3,670	1,851	113
1922	46,444	1,381	4,278	4,439	5,752	5,731	5,664	4,985	4,189	3,895	3,971	1,990	169
1923	51,710	1,462	4,320	4,661	6,389	6,421	6,530	5,774	4,890	4,492	4,445	2,165	161
1924	51,622	1,560	4,448	4,661	6,470	6,030	6,501	5,736	4,839	4,583	4,399	2,228	167
1925	54,305	1,591	4,244	4,729	6,803	6,363	6,826	6,284	5,174	4,932	4,811	2,402	146
1926	52,965	1,697	4,036	4,429	6,249	5,940	6,658	6,197	5,275	4,894	5,018	2,453	119
1927	52,452	1,448	3,981	4,491	6,209	5,770	6,576	6,069	5,244	5,012	5,040	2,480	132
1928	54,854	1,536	3,920	4,767	6,301	6,074	6,667	6,458	5,325	5,329	5,615	2,690	172
1929	55,118	1,500	3,693	4,560	6,464	6,168	6,820	6,372	5,549	5,498	5,565	2,772	157
1930	55,011	1,553	3,381	4,218	6,171	5,854	6,622	6,507	5,697	5,742	6,038	3,094	134
1931	53,355	1,391	3,418	3,993	5,704	5,141	6,081	6,441	5,796	5,923	6,263	3,100	104
1932	49,513	1,284	3,120	4,016	5,313	4,548	5,233	5,534	5,286	5,705	6,166	3,206	102
1933	51,692	1,331	3,134	4,123	5,331	4,781	5,353	5,826	5,531	5,967	6,830	3,368	117
1934	56,286	1,477	2,992	4,192	5,394	5,015	5,696	6,617	6,333	6,929	7,798	3,706	137
1935	55,618	1,515	3,017	3,978	5,245	5,036	5,747	6,370	6,073	6,768	7,805	3,940	124
1936	63,217	1,789	3,035	3,970	5,335	5,447	6,319	7,366	7,305	8,298	9,603	4,648	102
1937	57,558	1,552	2,816	3,902	5,361	5,280	5,609	6,377	6,321	7,186	8,852	4,225	77
1938	53,978	1,662	2,712	3,309	5,012	4,683	5,087	5,902	5,685	6,894	8,698	4,265	69
1939	53,141	1,629	2,673	3,297	4,688	4,642	4,776	5,587	5,605	6,837	8,963	4,382	62

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

WHITE, MALE													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	29,938	---	---	---	---	---	---	---	---	---	---	---	---
1911	32,349	---	---	---	---	---	---	---	---	---	---	---	---
1912	31,668	---	---	---	---	---	---	---	---	---	---	---	---
1913	34,230	---	---	---	---	---	---	---	---	---	---	---	---
1914	32,005	734	2,175	2,583	5,016	5,640	5,075	4,089	2,887	1,974	1,172	420	240
1915	30,202	660	2,135	2,586	4,553	5,208	4,809	3,882	2,683	1,863	1,195	440	188
1916	35,456	811	2,221	2,745	5,279	6,025	5,838	4,879	3,367	2,202	1,365	529	195
1917	37,543	---	---	---	---	---	---	---	---	---	---	---	---
1918	39,189	819	2,630	3,722	5,671	6,187	5,984	5,151	3,865	2,694	1,504	566	396
1919	34,142	793	2,524	3,482	5,184	5,289	5,191	4,225	3,191	2,161	1,381	541	180
1920	33,361	848	2,403	3,363	5,264	5,202	4,813	3,998	2,997	2,252	1,494	594	133
1921	31,758	786	2,366	3,199	4,900	4,853	4,621	3,756	2,932	2,168	1,488	588	101
1922	33,413	783	2,347	3,183	4,931	4,975	4,999	4,217	3,270	2,341	1,602	616	149
1923	37,464	823	2,401	3,314	5,510	5,606	5,696	4,910	3,860	2,789	1,745	671	139
1924	37,230	866	2,494	3,280	5,571	5,283	5,704	4,881	3,781	2,748	1,784	686	152
1925	39,069	895	2,295	3,387	5,801	5,510	5,932	5,313	4,037	3,067	1,905	802	125
1926	38,068	938	2,220	3,204	5,448	5,203	5,901	5,244	4,145	2,958	1,960	743	104
1927	37,920	801	2,225	3,273	5,410	5,071	5,766	5,238	4,125	3,061	2,044	786	120
1928	39,342	861	2,212	3,496	5,460	5,347	5,942	5,543	4,147	3,155	2,210	817	152
1929	39,447	858	2,024	3,333	5,625	5,404	6,021	5,500	4,352	3,218	2,174	801	137
1930	38,961	866	1,887	3,057	5,336	5,140	5,873	5,611	4,412	3,393	2,317	945	124
1931	37,341	784	1,912	2,895	4,912	4,516	5,355	5,532	4,422	3,460	2,487	972	94
1932	33,630	721	1,745	2,910	4,519	3,929	4,526	4,668	3,979	3,163	2,411	967	92
1933	34,813	741	1,712	3,032	4,501	4,078	4,578	4,894	4,139	3,381	2,604	1,059	94
1934	38,201	836	1,692	3,049	4,590	4,267	4,916	5,619	4,818	3,914	3,161	1,226	113
1935	37,222	855	1,667	2,859	4,402	4,293	4,977	5,371	4,545	3,796	3,123	1,230	104
1936	41,976	998	1,699	2,825	4,540	4,631	5,443	6,236	5,538	4,672	3,825	1,478	91
1937	38,711	909	1,605	2,832	4,564	4,594	4,895	5,431	4,869	3,972	3,554	1,415	71
1938	35,223	953	1,571	2,398	4,345	4,025	4,360	4,975	4,233	3,704	3,236	1,365	58
1939	34,609	935	1,589	2,457	4,077	4,030	4,143	4,715	4,152	3,728	3,391	1,334	58

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

WHITE, FEMALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	8,042	---	---	---	---	---	---	---	---	---	---	---	---
1911	9,904	---	---	---	---	---	---	---	---	---	---	---	---
1912	9,450	---	---	---	---	---	---	---	---	---	---	---	---
1913	9,872	---	---	---	---	---	---	---	---	---	---	---	---
1914	9,893	625	1,614	901	695	589	580	607	717	1,106	1,581	856	22
1915	9,571	548	1,561	886	649	530	530	596	714	1,119	1,594	836	8
1916	10,913	698	1,788	1,001	672	678	643	705	847	1,238	1,699	934	10
1917	12,354	---	---	---	---	---	---	---	---	---	---	---	---
1918	13,104	654	2,079	1,427	950	793	802	833	958	1,432	2,054	1,064	58
1919	12,238	562	2,121	1,367	870	724	675	701	878	1,249	1,972	1,096	23
1920	12,867	639	2,099	1,340	806	711	730	725	936	1,449	2,222	1,196	14
1921	12,302	618	1,846	1,219	774	722	656	701	916	1,393	2,182	1,263	12
1922	13,031	598	1,931	1,256	821	756	665	768	919	1,554	2,369	1,374	20
1923	14,246	639	1,919	1,347	879	815	834	864	1,030	1,703	2,700	1,494	22
1924	14,392	694	1,954	1,381	899	747	797	855	1,058	1,835	2,615	1,542	15
1925	15,236	696	1,949	1,342	1,002	853	894	971	1,137	1,865	2,906	1,600	21
1926	14,897	759	1,816	1,225	801	737	757	953	1,130	1,936	3,058	1,710	15
1927	14,532	647	1,756	1,218	799	699	810	831	1,119	1,951	2,996	1,694	12
1928	15,512	675	1,708	1,271	841	727	725	915	1,178	2,174	3,405	1,873	20
1929	15,671	642	1,669	1,227	839	764	799	872	1,197	2,280	3,391	1,971	20
1930	16,050	687	1,494	1,161	835	714	749	896	1,285	2,349	3,721	2,149	10
1931	16,014	607	1,506	1,098	792	625	726	909	1,374	2,463	3,776	2,128	10
1932	15,883	563	1,375	1,106	794	619	707	866	1,307	2,542	3,755	2,239	10
1933	16,879	590	1,422	1,091	830	703	775	932	1,392	2,586	4,226	2,309	23
1934	18,085	641	1,300	1,143	804	748	780	998	1,515	3,015	4,637	2,480	24
1935	18,396	660	1,350	1,119	843	743	770	999	1,528	2,972	4,682	2,710	20
1936	21,241	791	1,336	1,145	795	816	876	1,130	1,767	3,626	5,778	3,170	11
1937	18,847	643	1,211	1,070	797	686	714	946	1,452	3,214	5,298	2,810	6
1938	18,755	709	1,141	911	667	658	727	927	1,452	3,190	5,462	2,900	11
1939	18,532	694	1,084	840	611	612	633	872	1,453	3,109	5,572	3,048	4

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

ALL OTHER, BOTH SEXES													
Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	1,158	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,706	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,656	---	---	---	---	---	---	---	---	---	---	---	---
1913	2,382	---	---	---	---	---	---	---	---	---	---	---	---
1914	2,300	183	236	229	348	393	340	242	123	89	66	25	26
1915	2,158	128	236	244	334	315	319	217	144	98	55	35	33
1916	3,521	242	496	401	589	503	498	304	197	128	86	40	37
1917	4,433	---	---	---	---	---	---	---	---	---	---	---	---
1918	4,743	272	575	559	792	630	693	459	268	227	124	78	66
1919	5,020	306	644	711	891	673	602	476	238	224	142	56	57
1920	5,119	335	691	704	982	665	554	447	259	228	130	87	37
1921	4,646	317	539	607	917	617	578	411	233	201	114	66	46
1922	5,478	398	731	685	1,003	708	607	537	325	218	127	83	56
1923	6,205	363	790	764	1,129	916	715	585	328	274	172	104	65
1924	6,607	440	866	761	1,212	898	793	618	392	267	185	120	55
1925	6,776	385	762	757	1,275	1,021	887	681	400	236	192	111	69
1926	6,850	365	771	778	1,197	1,075	918	707	425	260	179	117	58
1927	7,089	409	702	777	1,294	1,103	994	714	433	255	192	102	114
1928	7,673	442	773	830	1,399	1,169	1,035	834	413	302	217	114	145
1929	7,525	407	739	853	1,292	1,175	1,056	809	493	296	217	115	73
1930	7,238	455	687	779	1,165	1,088	1,049	805	484	323	223	122	58
1931	6,507	387	615	764	1,049	949	863	780	466	302	190	98	44
1932	6,612	385	604	754	1,159	1,004	874	678	469	311	212	115	47
1933	7,188	453	602	863	1,185	1,057	956	820	546	354	190	119	43
1934	7,852	499	686	839	1,263	1,138	1,065	959	592	394	244	140	33
1935	7,077	448	576	792	1,113	1,028	983	793	516	410	224	156	38
1936	8,073	520	616	807	1,138	1,201	1,101	977	652	550	278	195	38
1937	7,339	486	647	757	1,101	1,040	1,019	851	561	462	236	146	33
1938	6,639	446	560	725	1,050	935	883	737	513	410	200	146	34
1939	6,548	460	555	703	1,030	898	821	753	497	438	223	143	27

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

ALL OTHER, MALE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	917	---	---	---	---	---	---	---	---	---	---	---	---
1911	1,276	---	---	---	---	---	---	---	---	---	---	---	---
1912	1,281	---	---	---	---	---	---	---	---	---	---	---	---
1913	1,791	---	---	---	---	---	---	---	---	---	---	---	---
1914	1,690	98	117	131	299	348	293	188	92	56	33	11	24
1915	1,595	71	127	154	275	273	273	183	104	68	27	9	31
1916	2,591	137	253	228	500	439	429	262	152	92	47	18	34
1917	3,163	---	---	---	---	---	---	---	---	---	---	---	---
1918	3,432	144	291	344	683	526	573	372	197	143	73	31	55
1919	3,592	160	328	461	757	534	506	385	171	154	69	21	46
1920	3,597	177	337	395	837	556	460	359	198	147	64	40	27
1921	3,370	165	266	394	806	527	471	342	158	117	58	28	38
1922	3,867	213	345	416	833	597	491	444	241	140	70	29	48
1923	4,510	197	386	495	959	755	621	486	236	187	90	38	60
1924	4,605	241	405	452	988	740	659	476	295	157	94	49	49
1925	4,946	172	384	495	1,050	864	754	560	291	162	108	49	57
1926	5,038	194	391	487	1,011	909	759	579	332	164	106	54	52
1927	5,389	224	371	505	1,127	970	855	595	319	164	114	42	103
1928	5,597	232	375	517	1,167	1,003	867	662	295	194	120	50	115
1929	5,511	206	363	555	1,091	989	890	646	333	197	135	45	61
1930	5,302	243	358	491	983	928	881	638	324	224	132	48	52
1931	4,665	199	289	507	879	785	709	618	330	185	83	44	37
1932	4,822	199	310	502	980	841	727	529	343	188	111	51	41
1933	5,190	238	290	587	982	876	761	650	379	219	119	51	38
1934	5,636	249	364	563	1,027	934	858	762	417	250	128	58	26
1935	5,010	239	267	520	923	845	804	590	365	252	116	60	29
1936	5,707	283	274	525	944	986	902	759	445	329	147	83	30
1937	5,261	248	344	468	939	862	844	663	399	279	130	55	30
1938	4,704	233	262	488	863	795	707	568	350	242	96	68	32
1939	4,720	259	291	500	843	736	684	612	340	265	115	53	22

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Note: Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.

HIST290A. DEATHS FROM SELECTED CAUSES, BY 10-YEAR GROUPS, RACE, AND SEX: DEATH-REGISTRATION STATES, 1900-1932, AND UNITED STATES, 1933-1939

ACCIDENTS, EXCEPT MOTOR-VEHICLE

Years	All Ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Unknown
1900	---	---	---	---	---	---	---	---	---	---	---	---	---
1901	---	---	---	---	---	---	---	---	---	---	---	---	---
1902	---	---	---	---	---	---	---	---	---	---	---	---	---
1903	---	---	---	---	---	---	---	---	---	---	---	---	---
1904	---	---	---	---	---	---	---	---	---	---	---	---	---
1905	---	---	---	---	---	---	---	---	---	---	---	---	---
1906	---	---	---	---	---	---	---	---	---	---	---	---	---
1907	---	---	---	---	---	---	---	---	---	---	---	---	---
1908	---	---	---	---	---	---	---	---	---	---	---	---	---
1909	---	---	---	---	---	---	---	---	---	---	---	---	---
1910	241	---	---	---	---	---	---	---	---	---	---	---	---
1911	430	---	---	---	---	---	---	---	---	---	---	---	---
1912	375	---	---	---	---	---	---	---	---	---	---	---	---
1913	591	---	---	---	---	---	---	---	---	---	---	---	---
1914	610	85	119	98	49	45	47	54	31	33	33	14	2
1915	563	57	109	90	59	42	46	34	40	30	28	26	2
1916	930	105	243	173	89	64	69	42	45	36	39	22	3
1917	1,270	---	---	---	---	---	---	---	---	---	---	---	---
1918	1,311	128	284	215	109	104	120	87	71	84	51	47	11
1919	1,428	146	316	250	134	139	96	91	67	70	73	35	11
1920	1,522	158	354	309	145	109	94	88	61	81	66	47	10
1921	1,276	152	273	213	111	90	107	69	75	84	56	38	8
1922	1,611	185	386	269	170	111	116	93	84	78	57	54	8
1923	1,695	166	404	269	170	161	94	99	92	87	82	66	5
1924	2,002	199	461	309	224	158	134	142	97	110	91	71	6
1925	1,830	213	378	262	225	157	133	121	109	74	84	62	12
1926	1,812	171	380	291	186	166	159	128	93	96	73	63	6
1927	1,700	185	331	272	167	133	139	119	114	91	78	60	11
1928	2,076	210	398	313	232	166	168	172	118	108	97	64	30
1929	2,014	201	376	298	201	186	166	163	160	99	82	70	12
1930	1,936	212	329	288	182	160	168	167	160	99	91	74	6
1931	1,842	188	326	257	170	164	154	162	136	117	107	54	7
1932	1,790	186	294	252	179	163	147	149	126	123	101	64	6
1933	1,998	215	312	276	203	181	195	170	167	135	71	68	5
1934	2,216	250	322	276	236	204	207	197	175	144	116	82	7
1935	2,067	209	309	272	190	183	179	203	151	158	108	96	9
1936	2,366	237	342	282	194	215	199	218	207	221	131	112	8
1937	2,078	238	303	289	162	178	175	188	162	183	106	91	3
1938	1,935	213	298	237	187	140	176	169	163	168	104	78	2
1939	1,828	201	264	203	187	162	137	141	157	173	108	90	5

--- Data not available. No original tables for the time period 1900-13 and 1917 included all of the following variables at the same time: age, race, sex, and cause.

Notes: 1) Values shown here differ from those published in the annual volumes of 1910-1915 because North Carolina is not included in these tables. The values are greater than those shown in the annual volumes of 1917-1918 because this includes military deaths (in registration states) occurring after the declaration of war (4/6/1917).

2) For 1932-34, deaths of Mexicans are included with total deaths for the white population in other publications reflecting later practices; but by age, are included with deaths for the ALL OTHER population. These tables reflected the original practice of including Mexican totals in the ALL OTHER total. Figures for deaths of Mexicans are not available separately by cause and age; total deaths of Mexicans from this cause are:

	1932	1933	1934
Both sexes ...	288	462	482
Male.....	201	327	345
Female...	87	135	137

3) For 1909 total excludes deaths from food poisoning, they are included in age distribution

4) For 1922-29 total excludes deaths from legal executions, they are included in age distribution

5) Not tabulated separately by age

6) Year in which each state was admitted to the death-registration area:

Year	Year	Year
1880 Massachusetts	1908 Washington	1919 Florida
New Jersey	Wisconsin	Mississippi
District of Columbia /1	1909 Ohio	1920 Nebraska
1890 Connecticut	1910 Minnesota	1922 Georgia /4
Delaware /2	Montana	Idaho
New Hampshire	Utah	Wyoming
New York	1911 Kentucky	1923 Iowa
Rhode Island	Missouri	1924 North Dakota
Vermont	1913 Virginia	1925 Alabama
1900 Maine	1914 Kansas	West Virginia
Michigan	1916 South Carolina	1926 Arizona
Indiana	North Carolina	1927 Arkansas
1906 California	1917 Tennessee	1928 Oklahoma
Colorado	1918 Illinois	1929 Nevada
Maryland	Louisiana	New Mexico
Pennsylvania	Oregon	1933 Texas
South Dakota /3		

/1 Included in States.

/2 Dropped from the registration area in 1900; readmitted in 1919.

/3 Dropped from the registration area in 1910; readmitted in 1930.

/4 Dropped from the registration area in 1925; readmitted in 1928.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished tables.