LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	United States			
	All causes	2,744,248	100.0	849.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	635,260	23.1	196.6
2	Malignant neoplasms (C00-C97)	598,038	21.8	185.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	161,374	5.9	49.9
4	Chronic lower respiratory diseases (J40-J47)	154,596	5.6	47.8
5	Cerebrovascular diseases (I60-I69)	142,142	5.2	44.0
6	Alzheimer's disease (G30)	116,103	4.2	35.9
7	Diabetes mellitus (E10-E14)	80,058	2.9	24.8
8	Influenza and pneumonia (J09-J18)	51,537	1.9	15.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50,046	1.8	15.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	44,965	1.6	13.9
11	Septicemia (A40-A41)	40,613	1.5	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	40,545	1.5	12.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	33,246	1.2	10.3
14	Parkinson's disease (G20-G21)	29,697	1.1	9.2
15	Pneumonitis due to solids and liquids (J69)	19,715	0.7	6.1
	All other causes (residual)	546,313	19.9	169.1
	Alabama			
	All causes	52,466	100.0	1,078.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,832	24.5	263.9
2	Malignant neoplasms (C00-C97)	10,419	19.9	214.2
3	Chronic lower respiratory diseases (J40-J47)	3,326	6.3	68.4
4	Cerebrovascular diseases (I60-I69)	2,967	5.7	61.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,755	5.3	56.6
6	Alzheimer's disease (G30)	2,507	4.8	51.5
7	Diabetes mellitus (E10-E14)	1,183	2.3	24.3
8	Septicemia (A40-A41)	1,025	2.0	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,012	1.9	20.8
10	Influenza and pneumonia (J09-J18)	987	1.9	20.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	788	1.5	16.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	781	1.5	16.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	560	1.1	11.5
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	544	1.0	11.2
15	Parkinson's disease (G20-G21)	505	1.0	10.4
	All other causes (residual)	10,275	19.6	211.3

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Alaska			
	All causes	4,494	100.0	605.7
1	Malignant neoplasms (C00-C97)	995	22.1	134.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	831	18.5	112.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	439	9.8	59.2
4	Chronic lower respiratory diseases (J40-J47)	238	5.3	32.
5	Cerebrovascular diseases (I60-I69)	196	4.4	26.
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	193	4.3	26.
7	Diabetes mellitus (E10-E14)	124	2.8	16.
7	Chronic liver disease and cirrhosis (K70,K73-K74)	124	2.8	16.
9	Alzheimer's disease (G30)	111	2.5	15.
10	Influenza and pneumonia (J09-J18)	61	1.4	8.
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	54	1.2	7.
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	53	1.2	7.
13	Septicemia (A40-A41)	47	1.0	6.
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30	0.7	4.
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	28	0.6	3.
15	Pneumonitis due to solids and liquids (J69)	28	0.6	3.
	All other causes (residual)	942	21.0	127.
	Arizona			
	All causes	56,645	100.0	817.
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,957	21.1	172.
2	Malignant neoplasms (C00-C97)	11,876	21.0	171.
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,010	7.1	57.
4	Chronic lower respiratory diseases (J40-J47)	3,800	6.7	54.
5	Alzheimer's disease (G30)	3,082	5.4	44.
6	Cerebrovascular diseases (I60-I69)	2,556	4.5	36
7	Diabetes mellitus (E10-E14)	2,025	3.6	29.
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,271	2.2	18
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,178	2.1	17
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,015	1.8	14
11	Influenza and pneumonia (J09-J18)	885	1.6	12
12	Parkinson's disease (G20-G21)	714	1.3	10
13	Septicemia (A40-A41)	509	0.9	7
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	487	0.9	7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	420	0.7	6
	All other causes (residual)	10,860	19.2	156

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Arkansas			
	All causes	31,756	100.0	1,062.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,090	25.5	270.7
2	Malignant neoplasms (C00-C97)	6,612	20.8	221.3
3	Chronic lower respiratory diseases (J40-J47)	2,169	6.8	72.6
4	Cerebrovascular diseases (I60-I69)	1,643	5.2	55.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,604	5.1	53.7
6	Alzheimer's disease (G30)	1,475	4.6	49.4
7	Diabetes mellitus (E10-E14)	920	2.9	30.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	722	2.3	24.2
9	Influenza and pneumonia (J09-J18)	623	2.0	20.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	555	1.7	18.6
11	Septicemia (A40-A41)	455	1.4	15.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	416	1.3	13.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	334	1.1	11.2
14	Parkinson's disease (G20-G21)	281	0.9	9.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	248	0.8	8.3
	All other causes (residual)	5,609	17.7	187.7
	California			
	All causes	262,240	100.0	668.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	61,573	23.5	156.9
2	Malignant neoplasms (C00-C97)	59,515	22.7	151.6
3	Cerebrovascular diseases (I60-I69)	15,680	6.0	39.9
4	Alzheimer's disease (G30)	15,570	5.9	39.7
5	Chronic lower respiratory diseases (J40-J47)	13,710	5.2	34.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,213	5.0	33.7
7	Diabetes mellitus (E10-E14)	9,124	3.5	23.2
8	Influenza and pneumonia (J09-J18)	5,981	2.3	15.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	5,287	2.0	13.5
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,100	1.9	13.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,294	1.6	10.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,640	1.4	9.3
13	Parkinson's disease (G20-G21)	3,088	1.2	7.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,074	0.8	5.3
15	Pneumonitis due to solids and liquids (J69)	1,622	0.6	4.1
	All other causes (residual)	42,769	16.3	109.0

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Colorado			
	All causes	37,530	100.0	677.4
1	Malignant neoplasms (C00-C97)	7,928	21.1	143.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,277	19.4	131.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,880	7.7	52.0
4	Chronic lower respiratory diseases (J40-J47)	2,575	6.9	46.5
5	Cerebrovascular diseases (I60-I69)	1,927	5.1	34.8
6	Alzheimer's disease (G30)	1,835	4.9	33.1
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,168	3.1	21.1
8	Diabetes mellitus (E10-E14)	938	2.5	16.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	751	2.0	13.6
10	Influenza and pneumonia (J09-J18)	533	1.4	9.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	491	1.3	8.9
12	Septicemia (A40-A41)	476	1.3	8.6
13	Parkinson's disease (G20-G21)	466	1.2	8.4
14	Pneumonitis due to solids and liquids (J69)	280	0.7	5.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	263	0.7	4.7
	All other causes (residual)	7,742	20.6	139.7
	Connecticut			
	All causes	30,543	100.0	854.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,051	23.1	197.2
2	Malignant neoplasms (C00-C97)	6,696	21.9	187.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,978	6.5	55.3
4	Chronic lower respiratory diseases (J40-J47)	1,425	4.7	39.8
5	Cerebrovascular diseases (I60-I69)	1,269	4.2	35.5
6	Alzheimer's disease (G30)	1,035	3.4	28.9
7	Diabetes mellitus (E10-E14)	699	2.3	19.5
8	Septicemia (A40-A41)	588	1.9	16.4
9	Influenza and pneumonia (J09-J18)	572	1.9	16.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	570	1.9	15.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	397	1.3	11.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	388	1.3	10.8
13	Parkinson's disease (G20-G21)	358	1.2	10.0
14	Pneumonitis due to solids and liquids (J69)	328	1.1	9.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	318	1.0	8.9
	All other causes (residual)	6,871	22.5	192.1

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Delaware			
	All causes	8,874	100.0	932.1
1	Malignant neoplasms (C00-C97)	2,124	23.9	223.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,974	22.2	207.3
3	Chronic lower respiratory diseases (J40-J47)	544	6.1	57.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	516	5.8	54.2
5	Cerebrovascular diseases (I60-I69)	506	5.7	53.1
6	Alzheimer's disease (G30)	329	3.7	34.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	208	2.3	21.8
8	Diabetes mellitus (E10-E14)	203	2.3	21.3
9	Septicemia (A40-A41)	144	1.6	15.1
10	Influenza and pneumonia (J09-J18)	132	1.5	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	119	1.3	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	92	1.0	9.7
13	Parkinson's disease (G20-G21)	72	0.8	7.6
14	Pneumonitis due to solids and liquids (J69)	71	0.8	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	63	0.7	6.6
	All other causes (residual)	1,777	20.0	186.6
	District of Columbia			
	All causes	5,037	100.0	739.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,375	27.3	201.9
2	Malignant neoplasms (C00-C97)	1,044	20.7	153.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	401	8.0	58.9
4	Cerebrovascular diseases (I60-I69)	252	5.0	37.0
5	Chronic lower respiratory diseases (J40-J47)	152	3.0	22.3
6	Diabetes mellitus (E10-E14)	127	2.5	18.6
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	127	2.5	18.6
8	Alzheimer's disease (G30)	120	2.4	17.6
9	Human immunodeficiency virus (HIV) disease (B20-B24)	82	1.6	12.0
10	Septicemia (A40-A41)	79	1.6	11.6
11	Influenza and pneumonia (J09-J18)	78	1.5	11.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	1.4	10.1
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	57	1.1	8.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	50	1.0	7.3
15	Certain conditions originating in the perinatal period (P00-P96)	44	0.9	6.5
	All other causes (residual)	980	19.5	143.9

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Florida			
	All causes	197,313	100.0	957.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	45,659	23.1	221.5
2	Malignant neoplasms (C00-C97)	44,266	22.4	214.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,561	6.4	60.9
4	Chronic lower respiratory diseases (J40-J47)	11,970	6.1	58.1
5	Cerebrovascular diseases (I60-I69)	11,854	6.0	57.5
6	Alzheimer's disease (G30)	7,155	3.6	34.7
7	Diabetes mellitus (E10-E14)	5,782	2.9	28.1
8	Chronic liver disease and cirrhosis (K70,K73-K74)	3,226	1.6	15.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,144	1.6	15.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,143	1.6	15.2
11	Influenza and pneumonia (J09-J18)	2,808	1.4	13.6
12	Septicemia (A40-A41)	2,469	1.3	12.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,451	1.2	11.9
14	Parkinson's disease (G20-G21)	2,372	1.2	11.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	1,338	0.7	6.5
•••	All other causes (residual)	37,115	18.8	180.1
	Georgia			
	All causes	81,428	100.0	789.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,143	22.3	176.0
2	Malignant neoplasms (C00-C97)	17,184	21.1	166.7
3	Chronic lower respiratory diseases (J40-J47)	4,805	5.9	46.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,701	5.8	45.6
5	Cerebrovascular diseases (I60-I69)	4,349	5.3	42.2
6	Alzheimer's disease (G30)	4,021	4.9	39.0
7	Diabetes mellitus (E10-E14)	2,238	2.7	21.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,864	2.3	18.1
9	Septicemia (A40-A41)	1,565	1.9	15.2
10	Influenza and pneumonia (J09-J18)	1,423	1.7	13.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,409	1.7	13.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,172	1.4	11.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,009	1.2	9.8
14	Parkinson's disease (G20-G21)	816	1.0	7.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	806	1.0	7.8
	All other causes (residual)	15,923	19.6	154.4

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Hawaii			
	All causes	10,913	100.0	763.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,488	22.8	174.2
2	Malignant neoplasms (C00-C97)	2,401	22.0	168.1
3	Cerebrovascular diseases (I60-I69)	675	6.2	47.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	577	5.3	40.4
5	Influenza and pneumonia (J09-J18)	507	4.6	35.5
6	Alzheimer's disease (G30)	445	4.1	31.2
7	Chronic lower respiratory diseases (J40-J47)	342	3.1	23.9
8	Diabetes mellitus (E10-E14)	285	2.6	20.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	215	2.0	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	174	1.6	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	124	1.1	8.7
12	Septicemia (A40-A41)	123	1.1	8.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	116	1.1	8.1
14	Parkinson's disease (G20-G21)	113	1.0	7.9
15	Pneumonitis due to solids and liquids (J69)	103	0.9	7.2
	All other causes (residual)	2,225	20.4	155.8
	Idaho			
	All causes	13,366	100.0	794.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,969	22.2	176.4
2	Malignant neoplasms (C00-C97)	2,884	21.6	171.3
3	Chronic lower respiratory diseases (J40-J47)	865	6.5	51.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	849	6.4	50.4
5	Cerebrovascular diseases (I60-I69)	682	5.1	40.5
6	Alzheimer's disease (G30)	607	4.5	36.1
7	Diabetes mellitus (E10-E14)	375	2.8	22.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	351	2.6	20.9
9	Influenza and pneumonia (J09-J18)	207	1.5	12.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	190	1.4	11.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	190	1.4	11.3
12	Parkinson's disease (G20-G21)	166	1.2	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	106	0.8	6.3
14	Septicemia (A40-A41)	100	0.7	5.9
15	Pneumonitis due to solids and liquids (J69)	99	0.7	5.9
	All other causes (residual)	2,726	20.4	162.0

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Illinois			
	All causes	107,020	100.0	836.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,013	23.4	195.4
2	Malignant neoplasms (C00-C97)	24,389	22.8	190.5
3	Cerebrovascular diseases (I60-I69)	5,658	5.3	44.2
4	Chronic lower respiratory diseases (J40-J47)	5,632	5.3	44.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,508	5.1	43.0
6	Alzheimer's disease (G30)	3,877	3.6	30.3
7	Diabetes mellitus (E10-E14)	2,781	2.6	21.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,518	2.4	19.7
9	Influenza and pneumonia (J09-J18)	2,178	2.0	17.0
10	Septicemia (A40-A41)	1,704	1.6	13.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,415	1.3	11.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,374	1.3	10.7
13	Parkinson's disease (G20-G21)	1,248	1.2	9.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,157	1.1	9.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,144	1.1	8.9
	All other causes (residual)	21,424	20.0	167.4
	Indiana			
	All causes	63,473	100.0	956.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,952	22.0	210.3
2	Malignant neoplasms (C00-C97)	13,424	21.1	202.4
3	Chronic lower respiratory diseases (J40-J47)	4,214	6.6	63.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,496	5.5	52.7
5	Cerebrovascular diseases (I60-I69)	3,040	4.8	45.8
6	Alzheimer's disease (G30)	2,678	4.2	40.4
7	Diabetes mellitus (E10-E14)	1,992	3.1	30.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,411	2.2	21.3
9	Septicemia (A40-A41)	1,211	1.9	18.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,034	1.6	15.6
11	Influenza and pneumonia (J09-J18)	962	1.5	14.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	869	1.4	13.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	774	1.2	11.7
14	Parkinson's disease (G20-G21)	677	1.1	10.2
15	Pneumonitis due to solids and liquids (J69)	484	8.0	7.3
	All other causes (residual)	13,255	20.9	199.8

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	lowa			
	All causes	29,538	100.0	942.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,937	23.5	221.3
2	Malignant neoplasms (C00-C97)	6,432	21.8	205.2
3	Chronic lower respiratory diseases (J40-J47)	2,006	6.8	64.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,608	5.4	51.3
5	Alzheimer's disease (G30)	1,415	4.8	45.1
6	Cerebrovascular diseases (I60-I69)	1,388	4.7	44.3
7	Diabetes mellitus (E10-E14)	847	2.9	27.0
8	Influenza and pneumonia (J09-J18)	504	1.7	16.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	451	1.5	14.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	370	1.3	11.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	352	1.2	11.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	343	1.2	10.9
13	Parkinson's disease (G20-G21)	336	1.1	10.7
14	Septicemia (A40-A41)	255	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	212	0.7	6.8
	All other causes (residual)	6,082	20.6	194.0
	Kansas			
	All causes	26,245	100.0	902.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,672	21.6	195.1
2	Malignant neoplasms (C00-C97)	5,484	20.9	188.6
3	Chronic lower respiratory diseases (J40-J47)	1,654	6.3	56.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,444	5.5	49.7
5	Cerebrovascular diseases (I60-I69)	1,363	5.2	46.9
6	Alzheimer's disease (G30)	855	3.3	29.4
7	Diabetes mellitus (E10-E14)	727	2.8	25.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	533	2.0	18.3
9	Influenza and pneumonia (J09-J18)	522	2.0	18.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	514	2.0	17.7
11	Atherosclerosis (I70)	385	1.5	13.2
12	Septicemia (A40-A41)	360	1.4	12.4
13	Parkinson's disease (G20-G21)	357	1.4	12.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	316	1.2	10.9
15	Pneumonitis due to solids and liquids (J69)	235	0.9	8.1
	All other causes (residual)	5,824	22.2	200.3

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Kentucky			
	All causes	47,827	100.0	1,077.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,519	22.0	237.1
2	Malignant neoplasms (C00-C97)	10,363	21.7	233.6
3	Chronic lower respiratory diseases (J40-J47)	3,486	7.3	78.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,194	6.7	72.0
5	Cerebrovascular diseases (I60-I69)	2,057	4.3	46.4
6	Alzheimer's disease (G30)	1,728	3.6	38.9
7	Diabetes mellitus (E10-E14)	1,479	3.1	33.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,034	2.2	23.3
9	Influenza and pneumonia (J09-J18)	888	1.9	20.0
10	Septicemia (A40-A41)	878	1.8	19.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	756	1.6	17.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	647	1.4	14.6
13	Parkinson's disease (G20-G21)	415	0.9	9.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	409	0.9	9.2
15	Pneumonitis due to solids and liquids (J69)	309	0.6	7.0
	All other causes (residual)	9,665	20.2	217.8
	Louisiana			
	All causes	44,306	100.0	946.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,943	24.7	233.7
2	Malignant neoplasms (C00-C97)	9,149	20.6	195.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,710	6.1	57.9
4	Cerebrovascular diseases (I60-I69)	2,322	5.2	49.6
5	Chronic lower respiratory diseases (J40-J47)	2,221	5.0	47.4
6	Alzheimer's disease (G30)	2,195	5.0	46.9
7	Diabetes mellitus (E10-E14)	1,324	3.0	28.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,153	2.6	24.6
9	Septicemia (A40-A41)	987	2.2	21.1
10	Influenza and pneumonia (J09-J18)	720	1.6	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	677	1.5	14.5
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	648	1.5	13.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	519	1.2	11.1
14	Parkinson's disease (G20-G21)	408	0.9	8.7
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	401	0.9	8.6
	All other causes (residual)	7,929	17.9	169.4

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Maine			
	All causes	14,182	100.0	1,065.1
1	Malignant neoplasms (C00-C97)	3,275	23.1	246.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,907	20.5	218.3
3	Chronic lower respiratory diseases (J40-J47)	928	6.5	69.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	909	6.4	68.3
5	Cerebrovascular diseases (I60-I69)	663	4.7	49.8
6	Alzheimer's disease (G30)	577	4.1	43.3
7	Diabetes mellitus (E10-E14)	463	3.3	34.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	239	1.7	17.9
9	Influenza and pneumonia (J09-J18)	231	1.6	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	226	1.6	17.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	188	1.3	14.1
12	Parkinson's disease (G20-G21)	170	1.2	12.8
13	Septicemia (A40-A41)	160	1.1	12.0
14	Pneumonitis due to solids and liquids (J69)	121	0.9	9.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	106	0.7	8.0
	All other causes (residual)	3,019	21.3	226.7
	Maryland			
	All causes	48,824	100.0	811.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,390	23.3	189.3
2	Malignant neoplasms (C00-C97)	10,911	22.3	181.4
3	Cerebrovascular diseases (I60-I69)	2,709	5.5	45.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,271	4.7	37.7
5	Chronic lower respiratory diseases (J40-J47)	2,072	4.2	34.4
6	Diabetes mellitus (E10-E14)	1,358	2.8	22.6
7	Alzheimer's disease (G30)	1,178	2.4	19.6
8	Influenza and pneumonia (J09-J18)	1,025	2.1	17.0
9	Septicemia (A40-A41)	875	1.8	14.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	823	1.7	13.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	586	1.2	9.7
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	579	1.2	9.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	556	1.1	9.2
14	Parkinson's disease (G20-G21)	497	1.0	8.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	466	1.0	7.7
	All other causes (residual)	11,528	23.6	191.6

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Massachusetts			
	All causes	56,961	100.0	836.2
1	Malignant neoplasms (C00-C97)	12,717	22.3	186.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,921	20.9	175.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,831	6.7	56.2
4	Chronic lower respiratory diseases (J40-J47)	2,674	4.7	39.3
5	Cerebrovascular diseases (I60-I69)	2,468	4.3	36.2
6	Alzheimer's disease (G30)	1,708	3.0	25.1
7	Diabetes mellitus (E10-E14)	1,268	2.2	18.6
8	Influenza and pneumonia (J09-J18)	1,251	2.2	18.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,139	2.0	16.7
10	Septicemia (A40-A41)	867	1.5	12.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	716	1.3	10.5
12	Parkinson's disease (G20-G21)	637	1.1	9.4
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	631	1.1	9.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	628	1.1	9.2
15	Pneumonitis due to solids and liquids (J69)	539	0.9	7.9
	All other causes (residual)	13,966	24.5	205.0
	Michigan			
	All causes	96,231	100.0	969.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,304	26.3	254.9
2	Malignant neoplasms (C00-C97)	20,870	21.7	210.2
3	Chronic lower respiratory diseases (J40-J47)	5,572	5.8	56.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,313	5.5	53.5
5	Cerebrovascular diseases (I60-I69)	4,874	5.1	49.1
6	Alzheimer's disease (G30)	4,249	4.4	42.8
7	Diabetes mellitus (E10-E14)	2,672	2.8	26.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,791	1.9	18.0
9	Influenza and pneumonia (J09-J18)	1,672	1.7	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,364	1.4	13.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,242	1.3	12.5
12	Septicemia (A40-A41)	1,238	1.3	12.5
13	Parkinson's disease (G20-G21)	961	1.0	9.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	902	0.9	9.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	624	0.6	6.3
	All other causes (residual)	17,583	18.3	177.1

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Minnesota			
	All causes	43,078	100.0	780.4
1	Malignant neoplasms (C00-C97)	9,857	22.9	178.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,825	18.2	141.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,697	6.3	48.9
4	Chronic lower respiratory diseases (J40-J47)	2,369	5.5	42.9
5	Alzheimer's disease (G30)	2,219	5.2	40.2
6	Cerebrovascular diseases (I60-I69)	2,197	5.1	39.8
7	Diabetes mellitus (E10-E14)	1,265	2.9	22.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	745	1.7	13.5
9	Parkinson's disease (G20-G21)	651	1.5	11.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	595	1.4	10.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	588	1.4	10.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	568	1.3	10.3
13	Influenza and pneumonia (J09-J18)	529	1.2	9.6
14	Septicemia (A40-A41)	392	0.9	7.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	330	0.8	6.0
•••	All other causes (residual)	10,251	23.8	185.7
	Mississippi			
	All causes	31,741	100.0	1,062.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,865	24.8	263.2
2	Malignant neoplasms (C00-C97)	6,568	20.7	219.8
3	Chronic lower respiratory diseases (J40-J47)	2,116	6.7	70.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,803	5.7	60.3
5	Cerebrovascular diseases (I60-I69)	1,705	5.4	57.0
6	Alzheimer's disease (G30)	1,485	4.7	49.7
7	Diabetes mellitus (E10-E14)	1,084	3.4	36.3
8	Influenza and pneumonia (J09-J18)	785	2.5	26.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	763	2.4	25.5
10	Septicemia (A40-A41)	636	2.0	21.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	504	1.6	16.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	383	1.2	12.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	383	1.2	12.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	345	1.1	11.5
15	Parkinson's disease (G20-G21)	267	8.0	8.9
	All other causes (residual)	5,049	15.9	168.9

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Missouri			
	All causes	59,873	100.0	982.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,579	24.3	239.3
2	Malignant neoplasms (C00-C97)	12,696	21.2	208.4
3	Chronic lower respiratory diseases (J40-J47)	3,961	6.6	65.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,625	6.1	59.5
5	Cerebrovascular diseases (I60-I69)	3,069	5.1	50.4
6	Alzheimer's disease (G30)	2,302	3.8	37.8
7	Diabetes mellitus (E10-E14)	1,508	2.5	24.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,483	2.5	24.3
9	Influenza and pneumonia (J09-J18)	1,150	1.9	18.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,133	1.9	18.6
11	Septicemia (A40-A41)	822	1.4	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	660	1.1	10.8
13	Parkinson's disease (G20-G21)	601	1.0	9.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	570	1.0	9.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	543	0.9	8.9
	All other causes (residual)	11,171	18.7	183.3
	Montana			
	All causes	9,905	100.0	950.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,138	21.6	205.1
2	Malignant neoplasms (C00-C97)	2,031	20.5	194.8
3	Chronic lower respiratory diseases (J40-J47)	722	7.3	69.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	626	6.3	60.0
5	Cerebrovascular diseases (I60-I69)	440	4.4	42.2
6	Alzheimer's disease (G30)	314	3.2	30.1
7	Diabetes mellitus (E10-E14)	311	3.1	29.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	267	2.7	25.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	160	1.6	15.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	155	1.6	14.9
11	Influenza and pneumonia (J09-J18)	147	1.5	14.1
12	Septicemia (A40-A41)	114	1.2	10.9
13	Parkinson's disease (G20-G21)	104	1.0	10.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	82	0.8	7.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	68	0.7	6.5
	All other causes (residual)	2,226	22.5	213.5

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Nebraska			
	All causes	16,217	100.0	850.3
1	Malignant neoplasms (C00-C97)	3,477	21.4	182.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,322	20.5	174.2
3	Chronic lower respiratory diseases (J40-J47)	1,117	6.9	58.6
4	Cerebrovascular diseases (I60-I69)	787	4.9	41.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	772	4.8	40.5
6	Alzheimer's disease (G30)	634	3.9	33.2
7	Diabetes mellitus (E10-E14)	501	3.1	26.3
8	Influenza and pneumonia (J09-J18)	342	2.1	17.9
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	268	1.7	14.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	246	1.5	12.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	220	1.4	11.5
12	Parkinson's disease (G20-G21)	201	1.2	10.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	200	1.2	10.5
14	Septicemia (A40-A41)	163	1.0	8.5
15	Pneumonitis due to solids and liquids (J69)	141	0.9	7.4
	All other causes (residual)	3,826	23.6	200.6
	Nevada			
	All causes	23,902	100.0	813.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,457	27.0	219.6
2	Malignant neoplasms (C00-C97)	5,214	21.8	177.3
3	Chronic lower respiratory diseases (J40-J47)	1,778	7.4	60.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,395	5.8	47.4
5	Cerebrovascular diseases (I60-I69)	1,096	4.6	37.3
6	Alzheimer's disease (G30)	686	2.9	23.3
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	650	2.7	22.1
8	Diabetes mellitus (E10-E14)	580	2.4	19.7
9	Influenza and pneumonia (J09-J18)	567	2.4	19.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	417	1.7	14.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	274	1.1	9.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	246	1.0	8.4
13	Parkinson's disease (G20-G21)	225	0.9	7.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	211	0.9	7.2
15	Septicemia (A40-A41)	178	0.7	6.1
	All other causes (residual)	3,928	16.4	133.6

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	New Hampshire			
	All causes	12,203	100.0	914.2
1	Malignant neoplasms (C00-C97)	2,875	23.6	215.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,631	21.6	197.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	924	7.6	69.2
4	Chronic lower respiratory diseases (J40-J47)	684	5.6	51.2
5	Cerebrovascular diseases (I60-I69)	490	4.0	36.7
6	Alzheimer's disease (G30)	430	3.5	32.2
7	Diabetes mellitus (E10-E14)	316	2.6	23.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	244	2.0	18.3
9	Influenza and pneumonia (J09-J18)	203	1.7	15.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	162	1.3	12.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	161	1.3	12.1
12	Parkinson's disease (G20-G21)	134	1.1	10.0
13	Septicemia (A40-A41)	131	1.1	9.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	113	0.9	8.5
15	Pneumonitis due to solids and liquids (J69)	83	0.7	6.2
	All other causes (residual)	2,622	21.5	196.4
	New Jersey			
	All causes	73,155	100.0	817.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,597	25.4	207.9
2	Malignant neoplasms (C00-C97)	16,377	22.4	183.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,839	5.2	42.9
4	Cerebrovascular diseases (I60-I69)	3,401	4.6	38.0
5	Chronic lower respiratory diseases (J40-J47)	3,064	4.2	34.3
6	Alzheimer's disease (G30)	2,435	3.3	27.2
7	Diabetes mellitus (E10-E14)	1,949	2.7	21.8
8	Septicemia (A40-A41)	1,925	2.6	21.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,535	2.1	17.2
10	Influenza and pneumonia (J09-J18)	1,208	1.7	13.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	801	1.1	9.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	794	1.1	8.9
13	Parkinson's disease (G20-G21)	759	1.0	8.5
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	687	0.9	7.7
15	Pneumonitis due to solids and liquids (J69)	685	0.9	7.7
	All other causes (residual)	15,099	20.6	168.8

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	New Mexico			
	All causes	18,365	100.0	882.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,800	20.7	182.6
2	Malignant neoplasms (C00-C97)	3,560	19.4	171.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,487	8.1	71.5
4	Chronic lower respiratory diseases (J40-J47)	1,131	6.2	54.3
5	Cerebrovascular diseases (I60-I69)	885	4.8	42.5
6	Diabetes mellitus (E10-E14)	678	3.7	32.6
7	Alzheimer's disease (G30)	583	3.2	28.0
8	Chronic liver disease and cirrhosis (K70,K73-K74)	572	3.1	27.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	471	2.6	22.6
10	Influenza and pneumonia (J09-J18)	353	1.9	17.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	293	1.6	14.1
12	Septicemia (A40-A41)	230	1.3	11.1
13	Parkinson's disease (G20-G21)	192	1.0	9.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	185	1.0	8.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	150	0.8	7.2
	All other causes (residual)	3,795	20.7	182.4
	New York			
	All causes	154,358	100.0	781.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,076	28.6	223.2
2	Malignant neoplasms (C00-C97)	35,368	22.9	179.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,354	4.8	37.2
4	Chronic lower respiratory diseases (J40-J47)	6,860	4.4	34.7
5	Cerebrovascular diseases (I60-I69)	6,258	4.1	31.7
6	Influenza and pneumonia (J09-J18)	4,513	2.9	22.9
7	Diabetes mellitus (E10-E14)	4,038	2.6	20.5
8	Alzheimer's disease (G30)	3,349	2.2	17.0
9	Septicemia (A40-A41)	2,545	1.6	12.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,468	1.6	12.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,385	1.5	12.1
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,679	1.1	8.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,614	1.0	8.2
14	Parkinson's disease (G20-G21)	1,368	0.9	6.9
15	Pneumonitis due to solids and liquids (J69)	1,001	0.6	5.1
	All other causes (residual)	29,482	19.1	149.3

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	North Carolina			
	All causes	90,465	100.0	891.6
1	Malignant neoplasms (C00-C97)	19,523	21.6	192.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,266	20.2	180.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,476	6.1	54.0
4	Chronic lower respiratory diseases (J40-J47)	5,311	5.9	52.3
5	Cerebrovascular diseases (I60-I69)	4,940	5.5	48.7
6	Alzheimer's disease (G30)	4,153	4.6	40.9
7	Diabetes mellitus (E10-E14)	2,811	3.1	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,002	2.2	19.7
9	Influenza and pneumonia (J09-J18)	1,896	2.1	18.7
10	Septicemia (A40-A41)	1,559	1.7	15.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,373	1.5	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,253	1.4	12.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	995	1.1	9.8
14	Parkinson's disease (G20-G21)	894	1.0	8.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	735	0.8	7.2
	All other causes (residual)	19,278	21.3	190.0
	North Dakota			
	All causes	6,242	100.0	823.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,338	21.4	176.5
2	Malignant neoplasms (C00-C97)	1,253	20.1	165.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	371	5.9	48.9
4	Alzheimer's disease (G30)	361	5.8	47.6
5	Chronic lower respiratory diseases (J40-J47)	314	5.0	41.4
6	Cerebrovascular diseases (I60-I69)	311	5.0	41.0
7	Diabetes mellitus (E10-E14)	171	2.7	22.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	140	2.2	18.5
9	Influenza and pneumonia (J09-J18)	134	2.1	17.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	106	1.7	14.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	98	1.6	12.9
12	Pneumonitis due to solids and liquids (J69)	85	1.4	11.2
13	Septicemia (A40-A41)	80	1.3	10.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	71	1.1	9.4
15	Parkinson's disease (G20-G21)	68	1.1	9.0
	All other causes (residual)	1,341	21.5	176.9

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Ohio			
	All causes	119,572	100.0	1,029.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,410	22.9	236.0
2	Malignant neoplasms (C00-C97)	25,509	21.3	219.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,999	6.7	68.9
4	Chronic lower respiratory diseases (J40-J47)	7,015	5.9	60.4
5	Cerebrovascular diseases (I60-I69)	5,987	5.0	51.5
6	Alzheimer's disease (G30)	5,031	4.2	43.3
7	Diabetes mellitus (E10-E14)	3,568	3.0	30.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,262	1.9	19.5
9	Influenza and pneumonia (J09-J18)	2,187	1.8	18.8
10	Septicemia (A40-A41)	1,995	1.7	17.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,707	1.4	14.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,558	1.3	13.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,396	1.2	12.0
14	Parkinson's disease (G20-G21)	1,248	1.0	10.7
15	Pneumonitis due to solids and liquids (J69)	920	0.8	7.9
	All other causes (residual)	23,780	19.9	204.7
	Oklahoma			
	All causes	39,276	100.0	1,001.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,209	26.0	260.2
2	Malignant neoplasms (C00-C97)	8,115	20.7	206.8
3	Chronic lower respiratory diseases (J40-J47)	2,794	7.1	71.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,592	6.6	66.1
5	Cerebrovascular diseases (I60-I69)	1,859	4.7	47.4
6	Alzheimer's disease (G30)	1,590	4.0	40.5
7	Diabetes mellitus (E10-E14)	1,393	3.5	35.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	822	2.1	21.0
9	Chronic liver disease and cirrhosis (K70,K73-K74)	640	1.6	16.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	577	1.5	14.7
11	Influenza and pneumonia (J09-J18)	546	1.4	13.9
12	Septicemia (A40-A41)	478	1.2	12.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	460	1.2	11.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	322	0.8	8.2
15	Parkinson's disease (G20-G21)	315	0.8	8.0
	All other causes (residual)	6,564	16.7	167.3

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Oregon			
	All causes	35,778	100.0	874.0
1	Malignant neoplasms (C00-C97)	8,078	22.6	197.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,968	19.5	170.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,105	5.9	51.4
4	Chronic lower respiratory diseases (J40-J47)	2,080	5.8	50.8
5	Cerebrovascular diseases (I60-I69)	1,943	5.4	47.5
6	Alzheimer's disease (G30)	1,786	5.0	43.6
7	Diabetes mellitus (E10-E14)	1,240	3.5	30.3
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	772	2.2	18.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	606	1.7	14.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	557	1.6	13.6
11	Parkinson's disease (G20-G21)	452	1.3	11.0
11	Influenza and pneumonia (J09-J18)	452	1.3	11.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	398	1.1	9.7
14	Septicemia (A40-A41)	266	0.7	6.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	238	0.7	5.8
	All other causes (residual)	7,837	21.9	191.5
	Pennsylvania			
	All causes	133,040	100.0	1,040.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,990	24.0	250.2
2	Malignant neoplasms (C00-C97)	28,492	21.4	222.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,410	6.3	65.8
4	Cerebrovascular diseases (I60-I69)	6,730	5.1	52.6
5	Chronic lower respiratory diseases (J40-J47)	6,523	4.9	51.0
6	Alzheimer's disease (G30)	4,185	3.1	32.7
7	Diabetes mellitus (E10-E14)	3,560	2.7	27.8
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,813	2.1	22.0
9	Influenza and pneumonia (J09-J18)	2,491	1.9	19.5
10	Septicemia (A40-A41)	2,352	1.8	18.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,970	1.5	15.4
12	Parkinson's disease (G20-G21)	1,417	1.1	11.
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,414	1.1	11.
14	Pneumonitis due to solids and liquids (J69)	1,123	0.8	8.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,115	0.8	8.7
	All other causes (residual)	28,455	21.4	222.6

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Rhode Island			
	All causes	9,735	100.0	921.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,256	23.2	213.6
2	Malignant neoplasms (C00-C97)	2,171	22.3	205.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	675	6.9	63.9
4	Chronic lower respiratory diseases (J40-J47)	445	4.6	42.1
5	Alzheimer's disease (G30)	422	4.3	39.9
6	Cerebrovascular diseases (I60-I69)	399	4.1	37.8
7	Diabetes mellitus (E10-E14)	239	2.5	22.6
8	Influenza and pneumonia (J09-J18)	165	1.7	15.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	149	1.5	14.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	141	1.4	13.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	126	1.3	11.9
12	Parkinson's disease (G20-G21)	115	1.2	10.9
13	Septicemia (A40-A41)	113	1.2	10.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	1.0	9.6
15	Pneumonitis due to solids and liquids (J69)	98	1.0	9.3
	All other causes (residual)	2,120	21.8	200.7
	South Carolina			
	All causes	48,130	100.0	970.1
1	Malignant neoplasms (C00-C97)	10,356	21.5	208.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,195	21.2	205.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,012	6.3	60.7
4	Chronic lower respiratory diseases (J40-J47)	2,870	6.0	57.8
5	Cerebrovascular diseases (I60-I69)	2,627	5.5	53.0
6	Alzheimer's disease (G30)	2,481	5.2	50.0
7	Diabetes mellitus (E10-E14)	1,369	2.8	27.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	897	1.9	18.1
9	Septicemia (A40-A41)	873	1.8	17.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	815	1.7	16.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	749	1.6	15.1
12	Influenza and pneumonia (J09-J18)	690	1.4	13.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	477	1.0	9.6
14	Parkinson's disease (G20-G21)	431	0.9	8.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	426	0.9	8.6
	All other causes (residual)	9,862	20.5	198.8

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	South Dakota			
	All causes	7,845	100.0	906.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,729	22.0	199.8
2	Malignant neoplasms (C00-C97)	1,694	21.6	195.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	505	6.4	58.4
4	Alzheimer's disease (G30)	449	5.7	51.9
5	Chronic lower respiratory diseases (J40-J47)	426	5.4	49.2
6	Cerebrovascular diseases (I60-I69)	420	5.4	48.5
7	Diabetes mellitus (E10-E14)	253	3.2	29.2
8	Influenza and pneumonia (J09-J18)	195	2.5	22.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	163	2.1	18.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	158	2.0	18.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	95	1.2	11.0
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	90	1.1	10.4
13	Parkinson's disease (G20-G21)	86	1.1	9.9
14	Septicemia (A40-A41)	80	1.0	9.2
15	Pneumonitis due to solids and liquids (J69)	73	0.9	8.4
	All other causes (residual)	1,429	18.2	165.1
	Tennessee			
	All causes	67,857	100.0	1,020.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,429	22.7	232.0
2	Malignant neoplasms (C00-C97)	14,450	21.3	217.3
3	Chronic lower respiratory diseases (J40-J47)	4,318	6.4	64.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,238	6.2	63.7
5	Cerebrovascular diseases (I60-I69)	3,508	5.2	52.7
6	Alzheimer's disease (G30)	3,250	4.8	48.9
7	Diabetes mellitus (E10-E14)	1,883	2.8	28.3
8	Influenza and pneumonia (J09-J18)	1,533	2.3	23.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,150	1.7	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,111	1.6	16.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	960	1.4	14.4
12	Septicemia (A40-A41)	931	1.4	14.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	690	1.0	10.4
14	Parkinson's disease (G20-G21)	641	0.9	9.6
15	Pneumonitis due to solids and liquids (J69)	587	0.9	8.8
	All other causes (residual)	13,178	19.4	198.1

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Texas			
	All causes	191,966	100.0	689.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	43,772	22.8	157.1
2	Malignant neoplasms (C00-C97)	40,195	20.9	144.3
3	Cerebrovascular diseases (I60-I69)	10,673	5.6	38.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,536	5.5	37.8
5	Chronic lower respiratory diseases (J40-J47)	10,107	5.3	36.3
6	Alzheimer's disease (G30)	9,135	4.8	32.8
7	Diabetes mellitus (E10-E14)	5,470	2.8	19.6
8	Septicemia (A40-A41)	4,230	2.2	15.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,125	2.1	14.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,880	2.0	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,488	1.8	12.5
12	Influenza and pneumonia (J09-J18)	2,860	1.5	10.3
13	Parkinson's disease (G20-G21)	2,150	1.1	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,080	1.1	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,669	0.9	6.0
	All other causes (residual)	37,596	19.6	134.9
	Utah			
	All causes	17,913	100.0	587.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,636	20.3	119.2
2	Malignant neoplasms (C00-C97)	3,125	17.4	102.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,211	6.8	39.7
4	Cerebrovascular diseases (I60-I69)	932	5.2	30.5
5	Alzheimer's disease (G30)	904	5.0	29.6
6	Chronic lower respiratory diseases (J40-J47)	875	4.9	28.7
7	Diabetes mellitus (E10-E14)	624	3.5	20.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	620	3.5	20.3
9	Influenza and pneumonia (J09-J18)	380	2.1	12.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	370	2.1	12.1
11	Parkinson's disease (G20-G21)	275	1.5	9.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	236	1.3	7.7
13	Septicemia (A40-A41)	222	1.2	7.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	156	0.9	5.1
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	143	8.0	4.7
	All other causes (residual)	4,204	23.5	137.8

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total	
Rank ¹	Tenth Revision) and State	Number	deaths	Rate
	Vermont			
	All causes	5,909	100.0	946.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,366	23.1	218.7
2	Malignant neoplasms (C00-C97)	1,356	22.9	217.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	372	6.3	59.6
4	Chronic lower respiratory diseases (J40-J47)	355	6.0	56.8
5	Alzheimer's disease (G30)	310	5.2	49.6
6	Cerebrovascular diseases (I60-I69)	247	4.2	39.5
7	Diabetes mellitus (E10-E14)	166	2.8	26.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	118	2.0	18.9
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	78	1.3	12.
10	Parkinson's disease (G20-G21)	76	1.3	12.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	70	1.2	11.2
12	Influenza and pneumonia (J09-J18)	59	1.0	9.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	44	0.7	7.0
14	Septicemia (A40-A41)	31	0.5	5.0
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	30	0.5	4.8
•••	All other causes (residual)	1,231	20.8	197.1
	Virginia			
	All causes	66,473	100.0	790.2
1	Malignant neoplasms (C00-C97)	15,027	22.6	178.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,124	21.2	167.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,710	5.6	44.1
4	Cerebrovascular diseases (I60-I69)	3,502	5.3	41.6
5	Chronic lower respiratory diseases (J40-J47)	3,233	4.9	38.4
6	Alzheimer's disease (G30)	2,408	3.6	28.6
7	Diabetes mellitus (E10-E14)	2,062	3.1	24.
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,543	2.3	18.3
9	Septicemia (A40-A41)	1,237	1.9	14.
10	Influenza and pneumonia (J09-J18)	1,177	1.8	14.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,166	1.8	13.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	894	1.3	10.6
13	Parkinson's disease (G20-G21)	745	1.1	8.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	691	1.0	8.3
15	Pneumonitis due to solids and liquids (J69)	599	0.9	7.
	All other causes (residual)	14,355	21.6	170.

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total		
Rank ¹	Tenth Revision) and State	Number	deaths	Rate	
	Washington				
	All causes	54,769	100.0	751.5	
1	Malignant neoplasms (C00-C97)	12,594	23.0	172.8	
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,161	20.4	153.1	
3	Alzheimer's disease (G30)	3,269	6.0	44.9	
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,221	5.9	44.2	
5	Chronic lower respiratory diseases (J40-J47)	3,036	5.5	41.7	
6	Cerebrovascular diseases (I60-I69)	2,910	5.3	39.9	
7	Diabetes mellitus (E10-E14)	1,673	3.1	23.0	
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,141	2.1	15.7	
9	Chronic liver disease and cirrhosis (K70,K73-K74)	926	1.7	12.7	
10	Influenza and pneumonia (J09-J18)	815	1.5	11.2	
11	Parkinson's disease (G20-G21)	703	1.3	9.6	
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	623	1.1	8.5	
13	Pneumonitis due to solids and liquids (J69)	558	1.0	7.7	
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	532	1.0	7.3	
15	Septicemia (A40-A41)	514	0.9	7.1	
	All other causes (residual)	11,093	20.3	152.2	
	West Virginia				
	All causes	22,732	100.0	1,241.4	
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,767	21.0	260.3	
2	Malignant neoplasms (C00-C97)	4,659	20.5	254.4	
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,705	7.5	93.1	
4	Chronic lower respiratory diseases (J40-J47)	1,599	7.0	87.3	
5	Cerebrovascular diseases (I60-I69)	1,039	4.6	56.7	
6	Diabetes mellitus (E10-E14)	860	3.8	47.0	
7	Alzheimer's disease (G30)	786	3.5	42.9	
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	481	2.1	26.3	
9	Influenza and pneumonia (J09-J18)	423	1.9	23.1	
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	362	1.6	19.8	
11	Septicemia (A40-A41)	361	1.6	19.7	
12	Chronic liver disease and cirrhosis (K70,K73-K74)	311	1.4	17.0	
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	291	1.3	15.9	
14	Parkinson's disease (G20-G21)	201	0.9	11.0	
15	Pneumonitis due to solids and liquids (J69)	147	0.6	8.0	
	All other causes (residual)	4,740	20.9	258.9	

^{...} Category not applicable

¹ Rank based on number of deaths

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2016 [Rates per 100,000 population]

	Cause of death (based on the International Classification of Diseases,		Percent of total		
Rank ¹	Tenth Revision) and State	Number	deaths	Rate	
	Wisconsin				
	All causes	51,815	100.0	896.7	
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,526	22.2	199.5	
2	Malignant neoplasms (C00-C97)	11,498	22.2	199.0	
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,575	6.9	61.9	
4	Chronic lower respiratory diseases (J40-J47)	2,786	5.4	48.2	
5	Cerebrovascular diseases (I60-I69)	2,481	4.8	42.9	
6	Alzheimer's disease (G30)	2,256	4.4	39.0	
7	Diabetes mellitus (E10-E14)	1,440	2.8	24.9	
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	960	1.9	16.6	
9	Influenza and pneumonia (J09-J18)	888	1.7	15.4	
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	866	1.7	15.0	
11	Chronic liver disease and cirrhosis (K70,K73-K74)	695	1.3	12.0	
12	Parkinson's disease (G20-G21)	626	1.2	10.8	
13	Septicemia (A40-A41)	565	1.1	9.8	
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	493	1.0	8.5	
15	Pneumonitis due to solids and liquids (J69)	433	8.0	7.5	
	All other causes (residual)	10,727	20.7	185.6	
	Wyoming				
	All causes	4,722	100.0	806.5	
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,051	22.3	179.5	
2	Malignant neoplasms (C00-C97)	962	20.4	164.3	
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	371	7.9	63.4	
4	Chronic lower respiratory diseases (J40-J47)	327	6.9	55.8	
5	Cerebrovascular diseases (I60-I69)	208	4.4	35.5	
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	144	3.0	24.6	
7	Alzheimer's disease (G30)	138	2.9	23.6	
8	Diabetes mellitus (E10-E14)	112	2.4	19.1	
9	Influenza and pneumonia (J09-J18)	99	2.1	16.9	
10	Chronic liver disease and cirrhosis (K70,K73-K74)	88	1.9	15.0	
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	66	1.4	11.3	
12	Parkinson's disease (G20-G21)	47	1.0	8.0	
13	Septicemia (A40-A41)	44	0.9	7.5	
14	Pneumonitis due to solids and liquids (J69)	43	0.9	7.3	
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	36	8.0	6.1	
	All other causes (residual)	986	20.9	168.4	

^{...} Category not applicable

¹ Rank based on number of deaths