





Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Tuberculosis (A16-A19)

All races, both sexes.....	784	1	-	-	-	-	9	7	11	18	34	35	46
Male.....	462	-	-	-	-	-	5	4	7	11	27	20	35
Female.....	322	1	-	-	-	-	4	3	4	7	7	15	11
White, both sexes.....	461	-	-	-	-	-	3	3	3	8	14	13	23
Male.....	272	-	-	-	-	-	2	2	1	5	12	7	19
Female.....	189	-	-	-	-	-	1	1	2	3	2	6	4
Black, both sexes.....	204	-	-	-	-	-	4	4	4	9	15	17	18
Male.....	127	-	-	-	-	-	2	2	3	5	12	11	13
Female.....	77	-	-	-	-	-	2	2	1	4	3	6	5
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	-	1	-	2	2	1
Male.....	14	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	13	-	-	-	-	-	-	-	-	-	2	1	1
Asian or Pacific Islander 2/, both sexes.....	92	1	-	-	-	-	2	-	3	1	3	3	4
Male.....	49	-	-	-	-	-	1	-	2	1	3	1	3
Female.....	43	1	-	-	-	-	1	-	1	-	-	2	1

Respiratory tuberculosis (A16)

All races, both sexes.....	626	-	-	-	-	-	6	6	8	13	27	28	36
Male.....	372	-	-	-	-	-	4	4	5	9	22	16	27
Female.....	254	-	-	-	-	-	2	2	3	4	5	12	9
White, both sexes.....	374	-	-	-	-	-	2	2	3	8	12	12	17
Male.....	223	-	-	-	-	-	2	2	1	5	11	6	14
Female.....	151	-	-	-	-	-	-	-	2	3	1	6	3
Black, both sexes.....	164	-	-	-	-	-	2	4	4	4	11	13	16
Male.....	104	-	-	-	-	-	1	2	3	3	8	8	12
Female.....	60	-	-	-	-	-	1	2	1	1	3	5	4
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	-	1	1	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	70	-	-	-	-	-	2	-	1	1	3	2	2
Male.....	36	-	-	-	-	-	1	-	1	1	3	1	1
Female.....	34	-	-	-	-	-	1	-	-	-	-	1	1









Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Measles (B05)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races, both sexes.....	5,793	2	3	-	2	12	11	37	57	216	524	1,192	1,139
Male.....	3,770	1	3	-	1	4	9	20	43	154	365	887	868
Female.....	2,023	1	-	-	1	8	2	17	14	62	159	305	271
White, both sexes.....	4,620	1	-	-	2	9	11	21	44	178	422	961	920
Male.....	3,049	1	-	-	1	2	9	12	34	133	296	727	705
Female.....	1,571	-	-	-	1	7	2	9	10	45	126	234	215
Black, both sexes.....	865	1	1	-	-	2	-	15	7	31	81	185	189
Male.....	541	-	1	-	-	1	-	7	4	16	52	125	141
Female.....	324	1	-	-	-	1	-	8	3	15	29	60	48
American Indian 1/, both sexes.....	56	-	-	-	-	-	-	-	2	3	9	17	8
Male.....	36	-	-	-	-	-	-	-	2	1	7	11	6
Female.....	20	-	-	-	-	-	-	-	-	2	2	6	2
Asian or Pacific Islander 2/, both sexes.....	252	-	2	-	-	1	-	1	4	4	12	29	22
Male.....	144	-	2	-	-	1	-	1	3	4	10	24	16
Female.....	108	-	-	-	-	-	-	-	1	-	2	5	6





Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	6,707	224	61	41	43	42	55	67	102	163	290	403	513
Male.....	3,622	125	39	16	24	20	32	38	58	97	194	278	348
Female.....	3,085	99	22	25	19	22	23	29	44	66	96	125	165
White, both sexes.....	5,528	155	45	32	34	30	34	47	70	103	204	314	394
Male.....	2,967	85	28	14	21	16	17	24	39	64	143	220	272
Female.....	2,561	70	17	18	13	14	17	23	31	39	61	94	122
Black, both sexes.....	943	59	14	5	5	9	18	18	29	53	72	81	100
Male.....	526	33	10	1	2	3	12	13	16	28	43	53	65
Female.....	417	26	4	4	3	6	6	5	13	25	29	28	35
American Indian 1/, both sexes.....	54	4	1	-	1	-	-	-	-	1	8	3	5
Male.....	28	3	1	-	1	-	-	-	-	-	5	3	3
Female.....	26	1	-	-	-	-	-	-	-	1	3	-	2
Asian or Pacific Islander 2/, both sexes.....	182	6	1	4	3	3	3	2	3	6	6	5	14
Male.....	101	4	-	1	-	1	3	1	3	5	3	2	8
Female.....	81	2	1	3	3	2	-	1	-	1	3	3	6

Malignant neoplasms (C00-C97)

All races, both sexes.....	557,271	74	402	537	535	723	1,007	1,258	2,614	5,150	10,935	19,295	30,342
Male.....	288,768	42	216	297	303	424	592	678	1,190	2,166	4,890	9,418	15,774
Female.....	268,503	32	186	240	232	299	415	580	1,424	2,984	6,045	9,877	14,568
White, both sexes.....	482,481	56	306	428	418	574	825	975	2,022	4,009	8,573	15,180	24,336
Male.....	249,867	35	168	229	230	344	486	531	941	1,710	3,894	7,492	12,665
Female.....	232,614	21	138	199	188	230	339	444	1,081	2,299	4,679	7,688	11,671
Black, both sexes.....	62,617	12	74	85	87	115	135	212	457	918	1,985	3,449	5,001
Male.....	32,627	4	34	55	51	66	74	103	187	349	823	1,625	2,615
Female.....	29,990	8	40	30	36	49	61	109	270	569	1,162	1,824	2,386
American Indian 1/, both sexes.....	2,175	1	3	6	6	9	11	11	24	39	61	109	184
Male.....	1,081	-	2	3	4	4	6	6	8	14	30	44	94
Female.....	1,094	1	1	3	2	5	5	5	16	25	31	65	90
Asian or Pacific Islander 2/, both sexes.....	9,998	5	19	18	24	25	36	60	111	184	316	557	821
Male.....	5,193	3	12	10	18	10	26	38	54	93	143	257	400
Female.....	4,805	2	7	8	6	15	10	22	57	91	173	300	421



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	12,198	-	1	-	-	7	22	48	90	160	276	443	663
Male.....	7,133	-	1	-	-	-	8	31	49	82	157	285	440
Female.....	5,065	-	-	-	-	7	14	17	41	78	119	158	223
White, both sexes.....	9,319	-	1	-	-	5	16	33	61	119	182	317	453
Male.....	5,542	-	1	-	-	-	5	21	36	60	108	209	307
Female.....	3,777	-	-	-	-	5	11	12	25	59	74	108	146
Black, both sexes.....	2,131	-	-	-	-	2	6	13	20	27	65	92	158
Male.....	1,194	-	-	-	-	-	3	10	10	16	33	60	106
Female.....	937	-	-	-	-	2	3	3	10	11	32	32	52
American Indian 1/, both sexes.....	91	-	-	-	-	-	-	-	1	1	5	6	10
Male.....	45	-	-	-	-	-	-	-	1	1	3	3	5
Female.....	46	-	-	-	-	-	-	-	-	-	2	3	5
Asian or Pacific Islander 2/, both sexes.....	657	-	-	-	-	-	-	2	8	13	24	28	42
Male.....	352	-	-	-	-	-	-	-	2	5	13	13	22
Female.....	305	-	-	-	-	-	-	2	6	8	11	15	20
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	56,741	1	-	-	1	9	41	88	202	439	986	1,755	2,818
Male.....	28,501	1	-	-	1	6	28	48	113	233	564	958	1,606
Female.....	28,240	-	-	-	-	3	13	40	89	206	422	797	1,212
White, both sexes.....	48,562	1	-	-	1	7	31	70	164	337	734	1,313	2,240
Male.....	24,439	1	-	-	1	4	20	39	87	175	425	736	1,287
Female.....	24,123	-	-	-	-	3	11	31	77	162	309	577	953
Black, both sexes.....	6,874	-	-	-	-	2	8	11	29	75	209	370	493
Male.....	3,351	-	-	-	-	2	6	5	20	43	114	186	269
Female.....	3,523	-	-	-	-	-	2	6	9	32	95	184	224
American Indian 1/, both sexes.....	246	-	-	-	-	-	-	2	1	7	4	11	19
Male.....	131	-	-	-	-	-	-	1	-	5	1	6	12
Female.....	115	-	-	-	-	-	-	1	1	2	3	5	7
Asian or Pacific Islander 2/, both sexes.....	1,059	-	-	-	-	-	2	5	8	20	39	61	66
Male.....	580	-	-	-	-	-	2	3	6	10	24	30	38
Female.....	479	-	-	-	-	-	-	2	2	10	15	31	28

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	14,047	3	28	7	11	10	17	33	72	123	291	731	1,245
Male.....	9,011	2	19	4	8	9	9	20	42	85	223	596	1,015
Female.....	5,036	1	9	3	3	1	8	13	30	38	68	135	230
White, both sexes.....	11,250	2	22	7	6	6	13	18	39	74	201	521	862
Male.....	7,114	2	14	4	3	5	5	8	19	48	153	426	703
Female.....	4,136	-	8	3	3	1	8	10	20	26	48	95	159
Black, both sexes.....	1,734	1	4	-	3	3	1	9	18	23	61	147	258
Male.....	1,165	-	3	-	3	3	1	6	11	16	45	116	209
Female.....	569	1	1	-	-	-	-	3	7	7	16	31	49
American Indian 1/, both sexes.....	94	-	1	-	-	-	-	-	1	-	2	6	11
Male.....	60	-	1	-	-	-	-	-	1	-	2	4	10
Female.....	34	-	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	969	-	1	-	2	1	3	6	14	26	27	57	114
Male.....	672	-	1	-	2	1	3	6	11	21	23	50	93
Female.....	297	-	-	-	-	-	-	-	3	5	4	7	21
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	30,264	1	-	-	-	2	5	7	32	156	440	889	1,544
Male.....	14,877	-	-	-	-	2	3	3	23	89	275	555	971
Female.....	15,387	1	-	-	-	-	2	4	9	67	165	334	573
White, both sexes.....	26,031	-	-	-	-	2	5	4	24	119	354	715	1,223
Male.....	12,921	-	-	-	-	2	3	1	18	65	226	451	785
Female.....	13,110	-	-	-	-	-	2	3	6	54	128	264	438
Black, both sexes.....	3,494	1	-	-	-	-	-	2	4	30	72	144	259
Male.....	1,617	-	-	-	-	-	-	1	4	19	39	85	159
Female.....	1,877	1	-	-	-	-	-	1	-	11	33	59	100
American Indian 1/, both sexes.....	112	-	-	-	-	-	-	-	1	1	3	6	14
Male.....	50	-	-	-	-	-	-	-	-	1	3	5	6
Female.....	62	-	-	-	-	-	-	-	1	-	-	1	8
Asian or Pacific Islander 2/, both sexes.....	627	-	-	-	-	-	-	1	3	6	11	24	48
Male.....	289	-	-	-	-	-	-	1	1	4	7	14	21
Female.....	338	-	-	-	-	-	-	-	2	2	4	10	27

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Malignant neoplasm of larynx (C32)</b>													
All races, both sexes.....	3,723	-	-	-	-	-	-	3	8	19	57	156	269
Male.....	2,922	-	-	-	-	-	-	3	3	16	42	130	219
Female.....	801	-	-	-	-	-	-	-	5	3	15	26	50
White, both sexes.....	3,012	-	-	-	-	-	-	2	5	10	38	104	192
Male.....	2,351	-	-	-	-	-	-	2	1	8	29	88	159
Female.....	661	-	-	-	-	-	-	-	4	2	9	16	33
Black, both sexes.....	675	-	-	-	-	-	-	1	3	8	19	48	75
Male.....	542	-	-	-	-	-	-	1	2	7	13	38	58
Female.....	133	-	-	-	-	-	-	-	1	1	6	10	17
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1	2
Male.....	11	-	-	-	-	-	-	-	-	-	-	1	2
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	-	1	-	3	-
Male.....	18	-	-	-	-	-	-	-	-	1	-	3	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All races, both sexes.....	157,713	-	1	2	2	4	17	35	130	583	2,115	4,341	7,809
Male.....	90,171	-	1	1	2	2	14	19	71	290	1,096	2,471	4,723
Female.....	67,542	-	-	1	-	2	3	16	59	293	1,019	1,870	3,086
White, both sexes.....	138,661	-	1	2	1	3	14	25	102	465	1,655	3,426	6,288
Male.....	78,465	-	1	1	1	2	11	14	58	222	841	1,913	3,743
Female.....	60,196	-	-	1	-	1	3	11	44	243	814	1,513	2,545
Black, both sexes.....	16,316	-	-	-	1	1	3	4	19	96	409	827	1,353
Male.....	10,075	-	-	-	1	-	3	2	12	57	232	505	882
Female.....	6,241	-	-	-	-	1	-	2	7	39	177	322	471
American Indian 1/, both sexes.....	556	-	-	-	-	-	-	-	1	-	5	14	35
Male.....	304	-	-	-	-	-	-	-	-	-	2	7	20
Female.....	252	-	-	-	-	-	-	-	1	-	3	7	15
Asian or Pacific Islander 2/, both sexes.....	2,180	-	-	-	-	-	-	6	8	22	46	74	133
Male.....	1,327	-	-	-	-	-	-	3	1	11	21	46	78
Female.....	853	-	-	-	-	-	-	3	7	11	25	28	55

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,514	-	3	-	1	7	34	70	124	219	385	495	640
Male.....	4,725	-	2	-	1	3	17	38	81	120	243	343	403
Female.....	2,789	-	1	-	-	4	17	32	43	99	142	152	237
White, both sexes.....	7,353	-	3	-	1	6	34	68	124	210	380	485	628
Male.....	4,639	-	2	-	1	2	17	36	81	118	239	337	395
Female.....	2,714	-	1	-	-	4	17	32	43	92	141	148	233
Black, both sexes.....	102	-	-	-	-	1	-	1	-	7	2	3	9
Male.....	52	-	-	-	-	1	-	1	-	2	2	2	5
Female.....	50	-	-	-	-	-	-	-	-	5	-	1	4
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	-	1	-	2	3	6	2
Male.....	25	-	-	-	-	-	-	1	-	-	2	3	2
Female.....	17	-	-	-	-	-	-	-	-	2	1	3	-
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,883	-	-	-	-	1	9	63	362	904	1,818	2,747	3,707
Male.....	369	-	-	-	-	-	-	2	1	4	8	16	28
Female.....	41,514	-	-	-	-	1	9	61	361	900	1,810	2,731	3,679
White, both sexes.....	35,382	-	-	-	-	-	6	40	245	634	1,316	2,059	2,904
Male.....	300	-	-	-	-	-	2	2	-	2	7	11	21
Female.....	35,082	-	-	-	-	-	6	38	245	632	1,309	2,048	2,883
Black, both sexes.....	5,636	-	-	-	-	1	2	22	103	234	445	585	673
Male.....	64	-	-	-	-	-	-	-	1	2	1	5	6
Female.....	5,572	-	-	-	-	1	2	22	102	232	444	580	667
American Indian 1/, both sexes.....	148	-	-	-	-	-	-	1	4	10	7	14	22
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	148	-	-	-	-	-	-	1	4	10	7	14	22
Asian or Pacific Islander 2/, both sexes.....	717	-	-	-	-	-	1	-	10	26	50	89	108
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	712	-	-	-	-	-	1	-	10	26	50	89	107

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Malignant neoplasm of cervix uteri (C53)</b>													
All races, both sexes.....	3,952	-	-	-	-	1	16	47	161	275	391	439	455
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,952	-	-	-	-	1	16	47	161	275	391	439	455
White, both sexes.....	2,967	-	-	-	-	-	12	34	126	211	292	324	343
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2,967	-	-	-	-	-	12	34	126	211	292	324	343
Black, both sexes.....	829	-	-	-	-	1	2	13	30	60	86	95	96
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	829	-	-	-	-	1	2	13	30	60	86	95	96
American Indian 1/, both sexes.....	34	-	-	-	-	-	2	-	2	-	3	9	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	34	-	-	-	-	-	2	-	2	-	3	9	3
Asian or Pacific Islander 2/, both sexes.....	122	-	-	-	-	-	-	-	3	4	10	11	13
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	122	-	-	-	-	-	-	-	3	4	10	11	13
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>													
All races, both sexes.....	6,853	-	-	-	-	-	-	2	21	46	100	189	376
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6,853	-	-	-	-	-	-	2	21	46	100	189	376
White, both sexes.....	5,567	-	-	-	-	-	-	1	16	34	82	147	296
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,567	-	-	-	-	-	-	1	16	34	82	147	296
Black, both sexes.....	1,119	-	-	-	-	-	-	1	4	8	14	28	61
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,119	-	-	-	-	-	-	1	4	8	14	28	61
American Indian 1/, both sexes.....	32	-	-	-	-	-	-	-	-	3	1	4	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	32	-	-	-	-	-	-	-	-	3	1	4	3
Asian or Pacific Islander 2/, both sexes.....	135	-	-	-	-	-	-	-	1	1	3	10	16
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	135	-	-	-	-	-	-	-	1	1	3	10	16





Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>													
All races, both sexes.....	12,165	4	8	23	7	7	13	14	34	91	215	514	808
Male.....	7,587	1	-	14	5	2	5	8	23	63	154	355	592
Female.....	4,578	3	8	9	2	5	8	6	11	28	61	159	216
White, both sexes.....	10,856	4	8	18	6	5	11	10	20	66	182	428	688
Male.....	6,803	1	-	11	4	1	4	5	14	45	131	304	511
Female.....	4,053	3	8	7	2	4	7	5	6	21	51	124	177
Black, both sexes.....	1,069	-	-	5	1	2	1	3	14	21	25	72	92
Male.....	630	-	-	3	1	1	1	2	9	15	17	41	62
Female.....	439	-	-	2	-	1	-	1	5	6	8	31	30
American Indian 1/, both sexes.....	98	-	-	-	-	-	-	-	-	1	6	7	11
Male.....	63	-	-	-	-	-	-	-	-	-	4	4	7
Female.....	35	-	-	-	-	-	-	-	-	1	2	3	4
Asian or Pacific Islander 2/, both sexes.....	142	-	-	-	-	-	1	1	-	3	2	7	17
Male.....	91	-	-	-	-	-	-	1	-	3	2	6	12
Female.....	51	-	-	-	-	-	1	-	-	-	-	1	5
<b>Malignant neoplasm of bladder (C67)</b>													
All races, both sexes.....	12,628	-	-	2	1	-	1	3	11	31	92	182	321
Male.....	8,504	-	-	1	-	-	-	2	7	21	57	129	223
Female.....	4,124	-	-	1	1	-	1	1	4	10	35	53	98
White, both sexes.....	11,512	-	-	2	1	-	-	2	8	29	76	163	280
Male.....	7,908	-	-	1	-	-	-	1	5	19	49	116	203
Female.....	3,604	-	-	1	1	-	-	1	3	10	27	47	77
Black, both sexes.....	940	-	-	-	-	-	-	1	3	1	12	16	33
Male.....	481	-	-	-	-	-	-	1	2	1	6	10	16
Female.....	459	-	-	-	-	-	-	-	1	-	6	6	17
American Indian 1/, both sexes.....	31	-	-	-	-	-	1	-	-	-	-	-	2
Male.....	17	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	14	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	145	-	-	-	-	-	-	-	-	1	4	3	6
Male.....	98	-	-	-	-	-	-	-	-	1	2	3	2
Female.....	47	-	-	-	-	-	-	-	-	-	2	-	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,830	12	114	202	135	108	102	129	259	375	634	900	1,158
Male.....	7,125	8	63	112	79	65	71	67	156	222	396	560	665
Female.....	5,705	4	51	90	56	43	31	62	103	153	238	340	493
White, both sexes.....	11,794	7	80	159	106	88	86	109	229	341	581	826	1,056
Male.....	6,554	5	46	84	59	55	62	56	135	203	369	514	618
Female.....	5,240	2	34	75	47	33	24	53	94	138	212	312	438
Black, both sexes.....	781	3	27	34	20	16	12	11	22	30	38	49	78
Male.....	409	2	12	23	12	9	5	5	17	16	19	25	32
Female.....	372	1	15	11	8	7	7	6	5	14	19	24	46
American Indian 1/, both sexes.....	41	1	1	4	3	2	-	1	3	-	3	4	4
Male.....	23	-	-	2	2	1	-	1	-	-	2	4	2
Female.....	18	1	1	2	1	1	-	-	3	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	214	1	6	5	6	2	4	8	5	4	12	21	20
Male.....	139	1	5	3	6	-	4	5	4	3	6	17	13
Female.....	75	-	1	2	-	2	-	3	1	1	6	4	7
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	56,225	28	119	166	213	310	393	368	548	695	1,056	1,599	2,361
Male.....	30,302	15	63	87	130	188	229	225	320	409	629	953	1,388
Female.....	25,923	13	56	79	83	122	164	143	228	286	427	646	973
White, both sexes.....	49,943	19	98	137	166	244	331	287	423	542	863	1,276	1,909
Male.....	27,087	11	53	69	101	155	197	180	246	316	516	774	1,149
Female.....	22,856	8	45	68	65	89	134	107	177	226	347	502	760
Black, both sexes.....	5,151	5	16	19	34	45	45	62	95	111	165	268	363
Male.....	2,622	2	7	13	20	25	20	35	58	70	98	155	190
Female.....	2,529	3	9	6	14	20	25	27	37	41	67	113	173
American Indian 1/, both sexes.....	171	-	1	-	2	4	7	3	4	10	4	7	12
Male.....	89	-	1	-	1	2	6	1	2	6	4	3	8
Female.....	82	-	-	-	1	2	1	2	2	4	-	4	4
Asian or Pacific Islander 2/, both sexes.....	960	4	4	10	11	17	10	16	26	32	24	48	77
Male.....	504	2	2	5	8	6	6	9	14	17	11	21	41
Female.....	456	2	2	5	3	11	4	7	12	15	13	27	36

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Hodgkin's disease (C81)</b>													
All races, both sexes.....	1,352	-	-	3	3	27	59	64	88	81	78	83	94
Male.....	751	-	-	2	3	15	26	37	44	46	46	53	52
Female.....	601	-	-	1	-	12	33	27	44	35	32	30	42
White, both sexes.....	1,193	-	-	3	2	21	51	52	75	64	66	72	79
Male.....	655	-	-	2	2	13	24	28	37	36	37	44	41
Female.....	538	-	-	1	-	8	27	24	38	28	29	28	38
Black, both sexes.....	130	-	-	-	1	4	7	11	13	15	11	10	10
Male.....	82	-	-	-	1	2	2	8	7	9	9	8	7
Female.....	48	-	-	-	-	2	5	3	6	6	2	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	2	1	1	-	2	1	1	5
Male.....	14	-	-	-	-	-	-	1	-	1	-	1	4
Female.....	14	-	-	-	-	2	1	-	-	1	1	-	1
<b>Non-Hodgkin's lymphoma (C82-C85)</b>													
All races, both sexes.....	21,910	2	15	15	42	44	98	111	170	253	434	638	943
Male.....	11,538	1	6	10	30	31	62	71	107	161	278	404	574
Female.....	10,372	1	9	5	12	13	36	40	63	92	156	234	369
White, both sexes.....	19,996	1	14	15	30	28	78	84	119	194	346	532	777
Male.....	10,535	-	6	10	22	23	52	58	73	123	220	349	481
Female.....	9,461	1	8	5	8	5	26	26	46	71	126	183	296
Black, both sexes.....	1,474	1	1	-	10	11	14	22	41	40	78	90	128
Male.....	775	1	-	-	7	4	6	11	29	27	52	48	71
Female.....	699	-	1	-	3	7	8	11	12	13	26	42	57
American Indian 1/, both sexes.....	53	-	-	-	1	-	1	-	1	6	2	3	4
Male.....	29	-	-	-	1	-	1	-	-	5	2	1	2
Female.....	24	-	-	-	-	-	-	-	1	1	-	2	2
Asian or Pacific Islander 2/, both sexes.....	387	-	-	-	1	5	5	5	9	13	8	13	34
Male.....	199	-	-	-	-	4	3	2	5	6	4	6	20
Female.....	188	-	-	-	1	1	2	3	4	7	4	7	14

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Leukemia (C91-C95)</b>													
All races, both sexes.....	21,498	21	104	148	168	237	235	190	281	325	442	606	853
Male.....	12,016	11	57	75	97	142	140	117	163	178	251	335	486
Female.....	9,482	10	47	73	71	95	95	73	118	147	191	271	367
White, both sexes.....	19,273	16	84	119	134	193	201	149	221	262	382	481	715
Male.....	10,835	10	47	57	77	119	120	94	131	142	220	263	415
Female.....	8,438	6	37	62	57	74	81	55	90	120	162	218	300
Black, both sexes.....	1,770	4	15	19	23	30	24	28	40	43	48	93	108
Male.....	923	1	7	13	12	19	12	16	21	26	23	57	55
Female.....	847	3	8	6	11	11	12	12	19	17	25	36	53
American Indian 1/, both sexes.....	73	-	1	-	1	4	6	3	3	3	1	3	1
Male.....	40	-	1	-	-	2	5	1	2	-	1	2	1
Female.....	33	-	-	-	1	2	1	2	1	3	-	1	-
Asian or Pacific Islander 2/, both sexes.....	382	1	4	10	10	10	4	10	17	17	11	29	29
Male.....	218	-	2	5	8	2	3	6	9	10	7	13	15
Female.....	164	1	2	5	2	8	1	4	8	7	4	16	14
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>													
All races, both sexes.....	11,392	2	-	-	-	2	-	3	9	36	102	270	466
Male.....	5,953	-	-	-	-	-	-	-	6	24	54	159	274
Female.....	5,439	2	-	-	-	2	-	3	3	12	48	111	192
White, both sexes.....	9,420	1	-	-	-	2	-	2	8	22	69	189	334
Male.....	5,024	-	-	-	-	-	-	-	5	15	39	116	210
Female.....	4,396	1	-	-	-	2	-	2	3	7	30	73	124
Black, both sexes.....	1,771	-	-	-	-	-	-	1	1	13	28	75	117
Male.....	840	-	-	-	-	-	-	-	1	8	14	42	57
Female.....	931	-	-	-	-	-	-	1	-	5	14	33	60
American Indian 1/, both sexes.....	43	-	-	-	-	-	-	-	-	1	1	1	7
Male.....	20	-	-	-	-	-	-	-	-	1	1	-	5
Female.....	23	-	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	158	1	-	-	-	-	-	-	-	-	4	5	8
Male.....	69	-	-	-	-	-	-	-	-	-	-	1	2
Female.....	89	1	-	-	-	-	-	-	-	-	4	4	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	73	3	-	-	-	-	1	-	-	-	-	2	5
Male.....	44	3	-	-	-	-	1	-	-	-	-	2	2
Female.....	29	-	-	-	-	-	-	-	-	-	-	-	3
White, both sexes.....	61	1	-	-	-	-	1	-	-	-	-	2	4
Male.....	38	1	-	-	-	-	1	-	-	-	-	2	2
Female.....	23	-	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	62,969	24	124	133	155	233	294	289	445	716	1,327	2,213	3,280
Male.....	32,122	15	65	77	75	140	200	194	265	407	703	1,225	1,906
Female.....	30,847	9	59	56	80	93	94	95	180	309	624	988	1,374
White, both sexes.....	54,810	22	90	101	124	191	232	226	348	565	1,043	1,739	2,645
Male.....	28,060	15	49	58	59	113	156	154	211	323	539	972	1,554
Female.....	26,750	7	41	43	65	78	76	72	137	242	504	767	1,091
Black, both sexes.....	6,824	2	27	27	26	34	48	51	74	131	232	402	531
Male.....	3,381	-	12	16	13	23	33	31	36	70	131	218	298
Female.....	3,443	2	15	11	13	11	15	20	38	61	101	184	233
American Indian 1/, both sexes.....	265	-	-	2	1	3	1	2	5	5	11	11	18
Male.....	130	-	-	1	1	1	-	2	4	1	7	4	10
Female.....	135	-	-	1	-	2	1	-	1	4	4	7	8
Asian or Pacific Islander 2/, both sexes.....	1,070	-	7	3	4	5	13	10	18	15	41	61	86
Male.....	551	-	4	2	2	3	11	7	14	13	26	31	44
Female.....	519	-	3	1	2	2	2	3	4	2	15	30	42

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	13,299	69	60	44	45	41	46	62	101	137	229	327	387
Male.....	6,536	30	30	22	27	21	29	33	51	77	119	169	196
Female.....	6,763	39	30	22	18	20	17	29	50	60	110	158	191
White, both sexes.....	11,913	59	43	36	31	34	34	42	79	112	174	274	309
Male.....	5,902	27	21	16	21	18	20	24	46	65	100	146	162
Female.....	6,011	32	22	20	10	16	14	18	33	47	74	128	147
Black, both sexes.....	1,143	9	14	7	11	6	9	13	18	20	50	50	64
Male.....	500	2	8	6	3	3	6	5	3	8	18	20	27
Female.....	643	7	6	1	8	3	3	8	15	12	32	30	37
American Indian 1/, both sexes.....	34	-	2	-	1	-	-	1	-	-	3	-	2
Male.....	15	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	19	-	2	-	-	-	-	1	-	-	3	-	2
Asian or Pacific Islander 2/, both sexes.....	209	1	1	1	2	1	3	6	4	5	2	3	12
Male.....	119	1	1	-	2	-	3	4	2	4	1	3	7
Female.....	90	-	-	1	-	1	-	2	2	1	1	-	5

Anemias (D50-D64)

All races, both sexes.....	4,614	18	21	29	24	42	69	83	97	99	97	131	119
Male.....	1,781	12	9	13	13	23	44	53	48	53	43	57	52
Female.....	2,833	6	12	16	11	19	25	30	49	46	54	74	67
White, both sexes.....	3,460	8	12	15	8	13	17	15	28	22	23	49	50
Male.....	1,267	4	5	6	5	7	10	10	14	14	12	25	26
Female.....	2,193	4	7	9	3	6	7	5	14	8	11	24	24
Black, both sexes.....	1,064	6	9	12	14	27	52	65	65	74	71	80	65
Male.....	479	5	4	7	7	16	34	40	33	37	31	31	25
Female.....	585	1	5	5	7	11	18	25	32	37	40	49	40
American Indian 1/, both sexes.....	15	-	-	-	1	1	-	1	1	-	1	-	2
Male.....	4	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	11	-	-	-	1	1	-	-	1	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	75	4	-	2	1	1	-	2	3	3	2	2	2
Male.....	31	3	-	-	1	-	-	2	1	2	-	1	1
Female.....	44	1	-	2	-	1	-	-	2	1	2	1	1







Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Meningitis (G00,G03)													
All races, both sexes.....	700	74	19	10	21	12	14	16	20	23	38	63	53
Male.....	389	41	13	5	11	8	7	9	10	17	26	41	30
Female.....	311	33	6	5	10	4	7	7	10	6	12	22	23
White, both sexes.....	498	52	13	9	11	10	8	9	11	18	21	39	32
Male.....	270	29	8	5	6	7	3	5	4	14	12	24	18
Female.....	228	23	5	4	5	3	5	4	7	4	9	15	14
Black, both sexes.....	178	20	6	1	9	1	5	7	8	5	15	21	19
Male.....	107	11	5	-	5	1	4	4	5	3	12	15	11
Female.....	71	9	1	1	4	-	1	3	3	2	3	6	8
American Indian 1/, both sexes.....	8	1	-	-	1	-	1	-	-	-	1	-	1
Male.....	5	1	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	-	-	-	1	-	-	1	-	1	3	1
Male.....	7	-	-	-	-	-	-	-	1	-	1	2	-
Female.....	9	1	-	-	-	1	-	-	-	-	-	1	1

Parkinson's disease (G20-G21)

All races, both sexes.....	16,959	-	-	-	-	-	-	-	-	1	5	19	39
Male.....	9,593	-	-	-	-	-	-	-	-	-	3	14	26
Female.....	7,366	-	-	-	-	-	-	-	-	1	2	5	13
White, both sexes.....	16,135	-	-	-	-	-	-	-	-	-	3	15	38
Male.....	9,130	-	-	-	-	-	-	-	-	-	2	10	25
Female.....	7,005	-	-	-	-	-	-	-	-	-	1	5	13
Black, both sexes.....	557	-	-	-	-	-	-	-	-	1	-	3	1
Male.....	313	-	-	-	-	-	-	-	-	-	-	3	1
Female.....	244	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	53	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	38	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	214	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	112	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	102	-	-	-	-	-	-	-	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Alzheimer's disease (G30)</b>													
All races, both sexes.....	58,866	-	-	-	1	-	-	-	2	3	9	12	40
Male.....	16,989	-	-	-	-	-	-	-	2	3	5	5	22
Female.....	41,877	-	-	-	1	-	-	-	-	-	4	7	18
White, both sexes.....	55,058	-	-	-	1	-	-	-	1	1	6	12	37
Male.....	15,874	-	-	-	-	-	-	-	1	1	4	5	19
Female.....	39,184	-	-	-	1	-	-	-	-	-	2	7	18
Black, both sexes.....	3,341	-	-	-	-	-	-	-	1	2	2	-	3
Male.....	959	-	-	-	-	-	-	-	1	2	1	-	3
Female.....	2,382	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	115	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	35	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	80	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	352	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	121	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	231	-	-	-	-	-	-	-	-	-	1	-	-
<b>Major cardiovascular diseases (I00-I78)</b>													
All races, both sexes.....	918,628	640	223	127	231	493	790	1,348	2,638	5,541	11,421	18,716	27,084
Male.....	429,682	343	122	57	137	328	517	869	1,699	3,602	7,754	12,998	18,930
Female.....	488,946	297	101	70	94	165	273	479	939	1,939	3,667	5,718	8,154
White, both sexes.....	796,748	421	160	92	152	341	522	858	1,707	3,813	8,216	13,501	20,030
Male.....	372,088	230	92	42	89	224	353	577	1,131	2,547	5,852	9,822	14,521
Female.....	424,660	191	68	50	63	117	169	281	576	1,266	2,364	3,679	5,509
Black, both sexes.....	104,215	186	51	26	69	126	237	439	828	1,533	2,881	4,698	6,346
Male.....	48,264	97	25	10	41	83	141	260	489	910	1,672	2,812	3,915
Female.....	55,951	89	26	16	28	43	96	179	339	623	1,209	1,886	2,431
American Indian 1/, both sexes.....	3,259	6	6	2	5	10	10	15	26	47	100	128	191
Male.....	1,752	4	2	1	3	7	9	8	21	35	67	93	137
Female.....	1,507	2	4	1	2	3	1	7	5	12	33	35	54
Asian or Pacific Islander 2/, both sexes.....	14,406	27	6	7	5	16	21	36	77	148	224	389	517
Male.....	7,578	12	3	4	4	14	14	24	58	110	163	271	357
Female.....	6,828	15	3	3	1	2	7	12	19	38	61	118	160

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	696,947	500	165	92	163	405	617	1,076	2,089	4,448	9,240	15,179	22,391
Male.....	340,933	267	87	40	101	275	411	716	1,415	3,048	6,590	10,983	16,256
Female.....	356,014	233	78	52	62	130	206	360	674	1,400	2,650	4,196	6,135
White, both sexes.....	606,876	332	115	65	111	274	393	682	1,358	3,131	6,836	11,271	17,008
Male.....	296,904	181	65	30	69	185	272	468	952	2,199	5,089	8,497	12,786
Female.....	309,972	151	50	35	42	89	121	214	406	932	1,747	2,774	4,222
Black, both sexes.....	77,621	144	40	19	46	109	197	355	649	1,181	2,175	3,541	4,872
Male.....	37,094	76	18	6	27	72	120	221	398	742	1,318	2,208	3,078
Female.....	40,527	68	22	13	19	37	77	134	251	439	857	1,333	1,794
American Indian 1/, both sexes.....	2,467	5	6	2	3	8	9	12	22	36	71	95	151
Male.....	1,412	3	2	1	3	6	8	7	18	29	53	74	115
Female.....	1,055	2	4	1	-	2	1	5	4	7	18	21	36
Asian or Pacific Islander 2/, both sexes.....	9,983	19	4	6	3	14	18	27	60	100	158	272	360
Male.....	5,523	7	2	3	2	12	11	20	47	78	130	204	277
Female.....	4,460	12	2	3	1	2	7	7	13	22	28	68	83
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,579	4	1	4	2	8	10	10	26	38	57	97	140
Male.....	1,078	3	1	1	1	3	5	6	12	19	26	40	55
Female.....	2,501	1	-	3	1	5	5	4	14	19	31	57	85
White, both sexes.....	3,204	4	1	1	2	3	7	6	18	32	36	70	110
Male.....	950	3	1	1	1	-	4	3	8	15	15	30	42
Female.....	2,254	1	-	-	1	3	3	3	10	17	21	40	68
Black, both sexes.....	252	-	-	2	-	3	2	3	6	4	16	21	23
Male.....	93	-	-	-	-	2	1	2	2	2	10	7	10
Female.....	159	-	-	2	-	1	1	1	4	2	6	14	13
American Indian 1/, both sexes.....	23	-	-	-	-	1	-	1	-	-	1	-	1
Male.....	9	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	14	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	100	-	-	1	-	1	1	-	2	2	4	6	6
Male.....	26	-	-	-	-	1	-	-	2	2	1	3	2
Female.....	74	-	-	1	-	-	1	-	-	-	3	3	4



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	494,382	23	7	4	16	30	103	251	745	2,211	5,472	9,892	15,683
Male.....	252,760	15	4	1	12	18	74	191	550	1,670	4,170	7,582	11,969
Female.....	241,622	8	3	3	4	12	29	60	195	541	1,302	2,310	3,714
White, both sexes.....	435,170	14	5	3	12	24	70	185	555	1,700	4,310	7,782	12,445
Male.....	223,262	10	2	1	9	14	52	149	424	1,306	3,390	6,172	9,771
Female.....	211,908	4	3	2	3	10	18	36	131	394	920	1,610	2,674
Black, both sexes.....	50,174	8	2	1	4	4	27	55	158	438	1,022	1,858	2,866
Male.....	24,322	4	2	-	3	2	16	34	99	300	659	1,204	1,896
Female.....	25,852	4	-	1	1	2	11	21	59	138	363	654	970
American Indian 1/, both sexes.....	1,777	1	-	-	-	1	3	6	10	15	44	61	112
Male.....	1,041	1	-	-	-	1	3	4	9	13	35	49	87
Female.....	736	-	-	-	-	-	-	2	1	2	9	12	25
Asian or Pacific Islander 2/, both sexes.....	7,261	-	-	-	-	1	3	5	22	58	96	191	260
Male.....	4,135	-	-	-	-	1	3	4	18	51	86	157	215
Female.....	3,126	-	-	-	-	-	-	1	4	7	10	34	45
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	179,514	11	5	2	5	15	47	91	309	882	2,279	4,055	6,564
Male.....	93,830	7	2	-	2	10	31	67	225	656	1,691	3,066	4,929
Female.....	85,684	4	3	2	3	5	16	24	84	226	588	989	1,635
White, both sexes.....	157,922	9	5	1	4	13	30	63	238	698	1,826	3,247	5,374
Male.....	83,288	6	2	-	2	8	22	50	179	531	1,390	2,543	4,146
Female.....	74,634	3	3	1	2	5	8	13	59	167	436	704	1,228
Black, both sexes.....	18,322	2	-	1	1	-	15	25	64	158	403	707	1,058
Male.....	8,680	1	-	-	-	-	7	15	40	103	259	440	678
Female.....	9,642	1	-	1	1	-	8	10	24	55	144	267	380
American Indian 1/, both sexes.....	657	-	-	-	-	1	1	-	3	6	15	32	41
Male.....	384	-	-	-	-	1	1	-	3	5	12	26	34
Female.....	273	-	-	-	-	-	-	-	-	1	3	6	7
Asian or Pacific Islander 2/, both sexes.....	2,613	-	-	-	-	1	1	3	4	20	35	69	91
Male.....	1,478	-	-	-	-	1	1	2	3	17	30	57	71
Female.....	1,135	-	-	-	-	-	-	1	1	3	5	12	20

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,407	2	-	1	-	2	2	4	14	17	60	119	226
Male.....	1,767	1	-	1	-	-	1	2	10	9	41	88	162
Female.....	1,640	1	-	-	-	2	1	2	4	8	19	31	64
White, both sexes.....	2,907	1	-	1	-	2	1	3	9	15	40	90	171
Male.....	1,494	1	-	1	-	-	1	2	6	8	34	64	123
Female.....	1,413	-	-	-	-	2	-	1	3	7	6	26	48
Black, both sexes.....	446	1	-	-	-	-	1	1	5	2	18	27	51
Male.....	243	-	-	-	-	-	-	-	4	1	5	23	35
Female.....	203	1	-	-	-	-	1	1	1	1	13	4	16
American Indian 1/, both sexes.....	36	-	-	-	-	-	-	-	-	-	2	2	3
Male.....	21	-	-	-	-	-	-	-	-	-	2	1	3
Female.....	15	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	311,461	10	2	1	11	13	54	156	422	1,312	3,133	5,718	8,893
Male.....	157,163	7	2	-	10	8	42	122	315	1,005	2,438	4,428	6,878
Female.....	154,298	3	-	1	1	5	12	34	107	307	695	1,290	2,015
White, both sexes.....	274,341	4	-	1	8	9	39	119	308	987	2,444	4,445	6,900
Male.....	138,480	3	-	-	7	6	29	97	239	767	1,966	3,565	5,502
Female.....	135,861	1	-	1	1	3	10	22	69	220	478	880	1,398
Black, both sexes.....	31,406	5	2	-	3	4	11	29	89	278	601	1,124	1,757
Male.....	15,399	3	2	-	3	2	9	19	55	196	395	741	1,183
Female.....	16,007	2	-	-	-	2	2	10	34	82	206	383	574
American Indian 1/, both sexes.....	1,084	1	-	-	-	-	2	6	7	9	27	27	68
Male.....	636	1	-	-	-	-	2	4	6	8	21	22	50
Female.....	448	-	-	-	-	-	-	2	1	1	6	5	18
Asian or Pacific Islander 2/, both sexes.....	4,630	-	-	-	-	-	2	2	18	38	61	122	168
Male.....	2,648	-	-	-	-	-	2	2	15	34	56	100	143
Female.....	1,982	-	-	-	-	-	-	-	3	4	5	22	25

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	68,129	2	-	-	1	4	13	39	142	410	1,105	2,081	3,285
Male.....	36,047	1	-	-	-	3	10	31	113	325	891	1,634	2,605
Female.....	32,082	1	-	-	1	1	3	8	29	85	214	447	680
White, both sexes.....	56,569	1	-	-	1	4	11	32	100	296	834	1,602	2,446
Male.....	29,604	1	-	-	-	3	8	26	83	239	696	1,293	1,999
Female.....	26,965	-	-	-	1	1	3	6	17	57	138	309	447
Black, both sexes.....	10,195	1	-	-	-	-	2	5	36	100	235	434	754
Male.....	5,598	-	-	-	-	-	2	3	25	73	161	302	530
Female.....	4,597	1	-	-	-	-	-	2	11	27	74	132	224
American Indian 1/, both sexes.....	318	-	-	-	-	-	-	2	1	2	16	8	27
Male.....	196	-	-	-	-	-	-	2	-	2	14	7	23
Female.....	122	-	-	-	-	-	-	-	1	-	2	1	4
Asian or Pacific Islander 2/, both sexes.....	1,047	-	-	-	-	-	-	-	5	12	20	37	58
Male.....	649	-	-	-	-	-	-	-	5	11	20	32	53
Female.....	398	-	-	-	-	-	-	-	-	1	-	5	5
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	243,332	8	2	1	10	9	41	117	280	902	2,028	3,637	5,608
Male.....	121,116	6	2	-	10	5	32	91	202	680	1,547	2,794	4,273
Female.....	122,216	2	-	1	-	4	9	26	78	222	481	843	1,335
White, both sexes.....	217,772	3	-	1	7	5	28	87	208	691	1,610	2,843	4,454
Male.....	108,876	2	-	-	7	3	21	71	156	528	1,270	2,272	3,503
Female.....	108,896	1	-	1	-	2	7	16	52	163	340	571	951
Black, both sexes.....	21,211	4	2	-	3	4	9	24	53	178	366	690	1,003
Male.....	9,801	3	2	-	3	2	7	16	30	123	234	439	653
Female.....	11,410	1	-	-	-	2	2	8	23	55	132	251	350
American Indian 1/, both sexes.....	766	1	-	-	-	-	2	4	6	7	11	19	41
Male.....	440	1	-	-	-	-	2	2	6	6	7	15	27
Female.....	326	-	-	-	-	-	-	2	-	1	4	4	14
Asian or Pacific Islander 2/, both sexes.....	3,583	-	-	-	-	-	2	2	13	26	41	85	110
Male.....	1,999	-	-	-	-	-	2	2	10	23	36	68	90
Female.....	1,584	-	-	-	-	-	-	-	3	3	5	17	20



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other heart diseases (I26-I51)													
All races, both sexes.....	169,540	473	157	84	143	362	474	723	1,085	1,769	2,851	3,849	4,862
Male.....	74,230	249	82	38	87	250	307	446	692	1,051	1,809	2,468	3,082
Female.....	95,310	224	75	46	56	112	167	277	393	718	1,042	1,381	1,780
White, both sexes.....	147,047	314	109	61	96	245	303	446	678	1,172	2,016	2,647	3,481
Male.....	63,698	168	62	28	58	170	204	280	442	709	1,327	1,743	2,272
Female.....	83,349	146	47	33	38	75	99	166	236	463	689	904	1,209
Black, both sexes.....	19,812	136	38	16	41	99	154	252	363	549	773	1,113	1,277
Male.....	9,128	72	16	6	24	65	93	150	218	311	436	672	743
Female.....	10,684	64	22	10	17	34	61	102	145	238	337	441	534
American Indian 1/, both sexes.....	594	4	6	2	3	6	4	5	12	15	21	30	35
Male.....	328	2	2	1	3	5	3	2	9	12	16	21	25
Female.....	266	2	4	1	-	1	1	3	3	3	5	9	10
Asian or Pacific Islander 2/, both sexes.....	2,087	19	4	5	3	12	13	20	32	33	41	59	69
Male.....	1,076	7	2	3	2	10	7	14	23	19	30	32	42
Female.....	1,011	12	2	2	1	2	6	6	9	14	11	27	27
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,154	2	2	1	1	2	5	16	28	26	64	84	90
Male.....	643	1	1	-	1	2	4	9	22	19	41	55	62
Female.....	511	1	1	1	-	-	1	7	6	7	23	29	28
White, both sexes.....	930	1	2	-	-	2	4	11	23	20	46	49	60
Male.....	524	-	1	-	-	2	3	7	19	14	31	34	45
Female.....	406	1	1	-	-	-	1	4	4	6	15	15	15
Black, both sexes.....	199	-	-	1	-	-	1	5	5	6	17	29	28
Male.....	106	-	-	-	-	-	1	2	3	5	10	18	15
Female.....	93	-	-	1	-	-	-	3	2	1	7	11	13
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	3	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	19	1	-	-	1	-	-	-	-	-	1	3	2
Male.....	11	1	-	-	1	-	-	-	-	-	-	2	2
Female.....	8	-	-	-	-	-	-	-	-	-	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	848	26	22	12	10	17	19	16	30	35	40	56	51
Male.....	434	9	11	4	3	12	12	9	23	17	32	40	29
Female.....	414	17	11	8	7	5	7	7	7	18	8	16	22
White, both sexes.....	666	13	13	8	4	10	16	14	19	22	33	43	36
Male.....	344	6	7	2	1	7	10	8	16	9	27	29	21
Female.....	322	7	6	6	3	3	6	6	3	13	6	14	15
Black, both sexes.....	154	12	7	2	6	5	3	1	9	10	7	12	14
Male.....	75	3	3	1	2	3	2	-	6	5	5	10	7
Female.....	79	9	4	1	4	2	1	1	3	5	2	2	7
American Indian 1/, both sexes.....	8	-	1	1	-	1	-	-	-	1	-	1	1
Male.....	5	-	-	1	-	1	-	-	-	1	-	1	1
Female.....	3	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	1	-	1	-	1	2	2	-	-	-
Male.....	10	-	1	-	-	1	-	1	1	2	-	-	-
Female.....	10	1	-	1	-	-	-	-	1	-	-	-	-
Heart failure (I50)													
All races, both sexes.....	56,494	23	11	3	7	10	17	33	68	102	180	355	638
Male.....	21,698	14	6	1	4	6	9	22	38	56	117	210	407
Female.....	34,796	9	5	2	3	4	8	11	30	46	63	145	231
White, both sexes.....	50,672	15	8	3	4	5	11	16	37	61	113	211	428
Male.....	19,335	10	5	1	3	2	5	11	19	34	78	130	280
Female.....	31,337	5	3	2	1	3	6	5	18	27	35	81	148
Black, both sexes.....	5,186	8	3	-	3	3	6	16	29	40	64	140	195
Male.....	2,069	4	1	-	1	2	4	10	17	22	37	78	116
Female.....	3,117	4	2	-	2	1	2	6	12	18	27	62	79
American Indian 1/, both sexes.....	184	-	-	-	-	1	-	1	1	1	2	2	9
Male.....	92	-	-	-	-	1	-	1	1	-	2	2	7
Female.....	92	-	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	452	-	-	-	-	1	-	-	1	-	1	2	6
Male.....	202	-	-	-	-	1	-	-	1	-	-	-	4
Female.....	250	-	-	-	-	-	-	-	-	-	1	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	111,044	422	122	68	125	333	433	658	959	1,606	2,567	3,354	4,083
Male.....	51,455	225	64	33	79	230	282	406	609	959	1,619	2,163	2,584
Female.....	59,589	197	58	35	46	103	151	252	350	647	948	1,191	1,499
White, both sexes.....	94,779	285	86	50	88	228	272	405	599	1,069	1,824	2,344	2,957
Male.....	43,495	152	49	25	54	159	186	254	388	652	1,191	1,550	1,926
Female.....	51,284	133	37	25	34	69	86	151	211	417	633	794	1,031
Black, both sexes.....	14,273	116	28	13	32	91	144	230	320	493	685	932	1,040
Male.....	6,878	65	12	5	21	60	86	138	192	279	384	566	605
Female.....	7,395	51	16	8	11	31	58	92	128	214	301	366	435
American Indian 1/, both sexes.....	396	4	5	1	3	4	4	4	11	13	19	24	25
Male.....	229	2	2	-	3	3	3	1	8	11	14	17	17
Female.....	167	2	3	1	-	1	1	3	3	2	5	7	8
Asian or Pacific Islander 2/, both sexes.....	1,596	17	3	4	2	10	13	19	29	31	39	54	61
Male.....	853	6	1	3	1	8	7	13	21	17	30	30	36
Female.....	743	11	2	1	1	2	6	6	8	14	9	24	25
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	20,261	5	1	1	-	4	17	36	49	126	228	382	541
Male.....	7,647	2	1	1	-	-	11	21	26	75	144	238	322
Female.....	12,614	3	-	-	-	4	6	15	23	51	84	144	219
White, both sexes.....	15,587	4	1	1	-	3	11	15	20	44	112	185	302
Male.....	5,719	2	1	1	-	-	8	10	11	24	76	123	188
Female.....	9,868	2	-	-	-	3	3	5	9	20	36	62	114
Black, both sexes.....	4,196	1	-	-	-	1	6	18	27	80	111	189	228
Male.....	1,717	-	-	-	-	-	3	10	14	49	64	109	128
Female.....	2,479	1	-	-	-	1	3	8	13	31	47	80	100
American Indian 1/, both sexes.....	76	-	-	-	-	-	-	1	-	1	3	2	3
Male.....	30	-	-	-	-	-	-	-	-	1	3	1	3
Female.....	46	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	402	-	-	-	-	-	-	2	2	1	2	6	8
Male.....	181	-	-	-	-	-	-	1	1	1	1	5	3
Female.....	221	-	-	-	-	-	-	1	1	-	1	1	5



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

Other diseases of circulatory system (I71-I78)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All races, both sexes.....	24,927	14	4	1	10	31	35	51	109	154	291	479	591
Male.....	13,309	6	4	-	5	19	24	30	71	81	210	331	401
Female.....	11,618	8	-	1	5	12	11	21	38	73	81	148	190
White, both sexes.....	21,935	11	4	1	3	26	23	35	73	115	204	330	432
Male.....	11,818	5	4	-	2	16	15	22	46	63	151	238	295
Female.....	10,117	6	-	1	1	10	8	13	27	52	53	92	137
Black, both sexes.....	2,525	3	-	-	6	3	9	15	32	32	82	135	140
Male.....	1,211	1	-	-	2	1	6	8	23	15	56	80	94
Female.....	1,314	2	-	-	4	2	3	7	9	17	26	55	46
American Indian 1/, both sexes.....	95	-	-	-	-	-	1	-	1	2	-	3	6
Male.....	53	-	-	-	-	-	1	-	-	2	-	3	3
Female.....	42	-	-	-	-	-	-	-	1	-	-	-	3
Asian or Pacific Islander 2/, both sexes.....	372	-	-	-	1	2	2	1	3	5	5	11	13
Male.....	227	-	-	-	1	2	2	-	2	1	3	10	9
Female.....	145	-	-	-	-	-	-	1	1	4	2	1	4

Aortic aneurysm and dissection (I71)

All races, both sexes.....	14,818	2	-	1	4	20	19	30	80	104	201	327	383
Male.....	9,013	-	-	-	3	17	15	25	57	67	162	249	291
Female.....	5,805	2	-	1	1	3	4	5	23	37	39	78	92
White, both sexes.....	13,285	2	-	1	1	18	13	21	52	82	137	220	272
Male.....	8,132	-	-	-	1	15	9	18	37	52	112	172	210
Female.....	5,153	2	-	1	-	3	4	3	15	30	25	48	62
Black, both sexes.....	1,218	-	-	-	3	1	4	9	25	19	61	96	99
Male.....	677	-	-	-	2	1	4	7	18	13	48	67	74
Female.....	541	-	-	-	1	-	-	2	7	6	13	29	25
American Indian 1/, both sexes.....	49	-	-	-	-	-	-	-	1	1	-	2	2
Male.....	30	-	-	-	-	-	-	-	-	1	-	2	1
Female.....	19	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	266	-	-	-	-	1	2	-	2	2	3	9	10
Male.....	174	-	-	-	-	1	2	-	2	1	2	8	6
Female.....	92	-	-	-	-	-	-	-	-	1	1	1	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	10,109	12	4	-	6	11	16	21	29	50	90	152	208
Male.....	4,296	6	4	-	2	2	9	5	14	14	48	82	110
Female.....	5,813	6	-	-	4	9	7	16	15	36	42	70	98
White, both sexes.....	8,650	9	4	-	2	8	10	14	21	33	67	110	160
Male.....	3,686	5	4	-	1	1	6	4	9	11	39	66	85
Female.....	4,964	4	-	-	1	7	4	10	12	22	28	44	75
Black, both sexes.....	1,307	3	-	-	3	2	5	6	7	13	21	39	41
Male.....	534	1	-	-	-	-	2	1	5	2	8	13	20
Female.....	773	2	-	-	3	2	3	5	2	11	13	26	21
American Indian 1/, both sexes.....	46	-	-	-	-	-	1	-	-	1	-	1	4
Male.....	23	-	-	-	-	-	1	-	-	1	-	1	2
Female.....	23	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	106	-	-	-	1	1	-	1	1	3	2	2	3
Male.....	53	-	-	-	1	1	-	-	-	-	1	2	3
Female.....	53	-	-	-	-	-	-	1	1	3	1	-	-
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,711	27	4	1	1	12	23	38	101	128	177	251	280
Male.....	1,944	15	1	-	-	9	12	12	57	67	87	137	147
Female.....	2,767	12	3	1	1	3	11	26	44	61	90	114	133
White, both sexes.....	3,853	20	2	-	1	8	13	23	61	82	121	185	214
Male.....	1,545	13	-	-	-	6	6	6	35	44	58	97	115
Female.....	2,308	7	2	-	1	2	7	17	26	38	63	88	99
Black, both sexes.....	797	7	1	1	-	4	9	15	39	43	52	60	61
Male.....	366	2	1	-	-	3	6	6	21	21	28	36	28
Female.....	431	5	-	1	-	1	3	9	18	22	24	24	33
American Indian 1/, both sexes.....	23	-	-	-	-	-	-	-	-	1	1	4	2
Male.....	13	-	-	-	-	-	-	-	-	1	-	2	2
Female.....	10	-	-	-	-	-	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes.....	38	-	1	-	-	-	1	-	1	2	3	2	3
Male.....	20	-	-	-	-	-	-	-	1	1	1	2	2
Female.....	18	-	1	-	-	-	1	-	-	1	2	-	1











Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Emphysema (J43)</b>													
All races, both sexes.....	15,489	1	3	-	-	1	1	2	8	21	73	156	298
Male.....	8,084	-	3	-	-	-	-	1	7	14	52	95	172
Female.....	7,405	1	-	-	-	1	1	1	1	7	21	61	126
White, both sexes.....	14,476	1	1	-	-	1	-	2	6	17	50	129	261
Male.....	7,426	-	1	-	-	-	-	1	5	11	37	78	145
Female.....	7,050	1	-	-	-	1	-	1	1	6	13	51	116
Black, both sexes.....	850	-	1	-	-	-	1	-	2	4	22	26	31
Male.....	541	-	1	-	-	-	-	-	2	3	15	16	23
Female.....	309	-	-	-	-	-	1	-	-	1	7	10	8
American Indian 1/, both sexes.....	47	-	-	-	-	-	-	-	-	-	1	-	2
Male.....	30	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	116	-	1	-	-	-	-	-	-	-	-	1	4
Male.....	87	-	1	-	-	-	-	-	-	-	-	1	4
Female.....	29	-	-	-	-	-	-	-	-	-	-	-	-
<b>Asthma (J45-J46)</b>													
All races, both sexes.....	4,261	4	43	35	88	84	85	102	133	207	265	303	305
Male.....	1,580	3	30	20	49	63	47	63	66	92	106	113	120
Female.....	2,681	1	13	15	39	21	38	39	67	115	159	190	185
White, both sexes.....	3,014	2	18	15	32	41	49	57	88	121	145	187	174
Male.....	1,017	1	15	10	18	28	24	31	43	43	54	68	71
Female.....	1,997	1	3	5	14	13	25	26	45	78	91	119	103
Black, both sexes.....	1,096	2	22	17	54	40	35	41	44	83	116	104	119
Male.....	497	2	14	9	30	34	23	28	23	47	51	40	44
Female.....	599	-	8	8	24	6	12	13	21	36	65	64	75
American Indian 1/, both sexes.....	25	-	-	1	-	1	1	-	-	2	2	3	-
Male.....	9	-	-	-	-	-	-	-	-	2	-	1	-
Female.....	16	-	-	1	-	1	1	-	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes.....	126	-	3	2	2	2	-	4	1	1	2	9	12
Male.....	57	-	1	1	1	1	-	4	-	-	1	4	5
Female.....	69	-	2	1	1	1	-	-	1	1	1	5	7



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pneumonitis due to solids and liquids (J69)

All races, both sexes.....	17,593	2	7	7	9	16	28	31	43	72	120	143	208
Male.....	8,876	-	3	3	6	10	17	17	25	41	78	90	136
Female.....	8,717	2	4	4	3	6	11	14	18	31	42	53	72
White, both sexes.....	15,773	2	5	6	8	13	21	27	32	55	92	118	158
Male.....	7,954	-	3	3	5	8	12	16	19	31	59	74	102
Female.....	7,819	2	2	3	3	5	9	11	13	24	33	44	56
Black, both sexes.....	1,537	-	2	1	1	2	6	4	10	11	27	21	44
Male.....	760	-	-	-	1	1	4	1	5	5	18	12	30
Female.....	777	-	2	1	-	1	2	3	5	6	9	9	14
American Indian 1/, both sexes.....	73	-	-	-	-	1	-	-	1	3	1	2	4
Male.....	44	-	-	-	-	1	-	-	1	2	1	2	2
Female.....	29	-	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	210	-	-	-	-	-	1	-	-	3	-	2	2
Male.....	118	-	-	-	-	-	1	-	-	3	-	2	2
Female.....	92	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races, both sexes.....	25,039	278	85	41	43	51	75	70	115	191	337	522	766
Male.....	12,057	164	56	21	18	29	39	31	57	101	180	263	393
Female.....	12,982	114	29	20	25	22	36	39	58	90	157	259	373
White, both sexes.....	22,184	151	56	29	28	36	45	50	82	132	247	366	596
Male.....	10,693	87	39	17	10	19	29	22	41	70	131	186	310
Female.....	11,491	64	17	12	18	17	16	28	41	62	116	180	286
Black, both sexes.....	2,279	112	29	12	13	15	26	18	29	51	83	140	144
Male.....	1,084	67	17	4	6	10	9	7	16	26	47	67	73
Female.....	1,195	45	12	8	7	5	17	11	13	25	36	73	71
American Indian 1/, both sexes.....	146	5	-	-	-	-	2	-	3	3	3	7	11
Male.....	73	4	-	-	-	-	1	-	-	1	1	4	3
Female.....	73	1	-	-	-	-	1	-	3	2	2	3	8
Asian or Pacific Islander 2/, both sexes.....	430	10	-	-	2	-	2	2	1	5	4	9	15
Male.....	207	6	-	-	2	-	2	-	4	1	1	6	7
Female.....	223	4	-	-	-	-	2	-	1	1	3	3	8



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hernia (K40-K46)													
All races, both sexes.....	1,595	29	3	4	3	2	3	4	7	14	21	33	44
Male.....	599	18	3	3	2	1	3	2	5	8	9	16	19
Female.....	996	11	-	1	1	1	-	2	2	6	12	17	25
White, both sexes.....	1,433	24	2	4	3	2	3	2	4	11	15	24	34
Male.....	533	14	2	3	2	1	3	-	3	6	8	13	17
Female.....	900	10	-	1	1	1	-	2	1	5	7	11	17
Black, both sexes.....	137	4	1	-	-	-	-	2	1	3	5	9	8
Male.....	56	3	1	-	-	-	-	2	-	2	1	3	2
Female.....	81	1	-	-	-	-	-	-	1	1	4	6	6
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	2	-	1	-	2
Male.....	4	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-

Chronic liver disease and cirrhosis (K70,K73-K74)

All races, both sexes.....	27,257	6	3	1	5	7	24	77	297	929	2,225	3,404	3,812
Male.....	17,401	6	1	1	2	3	11	46	190	605	1,474	2,442	2,843
Female.....	9,856	-	2	-	3	4	13	31	107	324	751	962	969
White, both sexes.....	23,809	5	3	1	4	7	18	54	231	766	1,890	2,842	3,178
Male.....	15,278	5	1	1	2	3	9	34	159	504	1,279	2,089	2,400
Female.....	8,531	-	2	-	2	4	9	20	72	262	611	753	778
Black, both sexes.....	2,588	1	-	-	1	-	5	14	37	87	231	444	524
Male.....	1,622	1	-	-	-	-	1	8	19	50	133	277	368
Female.....	966	-	-	-	1	-	4	6	18	37	98	167	156
American Indian 1/, both sexes.....	547	-	-	-	-	-	1	8	27	62	80	89	73
Male.....	319	-	-	-	-	-	1	4	11	39	43	54	51
Female.....	228	-	-	-	-	-	-	4	16	23	37	35	22
Asian or Pacific Islander 2/, both sexes.....	313	-	-	-	-	-	-	1	2	14	24	29	37
Male.....	182	-	-	-	-	-	-	-	1	12	19	22	24
Female.....	131	-	-	-	-	-	-	1	1	2	5	7	13

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcoholic liver disease (K70)													
All races, both sexes.....	12,121	-	1	-	-	-	8	43	199	607	1,364	1,998	2,139
Male.....	8,814	-	1	-	-	-	6	32	130	392	913	1,450	1,624
Female.....	3,307	-	-	-	-	-	2	11	69	215	451	548	515
White, both sexes.....	10,423	-	1	-	-	-	4	31	156	501	1,159	1,700	1,808
Male.....	7,688	-	1	-	-	-	4	25	110	326	786	1,257	1,392
Female.....	2,735	-	-	-	-	-	-	6	46	175	373	443	416
Black, both sexes.....	1,191	-	-	-	-	-	3	6	20	47	123	209	255
Male.....	797	-	-	-	-	-	1	4	10	27	76	136	180
Female.....	394	-	-	-	-	-	2	2	10	20	47	73	75
American Indian 1/, both sexes.....	381	-	-	-	-	-	1	6	22	49	63	71	55
Male.....	230	-	-	-	-	-	1	3	10	31	35	41	38
Female.....	151	-	-	-	-	-	-	3	12	18	28	30	17
Asian or Pacific Islander 2/, both sexes.....	126	-	-	-	-	-	-	-	1	10	19	18	21
Male.....	99	-	-	-	-	-	-	-	-	8	16	16	14
Female.....	27	-	-	-	-	-	-	-	1	2	3	2	7
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	15,136	6	2	1	5	7	16	34	98	322	861	1,406	1,673
Male.....	8,587	6	-	1	2	3	5	14	60	213	561	992	1,219
Female.....	6,549	-	2	-	3	4	11	20	38	109	300	414	454
White, both sexes.....	13,386	5	2	1	4	7	14	23	75	265	731	1,142	1,370
Male.....	7,590	5	-	1	2	3	5	9	49	178	493	832	1,008
Female.....	5,796	-	2	-	2	4	9	14	26	87	238	310	362
Black, both sexes.....	1,397	1	-	-	1	-	2	8	17	40	108	235	269
Male.....	825	1	-	-	-	-	-	4	9	23	57	141	188
Female.....	572	-	-	-	1	-	2	4	8	17	51	94	81
American Indian 1/, both sexes.....	166	-	-	-	-	-	-	2	5	13	17	18	18
Male.....	89	-	-	-	-	-	-	1	1	8	8	13	13
Female.....	77	-	-	-	-	-	-	1	4	5	9	5	5
Asian or Pacific Islander 2/, both sexes.....	187	-	-	-	-	-	-	1	1	4	5	11	16
Male.....	83	-	-	-	-	-	-	-	1	4	3	6	10
Female.....	104	-	-	-	-	-	-	1	-	-	2	5	6



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	2,979	-	-	-	-	2	7	9	12	15	39	52	77
Male.....	1,341	-	-	-	-	-	3	4	7	7	22	35	48
Female.....	1,638	-	-	-	-	2	4	5	5	8	17	17	29
White, both sexes.....	2,614	-	-	-	-	2	5	6	10	9	34	38	55
Male.....	1,179	-	-	-	-	-	3	2	6	5	19	24	35
Female.....	1,435	-	-	-	-	2	2	4	4	4	15	14	20
Black, both sexes.....	273	-	-	-	-	-	1	3	2	6	3	10	19
Male.....	110	-	-	-	-	-	-	2	1	2	2	8	10
Female.....	163	-	-	-	-	-	1	1	1	4	1	2	9
American Indian 1/, both sexes.....	26	-	-	-	-	-	1	-	-	-	-	2	2
Male.....	13	-	-	-	-	-	-	-	-	-	-	2	2
Female.....	13	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	66	-	-	-	-	-	-	-	-	-	2	2	1
Male.....	39	-	-	-	-	-	-	-	-	-	1	1	1
Female.....	27	-	-	-	-	-	-	-	-	-	1	1	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	40,974	173	14	9	12	21	63	107	162	274	475	790	1,103
Male.....	19,695	109	7	5	7	10	31	44	85	148	259	454	632
Female.....	21,279	64	7	4	5	11	32	63	77	126	216	336	471
White, both sexes.....	32,615	112	10	7	8	10	32	56	96	149	268	463	619
Male.....	15,850	70	4	4	5	5	17	23	53	82	147	264	358
Female.....	16,765	42	6	3	3	5	15	33	43	67	121	199	261
Black, both sexes.....	7,488	55	4	2	3	10	26	49	60	115	194	298	454
Male.....	3,427	35	3	1	1	4	11	20	29	60	103	174	258
Female.....	4,061	20	1	1	2	6	15	29	31	55	91	124	196
American Indian 1/, both sexes.....	222	2	-	-	1	-	2	2	4	4	6	14	12
Male.....	98	2	-	-	1	-	2	1	2	3	5	7	7
Female.....	124	-	-	-	-	-	-	1	2	1	1	7	5
Asian or Pacific Islander 2/, both sexes.....	649	4	-	-	-	1	3	-	2	6	7	15	18
Male.....	320	2	-	-	-	1	1	-	1	3	4	9	9
Female.....	329	2	-	-	-	-	2	-	1	3	3	6	9







Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	114	1	-	-	-	1	1	-	4	12	5	4	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	114	1	-	-	-	1	1	-	4	12	5	4	7
White, both sexes.....	92	1	-	-	-	-	-	-	3	4	5	2	5
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	92	1	-	-	-	-	-	-	3	4	5	2	5
Black, both sexes.....	20	-	-	-	-	1	1	-	1	8	-	1	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	-	-	-	-	1	1	-	1	8	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	379	...	...	...	1	28	61	82	93	79	26	8	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	379	...	...	...	1	28	61	82	93	79	26	8	-
White, both sexes.....	203	...	...	...	-	12	28	41	56	41	19	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	203	...	...	...	-	12	28	41	56	41	19	5	-
Black, both sexes.....	157	...	...	...	1	16	30	38	28	35	7	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	157	...	...	...	1	16	30	38	28	35	7	2	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	...	...	...	-	-	3	3	9	3	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	19	...	...	...	-	-	3	3	9	3	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pregnancy with abortive outcome (000-007)

All races, both sexes.....	22	...	...	...	1	-	4	4	5	6	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	...	...	...	1	-	4	4	5	6	1	1	-
White, both sexes.....	7	...	...	...	-	-	1	2	3	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	-	1	2	3	-	1	-	-
Black, both sexes.....	12	...	...	...	1	-	2	2	2	5	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	...	1	-	2	2	2	5	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	...	...	...	-	-	1	-	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	1	-	-	1	-	1	-

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races, both sexes.....	357	...	...	...	-	28	57	78	88	73	25	7	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	357	...	...	...	-	28	57	78	88	73	25	7	-
White, both sexes.....	196	...	...	...	-	12	27	39	53	41	18	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	196	...	...	...	-	12	27	39	53	41	18	5	-
Black, both sexes.....	145	...	...	...	-	16	28	36	26	30	7	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	145	...	...	...	-	16	28	36	26	30	7	2	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	...	...	...	-	-	2	3	9	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	16	...	...	...	-	-	2	3	9	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	14,254	14,106	65	15	16	14	7	6	4	7	3	2	-
Male.....	8,047	7,960	40	10	9	9	3	3	1	4	1	2	-
Female.....	6,207	6,146	25	5	7	5	4	3	3	3	2	-	-
White, both sexes.....	8,777	8,679	36	9	12	13	4	5	2	5	3	2	-
Male.....	5,011	4,959	19	7	5	8	1	3	1	2	1	2	-
Female.....	3,766	3,720	17	2	7	5	3	2	1	3	2	-	-
Black, both sexes.....	4,931	4,889	26	4	4	1	2	1	1	1	-	-	-
Male.....	2,725	2,696	18	2	4	1	1	-	-	1	-	-	-
Female.....	2,206	2,193	8	2	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	141	140	-	-	-	-	1	-	-	-	-	-	-
Male.....	86	85	-	-	-	-	1	-	-	-	-	-	-
Female.....	55	55	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	405	398	3	2	-	-	-	-	1	1	-	-	-
Male.....	225	220	3	1	-	-	-	-	-	1	-	-	-
Female.....	180	178	-	1	-	-	-	-	1	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	10,687	5,623	530	199	218	248	244	213	262	264	308	346	363
Male.....	5,515	2,942	282	99	116	146	136	132	152	132	164	195	186
Female.....	5,172	2,681	248	100	102	102	108	81	110	132	144	151	177
White, both sexes.....	8,556	4,330	395	155	166	189	194	169	215	213	250	291	314
Male.....	4,416	2,297	211	75	84	111	107	104	127	107	135	162	157
Female.....	4,140	2,033	184	80	82	78	87	65	88	106	115	129	157
Black, both sexes.....	1,758	1,047	114	40	43	54	46	35	40	40	53	47	40
Male.....	909	522	59	23	25	34	26	22	21	18	28	27	22
Female.....	849	525	55	17	18	20	20	13	19	22	25	20	18
American Indian 1/, both sexes.....	93	61	5	3	3	1	-	4	2	1	2	2	-
Male.....	42	29	2	1	2	-	-	2	1	-	1	1	-
Female.....	51	32	3	2	1	1	-	2	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	280	185	16	1	6	4	4	5	5	10	3	6	9
Male.....	148	94	10	-	5	1	3	4	3	7	-	5	7
Female.....	132	91	6	1	1	3	1	1	2	3	3	1	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	29,975	3,456	248	61	78	256	484	562	757	1,013	1,389	1,368	1,304
Male.....	14,269	2,032	145	37	45	172	329	391	514	670	870	895	828
Female.....	15,706	1,424	103	24	33	84	155	171	243	343	519	473	476
White, both sexes.....	24,749	2,224	161	35	49	192	369	422	580	775	1,079	1,024	954
Male.....	11,421	1,323	89	22	30	130	261	303	397	517	681	669	602
Female.....	13,328	901	72	13	19	62	108	119	183	258	398	355	352
Black, both sexes.....	4,638	1,095	67	24	26	58	96	121	158	218	277	308	329
Male.....	2,536	630	45	14	14	39	54	73	104	140	169	203	213
Female.....	2,102	465	22	10	12	19	42	48	54	78	108	105	116
American Indian 1/, both sexes.....	248	72	7	1	-	3	6	8	12	9	22	17	11
Male.....	130	41	3	-	-	1	5	6	7	4	14	9	5
Female.....	118	31	4	1	-	2	1	2	5	5	8	8	6
Asian or Pacific Islander 2/, both sexes.....	340	65	13	1	3	3	13	11	7	11	11	19	10
Male.....	182	38	8	1	1	2	9	9	6	9	6	14	8
Female.....	158	27	5	-	2	1	4	2	1	2	5	5	2
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	194,591	1,144	661	386	482	717	1,136	1,256	1,880	3,099	5,407	7,159	7,992
Male.....	79,007	690	363	220	266	423	649	714	1,123	1,800	3,219	4,305	4,810
Female.....	115,584	454	298	166	216	294	487	542	757	1,299	2,188	2,854	3,182
White, both sexes.....	168,631	788	470	295	359	551	797	890	1,343	2,252	4,063	5,444	6,166
Male.....	67,452	493	257	171	195	337	483	526	842	1,384	2,529	3,355	3,788
Female.....	101,179	295	213	124	164	214	314	364	501	868	1,534	2,089	2,378
Black, both sexes.....	22,519	305	150	73	103	135	285	323	466	744	1,210	1,538	1,645
Male.....	9,847	168	82	38	60	68	140	160	238	360	602	841	911
Female.....	12,672	137	68	35	43	67	145	163	228	384	608	697	734
American Indian 1/, both sexes.....	1,102	11	11	6	5	14	20	17	35	56	70	95	97
Male.....	562	4	8	3	3	10	10	14	20	36	45	56	58
Female.....	540	7	3	3	2	4	10	3	15	20	25	39	39
Asian or Pacific Islander 2/, both sexes.....	2,339	40	30	12	15	17	34	26	36	47	64	82	84
Male.....	1,146	25	16	8	8	8	16	14	23	20	43	53	53
Female.....	1,193	15	14	4	7	9	18	12	13	27	21	29	31



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	106,742	946	1,641	1,176	1,542	7,137	8,275	6,122	6,447	7,642	9,068	8,241	6,434
Male.....	69,257	553	1,024	720	993	4,981	6,457	4,768	4,867	5,535	6,477	5,940	4,552
Female.....	37,485	393	617	456	549	2,156	1,818	1,354	1,580	2,107	2,591	2,301	1,882
White, both sexes.....	90,866	583	1,199	810	1,155	6,072	6,976	5,004	5,374	6,270	7,631	6,784	5,285
Male.....	58,467	358	736	497	743	4,214	5,465	3,907	4,079	4,546	5,494	4,949	3,715
Female.....	32,399	225	463	313	412	1,858	1,511	1,097	1,295	1,724	2,137	1,835	1,570
Black, both sexes.....	12,513	330	359	306	315	758	968	867	844	1,105	1,163	1,232	947
Male.....	8,612	176	239	185	215	558	740	677	632	803	789	853	699
Female.....	3,901	154	120	121	100	200	228	190	212	302	374	379	248
American Indian 1/, both sexes.....	1,488	15	33	23	37	146	154	132	122	166	167	117	98
Male.....	1,003	8	19	11	20	91	121	101	85	114	114	78	71
Female.....	485	7	14	12	17	55	33	31	37	52	53	39	27
Asian or Pacific Islander 2/, both sexes.....	1,875	18	50	37	35	161	177	119	107	101	107	108	104
Male.....	1,175	11	30	27	15	118	131	83	71	72	80	60	67
Female.....	700	7	20	10	20	43	46	36	36	29	27	48	37
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,366	127	640	705	1,033	5,782	6,034	3,891	3,593	3,750	3,938	3,593	2,970
Male.....	33,533	72	381	405	634	3,875	4,596	2,990	2,686	2,703	2,796	2,638	2,089
Female.....	14,833	55	259	300	399	1,907	1,438	901	907	1,047	1,142	955	881
White, both sexes.....	40,614	84	478	525	822	4,968	5,023	3,101	2,936	3,032	3,290	2,982	2,494
Male.....	28,118	50	278	305	509	3,316	3,845	2,388	2,202	2,189	2,351	2,220	1,753
Female.....	12,496	34	200	220	313	1,652	1,178	713	734	843	939	762	741
Black, both sexes.....	5,796	36	126	151	161	569	745	608	504	557	497	482	346
Male.....	4,156	18	83	83	100	395	554	473	383	406	343	345	253
Female.....	1,640	18	43	68	61	174	191	135	121	151	154	137	93
American Indian 1/, both sexes.....	903	4	16	12	27	123	127	89	82	94	89	56	63
Male.....	603	1	9	6	14	74	95	66	56	63	60	36	46
Female.....	300	3	7	6	13	49	32	23	26	31	29	20	17
Asian or Pacific Islander 2/, both sexes.....	1,053	3	20	17	23	122	139	93	71	67	62	73	67
Male.....	656	3	11	11	11	90	102	63	45	45	42	37	37
Female.....	397	-	9	6	12	32	37	30	26	22	20	36	30

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	45,380	123	610	664	950	5,634	5,825	3,731	3,361	3,462	3,615	3,240	2,697
Male.....	31,064	68	361	385	578	3,765	4,413	2,855	2,494	2,459	2,525	2,328	1,861
Female.....	14,316	55	249	279	372	1,869	1,412	876	867	1,003	1,090	912	836
White, both sexes.....	38,054	81	452	494	760	4,840	4,840	2,963	2,734	2,787	3,020	2,683	2,256
Male.....	26,000	47	260	288	467	3,221	3,683	2,273	2,033	1,979	2,125	1,955	1,557
Female.....	12,054	34	192	206	293	1,619	1,157	690	701	808	895	728	699
Black, both sexes.....	5,462	35	123	141	146	553	726	591	481	519	461	432	318
Male.....	3,874	17	81	80	89	382	539	457	364	376	313	303	227
Female.....	1,588	18	42	61	57	171	187	134	117	143	148	129	91
American Indian 1/, both sexes.....	866	4	16	12	26	122	121	87	78	91	77	54	62
Male.....	572	1	9	6	13	74	90	65	53	61	49	34	45
Female.....	294	3	7	6	13	48	31	22	25	30	28	20	17
Asian or Pacific Islander 2/, both sexes.....	998	3	19	17	18	119	138	90	68	65	57	71	61
Male.....	618	3	11	11	9	88	101	60	44	43	38	36	32
Female.....	380	-	8	6	9	31	37	30	24	22	19	35	29

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	1,086	2	17	21	49	63	96	59	79	101	122	121	90
Male.....	882	2	10	11	36	49	85	47	61	85	102	107	78
Female.....	204	-	7	10	13	14	11	12	18	16	20	14	12
White, both sexes.....	870	1	13	17	36	54	82	49	66	80	90	91	76
Male.....	708	1	8	11	27	43	75	38	51	69	74	79	65
Female.....	162	-	5	6	9	11	7	11	15	11	16	12	11
Black, both sexes.....	172	1	3	4	10	9	9	10	9	18	22	29	13
Male.....	145	1	2	-	7	6	6	9	8	14	20	28	12
Female.....	27	-	1	4	3	3	3	1	1	4	2	1	1
American Indian 1/, both sexes.....	21	-	-	-	1	-	5	-	3	3	6	-	-
Male.....	17	-	-	-	1	-	4	-	2	2	5	-	-
Female.....	4	-	-	-	-	-	1	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	1	-	2	-	-	-	1	-	4	1	1
Male.....	12	-	-	-	1	-	-	-	-	-	3	-	1
Female.....	11	-	1	-	1	-	-	-	1	-	1	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,900	2	13	20	34	85	113	101	153	187	201	232	183
Male.....	1,587	2	10	9	20	61	98	88	131	159	169	203	150
Female.....	313	-	3	11	14	24	15	13	22	28	32	29	33
White, both sexes.....	1,690	2	13	14	26	74	101	89	136	165	180	208	162
Male.....	1,410	2	10	6	15	52	87	77	118	141	152	186	131
Female.....	280	-	3	8	11	22	14	12	18	24	28	22	31
Black, both sexes.....	162	-	-	6	5	7	10	7	14	20	14	21	15
Male.....	137	-	-	3	4	7	9	7	11	16	10	14	14
Female.....	25	-	-	3	1	-	1	-	3	4	4	7	1
American Indian 1/, both sexes.....	16	-	-	-	-	1	1	2	1	-	6	2	1
Male.....	14	-	-	-	-	-	1	1	1	-	6	2	1
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	-	-	-	3	3	1	3	2	2	1	1	5
Male.....	26	-	-	-	1	2	1	3	1	2	1	1	4
Female.....	6	-	-	-	2	1	-	-	1	-	-	-	1
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	58,376	819	1,001	471	509	1,355	2,241	2,231	2,854	3,892	5,130	4,648	3,464
Male.....	35,724	481	643	315	359	1,106	1,861	1,778	2,181	2,832	3,681	3,302	2,463
Female.....	22,652	338	358	156	150	249	380	453	673	1,060	1,449	1,346	1,001
White, both sexes.....	50,252	499	721	285	333	1,104	1,953	1,903	2,438	3,238	4,341	3,802	2,791
Male.....	30,349	308	458	192	234	898	1,620	1,519	1,877	2,357	3,143	2,729	1,962
Female.....	19,903	191	263	93	99	206	333	384	561	881	1,198	1,073	829
Black, both sexes.....	6,717	294	233	155	154	189	223	259	340	548	666	750	601
Male.....	4,456	158	156	102	115	163	186	204	249	397	446	508	446
Female.....	2,261	136	77	53	39	26	37	55	91	151	220	242	155
American Indian 1/, both sexes.....	585	11	17	11	10	23	27	43	40	72	78	61	35
Male.....	400	7	10	5	6	17	26	35	29	51	54	42	25
Female.....	185	4	7	6	4	6	1	8	11	21	24	19	10
Asian or Pacific Islander 2/, both sexes.....	822	15	30	20	12	39	38	26	36	34	45	35	37
Male.....	519	8	19	16	4	28	29	20	26	27	38	23	30
Female.....	303	7	11	4	8	11	9	6	10	7	7	12	7

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
<b>Falls (W00-W19)</b>													
All races, both sexes.....	16,257	16	37	18	24	83	164	130	177	256	408	487	530
Male.....	8,463	9	28	9	18	65	146	118	151	191	331	378	394
Female.....	7,794	7	9	9	6	18	18	12	26	65	77	109	136
White, both sexes.....	15,027	12	23	14	19	72	147	119	152	217	343	410	448
Male.....	7,699	6	17	7	15	56	130	108	131	160	280	321	329
Female.....	7,328	6	6	7	4	16	17	11	21	57	63	89	119
Black, both sexes.....	838	3	8	3	3	8	9	8	16	31	46	65	68
Male.....	532	2	7	2	3	6	9	7	14	25	35	49	54
Female.....	306	1	1	1	-	2	-	1	2	6	11	16	14
American Indian 1/, both sexes.....	97	1	-	1	1	1	3	2	4	3	10	9	6
Male.....	54	1	-	-	-	1	3	2	3	2	8	6	3
Female.....	43	-	-	1	1	-	-	-	1	1	2	3	3
Asian or Pacific Islander 2/, both sexes.	295	-	6	-	1	2	5	1	5	5	9	3	8
Male.....	178	-	4	-	-	2	4	1	3	4	8	2	8
Female.....	117	-	2	-	1	-	1	-	2	1	1	1	-
<b>Accidental discharge of firearms (W32-W34)</b>													
All races, both sexes.....	762	1	11	14	34	107	103	75	68	52	71	52	43
Male.....	667	1	7	10	29	101	94	70	59	42	56	45	39
Female.....	95	-	4	4	5	6	9	5	9	10	15	7	4
White, both sexes.....	591	1	9	10	26	69	73	51	49	39	63	44	37
Male.....	510	1	5	6	22	64	67	46	42	32	48	38	34
Female.....	81	-	4	4	4	5	6	5	7	7	15	6	3
Black, both sexes.....	155	-	2	3	6	36	25	23	17	13	7	8	5
Male.....	142	-	2	3	5	35	23	23	15	10	7	7	4
Female.....	13	-	-	-	1	1	2	-	2	3	-	1	1
American Indian 1/, both sexes.....	9	-	-	1	1	2	1	1	1	-	-	-	1
Male.....	9	-	-	1	1	2	1	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	7	-	-	-	1	-	4	-	1	-	1	-	-
Male.....	6	-	-	-	1	-	3	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex:

United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidental drowning and submersion (W65-W74)

All races, both sexes.....	3,447	63	454	159	162	320	309	227	206	263	263	205	169
Male.....	2,761	40	312	126	118	288	290	201	179	223	216	164	137
Female.....	686	23	142	33	44	32	19	26	27	40	47	41	32
White, both sexes.....	2,624	49	368	88	76	220	235	167	163	201	217	158	133
Male.....	2,093	30	251	68	52	198	219	147	144	167	178	125	110
Female.....	531	19	117	20	24	22	16	20	19	34	39	33	23
Black, both sexes.....	613	11	63	58	78	72	57	42	33	43	31	33	24
Male.....	509	7	44	46	62	70	55	39	26	38	28	28	19
Female.....	104	4	19	12	16	2	2	3	7	5	3	5	5
American Indian 1/, both sexes.....	66	-	8	2	1	8	4	10	2	12	8	5	3
Male.....	53	-	6	1	1	7	4	9	2	11	5	4	2
Female.....	13	-	2	1	-	1	-	1	-	1	3	1	1
Asian or Pacific Islander 2/, both sexes.....	144	3	15	11	7	20	13	8	8	7	7	9	9
Male.....	106	3	11	11	3	13	12	6	7	7	5	7	6
Female.....	38	-	4	-	4	7	1	2	1	-	2	2	3

Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes.....	3,159	36	221	152	101	86	107	112	154	147	214	213	235
Male.....	1,935	21	126	89	62	61	71	75	95	101	150	146	146
Female.....	1,224	15	95	63	39	25	36	37	59	46	64	67	89
White, both sexes.....	2,287	19	127	78	61	61	77	72	118	110	175	167	174
Male.....	1,419	14	70	48	42	44	53	52	74	75	119	117	105
Female.....	868	5	57	30	19	17	24	20	44	35	56	50	69
Black, both sexes.....	774	15	88	64	32	21	27	31	30	29	31	40	58
Male.....	461	7	53	37	17	14	17	17	18	21	24	25	39
Female.....	313	8	35	27	15	7	10	14	12	8	7	15	19
American Indian 1/, both sexes.....	56	1	3	3	5	1	2	8	3	5	6	5	1
Male.....	35	-	1	-	3	-	1	5	3	3	5	3	1
Female.....	21	1	2	3	2	1	1	3	-	2	1	2	-
Asian or Pacific Islander 2/, both sexes.....	42	1	3	7	3	3	1	1	3	3	2	1	2
Male.....	20	-	2	4	-	3	-	1	-	2	2	1	1
Female.....	22	1	1	3	3	-	1	-	3	1	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	17,550	26	31	15	28	486	1,193	1,310	1,806	2,597	3,410	2,946	1,736
Male.....	12,059	21	14	10	18	366	940	1,003	1,316	1,807	2,315	1,960	1,176
Female.....	5,491	5	17	5	10	120	253	307	490	790	1,095	986	560
White, both sexes.....	14,868	13	19	12	25	452	1,103	1,165	1,580	2,199	2,901	2,407	1,375
Male.....	10,213	12	6	8	17	342	870	891	1,161	1,542	1,985	1,609	911
Female.....	4,655	1	13	4	8	110	233	274	419	657	916	798	464
Black, both sexes.....	2,365	12	11	3	3	19	69	116	190	345	456	494	339
Male.....	1,631	8	8	2	1	14	53	89	131	232	294	323	247
Female.....	734	4	3	1	2	5	16	27	59	113	162	171	92
American Indian 1/, both sexes.....	188	1	-	-	-	7	9	16	22	38	33	31	14
Male.....	124	1	-	-	-	4	9	12	14	22	19	20	11
Female.....	64	-	-	-	-	3	-	4	8	16	14	11	3
Asian or Pacific Islander 2/, both sexes.....	129	-	1	-	-	8	12	13	14	15	20	14	8
Male.....	91	-	-	-	-	6	8	11	10	11	17	8	7
Female.....	38	-	1	-	-	2	4	2	4	4	3	6	1
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,201	677	247	113	160	273	365	377	443	577	764	745	751
Male.....	9,839	389	156	71	114	225	320	311	381	468	613	609	571
Female.....	7,362	288	91	42	46	48	45	66	62	109	151	136	180
White, both sexes.....	14,855	405	175	83	126	230	318	329	376	472	642	616	624
Male.....	8,415	245	109	55	86	194	281	275	325	381	533	519	473
Female.....	6,440	160	66	28	40	36	37	54	51	91	109	97	151
Black, both sexes.....	1,972	253	61	24	32	33	36	39	54	87	95	110	107
Male.....	1,181	134	42	12	27	24	29	29	45	71	58	76	83
Female.....	791	119	19	12	5	9	7	10	9	16	37	34	24
American Indian 1/, both sexes.....	169	8	6	4	2	4	8	6	8	14	21	11	10
Male.....	125	5	3	3	1	3	8	6	6	13	17	9	7
Female.....	44	3	3	1	1	1	-	-	2	1	4	2	3
Asian or Pacific Islander 2/, both sexes.....	205	11	5	2	-	6	3	3	5	4	6	8	10
Male.....	118	5	2	1	-	4	2	1	5	3	5	5	8
Female.....	87	6	3	1	-	2	1	2	-	1	1	3	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	31,655	...	...	4	260	1,513	2,497	2,423	2,623	3,141	3,710	3,473	2,835
Male.....	25,409	...	...	3	196	1,280	2,152	2,003	2,132	2,484	2,821	2,608	2,188
Female.....	6,246	...	...	1	64	233	345	420	491	657	889	865	647
White, both sexes.....	28,731	...	...	3	211	1,308	2,098	2,021	2,277	2,799	3,420	3,245	2,640
Male.....	23,049	...	...	2	157	1,109	1,810	1,651	1,844	2,205	2,608	2,423	2,054
Female.....	5,682	...	...	1	54	199	288	370	433	594	812	822	586
Black, both sexes.....	1,939	...	...	1	34	128	275	273	231	235	207	150	123
Male.....	1,633	...	...	1	28	111	240	246	201	197	157	130	89
Female.....	306	...	...	-	6	17	35	27	30	38	50	20	34
American Indian 1/, both sexes.....	324	...	...	-	6	42	58	50	34	44	24	25	20
Male.....	258	...	...	-	4	34	46	45	29	35	17	15	15
Female.....	66	...	...	-	2	8	12	5	5	9	7	10	5
Asian or Pacific Islander 2/, both sexes.....	661	...	...	-	9	35	66	79	81	63	59	53	52
Male.....	469	...	...	-	7	26	56	61	58	47	39	40	30
Female.....	192	...	...	-	2	9	10	18	23	16	20	13	22

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes.....	17,108	...	...	-	86	742	1,346	1,217	1,182	1,450	1,707	1,652	1,484
Male.....	15,045	...	...	-	68	668	1,229	1,068	1,010	1,234	1,438	1,394	1,283
Female.....	2,063	...	...	-	18	74	117	149	172	216	269	258	201
White, both sexes.....	15,733	...	...	-	73	632	1,115	1,011	1,040	1,303	1,597	1,560	1,395
Male.....	13,809	...	...	-	58	570	1,016	869	888	1,104	1,347	1,313	1,208
Female.....	1,924	...	...	-	15	62	99	142	152	199	250	247	187
Black, both sexes.....	1,059	...	...	-	9	78	177	162	112	115	86	73	60
Male.....	962	...	...	-	8	69	165	157	102	101	71	67	51
Female.....	97	...	...	-	1	9	12	5	10	14	15	6	9
American Indian 1/, both sexes.....	146	...	...	-	1	17	36	20	13	17	10	9	10
Male.....	128	...	...	-	-	16	30	20	10	16	9	6	9
Female.....	18	...	...	-	1	1	6	-	3	1	1	3	1
Asian or Pacific Islander 2/, both sexes.....	170	...	...	-	3	15	18	24	17	15	14	10	19
Male.....	146	...	...	-	2	13	18	22	10	13	11	8	15
Female.....	24	...	...	-	1	2	-	2	7	2	3	2	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	14,547	...	...	4	174	771	1,151	1,206	1,441	1,691	2,003	1,821	1,351
Male.....	10,364	...	...	3	128	612	923	935	1,122	1,250	1,383	1,214	905
Female.....	4,183	...	...	1	46	159	228	271	319	441	620	607	446
White, both sexes.....	12,998	...	...	3	138	676	983	1,010	1,237	1,496	1,823	1,685	1,245
Male.....	9,240	...	...	2	99	539	794	782	956	1,101	1,261	1,110	846
Female.....	3,758	...	...	1	39	137	189	228	281	395	562	575	399
Black, both sexes.....	880	...	...	1	25	50	98	111	119	120	121	77	63
Male.....	671	...	...	1	20	42	75	89	99	96	86	63	38
Female.....	209	...	...	-	5	8	23	22	20	24	35	14	25
American Indian 1/, both sexes.....	178	...	...	-	5	25	22	30	21	27	14	16	10
Male.....	130	...	...	-	4	18	16	25	19	19	8	9	6
Female.....	48	...	...	-	1	7	6	5	2	8	6	7	4
Asian or Pacific Islander 2/, both sexes.....	491	...	...	-	6	20	48	55	64	48	45	43	33
Male.....	323	...	...	-	5	13	38	39	48	34	28	32	15
Female.....	168	...	...	-	1	7	10	16	16	14	17	11	18

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

All races, both sexes.....	17,638	303	423	140	216	1,892	3,327	2,514	1,975	1,734	1,505	1,155	760
Male.....	13,640	164	234	64	133	1,604	2,870	2,121	1,548	1,288	1,098	841	553
Female.....	3,998	139	189	76	83	288	457	393	427	446	407	314	207
White, both sexes.....	8,685	170	239	83	112	830	1,307	1,015	850	891	848	664	453
Male.....	6,282	100	133	35	63	681	1,065	812	623	624	616	446	311
Female.....	2,403	70	106	48	49	149	242	203	227	267	232	218	142
Black, both sexes.....	8,287	117	161	45	90	983	1,917	1,432	1,037	779	598	449	273
Male.....	6,896	56	92	24	62	859	1,723	1,262	867	616	442	365	217
Female.....	1,391	61	69	21	28	124	194	170	170	163	156	84	56
American Indian 1/, both sexes.....	267	10	12	4	7	32	38	29	34	27	25	15	14
Male.....	185	4	5	-	3	25	29	21	25	20	20	13	10
Female.....	82	6	7	4	4	7	9	8	9	7	5	2	4
Asian or Pacific Islander 2/, both sexes.....	399	6	11	8	7	47	65	38	54	37	34	27	20
Male.....	277	4	4	5	5	39	53	26	33	28	20	17	15
Female.....	122	2	7	3	2	8	12	12	21	9	14	10	5



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	11,829	9	49	55	150	1,567	2,750	2,018	1,447	1,135	907	604	421
Male.....	9,899	3	30	26	101	1,384	2,467	1,790	1,227	918	705	445	316
Female.....	1,930	6	19	29	49	183	283	228	220	217	202	159	105
White, both sexes.....	5,185	3	33	35	71	649	951	738	563	533	494	343	253
Male.....	4,050	1	20	18	46	556	824	621	449	399	374	228	183
Female.....	1,135	2	13	17	25	93	127	117	114	134	120	115	70
Black, both sexes.....	6,285	6	14	13	68	865	1,724	1,240	842	564	381	244	150
Male.....	5,575	2	9	6	48	781	1,583	1,139	746	487	310	206	118
Female.....	710	4	5	7	20	84	141	101	96	77	71	38	32
American Indian 1/, both sexes.....	117	-	1	2	5	20	24	15	14	12	10	5	5
Male.....	85	-	-	-	2	15	17	11	11	10	8	3	5
Female.....	32	-	1	2	3	5	7	4	3	2	2	2	-
Asian or Pacific Islander 2/, both sexes.....	242	-	1	5	6	33	51	25	28	26	22	12	13
Male.....	189	-	1	2	5	32	43	19	21	22	13	8	10
Female.....	53	-	-	3	1	1	8	6	7	4	9	4	3

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02.X85-X92,X96-Y09,Y87.1)

All races, both sexes.....	5,809	294	374	85	66	325	577	496	528	599	598	551	339
Male.....	3,741	161	204	38	32	220	403	331	321	370	393	396	237
Female.....	2,068	133	170	47	34	105	174	165	207	229	205	155	102
White, both sexes.....	3,500	167	206	48	41	181	356	277	287	358	354	321	200
Male.....	2,232	99	113	17	17	125	241	191	174	225	242	218	128
Female.....	1,268	68	93	31	24	56	115	86	113	133	112	103	72
Black, both sexes.....	2,002	111	147	32	22	118	193	192	195	215	217	205	123
Male.....	1,321	54	83	18	14	78	140	123	121	129	132	159	99
Female.....	681	57	64	14	8	40	53	69	74	86	85	46	24
American Indian 1/, both sexes.....	150	10	11	2	2	12	14	14	20	15	15	10	9
Male.....	100	4	5	-	1	10	12	10	14	10	12	10	5
Female.....	50	6	6	2	1	2	2	4	6	5	3	-	4
Asian or Pacific Islander 2/, both sexes.....	157	6	10	3	1	14	14	13	26	11	12	15	7
Male.....	88	4	3	3	-	7	10	7	12	6	7	9	5
Female.....	69	2	7	-	1	7	4	6	14	5	5	6	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	384	-	-	-	3	24	67	51	51	64	45	43	13
Male.....	369	-	-	-	3	23	64	51	48	60	45	40	12
Female.....	15	-	-	-	-	1	3	-	3	4	-	3	1
White, both sexes.....	257	-	-	-	1	14	35	28	41	45	33	28	13
Male.....	246	-	-	-	1	13	33	28	39	43	33	25	12
Female.....	11	-	-	-	-	1	2	-	2	2	-	3	1
Black, both sexes.....	110	-	-	-	2	10	27	20	9	17	11	11	-
Male.....	106	-	-	-	2	10	26	20	8	15	11	11	-
Female.....	4	-	-	-	-	-	1	-	1	2	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	3	1	1	-	1	3	-
Male.....	9	-	-	-	-	-	3	1	1	-	1	3	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	2	2	-	2	-	1	-
Male.....	8	-	-	-	-	-	2	2	-	2	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes.....	4,830	101	57	26	42	143	344	352	476	727	789	709	431
Male.....	3,114	52	28	11	27	108	250	256	329	494	487	432	264
Female.....	1,716	49	29	15	15	35	94	96	147	233	302	277	167
White, both sexes.....	3,962	56	45	16	33	120	298	291	388	599	653	581	344
Male.....	2,524	29	23	5	21	89	217	210	267	399	406	353	195
Female.....	1,438	27	22	11	12	31	81	81	121	200	247	228	149
Black, both sexes.....	759	37	8	9	6	17	40	54	71	118	126	116	80
Male.....	521	18	3	5	6	14	29	41	49	89	75	74	63
Female.....	238	19	5	4	-	3	11	13	22	29	51	42	17
American Indian 1/, both sexes.....	48	3	2	1	1	4	1	2	10	3	5	7	2
Male.....	26	1	1	1	-	4	1	-	7	1	2	3	1
Female.....	22	2	1	-	1	-	-	2	3	2	3	4	1
Asian or Pacific Islander 2/, both sexes.....	61	5	2	-	2	2	5	5	7	7	5	5	5
Male.....	43	4	1	-	-	1	3	5	6	5	4	2	5
Female.....	18	1	1	-	2	1	2	-	1	2	1	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	243	-	1	2	4	35	44	27	19	31	19	19	10
Male.....	199	-	1	2	3	34	37	23	16	22	17	14	9
Female.....	44	-	-	-	1	1	7	4	3	9	2	5	1
White, both sexes.....	192	-	-	-	4	24	35	20	13	25	16	18	9
Male.....	153	-	-	-	3	23	28	16	11	18	14	13	8
Female.....	39	-	-	-	1	1	7	4	2	7	2	5	1
Black, both sexes.....	41	-	1	2	-	9	8	7	4	4	2	-	1
Male.....	39	-	1	2	-	9	8	7	4	3	2	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	2	1	-	2	-	1	-	-
Male.....	5	-	-	-	-	2	1	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	2	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes.....	4,587	101	56	24	38	108	300	325	457	696	770	690	421
Male.....	2,915	52	27	9	24	74	213	233	313	472	470	418	255
Female.....	1,672	49	29	15	14	34	87	92	144	224	300	272	166
White, both sexes.....	3,770	56	45	16	29	96	263	271	375	574	637	563	335
Male.....	2,371	29	23	5	18	66	189	194	256	381	392	340	187
Female.....	1,399	27	22	11	11	30	74	77	119	193	245	223	148
Black, both sexes.....	718	37	7	7	6	8	32	47	67	114	124	116	79
Male.....	482	18	2	3	6	5	21	34	45	86	73	74	62
Female.....	236	19	5	4	-	3	11	13	22	28	51	42	17
American Indian 1/, both sexes.....	41	3	2	1	1	2	-	2	8	3	4	7	2
Male.....	21	1	1	1	-	2	-	-	6	1	1	3	1
Female.....	20	2	1	-	1	-	-	2	2	2	3	4	1
Asian or Pacific Islander 2/, both sexes.....	58	5	2	-	2	2	5	5	7	5	5	4	5
Male.....	41	4	1	-	-	1	3	5	6	4	4	1	5
Female.....	17	1	1	-	2	1	2	-	1	1	1	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	20	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	20	-	-	-	-	-	-	-	1	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	15	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	15	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,843	15	19	13	22	16	19	27	52	73	98	114	151
Male.....	1,236	8	11	8	18	10	9	16	31	35	47	60	67
Female.....	1,607	7	8	5	4	6	10	11	21	38	51	54	84
White, both sexes.....	2,331	8	14	7	14	10	14	20	37	51	68	80	105
Male.....	1,025	5	9	4	12	7	7	12	23	28	37	45	50
Female.....	1,306	3	5	3	2	3	7	8	14	23	31	35	55
Black, both sexes.....	448	7	5	6	8	5	2	6	11	20	29	31	44
Male.....	184	3	2	4	6	3	1	4	5	6	10	13	16
Female.....	264	4	3	2	2	2	1	2	6	14	19	18	28
American Indian 1/, both sexes.....	26	-	-	-	-	-	1	-	2	1	1	2	1
Male.....	12	-	-	-	-	-	1	-	2	-	-	1	1
Female.....	14	-	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	1	2	1	2	1	-	1	1
Male.....	15	-	-	-	-	-	-	-	1	1	-	1	-
Female.....	23	-	-	-	-	1	2	1	1	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	19,928	1	2	-	3	33	68	154	427	1,170	2,409	3,259	3,384
Male.....	15,036	-	1	-	2	28	55	128	311	813	1,714	2,435	2,652
Female.....	4,892	1	1	-	1	5	13	26	116	357	695	824	732
White, both sexes.....	16,762	-	1	-	2	31	53	121	342	947	2,029	2,742	2,823
Male.....	12,741	-	1	-	1	27	45	102	257	667	1,467	2,069	2,238
Female.....	4,021	-	-	-	1	4	8	19	85	280	562	673	585
Black, both sexes.....	2,373	1	1	-	-	-	8	16	48	126	257	388	448
Male.....	1,749	-	-	-	-	-	6	14	33	82	168	277	334
Female.....	624	1	1	-	-	-	2	2	15	44	89	111	114
American Indian 1/, both sexes.....	596	-	-	-	1	2	6	17	34	79	94	101	83
Male.....	387	-	-	-	1	1	3	12	19	50	55	63	59
Female.....	209	-	-	-	-	1	3	5	15	29	39	38	24
Asian or Pacific Islander 2/, both sexes.....	197	-	-	-	-	-	1	-	3	18	29	28	30
Male.....	159	-	-	-	-	-	1	-	2	14	24	26	21
Female.....	38	-	-	-	-	-	-	-	1	4	5	2	9

Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	26,018	29	30	7	35	625	1,590	1,850	2,599	3,837	5,020	4,450	2,731
Male.....	16,724	20	9	6	18	447	1,175	1,346	1,793	2,534	3,194	2,764	1,752
Female.....	9,294	9	21	1	17	178	415	504	806	1,303	1,826	1,686	979
White, both sexes.....	22,126	14	18	4	32	572	1,464	1,633	2,257	3,259	4,262	3,670	2,177
Male.....	14,160	11	3	3	17	411	1,088	1,190	1,576	2,160	2,735	2,274	1,349
Female.....	7,966	3	15	1	15	161	376	443	681	1,099	1,527	1,396	828
Black, both sexes.....	3,461	13	10	2	3	32	98	175	286	502	700	720	525
Male.....	2,307	8	6	2	1	22	69	125	185	330	424	459	384
Female.....	1,154	5	4	-	2	10	29	50	101	172	276	261	141
American Indian 1/, both sexes.....	230	2	1	1	-	13	11	19	30	46	36	38	17
Male.....	136	1	-	1	-	9	9	13	18	25	18	20	12
Female.....	94	1	1	-	-	4	2	6	12	21	18	18	5
Asian or Pacific Islander 2/, both sexes.....	201	-	1	-	-	8	17	23	26	30	22	22	12
Male.....	121	-	-	-	-	5	9	18	14	19	17	11	7
Female.....	80	-	1	-	-	3	8	5	12	11	5	11	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,242	10	61	71	277	2,474	4,306	3,380	2,760	2,712	2,734	2,358	1,963
Male.....	26,098	4	38	38	204	2,209	3,887	2,994	2,353	2,257	2,246	1,927	1,652
Female.....	4,144	6	23	33	73	265	419	386	407	455	488	431	311
White, both sexes.....	21,902	4	42	45	175	1,388	2,209	1,844	1,700	1,932	2,193	1,986	1,699
Male.....	18,714	2	25	24	130	1,226	1,968	1,576	1,423	1,583	1,806	1,611	1,438
Female.....	3,188	2	17	21	45	162	241	268	277	349	387	375	261
Black, both sexes.....	7,623	6	17	18	85	997	1,958	1,448	983	706	482	331	216
Male.....	6,798	2	12	11	63	903	1,802	1,342	874	610	396	286	174
Female.....	825	4	5	7	22	94	156	106	109	96	86	45	42
American Indian 1/, both sexes.....	287	-	1	3	7	41	64	37	31	29	22	17	16
Male.....	235	-	-	1	3	35	51	33	24	26	19	12	15
Female.....	52	-	1	2	4	6	13	4	7	3	3	5	1
Asian or Pacific Islander 2/, both sexes.....	430	-	1	5	10	48	75	51	46	45	37	24	32
Male.....	351	-	1	2	8	45	66	43	32	38	25	18	25
Female.....	79	-	-	3	2	3	9	8	14	7	12	6	7



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Shigellosis and amebiasis (A03,A06)

All races, both sexes.....	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races, both sexes.....	63	79	133	229	374	515	509	318	114	23	-
Male.....	29	42	67	118	156	202	160	91	27	5	-
Female.....	34	37	66	111	218	313	349	227	87	18	-
White, both sexes.....	47	64	124	205	351	494	482	303	109	20	-
Male.....	22	34	61	103	145	195	152	85	27	5	-
Female.....	25	30	63	102	206	299	330	218	82	15	-
Black, both sexes.....	15	14	9	22	19	17	25	12	4	3	-
Male.....	7	8	6	14	8	5	7	5	-	-	-
Female.....	8	6	3	8	11	12	18	7	4	3	-
American Indian 1/, both sexes.....	-	1	-	1	1	1	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	3	3	2	1	1	-	-
Male.....	-	-	-	1	2	2	1	1	-	-	-
Female.....	1	-	-	-	1	1	1	-	1	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

All races, both sexes.....	44	63	82	79	114	120	68	42	9	2	-
Male.....	36	39	54	48	56	65	36	16	2	1	-
Female.....	8	24	28	31	58	55	32	26	7	1	-
White, both sexes.....	20	37	41	47	78	85	48	30	7	1	-
Male.....	15	22	31	33	37	46	27	11	1	1	-
Female.....	5	15	10	14	41	39	21	19	6	-	-
Black, both sexes.....	18	16	25	18	17	20	10	9	-	-	-
Male.....	15	10	16	9	11	11	3	4	-	-	-
Female.....	3	6	9	9	6	9	7	5	-	-	-
American Indian 1/, both sexes.....	2	3	4	3	4	3	2	-	-	-	-
Male.....	2	1	2	1	2	2	2	-	-	-	-
Female.....	-	2	2	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	12	11	15	12	8	3	2	1	-
Male.....	4	6	5	5	6	6	4	1	1	-	-
Female.....	-	1	7	6	9	6	4	2	1	1	-

Respiratory tuberculosis (A16)

All races, both sexes.....	37	47	61	59	87	105	60	37	7	2	-
Male.....	30	30	44	36	40	56	32	15	1	1	-
Female.....	7	17	17	23	47	49	28	22	6	1	-
White, both sexes.....	17	26	34	36	59	70	42	27	6	1	-
Male.....	12	17	28	26	25	37	24	11	1	1	-
Female.....	5	9	6	10	34	33	18	16	5	-	-
Black, both sexes.....	15	14	19	13	14	20	8	7	-	-	-
Male.....	13	9	12	7	10	11	2	3	-	-	-
Female.....	2	5	7	6	4	9	6	4	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	3	3	2	-	-	-	-
Male.....	2	-	1	-	1	2	2	-	-	-	-
Female.....	-	2	-	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	7	8	11	12	8	3	1	1	-
Male.....	3	4	3	3	4	6	4	1	-	-	-
Female.....	-	1	4	5	7	6	4	2	1	1	-









Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Measles (B05)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races, both sexes.....	644	428	369	393	352	235	136	34	7	-	-
Male.....	448	254	193	180	174	96	56	11	3	-	-
Female.....	196	174	176	213	178	139	80	23	4	-	-
White, both sexes.....	487	317	278	311	298	205	121	30	4	-	-
Male.....	342	185	154	148	152	87	51	10	-	-	-
Female.....	145	132	124	163	146	118	70	20	4	-	-
Black, both sexes.....	115	72	57	46	35	15	7	4	2	-	-
Male.....	83	41	32	18	14	3	-	1	2	-	-
Female.....	32	31	25	28	21	12	7	3	-	-	-
American Indian 1/, both sexes.....	10	3	1	3	-	-	-	-	-	-	-
Male.....	5	2	1	1	-	-	-	-	-	-	-
Female.....	5	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	32	36	33	33	19	15	8	-	1	-	-
Male.....	18	26	6	13	8	6	5	-	1	-	-
Female.....	14	10	27	20	11	9	3	-	-	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)											
All races, both sexes.....	445	444	520	703	859	735	580	289	112	16	-
Male.....	273	259	290	373	429	356	230	110	30	3	-
Female.....	172	185	230	330	430	379	350	179	82	13	-
White, both sexes.....	337	355	444	604	749	663	536	260	104	14	-
Male.....	203	207	254	323	375	320	214	99	27	2	-
Female.....	134	148	190	281	374	343	322	161	77	12	-
Black, both sexes.....	90	62	50	72	89	44	36	27	8	2	-
Male.....	62	37	26	36	40	19	13	10	3	1	-
Female.....	28	25	24	36	49	25	23	17	5	1	-
American Indian 1/, both sexes.....	6	6	9	2	3	5	-	-	-	-	-
Male.....	3	3	2	1	1	2	-	-	-	-	-
Female.....	3	3	7	1	2	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	21	17	25	18	23	8	2	-	-	-
Male.....	5	12	8	13	13	15	3	1	-	-	-
Female.....	7	9	9	12	5	8	5	1	-	-	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	41,487	51,904	63,598	81,159	89,565	77,497	50,298	22,323	5,772	789	7
Male.....	22,407	28,708	35,374	44,711	47,734	39,218	23,345	9,106	1,952	218	5
Female.....	19,080	23,196	28,224	36,448	41,831	38,279	26,953	13,217	3,820	571	2
White, both sexes.....	34,425	43,715	54,326	71,132	79,678	69,847	45,714	20,162	5,114	662	4
Male.....	18,583	24,049	30,313	39,275	42,403	35,246	21,201	8,171	1,723	175	3
Female.....	15,842	19,666	24,013	31,857	37,275	34,601	24,513	11,991	3,391	487	1
Black, both sexes.....	5,954	6,871	7,845	8,400	8,300	6,364	3,856	1,832	552	110	3
Male.....	3,254	3,929	4,329	4,602	4,459	3,290	1,775	776	187	38	2
Female.....	2,700	2,942	3,516	3,798	3,841	3,074	2,081	1,056	365	72	1
American Indian 1/, both sexes.....	219	266	274	315	252	208	104	53	16	4	-
Male.....	123	142	141	166	129	107	41	13	3	1	-
Female.....	96	124	133	149	123	101	63	40	13	3	-
Asian or Pacific Islander 2/, both sexes.....	889	1,052	1,153	1,312	1,335	1,078	624	276	90	13	-
Male.....	447	588	591	668	743	575	328	146	39	4	-
Female.....	442	464	562	644	592	503	296	130	51	9	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)											
All races, both sexes.....	875	936	846	1,052	973	748	505	262	77	13	-
Male.....	681	711	619	698	590	407	245	101	24	4	-
Female.....	194	225	227	354	383	341	260	161	53	9	-
White, both sexes.....	683	745	689	938	877	681	458	247	67	11	-
Male.....	537	560	499	619	536	368	221	97	19	3	-
Female.....	146	185	190	319	341	313	237	150	48	8	-
Black, both sexes.....	150	169	125	93	66	48	33	12	7	2	-
Male.....	122	136	97	64	36	28	18	3	3	1	-
Female.....	28	33	28	29	30	20	15	9	4	1	-
American Indian 1/, both sexes.....	9	6	8	6	3	3	-	-	-	-	-
Male.....	5	4	3	4	3	2	-	-	-	-	-
Female.....	4	2	5	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	16	24	15	27	16	14	3	3	-	-
Male.....	17	11	20	11	15	9	6	1	2	-	-
Female.....	16	5	4	4	12	7	8	2	1	-	-

Malignant neoplasm of esophagus (C15)

All races, both sexes.....	1,286	1,477	1,736	1,955	1,909	1,480	766	295	65	4	1
Male.....	1,099	1,222	1,394	1,558	1,437	1,017	452	127	23	1	-
Female.....	187	255	342	397	472	463	314	168	42	3	1
White, both sexes.....	1,044	1,218	1,442	1,708	1,698	1,353	704	276	61	3	-
Male.....	906	1,026	1,185	1,378	1,301	935	418	121	22	-	-
Female.....	138	192	257	330	397	418	286	155	39	3	-
Black, both sexes.....	222	235	259	222	185	100	53	13	3	1	1
Male.....	180	174	182	163	118	63	30	3	1	1	-
Female.....	42	61	77	59	67	37	23	10	2	-	1
American Indian 1/, both sexes.....	2	7	5	7	7	9	-	2	1	-	-
Male.....	1	7	4	5	4	8	-	2	-	-	-
Female.....	1	-	1	2	3	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	18	17	30	18	19	18	9	4	-	-	-
Male.....	12	15	23	12	14	11	4	1	-	-	-
Female.....	6	2	7	6	5	7	5	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of stomach (C16)

All races, both sexes.....	841	990	1,179	1,637	1,903	1,753	1,344	664	153	24	-
Male.....	556	659	804	1,063	1,118	946	628	258	38	10	-
Female.....	285	331	375	574	785	807	716	406	115	14	-
White, both sexes.....	624	730	864	1,260	1,496	1,406	1,086	537	115	14	-
Male.....	427	491	605	834	904	773	521	207	29	4	-
Female.....	197	239	259	426	592	633	565	330	86	10	-
Black, both sexes.....	155	185	232	290	307	241	200	98	31	9	-
Male.....	102	121	148	179	160	118	75	41	7	5	-
Female.....	53	64	84	111	147	123	125	57	24	4	-
American Indian 1/, both sexes.....	5	11	11	10	13	12	4	2	-	-	-
Male.....	1	4	7	5	5	7	3	-	-	-	-
Female.....	4	7	4	5	8	5	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	57	64	72	77	87	94	54	27	7	1	-
Male.....	26	43	44	45	49	48	29	10	2	1	-
Female.....	31	21	28	32	38	46	25	17	5	-	-

Malignant neoplasms of colon, rectum and anus (C18-C21)

All races, both sexes.....	3,694	4,727	5,901	7,491	8,826	8,672	6,453	3,433	1,075	128	1
Male.....	2,185	2,850	3,455	4,125	4,536	3,968	2,508	1,024	267	24	1
Female.....	1,509	1,877	2,446	3,366	4,290	4,704	3,945	2,409	808	104	-
White, both sexes.....	2,985	3,873	4,933	6,460	7,731	7,686	5,857	3,073	955	110	1
Male.....	1,796	2,360	2,932	3,615	3,998	3,521	2,270	916	237	18	1
Female.....	1,189	1,513	2,001	2,845	3,733	4,165	3,587	2,157	718	92	-
Black, both sexes.....	596	712	817	857	934	836	509	309	94	13	-
Male.....	319	401	438	414	455	373	197	86	19	4	-
Female.....	277	311	379	443	479	463	312	223	75	9	-
American Indian 1/, both sexes.....	31	33	34	34	25	21	14	7	2	1	-
Male.....	23	24	17	16	11	10	3	1	-	1	-
Female.....	8	9	17	18	14	11	11	6	2	-	-
Asian or Pacific Islander 2/, both sexes.....	82	109	117	140	136	129	73	44	24	4	-
Male.....	47	65	68	80	72	64	38	21	11	1	-
Female.....	35	44	49	60	64	65	35	23	13	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes.....	1,208	1,350	1,618	1,963	2,049	1,679	1,094	419	80	16	-
Male.....	899	959	1,100	1,267	1,212	900	463	155	22	2	-
Female.....	309	391	518	696	837	779	631	264	58	14	-
White, both sexes.....	875	1,053	1,298	1,611	1,766	1,471	973	354	67	11	-
Male.....	651	746	889	1,041	1,049	781	417	131	18	1	-
Female.....	224	307	409	570	717	690	556	223	49	10	-
Black, both sexes.....	231	161	184	204	176	122	77	43	6	2	-
Male.....	170	115	129	135	97	67	24	12	3	-	-
Female.....	61	46	55	69	79	55	53	31	3	2	-
American Indian 1/, both sexes.....	9	11	13	14	6	11	5	2	2	-	-
Male.....	8	7	7	10	2	6	2	-	-	-	-
Female.....	1	4	6	4	4	5	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	93	125	123	134	101	75	39	20	5	3	-
Male.....	70	91	75	81	64	46	20	12	1	1	-
Female.....	23	34	48	53	37	29	19	8	4	2	-

Malignant neoplasm of pancreas (C25)

All races, both sexes.....	2,321	2,784	3,564	4,623	5,210	4,345	2,824	1,217	263	36	1
Male.....	1,394	1,618	1,924	2,346	2,424	1,846	985	351	60	7	1
Female.....	927	1,166	1,640	2,277	2,786	2,499	1,839	866	203	29	-
White, both sexes.....	1,927	2,321	2,975	3,969	4,574	3,904	2,552	1,104	229	30	-
Male.....	1,166	1,378	1,645	2,048	2,177	1,679	900	320	52	5	-
Female.....	761	943	1,330	1,921	2,397	2,225	1,652	784	177	25	-
Black, both sexes.....	334	396	475	550	516	351	226	95	32	6	1
Male.....	195	206	227	252	197	138	62	22	8	2	1
Female.....	139	190	248	298	319	213	164	73	24	4	-
American Indian 1/, both sexes.....	12	10	11	23	12	13	5	1	-	-	-
Male.....	6	2	7	9	6	2	3	-	-	-	-
Female.....	6	8	4	14	6	11	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	57	103	81	108	77	41	17	2	-	-
Male.....	27	32	45	37	44	27	20	9	-	-	-
Female.....	21	25	58	44	64	50	21	8	2	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of larynx (C32)

All races, both sexes.....	412	492	508	576	588	381	172	76	5	-	1
Male.....	339	399	395	437	455	300	126	56	1	-	1
Female.....	73	93	113	139	133	81	46	20	4	-	-
White, both sexes.....	317	383	416	485	494	333	158	71	4	-	-
Male.....	258	303	322	367	381	266	115	52	-	-	-
Female.....	59	80	94	118	113	67	43	19	4	-	-
Black, both sexes.....	91	107	86	88	89	43	12	3	1	-	1
Male.....	77	95	68	67	72	30	10	2	1	-	1
Female.....	14	12	18	21	17	13	2	1	-	-	-
American Indian 1/, both sexes.....	3	-	3	1	3	1	-	-	-	-	-
Male.....	3	-	3	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	2	2	4	2	2	-	-	-
Male.....	1	1	2	2	2	3	1	2	-	-	-
Female.....	-	1	1	-	-	1	1	-	-	-	-

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All races, both sexes.....	12,930	17,754	22,358	27,898	27,969	20,113	9,781	3,214	576	81	-
Male.....	7,769	10,646	13,209	16,334	15,833	10,988	5,022	1,439	216	25	-
Female.....	5,161	7,108	9,149	11,564	12,136	9,125	4,759	1,775	360	56	-
White, both sexes.....	10,873	15,182	19,480	24,973	25,262	18,416	8,973	2,937	519	64	-
Male.....	6,441	8,950	11,416	14,558	14,193	9,981	4,589	1,307	200	23	-
Female.....	4,432	6,232	8,064	10,415	11,069	8,435	4,384	1,630	319	41	-
Black, both sexes.....	1,797	2,229	2,516	2,467	2,277	1,400	635	223	44	15	-
Male.....	1,156	1,475	1,598	1,517	1,373	810	336	104	10	2	-
Female.....	641	754	918	950	904	590	299	119	34	13	-
American Indian 1/, both sexes.....	61	90	93	98	77	47	26	8	-	1	-
Male.....	41	53	44	50	45	27	13	2	-	-	-
Female.....	20	37	49	48	32	20	13	6	-	1	-
Asian or Pacific Islander 2/, both sexes.....	199	253	269	360	353	250	147	46	13	1	-
Male.....	131	168	151	209	222	170	84	26	6	-	-
Female.....	68	85	118	151	131	80	63	20	7	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant melanoma of skin (C43)

All races, both sexes.....	659	692	748	868	954	794	512	233	58	17	1
Male.....	445	470	500	575	609	469	264	115	21	6	-
Female.....	214	222	248	293	345	325	248	118	37	11	1
White, both sexes.....	642	677	731	843	938	783	501	227	55	16	1
Male.....	433	462	490	561	600	466	259	113	21	6	-
Female.....	209	215	241	282	338	317	242	114	34	10	1
Black, both sexes.....	13	8	11	14	10	8	10	5	-	-	-
Male.....	10	3	5	7	6	2	4	2	-	-	-
Female.....	3	5	6	7	4	6	6	3	-	-	-
American Indian 1/, both sexes.....	2	2	1	5	2	-	-	-	2	1	-
Male.....	2	1	1	3	-	-	-	-	-	-	-
Female.....	-	1	-	2	2	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	2	5	5	6	4	3	1	1	1	-	-
Male.....	-	4	4	4	3	1	1	-	-	-	-
Female.....	2	1	1	2	1	2	-	1	1	-	-

Malignant neoplasm of breast (C50)

All races, both sexes.....	3,924	3,914	3,954	4,551	4,978	4,770	3,528	1,869	658	126	-
Male.....	29	38	35	49	57	55	31	13	3	-	-
Female.....	3,895	3,876	3,919	4,502	4,921	4,715	3,497	1,856	655	126	-
White, both sexes.....	3,206	3,288	3,365	3,968	4,465	4,268	3,218	1,702	590	108	-
Male.....	23	28	24	44	47	49	29	10	3	-	-
Female.....	3,183	3,260	3,341	3,924	4,418	4,219	3,189	1,692	587	108	-
Black, both sexes.....	604	533	513	501	457	449	286	148	64	16	-
Male.....	6	9	11	5	8	5	2	3	-	-	-
Female.....	598	524	502	496	449	444	284	145	64	16	-
American Indian 1/, both sexes.....	17	14	18	11	9	9	4	5	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	14	18	11	9	9	4	5	2	1	-
Asian or Pacific Islander 2/, both sexes.....	97	79	58	71	47	44	20	14	2	1	-
Male.....	-	1	-	-	2	1	-	-	-	-	-
Female.....	97	78	58	71	45	43	20	14	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of cervix uteri (C53)

All races, both sexes.....	401	324	315	315	305	223	155	99	24	6	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	401	324	315	315	305	223	155	99	24	6	-
White, both sexes.....	319	234	226	229	237	170	116	74	15	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	319	234	226	229	237	170	116	74	15	5	-
Black, both sexes.....	62	69	77	75	56	48	30	19	9	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	62	69	77	75	56	48	30	19	9	1	-
American Indian 1/, both sexes.....	2	2	2	3	1	2	1	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	2	2	3	1	2	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	19	10	8	11	3	8	4	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	19	10	8	11	3	8	4	-	-	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races, both sexes.....	531	668	809	1,026	1,051	906	694	314	109	11	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	531	668	809	1,026	1,051	906	694	314	109	11	-
White, both sexes.....	412	522	595	824	865	783	609	281	91	9	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	412	522	595	824	865	783	609	281	91	9	-
Black, both sexes.....	99	124	188	188	162	111	81	31	17	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	99	124	188	188	162	111	81	31	17	2	-
American Indian 1/, both sexes.....	3	3	3	1	7	2	2	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	3	3	1	7	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	19	23	13	17	10	2	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	19	23	13	17	10	2	2	1	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All races, both sexes.....	1,075	1,265	1,533	1,706	1,829	1,526	967	429	90	7	-
Male.....	771	887	1,020	1,067	1,123	801	457	201	34	4	-
Female.....	304	378	513	639	706	725	510	228	56	3	-
White, both sexes.....	951	1,114	1,367	1,543	1,654	1,402	888	403	81	7	-
Male.....	682	785	917	969	1,033	733	423	195	31	4	-
Female.....	269	329	450	574	621	669	465	208	50	3	-
Black, both sexes.....	104	122	135	125	150	102	67	21	7	-	-
Male.....	79	85	80	71	75	51	29	6	2	-	-
Female.....	25	37	55	54	75	51	38	15	5	-	-
American Indian 1/, both sexes.....	7	12	16	18	7	8	4	-	1	-	-
Male.....	5	6	12	14	4	6	1	-	-	-	-
Female.....	2	6	4	4	3	2	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	17	15	20	18	14	8	5	1	-	-
Male.....	5	11	11	13	11	11	4	-	1	-	-
Female.....	8	6	4	7	7	3	4	5	-	-	-

Malignant neoplasm of bladder (C67)

All races, both sexes.....	572	738	1,151	1,756	2,366	2,341	1,864	908	255	32	1
Male.....	425	559	845	1,244	1,659	1,540	1,163	498	118	12	1
Female.....	147	179	306	512	707	801	701	410	137	20	-
White, both sexes.....	502	668	1,031	1,594	2,177	2,167	1,722	831	229	29	1
Male.....	390	516	774	1,157	1,544	1,446	1,095	467	112	12	1
Female.....	112	152	257	437	633	721	627	364	117	17	-
Black, both sexes.....	60	60	103	139	157	142	121	68	21	3	-
Male.....	30	36	57	71	91	75	56	26	3	-	-
Female.....	30	24	46	68	66	67	65	42	18	3	-
American Indian 1/, both sexes.....	2	2	7	2	3	5	5	1	1	-	-
Male.....	1	-	6	1	2	2	2	-	1	-	-
Female.....	1	2	1	1	1	3	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	10	21	29	27	16	8	4	-	-
Male.....	4	7	8	15	22	17	10	5	2	-	-
Female.....	4	1	2	6	7	10	6	3	2	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes.....	1,276	1,284	1,407	1,547	1,454	981	536	174	39	4	-
Male.....	773	721	819	859	750	460	213	54	10	2	-
Female.....	503	563	588	688	704	521	323	120	29	2	-
White, both sexes.....	1,165	1,194	1,310	1,454	1,366	926	507	164	36	4	-
Male.....	700	669	767	810	705	431	204	51	9	2	-
Female.....	465	525	543	644	661	495	303	113	27	2	-
Black, both sexes.....	85	64	75	71	71	43	20	9	3	-	-
Male.....	55	40	38	35	34	23	4	2	1	-	-
Female.....	30	24	37	36	37	20	16	7	2	-	-
American Indian 1/, both sexes.....	4	1	2	4	3	-	1	-	-	-	-
Male.....	4	-	1	3	1	-	-	-	-	-	-
Female.....	-	1	1	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	25	20	18	14	12	8	1	-	-	-
Male.....	14	12	13	11	10	6	5	1	-	-	-
Female.....	8	13	7	7	4	6	3	-	-	-	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes.....	3,217	4,283	5,672	7,836	9,319	8,970	6,003	2,433	574	62	-
Male.....	1,947	2,523	3,391	4,512	5,047	4,506	2,624	906	186	24	-
Female.....	1,270	1,760	2,281	3,324	4,272	4,464	3,379	1,527	388	38	-
White, both sexes.....	2,692	3,674	4,970	7,007	8,512	8,324	5,619	2,262	534	54	-
Male.....	1,660	2,183	3,007	4,087	4,661	4,209	2,477	840	176	20	-
Female.....	1,032	1,491	1,963	2,920	3,851	4,115	3,142	1,422	358	34	-
Black, both sexes.....	444	505	587	695	651	528	326	146	34	7	-
Male.....	242	281	316	369	300	232	123	52	10	4	-
Female.....	202	224	271	326	351	296	203	94	24	3	-
American Indian 1/, both sexes.....	16	19	17	17	23	13	6	4	2	-	-
Male.....	7	9	9	8	11	8	2	1	-	-	-
Female.....	9	10	8	9	12	5	4	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	65	85	98	117	133	105	52	21	4	1	-
Male.....	38	50	59	48	75	57	22	13	-	-	-
Female.....	27	35	39	69	58	48	30	8	4	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hodgkin's disease (C81)											
All races, both sexes.....	74	94	94	138	126	121	83	35	7	-	-
Male.....	53	53	62	84	60	65	37	11	2	-	-
Female.....	21	41	32	54	66	56	46	24	5	-	-
White, both sexes.....	61	80	85	128	119	115	81	33	6	-	-
Male.....	43	43	57	79	57	63	37	10	2	-	-
Female.....	18	37	28	49	62	52	44	23	4	-	-
Black, both sexes.....	10	11	6	9	5	4	1	1	1	-	-
Male.....	8	8	3	5	3	1	-	1	-	-	-
Female.....	2	3	3	4	2	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	1	2	2	1	1	-	-	-
Male.....	2	2	2	-	-	1	-	-	-	-	-
Female.....	1	-	1	1	2	1	1	1	-	-	-
Non-Hodgkin's lymphoma (C82-C85)											
All races, both sexes.....	1,319	1,730	2,225	3,039	3,722	3,561	2,446	881	200	22	-
Male.....	823	1,015	1,334	1,652	1,898	1,696	1,013	315	51	6	-
Female.....	496	715	891	1,387	1,824	1,865	1,433	566	149	16	-
White, both sexes.....	1,150	1,549	2,015	2,784	3,497	3,376	2,347	847	192	21	-
Male.....	726	911	1,218	1,527	1,794	1,614	976	299	47	6	-
Female.....	424	638	797	1,257	1,703	1,762	1,371	548	145	15	-
Black, both sexes.....	139	147	166	192	156	135	74	24	5	-	-
Male.....	77	84	92	103	69	54	27	9	4	-	-
Female.....	62	63	74	89	87	81	47	15	1	-	-
American Indian 1/, both sexes.....	4	7	4	7	6	3	1	2	1	-	-
Male.....	2	5	3	3	4	-	-	-	-	-	-
Female.....	2	2	1	4	2	3	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	26	27	40	56	63	47	24	8	2	1	-
Male.....	18	15	21	19	31	28	10	7	-	-	-
Female.....	8	12	19	37	32	19	14	1	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Leukemia (C91-C95)

All races, both sexes.....	1,111	1,500	1,998	2,820	3,392	3,371	2,294	1,086	281	35	-
Male.....	667	891	1,242	1,768	1,995	1,809	1,062	420	95	15	-
Female.....	444	609	756	1,052	1,397	1,562	1,232	666	186	20	-
White, both sexes.....	944	1,302	1,793	2,568	3,110	3,152	2,138	1,019	260	30	-
Male.....	580	779	1,118	1,618	1,847	1,700	1,000	396	90	12	-
Female.....	364	523	675	950	1,263	1,452	1,138	623	170	18	-
Black, both sexes.....	136	159	163	213	228	178	133	61	19	5	-
Male.....	74	87	94	127	114	84	52	21	5	3	-
Female.....	62	72	69	86	114	94	81	40	14	2	-
American Indian 1/, both sexes.....	7	6	7	5	8	7	4	2	1	-	-
Male.....	3	4	4	3	4	5	1	1	-	-	-
Female.....	4	2	3	2	4	2	3	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	33	35	34	46	34	19	4	1	-	-
Male.....	10	21	26	20	30	20	9	2	-	-	-
Female.....	14	12	9	14	16	14	10	2	1	-	-

## Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All races, both sexes.....	711	958	1,348	1,828	2,067	1,904	1,171	426	84	5	-
Male.....	403	563	748	998	1,090	928	507	159	37	3	-
Female.....	308	395	600	830	977	976	664	267	47	2	-
White, both sexes.....	535	742	1,071	1,516	1,777	1,670	1,044	361	74	3	-
Male.....	310	449	610	853	959	826	459	135	36	2	-
Female.....	225	293	461	663	818	844	585	226	38	1	-
Black, both sexes.....	159	188	251	281	260	210	118	58	9	2	-
Male.....	83	102	126	134	114	92	44	21	1	1	-
Female.....	76	86	125	147	146	118	74	37	8	1	-
American Indian 1/, both sexes.....	5	5	6	5	8	3	1	-	-	-	-
Male.....	2	-	2	2	3	3	1	-	-	-	-
Female.....	3	5	4	3	5	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	23	20	26	22	21	8	7	1	-	-
Male.....	8	12	10	9	14	7	3	3	-	-	-
Female.....	4	11	10	17	8	14	5	4	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	2	1	7	11	12	13	9	5	2	-	-
Male.....	1	1	5	10	4	8	5	1	1	-	-
Female.....	1	-	2	1	8	5	4	4	1	-	-
White, both sexes.....	2	1	6	11	9	11	9	2	2	-	-
Male.....	1	1	4	10	4	6	5	-	1	-	-
Female.....	1	-	2	1	5	5	4	2	1	-	-
Black, both sexes.....	-	-	1	-	2	1	-	2	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	4,320	5,403	6,321	8,436	9,718	8,967	6,452	3,129	853	136	1
Male.....	2,399	3,122	3,548	4,593	4,969	4,177	2,690	1,100	226	25	1
Female.....	1,921	2,281	2,773	3,843	4,749	4,790	3,762	2,029	627	111	-
White, both sexes.....	3,601	4,542	5,404	7,403	8,707	8,150	5,906	2,874	773	123	1
Male.....	2,008	2,634	3,095	4,075	4,473	3,843	2,483	1,015	206	24	1
Female.....	1,593	1,908	2,309	3,328	4,234	4,307	3,423	1,859	567	99	-
Black, both sexes.....	619	728	777	847	853	667	451	218	67	12	-
Male.....	337	414	390	428	408	274	164	68	16	1	-
Female.....	282	314	387	419	445	393	287	150	51	11	-
American Indian 1/, both sexes.....	24	33	20	39	32	26	18	13	1	-	-
Male.....	10	19	13	24	17	10	4	2	-	-	-
Female.....	14	14	7	15	15	16	14	11	1	-	-
Asian or Pacific Islander 2/, both sexes.....	76	100	120	147	126	124	77	24	12	1	-
Male.....	44	55	50	66	71	50	39	15	4	-	-
Female.....	32	45	70	81	55	74	38	9	8	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	561	632	928	1,420	2,137	2,460	2,052	1,162	366	33	-
Male.....	330	350	543	772	1,145	1,187	900	398	99	8	-
Female.....	231	282	385	648	992	1,273	1,152	764	267	25	-
White, both sexes.....	470	553	812	1,279	1,961	2,261	1,922	1,076	324	28	-
Male.....	275	307	479	710	1,060	1,095	850	367	85	8	-
Female.....	195	246	333	569	901	1,166	1,072	709	239	20	-
Black, both sexes.....	77	67	100	112	142	160	108	68	34	4	-
Male.....	50	33	51	48	65	70	41	22	11	-	-
Female.....	27	34	49	64	77	90	67	46	23	4	-
American Indian 1/, both sexes.....	1	3	2	7	4	4	1	1	2	-	-
Male.....	-	3	2	2	4	1	1	-	1	-	-
Female.....	1	-	-	5	-	3	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	13	9	14	22	30	35	21	17	6	1	-
Male.....	5	7	11	12	16	21	8	9	2	-	-
Female.....	8	2	3	10	14	14	13	8	4	1	-

Anemias (D50-D64)

All races, both sexes.....	121	143	184	324	474	687	787	665	322	78	-
Male.....	57	74	77	167	204	250	256	182	81	13	-
Female.....	64	69	107	157	270	437	531	483	241	65	-
White, both sexes.....	71	90	141	258	387	603	708	585	284	73	-
Male.....	36	47	61	128	173	216	231	157	68	12	-
Female.....	35	43	80	130	214	387	477	428	216	61	-
Black, both sexes.....	47	47	41	59	80	74	70	68	34	4	-
Male.....	20	26	16	35	28	31	21	22	9	1	-
Female.....	27	21	25	24	52	43	49	46	25	3	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	1	1	1	1	-
Male.....	1	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	6	2	7	6	9	8	11	3	-	-
Male.....	-	1	-	4	3	2	4	3	3	-	-
Female.....	1	5	2	3	3	7	4	8	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

All races, both sexes.....	4,510	5,512	7,249	9,460	11,703	11,579	8,797	4,375	1,357	195	1
Male.....	2,616	3,067	3,742	4,675	5,402	4,893	3,248	1,254	314	28	1
Female.....	1,894	2,445	3,507	4,785	6,301	6,686	5,549	3,121	1,043	167	-
White, both sexes.....	3,329	4,111	5,439	7,503	9,611	9,822	7,532	3,787	1,144	147	-
Male.....	2,004	2,367	2,928	3,872	4,630	4,290	2,891	1,141	274	23	-
Female.....	1,325	1,744	2,511	3,631	4,981	5,532	4,641	2,646	870	124	-
Black, both sexes.....	1,010	1,214	1,522	1,653	1,748	1,501	1,054	517	195	45	1
Male.....	514	600	663	669	644	506	261	90	33	5	1
Female.....	496	614	859	984	1,104	995	793	427	162	40	-
American Indian 1/, both sexes.....	83	84	113	110	94	68	32	16	2	-	-
Male.....	41	44	48	48	34	23	11	4	1	-	-
Female.....	42	40	65	62	60	45	21	12	1	-	-
Asian or Pacific Islander 2/, both sexes.....	88	103	175	194	250	188	179	55	16	3	-
Male.....	57	56	103	86	94	74	85	19	6	-	-
Female.....	31	47	72	108	156	114	94	36	10	3	-

Nutritional deficiencies (E40-E64)

All races, both sexes.....	77	91	150	232	452	680	834	667	312	93	-
Male.....	43	50	70	116	193	241	283	169	49	13	-
Female.....	34	41	80	116	259	439	551	498	263	80	-
White, both sexes.....	54	67	114	189	387	589	726	591	274	77	-
Male.....	27	32	55	95	169	200	250	154	42	10	-
Female.....	27	35	59	94	218	389	476	437	232	67	-
Black, both sexes.....	23	23	33	38	61	79	90	68	33	13	-
Male.....	16	17	14	17	21	36	27	12	3	2	-
Female.....	7	6	19	21	40	43	63	56	30	11	-
American Indian 1/, both sexes.....	-	-	1	3	1	5	6	3	3	1	-
Male.....	-	-	-	3	-	1	2	-	2	-	-
Female.....	-	-	1	-	1	4	4	3	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	7	12	5	2	2	-
Male.....	-	1	1	1	3	4	4	3	2	1	-
Female.....	-	-	1	1	-	3	8	2	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malnutrition (E40-E46)											
All races, both sexes.....	73	83	136	218	419	648	778	616	283	87	-
Male.....	39	45	64	110	176	230	267	163	45	13	-
Female.....	34	38	72	108	243	418	511	453	238	74	-
White, both sexes.....	51	61	105	180	356	561	675	544	247	72	-
Male.....	24	29	51	91	153	192	235	148	38	10	-
Female.....	27	32	54	89	203	369	440	396	209	62	-
Black, both sexes.....	22	22	28	33	59	76	86	65	31	12	-
Male.....	15	16	12	15	20	33	26	12	3	2	-
Female.....	7	6	16	18	39	43	60	53	28	10	-
American Indian 1/, both sexes.....	-	-	1	3	1	4	5	3	3	1	-
Male.....	-	-	-	3	-	1	2	-	2	-	-
Female.....	-	-	1	-	1	3	3	3	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	3	7	12	4	2	2	-
Male.....	-	-	1	1	3	4	4	3	2	1	-
Female.....	-	-	1	1	-	3	8	1	-	1	-
Other nutritional deficiencies (E50-E64)											
All races, both sexes.....	4	8	14	14	33	32	56	51	29	6	-
Male.....	4	5	6	6	17	11	16	6	4	-	-
Female.....	-	3	8	8	16	21	40	45	25	6	-
White, both sexes.....	3	6	9	9	31	28	51	47	27	5	-
Male.....	3	3	4	4	16	8	15	6	4	-	-
Female.....	-	3	5	5	15	20	36	41	23	5	-
Black, both sexes.....	1	1	5	5	2	3	4	3	2	1	-
Male.....	1	1	2	2	1	3	1	-	-	-	-
Female.....	-	-	3	3	1	-	3	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Meningitis (G00,G03)

All races, both sexes.....	48	40	46	63	47	37	36	16	3	-	1
Male.....	29	19	26	36	21	20	11	8	-	-	1
Female.....	19	21	20	27	26	17	25	8	3	-	-
White, both sexes.....	33	25	38	50	37	31	35	12	3	-	1
Male.....	20	12	22	29	17	19	10	5	-	-	1
Female.....	13	13	16	21	20	12	25	7	3	-	-
Black, both sexes.....	12	11	8	13	9	4	1	3	-	-	-
Male.....	7	5	4	7	4	1	1	2	-	-	-
Female.....	5	6	4	6	5	3	-	1	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	-	1	1	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	1	-	-	-
Female.....	1	2	-	-	1	1	-	-	-	-	-

Parkinson's disease (G20-G21)

All races, both sexes.....	95	223	626	1,600	3,368	4,771	3,959	1,781	440	32	-
Male.....	57	136	433	1,054	2,065	2,746	2,109	793	147	10	-
Female.....	38	87	193	546	1,303	2,025	1,850	988	293	22	-
White, both sexes.....	82	208	567	1,494	3,193	4,587	3,795	1,708	415	30	-
Male.....	50	129	395	989	1,963	2,641	2,021	758	137	10	-
Female.....	32	79	172	505	1,230	1,946	1,774	950	278	20	-
Black, both sexes.....	8	11	43	71	120	125	105	49	19	1	-
Male.....	3	7	30	48	66	72	58	19	6	-	-
Female.....	5	4	13	23	54	53	47	30	13	1	-
American Indian 1/, both sexes.....	2	-	1	13	17	5	9	5	-	-	-
Male.....	2	-	1	9	12	4	6	3	-	-	-
Female.....	-	-	-	4	5	1	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	15	22	38	54	50	19	6	1	-
Male.....	2	-	7	8	24	29	24	13	4	-	-
Female.....	1	4	8	14	14	25	26	6	2	1	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

All races, both sexes.....	135	375	939	2,663	7,078	13,057	16,267	12,267	5,140	878	-
Male.....	55	173	408	1,139	2,793	4,434	4,569	2,570	732	79	-
Female.....	80	202	531	1,524	4,285	8,623	11,698	9,697	4,408	799	-
White, both sexes.....	127	341	845	2,437	6,554	12,237	15,299	11,560	4,817	783	-
Male.....	51	159	363	1,046	2,600	4,146	4,321	2,418	676	64	-
Female.....	76	182	482	1,391	3,954	8,091	10,978	9,142	4,141	719	-
Black, both sexes.....	3	29	80	203	473	714	843	615	292	81	-
Male.....	2	12	38	88	179	248	202	119	52	12	-
Female.....	1	17	42	115	294	466	641	496	240	69	-
American Indian 1/, both sexes.....	-	1	7	7	13	29	28	22	5	3	-
Male.....	-	1	4	1	5	10	8	5	-	1	-
Female.....	-	-	3	6	8	19	20	17	5	2	-
Asian or Pacific Islander 2/, both sexes.....	5	4	7	16	38	77	97	70	26	11	-
Male.....	2	1	3	4	9	30	38	28	4	2	-
Female.....	3	3	4	12	29	47	59	42	22	9	-

Major cardiovascular diseases (I00-I78)

All races, both sexes.....	35,004	43,426	57,731	86,340	126,160	161,255	163,421	117,826	47,620	10,542	51
Male.....	23,721	28,316	35,603	49,716	65,751	73,019	61,344	33,439	9,860	1,521	36
Female.....	11,283	15,110	22,128	36,624	60,409	88,236	102,077	84,387	37,760	9,021	15
White, both sexes.....	27,144	34,290	46,798	73,096	109,955	144,939	149,652	108,250	43,572	9,204	35
Male.....	18,890	22,892	29,526	42,976	58,282	66,354	56,699	30,711	8,978	1,274	26
Female.....	8,254	11,398	17,272	30,120	51,673	78,585	92,953	77,539	34,594	7,930	9
Black, both sexes.....	6,979	8,029	9,428	11,265	13,644	13,588	11,343	7,920	3,425	1,159	15
Male.....	4,254	4,720	5,185	5,718	6,104	5,356	3,572	2,044	657	190	9
Female.....	2,725	3,309	4,243	5,547	7,540	8,232	7,771	5,876	2,768	969	6
American Indian 1/, both sexes.....	235	282	339	384	437	408	309	204	89	25	1
Male.....	145	186	193	215	227	169	142	58	21	8	1
Female.....	90	96	146	169	210	239	167	146	68	17	-
Asian or Pacific Islander 2/, both sexes.....	646	825	1,166	1,595	2,124	2,320	2,117	1,452	534	154	-
Male.....	432	518	699	807	1,138	1,140	931	626	204	49	-
Female.....	214	307	467	788	986	1,180	1,186	826	330	105	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of heart (I00-I09,I11,I13,I20-I51)

All races, both sexes.....	28,895	35,339	45,948	66,599	94,844	118,737	119,565	86,848	35,664	8,096	47
Male.....	20,199	23,701	29,045	39,613	51,211	56,006	46,515	25,549	7,663	1,208	34
Female.....	8,696	11,638	16,903	26,986	43,633	62,731	73,050	61,299	28,001	6,888	13
White, both sexes.....	22,793	28,296	37,663	56,829	83,021	107,101	109,795	80,022	32,672	7,076	32
Male.....	16,361	19,428	24,359	34,514	45,630	51,104	43,126	23,549	6,992	1,024	24
Female.....	6,432	8,868	13,304	22,315	37,391	55,997	66,669	56,473	25,680	6,052	8
Black, both sexes.....	5,450	6,246	7,196	8,405	9,984	9,773	8,100	5,688	2,554	883	14
Male.....	3,383	3,741	4,017	4,340	4,562	3,977	2,620	1,515	509	137	9
Female.....	2,067	2,505	3,179	4,065	5,422	5,796	5,480	4,173	2,045	746	5
American Indian 1/, both sexes.....	188	224	256	286	341	292	231	145	63	20	1
Male.....	120	157	158	166	183	131	111	42	16	8	1
Female.....	68	67	98	120	158	161	120	103	47	12	-
Asian or Pacific Islander 2/, both sexes.....	464	573	833	1,079	1,498	1,571	1,439	993	375	117	-
Male.....	335	375	511	593	836	794	658	443	146	39	-
Female.....	129	198	322	486	662	777	781	550	229	78	-

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes.....	190	243	272	431	620	607	462	263	82	12	-
Male.....	73	83	84	161	177	164	100	55	8	1	-
Female.....	117	160	188	270	443	443	362	208	74	11	-
White, both sexes.....	149	199	230	400	570	582	438	256	79	11	-
Male.....	56	70	69	150	163	160	97	54	8	-	-
Female.....	93	129	161	250	407	422	341	202	71	11	-
Black, both sexes.....	30	33	30	19	28	14	12	3	2	1	-
Male.....	12	10	13	8	8	3	2	-	-	1	-
Female.....	18	23	17	11	20	11	10	3	2	-	-
American Indian 1/, both sexes.....	2	3	3	2	4	4	1	-	-	-	-
Male.....	-	2	-	-	3	1	1	-	-	-	-
Female.....	2	1	3	2	1	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	8	9	10	18	7	11	4	1	-	-
Male.....	5	1	2	3	3	-	-	1	-	-	-
Female.....	4	7	7	7	15	7	11	3	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Hypertensive heart disease (I11)

All races, both sexes.....	1,661	1,659	1,807	2,088	2,816	3,505	3,716	3,115	1,442	314	4
Male.....	1,107	1,052	1,046	1,042	1,259	1,250	1,004	629	194	44	4
Female.....	554	607	761	1,046	1,557	2,255	2,712	2,486	1,248	270	-
White, both sexes.....	1,036	1,040	1,185	1,474	2,109	2,785	3,134	2,701	1,265	261	1
Male.....	730	671	698	754	952	998	844	533	161	31	1
Female.....	306	369	487	720	1,157	1,787	2,290	2,168	1,104	230	-
Black, both sexes.....	592	581	576	571	642	641	515	357	160	47	2
Male.....	357	359	317	269	273	219	139	76	24	10	2
Female.....	235	222	259	302	369	422	376	281	136	37	-
American Indian 1/, both sexes.....	3	7	10	3	8	5	5	6	-	-	1
Male.....	1	4	4	-	4	3	-	1	-	-	1
Female.....	2	3	6	3	4	2	5	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	31	36	40	57	74	62	51	17	6	-
Male.....	19	18	27	19	30	30	21	19	9	3	-
Female.....	11	13	9	21	27	44	41	32	8	3	-

Hypertensive heart and renal disease (I13)

All races, both sexes.....	134	139	156	246	363	503	511	386	150	32	-
Male.....	82	76	67	131	158	199	171	108	38	4	-
Female.....	52	63	89	115	205	304	340	278	112	28	-
White, both sexes.....	44	63	73	145	254	401	401	319	127	24	-
Male.....	30	35	32	82	116	160	135	90	32	2	-
Female.....	14	28	41	63	138	241	266	229	95	22	-
Black, both sexes.....	89	71	75	92	101	88	99	60	22	8	-
Male.....	51	37	29	42	37	30	32	17	6	2	-
Female.....	38	34	46	50	64	58	67	43	16	6	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	2	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	7	9	8	13	9	6	1	-	-
Male.....	1	4	5	7	5	9	3	1	-	-	-
Female.....	-	1	2	2	3	4	6	5	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

All races, both sexes.....	20,997	26,265	34,336	49,531	69,769	85,622	84,082	59,567	24,211	5,528	37
Male.....	15,350	18,306	22,573	30,563	39,154	42,085	34,073	18,199	5,353	821	27
Female.....	5,647	7,959	11,763	18,968	30,615	43,537	50,009	41,368	18,858	4,707	10
White, both sexes.....	17,082	21,495	28,561	42,708	61,414	77,489	77,341	54,938	22,175	4,834	28
Male.....	12,781	15,313	19,219	26,909	35,116	38,536	31,656	16,828	4,882	701	21
Female.....	4,301	6,182	9,342	15,799	26,298	38,953	45,685	38,110	17,293	4,133	7
Black, both sexes.....	3,441	4,166	4,920	5,815	6,962	6,757	5,534	3,808	1,717	602	9
Male.....	2,219	2,574	2,821	3,070	3,255	2,841	1,850	1,022	357	88	6
Female.....	1,222	1,592	2,099	2,745	3,707	3,916	3,684	2,786	1,360	514	3
American Indian 1/, both sexes.....	144	179	205	221	254	211	154	101	45	10	-
Male.....	97	127	132	129	135	97	78	31	11	2	-
Female.....	47	52	73	92	119	114	76	70	34	8	-
Asian or Pacific Islander 2/, both sexes.....	330	425	650	787	1,139	1,165	1,053	720	274	82	-
Male.....	253	292	401	455	648	611	489	318	103	30	-
Female.....	77	133	249	332	491	554	564	402	171	52	-

Acute myocardial infarction (I21-I22)

All races, both sexes.....	8,758	11,175	14,230	19,773	26,154	30,436	28,423	18,352	6,623	1,320	5
Male.....	6,287	7,679	9,214	12,050	14,316	14,603	11,478	5,741	1,559	213	4
Female.....	2,471	3,496	5,016	7,723	11,838	15,833	16,945	12,611	5,064	1,107	1
White, both sexes.....	7,341	9,380	12,067	17,184	23,108	27,457	25,992	16,780	5,985	1,116	4
Male.....	5,400	6,625	8,015	10,737	12,884	13,315	10,585	5,264	1,406	175	3
Female.....	1,941	2,755	4,052	6,447	10,224	14,142	15,407	11,516	4,579	941	1
Black, both sexes.....	1,255	1,569	1,823	2,207	2,527	2,461	2,002	1,291	572	180	1
Male.....	769	897	994	1,109	1,157	1,016	690	356	123	25	1
Female.....	486	672	829	1,098	1,370	1,445	1,312	935	449	155	-
American Indian 1/, both sexes.....	55	77	79	86	97	69	51	34	9	1	-
Male.....	42	57	49	41	44	29	25	11	3	1	-
Female.....	13	20	30	45	53	40	26	23	6	-	-
Asian or Pacific Islander 2/, both sexes.....	107	149	261	296	422	449	378	247	57	23	-
Male.....	76	100	156	163	231	243	178	110	27	12	-
Female.....	31	49	105	133	191	206	200	137	30	11	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 years	Age not
	years	years	years	years	years	years	years	years	years	and over	stated

Other acute ischemic heart diseases (I24)

All races, both sexes.....	210	250	289	342	420	478	452	339	153	27	-
Male.....	153	167	193	197	216	228	172	87	35	4	-
Female.....	57	83	96	145	204	250	280	252	118	23	-
White, both sexes.....	172	195	237	287	369	427	409	312	143	23	-
Male.....	126	133	159	164	193	203	162	78	32	4	-
Female.....	46	62	78	123	176	224	247	234	111	19	-
Black, both sexes.....	32	47	47	53	45	45	38	21	8	4	-
Male.....	21	29	32	32	20	21	9	8	3	-	-
Female.....	11	18	15	21	25	24	29	13	5	4	-
American Indian 1/, both sexes.....	3	5	3	2	4	4	1	5	2	-	-
Male.....	3	4	1	1	2	3	-	1	-	-	-
Female.....	-	1	2	1	2	1	1	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	-	2	2	4	1	-	-	-
Male.....	3	1	1	-	1	1	1	-	-	-	-
Female.....	-	2	1	-	1	1	3	1	-	-	-

Other forms of chronic ischemic heart disease (I20,I25)

All races, both sexes.....	12,029	14,840	19,817	29,416	43,195	54,708	55,207	40,876	17,435	4,181	32
Male.....	8,910	10,460	13,166	18,316	24,622	27,254	22,423	12,371	3,759	604	23
Female.....	3,119	4,380	6,651	11,100	18,573	27,454	32,784	28,505	13,676	3,577	9
White, both sexes.....	9,569	11,920	16,257	25,237	37,937	49,605	50,940	37,846	16,047	3,695	24
Male.....	7,255	8,555	11,045	16,008	22,039	25,018	20,909	11,486	3,444	522	18
Female.....	2,314	3,365	5,212	9,229	15,898	24,587	30,031	26,360	12,603	3,173	6
Black, both sexes.....	2,154	2,550	3,050	3,555	4,390	4,251	3,494	2,496	1,137	418	8
Male.....	1,429	1,648	1,795	1,929	2,078	1,804	1,151	658	231	63	5
Female.....	725	902	1,255	1,626	2,312	2,447	2,343	1,838	906	355	3
American Indian 1/, both sexes.....	86	97	123	133	153	138	102	62	34	9	-
Male.....	52	66	82	87	89	65	53	19	8	1	-
Female.....	34	31	41	46	64	73	49	43	26	8	-
Asian or Pacific Islander 2/, both sexes.....	220	273	387	491	715	714	671	472	217	59	-
Male.....	174	191	244	292	416	367	310	208	76	18	-
Female.....	46	82	143	199	299	347	361	264	141	41	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Atherosclerotic cardiovascular disease, so described (I25.0)

All races, both sexes.....	4,189	4,604	5,163	6,654	8,649	9,969	10,007	7,555	3,361	873	23
Male.....	3,250	3,299	3,498	4,119	4,746	4,670	3,814	2,165	722	134	17
Female.....	939	1,305	1,665	2,535	3,903	5,299	6,193	5,390	2,639	739	6
White, both sexes.....	3,170	3,512	3,898	5,324	7,130	8,653	8,950	6,825	3,024	740	16
Male.....	2,504	2,563	2,678	3,362	3,952	4,048	3,427	1,953	646	111	12
Female.....	666	949	1,220	1,962	3,178	4,605	5,523	4,872	2,378	629	4
Black, both sexes.....	901	984	1,125	1,175	1,350	1,148	903	626	291	118	7
Male.....	652	659	722	660	699	546	308	170	63	18	5
Female.....	249	325	403	515	651	602	595	456	228	100	2
American Indian 1/, both sexes.....	37	23	38	43	32	34	23	22	7	3	-
Male.....	24	14	28	27	17	15	13	7	3	-	-
Female.....	13	9	10	16	15	19	10	15	4	3	-
Asian or Pacific Islander 2/, both sexes.....	81	85	102	112	137	134	131	82	39	12	-
Male.....	70	63	70	70	78	61	66	35	10	5	-
Female.....	11	22	32	42	59	73	65	47	29	7	-

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes.....	7,840	10,236	14,654	22,762	34,546	44,739	45,200	33,321	14,074	3,308	9
Male.....	5,660	7,161	9,668	14,197	19,876	22,584	18,609	10,206	3,037	470	6
Female.....	2,180	3,075	4,986	8,565	14,670	22,155	26,591	23,115	11,037	2,838	3
White, both sexes.....	6,399	8,408	12,359	19,913	30,807	40,952	41,990	31,021	13,023	2,955	8
Male.....	4,751	5,992	8,367	12,646	18,087	20,970	17,482	9,533	2,798	411	6
Female.....	1,648	2,416	3,992	7,267	12,720	19,982	24,508	21,488	10,225	2,544	2
Black, both sexes.....	1,253	1,566	1,925	2,380	3,040	3,103	2,591	1,870	846	300	1
Male.....	777	989	1,073	1,269	1,379	1,258	843	488	168	45	-
Female.....	476	577	852	1,111	1,661	1,845	1,748	1,382	678	255	1
American Indian 1/, both sexes.....	49	74	85	90	121	104	79	40	27	6	-
Male.....	28	52	54	60	72	50	40	12	5	1	-
Female.....	21	22	31	30	49	54	39	28	22	5	-
Asian or Pacific Islander 2/, both sexes.....	139	188	285	379	578	580	540	390	178	47	-
Male.....	104	128	174	222	338	306	244	173	66	13	-
Female.....	35	60	111	157	240	274	296	217	112	34	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other heart diseases (I26-I51)

All races, both sexes.....	5,913	7,033	9,377	14,303	21,276	28,500	30,794	23,517	9,779	2,210	6
Male.....	3,587	4,184	5,275	7,716	10,463	12,308	11,167	6,558	2,070	338	3
Female.....	2,326	2,849	4,102	6,587	10,813	16,192	19,627	16,959	7,709	1,872	3
White, both sexes.....	4,482	5,499	7,614	12,102	18,674	25,844	28,481	21,808	9,026	1,946	3
Male.....	2,764	3,339	4,341	6,619	9,283	11,250	10,394	6,044	1,909	290	2
Female.....	1,718	2,160	3,273	5,483	9,391	14,594	18,087	15,764	7,117	1,656	1
Black, both sexes.....	1,298	1,395	1,595	1,908	2,251	2,273	1,940	1,460	653	225	3
Male.....	744	761	837	951	989	884	597	400	122	36	1
Female.....	554	634	758	957	1,262	1,389	1,343	1,060	531	189	2
American Indian 1/, both sexes.....	39	35	37	60	75	71	69	37	18	10	-
Male.....	22	24	21	37	41	30	31	10	5	6	-
Female.....	17	11	16	23	34	41	38	27	13	4	-
Asian or Pacific Islander 2/, both sexes.....	94	104	131	233	276	312	304	212	82	29	-
Male.....	57	60	76	109	150	144	145	104	34	6	-
Female.....	37	44	55	124	126	168	159	108	48	23	-

Acute and subacute endocarditis (I33)

All races, both sexes.....	73	95	107	131	161	145	76	36	8	1	-
Male.....	42	49	66	67	78	75	31	15	2	1	-
Female.....	31	46	41	64	83	70	45	21	6	-	-
White, both sexes.....	46	79	82	110	145	138	70	33	8	1	-
Male.....	25	43	52	58	74	71	28	14	2	1	-
Female.....	21	36	30	52	71	67	42	19	6	-	-
Black, both sexes.....	25	16	23	16	14	5	5	3	-	-	-
Male.....	16	6	12	8	3	3	3	1	-	-	-
Female.....	9	10	11	8	11	2	2	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	5	-	2	1	-	-	-	-
Male.....	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	4	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races, both sexes.....	66	52	55	88	84	73	65	25	6	-	-
Male.....	34	35	29	42	34	26	25	6	2	-	-
Female.....	32	17	26	46	50	47	40	19	4	-	-
White, both sexes.....	49	42	48	75	67	64	62	23	5	-	-
Male.....	26	29	25	38	30	22	25	5	1	-	-
Female.....	23	13	23	37	37	42	37	18	4	-	-
Black, both sexes.....	14	8	7	12	14	6	3	2	-	-	-
Male.....	8	5	4	3	4	3	-	1	-	-	-
Female.....	6	3	3	9	10	3	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	1	1	3	-	-	1	-	-
Male.....	-	1	-	1	-	1	-	-	1	-	-
Female.....	3	1	-	-	1	2	-	-	-	-	-

Heart failure (I50)

All races, both sexes.....	906	1,436	2,192	3,976	6,603	10,307	12,620	10,776	5,031	1,200	-
Male.....	526	819	1,200	2,054	3,192	4,381	4,423	3,000	1,035	178	-
Female.....	380	617	992	1,922	3,411	5,926	8,197	7,776	3,996	1,022	-
White, both sexes.....	678	1,134	1,789	3,371	5,822	9,377	11,737	10,055	4,722	1,075	-
Male.....	402	652	984	1,762	2,852	4,034	4,138	2,800	977	156	-
Female.....	276	482	805	1,609	2,970	5,343	7,599	7,255	3,745	919	-
Black, both sexes.....	207	283	363	535	690	823	772	623	274	109	-
Male.....	111	158	191	262	298	310	227	156	47	17	-
Female.....	96	125	172	273	392	513	545	467	227	92	-
American Indian 1/, both sexes.....	9	7	19	20	28	24	27	19	9	5	-
Male.....	6	5	12	10	14	8	15	4	2	2	-
Female.....	3	2	7	10	14	16	12	15	7	3	-
Asian or Pacific Islander 2/, both sexes.....	12	12	21	50	63	83	84	79	26	11	-
Male.....	7	4	13	20	28	29	43	40	9	3	-
Female.....	5	8	8	30	35	54	41	39	17	8	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races, both sexes.....	4,868	5,450	7,023	10,108	14,428	17,975	18,033	12,680	4,734	1,009	6
Male.....	2,985	3,281	3,980	5,553	7,159	7,826	6,688	3,537	1,031	159	3
Female.....	1,883	2,169	3,043	4,555	7,269	10,149	11,345	9,143	3,703	850	3
White, both sexes.....	3,709	4,244	5,695	8,546	12,640	16,265	16,612	11,697	4,291	870	3
Male.....	2,311	2,615	3,280	4,761	6,327	7,123	6,203	3,225	929	133	2
Female.....	1,398	1,629	2,415	3,785	6,313	9,142	10,409	8,472	3,362	737	1
Black, both sexes.....	1,052	1,088	1,202	1,345	1,533	1,439	1,160	832	379	116	3
Male.....	609	592	630	678	684	568	367	242	75	19	1
Female.....	443	496	572	667	849	871	793	590	304	97	2
American Indian 1/, both sexes.....	29	28	18	40	43	47	42	18	9	5	-
Male.....	16	19	9	27	26	22	16	6	3	4	-
Female.....	13	9	9	13	17	25	26	12	6	1	-
Asian or Pacific Islander 2/, both sexes.....	78	90	108	177	212	224	219	133	55	18	-
Male.....	49	55	61	87	122	113	102	64	24	3	-
Female.....	29	35	47	90	90	111	117	69	31	15	-

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes.....	681	845	1,126	1,796	2,592	3,546	3,801	2,915	1,276	293	-
Male.....	398	452	563	856	1,103	1,302	1,182	707	215	28	-
Female.....	283	393	563	940	1,489	2,244	2,619	2,208	1,061	265	-
White, both sexes.....	389	536	743	1,284	1,967	2,895	3,203	2,502	1,121	249	-
Male.....	241	301	379	627	849	1,052	1,014	605	185	22	-
Female.....	148	235	364	657	1,118	1,843	2,189	1,897	936	227	-
Black, both sexes.....	274	280	344	459	561	577	514	354	132	40	-
Male.....	146	130	163	201	229	215	139	85	26	6	-
Female.....	128	150	181	258	332	362	375	269	106	34	-
American Indian 1/, both sexes.....	4	7	10	8	8	9	8	3	8	1	-
Male.....	2	5	2	5	2	4	1	1	-	-	-
Female.....	2	2	8	3	6	5	7	2	8	1	-
Asian or Pacific Islander 2/, both sexes.....	14	22	29	45	56	65	76	56	15	3	-
Male.....	9	16	19	23	23	31	28	16	4	-	-
Female.....	5	6	10	22	33	34	48	40	11	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

#### Cerebrovascular diseases (I60-I69)

All races, both sexes.....	4,293	5,604	8,026	13,966	22,911	31,978	33,197	23,110	8,521	1,584	3
Male.....	2,373	3,083	4,305	6,902	10,283	12,372	10,884	5,713	1,510	209	1
Female.....	1,920	2,521	3,721	7,064	12,628	19,606	22,313	17,397	7,011	1,375	2
White, both sexes.....	3,052	4,094	6,112	11,460	19,741	28,557	30,288	21,155	7,769	1,388	2
Male.....	1,684	2,253	3,284	5,737	8,921	11,116	9,970	5,202	1,356	164	1
Female.....	1,368	1,841	2,828	5,723	10,820	17,441	20,318	15,953	6,413	1,224	1
Black, both sexes.....	1,059	1,265	1,597	2,033	2,603	2,723	2,322	1,559	611	168	1
Male.....	597	701	857	985	1,094	955	679	351	100	38	-
Female.....	462	564	740	1,048	1,509	1,768	1,643	1,208	511	130	1
American Indian 1/, both sexes.....	34	37	49	67	69	89	59	47	15	4	-
Male.....	19	16	20	29	33	28	25	14	4	-	-
Female.....	15	21	29	38	36	61	34	33	11	4	-
Asian or Pacific Islander 2/, both sexes.....	148	208	268	406	498	609	528	349	126	24	-
Male.....	73	113	144	151	235	273	210	146	50	7	-
Female.....	75	95	124	255	263	336	318	203	76	17	-

#### Atherosclerosis (I70)

All races, both sexes.....	207	280	494	806	1,521	2,541	3,090	2,802	1,416	415	1
Male.....	127	178	282	446	748	1,055	1,088	755	281	53	1
Female.....	80	102	212	360	773	1,486	2,002	2,047	1,135	362	-
White, both sexes.....	170	227	435	697	1,346	2,320	2,915	2,637	1,331	371	1
Male.....	106	144	251	389	663	967	1,030	710	266	46	1
Female.....	64	83	184	308	683	1,353	1,885	1,927	1,065	325	-
Black, both sexes.....	29	48	49	86	156	196	151	137	68	38	-
Male.....	17	32	25	46	76	78	49	36	13	5	-
Female.....	12	16	24	40	80	118	102	101	55	33	-
American Indian 1/, both sexes.....	4	3	8	9	7	9	2	4	2	-	-
Male.....	2	2	4	3	1	4	1	1	-	-	-
Female.....	2	1	4	6	6	5	1	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	14	12	16	22	24	15	6	-
Male.....	2	-	2	8	8	6	8	8	2	2	-
Female.....	2	2	-	6	4	10	14	16	13	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of circulatory system (I71-I78)

All races, both sexes.....	928	1,358	2,137	3,173	4,292	4,453	3,768	2,151	743	154	-
Male.....	624	902	1,408	1,899	2,406	2,284	1,675	715	191	23	-
Female.....	304	456	729	1,274	1,886	2,169	2,093	1,436	552	131	-
White, both sexes.....	740	1,137	1,845	2,826	3,880	4,066	3,451	1,934	679	120	-
Male.....	498	766	1,253	1,709	2,219	2,115	1,559	645	179	18	-
Female.....	242	371	592	1,117	1,661	1,951	1,892	1,289	500	102	-
Black, both sexes.....	167	190	242	282	340	319	256	182	60	30	-
Male.....	111	116	123	146	143	131	85	57	9	4	-
Female.....	56	74	119	136	197	188	171	125	51	26	-
American Indian 1/, both sexes.....	5	11	16	14	12	9	9	5	1	-	-
Male.....	2	6	9	12	8	2	4	-	1	-	-
Female.....	3	5	7	2	4	7	5	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	20	34	51	60	59	52	30	3	4	-
Male.....	13	14	23	32	36	36	27	13	2	1	-
Female.....	3	6	11	19	24	23	25	17	1	3	-

Aortic aneurysm and dissection (I71)

All races, both sexes.....	598	862	1,404	2,078	2,779	2,739	2,013	914	239	21	-
Male.....	458	634	1,020	1,349	1,688	1,497	1,034	368	74	5	-
Female.....	140	228	384	729	1,091	1,242	979	546	165	16	-
White, both sexes.....	482	749	1,261	1,891	2,580	2,548	1,877	843	219	16	-
Male.....	370	556	936	1,238	1,585	1,415	985	345	72	4	-
Female.....	112	193	325	653	995	1,133	892	498	147	12	-
Black, both sexes.....	102	95	109	137	145	143	96	49	20	5	-
Male.....	76	66	59	74	68	54	28	15	2	1	-
Female.....	26	29	50	63	77	89	68	34	18	4	-
American Indian 1/, both sexes.....	1	5	10	9	6	7	3	2	-	-	-
Male.....	-	2	7	8	5	2	2	-	-	-	-
Female.....	1	3	3	1	1	5	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	13	24	41	48	41	37	20	-	-	-
Male.....	12	10	18	29	30	26	19	8	-	-	-
Female.....	1	3	6	12	18	15	18	12	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races, both sexes.....	330	496	733	1,095	1,513	1,714	1,755	1,237	504	133	-
Male.....	166	268	388	550	718	787	641	347	117	18	-
Female.....	164	228	345	545	795	927	1,114	890	387	115	-
White, both sexes.....	258	388	584	935	1,300	1,518	1,574	1,091	460	104	-
Male.....	128	210	317	471	634	700	574	300	107	14	-
Female.....	130	178	267	464	666	818	1,000	791	353	90	-
Black, both sexes.....	65	95	133	145	195	176	160	133	40	25	-
Male.....	35	50	64	72	75	77	57	42	7	3	-
Female.....	30	45	69	73	120	99	103	91	33	22	-
American Indian 1/, both sexes.....	4	6	6	5	6	2	6	3	1	-	-
Male.....	2	4	2	4	3	-	2	-	1	-	-
Female.....	2	2	4	1	3	2	4	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	10	10	12	18	15	10	3	4	-
Male.....	1	4	5	3	6	10	8	5	2	1	-
Female.....	2	3	5	7	6	8	7	5	1	3	-

Other disorders of circulatory system (I80-I99)

All races, both sexes.....	302	293	322	375	552	701	576	390	134	23	-
Male.....	168	141	160	163	216	267	173	86	25	1	-
Female.....	134	152	162	212	336	434	403	304	109	22	-
White, both sexes.....	238	219	260	315	472	609	515	354	120	21	-
Male.....	130	109	127	137	186	226	154	74	21	1	-
Female.....	108	110	133	178	286	383	361	280	99	20	-
Black, both sexes.....	62	68	60	54	75	85	54	33	12	2	-
Male.....	36	30	31	23	27	37	15	11	4	-	-
Female.....	26	38	29	31	48	48	39	22	8	2	-
American Indian 1/, both sexes.....	2	3	1	2	-	3	2	1	1	-	-
Male.....	2	-	1	2	-	2	1	-	-	-	-
Female.....	-	3	-	-	-	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	4	5	4	5	2	1	-	-
Male.....	-	2	1	1	3	2	3	1	-	-	-
Female.....	-	1	-	3	2	2	2	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Influenza and pneumonia (J10-J18)

All races, both sexes.....	1,271	1,716	2,420	4,427	7,905	12,079	13,977	11,490	5,172	1,356	3
Male.....	742	996	1,384	2,466	4,114	5,781	5,716	3,875	1,352	256	2
Female.....	529	720	1,036	1,961	3,791	6,298	8,261	7,615	3,820	1,100	1
White, both sexes.....	981	1,376	2,018	3,812	6,969	10,929	12,839	10,607	4,770	1,224	3
Male.....	568	790	1,150	2,141	3,624	5,219	5,245	3,561	1,222	232	2
Female.....	413	586	868	1,671	3,345	5,710	7,594	7,046	3,548	992	1
Black, both sexes.....	257	303	334	514	718	885	860	656	313	108	-
Male.....	159	182	193	269	377	421	321	210	93	19	-
Female.....	98	121	141	245	341	464	539	446	220	89	-
American Indian 1/, both sexes.....	18	7	19	16	35	46	37	39	17	6	-
Male.....	8	5	11	8	19	14	16	14	4	2	-
Female.....	10	2	8	8	16	32	21	25	13	4	-
Asian or Pacific Islander 2/, both sexes.....	15	30	49	85	183	219	241	188	72	18	-
Male.....	7	19	30	48	94	127	134	90	33	3	-
Female.....	8	11	19	37	89	92	107	98	39	15	-

Influenza (J10-J11)

All races, both sexes.....	13	17	19	37	59	118	174	144	59	27	-
Male.....	7	13	13	19	28	53	66	45	10	3	-
Female.....	6	4	6	18	31	65	108	99	49	24	-
White, both sexes.....	11	14	13	34	57	115	172	136	58	26	-
Male.....	5	11	9	19	27	51	65	44	10	3	-
Female.....	6	3	4	15	30	64	107	92	48	23	-
Black, both sexes.....	1	3	4	2	1	3	1	5	1	1	-
Male.....	1	2	3	-	-	2	1	1	-	-	-
Female.....	-	1	1	2	1	1	-	4	1	1	-
American Indian 1/, both sexes.....	1	-	1	1	1	-	-	1	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia (J12-J18)

All races, both sexes.....	1,258	1,699	2,401	4,390	7,846	11,961	13,803	11,346	5,113	1,329	3
Male.....	735	983	1,371	2,447	4,086	5,728	5,650	3,830	1,342	253	2
Female.....	523	716	1,030	1,943	3,760	6,233	8,153	7,516	3,771	1,076	1
White, both sexes.....	970	1,362	2,005	3,778	6,912	10,814	12,667	10,471	4,712	1,198	3
Male.....	563	779	1,141	2,122	3,597	5,168	5,180	3,517	1,212	229	2
Female.....	407	583	864	1,656	3,315	5,646	7,487	6,954	3,500	969	1
Black, both sexes.....	256	300	330	512	717	882	859	651	312	107	-
Male.....	158	180	190	269	377	419	320	209	93	19	-
Female.....	98	120	140	243	340	463	539	442	219	88	-
American Indian 1/, both sexes.....	17	7	18	15	34	46	37	38	17	6	-
Male.....	7	5	10	8	18	14	16	14	4	2	-
Female.....	10	2	8	7	16	32	21	24	13	4	-
Asian or Pacific Islander 2/, both sexes.....	15	30	48	85	183	219	240	186	72	18	-
Male.....	7	19	30	48	94	127	134	90	33	3	-
Female.....	8	11	18	37	89	92	106	96	39	15	-

Other acute lower respiratory infections (J20-J22)

All races, both sexes.....	11	7	10	23	21	45	70	42	27	13	-
Male.....	3	3	4	9	11	16	21	11	5	2	-
Female.....	8	4	6	14	10	29	49	31	22	11	-
White, both sexes.....	9	5	9	19	19	40	64	41	27	12	-
Male.....	3	1	3	9	11	14	19	11	5	2	-
Female.....	6	4	6	10	8	26	45	30	22	10	-
Black, both sexes.....	1	2	1	4	2	5	4	-	-	1	-
Male.....	-	2	1	-	-	2	2	-	-	-	-
Female.....	1	-	-	4	2	3	2	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute bronchitis and bronchiolitis (J20-J21)

All races, both sexes.....	8	5	10	13	15	24	39	31	15	9	-
Male.....	3	2	4	6	8	10	12	7	3	1	-
Female.....	5	3	6	7	7	14	27	24	12	8	-
White, both sexes.....	6	4	9	12	14	22	34	30	15	8	-
Male.....	3	1	3	6	8	9	10	7	3	1	-
Female.....	3	3	6	6	6	13	24	23	12	7	-
Black, both sexes.....	1	1	1	1	1	2	4	-	-	1	-
Male.....	-	1	1	-	-	1	2	-	-	-	-
Female.....	1	-	-	1	1	1	2	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-

Unspecified acute lower respiratory infection (J22)

All races, both sexes.....	3	2	-	10	6	21	31	11	12	4	-
Male.....	-	1	-	3	3	6	9	4	2	1	-
Female.....	3	1	-	7	3	15	22	7	10	3	-
White, both sexes.....	3	1	-	7	5	18	30	11	12	4	-
Male.....	-	-	-	3	3	5	9	4	2	1	-
Female.....	3	1	-	4	2	13	21	7	10	3	-
Black, both sexes.....	-	1	-	3	1	3	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	3	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes.....	4,220	7,060	11,405	18,383	24,495	24,746	17,971	8,508	2,430	375	7
Male.....	2,141	3,642	5,838	9,501	12,457	11,975	8,140	3,448	762	86	5
Female.....	2,079	3,418	5,567	8,882	12,038	12,771	9,831	5,060	1,668	289	2
White, both sexes.....	3,709	6,344	10,447	17,054	22,937	23,321	17,020	8,047	2,258	337	5
Male.....	1,856	3,224	5,292	8,723	11,514	11,167	7,615	3,232	691	73	4
Female.....	1,853	3,120	5,155	8,331	11,423	12,154	9,405	4,815	1,567	264	1
Black, both sexes.....	461	615	811	1,105	1,257	1,141	717	352	140	31	1
Male.....	256	359	466	641	742	625	379	158	55	10	1
Female.....	205	256	345	464	515	516	338	194	85	21	-
American Indian 1/, both sexes.....	22	50	64	71	75	64	47	20	2	1	-
Male.....	11	24	30	34	40	37	20	8	-	-	-
Female.....	11	26	34	37	35	27	27	12	2	1	-
Asian or Pacific Islander 2/, both sexes.....	28	51	83	153	226	220	187	89	30	6	1
Male.....	18	35	50	103	161	146	126	50	16	3	-
Female.....	10	16	33	50	65	74	61	39	14	3	1

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes.....	22	32	51	84	131	155	162	114	69	27	-
Male.....	10	18	32	42	69	58	62	35	20	5	-
Female.....	12	14	19	42	62	97	100	79	49	22	-
White, both sexes.....	18	28	46	81	125	142	156	108	66	26	-
Male.....	8	15	28	40	65	53	61	32	20	4	-
Female.....	10	13	18	41	60	89	95	76	46	22	-
Black, both sexes.....	3	2	4	2	4	9	6	5	2	1	-
Male.....	1	1	3	1	3	2	1	3	-	1	-
Female.....	2	1	1	1	1	7	5	2	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	2	4	-	1	1	-	-
Male.....	-	2	1	1	1	3	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex:

United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Emphysema (J43)

All races, both sexes.....	643	1,060	1,665	2,723	3,202	2,907	1,826	726	157	15	1
Male.....	334	591	875	1,460	1,723	1,505	866	329	52	4	1
Female.....	309	469	790	1,263	1,479	1,402	960	397	105	11	-
White, both sexes.....	586	974	1,536	2,545	3,031	2,750	1,731	689	153	12	1
Male.....	299	529	780	1,354	1,606	1,410	804	313	50	2	1
Female.....	287	445	756	1,191	1,425	1,340	927	376	103	10	-
Black, both sexes.....	49	68	112	156	137	133	69	32	4	3	-
Male.....	30	47	82	92	90	80	42	14	2	2	-
Female.....	19	21	30	64	47	53	27	18	2	1	-
American Indian 1/, both sexes.....	5	5	6	8	9	4	6	1	-	-	-
Male.....	3	4	4	4	7	4	4	-	-	-	-
Female.....	2	1	2	4	2	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	13	11	14	25	20	20	4	-	-	-
Male.....	2	11	9	10	20	11	16	2	-	-	-
Female.....	1	2	2	4	5	9	4	2	-	-	-

Asthma (J45-J46)

All races, both sexes.....	288	248	257	326	401	411	345	225	86	19	1
Male.....	108	94	89	109	131	125	97	41	10	4	-
Female.....	180	154	168	217	270	286	248	184	76	15	1
White, both sexes.....	174	177	182	242	340	361	316	204	75	14	-
Male.....	63	65	58	79	106	106	87	38	7	2	-
Female.....	111	112	124	163	234	255	229	166	68	12	-
Black, both sexes.....	106	64	57	75	43	34	21	10	7	2	-
Male.....	40	27	25	26	14	10	7	1	2	-	-
Female.....	66	37	32	49	29	24	14	9	5	2	-
American Indian 1/, both sexes.....	1	2	5	2	2	2	-	1	-	-	-
Male.....	-	-	2	1	1	2	-	-	-	-	-
Female.....	1	2	3	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	13	7	16	14	8	10	4	3	1
Male.....	5	2	4	3	10	7	3	2	1	2	-
Female.....	2	3	9	4	6	7	5	8	3	1	1



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

All races, both sexes.....	271	400	627	1,166	2,323	3,577	4,100	2,995	1,219	229	-
Male.....	162	231	380	703	1,332	1,911	1,994	1,267	415	55	-
Female.....	109	169	247	463	991	1,666	2,106	1,728	804	174	-
White, both sexes.....	228	326	505	1,001	2,042	3,266	3,783	2,774	1,105	206	-
Male.....	133	194	309	602	1,173	1,758	1,855	1,165	379	54	-
Female.....	95	132	196	399	869	1,508	1,928	1,609	726	152	-
Black, both sexes.....	36	63	110	140	244	259	259	186	94	17	-
Male.....	25	32	67	85	136	120	105	82	30	1	-
Female.....	11	31	43	55	108	139	154	104	64	16	-
American Indian 1/, both sexes.....	2	6	2	6	10	13	11	5	5	1	-
Male.....	2	2	-	5	6	7	8	2	3	-	-
Female.....	-	4	2	1	4	6	3	3	2	1	-
Asian or Pacific Islander 2/, both sexes.....	5	5	10	19	27	39	47	30	15	5	-
Male.....	2	3	4	11	17	26	26	18	3	-	-
Female.....	3	2	6	8	10	13	21	12	12	5	-

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races, both sexes.....	1,055	1,385	1,971	3,266	4,212	4,446	3,445	1,908	639	138	-
Male.....	573	766	1,084	1,845	2,166	2,095	1,395	625	136	20	-
Female.....	482	619	887	1,421	2,046	2,351	2,050	1,283	503	118	-
White, both sexes.....	860	1,156	1,729	2,918	3,878	4,100	3,219	1,785	595	126	-
Male.....	477	639	977	1,657	2,000	1,945	1,316	578	125	18	-
Female.....	383	517	752	1,261	1,878	2,155	1,903	1,207	470	108	-
Black, both sexes.....	165	193	195	253	236	261	159	99	35	11	-
Male.....	83	107	89	133	116	113	50	33	9	2	-
Female.....	82	86	106	120	120	148	109	66	26	9	-
American Indian 1/, both sexes.....	10	12	11	22	16	13	20	8	-	-	-
Male.....	6	7	5	10	10	7	11	3	-	-	-
Female.....	4	5	6	12	6	6	9	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	24	36	73	82	72	47	16	9	1	-
Male.....	7	13	13	45	40	30	18	11	2	-	-
Female.....	13	11	23	28	42	42	29	5	7	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)											
All races, both sexes.....	209	202	254	411	592	699	714	407	148	33	-
Male.....	129	118	142	236	287	335	279	116	39	5	-
Female.....	80	84	112	175	305	364	435	291	109	28	-
White, both sexes.....	164	161	213	363	524	652	661	380	138	28	-
Male.....	99	95	119	205	253	311	260	108	36	5	-
Female.....	65	66	94	158	271	341	401	272	102	23	-
Black, both sexes.....	35	33	30	39	51	26	38	14	8	4	-
Male.....	24	21	17	24	26	14	14	3	2	-	-
Female.....	11	12	13	15	25	12	24	11	6	4	-
American Indian 1/, both sexes.....	4	3	2	2	2	1	2	1	-	-	-
Male.....	3	-	2	1	2	1	1	-	-	-	-
Female.....	1	3	-	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	6	5	9	7	15	20	13	12	2	1	-
Male.....	3	2	4	6	6	9	4	5	1	-	-
Female.....	3	3	5	1	9	11	9	7	1	1	-

Diseases of appendix (K35-K38)

All races, both sexes.....	28	36	32	57	61	59	56	25	10	3	-
Male.....	18	27	24	32	35	32	22	6	1	2	-
Female.....	10	9	8	25	26	27	34	19	9	1	-
White, both sexes.....	25	31	26	45	56	56	52	22	10	2	-
Male.....	17	23	19	25	32	30	19	4	1	1	-
Female.....	8	8	7	20	24	26	33	18	9	1	-
Black, both sexes.....	3	4	5	9	3	2	4	3	-	1	-
Male.....	1	3	4	5	2	2	3	2	-	1	-
Female.....	2	1	1	4	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	1	1	3	2	1	-	-	-	-	-
Male.....	-	1	1	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

## Hernia (K40-K46)

All races, both sexes.....	55	71	90	135	208	281	320	172	85	11	-
Male.....	27	29	40	63	84	105	97	45	20	-	-
Female.....	28	42	50	72	124	176	223	127	65	11	-
White, both sexes.....	47	55	71	121	197	258	296	167	83	10	-
Male.....	24	23	31	55	80	98	89	42	19	-	-
Female.....	23	32	40	66	117	160	207	125	64	10	-
Black, both sexes.....	8	13	15	12	10	20	19	4	2	1	-
Male.....	3	4	8	7	4	7	6	2	1	-	-
Female.....	5	9	7	5	6	13	13	2	1	1	-
American Indian 1/, both sexes.....	-	1	3	-	1	3	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	1	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	-	-	4	1	-	-	-
Male.....	-	1	-	1	-	-	2	1	-	-	-
Female.....	-	1	1	1	-	-	2	-	-	-	-

## Chronic liver disease and cirrhosis (K70,K73-K74)

All races, both sexes.....	3,258	2,839	2,670	2,711	2,412	1,588	728	230	24	3	4
Male.....	2,323	1,905	1,652	1,545	1,211	742	310	77	8	-	4
Female.....	935	934	1,018	1,166	1,201	846	418	153	16	3	-
White, both sexes.....	2,795	2,464	2,383	2,494	2,261	1,483	685	215	23	3	4
Male.....	2,014	1,658	1,474	1,427	1,148	695	293	71	8	-	4
Female.....	781	806	909	1,067	1,113	788	392	144	15	3	-
Black, both sexes.....	367	293	216	149	117	61	29	12	-	-	-
Male.....	248	197	140	87	50	28	11	4	-	-	-
Female.....	119	96	76	62	67	33	18	8	-	-	-
American Indian 1/, both sexes.....	63	49	36	31	11	14	3	-	-	-	-
Male.....	37	28	21	17	5	7	1	-	-	-	-
Female.....	26	21	15	14	6	7	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	33	35	37	23	30	11	3	1	-	-
Male.....	24	22	17	14	8	12	5	2	-	-	-
Female.....	9	11	18	23	15	18	6	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alcoholic liver disease (K70)

All races, both sexes.....	1,712	1,371	1,023	826	495	235	79	16	3	-	2
Male.....	1,277	1,060	771	596	334	161	54	10	1	-	2
Female.....	435	311	252	230	161	74	25	6	2	-	-
White, both sexes.....	1,466	1,190	903	749	450	215	71	14	3	-	2
Male.....	1,120	927	684	542	306	149	48	8	1	-	2
Female.....	346	263	219	207	144	66	23	6	2	-	-
Black, both sexes.....	186	138	90	55	36	15	7	1	-	-	-
Male.....	117	103	66	39	23	9	5	1	-	-	-
Female.....	69	35	24	16	13	6	2	-	-	-	-
American Indian 1/, both sexes.....	43	31	20	14	5	1	-	-	-	-	-
Male.....	26	19	13	10	3	-	-	-	-	-	-
Female.....	17	12	7	4	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	12	10	8	4	4	1	1	-	-	-
Male.....	14	11	8	5	2	3	1	1	-	-	-
Female.....	3	1	2	3	2	1	-	-	-	-	-

Other chronic liver disease and cirrhosis (K73-K74)

All races, both sexes.....	1,546	1,468	1,647	1,885	1,917	1,353	649	214	21	3	2
Male.....	1,046	845	881	949	877	581	256	67	7	-	2
Female.....	500	623	766	936	1,040	772	393	147	14	3	-
White, both sexes.....	1,329	1,274	1,480	1,745	1,811	1,268	614	201	20	3	2
Male.....	894	731	790	885	842	546	245	63	7	-	2
Female.....	435	543	690	860	969	722	369	138	13	3	-
Black, both sexes.....	181	155	126	94	81	46	22	11	-	-	-
Male.....	131	94	74	48	27	19	6	3	-	-	-
Female.....	50	61	52	46	54	27	16	8	-	-	-
American Indian 1/, both sexes.....	20	18	16	17	6	13	3	-	-	-	-
Male.....	11	9	8	7	2	7	1	-	-	-	-
Female.....	9	9	8	10	4	6	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	21	25	29	19	26	10	2	1	-	-
Male.....	10	11	9	9	6	9	4	1	-	-	-
Female.....	6	10	16	20	13	17	6	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes.....	93	123	194	310	420	572	525	351	150	28	-
Male.....	59	63	103	155	229	271	195	112	26	2	-
Female.....	34	60	91	155	191	301	330	239	124	26	-
White, both sexes.....	77	100	166	265	361	510	483	327	142	24	-
Male.....	50	51	90	136	204	243	179	105	25	2	-
Female.....	27	49	76	129	157	267	304	222	117	22	-
Black, both sexes.....	12	17	22	34	45	49	26	14	6	4	-
Male.....	6	11	9	10	17	21	8	3	-	-	-
Female.....	6	6	13	24	28	28	18	11	6	4	-
American Indian 1/, both sexes.....	1	3	3	3	3	2	4	2	-	-	-
Male.....	1	-	2	3	1	1	1	-	-	-	-
Female.....	-	3	1	-	2	1	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	3	8	11	11	12	8	2	-	-
Male.....	2	1	2	6	7	6	7	4	1	-	-
Female.....	1	2	1	2	4	5	5	4	1	-	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes.....	1,505	1,950	2,820	4,344	6,338	7,558	6,959	4,450	1,549	298	-
Male.....	797	1,027	1,491	2,311	3,248	3,672	3,088	1,693	495	82	-
Female.....	708	923	1,329	2,033	3,090	3,886	3,871	2,757	1,054	216	-
White, both sexes.....	943	1,305	2,007	3,296	5,165	6,494	6,095	3,909	1,328	243	-
Male.....	503	683	1,096	1,818	2,731	3,241	2,759	1,496	429	62	-
Female.....	440	622	911	1,478	2,434	3,253	3,336	2,413	899	181	-
Black, both sexes.....	502	580	746	944	1,036	923	764	472	199	52	-
Male.....	269	309	358	448	452	368	282	168	55	19	-
Female.....	233	271	388	496	584	555	482	304	144	33	-
American Indian 1/, both sexes.....	22	21	24	32	23	23	14	12	2	2	-
Male.....	10	10	10	9	7	13	4	3	1	1	-
Female.....	12	11	14	23	16	10	10	9	1	1	-
Asian or Pacific Islander 2/, both sexes.....	38	44	43	72	114	118	86	57	20	1	-
Male.....	15	25	27	36	58	50	43	26	10	-	-
Female.....	23	19	16	36	56	68	43	31	10	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	6	10	13	14	19	32	23	13	5	1	-
Male.....	5	6	9	5	5	12	10	2	1	1	-
Female.....	1	4	4	9	14	20	13	11	4	-	-
White, both sexes.....	5	9	9	12	17	25	17	10	5	1	-
Male.....	4	6	6	5	4	10	8	1	1	1	-
Female.....	1	3	3	7	13	15	9	9	4	-	-
Black, both sexes.....	1	-	3	2	2	4	5	2	-	-	-
Male.....	1	-	2	-	1	1	2	-	-	-	-
Female.....	-	-	1	2	1	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	33	19	29	56	86	92	74	38	14	1	-
Male.....	20	7	14	35	50	42	32	19	2	-	-
Female.....	13	12	15	21	36	50	42	19	12	1	-
White, both sexes.....	24	15	28	51	68	81	60	35	12	-	-
Male.....	16	7	14	31	40	38	28	18	2	-	-
Female.....	8	8	14	20	28	43	32	17	10	-	-
Black, both sexes.....	5	3	1	4	13	8	12	2	2	1	-
Male.....	3	-	-	4	8	3	3	1	-	-	-
Female.....	2	3	1	-	5	5	9	1	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	4	2	2	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-
Female.....	3	1	-	1	3	1	1	1	-	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

All races, both sexes.....	1,464	1,919	2,774	4,272	6,228	7,429	6,856	4,398	1,530	296	-
Male.....	772	1,014	1,468	2,271	3,190	3,618	3,046	1,672	492	81	-
Female.....	692	905	1,306	2,001	3,038	3,811	3,810	2,726	1,038	215	-
White, both sexes.....	912	1,279	1,966	3,231	5,076	6,385	6,013	3,863	1,311	242	-
Male.....	483	670	1,076	1,782	2,685	3,193	2,723	1,477	426	61	-
Female.....	429	609	890	1,449	2,391	3,192	3,290	2,386	885	181	-
Black, both sexes.....	496	577	742	938	1,021	910	746	468	197	51	-
Male.....	265	309	356	444	443	364	277	167	55	19	-
Female.....	231	268	386	494	578	546	469	301	142	32	-
American Indian 1/, both sexes.....	21	21	24	32	22	21	14	11	2	2	-
Male.....	9	10	10	9	6	13	4	2	1	1	-
Female.....	12	11	14	23	16	8	10	9	1	1	-
Asian or Pacific Islander 2/, both sexes.....	35	42	42	71	109	113	83	56	20	1	-
Male.....	15	25	26	36	56	48	42	26	10	-	-
Female.....	20	17	16	35	53	65	41	30	10	1	-

Other disorders of kidney (N25,N27)

All races, both sexes.....	2	2	4	2	5	5	6	1	-	-	-
Male.....	-	-	-	-	3	-	-	-	-	-	-
Female.....	2	2	4	2	2	5	6	1	-	-	-
White, both sexes.....	2	2	4	2	4	3	5	1	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-
Female.....	2	2	4	2	2	3	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-







Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	1	-	1	2	-	2	-	-	1	-	2
Male.....	1	-	1	1	-	1	-	-	-	-	2
Female.....	-	-	1	1	-	1	-	-	1	-	-
White, both sexes.....	1	-	1	1	-	2	-	-	1	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	1	1	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	351	283	224	216	232	257	184	86	33	2	1
Male.....	170	151	107	106	105	96	65	22	9	1	1
Female.....	181	132	117	110	127	161	119	64	24	1	-
White, both sexes.....	304	248	202	191	212	232	170	83	30	2	1
Male.....	146	132	99	91	95	83	61	22	8	1	1
Female.....	158	116	103	100	117	149	109	61	22	1	-
Black, both sexes.....	41	28	20	20	14	18	13	2	3	-	-
Male.....	22	18	8	13	7	9	4	-	1	-	-
Female.....	19	10	12	7	7	9	9	2	2	-	-
American Indian 1/, both sexes.....	2	2	-	-	1	4	-	-	-	-	-
Male.....	1	-	-	-	-	2	-	-	-	-	-
Female.....	1	2	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	2	5	5	3	1	1	-	-	-
Male.....	1	1	-	2	3	2	-	-	-	-	-
Female.....	3	4	2	3	2	1	1	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	1,042	960	995	1,403	2,103	2,833	3,350	3,406	1,944	854	109
Male.....	652	621	563	761	1,010	1,218	1,103	857	379	100	77
Female.....	390	339	432	642	1,093	1,615	2,247	2,549	1,565	754	32
White, both sexes.....	815	783	806	1,212	1,844	2,556	3,077	3,153	1,801	755	83
Male.....	507	509	458	659	871	1,094	1,025	792	347	77	58
Female.....	308	274	348	553	973	1,462	2,052	2,361	1,454	678	25
Black, both sexes.....	205	157	168	172	230	248	237	214	121	88	21
Male.....	131	101	92	93	124	114	67	53	28	21	14
Female.....	74	56	76	79	106	134	170	161	93	67	7
American Indian 1/, both sexes.....	8	13	8	11	7	6	4	10	7	3	3
Male.....	4	8	5	6	4	2	1	1	1	-	3
Female.....	4	5	3	5	3	4	3	9	6	3	-
Asian or Pacific Islander 2/, both sexes.....	14	7	13	8	22	23	32	29	15	8	2
Male.....	10	3	8	3	11	8	10	11	3	2	2
Female.....	4	4	5	5	11	15	22	18	12	6	-

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	8,431	8,947	10,576	15,113	22,098	29,520	31,671	24,416	10,231	2,256	13
Male.....	4,675	4,853	5,453	7,214	9,509	11,158	9,835	5,691	1,711	315	11
Female.....	3,756	4,094	5,123	7,899	12,589	18,362	21,836	18,725	8,520	1,941	2
White, both sexes.....	6,807	7,303	8,877	12,996	19,545	26,667	29,107	22,602	9,336	1,965	8
Male.....	3,798	3,986	4,578	6,215	8,403	10,075	9,032	5,213	1,526	258	8
Female.....	3,009	3,317	4,299	6,781	11,142	16,592	20,075	17,389	7,810	1,707	-
Black, both sexes.....	1,432	1,423	1,466	1,811	2,152	2,454	2,179	1,585	781	255	4
Male.....	781	738	743	864	913	907	654	393	140	44	2
Female.....	651	685	723	947	1,239	1,547	1,525	1,192	641	211	2
American Indian 1/, both sexes.....	76	99	87	92	87	71	88	39	21	5	-
Male.....	38	56	48	38	39	20	33	14	6	3	-
Female.....	38	43	39	54	48	51	55	25	15	2	-
Asian or Pacific Islander 2/, both sexes.....	116	122	146	214	314	328	297	190	93	31	1
Male.....	58	73	84	97	154	156	116	71	39	10	1
Female.....	58	49	62	117	160	172	181	119	54	21	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes.....	4,557	3,788	3,672	4,414	5,938	6,966	6,507	4,255	1,595	294	85
Male.....	3,255	2,526	2,369	2,662	3,268	3,419	2,795	1,488	480	54	74
Female.....	1,302	1,262	1,303	1,752	2,670	3,547	3,712	2,767	1,115	240	11
White, both sexes.....	3,789	3,196	3,073	3,894	5,361	6,455	6,120	3,991	1,499	267	78
Male.....	2,681	2,126	1,965	2,351	2,939	3,151	2,617	1,374	448	45	67
Female.....	1,108	1,070	1,108	1,543	2,422	3,304	3,503	2,617	1,051	222	11
Black, both sexes.....	626	467	445	387	436	370	291	197	76	20	4
Male.....	478	330	304	235	256	196	131	82	25	5	4
Female.....	148	137	141	152	180	174	160	115	51	15	-
American Indian 1/, both sexes.....	66	46	47	32	31	26	7	17	5	-	1
Male.....	50	22	36	20	17	13	4	6	1	-	1
Female.....	16	24	11	12	14	13	3	11	4	-	-
Asian or Pacific Islander 2/, both sexes.....	76	79	107	101	110	115	89	50	15	7	2
Male.....	46	48	64	56	56	59	43	26	6	4	2
Female.....	30	31	43	45	54	56	46	24	9	3	-

Transport accidents (V01-V99,Y85)

All races, both sexes.....	2,229	1,936	1,597	1,754	1,855	1,578	936	330	47	9	39
Male.....	1,615	1,262	1,039	1,062	1,060	857	527	180	26	4	36
Female.....	614	674	558	692	795	721	409	150	21	5	3
White, both sexes.....	1,900	1,658	1,356	1,565	1,684	1,453	870	309	44	6	34
Male.....	1,371	1,087	875	943	949	780	484	163	25	4	31
Female.....	529	571	481	622	735	673	386	146	19	2	3
Black, both sexes.....	251	200	163	126	117	92	44	13	2	3	3
Male.....	195	138	115	85	83	58	32	10	1	-	3
Female.....	56	62	48	41	34	34	12	3	1	3	-
American Indian 1/, both sexes.....	31	32	20	15	11	7	2	2	1	-	-
Male.....	23	14	15	8	8	6	1	2	-	-	-
Female.....	8	18	5	7	3	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	46	58	48	43	26	20	6	-	-	2
Male.....	26	23	34	26	20	13	10	5	-	-	2
Female.....	21	23	24	22	23	13	10	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)											
All races, both sexes.....	2,004	1,760	1,469	1,644	1,763	1,508	909	321	47	8	35
Male.....	1,423	1,117	923	965	992	801	512	176	26	4	33
Female.....	581	643	546	679	771	707	397	145	21	4	2
White, both sexes.....	1,708	1,501	1,248	1,466	1,605	1,391	846	300	44	5	30
Male.....	1,210	957	777	857	894	730	471	159	25	4	28
Female.....	498	544	471	609	711	661	375	141	19	1	2
Black, both sexes.....	224	187	150	118	107	86	43	13	2	3	3
Male.....	170	126	102	77	73	53	31	10	1	-	3
Female.....	54	61	48	41	34	33	12	3	1	3	-
American Indian 1/, both sexes.....	30	32	18	13	11	7	2	2	1	-	-
Male.....	22	14	13	6	8	6	1	2	-	-	-
Female.....	8	18	5	7	3	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	42	40	53	47	40	24	18	6	-	-	2
Male.....	21	20	31	25	17	12	9	5	-	-	2
Female.....	21	20	22	22	23	12	9	1	-	-	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	61	48	33	37	35	31	11	5	-	1	4
Male.....	53	39	26	30	25	25	6	2	-	-	3
Female.....	8	9	7	7	10	6	5	3	-	1	1
White, both sexes.....	45	38	25	32	28	28	9	5	-	1	4
Male.....	39	32	20	25	18	23	5	2	-	-	3
Female.....	6	6	5	7	10	5	4	3	-	1	1
Black, both sexes.....	12	6	5	4	5	3	-	-	-	-	-
Male.....	10	6	5	4	5	2	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	2	-	2	-	2	-	-	-	-
Male.....	3	1	-	-	2	-	1	-	-	-	-
Female.....	-	3	2	-	-	-	1	-	-	-	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes.....	164	128	95	73	57	39	16	4	-	-	-
Male.....	139	106	90	67	43	31	9	2	-	-	-
Female.....	25	22	5	6	14	8	7	2	-	-	-
White, both sexes.....	147	119	83	67	51	34	15	4	-	-	-
Male.....	122	98	78	61	37	27	8	2	-	-	-
Female.....	25	21	5	6	14	7	7	2	-	-	-
Black, both sexes.....	15	7	8	4	5	3	1	-	-	-	-
Male.....	15	6	8	4	5	3	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	1	1	2	-	-	-	-	-
Male.....	2	2	3	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	2,328	1,852	2,075	2,660	4,083	5,388	5,571	3,925	1,548	285	46
Male.....	1,640	1,264	1,330	1,600	2,208	2,562	2,268	1,308	454	50	38
Female.....	688	588	745	1,060	1,875	2,826	3,303	2,617	1,094	235	8
White, both sexes.....	1,889	1,538	1,717	2,329	3,677	5,002	5,250	3,682	1,455	261	44
Male.....	1,310	1,039	1,090	1,408	1,990	2,371	2,133	1,211	423	41	36
Female.....	579	499	627	921	1,687	2,631	3,117	2,471	1,032	220	8
Black, both sexes.....	375	267	282	261	319	278	247	184	74	17	1
Male.....	283	192	189	150	173	138	99	72	24	5	1
Female.....	92	75	93	111	146	140	148	112	50	12	-
American Indian 1/, both sexes.....	35	14	27	17	20	19	5	15	4	-	1
Male.....	27	8	21	12	9	7	3	4	1	-	1
Female.....	8	6	6	5	11	12	2	11	3	-	-
Asian or Pacific Islander 2/, both sexes.....	29	33	49	53	67	89	69	44	15	7	-
Male.....	20	25	30	30	36	46	33	21	6	4	-
Female.....	9	8	19	23	31	43	36	23	9	3	-



Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidental drowning and submersion (W65-W74)

All races, both sexes.....	118	94	81	88	88	79	48	25	5	1	20
Male.....	93	68	64	68	56	50	31	15	4	-	18
Female.....	25	26	17	20	32	29	17	10	1	1	2
White, both sexes.....	103	78	68	71	75	68	41	22	3	-	20
Male.....	81	55	54	56	50	44	29	14	3	-	18
Female.....	22	23	14	15	25	24	12	8	-	-	2
Black, both sexes.....	12	10	9	9	10	7	6	2	2	1	-
Male.....	11	8	8	7	5	4	2	1	1	-	-
Female.....	1	2	1	2	5	3	4	1	1	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	4	8	3	3	1	1	-	-	-
Male.....	1	4	2	5	1	2	-	-	-	-	-
Female.....	1	1	2	3	2	1	1	1	-	-	-

Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes.....	183	157	174	211	211	221	129	70	18	4	3
Male.....	111	108	117	125	108	123	55	31	9	2	3
Female.....	72	49	57	86	103	98	74	39	9	2	-
White, both sexes.....	140	107	130	159	164	178	104	49	11	3	3
Male.....	86	75	86	93	85	105	47	20	5	1	3
Female.....	54	32	44	66	79	73	57	29	6	2	-
Black, both sexes.....	39	48	38	47	42	41	25	20	7	1	-
Male.....	23	32	27	28	20	18	8	11	4	1	-
Female.....	16	16	11	19	22	23	17	9	3	-	-
American Indian 1/, both sexes.....	2	1	4	4	1	-	-	1	-	-	-
Male.....	2	-	4	3	1	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	4	2	-	-	-	-	-
Male.....	-	1	-	1	2	-	-	-	-	-	-
Female.....	2	-	2	-	2	2	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races, both sexes.....	754	344	218	165	154	141	103	64	13	1	9
Male.....	491	199	126	83	71	65	38	25	8	-	7
Female.....	263	145	92	82	83	76	65	39	5	1	2
White, both sexes.....	585	270	183	144	137	127	94	58	11	1	7
Male.....	361	139	101	69	64	54	34	25	7	-	5
Female.....	224	131	82	75	73	73	60	33	4	1	2
Black, both sexes.....	154	69	28	17	15	12	6	5	1	-	1
Male.....	119	57	22	13	7	9	1	-	-	-	1
Female.....	35	12	6	4	8	3	5	5	1	-	-
American Indian 1/, both sexes.....	12	2	1	-	-	-	-	1	-	-	1
Male.....	9	1	1	-	-	-	-	-	-	-	1
Female.....	3	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	6	4	2	2	3	-	1	-	-
Male.....	2	2	2	1	-	2	3	-	1	-	-
Female.....	1	1	4	3	2	-	-	-	-	-	-

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes.....	722	663	826	969	1,601	2,064	2,254	1,720	727	150	13
Male.....	534	479	534	579	879	948	878	545	201	24	10
Female.....	188	184	292	390	722	1,116	1,376	1,175	526	126	3
White, both sexes.....	592	558	651	840	1,413	1,876	2,096	1,610	675	135	13
Male.....	432	408	419	510	776	860	814	505	187	18	10
Female.....	160	150	232	330	637	1,016	1,282	1,105	488	117	3
Black, both sexes.....	109	84	150	107	162	149	138	90	42	10	-
Male.....	85	57	95	56	89	70	54	31	11	3	-
Female.....	24	27	55	51	73	79	84	59	31	7	-
American Indian 1/, both sexes.....	12	7	14	9	10	6	-	6	3	-	-
Male.....	9	4	11	7	5	3	-	4	1	-	-
Female.....	3	3	3	2	5	3	-	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	9	14	11	13	16	33	20	14	7	5	-
Male.....	8	10	9	6	9	15	10	5	2	3	-
Female.....	1	4	2	7	7	18	10	9	5	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) (\*U03,X60-X84,Y87.0)

All races, both sexes.....	2,186	1,432	1,197	1,266	1,231	1,028	573	211	41	1	10
Male.....	1,708	1,129	975	1,078	1,054	884	492	179	33	-	10
Female.....	478	303	222	188	177	144	81	32	8	1	-
White, both sexes.....	2,064	1,350	1,130	1,199	1,163	1,000	551	203	38	1	10
Male.....	1,610	1,074	919	1,034	1,001	860	475	173	30	-	10
Female.....	454	276	211	165	162	140	76	30	8	1	-
Black, both sexes.....	69	58	33	49	39	14	16	2	2	-	-
Male.....	58	41	31	37	34	14	14	2	2	-	-
Female.....	11	17	2	12	5	-	2	-	-	-	-
American Indian 1/, both sexes.....	9	4	3	-	5	-	-	-	-	-	-
Male.....	7	3	3	-	5	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	20	31	18	24	14	6	6	1	-	-
Male.....	33	11	22	7	14	10	3	4	1	-	-
Female.....	11	9	9	11	10	4	3	2	-	-	-

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes.....	1,295	939	846	930	918	762	392	133	25	-	2
Male.....	1,115	815	753	867	854	722	374	127	24	-	2
Female.....	180	124	93	63	64	40	18	6	1	-	-
White, both sexes.....	1,238	897	817	894	878	747	380	131	23	-	2
Male.....	1,062	778	726	836	816	707	362	125	22	-	2
Female.....	176	119	91	58	62	40	18	6	1	-	-
Black, both sexes.....	40	33	22	34	31	11	12	2	2	-	-
Male.....	37	28	20	30	29	11	12	2	2	-	-
Female.....	3	5	2	4	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	2	2	-	4	-	-	-	-	-	-
Male.....	4	2	2	-	4	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	7	5	2	5	4	-	-	-	-	-
Male.....	12	7	5	1	5	4	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (\*U03,X60-X71,X75-X84,Y87.0)

All races, both sexes.....	891	493	351	336	313	266	181	78	16	1	8
Male.....	593	314	222	211	200	162	118	52	9	-	8
Female.....	298	179	129	125	113	104	63	26	7	1	-
White, both sexes.....	826	453	313	305	285	253	171	72	15	1	8
Male.....	548	296	193	198	185	153	113	48	8	-	8
Female.....	278	157	120	107	100	100	58	24	7	1	-
Black, both sexes.....	29	25	11	15	8	3	4	-	-	-	-
Male.....	21	13	11	7	5	3	2	-	-	-	-
Female.....	8	12	-	8	3	-	2	-	-	-	-
American Indian 1/, both sexes.....	4	2	1	-	1	-	-	-	-	-	-
Male.....	3	1	1	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	13	26	16	19	10	6	6	1	-	-
Male.....	21	4	17	6	9	6	3	4	1	-	-
Female.....	11	9	9	10	10	4	3	2	-	-	-

Assault (homicide) (\*U01-\*U02,X85-Y09,Y87.1)

All races, both sexes.....	523	318	229	192	169	127	64	24	6	1	41
Male.....	383	231	152	125	100	58	32	6	3	-	32
Female.....	140	87	77	67	69	69	32	18	3	1	9
White, both sexes.....	366	221	160	146	119	99	53	18	5	-	36
Male.....	254	155	105	88	66	42	28	3	3	-	29
Female.....	112	66	55	58	53	57	25	15	2	-	7
Black, both sexes.....	132	86	55	42	48	23	11	5	1	-	3
Male.....	113	68	40	34	33	15	4	2	-	-	2
Female.....	19	18	15	8	15	8	7	3	1	-	1
American Indian 1/, both sexes.....	7	2	6	1	-	3	-	-	-	-	1
Male.....	3	2	3	1	-	1	-	-	-	-	-
Female.....	4	-	3	-	-	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	18	9	8	3	2	2	-	1	-	1	1
Male.....	13	6	4	2	1	-	-	1	-	-	1
Female.....	5	3	4	1	1	2	-	-	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)											
All races, both sexes.....	263	146	92	69	72	43	14	4	1	-	13
Male.....	197	104	61	40	44	20	8	-	1	-	12
Female.....	66	42	31	29	28	23	6	4	-	-	1
White, both sexes.....	190	94	62	54	55	36	13	3	1	-	11
Male.....	134	66	38	27	32	15	8	-	1	-	10
Female.....	56	28	24	27	23	21	5	3	-	-	1
Black, both sexes.....	63	46	26	14	15	6	1	1	-	-	2
Male.....	56	33	21	12	11	5	-	-	-	-	2
Female.....	7	13	5	2	4	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	3	-	2	1	-	-	-	-	-
Male.....	6	4	2	-	1	-	-	-	-	-	-
Female.....	3	1	1	-	1	1	-	-	-	-	-

Assault (homicide) by other and unspecified means and their sequelae (\*U01.0-\*U01.3,\*U01.5-\*U01.9,\*U02,X85-X92,X96-Y09,Y87.1)

All races, both sexes.....	260	172	137	123	97	84	50	20	5	1	28
Male.....	186	127	91	85	56	38	24	6	2	-	20
Female.....	74	45	46	38	41	46	26	14	3	1	8
White, both sexes.....	176	127	98	92	64	63	40	15	4	-	25
Male.....	120	89	67	61	34	27	20	3	2	-	19
Female.....	56	38	31	31	30	36	20	12	2	-	6
Black, both sexes.....	69	40	29	28	33	17	10	4	1	-	1
Male.....	57	35	19	22	22	10	4	2	-	-	-
Female.....	12	5	10	6	11	7	6	2	1	-	1
American Indian 1/, both sexes.....	6	1	5	-	-	3	-	-	-	-	1
Male.....	2	1	3	-	-	1	-	-	-	-	-
Female.....	4	-	2	-	-	2	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	4	5	3	-	1	-	1	-	1	1
Male.....	7	2	2	2	-	-	-	1	-	-	1
Female.....	2	2	3	1	-	1	-	-	-	1	-







Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	2	1	2	1	4	6	1	-	-	-	-
Male.....	2	1	2	1	4	6	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	2	-	4	5	1	-	-	-	-
Male.....	1	1	2	-	4	5	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	164	187	225	335	382	410	288	167	59	7	-
Male.....	84	85	110	146	166	154	110	40	18	3	-
Female.....	80	102	115	189	216	256	178	127	41	4	-
White, both sexes.....	122	149	178	292	331	366	261	146	51	7	-
Male.....	65	70	84	128	147	143	97	35	14	3	-
Female.....	57	79	94	164	184	223	164	111	37	4	-
Black, both sexes.....	38	32	38	39	44	36	21	19	7	-	-
Male.....	18	12	20	17	14	11	10	5	4	-	-
Female.....	20	20	18	22	30	25	11	14	3	-	-
American Indian 1/, both sexes.....	3	2	6	1	2	2	2	-	-	-	-
Male.....	-	1	4	-	1	-	1	-	-	-	-
Female.....	3	1	2	1	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	3	5	6	4	2	1	-	-
Male.....	1	2	2	1	4	-	2	-	-	-	-
Female.....	-	2	1	2	1	6	2	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	2,697	2,123	1,569	1,239	800	383	153	38	8	-	8
Male.....	2,092	1,686	1,228	908	571	270	104	25	5	-	8
Female.....	605	437	341	331	229	113	49	13	3	-	-
White, both sexes.....	2,243	1,762	1,349	1,078	715	340	136	34	8	-	6
Male.....	1,754	1,405	1,050	784	512	240	89	22	5	-	6
Female.....	489	357	299	294	203	100	47	12	3	-	-
Black, both sexes.....	371	283	174	128	72	35	14	2	-	-	1
Male.....	277	224	144	101	50	25	12	1	-	-	1
Female.....	94	59	30	27	22	10	2	1	-	-	-
American Indian 1/, both sexes.....	59	58	30	22	6	3	1	-	-	-	-
Male.....	40	40	21	17	4	1	1	-	-	-	-
Female.....	19	18	9	5	2	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	20	16	11	7	5	2	2	-	-	1
Male.....	21	17	13	6	5	4	2	2	-	-	1
Female.....	3	3	3	5	2	1	-	-	-	-	-

Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	1,234	591	362	285	261	216	157	83	15	1	10
Male.....	724	315	180	128	118	93	61	33	7	-	7
Female.....	510	276	182	157	143	123	96	50	8	1	3
White, both sexes.....	1,016	484	316	261	239	205	143	78	13	1	8
Male.....	562	232	145	115	107	82	56	33	6	-	5
Female.....	454	252	171	146	132	123	87	45	7	1	3
Black, both sexes.....	203	101	35	17	17	8	8	4	1	-	1
Male.....	153	81	28	10	9	8	2	-	-	-	1
Female.....	50	20	7	7	8	-	6	4	1	-	-
American Indian 1/, both sexes.....	8	2	2	1	-	-	2	-	-	-	1
Male.....	5	1	2	1	-	-	-	-	-	-	1
Female.....	3	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	9	6	5	3	4	1	1	-	-
Male.....	4	1	5	2	2	3	3	-	1	-	-
Female.....	3	3	4	4	3	-	1	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Injury by firearms (\*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All races, both sexes.....	1,608	1,111	966	1,027	1,011	822	411	138	27	-	15
Male.....	1,354	942	836	932	916	755	386	128	26	-	14
Female.....	254	169	130	95	95	67	25	10	1	-	1
White, both sexes.....	1,471	1,014	906	974	949	800	398	135	25	-	13
Male.....	1,233	866	785	886	861	735	374	126	24	-	12
Female.....	238	148	121	88	88	65	24	9	1	-	1
Black, both sexes.....	109	81	48	50	51	17	13	3	2	-	2
Male.....	97	62	41	44	45	16	12	2	2	-	2
Female.....	12	19	7	6	6	1	1	1	-	-	-
American Indian 1/, both sexes.....	6	4	4	1	4	-	-	-	-	-	-
Male.....	5	3	3	1	4	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	12	8	2	7	5	-	-	-	-	-
Male.....	19	11	7	1	6	4	-	-	-	-	-
Female.....	3	1	1	1	1	1	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.