



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	8	-	1	-	1	-	1	2	1	-	1	1	-
Male.....	4	-	-	-	1	-	1	2	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	1	-	1	1	-
White, both sexes.....	7	-	-	-	1	-	1	2	1	-	1	1	-
Male.....	4	-	-	-	1	-	1	2	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	2,465	13	8	3	6	4	18	56	142	362	889	964	-
Male.....	947	3	5	1	3	1	8	29	71	185	358	283	-
Female.....	1,518	10	3	2	3	3	10	27	71	177	531	681	-
White, both sexes.....	2,287	7	6	3	6	2	15	49	111	329	845	914	-
Male.....	872	1	4	1	3	1	6	27	56	164	340	269	-
Female.....	1,415	6	2	2	3	1	9	22	55	165	505	645	-
Black, both sexes.....	156	5	1	-	-	2	3	5	29	31	36	44	-
Male.....	66	1	1	-	-	-	2	2	15	20	13	12	-
Female.....	90	4	-	-	-	2	1	3	14	11	23	32	-
American Indian 1/, both sexes.....	8	-	1	-	-	-	-	1	1	1	2	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	1	-	-	-	-	1	1	1	1	2	-
Asian or Pacific Islander 2/, both sexes	14	1	-	-	-	-	-	1	1	1	6	4	-
Male.....	8	1	-	-	-	-	-	-	-	1	4	2	-
Female.....	6	-	-	-	-	-	-	1	1	-	2	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Tuberculosis (A16-A19)													
All races, both sexes.....	784	1	-	-	9	18	52	81	107	161	234	121	-
Male.....	462	-	-	-	5	11	38	55	75	102	121	55	-
Female.....	322	1	-	-	4	7	14	26	32	59	113	66	-
White, both sexes.....	461	-	-	-	3	6	22	36	57	88	163	86	-
Male.....	272	-	-	-	2	3	17	26	37	64	83	40	-
Female.....	189	-	-	-	1	3	5	10	20	24	80	46	-
Black, both sexes.....	204	-	-	-	4	8	24	35	34	43	37	19	-
Male.....	127	-	-	-	2	5	17	24	25	25	22	7	-
Female.....	77	-	-	-	2	3	7	11	9	18	15	12	-
American Indian 1/, both sexes.....	27	-	-	-	-	1	2	3	5	7	7	2	-
Male.....	14	-	-	-	-	1	-	1	3	3	4	2	-
Female.....	13	-	-	-	-	-	2	2	2	4	3	-	-
Asian or Pacific Islander 2/, both sexes	92	1	-	-	2	3	4	7	11	23	27	14	-
Male.....	49	-	-	-	1	2	4	4	10	10	12	6	-
Female.....	43	1	-	-	1	1	-	3	1	13	15	8	-
Respiratory tuberculosis (A16)													
All races, both sexes.....	626	-	-	-	6	14	40	64	84	120	192	106	-
Male.....	372	-	-	-	4	9	31	43	60	80	96	49	-
Female.....	254	-	-	-	2	5	9	21	24	40	96	57	-
White, both sexes.....	374	-	-	-	2	5	20	29	43	70	129	76	-
Male.....	223	-	-	-	2	3	16	20	29	54	62	37	-
Female.....	151	-	-	-	-	2	4	9	14	16	67	39	-
Black, both sexes.....	164	-	-	-	2	8	15	29	29	32	34	15	-
Male.....	104	-	-	-	1	5	11	20	22	19	21	5	-
Female.....	60	-	-	-	1	3	4	9	7	13	13	10	-
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	2	4	3	6	2	-
Male.....	9	-	-	-	-	-	-	1	2	1	3	2	-
Female.....	9	-	-	-	-	-	1	1	2	2	3	-	-
Asian or Pacific Islander 2/, both sexes	70	-	-	-	2	1	4	4	8	15	23	13	-
Male.....	36	-	-	-	1	1	4	2	7	6	10	5	-
Female.....	34	-	-	-	1	-	-	2	1	9	13	8	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Scarlet fever and erysipelas (A38,A46)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)													
All races, both sexes.....	161	17	12	20	33	16	9	19	13	7	10	5	-
Male.....	83	8	9	13	17	10	5	10	4	2	3	2	-
Female.....	78	9	3	7	16	6	4	9	9	5	7	3	-
White, both sexes.....	125	14	8	10	27	13	5	16	11	6	10	5	-
Male.....	67	8	6	9	14	9	3	8	4	1	3	2	-
Female.....	58	6	2	1	13	4	2	8	7	5	7	3	-
Black, both sexes.....	29	3	3	8	5	2	4	3	1	-	-	-	-
Male.....	12	-	2	4	2	-	2	2	-	-	-	-	-
Female.....	17	3	1	4	3	2	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	1	-	-	1	1	-	-	-
Male.....	3	-	-	-	1	1	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Measles (B05)													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	5,793	2	3	2	23	94	740	2,331	1,072	762	587	177	-
Male.....	3,770	1	3	1	13	63	519	1,755	702	373	270	70	-
Female.....	2,023	1	-	1	10	31	221	576	370	389	317	107	-
White, both sexes.....	4,620	1	-	2	20	65	600	1,881	804	589	503	155	-
Male.....	3,049	1	-	1	11	46	429	1,432	527	302	239	61	-
Female.....	1,571	-	-	1	9	19	171	449	277	287	264	94	-
Black, both sexes.....	865	1	1	-	2	22	112	374	187	103	50	13	-
Male.....	541	-	1	-	1	11	68	266	124	50	17	3	-
Female.....	324	1	-	-	1	11	44	108	63	53	33	10	-
American Indian 1/, both sexes.....	56	-	-	-	-	2	12	25	13	4	-	-	-
Male.....	36	-	-	-	-	2	8	17	7	2	-	-	-
Female.....	20	-	-	-	-	-	4	8	6	2	-	-	-
Asian or Pacific Islander 2/, both sexes	252	-	2	-	1	5	16	51	68	66	34	9	-
Male.....	144	-	2	-	1	4	14	40	44	19	14	6	-
Female.....	108	-	-	-	-	1	2	11	24	47	20	3	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Human immunodeficiency virus (HIV) disease (B20-B24)													
All races, both sexes.....	14,095	7	5	25	178	1,839	5,707	4,474	1,347	401	96	12	4
Male.....	10,468	4	1	14	93	1,187	4,198	3,485	1,083	323	71	5	4
Female.....	3,627	3	4	11	85	652	1,509	989	264	78	25	7	-
White, both sexes.....	6,089	4	-	6	52	688	2,570	1,921	643	151	42	9	3
Male.....	5,028	3	-	4	31	532	2,123	1,619	546	134	29	4	3
Female.....	1,061	1	-	2	21	156	447	302	97	17	13	5	-
Black, both sexes.....	7,835	3	5	19	124	1,123	3,063	2,509	688	243	54	3	1
Male.....	5,301	1	1	10	60	634	2,017	1,827	523	184	42	1	1
Female.....	2,534	2	4	9	64	489	1,046	682	165	59	12	2	-
American Indian 1/, both sexes.....	64	-	-	-	1	13	36	11	3	-	-	-	-
Male.....	50	-	-	-	1	10	29	8	2	-	-	-	-
Female.....	14	-	-	-	-	3	7	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	107	-	-	-	1	15	38	33	13	7	-	-	-
Male.....	89	-	-	-	1	11	29	31	12	5	-	-	-
Female.....	18	-	-	-	-	4	9	2	1	2	-	-	-
Malaria (B50-B54)													
All races, both sexes.....	12	-	-	-	1	1	1	5	2	2	-	-	-
Male.....	8	-	-	-	-	-	1	4	1	2	-	-	-
Female.....	4	-	-	-	1	1	-	1	1	-	-	-	-
White, both sexes.....	7	-	-	-	-	-	1	3	1	2	-	-	-
Male.....	7	-	-	-	-	-	1	3	1	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	1	1	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	6,707	224	61	84	97	169	453	916	889	1,223	1,594	997	-
Male.....	3,622	125	39	40	52	96	291	626	532	663	785	373	-
Female.....	3,085	99	22	44	45	73	162	290	357	560	809	624	-
White, both sexes.....	5,528	155	45	66	64	117	307	708	692	1,048	1,412	914	-
Male.....	2,967	85	28	35	33	63	207	492	410	577	695	342	-
Female.....	2,561	70	17	31	31	54	100	216	282	471	717	572	-
Black, both sexes.....	943	59	14	10	27	47	125	181	152	122	133	73	-
Male.....	526	33	10	3	15	29	71	118	99	62	59	27	-
Female.....	417	26	4	7	12	18	54	63	53	60	74	46	-
American Indian 1/, both sexes.....	54	4	1	1	-	-	9	8	12	11	8	-	-
Male.....	28	3	1	1	-	-	5	6	6	3	3	-	-
Female.....	26	1	-	-	-	-	4	2	6	8	5	-	-
Asian or Pacific Islander 2/, both sexes	182	6	1	7	6	5	12	19	33	42	41	10	-
Male.....	101	4	-	1	4	4	8	10	17	21	28	4	-
Female.....	81	2	1	6	2	1	4	9	16	21	13	6	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	557,271	74	402	1,072	1,730	3,872	16,085	49,637	93,391	144,757	167,062	79,182	7
Male.....	288,768	42	216	600	1,016	1,868	7,056	25,192	51,115	80,085	86,952	34,621	5
Female.....	268,503	32	186	472	714	2,004	9,029	24,445	42,276	64,672	80,110	44,561	2
White, both sexes.....	482,481	56	306	846	1,399	2,997	12,582	39,516	78,140	125,458	149,525	71,652	4
Male.....	249,867	35	168	459	830	1,472	5,604	20,157	42,632	69,588	77,649	31,270	3
Female.....	232,614	21	138	387	569	1,525	6,978	19,359	35,508	55,870	71,876	40,382	1
Black, both sexes.....	62,617	12	74	172	250	669	2,903	8,450	12,825	16,245	14,664	6,350	3
Male.....	32,627	4	34	106	140	290	1,172	4,240	7,183	8,931	7,749	2,776	2
Female.....	29,990	8	40	66	110	379	1,731	4,210	5,642	7,314	6,915	3,574	1
American Indian 1/, both sexes.....	2,175	1	3	12	20	35	100	293	485	589	460	177	-
Male.....	1,081	-	2	7	10	14	44	138	265	307	236	58	-
Female.....	1,094	1	1	5	10	21	56	155	220	282	224	119	-
Asian or Pacific Islander 2/, both sexes	9,998	5	19	42	61	171	500	1,378	1,941	2,465	2,413	1,003	-
Male.....	5,193	3	12	28	36	92	236	657	1,035	1,259	1,318	517	-
Female.....	4,805	2	7	14	25	79	264	721	906	1,206	1,095	486	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,737	-	3	8	23	57	258	1,101	1,811	1,898	1,721	857	-
Male.....	5,184	-	2	3	11	39	179	870	1,392	1,317	997	374	-
Female.....	2,553	-	1	5	12	18	79	231	419	581	724	483	-
White, both sexes.....	6,432	-	2	5	15	39	180	795	1,428	1,627	1,558	783	-
Male.....	4,256	-	2	2	8	28	127	630	1,097	1,118	904	340	-
Female.....	2,176	-	-	3	7	11	53	165	331	509	654	443	-
Black, both sexes.....	1,044	-	-	2	6	11	65	255	319	218	114	54	-
Male.....	766	-	-	1	3	7	43	204	258	161	64	25	-
Female.....	278	-	-	1	3	4	22	51	61	57	50	29	-
American Indian 1/, both sexes.....	43	-	-	-	-	1	2	5	15	14	6	-	-
Male.....	27	-	-	-	-	1	1	4	9	7	5	-	-
Female.....	16	-	-	-	-	-	1	1	6	7	1	-	-
Asian or Pacific Islander 2/, both sexes	218	-	1	1	2	6	11	46	49	39	43	20	-
Male.....	135	-	-	-	-	3	8	32	28	31	24	9	-
Female.....	83	-	1	1	2	3	3	14	21	8	19	11	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	12,701	-	-	1	6	19	311	1,390	2,763	3,691	3,389	1,130	1
Male.....	9,789	-	-	-	3	14	257	1,185	2,321	2,952	2,454	603	-
Female.....	2,912	-	-	1	3	5	54	205	442	739	935	527	1
White, both sexes.....	10,910	-	-	1	6	17	251	1,128	2,262	3,150	3,051	1,044	-
Male.....	8,510	-	-	-	3	13	216	986	1,932	2,563	2,236	561	-
Female.....	2,400	-	-	1	3	4	35	142	330	587	815	483	-
Black, both sexes.....	1,590	-	-	-	-	2	56	238	457	481	285	70	1
Male.....	1,133	-	-	-	-	1	38	179	354	345	181	35	-
Female.....	457	-	-	-	-	1	18	59	103	136	104	35	1
American Indian 1/, both sexes.....	47	-	-	-	-	-	2	5	9	12	16	3	-
Male.....	37	-	-	-	-	-	1	5	8	9	12	2	-
Female.....	10	-	-	-	-	-	1	-	1	3	4	1	-
Asian or Pacific Islander 2/, both sexes	154	-	-	-	-	-	2	19	35	48	37	13	-
Male.....	109	-	-	-	-	-	2	15	27	35	25	5	-
Female.....	45	-	-	-	-	-	-	4	8	13	12	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of stomach (C16)</b>													
All races, both sexes.....	12,198	-	1	-	29	138	436	1,106	1,831	2,816	3,656	2,185	-
Male.....	7,133	-	1	-	8	80	239	725	1,215	1,867	2,064	934	-
Female.....	5,065	-	-	-	21	58	197	381	616	949	1,592	1,251	-
White, both sexes.....	9,319	-	1	-	21	94	301	770	1,354	2,124	2,902	1,752	-
Male.....	5,542	-	1	-	5	57	168	516	918	1,439	1,677	761	-
Female.....	3,777	-	-	-	16	37	133	254	436	685	1,225	991	-
Black, both sexes.....	2,131	-	-	-	8	33	92	250	340	522	548	338	-
Male.....	1,194	-	-	-	3	20	49	166	223	327	278	128	-
Female.....	937	-	-	-	5	13	43	84	117	195	270	210	-
American Indian 1/, both sexes.....	91	-	-	-	-	1	6	16	16	21	25	6	-
Male.....	45	-	-	-	-	1	4	8	5	12	12	3	-
Female.....	46	-	-	-	-	-	2	8	11	9	13	3	-
Asian or Pacific Islander 2/, both sexes	657	-	-	-	-	10	37	70	121	149	181	89	-
Male.....	352	-	-	-	-	2	18	35	69	89	97	42	-
Female.....	305	-	-	-	-	8	19	35	52	60	84	47	-
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>													
All races, both sexes.....	56,741	1	-	1	50	290	1,425	4,573	8,421	13,392	17,498	11,089	1
Male.....	28,501	1	-	1	34	161	797	2,564	5,035	7,580	8,504	3,823	1
Female.....	28,240	-	-	-	16	129	628	2,009	3,386	5,812	8,994	7,266	-
White, both sexes.....	48,562	1	-	1	38	234	1,071	3,553	6,858	11,393	15,417	9,995	1
Male.....	24,439	1	-	1	24	126	600	2,023	4,156	6,547	7,519	3,441	1
Female.....	24,123	-	-	-	14	108	471	1,530	2,702	4,846	7,898	6,554	-
Black, both sexes.....	6,874	-	-	-	10	40	284	863	1,308	1,674	1,770	925	-
Male.....	3,351	-	-	-	8	25	157	455	720	852	828	306	-
Female.....	3,523	-	-	-	2	15	127	408	588	822	942	619	-
American Indian 1/, both sexes.....	246	-	-	-	-	3	11	30	64	68	46	24	-
Male.....	131	-	-	-	-	1	6	18	47	33	21	5	-
Female.....	115	-	-	-	-	2	5	12	17	35	25	19	-
Asian or Pacific Islander 2/, both sexes	1,059	-	-	-	2	13	59	127	191	257	265	145	-
Male.....	580	-	-	-	2	9	34	68	112	148	136	71	-
Female.....	479	-	-	-	-	4	25	59	79	109	129	74	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	14,047	3	28	18	27	105	414	1,976	2,558	3,581	3,728	1,609	-
Male.....	9,011	2	19	12	18	62	308	1,611	1,858	2,367	2,112	642	-
Female.....	5,036	1	9	6	9	43	106	365	700	1,214	1,616	967	-
White, both sexes.....	11,250	2	22	13	19	57	275	1,383	1,928	2,909	3,237	1,405	-
Male.....	7,114	2	14	7	10	27	201	1,129	1,397	1,930	1,830	567	-
Female.....	4,136	-	8	6	9	30	74	254	531	979	1,407	838	-
Black, both sexes.....	1,734	1	4	3	4	27	84	405	392	388	298	128	-
Male.....	1,165	-	3	3	4	17	61	325	285	264	164	39	-
Female.....	569	1	1	-	-	10	23	80	107	124	134	89	-
American Indian 1/, both sexes.....	94	-	1	-	-	1	2	17	20	27	17	9	-
Male.....	60	-	1	-	-	1	2	14	15	17	8	2	-
Female.....	34	-	-	-	-	-	-	3	5	10	9	7	-
Asian or Pacific Islander 2/, both sexes	969	-	1	2	4	20	53	171	218	257	176	67	-
Male.....	672	-	1	2	4	17	44	143	161	156	110	34	-
Female.....	297	-	-	-	-	3	9	28	57	101	66	33	-
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	30,264	1	-	-	7	39	596	2,433	5,105	8,187	9,555	4,340	1
Male.....	14,877	-	-	-	5	26	364	1,526	3,012	4,270	4,270	1,403	1
Female.....	15,387	1	-	-	2	13	232	907	2,093	3,917	5,285	2,937	-
White, both sexes.....	26,031	-	-	-	7	28	473	1,938	4,248	6,944	8,478	3,915	-
Male.....	12,921	-	-	-	5	19	291	1,236	2,544	3,693	3,856	1,277	-
Female.....	13,110	-	-	-	2	9	182	702	1,704	3,251	4,622	2,638	-
Black, both sexes.....	3,494	1	-	-	-	6	102	403	730	1,025	867	359	1
Male.....	1,617	-	-	-	-	5	58	244	401	479	335	94	1
Female.....	1,877	1	-	-	-	1	44	159	329	546	532	265	-
American Indian 1/, both sexes.....	112	-	-	-	-	1	4	20	22	34	25	6	-
Male.....	50	-	-	-	-	-	4	11	8	16	8	3	-
Female.....	62	-	-	-	-	1	-	9	14	18	17	3	-
Asian or Pacific Islander 2/, both sexes	627	-	-	-	-	4	17	72	105	184	185	60	-
Male.....	289	-	-	-	-	2	11	35	59	82	71	29	-
Female.....	338	-	-	-	-	2	6	37	46	102	114	31	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of larynx (C32)</b>													
All races, both sexes.....	3,723	-	-	-	-	11	76	425	904	1,084	969	253	1
Male.....	2,922	-	-	-	-	6	58	349	738	832	755	183	1
Female.....	801	-	-	-	-	5	18	76	166	252	214	70	-
White, both sexes.....	3,012	-	-	-	-	7	48	296	700	901	827	233	-
Male.....	2,351	-	-	-	-	3	37	247	561	689	647	167	-
Female.....	661	-	-	-	-	4	11	49	139	212	180	66	-
Black, both sexes.....	675	-	-	-	-	4	27	123	198	174	132	16	1
Male.....	542	-	-	-	-	3	20	96	172	135	102	13	1
Female.....	133	-	-	-	-	1	7	27	26	39	30	3	-
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	3	3	4	4	-	-
Male.....	11	-	-	-	-	-	-	3	3	4	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	3	-	-
Asian or Pacific Islander 2/, both sexes	22	-	-	-	-	-	1	3	3	5	6	4	-
Male.....	18	-	-	-	-	-	1	3	2	4	5	3	-
Female.....	4	-	-	-	-	-	-	-	1	1	1	1	-
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All races, both sexes.....	157,713	-	1	4	21	165	2,698	12,150	30,684	50,256	48,082	13,652	-
Male.....	90,171	-	1	3	16	90	1,386	7,194	18,415	29,543	26,821	6,702	-
Female.....	67,542	-	-	1	5	75	1,312	4,956	12,269	20,713	21,261	6,950	-
White, both sexes.....	138,661	-	1	3	17	127	2,120	9,714	26,055	44,453	43,678	12,493	-
Male.....	78,465	-	1	2	13	72	1,063	5,656	15,391	25,974	24,174	6,119	-
Female.....	60,196	-	-	1	4	55	1,057	4,058	10,664	18,479	19,504	6,374	-
Black, both sexes.....	16,316	-	-	1	4	23	505	2,180	4,026	4,983	3,677	917	-
Male.....	10,075	-	-	1	3	14	289	1,387	2,631	3,115	2,183	452	-
Female.....	6,241	-	-	-	1	9	216	793	1,395	1,868	1,494	465	-
American Indian 1/, both sexes.....	556	-	-	-	-	1	5	49	151	191	124	35	-
Male.....	304	-	-	-	-	-	2	27	94	94	72	15	-
Female.....	252	-	-	-	-	1	3	22	57	97	52	20	-
Asian or Pacific Islander 2/, both sexes	2,180	-	-	-	-	14	68	207	452	629	603	207	-
Male.....	1,327	-	-	-	-	4	32	124	299	360	392	116	-
Female.....	853	-	-	-	-	10	36	83	153	269	211	91	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,514	-	3	1	41	194	604	1,135	1,351	1,616	1,748	820	1
Male.....	4,725	-	2	1	20	119	363	746	915	1,075	1,078	406	-
Female.....	2,789	-	1	-	21	75	241	389	436	541	670	414	1
White, both sexes.....	7,353	-	3	1	40	192	590	1,113	1,319	1,574	1,721	799	1
Male.....	4,639	-	2	1	19	117	357	732	895	1,051	1,066	399	-
Female.....	2,714	-	1	-	21	75	233	381	424	523	655	400	1
Black, both sexes.....	102	-	-	-	1	1	9	12	21	25	18	15	-
Male.....	52	-	-	-	1	1	4	7	13	12	8	6	-
Female.....	50	-	-	-	-	-	5	5	8	13	10	9	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	2	4	6	2	3	-
Male.....	9	-	-	-	-	-	-	2	3	4	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	2	2	3	-
Asian or Pacific Islander 2/, both sexes	42	-	-	-	-	1	5	8	7	11	7	3	-
Male.....	25	-	-	-	-	1	2	5	4	8	4	1	-
Female.....	17	-	-	-	-	-	3	3	3	3	3	2	-
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,883	-	-	-	10	425	2,722	6,454	7,838	8,505	9,748	6,181	-
Male.....	369	-	-	-	-	3	12	44	67	84	112	47	-
Female.....	41,514	-	-	-	10	422	2,710	6,410	7,771	8,421	9,636	6,134	-
White, both sexes.....	35,382	-	-	-	6	285	1,950	4,963	6,494	7,333	8,733	5,618	-
Male.....	300	-	-	-	-	2	9	32	51	68	96	42	-
Female.....	35,082	-	-	-	6	283	1,941	4,931	6,443	7,265	8,637	5,576	-
Black, both sexes.....	5,636	-	-	-	3	125	679	1,258	1,137	1,014	906	514	-
Male.....	64	-	-	-	-	1	3	11	15	16	13	5	-
Female.....	5,572	-	-	-	3	124	676	1,247	1,122	998	893	509	-
American Indian 1/, both sexes.....	148	-	-	-	-	5	17	36	31	29	18	12	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	148	-	-	-	-	5	17	36	31	29	18	12	-
Asian or Pacific Islander 2/, both sexes	717	-	-	-	1	10	76	197	176	129	91	37	-
Male.....	5	-	-	-	-	-	-	1	1	-	3	-	-
Female.....	712	-	-	-	1	10	76	196	175	129	88	37	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,952	-	-	-	17	208	666	894	725	630	528	284	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,952	-	-	-	17	208	666	894	725	630	528	284	-
White, both sexes.....	2,967	-	-	-	12	160	503	667	553	455	407	210	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2,967	-	-	-	12	160	503	667	553	455	407	210	-
Black, both sexes.....	829	-	-	-	3	43	146	191	131	152	104	59	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	829	-	-	-	3	43	146	191	131	152	104	59	-
American Indian 1/, both sexes.....	34	-	-	-	2	2	3	12	4	5	3	3	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	34	-	-	-	2	2	3	12	4	5	3	3	-
Asian or Pacific Islander 2/, both sexes	122	-	-	-	-	3	14	24	37	18	14	12	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	122	-	-	-	-	3	14	24	37	18	14	12	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	6,853	-	-	-	-	23	146	565	1,199	1,835	1,957	1,128	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6,853	-	-	-	-	23	146	565	1,199	1,835	1,957	1,128	-
White, both sexes.....	5,567	-	-	-	-	17	116	443	934	1,419	1,648	990	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,567	-	-	-	-	17	116	443	934	1,419	1,648	990	-
Black, both sexes.....	1,119	-	-	-	-	5	22	89	223	376	273	131	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,119	-	-	-	-	5	22	89	223	376	273	131	-
American Indian 1/, both sexes.....	32	-	-	-	-	-	4	7	6	4	9	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	32	-	-	-	-	-	4	7	6	4	9	2	-
Asian or Pacific Islander 2/, both sexes	135	-	-	-	-	1	4	26	36	36	27	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	135	-	-	-	-	1	4	26	36	36	27	5	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races, both sexes.....	12,165	4	8	30	20	48	306	1,322	2,340	3,239	3,355	1,493	-
Male.....	7,587	1	-	19	7	31	217	947	1,658	2,087	1,924	696	-
Female.....	4,578	3	8	11	13	17	89	375	682	1,152	1,431	797	-
White, both sexes.....	10,856	4	8	24	16	30	248	1,116	2,065	2,910	3,056	1,379	-
Male.....	6,803	1	-	15	5	19	176	815	1,467	1,886	1,766	653	-
Female.....	4,053	3	8	9	11	11	72	301	598	1,024	1,290	726	-
Black, both sexes.....	1,069	-	-	6	3	17	46	164	226	260	252	95	-
Male.....	630	-	-	4	2	11	32	103	164	151	126	37	-
Female.....	439	-	-	2	1	6	14	61	62	109	126	58	-
American Indian 1/, both sexes.....	98	-	-	-	-	-	7	18	19	34	15	5	-
Male.....	63	-	-	-	-	-	4	11	11	26	10	1	-
Female.....	35	-	-	-	-	-	3	7	8	8	5	4	-
Asian or Pacific Islander 2/, both sexes	142	-	-	-	1	1	5	24	30	35	32	14	-
Male.....	91	-	-	-	-	1	5	18	16	24	22	5	-
Female.....	51	-	-	-	1	-	-	6	14	11	10	9	-
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	12,628	-	-	3	1	14	123	503	1,310	2,907	4,707	3,059	1
Male.....	8,504	-	-	1	-	9	78	352	984	2,089	3,199	1,791	1
Female.....	4,124	-	-	2	1	5	45	151	326	818	1,508	1,268	-
White, both sexes.....	11,512	-	-	3	-	10	105	443	1,170	2,625	4,344	2,811	1
Male.....	7,908	-	-	1	-	6	68	319	906	1,931	2,990	1,686	1
Female.....	3,604	-	-	2	-	4	37	124	264	694	1,354	1,125	-
Black, both sexes.....	940	-	-	-	-	4	13	49	120	242	299	213	-
Male.....	481	-	-	-	-	3	7	26	66	128	166	85	-
Female.....	459	-	-	-	-	1	6	23	54	114	133	128	-
American Indian 1/, both sexes.....	31	-	-	-	1	-	-	2	4	9	8	7	-
Male.....	17	-	-	-	-	-	-	2	1	7	4	3	-
Female.....	14	-	-	-	1	-	-	-	3	2	4	4	-
Asian or Pacific Islander 2/, both sexes	145	-	-	-	-	-	5	9	16	31	56	28	-
Male.....	98	-	-	-	-	-	3	5	11	23	39	17	-
Female.....	47	-	-	-	-	-	2	4	5	8	17	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,830	12	114	337	210	388	1,009	2,058	2,560	2,954	2,435	753	-
Male.....	7,125	8	63	191	136	223	618	1,225	1,494	1,678	1,210	279	-
Female.....	5,705	4	51	146	74	165	391	833	1,066	1,276	1,225	474	-
White, both sexes.....	11,794	7	80	265	174	338	922	1,882	2,359	2,764	2,292	711	-
Male.....	6,554	5	46	143	117	191	572	1,132	1,369	1,577	1,136	266	-
Female.....	5,240	2	34	122	57	147	350	750	990	1,187	1,156	445	-
Black, both sexes.....	781	3	27	54	28	33	68	127	149	146	114	32	-
Male.....	409	2	12	35	14	22	35	57	95	73	57	7	-
Female.....	372	1	15	19	14	11	33	70	54	73	57	25	-
American Indian 1/, both sexes.....	41	1	1	7	2	4	3	8	5	6	3	1	-
Male.....	23	-	-	4	1	1	2	6	4	4	1	-	-
Female.....	18	1	1	3	1	3	1	2	1	2	2	1	-
Asian or Pacific Islander 2/, both sexes	214	1	6	11	6	13	16	41	47	38	26	9	-
Male.....	139	1	5	9	4	9	9	30	26	24	16	6	-
Female.....	75	-	1	2	2	4	7	11	21	14	10	3	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	56,225	28	119	379	703	916	1,751	3,960	7,500	13,508	18,289	9,072	-
Male.....	30,302	15	63	217	417	545	1,038	2,341	4,470	7,903	9,553	3,740	-
Female.....	25,923	13	56	162	286	371	713	1,619	3,030	5,605	8,736	5,332	-
White, both sexes.....	49,943	19	98	303	575	710	1,405	3,185	6,366	11,977	16,836	8,469	-
Male.....	27,087	11	53	170	352	426	832	1,923	3,843	7,094	8,870	3,513	-
Female.....	22,856	8	45	133	223	284	573	1,262	2,523	4,883	7,966	4,956	-
Black, both sexes.....	5,151	5	16	53	90	157	276	631	949	1,282	1,179	513	-
Male.....	2,622	2	7	33	45	93	168	345	523	685	532	189	-
Female.....	2,529	3	9	20	45	64	108	286	426	597	647	324	-
American Indian 1/, both sexes.....	171	-	1	2	11	7	14	19	35	34	36	12	-
Male.....	89	-	1	1	8	3	10	11	16	17	19	3	-
Female.....	82	-	-	1	3	4	4	8	19	17	17	9	-
Asian or Pacific Islander 2/, both sexes	960	4	4	21	27	42	56	125	150	215	238	78	-
Male.....	504	2	2	13	12	23	28	62	88	107	132	35	-
Female.....	456	2	2	8	15	19	28	63	62	108	106	43	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hodgkin's disease (C81)													
All races, both sexes.....	1,352	-	-	6	86	152	159	177	168	232	247	125	-
Male.....	751	-	-	5	41	81	92	105	106	146	125	50	-
Female.....	601	-	-	1	45	71	67	72	62	86	122	75	-
White, both sexes.....	1,193	-	-	5	72	127	130	151	141	213	234	120	-
Male.....	655	-	-	4	37	65	73	85	86	136	120	49	-
Female.....	538	-	-	1	35	62	57	66	55	77	114	71	-
Black, both sexes.....	130	-	-	1	11	24	26	20	21	15	9	3	-
Male.....	82	-	-	1	4	15	18	15	16	8	4	1	-
Female.....	48	-	-	-	7	9	8	5	5	7	5	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	28	-	-	-	3	1	3	6	5	4	4	2	-
Male.....	14	-	-	-	-	1	1	5	4	2	1	-	-
Female.....	14	-	-	-	3	-	2	1	1	2	3	2	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	21,910	2	15	57	142	281	687	1,581	3,049	5,264	7,283	3,549	-
Male.....	11,538	1	6	40	93	178	439	978	1,838	2,986	3,594	1,385	-
Female.....	10,372	1	9	17	49	103	248	603	1,211	2,278	3,689	2,164	-
White, both sexes.....	19,996	1	14	45	106	203	540	1,309	2,699	4,799	6,873	3,407	-
Male.....	10,535	-	6	32	75	131	343	830	1,637	2,745	3,408	1,328	-
Female.....	9,461	1	8	13	31	72	197	479	1,062	2,054	3,465	2,079	-
Black, both sexes.....	1,474	1	1	10	25	63	118	218	286	358	291	103	-
Male.....	775	1	-	7	10	40	79	119	161	195	123	40	-
Female.....	699	-	1	3	15	23	39	99	125	163	168	63	-
American Indian 1/, both sexes.....	53	-	-	1	1	1	8	7	11	11	9	4	-
Male.....	29	-	-	1	1	-	7	3	7	6	4	-	-
Female.....	24	-	-	-	-	1	1	4	4	5	5	4	-
Asian or Pacific Islander 2/, both sexes	387	-	-	1	10	14	21	47	53	96	110	35	-
Male.....	199	-	-	-	7	7	10	26	33	40	59	17	-
Female.....	188	-	-	1	3	7	11	21	20	56	51	18	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Leukemia (C91-C95)													
All races, both sexes.....	21,498	21	104	316	472	471	767	1,459	2,611	4,818	6,763	3,696	-
Male.....	12,016	11	57	172	282	280	429	821	1,558	3,010	3,804	1,592	-
Female.....	9,482	10	47	144	190	191	338	638	1,053	1,808	2,959	2,104	-
White, both sexes.....	19,273	16	84	253	394	370	644	1,196	2,246	4,361	6,262	3,447	-
Male.....	10,835	10	47	134	239	225	362	678	1,359	2,736	3,547	1,498	-
Female.....	8,438	6	37	119	155	145	282	518	887	1,625	2,715	1,949	-
Black, both sexes.....	1,770	4	15	42	54	68	91	201	295	376	406	218	-
Male.....	923	1	7	25	31	37	49	112	161	221	198	81	-
Female.....	847	3	8	17	23	31	42	89	134	155	208	137	-
American Indian 1/, both sexes.....	73	-	1	1	10	6	4	4	13	12	15	7	-
Male.....	40	-	1	-	7	3	1	3	7	7	9	2	-
Female.....	33	-	-	1	3	3	3	1	6	5	6	5	-
Asian or Pacific Islander 2/, both sexes	382	1	4	20	14	27	28	58	57	69	80	24	-
Male.....	218	-	2	13	5	15	17	28	31	46	50	11	-
Female.....	164	1	2	7	9	12	11	30	26	23	30	13	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,392	2	-	-	2	12	138	736	1,669	3,176	3,971	1,686	-
Male.....	5,953	-	-	-	-	6	78	433	966	1,746	2,018	706	-
Female.....	5,439	2	-	-	2	6	60	303	703	1,430	1,953	980	-
White, both sexes.....	9,420	1	-	-	2	10	91	523	1,277	2,587	3,447	1,482	-
Male.....	5,024	-	-	-	-	5	54	326	759	1,463	1,785	632	-
Female.....	4,396	1	-	-	2	5	37	197	518	1,124	1,662	850	-
Black, both sexes.....	1,771	-	-	-	-	2	41	192	347	532	470	187	-
Male.....	840	-	-	-	-	1	22	99	185	260	206	67	-
Female.....	931	-	-	-	-	1	19	93	162	272	264	120	-
American Indian 1/, both sexes.....	43	-	-	-	-	-	2	8	10	11	11	1	-
Male.....	20	-	-	-	-	-	2	5	2	4	6	1	-
Female.....	23	-	-	-	-	-	-	3	8	7	5	-	-
Asian or Pacific Islander 2/, both sexes	158	1	-	-	-	-	4	13	35	46	43	16	-
Male.....	69	-	-	-	-	-	-	3	20	19	21	6	-
Female.....	89	1	-	-	-	-	4	10	15	27	22	10	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All races, both sexes.....	73	3	-	-	1	-	-	7	3	18	25	16	-
Male.....	44	3	-	-	1	-	-	4	2	15	12	7	-
Female.....	29	-	-	-	-	-	-	3	1	3	13	9	-
White, both sexes.....	61	1	-	-	1	-	-	6	3	17	20	13	-
Male.....	38	1	-	-	1	-	-	4	2	14	10	6	-
Female.....	23	-	-	-	-	-	-	2	1	3	10	7	-
Black, both sexes.....	6	-	-	-	-	-	-	-	-	1	3	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	2	-	-	-	-	-	1	-	-	1	1	-
Male.....	4	2	-	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All races, both sexes.....	62,969	24	124	288	527	734	2,043	5,493	9,723	14,757	18,685	10,570	1
Male.....	32,122	15	65	152	340	459	1,110	3,131	5,521	8,141	9,146	4,041	1
Female.....	30,847	9	59	136	187	275	933	2,362	4,202	6,616	9,539	6,529	-
White, both sexes.....	54,810	22	90	225	423	574	1,608	4,384	8,143	12,807	16,857	9,676	1
Male.....	28,060	15	49	117	269	365	862	2,526	4,642	7,170	8,316	3,728	1
Female.....	26,750	7	41	108	154	209	746	1,858	3,501	5,637	8,541	5,948	-
Black, both sexes.....	6,824	2	27	53	82	125	363	933	1,347	1,624	1,520	748	-
Male.....	3,381	-	12	29	56	67	201	516	751	818	682	249	-
Female.....	3,443	2	15	24	26	58	162	417	596	806	838	499	-
American Indian 1/, both sexes.....	265	-	-	3	4	7	16	29	57	59	58	32	-
Male.....	130	-	-	2	1	6	8	14	29	37	27	6	-
Female.....	135	-	-	1	3	1	8	15	28	22	31	26	-
Asian or Pacific Islander 2/, both sexes	1,070	-	7	7	18	28	56	147	176	267	250	114	-
Male.....	551	-	4	4	14	21	39	75	99	116	121	58	-
Female.....	519	-	3	3	4	7	17	72	77	151	129	56	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,299	69	60	89	87	163	366	714	1,193	2,348	4,597	3,613	-
Male.....	6,536	30	30	49	50	84	196	365	680	1,315	2,332	1,405	-
Female.....	6,763	39	30	40	37	79	170	349	513	1,033	2,265	2,208	-
White, both sexes.....	11,913	59	43	67	68	121	286	583	1,023	2,091	4,222	3,350	-
Male.....	5,902	27	21	37	38	70	165	308	582	1,189	2,155	1,310	-
Female.....	6,011	32	22	30	30	51	121	275	441	902	2,067	2,040	-
Black, both sexes.....	1,143	9	14	18	15	31	70	114	144	212	302	214	-
Male.....	500	2	8	9	9	8	26	47	83	99	135	74	-
Female.....	643	7	6	9	6	23	44	67	61	113	167	140	-
American Indian 1/, both sexes.....	34	-	2	1	-	1	3	2	4	9	8	4	-
Male.....	15	-	-	1	-	-	-	-	3	4	5	2	-
Female.....	19	-	2	-	-	1	3	2	1	5	3	2	-
Asian or Pacific Islander 2/, both sexes	209	1	1	3	4	10	7	15	22	36	65	45	-
Male.....	119	1	1	2	3	6	5	10	12	23	37	19	-
Female.....	90	-	-	1	1	4	2	5	10	13	28	26	-
Anemias (D50-D64)													
All races, both sexes.....	4,614	18	21	53	111	180	196	250	264	508	1,161	1,852	-
Male.....	1,781	12	9	26	67	101	96	109	131	244	454	532	-
Female.....	2,833	6	12	27	44	79	100	141	133	264	707	1,320	-
White, both sexes.....	3,460	8	12	23	30	43	45	99	161	399	990	1,650	-
Male.....	1,267	4	5	11	17	24	26	51	83	189	389	468	-
Female.....	2,193	4	7	12	13	19	19	48	78	210	601	1,182	-
Black, both sexes.....	1,064	6	9	26	79	130	145	145	94	100	154	176	-
Male.....	479	5	4	14	50	73	68	56	46	51	59	53	-
Female.....	585	1	5	12	29	57	77	89	48	49	95	123	-
American Indian 1/, both sexes.....	15	-	-	1	1	2	1	2	2	-	2	4	-
Male.....	4	-	-	-	-	1	-	-	1	-	1	1	-
Female.....	11	-	-	1	1	1	1	2	1	-	1	3	-
Asian or Pacific Islander 2/, both sexes	75	4	-	3	1	5	5	4	7	9	15	22	-
Male.....	31	3	-	1	-	3	2	2	1	4	5	10	-
Female.....	44	1	-	2	1	2	3	2	6	5	10	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diabetes mellitus (E10-E14)</b>													
All races, both sexes.....	73,249	1	3	34	171	642	2,164	5,496	10,022	16,709	23,282	14,724	1
Male.....	34,301	-	1	22	98	385	1,330	3,225	5,683	8,417	10,295	4,844	1
Female.....	38,948	1	2	12	73	257	834	2,271	4,339	8,292	12,987	9,880	-
White, both sexes.....	58,459	1	3	20	109	439	1,554	3,908	7,440	12,942	19,433	12,610	-
Male.....	28,110	-	1	17	60	266	978	2,368	4,371	6,800	8,920	4,329	-
Female.....	30,349	1	2	3	49	173	576	1,540	3,069	6,142	10,513	8,281	-
Black, both sexes.....	12,687	-	-	14	59	195	560	1,399	2,224	3,175	3,249	1,811	1
Male.....	5,207	-	-	5	36	113	319	748	1,114	1,332	1,150	389	1
Female.....	7,480	-	-	9	23	82	241	651	1,110	1,843	2,099	1,422	-
American Indian 1/, both sexes.....	744	-	-	-	2	3	33	104	167	223	162	50	-
Male.....	336	-	-	-	1	3	21	57	85	96	57	16	-
Female.....	408	-	-	-	1	-	12	47	82	127	105	34	-
Asian or Pacific Islander 2/, both sexes	1,359	-	-	-	1	5	17	85	191	369	438	253	-
Male.....	648	-	-	-	1	3	12	52	113	189	168	110	-
Female.....	711	-	-	-	-	2	5	33	78	180	270	143	-
<b>Nutritional deficiencies (E40-E64)</b>													
All races, both sexes.....	3,779	4	1	1	7	16	60	102	168	382	1,132	1,906	-
Male.....	1,321	3	1	-	4	7	31	48	93	186	434	514	-
Female.....	2,458	1	-	1	3	9	29	54	75	196	698	1,392	-
White, both sexes.....	3,213	3	1	-	6	13	41	81	121	303	976	1,668	-
Male.....	1,102	2	1	-	3	6	22	34	59	150	369	456	-
Female.....	2,111	1	-	-	3	7	19	47	62	153	607	1,212	-
Black, both sexes.....	502	-	-	1	1	3	16	20	46	71	140	204	-
Male.....	188	-	-	-	1	1	7	14	33	31	57	44	-
Female.....	314	-	-	1	-	2	9	6	13	40	83	160	-
American Indian 1/, both sexes.....	25	-	-	-	-	-	1	1	-	4	6	13	-
Male.....	8	-	-	-	-	-	-	-	-	3	1	4	-
Female.....	17	-	-	-	-	-	1	1	-	1	5	9	-
Asian or Pacific Islander 2/, both sexes	39	1	-	-	-	-	2	-	1	4	10	21	-
Male.....	23	1	-	-	-	-	2	-	1	2	7	10	-
Female.....	16	-	-	-	-	-	-	-	-	2	3	11	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Meningitis (G00,G03)</b>													
All races, both sexes.....	700	74	19	31	26	36	61	116	88	109	84	55	1
Male.....	389	41	13	16	15	19	43	71	48	62	41	19	1
Female.....	311	33	6	15	11	17	18	45	40	47	43	36	-
White, both sexes.....	498	52	13	20	18	20	39	71	58	88	68	50	1
Male.....	270	29	8	11	10	9	26	42	32	51	36	15	1
Female.....	228	23	5	9	8	11	13	29	26	37	32	35	-
Black, both sexes.....	178	20	6	10	6	15	20	40	23	21	13	4	-
Male.....	107	11	5	5	5	9	15	26	12	11	5	3	-
Female.....	71	9	1	5	1	6	5	14	11	10	8	1	-
American Indian 1/, both sexes.....	8	1	-	1	1	-	1	1	2	-	1	-	-
Male.....	5	1	-	-	-	-	1	1	2	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	16	1	-	-	1	1	1	4	5	-	2	1	-
Male.....	7	-	-	-	-	1	1	2	2	-	-	1	-
Female.....	9	1	-	-	1	-	-	2	3	-	2	-	-
<b>Parkinson's disease (G20-G21)</b>													
All races, both sexes.....	16,959	-	-	-	-	-	6	58	318	2,226	8,139	6,212	-
Male.....	9,593	-	-	-	-	-	3	40	193	1,487	4,811	3,059	-
Female.....	7,366	-	-	-	-	-	3	18	125	739	3,328	3,153	-
White, both sexes.....	16,135	-	-	-	-	-	3	53	290	2,061	7,780	5,948	-
Male.....	9,130	-	-	-	-	-	2	35	179	1,384	4,604	2,926	-
Female.....	7,005	-	-	-	-	-	1	18	111	677	3,176	3,022	-
Black, both sexes.....	557	-	-	-	-	-	1	4	19	114	245	174	-
Male.....	313	-	-	-	-	-	-	4	10	78	138	83	-
Female.....	244	-	-	-	-	-	1	-	9	36	107	91	-
American Indian 1/, both sexes.....	53	-	-	-	-	-	1	-	2	14	22	14	-
Male.....	38	-	-	-	-	-	1	-	2	10	16	9	-
Female.....	15	-	-	-	-	-	-	-	-	4	6	5	-
Asian or Pacific Islander 2/, both sexes	214	-	-	-	-	-	1	1	7	37	92	76	-
Male.....	112	-	-	-	-	-	-	1	2	15	53	41	-
Female.....	102	-	-	-	-	-	1	-	5	22	39	35	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alzheimer's disease (G30)													
All races, both sexes.....	58,866	-	-	1	-	2	12	52	510	3,602	20,135	34,552	-
Male.....	16,989	-	-	-	-	2	8	27	228	1,547	7,227	7,950	-
Female.....	41,877	-	-	1	-	-	4	25	282	2,055	12,908	26,602	-
White, both sexes.....	55,058	-	-	1	-	1	7	49	468	3,282	18,791	32,459	-
Male.....	15,874	-	-	-	-	1	5	24	210	1,409	6,746	7,479	-
Female.....	39,184	-	-	1	-	-	2	25	258	1,873	12,045	24,980	-
Black, both sexes.....	3,341	-	-	-	-	1	4	3	32	283	1,187	1,831	-
Male.....	959	-	-	-	-	1	3	3	14	126	427	385	-
Female.....	2,382	-	-	-	-	-	1	-	18	157	760	1,446	-
American Indian 1/, both sexes.....	115	-	-	-	-	-	-	-	1	14	42	58	-
Male.....	35	-	-	-	-	-	-	-	1	5	15	14	-
Female.....	80	-	-	-	-	-	-	-	-	9	27	44	-
Asian or Pacific Islander 2/, both sexes	352	-	-	-	-	-	1	-	9	23	115	204	-
Male.....	121	-	-	-	-	-	-	-	3	7	39	72	-
Female.....	231	-	-	-	-	-	1	-	6	16	76	132	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	918,628	640	223	358	1,283	3,986	16,962	45,800	78,430	144,071	287,415	339,409	51
Male.....	429,682	343	122	194	845	2,568	11,356	31,928	52,037	85,319	138,770	106,164	36
Female.....	488,946	297	101	164	438	1,418	5,606	13,872	26,393	58,752	148,645	233,245	15
White, both sexes.....	796,748	421	160	244	863	2,565	12,029	33,531	61,434	119,894	254,894	310,678	35
Male.....	372,088	230	92	131	577	1,708	8,399	24,343	41,782	72,502	124,636	97,662	26
Female.....	424,660	191	68	113	286	857	3,630	9,188	19,652	47,392	130,258	213,016	9
Black, both sexes.....	104,215	186	51	95	363	1,267	4,414	11,044	15,008	20,693	27,232	23,847	15
Male.....	48,264	97	25	51	224	749	2,582	6,727	8,974	10,903	11,460	6,463	9
Female.....	55,951	89	26	44	139	518	1,832	4,317	6,034	9,790	15,772	17,384	6
American Indian 1/, both sexes.....	3,259	6	6	7	20	41	147	319	517	723	845	627	1
Male.....	1,752	4	2	4	16	29	102	230	331	408	396	229	1
Female.....	1,507	2	4	3	4	12	45	89	186	315	449	398	-
Asian or Pacific Islander 2/, both sexes	14,406	27	6	12	37	113	372	906	1,471	2,761	4,444	4,257	-
Male.....	7,578	12	3	8	28	82	273	628	950	1,506	2,278	1,810	-
Female.....	6,828	15	3	4	9	31	99	278	521	1,255	2,166	2,447	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	696,947	500	165	255	1,022	3,165	13,688	37,570	64,234	112,547	213,581	250,173	47
Male.....	340,933	267	87	141	686	2,131	9,638	27,239	43,900	68,658	107,217	80,935	34
Female.....	356,014	233	78	114	336	1,034	4,050	10,331	20,334	43,889	106,364	169,238	13
White, both sexes.....	606,876	332	115	176	667	2,040	9,967	28,279	51,089	94,492	190,122	229,565	32
Male.....	296,904	181	65	99	457	1,420	7,288	21,283	35,789	58,873	96,734	74,691	24
Female.....	309,972	151	50	77	210	620	2,679	6,996	15,300	35,619	93,388	154,874	8
Black, both sexes.....	77,621	144	40	65	306	1,004	3,356	8,413	11,696	15,601	19,757	17,225	14
Male.....	37,094	76	18	33	192	619	2,060	5,286	7,124	8,357	8,539	4,781	9
Female.....	40,527	68	22	32	114	385	1,296	3,127	4,572	7,244	11,218	12,444	5
American Indian 1/, both sexes.....	2,467	5	6	5	17	34	107	246	412	542	633	459	1
Male.....	1,412	3	2	4	14	25	82	189	277	324	314	177	1
Female.....	1,055	2	4	1	3	9	25	57	135	218	319	282	-
Asian or Pacific Islander 2/, both sexes	9,983	19	4	9	32	87	258	632	1,037	1,912	3,069	2,924	-
Male.....	5,523	7	2	5	23	67	208	481	710	1,104	1,630	1,286	-
Female.....	4,460	12	2	4	9	20	50	151	327	808	1,439	1,638	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,579	4	1	6	18	36	95	237	433	703	1,227	819	-
Male.....	1,078	3	1	2	8	18	45	95	156	245	341	164	-
Female.....	2,501	1	-	4	10	18	50	142	277	458	886	655	-
White, both sexes.....	3,204	4	1	3	10	24	68	180	348	630	1,152	784	-
Male.....	950	3	1	2	4	11	30	72	126	219	323	159	-
Female.....	2,254	1	-	1	6	13	38	108	222	411	829	625	-
Black, both sexes.....	252	-	-	2	5	9	20	44	63	49	42	18	-
Male.....	93	-	-	-	3	4	12	17	22	21	11	3	-
Female.....	159	-	-	2	2	5	8	27	41	28	31	15	-
American Indian 1/, both sexes.....	23	-	-	-	1	1	1	1	5	5	8	1	-
Male.....	9	-	-	-	-	1	-	1	2	-	4	1	-
Female.....	14	-	-	-	1	-	1	-	3	5	4	-	-
Asian or Pacific Islander 2/, both sexes	100	-	-	1	2	2	6	12	17	19	25	16	-
Male.....	26	-	-	-	1	2	3	5	6	5	3	1	-
Female.....	74	-	-	1	1	-	3	7	11	14	22	15	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hypertensive heart disease (I11)</b>													
All races, both sexes.....	26,551	-	-	2	30	297	1,213	2,882	3,320	3,895	6,321	8,587	4
Male.....	11,660	-	-	1	26	215	849	1,938	2,159	2,088	2,509	1,871	4
Female.....	14,891	-	-	1	4	82	364	944	1,161	1,807	3,812	6,716	-
White, both sexes.....	19,530	-	-	1	13	141	680	1,704	2,076	2,659	4,894	7,361	1
Male.....	8,234	-	-	1	12	108	511	1,229	1,401	1,452	1,950	1,569	1
Female.....	11,296	-	-	-	1	33	169	475	675	1,207	2,944	5,792	-
Black, both sexes.....	6,480	-	-	1	15	150	500	1,130	1,173	1,147	1,283	1,079	2
Male.....	3,146	-	-	-	12	101	315	673	716	586	492	249	2
Female.....	3,334	-	-	1	3	49	185	457	457	561	791	830	-
American Indian 1/, both sexes.....	68	-	-	-	2	-	11	7	10	13	13	11	1
Male.....	32	-	-	-	2	-	6	6	5	4	7	1	1
Female.....	36	-	-	-	-	-	5	1	5	9	6	10	-
Asian or Pacific Islander 2/, both sexes	473	-	-	-	-	6	22	41	61	76	131	136	-
Male.....	248	-	-	-	-	6	17	30	37	46	60	52	-
Female.....	225	-	-	-	-	-	5	11	24	30	71	84	-
<b>Hypertensive heart and renal disease (I13)</b>													
All races, both sexes.....	2,895	-	-	-	5	28	77	165	273	402	866	1,079	-
Male.....	1,205	-	-	-	3	19	44	105	158	198	357	321	-
Female.....	1,690	-	-	-	2	9	33	60	115	204	509	758	-
White, both sexes.....	1,925	-	-	-	2	11	21	40	107	218	655	871	-
Male.....	760	-	-	-	1	6	15	24	65	114	276	259	-
Female.....	1,165	-	-	-	1	5	6	16	42	104	379	612	-
Black, both sexes.....	903	-	-	-	2	17	54	125	160	167	189	189	-
Male.....	405	-	-	-	1	13	27	81	88	71	67	57	-
Female.....	498	-	-	-	1	4	27	44	72	96	122	132	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	1	3	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes	62	-	-	-	1	-	2	-	6	16	21	16	-
Male.....	38	-	-	-	1	-	2	-	5	12	14	4	-
Female.....	24	-	-	-	-	-	-	-	1	4	7	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	494,382	23	7	20	133	996	7,683	25,575	47,262	83,867	155,391	173,388	37
Male.....	252,760	15	4	13	92	741	5,840	19,551	33,656	53,136	81,239	58,446	27
Female.....	241,622	8	3	7	41	255	1,843	6,024	13,606	30,731	74,152	114,942	10
White, both sexes.....	435,170	14	5	15	94	740	6,010	20,227	38,577	71,269	138,903	159,288	28
Male.....	223,262	10	2	10	66	573	4,696	15,943	28,094	46,128	73,652	54,067	21
Female.....	211,908	4	3	5	28	167	1,314	4,284	10,483	25,141	65,251	105,221	7
Black, both sexes.....	50,174	8	2	5	31	213	1,460	4,724	7,607	10,735	13,719	11,661	9
Male.....	24,322	4	2	3	18	133	959	3,100	4,793	5,891	6,096	3,317	6
Female.....	25,852	4	-	2	13	80	501	1,624	2,814	4,844	7,623	8,344	3
American Indian 1/, both sexes.....	1,777	1	-	-	4	16	59	173	323	426	465	310	-
Male.....	1,041	1	-	-	4	13	48	136	224	261	232	122	-
Female.....	736	-	-	-	-	3	11	37	99	165	233	188	-
Asian or Pacific Islander 2/, both sexes	7,261	-	-	-	4	27	154	451	755	1,437	2,304	2,129	-
Male.....	4,135	-	-	-	4	22	137	372	545	856	1,259	940	-
Female.....	3,126	-	-	-	-	5	17	79	210	581	1,045	1,189	-
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	179,514	11	5	7	62	400	3,161	10,619	19,933	34,003	56,590	54,718	5
Male.....	93,830	7	2	2	41	292	2,347	7,995	13,966	21,264	28,919	18,991	4
Female.....	85,684	4	3	5	21	108	814	2,624	5,967	12,739	27,671	35,727	1
White, both sexes.....	157,922	9	5	5	43	301	2,524	8,621	16,721	29,251	50,565	49,873	4
Male.....	83,288	6	2	2	30	229	1,921	6,689	12,025	18,752	26,199	17,430	3
Female.....	74,634	3	3	3	13	72	603	1,932	4,696	10,499	24,366	32,443	1
Black, both sexes.....	18,322	2	-	2	15	89	561	1,765	2,824	4,030	4,988	4,045	1
Male.....	8,680	1	-	-	7	55	362	1,118	1,666	2,103	2,173	1,194	1
Female.....	9,642	1	-	2	8	34	199	647	1,158	1,927	2,815	2,851	-
American Indian 1/, both sexes.....	657	-	-	-	2	3	21	73	132	165	166	95	-
Male.....	384	-	-	-	2	3	17	60	99	90	73	40	-
Female.....	273	-	-	-	-	-	4	13	33	75	93	55	-
Asian or Pacific Islander 2/, both sexes	2,613	-	-	-	2	7	55	160	256	557	871	705	-
Male.....	1,478	-	-	-	2	5	47	128	176	319	474	327	-
Female.....	1,135	-	-	-	-	2	8	32	80	238	397	378	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,407	2	-	1	4	18	77	345	460	631	898	971	-
Male.....	1,767	1	-	1	1	12	50	250	320	390	444	298	-
Female.....	1,640	1	-	-	3	6	27	95	140	241	454	673	-
White, both sexes.....	2,907	1	-	1	3	12	55	261	367	524	796	887	-
Male.....	1,494	1	-	1	1	8	42	187	259	323	396	276	-
Female.....	1,413	-	-	-	2	4	13	74	108	201	400	611	-
Black, both sexes.....	446	1	-	-	1	6	20	78	79	100	90	71	-
Male.....	243	-	-	-	-	4	6	58	50	64	41	20	-
Female.....	203	1	-	-	1	2	14	20	29	36	49	51	-
American Indian 1/, both sexes.....	36	-	-	-	-	-	2	5	8	5	8	8	-
Male.....	21	-	-	-	-	-	2	4	7	2	5	1	-
Female.....	15	-	-	-	-	-	-	1	1	3	3	7	-
Asian or Pacific Islander 2/, both sexes	18	-	-	-	-	-	-	1	6	2	4	5	-
Male.....	9	-	-	-	-	-	-	1	4	1	2	1	-
Female.....	9	-	-	-	-	-	-	-	2	1	2	4	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	311,461	10	2	12	67	578	4,445	14,611	26,869	49,233	97,903	117,699	32
Male.....	157,163	7	2	10	50	437	3,443	11,306	19,370	31,482	51,876	39,157	23
Female.....	154,298	3	-	2	17	141	1,002	3,305	7,499	17,751	46,027	78,542	9
White, both sexes.....	274,341	4	-	9	48	427	3,431	11,345	21,489	41,494	87,542	108,528	24
Male.....	138,480	3	-	7	35	336	2,733	9,067	15,810	27,053	47,057	36,361	18
Female.....	135,861	1	-	2	13	91	698	2,278	5,679	14,441	40,485	72,167	6
Black, both sexes.....	31,406	5	2	3	15	118	879	2,881	4,704	6,605	8,641	7,545	8
Male.....	15,399	3	2	3	11	74	591	1,924	3,077	3,724	3,882	2,103	5
Female.....	16,007	2	-	-	4	44	288	957	1,627	2,881	4,759	5,442	3
American Indian 1/, both sexes.....	1,084	1	-	-	2	13	36	95	183	256	291	207	-
Male.....	636	1	-	-	2	10	29	72	118	169	154	81	-
Female.....	448	-	-	-	-	3	7	23	65	87	137	126	-
Asian or Pacific Islander 2/, both sexes	4,630	-	-	-	2	20	99	290	493	878	1,429	1,419	-
Male.....	2,648	-	-	-	2	17	90	243	365	536	783	612	-
Female.....	1,982	-	-	-	-	3	9	47	128	342	646	807	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	68,129	2	-	1	17	181	1,515	5,366	8,793	11,817	18,618	21,796	23
Male.....	36,047	1	-	-	13	144	1,216	4,239	6,549	7,617	9,416	6,835	17
Female.....	32,082	1	-	1	4	37	299	1,127	2,244	4,200	9,202	14,961	6
White, both sexes.....	56,569	1	-	1	15	132	1,130	4,048	6,682	9,222	15,783	19,539	16
Male.....	29,604	1	-	-	11	109	935	3,292	5,067	6,040	8,000	6,137	12
Female.....	26,965	-	-	1	4	23	195	756	1,615	3,182	7,783	13,402	4
Black, both sexes.....	10,195	1	-	-	2	41	335	1,188	1,885	2,300	2,498	1,938	7
Male.....	5,598	-	-	-	2	28	234	832	1,311	1,382	1,245	559	5
Female.....	4,597	1	-	-	-	13	101	356	574	918	1,253	1,379	2
American Indian 1/, both sexes.....	318	-	-	-	-	3	18	35	60	81	66	55	-
Male.....	196	-	-	-	-	2	16	30	38	55	32	23	-
Female.....	122	-	-	-	-	1	2	5	22	26	34	32	-
Asian or Pacific Islander 2/, both sexes	1,047	-	-	-	-	5	32	95	166	214	271	264	-
Male.....	649	-	-	-	-	5	31	85	133	140	139	116	-
Female.....	398	-	-	-	-	-	1	10	33	74	132	148	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	243,332	8	2	11	50	397	2,930	9,245	18,076	37,416	79,285	95,903	9
Male.....	121,116	6	2	10	37	293	2,227	7,067	12,821	23,865	42,460	32,322	6
Female.....	122,216	2	-	1	13	104	703	2,178	5,255	13,551	36,825	63,581	3
White, both sexes.....	217,772	3	-	8	33	295	2,301	7,297	14,807	32,272	71,759	88,989	8
Male.....	108,876	2	-	7	24	227	1,798	5,775	10,743	21,013	39,057	30,224	6
Female.....	108,896	1	-	1	9	68	503	1,522	4,064	11,259	32,702	58,765	2
Black, both sexes.....	21,211	4	2	3	13	77	544	1,693	2,819	4,305	6,143	5,607	1
Male.....	9,801	3	2	3	9	46	357	1,092	1,766	2,342	2,637	1,544	-
Female.....	11,410	1	-	-	4	31	187	601	1,053	1,963	3,506	4,063	1
American Indian 1/, both sexes.....	766	1	-	-	2	10	18	60	123	175	225	152	-
Male.....	440	1	-	-	2	8	13	42	80	114	122	58	-
Female.....	326	-	-	-	-	2	5	18	43	61	103	94	-
Asian or Pacific Islander 2/, both sexes	3,583	-	-	-	2	15	67	195	327	664	1,158	1,155	-
Male.....	1,999	-	-	-	2	12	59	158	232	396	644	496	-
Female.....	1,584	-	-	-	-	3	8	37	95	268	514	659	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other heart diseases (I26-I51)													
All races, both sexes.....	169,540	473	157	227	836	1,808	4,620	8,711	12,946	23,680	49,776	66,300	6
Male.....	74,230	249	82	125	557	1,138	2,860	5,550	7,771	12,991	22,771	20,133	3
Female.....	95,310	224	75	102	279	670	1,760	3,161	5,175	10,689	27,005	46,167	3
White, both sexes.....	147,047	314	109	157	548	1,124	3,188	6,128	9,981	19,716	44,518	61,261	3
Male.....	63,698	168	62	86	374	722	2,036	4,015	6,103	10,960	20,533	18,637	2
Female.....	83,349	146	47	71	174	402	1,152	2,113	3,878	8,756	23,985	42,624	1
Black, both sexes.....	19,812	136	38	57	253	615	1,322	2,390	2,693	3,503	4,524	4,278	3
Male.....	9,128	72	16	30	158	368	747	1,415	1,505	1,788	1,873	1,155	1
Female.....	10,684	64	22	27	95	247	575	975	1,188	1,715	2,651	3,123	2
American Indian 1/, both sexes.....	594	4	6	5	10	17	36	65	74	97	146	134	-
Male.....	328	2	2	4	8	11	28	46	46	58	71	52	-
Female.....	266	2	4	1	2	6	8	19	28	39	75	82	-
Asian or Pacific Islander 2/, both sexes	2,087	19	4	8	25	52	74	128	198	364	588	627	-
Male.....	1,076	7	2	5	17	37	49	74	117	185	294	289	-
Female.....	1,011	12	2	3	8	15	25	54	81	179	294	338	-
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,154	2	2	2	7	44	90	174	168	238	306	121	-
Male.....	643	1	1	1	6	31	60	117	91	133	153	49	-
Female.....	511	1	1	1	1	13	30	57	77	105	153	72	-
White, both sexes.....	930	1	2	-	6	34	66	109	125	192	283	112	-
Male.....	524	-	1	-	5	26	45	79	68	110	145	45	-
Female.....	406	1	1	-	1	8	21	30	57	82	138	67	-
Black, both sexes.....	199	-	-	1	1	10	23	57	41	39	19	8	-
Male.....	106	-	-	-	1	5	15	33	22	20	6	4	-
Female.....	93	-	-	1	-	5	8	24	19	19	13	4	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	3	1	-	2	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	19	1	-	1	-	-	1	5	1	7	2	1	-
Male.....	11	1	-	1	-	-	-	4	1	3	1	-	-
Female.....	8	-	-	-	-	-	1	1	-	4	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	848	26	22	22	36	46	75	107	118	143	157	96	-
Male.....	434	9	11	7	24	32	49	69	69	71	60	33	-
Female.....	414	17	11	15	12	14	26	38	49	72	97	63	-
White, both sexes.....	666	13	13	12	26	33	55	79	91	123	131	90	-
Male.....	344	6	7	3	17	24	36	50	55	63	52	31	-
Female.....	322	7	6	9	9	9	19	29	36	60	79	59	-
Black, both sexes.....	154	12	7	8	8	10	17	26	22	19	20	5	-
Male.....	75	3	3	3	5	6	10	17	13	7	7	1	-
Female.....	79	9	4	5	3	4	7	9	9	12	13	4	-
American Indian 1/, both sexes.....	8	-	1	1	1	-	1	2	-	-	2	-	-
Male.....	5	-	-	1	1	-	1	2	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	20	1	1	1	1	3	2	-	5	1	4	1	-
Male.....	10	-	1	-	1	2	2	-	1	1	1	1	-
Female.....	10	1	-	1	-	1	-	-	4	-	3	-	-
Heart failure (I50)													
All races, both sexes.....	56,494	23	11	10	27	101	282	993	2,342	6,168	16,910	29,627	-
Male.....	21,698	14	6	5	15	60	173	617	1,345	3,254	7,573	8,636	-
Female.....	34,796	9	5	5	12	41	109	376	997	2,914	9,337	20,991	-
White, both sexes.....	50,672	15	8	7	16	53	174	639	1,812	5,160	15,199	27,589	-
Male.....	19,335	10	5	4	7	30	112	410	1,054	2,746	6,886	8,071	-
Female.....	31,337	5	3	3	9	23	62	229	758	2,414	8,313	19,518	-
Black, both sexes.....	5,186	8	3	3	9	45	104	335	490	898	1,513	1,778	-
Male.....	2,069	4	1	1	6	27	59	194	269	453	608	447	-
Female.....	3,117	4	2	2	3	18	45	141	221	445	905	1,331	-
American Indian 1/, both sexes.....	184	-	-	-	1	2	3	11	16	39	52	60	-
Male.....	92	-	-	-	1	2	2	9	11	22	22	23	-
Female.....	92	-	-	-	-	-	1	2	5	17	30	37	-
Asian or Pacific Islander 2/, both sexes	452	-	-	-	1	1	1	8	24	71	146	200	-
Male.....	202	-	-	-	1	1	-	4	11	33	57	95	-
Female.....	250	-	-	-	-	-	1	4	13	38	89	105	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	111,044	422	122	193	766	1,617	4,173	7,437	10,318	17,131	32,403	36,456	6
Male.....	51,455	225	64	112	512	1,015	2,578	4,747	6,266	9,533	14,985	11,415	3
Female.....	59,589	197	58	81	254	602	1,595	2,690	4,052	7,598	17,418	25,041	3
White, both sexes.....	94,779	285	86	138	500	1,004	2,893	5,301	7,953	14,241	28,905	33,470	3
Male.....	43,495	152	49	79	345	642	1,843	3,476	4,926	8,041	13,450	10,490	2
Female.....	51,284	133	37	59	155	362	1,050	1,825	3,027	6,200	15,455	22,980	1
Black, both sexes.....	14,273	116	28	45	235	550	1,178	1,972	2,140	2,547	2,972	2,487	3
Male.....	6,878	65	12	26	146	330	663	1,171	1,201	1,308	1,252	703	1
Female.....	7,395	51	16	19	89	220	515	801	939	1,239	1,720	1,784	2
American Indian 1/, both sexes.....	396	4	5	4	8	15	32	49	57	58	90	74	-
Male.....	229	2	2	3	6	9	25	34	35	36	48	29	-
Female.....	167	2	3	1	2	6	7	15	22	22	42	45	-
Asian or Pacific Islander 2/, both sexes	1,596	17	3	6	23	48	70	115	168	285	436	425	-
Male.....	853	6	1	4	15	34	47	66	104	148	235	193	-
Female.....	743	11	2	2	8	14	23	49	64	137	201	232	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	20,261	5	1	1	21	85	354	923	1,526	2,922	6,138	8,285	-
Male.....	7,647	2	1	1	11	47	219	560	850	1,419	2,405	2,132	-
Female.....	12,614	3	-	-	10	38	135	363	676	1,503	3,733	6,153	-
White, both sexes.....	15,587	4	1	1	14	35	156	487	925	2,027	4,862	7,075	-
Male.....	5,719	2	1	1	8	21	100	311	542	1,006	1,901	1,826	-
Female.....	9,868	2	-	-	6	14	56	176	383	1,021	2,961	5,249	-
Black, both sexes.....	4,196	1	-	-	7	45	191	417	554	803	1,138	1,040	-
Male.....	1,717	-	-	-	3	24	113	237	276	364	444	256	-
Female.....	2,479	1	-	-	4	21	78	180	278	439	694	784	-
American Indian 1/, both sexes.....	76	-	-	-	-	1	4	5	11	18	17	20	-
Male.....	30	-	-	-	-	-	4	4	7	7	6	2	-
Female.....	46	-	-	-	-	1	-	1	4	11	11	18	-
Asian or Pacific Islander 2/, both sexes	402	-	-	-	-	4	3	14	36	74	121	150	-
Male.....	181	-	-	-	-	2	2	8	25	42	54	48	-
Female.....	221	-	-	-	-	2	1	6	11	32	67	102	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cerebrovascular diseases (I60-I69)</b>													
All races, both sexes.....	162,672	117	53	91	171	567	2,425	6,055	9,897	21,992	54,889	66,412	3
Male.....	62,622	67	30	47	103	284	1,178	3,278	5,456	11,207	22,655	18,316	1
Female.....	100,050	50	23	44	68	283	1,247	2,777	4,441	10,785	32,234	48,096	2
White, both sexes.....	139,719	71	40	63	130	376	1,547	3,874	7,146	17,572	48,298	60,600	2
Male.....	52,959	41	22	29	79	195	773	2,132	3,937	9,021	20,037	16,692	1
Female.....	86,760	30	18	34	51	181	774	1,742	3,209	8,551	28,261	43,908	1
Black, both sexes.....	18,856	37	11	24	38	168	744	1,893	2,324	3,630	5,326	4,660	1
Male.....	7,828	20	7	16	22	74	332	1,000	1,298	1,842	2,049	1,168	-
Female.....	11,028	17	4	8	16	94	412	893	1,026	1,788	3,277	3,492	1
American Indian 1/, both sexes.....	567	1	-	2	2	5	33	54	71	116	158	125	-
Male.....	236	1	-	-	1	4	14	28	35	49	61	43	-
Female.....	331	-	-	2	1	1	19	26	36	67	97	82	-
Asian or Pacific Islander 2/, both sexes	3,530	8	2	2	1	18	101	234	356	674	1,107	1,027	-
Male.....	1,599	5	1	2	1	11	59	118	186	295	508	413	-
Female.....	1,931	3	1	-	-	7	42	116	170	379	599	614	-
<b>Atherosclerosis (I70)</b>													
All races, both sexes.....	13,821	4	-	-	3	9	50	182	487	1,300	4,062	7,723	1
Male.....	5,171	1	-	-	2	5	30	119	305	728	1,803	2,177	1
Female.....	8,650	3	-	-	1	4	20	63	182	572	2,259	5,546	-
White, both sexes.....	12,631	3	-	-	3	6	40	129	397	1,132	3,666	7,254	1
Male.....	4,688	1	-	-	2	4	24	84	250	640	1,630	2,052	1
Female.....	7,943	2	-	-	1	2	16	45	147	492	2,036	5,202	-
Black, both sexes.....	1,017	1	-	-	-	3	9	46	77	135	352	394	-
Male.....	414	-	-	-	-	1	6	30	49	71	154	103	-
Female.....	603	1	-	-	-	2	3	16	28	64	198	291	-
American Indian 1/, both sexes.....	54	-	-	-	-	-	1	5	7	17	16	8	-
Male.....	21	-	-	-	-	-	-	3	4	7	5	2	-
Female.....	33	-	-	-	-	-	1	2	3	10	11	6	-
Asian or Pacific Islander 2/, both sexes	119	-	-	-	-	-	-	2	6	16	28	67	-
Male.....	48	-	-	-	-	-	-	2	2	10	14	20	-
Female.....	71	-	-	-	-	-	-	-	4	6	14	47	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	24,927	14	4	11	66	160	445	1,070	2,286	5,310	8,745	6,816	-
Male.....	13,309	6	4	5	43	101	291	732	1,526	3,307	4,690	2,604	-
Female.....	11,618	8	-	6	23	59	154	338	760	2,003	4,055	4,212	-
White, both sexes.....	21,935	11	4	4	49	108	319	762	1,877	4,671	7,946	6,184	-
Male.....	11,818	5	4	2	31	68	214	533	1,264	2,962	4,334	2,401	-
Female.....	10,117	6	-	2	18	40	105	229	613	1,709	3,612	3,783	-
Black, both sexes.....	2,525	3	-	6	12	47	114	275	357	524	659	528	-
Male.....	1,211	1	-	2	7	31	71	174	227	269	274	155	-
Female.....	1,314	2	-	4	5	16	43	101	130	255	385	373	-
American Indian 1/, both sexes.....	95	-	-	-	1	1	2	9	16	30	21	15	-
Male.....	53	-	-	-	1	-	2	6	8	21	10	5	-
Female.....	42	-	-	-	-	1	-	3	8	9	11	10	-
Asian or Pacific Islander 2/, both sexes	372	-	-	1	4	4	10	24	36	85	119	89	-
Male.....	227	-	-	1	4	2	4	19	27	55	72	43	-
Female.....	145	-	-	-	-	2	6	5	9	30	47	46	-
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	14,818	2	-	5	39	110	305	710	1,460	3,482	5,518	3,187	-
Male.....	9,013	-	-	3	32	82	229	540	1,092	2,369	3,185	1,481	-
Female.....	5,805	2	-	2	7	28	76	170	368	1,113	2,333	1,706	-
White, both sexes.....	13,285	2	-	2	31	73	219	492	1,231	3,152	5,128	2,955	-
Male.....	8,132	-	-	1	24	55	164	382	926	2,174	3,000	1,406	-
Female.....	5,153	2	-	1	7	18	55	110	305	978	2,128	1,549	-
Black, both sexes.....	1,218	-	-	3	5	34	80	195	197	246	288	170	-
Male.....	677	-	-	2	5	25	61	141	142	133	122	46	-
Female.....	541	-	-	1	-	9	19	54	55	113	166	124	-
American Indian 1/, both sexes.....	49	-	-	-	-	1	1	4	6	19	13	5	-
Male.....	30	-	-	-	-	-	1	3	2	15	7	2	-
Female.....	19	-	-	-	-	1	-	1	4	4	6	3	-
Asian or Pacific Islander 2/, both sexes	266	-	-	-	3	2	5	19	26	65	89	57	-
Male.....	174	-	-	-	3	2	3	14	22	47	56	27	-
Female.....	92	-	-	-	-	-	2	5	4	18	33	30	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	10,109	12	4	6	27	50	140	360	826	1,828	3,227	3,629	-
Male.....	4,296	6	4	2	11	19	62	192	434	938	1,505	1,123	-
Female.....	5,813	6	-	4	16	31	78	168	392	890	1,722	2,506	-
White, both sexes.....	8,650	9	4	2	18	35	100	270	646	1,519	2,818	3,229	-
Male.....	3,686	5	4	1	7	13	50	151	338	788	1,334	995	-
Female.....	4,964	4	-	1	11	22	50	119	308	731	1,484	2,234	-
Black, both sexes.....	1,307	3	-	3	7	13	34	80	160	278	371	358	-
Male.....	534	1	-	-	2	6	10	33	85	136	152	109	-
Female.....	773	2	-	3	5	7	24	47	75	142	219	249	-
American Indian 1/, both sexes.....	46	-	-	-	1	-	1	5	10	11	8	10	-
Male.....	23	-	-	-	1	-	1	3	6	6	3	3	-
Female.....	23	-	-	-	-	-	-	2	4	5	5	7	-
Asian or Pacific Islander 2/, both sexes	106	-	-	1	1	2	5	5	10	20	30	32	-
Male.....	53	-	-	1	1	-	1	5	5	8	16	16	-
Female.....	53	-	-	-	-	2	4	-	5	12	14	16	-
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,711	27	4	2	35	139	305	531	595	697	1,253	1,123	-
Male.....	1,944	15	1	-	21	69	154	284	309	323	483	285	-
Female.....	2,767	12	3	2	14	70	151	247	286	374	770	838	-
White, both sexes.....	3,853	20	2	1	21	84	203	399	457	575	1,081	1,010	-
Male.....	1,545	13	-	-	12	41	102	212	239	264	412	250	-
Female.....	2,308	7	2	1	9	43	101	187	218	311	669	760	-
Black, both sexes.....	797	7	1	1	13	54	95	121	130	114	160	101	-
Male.....	366	2	1	-	9	27	49	64	66	54	64	30	-
Female.....	431	5	-	1	4	27	46	57	64	60	96	71	-
American Indian 1/, both sexes.....	23	-	-	-	-	-	2	6	5	3	3	4	-
Male.....	13	-	-	-	-	-	1	4	2	3	2	1	-
Female.....	10	-	-	-	-	-	1	2	3	-	1	3	-
Asian or Pacific Islander 2/, both sexes	38	-	1	-	1	1	5	5	3	5	9	8	-
Male.....	20	-	-	-	-	1	2	4	2	2	5	4	-
Female.....	18	-	1	-	1	-	3	1	1	3	4	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Influenza and pneumonia (J10-J18)													
All races, both sexes.....	65,681	263	110	91	167	345	971	1,918	2,987	6,847	19,984	31,995	3
Male.....	28,918	162	63	38	97	190	546	1,138	1,738	3,850	9,895	11,199	2
Female.....	36,763	101	47	53	70	155	425	780	1,249	2,997	10,089	20,796	1
White, both sexes.....	58,346	162	63	69	123	248	697	1,456	2,357	5,830	17,898	29,440	3
Male.....	25,381	105	35	26	74	137	393	857	1,358	3,291	8,843	10,260	2
Female.....	32,965	57	28	43	49	111	304	599	999	2,539	9,055	19,180	1
Black, both sexes.....	5,871	87	41	19	38	83	252	403	560	848	1,603	1,937	-
Male.....	2,768	48	22	10	20	45	138	241	341	462	798	643	-
Female.....	3,103	39	19	9	18	38	114	162	219	386	805	1,294	-
American Indian 1/, both sexes.....	293	6	1	-	3	7	13	23	25	35	81	99	-
Male.....	133	3	1	-	1	4	9	14	13	19	33	36	-
Female.....	160	3	-	-	2	3	4	9	12	16	48	63	-
Asian or Pacific Islander 2/, both sexes	1,171	8	5	3	3	7	9	36	45	134	402	519	-
Male.....	636	6	5	2	2	4	6	26	26	78	221	260	-
Female.....	535	2	-	1	1	3	3	10	19	56	181	259	-
Influenza (J10-J11)													
All races, both sexes.....	727	7	5	12	7	4	8	17	30	56	177	404	-
Male.....	289	5	3	2	4	2	4	12	20	32	81	124	-
Female.....	438	2	2	10	3	2	4	5	10	24	96	280	-
White, both sexes.....	686	5	2	10	5	4	8	16	25	47	172	392	-
Male.....	270	3	1	2	2	2	4	12	16	28	78	122	-
Female.....	416	2	1	8	3	2	4	4	9	19	94	270	-
Black, both sexes.....	30	1	3	2	2	-	-	-	4	6	4	8	-
Male.....	15	1	2	-	2	-	-	-	3	3	2	2	-
Female.....	15	-	1	2	-	-	-	-	1	3	2	6	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	2	1	1	-
Male.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	-	-	-	1	-	1	-	3	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	1	-	3	-







Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Chronic lower respiratory diseases (J40-J47)</b>													
All races, both sexes.....	124,816	39	65	136	192	301	1,008	3,475	11,280	29,788	49,241	29,284	7
Male.....	60,713	23	44	74	120	165	497	1,795	5,783	15,339	24,432	12,436	5
Female.....	64,103	16	21	62	72	136	511	1,680	5,497	14,449	24,809	16,848	2
White, both sexes.....	115,395	25	30	55	109	189	696	2,812	10,053	27,501	46,258	27,662	5
Male.....	55,409	16	21	31	60	101	336	1,453	5,080	14,015	22,681	11,611	4
Female.....	59,986	9	9	24	49	88	360	1,359	4,973	13,486	23,577	16,051	1
Black, both sexes.....	7,831	14	30	76	79	104	298	599	1,076	1,916	2,398	1,240	1
Male.....	4,341	7	20	41	59	58	155	309	615	1,107	1,367	602	1
Female.....	3,490	7	10	35	20	46	143	290	461	809	1,031	638	-
American Indian 1/, both sexes.....	452	-	1	1	2	1	6	25	72	135	139	70	-
Male.....	220	-	1	-	-	1	2	12	35	64	77	28	-
Female.....	232	-	-	1	2	-	4	13	37	71	62	42	-
Asian or Pacific Islander 2/, both sexes	1,138	-	4	4	2	7	8	39	79	236	446	312	1
Male.....	743	-	2	2	1	5	4	21	53	153	307	195	-
Female.....	395	-	2	2	1	2	4	18	26	83	139	117	1
<b>Bronchitis, chronic and unspecified (J40-J42)</b>													
All races, both sexes.....	955	24	13	5	6	6	18	36	54	135	286	372	-
Male.....	420	15	8	2	3	2	12	27	28	74	127	122	-
Female.....	535	9	5	3	3	4	6	9	26	61	159	250	-
White, both sexes.....	876	16	7	3	4	5	16	29	46	127	267	356	-
Male.....	376	11	3	2	2	2	10	20	23	68	118	117	-
Female.....	500	5	4	1	2	3	6	9	23	59	149	239	-
Black, both sexes.....	66	8	6	2	2	1	2	7	5	6	13	14	-
Male.....	35	4	5	-	1	-	2	7	2	4	5	5	-
Female.....	31	4	1	2	1	1	-	-	3	2	8	9	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	-	-	-	-	-	-	-	2	2	6	2	-
Male.....	8	-	-	-	-	-	-	-	2	2	4	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Emphysema (J43)</b>													
All races, both sexes.....	15,489	1	3	-	2	10	94	454	1,703	4,388	6,109	2,724	1
Male.....	8,084	-	3	-	-	8	66	267	925	2,335	3,228	1,251	1
Female.....	7,405	1	-	-	2	2	28	187	778	2,053	2,881	1,473	-
White, both sexes.....	14,476	1	1	-	1	8	67	390	1,560	4,081	5,781	2,585	1
Male.....	7,426	-	1	-	-	6	48	223	828	2,134	3,016	1,169	1
Female.....	7,050	1	-	-	1	2	19	167	732	1,947	2,765	1,416	-
Black, both sexes.....	850	-	1	-	1	2	26	57	117	268	270	108	-
Male.....	541	-	1	-	-	2	18	39	77	174	170	60	-
Female.....	309	-	-	-	1	-	8	18	40	94	100	48	-
American Indian 1/, both sexes.....	47	-	-	-	-	-	1	2	10	14	13	7	-
Male.....	30	-	-	-	-	-	-	-	7	8	11	4	-
Female.....	17	-	-	-	-	-	1	2	3	6	2	3	-
Asian or Pacific Islander 2/, both sexes	116	-	1	-	-	-	-	5	16	25	45	24	-
Male.....	87	-	1	-	-	-	-	5	13	19	31	18	-
Female.....	29	-	-	-	-	-	-	-	3	6	14	6	-
<b>Asthma (J45-J46)</b>													
All races, both sexes.....	4,261	4	43	123	169	235	472	608	536	583	812	675	1
Male.....	1,580	3	30	69	110	129	198	233	202	198	256	152	-
Female.....	2,681	1	13	54	59	106	274	375	334	385	556	523	1
White, both sexes.....	3,014	2	18	47	90	145	266	361	351	424	701	609	-
Male.....	1,017	1	15	28	52	74	97	139	128	137	212	134	-
Female.....	1,997	1	3	19	38	71	169	222	223	287	489	475	-
Black, both sexes.....	1,096	2	22	71	75	85	199	223	170	132	77	40	-
Male.....	497	2	14	39	57	51	98	84	67	51	24	10	-
Female.....	599	-	8	32	18	34	101	139	103	81	53	30	-
American Indian 1/, both sexes.....	25	-	-	1	2	-	4	3	3	7	4	1	-
Male.....	9	-	-	-	-	-	2	1	-	3	3	-	-
Female.....	16	-	-	1	2	-	2	2	3	4	1	1	-
Asian or Pacific Islander 2/, both sexes	126	-	3	4	2	5	3	21	12	20	30	25	1
Male.....	57	-	1	2	1	4	1	9	7	7	17	8	-
Female.....	69	-	2	2	1	1	2	12	5	13	13	17	1

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other chronic lower respiratory diseases (J44,J47)													
All races, both sexes.....	104,111	10	6	8	15	50	424	2,377	8,987	24,682	42,034	25,513	5
Male.....	50,629	5	3	3	7	26	221	1,268	4,628	12,732	20,821	10,911	4
Female.....	53,482	5	3	5	8	24	203	1,109	4,359	11,950	21,213	14,602	1
White, both sexes.....	97,029	6	4	5	14	31	347	2,032	8,096	22,869	39,509	24,112	4
Male.....	46,590	4	2	1	6	19	181	1,071	4,101	11,676	19,335	10,191	3
Female.....	50,439	2	2	4	8	12	166	961	3,995	11,193	20,174	13,921	1
Black, both sexes.....	5,819	4	1	3	1	16	71	312	784	1,510	2,038	1,078	1
Male.....	3,268	1	-	2	1	5	37	179	469	878	1,168	527	1
Female.....	2,551	3	1	1	-	11	34	133	315	632	870	551	-
American Indian 1/, both sexes.....	379	-	1	-	-	1	1	20	58	114	122	62	-
Male.....	180	-	1	-	-	1	-	11	27	53	63	24	-
Female.....	199	-	-	-	-	-	1	9	31	61	59	38	-
Asian or Pacific Islander 2/, both sexes	884	-	-	-	-	2	5	13	49	189	365	261	-
Male.....	591	-	-	-	-	1	3	7	31	125	255	169	-
Female.....	293	-	-	-	-	1	2	6	18	64	110	92	-
Pneumoconioses and chemical effects (J60-J66,J68)													
All races, both sexes.....	1,114	2	-	-	-	-	5	17	75	223	480	312	-
Male.....	1,057	-	-	-	-	-	4	13	69	214	457	300	-
Female.....	57	2	-	-	-	-	1	4	6	9	23	12	-
White, both sexes.....	1,048	1	-	-	-	-	4	14	67	213	451	298	-
Male.....	998	-	-	-	-	-	3	10	64	204	430	287	-
Female.....	50	1	-	-	-	-	1	4	3	9	21	11	-
Black, both sexes.....	58	1	-	-	-	-	1	3	6	10	23	14	-
Male.....	52	-	-	-	-	-	1	3	4	10	21	13	-
Female.....	6	1	-	-	-	-	-	-	2	-	2	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	4	-	-
Male.....	5	-	-	-	-	-	-	-	1	-	4	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	1	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	17,593	2	7	16	44	74	192	351	671	1,793	5,900	8,543	-
Male.....	8,876	-	3	9	27	42	119	226	393	1,083	3,243	3,731	-
Female.....	8,717	2	4	7	17	32	73	125	278	710	2,657	4,812	-
White, both sexes.....	15,773	2	5	14	34	59	147	276	554	1,506	5,308	7,868	-
Male.....	7,954	-	3	8	20	35	90	176	327	911	2,931	3,453	-
Female.....	7,819	2	2	6	14	24	57	100	227	595	2,377	4,415	-
Black, both sexes.....	1,537	-	2	2	8	14	38	65	99	250	503	556	-
Male.....	760	-	-	1	5	6	23	42	57	152	256	218	-
Female.....	777	-	2	1	3	8	15	23	42	98	247	338	-
American Indian 1/, both sexes.....	73	-	-	-	1	1	4	6	8	8	23	22	-
Male.....	44	-	-	-	1	1	3	4	4	5	13	13	-
Female.....	29	-	-	-	-	-	1	2	4	3	10	9	-
Asian or Pacific Islander 2/, both sexes	210	-	-	-	1	-	3	4	10	29	66	97	-
Male.....	118	-	-	-	1	-	3	4	5	15	43	47	-
Female.....	92	-	-	-	-	-	-	-	5	14	23	50	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	25,039	278	85	84	126	185	528	1,288	2,440	5,237	8,658	6,130	-
Male.....	12,057	164	56	39	68	88	281	656	1,339	2,929	4,261	2,176	-
Female.....	12,982	114	29	45	58	97	247	632	1,101	2,308	4,397	3,954	-
White, both sexes.....	22,184	151	56	57	81	132	379	962	2,016	4,647	7,978	5,725	-
Male.....	10,693	87	39	27	48	63	201	496	1,116	2,634	3,945	2,037	-
Female.....	11,491	64	17	30	33	69	178	466	900	2,013	4,033	3,688	-
Black, both sexes.....	2,279	112	29	25	41	47	134	284	358	448	497	304	-
Male.....	1,084	67	17	10	19	23	73	140	190	222	229	94	-
Female.....	1,195	45	12	15	22	24	61	144	168	226	268	210	-
American Indian 1/, both sexes.....	146	5	-	-	2	3	6	18	22	33	29	28	-
Male.....	73	4	-	-	1	-	2	7	13	15	17	14	-
Female.....	73	1	-	-	1	3	4	11	9	18	12	14	-
Asian or Pacific Islander 2/, both sexes	430	10	-	2	2	3	9	24	44	109	154	73	-
Male.....	207	6	-	2	-	2	5	13	20	58	70	31	-
Female.....	223	4	-	-	2	1	4	11	24	51	84	42	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Peptic ulcer (K25-K28)													
All races, both sexes.....	4,079	1	1	1	-	22	113	272	411	665	1,291	1,302	-
Male.....	1,951	-	1	1	-	14	72	177	247	378	622	439	-
Female.....	2,128	1	-	-	-	8	41	95	164	287	669	863	-
White, both sexes.....	3,587	1	1	-	-	12	77	212	325	576	1,176	1,207	-
Male.....	1,685	-	1	-	-	10	50	133	194	324	564	409	-
Female.....	1,902	1	-	-	-	2	27	79	131	252	612	798	-
Black, both sexes.....	380	-	-	1	-	10	35	56	68	69	77	64	-
Male.....	212	-	-	1	-	4	21	41	45	41	40	19	-
Female.....	168	-	-	-	-	6	14	15	23	28	37	45	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	7	4	3	3	-
Male.....	10	-	-	-	-	-	-	-	3	3	3	1	-
Female.....	7	-	-	-	-	-	-	-	4	1	-	2	-
Asian or Pacific Islander 2/, both sexes	95	-	-	-	-	-	1	4	11	16	35	28	-
Male.....	44	-	-	-	-	-	1	3	5	10	15	10	-
Female.....	51	-	-	-	-	-	-	1	6	6	20	18	-
Diseases of appendix (K35-K38)													
All races, both sexes.....	480	3	-	7	12	10	27	54	64	89	120	94	-
Male.....	275	1	-	3	7	9	17	39	45	56	67	31	-
Female.....	205	2	-	4	5	1	10	15	19	33	53	63	-
White, both sexes.....	404	2	-	4	7	8	18	40	56	71	112	86	-
Male.....	225	-	-	2	3	7	13	29	40	44	62	25	-
Female.....	179	2	-	2	4	1	5	11	16	27	50	61	-
Black, both sexes.....	63	1	-	3	5	2	5	13	7	14	5	8	-
Male.....	42	1	-	1	4	2	1	10	4	9	4	6	-
Female.....	21	-	-	2	1	-	4	3	3	5	1	2	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	-	-	-	-	2	-	1	4	3	-	-
Male.....	7	-	-	-	-	-	2	-	1	3	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hernia (K40-K46)</b>													
All races, both sexes.....	1,595	29	3	7	5	11	35	77	126	225	489	588	-
Male.....	599	18	3	5	4	7	17	35	56	103	189	162	-
Female.....	996	11	-	2	1	4	18	42	70	122	300	426	-
White, both sexes.....	1,433	24	2	7	5	6	26	58	102	192	455	556	-
Male.....	533	14	2	5	4	3	14	30	47	86	178	150	-
Female.....	900	10	-	2	1	3	12	28	55	106	277	406	-
Black, both sexes.....	137	4	1	-	-	3	8	17	21	27	30	26	-
Male.....	56	3	1	-	-	2	3	5	7	15	11	9	-
Female.....	81	1	-	-	-	1	5	12	14	12	19	17	-
American Indian 1/, both sexes.....	14	-	-	-	-	2	1	2	1	3	4	1	-
Male.....	4	-	-	-	-	2	-	-	1	1	-	-	-
Female.....	10	-	-	-	-	-	1	2	-	2	4	1	-
Asian or Pacific Islander 2/, both sexes	11	1	-	-	-	-	-	-	2	3	-	5	-
Male.....	6	1	-	-	-	-	-	-	1	1	-	3	-
Female.....	5	-	-	-	-	-	-	-	1	2	-	2	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>													
All races, both sexes.....	27,257	6	3	6	31	374	3,154	7,216	6,097	5,381	4,000	985	4
Male.....	17,401	6	1	3	14	236	2,079	5,285	4,228	3,197	1,953	395	4
Female.....	9,856	-	2	3	17	138	1,075	1,931	1,869	2,184	2,047	590	-
White, both sexes.....	23,809	5	3	5	25	285	2,656	6,020	5,259	4,877	3,744	926	4
Male.....	15,278	5	1	3	12	193	1,783	4,489	3,672	2,901	1,843	372	4
Female.....	8,531	-	2	2	13	92	873	1,531	1,587	1,976	1,901	554	-
Black, both sexes.....	2,588	1	-	1	5	51	318	968	660	365	178	41	-
Male.....	1,622	1	-	-	1	27	183	645	445	227	78	15	-
Female.....	966	-	-	1	4	24	135	323	215	138	100	26	-
American Indian 1/, both sexes.....	547	-	-	-	1	35	142	162	112	67	25	3	-
Male.....	319	-	-	-	1	15	82	105	65	38	12	1	-
Female.....	228	-	-	-	-	20	60	57	47	29	13	2	-
Asian or Pacific Islander 2/, both sexes	313	-	-	-	-	3	38	66	66	72	53	15	-
Male.....	182	-	-	-	-	1	31	46	46	31	20	7	-
Female.....	131	-	-	-	-	2	7	20	20	41	33	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcoholic liver disease (K70)													
All races, both sexes.....	12,121	-	1	-	8	242	1,971	4,137	3,083	1,849	730	98	2
Male.....	8,814	-	1	-	6	162	1,305	3,074	2,337	1,367	495	65	2
Female.....	3,307	-	-	-	2	80	666	1,063	746	482	235	33	-
White, both sexes.....	10,423	-	1	-	4	187	1,660	3,508	2,656	1,652	665	88	2
Male.....	7,688	-	1	-	4	135	1,112	2,649	2,047	1,226	455	57	2
Female.....	2,735	-	-	-	-	52	548	859	609	426	210	31	-
Black, both sexes.....	1,191	-	-	-	3	26	170	464	324	145	51	8	-
Male.....	797	-	-	-	1	14	103	316	220	105	32	6	-
Female.....	394	-	-	-	2	12	67	148	104	40	19	2	-
American Indian 1/, both sexes.....	381	-	-	-	1	28	112	126	74	34	6	-	-
Male.....	230	-	-	-	1	13	66	79	45	23	3	-	-
Female.....	151	-	-	-	-	15	46	47	29	11	3	-	-
Asian or Pacific Islander 2/, both sexes	126	-	-	-	-	1	29	39	29	18	8	2	-
Male.....	99	-	-	-	-	-	24	30	25	13	5	2	-
Female.....	27	-	-	-	-	1	5	9	4	5	3	-	-
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	15,136	6	2	6	23	132	1,183	3,079	3,014	3,532	3,270	887	2
Male.....	8,587	6	-	3	8	74	774	2,211	1,891	1,830	1,458	330	2
Female.....	6,549	-	2	3	15	58	409	868	1,123	1,702	1,812	557	-
White, both sexes.....	13,386	5	2	5	21	98	996	2,512	2,603	3,225	3,079	838	2
Male.....	7,590	5	-	3	8	58	671	1,840	1,625	1,675	1,388	315	2
Female.....	5,796	-	2	2	13	40	325	672	978	1,550	1,691	523	-
Black, both sexes.....	1,397	1	-	1	2	25	148	504	336	220	127	33	-
Male.....	825	1	-	-	-	13	80	329	225	122	46	9	-
Female.....	572	-	-	1	2	12	68	175	111	98	81	24	-
American Indian 1/, both sexes.....	166	-	-	-	-	7	30	36	38	33	19	3	-
Male.....	89	-	-	-	-	2	16	26	20	15	9	1	-
Female.....	77	-	-	-	-	5	14	10	18	18	10	2	-
Asian or Pacific Islander 2/, both sexes	187	-	-	-	-	2	9	27	37	54	45	13	-
Male.....	83	-	-	-	-	1	7	16	21	18	15	5	-
Female.....	104	-	-	-	-	1	2	11	16	36	30	8	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	2,979	-	-	-	9	21	54	129	216	504	992	1,054	-
Male.....	1,341	-	-	-	3	11	29	83	122	258	500	335	-
Female.....	1,638	-	-	-	6	10	25	46	94	246	492	719	-
White, both sexes.....	2,614	-	-	-	7	16	43	93	177	431	871	976	-
Male.....	1,179	-	-	-	3	8	24	59	101	226	447	311	-
Female.....	1,435	-	-	-	4	8	19	34	76	205	424	665	-
Black, both sexes.....	273	-	-	-	1	5	9	29	29	56	94	50	-
Male.....	110	-	-	-	-	3	4	18	17	19	38	11	-
Female.....	163	-	-	-	1	2	5	11	12	37	56	39	-
American Indian 1/, both sexes.....	26	-	-	-	1	-	-	4	4	6	5	6	-
Male.....	13	-	-	-	-	-	-	4	1	5	2	1	-
Female.....	13	-	-	-	1	-	-	-	3	1	3	5	-
Asian or Pacific Islander 2/, both sexes	66	-	-	-	-	-	2	3	6	11	22	22	-
Male.....	39	-	-	-	-	-	1	2	3	8	13	12	-
Female.....	27	-	-	-	-	-	1	1	3	3	9	10	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	40,974	173	14	21	84	269	749	1,893	3,455	7,164	13,896	13,256	-
Male.....	19,695	109	7	12	41	129	407	1,086	1,824	3,802	6,920	5,358	-
Female.....	21,279	64	7	9	43	140	342	807	1,631	3,362	6,976	7,898	-
White, both sexes.....	32,615	112	10	15	42	152	417	1,082	2,248	5,303	11,659	11,575	-
Male.....	15,850	70	4	9	22	76	229	622	1,186	2,914	5,972	4,746	-
Female.....	16,765	42	6	6	20	76	188	460	1,062	2,389	5,687	6,829	-
Black, both sexes.....	7,488	55	4	5	36	109	309	752	1,082	1,690	1,959	1,487	-
Male.....	3,427	35	3	2	15	49	163	432	578	806	820	524	-
Female.....	4,061	20	1	3	21	60	146	320	504	884	1,139	963	-
American Indian 1/, both sexes.....	222	2	-	1	2	6	10	26	43	56	46	30	-
Male.....	98	2	-	1	2	3	8	14	20	19	20	9	-
Female.....	124	-	-	-	-	3	2	12	23	37	26	21	-
Asian or Pacific Islander 2/, both sexes	649	4	-	-	4	2	13	33	82	115	232	164	-
Male.....	320	2	-	-	2	1	7	18	40	63	108	79	-
Female.....	329	2	-	-	2	1	6	15	42	52	124	85	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)													
All races, both sexes.....	166	6	5	2	3	1	4	9	16	27	51	42	-
Male.....	70	3	2	2	1	1	-	5	11	14	17	14	-
Female.....	96	3	3	-	2	-	4	4	5	13	34	28	-
White, both sexes.....	130	5	4	2	1	-	3	5	14	21	42	33	-
Male.....	56	2	1	2	1	-	-	4	10	11	14	11	-
Female.....	74	3	3	-	-	-	3	1	4	10	28	22	-
Black, both sexes.....	29	1	1	-	2	1	1	4	1	5	6	7	-
Male.....	11	1	1	-	-	1	-	1	1	2	2	2	-
Female.....	18	-	-	-	2	-	1	3	-	3	4	5	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	-	-	1	1	2	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)													
All races, both sexes.....	553	2	-	3	4	23	26	53	52	85	178	127	-
Male.....	278	1	-	1	3	13	14	25	27	49	92	53	-
Female.....	275	1	-	2	1	10	12	28	25	36	86	74	-
White, both sexes.....	450	-	-	2	3	15	22	34	39	79	149	107	-
Male.....	233	-	-	-	2	10	11	16	23	45	78	48	-
Female.....	217	-	-	2	1	5	11	18	16	34	71	59	-
Black, both sexes.....	82	2	-	-	1	7	3	18	8	5	21	17	-
Male.....	37	1	-	-	1	3	2	8	3	4	11	4	-
Female.....	45	1	-	-	-	4	1	10	5	1	10	13	-
American Indian 1/, both sexes.....	6	-	-	1	-	1	1	-	1	-	2	-	-
Male.....	4	-	-	1	-	-	1	-	1	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	-	-	-	-	-	-	1	4	1	6	3	-
Male.....	4	-	-	-	-	-	-	1	-	-	2	1	-
Female.....	11	-	-	-	-	-	-	-	4	1	4	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Renal failure (N17-N19)													
All races, both sexes.....	40,222	165	9	15	77	243	718	1,829	3,383	7,046	13,657	13,080	-
Male.....	19,341	105	5	8	37	114	393	1,055	1,786	3,739	6,808	5,291	-
Female.....	20,881	60	4	7	40	129	325	774	1,597	3,307	6,849	7,789	-
White, both sexes.....	32,008	107	6	11	38	135	391	1,042	2,191	5,197	11,461	11,429	-
Male.....	15,558	68	3	7	19	65	218	602	1,153	2,858	5,878	4,687	-
Female.....	16,450	39	3	4	19	70	173	440	1,038	2,339	5,583	6,742	-
Black, both sexes.....	7,373	52	3	4	33	101	305	729	1,073	1,680	1,931	1,462	-
Male.....	3,377	33	2	1	14	45	161	422	574	800	807	518	-
Female.....	3,996	19	1	3	19	56	144	307	499	880	1,124	944	-
American Indian 1/, both sexes.....	214	2	-	-	2	5	9	26	42	56	43	29	-
Male.....	93	2	-	-	2	3	7	14	19	19	19	8	-
Female.....	121	-	-	-	-	2	2	12	23	37	24	21	-
Asian or Pacific Islander 2/, both sexes	627	4	-	-	4	2	13	32	77	113	222	160	-
Male.....	313	2	-	-	2	1	7	17	40	62	104	78	-
Female.....	314	2	-	-	2	1	6	15	37	51	118	82	-
Other disorders of kidney (N25,N27)													
All races, both sexes.....	33	-	-	1	-	2	1	2	4	6	10	7	-
Male.....	6	-	-	1	-	1	-	1	-	-	3	-	-
Female.....	27	-	-	-	-	1	1	1	4	6	7	7	-
White, both sexes.....	27	-	-	-	-	2	1	1	4	6	7	6	-
Male.....	3	-	-	-	-	1	-	-	-	-	2	-	-
Female.....	24	-	-	-	-	1	1	1	4	6	5	6	-
Black, both sexes.....	4	-	-	1	-	-	-	1	-	-	1	1	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	114	1	-	-	2	4	17	11	6	8	29	36	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	114	1	-	-	2	4	17	11	6	8	29	36	-
White, both sexes.....	92	1	-	-	-	3	9	7	5	7	28	32	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	92	1	-	-	-	3	9	7	5	7	28	32	-
Black, both sexes.....	20	-	-	-	2	1	8	3	1	1	1	3	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	-	-	-	2	1	8	3	1	1	1	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Pregnancy, childbirth and the puerperium (O00-O99)													
All races, both sexes.....	379	...	...	1	89	175	105	8	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	379	...	...	1	89	175	105	8	-	-	-	1	-
White, both sexes.....	203	...	...	-	40	97	60	5	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	203	...	...	-	40	97	60	5	-	-	-	1	-
Black, both sexes.....	157	...	...	1	46	66	42	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	157	...	...	1	46	66	42	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	...	...	-	3	12	3	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	19	...	...	-	3	12	3	1	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	22	...	...	1	4	9	7	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	...	...	1	4	9	7	1	-	-	-	-	-
White, both sexes.....	7	...	...	-	1	5	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	-	1	5	1	-	-	-	-	-	-
Black, both sexes.....	12	...	...	1	2	4	5	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	1	2	4	5	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	...	...	-	1	-	1	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	-	1	-	1	1	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	357	...	...	-	85	166	98	7	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	357	...	...	-	85	166	98	7	-	-	-	1	-
White, both sexes.....	196	...	...	-	39	92	59	5	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	196	...	...	-	39	92	59	5	-	-	-	1	-
Black, both sexes.....	145	...	...	-	44	62	37	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	145	...	...	-	44	62	37	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	...	...	-	2	12	2	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	16	...	...	-	2	12	2	-	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,254	14,106	65	31	21	10	10	2	1	3	2	1	2
Male.....	8,047	7,960	40	19	12	4	5	2	1	1	1	-	2
Female.....	6,207	6,146	25	12	9	6	5	-	-	2	1	1	-
White, both sexes.....	8,777	8,679	36	21	17	7	8	2	1	2	2	1	1
Male.....	5,011	4,959	19	12	9	4	3	2	1	-	1	-	1
Female.....	3,766	3,720	17	9	8	3	5	-	-	2	1	1	-
Black, both sexes.....	4,931	4,889	26	8	3	2	1	-	-	1	-	-	1
Male.....	2,725	2,696	18	6	2	-	1	-	-	1	-	-	1
Female.....	2,206	2,193	8	2	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	141	140	-	-	1	-	-	-	-	-	-	-	-
Male.....	86	85	-	-	1	-	-	-	-	-	-	-	-
Female.....	55	55	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	405	398	3	2	-	1	1	-	-	-	-	-	-
Male.....	225	220	3	1	-	-	1	-	-	-	-	-	-
Female.....	180	178	-	1	-	1	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,687	5,623	530	417	492	475	572	709	634	440	489	305	1
Male.....	5,515	2,942	282	215	282	284	296	381	321	213	201	97	1
Female.....	5,172	2,681	248	202	210	191	276	328	313	227	288	208	-
White, both sexes.....	8,556	4,330	395	321	383	384	463	605	552	393	444	285	1
Male.....	4,416	2,297	211	159	218	231	242	319	278	190	178	92	1
Female.....	4,140	2,033	184	162	165	153	221	286	274	203	266	193	-
Black, both sexes.....	1,758	1,047	114	83	100	75	93	87	69	40	32	18	-
Male.....	909	522	59	48	60	43	46	49	40	21	16	5	-
Female.....	849	525	55	35	40	32	47	38	29	19	16	13	-
American Indian 1/, both sexes.....	93	61	5	6	1	6	3	2	4	-	5	-	-
Male.....	42	29	2	3	-	3	1	1	1	-	2	-	-
Female.....	51	32	3	3	1	3	2	1	3	-	3	-	-
Asian or Pacific Islander 2/, both sexes	280	185	16	7	8	10	13	15	9	7	8	2	-
Male.....	148	94	10	5	4	7	7	12	2	2	5	-	-
Female.....	132	91	6	2	4	3	6	3	7	5	3	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	29,975	3,456	248	139	740	1,319	2,402	2,672	2,002	2,398	4,936	9,554	109
Male.....	14,269	2,032	145	82	501	905	1,540	1,723	1,273	1,324	2,228	2,439	77
Female.....	15,706	1,424	103	57	239	414	862	949	729	1,074	2,708	7,115	32
White, both sexes.....	24,749	2,224	161	84	561	1,002	1,854	1,978	1,598	2,018	4,400	8,786	83
Male.....	11,421	1,323	89	52	391	700	1,198	1,271	1,016	1,117	1,965	2,241	58
Female.....	13,328	901	72	32	170	302	656	707	582	901	2,435	6,545	25
Black, both sexes.....	4,638	1,095	67	50	154	279	495	637	362	340	478	660	21
Male.....	2,536	630	45	28	93	177	309	416	232	185	238	169	14
Female.....	2,102	465	22	22	61	102	186	221	130	155	240	491	7
American Indian 1/, both sexes.....	248	72	7	1	9	20	31	28	21	19	13	24	3
Male.....	130	41	3	-	6	13	18	14	12	11	6	3	3
Female.....	118	31	4	1	3	7	13	14	9	8	7	21	-
Asian or Pacific Islander 2/, both sexes	340	65	13	4	16	18	22	29	21	21	45	84	2
Male.....	182	38	8	2	11	15	15	22	13	11	19	26	2
Female.....	158	27	5	2	5	3	7	7	8	10	26	58	-
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	194,591	1,144	661	868	1,853	3,136	8,506	15,151	17,378	25,689	51,618	68,574	13
Male.....	79,007	690	363	486	1,072	1,837	5,019	9,115	9,528	12,667	20,667	17,552	11
Female.....	115,584	454	298	382	781	1,299	3,487	6,036	7,850	13,022	30,951	51,022	2
White, both sexes.....	168,631	788	470	654	1,348	2,233	6,315	11,610	14,110	21,873	46,212	63,010	8
Male.....	67,452	493	257	366	820	1,368	3,913	7,143	7,784	10,793	18,478	16,029	8
Female.....	101,179	295	213	288	528	865	2,402	4,467	6,326	11,080	27,734	46,981	-
Black, both sexes.....	22,519	305	150	176	420	789	1,954	3,183	2,855	3,277	4,606	4,800	4
Male.....	9,847	168	82	98	208	398	962	1,752	1,519	1,607	1,820	1,231	2
Female.....	12,672	137	68	78	212	391	992	1,431	1,336	1,670	2,786	3,569	2
American Indian 1/, both sexes.....	1,102	11	11	11	34	52	126	192	175	179	158	153	-
Male.....	562	4	8	6	20	34	81	114	94	86	59	56	-
Female.....	540	7	3	5	14	18	45	78	81	93	99	97	-
Asian or Pacific Islander 2/, both sexes	2,339	40	30	27	51	62	111	166	238	360	642	611	1
Male.....	1,146	25	16	16	24	37	63	106	131	181	310	236	1
Female.....	1,193	15	14	11	27	25	48	60	107	179	332	375	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	106,742	946	1,641	2,718	15,412	12,569	16,710	14,675	8,345	8,086	12,904	12,651	85
Male.....	69,257	553	1,024	1,713	11,438	9,635	12,012	10,492	5,781	5,031	6,687	4,817	74
Female.....	37,485	393	617	1,005	3,974	2,934	4,698	4,183	2,564	3,055	6,217	7,834	11
White, both sexes.....	90,866	583	1,199	1,965	13,048	10,378	13,901	12,069	6,985	6,967	11,816	11,877	78
Male.....	58,467	358	736	1,240	9,679	7,986	10,040	8,664	4,807	4,316	6,090	4,484	67
Female.....	32,399	225	463	725	3,369	2,392	3,861	3,405	2,178	2,651	5,726	7,393	11
Black, both sexes.....	12,513	330	359	621	1,726	1,711	2,268	2,179	1,093	832	806	584	4
Male.....	8,612	176	239	400	1,298	1,309	1,592	1,552	808	539	452	243	4
Female.....	3,901	154	120	221	428	402	676	627	285	293	354	341	-
American Indian 1/, both sexes.....	1,488	15	33	60	300	254	333	215	112	79	57	29	1
Male.....	1,003	8	19	31	212	186	228	149	72	56	30	11	1
Female.....	485	7	14	29	88	68	105	66	40	23	27	18	-
Asian or Pacific Islander 2/, both sexes	1,875	18	50	72	338	226	208	212	155	208	225	161	2
Male.....	1,175	11	30	42	249	154	152	127	94	120	115	79	2
Female.....	700	7	20	30	89	72	56	85	61	88	110	82	-
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,366	127	640	1,738	11,816	7,484	7,688	6,563	4,165	3,351	3,433	1,322	39
Male.....	33,533	72	381	1,039	8,471	5,676	5,499	4,727	2,877	2,101	1,917	737	36
Female.....	14,833	55	259	699	3,345	1,808	2,189	1,836	1,288	1,250	1,516	585	3
White, both sexes.....	40,614	84	478	1,347	9,991	6,037	6,322	5,476	3,558	2,921	3,137	1,229	34
Male.....	28,118	50	278	814	7,161	4,590	4,540	3,973	2,458	1,818	1,729	676	31
Female.....	12,496	34	200	533	2,830	1,447	1,782	1,503	1,100	1,103	1,408	553	3
Black, both sexes.....	5,796	36	126	312	1,314	1,112	1,054	828	451	289	209	62	3
Male.....	4,156	18	83	183	949	856	749	598	333	200	141	43	3
Female.....	1,640	18	43	129	365	256	305	230	118	89	68	19	-
American Indian 1/, both sexes.....	903	4	16	39	250	171	183	119	63	35	18	5	-
Male.....	603	1	9	20	169	122	123	82	37	23	14	3	-
Female.....	300	3	7	19	81	49	60	37	26	12	4	2	-
Asian or Pacific Islander 2/, both sexes	1,053	3	20	40	261	164	129	140	93	106	69	26	2
Male.....	656	3	11	22	192	108	87	74	49	60	33	15	2
Female.....	397	-	9	18	69	56	42	66	44	46	36	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	45,380	123	610	1,614	11,459	7,092	7,077	5,937	3,764	3,113	3,271	1,285	35
Male.....	31,064	68	361	963	8,178	5,349	4,984	4,189	2,540	1,888	1,793	718	33
Female.....	14,316	55	249	651	3,281	1,743	2,093	1,748	1,224	1,225	1,478	567	2
White, both sexes.....	38,054	81	452	1,254	9,680	5,697	5,807	4,939	3,209	2,714	2,996	1,195	30
Male.....	26,000	47	260	755	6,904	4,306	4,104	3,512	2,167	1,634	1,624	659	28
Female.....	12,054	34	192	499	2,776	1,391	1,703	1,427	1,042	1,080	1,372	536	2
Black, both sexes.....	5,462	35	123	287	1,279	1,072	980	750	411	268	193	61	3
Male.....	3,874	17	81	169	921	821	689	530	296	179	126	42	3
Female.....	1,588	18	42	118	358	251	291	220	115	89	67	19	-
American Indian 1/, both sexes.....	866	4	16	38	243	165	168	116	62	31	18	5	-
Male.....	572	1	9	19	164	118	110	79	36	19	14	3	-
Female.....	294	3	7	19	79	47	58	37	26	12	4	2	-
Asian or Pacific Islander 2/, both sexes	998	3	19	35	257	158	122	132	82	100	64	24	2
Male.....	618	3	11	20	189	104	81	68	41	56	29	14	2
Female.....	380	-	8	15	68	54	41	64	41	44	35	10	-
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,086	2	17	70	159	138	223	211	109	70	66	17	4
Male.....	882	2	10	47	134	108	187	185	92	56	50	8	3
Female.....	204	-	7	23	25	30	36	26	17	14	16	9	1
White, both sexes.....	870	1	13	53	136	115	170	167	83	57	56	15	4
Male.....	708	1	8	38	118	89	143	144	71	45	41	7	3
Female.....	162	-	5	15	18	26	27	23	12	12	15	8	1
Black, both sexes.....	172	1	3	14	18	19	40	42	18	9	8	-	-
Male.....	145	1	2	7	12	17	34	40	16	9	7	-	-
Female.....	27	-	1	7	6	2	6	2	2	-	1	-	-
American Indian 1/, both sexes.....	21	-	-	1	5	3	9	-	1	2	-	-	-
Male.....	17	-	-	1	4	2	7	-	1	2	-	-	-
Female.....	4	-	-	-	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	23	-	1	2	-	1	4	2	7	2	2	2	-
Male.....	12	-	-	1	-	-	3	1	4	-	2	1	-
Female.....	11	-	1	1	-	1	1	1	3	2	-	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,900	2	13	54	198	254	388	415	292	168	96	20	-
Male.....	1,587	2	10	29	159	219	328	353	245	157	74	11	-
Female.....	313	-	3	25	39	35	60	62	47	11	22	9	-
White, both sexes.....	1,690	2	13	40	175	225	345	370	266	150	85	19	-
Male.....	1,410	2	10	21	139	195	293	317	220	139	64	10	-
Female.....	280	-	3	19	36	30	52	53	46	11	21	9	-
Black, both sexes.....	162	-	-	11	17	21	34	36	22	12	8	1	-
Male.....	137	-	-	7	16	18	26	28	21	12	8	1	-
Female.....	25	-	-	4	1	3	8	8	1	-	-	-	-
American Indian 1/, both sexes.....	16	-	-	-	2	3	6	3	-	2	-	-	-
Male.....	14	-	-	-	1	2	6	3	-	2	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	32	-	-	3	4	5	3	6	4	4	3	-	-
Male.....	26	-	-	1	3	4	3	5	4	4	2	-	-
Female.....	6	-	-	2	1	1	-	1	-	-	1	-	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	58,376	819	1,001	980	3,596	5,085	9,022	8,112	4,180	4,735	9,471	11,329	46
Male.....	35,724	481	643	674	2,967	3,959	6,513	5,765	2,904	2,930	4,770	4,080	38
Female.....	22,652	338	358	306	629	1,126	2,509	2,347	1,276	1,805	4,701	7,249	8
White, both sexes.....	50,252	499	721	618	3,057	4,341	7,579	6,593	3,427	4,046	8,679	10,648	44
Male.....	30,349	308	458	426	2,518	3,396	5,500	4,691	2,349	2,498	4,361	3,808	36
Female.....	19,903	191	263	192	539	945	2,079	1,902	1,078	1,548	4,318	6,840	8
Black, both sexes.....	6,717	294	233	309	412	599	1,214	1,351	642	543	597	522	1
Male.....	4,456	158	156	217	349	453	843	954	475	339	311	200	1
Female.....	2,261	136	77	92	63	146	371	397	167	204	286	322	-
American Indian 1/, both sexes.....	585	11	17	21	50	83	150	96	49	44	39	24	1
Male.....	400	7	10	11	43	64	105	67	35	33	16	8	1
Female.....	185	4	7	10	7	19	45	29	14	11	23	16	-
Asian or Pacific Islander 2/, both sexes	822	15	30	32	77	62	79	72	62	102	156	135	-
Male.....	519	8	19	20	57	46	65	53	45	60	82	64	-
Female.....	303	7	11	12	20	16	14	19	17	42	74	71	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,447	63	454	321	629	433	526	374	212	169	167	79	20
Male.....	2,761	40	312	244	578	380	439	301	161	132	106	50	18
Female.....	686	23	142	77	51	53	87	73	51	37	61	29	2
White, both sexes.....	2,624	49	368	164	455	330	418	291	181	139	143	66	20
Male.....	2,093	30	251	120	417	291	345	235	136	110	94	46	18
Female.....	531	19	117	44	38	39	73	56	45	29	49	20	2
Black, both sexes.....	613	11	63	136	129	75	74	57	22	18	17	11	-
Male.....	509	7	44	108	125	65	66	47	19	15	9	4	-
Female.....	104	4	19	28	4	10	8	10	3	3	8	7	-
American Indian 1/, both sexes.....	66	-	8	3	12	12	20	8	2	-	1	-	-
Male.....	53	-	6	2	11	11	16	6	1	-	-	-	-
Female.....	13	-	2	1	1	1	4	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	144	3	15	18	33	16	14	18	7	12	6	2	-
Male.....	106	3	11	14	25	13	12	13	5	7	3	-	-
Female.....	38	-	4	4	8	3	2	5	2	5	3	2	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,159	36	221	253	193	266	361	448	340	385	432	221	3
Male.....	1,935	21	126	151	132	170	251	292	219	242	231	97	3
Female.....	1,224	15	95	102	61	96	110	156	121	143	201	124	-
White, both sexes.....	2,287	19	127	139	138	190	285	341	247	289	342	167	3
Male.....	1,419	14	70	90	97	126	194	222	161	179	190	73	3
Female.....	868	5	57	49	41	64	91	119	86	110	152	94	-
Black, both sexes.....	774	15	88	96	48	61	60	98	87	85	83	53	-
Male.....	461	7	53	54	31	35	45	64	55	55	38	24	-
Female.....	313	8	35	42	17	26	15	34	32	30	45	29	-
American Indian 1/, both sexes.....	56	1	3	8	3	11	11	6	3	8	1	1	-
Male.....	35	-	1	3	1	8	8	4	2	7	1	-	-
Female.....	21	1	2	5	2	3	3	2	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes	42	1	3	10	4	4	5	3	3	3	6	-	-
Male.....	20	-	2	4	3	1	4	2	1	1	2	-	-
Female.....	22	1	1	6	1	3	1	1	2	2	4	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	17,550	26	31	43	1,679	3,116	6,007	4,682	1,098	383	295	181	9
Male.....	12,059	21	14	28	1,306	2,319	4,122	3,136	690	209	136	71	7
Female.....	5,491	5	17	15	373	797	1,885	1,546	408	174	159	110	2
White, both sexes.....	14,868	13	19	37	1,555	2,745	5,100	3,782	855	327	264	164	7
Male.....	10,213	12	6	25	1,212	2,052	3,527	2,520	500	170	118	66	5
Female.....	4,655	1	13	12	343	693	1,573	1,262	355	157	146	98	2
Black, both sexes.....	2,365	12	11	6	88	306	801	833	223	45	27	12	1
Male.....	1,631	8	8	3	67	220	526	570	176	35	16	1	1
Female.....	734	4	3	3	21	86	275	263	47	10	11	11	-
American Indian 1/, both sexes.....	188	1	-	-	16	38	71	45	14	1	-	1	1
Male.....	124	1	-	-	13	26	41	31	10	1	-	-	1
Female.....	64	-	-	-	3	12	30	14	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes	129	-	1	-	20	27	35	22	6	10	4	4	-
Male.....	91	-	-	-	14	21	28	15	4	3	2	4	-
Female.....	38	-	1	-	6	6	7	7	2	7	2	-	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,201	677	247	273	638	820	1,341	1,496	1,385	1,795	3,665	4,851	13
Male.....	9,839	389	156	185	545	692	1,081	1,180	1,013	1,113	1,827	1,648	10
Female.....	7,362	288	91	88	93	128	260	316	372	682	1,838	3,203	3
White, both sexes.....	14,855	405	175	209	548	705	1,114	1,240	1,150	1,491	3,289	4,516	13
Male.....	8,415	245	109	141	475	600	914	992	840	929	1,636	1,524	10
Female.....	6,440	160	66	68	73	105	200	248	310	562	1,653	2,992	3
Black, both sexes.....	1,972	253	61	56	69	93	182	217	193	257	311	280	-
Male.....	1,181	134	42	39	53	74	129	159	142	151	159	99	-
Female.....	791	119	19	17	16	19	53	58	51	106	152	181	-
American Indian 1/, both sexes.....	169	8	6	6	12	14	35	21	19	23	16	9	-
Male.....	125	5	3	4	11	12	30	16	13	18	8	5	-
Female.....	44	3	3	2	1	2	5	5	6	5	8	4	-
Asian or Pacific Islander 2/, both sexes	205	11	5	2	9	8	10	18	23	24	49	46	-
Male.....	118	5	2	1	6	6	8	13	18	15	24	20	-
Female.....	87	6	3	1	3	2	2	5	5	9	25	26	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	31,655	...	...	264	4,010	5,046	6,851	6,308	3,618	2,463	2,259	826	10
Male.....	25,409	...	...	199	3,432	4,135	5,305	4,796	2,837	2,053	1,938	704	10
Female.....	6,246	...	...	65	578	911	1,546	1,512	781	410	321	122	-
White, both sexes.....	28,731	...	...	214	3,406	4,298	6,219	5,885	3,414	2,329	2,163	793	10
Male.....	23,049	...	...	159	2,919	3,495	4,813	4,477	2,684	1,953	1,861	678	10
Female.....	5,682	...	...	55	487	803	1,406	1,408	730	376	302	115	-
Black, both sexes.....	1,939	...	...	35	403	504	442	273	127	82	53	20	-
Male.....	1,633	...	...	29	351	447	354	219	99	68	48	18	-
Female.....	306	...	...	6	52	57	88	54	28	14	5	2	-
American Indian 1/, both sexes.....	324	...	...	6	100	84	68	45	13	3	5	-	-
Male.....	258	...	...	4	80	74	52	30	10	3	5	-	-
Female.....	66	...	...	2	20	10	16	15	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes	661	...	...	9	101	160	122	105	64	49	38	13	-
Male.....	469	...	...	7	82	119	86	70	44	29	24	8	-
Female.....	192	...	...	2	19	41	36	35	20	20	14	5	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	17,108	...	...	86	2,088	2,399	3,157	3,136	2,234	1,776	1,680	550	2
Male.....	15,045	...	...	68	1,897	2,078	2,672	2,677	1,930	1,620	1,576	525	2
Female.....	2,063	...	...	18	191	321	485	459	304	156	104	25	-
White, both sexes.....	15,733	...	...	73	1,747	2,051	2,900	2,955	2,135	1,711	1,625	534	2
Male.....	13,809	...	...	58	1,586	1,757	2,451	2,521	1,840	1,562	1,523	509	2
Female.....	1,924	...	...	15	161	294	449	434	295	149	102	25	-
Black, both sexes.....	1,059	...	...	9	255	274	201	133	73	56	42	16	-
Male.....	962	...	...	8	234	259	172	118	65	50	40	16	-
Female.....	97	...	...	1	21	15	29	15	8	6	2	-	-
American Indian 1/, both sexes.....	146	...	...	1	53	33	27	19	7	2	4	-	-
Male.....	128	...	...	-	46	30	25	15	6	2	4	-	-
Female.....	18	...	...	1	7	3	2	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	170	...	...	3	33	41	29	29	19	7	9	-	-
Male.....	146	...	...	2	31	32	24	23	19	6	9	-	-
Female.....	24	...	...	1	2	9	5	6	-	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	14,547	...	...	178	1,922	2,647	3,694	3,172	1,384	687	579	276	8
Male.....	10,364	...	...	131	1,535	2,057	2,633	2,119	907	433	362	179	8
Female.....	4,183	...	...	47	387	590	1,061	1,053	477	254	217	97	-
White, both sexes.....	12,998	...	...	141	1,659	2,247	3,319	2,930	1,279	618	538	259	8
Male.....	9,240	...	...	101	1,333	1,738	2,362	1,956	844	391	338	169	8
Female.....	3,758	...	...	40	326	509	957	974	435	227	200	90	-
Black, both sexes.....	880	...	...	26	148	230	241	140	54	26	11	4	-
Male.....	671	...	...	21	117	188	182	101	34	18	8	2	-
Female.....	209	...	...	5	31	42	59	39	20	8	3	2	-
American Indian 1/, both sexes.....	178	...	...	5	47	51	41	26	6	1	1	-	-
Male.....	130	...	...	4	34	44	27	15	4	1	1	-	-
Female.....	48	...	...	1	13	7	14	11	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	491	...	...	6	68	119	93	76	45	42	29	13	-
Male.....	323	...	...	5	51	87	62	47	25	23	15	8	-
Female.....	168	...	...	1	17	32	31	29	20	19	14	5	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	17,638	303	423	356	5,219	4,489	3,239	1,915	841	421	296	95	41
Male.....	13,640	164	234	197	4,474	3,669	2,386	1,394	614	277	158	41	32
Female.....	3,998	139	189	159	745	820	853	521	227	144	138	54	9
White, both sexes.....	8,685	170	239	195	2,137	1,865	1,739	1,117	587	306	218	76	36
Male.....	6,282	100	133	98	1,746	1,435	1,240	757	409	193	108	34	29
Female.....	2,403	70	106	97	391	430	499	360	178	113	110	42	7
Black, both sexes.....	8,287	117	161	135	2,900	2,469	1,377	722	218	97	71	17	3
Male.....	6,896	56	92	86	2,582	2,129	1,058	582	181	74	48	6	2
Female.....	1,391	61	69	49	318	340	319	140	37	23	23	11	1
American Indian 1/, both sexes.....	267	10	12	11	70	63	52	29	9	7	3	-	1
Male.....	185	4	5	3	54	46	40	23	5	4	1	-	-
Female.....	82	6	7	8	16	17	12	6	4	3	2	-	1
Asian or Pacific Islander 2/, both sexes	399	6	11	15	112	92	71	47	27	11	4	2	1
Male.....	277	4	4	10	92	59	48	32	19	6	1	1	1
Female.....	122	2	7	5	20	33	23	15	8	5	3	1	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	11,829	9	49	205	4,317	3,465	2,042	1,025	409	161	115	19	13
Male.....	9,899	3	30	127	3,851	3,017	1,623	761	301	101	64	9	12
Female.....	1,930	6	19	78	466	448	419	264	108	60	51	10	1
White, both sexes.....	5,185	3	33	106	1,600	1,301	1,027	596	284	116	91	17	11
Male.....	4,050	1	20	64	1,380	1,070	773	411	200	65	47	9	10
Female.....	1,135	2	13	42	220	231	254	185	84	51	44	8	1
Black, both sexes.....	6,285	6	14	81	2,589	2,082	945	394	109	40	21	2	2
Male.....	5,575	2	9	54	2,364	1,885	797	324	89	33	16	-	2
Female.....	710	4	5	27	225	197	148	70	20	7	5	2	-
American Indian 1/, both sexes.....	117	-	1	7	44	29	22	10	2	2	-	-	-
Male.....	85	-	-	2	32	22	18	8	2	1	-	-	-
Female.....	32	-	1	5	12	7	4	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	242	-	1	11	84	53	48	25	14	3	3	-	-
Male.....	189	-	1	7	75	40	35	18	10	2	1	-	-
Female.....	53	-	-	4	9	13	13	7	4	1	2	-	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,809	294	374	151	902	1,024	1,197	890	432	260	181	76	28
Male.....	3,741	161	204	70	623	652	763	633	313	176	94	32	20
Female.....	2,068	133	170	81	279	372	434	257	119	84	87	44	8
White, both sexes.....	3,500	167	206	89	537	564	712	521	303	190	127	59	25
Male.....	2,232	99	113	34	366	365	467	346	209	128	61	25	19
Female.....	1,268	68	93	55	171	199	245	175	94	62	66	34	6
Black, both sexes.....	2,002	111	147	54	311	387	432	328	109	57	50	15	1
Male.....	1,321	54	83	32	218	244	261	258	92	41	32	6	-
Female.....	681	57	64	22	93	143	171	70	17	16	18	9	1
American Indian 1/, both sexes.....	150	10	11	4	26	34	30	19	7	5	3	-	1
Male.....	100	4	5	1	22	24	22	15	3	3	1	-	-
Female.....	50	6	6	3	4	10	8	4	4	2	2	-	1
Asian or Pacific Islander 2/, both sexes	157	6	10	4	28	39	23	22	13	8	1	2	1
Male.....	88	4	3	3	17	19	13	14	9	4	-	1	1
Female.....	69	2	7	1	11	20	10	8	4	4	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	384	-	-	3	91	102	109	56	16	6	1	-	-
Male.....	369	-	-	3	87	99	105	52	16	6	1	-	-
Female.....	15	-	-	-	4	3	4	4	-	-	-	-	-
White, both sexes.....	257	-	-	1	49	69	78	41	13	5	1	-	-
Male.....	246	-	-	1	46	67	76	37	13	5	1	-	-
Female.....	11	-	-	-	3	2	2	4	-	-	-	-	-
Black, both sexes.....	110	-	-	2	37	29	28	11	2	1	-	-	-
Male.....	106	-	-	2	36	28	26	11	2	1	-	-	-
Female.....	4	-	-	-	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	3	2	1	3	-	-	-	-	-
Male.....	9	-	-	-	3	2	1	3	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	-	2	2	2	1	1	-	-	-	-
Male.....	8	-	-	-	2	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,830	101	57	68	487	828	1,516	1,140	320	139	95	65	14
Male.....	3,114	52	28	38	358	585	981	696	203	83	46	31	13
Female.....	1,716	49	29	30	129	243	535	444	117	56	49	34	1
White, both sexes.....	3,962	56	45	49	418	679	1,252	925	272	115	79	60	12
Male.....	2,524	29	23	26	306	477	805	548	169	62	39	29	11
Female.....	1,438	27	22	23	112	202	447	377	103	53	40	31	1
Black, both sexes.....	759	37	8	15	57	125	244	196	39	17	16	4	1
Male.....	521	18	3	11	43	90	164	137	30	16	7	1	1
Female.....	238	19	5	4	14	35	80	59	9	1	9	3	-
American Indian 1/, both sexes.....	48	3	2	2	5	12	8	9	4	2	-	-	1
Male.....	26	1	1	1	5	7	3	4	2	1	-	-	1
Female.....	22	2	1	1	-	5	5	5	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	61	5	2	2	7	12	12	10	5	5	-	1	-
Male.....	43	4	1	-	4	11	9	7	2	4	-	1	-
Female.....	18	1	1	2	3	1	3	3	3	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	243	-	1	6	79	46	50	29	12	15	5	-	-
Male.....	199	-	1	5	71	39	39	23	7	10	4	-	-
Female.....	44	-	-	1	8	7	11	6	5	5	1	-	-
White, both sexes.....	192	-	-	4	59	33	41	27	10	14	4	-	-
Male.....	153	-	-	3	51	27	32	21	7	9	3	-	-
Female.....	39	-	-	1	8	6	9	6	3	5	1	-	-
Black, both sexes.....	41	-	1	2	17	11	6	1	1	1	1	-	-
Male.....	39	-	1	2	17	11	5	1	-	1	1	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	3	2	1	-	1	-	-	-	-
Male.....	5	-	-	-	3	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,587	101	56	62	408	782	1,466	1,111	308	124	90	65	14
Male.....	2,915	52	27	33	287	546	942	673	196	73	42	31	13
Female.....	1,672	49	29	29	121	236	524	438	112	51	48	34	1
White, both sexes.....	3,770	56	45	45	359	646	1,211	898	262	101	75	60	12
Male.....	2,371	29	23	23	255	450	773	527	162	53	36	29	11
Female.....	1,399	27	22	22	104	196	438	371	100	48	39	31	1
Black, both sexes.....	718	37	7	13	40	114	238	195	38	16	15	4	1
Male.....	482	18	2	9	26	79	159	136	30	15	6	1	1
Female.....	236	19	5	4	14	35	79	59	8	1	9	3	-
American Indian 1/, both sexes.....	41	3	2	2	2	10	7	9	3	2	-	-	1
Male.....	21	1	1	1	2	6	2	4	2	1	-	-	1
Female.....	20	2	1	1	-	4	5	5	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	58	5	2	2	7	12	10	9	5	5	-	1	-
Male.....	41	4	1	-	4	11	8	6	2	4	-	1	-
Female.....	17	1	1	2	3	1	2	3	3	1	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	20	-	-	-	-	1	1	1	3	3	10	1	-
Male.....	20	-	-	-	-	1	1	1	3	3	10	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	15	-	-	-	-	1	-	-	2	2	9	1	-
Male.....	15	-	-	-	-	1	-	-	2	2	9	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	5	-	-	-	-	-	1	1	1	1	1	-	-
Male.....	5	-	-	-	-	-	1	1	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,843	15	19	35	35	79	171	265	351	560	792	521	-
Male.....	1,236	8	11	26	19	47	82	127	169	256	320	171	-
Female.....	1,607	7	8	9	16	32	89	138	182	304	472	350	-
White, both sexes.....	2,331	8	14	21	24	57	119	185	271	470	697	465	-
Male.....	1,025	5	9	16	14	35	65	95	135	212	290	149	-
Female.....	1,306	3	5	5	10	22	54	90	136	258	407	316	-
Black, both sexes.....	448	7	5	14	7	17	49	75	70	77	80	47	-
Male.....	184	3	2	10	4	9	16	29	30	37	25	19	-
Female.....	264	4	3	4	3	8	33	46	40	40	55	28	-
American Indian 1/, both sexes.....	26	-	-	-	1	2	2	3	5	7	4	2	-
Male.....	12	-	-	-	1	2	-	2	1	4	1	1	-
Female.....	14	-	-	-	-	-	2	1	4	3	3	1	-
Asian or Pacific Islander 2/, both sexes	38	-	-	-	3	3	1	2	5	6	11	7	-
Male.....	15	-	-	-	-	1	1	1	3	3	4	2	-
Female.....	23	-	-	-	3	2	-	1	2	3	7	5	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcohol-induced causes (F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	19,928	1	2	3	101	581	3,579	6,643	4,820	2,808	1,183	199	8
Male.....	15,036	-	1	2	83	439	2,527	5,087	3,778	2,136	841	134	8
Female.....	4,892	1	1	1	18	142	1,052	1,556	1,042	672	342	65	-
White, both sexes.....	16,762	-	1	2	84	463	2,976	5,565	4,005	2,427	1,055	178	6
Male.....	12,741	-	1	1	72	359	2,134	4,307	3,159	1,834	752	116	6
Female.....	4,021	-	-	1	12	104	842	1,258	846	593	303	62	-
Black, both sexes.....	2,373	1	1	-	8	64	383	836	654	302	107	16	1
Male.....	1,749	-	-	-	6	47	250	611	501	245	75	13	1
Female.....	624	1	1	-	2	17	133	225	153	57	32	3	-
American Indian 1/, both sexes.....	596	-	-	1	8	51	173	184	117	52	9	1	-
Male.....	387	-	-	1	4	31	105	122	80	38	5	1	-
Female.....	209	-	-	-	4	20	68	62	37	14	4	-	-
Asian or Pacific Islander 2/, both sexes	197	-	-	-	1	3	47	58	44	27	12	4	1
Male.....	159	-	-	-	1	2	38	47	38	19	9	4	1
Female.....	38	-	-	-	-	1	9	11	6	8	3	-	-
Drug-induced causes (F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14) 3/													
All races, both sexes.....	26,018	29	30	42	2,215	4,449	8,857	7,181	1,825	647	477	256	10
Male.....	16,724	20	9	24	1,622	3,139	5,728	4,516	1,039	308	211	101	7
Female.....	9,294	9	21	18	593	1,310	3,129	2,665	786	339	266	155	3
White, both sexes.....	22,126	14	18	36	2,036	3,890	7,521	5,847	1,500	577	444	235	8
Male.....	14,160	11	3	20	1,499	2,766	4,895	3,623	794	260	189	95	5
Female.....	7,966	3	15	16	537	1,124	2,626	2,224	706	317	255	140	3
Black, both sexes.....	3,461	13	10	5	130	461	1,202	1,245	304	52	25	13	1
Male.....	2,307	8	6	3	91	310	754	843	234	38	17	2	1
Female.....	1,154	5	4	2	39	151	448	402	70	14	8	11	-
American Indian 1/, both sexes.....	230	2	1	1	24	49	82	55	10	3	-	2	1
Male.....	136	1	-	1	18	31	43	32	6	3	-	-	1
Female.....	94	1	1	-	6	18	39	23	4	-	-	2	-
Asian or Pacific Islander 2/, both sexes	201	-	1	-	25	49	52	34	11	15	8	6	-
Male.....	121	-	-	-	14	32	36	18	5	7	5	4	-
Female.....	80	-	1	-	11	17	16	16	6	8	3	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white or black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,242	10	61	348	6,780	6,140	5,446	4,321	2,719	1,993	1,833	576	15
Male.....	26,098	4	38	242	6,096	5,347	4,503	3,579	2,296	1,768	1,671	540	14
Female.....	4,144	6	23	106	684	793	943	742	423	225	162	36	1
White, both sexes.....	21,902	4	42	220	3,597	3,544	4,125	3,685	2,485	1,880	1,749	558	13
Male.....	18,714	2	25	154	3,194	2,999	3,389	3,049	2,099	1,671	1,596	524	12
Female.....	3,188	2	17	66	403	545	736	636	386	209	153	34	1
Black, both sexes.....	7,623	6	17	103	2,955	2,431	1,188	547	190	98	68	18	2
Male.....	6,798	2	12	74	2,705	2,216	1,006	460	159	85	61	16	2
Female.....	825	4	5	29	250	215	182	87	31	13	7	2	-
American Indian 1/, both sexes.....	287	-	1	10	105	68	51	33	10	5	4	-	-
Male.....	235	-	-	4	86	57	45	27	8	4	4	-	-
Female.....	52	-	1	6	19	11	6	6	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	430	-	1	15	123	97	82	56	34	10	12	-	-
Male.....	351	-	1	10	111	75	63	43	30	8	10	-	-
Female.....	79	-	-	5	12	22	19	13	4	2	2	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.