

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Arkansas												
All races, both sexes.....	2,778	13	5	4	2	2	4	5	2	11	19	41
Male.....	1,346	8	3	2	1	2	3	1	-	3	9	22
Female.....	1,432	5	2	2	1	-	1	4	2	8	10	19
White, both sexes.....	2,572	6	-	4	1	2	3	4	2	9	17	31
Male.....	1,239	5	-	2	-	2	2	1	-	2	9	16
Female.....	1,333	1	-	2	1	-	1	3	2	7	8	15
Black, both sexes.....	199	6	4	-	1	-	1	1	-	2	2	10
Male.....	102	3	2	-	1	-	1	-	-	1	-	6
Female.....	97	3	2	-	-	-	-	1	-	1	2	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	23,648	70	33	10	22	23	15	35	49	82	150	248
Male.....	11,078	48	18	5	9	17	9	20	32	43	87	135
Female.....	12,570	22	15	5	13	6	6	15	17	39	63	113
White, both sexes.....	20,854	47	22	7	13	18	12	26	33	66	108	199
Male.....	9,560	31	11	5	4	14	7	14	25	36	66	109
Female.....	11,294	16	11	2	9	4	5	12	8	30	42	90
Black, both sexes.....	1,288	18	7	2	8	2	2	6	12	13	32	35
Male.....	640	14	4	-	4	1	2	4	6	5	14	19
Female.....	648	4	3	2	4	1	-	2	6	8	18	16
American Indian 1/, both sexes.....	95	-	-	-	-	1	-	-	1	-	-	2
Male.....	48	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	-	-	1	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	1,411	5	4	1	1	2	1	3	3	3	10	12
Male.....	830	3	3	-	1	2	-	2	1	2	7	7
Female.....	581	2	1	1	-	-	1	1	2	1	3	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Maine												
All races, both sexes.....	1,362	-	-	-	1	1	-	-	2	5	5	8
Male.....	684	-	-	-	-	-	-	-	1	1	4	6
Female.....	678	-	-	-	1	1	-	-	1	4	1	2
White, both sexes.....	1,359	-	-	-	1	1	-	-	2	5	5	8
Male.....	681	-	-	-	-	-	-	-	1	1	4	6
Female.....	678	-	-	-	1	1	-	-	1	4	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	3,873	9	3	1	3	5	7	9	15	21	38	68
Male.....	1,713	4	1	-	2	3	5	5	6	11	27	36
Female.....	2,160	5	2	1	1	2	2	4	9	10	11	32
White, both sexes.....	3,176	4	1	1	-	3	4	4	7	9	15	34
Male.....	1,379	2	1	-	-	2	3	1	2	5	11	20
Female.....	1,797	2	-	1	-	1	1	3	5	4	4	14
Black, both sexes.....	671	5	2	-	3	2	2	5	7	12	23	34
Male.....	323	2	-	-	2	1	1	4	4	6	16	16
Female.....	348	3	2	-	1	1	1	1	3	6	7	18
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	1	-	1	-	-	-
Male.....	11	-	-	-	-	-	1	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
New Hampshire												
All races, both sexes.....	1,010	1	-	1	-	1	3	1	2	1	6	9
Male.....	471	-	-	-	-	-	1	1	1	-	3	6
Female.....	539	1	-	1	-	1	2	-	1	1	3	3
White, both sexes.....	1,003	1	-	1	-	1	3	1	1	1	6	9
Male.....	469	-	-	-	-	-	1	1	-	-	3	6
Female.....	534	1	-	1	-	1	2	-	1	1	3	3
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	6,222	15	8	3	10	7	10	8	7	33	38	69
Male.....	2,752	8	7	-	5	4	5	7	3	19	21	39
Female.....	3,470	7	1	3	5	3	5	1	4	14	17	30
White, both sexes.....	5,573	5	3	3	5	4	5	4	5	19	18	53
Male.....	2,421	2	3	-	2	3	1	3	2	13	10	31
Female.....	3,152	3	-	3	3	1	4	1	3	6	8	22
Black, both sexes.....	585	10	5	-	4	2	5	3	2	13	19	15
Male.....	297	6	4	-	2	1	4	3	1	5	11	7
Female.....	288	4	1	-	2	1	1	-	1	8	8	8
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	1	1	-	1	-	1	1	1
Male.....	32	-	-	-	1	-	-	1	-	1	-	1
Female.....	28	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Ohio												
All races, both sexes.....	10,516	16	10	5	4	7	15	13	15	44	73	113
Male.....	4,963	12	4	4	3	3	11	7	6	26	42	60
Female.....	5,553	4	6	1	1	4	4	6	9	18	31	53
White, both sexes.....	9,764	10	8	3	3	4	12	7	10	37	54	95
Male.....	4,568	7	4	2	2	3	8	4	6	20	28	53
Female.....	5,196	3	4	1	1	1	4	3	4	17	26	42
Black, both sexes.....	738	5	2	2	1	3	3	6	5	7	19	18
Male.....	383	4	-	2	1	-	3	3	-	6	14	7
Female.....	355	1	2	-	-	3	-	3	5	1	5	11
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	-	-	-	-	-	-	-	-
Male.....	10	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	3,476	10	2	1	7	5	4	4	12	17	27	48
Male.....	1,638	7	1	1	1	3	3	1	6	6	10	25
Female.....	1,838	3	1	-	6	2	1	3	6	11	17	23
White, both sexes.....	3,230	5	2	-	5	4	2	3	9	14	23	39
Male.....	1,519	3	1	-	-	2	1	1	5	5	8	21
Female.....	1,711	2	1	-	5	2	1	2	4	9	15	18
Black, both sexes.....	127	1	-	1	2	-	1	1	2	1	2	7
Male.....	63	1	-	1	1	-	1	-	1	1	2	4
Female.....	64	-	-	-	1	-	-	1	1	-	-	3
American Indian 1/, both sexes.....	112	3	-	-	-	1	1	-	1	1	1	2
Male.....	54	2	-	-	-	1	1	-	-	-	-	-
Female.....	58	1	-	-	-	-	-	-	1	1	1	2
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	-	-	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Oregon												
All races, both sexes.....	3,003	7	2	2	3	3	-	3	5	10	25	29
Male.....	1,481	4	1	-	1	2	-	1	3	7	12	12
Female.....	1,522	3	1	2	2	1	-	2	2	3	13	17
White, both sexes.....	2,943	7	2	2	3	3	-	3	5	9	23	26
Male.....	1,453	4	1	-	1	2	-	1	3	6	12	11
Female.....	1,490	3	1	2	2	1	-	2	2	3	11	15
Black, both sexes.....	24	-	-	-	-	-	-	-	-	1	-	1
Male.....	14	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	2	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
Pennsylvania												
All races, both sexes.....	12,033	12	7	3	8	8	14	16	28	38	69	96
Male.....	5,722	8	5	2	3	2	6	9	18	21	36	46
Female.....	6,311	4	2	1	5	6	8	7	10	17	33	50
White, both sexes.....	11,226	10	5	3	5	5	9	11	20	28	48	76
Male.....	5,327	7	4	2	2	-	5	5	13	15	23	38
Female.....	5,899	3	1	1	3	5	4	6	7	13	25	38
Black, both sexes.....	769	2	2	-	3	3	4	3	7	10	21	17
Male.....	373	1	1	-	1	2	1	2	4	6	13	6
Female.....	396	1	1	-	2	1	3	1	3	4	8	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	-	-	-	-	1	2	1	-	-	2
Male.....	19	-	-	-	-	-	-	2	1	-	-	1
Female.....	15	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
X. Diseases of the respiratory system (J00-J98)												
Vermont												
All races, both sexes.....	496	2	-	-	-	-	-	-	-	1	1	8
Male.....	241	2	-	-	-	-	-	-	-	1	-	5
Female.....	255	-	-	-	-	-	-	-	-	-	1	3
White, both sexes.....	494	2	-	-	-	-	-	-	-	1	1	8
Male.....	240	2	-	-	-	-	-	-	-	1	-	5
Female.....	254	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	5,616	12	13	4	4	3	9	7	16	26	36	75
Male.....	2,740	9	8	3	2	2	5	3	6	16	19	42
Female.....	2,876	3	5	1	2	1	4	4	10	10	17	33
White, both sexes.....	4,830	8	6	2	1	1	5	4	10	13	29	52
Male.....	2,318	6	2	2	1	1	3	2	4	7	15	31
Female.....	2,512	2	4	-	-	-	2	2	6	6	14	21
Black, both sexes.....	748	3	5	2	3	1	4	3	6	13	7	23
Male.....	399	2	4	1	1	1	2	1	2	9	4	11
Female.....	349	1	1	1	2	-	2	2	4	4	3	12
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	1	2	-	-	1	-	-	-	-	-	-
Male.....	20	1	2	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

United States

All races, both sexes.....	4,278	6,854	10,617	16,513	27,408	39,212	45,117	39,780	25,019	9,504	2,113	10
Male.....	2,344	3,645	5,683	8,767	14,661	20,325	21,990	17,473	9,301	2,687	420	7
Female.....	1,934	3,209	4,934	7,746	12,747	18,887	23,127	22,307	15,718	6,817	1,693	3
White, both sexes.....	3,400	5,811	9,250	14,785	24,940	36,084	41,868	37,137	23,325	8,769	1,906	8
Male.....	1,862	3,061	4,888	7,805	13,262	18,551	20,304	16,253	8,617	2,436	379	6
Female.....	1,538	2,750	4,362	6,980	11,678	17,533	21,564	20,884	14,708	6,333	1,527	2
Black, both sexes.....	768	922	1,180	1,454	2,023	2,469	2,562	2,004	1,298	585	169	1
Male.....	421	523	686	819	1,135	1,382	1,291	861	488	190	33	1
Female.....	347	399	494	635	888	1,087	1,271	1,143	810	395	136	-
American Indian 1/, both sexes.....	43	53	76	96	115	139	137	115	72	24	8	-
Male.....	19	27	39	46	57	78	66	55	27	7	2	-
Female.....	24	26	37	50	58	61	71	60	45	17	6	-
Asian or Pacific Islander 2/, both sexes.....	67	68	111	178	330	520	550	524	324	126	30	1
Male.....	42	34	70	97	207	314	329	304	169	54	6	-
Female.....	25	34	41	81	123	206	221	220	155	72	24	1

Alabama

All races, both sexes.....	99	158	235	371	537	775	882	658	404	150	30	-
Male.....	59	95	122	212	288	415	463	274	157	34	4	-
Female.....	40	63	113	159	249	360	419	384	247	116	26	-
White, both sexes.....	77	122	192	312	476	694	772	565	331	116	18	-
Male.....	43	77	97	170	254	365	398	236	129	20	3	-
Female.....	34	45	95	142	222	329	374	329	202	96	15	-
Black, both sexes.....	21	36	43	58	60	80	110	93	73	34	11	-
Male.....	16	18	25	42	34	49	65	38	28	14	1	-
Female.....	5	18	18	16	26	31	45	55	45	20	10	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Alaska

All races, both sexes.....	1	7	15	19	27	53	48	25	17	5	1	-
Male.....	1	2	9	13	14	25	27	10	6	2	-	-
Female.....	-	5	6	6	13	28	21	15	11	3	1	-
White, both sexes.....	-	7	10	14	19	36	36	18	12	4	1	-
Male.....	-	2	6	10	10	16	21	8	3	1	-	-
Female.....	-	5	4	4	9	20	15	10	9	3	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	5	5	6	17	12	5	4	-	-	-
Male.....	1	-	3	3	3	9	6	2	2	-	-	-
Female.....	-	-	2	2	3	8	6	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Arizona

All races, both sexes.....	85	108	233	303	583	792	913	769	435	138	29	1
Male.....	49	63	123	157	310	426	445	359	188	37	4	1
Female.....	36	45	110	146	273	366	468	410	247	101	25	-
White, both sexes.....	75	99	216	289	560	760	880	747	416	128	25	1
Male.....	41	57	114	151	297	406	427	347	178	32	3	1
Female.....	34	42	102	138	263	354	453	400	238	96	22	-
Black, both sexes.....	5	3	4	2	11	10	15	2	2	2	1	-
Male.....	5	3	4	1	6	7	7	-	1	1	-	-
Female.....	-	-	-	1	5	3	8	2	1	1	1	-
American Indian 1/, both sexes.....	4	5	11	10	11	15	16	18	14	8	3	-
Male.....	2	3	4	4	6	8	10	11	7	4	1	-
Female.....	2	2	7	6	5	7	6	7	7	4	2	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	7	2	2	3	-	-	-
Male.....	1	-	1	1	1	5	1	1	2	-	-	-
Female.....	-	1	1	1	-	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Arkansas

All races, both sexes.....	50	91	142	225	338	402	521	461	298	118	23	1
Male.....	23	43	77	128	187	212	265	203	110	39	4	1
Female.....	27	48	65	97	151	190	256	258	188	79	19	-
White, both sexes.....	45	80	132	214	315	377	493	431	278	107	20	1
Male.....	20	35	70	123	175	195	252	189	101	35	4	1
Female.....	25	45	62	91	140	182	241	242	177	72	16	-
Black, both sexes.....	5	11	8	11	21	25	27	30	20	11	3	-
Male.....	3	8	5	5	10	17	13	14	9	4	-	-
Female.....	2	3	3	6	11	8	14	16	11	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

California

All races, both sexes.....	419	586	960	1,524	2,606	4,000	4,692	4,226	2,677	1,002	219	-
Male.....	229	314	500	785	1,302	2,021	2,265	1,866	1,018	315	40	-
Female.....	190	272	460	739	1,304	1,979	2,427	2,360	1,659	687	179	-
White, both sexes.....	339	496	803	1,328	2,299	3,554	4,191	3,789	2,402	905	197	-
Male.....	183	265	409	677	1,127	1,747	1,994	1,633	891	276	36	-
Female.....	156	231	394	651	1,172	1,807	2,197	2,156	1,511	629	161	-
Black, both sexes.....	55	58	104	105	145	188	203	151	101	34	7	-
Male.....	32	30	54	57	76	106	100	64	36	11	1	-
Female.....	23	28	50	48	69	82	103	87	65	23	6	-
American Indian 1/, both sexes.....	2	6	8	13	14	17	18	8	4	-	1	-
Male.....	2	4	3	8	8	10	7	4	2	-	-	-
Female.....	-	2	5	5	6	7	11	4	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	23	26	45	78	148	241	280	278	170	63	14	-
Male.....	12	15	34	43	91	158	164	165	89	28	3	-
Female.....	11	11	11	35	57	83	116	113	81	35	11	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Colorado

All races, both sexes.....	59	112	161	209	401	520	578	539	344	122	23	1
Male.....	41	60	84	113	229	269	290	246	123	36	2	1
Female.....	18	52	77	96	172	251	288	293	221	86	21	-
White, both sexes.....	54	103	152	201	385	509	567	526	338	121	22	1
Male.....	37	57	79	109	221	260	284	242	118	35	2	1
Female.....	17	46	73	92	164	249	283	284	220	86	20	-
Black, both sexes.....	5	7	6	5	11	8	5	8	6	1	1	-
Male.....	4	2	3	4	5	7	2	2	5	1	-	-
Female.....	1	5	3	1	6	1	3	6	1	-	1	-
American Indian 1/, both sexes.....	-	1	1	3	-	-	1	2	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	3	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	5	3	5	3	-	-	-	-
Male.....	-	1	1	-	3	2	3	2	-	-	-	-
Female.....	-	-	1	-	2	1	2	1	-	-	-	-

Connecticut

All races, both sexes.....	39	76	92	156	283	478	634	633	418	170	36	-
Male.....	20	39	47	75	134	236	300	298	157	44	6	-
Female.....	19	37	45	81	149	242	334	335	261	126	30	-
White, both sexes.....	33	66	84	138	262	459	613	622	406	163	35	-
Male.....	17	33	44	64	126	226	291	293	153	41	6	-
Female.....	16	33	40	74	136	233	322	329	253	122	29	-
Black, both sexes.....	6	9	7	17	19	18	18	10	10	7	1	-
Male.....	3	5	3	10	7	10	7	4	2	3	-	-
Female.....	3	4	4	7	12	8	11	6	8	4	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	2	1	1	-	-	-
Male.....	-	1	-	1	1	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Florida												
All races, both sexes.....	239	422	639	1,106	1,802	2,669	2,997	2,492	1,569	595	110	-
Male.....	144	235	369	619	915	1,345	1,425	1,136	657	182	29	-
Female.....	95	187	270	487	887	1,324	1,572	1,356	912	413	81	-
White, both sexes.....	192	349	559	997	1,694	2,554	2,856	2,379	1,487	561	106	-
Male.....	123	191	323	553	852	1,277	1,343	1,084	619	173	27	-
Female.....	69	158	236	444	842	1,277	1,513	1,295	868	388	79	-
Black, both sexes.....	45	70	73	106	101	105	132	108	78	33	4	-
Male.....	20	43	43	64	60	63	78	50	36	9	2	-
Female.....	25	27	30	42	41	42	54	58	42	24	2	-
American Indian 1/, both sexes.....	1	2	3	1	1	2	3	2	1	-	-	-
Male.....	1	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	1	2	-	-	1	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	2	6	8	6	3	3	1	-	-
Male.....	-	-	2	1	2	4	3	2	2	-	-	-
Female.....	1	1	2	1	4	4	3	1	1	1	-	-
Georgia												
All races, both sexes.....	152	231	407	515	829	1,000	1,211	888	550	192	44	-
Male.....	86	123	246	264	458	505	581	356	183	56	10	-
Female.....	66	108	161	251	371	495	630	532	367	136	34	-
White, both sexes.....	97	176	312	422	705	845	1,042	772	465	161	32	-
Male.....	55	90	190	209	388	421	495	320	156	47	7	-
Female.....	42	86	122	213	317	424	547	452	309	114	25	-
Black, both sexes.....	55	55	93	90	120	150	168	116	85	31	11	-
Male.....	31	33	55	53	67	81	85	36	27	9	3	-
Female.....	24	22	38	37	53	69	83	80	58	22	8	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	3	4	-	-	-	-	1	-
Male.....	-	-	1	2	2	3	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Hawaii

All races, both sexes.....	19	20	36	35	66	121	170	152	103	46	13	-
Male.....	13	10	24	24	44	66	103	89	54	16	2	-
Female.....	6	10	12	11	22	55	67	63	49	30	11	-
White, both sexes.....	4	9	16	16	16	39	57	43	31	10	3	-
Male.....	3	5	12	14	11	19	32	22	15	3	1	-
Female.....	1	4	4	2	5	20	25	21	16	7	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	11	20	19	50	82	113	109	72	36	10	-
Male.....	10	5	12	10	33	47	71	67	39	13	1	-
Female.....	5	6	8	9	17	35	42	42	33	23	9	-

Idaho

All races, both sexes.....	14	35	49	78	140	160	218	156	118	45	13	-
Male.....	9	20	21	43	76	85	106	82	49	14	3	-
Female.....	5	15	28	35	64	75	112	74	69	31	10	-
White, both sexes.....	14	34	49	78	136	158	214	155	117	44	13	-
Male.....	9	19	21	43	74	83	104	81	49	14	3	-
Female.....	5	15	28	35	62	75	110	74	68	30	10	-
Black, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	3	1	2	1	-	1	-	-
Male.....	-	-	-	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Illinois

All races, both sexes.....	180	264	419	653	1,033	1,600	1,858	1,684	1,116	436	103	-
Male.....	113	139	223	353	570	866	896	705	387	113	18	-
Female.....	67	125	196	300	463	734	962	979	729	323	85	-
White, both sexes.....	123	208	352	566	893	1,437	1,707	1,581	1,065	401	95	-
Male.....	76	108	188	304	491	778	817	666	371	102	17	-
Female.....	47	100	164	262	402	659	890	915	694	299	78	-
Black, both sexes.....	54	55	63	82	127	143	134	93	43	33	8	-
Male.....	35	30	33	47	71	77	69	36	14	10	1	-
Female.....	19	25	30	35	56	66	65	57	29	23	7	-
American Indian 1/, both sexes.....	1	-	1	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	5	12	18	16	10	8	2	-	-
Male.....	2	1	2	2	7	11	10	3	2	1	-	-
Female.....	-	-	1	3	5	7	6	7	6	1	-	-

Indiana

All races, both sexes.....	121	161	260	406	693	981	1,014	936	543	197	44	-
Male.....	49	78	145	205	363	513	506	416	206	58	8	-
Female.....	72	83	115	201	330	468	508	520	337	139	36	-
White, both sexes.....	108	156	247	384	665	947	992	907	522	190	44	-
Male.....	45	77	134	199	353	493	494	399	200	54	8	-
Female.....	63	79	113	185	312	454	498	508	322	136	36	-
Black, both sexes.....	12	5	13	22	25	32	22	28	19	7	-	-
Male.....	3	1	11	6	10	19	12	16	5	4	-	-
Female.....	9	4	2	16	15	13	10	12	14	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Iowa

All races, both sexes.....	32	68	85	176	347	453	595	595	388	175	47	-
Male.....	16	35	47	95	189	260	317	282	142	51	11	-
Female.....	16	33	38	81	158	193	278	313	246	124	36	-
White, both sexes.....	31	68	80	173	342	451	593	593	388	173	47	-
Male.....	16	35	44	94	186	259	315	280	142	50	11	-
Female.....	15	33	36	79	156	192	278	313	246	123	36	-
Black, both sexes.....	1	-	5	3	4	1	1	2	-	2	-	-
Male.....	-	-	3	1	2	-	1	2	-	1	-	-
Female.....	1	-	2	2	2	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	37	70	125	179	268	400	511	460	294	120	31	-
Male.....	20	36	62	92	133	213	257	185	131	42	5	-
Female.....	17	34	63	87	135	187	254	275	163	78	26	-
White, both sexes.....	32	65	110	168	257	385	500	450	289	119	31	-
Male.....	19	36	53	85	129	202	251	183	129	42	5	-
Female.....	13	29	57	83	128	183	249	267	160	77	26	-
Black, both sexes.....	3	3	11	8	10	15	8	9	4	1	-	-
Male.....	1	-	7	5	3	11	5	2	2	-	-	-
Female.....	2	3	4	3	7	4	3	7	2	1	-	-
American Indian 1/, both sexes.....	1	1	3	3	1	-	3	-	1	-	-	-
Male.....	-	-	2	2	1	-	1	-	-	-	-	-
Female.....	1	1	1	1	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Kentucky												
All races, both sexes.....	99	181	261	406	554	734	860	664	395	147	27	-
Male.....	48	92	150	221	329	386	413	285	145	35	7	-
Female.....	51	89	111	185	225	348	447	379	250	112	20	-
White, both sexes.....	91	170	254	392	534	706	829	640	377	137	24	-
Male.....	44	88	147	216	318	374	401	276	137	32	6	-
Female.....	47	82	107	176	216	332	428	364	240	105	18	-
Black, both sexes.....	8	11	7	14	19	26	28	23	18	10	3	-
Male.....	4	4	3	5	11	11	12	8	8	3	1	-
Female.....	4	7	4	9	8	15	16	15	10	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-
Louisiana												
All races, both sexes.....	93	116	143	260	381	558	624	537	316	105	27	-
Male.....	54	68	77	143	206	301	284	237	119	37	4	-
Female.....	39	48	66	117	175	257	340	300	197	68	23	-
White, both sexes.....	59	82	106	187	308	451	529	445	249	80	14	-
Male.....	33	45	54	95	160	235	240	190	91	24	2	-
Female.....	26	37	52	92	148	216	289	255	158	56	12	-
Black, both sexes.....	32	34	37	72	72	105	92	91	65	25	12	-
Male.....	19	23	23	47	46	64	43	47	27	13	2	-
Female.....	13	11	14	25	26	41	49	44	38	12	10	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	1	-	1	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	1	3	1	1	-	-	-
Male.....	2	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Maine												
All races, both sexes.....	15	27	56	104	165	229	280	241	136	68	19	-
Male.....	9	12	34	61	105	124	141	112	50	21	3	-
Female.....	6	15	22	43	60	105	139	129	86	47	16	-
White, both sexes.....	15	27	56	104	164	228	280	240	136	68	19	-
Male.....	9	12	34	61	104	123	141	111	50	21	3	-
Female.....	6	15	22	43	60	105	139	129	86	47	16	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	73	99	175	253	439	647	764	658	394	147	44	1
Male.....	35	51	84	120	217	324	352	248	135	38	9	-
Female.....	38	48	91	133	222	323	412	410	259	109	35	1
White, both sexes.....	42	72	123	198	367	544	656	582	339	130	40	1
Male.....	21	37	57	93	176	268	303	222	113	35	7	-
Female.....	21	35	66	105	191	276	353	360	226	95	33	1
Black, both sexes.....	29	27	50	53	70	98	105	71	54	15	4	-
Male.....	12	14	26	25	40	54	48	25	22	3	2	-
Female.....	17	13	24	28	30	44	57	46	32	12	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	2	2	5	2	4	1	2	-	-
Male.....	2	-	1	2	1	2	1	1	-	-	-	-
Female.....	-	-	1	-	1	3	1	3	1	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Massachusetts

All races, both sexes.....	107	148	192	328	599	961	1,255	1,257	855	331	91	-
Male.....	63	73	92	174	311	471	595	494	264	86	15	-
Female.....	44	75	100	154	288	490	660	763	591	245	76	-
White, both sexes.....	94	139	188	309	577	934	1,213	1,239	836	319	91	-
Male.....	54	68	90	167	296	456	571	486	254	81	15	-
Female.....	40	71	98	142	281	478	642	753	582	238	76	-
Black, both sexes.....	10	8	3	15	16	18	30	15	13	9	-	-
Male.....	7	4	2	5	10	8	18	5	5	4	-	-
Female.....	3	4	1	10	6	10	12	10	8	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	4	4	9	12	3	6	2	-	-
Male.....	2	1	-	2	3	7	6	3	5	1	-	-
Female.....	1	-	1	2	1	2	6	-	1	1	-	-

Michigan

All races, both sexes.....	165	268	359	582	959	1,344	1,525	1,308	742	256	62	-
Male.....	88	135	192	291	495	687	746	589	283	87	12	-
Female.....	77	133	167	291	464	657	779	719	459	169	50	-
White, both sexes.....	123	217	321	513	879	1,223	1,406	1,240	689	236	59	-
Male.....	64	105	173	258	451	623	686	552	261	78	12	-
Female.....	59	112	148	255	428	600	720	688	428	158	47	-
Black, both sexes.....	41	46	32	59	71	110	111	66	50	18	3	-
Male.....	23	26	15	30	40	58	57	37	21	9	-	-
Female.....	18	20	17	29	31	52	54	29	29	9	3	-
American Indian 1/, both sexes.....	1	4	5	9	6	3	4	2	2	1	-	-
Male.....	1	3	4	3	1	2	-	-	1	-	-	-
Female.....	-	1	1	6	5	1	4	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	3	8	4	-	1	1	-	-
Male.....	-	1	-	-	3	4	3	-	-	-	-	-
Female.....	-	-	1	1	-	4	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Minnesota

All races, both sexes.....	49	71	141	196	389	535	696	681	439	196	40	-
Male.....	25	34	80	94	192	294	369	339	185	55	5	-
Female.....	24	37	61	102	197	241	327	342	254	141	35	-
White, both sexes.....	46	68	132	188	374	530	688	671	432	196	40	-
Male.....	24	31	73	93	184	291	364	335	182	55	5	-
Female.....	22	37	59	95	190	239	324	336	250	141	35	-
Black, both sexes.....	1	2	5	7	6	3	3	3	5	-	-	-
Male.....	-	2	5	1	4	2	2	3	2	-	-	-
Female.....	1	-	-	6	2	1	1	-	3	-	-	-
American Indian 1/, both sexes.....	1	1	4	-	7	1	2	2	1	-	-	-
Male.....	1	1	2	-	2	1	2	-	1	-	-	-
Female.....	-	-	2	-	5	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	3	5	1	-	-	-
Male.....	-	-	-	-	2	-	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	2	4	1	-	-	-

Mississippi

All races, both sexes.....	61	93	157	202	329	432	475	407	283	106	24	2
Male.....	34	61	97	107	196	211	247	173	92	26	2	1
Female.....	27	32	60	95	133	221	228	234	191	80	22	1
White, both sexes.....	38	62	110	168	268	363	394	341	228	72	13	1
Male.....	22	46	67	87	155	165	209	145	72	14	1	1
Female.....	16	16	43	81	113	198	185	196	156	58	12	-
Black, both sexes.....	22	29	46	33	59	68	78	64	55	34	11	-
Male.....	11	15	29	20	40	46	37	28	20	12	1	-
Female.....	11	14	17	13	19	22	41	36	35	22	10	-
American Indian 1/, both sexes.....	1	1	1	1	1	-	1	1	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	2	1	-	-	-	1
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Missouri												
All races, both sexes.....	108	135	287	399	676	915	1,045	869	613	220	57	-
Male.....	60	72	150	219	380	492	539	417	215	58	12	-
Female.....	48	63	137	180	296	423	506	452	398	162	45	-
White, both sexes.....	96	115	267	371	633	851	990	831	577	212	54	-
Male.....	50	59	139	202	358	452	508	400	203	55	12	-
Female.....	46	56	128	169	275	399	482	431	374	157	42	-
Black, both sexes.....	12	20	17	25	42	60	53	33	33	7	3	-
Male.....	10	13	9	17	21	38	31	15	11	2	-	-
Female.....	2	7	8	8	21	22	22	18	22	5	3	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	-	1	2	1	-	-
Male.....	-	-	1	-	-	-	-	-	1	1	-	-
Female.....	-	-	1	1	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	1	3	2	4	1	-	-	-
Male.....	-	-	1	-	1	2	-	2	-	-	-	-
Female.....	-	-	-	2	-	1	2	2	1	-	-	-
Montana												
All races, both sexes.....	12	22	52	69	112	167	214	185	118	32	7	-
Male.....	5	18	29	33	53	92	98	78	53	13	3	-
Female.....	7	4	23	36	59	75	116	107	65	19	4	-
White, both sexes.....	10	21	49	67	107	158	212	177	115	32	7	-
Male.....	5	17	27	31	51	86	97	76	51	13	3	-
Female.....	5	4	22	36	56	72	115	101	64	19	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	3	2	5	8	2	8	3	-	-	-
Male.....	-	1	2	2	2	6	1	2	2	-	-	-
Female.....	2	-	1	-	3	2	1	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Nebraska

All races, both sexes.....	24	38	57	104	206	253	291	322	222	83	24	-
Male.....	9	26	32	57	121	134	156	144	99	26	2	-
Female.....	15	12	25	47	85	119	135	178	123	57	22	-
White, both sexes.....	22	37	56	104	200	248	285	318	219	83	21	-
Male.....	9	25	31	57	117	130	151	142	98	26	2	-
Female.....	13	12	25	47	83	118	134	176	121	57	19	-
Black, both sexes.....	1	-	1	-	5	3	5	2	3	-	3	-
Male.....	-	-	1	-	4	2	4	-	1	-	-	-
Female.....	1	-	-	-	1	1	1	2	2	-	3	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	37	70	102	163	256	344	373	264	105	38	4	-
Male.....	15	38	46	92	134	188	178	112	34	9	-	-
Female.....	22	32	56	71	122	156	195	152	71	29	4	-
White, both sexes.....	33	64	97	155	237	329	351	249	101	36	3	-
Male.....	13	35	43	89	122	179	165	106	33	8	-	-
Female.....	20	29	54	66	115	150	186	143	68	28	3	-
Black, both sexes.....	2	4	4	5	11	9	14	8	3	1	-	-
Male.....	1	2	2	2	8	5	8	3	-	-	-	-
Female.....	1	2	2	3	3	4	6	5	3	1	-	-
American Indian 1/, both sexes.....	2	1	-	1	2	1	1	3	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	1	-	1	2	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	6	5	7	4	1	1	1	-
Male.....	-	1	1	1	4	4	4	2	1	1	-	-
Female.....	-	-	-	1	2	1	3	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

New Hampshire

All races, both sexes.....	17	27	35	75	133	176	165	203	106	40	8	-
Male.....	7	12	15	43	82	83	79	86	42	7	3	-
Female.....	10	15	20	32	51	93	86	117	64	33	5	-
White, both sexes.....	17	26	33	74	133	175	164	203	106	40	8	-
Male.....	7	12	14	43	82	83	79	86	42	7	3	-
Female.....	10	14	19	31	51	92	85	117	64	33	5	-
Black, both sexes.....	-	1	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	92	157	221	376	631	1,017	1,238	1,157	793	276	55	1
Male.....	48	84	128	177	313	531	541	472	254	72	14	-
Female.....	44	73	93	199	318	486	697	685	539	204	41	1
White, both sexes.....	61	119	173	323	557	920	1,146	1,079	758	261	51	1
Male.....	29	62	97	152	278	478	492	442	242	67	12	-
Female.....	32	57	76	171	279	442	654	637	516	194	39	1
Black, both sexes.....	29	36	45	49	65	83	83	67	33	14	3	-
Male.....	17	21	30	24	30	47	45	24	10	4	1	-
Female.....	12	15	15	25	35	36	38	43	23	10	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	4	9	13	6	11	2	1	1	-
Male.....	2	1	1	1	5	5	3	6	2	1	1	-
Female.....	-	1	2	3	4	8	3	5	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
New Mexico												
All races, both sexes.....	26	51	63	107	191	254	278	233	147	54	9	-
Male.....	15	30	38	63	108	121	147	111	56	17	3	-
Female.....	11	21	25	44	83	133	131	122	91	37	6	-
White, both sexes.....	21	45	62	96	185	240	265	221	133	50	9	-
Male.....	13	28	37	57	104	115	139	104	52	16	3	-
Female.....	8	17	25	39	81	125	126	117	81	34	6	-
Black, both sexes.....	1	2	1	-	4	2	2	1	2	-	-	-
Male.....	1	2	1	-	2	-	2	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	2	-	-	-
American Indian 1/, both sexes.....	4	4	-	10	2	11	11	11	12	4	-	-
Male.....	1	-	-	6	2	6	6	6	4	1	-	-
Female.....	3	4	-	4	-	5	5	5	8	3	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	266	405	599	900	1,528	2,255	2,770	2,558	1,800	729	173	-
Male.....	143	207	315	482	830	1,133	1,310	1,041	620	200	29	-
Female.....	123	198	284	418	698	1,122	1,460	1,517	1,180	529	144	-
White, both sexes.....	212	330	502	779	1,343	2,014	2,528	2,329	1,657	670	153	-
Male.....	117	167	259	414	734	1,007	1,207	969	575	185	25	-
Female.....	95	163	243	365	609	1,007	1,321	1,360	1,082	485	128	-
Black, both sexes.....	51	71	87	98	160	200	210	184	117	53	17	-
Male.....	26	40	49	52	76	104	85	50	34	13	3	-
Female.....	25	31	38	46	84	96	125	134	83	40	14	-
American Indian 1/, both sexes.....	-	1	3	1	3	-	1	1	1	-	1	-
Male.....	-	-	2	-	2	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.	3	3	7	22	22	41	31	44	25	6	2	-
Male.....	-	-	5	16	18	22	18	22	11	2	1	-
Female.....	3	3	2	6	4	19	13	22	14	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the

International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

North Carolina

All races, both sexes.....	143	234	347	603	990	1,181	1,326	1,114	667	243	55	-
Male.....	79	135	184	346	505	603	651	471	227	63	8	-
Female.....	64	99	163	257	485	578	675	643	440	180	47	-
White, both sexes.....	106	173	292	517	848	1,056	1,159	980	589	205	44	-
Male.....	60	97	154	287	426	530	564	409	193	51	6	-
Female.....	46	76	138	230	422	526	595	571	396	154	38	-
Black, both sexes.....	36	57	55	80	135	115	159	127	72	36	11	-
Male.....	18	36	30	57	75	68	80	60	32	11	2	-
Female.....	18	21	25	23	60	47	79	67	40	25	9	-
American Indian 1/, both sexes.....	-	4	-	5	6	8	6	6	5	1	-	-
Male.....	-	2	-	1	4	3	5	1	2	-	-	-
Female.....	-	2	-	4	2	5	1	5	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	2	1	1	1	-	-
Male.....	1	-	-	1	-	2	2	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

North Dakota

All races, both sexes.....	5	11	17	37	64	104	102	99	98	40	6	-
Male.....	3	6	6	22	39	54	63	48	38	14	4	-
Female.....	2	5	11	15	25	50	39	51	60	26	2	-
White, both sexes.....	5	10	17	34	60	101	99	96	97	40	6	-
Male.....	3	5	6	20	38	53	63	47	38	14	4	-
Female.....	2	5	11	14	22	48	36	49	59	26	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	4	2	3	3	1	-	-	-
Male.....	-	1	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	3	1	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Ohio

All races, both sexes.....	189	311	488	768	1,301	1,892	2,024	1,776	1,008	364	80	-
Male.....	108	163	267	387	671	999	951	753	364	105	17	-
Female.....	81	148	221	381	630	893	1,073	1,023	644	259	63	-
White, both sexes.....	148	274	447	702	1,200	1,781	1,907	1,679	968	342	73	-
Male.....	87	142	242	350	606	944	887	713	346	100	14	-
Female.....	61	132	205	352	594	837	1,020	966	622	242	59	-
Black, both sexes.....	41	37	39	65	100	109	115	96	37	21	7	-
Male.....	21	21	24	37	64	53	62	39	15	4	3	-
Female.....	20	16	15	28	36	56	53	57	22	17	4	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	1	1	3	1	-	-
Male.....	-	-	-	-	1	2	1	1	3	1	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	69	130	217	325	417	561	600	490	368	140	22	-
Male.....	38	66	100	162	226	288	289	236	124	38	7	-
Female.....	31	64	117	163	191	273	311	254	244	102	15	-
White, both sexes.....	61	115	199	298	390	532	572	455	352	129	21	-
Male.....	36	59	93	152	212	274	276	209	118	36	7	-
Female.....	25	56	106	146	178	258	296	246	234	93	14	-
Black, both sexes.....	5	6	8	17	15	10	14	19	9	5	1	-
Male.....	1	3	4	5	7	6	6	14	4	1	-	-
Female.....	4	3	4	12	8	4	8	5	5	4	1	-
American Indian 1/, both sexes.....	3	8	9	9	12	18	14	16	7	6	-	-
Male.....	1	4	3	4	7	8	7	13	2	1	-	-
Female.....	2	4	6	5	5	10	7	3	5	5	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Oregon												
All races, both sexes.....	36	104	116	215	370	508	589	538	303	112	23	-
Male.....	19	55	61	116	197	256	314	249	134	32	5	-
Female.....	17	49	55	99	173	252	275	289	169	80	18	-
White, both sexes.....	33	102	113	209	362	500	579	528	300	112	22	-
Male.....	18	53	59	113	192	255	308	244	133	32	5	-
Female.....	15	49	54	96	170	245	271	284	167	80	17	-
Black, both sexes.....	1	2	2	2	3	4	3	4	-	-	1	-
Male.....	-	2	2	2	2	1	2	2	-	-	-	-
Female.....	1	-	-	-	1	3	1	2	-	-	1	-
American Indian 1/, both sexes.....	2	-	1	1	3	1	5	3	1	-	-	-
Male.....	1	-	-	1	2	-	4	1	-	-	-	-
Female.....	1	-	1	-	1	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	3	2	3	2	3	2	-	-	-
Male.....	-	-	-	-	1	-	-	2	1	-	-	-
Female.....	-	-	-	3	1	3	2	1	1	-	-	-
Pennsylvania												
All races, both sexes.....	175	295	449	708	1,311	2,056	2,531	2,218	1,365	519	106	1
Male.....	97	162	241	354	711	1,055	1,225	1,023	531	146	20	1
Female.....	78	133	208	354	600	1,001	1,306	1,195	834	373	86	-
White, both sexes.....	145	253	392	636	1,213	1,929	2,397	2,144	1,317	480	99	1
Male.....	82	139	213	320	657	994	1,162	985	511	131	18	1
Female.....	63	114	179	316	556	935	1,235	1,159	806	349	81	-
Black, both sexes.....	28	42	54	68	91	122	130	72	46	37	7	-
Male.....	13	23	27	34	49	59	60	36	19	14	2	-
Female.....	15	19	27	34	42	63	70	36	27	23	5	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	4	6	5	4	2	2	2	-	-
Male.....	1	-	-	-	5	2	3	2	1	1	-	-
Female.....	-	-	2	4	1	3	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Rhode Island

All races, both sexes.....	10	27	32	55	104	167	200	194	114	47	11	-
Male.....	5	15	22	28	59	86	96	74	39	8	2	-
Female.....	5	12	10	27	45	81	104	120	75	39	9	-
White, both sexes.....	8	26	30	55	102	161	195	191	114	46	11	-
Male.....	4	14	20	28	57	82	92	71	39	8	2	-
Female.....	4	12	10	27	45	79	103	120	75	38	9	-
Black, both sexes.....	2	-	2	-	1	4	3	2	-	1	-	-
Male.....	1	-	2	-	1	2	2	2	-	-	-	-
Female.....	1	-	-	-	-	2	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	1	-	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	81	110	238	300	447	613	633	523	294	122	20	-
Male.....	38	54	124	178	254	320	295	210	95	28	4	-
Female.....	43	56	114	122	193	293	338	313	199	94	16	-
White, both sexes.....	53	82	184	245	377	523	545	449	243	104	14	-
Male.....	23	38	94	150	211	270	250	177	78	23	2	-
Female.....	30	44	90	95	166	253	295	272	165	81	12	-
Black, both sexes.....	28	27	53	55	70	90	88	73	50	17	6	-
Male.....	15	16	29	28	43	50	45	32	17	4	2	-
Female.....	13	11	24	27	27	40	43	41	33	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	1	1	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	1	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

South Dakota

All races, both sexes.....	13	10	28	38	77	112	144	119	102	44	21	-
Male.....	6	8	13	23	46	75	80	54	40	10	4	-
Female.....	7	2	15	15	31	37	64	65	62	34	17	-
White, both sexes.....	11	9	26	34	76	106	140	114	101	44	20	-
Male.....	6	7	12	21	45	70	79	51	40	10	3	-
Female.....	5	2	14	13	31	36	61	63	61	34	17	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	4	1	5	4	5	1	-	1	-
Male.....	-	1	1	2	1	5	1	3	-	-	1	-
Female.....	2	-	1	2	-	-	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Tennessee

All races, both sexes.....	146	227	343	485	696	961	997	858	498	216	42	1
Male.....	80	118	183	253	396	525	492	377	184	54	10	1
Female.....	66	109	160	232	300	436	505	481	314	162	32	-
White, both sexes.....	122	203	308	446	641	879	922	790	468	201	39	-
Male.....	63	102	159	233	364	475	456	344	173	47	9	-
Female.....	59	101	149	213	277	404	466	446	295	154	30	-
Black, both sexes.....	23	23	34	39	53	78	73	68	30	15	3	1
Male.....	16	16	23	20	31	47	35	33	11	7	1	1
Female.....	7	7	11	19	22	31	38	35	19	8	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	4	1	-	-	-	-	-
Male.....	1	-	-	-	1	3	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

X. Diseases of the respiratory system (J00-J98)

Vermont

All races, both sexes.....	8	13	25	35	57	81	87	101	52	22	3	-
Male.....	4	6	16	19	32	41	42	45	17	11	-	-
Female.....	4	7	9	16	25	40	45	56	35	11	3	-
White, both sexes.....	8	13	24	35	57	81	86	101	52	22	3	-
Male.....	4	6	15	19	32	41	42	45	17	11	-	-
Female.....	4	7	9	16	25	40	44	56	35	11	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	101	172	274	395	662	990	1,058	921	550	242	46	-
Male.....	57	101	140	216	367	532	527	393	224	59	9	-
Female.....	44	71	134	179	295	458	531	528	326	183	37	-
White, both sexes.....	66	129	223	341	570	869	941	815	490	218	37	-
Male.....	36	76	115	179	308	471	463	336	199	53	8	-
Female.....	30	53	108	162	262	398	478	479	291	165	29	-
Black, both sexes.....	33	39	45	53	89	117	113	99	57	24	9	-
Male.....	19	24	22	37	57	59	60	51	25	6	1	-
Female.....	14	15	23	16	32	58	53	48	32	18	8	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	4	1	3	4	4	7	3	-	-	-
Male.....	1	1	1	-	2	2	4	6	-	-	-	-
Female.....	-	3	3	1	1	2	-	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
X. Diseases of the respiratory system (J00-J98)												
Washington												
All races, both sexes.....	97	154	216	296	532	789	854	784	486	163	46	-
Male.....	49	73	108	165	299	382	406	371	193	50	11	-
Female.....	48	81	108	131	233	407	448	413	293	113	35	-
White, both sexes.....	81	144	199	283	509	745	835	753	474	159	44	-
Male.....	41	67	96	156	288	357	396	360	186	48	11	-
Female.....	40	77	103	127	221	388	439	393	288	111	33	-
Black, both sexes.....	7	5	7	2	7	15	5	14	1	-	1	-
Male.....	4	2	7	1	4	5	2	6	-	-	-	-
Female.....	3	3	-	1	3	10	3	8	1	-	1	-
American Indian 1/, both sexes.....	7	1	5	6	5	11	5	6	2	1	-	-
Male.....	3	1	1	4	1	6	2	1	-	-	-	-
Female.....	4	-	4	2	4	5	3	5	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	5	5	11	18	9	11	9	3	1	-
Male.....	1	3	4	4	6	14	6	4	7	2	-	-
Female.....	1	1	1	1	5	4	3	7	2	1	1	-
West Virginia												
All races, both sexes.....	44	66	105	182	280	399	380	350	184	78	15	-
Male.....	24	38	57	95	147	236	185	154	73	22	5	-
Female.....	20	28	48	87	133	163	195	196	111	56	10	-
White, both sexes.....	44	65	105	180	277	389	375	343	179	75	14	-
Male.....	24	37	57	94	146	229	182	152	70	22	4	-
Female.....	20	28	48	86	131	160	193	191	109	53	10	-
Black, both sexes.....	-	1	-	1	2	10	5	7	5	3	1	-
Male.....	-	1	-	1	1	7	3	2	3	-	1	-
Female.....	-	-	-	-	1	3	2	5	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

Wisconsin

All races, both sexes.....	64	107	167	252	484	712	856	830	535	207	54	-
Male.....	34	61	92	113	257	396	469	378	231	65	13	-
Female.....	30	46	75	139	227	316	387	452	304	142	41	-
White, both sexes.....	55	91	156	233	464	693	841	817	525	203	52	-
Male.....	29	54	88	107	246	385	462	371	228	64	13	-
Female.....	26	37	68	126	218	308	379	446	297	139	39	-
Black, both sexes.....	7	10	10	14	12	13	7	9	7	3	2	-
Male.....	4	4	3	4	9	9	3	6	2	-	-	-
Female.....	3	6	7	10	3	4	4	3	5	3	2	-
American Indian 1/, both sexes.....	2	5	1	4	7	3	6	3	3	-	-	-
Male.....	1	2	1	1	2	2	2	1	1	-	-	-
Female.....	1	3	-	3	5	1	4	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	3	2	1	-	1	-	-
Male.....	-	1	-	1	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	1	3	-	1	-	-	-	-

Wyoming

All races, both sexes.....	8	20	24	41	71	93	76	94	52	23	3	-
Male.....	2	6	9	22	43	51	34	49	19	7	1	-
Female.....	6	14	15	19	28	42	42	45	33	16	2	-
White, both sexes.....	7	19	24	40	67	90	73	93	52	23	3	-
Male.....	2	6	9	22	41	48	31	49	19	7	1	-
Female.....	5	13	15	18	26	42	42	44	33	16	2	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	3	1	-	-	-	-	-
Male.....	-	-	-	-	2	3	1	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute upper respiratory infections (J00-J06)

Nebraska

All races, both sexes.....	-	1	-	-	1	-	1	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	1	-	-
White, both sexes.....	-	1	-	-	1	-	1	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)

Nebraska

All races, both sexes.....	-	-	-	-	1	-	1	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
White, both sexes.....	-	-	-	-	1	-	1	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Arkansas												
All races, both sexes.....	2,773	13	5	4	2	2	4	5	2	11	19	41
Male.....	1,345	8	3	2	1	2	3	1	-	3	9	22
Female.....	1,428	5	2	2	1	-	1	4	2	8	10	19
White, both sexes.....	2,567	6	-	4	1	2	3	4	2	9	17	31
Male.....	1,238	5	-	2	-	2	2	1	-	2	9	16
Female.....	1,329	1	-	2	1	-	1	3	2	7	8	15
Black, both sexes.....	199	6	4	-	1	-	1	1	-	2	2	10
Male.....	102	3	2	-	1	-	1	-	-	1	-	6
Female.....	97	3	2	-	-	-	-	1	-	1	2	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	23,632	69	32	10	22	23	14	35	49	82	149	245
Male.....	11,068	47	18	5	9	17	8	20	32	43	86	134
Female.....	12,564	22	14	5	13	6	6	15	17	39	63	111
White, both sexes.....	20,839	47	21	7	13	18	11	26	33	66	107	196
Male.....	9,551	31	11	5	4	14	6	14	25	36	65	108
Female.....	11,288	16	10	2	9	4	5	12	8	30	42	88
Black, both sexes.....	1,287	17	7	2	8	2	2	6	12	13	32	35
Male.....	639	13	4	-	4	1	2	4	6	5	14	19
Female.....	648	4	3	2	4	1	-	2	6	8	18	16
American Indian 1/, both sexes.....	95	-	-	-	-	1	-	-	1	-	-	2
Male.....	48	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	-	-	1	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	1,411	5	4	1	1	2	1	3	3	3	10	12
Male.....	830	3	3	-	1	2	-	2	1	2	7	7
Female.....	581	2	1	1	-	-	1	1	2	1	3	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Maine												
All races, both sexes.....	1,361	-	-	-	1	1	-	-	1	5	5	8
Male.....	683	-	-	-	-	-	-	-	-	1	4	6
Female.....	678	-	-	-	1	1	-	-	1	4	1	2
White, both sexes.....	1,358	-	-	-	1	1	-	-	1	5	5	8
Male.....	680	-	-	-	-	-	-	-	-	1	4	6
Female.....	678	-	-	-	1	1	-	-	1	4	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	3,869	9	2	1	3	5	7	9	15	21	38	68
Male.....	1,712	4	1	-	2	3	5	5	6	11	27	36
Female.....	2,157	5	1	1	1	2	2	4	9	10	11	32
White, both sexes.....	3,174	4	1	1	-	3	4	4	7	9	15	34
Male.....	1,378	2	1	-	-	2	3	1	2	5	11	20
Female.....	1,796	2	-	1	-	1	1	3	5	4	4	14
Black, both sexes.....	669	5	1	-	3	2	2	5	7	12	23	34
Male.....	323	2	-	-	2	1	1	4	4	6	16	16
Female.....	346	3	1	-	1	1	1	1	3	6	7	18
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	1	-	1	-	-	-
Male.....	11	-	-	-	-	-	1	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
New Hampshire												
All races, both sexes.....	1,009	1	-	1	-	1	3	1	2	1	6	9
Male.....	471	-	-	-	-	-	1	1	1	-	3	6
Female.....	538	1	-	1	-	1	2	-	1	1	3	3
White, both sexes.....	1,002	1	-	1	-	1	3	1	1	1	6	9
Male.....	469	-	-	-	-	-	1	1	-	-	3	6
Female.....	533	1	-	1	-	1	2	-	1	1	3	3
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	6,218	15	7	3	10	7	10	8	7	33	38	69
Male.....	2,751	8	6	-	5	4	5	7	3	19	21	39
Female.....	3,467	7	1	3	5	3	5	1	4	14	17	30
White, both sexes.....	5,569	5	2	3	5	4	5	4	5	19	18	53
Male.....	2,420	2	2	-	2	3	1	3	2	13	10	31
Female.....	3,149	3	-	3	3	1	4	1	3	6	8	22
Black, both sexes.....	585	10	5	-	4	2	5	3	2	13	19	15
Male.....	297	6	4	-	2	1	4	3	1	5	11	7
Female.....	288	4	1	-	2	1	1	-	1	8	8	8
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	1	1	-	1	-	1	1	1
Male.....	32	-	-	-	1	-	-	1	-	1	-	1
Female.....	28	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Ohio												
All races, both sexes.....	10,512	16	10	5	4	7	15	13	15	44	73	112
Male.....	4,963	12	4	4	3	3	11	7	6	26	42	60
Female.....	5,549	4	6	1	1	4	4	6	9	18	31	52
White, both sexes.....	9,761	10	8	3	3	4	12	7	10	37	54	95
Male.....	4,568	7	4	2	2	3	8	4	6	20	28	53
Female.....	5,193	3	4	1	1	1	4	3	4	17	26	42
Black, both sexes.....	737	5	2	2	1	3	3	6	5	7	19	17
Male.....	383	4	-	2	1	-	3	3	-	6	14	7
Female.....	354	1	2	-	-	3	-	3	5	1	5	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	-	-	-	-	-	-	-	-
Male.....	10	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	3,475	10	2	1	7	5	4	4	12	17	26	48
Male.....	1,638	7	1	1	1	3	3	1	6	6	10	25
Female.....	1,837	3	1	-	6	2	1	3	6	11	16	23
White, both sexes.....	3,229	5	2	-	5	4	2	3	9	14	22	39
Male.....	1,519	3	1	-	-	2	1	1	5	5	8	21
Female.....	1,710	2	1	-	5	2	1	2	4	9	14	18
Black, both sexes.....	127	1	-	1	2	-	1	1	2	1	2	7
Male.....	63	1	-	1	1	-	1	-	1	1	2	4
Female.....	64	-	-	-	1	-	-	1	1	-	-	3
American Indian 1/, both sexes.....	112	3	-	-	-	1	1	-	1	1	1	2
Male.....	54	2	-	-	-	1	1	-	-	-	-	-
Female.....	58	1	-	-	-	-	-	-	1	1	1	2
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	-	-	-	1	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Oregon												
All races, both sexes.....	2,999	7	2	2	3	3	-	3	5	10	25	29
Male.....	1,479	4	1	-	1	2	-	1	3	7	12	12
Female.....	1,520	3	1	2	2	1	-	2	2	3	13	17
White, both sexes.....	2,940	7	2	2	3	3	-	3	5	9	23	26
Male.....	1,452	4	1	-	1	2	-	1	3	6	12	11
Female.....	1,488	3	1	2	2	1	-	2	2	3	11	15
Black, both sexes.....	24	-	-	-	-	-	-	-	-	1	-	1
Male.....	14	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	2	1
Male.....	10	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
Pennsylvania												
All races, both sexes.....	12,029	12	7	3	8	8	14	16	28	38	69	96
Male.....	5,721	8	5	2	3	2	6	9	18	21	36	46
Female.....	6,308	4	2	1	5	6	8	7	10	17	33	50
White, both sexes.....	11,222	10	5	3	5	5	9	11	20	28	48	76
Male.....	5,326	7	4	2	2	-	5	5	13	15	23	38
Female.....	5,896	3	1	1	3	5	4	6	7	13	25	38
Black, both sexes.....	769	2	2	-	3	3	4	3	7	10	21	17
Male.....	373	1	1	-	1	2	1	2	4	6	13	6
Female.....	396	1	1	-	2	1	3	1	3	4	8	11
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	-	-	-	-	1	2	1	-	-	2
Male.....	19	-	-	-	-	-	-	2	1	-	-	1
Female.....	15	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of the respiratory system (J10-J98)												
Vermont												
All races, both sexes.....	496	2	-	-	-	-	-	-	-	1	1	8
Male.....	241	2	-	-	-	-	-	-	-	1	-	5
Female.....	255	-	-	-	-	-	-	-	-	-	1	3
White, both sexes.....	494	2	-	-	-	-	-	-	-	1	1	8
Male.....	240	2	-	-	-	-	-	-	-	1	-	5
Female.....	254	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	5,615	12	13	4	4	3	9	7	16	26	36	75
Male.....	2,740	9	8	3	2	2	5	3	6	16	19	42
Female.....	2,875	3	5	1	2	1	4	4	10	10	17	33
White, both sexes.....	4,829	8	6	2	1	1	5	4	10	13	29	52
Male.....	2,318	6	2	2	1	1	3	2	4	7	15	31
Female.....	2,511	2	4	-	-	-	2	2	6	6	14	21
Black, both sexes.....	748	3	5	2	3	1	4	3	6	13	7	23
Male.....	399	2	4	1	1	1	2	1	2	9	4	11
Female.....	349	1	1	1	2	-	2	2	4	4	3	12
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	1	2	-	-	1	-	-	-	-	-	-
Male.....	20	1	2	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
United States												
All races, both sexes.....	4,267	6,843	10,614	16,507	27,396	39,202	45,107	39,769	25,000	9,488	2,109	10
Male.....	2,335	3,640	5,683	8,764	14,656	20,322	21,986	17,471	9,295	2,685	420	7
Female.....	1,932	3,203	4,931	7,743	12,740	18,880	23,121	22,298	15,705	6,803	1,689	3
White, both sexes.....	3,391	5,801	9,247	14,781	24,930	36,074	41,860	37,127	23,308	8,753	1,902	8
Male.....	1,855	3,056	4,888	7,803	13,258	18,548	20,301	16,251	8,613	2,434	379	6
Female.....	1,536	2,745	4,359	6,978	11,672	17,526	21,559	20,876	14,695	6,319	1,523	2
Black, both sexes.....	766	921	1,180	1,452	2,023	2,469	2,560	2,004	1,298	585	169	1
Male.....	419	523	686	818	1,135	1,382	1,290	861	488	190	33	1
Female.....	347	398	494	634	888	1,087	1,270	1,143	810	395	136	-
American Indian 1/, both sexes.....	43	53	76	96	115	139	137	115	72	24	8	-
Male.....	19	27	39	46	57	78	66	55	27	7	2	-
Female.....	24	26	37	50	58	61	71	60	45	17	6	-
Asian or Pacific Islander 2/, both sexes.....	67	68	111	178	328	520	550	523	322	126	30	1
Male.....	42	34	70	97	206	314	329	304	167	54	6	-
Female.....	25	34	41	81	122	206	221	219	155	72	24	1
Alabama												
All races, both sexes.....	99	158	235	371	537	775	881	658	404	150	30	-
Male.....	59	95	122	212	288	415	463	274	157	34	4	-
Female.....	40	63	113	159	249	360	418	384	247	116	26	-
White, both sexes.....	77	122	192	312	476	694	772	565	331	116	18	-
Male.....	43	77	97	170	254	365	398	236	129	20	3	-
Female.....	34	45	95	142	222	329	374	329	202	96	15	-
Black, both sexes.....	21	36	43	58	60	80	109	93	73	34	11	-
Male.....	16	18	25	42	34	49	65	38	28	14	1	-
Female.....	5	18	18	16	26	31	44	55	45	20	10	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Alaska												
All races, both sexes.....	1	7	15	19	27	53	48	25	17	5	1	-
Male.....	1	2	9	13	14	25	27	10	6	2	-	-
Female.....	-	5	6	6	13	28	21	15	11	3	1	-
White, both sexes.....	-	7	10	14	19	36	36	18	12	4	1	-
Male.....	-	2	6	10	10	16	21	8	3	1	-	-
Female.....	-	5	4	4	9	20	15	10	9	3	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	5	5	6	17	12	5	4	-	-	-
Male.....	1	-	3	3	3	9	6	2	2	-	-	-
Female.....	-	-	2	2	3	8	6	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Arizona												
All races, both sexes.....	85	108	232	303	582	792	913	769	435	138	29	1
Male.....	49	63	123	157	310	426	445	359	188	37	4	1
Female.....	36	45	109	146	272	366	468	410	247	101	25	-
White, both sexes.....	75	99	215	289	559	760	880	747	416	128	25	1
Male.....	41	57	114	151	297	406	427	347	178	32	3	1
Female.....	34	42	101	138	262	354	453	400	238	96	22	-
Black, both sexes.....	5	3	4	2	11	10	15	2	2	2	1	-
Male.....	5	3	4	1	6	7	7	-	1	1	-	-
Female.....	-	-	-	1	5	3	8	2	1	1	1	-
American Indian 1/, both sexes.....	4	5	11	10	11	15	16	18	14	8	3	-
Male.....	2	3	4	4	6	8	10	11	7	4	1	-
Female.....	2	2	7	6	5	7	6	7	7	4	2	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	2	1	7	2	2	3	-	-	-
Male.....	1	-	1	1	1	5	1	1	2	-	-	-
Female.....	-	1	1	1	-	2	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Arkansas												
All races, both sexes.....	49	89	142	224	338	402	521	461	297	118	23	1
Male.....	23	43	77	127	187	212	265	203	110	39	4	1
Female.....	26	46	65	97	151	190	256	258	187	79	19	-
White, both sexes.....	44	78	132	213	315	377	493	431	277	107	20	1
Male.....	20	35	70	122	175	195	252	189	101	35	4	1
Female.....	24	43	62	91	140	182	241	242	176	72	16	-
Black, both sexes.....	5	11	8	11	21	25	27	30	20	11	3	-
Male.....	3	8	5	5	10	17	13	14	9	4	-	-
Female.....	2	3	3	6	11	8	14	16	11	7	3	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	415	586	960	1,524	2,606	3,998	4,690	4,226	2,676	1,002	219	-
Male.....	225	314	500	785	1,302	2,021	2,264	1,866	1,017	315	40	-
Female.....	190	272	460	739	1,304	1,977	2,426	2,360	1,659	687	179	-
White, both sexes.....	335	496	803	1,328	2,299	3,552	4,189	3,789	2,401	905	197	-
Male.....	179	265	409	677	1,127	1,747	1,993	1,633	890	276	36	-
Female.....	156	231	394	651	1,172	1,805	2,196	2,156	1,511	629	161	-
Black, both sexes.....	55	58	104	105	145	188	203	151	101	34	7	-
Male.....	32	30	54	57	76	106	100	64	36	11	1	-
Female.....	23	28	50	48	69	82	103	87	65	23	6	-
American Indian 1/, both sexes.....	2	6	8	13	14	17	18	8	4	-	1	-
Male.....	2	4	3	8	8	10	7	4	2	-	-	-
Female.....	-	2	5	5	6	7	11	4	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	23	26	45	78	148	241	280	278	170	63	14	-
Male.....	12	15	34	43	91	158	164	165	89	28	3	-
Female.....	11	11	11	35	57	83	116	113	81	35	11	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Colorado												
All races, both sexes.....	59	112	161	209	401	520	577	538	343	120	23	1
Male.....	41	60	84	113	229	269	290	246	123	36	2	1
Female.....	18	52	77	96	172	251	287	292	220	84	21	-
White, both sexes.....	54	103	152	201	385	509	566	525	337	119	22	1
Male.....	37	57	79	109	221	260	284	242	118	35	2	1
Female.....	17	46	73	92	164	249	282	283	219	84	20	-
Black, both sexes.....	5	7	6	5	11	8	5	8	6	1	1	-
Male.....	4	2	3	4	5	7	2	2	5	1	-	-
Female.....	1	5	3	1	6	1	3	6	1	-	1	-
American Indian 1/, both sexes.....	-	1	1	3	-	-	1	2	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	3	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	5	3	5	3	-	-	-	-
Male.....	-	1	1	-	3	2	3	2	-	-	-	-
Female.....	-	-	1	-	2	1	2	1	-	-	-	-
Connecticut												
All races, both sexes.....	39	76	92	156	283	478	634	633	417	170	36	-
Male.....	20	39	47	75	134	236	300	298	157	44	6	-
Female.....	19	37	45	81	149	242	334	335	260	126	30	-
White, both sexes.....	33	66	84	138	262	459	613	622	405	163	35	-
Male.....	17	33	44	64	126	226	291	293	153	41	6	-
Female.....	16	33	40	74	136	233	322	329	252	122	29	-
Black, both sexes.....	6	9	7	17	19	18	18	10	10	7	1	-
Male.....	3	5	3	10	7	10	7	4	2	3	-	-
Female.....	3	4	4	7	12	8	11	6	8	4	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	2	1	1	-	-	-
Male.....	-	1	-	1	1	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Florida												
All races, both sexes.....	239	422	639	1,105	1,799	2,668	2,997	2,492	1,569	595	109	-
Male.....	144	235	369	618	914	1,344	1,425	1,136	657	182	29	-
Female.....	95	187	270	487	885	1,324	1,572	1,356	912	413	80	-
White, both sexes.....	192	349	559	996	1,692	2,553	2,856	2,379	1,487	561	105	-
Male.....	123	191	323	552	851	1,276	1,343	1,084	619	173	27	-
Female.....	69	158	236	444	841	1,277	1,513	1,295	868	388	78	-
Black, both sexes.....	45	70	73	106	101	105	132	108	78	33	4	-
Male.....	20	43	43	64	60	63	78	50	36	9	2	-
Female.....	25	27	30	42	41	42	54	58	42	24	2	-
American Indian 1/, both sexes.....	1	2	3	1	1	2	3	2	1	-	-	-
Male.....	1	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	1	2	-	-	1	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	2	5	8	6	3	3	1	-	-
Male.....	-	-	2	1	2	4	3	2	2	-	-	-
Female.....	1	1	2	1	3	4	3	1	1	1	-	-
Georgia												
All races, both sexes.....	152	230	407	515	828	1,000	1,211	888	550	192	44	-
Male.....	86	123	246	264	457	505	581	356	183	56	10	-
Female.....	66	107	161	251	371	495	630	532	367	136	34	-
White, both sexes.....	97	175	312	422	704	845	1,042	772	465	161	32	-
Male.....	55	90	190	209	387	421	495	320	156	47	7	-
Female.....	42	85	122	213	317	424	547	452	309	114	25	-
Black, both sexes.....	55	55	93	90	120	150	168	116	85	31	11	-
Male.....	31	33	55	53	67	81	85	36	27	9	3	-
Female.....	24	22	38	37	53	69	83	80	58	22	8	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	3	4	-	-	-	-	1	-
Male.....	-	-	1	2	2	3	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Hawaii												
All races, both sexes.....	19	20	36	35	66	121	170	152	101	46	13	-
Male.....	13	10	24	24	44	66	103	89	52	16	2	-
Female.....	6	10	12	11	22	55	67	63	49	30	11	-
White, both sexes.....	4	9	16	16	16	39	57	43	31	10	3	-
Male.....	3	5	12	14	11	19	32	22	15	3	1	-
Female.....	1	4	4	2	5	20	25	21	16	7	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	11	20	19	50	82	113	109	70	36	10	-
Male.....	10	5	12	10	33	47	71	67	37	13	1	-
Female.....	5	6	8	9	17	35	42	42	33	23	9	-
Idaho												
All races, both sexes.....	14	35	49	78	139	160	218	156	118	45	13	-
Male.....	9	20	21	43	75	85	106	82	49	14	3	-
Female.....	5	15	28	35	64	75	112	74	69	31	10	-
White, both sexes.....	14	34	49	78	135	158	214	155	117	44	13	-
Male.....	9	19	21	43	73	83	104	81	49	14	3	-
Female.....	5	15	28	35	62	75	110	74	68	30	10	-
Black, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	3	1	2	1	-	1	-	-
Male.....	-	-	-	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Illinois												
All races, both sexes.....	180	264	419	653	1,033	1,600	1,858	1,684	1,115	435	103	-
Male.....	113	139	223	353	570	866	896	705	387	113	18	-
Female.....	67	125	196	300	463	734	962	979	728	322	85	-
White, both sexes.....	123	208	352	566	893	1,437	1,707	1,581	1,064	400	95	-
Male.....	76	108	188	304	491	778	817	666	371	102	17	-
Female.....	47	100	164	262	402	659	890	915	693	298	78	-
Black, both sexes.....	54	55	63	82	127	143	134	93	43	33	8	-
Male.....	35	30	33	47	71	77	69	36	14	10	1	-
Female.....	19	25	30	35	56	66	65	57	29	23	7	-
American Indian 1/, both sexes.....	1	-	1	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	3	5	12	18	16	10	8	2	-	-
Male.....	2	1	2	2	7	11	10	3	2	1	-	-
Female.....	-	-	1	3	5	7	6	7	6	1	-	-
Indiana												
All races, both sexes.....	121	161	260	406	693	981	1,014	934	543	197	44	-
Male.....	49	78	145	205	363	513	506	416	206	58	8	-
Female.....	72	83	115	201	330	468	508	518	337	139	36	-
White, both sexes.....	108	156	247	384	665	947	992	905	522	190	44	-
Male.....	45	77	134	199	353	493	494	399	200	54	8	-
Female.....	63	79	113	185	312	454	498	506	322	136	36	-
Black, both sexes.....	12	5	13	22	25	32	22	28	19	7	-	-
Male.....	3	1	11	6	10	19	12	16	5	4	-	-
Female.....	9	4	2	16	15	13	10	12	14	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	2	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Iowa												
All races, both sexes.....	32	68	84	176	347	453	595	594	387	175	47	-
Male.....	16	35	47	95	189	260	317	282	142	51	11	-
Female.....	16	33	37	81	158	193	278	312	245	124	36	-
White, both sexes.....	31	68	79	173	342	451	593	592	387	173	47	-
Male.....	16	35	44	94	186	259	315	280	142	50	11	-
Female.....	15	33	35	79	156	192	278	312	245	123	36	-
Black, both sexes.....	1	-	5	3	4	1	1	2	-	2	-	-
Male.....	-	-	3	1	2	-	1	2	-	1	-	-
Female.....	1	-	2	2	2	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	37	70	125	179	268	400	511	460	294	120	30	-
Male.....	20	36	62	92	133	213	257	185	131	42	5	-
Female.....	17	34	63	87	135	187	254	275	163	78	25	-
White, both sexes.....	32	65	110	168	257	385	500	450	289	119	30	-
Male.....	19	36	53	85	129	202	251	183	129	42	5	-
Female.....	13	29	57	83	128	183	249	267	160	77	25	-
Black, both sexes.....	3	3	11	8	10	15	8	9	4	1	-	-
Male.....	1	-	7	5	3	11	5	2	2	-	-	-
Female.....	2	3	4	3	7	4	3	7	2	1	-	-
American Indian 1/, both sexes.....	1	1	3	3	1	-	3	-	1	-	-	-
Male.....	-	-	2	2	1	-	1	-	-	-	-	-
Female.....	1	1	1	1	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Kentucky												
All races, both sexes.....	99	181	261	406	554	734	860	664	395	147	27	-
Male.....	48	92	150	221	329	386	413	285	145	35	7	-
Female.....	51	89	111	185	225	348	447	379	250	112	20	-
White, both sexes.....	91	170	254	392	534	706	829	640	377	137	24	-
Male.....	44	88	147	216	318	374	401	276	137	32	6	-
Female.....	47	82	107	176	216	332	428	364	240	105	18	-
Black, both sexes.....	8	11	7	14	19	26	28	23	18	10	3	-
Male.....	4	4	3	5	11	11	12	8	8	3	1	-
Female.....	4	7	4	9	8	15	16	15	10	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-
Louisiana												
All races, both sexes.....	93	116	143	260	381	558	624	537	316	105	27	-
Male.....	54	68	77	143	206	301	284	237	119	37	4	-
Female.....	39	48	66	117	175	257	340	300	197	68	23	-
White, both sexes.....	59	82	106	187	308	451	529	445	249	80	14	-
Male.....	33	45	54	95	160	235	240	190	91	24	2	-
Female.....	26	37	52	92	148	216	289	255	158	56	12	-
Black, both sexes.....	32	34	37	72	72	105	92	91	65	25	12	-
Male.....	19	23	23	47	46	64	43	47	27	13	2	-
Female.....	13	11	14	25	26	41	49	44	38	12	10	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	1	-	1	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	1	3	1	1	-	-	-
Male.....	2	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Maine

All races, both sexes.....	15	27	56	104	165	229	280	241	136	68	19	-
Male.....	9	12	34	61	105	124	141	112	50	21	3	-
Female.....	6	15	22	43	60	105	139	129	86	47	16	-
White, both sexes.....	15	27	56	104	164	228	280	240	136	68	19	-
Male.....	9	12	34	61	104	123	141	111	50	21	3	-
Female.....	6	15	22	43	60	105	139	129	86	47	16	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	73	99	175	252	439	647	763	658	393	147	44	1
Male.....	35	51	84	120	217	324	351	248	135	38	9	-
Female.....	38	48	91	132	222	323	412	410	258	109	35	1
White, both sexes.....	42	72	123	198	367	544	655	582	338	130	40	1
Male.....	21	37	57	93	176	268	302	222	113	35	7	-
Female.....	21	35	66	105	191	276	353	360	225	95	33	1
Black, both sexes.....	29	27	50	52	70	98	105	71	54	15	4	-
Male.....	12	14	26	25	40	54	48	25	22	3	2	-
Female.....	17	13	24	27	30	44	57	46	32	12	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	2	2	5	2	4	1	2	-	-
Male.....	2	-	1	2	1	2	1	1	-	-	-	-
Female.....	-	-	1	-	1	3	1	3	1	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Massachusetts												
All races, both sexes.....	107	147	192	328	599	961	1,255	1,257	855	331	91	-
Male.....	63	73	92	174	311	471	595	494	264	86	15	-
Female.....	44	74	100	154	288	490	660	763	591	245	76	-
White, both sexes.....	94	138	188	309	577	934	1,213	1,239	836	319	91	-
Male.....	54	68	90	167	296	456	571	486	254	81	15	-
Female.....	40	70	98	142	281	478	642	753	582	238	76	-
Black, both sexes.....	10	8	3	15	16	18	30	15	13	9	-	-
Male.....	7	4	2	5	10	8	18	5	5	4	-	-
Female.....	3	4	1	10	6	10	12	10	8	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	4	4	9	12	3	6	2	-	-
Male.....	2	1	-	2	3	7	6	3	5	1	-	-
Female.....	1	-	1	2	1	2	6	-	1	1	-	-
Michigan												
All races, both sexes.....	165	267	359	582	958	1,344	1,524	1,308	741	256	62	-
Male.....	88	134	192	291	495	687	745	589	282	87	12	-
Female.....	77	133	167	291	463	657	779	719	459	169	50	-
White, both sexes.....	123	216	321	513	878	1,223	1,406	1,240	688	236	59	-
Male.....	64	104	173	258	451	623	686	552	260	78	12	-
Female.....	59	112	148	255	427	600	720	688	428	158	47	-
Black, both sexes.....	41	46	32	59	71	110	110	66	50	18	3	-
Male.....	23	26	15	30	40	58	56	37	21	9	-	-
Female.....	18	20	17	29	31	52	54	29	29	9	3	-
American Indian 1/, both sexes.....	1	4	5	9	6	3	4	2	2	1	-	-
Male.....	1	3	4	3	1	2	-	-	1	-	-	-
Female.....	-	1	1	6	5	1	4	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	3	8	4	-	1	1	-	-
Male.....	-	1	-	-	3	4	3	-	-	-	-	-
Female.....	-	-	1	1	-	4	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Minnesota												
All races, both sexes.....	49	70	141	195	389	535	696	681	438	194	39	-
Male.....	25	33	80	94	192	294	369	339	185	55	5	-
Female.....	24	37	61	101	197	241	327	342	253	139	34	-
White, both sexes.....	46	67	132	187	374	530	688	671	431	194	39	-
Male.....	24	30	73	93	184	291	364	335	182	55	5	-
Female.....	22	37	59	94	190	239	324	336	249	139	34	-
Black, both sexes.....	1	2	5	7	6	3	3	3	5	-	-	-
Male.....	-	2	5	1	4	2	2	3	2	-	-	-
Female.....	1	-	-	6	2	1	1	-	3	-	-	-
American Indian 1/, both sexes.....	1	1	4	-	7	1	2	2	1	-	-	-
Male.....	1	1	2	-	2	1	2	-	1	-	-	-
Female.....	-	-	2	-	5	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	3	5	1	-	-	-
Male.....	-	-	-	-	2	-	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	2	4	1	-	-	-
Mississippi												
All races, both sexes.....	61	93	157	202	329	432	475	407	283	106	24	2
Male.....	34	61	97	107	196	211	247	173	92	26	2	1
Female.....	27	32	60	95	133	221	228	234	191	80	22	1
White, both sexes.....	38	62	110	168	268	363	394	341	228	72	13	1
Male.....	22	46	67	87	155	165	209	145	72	14	1	1
Female.....	16	16	43	81	113	198	185	196	156	58	12	-
Black, both sexes.....	22	29	46	33	59	68	78	64	55	34	11	-
Male.....	11	15	29	20	40	46	37	28	20	12	1	-
Female.....	11	14	17	13	19	22	41	36	35	22	10	-
American Indian 1/, both sexes.....	1	1	1	1	1	-	1	1	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	2	1	-	-	-	1
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Missouri												
All races, both sexes.....	107	135	287	399	676	915	1,045	869	613	220	57	-
Male.....	60	72	150	219	380	492	539	417	215	58	12	-
Female.....	47	63	137	180	296	423	506	452	398	162	45	-
White, both sexes.....	95	115	267	371	633	851	990	831	577	212	54	-
Male.....	50	59	139	202	358	452	508	400	203	55	12	-
Female.....	45	56	128	169	275	399	482	431	374	157	42	-
Black, both sexes.....	12	20	17	25	42	60	53	33	33	7	3	-
Male.....	10	13	9	17	21	38	31	15	11	2	-	-
Female.....	2	7	8	8	21	22	22	18	22	5	3	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	-	1	2	1	-	-
Male.....	-	-	1	-	-	-	-	-	1	1	-	-
Female.....	-	-	1	1	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	1	3	2	4	1	-	-	-
Male.....	-	-	1	-	1	2	-	2	-	-	-	-
Female.....	-	-	-	2	-	1	2	2	1	-	-	-
Montana												
All races, both sexes.....	12	22	52	69	112	167	214	185	118	32	7	-
Male.....	5	18	29	33	53	92	98	78	53	13	3	-
Female.....	7	4	23	36	59	75	116	107	65	19	4	-
White, both sexes.....	10	21	49	67	107	158	212	177	115	32	7	-
Male.....	5	17	27	31	51	86	97	76	51	13	3	-
Female.....	5	4	22	36	56	72	115	101	64	19	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	3	2	5	8	2	8	3	-	-	-
Male.....	-	1	2	2	2	6	1	2	2	-	-	-
Female.....	2	-	1	-	3	2	1	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Nebraska												
All races, both sexes.....	24	37	57	104	205	253	290	321	222	82	24	-
Male.....	9	26	32	57	120	134	156	144	99	26	2	-
Female.....	15	11	25	47	85	119	134	177	123	56	22	-
White, both sexes.....	22	36	56	104	199	248	284	317	219	82	21	-
Male.....	9	25	31	57	116	130	151	142	98	26	2	-
Female.....	13	11	25	47	83	118	133	175	121	56	19	-
Black, both sexes.....	1	-	1	-	5	3	5	2	3	-	3	-
Male.....	-	-	1	-	4	2	4	-	1	-	-	-
Female.....	1	-	-	-	1	1	1	2	2	-	3	-
American Indian 1/, both sexes.....	1	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	37	70	102	163	256	344	373	263	105	38	4	-
Male.....	15	38	46	92	134	188	178	112	34	9	-	-
Female.....	22	32	56	71	122	156	195	151	71	29	4	-
White, both sexes.....	33	64	97	155	237	329	351	249	101	36	3	-
Male.....	13	35	43	89	122	179	165	106	33	8	-	-
Female.....	20	29	54	66	115	150	186	143	68	28	3	-
Black, both sexes.....	2	4	4	5	11	9	14	8	3	1	-	-
Male.....	1	2	2	2	8	5	8	3	-	-	-	-
Female.....	1	2	2	3	3	4	6	5	3	1	-	-
American Indian 1/, both sexes.....	2	1	-	1	2	1	1	3	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	1	-	1	2	1	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	6	5	7	3	1	1	1	-
Male.....	-	1	1	1	4	4	4	2	1	1	-	-
Female.....	-	-	-	1	2	1	3	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
New Hampshire												
All races, both sexes.....	17	27	35	75	133	176	165	203	106	39	8	-
Male.....	7	12	15	43	82	83	79	86	42	7	3	-
Female.....	10	15	20	32	51	93	86	117	64	32	5	-
White, both sexes.....	17	26	33	74	133	175	164	203	106	39	8	-
Male.....	7	12	14	43	82	83	79	86	42	7	3	-
Female.....	10	14	19	31	51	92	85	117	64	32	5	-
Black, both sexes.....	-	1	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	92	157	221	376	630	1,017	1,238	1,157	793	274	55	1
Male.....	48	84	128	177	313	531	541	472	254	72	14	-
Female.....	44	73	93	199	317	486	697	685	539	202	41	1
White, both sexes.....	61	119	173	323	556	920	1,146	1,079	758	259	51	1
Male.....	29	62	97	152	278	478	492	442	242	67	12	-
Female.....	32	57	76	171	278	442	654	637	516	192	39	1
Black, both sexes.....	29	36	45	49	65	83	83	67	33	14	3	-
Male.....	17	21	30	24	30	47	45	24	10	4	1	-
Female.....	12	15	15	25	35	36	38	43	23	10	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	4	9	13	6	11	2	1	1	-
Male.....	2	1	1	1	5	5	3	6	2	1	1	-
Female.....	-	1	2	3	4	8	3	5	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
New Mexico												
All races, both sexes.....	26	51	63	107	191	254	278	233	147	54	9	-
Male.....	15	30	38	63	108	121	147	111	56	17	3	-
Female.....	11	21	25	44	83	133	131	122	91	37	6	-
White, both sexes.....	21	45	62	96	185	240	265	221	133	50	9	-
Male.....	13	28	37	57	104	115	139	104	52	16	3	-
Female.....	8	17	25	39	81	125	126	117	81	34	6	-
Black, both sexes.....	1	2	1	-	4	2	2	1	2	-	-	-
Male.....	1	2	1	-	2	-	2	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	2	-	-	-
American Indian 1/, both sexes.....	4	4	-	10	2	11	11	11	12	4	-	-
Male.....	1	-	-	6	2	6	6	6	4	1	-	-
Female.....	3	4	-	4	-	5	5	5	8	3	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	266	405	599	899	1,528	2,255	2,770	2,556	1,798	726	173	-
Male.....	143	207	315	482	830	1,133	1,310	1,040	620	199	29	-
Female.....	123	198	284	417	698	1,122	1,460	1,516	1,178	527	144	-
White, both sexes.....	212	330	502	778	1,343	2,014	2,528	2,327	1,655	667	153	-
Male.....	117	167	259	414	734	1,007	1,207	968	575	184	25	-
Female.....	95	163	243	364	609	1,007	1,321	1,359	1,080	483	128	-
Black, both sexes.....	51	71	87	98	160	200	210	184	117	53	17	-
Male.....	26	40	49	52	76	104	85	50	34	13	3	-
Female.....	25	31	38	46	84	96	125	134	83	40	14	-
American Indian 1/, both sexes.....	-	1	3	1	3	-	1	1	1	-	1	-
Male.....	-	-	2	-	2	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	3	7	22	22	41	31	44	25	6	2	-
Male.....	-	-	5	16	18	22	18	22	11	2	1	-
Female.....	3	3	2	6	4	19	13	22	14	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

North Carolina

All races, both sexes.....	142	232	347	603	990	1,181	1,326	1,114	667	243	55	-
Male.....	78	134	184	346	505	603	651	471	227	63	8	-
Female.....	64	98	163	257	485	578	675	643	440	180	47	-
White, both sexes.....	106	172	292	517	848	1,056	1,159	980	589	205	44	-
Male.....	60	96	154	287	426	530	564	409	193	51	6	-
Female.....	46	76	138	230	422	526	595	571	396	154	38	-
Black, both sexes.....	35	56	55	80	135	115	159	127	72	36	11	-
Male.....	17	36	30	57	75	68	80	60	32	11	2	-
Female.....	18	20	25	23	60	47	79	67	40	25	9	-
American Indian 1/, both sexes.....	-	4	-	5	6	8	6	6	5	1	-	-
Male.....	-	2	-	1	4	3	5	1	2	-	-	-
Female.....	-	2	-	4	2	5	1	5	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	2	1	1	1	-	-
Male.....	1	-	-	1	-	2	2	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

North Dakota

All races, both sexes.....	5	11	17	37	64	104	101	98	96	39	6	-
Male.....	3	6	6	22	39	54	62	48	37	13	4	-
Female.....	2	5	11	15	25	50	39	50	59	26	2	-
White, both sexes.....	5	10	17	34	60	101	98	95	95	39	6	-
Male.....	3	5	6	20	38	53	62	47	37	13	4	-
Female.....	2	5	11	14	22	48	36	48	58	26	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	3	4	2	3	3	1	-	-	-
Male.....	-	1	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	3	1	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Ohio

All races, both sexes.....	189	311	487	768	1,300	1,892	2,024	1,776	1,008	363	80	-
Male.....	108	163	267	387	671	999	951	753	364	105	17	-
Female.....	81	148	220	381	629	893	1,073	1,023	644	258	63	-
White, both sexes.....	148	274	446	702	1,199	1,781	1,907	1,679	968	341	73	-
Male.....	87	142	242	350	606	944	887	713	346	100	14	-
Female.....	61	132	204	352	593	837	1,020	966	622	241	59	-
Black, both sexes.....	41	37	39	65	100	109	115	96	37	21	7	-
Male.....	21	21	24	37	64	53	62	39	15	4	3	-
Female.....	20	16	15	28	36	56	53	57	22	17	4	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	1	1	3	1	-	-
Male.....	-	-	-	-	1	2	1	1	3	1	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	69	130	217	325	417	561	600	490	368	140	22	-
Male.....	38	66	100	162	226	288	289	236	124	38	7	-
Female.....	31	64	117	163	191	273	311	254	244	102	15	-
White, both sexes.....	61	115	199	298	390	532	572	455	352	129	21	-
Male.....	36	59	93	152	212	274	276	209	118	36	7	-
Female.....	25	56	106	146	178	258	296	246	234	93	14	-
Black, both sexes.....	5	6	8	17	15	10	14	19	9	5	1	-
Male.....	1	3	4	5	7	6	6	14	4	1	-	-
Female.....	4	3	4	12	8	4	8	5	5	4	1	-
American Indian 1/, both sexes.....	3	8	9	9	12	18	14	16	7	6	-	-
Male.....	1	4	3	4	7	8	7	13	2	1	-	-
Female.....	2	4	6	5	5	10	7	3	5	5	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Oregon												
All races, both sexes.....	36	103	116	215	369	508	589	537	303	112	22	-
Male.....	19	54	61	116	196	256	314	249	134	32	5	-
Female.....	17	49	55	99	173	252	275	288	169	80	17	-
White, both sexes.....	33	101	113	209	362	500	579	527	300	112	21	-
Male.....	18	52	59	113	192	255	308	244	133	32	5	-
Female.....	15	49	54	96	170	245	271	283	167	80	16	-
Black, both sexes.....	1	2	2	2	3	4	3	4	-	-	1	-
Male.....	-	2	2	2	2	1	2	2	-	-	-	-
Female.....	1	-	-	-	1	3	1	2	-	-	1	-
American Indian 1/, both sexes.....	2	-	1	1	3	1	5	3	1	-	-	-
Male.....	1	-	-	1	2	-	4	1	-	-	-	-
Female.....	1	-	1	-	1	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	3	1	3	2	3	2	-	-	-
Male.....	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	3	1	3	2	1	1	-	-	-
Pennsylvania												
All races, both sexes.....	175	295	449	708	1,310	2,054	2,530	2,218	1,365	519	106	1
Male.....	97	162	241	354	711	1,054	1,225	1,023	531	146	20	1
Female.....	78	133	208	354	599	1,000	1,305	1,195	834	373	86	-
White, both sexes.....	145	253	392	636	1,212	1,927	2,396	2,144	1,317	480	99	1
Male.....	82	139	213	320	657	993	1,162	985	511	131	18	1
Female.....	63	114	179	316	555	934	1,234	1,159	806	349	81	-
Black, both sexes.....	28	42	54	68	91	122	130	72	46	37	7	-
Male.....	13	23	27	34	49	59	60	36	19	14	2	-
Female.....	15	19	27	34	42	63	70	36	27	23	5	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	4	6	5	4	2	2	2	-	-
Male.....	1	-	-	-	5	2	3	2	1	1	-	-
Female.....	-	-	2	4	1	3	1	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Rhode Island												
All races, both sexes.....	10	27	32	55	104	167	200	194	114	47	11	-
Male.....	5	15	22	28	59	86	96	74	39	8	2	-
Female.....	5	12	10	27	45	81	104	120	75	39	9	-
White, both sexes.....	8	26	30	55	102	161	195	191	114	46	11	-
Male.....	4	14	20	28	57	82	92	71	39	8	2	-
Female.....	4	12	10	27	45	79	103	120	75	38	9	-
Black, both sexes.....	2	-	2	-	1	4	3	2	-	1	-	-
Male.....	1	-	2	-	1	2	2	2	-	-	-	-
Female.....	1	-	-	-	-	2	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	1	-	-	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	81	110	238	299	447	612	633	523	294	122	20	-
Male.....	38	54	124	177	254	320	295	210	95	28	4	-
Female.....	43	56	114	122	193	292	338	313	199	94	16	-
White, both sexes.....	53	82	184	245	377	522	545	449	243	104	14	-
Male.....	23	38	94	150	211	270	250	177	78	23	2	-
Female.....	30	44	90	95	166	252	295	272	165	81	12	-
Black, both sexes.....	28	27	53	54	70	90	88	73	50	17	6	-
Male.....	15	16	29	27	43	50	45	32	17	4	2	-
Female.....	13	11	24	27	27	40	43	41	33	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	1	1	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	1	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
South Dakota												
All races, both sexes.....	13	10	28	38	77	112	144	119	102	44	21	-
Male.....	6	8	13	23	46	75	80	54	40	10	4	-
Female.....	7	2	15	15	31	37	64	65	62	34	17	-
White, both sexes.....	11	9	26	34	76	106	140	114	101	44	20	-
Male.....	6	7	12	21	45	70	79	51	40	10	3	-
Female.....	5	2	14	13	31	36	61	63	61	34	17	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	4	1	5	4	5	1	-	1	-
Male.....	-	1	1	2	1	5	1	3	-	-	1	-
Female.....	2	-	1	2	-	-	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	146	227	343	485	696	961	997	858	498	216	42	1
Male.....	80	118	183	253	396	525	492	377	184	54	10	1
Female.....	66	109	160	232	300	436	505	481	314	162	32	-
White, both sexes.....	122	203	308	446	641	879	922	790	468	201	39	-
Male.....	63	102	159	233	364	475	456	344	173	47	9	-
Female.....	59	101	149	213	277	404	466	446	295	154	30	-
Black, both sexes.....	23	23	34	39	53	78	73	68	30	15	3	1
Male.....	16	16	23	20	31	47	35	33	11	7	1	1
Female.....	7	7	11	19	22	31	38	35	19	8	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	4	1	-	-	-	-	-
Male.....	1	-	-	-	1	3	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Vermont												
All races, both sexes.....	8	13	25	35	57	81	87	101	52	22	3	-
Male.....	4	6	16	19	32	41	42	45	17	11	-	-
Female.....	4	7	9	16	25	40	45	56	35	11	3	-
White, both sexes.....	8	13	24	35	57	81	86	101	52	22	3	-
Male.....	4	6	15	19	32	41	42	45	17	11	-	-
Female.....	4	7	9	16	25	40	44	56	35	11	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	101	172	274	395	662	990	1,058	921	550	241	46	-
Male.....	57	101	140	216	367	532	527	393	224	59	9	-
Female.....	44	71	134	179	295	458	531	528	326	182	37	-
White, both sexes.....	66	129	223	341	570	869	941	815	490	217	37	-
Male.....	36	76	115	179	308	471	463	336	199	53	8	-
Female.....	30	53	108	162	262	398	478	479	291	164	29	-
Black, both sexes.....	33	39	45	53	89	117	113	99	57	24	9	-
Male.....	19	24	22	37	57	59	60	51	25	6	1	-
Female.....	14	15	23	16	32	58	53	48	32	18	8	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	4	1	3	4	4	7	3	-	-	-
Male.....	1	1	1	-	2	2	4	6	-	-	-	-
Female.....	-	3	3	1	1	2	-	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of the respiratory system (J10-J98)

Washington

All races, both sexes.....	97	154	216	296	532	789	854	784	483	163	46	-
Male.....	49	73	108	165	299	382	406	371	192	50	11	-
Female.....	48	81	108	131	233	407	448	413	291	113	35	-
White, both sexes.....	81	144	199	283	509	745	835	753	471	159	44	-
Male.....	41	67	96	156	288	357	396	360	185	48	11	-
Female.....	40	77	103	127	221	388	439	393	286	111	33	-
Black, both sexes.....	7	5	7	2	7	15	5	14	1	-	1	-
Male.....	4	2	7	1	4	5	2	6	-	-	-	-
Female.....	3	3	-	1	3	10	3	8	1	-	1	-
American Indian 1/, both sexes.....	7	1	5	6	5	11	5	6	2	1	-	-
Male.....	3	1	1	4	1	6	2	1	-	-	-	-
Female.....	4	-	4	2	4	5	3	5	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	5	5	11	18	9	11	9	3	1	-
Male.....	1	3	4	4	6	14	6	4	7	2	-	-
Female.....	1	1	1	1	5	4	3	7	2	1	1	-

West Virginia

All races, both sexes.....	44	66	105	182	280	399	380	350	184	78	15	-
Male.....	24	38	57	95	147	236	185	154	73	22	5	-
Female.....	20	28	48	87	133	163	195	196	111	56	10	-
White, both sexes.....	44	65	105	180	277	389	375	343	179	75	14	-
Male.....	24	37	57	94	146	229	182	152	70	22	4	-
Female.....	20	28	48	86	131	160	193	191	109	53	10	-
Black, both sexes.....	-	1	-	1	2	10	5	7	5	3	1	-
Male.....	-	1	-	1	1	7	3	2	3	-	1	-
Female.....	-	-	-	-	1	3	2	5	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of the respiratory system (J10-J98)												
Wisconsin												
All races, both sexes.....	64	107	167	252	484	712	856	830	534	206	54	-
Male.....	34	61	92	113	257	396	469	378	231	65	13	-
Female.....	30	46	75	139	227	316	387	452	303	141	41	-
White, both sexes.....	55	91	156	233	464	693	841	817	524	202	52	-
Male.....	29	54	88	107	246	385	462	371	228	64	13	-
Female.....	26	37	68	126	218	308	379	446	296	138	39	-
Black, both sexes.....	7	10	10	14	12	13	7	9	7	3	2	-
Male.....	4	4	3	4	9	9	3	6	2	-	-	-
Female.....	3	6	7	10	3	4	4	3	5	3	2	-
American Indian 1/, both sexes.....	2	5	1	4	7	3	6	3	3	-	-	-
Male.....	1	2	1	1	2	2	2	1	1	-	-	-
Female.....	1	3	-	3	5	1	4	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	3	2	1	-	1	-	-
Male.....	-	1	-	1	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	1	3	-	1	-	-	-	-
Wyoming												
All races, both sexes.....	8	20	24	41	71	93	76	94	52	23	3	-
Male.....	2	6	9	22	43	51	34	49	19	7	1	-
Female.....	6	14	15	19	28	42	42	45	33	16	2	-
White, both sexes.....	7	19	24	40	67	90	73	93	52	23	3	-
Male.....	2	6	9	22	41	48	31	49	19	7	1	-
Female.....	5	13	15	18	26	42	42	44	33	16	2	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	3	1	-	-	-	-	-
Male.....	-	-	-	-	2	3	1	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Influenza (J10-J11)												
Arkansas												
All races, both sexes.....	-	-	1	-	-	1	2	2	2	-	-	-
Male.....	-	-	1	-	-	-	2	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
White, both sexes.....	-	-	1	-	-	1	1	2	2	-	-	-
Male.....	-	-	1	-	-	-	1	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	1	1	1	-	3	3	4	4	2	-	-
Male.....	-	1	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	-	1	-	3	2	2	3	2	-	-
White, both sexes.....	-	1	1	-	-	3	3	3	3	2	-	-
Male.....	-	1	1	-	-	-	1	2	1	-	-	-
Female.....	-	-	-	-	-	3	2	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
Arkansas												
All races, both sexes.....	767	3	2	2	-	1	2	3	-	7	5	10
Male.....	312	1	1	1	-	1	2	1	-	3	2	7
Female.....	455	2	1	1	-	-	-	2	-	4	3	3
White, both sexes.....	694	2	-	2	-	1	2	3	-	5	5	6
Male.....	277	1	-	1	-	1	2	1	-	2	2	3
Female.....	417	1	-	1	-	-	-	2	-	3	3	3
Black, both sexes.....	71	1	1	-	-	-	-	-	-	2	-	4
Male.....	33	-	-	-	-	-	-	-	-	1	-	4
Female.....	38	1	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8,103	29	14	2	6	5	6	12	20	29	55	91
Male.....	3,703	22	8	1	3	3	4	7	12	15	36	53
Female.....	4,400	7	6	1	3	2	2	5	8	14	19	38
White, both sexes.....	6,975	19	9	1	5	3	6	9	13	23	44	70
Male.....	3,128	14	6	1	2	2	4	6	9	12	30	40
Female.....	3,847	5	3	-	3	1	2	3	4	11	14	30
Black, both sexes.....	480	7	3	-	1	1	-	2	5	6	7	17
Male.....	225	6	-	-	1	-	-	1	2	3	3	9
Female.....	255	1	3	-	-	1	-	1	3	3	4	8
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	628	3	2	1	-	1	-	1	2	-	4	4
Male.....	341	2	2	-	-	1	-	-	1	-	3	4
Female.....	287	1	-	1	-	-	-	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
Ohio												
All races, both sexes.....	2,462	8	3	2	-	-	4	2	6	12	21	28
Male.....	1,066	6	1	2	-	-	3	1	2	8	12	14
Female.....	1,396	2	2	-	-	-	1	1	4	4	9	14
White, both sexes.....	2,271	7	2	1	-	-	3	2	5	10	18	25
Male.....	975	5	1	1	-	-	2	1	2	6	9	13
Female.....	1,296	2	1	-	-	-	1	1	3	4	9	12
Black, both sexes.....	187	1	1	1	-	-	1	-	1	2	3	3
Male.....	87	1	-	1	-	-	1	-	-	2	3	1
Female.....	100	-	1	-	-	-	-	-	1	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	909	2	2	-	2	2	3	-	3	9	10	14
Male.....	380	1	1	-	-	1	3	-	2	2	5	9
Female.....	529	1	1	-	2	1	-	-	1	7	5	5
White, both sexes.....	848	-	2	-	2	2	1	-	3	8	10	12
Male.....	350	-	1	-	-	1	1	-	2	2	5	8
Female.....	498	-	1	-	2	1	-	-	1	6	5	4
Black, both sexes.....	31	-	-	-	-	-	1	-	-	-	-	1
Male.....	17	-	-	-	-	-	1	-	-	-	-	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	28	1	-	-	-	-	1	-	-	-	-	1
Male.....	12	-	-	-	-	-	1	-	-	-	-	-
Female.....	16	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia (J12-J18)												
Vermont												
All races, both sexes.....	99	1	-	-	-	-	-	-	-	-	-	1
Male.....	48	1	-	-	-	-	-	-	-	-	-	-
Female.....	51	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	98	1	-	-	-	-	-	-	-	-	-	1
Male.....	48	1	-	-	-	-	-	-	-	-	-	-
Female.....	50	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,461	1	5	-	-	2	3	5	4	6	9	12
Male.....	646	1	3	-	-	1	3	3	2	5	5	7
Female.....	815	-	2	-	-	1	-	2	2	1	4	5
White, both sexes.....	1,238	-	1	-	-	1	3	3	3	2	7	6
Male.....	532	-	-	-	-	1	3	2	1	2	4	4
Female.....	706	-	1	-	-	-	-	1	2	-	3	2
Black, both sexes.....	209	1	3	-	-	-	-	2	1	4	2	6
Male.....	106	1	2	-	-	-	-	1	1	3	1	3
Female.....	103	-	1	-	-	-	-	1	-	1	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	1	-	-	1	-	-	-	-	-	-
Male.....	7	-	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Alaska												
All races, both sexes.....	-	-	1	-	1	10	9	10	6	2	-	-
Male.....	-	-	-	-	1	5	4	3	2	1	-	-
Female.....	-	-	1	-	-	5	5	7	4	1	-	-
White, both sexes.....	-	-	1	-	-	3	6	6	6	2	-	-
Male.....	-	-	-	-	-	2	4	2	2	1	-	-
Female.....	-	-	1	-	-	1	2	4	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	7	3	3	-	-	-	-
Male.....	-	-	-	-	1	3	-	1	-	-	-	-
Female.....	-	-	-	-	-	4	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Arizona												
All races, both sexes.....	28	25	40	52	90	172	263	239	197	81	20	1
Male.....	18	16	21	25	48	90	125	108	71	16	3	1
Female.....	10	9	19	27	42	82	138	131	126	65	17	-
White, both sexes.....	22	20	36	49	82	161	249	228	184	73	17	1
Male.....	13	13	18	24	46	86	118	104	65	13	2	1
Female.....	9	7	18	25	36	75	131	124	119	60	15	-
Black, both sexes.....	3	1	1	-	3	2	5	2	2	2	1	-
Male.....	3	1	1	-	-	1	2	-	1	1	-	-
Female.....	-	-	-	-	3	1	3	2	1	1	1	-
American Indian 1/, both sexes.....	3	4	3	3	4	7	8	9	10	6	2	-
Male.....	2	2	2	1	1	2	5	4	5	2	1	-
Female.....	1	2	1	2	3	5	3	5	5	4	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Arkansas												
All races, both sexes.....	12	15	18	38	45	77	152	175	127	57	16	-
Male.....	8	10	6	22	20	41	67	62	36	18	3	-
Female.....	4	5	12	16	25	36	85	113	91	39	13	-
White, both sexes.....	12	12	17	34	40	71	139	159	117	53	14	-
Male.....	8	7	5	19	18	38	63	54	32	17	3	-
Female.....	4	5	12	15	22	33	76	105	85	36	11	-
Black, both sexes.....	-	3	-	4	5	6	13	16	10	4	2	-
Male.....	-	3	-	3	2	3	4	8	4	1	-	-
Female.....	-	-	-	1	3	3	9	8	6	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	110	102	230	276	583	1,022	1,505	1,781	1,441	625	159	-
Male.....	65	52	136	157	318	521	735	788	532	204	31	-
Female.....	45	50	94	119	265	501	770	993	909	421	128	-
White, both sexes.....	88	85	184	222	488	862	1,293	1,568	1,272	564	147	-
Male.....	50	43	110	123	268	437	630	677	458	176	30	-
Female.....	38	42	74	99	220	425	663	891	814	388	117	-
Black, both sexes.....	13	9	31	27	48	63	88	72	59	17	4	-
Male.....	8	6	16	19	27	31	38	33	16	6	-	-
Female.....	5	3	15	8	21	32	50	39	43	11	4	-
American Indian 1/, both sexes.....	-	1	1	3	1	4	7	-	3	-	-	-
Male.....	-	-	1	2	1	3	1	-	1	-	-	-
Female.....	-	1	-	1	-	1	6	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	7	14	24	46	93	117	141	107	44	8	-
Male.....	7	3	9	13	22	50	66	78	57	22	1	-
Female.....	2	4	5	11	24	43	51	63	50	22	7	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Colorado												
All races, both sexes.....	17	17	11	23	46	69	117	161	134	70	17	1
Male.....	13	10	5	12	29	37	58	67	39	21	-	1
Female.....	4	7	6	11	17	32	59	94	95	49	17	-
White, both sexes.....	16	15	8	23	43	65	116	156	132	70	16	1
Male.....	12	9	3	12	28	33	57	64	37	21	-	1
Female.....	4	6	5	11	15	32	59	92	95	49	16	-
Black, both sexes.....	1	-	3	-	3	2	-	4	2	-	1	-
Male.....	1	-	2	-	1	2	-	2	2	-	-	-
Female.....	-	-	1	-	2	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	1	1	-	-	-	-
Male.....	-	1	-	-	-	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	5	12	14	23	43	105	148	220	182	85	21	-
Male.....	1	7	8	10	24	53	71	94	68	23	5	-
Female.....	4	5	6	13	19	52	77	126	114	62	16	-
White, both sexes.....	5	10	11	20	38	99	143	213	176	81	21	-
Male.....	1	5	7	10	23	49	68	89	65	21	5	-
Female.....	4	5	4	10	15	50	75	124	111	60	16	-
Black, both sexes.....	-	1	3	3	5	5	4	6	5	4	-	-
Male.....	-	1	1	-	1	4	2	4	2	2	-	-
Female.....	-	-	2	3	4	1	2	2	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Florida												
All races, both sexes.....	57	88	88	148	232	424	600	658	534	241	51	-
Male.....	33	57	61	95	129	232	305	295	213	81	14	-
Female.....	24	31	27	53	103	192	295	363	321	160	37	-
White, both sexes.....	42	69	70	122	209	393	562	616	493	229	50	-
Male.....	28	48	49	80	115	212	287	278	197	77	14	-
Female.....	14	21	21	42	94	181	275	338	296	152	36	-
Black, both sexes.....	14	19	18	26	20	28	36	38	39	12	1	-
Male.....	5	9	12	15	12	18	18	15	16	4	-	-
Female.....	9	10	6	11	8	10	18	23	23	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	3	2	3	1	-	-	-
Male.....	-	-	-	-	2	2	-	2	-	-	-	-
Female.....	1	-	-	-	1	1	2	1	1	-	-	-
Georgia												
All races, both sexes.....	27	41	76	79	125	235	351	363	266	92	27	-
Male.....	17	16	51	46	69	110	169	135	79	23	4	-
Female.....	10	25	25	33	56	125	182	228	187	69	23	-
White, both sexes.....	14	27	50	56	94	186	288	311	216	77	18	-
Male.....	7	10	36	35	54	87	136	120	63	21	2	-
Female.....	7	17	14	21	40	99	152	191	153	56	16	-
Black, both sexes.....	13	14	26	22	30	46	63	52	50	15	8	-
Male.....	10	6	15	11	15	22	33	15	16	2	2	-
Female.....	3	8	11	11	15	24	30	37	34	13	6	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Hawaii												
All races, both sexes.....	5	5	4	6	14	27	48	55	45	22	7	-
Male.....	4	2	3	5	11	13	29	32	18	6	1	-
Female.....	1	3	1	1	3	14	19	23	27	16	6	-
White, both sexes.....	-	2	-	3	4	9	10	20	11	7	2	-
Male.....	-	1	-	3	3	5	5	10	4	1	1	-
Female.....	-	1	-	-	1	4	5	10	7	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	5	3	4	3	10	18	38	35	34	15	5	-
Male.....	4	1	3	2	8	8	24	22	14	5	-	-
Female.....	1	2	1	1	2	10	14	13	20	10	5	-
Idaho												
All races, both sexes.....	2	9	6	8	16	28	57	41	53	24	8	-
Male.....	-	5	4	7	11	15	26	21	19	9	3	-
Female.....	2	4	2	1	5	13	31	20	34	15	5	-
White, both sexes.....	2	9	6	8	15	28	56	41	53	23	8	-
Male.....	-	5	4	7	11	15	26	21	19	9	3	-
Female.....	2	4	2	1	4	13	30	20	34	14	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Illinois												
All races, both sexes.....	45	53	84	103	180	329	531	610	512	260	63	-
Male.....	28	26	48	61	108	184	269	242	151	54	10	-
Female.....	17	27	36	42	72	145	262	368	361	206	53	-
White, both sexes.....	29	40	64	87	139	285	480	571	485	236	59	-
Male.....	16	16	34	51	90	162	239	228	144	46	9	-
Female.....	13	24	30	36	49	123	241	343	341	190	50	-
Black, both sexes.....	14	13	18	14	39	40	44	35	22	24	4	-
Male.....	11	10	13	9	17	20	24	13	5	8	1	-
Female.....	3	3	5	5	22	20	20	22	17	16	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	2	4	7	4	5	-	-	-
Male.....	1	-	1	1	1	2	6	1	2	-	-	-
Female.....	-	-	1	1	1	2	1	3	3	-	-	-
Indiana												
All races, both sexes.....	25	20	38	37	84	186	233	297	246	99	27	-
Male.....	8	13	16	20	46	89	116	115	91	27	5	-
Female.....	17	7	22	17	38	97	117	182	155	72	22	-
White, both sexes.....	20	18	33	32	81	179	225	290	234	97	27	-
Male.....	7	12	12	17	45	87	112	111	87	26	5	-
Female.....	13	6	21	15	36	92	113	179	147	71	22	-
Black, both sexes.....	5	2	5	5	3	6	8	7	10	2	-	-
Male.....	1	1	4	3	1	2	4	4	3	1	-	-
Female.....	4	1	1	2	2	4	4	3	7	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Maine												
All races, both sexes.....	2	3	1	6	12	32	62	78	53	41	13	-
Male.....	1	1	1	4	8	20	29	34	21	11	3	-
Female.....	1	2	-	2	4	12	33	44	32	30	10	-
White, both sexes.....	2	3	1	6	12	32	62	78	53	41	13	-
Male.....	1	1	1	4	8	20	29	34	21	11	3	-
Female.....	1	2	-	2	4	12	33	44	32	30	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	24	29	34	37	68	151	197	227	179	72	31	1
Male.....	15	20	17	22	42	88	108	90	62	20	6	-
Female.....	9	9	17	15	26	63	89	137	117	52	25	1
White, both sexes.....	9	20	22	18	48	121	156	197	155	63	30	1
Male.....	7	14	11	9	31	71	81	83	53	18	5	-
Female.....	2	6	11	9	17	50	75	114	102	45	25	1
Black, both sexes.....	13	9	12	18	20	26	40	29	23	9	1	-
Male.....	6	6	6	12	11	15	27	7	9	2	1	-
Female.....	7	3	6	6	9	11	13	22	14	7	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	4	-	1	1	-	-	-
Male.....	2	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Massachusetts												
All races, both sexes.....	22	22	35	64	121	228	386	482	427	176	52	-
Male.....	14	12	17	38	62	123	186	204	140	41	5	-
Female.....	8	10	18	26	59	105	200	278	287	135	47	-
White, both sexes.....	22	20	34	57	117	218	374	475	412	170	52	-
Male.....	14	11	17	35	61	117	178	202	131	40	5	-
Female.....	8	9	17	22	56	101	196	273	281	130	47	-
Black, both sexes.....	-	2	-	6	4	7	8	5	10	5	-	-
Male.....	-	1	-	2	1	5	7	-	5	1	-	-
Female.....	-	1	-	4	3	2	1	5	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	3	4	2	5	-	-	-
Male.....	-	-	-	1	-	1	1	2	4	-	-	-
Female.....	-	-	1	-	-	2	3	-	1	-	-	-
Michigan												
All races, both sexes.....	46	57	49	76	160	252	370	405	309	131	38	-
Male.....	24	34	38	36	105	110	181	173	114	44	8	-
Female.....	22	23	11	40	55	142	189	232	195	87	30	-
White, both sexes.....	30	39	39	56	144	220	330	379	285	121	37	-
Male.....	15	24	31	27	95	95	164	159	102	38	8	-
Female.....	15	15	8	29	49	125	166	220	183	83	29	-
Black, both sexes.....	16	17	10	19	16	28	37	26	23	10	1	-
Male.....	9	9	7	8	10	13	17	14	12	6	-	-
Female.....	7	8	3	11	6	15	20	12	11	4	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	2	2	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Nebraska												
All races, both sexes.....	10	5	8	12	27	39	55	85	95	41	13	-
Male.....	5	4	4	10	17	22	29	37	37	15	1	-
Female.....	5	1	4	2	10	17	26	48	58	26	12	-
White, both sexes.....	10	5	7	12	25	39	55	82	94	41	12	-
Male.....	5	4	3	10	16	22	29	35	36	15	1	-
Female.....	5	1	4	2	9	17	26	47	58	26	11	-
Black, both sexes.....	-	-	1	-	1	-	-	1	1	-	1	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	8	8	17	20	31	47	81	69	40	18	1	-
Male.....	3	4	11	9	13	23	36	33	12	3	-	-
Female.....	5	4	6	11	18	24	45	36	28	15	1	-
White, both sexes.....	7	7	16	19	28	45	74	59	37	16	1	-
Male.....	3	3	10	9	11	21	33	29	11	2	-	-
Female.....	4	4	6	10	17	24	41	30	26	14	1	-
Black, both sexes.....	1	1	1	1	3	1	3	5	2	1	-	-
Male.....	-	1	1	-	2	1	-	1	-	-	-	-
Female.....	1	-	-	1	1	-	3	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	3	1	1	-	-
Male.....	-	-	-	-	-	1	3	2	1	1	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
New Hampshire												
All races, both sexes.....	-	3	7	8	15	29	46	60	37	16	1	-
Male.....	-	-	5	6	10	16	20	22	16	2	-	-
Female.....	-	3	2	2	5	13	26	38	21	14	1	-
White, both sexes.....	-	3	7	8	15	29	46	60	37	16	1	-
Male.....	-	-	5	6	10	16	20	22	16	2	-	-
Female.....	-	3	2	2	5	13	26	38	21	14	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	27	37	35	79	133	231	385	416	357	159	31	-
Male.....	14	22	28	37	59	119	181	171	97	34	9	-
Female.....	13	15	7	42	74	112	204	245	260	125	22	-
White, both sexes.....	18	25	26	64	113	205	357	388	337	151	28	-
Male.....	8	14	21	31	51	103	166	159	93	32	8	-
Female.....	10	11	5	33	62	102	191	229	244	119	20	-
Black, both sexes.....	8	11	8	14	19	22	26	22	20	7	2	-
Male.....	5	7	6	6	8	13	14	8	4	1	-	-
Female.....	3	4	2	8	11	9	12	14	16	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	1	4	1	6	-	1	1	-
Male.....	1	1	1	-	-	3	1	4	-	1	1	-
Female.....	-	-	-	1	1	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
New Mexico												
All races, both sexes.....	7	13	10	15	24	39	58	75	68	30	5	-
Male.....	5	7	6	8	15	20	28	35	23	10	2	-
Female.....	2	6	4	7	9	19	30	40	45	20	3	-
White, both sexes.....	6	10	9	12	23	33	53	71	61	27	5	-
Male.....	4	7	5	7	14	17	27	34	21	9	2	-
Female.....	2	3	4	5	9	16	26	37	40	18	3	-
Black, both sexes.....	1	-	1	-	1	-	-	-	1	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	3	-	3	-	6	5	4	6	3	-	-
Male.....	-	-	-	1	-	3	1	1	2	1	-	-
Female.....	-	3	-	2	-	3	4	3	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	99	113	140	187	361	650	947	1,119	937	456	115	-
Male.....	59	66	74	117	218	325	452	446	317	109	16	-
Female.....	40	47	66	70	143	325	495	673	620	347	99	-
White, both sexes.....	78	83	102	146	283	522	829	970	841	416	97	-
Male.....	49	49	50	91	180	267	401	402	285	101	12	-
Female.....	29	34	52	55	103	255	428	568	556	315	85	-
Black, both sexes.....	20	29	34	33	64	103	98	122	77	34	15	-
Male.....	10	17	21	19	28	47	38	32	24	6	3	-
Female.....	10	12	13	14	36	56	60	90	53	28	12	-
American Indian 1/, both sexes.....	-	-	1	-	2	-	-	-	1	-	1	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	8	12	25	20	27	18	6	2	-
Male.....	-	-	2	7	9	11	13	12	8	2	1	-
Female.....	1	1	1	1	3	14	7	15	10	4	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Oregon												
All races, both sexes.....	9	16	16	18	36	58	119	142	131	62	14	-
Male.....	7	10	8	12	17	21	63	56	49	17	3	-
Female.....	2	6	8	6	19	37	56	86	82	45	11	-
White, both sexes.....	9	16	16	18	35	56	117	139	130	62	13	-
Male.....	7	10	8	12	16	21	63	54	49	17	3	-
Female.....	2	6	8	6	19	35	54	85	81	45	10	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	29	49	63	89	183	377	576	640	520	248	67	-
Male.....	18	31	36	45	118	189	284	276	173	65	14	-
Female.....	11	18	27	44	65	188	292	364	347	183	53	-
White, both sexes.....	23	41	52	82	168	342	547	614	507	231	64	-
Male.....	14	26	29	43	108	171	271	268	167	58	13	-
Female.....	9	15	23	39	60	171	276	346	340	173	51	-
Black, both sexes.....	5	8	10	7	14	34	28	25	12	17	3	-
Male.....	3	5	7	2	9	17	13	7	6	7	1	-
Female.....	2	3	3	5	5	17	15	18	6	10	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Rhode Island												
All races, both sexes.....	3	3	10	8	24	39	59	72	54	27	8	-
Male.....	3	3	7	2	13	26	32	24	13	5	1	-
Female.....	-	-	3	6	11	13	27	48	41	22	7	-
White, both sexes.....	2	2	9	8	22	39	58	72	54	27	8	-
Male.....	2	2	6	2	11	26	31	24	13	5	1	-
Female.....	-	-	3	6	11	13	27	48	41	22	7	-
Black, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	17	19	24	40	84	119	167	178	143	54	13	-
Male.....	8	11	13	28	55	55	62	63	38	9	-	-
Female.....	9	8	11	12	29	64	105	115	105	45	13	-
White, both sexes.....	11	12	15	33	66	94	139	150	116	46	9	-
Male.....	3	6	8	24	44	47	49	49	31	7	-	-
Female.....	8	6	7	9	22	47	90	101	85	39	9	-
Black, both sexes.....	6	7	9	7	18	25	28	28	26	8	4	-
Male.....	5	5	5	4	11	8	13	14	7	2	-	-
Female.....	1	2	4	3	7	17	15	14	19	6	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Texas												
All races, both sexes.....	63	96	110	165	250	453	636	697	629	278	55	-
Male.....	42	55	66	92	130	224	288	288	193	67	15	-
Female.....	21	41	44	73	120	229	348	409	436	211	40	-
White, both sexes.....	50	75	93	137	219	410	586	646	590	262	50	-
Male.....	36	44	55	74	117	205	264	262	180	65	14	-
Female.....	14	31	38	63	102	205	322	384	410	197	36	-
Black, both sexes.....	13	21	17	24	27	40	44	46	37	15	5	-
Male.....	6	11	11	16	11	19	21	23	13	2	1	-
Female.....	7	10	6	8	16	21	23	23	24	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	4	4	3	5	4	2	1	-	-
Male.....	-	-	-	2	2	-	3	2	-	-	-	-
Female.....	-	-	-	2	2	3	2	2	2	1	-	-
Utah												
All races, both sexes.....	4	8	8	13	33	45	71	95	84	31	10	-
Male.....	3	6	6	10	18	16	43	37	27	3	3	-
Female.....	1	2	2	3	15	29	28	58	57	28	7	-
White, both sexes.....	4	8	7	13	33	44	69	93	80	30	10	-
Male.....	3	6	5	10	18	16	42	35	26	3	3	-
Female.....	1	2	2	3	15	28	27	58	54	27	7	-
Black, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	1	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia (J12-J18)												
Vermont												
All races, both sexes.....	-	1	2	3	7	11	15	26	19	12	1	-
Male.....	-	1	1	3	6	7	9	9	5	6	-	-
Female.....	-	-	1	-	1	4	6	17	14	6	1	-
White, both sexes.....	-	1	2	3	7	11	14	26	19	12	1	-
Male.....	-	1	1	3	6	7	9	9	5	6	-	-
Female.....	-	-	1	-	1	4	5	17	14	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	21	25	40	55	115	194	248	321	237	130	28	-
Male.....	13	19	16	31	68	103	129	120	83	28	6	-
Female.....	8	6	24	24	47	91	119	201	154	102	22	-
White, both sexes.....	14	15	29	44	95	164	206	284	215	123	23	-
Male.....	8	10	13	25	52	87	107	105	76	27	5	-
Female.....	6	5	16	19	43	77	99	179	139	96	18	-
Black, both sexes.....	5	10	10	11	20	29	41	32	20	7	5	-
Male.....	3	9	3	6	16	16	21	11	7	1	1	-
Female.....	2	1	7	5	4	13	20	21	13	6	4	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	1	5	2	-	-	-
Male.....	1	-	-	-	-	-	1	4	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Bacterial pneumonia (J13-J15)												
Ohio												
All races, both sexes.....	141	-	1	1	-	-	-	-	-	-	1	7
Male.....	72	-	-	1	-	-	-	-	-	-	-	4
Female.....	69	-	1	-	-	-	-	-	-	-	1	3
White, both sexes.....	125	-	-	1	-	-	-	-	-	-	1	6
Male.....	61	-	-	1	-	-	-	-	-	-	-	3
Female.....	64	-	-	-	-	-	-	-	-	-	1	3
Black, both sexes.....	16	-	1	-	-	-	-	-	-	-	-	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	67	1	-	-	-	-	1	-	-	3	4	2
Male.....	30	-	-	-	-	-	1	-	-	1	1	2
Female.....	37	1	-	-	-	-	-	-	-	2	3	-
White, both sexes.....	59	-	-	-	-	-	-	-	-	2	4	2
Male.....	25	-	-	-	-	-	-	-	-	1	1	2
Female.....	34	-	-	-	-	-	-	-	-	1	3	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	1	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bacterial pneumonia (J13-J15)												
Alaska												
All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	8	8	10	12	25	43	66	65	43	19	5	-
Male.....	4	5	4	3	11	23	33	34	16	3	1	-
Female.....	4	3	6	9	14	20	33	31	27	16	4	-
White, both sexes.....	6	5	9	12	23	40	63	64	40	19	4	-
Male.....	3	3	3	3	10	22	31	33	16	3	1	-
Female.....	3	2	6	9	13	18	32	31	24	16	3	-
Black, both sexes.....	-	1	1	-	1	2	1	-	1	-	1	-
Male.....	-	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	2	2	-	-	1	1	1	1	1	-	-	-
Male.....	1	1	-	-	1	-	1	1	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bacterial pneumonia (J13-J15)												
Arkansas												
All races, both sexes.....	2	3	2	4	4	6	7	6	5	-	1	-
Male.....	2	2	-	2	2	4	4	3	1	-	-	-
Female.....	-	1	2	2	2	2	3	3	4	-	1	-
White, both sexes.....	2	1	2	3	3	5	5	5	4	-	1	-
Male.....	2	-	-	2	2	3	3	3	1	-	-	-
Female.....	-	1	2	1	1	2	2	2	3	-	1	-
Black, both sexes.....	-	2	-	1	1	1	2	1	1	-	-	-
Male.....	-	2	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	27	25	28	33	72	105	163	152	115	55	10	-
Male.....	11	11	18	20	39	55	80	64	42	18	3	-
Female.....	16	14	10	13	33	50	83	88	73	37	7	-
White, both sexes.....	21	23	25	27	63	88	137	136	98	53	10	-
Male.....	7	10	17	17	33	47	68	57	36	16	3	-
Female.....	14	13	8	10	30	41	69	79	62	37	7	-
Black, both sexes.....	2	1	2	3	2	6	12	6	7	2	-	-
Male.....	1	1	1	-	1	3	3	2	1	2	-	-
Female.....	1	-	1	3	1	3	9	4	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	3	7	11	12	10	9	-	-	-
Male.....	3	-	-	3	5	5	9	5	5	-	-	-
Female.....	1	1	1	-	2	6	3	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bacterial pneumonia (J13-J15)												
Florida												
All races, both sexes.....	6	6	7	13	21	38	38	54	41	18	1	-
Male.....	3	3	6	8	15	26	14	29	16	4	-	-
Female.....	3	3	1	5	6	12	24	25	25	14	1	-
White, both sexes.....	3	6	6	12	21	35	36	51	40	18	1	-
Male.....	2	3	5	7	15	23	14	27	15	4	-	-
Female.....	1	3	1	5	6	12	22	24	25	14	1	-
Black, both sexes.....	3	-	1	1	-	3	2	3	1	-	-	-
Male.....	1	-	1	1	-	3	-	2	1	-	-	-
Female.....	2	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	2	2	7	5	11	12	16	13	6	6	2	-
Male.....	2	-	5	3	8	6	13	8	-	-	-	-
Female.....	-	2	2	2	3	6	3	5	6	6	2	-
White, both sexes.....	-	1	5	5	8	10	13	11	5	4	1	-
Male.....	-	-	5	3	7	5	10	8	-	-	-	-
Female.....	-	1	-	2	1	5	3	3	5	4	1	-
Black, both sexes.....	2	1	2	-	2	2	3	2	1	2	1	-
Male.....	2	-	-	-	1	1	3	-	-	-	-	-
Female.....	-	1	2	-	1	1	-	2	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bacterial pneumonia (J13-J15)												
New Mexico												
All races, both sexes.....	2	-	3	3	-	2	3	2	2	1	-	-
Male.....	2	-	2	1	-	2	1	-	2	1	-	-
Female.....	-	-	1	2	-	-	2	2	-	-	-	-
White, both sexes.....	2	-	2	2	-	2	3	2	2	1	-	-
Male.....	2	-	1	1	-	2	1	-	2	1	-	-
Female.....	-	-	1	1	-	-	2	2	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	16	18	17	27	46	52	92	87	63	30	14	-
Male.....	10	12	8	20	31	28	42	34	20	12	3	-
Female.....	6	6	9	7	15	24	50	53	43	18	11	-
White, both sexes.....	11	10	11	20	30	37	76	68	51	27	10	-
Male.....	8	7	5	15	22	20	33	28	17	10	3	-
Female.....	3	3	6	5	8	17	43	40	34	17	7	-
Black, both sexes.....	4	8	5	5	14	11	12	16	11	3	3	-
Male.....	2	5	3	3	7	6	5	4	2	2	-	-
Female.....	2	3	2	2	7	5	7	12	9	1	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	4	4	3	1	-	1	-
Male.....	-	-	-	2	2	2	4	2	1	-	-	-
Female.....	1	-	1	-	-	2	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia due to other or unspecified organisms (J16,J18)												
Arkansas												
All races, both sexes.....	724	2	2	2	-	1	2	2	-	7	4	10
Male.....	290	1	1	1	-	1	2	-	-	3	1	7
Female.....	434	1	1	1	-	-	-	2	-	4	3	3
White, both sexes.....	661	2	-	2	-	1	2	2	-	5	4	6
Male.....	259	1	-	1	-	1	2	-	-	2	1	3
Female.....	402	1	-	1	-	-	-	2	-	3	3	3
Black, both sexes.....	61	-	1	-	-	-	-	-	-	2	-	4
Male.....	29	-	-	-	-	-	-	-	-	1	-	4
Female.....	32	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,212	16	10	1	3	4	5	9	12	22	36	68
Male.....	3,286	12	5	-	1	3	4	4	8	11	25	43
Female.....	3,926	4	5	1	2	1	1	5	4	11	11	25
White, both sexes.....	6,218	9	5	-	3	3	5	7	9	17	32	56
Male.....	2,777	7	3	-	1	2	4	4	6	9	22	35
Female.....	3,441	2	2	-	2	1	1	3	3	8	10	21
Black, both sexes.....	414	4	3	-	-	-	-	1	1	5	2	10
Male.....	198	3	-	-	-	-	-	-	1	2	1	6
Female.....	216	1	3	-	-	-	-	1	-	3	1	4
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	563	3	2	1	-	1	-	1	2	-	2	2
Male.....	302	2	2	-	-	1	-	-	1	-	2	2
Female.....	261	1	-	1	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pneumonia due to other or unspecified organisms (J16,J18)												
Vermont												
All races, both sexes.....	89	-	-	-	-	-	-	-	-	-	-	1
Male.....	40	-	-	-	-	-	-	-	-	-	-	-
Female.....	49	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	89	-	-	-	-	-	-	-	-	-	-	1
Male.....	40	-	-	-	-	-	-	-	-	-	-	-
Female.....	49	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,373	-	5	-	-	2	3	5	4	4	9	12
Male.....	600	-	3	-	-	1	3	3	2	3	5	7
Female.....	773	-	2	-	-	1	-	2	2	1	4	5
White, both sexes.....	1,168	-	1	-	-	1	3	3	3	2	7	6
Male.....	499	-	-	-	-	1	3	2	1	2	4	4
Female.....	669	-	1	-	-	-	-	1	2	-	3	2
Black, both sexes.....	191	-	3	-	-	-	-	2	1	2	2	6
Male.....	93	-	2	-	-	-	-	1	1	1	1	3
Female.....	98	-	1	-	-	-	-	1	-	1	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	1	-	-	1	-	-	-	-	-	-
Male.....	7	-	1	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Alaska												
All races, both sexes.....	-	-	1	-	1	10	8	9	6	2	-	-
Male.....	-	-	-	-	1	5	4	3	2	1	-	-
Female.....	-	-	1	-	-	5	4	6	4	1	-	-
White, both sexes.....	-	-	1	-	-	3	5	5	6	2	-	-
Male.....	-	-	-	-	-	2	4	2	2	1	-	-
Female.....	-	-	1	-	-	1	1	3	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	7	3	3	-	-	-	-
Male.....	-	-	-	-	1	3	-	1	-	-	-	-
Female.....	-	-	-	-	-	4	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Arizona												
All races, both sexes.....	20	17	30	40	64	125	190	169	152	58	15	1
Male.....	14	11	17	22	37	66	87	74	55	12	2	1
Female.....	6	6	13	18	27	59	103	95	97	46	13	-
White, both sexes.....	16	15	27	37	58	117	179	160	142	50	13	1
Male.....	10	10	15	21	36	63	82	71	49	9	1	1
Female.....	6	5	12	16	22	54	97	89	93	41	12	-
Black, both sexes.....	3	-	-	-	2	-	4	2	1	2	-	-
Male.....	3	-	-	-	-	-	1	-	1	1	-	-
Female.....	-	-	-	-	2	-	3	2	-	1	-	-
American Indian 1/, both sexes.....	1	2	3	3	3	6	7	7	9	6	2	-
Male.....	1	1	2	1	-	2	4	3	5	2	1	-
Female.....	-	1	1	2	3	4	3	4	4	4	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Arkansas												
All races, both sexes.....	10	12	16	34	41	71	145	169	122	57	15	-
Male.....	6	8	6	20	18	37	63	59	35	18	3	-
Female.....	4	4	10	14	23	34	82	110	87	39	12	-
White, both sexes.....	10	11	15	31	37	66	134	154	113	53	13	-
Male.....	6	7	5	17	16	35	60	51	31	17	3	-
Female.....	4	4	10	14	21	31	74	103	82	36	10	-
Black, both sexes.....	-	1	-	3	4	5	11	15	9	4	2	-
Male.....	-	1	-	3	2	2	3	8	4	1	-	-
Female.....	-	-	-	-	2	3	8	7	5	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	83	77	201	241	509	913	1,338	1,623	1,325	568	148	-
Male.....	54	41	118	137	279	464	653	720	490	186	28	-
Female.....	29	36	83	104	230	449	685	903	835	382	120	-
White, both sexes.....	67	62	158	194	423	771	1,152	1,426	1,173	509	137	-
Male.....	43	33	93	106	235	389	560	616	422	160	27	-
Female.....	24	29	65	88	188	382	592	810	751	349	110	-
Black, both sexes.....	11	8	29	24	46	57	76	66	52	15	4	-
Male.....	7	5	15	19	26	28	35	31	15	4	-	-
Female.....	4	3	14	5	20	29	41	35	37	11	4	-
American Indian 1/, both sexes.....	-	1	1	3	1	4	5	-	2	-	-	-
Male.....	-	-	1	2	1	3	1	-	1	-	-	-
Female.....	-	1	-	1	-	1	4	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	13	20	39	81	105	131	98	44	7	-
Male.....	4	3	9	10	17	44	57	73	52	22	1	-
Female.....	1	3	4	10	22	37	48	58	46	22	6	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Colorado												
All races, both sexes.....	10	11	11	21	41	60	109	150	128	68	16	1
Male.....	7	7	5	11	28	31	53	65	37	20	-	1
Female.....	3	4	6	10	13	29	56	85	91	48	16	-
White, both sexes.....	9	10	8	21	39	56	109	145	126	68	15	1
Male.....	6	7	3	11	27	27	53	62	35	20	-	1
Female.....	3	3	5	10	12	29	56	83	91	48	15	-
Black, both sexes.....	1	-	3	-	2	2	-	4	2	-	1	-
Male.....	1	-	2	-	1	2	-	2	2	-	-	-
Female.....	-	-	1	-	1	-	-	2	-	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	4	10	12	17	40	101	140	212	176	82	20	-
Male.....	1	5	6	9	23	52	68	93	67	22	5	-
Female.....	3	5	6	8	17	49	72	119	109	60	15	-
White, both sexes.....	4	9	9	14	35	95	135	205	170	79	20	-
Male.....	1	4	5	9	22	48	65	88	64	20	5	-
Female.....	3	5	4	5	13	47	70	117	106	59	15	-
Black, both sexes.....	-	1	3	3	5	5	4	6	5	3	-	-
Male.....	-	1	1	-	1	4	2	4	2	2	-	-
Female.....	-	-	2	3	4	1	2	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Florida

All races, both sexes.....	51	82	80	135	211	381	560	603	492	222	50	-
Male.....	30	54	54	87	114	204	291	266	197	76	14	-
Female.....	21	28	26	48	97	177	269	337	295	146	36	-
White, both sexes.....	39	63	63	110	188	353	524	564	452	210	49	-
Male.....	26	45	43	73	100	187	273	251	182	72	14	-
Female.....	13	18	20	37	88	166	251	313	270	138	35	-
Black, both sexes.....	11	19	17	25	20	25	34	35	38	12	1	-
Male.....	4	9	11	14	12	15	18	13	15	4	-	-
Female.....	7	10	6	11	8	10	16	22	23	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	3	2	3	1	-	-	-
Male.....	-	-	-	-	2	2	-	2	-	-	-	-
Female.....	1	-	-	-	1	1	2	1	1	-	-	-

Georgia

All races, both sexes.....	25	39	69	74	114	223	335	350	260	86	25	-
Male.....	15	16	46	43	61	104	156	127	79	23	4	-
Female.....	10	23	23	31	53	119	179	223	181	63	21	-
White, both sexes.....	14	26	45	51	86	176	275	300	211	73	17	-
Male.....	7	10	31	32	47	82	126	112	63	21	2	-
Female.....	7	16	14	19	39	94	149	188	148	52	15	-
Black, both sexes.....	11	13	24	22	28	44	60	50	49	13	7	-
Male.....	8	6	15	11	14	21	30	15	16	2	2	-
Female.....	3	7	9	11	14	23	30	35	33	11	5	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pneumonia due to other or unspecified organisms (J16,J18)

Hawaii

All races, both sexes.....	4	3	3	4	12	25	41	48	41	21	7	-
Male.....	3	2	3	4	9	12	25	30	17	6	1	-
Female.....	1	1	-	-	3	13	16	18	24	15	6	-
White, both sexes.....	-	1	-	2	4	9	8	17	9	6	2	-
Male.....	-	1	-	2	3	5	4	8	4	1	1	-
Female.....	-	-	-	-	1	4	4	9	5	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	3	2	8	16	33	31	32	15	5	-
Male.....	3	1	3	2	6	7	21	22	13	5	-	-
Female.....	1	1	-	-	2	9	12	9	19	10	5	-

Idaho

All races, both sexes.....	2	7	6	5	13	26	55	37	52	22	8	-
Male.....	-	4	4	4	9	14	24	18	19	8	3	-
Female.....	2	3	2	1	4	12	31	19	33	14	5	-
White, both sexes.....	2	7	6	5	13	26	54	37	52	21	8	-
Male.....	-	4	4	4	9	14	24	18	19	8	3	-
Female.....	2	3	2	1	4	12	30	19	33	13	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Illinois												
All races, both sexes.....	41	49	78	97	173	313	506	598	497	254	63	-
Male.....	27	26	45	57	104	174	257	236	149	52	10	-
Female.....	14	23	33	40	69	139	249	362	348	202	53	-
White, both sexes.....	26	37	59	82	132	270	455	561	470	230	59	-
Male.....	16	16	32	48	86	153	227	224	142	44	9	-
Female.....	10	21	27	34	46	117	228	337	328	186	50	-
Black, both sexes.....	13	12	17	14	39	39	44	33	22	24	4	-
Male.....	10	10	12	9	17	19	24	11	5	8	1	-
Female.....	3	2	5	5	22	20	20	22	17	16	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	2	4	7	4	5	-	-	-
Male.....	1	-	1	-	1	2	6	1	2	-	-	-
Female.....	-	-	1	1	1	2	1	3	3	-	-	-
Indiana												
All races, both sexes.....	21	17	35	33	75	175	216	283	241	96	27	-
Male.....	7	10	15	19	42	81	105	108	90	26	5	-
Female.....	14	7	20	14	33	94	111	175	151	70	22	-
White, both sexes.....	16	15	30	29	73	169	208	276	229	94	27	-
Male.....	6	9	11	16	41	80	101	104	86	25	5	-
Female.....	10	6	19	13	32	89	107	172	143	69	22	-
Black, both sexes.....	5	2	5	4	2	5	8	7	10	2	-	-
Male.....	1	1	4	3	1	1	4	4	3	1	-	-
Female.....	4	1	1	1	1	4	4	3	7	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Maine												
All races, both sexes.....	2	3	1	6	11	29	57	71	52	40	12	-
Male.....	1	1	1	4	7	18	25	30	20	10	2	-
Female.....	1	2	-	2	4	11	32	41	32	30	10	-
White, both sexes.....	2	3	1	6	11	29	57	71	52	40	12	-
Male.....	1	1	1	4	7	18	25	30	20	10	2	-
Female.....	1	2	-	2	4	11	32	41	32	30	10	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	22	24	32	34	55	143	191	222	170	72	29	1
Male.....	14	15	17	21	32	81	105	89	58	20	6	-
Female.....	8	9	15	13	23	62	86	133	112	52	23	1
White, both sexes.....	8	16	20	17	36	114	151	193	146	63	28	1
Male.....	6	10	11	8	22	64	79	82	49	18	5	-
Female.....	2	6	9	9	14	50	72	111	97	45	23	1
Black, both sexes.....	12	8	12	16	19	25	39	28	23	9	1	-
Male.....	6	5	6	12	10	15	26	7	9	2	1	-
Female.....	6	3	6	4	9	10	13	21	14	7	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	4	-	1	1	-	-	-
Male.....	2	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Massachusetts												
All races, both sexes.....	17	19	27	58	116	220	373	467	417	173	52	-
Male.....	12	12	16	33	59	116	178	196	137	40	5	-
Female.....	5	7	11	25	57	104	195	271	280	133	47	-
White, both sexes.....	17	18	26	53	112	210	362	460	402	167	52	-
Male.....	12	11	16	32	58	110	171	194	128	39	5	-
Female.....	5	7	10	21	54	100	191	266	274	128	47	-
Black, both sexes.....	-	1	-	5	4	7	7	5	10	5	-	-
Male.....	-	1	-	1	1	5	6	-	5	1	-	-
Female.....	-	-	-	4	3	2	1	5	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	4	2	5	-	-	-
Male.....	-	-	-	-	-	1	1	2	4	-	-	-
Female.....	-	-	1	-	-	2	3	-	1	-	-	-
Michigan												
All races, both sexes.....	42	49	44	70	147	232	350	391	298	127	38	-
Male.....	21	28	35	34	96	95	170	167	110	42	8	-
Female.....	21	21	9	36	51	137	180	224	188	85	30	-
White, both sexes.....	26	32	35	52	133	201	314	367	275	118	37	-
Male.....	12	19	28	26	88	81	155	155	99	36	8	-
Female.....	14	13	7	26	45	120	159	212	176	82	29	-
Black, both sexes.....	16	17	9	17	14	27	33	24	22	9	1	-
Male.....	9	9	7	7	8	12	15	12	11	6	-	-
Female.....	7	8	2	10	6	15	18	12	11	3	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	2	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Nebraska												
All races, both sexes.....	10	5	8	12	25	37	53	84	93	41	13	-
Male.....	5	4	4	10	16	21	28	36	36	15	1	-
Female.....	5	1	4	2	9	16	25	48	57	26	12	-
White, both sexes.....	10	5	7	12	23	37	53	81	92	41	12	-
Male.....	5	4	3	10	15	21	28	34	35	15	1	-
Female.....	5	1	4	2	8	16	25	47	57	26	11	-
Black, both sexes.....	-	-	1	-	1	-	-	1	-	-	1	-
Male.....	-	-	1	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	8	8	15	19	30	45	76	67	40	17	1	-
Male.....	3	4	10	9	12	23	33	31	12	3	-	-
Female.....	5	4	5	10	18	22	43	36	28	14	1	-
White, both sexes.....	7	7	14	18	27	43	69	58	37	15	1	-
Male.....	3	3	9	9	10	21	30	28	11	2	-	-
Female.....	4	4	5	9	17	22	39	30	26	13	1	-
Black, both sexes.....	1	1	1	1	3	1	3	4	2	1	-	-
Male.....	-	1	1	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	3	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	3	1	1	-	-
Male.....	-	-	-	-	-	1	3	2	1	1	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
New Hampshire												
All races, both sexes.....	-	2	5	7	12	26	40	56	31	14	1	-
Male.....	-	-	5	6	9	14	17	20	15	2	-	-
Female.....	-	2	-	1	3	12	23	36	16	12	1	-
White, both sexes.....	-	2	5	7	12	26	40	56	31	14	1	-
Male.....	-	-	5	6	9	14	17	20	15	2	-	-
Female.....	-	2	-	1	3	12	23	36	16	12	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	23	34	34	76	127	222	377	404	355	156	31	-
Male.....	14	21	27	36	55	113	177	168	95	32	9	-
Female.....	9	13	7	40	72	109	200	236	260	124	22	-
White, both sexes.....	14	23	26	61	107	196	349	378	335	148	28	-
Male.....	8	14	21	30	47	97	162	157	91	30	8	-
Female.....	6	9	5	31	60	99	187	221	244	118	20	-
Black, both sexes.....	8	10	7	14	19	22	26	21	20	7	2	-
Male.....	5	6	5	6	8	13	14	8	4	1	-	-
Female.....	3	4	2	8	11	9	12	13	16	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	1	4	1	5	-	1	1	-
Male.....	1	1	1	-	-	3	1	3	-	1	1	-
Female.....	-	-	-	1	1	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
New Mexico												
All races, both sexes.....	5	13	7	12	24	36	55	73	66	29	5	-
Male.....	3	7	4	7	15	17	27	35	21	9	2	-
Female.....	2	6	3	5	9	19	28	38	45	20	3	-
White, both sexes.....	4	10	7	10	23	30	50	69	59	26	5	-
Male.....	2	7	4	6	14	14	26	34	19	8	2	-
Female.....	2	3	3	4	9	16	24	35	40	18	3	-
Black, both sexes.....	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	3	-	2	-	6	5	4	6	3	-	-
Male.....	-	-	-	1	-	3	1	1	2	1	-	-
Female.....	-	3	-	1	-	3	4	3	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	82	93	123	160	313	598	853	1,032	872	425	101	-
Male.....	49	54	66	97	186	297	409	412	297	97	13	-
Female.....	33	39	57	63	127	301	444	620	575	328	88	-
White, both sexes.....	66	71	91	126	251	485	752	902	788	388	87	-
Male.....	41	42	45	76	157	247	368	374	268	91	9	-
Female.....	25	29	46	50	94	238	384	528	520	297	78	-
Black, both sexes.....	16	21	29	28	50	92	85	106	66	31	12	-
Male.....	8	12	18	16	21	41	32	28	22	4	3	-
Female.....	8	9	11	12	29	51	53	78	44	27	9	-
American Indian 1/, both sexes.....	-	-	1	-	2	-	-	-	1	-	1	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	6	10	21	16	24	17	6	1	-
Male.....	-	-	2	5	7	9	9	10	7	2	1	-
Female.....	-	1	-	1	3	12	7	14	10	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Oregon												
All races, both sexes.....	8	12	12	17	33	55	109	132	121	57	14	-
Male.....	6	7	5	11	15	20	56	51	46	16	3	-
Female.....	2	5	7	6	18	35	53	81	75	41	11	-
White, both sexes.....	8	12	12	17	32	53	107	129	120	57	13	-
Male.....	6	7	5	11	14	20	56	49	46	16	3	-
Female.....	2	5	7	6	18	33	51	80	74	41	10	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	24	45	59	84	169	352	549	621	509	243	64	-
Male.....	16	28	32	42	109	181	270	265	165	63	12	-
Female.....	8	17	27	42	60	171	279	356	344	180	52	-
White, both sexes.....	20	38	49	77	154	320	520	595	496	226	61	-
Male.....	13	23	26	40	99	164	257	257	159	56	11	-
Female.....	7	15	23	37	55	156	263	338	337	170	50	-
Black, both sexes.....	3	7	9	7	14	31	28	25	12	17	3	-
Male.....	2	5	6	2	9	16	13	7	6	7	1	-
Female.....	1	2	3	5	5	15	15	18	6	10	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Rhode Island												
All races, both sexes.....	3	3	9	8	19	38	56	70	54	27	8	-
Male.....	3	3	6	2	11	25	29	22	13	5	1	-
Female.....	-	-	3	6	8	13	27	48	41	22	7	-
White, both sexes.....	2	2	8	8	17	38	55	70	54	27	8	-
Male.....	2	2	5	2	9	25	28	22	13	5	1	-
Female.....	-	-	3	6	8	13	27	48	41	22	7	-
Black, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	15	17	22	33	69	104	150	158	131	49	12	-
Male.....	8	9	12	24	49	46	57	57	36	8	-	-
Female.....	7	8	10	9	20	58	93	101	95	41	12	-
White, both sexes.....	9	11	13	27	54	81	123	132	105	44	8	-
Male.....	3	5	7	20	40	39	44	44	30	7	-	-
Female.....	6	6	6	7	14	42	79	88	75	37	8	-
Black, both sexes.....	6	6	9	6	15	23	27	26	25	5	4	-
Male.....	5	4	5	4	9	7	13	13	6	1	-	-
Female.....	1	2	4	2	6	16	14	13	19	4	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Texas												
All races, both sexes.....	56	88	98	152	236	413	592	658	592	266	50	-
Male.....	38	49	59	87	124	206	263	274	172	64	13	-
Female.....	18	39	39	65	112	207	329	384	420	202	37	-
White, both sexes.....	44	68	83	126	205	375	544	607	553	251	45	-
Male.....	32	39	48	70	111	191	240	248	159	62	12	-
Female.....	12	29	35	56	94	184	304	359	394	189	33	-
Black, both sexes.....	12	20	15	22	27	35	42	46	37	14	5	-
Male.....	6	10	11	15	11	15	20	23	13	2	1	-
Female.....	6	10	4	7	16	20	22	23	24	12	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	4	4	3	5	4	2	1	-	-
Male.....	-	-	-	2	2	-	3	2	-	-	-	-
Female.....	-	-	-	2	2	3	2	2	2	1	-	-
Utah												
All races, both sexes.....	2	6	7	11	29	43	69	92	83	31	10	-
Male.....	1	5	5	9	15	16	42	35	26	3	3	-
Female.....	1	1	2	2	14	27	27	57	57	28	7	-
White, both sexes.....	2	6	7	11	29	42	67	90	79	30	10	-
Male.....	1	5	5	9	15	16	41	33	25	3	3	-
Female.....	1	1	2	2	14	26	26	57	54	27	7	-
Black, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	2	2	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonia due to other or unspecified organisms (J16,J18)												
Vermont												
All races, both sexes.....	-	-	2	3	5	9	14	26	17	11	1	-
Male.....	-	-	1	3	4	5	9	9	4	5	-	-
Female.....	-	-	1	-	1	4	5	17	13	6	1	-
White, both sexes.....	-	-	2	3	5	9	14	26	17	11	1	-
Male.....	-	-	1	3	4	5	9	9	4	5	-	-
Female.....	-	-	1	-	1	4	5	17	13	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	19	24	35	50	100	179	232	306	230	127	27	-
Male.....	11	18	14	29	60	97	119	112	80	27	6	-
Female.....	8	6	21	21	40	82	113	194	150	100	21	-
White, both sexes.....	13	14	24	41	83	150	195	270	209	121	22	-
Male.....	7	9	11	24	46	82	101	97	73	27	5	-
Female.....	6	5	13	17	37	68	94	173	136	94	17	-
Black, both sexes.....	4	10	10	9	17	28	36	31	19	6	5	-
Male.....	2	9	3	5	14	15	17	11	7	-	1	-
Female.....	2	1	7	4	3	13	19	20	12	6	4	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	1	5	2	-	-	-
Male.....	1	-	-	-	-	-	1	4	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of upper respiratory tract (J30-J39)

New Mexico

All races, both sexes.....	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-
White, both sexes.....	-	-	1	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2	-	1	-	1	4	2	3	2	2	-	-
Male.....	1	-	1	-	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	1	2	2	3	2	1	-	-
White, both sexes.....	2	-	1	-	1	4	2	2	2	2	-	-
Male.....	1	-	1	-	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	1	2	2	2	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Chronic lower respiratory diseases (J40-J47)

Arkansas

All races, both sexes.....	1,441	4	2	-	-	1	2	-	1	1	8	17
Male.....	756	3	1	-	-	1	1	-	-	-	4	10
Female.....	685	1	1	-	-	-	1	-	1	1	4	7
White, both sexes.....	1,362	2	-	-	-	1	1	-	1	1	7	14
Male.....	711	2	-	-	-	1	-	-	-	-	4	8
Female.....	651	-	-	-	-	-	1	-	1	1	3	6
Black, both sexes.....	75	2	2	-	-	-	1	-	-	-	1	3
Male.....	42	1	1	-	-	-	1	-	-	-	-	2
Female.....	33	1	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	12,684	8	6	2	10	14	5	16	18	36	74	108
Male.....	5,897	4	4	-	4	11	3	10	12	18	36	57
Female.....	6,787	4	2	2	6	3	2	6	6	18	38	51
White, both sexes.....	11,339	5	2	-	2	11	3	11	10	29	47	87
Male.....	5,106	2	1	-	-	9	1	6	8	16	23	47
Female.....	6,233	3	1	-	2	2	2	5	2	13	24	40
Black, both sexes.....	685	3	2	2	7	1	2	4	7	6	22	15
Male.....	363	2	2	-	3	1	2	3	4	2	10	9
Female.....	322	1	-	2	4	-	-	1	3	4	12	6
American Indian 1/, both sexes.....	60	-	-	-	-	1	-	-	-	-	-	2
Male.....	28	-	-	-	-	-	-	-	-	-	-	-
Female.....	32	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	600	-	2	-	1	1	-	1	1	1	5	4
Male.....	400	-	1	-	1	1	-	1	-	-	3	1
Female.....	200	-	1	-	-	-	-	-	1	1	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Chronic lower respiratory diseases (J40-J47)												
New Hampshire												
All races, both sexes.....	577	-	-	-	-	1	1	-	2	-	1	4
Male.....	260	-	-	-	-	-	1	-	1	-	-	3
Female.....	317	-	-	-	-	1	-	-	1	-	1	1
White, both sexes.....	573	-	-	-	-	1	1	-	1	-	1	4
Male.....	259	-	-	-	-	-	1	-	-	-	-	3
Female.....	314	-	-	-	-	1	-	-	1	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	2,885	-	1	-	1	2	1	4	4	11	13	24
Male.....	1,283	-	1	-	1	1	1	4	2	6	6	12
Female.....	1,602	-	-	-	-	1	-	-	2	5	7	12
White, both sexes.....	2,598	-	-	-	1	-	-	1	2	6	4	17
Male.....	1,127	-	-	-	1	-	-	1	1	4	2	8
Female.....	1,471	-	-	-	-	-	-	-	1	2	2	9
Black, both sexes.....	267	-	1	-	-	1	1	3	2	5	9	6
Male.....	145	-	1	-	-	1	1	3	1	2	4	3
Female.....	122	-	-	-	-	-	-	-	1	3	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	1	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Alaska												
All races, both sexes.....	-	5	12	14	20	32	29	10	10	-	1	-
Male.....	-	1	7	10	9	13	17	5	4	-	-	-
Female.....	-	4	5	4	11	19	12	5	6	-	1	-
White, both sexes.....	-	5	7	9	15	26	23	7	6	-	1	-
Male.....	-	1	4	7	7	9	13	4	1	-	-	-
Female.....	-	4	3	2	8	17	10	3	5	-	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	5	5	4	6	6	2	3	-	-	-
Male.....	-	-	3	3	1	4	4	1	2	-	-	-
Female.....	-	-	2	2	3	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	44	63	147	212	409	509	520	403	172	40	4	-
Male.....	26	38	81	111	215	272	251	187	83	12	-	-
Female.....	18	25	66	101	194	237	269	216	89	28	4	-
White, both sexes.....	42	61	140	207	398	492	508	398	169	40	4	-
Male.....	24	36	77	110	207	260	244	184	81	12	-	-
Female.....	18	25	63	97	191	232	264	214	88	28	4	-
Black, both sexes.....	1	2	2	2	6	8	8	-	-	-	-	-
Male.....	1	2	2	1	4	6	4	-	-	-	-	-
Female.....	-	-	-	1	2	2	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	2	5	5	3	4	2	-	-	-
Male.....	-	-	1	-	4	3	2	2	1	-	-	-
Female.....	-	-	2	2	1	2	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	-	4	1	1	1	-	-	-
Male.....	1	-	1	-	-	3	1	1	1	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Arkansas												
All races, both sexes.....	23	53	97	155	242	253	272	185	93	28	3	1
Male.....	8	22	53	88	135	140	146	93	42	8	-	1
Female.....	15	31	44	67	107	113	126	92	51	20	3	-
White, both sexes.....	19	49	92	150	229	241	262	177	89	23	3	1
Male.....	6	19	49	86	128	131	141	89	40	6	-	1
Female.....	13	30	43	64	101	110	121	88	49	17	3	-
Black, both sexes.....	4	4	4	5	11	12	9	8	4	5	-	-
Male.....	2	3	3	2	5	9	5	4	2	2	-	-
Female.....	2	1	1	3	6	3	4	4	2	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	227	384	609	1,071	1,722	2,540	2,596	1,971	952	268	47	-
Male.....	114	205	296	536	811	1,264	1,218	843	366	79	6	-
Female.....	113	179	313	535	911	1,276	1,378	1,128	586	189	41	-
White, both sexes.....	180	328	519	959	1,558	2,303	2,354	1,785	865	242	39	-
Male.....	91	174	242	475	713	1,096	1,072	737	322	68	3	-
Female.....	89	154	277	484	845	1,207	1,282	1,048	543	174	36	-
Black, both sexes.....	38	42	62	66	80	107	106	66	35	10	2	-
Male.....	20	20	35	32	40	68	59	28	17	5	1	-
Female.....	18	22	27	34	40	39	47	38	18	5	1	-
American Indian 1/, both sexes.....	1	4	5	10	9	13	8	6	-	-	1	-
Male.....	1	3	1	6	5	7	3	2	-	-	-	-
Female.....	-	1	4	4	4	6	5	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	10	23	36	75	117	128	114	52	16	5	-
Male.....	2	8	18	23	53	93	84	76	27	6	2	-
Female.....	6	2	5	13	22	24	44	38	25	10	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

Illinois

All races, both sexes.....	93	160	258	421	657	941	955	712	338	96	21	-
Male.....	58	82	132	217	357	485	442	311	132	33	6	-
Female.....	35	78	126	204	300	456	513	401	206	63	15	-
White, both sexes.....	62	127	227	365	583	865	894	673	328	90	19	-
Male.....	40	66	118	186	311	446	413	293	128	31	6	-
Female.....	22	61	109	179	272	419	481	380	200	59	13	-
Black, both sexes.....	30	32	31	54	67	65	56	35	9	4	2	-
Male.....	17	15	14	30	40	34	26	16	4	1	-	-
Female.....	13	17	17	24	27	31	30	19	5	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	6	9	4	4	1	2	-	-
Male.....	1	1	-	1	5	5	3	2	-	1	-	-
Female.....	-	-	-	1	1	4	1	2	1	1	-	-

Indiana

All races, both sexes.....	63	114	172	298	476	624	592	462	184	58	7	-
Male.....	30	51	97	146	251	332	296	229	74	17	1	-
Female.....	33	63	75	152	225	292	296	233	110	41	6	-
White, both sexes.....	60	111	167	286	459	605	581	447	181	55	7	-
Male.....	29	51	92	143	244	320	291	220	74	16	1	-
Female.....	31	60	75	143	215	285	290	227	107	39	6	-
Black, both sexes.....	2	3	5	12	15	19	11	14	3	3	-	-
Male.....	-	-	5	3	7	12	5	8	-	1	-	-
Female.....	2	3	-	9	8	7	6	6	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Iowa												
All races, both sexes.....	23	51	63	129	249	296	321	251	126	44	4	-
Male.....	9	25	34	62	140	176	179	119	48	17	3	-
Female.....	14	26	29	67	109	120	142	132	78	27	1	-
White, both sexes.....	22	51	60	128	244	294	321	251	126	44	4	-
Male.....	9	25	33	62	137	175	179	119	48	17	3	-
Female.....	13	26	27	66	107	119	142	132	78	27	1	-
Black, both sexes.....	1	-	3	1	4	1	-	-	-	-	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	1	-	2	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	20	46	87	133	177	251	288	209	95	25	4	-
Male.....	12	26	44	67	85	133	147	94	47	10	-	-
Female.....	8	20	43	66	92	118	141	115	48	15	4	-
White, both sexes.....	18	43	78	127	171	238	280	204	94	25	4	-
Male.....	12	26	39	63	84	124	143	93	46	10	-	-
Female.....	6	17	39	64	87	114	137	111	48	15	4	-
Black, both sexes.....	1	2	7	3	6	13	6	4	1	-	-	-
Male.....	-	-	5	2	1	9	3	1	1	-	-	-
Female.....	1	2	2	1	5	4	3	3	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	3	-	-	2	-	-	-	-	-
Male.....	-	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Kentucky												
All races, both sexes.....	58	126	179	278	374	459	452	286	106	35	2	-
Male.....	30	54	100	141	212	236	232	132	48	10	2	-
Female.....	28	72	79	137	162	223	220	154	58	25	-	-
White, both sexes.....	55	118	174	271	361	446	439	277	100	34	1	-
Male.....	28	52	99	139	205	230	228	130	45	10	1	-
Female.....	27	66	75	132	156	216	211	147	55	24	-	-
Black, both sexes.....	3	8	5	7	13	13	13	9	6	1	1	-
Male.....	2	2	1	2	7	6	4	2	3	-	1	-
Female.....	1	6	4	5	6	7	9	7	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	42	74	87	175	255	341	326	218	93	17	5	-
Male.....	26	45	47	93	138	173	154	97	45	7	1	-
Female.....	16	29	40	82	117	168	172	121	48	10	4	-
White, both sexes.....	28	55	66	133	213	282	278	186	74	13	4	-
Male.....	16	33	33	65	109	139	131	79	35	3	-	-
Female.....	12	22	33	68	104	143	147	107	39	10	4	-
Black, both sexes.....	13	19	21	42	41	59	45	32	18	4	1	-
Male.....	9	12	14	28	29	34	22	18	10	4	1	-
Female.....	4	7	7	14	12	25	23	14	8	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	3	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Maine												
All races, both sexes.....	9	18	46	83	119	162	163	113	52	16	2	-
Male.....	7	9	30	46	73	84	85	55	16	8	-	-
Female.....	2	9	16	37	46	78	78	58	36	8	2	-
White, both sexes.....	9	18	46	83	118	161	163	112	52	16	2	-
Male.....	7	9	30	46	72	83	85	54	16	8	-	-
Female.....	2	9	16	37	46	78	78	58	36	8	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	36	44	104	167	294	358	404	303	115	45	5	-
Male.....	15	19	46	75	126	165	164	108	37	9	1	-
Female.....	21	25	58	92	168	193	240	195	78	36	4	-
White, both sexes.....	26	36	77	143	257	315	365	273	97	38	5	-
Male.....	11	14	31	64	105	141	150	96	30	8	1	-
Female.....	15	22	46	79	152	174	215	177	67	30	4	-
Black, both sexes.....	10	8	27	23	36	42	38	28	18	6	-	-
Male.....	4	5	15	10	20	24	13	12	7	1	-	-
Female.....	6	3	12	13	16	18	25	16	11	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	2	-	1	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks

preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Massachusetts												
All races, both sexes.....	55	87	114	203	353	519	588	455	228	72	16	-
Male.....	30	36	56	100	168	230	279	165	68	21	6	-
Female.....	25	51	58	103	185	289	309	290	160	51	10	-
White, both sexes.....	46	84	112	195	343	508	578	450	226	68	16	-
Male.....	23	35	54	97	160	223	273	162	67	19	6	-
Female.....	23	49	58	98	183	285	305	288	159	49	10	-
Black, both sexes.....	7	2	2	6	9	7	8	4	1	2	-	-
Male.....	5	-	2	2	7	3	4	2	-	1	-	-
Female.....	2	2	-	4	2	4	4	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	1	4	2	1	1	2	-	-
Male.....	2	1	-	1	1	4	2	1	1	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-
Michigan												
All races, both sexes.....	85	154	245	414	647	872	880	654	275	75	14	-
Male.....	45	69	122	209	306	441	426	311	114	26	4	-
Female.....	40	85	123	205	341	431	454	343	161	49	10	-
White, both sexes.....	66	135	223	376	603	808	814	625	257	69	12	-
Male.....	33	56	111	189	282	405	392	292	106	25	4	-
Female.....	33	79	112	187	321	403	422	333	151	44	8	-
Black, both sexes.....	18	16	17	31	37	60	61	27	16	5	2	-
Male.....	11	11	7	18	22	34	31	19	7	1	-	-
Female.....	7	5	10	13	15	26	30	8	9	4	2	-
American Indian 1/, both sexes.....	1	2	5	7	6	-	2	2	2	1	-	-
Male.....	1	1	4	2	1	-	-	-	1	-	-	-
Female.....	-	1	1	5	5	-	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	4	3	-	-	-	-	-
Male.....	-	1	-	-	1	2	3	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Minnesota												
All races, both sexes.....	23	50	97	143	284	358	396	329	187	62	6	-
Male.....	11	26	53	60	131	191	202	172	95	19	2	-
Female.....	12	24	44	83	153	167	194	157	92	43	4	-
White, both sexes.....	22	48	91	138	273	355	393	325	183	62	6	-
Male.....	10	24	47	60	125	189	200	169	93	19	2	-
Female.....	12	24	44	78	148	166	193	156	90	43	4	-
Black, both sexes.....	-	2	4	4	5	2	2	2	3	-	-	-
Male.....	-	2	4	-	3	1	1	2	2	-	-	-
Female.....	-	-	-	4	2	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	5	1	1	-	-	-	-	-
Male.....	1	-	2	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Mississippi												
All races, both sexes.....	33	58	111	135	225	262	244	154	86	22	4	2
Male.....	17	41	70	72	138	126	127	78	41	5	-	1
Female.....	16	17	41	63	87	136	117	76	45	17	4	1
White, both sexes.....	22	42	81	117	194	230	211	138	75	17	2	1
Male.....	14	31	49	62	115	103	106	68	34	4	-	1
Female.....	8	11	32	55	79	127	105	70	41	13	2	-
Black, both sexes.....	11	15	30	18	30	31	31	15	11	5	2	-
Male.....	3	10	21	10	23	23	20	10	7	1	-	-
Female.....	8	5	9	8	7	8	11	5	4	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	2	1	-	-	-	1
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Missouri												
All races, both sexes.....	59	92	207	281	438	578	533	369	193	44	7	-
Male.....	27	51	104	149	249	313	281	191	80	14	1	-
Female.....	32	41	103	132	189	265	252	178	113	30	6	-
White, both sexes.....	53	82	195	264	414	540	514	358	179	44	6	-
Male.....	23	45	98	137	237	291	270	184	75	14	1	-
Female.....	30	37	97	127	177	249	244	174	104	30	5	-
Black, both sexes.....	6	10	9	15	24	34	19	10	12	-	1	-
Male.....	4	6	4	12	12	20	11	7	4	-	-	-
Female.....	2	4	5	3	12	14	8	3	8	-	1	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	-	1	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	1	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	3	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Montana												
All races, both sexes.....	5	16	37	50	83	121	129	81	45	5	-	-
Male.....	2	14	19	24	33	60	55	36	18	2	-	-
Female.....	3	2	18	26	50	61	74	45	27	3	-	-
White, both sexes.....	5	15	36	49	80	115	128	76	43	5	-	-
Male.....	2	13	19	23	32	57	55	34	17	2	-	-
Female.....	3	2	17	26	48	58	73	42	26	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	3	5	1	5	2	-	-	-
Male.....	-	1	-	1	1	3	-	2	1	-	-	-
Female.....	-	-	1	-	2	2	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Nebraska												
All races, both sexes.....	6	23	42	80	145	172	179	162	79	21	6	-
Male.....	1	14	24	41	84	91	105	78	41	5	-	-
Female.....	5	9	18	39	61	81	74	84	38	16	6	-
White, both sexes.....	5	23	42	80	141	168	173	161	78	21	6	-
Male.....	1	14	24	41	81	87	100	78	41	5	-	-
Female.....	4	9	18	39	60	81	73	83	37	16	6	-
Black, both sexes.....	1	-	-	-	4	2	5	1	1	-	-	-
Male.....	-	-	-	-	3	2	4	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	23	48	70	118	189	255	237	148	46	20	1	-
Male.....	10	28	28	66	101	140	109	58	16	6	-	-
Female.....	13	20	42	52	88	115	128	90	30	14	1	-
White, both sexes.....	20	45	66	112	177	242	225	145	45	20	1	-
Male.....	8	26	26	63	92	133	102	56	16	6	-	-
Female.....	12	19	40	49	85	109	123	89	29	14	1	-
Black, both sexes.....	1	2	3	4	7	8	8	2	1	-	-	-
Male.....	1	1	1	2	6	4	5	2	-	-	-	-
Female.....	-	1	2	2	1	4	3	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	4	4	3	-	-	-	-	-
Male.....	-	1	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
New Hampshire												
All races, both sexes.....	10	19	22	56	91	118	93	102	39	15	3	-
Male.....	4	9	6	32	50	54	42	43	12	3	-	-
Female.....	6	10	16	24	41	64	51	59	27	12	3	-
White, both sexes.....	10	19	21	56	91	117	92	102	39	15	3	-
Male.....	4	9	6	32	50	54	42	43	12	3	-	-
Female.....	6	10	15	24	41	63	50	59	27	12	3	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	45	77	123	228	366	584	617	479	234	58	12	1
Male.....	23	39	65	105	182	302	239	194	79	19	2	-
Female.....	22	38	58	123	184	282	378	285	155	39	10	1
White, both sexes.....	27	61	105	204	323	540	571	446	224	54	11	1
Male.....	13	31	53	92	159	278	213	182	72	16	1	-
Female.....	14	30	52	112	164	262	358	264	152	38	10	1
Black, both sexes.....	17	16	17	24	38	40	42	31	9	4	1	-
Male.....	9	8	12	13	19	23	24	11	6	3	1	-
Female.....	8	8	5	11	19	17	18	20	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	5	3	3	2	1	-	-	-
Male.....	1	-	-	-	4	-	1	1	1	-	-	-
Female.....	-	-	1	-	1	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
New Mexico												
All races, both sexes.....	12	28	46	78	143	173	168	109	60	18	2	-
Male.....	7	16	30	47	78	80	91	54	26	6	-	-
Female.....	5	12	16	31	65	93	77	55	34	12	2	-
White, both sexes.....	12	25	46	71	139	170	163	107	58	17	2	-
Male.....	7	14	30	42	76	80	86	53	26	6	-	-
Female.....	5	11	16	29	63	90	77	54	32	11	2	-
Black, both sexes.....	-	2	-	-	3	2	1	1	1	-	-	-
Male.....	-	2	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	6	1	-	4	1	1	1	-	-
Male.....	-	-	-	5	1	-	4	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	115	211	353	567	944	1,290	1,412	1,053	603	174	38	-
Male.....	53	101	182	275	493	636	648	421	222	59	11	-
Female.....	62	110	171	292	451	654	764	632	381	115	27	-
White, both sexes.....	97	180	306	508	855	1,196	1,320	991	568	162	36	-
Male.....	46	84	157	241	444	580	606	397	212	55	11	-
Female.....	51	96	149	267	411	616	714	594	356	107	25	-
Black, both sexes.....	17	29	42	50	82	79	83	47	28	12	2	-
Male.....	7	17	22	28	42	46	37	14	7	4	-	-
Female.....	10	12	20	22	40	33	46	33	21	8	2	-
American Indian 1/, both sexes.....	-	1	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	8	6	15	8	15	7	-	-	-
Male.....	-	-	3	6	6	10	5	10	3	-	-	-
Female.....	1	1	1	2	-	5	3	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
North Carolina												
All races, both sexes.....	77	132	227	418	641	724	664	439	221	48	4	-
Male.....	40	74	111	243	326	352	361	210	86	14	-	-
Female.....	37	58	116	175	315	372	303	229	135	34	4	-
White, both sexes.....	58	106	203	370	571	664	595	395	196	40	4	-
Male.....	28	58	98	207	282	314	317	181	73	12	-	-
Female.....	30	48	105	163	289	350	278	214	123	28	4	-
Black, both sexes.....	18	22	24	44	68	56	65	41	22	8	-	-
Male.....	11	14	13	35	43	36	41	28	12	2	-	-
Female.....	7	8	11	9	25	20	24	13	10	6	-	-
American Indian 1/, both sexes.....	-	4	-	4	2	3	3	2	2	-	-	-
Male.....	-	2	-	1	1	1	2	-	1	-	-	-
Female.....	-	2	-	3	1	2	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	1	1	-	-	-
Male.....	1	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
North Dakota												
All races, both sexes.....	2	9	13	31	50	63	61	51	31	6	-	-
Male.....	1	4	4	17	29	35	37	29	11	1	-	-
Female.....	1	5	9	14	21	28	24	22	20	5	-	-
White, both sexes.....	2	9	13	28	47	60	59	48	30	6	-	-
Male.....	1	4	4	15	28	34	37	28	11	1	-	-
Female.....	1	5	9	13	19	26	22	20	19	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	3	2	2	3	1	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	2	1	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Ohio												
All races, both sexes.....	105	189	332	553	906	1,264	1,213	865	363	116	16	-
Male.....	60	94	175	284	452	657	569	370	134	31	3	-
Female.....	45	95	157	269	454	607	644	495	229	85	13	-
White, both sexes.....	90	172	311	514	840	1,192	1,145	819	348	109	15	-
Male.....	53	85	162	260	407	619	528	349	126	29	3	-
Female.....	37	87	149	254	433	573	617	470	222	80	12	-
Black, both sexes.....	15	17	21	39	66	71	68	46	13	7	1	-
Male.....	7	9	13	24	45	37	41	21	6	2	-	-
Female.....	8	8	8	15	21	34	27	25	7	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	47	83	162	240	309	381	351	233	110	27	4	-
Male.....	25	46	72	118	174	195	175	123	47	7	2	-
Female.....	22	37	90	122	135	186	176	110	63	20	2	-
White, both sexes.....	42	78	149	221	291	360	337	215	105	27	4	-
Male.....	24	43	67	113	162	187	167	107	44	7	2	-
Female.....	18	35	82	108	129	173	170	108	61	20	2	-
Black, both sexes.....	4	3	4	13	8	7	8	9	4	-	-	-
Male.....	1	2	2	3	5	3	3	7	2	-	-	-
Female.....	3	1	2	10	3	4	5	2	2	-	-	-
American Indian 1/, both sexes.....	1	2	8	6	10	13	6	9	1	-	-	-
Male.....	-	1	3	2	7	5	5	9	1	-	-	-
Female.....	1	1	5	4	3	8	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Oregon												
All races, both sexes.....	23	76	82	167	277	379	382	296	107	27	5	-
Male.....	10	38	41	87	148	198	203	146	51	8	2	-
Female.....	13	38	41	80	129	181	179	150	56	19	3	-
White, both sexes.....	20	74	80	164	273	376	376	290	106	27	5	-
Male.....	9	36	40	84	145	198	198	143	51	8	2	-
Female.....	11	38	40	80	128	178	178	147	55	19	3	-
Black, both sexes.....	1	2	1	2	3	2	1	2	-	-	-	-
Male.....	-	2	1	2	2	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	1	1	5	2	-	-	-	-
Male.....	1	-	-	1	1	-	4	-	-	-	-	-
Female.....	1	-	1	-	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Pennsylvania												
All races, both sexes.....	86	170	295	449	824	1,172	1,331	954	473	142	18	1
Male.....	41	85	159	214	416	592	631	433	193	46	2	1
Female.....	45	85	136	235	408	580	700	521	280	96	16	-
White, both sexes.....	68	146	265	407	772	1,119	1,267	930	457	133	15	1
Male.....	34	73	143	192	389	565	597	418	187	42	1	1
Female.....	34	73	122	215	383	554	670	512	270	91	14	-
Black, both sexes.....	18	24	29	40	48	52	62	23	15	9	3	-
Male.....	7	12	15	22	25	26	32	14	5	4	1	-
Female.....	11	12	14	18	23	26	30	9	10	5	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	3	1	2	1	1	-	-	-
Male.....	-	-	-	-	2	1	2	1	1	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
South Dakota												
All races, both sexes.....	4	5	24	28	60	68	86	64	32	8	1	-
Male.....	1	4	12	15	37	49	55	32	13	3	-	-
Female.....	3	1	12	13	23	19	31	32	19	5	1	-
White, both sexes.....	4	5	22	26	59	64	84	62	31	8	1	-
Male.....	1	4	11	15	36	45	54	32	13	3	-	-
Female.....	3	1	11	11	23	19	30	30	18	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	2	1	4	2	2	1	-	-	-
Male.....	-	-	1	-	1	4	1	-	-	-	-	-
Female.....	-	-	1	2	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	77	152	250	338	460	581	500	343	147	53	7	1
Male.....	34	75	129	172	261	319	248	169	61	14	1	1
Female.....	43	77	121	166	199	262	252	174	86	39	6	-
White, both sexes.....	69	143	230	310	433	542	468	321	140	47	7	-
Male.....	29	69	114	156	242	296	231	155	59	12	1	-
Female.....	40	74	116	154	191	246	237	166	81	35	6	-
Black, both sexes.....	8	9	20	28	26	37	32	22	7	6	-	1
Male.....	5	6	15	16	19	22	17	14	2	2	-	1
Female.....	3	3	5	12	7	15	15	8	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Texas												
All races, both sexes.....	138	271	458	801	1,214	1,555	1,460	1,032	461	117	24	1
Male.....	74	122	217	406	648	776	709	484	187	40	7	1
Female.....	64	149	241	395	566	779	751	548	274	77	17	-
White, both sexes.....	119	244	416	745	1,105	1,449	1,388	999	440	105	20	1
Male.....	65	109	187	372	587	715	663	458	175	33	5	1
Female.....	54	135	229	373	518	734	725	541	265	72	15	-
Black, both sexes.....	17	26	42	54	100	99	62	31	18	12	4	-
Male.....	8	13	30	33	54	59	37	24	11	7	2	-
Female.....	9	13	12	21	46	40	25	7	7	5	2	-
American Indian 1/, both sexes.....	-	1	-	-	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	8	5	9	2	2	-	-	-
Male.....	1	-	-	1	6	1	8	2	1	-	-	-
Female.....	1	-	-	1	2	4	1	-	1	-	-	-
Utah												
All races, both sexes.....	9	21	29	67	100	119	110	80	38	11	1	-
Male.....	4	8	18	43	64	64	57	40	16	5	-	-
Female.....	5	13	11	24	36	55	53	40	22	6	1	-
White, both sexes.....	9	21	29	65	98	117	109	80	38	11	1	-
Male.....	4	8	18	41	63	62	57	40	16	5	-	-
Female.....	5	13	11	24	35	55	52	40	22	6	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	1	-	-	-	-	-
Male.....	-	-	-	2	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Vermont												
All races, both sexes.....	3	11	16	28	39	51	47	48	21	6	-	-
Male.....	1	5	10	16	20	25	22	23	9	2	-	-
Female.....	2	6	6	12	19	26	25	25	12	4	-	-
White, both sexes.....	3	11	15	28	39	51	47	48	21	6	-	-
Male.....	1	5	9	16	20	25	22	23	9	2	-	-
Female.....	2	6	6	12	19	26	25	25	12	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	43	114	174	253	408	576	542	358	155	41	8	-
Male.....	23	61	86	128	200	293	254	161	74	15	2	-
Female.....	20	53	88	125	208	283	288	197	81	26	6	-
White, both sexes.....	31	87	145	225	359	522	507	322	139	36	8	-
Male.....	15	49	69	111	173	266	236	138	67	12	2	-
Female.....	16	38	76	114	186	256	271	184	72	24	6	-
Black, both sexes.....	12	23	26	27	47	51	35	34	15	5	-	-
Male.....	8	11	15	17	26	25	18	21	7	3	-	-
Female.....	4	12	11	10	21	26	17	13	8	2	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	1	2	3	-	2	1	-	-	-
Male.....	-	1	-	-	1	2	-	2	-	-	-	-
Female.....	-	3	1	1	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Washington												
All races, both sexes.....	58	105	160	225	394	533	525	417	189	53	5	-
Male.....	31	47	79	122	211	236	243	195	84	23	1	-
Female.....	27	58	81	103	183	297	282	222	105	30	4	-
White, both sexes.....	48	100	148	212	378	509	516	403	183	51	5	-
Male.....	26	43	71	113	205	225	238	188	81	21	1	-
Female.....	22	57	77	99	173	284	278	215	102	30	4	-
Black, both sexes.....	7	2	5	2	6	13	1	7	-	-	-	-
Male.....	4	2	5	1	3	5	-	3	-	-	-	-
Female.....	3	-	-	1	3	8	1	4	-	-	-	-
American Indian 1/, both sexes.....	3	1	5	6	3	6	5	3	1	-	-	-
Male.....	1	1	1	4	-	3	2	1	-	-	-	-
Female.....	2	-	4	2	3	3	3	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	5	7	5	3	4	5	2	-	-
Male.....	-	1	2	4	3	3	3	3	3	2	-	-
Female.....	-	1	-	1	4	2	-	1	2	-	-	-
West Virginia												
All races, both sexes.....	25	50	74	128	186	249	225	161	77	26	2	-
Male.....	15	29	37	63	87	138	101	68	33	11	-	-
Female.....	10	21	37	65	99	111	124	93	44	15	2	-
White, both sexes.....	25	49	74	126	184	244	223	159	74	26	2	-
Male.....	15	28	37	62	87	134	100	68	32	11	-	-
Female.....	10	21	37	64	97	110	123	91	42	15	2	-
Black, both sexes.....	-	1	-	1	1	5	2	2	3	-	-	-
Male.....	-	1	-	1	-	4	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)												
Wisconsin												
All races, both sexes.....	37	55	116	175	336	442	492	396	192	57	7	-
Male.....	20	28	60	70	165	240	266	185	87	25	2	-
Female.....	17	27	56	105	171	202	226	211	105	32	5	-
White, both sexes.....	34	46	113	166	324	432	483	389	188	54	6	-
Male.....	19	24	59	68	159	235	262	181	86	24	2	-
Female.....	15	22	54	98	165	197	221	208	102	30	4	-
Black, both sexes.....	2	6	2	8	8	6	3	6	3	2	1	-
Male.....	1	2	-	2	6	4	-	4	1	-	-	-
Female.....	1	4	2	6	2	2	3	2	2	2	1	-
American Indian 1/, both sexes.....	1	2	1	1	4	2	4	-	1	-	-	-
Male.....	-	1	1	-	-	1	2	-	-	-	-	-
Female.....	1	1	-	1	4	1	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	2	1	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Wyoming												
All races, both sexes.....	4	15	20	33	57	67	45	45	21	9	1	-
Male.....	-	5	7	19	35	37	18	24	10	3	1	-
Female.....	4	10	13	14	22	30	27	21	11	6	-	-
White, both sexes.....	4	15	20	32	54	66	44	45	21	9	1	-
Male.....	-	5	7	19	33	36	17	24	10	3	1	-
Female.....	4	10	13	13	21	30	27	21	11	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Arkansas												
All races, both sexes.....	1,432	4	2	-	-	1	2	-	1	1	8	17
Male.....	754	3	1	-	-	1	1	-	-	-	4	10
Female.....	678	1	1	-	-	-	1	-	1	1	4	7
White, both sexes.....	1,353	2	-	-	-	1	1	-	1	1	7	14
Male.....	709	2	-	-	-	1	-	-	-	-	4	8
Female.....	644	-	-	-	-	-	1	-	1	1	3	6
Black, both sexes.....	75	2	2	-	-	-	1	-	-	-	1	3
Male.....	42	1	1	-	-	-	1	-	-	-	-	2
Female.....	33	1	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	12,600	8	6	2	10	14	5	16	18	36	73	106
Male.....	5,873	4	4	-	4	11	3	10	12	18	36	56
Female.....	6,727	4	2	2	6	3	2	6	6	18	37	50
White, both sexes.....	11,271	5	2	-	2	11	3	11	10	29	47	87
Male.....	5,087	2	1	-	-	9	1	6	8	16	23	47
Female.....	6,184	3	1	-	2	2	2	5	2	13	24	40
Black, both sexes.....	684	3	2	2	7	1	2	4	7	6	22	14
Male.....	362	2	2	-	3	1	2	3	4	2	10	8
Female.....	322	1	-	2	4	-	-	1	3	4	12	6
American Indian 1/, both sexes.....	59	-	-	-	-	1	-	-	-	-	-	2
Male.....	27	-	-	-	-	-	-	-	-	-	-	-
Female.....	32	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	586	-	2	-	1	1	-	1	1	1	4	3
Male.....	397	-	1	-	1	1	-	1	-	-	3	1
Female.....	189	-	1	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

New Hampshire

All races, both sexes.....	570	-	-	-	-	1	1	-	2	-	1	4
Male.....	259	-	-	-	-	-	1	-	1	-	-	3
Female.....	311	-	-	-	-	1	-	-	1	-	1	1
White, both sexes.....	566	-	-	-	-	1	1	-	1	-	1	4
Male.....	258	-	-	-	-	-	1	-	-	-	-	3
Female.....	308	-	-	-	-	1	-	-	1	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2,848	-	1	-	1	2	1	4	3	11	13	24
Male.....	1,271	-	1	-	1	1	1	4	1	6	6	12
Female.....	1,577	-	-	-	-	1	-	-	2	5	7	12
White, both sexes.....	2,563	-	-	-	1	-	-	1	1	6	4	17
Male.....	1,116	-	-	-	1	-	-	1	-	4	2	8
Female.....	1,447	-	-	-	-	-	-	-	1	2	2	9
Black, both sexes.....	266	-	1	-	-	1	1	3	2	5	9	6
Male.....	145	-	1	-	-	1	1	3	1	2	4	3
Female.....	121	-	-	-	-	-	-	-	1	3	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	1	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Alaska												
All races, both sexes.....	-	5	12	14	20	32	28	10	9	-	1	-
Male.....	-	1	7	10	9	13	17	5	4	-	-	-
Female.....	-	4	5	4	11	19	11	5	5	-	1	-
White, both sexes.....	-	5	7	9	15	26	22	7	5	-	1	-
Male.....	-	1	4	7	7	9	13	4	1	-	-	-
Female.....	-	4	3	2	8	17	9	3	4	-	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	5	5	4	6	6	2	3	-	-	-
Male.....	-	-	3	3	1	4	4	1	2	-	-	-
Female.....	-	-	2	2	3	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	44	63	145	210	406	504	512	398	170	38	4	-
Male.....	26	38	81	111	213	271	248	185	81	12	-	-
Female.....	18	25	64	99	193	233	264	213	89	26	4	-
White, both sexes.....	42	61	138	205	395	488	500	393	168	38	4	-
Male.....	24	36	77	110	205	259	241	182	80	12	-	-
Female.....	18	25	61	95	190	229	259	211	88	26	4	-
Black, both sexes.....	1	2	2	2	6	8	8	-	-	-	-	-
Male.....	1	2	2	1	4	6	4	-	-	-	-	-
Female.....	-	-	-	1	2	2	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	2	5	4	3	4	1	-	-	-
Male.....	-	-	1	-	4	3	2	2	-	-	-	-
Female.....	-	-	2	2	1	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	-	4	1	1	1	-	-	-
Male.....	1	-	1	-	-	3	1	1	1	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Arkansas												
All races, both sexes.....	23	53	96	155	240	253	269	182	93	28	3	1
Male.....	8	22	53	88	135	140	144	93	42	8	-	1
Female.....	15	31	43	67	105	113	125	89	51	20	3	-
White, both sexes.....	19	49	91	150	227	241	259	174	89	23	3	1
Male.....	6	19	49	86	128	131	139	89	40	6	-	1
Female.....	13	30	42	64	99	110	120	85	49	17	3	-
Black, both sexes.....	4	4	4	5	11	12	9	8	4	5	-	-
Male.....	2	3	3	2	5	9	5	4	2	2	-	-
Female.....	2	1	1	3	6	3	4	4	2	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	227	380	603	1,067	1,716	2,524	2,578	1,957	942	265	47	-
Male.....	114	204	294	534	811	1,260	1,215	836	362	79	6	-
Female.....	113	176	309	533	905	1,264	1,363	1,121	580	186	41	-
White, both sexes.....	180	324	513	958	1,553	2,289	2,338	1,774	857	239	39	-
Male.....	91	173	240	474	713	1,092	1,069	733	318	68	3	-
Female.....	89	151	273	484	840	1,197	1,269	1,041	539	171	36	-
Black, both sexes.....	38	42	62	66	80	107	106	66	35	10	2	-
Male.....	20	20	35	32	40	68	59	28	17	5	1	-
Female.....	18	22	27	34	40	39	47	38	18	5	1	-
American Indian 1/, both sexes.....	1	4	5	9	9	13	8	6	-	-	1	-
Male.....	1	3	1	5	5	7	3	2	-	-	-	-
Female.....	-	1	4	4	4	6	5	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	10	23	34	74	115	126	111	50	16	5	-
Male.....	2	8	18	23	53	93	84	73	27	6	2	-
Female.....	6	2	5	11	21	22	42	38	23	10	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Illinois

All races, both sexes.....	91	160	257	418	653	937	943	705	335	95	21	-
Male.....	57	82	132	215	356	484	439	308	132	33	6	-
Female.....	34	78	125	203	297	453	504	397	203	62	15	-
White, both sexes.....	61	127	226	362	579	861	882	666	325	89	19	-
Male.....	40	66	118	184	310	445	410	290	128	31	6	-
Female.....	21	61	108	178	269	416	472	376	197	58	13	-
Black, both sexes.....	29	32	31	54	67	65	56	35	9	4	2	-
Male.....	16	15	14	30	40	34	26	16	4	1	-	-
Female.....	13	17	17	24	27	31	30	19	5	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	6	9	4	4	1	2	-	-
Male.....	1	1	-	1	5	5	3	2	-	1	-	-
Female.....	-	-	-	1	1	4	1	2	1	1	-	-

Indiana

All races, both sexes.....	63	111	172	295	473	619	585	458	184	58	7	-
Male.....	30	50	97	146	249	330	293	228	74	17	1	-
Female.....	33	61	75	149	224	289	292	230	110	41	6	-
White, both sexes.....	60	108	167	283	456	600	574	443	181	55	7	-
Male.....	29	50	92	143	242	318	288	219	74	16	1	-
Female.....	31	58	75	140	214	282	286	224	107	39	6	-
Black, both sexes.....	2	3	5	12	15	19	11	14	3	3	-	-
Male.....	-	-	5	3	7	12	5	8	-	1	-	-
Female.....	2	3	-	9	8	7	6	6	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Iowa

All races, both sexes.....	23	51	63	128	249	295	314	250	126	44	4	-
Male.....	9	25	34	62	140	176	178	119	48	17	3	-
Female.....	14	26	29	66	109	119	136	131	78	27	1	-
White, both sexes.....	22	51	60	127	244	293	314	250	126	44	4	-
Male.....	9	25	33	62	137	175	178	119	48	17	3	-
Female.....	13	26	27	65	107	118	136	131	78	27	1	-
Black, both sexes.....	1	-	3	1	4	1	-	-	-	-	-	-
Male.....	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	1	-	2	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	20	45	87	133	175	250	284	208	94	25	4	-
Male.....	12	26	44	67	85	133	146	94	47	10	-	-
Female.....	8	19	43	66	90	117	138	114	47	15	4	-
White, both sexes.....	18	42	78	127	169	237	276	203	93	25	4	-
Male.....	12	26	39	63	84	124	142	93	46	10	-	-
Female.....	6	16	39	64	85	113	134	110	47	15	4	-
Black, both sexes.....	1	2	7	3	6	13	6	4	1	-	-	-
Male.....	-	-	5	2	1	9	3	1	1	-	-	-
Female.....	1	2	2	1	5	4	3	3	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	3	-	-	2	-	-	-	-	-
Male.....	-	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	1	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Kentucky												
All races, both sexes.....	58	125	177	278	372	457	452	283	104	35	2	-
Male.....	30	54	99	141	211	235	232	132	47	10	2	-
Female.....	28	71	78	137	161	222	220	151	57	25	-	-
White, both sexes.....	55	117	172	271	359	444	439	274	98	34	1	-
Male.....	28	52	98	139	204	229	228	130	44	10	1	-
Female.....	27	65	74	132	155	215	211	144	54	24	-	-
Black, both sexes.....	3	8	5	7	13	13	13	9	6	1	1	-
Male.....	2	2	1	2	7	6	4	2	3	-	1	-
Female.....	1	6	4	5	6	7	9	7	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	42	74	87	174	255	338	324	217	92	15	5	-
Male.....	26	45	47	93	138	172	154	97	44	7	1	-
Female.....	16	29	40	81	117	166	170	120	48	8	4	-
White, both sexes.....	28	55	66	132	213	279	276	185	73	11	4	-
Male.....	16	33	33	65	109	138	131	79	34	3	-	-
Female.....	12	22	33	67	104	141	145	106	39	8	4	-
Black, both sexes.....	13	19	21	42	41	59	45	32	18	4	1	-
Male.....	9	12	14	28	29	34	22	18	10	4	1	-
Female.....	4	7	7	14	12	25	23	14	8	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	3	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Maine												
All races, both sexes.....	9	18	45	83	118	160	159	113	50	16	2	-
Male.....	7	9	30	46	72	84	83	55	15	8	-	-
Female.....	2	9	15	37	46	76	76	58	35	8	2	-
White, both sexes.....	9	18	45	83	117	159	159	112	50	16	2	-
Male.....	7	9	30	46	71	83	83	54	15	8	-	-
Female.....	2	9	15	37	46	76	76	58	35	8	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	36	44	104	167	293	355	401	303	114	45	5	-
Male.....	15	19	46	75	126	164	162	108	36	9	1	-
Female.....	21	25	58	92	167	191	239	195	78	36	4	-
White, both sexes.....	26	36	77	143	256	312	362	273	96	38	5	-
Male.....	11	14	31	64	105	140	148	96	29	8	1	-
Female.....	15	22	46	79	151	172	214	177	67	30	4	-
Black, both sexes.....	10	8	27	23	36	42	38	28	18	6	-	-
Male.....	4	5	15	10	20	24	13	12	7	1	-	-
Female.....	6	3	12	13	16	18	25	16	11	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	2	-	1	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Massachusetts

All races, both sexes.....	54	87	114	203	349	517	578	450	226	72	16	-
Male.....	29	36	56	100	168	230	278	165	68	21	6	-
Female.....	25	51	58	103	181	287	300	285	158	51	10	-
White, both sexes.....	46	84	112	195	339	506	568	446	224	68	16	-
Male.....	23	35	54	97	160	223	272	162	67	19	6	-
Female.....	23	49	58	98	179	283	296	284	157	49	10	-
Black, both sexes.....	6	2	2	6	9	7	8	3	1	2	-	-
Male.....	4	-	2	2	7	3	4	2	-	1	-	-
Female.....	2	2	-	4	2	4	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	1	4	2	1	1	2	-	-
Male.....	2	1	-	1	1	4	2	1	1	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Michigan

All races, both sexes.....	84	154	244	411	643	866	872	651	275	75	13	-
Male.....	45	69	122	208	305	441	425	310	114	26	3	-
Female.....	39	85	122	203	338	425	447	341	161	49	10	-
White, both sexes.....	65	135	222	374	599	802	806	622	257	69	11	-
Male.....	33	56	111	189	281	405	391	291	106	25	3	-
Female.....	32	79	111	185	318	397	415	331	151	44	8	-
Black, both sexes.....	18	16	17	30	37	60	61	27	16	5	2	-
Male.....	11	11	7	17	22	34	31	19	7	1	-	-
Female.....	7	5	10	13	15	26	30	8	9	4	2	-
American Indian 1/, both sexes.....	1	2	5	7	6	-	2	2	2	1	-	-
Male.....	1	1	4	2	1	-	-	-	1	-	-	-
Female.....	-	1	1	5	5	-	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	4	3	-	-	-	-	-
Male.....	-	1	-	-	1	2	3	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Minnesota												
All races, both sexes.....	23	50	94	143	281	355	394	327	187	62	6	-
Male.....	11	26	51	60	130	191	201	171	95	19	2	-
Female.....	12	24	43	83	151	164	193	156	92	43	4	-
White, both sexes.....	22	48	88	138	270	352	391	323	183	62	6	-
Male.....	10	24	45	60	124	189	199	168	93	19	2	-
Female.....	12	24	43	78	146	163	192	155	90	43	4	-
Black, both sexes.....	-	2	4	4	5	2	2	2	3	-	-	-
Male.....	-	2	4	-	3	1	1	2	2	-	-	-
Female.....	-	-	-	4	2	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	5	1	1	-	-	-	-	-
Male.....	1	-	2	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Mississippi												
All races, both sexes.....	33	58	110	134	223	262	244	154	86	22	4	2
Male.....	17	41	70	72	137	126	127	78	41	5	-	1
Female.....	16	17	40	62	86	136	117	76	45	17	4	1
White, both sexes.....	22	42	80	116	193	230	211	138	75	17	2	1
Male.....	14	31	49	62	115	103	106	68	34	4	-	1
Female.....	8	11	31	54	78	127	105	70	41	13	2	-
Black, both sexes.....	11	15	30	18	29	31	31	15	11	5	2	-
Male.....	3	10	21	10	22	23	20	10	7	1	-	-
Female.....	8	5	9	8	7	8	11	5	4	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	2	1	-	-	-	1
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Missouri

All races, both sexes.....	58	92	207	280	436	575	530	366	191	43	7	-
Male.....	26	51	104	149	249	312	279	189	79	14	1	-
Female.....	32	41	103	131	187	263	251	177	112	29	6	-
White, both sexes.....	52	82	195	263	412	537	511	355	177	43	6	-
Male.....	22	45	98	137	237	290	268	182	74	14	1	-
Female.....	30	37	97	126	175	247	243	173	103	29	5	-
Black, both sexes.....	6	10	9	15	24	34	19	10	12	-	1	-
Male.....	4	6	4	12	12	20	11	7	4	-	-	-
Female.....	2	4	5	3	12	14	8	3	8	-	1	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	-	1	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	1	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	3	-	-	-	-	-	-
Male.....	-	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Montana

All races, both sexes.....	5	15	37	50	82	120	129	81	45	5	-	-
Male.....	2	13	19	24	32	59	55	36	18	2	-	-
Female.....	3	2	18	26	50	61	74	45	27	3	-	-
White, both sexes.....	5	14	36	49	80	114	128	76	43	5	-	-
Male.....	2	12	19	23	32	56	55	34	17	2	-	-
Female.....	3	2	17	26	48	58	73	42	26	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	2	5	1	5	2	-	-	-
Male.....	-	1	-	1	-	3	-	2	1	-	-	-
Female.....	-	-	1	-	2	2	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Nebraska

All races, both sexes.....	6	22	40	80	145	171	176	161	77	21	6	-
Male.....	1	13	24	41	84	91	105	78	41	5	-	-
Female.....	5	9	16	39	61	80	71	83	36	16	6	-
White, both sexes.....	5	22	40	80	141	167	170	160	76	21	6	-
Male.....	1	13	24	41	81	87	100	78	41	5	-	-
Female.....	4	9	16	39	60	80	70	82	35	16	6	-
Black, both sexes.....	1	-	-	-	4	2	5	1	1	-	-	-
Male.....	-	-	-	-	3	2	4	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	23	48	70	118	189	255	237	148	46	20	1	-
Male.....	10	28	28	66	101	140	109	58	16	6	-	-
Female.....	13	20	42	52	88	115	128	90	30	14	1	-
White, both sexes.....	20	45	66	112	177	242	225	145	45	20	1	-
Male.....	8	26	26	63	92	133	102	56	16	6	-	-
Female.....	12	19	40	49	85	109	123	89	29	14	1	-
Black, both sexes.....	1	2	3	4	7	8	8	2	1	-	-	-
Male.....	1	1	1	2	6	4	5	2	-	-	-	-
Female.....	-	1	2	2	1	4	3	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	4	4	3	-	-	-	-	-
Male.....	-	1	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
New Hampshire												
All races, both sexes.....	10	19	22	56	90	117	92	100	38	14	3	-
Male.....	4	9	6	32	49	54	42	43	12	3	-	-
Female.....	6	10	16	24	41	63	50	57	26	11	3	-
White, both sexes.....	10	19	21	56	90	116	91	100	38	14	3	-
Male.....	4	9	6	32	49	54	42	43	12	3	-	-
Female.....	6	10	15	24	41	62	49	57	26	11	3	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	45	77	121	223	363	581	605	471	231	58	12	1
Male.....	23	39	63	104	181	301	235	193	78	19	2	-
Female.....	22	38	58	119	182	280	370	278	153	39	10	1
White, both sexes.....	27	61	103	199	321	537	559	439	221	54	11	1
Male.....	13	31	51	91	159	277	209	181	71	16	1	-
Female.....	14	30	52	108	162	260	350	258	150	38	10	1
Black, both sexes.....	17	16	17	24	38	40	42	30	9	4	1	-
Male.....	9	8	12	13	19	23	24	11	6	3	1	-
Female.....	8	8	5	11	19	17	18	19	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	4	3	3	2	1	-	-	-
Male.....	1	-	-	-	3	-	1	1	1	-	-	-
Female.....	-	-	1	-	1	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
New Mexico												
All races, both sexes.....	12	28	45	78	143	171	166	108	60	18	2	-
Male.....	7	16	30	47	78	79	89	54	26	6	-	-
Female.....	5	12	15	31	65	92	77	54	34	12	2	-
White, both sexes.....	12	25	45	71	139	168	161	106	58	17	2	-
Male.....	7	14	30	42	76	79	84	53	26	6	-	-
Female.....	5	11	15	29	63	89	77	53	32	11	2	-
Black, both sexes.....	-	2	-	-	3	2	1	1	1	-	-	-
Male.....	-	2	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	6	1	-	4	1	1	1	-	-
Male.....	-	-	-	5	1	-	4	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	114	208	350	566	939	1,283	1,404	1,046	598	174	38	-
Male.....	52	101	181	274	490	634	644	421	220	59	11	-
Female.....	62	107	169	292	449	649	760	625	378	115	27	-
White, both sexes.....	96	178	303	507	850	1,189	1,312	984	563	162	36	-
Male.....	45	84	156	240	441	578	602	397	210	55	11	-
Female.....	51	94	147	267	409	611	710	587	353	107	25	-
Black, both sexes.....	17	29	42	50	82	79	83	47	28	12	2	-
Male.....	7	17	22	28	42	46	37	14	7	4	-	-
Female.....	10	12	20	22	40	33	46	33	21	8	2	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	8	6	15	8	15	7	-	-	-
Male.....	-	-	3	6	6	10	5	10	3	-	-	-
Female.....	1	1	1	2	-	5	3	5	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
North Carolina												
All races, both sexes.....	76	132	227	416	634	718	659	433	218	48	4	-
Male.....	39	74	111	243	325	352	361	207	86	14	-	-
Female.....	37	58	116	173	309	366	298	226	132	34	4	-
White, both sexes.....	58	106	203	369	564	658	590	389	194	40	4	-
Male.....	28	58	98	207	281	314	317	178	73	12	-	-
Female.....	30	48	105	162	283	344	273	211	121	28	4	-
Black, both sexes.....	18	22	24	43	68	56	65	41	21	8	-	-
Male.....	11	14	13	35	43	36	41	28	12	2	-	-
Female.....	7	8	11	8	25	20	24	13	9	6	-	-
American Indian 1/, both sexes.....	-	4	-	4	2	3	3	2	2	-	-	-
Male.....	-	2	-	1	1	1	2	-	1	-	-	-
Female.....	-	2	-	3	1	2	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
North Dakota												
All races, both sexes.....	2	9	13	31	49	63	61	51	30	6	-	-
Male.....	1	4	4	17	29	35	37	29	11	1	-	-
Female.....	1	5	9	14	20	28	24	22	19	5	-	-
White, both sexes.....	2	9	13	28	46	60	59	48	29	6	-	-
Male.....	1	4	4	15	28	34	37	28	11	1	-	-
Female.....	1	5	9	13	18	26	22	20	18	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	3	3	2	2	3	1	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	2	1	2	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Ohio

All races, both sexes.....	105	189	330	548	902	1,248	1,203	859	361	115	16	-
Male.....	60	94	175	281	450	650	567	369	134	31	3	-
Female.....	45	95	155	267	452	598	636	490	227	84	13	-
White, both sexes.....	90	172	309	510	836	1,177	1,135	813	346	108	15	-
Male.....	53	85	162	258	405	613	526	348	126	29	3	-
Female.....	37	87	147	252	431	564	609	465	220	79	12	-
Black, both sexes.....	15	17	21	38	66	70	68	46	13	7	1	-
Male.....	7	9	13	23	45	36	41	21	6	2	-	-
Female.....	8	8	8	15	21	34	27	25	7	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	47	83	162	238	306	377	346	231	108	26	4	-
Male.....	25	46	72	117	172	195	174	123	47	7	2	-
Female.....	22	37	90	121	134	182	172	108	61	19	2	-
White, both sexes.....	42	78	149	219	288	356	332	213	103	26	4	-
Male.....	24	43	67	112	160	187	166	107	44	7	2	-
Female.....	18	35	82	107	128	169	166	106	59	19	2	-
Black, both sexes.....	4	3	4	13	8	7	8	9	4	-	-	-
Male.....	1	2	2	3	5	3	3	7	2	-	-	-
Female.....	3	1	2	10	3	4	5	2	2	-	-	-
American Indian 1/, both sexes.....	1	2	8	6	10	13	6	9	1	-	-	-
Male.....	-	1	3	2	7	5	5	9	1	-	-	-
Female.....	1	1	5	4	3	8	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Oregon												
All races, both sexes.....	23	76	81	167	273	375	375	292	106	27	5	-
Male.....	10	38	40	87	147	198	200	144	51	8	2	-
Female.....	13	38	41	80	126	177	175	148	55	19	3	-
White, both sexes.....	20	74	79	164	269	372	369	286	105	27	5	-
Male.....	9	36	39	84	144	198	195	141	51	8	2	-
Female.....	11	38	40	80	125	174	174	145	54	19	3	-
Black, both sexes.....	1	2	1	2	3	2	1	2	-	-	-	-
Male.....	-	2	1	2	2	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	1	1	5	2	-	-	-	-
Male.....	1	-	-	1	1	-	4	-	-	-	-	-
Female.....	1	-	1	-	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Pennsylvania												
All races, both sexes.....	85	170	290	446	821	1,158	1,315	948	471	140	18	1
Male.....	40	85	157	214	415	587	627	432	193	46	2	1
Female.....	45	85	133	232	406	571	688	516	278	94	16	-
White, both sexes.....	67	146	260	405	769	1,105	1,252	924	455	132	15	1
Male.....	33	73	141	192	388	560	593	417	187	42	1	1
Female.....	34	73	119	213	381	545	659	507	268	90	14	-
Black, both sexes.....	18	24	29	40	48	52	61	23	15	8	3	-
Male.....	7	12	15	22	25	26	32	14	5	4	1	-
Female.....	11	12	14	18	23	26	29	9	10	4	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	3	1	2	1	1	-	-	-
Male.....	-	-	-	-	2	1	2	1	1	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

South Dakota

All races, both sexes.....	3	5	24	28	60	68	86	61	32	8	1	-
Male.....	1	4	12	15	37	49	55	31	13	3	-	-
Female.....	2	1	12	13	23	19	31	30	19	5	1	-
White, both sexes.....	3	5	22	26	59	64	84	59	31	8	1	-
Male.....	1	4	11	15	36	45	54	31	13	3	-	-
Female.....	2	1	11	11	23	19	30	28	18	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	2	1	4	2	2	1	-	-	-
Male.....	-	-	1	-	1	4	1	-	-	-	-	-
Female.....	-	-	1	2	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	77	150	249	336	459	575	495	340	142	53	7	1
Male.....	34	74	128	171	261	319	247	168	61	14	1	1
Female.....	43	76	121	165	198	256	248	172	81	39	6	-
White, both sexes.....	69	141	229	308	432	536	463	318	135	47	7	-
Male.....	29	68	113	155	242	296	230	154	59	12	1	-
Female.....	40	73	116	153	190	240	233	164	76	35	6	-
Black, both sexes.....	8	9	20	28	26	37	32	22	7	6	-	1
Male.....	5	6	15	16	19	22	17	14	2	2	-	1
Female.....	3	3	5	12	7	15	15	8	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Texas

All races, both sexes.....	138	269	454	797	1,206	1,545	1,442	1,022	458	115	24	1
Male.....	74	121	216	405	643	773	708	482	186	40	7	1
Female.....	64	148	238	392	563	772	734	540	272	75	17	-
White, both sexes.....	119	242	413	742	1,098	1,440	1,371	989	437	103	20	1
Male.....	65	108	186	371	583	712	662	456	174	33	5	1
Female.....	54	134	227	371	515	728	709	533	263	70	15	-
Black, both sexes.....	17	26	41	53	99	98	61	31	18	12	4	-
Male.....	8	13	30	33	53	59	37	24	11	7	2	-
Female.....	9	13	11	20	46	39	24	7	7	5	2	-
American Indian 1/, both sexes.....	-	1	-	-	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	8	5	9	2	2	-	-	-
Male.....	1	-	-	1	6	1	8	2	1	-	-	-
Female.....	1	-	-	1	2	4	1	-	1	-	-	-

Utah

All races, both sexes.....	9	21	28	67	100	117	109	78	37	10	1	-
Male.....	4	8	17	43	64	64	57	39	16	4	-	-
Female.....	5	13	11	24	36	53	52	39	21	6	1	-
White, both sexes.....	9	21	28	65	98	115	108	78	37	10	1	-
Male.....	4	8	17	41	63	62	57	39	16	4	-	-
Female.....	5	13	11	24	35	53	51	39	21	6	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	1	-	-	-	-	-
Male.....	-	-	-	2	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

Vermont

All races, both sexes.....	3	11	16	28	39	51	47	47	19	6	-	-
Male.....	1	5	10	16	20	25	22	23	7	2	-	-
Female.....	2	6	6	12	19	26	25	24	12	4	-	-
White, both sexes.....	3	11	15	28	39	51	47	47	19	6	-	-
Male.....	1	5	9	16	20	25	22	23	7	2	-	-
Female.....	2	6	6	12	19	26	25	24	12	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	42	113	170	253	406	572	538	356	153	41	8	-
Male.....	23	60	85	128	199	292	252	161	73	15	2	-
Female.....	19	53	85	125	207	280	286	195	80	26	6	-
White, both sexes.....	30	86	142	225	358	518	504	320	137	36	8	-
Male.....	15	48	69	111	173	265	235	138	66	12	2	-
Female.....	15	38	73	114	185	253	269	182	71	24	6	-
Black, both sexes.....	12	23	25	27	46	51	34	34	15	5	-	-
Male.....	8	11	14	17	25	25	17	21	7	3	-	-
Female.....	4	12	11	10	21	26	17	13	8	2	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	1	2	3	-	2	1	-	-	-
Male.....	-	1	-	-	1	2	-	2	-	-	-	-
Female.....	-	3	1	1	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Washington												
All races, both sexes.....	58	105	158	223	394	529	518	409	188	53	5	-
Male.....	31	47	78	121	211	236	240	194	84	23	1	-
Female.....	27	58	80	102	183	293	278	215	104	30	4	-
White, both sexes.....	48	100	146	212	378	506	509	396	183	51	5	-
Male.....	26	43	70	113	205	225	235	187	81	21	1	-
Female.....	22	57	76	99	173	281	274	209	102	30	4	-
Black, both sexes.....	7	2	5	2	6	13	1	7	-	-	-	-
Male.....	4	2	5	1	3	5	-	3	-	-	-	-
Female.....	3	-	-	1	3	8	1	4	-	-	-	-
American Indian 1/, both sexes.....	3	1	5	5	3	6	5	3	-	-	-	-
Male.....	1	1	1	3	-	3	2	1	-	-	-	-
Female.....	2	-	4	2	3	3	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	4	7	4	3	3	5	2	-	-
Male.....	-	1	2	4	3	3	3	3	3	2	-	-
Female.....	-	1	-	-	4	1	-	-	2	-	-	-
West Virginia												
All races, both sexes.....	25	50	73	126	184	248	223	160	76	26	2	-
Male.....	15	29	36	63	87	137	101	68	33	11	-	-
Female.....	10	21	37	63	97	111	122	92	43	15	2	-
White, both sexes.....	25	49	73	124	182	243	221	158	73	26	2	-
Male.....	15	28	36	62	87	133	100	68	32	11	-	-
Female.....	10	21	37	62	95	110	121	90	41	15	2	-
Black, both sexes.....	-	1	-	1	1	5	2	2	3	-	-	-
Male.....	-	1	-	1	-	4	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
Wisconsin												
All races, both sexes.....	36	55	115	173	333	440	491	392	192	56	7	-
Male.....	20	28	60	70	164	239	266	185	87	25	2	-
Female.....	16	27	55	103	169	201	225	207	105	31	5	-
White, both sexes.....	33	46	112	164	321	430	482	385	188	53	6	-
Male.....	19	24	59	68	158	234	262	181	86	24	2	-
Female.....	14	22	53	96	163	196	220	204	102	29	4	-
Black, both sexes.....	2	6	2	8	8	6	3	6	3	2	1	-
Male.....	1	2	-	2	6	4	-	4	1	-	-	-
Female.....	1	4	2	6	2	2	3	2	2	2	1	-
American Indian 1/, both sexes.....	1	2	1	1	4	2	4	-	1	-	-	-
Male.....	-	1	1	-	-	1	2	-	-	-	-	-
Female.....	1	1	-	1	4	1	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	2	1	-	1	-	-
Male.....	-	1	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Wyoming												
All races, both sexes.....	4	15	20	33	57	66	45	45	21	9	1	-
Male.....	-	5	7	19	35	36	18	24	10	3	1	-
Female.....	4	10	13	14	22	30	27	21	11	6	-	-
White, both sexes.....	4	15	20	32	54	65	44	45	21	9	1	-
Male.....	-	5	7	19	33	35	17	24	10	3	1	-
Female.....	4	10	13	13	21	30	27	21	11	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchitis, not specified as acute or chronic (J40)												
Arkansas												
All races, both sexes.....	-	-	-	1	1	1	3	1	-	1	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	3	1	-	1	-	-
White, both sexes.....	-	-	-	1	1	1	2	1	-	1	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	1	-	2	1	6	4	4	9	4	3	-
Male.....	-	1	-	1	1	4	2	2	1	-	-	-
Female.....	-	-	-	1	-	2	2	2	8	4	3	-
White, both sexes.....	-	1	-	2	1	5	4	4	8	4	3	-
Male.....	-	1	-	1	1	3	2	2	1	-	-	-
Female.....	-	-	-	1	-	2	2	2	7	4	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Chronic bronchitis (J41-J42)												
Arkansas												
All races, both sexes.....	-	-	-	2	1	-	2	1	1	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	1	1	-	-
White, both sexes.....	-	-	-	2	1	-	2	1	1	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	-	3	3	6	9	17	4	2	4	-	-
Male.....	2	-	3	1	5	3	8	3	1	2	-	-
Female.....	1	-	-	2	1	6	9	1	1	2	-	-
White, both sexes.....	3	-	1	3	5	9	13	4	2	3	-	-
Male.....	2	-	1	1	4	3	5	3	1	2	-	-
Female.....	1	-	-	2	1	6	8	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	3	-	-	1	-	-
Male.....	-	-	2	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
Arkansas												
All races, both sexes.....	2	4	23	28	52	42	33	23	9	1	-	-
Male.....	2	1	12	15	38	23	18	13	5	-	-	-
Female.....	-	3	11	13	14	19	15	10	4	1	-	-
White, both sexes.....	2	4	22	27	50	42	32	22	9	1	-	-
Male.....	2	1	11	14	38	23	18	13	5	-	-	-
Female.....	-	3	11	13	12	19	14	9	4	1	-	-
Black, both sexes.....	-	-	1	1	2	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	28	48	97	147	230	332	324	207	80	21	2	-
Male.....	23	26	59	80	115	180	166	88	42	7	-	-
Female.....	5	22	38	67	115	152	158	119	38	14	2	-
White, both sexes.....	24	43	85	131	208	298	296	191	75	21	2	-
Male.....	19	24	49	67	102	156	149	78	39	7	-	-
Female.....	5	19	36	64	106	142	147	113	36	14	2	-
Black, both sexes.....	4	5	3	6	13	18	18	4	2	-	-	-
Male.....	4	2	2	5	6	11	11	1	1	-	-	-
Female.....	-	3	1	1	7	7	7	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	3	-	1	-	-	-	-
Male.....	-	-	1	1	1	3	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	7	9	8	13	10	11	3	-	-	-
Male.....	-	-	7	7	6	10	6	8	2	-	-	-
Female.....	-	-	-	2	2	3	4	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
Kentucky												
All races, both sexes.....	6	15	15	35	38	36	42	20	7	-	-	-
Male.....	2	9	8	19	18	16	28	6	2	-	-	-
Female.....	4	6	7	16	20	20	14	14	5	-	-	-
White, both sexes.....	6	15	15	35	36	36	40	20	6	-	-	-
Male.....	2	9	8	19	17	16	27	6	2	-	-	-
Female.....	4	6	7	16	19	20	13	14	4	-	-	-
Black, both sexes.....	-	-	-	-	2	-	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	10	8	15	30	40	58	53	32	7	1	-	-
Male.....	6	7	7	18	25	39	25	22	5	1	-	-
Female.....	4	1	8	12	15	19	28	10	2	-	-	-
White, both sexes.....	7	5	13	23	35	48	45	26	6	-	-	-
Male.....	4	4	5	12	20	32	22	17	5	-	-	-
Female.....	3	1	8	11	15	16	23	9	1	-	-	-
Black, both sexes.....	2	3	2	7	5	10	7	6	1	1	-	-
Male.....	1	3	2	6	5	7	3	5	-	1	-	-
Female.....	1	-	-	1	-	3	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
Nebraska												
All races, both sexes.....	1	4	2	7	16	20	15	13	4	4	-	-
Male.....	1	2	2	3	10	12	10	5	2	1	-	-
Female.....	-	2	-	4	6	8	5	8	2	3	-	-
White, both sexes.....	1	4	2	7	16	20	15	13	4	4	-	-
Male.....	1	2	2	3	10	12	10	5	2	1	-	-
Female.....	-	2	-	4	6	8	5	8	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	2	1	11	13	13	17	14	10	2	1	1	-
Male.....	1	1	5	6	7	9	4	4	-	1	-	-
Female.....	1	-	6	7	6	8	10	6	2	-	1	-
White, both sexes.....	2	1	10	13	13	15	13	10	2	1	1	-
Male.....	1	1	5	6	7	7	4	4	-	1	-	-
Female.....	1	-	5	7	6	8	9	6	2	-	1	-
Black, both sexes.....	-	-	1	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
New Hampshire												
All races, both sexes.....	2	2	2	10	10	21	11	13	4	1	-	-
Male.....	1	-	-	6	7	10	5	5	2	-	-	-
Female.....	1	2	2	4	3	11	6	8	2	1	-	-
White, both sexes.....	2	2	2	10	10	21	11	13	4	1	-	-
Male.....	1	-	-	6	7	10	5	5	2	-	-	-
Female.....	1	2	2	4	3	11	6	8	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	15	29	51	84	96	107	62	29	2	-	-
Male.....	3	7	13	27	43	51	42	26	12	2	-	-
Female.....	2	8	16	24	41	45	65	36	17	-	-	-
White, both sexes.....	4	15	26	46	79	92	100	62	28	1	-	-
Male.....	2	7	10	23	40	49	40	26	11	1	-	-
Female.....	2	8	16	23	39	43	60	36	17	-	-	-
Black, both sexes.....	-	-	3	5	5	4	6	-	1	1	-	-
Male.....	-	-	3	4	3	2	2	-	1	1	-	-
Female.....	-	-	-	1	2	2	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)												
Vermont												
All races, both sexes.....	-	1	1	4	3	2	6	3	1	-	-	-
Male.....	-	1	1	2	-	-	2	2	-	-	-	-
Female.....	-	-	-	2	3	2	4	1	1	-	-	-
White, both sexes.....	-	1	1	4	3	2	6	3	1	-	-	-
Male.....	-	1	1	2	-	-	2	2	-	-	-	-
Female.....	-	-	-	2	3	2	4	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	4	13	23	32	52	76	70	29	15	-	-	-
Male.....	1	5	11	16	23	39	27	14	8	-	-	-
Female.....	3	8	12	16	29	37	43	15	7	-	-	-
White, both sexes.....	4	7	20	29	45	74	65	26	14	-	-	-
Male.....	1	4	9	14	18	38	25	12	7	-	-	-
Female.....	3	3	11	15	27	36	40	14	7	-	-	-
Black, both sexes.....	-	5	2	3	7	1	5	3	1	-	-	-
Male.....	-	1	2	2	5	1	2	2	1	-	-	-
Female.....	-	4	-	1	2	-	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other chronic obstructive pulmonary disease (J44)												
Arkansas												
All races, both sexes.....	1,147	1	-	-	-	-	1	-	-	-	4	9
Male.....	602	1	-	-	-	-	-	-	-	-	3	3
Female.....	545	-	-	-	-	-	1	-	-	-	1	6
White, both sexes.....	1,087	1	-	-	-	-	1	-	-	-	4	7
Male.....	565	1	-	-	-	-	-	-	-	-	3	2
Female.....	522	-	-	-	-	-	1	-	-	-	1	5
Black, both sexes.....	57	-	-	-	-	-	-	-	-	-	-	2
Male.....	34	-	-	-	-	-	-	-	-	-	-	1
Female.....	23	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10,460	-	-	1	-	1	-	3	4	13	33	62
Male.....	4,838	-	-	-	-	1	-	2	1	7	16	34
Female.....	5,622	-	-	1	-	-	-	1	3	6	17	28
White, both sexes.....	9,436	-	-	-	-	1	-	3	1	8	24	53
Male.....	4,230	-	-	-	-	1	-	2	-	6	13	32
Female.....	5,206	-	-	-	-	-	-	1	1	2	11	21
Black, both sexes.....	526	-	-	1	-	-	-	-	2	5	7	7
Male.....	275	-	-	-	-	-	-	-	1	1	1	2
Female.....	251	-	-	1	-	-	-	-	1	4	6	5
American Indian 1/, both sexes.....	48	-	-	-	-	-	-	-	-	-	-	2
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	29	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	450	-	-	-	-	-	-	-	1	-	2	-
Male.....	314	-	-	-	-	-	-	-	-	-	2	-
Female.....	136	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Alaska												
All races, both sexes.....	-	2	11	10	20	28	25	10	9	-	1	-
Male.....	-	-	6	7	9	12	15	5	4	-	-	-
Female.....	-	2	5	3	11	16	10	5	5	-	1	-
White, both sexes.....	-	2	6	6	15	23	20	7	5	-	1	-
Male.....	-	-	3	5	7	9	12	4	1	-	-	-
Female.....	-	2	3	1	8	14	8	3	4	-	1	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	5	4	4	5	5	2	3	-	-	-
Male.....	-	-	3	2	1	3	3	1	2	-	-	-
Female.....	-	-	2	2	3	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	31	41	112	154	329	415	413	335	137	28	3	-
Male.....	19	26	61	79	178	225	207	148	65	10	-	-
Female.....	12	15	51	75	151	190	206	187	72	18	3	-
White, both sexes.....	30	40	106	150	322	403	405	330	136	28	3	-
Male.....	18	25	58	78	173	216	201	145	64	10	-	-
Female.....	12	15	48	72	149	187	204	185	72	18	3	-
Black, both sexes.....	1	1	2	2	4	7	4	-	-	-	-	-
Male.....	1	1	2	1	3	6	3	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	1	3	3	3	4	-	-	-	-
Male.....	-	-	1	-	2	2	2	2	-	-	-	-
Female.....	-	-	2	1	1	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	2	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Arkansas												
All races, both sexes.....	17	46	72	120	181	209	225	155	79	24	3	1
Male.....	5	20	40	70	95	117	125	79	35	8	-	1
Female.....	12	26	32	50	86	92	100	76	44	16	3	-
White, both sexes.....	15	44	68	116	171	197	217	148	75	19	3	1
Male.....	4	18	37	69	88	108	120	75	33	6	-	1
Female.....	11	26	31	47	83	89	97	73	42	13	3	-
Black, both sexes.....	2	2	3	4	8	12	8	7	4	5	-	-
Male.....	1	2	2	1	5	9	5	4	2	2	-	-
Female.....	1	-	1	3	3	3	3	3	2	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	145	310	476	883	1,438	2,122	2,178	1,707	818	228	38	-
Male.....	74	169	224	442	677	1,057	1,019	734	308	69	4	-
Female.....	71	141	252	441	761	1,065	1,159	973	510	159	34	-
White, both sexes.....	123	267	405	802	1,305	1,932	1,982	1,545	746	207	32	-
Male.....	60	144	183	399	596	920	901	643	269	59	2	-
Female.....	63	123	222	403	709	1,012	1,081	902	477	148	30	-
Black, both sexes.....	19	31	56	54	65	87	85	62	33	10	2	-
Male.....	12	16	32	25	33	57	46	27	16	5	1	-
Female.....	7	15	24	29	32	30	39	35	17	5	1	-
American Indian 1/, both sexes.....	1	4	3	7	8	10	7	5	-	-	1	-
Male.....	1	3	-	4	4	4	2	1	-	-	-	-
Female.....	-	1	3	3	4	6	5	4	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	8	12	20	60	93	104	95	39	11	3	-
Male.....	1	6	9	14	44	76	70	63	23	5	1	-
Female.....	1	2	3	6	16	17	34	32	16	6	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Illinois												
All races, both sexes.....	60	111	201	337	513	770	799	587	281	82	17	-
Male.....	45	62	106	179	285	403	379	259	116	32	3	-
Female.....	15	49	95	158	228	367	420	328	165	50	14	-
White, both sexes.....	42	93	181	291	456	706	745	558	275	77	15	-
Male.....	34	50	95	153	246	369	354	245	114	30	3	-
Female.....	8	43	86	138	210	337	391	313	161	47	12	-
Black, both sexes.....	18	17	20	44	52	56	50	25	6	3	2	-
Male.....	11	11	11	25	34	31	23	12	2	1	-	-
Female.....	7	6	9	19	18	25	27	13	4	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	4	6	3	4	-	2	-	-
Male.....	-	1	-	1	4	3	2	2	-	1	-	-
Female.....	-	-	-	1	-	3	1	2	-	1	-	-
Indiana												
All races, both sexes.....	48	77	139	242	397	530	507	405	158	50	6	-
Male.....	23	35	75	122	204	281	249	206	66	17	1	-
Female.....	25	42	64	120	193	249	258	199	92	33	5	-
White, both sexes.....	45	74	135	233	383	514	497	393	155	47	6	-
Male.....	22	35	71	119	197	271	245	199	66	16	1	-
Female.....	23	39	64	114	186	243	252	194	89	31	5	-
Black, both sexes.....	2	3	4	9	12	16	10	11	3	3	-	-
Male.....	-	-	4	3	7	10	4	6	-	1	-	-
Female.....	2	3	-	6	5	6	6	5	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Iowa												
All races, both sexes.....	19	42	56	115	210	261	280	221	108	37	3	-
Male.....	8	18	31	55	121	151	161	101	43	15	3	-
Female.....	11	24	25	60	89	110	119	120	65	22	-	-
White, both sexes.....	18	42	54	115	206	259	280	221	108	37	3	-
Male.....	8	18	30	55	119	150	161	101	43	15	3	-
Female.....	10	24	24	60	87	109	119	120	65	22	-	-
Black, both sexes.....	1	-	2	-	3	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	14	37	72	110	149	221	246	188	79	23	3	-
Male.....	8	20	38	58	71	114	125	86	39	9	-	-
Female.....	6	17	34	52	78	107	121	102	40	14	3	-
White, both sexes.....	12	35	65	107	144	209	239	183	78	23	3	-
Male.....	8	20	35	56	70	106	121	85	38	9	-	-
Female.....	4	15	30	51	74	103	118	98	40	14	3	-
Black, both sexes.....	1	1	5	2	5	12	5	4	1	-	-	-
Male.....	-	-	3	1	1	8	3	1	1	-	-	-
Female.....	1	1	2	1	4	4	2	3	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Kentucky												
All races, both sexes.....	50	103	158	242	332	408	404	257	91	29	2	-
Male.....	27	44	89	121	191	219	203	124	43	9	2	-
Female.....	23	59	69	121	141	189	201	133	48	20	-	-
White, both sexes.....	47	98	153	235	323	396	394	248	86	29	1	-
Male.....	25	42	88	119	187	213	200	122	40	9	1	-
Female.....	22	56	65	116	136	183	194	126	46	20	-	-
Black, both sexes.....	3	5	5	7	9	12	10	9	5	-	1	-
Male.....	2	2	1	2	4	6	3	2	3	-	1	-
Female.....	1	3	4	5	5	6	7	7	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	27	57	68	142	203	268	261	181	84	11	4	-
Male.....	18	34	39	74	108	129	126	74	38	5	-	-
Female.....	9	23	29	68	95	139	135	107	46	6	4	-
White, both sexes.....	18	47	50	107	170	222	222	157	66	9	4	-
Male.....	11	28	27	52	87	103	106	62	28	3	-	-
Female.....	7	19	23	55	83	119	116	95	38	6	4	-
Black, both sexes.....	9	10	18	35	32	46	37	24	17	2	-	-
Male.....	7	6	12	22	21	26	19	12	10	2	-	-
Female.....	2	4	6	13	11	20	18	12	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Maine												
All races, both sexes.....	7	16	37	70	97	139	143	102	45	14	2	-
Male.....	6	8	26	39	62	73	74	52	14	7	-	-
Female.....	1	8	11	31	35	66	69	50	31	7	2	-
White, both sexes.....	7	16	37	70	96	138	143	101	45	14	2	-
Male.....	6	8	26	39	61	72	74	51	14	7	-	-
Female.....	1	8	11	31	35	66	69	50	31	7	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	26	26	81	133	246	302	344	261	101	36	4	-
Male.....	12	15	36	59	107	144	136	91	31	6	1	-
Female.....	14	11	45	74	139	158	208	170	70	30	3	-
White, both sexes.....	20	22	59	117	217	266	307	238	87	31	4	-
Male.....	9	12	23	53	89	125	124	82	25	6	1	-
Female.....	11	10	36	64	128	141	183	156	62	25	3	-
Black, both sexes.....	6	4	22	15	28	35	36	22	14	4	-	-
Male.....	3	3	13	5	17	19	11	9	6	-	-	-
Female.....	3	1	9	10	11	16	25	13	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	1	-	1	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Massachusetts												
All races, both sexes.....	34	67	89	164	280	442	499	383	198	57	15	-
Male.....	19	29	47	78	133	190	239	140	60	18	6	-
Female.....	15	38	42	86	147	252	260	243	138	39	9	-
White, both sexes.....	33	66	88	157	274	433	491	379	196	53	15	-
Male.....	18	29	46	76	128	184	235	137	59	16	6	-
Female.....	15	37	42	81	146	249	256	242	137	37	9	-
Black, both sexes.....	1	1	1	6	5	6	7	3	1	2	-	-
Male.....	1	-	1	2	4	3	3	2	-	1	-	-
Female.....	-	1	-	4	1	3	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	3	1	1	1	2	-	-
Male.....	-	-	-	-	1	3	1	1	1	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-
Michigan												
All races, both sexes.....	61	121	194	325	512	708	716	556	221	67	9	-
Male.....	34	55	102	157	244	358	353	264	87	23	3	-
Female.....	27	66	92	168	268	350	363	292	134	44	6	-
White, both sexes.....	49	108	174	293	476	653	666	530	205	61	8	-
Male.....	25	46	91	142	225	329	325	248	80	22	3	-
Female.....	24	62	83	151	251	324	341	282	125	39	5	-
Black, both sexes.....	11	13	15	25	29	51	45	24	14	5	1	-
Male.....	8	9	7	13	17	27	25	16	6	1	-	-
Female.....	3	4	8	12	12	24	20	8	8	4	1	-
American Indian 1/, both sexes.....	1	-	5	7	6	-	2	2	2	1	-	-
Male.....	1	-	4	2	1	-	-	-	1	-	-	-
Female.....	-	-	1	5	5	-	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	4	3	-	-	-	-	-
Male.....	-	-	-	-	1	2	3	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Minnesota												
All races, both sexes.....	19	42	81	130	246	316	348	285	174	54	6	-
Male.....	9	21	46	57	113	172	179	151	89	18	2	-
Female.....	10	21	35	73	133	144	169	134	85	36	4	-
White, both sexes.....	18	41	77	125	236	313	345	281	170	54	6	-
Male.....	8	20	42	57	108	170	177	148	87	18	2	-
Female.....	10	21	35	68	128	143	168	133	83	36	4	-
Black, both sexes.....	-	1	3	4	4	2	2	2	3	-	-	-
Male.....	-	1	3	-	2	1	1	2	2	-	-	-
Female.....	-	-	-	4	2	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	5	1	1	-	-	-	-	-
Male.....	1	-	1	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
Mississippi												
All races, both sexes.....	25	49	91	123	194	229	224	136	77	20	4	-
Male.....	13	35	60	66	121	109	116	67	37	4	-	-
Female.....	12	14	31	57	73	120	108	69	40	16	4	-
White, both sexes.....	18	36	67	108	167	206	198	123	69	15	2	-
Male.....	11	26	42	58	100	92	100	59	31	3	-	-
Female.....	7	10	25	50	67	114	98	64	38	12	2	-
Black, both sexes.....	7	12	24	15	26	22	25	12	8	5	2	-
Male.....	2	9	18	8	21	17	15	8	6	1	-	-
Female.....	5	3	6	7	5	5	10	4	2	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Missouri												
All races, both sexes.....	44	73	169	234	364	507	464	323	174	38	5	-
Male.....	19	39	86	129	212	268	242	168	75	14	1	-
Female.....	25	34	83	105	152	239	222	155	99	24	4	-
White, both sexes.....	41	64	159	221	345	475	447	313	161	38	5	-
Male.....	16	34	81	120	200	251	232	162	70	14	1	-
Female.....	25	30	78	101	145	224	215	151	91	24	4	-
Black, both sexes.....	3	9	8	11	19	30	17	9	11	-	-	-
Male.....	3	5	4	9	12	16	10	6	4	-	-	-
Female.....	-	4	4	2	7	14	7	3	7	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	-	-	1	2	-	-	-
Male.....	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	1	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Montana												
All races, both sexes.....	2	9	34	44	72	104	106	70	38	4	-	-
Male.....	1	8	17	20	29	50	46	33	17	2	-	-
Female.....	1	1	17	24	43	54	60	37	21	2	-	-
White, both sexes.....	2	9	33	44	70	101	105	66	36	4	-	-
Male.....	1	8	17	20	29	49	46	31	16	2	-	-
Female.....	1	1	16	24	41	52	59	35	20	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	2	2	1	4	2	-	-	-
Male.....	-	-	-	-	-	1	-	2	1	-	-	-
Female.....	-	-	1	-	2	1	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Nebraska												
All races, both sexes.....	5	17	36	72	125	145	155	138	66	16	4	-
Male.....	-	11	21	37	72	78	94	69	35	4	-	-
Female.....	5	6	15	35	53	67	61	69	31	12	4	-
White, both sexes.....	4	17	36	72	121	142	150	137	65	16	4	-
Male.....	-	11	21	37	69	75	89	69	35	4	-	-
Female.....	4	6	15	35	52	67	61	68	30	12	4	-
Black, both sexes.....	1	-	-	-	4	2	4	1	1	-	-	-
Male.....	-	-	-	-	3	2	4	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	18	46	58	100	175	235	219	137	44	19	-	-
Male.....	7	26	22	59	94	129	103	54	16	5	-	-
Female.....	11	20	36	41	81	106	116	83	28	14	-	-
White, both sexes.....	16	43	55	95	164	224	208	134	43	19	-	-
Male.....	6	24	20	56	85	124	96	52	16	5	-	-
Female.....	10	19	35	39	79	100	112	82	27	14	-	-
Black, both sexes.....	-	2	2	3	6	6	8	2	1	-	-	-
Male.....	-	1	1	2	6	2	5	2	-	-	-	-
Female.....	-	1	1	1	-	4	3	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	4	4	2	-	-	-	-	-
Male.....	-	1	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
New Hampshire												
All races, both sexes.....	7	17	19	45	79	94	78	84	33	13	2	-
Male.....	3	9	6	26	41	44	37	37	9	3	-	-
Female.....	4	8	13	19	38	50	41	47	24	10	2	-
White, both sexes.....	7	17	19	45	79	93	77	84	33	13	2	-
Male.....	3	9	6	26	41	44	37	37	9	3	-	-
Female.....	4	8	13	19	38	49	40	47	24	10	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New Jersey												
All races, both sexes.....	29	52	82	165	273	471	485	399	193	53	11	1
Male.....	14	27	44	74	135	244	189	166	63	16	2	-
Female.....	15	25	38	91	138	227	296	233	130	37	9	1
White, both sexes.....	17	41	69	147	236	432	448	368	185	50	10	1
Male.....	8	21	37	66	116	223	166	155	58	14	1	-
Female.....	9	20	32	81	120	209	282	213	127	36	9	1
Black, both sexes.....	12	11	12	18	33	35	34	29	7	3	1	-
Male.....	6	6	7	8	16	20	21	10	4	2	1	-
Female.....	6	5	5	10	17	15	13	19	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	4	3	2	2	1	-	-	-
Male.....	-	-	-	-	3	-	1	1	1	-	-	-
Female.....	-	-	1	-	1	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
New Mexico												
All races, both sexes.....	11	23	38	65	116	145	126	95	48	15	1	-
Male.....	6	13	26	38	63	67	70	49	20	5	-	-
Female.....	5	10	12	27	53	78	56	46	28	10	1	-
White, both sexes.....	11	21	38	61	113	142	122	93	48	14	1	-
Male.....	6	11	26	35	62	67	66	48	20	5	-	-
Female.....	5	10	12	26	51	75	56	45	28	9	1	-
Black, both sexes.....	-	2	-	-	3	2	1	1	-	-	-	-
Male.....	-	2	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	4	-	-	3	1	-	1	-	-
Male.....	-	-	-	3	-	-	3	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
New York												
All races, both sexes.....	74	139	278	461	784	1,087	1,222	919	528	155	33	-
Male.....	31	73	143	230	408	529	552	372	198	52	10	-
Female.....	43	66	135	231	376	558	670	547	330	103	23	-
White, both sexes.....	69	125	243	422	705	1,008	1,142	864	499	144	31	-
Male.....	29	65	122	204	363	481	514	351	189	48	10	-
Female.....	40	60	121	218	342	527	628	513	310	96	21	-
Black, both sexes.....	5	14	31	32	72	68	71	43	23	11	2	-
Male.....	2	8	18	20	38	40	33	14	6	4	-	-
Female.....	3	6	13	12	34	28	38	29	17	7	2	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	6	6	11	8	12	6	-	-	-
Male.....	-	-	3	6	6	8	5	7	3	-	-	-
Female.....	-	-	-	-	-	3	3	5	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Ohio												
All races, both sexes.....	77	149	270	452	747	1,048	1,045	753	329	102	15	-
Male.....	47	72	144	235	367	538	494	327	123	26	3	-
Female.....	30	77	126	217	380	510	551	426	206	76	12	-
White, both sexes.....	70	137	252	422	694	987	985	713	315	95	14	-
Male.....	42	66	134	220	333	507	457	309	116	24	3	-
Female.....	28	71	118	202	361	480	528	404	199	71	11	-
Black, both sexes.....	7	12	18	30	53	60	60	40	12	7	1	-
Male.....	5	6	10	15	34	30	37	18	5	2	-	-
Female.....	2	6	8	15	19	30	23	22	7	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	39	64	148	209	276	330	315	201	96	21	4	-
Male.....	21	39	62	102	157	171	160	105	41	5	2	-
Female.....	18	25	86	107	119	159	155	96	55	16	2	-
White, both sexes.....	35	61	135	192	261	309	302	187	92	21	4	-
Male.....	20	36	57	97	146	163	152	93	39	5	2	-
Female.....	15	25	78	95	115	146	150	94	53	16	2	-
Black, both sexes.....	3	2	4	11	7	7	7	7	3	-	-	-
Male.....	1	2	2	3	5	3	3	5	1	-	-	-
Female.....	2	-	2	8	2	4	4	2	2	-	-	-
American Indian 1/, both sexes.....	1	1	8	6	8	13	6	7	1	-	-	-
Male.....	-	1	3	2	6	5	5	7	1	-	-	-
Female.....	1	-	5	4	2	8	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other chronic obstructive pulmonary disease (J44)

Oregon

All races, both sexes.....	19	56	69	139	219	296	302	236	92	21	4	-
Male.....	10	27	35	72	119	160	171	125	46	7	2	-
Female.....	9	29	34	67	100	136	131	111	46	14	2	-
White, both sexes.....	18	56	67	136	217	293	296	230	91	21	4	-
Male.....	9	27	34	69	118	160	166	122	46	7	2	-
Female.....	9	29	33	67	99	133	130	108	45	14	2	-
Black, both sexes.....	-	-	1	2	1	2	1	2	-	-	-	-
Male.....	-	-	1	2	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	1	5	2	-	-	-	-
Male.....	1	-	-	1	1	-	4	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Pennsylvania

All races, both sexes.....	59	137	238	371	661	976	1,135	826	426	128	16	1
Male.....	29	72	131	177	331	502	531	373	176	45	2	1
Female.....	30	65	107	194	330	474	604	453	250	83	14	-
White, both sexes.....	50	118	214	336	616	930	1,083	803	412	120	13	1
Male.....	28	62	118	157	306	479	500	358	171	41	1	1
Female.....	22	56	96	179	310	451	583	445	241	79	12	-
Black, both sexes.....	9	19	23	35	41	45	50	22	13	8	3	-
Male.....	1	10	12	20	23	22	29	14	4	4	1	-
Female.....	8	9	11	15	18	23	21	8	9	4	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	1	2	1	1	-	-	-
Male.....	-	-	-	-	2	1	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
South Dakota												
All races, both sexes.....	2	4	21	21	46	58	76	51	29	8	1	-
Male.....	1	3	9	11	29	43	50	27	12	3	-	-
Female.....	1	1	12	10	17	15	26	24	17	5	1	-
White, both sexes.....	2	4	19	20	45	54	75	50	28	8	1	-
Male.....	1	3	8	11	28	39	50	27	12	3	-	-
Female.....	1	1	11	9	17	15	25	23	16	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	1	4	1	1	1	-	-	-
Male.....	-	-	1	-	1	4	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	61	122	203	280	375	486	438	292	127	45	6	1
Male.....	25	61	104	139	218	265	225	139	59	13	1	1
Female.....	36	61	99	141	157	221	213	153	68	32	5	-
White, both sexes.....	54	115	186	259	351	457	410	274	120	39	6	-
Male.....	20	57	91	128	201	247	210	128	57	11	1	-
Female.....	34	58	95	131	150	210	200	146	63	28	5	-
Black, both sexes.....	7	7	17	21	23	27	28	18	7	6	-	1
Male.....	5	4	13	11	17	17	15	11	2	2	-	1
Female.....	2	3	4	10	6	10	13	7	5	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Texas												
All races, both sexes.....	96	196	368	670	969	1,294	1,238	882	395	99	18	1
Male.....	53	93	171	352	518	645	603	423	162	36	5	1
Female.....	43	103	197	318	451	649	635	459	233	63	13	-
White, both sexes.....	82	178	334	625	892	1,203	1,172	856	377	87	16	1
Male.....	45	83	147	324	472	590	562	401	150	29	4	1
Female.....	37	95	187	301	420	613	610	455	227	58	12	-
Black, both sexes.....	12	17	34	43	68	85	56	24	16	12	2	-
Male.....	7	10	24	27	39	53	32	20	11	7	1	-
Female.....	5	7	10	16	29	32	24	4	5	5	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	2	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	8	4	9	2	1	-	-	-
Male.....	1	-	-	1	6	1	8	2	1	-	-	-
Female.....	1	-	-	1	2	3	1	-	-	-	-	-
Utah												
All races, both sexes.....	4	18	19	48	77	94	88	65	31	8	1	-
Male.....	1	6	10	30	46	51	49	36	15	3	-	-
Female.....	3	12	9	18	31	43	39	29	16	5	1	-
White, both sexes.....	4	18	19	48	76	93	87	65	31	8	1	-
Male.....	1	6	10	30	45	50	49	36	15	3	-	-
Female.....	3	12	9	18	31	43	38	29	16	5	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Vermont												
All races, both sexes.....	3	10	15	24	36	48	39	43	17	5	-	-
Male.....	1	4	9	14	20	25	18	21	7	2	-	-
Female.....	2	6	6	10	16	23	21	22	10	3	-	-
White, both sexes.....	3	10	14	24	36	48	39	43	17	5	-	-
Male.....	1	4	8	14	20	25	18	21	7	2	-	-
Female.....	2	6	6	10	16	23	21	22	10	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	24	86	139	217	347	482	457	309	134	40	7	-
Male.....	14	49	71	111	175	248	219	144	65	15	1	-
Female.....	10	37	68	106	172	234	238	165	69	25	6	-
White, both sexes.....	20	74	116	192	309	430	428	280	119	35	7	-
Male.....	12	42	58	96	154	222	204	124	59	12	1	-
Female.....	8	32	58	96	155	208	224	156	60	23	6	-
Black, both sexes.....	4	11	21	24	36	50	29	27	14	5	-	-
Male.....	2	7	11	15	20	24	15	18	6	3	-	-
Female.....	2	4	10	9	16	26	14	9	8	2	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	2	-	2	1	-	-	-
Male.....	-	-	-	-	1	2	-	2	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Washington												
All races, both sexes.....	48	82	132	193	342	461	458	352	164	46	4	-
Male.....	26	42	65	107	183	209	214	176	75	19	1	-
Female.....	22	40	67	86	159	252	244	176	89	27	3	-
White, both sexes.....	38	79	123	183	326	439	450	341	159	44	4	-
Male.....	21	40	58	99	177	199	210	169	72	17	1	-
Female.....	17	39	65	84	149	240	240	172	87	27	3	-
Black, both sexes.....	7	-	5	2	6	13	1	5	-	-	-	-
Male.....	4	-	5	1	3	5	-	3	-	-	-	-
Female.....	3	-	-	1	3	8	1	2	-	-	-	-
American Indian 1/, both sexes.....	3	1	2	4	3	6	5	3	-	-	-	-
Male.....	1	1	-	3	-	3	2	1	-	-	-	-
Female.....	2	-	2	1	3	3	3	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	4	7	3	2	3	5	2	-	-
Male.....	-	1	2	4	3	2	2	3	3	2	-	-
Female.....	-	1	-	-	4	1	-	-	2	-	-	-
West Virginia												
All races, both sexes.....	22	46	64	110	165	226	199	148	64	25	2	-
Male.....	13	26	31	56	81	123	92	64	30	11	-	-
Female.....	9	20	33	54	84	103	107	84	34	14	2	-
White, both sexes.....	22	45	64	108	163	222	197	146	62	25	2	-
Male.....	13	25	31	55	81	120	91	64	29	11	-	-
Female.....	9	20	33	53	82	102	106	82	33	14	2	-
Black, both sexes.....	-	1	-	1	1	4	2	2	2	-	-	-
Male.....	-	1	-	1	-	3	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other chronic obstructive pulmonary disease (J44)												
Wisconsin												
All races, both sexes.....	28	42	92	145	277	372	421	342	171	52	6	-
Male.....	16	23	47	53	142	204	225	163	77	23	1	-
Female.....	12	19	45	92	135	168	196	179	94	29	5	-
White, both sexes.....	26	40	89	136	269	363	412	336	167	50	5	-
Male.....	15	22	46	51	137	199	221	160	76	22	1	-
Female.....	11	18	43	85	132	164	191	176	91	28	4	-
Black, both sexes.....	2	1	2	8	6	6	3	5	3	1	1	-
Male.....	1	1	-	2	5	4	-	3	1	-	-	-
Female.....	1	-	2	6	1	2	3	2	2	1	1	-
American Indian 1/, both sexes.....	-	1	1	1	2	1	4	-	1	-	-	-
Male.....	-	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	1	-	1	2	-	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Wyoming												
All races, both sexes.....	4	11	19	28	53	59	43	42	17	7	1	-
Male.....	-	3	7	15	31	34	18	22	9	2	1	-
Female.....	4	8	12	13	22	25	25	20	8	5	-	-
White, both sexes.....	4	11	19	27	50	58	42	42	17	7	1	-
Male.....	-	3	7	15	29	33	17	22	9	2	1	-
Female.....	4	8	12	12	21	25	25	20	8	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Asthma (J45-J46)												
Arkansas												
All races, both sexes.....	41	-	-	-	-	1	1	-	1	1	3	3
Male.....	13	-	-	-	-	1	1	-	-	-	-	2
Female.....	28	-	-	-	-	-	-	-	1	1	3	1
White, both sexes.....	34	-	-	-	-	1	-	-	1	1	2	3
Male.....	10	-	-	-	-	1	-	-	-	-	-	2
Female.....	24	-	-	-	-	-	-	-	1	1	2	1
Black, both sexes.....	7	-	-	-	-	-	1	-	-	-	1	-
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	497	1	4	1	9	12	3	13	11	20	30	31
Male.....	182	1	3	-	4	9	2	8	8	9	12	14
Female.....	315	-	1	1	5	3	1	5	3	11	18	17
White, both sexes.....	359	-	1	-	2	9	1	8	7	19	17	26
Male.....	118	-	1	-	-	7	-	4	6	9	5	11
Female.....	241	-	-	-	2	2	1	4	1	10	12	15
Black, both sexes.....	69	1	1	1	6	1	2	4	4	-	11	2
Male.....	32	1	1	-	3	1	2	3	2	-	6	2
Female.....	37	-	-	1	3	-	-	1	2	-	5	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	66	-	2	-	1	1	-	1	-	1	2	3
Male.....	31	-	1	-	1	1	-	1	-	-	1	1
Female.....	35	-	1	-	-	-	-	-	-	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Asthma (J45-J46)												
New Hampshire												
All races, both sexes.....	16	-	-	-	-	-	1	-	2	-	-	1
Male.....	4	-	-	-	-	-	1	-	1	-	-	-
Female.....	12	-	-	-	-	-	-	-	1	-	-	1
White, both sexes.....	14	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	110	-	1	-	1	2	1	4	3	8	10	7
Male.....	50	-	1	-	1	1	1	4	1	4	4	3
Female.....	60	-	-	-	-	1	-	-	2	4	6	4
White, both sexes.....	69	-	-	-	1	-	-	1	1	3	2	4
Male.....	25	-	-	-	1	-	-	1	-	2	1	1
Female.....	44	-	-	-	-	-	-	-	1	1	1	3
Black, both sexes.....	40	-	1	-	-	1	1	3	2	5	8	3
Male.....	25	-	1	-	-	1	1	3	1	2	3	2
Female.....	15	-	-	-	-	-	-	-	1	3	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Arkansas												
All races, both sexes.....	4	3	1	4	5	1	6	2	4	1	-	-
Male.....	1	1	1	1	1	-	1	1	2	-	-	-
Female.....	3	2	-	3	4	1	5	1	2	1	-	-
White, both sexes.....	2	1	1	4	4	1	6	2	4	1	-	-
Male.....	-	-	1	1	1	-	1	1	2	-	-	-
Female.....	2	1	-	3	3	1	5	1	2	1	-	-
Black, both sexes.....	2	2	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	51	21	27	32	41	55	55	35	33	8	4	-
Male.....	15	8	8	10	13	16	20	9	10	1	2	-
Female.....	36	13	19	22	28	39	35	26	23	7	2	-
White, both sexes.....	30	13	22	20	34	45	43	30	26	4	2	-
Male.....	10	4	7	6	10	10	12	7	8	-	1	-
Female.....	20	9	15	14	24	35	31	23	18	4	1	-
Black, both sexes.....	15	6	3	6	2	2	2	-	-	-	-	-
Male.....	4	2	1	2	1	-	1	-	-	-	-	-
Female.....	11	4	2	4	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	2	5	5	8	9	5	7	4	2	-
Male.....	1	2	-	2	2	6	6	2	2	1	1	-
Female.....	5	-	2	3	3	2	3	3	5	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Maine												
All races, both sexes.....	-	-	1	1	1	3	2	2	1	1	-	-
Male.....	-	-	1	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	2	2	1	1	1	-	-
White, both sexes.....	-	-	1	1	1	3	2	2	1	1	-	-
Male.....	-	-	1	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	2	2	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	6	9	6	2	6	4	2	7	3	4	-	-
Male.....	1	2	1	-	2	1	-	1	-	1	-	-
Female.....	5	7	5	2	4	3	2	6	3	3	-	-
White, both sexes.....	2	6	3	-	4	4	2	3	1	3	-	-
Male.....	-	1	-	-	1	1	-	1	-	-	-	-
Female.....	2	5	3	-	3	3	2	2	1	3	-	-
Black, both sexes.....	4	3	3	2	2	-	-	3	2	1	-	-
Male.....	1	1	1	-	1	-	-	-	-	1	-	-
Female.....	3	2	2	2	1	-	-	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
Minnesota												
All races, both sexes.....	2	2	4	1	12	6	14	18	5	4	-	-
Male.....	1	1	2	-	9	2	6	6	1	1	-	-
Female.....	1	1	2	1	3	4	8	12	4	3	-	-
White, both sexes.....	2	2	3	1	12	6	14	18	5	4	-	-
Male.....	1	1	1	-	9	2	6	6	1	1	-	-
Female.....	1	1	2	1	3	4	8	12	4	3	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	6	1	3	-	2	5	4	5	1	1	-	1
Male.....	3	-	1	-	1	2	1	2	-	-	-	-
Female.....	3	1	2	-	1	3	3	3	1	1	-	1
White, both sexes.....	2	1	-	-	-	3	3	4	-	1	-	-
Male.....	2	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	1	-	-	-	2	2	3	-	1	-	-
Black, both sexes.....	4	-	3	-	2	2	-	1	1	-	-	-
Male.....	1	-	1	-	1	1	-	1	-	-	-	-
Female.....	3	-	2	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
New Mexico												
All races, both sexes.....	-	1	2	3	3	3	6	1	3	1	-	-
Male.....	-	-	2	2	2	1	3	-	1	-	-	-
Female.....	-	1	-	1	1	2	3	1	2	1	-	-
White, both sexes.....	-	-	2	1	2	3	6	1	2	1	-	-
Male.....	-	-	2	1	1	1	3	-	1	-	-	-
Female.....	-	-	-	-	1	2	3	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	27	35	26	32	11	26	18	11	13	4	1	-
Male.....	13	15	11	10	2	13	6	4	1	1	-	-
Female.....	14	20	15	22	9	13	12	7	12	3	1	-
White, both sexes.....	17	22	18	20	8	20	12	11	11	3	1	-
Male.....	10	8	8	7	2	10	4	4	1	1	-	-
Female.....	7	14	10	13	6	10	8	7	10	2	1	-
Black, both sexes.....	9	12	7	10	3	4	6	-	1	1	-	-
Male.....	3	7	3	3	-	3	2	-	-	-	-	-
Female.....	6	5	4	7	3	1	4	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	2	-	2	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Asthma (J45-J46)												
North Carolina												
All races, both sexes.....	11	4	9	8	14	6	12	7	9	-	-	-
Male.....	3	1	5	5	4	1	5	2	-	-	-	-
Female.....	8	3	4	3	10	5	7	5	9	-	-	-
White, both sexes.....	8	1	5	5	7	5	10	7	6	-	-	-
Male.....	2	1	3	2	1	1	4	2	-	-	-	-
Female.....	6	-	2	3	6	4	6	5	6	-	-	-
Black, both sexes.....	3	3	4	3	6	1	2	-	2	-	-	-
Male.....	1	-	2	3	3	-	1	-	-	-	-	-
Female.....	2	3	2	-	3	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
North Dakota												
All races, both sexes.....	-	1	-	1	1	2	2	4	2	-	-	-
Male.....	-	-	-	1	-	1	2	1	-	-	-	-
Female.....	-	1	-	-	1	1	-	3	2	-	-	-
White, both sexes.....	-	1	-	1	1	1	2	4	2	-	-	-
Male.....	-	-	-	1	-	1	2	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Bronchiectasis (J47)												
Arkansas												
All races, both sexes.....	-	-	1	-	2	-	3	3	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	2	-	1	3	-	-	-	-
White, both sexes.....	-	-	1	-	2	-	3	3	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	2	-	1	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	4	6	4	6	16	18	14	10	3	-	-
Male.....	-	1	2	2	-	4	3	7	4	-	-	-
Female.....	-	3	4	2	6	12	15	7	6	3	-	-
White, both sexes.....	-	4	6	1	5	14	16	11	8	3	-	-
Male.....	-	1	2	1	-	4	3	4	4	-	-	-
Female.....	-	3	4	-	5	10	13	7	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	2	3	2	-	-	-
Male.....	-	-	-	-	-	-	-	3	-	-	-	-
Female.....	-	-	-	2	1	2	2	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Alaska

All races, both sexes.....	-	-	2	-	2	3	3	1	-	1	-	-
Male.....	-	-	2	-	2	3	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
White, both sexes.....	-	-	2	-	1	1	3	1	-	-	-	-
Male.....	-	-	2	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	2	2	12	7	18	43	68	60	39	14	4	-
Male.....	1	1	4	5	12	25	37	32	19	7	1	-
Female.....	1	1	8	2	6	18	31	28	20	7	3	-
White, both sexes.....	2	2	10	7	18	41	63	55	38	12	3	-
Male.....	1	1	4	5	12	23	34	28	18	5	1	-
Female.....	1	1	6	2	6	18	29	27	20	7	2	-
Black, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	3	4	-	2	1	-
Male.....	-	-	-	-	-	1	2	4	-	2	-	-
Female.....	-	-	2	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lung diseases due to external agents (J60-J70)

Arkansas

All races, both sexes.....	2	4	4	8	14	23	48	52	45	24	3	-
Male.....	1	4	3	4	10	10	23	24	20	10	1	-
Female.....	1	-	1	4	4	13	25	28	25	14	2	-
White, both sexes.....	2	4	3	7	14	21	45	47	40	22	2	-
Male.....	1	4	3	4	10	9	21	23	17	9	1	-
Female.....	1	-	-	3	4	12	24	24	23	13	1	-
Black, both sexes.....	-	-	1	1	-	2	3	5	5	2	1	-
Male.....	-	-	-	-	-	1	2	1	3	1	-	-
Female.....	-	-	1	1	-	1	1	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	20	28	27	49	77	123	221	226	166	74	9	-
Male.....	12	18	12	30	40	73	131	118	74	27	3	-
Female.....	8	10	15	19	37	50	90	108	92	47	6	-
White, both sexes.....	19	23	21	40	61	113	204	212	156	67	7	-
Male.....	11	15	10	25	31	68	123	112	70	27	3	-
Female.....	8	8	11	15	30	45	81	100	86	40	4	-
Black, both sexes.....	-	1	3	4	10	7	6	6	3	5	1	-
Male.....	-	1	-	3	5	3	2	1	1	-	-	-
Female.....	-	-	3	1	5	4	4	5	2	5	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	2	-	1	-	-	-
Male.....	1	-	-	-	-	-	2	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	5	6	3	9	8	6	2	1	-
Male.....	-	2	2	2	4	2	4	5	2	-	-	-
Female.....	-	2	-	3	2	1	5	3	4	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Lung diseases due to external agents (J60-J70)												
Maine												
All races, both sexes.....	1	-	2	4	14	10	21	21	17	2	1	-
Male.....	-	-	1	3	12	6	9	11	8	1	-	-
Female.....	1	-	1	1	2	4	12	10	9	1	1	-
White, both sexes.....	1	-	2	4	14	10	21	21	17	2	1	-
Male.....	-	-	1	3	12	6	9	11	8	1	-	-
Female.....	1	-	1	1	2	4	12	10	9	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	8	6	9	13	31	77	82	82	79	20	6	-
Male.....	3	5	5	8	21	42	36	33	33	5	2	-
Female.....	5	1	4	5	10	35	46	49	46	15	4	-
White, both sexes.....	3	4	8	8	20	55	66	72	68	19	4	-
Male.....	2	4	5	6	15	31	33	29	27	5	1	-
Female.....	1	-	3	2	5	24	33	43	41	14	3	-
Black, both sexes.....	5	2	1	5	11	22	15	10	11	-	2	-
Male.....	1	1	-	2	6	11	3	4	6	-	1	-
Female.....	4	1	1	3	5	11	12	6	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Lung diseases due to external agents (J60-J70)												
New Hampshire												
All races, both sexes.....	1	-	1	4	7	5	8	18	13	3	1	-
Male.....	-	-	1	2	6	3	6	11	6	1	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
White, both sexes.....	1	-	1	4	7	5	8	18	13	3	1	-
Male.....	-	-	1	2	6	3	6	11	6	1	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	7	17	19	43	84	128	173	122	42	9	-
Male.....	4	5	9	15	28	52	70	74	52	12	3	-
Female.....	1	2	8	4	15	32	58	99	70	30	6	-
White, both sexes.....	4	6	9	16	39	71	118	162	118	40	9	-
Male.....	3	4	5	12	25	44	67	68	52	12	3	-
Female.....	1	2	4	4	14	27	51	94	66	28	6	-
Black, both sexes.....	1	1	8	3	3	10	9	9	4	2	-	-
Male.....	1	1	4	3	2	6	3	5	-	-	-	-
Female.....	-	-	4	-	1	4	6	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	2	-	-	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Lung diseases due to external agents (J60-J70)												
New Mexico												
All races, both sexes.....	1	2	1	4	4	10	15	24	8	2	1	-
Male.....	-	2	-	3	1	5	10	10	3	1	1	-
Female.....	1	-	1	1	3	5	5	14	5	1	-	-
White, both sexes.....	1	2	1	4	4	9	15	24	7	2	1	-
Male.....	-	2	-	3	1	4	10	10	3	1	1	-
Female.....	1	-	1	1	3	5	5	14	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	8	15	25	30	56	104	168	180	117	57	8	-
Male.....	5	8	16	19	31	67	101	92	44	21	1	-
Female.....	3	7	9	11	25	37	67	88	73	36	7	-
White, both sexes.....	7	14	22	29	55	98	156	173	113	53	8	-
Male.....	4	7	14	18	31	62	98	91	42	20	1	-
Female.....	3	7	8	11	24	36	58	82	71	33	7	-
Black, both sexes.....	1	1	2	1	-	6	12	7	4	4	-	-
Male.....	1	1	1	1	-	5	3	1	2	1	-	-
Female.....	-	-	1	-	-	1	9	6	2	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Lung diseases due to external agents (J60-J70)												
Oregon												
All races, both sexes.....	1	5	4	6	8	34	38	47	37	13	2	-
Male.....	-	2	4	3	6	17	22	23	21	6	-	-
Female.....	1	3	-	3	2	17	16	24	16	7	2	-
White, both sexes.....	1	5	4	5	8	33	36	47	36	13	2	-
Male.....	-	2	4	3	6	16	21	23	20	6	-	-
Female.....	1	3	-	2	2	17	15	24	16	7	2	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	17	30	21	49	96	215	301	389	236	89	16	-
Male.....	14	21	10	29	64	135	176	225	123	27	3	-
Female.....	3	9	11	20	32	80	125	164	113	62	13	-
White, both sexes.....	14	28	16	41	84	200	278	371	223	78	15	-
Male.....	12	19	9	26	60	130	166	214	116	23	3	-
Female.....	2	9	7	15	24	70	112	157	107	55	12	-
Black, both sexes.....	3	2	5	7	12	15	22	18	13	9	1	-
Male.....	2	2	1	3	4	5	9	11	7	3	-	-
Female.....	1	-	4	4	8	10	13	7	6	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	2	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
Alaska												
All races, both sexes.....	-	-	2	-	2	3	3	1	-	-	-	-
Male.....	-	-	2	-	2	3	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
White, both sexes.....	-	-	2	-	1	1	3	1	-	-	-	-
Male.....	-	-	2	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	1	1	12	6	17	42	67	58	39	14	4	-
Male.....	1	1	4	4	11	24	36	30	19	7	1	-
Female.....	-	-	8	2	6	18	31	28	20	7	3	-
White, both sexes.....	1	1	10	6	17	40	63	53	38	12	3	-
Male.....	1	1	4	4	11	22	34	26	18	5	1	-
Female.....	-	-	6	2	6	18	29	27	20	7	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	3	4	-	2	1	-
Male.....	-	-	-	-	-	1	2	4	-	2	-	-
Female.....	-	-	2	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
Arkansas												
All races, both sexes.....	2	3	4	8	12	22	48	50	45	24	3	-
Male.....	1	3	3	4	8	9	23	22	20	10	1	-
Female.....	1	-	1	4	4	13	25	28	25	14	2	-
White, both sexes.....	2	3	3	7	12	20	45	45	40	22	2	-
Male.....	1	3	3	4	8	8	21	21	17	9	1	-
Female.....	1	-	-	3	4	12	24	24	23	13	1	-
Black, both sexes.....	-	-	1	1	-	2	3	5	5	2	1	-
Male.....	-	-	-	-	-	1	2	1	3	1	-	-
Female.....	-	-	1	1	-	1	1	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	18	27	27	42	72	108	205	215	161	73	9	-
Male.....	11	17	12	25	37	61	117	107	70	26	3	-
Female.....	7	10	15	17	35	47	88	108	91	47	6	-
White, both sexes.....	17	22	21	33	56	101	189	201	151	66	7	-
Male.....	10	14	10	20	28	59	110	101	66	26	3	-
Female.....	7	8	11	13	28	42	79	100	85	40	4	-
Black, both sexes.....	-	1	3	4	10	6	6	6	3	5	1	-
Male.....	-	1	-	3	5	2	2	1	1	-	-	-
Female.....	-	-	3	1	5	4	4	5	2	5	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	5	6	1	9	8	6	2	1	-
Male.....	-	2	2	2	4	-	4	5	2	-	-	-
Female.....	-	2	-	3	2	1	5	3	4	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
Maine												
All races, both sexes.....	1	-	2	3	12	8	21	19	17	2	1	-
Male.....	-	-	1	2	10	5	9	9	8	1	-	-
Female.....	1	-	1	1	2	3	12	10	9	1	1	-
White, both sexes.....	1	-	2	3	12	8	21	19	17	2	1	-
Male.....	-	-	1	2	10	5	9	9	8	1	-	-
Female.....	1	-	1	1	2	3	12	10	9	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	8	4	7	11	28	75	79	76	79	20	6	-
Male.....	3	4	3	6	18	40	33	27	33	5	2	-
Female.....	5	-	4	5	10	35	46	49	46	15	4	-
White, both sexes.....	3	3	6	6	17	53	64	66	68	19	4	-
Male.....	2	3	3	4	12	29	31	23	27	5	1	-
Female.....	1	-	3	2	5	24	33	43	41	14	3	-
Black, both sexes.....	5	1	1	5	11	22	14	10	11	-	2	-
Male.....	1	1	-	2	6	11	2	4	6	-	1	-
Female.....	4	-	1	3	5	11	12	6	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
New Hampshire												
All races, both sexes.....	1	-	1	4	5	5	7	18	13	2	1	-
Male.....	-	-	1	2	4	3	5	11	6	-	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
White, both sexes.....	1	-	1	4	5	5	7	18	13	2	1	-
Male.....	-	-	1	2	4	3	5	11	6	-	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	7	16	19	37	77	117	164	119	42	9	-
Male.....	4	5	8	15	23	46	62	65	49	12	3	-
Female.....	1	2	8	4	14	31	55	99	70	30	6	-
White, both sexes.....	4	6	9	16	33	64	107	153	115	40	9	-
Male.....	3	4	5	12	20	38	59	59	49	12	3	-
Female.....	1	2	4	4	13	26	48	94	66	28	6	-
Black, both sexes.....	1	1	7	3	3	10	9	9	4	2	-	-
Male.....	1	1	3	3	2	6	3	5	-	-	-	-
Female.....	-	-	4	-	1	4	6	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	2	-	-	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
New Mexico												
All races, both sexes.....	1	2	1	4	3	9	13	21	7	2	1	-
Male.....	-	2	-	3	1	4	8	7	2	1	1	-
Female.....	1	-	1	1	2	5	5	14	5	1	-	-
White, both sexes.....	1	2	1	4	3	9	13	21	6	2	1	-
Male.....	-	2	-	3	1	4	8	7	2	1	1	-
Female.....	1	-	1	1	2	5	5	14	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	7	14	22	27	48	95	161	178	116	56	7	-
Male.....	4	7	13	16	23	58	95	90	43	20	1	-
Female.....	3	7	9	11	25	37	66	88	73	36	6	-
White, both sexes.....	6	13	21	26	47	89	149	171	112	52	7	-
Male.....	3	6	13	15	23	53	92	89	41	19	1	-
Female.....	3	7	8	11	24	36	57	82	71	33	6	-
Black, both sexes.....	1	1	1	1	-	6	12	7	4	4	-	-
Male.....	1	1	-	1	-	5	3	1	2	1	-	-
Female.....	-	-	1	-	-	1	9	6	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)												
Oregon												
All races, both sexes.....	1	5	3	6	7	32	33	43	37	13	2	-
Male.....	-	2	3	3	5	15	19	20	21	6	-	-
Female.....	1	3	-	3	2	17	14	23	16	7	2	-
White, both sexes.....	1	5	3	5	7	31	32	43	36	13	2	-
Male.....	-	2	3	3	5	14	19	20	20	6	-	-
Female.....	1	3	-	2	2	17	13	23	16	7	2	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	16	25	18	38	83	180	255	329	209	87	16	-
Male.....	14	16	9	18	51	101	132	166	96	25	3	-
Female.....	2	9	9	20	32	79	123	163	113	62	13	-
White, both sexes.....	13	23	13	30	71	165	235	313	196	76	15	-
Male.....	12	14	8	15	47	96	124	156	89	21	3	-
Female.....	1	9	5	15	24	69	111	157	107	55	12	-
Black, both sexes.....	3	2	5	7	12	15	19	16	13	9	1	-
Male.....	2	2	1	3	4	5	7	10	7	3	-	-
Female.....	1	-	4	4	8	10	12	6	6	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	2	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Alaska												
All races, both sexes.....	-	-	2	-	2	3	3	1	-	-	-	-
Male.....	-	-	2	-	2	3	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
White, both sexes.....	-	-	2	-	1	1	3	1	-	-	-	-
Male.....	-	-	2	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	1	1	12	6	17	42	67	58	39	14	4	-
Male.....	1	1	4	4	11	24	36	30	19	7	1	-
Female.....	-	-	8	2	6	18	31	28	20	7	3	-
White, both sexes.....	1	1	10	6	17	40	63	53	38	12	3	-
Male.....	1	1	4	4	11	22	34	26	18	5	1	-
Female.....	-	-	6	2	6	18	29	27	20	7	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	3	4	-	2	1	-
Male.....	-	-	-	-	-	1	2	4	-	2	-	-
Female.....	-	-	2	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to food and vomit (J69.0)

Arkansas

All races, both sexes.....	2	3	4	8	12	22	48	50	45	24	3	-
Male.....	1	3	3	4	8	9	23	22	20	10	1	-
Female.....	1	-	1	4	4	13	25	28	25	14	2	-
White, both sexes.....	2	3	3	7	12	20	45	45	40	22	2	-
Male.....	1	3	3	4	8	8	21	21	17	9	1	-
Female.....	1	-	-	3	4	12	24	24	23	13	1	-
Black, both sexes.....	-	-	1	1	-	2	3	5	5	2	1	-
Male.....	-	-	-	-	-	1	2	1	3	1	-	-
Female.....	-	-	1	1	-	1	1	4	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	27	27	42	72	108	205	215	161	73	9	-
Male.....	11	17	12	25	37	61	117	107	70	26	3	-
Female.....	7	10	15	17	35	47	88	108	91	47	6	-
White, both sexes.....	17	22	21	33	56	101	189	201	151	66	7	-
Male.....	10	14	10	20	28	59	110	101	66	26	3	-
Female.....	7	8	11	13	28	42	79	100	85	40	4	-
Black, both sexes.....	-	1	3	4	10	6	6	6	3	5	1	-
Male.....	-	1	-	3	5	2	2	1	1	-	-	-
Female.....	-	-	3	1	5	4	4	5	2	5	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	5	6	1	9	8	6	2	1	-
Male.....	-	2	2	2	4	-	4	5	2	-	-	-
Female.....	-	2	-	3	2	1	5	3	4	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Maine												
All races, both sexes.....	1	-	2	2	12	8	21	19	17	2	1	-
Male.....	-	-	1	1	10	5	9	9	8	1	-	-
Female.....	1	-	1	1	2	3	12	10	9	1	1	-
White, both sexes.....	1	-	2	2	12	8	21	19	17	2	1	-
Male.....	-	-	1	1	10	5	9	9	8	1	-	-
Female.....	1	-	1	1	2	3	12	10	9	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	8	4	7	11	28	75	79	76	79	20	6	-
Male.....	3	4	3	6	18	40	33	27	33	5	2	-
Female.....	5	-	4	5	10	35	46	49	46	15	4	-
White, both sexes.....	3	3	6	6	17	53	64	66	68	19	4	-
Male.....	2	3	3	4	12	29	31	23	27	5	1	-
Female.....	1	-	3	2	5	24	33	43	41	14	3	-
Black, both sexes.....	5	1	1	5	11	22	14	10	11	-	2	-
Male.....	1	1	-	2	6	11	2	4	6	-	1	-
Female.....	4	-	1	3	5	11	12	6	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to food and vomit (J69.0)

New Hampshire

All races, both sexes.....	1	-	1	4	5	5	7	18	13	2	1	-
Male.....	-	-	1	2	4	3	5	11	6	-	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
White, both sexes.....	1	-	1	4	5	5	7	18	13	2	1	-
Male.....	-	-	1	2	4	3	5	11	6	-	1	-
Female.....	1	-	-	2	1	2	2	7	7	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	5	7	16	19	37	77	117	164	119	42	9	-
Male.....	4	5	8	15	23	46	62	65	49	12	3	-
Female.....	1	2	8	4	14	31	55	99	70	30	6	-
White, both sexes.....	4	6	9	16	33	64	107	153	115	40	9	-
Male.....	3	4	5	12	20	38	59	59	49	12	3	-
Female.....	1	2	4	4	13	26	48	94	66	28	6	-
Black, both sexes.....	1	1	7	3	3	10	9	9	4	2	-	-
Male.....	1	1	3	3	2	6	3	5	-	-	-	-
Female.....	-	-	4	-	1	4	6	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	3	-	2	-	-	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
New Mexico												
All races, both sexes.....	1	2	1	4	3	9	13	21	7	2	1	-
Male.....	-	2	-	3	1	4	8	7	2	1	1	-
Female.....	1	-	1	1	2	5	5	14	5	1	-	-
White, both sexes.....	1	2	1	4	3	9	13	21	6	2	1	-
Male.....	-	2	-	3	1	4	8	7	2	1	1	-
Female.....	1	-	1	1	2	5	5	14	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	7	14	22	27	48	95	161	178	116	56	7	-
Male.....	4	7	13	16	23	58	95	90	43	20	1	-
Female.....	3	7	9	11	25	37	66	88	73	36	6	-
White, both sexes.....	6	13	21	26	47	89	149	171	112	52	7	-
Male.....	3	6	13	15	23	53	92	89	41	19	1	-
Female.....	3	7	8	11	24	36	57	82	71	33	6	-
Black, both sexes.....	1	1	1	1	-	6	12	7	4	4	-	-
Male.....	1	1	-	1	-	5	3	1	2	1	-	-
Female.....	-	-	1	-	-	1	9	6	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to food and vomit (J69.0)												
Oregon												
All races, both sexes.....	1	5	3	6	7	32	33	43	37	13	2	-
Male.....	-	2	3	3	5	15	19	20	21	6	-	-
Female.....	1	3	-	3	2	17	14	23	16	7	2	-
White, both sexes.....	1	5	3	5	7	31	32	43	36	13	2	-
Male.....	-	2	3	3	5	14	19	20	20	6	-	-
Female.....	1	3	-	2	2	17	13	23	16	7	2	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	16	25	18	38	83	180	255	329	209	87	16	-
Male.....	14	16	9	18	51	101	132	166	96	25	3	-
Female.....	2	9	9	20	32	79	123	163	113	62	13	-
White, both sexes.....	13	23	13	30	71	165	235	313	196	76	15	-
Male.....	12	14	8	15	47	96	124	156	89	21	3	-
Female.....	1	9	5	15	24	69	111	157	107	55	12	-
Black, both sexes.....	3	2	5	7	12	15	19	16	13	9	1	-
Male.....	2	2	1	3	4	5	7	10	7	3	-	-
Female.....	1	-	4	4	8	10	12	6	6	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	2	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
Arkansas												
All races, both sexes.....	1	-	-	1	1	2	2	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	1	-	-	1	1	2	2	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2	5	5	1	8	8	8	5	3	1	-	-
Male.....	-	3	4	-	5	5	6	2	2	-	-	-
Female.....	2	2	1	1	3	3	2	3	1	1	-	-
White, both sexes.....	1	5	3	1	6	7	6	4	3	1	-	-
Male.....	-	3	3	-	4	5	5	2	2	-	-	-
Female.....	1	2	-	1	2	2	1	2	1	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of respiratory system (J80-J84,J93-J98)												
Arkansas												
All races, both sexes.....	286	2	-	1	1	-	-	1	1	3	5	12
Male.....	143	2	-	-	1	-	-	-	-	-	3	4
Female.....	143	-	-	1	-	-	-	1	1	3	2	8
White, both sexes.....	261	1	-	1	-	-	-	-	1	3	5	10
Male.....	127	1	-	-	-	-	-	-	-	-	3	4
Female.....	134	-	-	1	-	-	-	-	1	3	2	6
Black, both sexes.....	25	1	-	-	1	-	-	1	-	-	-	2
Male.....	16	1	-	-	1	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	1	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,610	26	7	2	3	2	1	4	5	10	13	28
Male.....	820	16	5	1	2	2	-	2	3	5	9	13
Female.....	790	10	2	1	1	-	1	2	2	5	4	15
White, both sexes.....	1,411	18	6	2	3	2	-	3	5	8	11	22
Male.....	722	11	4	1	2	2	-	1	3	4	8	11
Female.....	689	7	2	1	1	-	-	2	2	4	3	11
Black, both sexes.....	67	7	1	-	-	-	-	-	-	1	2	3
Male.....	33	5	1	-	-	-	-	-	-	-	1	1
Female.....	34	2	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	125	1	-	-	-	-	1	1	-	1	-	3
Male.....	59	-	-	-	-	-	-	1	-	1	-	1
Female.....	66	1	-	-	-	-	1	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of respiratory system (J80-J84,J93-J98)												
Maine												
All races, both sexes.....	150	-	-	-	-	1	-	-	-	1	1	1
Male.....	68	-	-	-	-	-	-	-	-	-	-	1
Female.....	82	-	-	-	-	1	-	-	-	1	1	-
White, both sexes.....	150	-	-	-	-	1	-	-	-	1	1	1
Male.....	68	-	-	-	-	-	-	-	-	-	-	1
Female.....	82	-	-	-	-	1	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	316	2	-	1	-	1	-	4	4	3	2	7
Male.....	150	1	-	-	-	1	-	1	1	2	1	5
Female.....	166	1	-	1	-	-	-	3	3	1	1	2
White, both sexes.....	251	-	-	1	-	1	-	2	1	2	1	4
Male.....	123	-	-	-	-	1	-	-	-	1	-	4
Female.....	128	-	-	1	-	-	-	2	1	1	1	-
Black, both sexes.....	59	2	-	-	-	-	-	2	2	1	1	3
Male.....	25	1	-	-	-	-	-	1	1	1	1	1
Female.....	34	1	-	-	-	-	-	1	1	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other diseases of respiratory system (J80-J84,J93-J98)												
Oregon												
All races, both sexes.....	255	4	-	1	1	1	-	-	1	4	4	3
Male.....	130	2	-	-	-	-	-	-	-	3	1	1
Female.....	125	2	-	1	1	1	-	-	1	1	3	2
White, both sexes.....	249	4	-	1	1	1	-	-	1	4	4	3
Male.....	129	2	-	-	-	-	-	-	-	3	1	1
Female.....	120	2	-	1	1	1	-	-	1	1	3	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	1,431	4	2	-	1	-	5	1	4	8	24	10
Male.....	640	2	1	-	-	-	1	-	3	5	14	5
Female.....	791	2	1	-	1	-	4	1	1	3	10	5
White, both sexes.....	1,310	3	1	-	-	-	2	1	2	6	18	8
Male.....	589	1	1	-	-	-	1	-	2	4	10	5
Female.....	721	2	-	-	-	-	1	1	-	2	8	3
Black, both sexes.....	112	1	1	-	1	-	2	-	2	2	6	2
Male.....	48	1	-	-	-	-	-	-	1	1	4	-
Female.....	64	-	1	-	1	-	2	-	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
United States												
All races, both sexes.....	666	946	1,269	1,818	3,046	3,933	4,092	3,095	1,672	547	109	-
Male.....	328	509	692	1,008	1,726	2,023	1,914	1,252	542	122	14	-
Female.....	338	437	577	810	1,320	1,910	2,178	1,843	1,130	425	95	-
White, both sexes.....	516	773	1,062	1,597	2,732	3,636	3,784	2,898	1,562	508	103	-
Male.....	257	426	581	910	1,554	1,878	1,783	1,183	500	111	14	-
Female.....	259	347	481	687	1,178	1,758	2,001	1,715	1,062	397	89	-
Black, both sexes.....	128	145	174	177	226	205	229	134	88	31	6	-
Male.....	61	70	94	81	121	98	96	42	30	9	-	-
Female.....	67	75	80	96	105	107	133	92	58	22	6	-
American Indian 1/, both sexes.....	8	9	11	11	18	14	11	19	8	-	-	-
Male.....	3	6	6	5	8	9	7	10	3	-	-	-
Female.....	5	3	5	6	10	5	4	9	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	19	22	33	70	78	68	44	14	8	-	-
Male.....	7	7	11	12	43	38	28	17	9	2	-	-
Female.....	7	12	11	21	27	40	40	27	5	6	-	-
Alabama												
All races, both sexes.....	21	28	23	50	63	85	98	68	32	12	3	-
Male.....	11	15	16	32	32	42	42	23	13	-	-	-
Female.....	10	13	7	18	31	43	56	45	19	12	3	-
White, both sexes.....	14	21	19	41	53	78	87	56	24	9	2	-
Male.....	8	13	14	25	29	38	38	18	10	-	-	-
Female.....	6	8	5	16	24	40	49	38	14	9	2	-
Black, both sexes.....	7	7	4	9	9	7	11	12	8	3	1	-
Male.....	3	2	2	7	3	4	4	5	3	-	-	-
Female.....	4	5	2	2	6	3	7	7	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Arkansas												
All races, both sexes.....	11	16	22	21	34	40	42	43	24	6	1	-
Male.....	5	7	14	11	21	19	25	22	7	2	-	-
Female.....	6	9	8	10	13	21	17	21	17	4	1	-
White, both sexes.....	10	13	19	20	30	35	41	42	23	6	1	-
Male.....	4	5	12	11	18	15	24	21	7	2	-	-
Female.....	6	8	7	9	12	20	17	21	16	4	1	-
Black, both sexes.....	1	3	3	1	4	5	1	1	1	-	-	-
Male.....	1	2	2	-	3	4	1	1	-	-	-	-
Female.....	-	1	1	1	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	49	59	84	118	212	296	342	217	102	27	3	-
Male.....	28	32	48	61	126	154	166	104	39	4	-	-
Female.....	21	27	36	57	86	142	176	113	63	23	3	-
White, both sexes.....	41	47	71	99	182	259	314	196	95	24	3	-
Male.....	22	26	40	53	109	138	155	94	34	4	-	-
Female.....	19	21	31	46	73	121	159	102	61	20	3	-
Black, both sexes.....	3	6	7	7	7	10	3	5	3	2	-	-
Male.....	3	3	3	3	4	4	1	2	2	-	-	-
Female.....	-	3	4	4	3	6	2	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	2	-	1	2	-	-	-	-
Male.....	-	1	1	-	1	-	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	5	12	21	27	24	14	4	1	-	-
Male.....	3	2	4	5	12	12	9	6	3	-	-	-
Female.....	2	3	1	7	9	15	15	8	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Illinois												
All races, both sexes.....	26	32	49	82	120	169	164	135	72	17	5	-
Male.....	13	18	25	48	56	106	75	46	19	4	-	-
Female.....	13	14	24	34	64	63	89	89	53	13	5	-
White, both sexes.....	19	25	38	74	105	151	143	123	69	15	4	-
Male.....	9	15	19	43	48	96	64	42	18	4	-	-
Female.....	10	10	19	31	57	55	79	81	51	11	4	-
Black, both sexes.....	7	7	9	7	11	15	18	10	2	2	1	-
Male.....	4	3	5	5	7	7	11	4	1	-	-	-
Female.....	3	4	4	2	4	8	7	6	1	2	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	4	3	3	2	1	-	-	-
Male.....	-	-	1	-	1	3	-	-	-	-	-	-
Female.....	-	-	-	1	3	-	3	2	1	-	-	-
Indiana												
All races, both sexes.....	25	18	32	44	83	100	94	70	48	12	3	-
Male.....	8	8	22	27	37	54	42	18	16	3	-	-
Female.....	17	10	10	17	46	46	52	52	32	9	3	-
White, both sexes.....	21	18	29	42	79	97	93	70	46	11	3	-
Male.....	7	8	20	27	37	51	41	18	15	2	-	-
Female.....	14	10	9	15	42	46	52	52	31	9	3	-
Black, both sexes.....	4	-	3	2	3	2	1	-	2	1	-	-
Male.....	1	-	2	-	-	2	1	-	1	1	-	-
Female.....	3	-	1	2	3	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Kentucky												
All races, both sexes.....	16	23	27	51	67	62	71	54	20	11	-	-
Male.....	8	17	11	31	39	29	32	23	2	-	-	-
Female.....	8	6	16	20	28	33	39	31	18	11	-	-
White, both sexes.....	15	20	27	48	64	60	70	53	20	10	-	-
Male.....	7	15	11	30	37	28	32	23	2	-	-	-
Female.....	8	5	16	18	27	32	38	30	18	10	-	-
Black, both sexes.....	1	3	-	3	3	1	1	1	-	1	-	-
Male.....	1	2	-	1	2	1	-	-	-	-	-	-
Female.....	-	1	-	2	1	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	22	21	17	30	47	68	69	52	26	12	-	-
Male.....	10	10	10	14	27	31	29	20	12	4	-	-
Female.....	12	11	7	16	20	37	40	32	14	8	-	-
White, both sexes.....	12	17	11	22	35	60	64	46	23	11	-	-
Male.....	6	9	7	12	20	26	26	19	10	4	-	-
Female.....	6	8	4	10	15	34	38	27	13	7	-	-
Black, both sexes.....	10	4	6	8	12	6	5	5	3	1	-	-
Male.....	4	1	3	2	7	3	3	1	2	-	-	-
Female.....	6	3	3	6	5	3	2	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Maine

All races, both sexes.....	3	6	6	10	20	24	29	27	10	8	3	-
Male.....	1	2	1	8	12	14	15	11	3	-	-	-
Female.....	2	4	5	2	8	10	14	16	7	8	3	-
White, both sexes.....	3	6	6	10	20	24	29	27	10	8	3	-
Male.....	1	2	1	8	12	14	15	11	3	-	-	-
Female.....	2	4	5	2	8	10	14	16	7	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	18	21	31	38	55	70	37	11	8	-	-
Male.....	2	5	10	14	23	26	37	15	3	3	-	-
Female.....	1	13	11	17	15	29	33	22	8	5	-	-
White, both sexes.....	2	11	12	25	34	47	60	31	9	8	-	-
Male.....	1	4	7	13	20	22	32	12	3	3	-	-
Female.....	1	7	5	12	14	25	28	19	6	5	-	-
Black, both sexes.....	1	7	7	6	3	8	10	4	2	-	-	-
Male.....	1	1	2	1	3	4	5	2	-	-	-	-
Female.....	-	6	5	5	-	4	5	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Massachusetts												
All races, both sexes.....	24	26	31	46	91	128	141	143	75	39	13	-
Male.....	17	19	13	26	60	67	60	46	15	8	3	-
Female.....	7	7	18	20	31	61	81	97	60	31	10	-
White, both sexes.....	21	24	30	42	86	124	130	142	74	38	13	-
Male.....	16	17	13	25	56	66	56	46	15	7	3	-
Female.....	5	7	17	17	30	58	74	96	59	31	10	-
Black, both sexes.....	2	2	1	3	3	3	7	1	1	1	-	-
Male.....	1	2	-	1	2	-	3	-	-	1	-	-
Female.....	1	-	1	2	1	3	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	4	-	-	-	-	-
Male.....	-	-	-	-	2	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	3	-	-	-	-	-
Michigan												
All races, both sexes.....	26	40	52	58	101	128	140	95	62	15	6	-
Male.....	13	20	27	22	55	72	65	35	25	5	-	-
Female.....	13	20	25	36	46	56	75	60	37	10	6	-
White, both sexes.....	20	29	47	53	86	120	131	90	59	14	6	-
Male.....	11	15	27	21	45	69	59	33	24	5	-	-
Female.....	9	14	20	32	41	51	72	57	35	9	6	-
Black, both sexes.....	6	10	4	3	13	6	9	5	3	-	-	-
Male.....	2	4	-	1	8	2	6	2	1	-	-	-
Female.....	4	6	4	2	5	4	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	2	-	-	-	1	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Nebraska												
All races, both sexes.....	4	5	6	9	25	23	30	26	11	5	1	-
Male.....	1	4	4	5	14	11	11	7	3	1	-	-
Female.....	3	1	2	4	11	12	19	19	8	4	1	-
White, both sexes.....	4	4	6	9	25	23	30	26	11	5	-	-
Male.....	1	3	4	5	14	11	11	7	3	1	-	-
Female.....	3	1	2	4	11	12	19	19	8	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	5	8	12	21	27	26	26	23	10	-	1	-
Male.....	2	3	7	15	16	14	14	7	1	-	-	-
Female.....	3	5	5	6	11	12	12	16	9	-	1	-
White, both sexes.....	5	7	12	20	25	26	24	22	10	-	1	-
Male.....	2	3	7	15	16	14	12	7	1	-	-	-
Female.....	3	4	5	5	9	12	12	15	9	-	1	-
Black, both sexes.....	-	1	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
New Hampshire												
All races, both sexes.....	5	5	4	6	18	24	16	21	14	4	2	-
Male.....	3	3	2	2	14	10	9	9	6	1	1	-
Female.....	2	2	2	4	4	14	7	12	8	3	1	-
White, both sexes.....	5	4	4	5	18	24	16	21	14	4	2	-
Male.....	3	3	2	2	14	10	9	9	6	1	1	-
Female.....	2	1	2	3	4	14	7	12	8	3	1	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	12	34	42	48	81	108	100	74	65	12	2	-
Male.....	4	16	24	20	42	51	50	30	23	6	-	-
Female.....	8	18	18	28	39	57	50	44	42	6	2	-
White, both sexes.....	9	26	31	38	76	96	93	68	64	11	2	-
Male.....	2	12	18	17	41	48	45	30	22	6	-	-
Female.....	7	14	13	21	35	48	48	38	42	5	2	-
Black, both sexes.....	3	7	10	8	3	9	5	5	-	1	-	-
Male.....	2	4	6	2	1	3	4	-	-	-	-	-
Female.....	1	3	4	6	2	6	1	5	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	3	2	1	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	-	1	1	1	2	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
New Mexico												
All races, both sexes.....	5	6	4	10	19	30	35	20	7	3	1	-
Male.....	3	3	2	5	14	14	17	10	2	-	-	-
Female.....	2	3	2	5	5	16	18	10	5	3	1	-
White, both sexes.....	2	6	4	9	18	26	32	15	3	3	1	-
Male.....	2	3	2	5	13	12	15	6	-	-	-	-
Female.....	-	3	2	4	5	14	17	9	3	3	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	1	4	2	5	4	-	-	-
Male.....	1	-	-	-	1	2	1	4	2	-	-	-
Female.....	2	-	-	1	-	2	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	34	60	71	102	148	189	206	160	109	28	4	-
Male.....	17	30	36	63	81	95	95	63	29	8	-	-
Female.....	17	30	35	39	67	94	111	97	80	20	4	-
White, both sexes.....	21	48	62	83	135	177	191	152	103	26	4	-
Male.....	10	25	31	57	73	89	90	61	28	6	-	-
Female.....	11	23	31	26	62	88	101	91	75	20	4	-
Black, both sexes.....	12	12	9	13	10	11	12	6	6	2	-	-
Male.....	7	5	5	3	5	5	5	2	1	2	-	-
Female.....	5	7	4	10	5	6	7	4	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	6	3	1	3	1	-	-	-	-
Male.....	-	-	-	3	3	1	-	-	-	-	-	-
Female.....	1	-	-	3	-	-	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
Oregon												
All races, both sexes.....	3	4	14	19	43	32	44	45	23	8	1	-
Male.....	2	3	8	11	21	18	23	23	13	1	-	-
Female.....	1	1	6	8	22	14	21	22	10	7	1	-
White, both sexes.....	3	4	13	18	41	31	44	44	23	8	1	-
Male.....	2	3	7	11	21	18	23	23	13	1	-	-
Female.....	1	1	6	7	20	13	21	21	10	7	1	-
Black, both sexes.....	-	-	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	38	40	68	111	197	269	294	198	118	35	4	-
Male.....	20	21	35	61	107	126	121	73	37	7	1	-
Female.....	18	19	33	50	90	143	173	125	81	28	3	-
White, both sexes.....	35	34	57	97	179	247	277	194	112	33	4	-
Male.....	18	19	31	55	95	117	116	70	36	7	1	-
Female.....	17	15	26	42	84	130	161	124	76	26	3	-
Black, both sexes.....	2	6	10	13	16	19	17	4	6	2	-	-
Male.....	1	2	4	6	10	9	5	3	1	-	-	-
Female.....	1	4	6	7	6	10	12	1	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	2	3	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
All other diseases of respiratory system (J80-J84,J93-J98)												
South Dakota												
All races, both sexes.....	2	1	3	5	7	11	10	7	9	2	1	-
Male.....	1	1	1	5	3	6	3	5	3	-	-	-
Female.....	1	-	2	-	4	5	7	2	6	2	1	-
White, both sexes.....	2	1	3	4	7	11	10	4	9	2	1	-
Male.....	1	1	1	4	3	6	3	2	3	-	-	-
Female.....	1	-	2	-	4	5	7	2	6	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	3	-	-	-	-
Male.....	-	-	-	1	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	17	17	31	46	65	83	78	53	25	11	1	-
Male.....	11	12	15	22	39	41	41	26	7	1	-	-
Female.....	6	5	16	24	26	42	37	27	18	10	1	-
White, both sexes.....	14	14	30	43	58	74	75	49	21	10	-	-
Male.....	9	9	15	20	36	36	40	24	6	1	-	-
Female.....	5	5	15	23	22	38	35	25	15	9	-	-
Black, both sexes.....	3	3	1	3	6	9	2	4	4	1	1	-
Male.....	2	3	-	2	2	5	1	2	1	-	-	-
Female.....	1	-	1	1	4	4	1	2	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of respiratory system (J80-J84,J93-J98)

Texas

All races, both sexes.....	37	79	67	124	204	244	185	174	85	31	4	-
Male.....	17	44	34	79	117	126	81	64	23	7	1	-
Female.....	20	35	33	45	87	118	104	110	62	24	3	-
White, both sexes.....	27	69	57	111	190	230	170	170	79	28	4	-
Male.....	13	38	27	72	108	117	78	63	22	6	1	-
Female.....	14	31	30	39	82	113	92	107	57	22	3	-
Black, both sexes.....	8	7	10	12	12	13	15	4	5	3	-	-
Male.....	3	4	7	6	8	9	3	1	1	1	-	-
Female.....	5	3	3	6	4	4	12	3	4	2	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	-	2	1	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-

Utah

All races, both sexes.....	3	3	8	16	24	23	26	30	6	2	1	-
Male.....	1	1	3	11	13	10	16	15	3	1	-	-
Female.....	2	2	5	5	11	13	10	15	3	1	1	-
White, both sexes.....	3	3	7	15	21	22	26	28	6	2	1	-
Male.....	1	1	2	10	11	10	16	14	3	1	-	-
Female.....	2	2	5	5	10	12	10	14	3	1	1	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	-	2	-	-	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

