

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
Arkansas												
All races, both sexes.....	140	-	-	1	-	-	-	8	9	15	19	27
Male.....	94	-	-	1	-	-	-	4	8	11	14	20
Female.....	46	-	-	-	-	-	-	4	1	4	5	7
White, both sexes.....	88	-	-	-	-	-	-	2	6	7	9	18
Male.....	63	-	-	-	-	-	-	1	6	5	7	14
Female.....	25	-	-	-	-	-	-	1	-	2	2	4
Black, both sexes.....	50	-	-	1	-	-	-	6	3	8	10	9
Male.....	31	-	-	1	-	-	-	3	2	6	7	6
Female.....	19	-	-	-	-	-	-	3	1	2	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,142	15	6	3	-	7	17	44	96	260	326	402
Male.....	1,672	3	4	1	-	3	12	31	73	221	271	336
Female.....	470	12	2	2	-	4	5	13	23	39	55	66
White, both sexes.....	1,594	12	5	2	-	7	11	30	72	189	236	293
Male.....	1,272	2	3	1	-	3	10	23	56	164	199	252
Female.....	322	10	2	1	-	4	1	7	16	25	37	41
Black, both sexes.....	386	-	-	-	-	-	4	13	19	56	72	86
Male.....	291	-	-	-	-	-	2	7	13	45	56	65
Female.....	95	-	-	-	-	-	2	6	6	11	16	21
American Indian 1/, both sexes.....	24	-	-	-	-	-	1	-	1	4	5	4
Male.....	17	-	-	-	-	-	-	-	1	3	5	2
Female.....	7	-	-	-	-	-	1	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	138	3	1	1	-	-	1	1	4	11	13	19
Male.....	92	1	1	-	-	-	-	1	3	9	11	17
Female.....	46	2	-	1	-	-	1	-	1	2	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

Illinois

All races, both sexes.....	662	4	2	1	1	1	7	18	47	88	98	119
Male.....	454	2	2	-	1	1	5	8	30	72	72	94
Female.....	208	2	-	1	-	-	2	10	17	16	26	25
White, both sexes.....	351	3	1	1	-	-	4	10	20	35	39	52
Male.....	232	2	1	-	-	-	3	4	14	28	34	46
Female.....	119	1	-	1	-	-	1	6	6	7	5	6
Black, both sexes.....	304	1	1	-	1	1	3	8	27	53	56	65
Male.....	216	-	1	-	1	1	2	4	16	44	35	46
Female.....	88	1	-	-	-	-	1	4	11	9	21	19
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	2	2
Male.....	5	-	-	-	-	-	-	-	-	-	2	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	215	-	-	1	-	-	2	4	9	21	39	30
Male.....	158	-	-	1	-	-	1	3	6	18	35	24
Female.....	57	-	-	-	-	-	1	1	3	3	4	6
White, both sexes.....	156	-	-	-	-	-	1	1	8	12	25	21
Male.....	111	-	-	-	-	-	1	1	6	12	22	16
Female.....	45	-	-	-	-	-	-	-	2	-	3	5
Black, both sexes.....	56	-	-	1	-	-	1	2	1	9	14	9
Male.....	47	-	-	1	-	-	-	2	-	6	13	8
Female.....	9	-	-	-	-	-	1	-	1	3	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
Maine												
All races, both sexes.....	34	-	-	-	-	-	-	-	1	2	5	7
Male.....	24	-	-	-	-	-	-	-	1	2	1	7
Female.....	10	-	-	-	-	-	-	-	-	-	4	-
White, both sexes.....	32	-	-	-	-	-	-	-	1	2	5	6
Male.....	23	-	-	-	-	-	-	-	1	2	1	6
Female.....	9	-	-	-	-	-	-	-	-	-	4	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	776	4	1	2	3	2	4	13	48	118	172	159
Male.....	535	1	1	-	2	1	3	5	23	71	126	120
Female.....	241	3	-	2	1	1	1	8	25	47	46	39
White, both sexes.....	180	3	-	-	-	1	2	1	8	17	43	34
Male.....	120	-	-	-	-	-	1	1	5	12	34	25
Female.....	60	3	-	-	-	1	1	-	3	5	9	9
Black, both sexes.....	589	1	1	2	3	1	2	11	40	101	128	125
Male.....	413	1	1	-	2	1	2	4	18	59	91	95
Female.....	176	-	-	2	1	-	-	7	22	42	37	30
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
New Mexico												
All races, both sexes.....	112	-	-	-	-	-	-	1	7	10	15	18
Male.....	78	-	-	-	-	-	-	-	5	8	12	13
Female.....	34	-	-	-	-	-	-	1	2	2	3	5
White, both sexes.....	98	-	-	-	-	-	-	-	6	9	14	15
Male.....	70	-	-	-	-	-	-	-	5	7	11	12
Female.....	28	-	-	-	-	-	-	-	1	2	3	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	1	1	-	-	3
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	1	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,399	6	2	6	8	9	17	37	103	274	420	495
Male.....	1,599	3	-	3	4	4	8	22	66	160	256	341
Female.....	800	3	2	3	4	5	9	15	37	114	164	154
White, both sexes.....	1,261	2	-	1	4	2	6	14	53	125	215	265
Male.....	879	2	-	1	3	2	3	9	38	79	138	196
Female.....	382	-	-	-	1	-	3	5	15	46	77	69
Black, both sexes.....	1,101	4	1	5	4	7	11	23	50	143	200	227
Male.....	696	1	-	2	1	2	5	13	28	77	114	143
Female.....	405	3	1	3	3	5	6	10	22	66	86	84
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	33	-	1	-	-	-	-	-	-	5	4	3
Male.....	23	-	-	-	-	-	-	-	-	4	4	2
Female.....	10	-	1	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
Vermont												
All races, both sexes.....	14	-	-	-	-	-	-	-	2	-	2	3
Male.....	9	-	-	-	-	-	-	-	2	-	2	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	14	-	-	-	-	-	-	-	2	-	2	3
Male.....	9	-	-	-	-	-	-	-	2	-	2	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	433	2	3	-	1	-	5	13	24	52	77	84
Male.....	301	2	2	-	-	-	2	6	13	35	61	64
Female.....	132	-	1	-	1	-	3	7	11	17	16	20
White, both sexes.....	180	-	1	-	1	-	1	4	11	14	31	35
Male.....	123	-	1	-	-	-	2	7	9	9	27	27
Female.....	57	-	-	-	1	-	1	2	4	5	4	8
Black, both sexes.....	243	2	2	-	-	-	3	9	13	36	45	47
Male.....	171	2	1	-	-	-	1	4	6	25	33	35
Female.....	72	-	1	-	-	-	2	5	7	11	12	12
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	2	1	1
Male.....	6	-	-	-	-	-	1	-	-	1	1	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Alaska

All races, both sexes.....	5	4	4	-	1	1	-	1	-	-	-	-
Male.....	2	3	2	-	1	-	-	-	-	-	-	-
Female.....	3	1	2	-	-	1	-	1	-	-	-	-
White, both sexes.....	4	3	3	-	1	1	-	1	-	-	-	-
Male.....	2	2	2	-	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	64	34	15	13	12	11	10	4	2	-	-	-
Male.....	50	21	12	8	7	5	4	2	2	-	-	-
Female.....	14	13	3	5	5	6	6	2	-	-	-	-
White, both sexes.....	54	34	14	12	10	10	10	4	2	-	-	-
Male.....	46	21	11	8	6	5	4	2	2	-	-	-
Female.....	8	13	3	4	4	5	6	2	-	-	-	-
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Arkansas

All races, both sexes.....	18	9	6	9	5	4	5	3	1	1	-	-
Male.....	15	4	3	4	3	3	1	2	-	1	-	-
Female.....	3	5	3	5	2	1	4	1	1	-	-	-
White, both sexes.....	14	5	3	6	5	4	4	3	1	1	-	-
Male.....	11	3	2	4	3	3	1	2	-	1	-	-
Female.....	3	2	1	2	2	1	3	1	1	-	-	-
Black, both sexes.....	4	4	3	1	-	-	1	-	-	-	-	-
Male.....	4	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	3	2	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-

California

All races, both sexes.....	343	215	101	83	74	75	42	25	6	1	1	-
Male.....	287	172	79	60	44	39	18	12	4	1	1	-
Female.....	56	43	22	23	30	36	24	13	2	-	-	-
White, both sexes.....	260	165	77	59	60	58	32	18	6	1	1	-
Male.....	221	134	65	44	38	31	11	9	4	1	1	-
Female.....	39	31	12	15	22	27	21	9	2	-	-	-
Black, both sexes.....	66	35	12	9	2	6	3	3	-	-	-	-
Male.....	52	28	8	7	1	2	2	3	-	-	-	-
Female.....	14	7	4	2	1	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	2	1	-	-	-	-	-	-	-	-
Male.....	2	2	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	12	10	14	12	11	7	4	-	-	-	-
Male.....	12	8	5	8	5	6	5	-	-	-	-	-
Female.....	2	4	5	6	7	5	2	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Colorado

All races, both sexes.....	32	21	18	10	17	17	13	12	3	1	-	-
Male.....	25	16	11	6	13	9	5	2	-	-	-	-
Female.....	7	5	7	4	4	8	8	10	3	1	-	-
White, both sexes.....	27	17	18	10	14	17	12	12	3	1	-	-
Male.....	20	13	11	6	12	9	5	2	-	-	-	-
Female.....	7	4	7	4	2	8	7	10	3	1	-	-
Black, both sexes.....	3	3	-	-	1	-	-	-	-	-	-	-
Male.....	3	3	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-

Connecticut

All races, both sexes.....	38	26	7	3	7	4	3	4	2	3	1	-
Male.....	28	22	4	1	3	2	1	1	2	-	-	-
Female.....	10	4	3	2	4	2	2	3	-	3	1	-
White, both sexes.....	22	14	3	3	4	3	2	4	1	3	1	-
Male.....	17	13	1	1	2	1	-	1	1	-	-	-
Female.....	5	1	2	2	2	2	2	3	-	3	1	-
Black, both sexes.....	16	12	4	-	2	-	-	-	1	-	-	-
Male.....	11	9	3	-	1	-	-	-	1	-	-	-
Female.....	5	3	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Kentucky

All races, both sexes.....	20	13	10	4	8	3	2	1	1	-	-	-
Male.....	13	9	5	1	7	2	-	-	-	-	-	-
Female.....	7	4	5	3	1	1	2	1	1	-	-	-
White, both sexes.....	12	9	9	4	8	3	2	1	1	-	-	-
Male.....	9	6	4	1	7	2	-	-	-	-	-	-
Female.....	3	3	5	3	1	1	2	1	1	-	-	-
Black, both sexes.....	8	4	1	-	-	-	-	-	-	-	-	-
Male.....	4	3	1	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	70	42	26	20	15	12	6	2	2	2	-	-
Male.....	49	34	18	12	11	4	2	-	1	-	-	-
Female.....	21	8	8	8	4	8	4	2	1	2	-	-
White, both sexes.....	25	15	11	11	10	8	3	2	2	1	-	-
Male.....	19	12	8	6	7	3	2	-	1	-	-	-
Female.....	6	3	3	5	3	5	1	2	1	1	-	-
Black, both sexes.....	45	26	15	9	5	4	2	-	-	1	-	-
Male.....	30	21	10	6	4	1	-	-	-	-	-	-
Female.....	15	5	5	3	1	3	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Maine

All races, both sexes.....	5	4	-	2	3	2	1	1	1	-	-	-
Male.....	5	4	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	2	2	-	-	1	-	-	-
White, both sexes.....	5	4	-	2	2	2	1	1	1	-	-	-
Male.....	5	4	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	1	2	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	98	61	37	19	13	11	5	3	3	-	-	-
Male.....	74	49	28	15	6	7	2	1	-	-	-	-
Female.....	24	12	9	4	7	4	3	2	3	-	-	-
White, both sexes.....	21	12	8	6	6	8	4	3	3	-	-	-
Male.....	13	8	6	5	2	5	2	1	-	-	-	-
Female.....	8	4	2	1	4	3	2	2	3	-	-	-
Black, both sexes.....	76	48	29	13	6	2	-	-	-	-	-	-
Male.....	61	41	22	10	3	2	-	-	-	-	-	-
Female.....	15	7	7	3	3	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

Minnesota

All races, both sexes.....	25	8	4	7	10	7	7	8	3	4	-	-
Male.....	18	6	2	5	8	5	6	2	1	-	-	-
Female.....	7	2	2	2	2	2	1	6	2	4	-	-
White, both sexes.....	18	6	4	5	9	6	7	8	3	4	-	-
Male.....	13	5	2	3	8	4	6	2	1	-	-	-
Female.....	5	1	2	2	1	2	1	6	2	4	-	-
Black, both sexes.....	5	2	-	2	1	-	-	-	-	-	-	-
Male.....	4	1	-	2	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	29	12	10	6	15	7	3	5	1	-	-	-
Male.....	23	11	7	3	6	2	1	-	-	-	-	-
Female.....	6	1	3	3	9	5	2	5	1	-	-	-
White, both sexes.....	12	5	5	2	8	5	3	5	1	-	-	-
Male.....	10	5	3	-	2	2	1	-	-	-	-	-
Female.....	2	-	2	2	6	3	2	5	1	-	-	-
Black, both sexes.....	17	7	5	4	6	2	-	-	-	-	-	-
Male.....	13	6	4	3	4	-	-	-	-	-	-	-
Female.....	4	1	1	1	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

New Mexico

All races, both sexes.....	14	15	5	2	3	8	5	6	3	-	-	-
Male.....	14	11	3	2	-	5	3	1	1	-	-	-
Female.....	-	4	2	-	3	3	2	5	2	-	-	-
White, both sexes.....	12	15	4	1	3	8	3	6	2	-	-	-
Male.....	12	11	3	1	-	5	1	1	1	-	-	-
Female.....	-	4	1	-	3	3	2	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New York

All races, both sexes.....	430	236	118	74	73	34	28	17	9	1	1	1
Male.....	319	185	93	47	44	16	13	8	6	-	-	1
Female.....	111	51	25	27	29	18	15	9	3	1	1	-
White, both sexes.....	231	131	54	43	49	25	18	12	8	1	1	1
Male.....	175	105	42	28	27	9	9	7	5	-	-	1
Female.....	56	26	12	15	22	16	9	5	3	1	1	-
Black, both sexes.....	194	101	61	28	18	8	10	5	1	-	-	-
Male.....	140	78	48	18	14	6	4	1	1	-	-	-
Female.....	54	23	13	10	4	2	6	4	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	3	5	1	-	-	-	-	-	-
Male.....	3	2	3	1	3	1	-	-	-	-	-	-
Female.....	1	2	-	2	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Alaska

All races, both sexes.....	5	2	2	-	1	1	-	1	-	-	-	-
Male.....	2	2	1	-	1	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	1	-	-	-	-
White, both sexes.....	4	1	1	-	1	1	-	1	-	-	-	-
Male.....	2	1	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	42	21	8	11	7	8	8	1	-	-	-	-
Male.....	33	12	6	7	3	3	3	1	-	-	-	-
Female.....	9	9	2	4	4	5	5	-	-	-	-	-
White, both sexes.....	37	21	8	11	6	7	8	1	-	-	-	-
Male.....	31	12	6	7	3	3	3	1	-	-	-	-
Female.....	6	9	2	4	3	4	5	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Arkansas

All races, both sexes.....	11	5	4	5	3	4	2	1	-	-	-	-
Male.....	10	2	2	2	2	3	-	1	-	-	-	-
Female.....	1	3	2	3	1	1	2	-	-	-	-	-
White, both sexes.....	11	2	1	3	3	4	1	1	-	-	-	-
Male.....	10	1	1	2	2	3	-	1	-	-	-	-
Female.....	1	1	-	1	1	1	1	-	-	-	-	-
Black, both sexes.....	-	3	3	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	2	2	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-

California

All races, both sexes.....	145	99	45	47	45	50	30	11	1	-	-	-
Male.....	103	76	29	30	21	21	13	4	1	-	-	-
Female.....	42	23	16	17	24	29	17	7	-	-	-	-
White, both sexes.....	119	79	33	31	34	35	21	6	1	-	-	-
Male.....	86	61	23	20	17	14	7	3	1	-	-	-
Female.....	33	18	10	11	17	21	14	3	-	-	-	-
Black, both sexes.....	15	7	3	1	1	4	2	1	-	-	-	-
Male.....	9	7	1	1	-	1	1	1	-	-	-	-
Female.....	6	-	2	-	1	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	2	1	-	-	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	11	7	14	10	11	7	4	-	-	-	-
Male.....	7	7	4	8	4	6	5	-	-	-	-	-
Female.....	2	4	3	6	6	5	2	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Colorado

All races, both sexes.....	22	14	10	2	5	3	5	1	-	-	-	-
Male.....	17	11	6	1	3	2	2	-	-	-	-	-
Female.....	5	3	4	1	2	1	3	1	-	-	-	-
White, both sexes.....	18	12	10	2	2	3	4	1	-	-	-	-
Male.....	13	10	6	1	2	2	2	-	-	-	-	-
Female.....	5	2	4	1	-	1	2	1	-	-	-	-
Black, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	2	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-

Connecticut

All races, both sexes.....	15	6	-	3	4	3	1	1	1	-	-	-
Male.....	10	4	-	1	1	2	1	-	1	-	-	-
Female.....	5	2	-	2	3	1	-	1	-	-	-	-
White, both sexes.....	14	4	-	3	3	2	-	1	1	-	-	-
Male.....	10	3	-	1	1	1	-	-	1	-	-	-
Female.....	4	1	-	2	2	1	-	1	-	-	-	-
Black, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Kentucky

All races, both sexes.....	9	9	7	4	6	3	1	-	-	-	-	-
Male.....	5	6	2	1	5	2	-	-	-	-	-	-
Female.....	4	3	5	3	1	1	1	-	-	-	-	-
White, both sexes.....	6	7	6	4	6	3	1	-	-	-	-	-
Male.....	3	4	1	1	5	2	-	-	-	-	-	-
Female.....	3	3	5	3	1	1	1	-	-	-	-	-
Black, both sexes.....	3	2	1	-	-	-	-	-	-	-	-	-
Male.....	2	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	28	11	13	10	8	7	4	1	1	-	-	-
Male.....	18	9	8	4	5	1	1	-	-	-	-	-
Female.....	10	2	5	6	3	6	3	1	1	-	-	-
White, both sexes.....	16	6	7	9	7	5	2	1	1	-	-	-
Male.....	13	5	5	4	4	1	1	-	-	-	-	-
Female.....	3	1	2	5	3	4	1	1	1	-	-	-
Black, both sexes.....	12	5	6	1	1	2	1	-	-	-	-	-
Male.....	5	4	3	-	1	-	-	-	-	-	-	-
Female.....	7	1	3	1	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Maine

All races, both sexes.....	2	4	-	1	2	-	-	1	-	-	-	-
Male.....	2	4	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
White, both sexes.....	2	4	-	1	1	-	-	1	-	-	-	-
Male.....	2	4	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	21	15	7	7	8	3	2	1	2	-	-	-
Male.....	16	9	3	5	2	1	-	-	-	-	-	-
Female.....	5	6	4	2	6	2	2	1	2	-	-	-
White, both sexes.....	12	6	4	4	5	2	1	1	2	-	-	-
Male.....	8	3	2	3	1	1	-	-	-	-	-	-
Female.....	4	3	2	1	4	1	1	1	2	-	-	-
Black, both sexes.....	9	8	3	3	2	-	-	-	-	-	-	-
Male.....	8	6	1	2	-	-	-	-	-	-	-	-
Female.....	1	2	2	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Minnesota

All races, both sexes.....	17	4	1	2	3	1	2	-	1	-	-	-
Male.....	11	4	-	2	3	1	2	-	-	-	-	-
Female.....	6	-	1	-	-	-	-	-	1	-	-	-
White, both sexes.....	10	4	1	2	3	-	2	-	1	-	-	-
Male.....	6	4	-	2	3	-	2	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	1	-	-	-
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	11	3	4	3	7	3	2	3	-	-	-	-
Male.....	10	2	2	1	-	2	1	-	-	-	-	-
Female.....	1	1	2	2	7	1	1	3	-	-	-	-
White, both sexes.....	9	2	4	1	6	3	2	3	-	-	-	-
Male.....	8	2	2	-	-	2	1	-	-	-	-	-
Female.....	1	-	2	1	6	1	1	3	-	-	-	-
Black, both sexes.....	2	1	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

New Mexico

All races, both sexes.....	6	8	3	1	2	4	3	2	1	-	-	-
Male.....	6	6	1	1	-	3	1	-	-	-	-	-
Female.....	-	2	2	-	2	1	2	2	1	-	-	-
White, both sexes.....	6	8	2	-	2	4	3	2	-	-	-	-
Male.....	6	6	1	-	-	3	1	-	-	-	-	-
Female.....	-	2	1	-	2	1	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

New York

All races, both sexes.....	115	54	38	25	36	22	20	11	4	-	-	-
Male.....	83	36	29	16	20	8	10	4	2	-	-	-
Female.....	32	18	9	9	16	14	10	7	2	-	-	-
White, both sexes.....	85	31	23	20	24	17	15	8	3	-	-	-
Male.....	63	23	19	14	12	5	8	4	1	-	-	-
Female.....	22	8	4	6	12	12	7	4	2	-	-	-
Black, both sexes.....	27	19	12	2	6	4	5	3	1	-	-	-
Male.....	18	11	7	1	5	2	2	-	1	-	-	-
Female.....	9	8	5	1	1	2	3	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	3	3	5	1	-	-	-	-	-	-
Male.....	2	2	3	1	3	1	-	-	-	-	-	-
Female.....	1	2	-	2	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
Arkansas												
All races, both sexes.....	72	-	-	1	-	-	-	8	8	15	16	12
Male.....	55	-	-	1	-	-	-	4	7	11	13	10
Female.....	17	-	-	-	-	-	-	4	1	4	3	2
White, both sexes.....	33	-	-	-	-	-	-	2	5	7	7	5
Male.....	26	-	-	-	-	-	-	1	5	5	6	4
Female.....	7	-	-	-	-	-	-	1	-	2	1	1
Black, both sexes.....	39	-	-	1	-	-	-	6	3	8	9	7
Male.....	29	-	-	1	-	-	-	3	2	6	7	6
Female.....	10	-	-	-	-	-	-	3	1	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,364	1	-	-	-	4	14	39	91	240	273	284
Male.....	1,182	-	-	-	-	2	10	28	71	203	238	251
Female.....	182	1	-	-	-	2	4	11	20	37	35	33
White, both sexes.....	989	-	-	-	-	4	10	25	69	173	195	202
Male.....	885	-	-	-	-	2	9	20	55	149	175	185
Female.....	104	-	-	-	-	2	1	5	14	24	20	17
Black, both sexes.....	329	-	-	-	-	-	3	13	18	55	68	74
Male.....	256	-	-	-	-	-	1	7	12	44	53	58
Female.....	73	-	-	-	-	-	2	6	6	11	15	16
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	1	4	3	2
Male.....	11	-	-	-	-	-	-	-	1	3	3	2
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	34	1	-	-	-	-	1	1	3	8	7	6
Male.....	30	-	-	-	-	-	-	1	3	7	7	6
Female.....	4	1	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease (B20-B24)

Illinois

All races, both sexes.....	436	-	-	-	1	1	4	13	43	85	83	84
Male.....	333	-	-	-	1	1	3	7	28	70	61	66
Female.....	103	-	-	-	-	-	1	6	15	15	22	18
White, both sexes.....	169	-	-	-	-	-	1	5	18	32	28	28
Male.....	137	-	-	-	-	-	1	3	14	26	25	25
Female.....	32	-	-	-	-	-	-	2	4	6	3	3
Black, both sexes.....	264	-	-	-	1	1	3	8	25	53	53	55
Male.....	193	-	-	-	1	1	2	4	14	44	34	40
Female.....	71	-	-	-	-	-	1	4	11	9	19	15
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	113	-	-	1	-	-	2	4	8	20	32	17
Male.....	97	-	-	1	-	-	1	3	5	17	30	16
Female.....	16	-	-	-	-	-	1	1	3	3	2	1
White, both sexes.....	63	-	-	-	-	-	1	1	7	11	18	10
Male.....	57	-	-	-	-	-	1	1	5	11	17	10
Female.....	6	-	-	-	-	-	-	-	2	-	1	-
Black, both sexes.....	48	-	-	1	-	-	1	2	1	9	14	7
Male.....	40	-	-	1	-	-	-	2	-	6	13	6
Female.....	8	-	-	-	-	-	1	-	1	3	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
Maine												
All races, both sexes.....	14	-	-	-	-	-	-	-	1	2	5	3
Male.....	10	-	-	-	-	-	-	-	1	2	1	3
Female.....	4	-	-	-	-	-	-	-	-	-	4	-
White, both sexes.....	13	-	-	-	-	-	-	-	1	2	5	2
Male.....	9	-	-	-	-	-	-	-	1	2	1	2
Female.....	4	-	-	-	-	-	-	-	-	-	4	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	641	-	-	2	2	1	2	12	45	116	156	139
Male.....	449	-	-	-	1	1	1	4	22	69	115	102
Female.....	192	-	-	2	1	-	1	8	23	47	41	37
White, both sexes.....	98	-	-	-	-	-	1	-	7	16	37	20
Male.....	71	-	-	-	-	-	-	-	5	11	29	13
Female.....	27	-	-	-	-	-	1	-	2	5	8	7
Black, both sexes.....	540	-	-	2	2	1	1	11	38	100	118	119
Male.....	377	-	-	-	1	1	1	4	17	58	85	89
Female.....	163	-	-	2	1	-	-	7	21	42	33	30
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
New Mexico												
All races, both sexes.....	44	-	-	-	-	-	-	-	3	8	9	7
Male.....	36	-	-	-	-	-	-	-	1	7	8	5
Female.....	8	-	-	-	-	-	-	-	2	1	1	2
White, both sexes.....	36	-	-	-	-	-	-	-	2	7	8	4
Male.....	31	-	-	-	-	-	-	-	1	6	7	4
Female.....	5	-	-	-	-	-	-	-	1	1	1	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,894	1	-	5	6	5	14	37	101	257	392	432
Male.....	1,273	-	-	2	2	2	7	22	64	150	234	295
Female.....	621	1	-	3	4	3	7	15	37	107	158	137
White, both sexes.....	884	-	-	-	2	-	5	14	51	112	191	209
Male.....	629	-	-	-	1	-	3	9	36	72	120	156
Female.....	255	-	-	-	1	-	2	5	15	40	71	53
Black, both sexes.....	998	1	-	5	4	5	9	23	50	140	197	220
Male.....	636	-	-	2	1	2	4	13	28	75	111	137
Female.....	362	1	-	3	3	3	5	10	22	65	86	83
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	4	3	3
Male.....	8	-	-	-	-	-	-	-	-	3	3	2
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease (B20-B24)

Vermont

All races, both sexes.....	8	-	-	-	-	-	-	-	2	-	2	1
Male.....	7	-	-	-	-	-	-	-	2	-	2	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	-	-	-	-	-	-	-	2	-	2	1
Male.....	7	-	-	-	-	-	-	-	2	-	2	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	290	-	-	-	-	-	3	11	23	45	64	54
Male.....	210	-	-	-	-	-	2	5	13	30	51	41
Female.....	80	-	-	-	-	-	1	6	10	15	13	13
White, both sexes.....	85	-	-	-	-	-	-	2	10	10	20	13
Male.....	66	-	-	-	-	-	-	1	7	7	18	11
Female.....	19	-	-	-	-	-	-	1	3	3	2	2
Black, both sexes.....	199	-	-	-	-	-	2	9	13	33	43	40
Male.....	139	-	-	-	-	-	1	4	6	22	32	29
Female.....	60	-	-	-	-	-	1	5	7	11	11	11
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	2	1	1
Male.....	5	-	-	-	-	-	1	-	-	1	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
Arkansas												
All races, both sexes.....	19	-	-	-	-	-	-	2	2	3	4	3
Male.....	13	-	-	-	-	-	-	-	2	2	2	3
Female.....	6	-	-	-	-	-	-	2	-	1	2	-
White, both sexes.....	10	-	-	-	-	-	-	1	2	2	3	1
Male.....	7	-	-	-	-	-	-	-	2	1	2	1
Female.....	3	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	9	-	-	-	-	-	-	1	-	1	1	2
Male.....	6	-	-	-	-	-	-	-	-	1	-	2
Female.....	3	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	595	1	-	-	-	2	5	21	46	102	124	123
Male.....	504	-	-	-	-	2	5	12	35	84	105	107
Female.....	91	1	-	-	-	-	-	9	11	18	19	16
White, both sexes.....	430	-	-	-	-	2	5	14	34	76	90	84
Male.....	373	-	-	-	-	2	5	9	26	65	77	76
Female.....	57	-	-	-	-	-	-	5	8	11	13	8
Black, both sexes.....	139	-	-	-	-	-	-	6	11	19	27	34
Male.....	108	-	-	-	-	-	-	2	8	14	21	26
Female.....	31	-	-	-	-	-	-	4	3	5	6	8
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	1	2
Male.....	4	-	-	-	-	-	-	-	-	-	1	2
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	21	1	-	-	-	-	-	1	1	6	6	3
Male.....	19	-	-	-	-	-	-	1	1	5	6	3
Female.....	2	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)

New Mexico

All races, both sexes.....	16	-	-	-	-	-	-	-	1	1	3	3
Male.....	11	-	-	-	-	-	-	-	-	-	2	3
Female.....	5	-	-	-	-	-	-	-	1	1	1	-
White, both sexes.....	13	-	-	-	-	-	-	-	-	1	3	2
Male.....	9	-	-	-	-	-	-	-	-	-	2	2
Female.....	4	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	793	-	-	3	1	-	5	17	46	107	159	189
Male.....	530	-	-	2	-	-	3	9	29	64	100	128
Female.....	263	-	-	1	1	-	2	8	17	43	59	61
White, both sexes.....	398	-	-	-	-	-	2	7	17	52	91	100
Male.....	281	-	-	-	-	-	2	4	13	37	61	71
Female.....	117	-	-	-	-	-	-	3	4	15	30	29
Black, both sexes.....	390	-	-	3	1	-	3	10	29	53	67	87
Male.....	247	-	-	2	-	-	1	5	16	27	38	56
Female.....	143	-	-	1	1	-	2	5	13	26	29	31
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	2
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)

Arkansas

All races, both sexes.....	13	-	-	1	-	-	-	4	1	3	2	1
Male.....	10	-	-	1	-	-	-	2	1	3	2	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	1
White, both sexes.....	3	-	-	-	-	-	-	-	-	2	1	-
Male.....	3	-	-	-	-	-	-	-	-	2	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	10	-	-	1	-	-	-	4	1	1	1	1
Male.....	7	-	-	1	-	-	-	2	1	1	1	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	273	-	-	-	-	1	4	5	21	51	50	58
Male.....	231	-	-	-	-	-	2	3	15	44	43	49
Female.....	42	-	-	-	-	1	2	2	6	7	7	9
White, both sexes.....	190	-	-	-	-	1	1	2	16	36	31	44
Male.....	173	-	-	-	-	-	1	2	12	32	30	39
Female.....	17	-	-	-	-	1	-	-	4	4	1	5
Black, both sexes.....	77	-	-	-	-	-	2	3	5	15	18	13
Male.....	54	-	-	-	-	-	1	1	3	12	12	9
Female.....	23	-	-	-	-	-	1	2	2	3	6	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
Maine												
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	139	-	-	1	-	-	-	4	11	16	41	32
Male.....	91	-	-	-	-	-	-	1	2	10	25	24
Female.....	48	-	-	1	-	-	3	9	9	6	16	8
White, both sexes.....	10	-	-	-	-	-	-	-	-	1	5	2
Male.....	7	-	-	-	-	-	-	-	-	1	3	1
Female.....	3	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	128	-	-	1	-	-	-	3	11	15	36	30
Male.....	84	-	-	-	-	-	-	1	2	9	22	23
Female.....	44	-	-	1	-	-	2	9	9	6	14	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)

Vermont

All races, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	77	-	-	-	-	-	-	2	6	11	19	14
Male.....	53	-	-	-	-	-	-	-	2	8	16	11
Female.....	24	-	-	-	-	-	-	2	4	3	3	3
White, both sexes.....	15	-	-	-	-	-	-	-	-	1	6	1
Male.....	12	-	-	-	-	-	-	-	-	1	5	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	61	-	-	-	-	-	-	2	6	9	13	13
Male.....	41	-	-	-	-	-	-	-	2	7	11	10
Female.....	20	-	-	-	-	-	-	2	4	2	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified human immunodeficiency virus (HIV) disease (B24)

Illinois

All races, both sexes.....	118	-	-	-	1	-	3	5	16	23	27	22
Male.....	94	-	-	-	1	-	2	2	13	17	20	20
Female.....	24	-	-	-	-	-	1	3	3	6	7	2
White, both sexes.....	42	-	-	-	-	-	1	2	9	6	7	7
Male.....	38	-	-	-	-	-	1	1	7	5	7	7
Female.....	4	-	-	-	-	-	-	1	2	1	-	-
Black, both sexes.....	75	-	-	-	1	-	2	3	7	17	19	15
Male.....	55	-	-	-	1	-	1	1	6	12	12	13
Female.....	20	-	-	-	-	-	1	2	1	5	7	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	26	-	-	-	-	-	-	2	1	5	7	3
Male.....	24	-	-	-	-	-	-	1	1	4	7	3
Female.....	2	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	15	-	-	-	-	-	-	1	1	3	5	1
Male.....	15	-	-	-	-	-	-	1	1	3	5	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	10	-	-	-	-	-	-	-	-	2	2	2
Male.....	9	-	-	-	-	-	-	-	-	1	2	2
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Arkansas

All races, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	98	13	6	3	-	2	3	2	4	2	2	4
Male.....	51	3	4	1	-	1	2	1	1	1	2	1
Female.....	47	10	2	2	-	1	1	1	3	1	-	3
White, both sexes.....	80	11	5	2	-	2	1	2	2	1	1	3
Male.....	43	2	3	1	-	1	1	1	-	1	1	1
Female.....	37	9	2	1	-	1	-	1	2	-	-	2
Black, both sexes.....	7	-	-	-	-	-	1	-	1	-	1	-
Male.....	4	-	-	-	-	-	1	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	-	-	-	-	1	1	-	1
Male.....	4	1	1	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	-	-	-	-	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Arkansas

All races, both sexes.....	2	-	2	-	1	-	2	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	1	-	1	-	2	-	-	-	-	-
White, both sexes.....	2	-	2	-	1	-	2	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	1	-	1	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	4	5	5	8	11	7	6	2	1	1	-
Male.....	5	1	5	3	6	5	3	3	1	1	1	-
Female.....	2	3	-	2	2	6	4	3	1	-	-	-
White, both sexes.....	6	3	4	5	6	10	6	6	2	1	1	-
Male.....	5	1	4	3	5	5	2	3	1	1	1	-
Female.....	1	2	-	2	1	5	4	3	1	-	-	-
Black, both sexes.....	1	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Alaska

All races, both sexes.....	4	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	126	2	-	-	-	-	2	1	-	1	4	13
Male.....	66	2	-	-	-	-	-	1	-	-	4	10
Female.....	60	-	-	-	-	-	2	-	-	1	-	3
White, both sexes.....	113	2	-	-	-	-	1	-	-	1	4	12
Male.....	62	2	-	-	-	-	-	-	-	-	4	10
Female.....	51	-	-	-	-	-	1	-	-	1	-	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Arkansas

All races, both sexes.....	50	1	-	-	-	-	-	-	1	2	4	5
Male.....	27	-	-	-	-	-	-	-	-	1	3	3
Female.....	23	1	-	-	-	-	-	-	1	1	1	2
White, both sexes.....	45	1	-	-	-	-	-	-	1	2	4	5
Male.....	25	-	-	-	-	-	-	-	-	1	3	3
Female.....	20	1	-	-	-	-	-	-	1	1	1	2
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	844	3	-	-	-	2	3	5	4	23	61	107
Male.....	523	1	-	-	-	2	1	4	3	19	40	75
Female.....	321	2	-	-	-	-	2	1	1	4	21	32
White, both sexes.....	684	3	-	-	-	2	2	4	3	19	54	91
Male.....	424	1	-	-	-	2	-	3	3	16	36	64
Female.....	260	2	-	-	-	-	2	1	-	3	18	27
Black, both sexes.....	68	-	-	-	-	-	-	1	-	2	6	11
Male.....	45	-	-	-	-	-	-	1	-	2	3	7
Female.....	23	-	-	-	-	-	-	-	-	-	3	4
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	2	-	3
Male.....	7	-	-	-	-	-	-	-	-	1	-	2
Female.....	3	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	82	-	-	-	-	-	1	-	1	-	1	2
Male.....	47	-	-	-	-	-	1	-	-	-	1	2
Female.....	35	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Alaska

All races, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	17	10	11	6	12	19	13	12	1	2	-	-
Male.....	11	5	3	4	7	8	7	3	-	1	-	-
Female.....	6	5	8	2	5	11	6	9	1	1	-	-
White, both sexes.....	14	10	9	6	12	16	11	12	1	2	-	-
Male.....	9	5	3	4	7	8	6	3	-	1	-	-
Female.....	5	5	6	2	5	8	5	9	1	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	1	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Arkansas

All races, both sexes.....	8	4	2	3	3	7	5	4	1	-	-	-
Male.....	5	4	2	2	2	1	3	1	-	-	-	-
Female.....	3	-	-	1	1	6	2	3	1	-	-	-
White, both sexes.....	7	2	2	3	3	6	4	4	1	-	-	-
Male.....	5	2	2	2	2	1	3	1	-	-	-	-
Female.....	2	-	-	1	1	5	1	3	1	-	-	-
Black, both sexes.....	1	2	-	-	-	1	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	146	97	70	70	85	73	59	23	11	2	-	-
Male.....	105	77	45	41	44	30	23	9	4	-	-	-
Female.....	41	20	25	29	41	43	36	14	7	2	-	-
White, both sexes.....	121	79	51	59	63	55	49	16	11	2	-	-
Male.....	90	63	31	35	30	22	17	7	4	-	-	-
Female.....	31	16	20	24	33	33	32	9	7	2	-	-
Black, both sexes.....	19	8	7	2	5	4	1	2	-	-	-	-
Male.....	11	6	6	2	5	2	-	-	-	-	-	-
Female.....	8	2	1	-	-	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	1	-	1	-	-	-	-	-	-
Male.....	-	2	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	12	8	17	13	9	5	-	-	-	-
Male.....	4	6	8	3	9	5	6	2	-	-	-	-
Female.....	1	2	4	5	8	8	3	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Massachusetts

All races, both sexes.....	11	8	9	7	10	12	4	10	4	2	-	-
Male.....	9	7	4	3	8	6	3	3	1	-	-	-
Female.....	2	1	5	4	2	6	1	7	3	2	-	-
White, both sexes.....	10	5	8	7	9	11	4	8	4	1	-	-
Male.....	9	4	4	3	8	5	3	2	1	-	-	-
Female.....	1	1	4	4	1	6	1	6	3	1	-	-
Black, both sexes.....	1	3	-	-	-	-	-	1	-	1	-	-
Male.....	-	3	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	21	17	17	10	9	17	12	5	6	-	-	-
Male.....	12	8	11	5	5	10	8	3	3	-	-	-
Female.....	9	9	6	5	4	7	4	2	3	-	-	-
White, both sexes.....	15	14	11	6	7	13	9	5	6	-	-	-
Male.....	8	6	8	3	4	8	5	3	3	-	-	-
Female.....	7	8	3	3	3	5	4	2	3	-	-	-
Black, both sexes.....	5	3	6	3	2	2	3	-	-	-	-	-
Male.....	3	2	3	2	1	1	3	-	-	-	-	-
Female.....	2	1	3	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

New Hampshire

All races, both sexes.....	2	2	-	1	1	1	3	2	-	-	-	-
Male.....	1	1	-	-	-	1	1	1	-	-	-	-
Female.....	1	1	-	1	1	-	2	1	-	-	-	-
White, both sexes.....	2	2	-	1	-	1	3	2	-	-	-	-
Male.....	1	1	-	-	-	1	1	1	-	-	-	-
Female.....	1	1	-	1	-	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	5	5	5	4	14	20	14	8	5	-	-	-
Male.....	4	2	2	1	10	10	8	3	3	-	-	-
Female.....	1	3	3	3	4	10	6	5	2	-	-	-
White, both sexes.....	3	4	2	3	12	18	11	6	5	-	-	-
Male.....	3	2	1	1	8	9	6	3	3	-	-	-
Female.....	-	2	1	2	4	9	5	3	2	-	-	-
Black, both sexes.....	2	1	3	1	1	2	3	1	-	-	-	-
Male.....	1	-	1	-	1	1	2	-	-	-	-	-
Female.....	1	1	2	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

New Mexico

All races, both sexes.....	1	3	5	1	5	1	4	1	-	-	-	-
Male.....	1	1	4	1	2	1	2	1	-	-	-	-
Female.....	-	2	1	-	3	-	2	-	-	-	-	-
White, both sexes.....	1	3	5	1	5	1	3	1	-	-	-	-
Male.....	1	1	4	1	2	1	2	1	-	-	-	-
Female.....	-	2	1	-	3	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	25	10	15	20	18	26	23	11	11	1	-	-
Male.....	18	8	9	11	7	12	9	3	3	-	-	-
Female.....	7	2	6	9	11	14	14	8	8	1	-	-
White, both sexes.....	18	7	11	18	16	20	21	10	9	1	-	-
Male.....	13	6	7	10	6	10	9	3	3	-	-	-
Female.....	5	1	4	8	10	10	12	7	6	1	-	-
Black, both sexes.....	7	2	2	2	2	5	1	1	2	-	-	-
Male.....	5	1	1	1	1	2	-	-	-	-	-	-
Female.....	2	1	1	1	1	3	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	-	1	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Vermont

All races, both sexes.....	-	1	-	1	2	-	-	3	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	3	-	-	-	-
White, both sexes.....	-	1	-	1	2	-	-	3	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	2	-	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	4	4	6	13	9	5	3	1	-	-	-
Male.....	4	3	2	1	7	5	2	-	-	-	-	-
Female.....	1	1	2	5	6	4	3	3	1	-	-	-
White, both sexes.....	5	3	3	5	9	5	4	3	1	-	-	-
Male.....	4	3	2	-	5	4	1	-	-	-	-	-
Female.....	1	-	1	5	4	1	3	3	1	-	-	-
Black, both sexes.....	-	1	1	-	3	3	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	1	-	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mycoses (B35-B49)

New Hampshire

All races, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	1	2	1	6	7	6	5	-	-	-	-
Male.....	1	-	1	-	5	4	4	2	-	-	-	-
Female.....	1	1	1	1	1	3	2	3	-	-	-	-
White, both sexes.....	1	-	1	-	4	6	4	3	-	-	-	-
Male.....	1	-	1	-	3	4	2	2	-	-	-	-
Female.....	-	-	-	-	1	2	2	1	-	-	-	-
Black, both sexes.....	1	1	1	1	1	1	2	1	-	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	1	1	1	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mycoses (B35-B49)

New Mexico

All races, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	2	4	6	7	10	9	4	4	-	-	-
Male.....	1	-	2	4	3	6	6	2	-	-	-	-
Female.....	3	2	2	2	4	4	3	2	4	-	-	-
White, both sexes.....	2	1	2	5	5	5	9	3	2	-	-	-
Male.....	-	-	1	3	2	4	6	2	-	-	-	-
Female.....	2	1	1	2	3	1	3	1	2	-	-	-
Black, both sexes.....	2	1	1	1	2	4	-	1	2	-	-	-
Male.....	1	-	-	1	1	2	-	-	-	-	-	-
Female.....	1	1	1	-	1	2	-	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mycoses (B35-B49)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	1	3	3	4	1	-	-	-	-	-
Male.....	-	1	-	-	2	2	1	-	-	-	-	-
Female.....	1	-	1	3	1	2	-	-	-	-	-	-
White, both sexes.....	1	1	1	3	3	2	-	-	-	-	-	-
Male.....	-	1	-	-	2	2	-	-	-	-	-	-
Female.....	1	-	1	3	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Sequelae of tuberculosis (B90)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	3	-	1	1	4	1	-	-	-	-
Male.....	-	-	3	-	1	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	3	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	1	1	-	-	-	-
Male.....	-	-	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Sequelae of tuberculosis (B90)

Massachusetts

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Sequelae of tuberculosis (B90)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	-	-	-	-	-	2	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Sequelae of poliomyelitis (B91)												
Arkansas												
All races, both sexes.....	3	...	-	-	-	-	-	-	-	-	-	-
Male.....	1	...	-	-	-	-	-	-	-	-	-	-
Female.....	2	...	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	...	-	-	-	-	-	-	-	-	-	-
Male.....	1	...	-	-	-	-	-	-	-	-	-	-
Female.....	2	...	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	-	-	-	-	-	-	-	-	-	-
Male.....	-	...	-	-	-	-	-	-	-	-	-	-
Female.....	-	...	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	-	-	-	-	-	-	-	-	-	-
Male.....	-	...	-	-	-	-	-	-	-	-	-	-
Female.....	-	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	-	-	-	-	-	-	-	-	-	-
Male.....	-	...	-	-	-	-	-	-	-	-	-	-
Female.....	-	...	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	39	...	-	-	-	1	-	-	2	-	-	1
Male.....	20	...	-	-	-	1	-	-	1	-	-	-
Female.....	19	...	-	-	-	-	-	-	1	-	-	1
White, both sexes.....	35	...	-	-	-	1	-	-	1	-	-	1
Male.....	17	...	-	-	-	1	-	-	1	-	-	-
Female.....	18	...	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	...	-	-	-	-	-	-	-	-	-	-
Male.....	2	...	-	-	-	-	-	-	-	-	-	-
Female.....	-	...	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	-	-	-	-	-	-	-	-	-	-
Male.....	-	...	-	-	-	-	-	-	-	-	-	-
Female.....	-	...	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	-	-	-	-	-	-	1	-	-	-
Male.....	1	...	-	-	-	-	-	-	-	-	-	-
Female.....	1	...	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Alaska

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	61	-	-	-	-	-	1	-	-	-	3	8
Male.....	32	-	-	-	-	-	-	-	-	-	3	7
Female.....	29	-	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	55	-	-	-	-	-	-	-	-	-	3	7
Male.....	31	-	-	-	-	-	-	-	-	-	3	7
Female.....	24	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Alaska

All races, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	12	7	4	2	6	7	2	7	1	1	-	-
Male.....	10	4	2	1	3	2	-	-	-	-	-	-
Female.....	2	3	2	1	3	5	2	7	1	1	-	-
White, both sexes.....	11	7	3	2	6	5	2	7	1	1	-	-
Male.....	9	4	2	1	3	2	-	-	-	-	-	-
Female.....	2	3	1	1	3	3	2	7	1	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Arkansas

All races, both sexes.....	7	2	1	-	1	3	2	2	-	-	-	-
Male.....	4	2	1	-	1	3	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	2	-	-	-	-
White, both sexes.....	6	1	1	-	1	3	1	2	-	-	-	-
Male.....	4	1	1	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	3	-	2	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	137	81	50	52	71	51	37	13	7	1	-	-
Male.....	100	66	34	31	36	20	12	3	2	-	-	-
Female.....	37	15	16	21	35	31	25	10	5	1	-	-
White, both sexes.....	112	67	38	43	51	36	29	8	7	1	-	-
Male.....	85	56	25	26	24	13	8	3	2	-	-	-
Female.....	27	11	13	17	27	23	21	5	5	1	-	-
Black, both sexes.....	19	7	4	1	4	2	1	2	-	-	-	-
Male.....	11	5	3	1	4	1	-	-	-	-	-	-
Female.....	8	2	1	-	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	1	-	1	-	-	-	-	-	-
Male.....	-	2	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	8	7	16	12	7	3	-	-	-	-
Male.....	4	3	6	3	8	5	4	-	-	-	-	-
Female.....	1	2	2	4	8	7	3	3	-	-	-	-

