

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alaska												
All races, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	3
Male.....
Female.....	21	-	-	-	-	-	-	-	-	-	-	3
White, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	3
Male.....
Female.....	15	-	-	-	-	-	-	-	-	-	-	3
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	438	-	-	-	-	-	-	2	6	6	11	24
Male.....
Female.....	438	-	-	-	-	-	-	2	6	6	11	24
White, both sexes.....	404	-	-	-	-	-	-	2	4	5	9	20
Male.....
Female.....	404	-	-	-	-	-	-	2	4	5	9	20
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	14	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	2	1	2	2
Male.....
Female.....	11	-	-	-	-	-	-	-	2	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Arkansas

All races, both sexes.....	273	-	-	-	-	-	1	2	3	5	12	12
Male.....
Female.....	273	-	-	-	-	-	1	2	3	5	12	12
White, both sexes.....	234	-	-	-	-	-	-	2	2	5	9	12
Male.....
Female.....	234	-	-	-	-	-	-	2	2	5	9	12
Black, both sexes.....	39	-	-	-	-	-	1	-	1	-	3	-
Male.....
Female.....	39	-	-	-	-	-	1	-	1	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,843	-	-	-	-	1	7	14	29	55	98	133
Male.....
Female.....	2,843	-	-	-	-	1	7	14	29	55	98	133
White, both sexes.....	2,386	-	-	-	-	1	5	12	23	45	76	104
Male.....
Female.....	2,386	-	-	-	-	1	5	12	23	45	76	104
Black, both sexes.....	205	-	-	-	-	-	1	1	3	3	5	13
Male.....
Female.....	205	-	-	-	-	-	1	1	3	3	5	13
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	2	-
Male.....
Female.....	7	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	245	-	-	-	-	-	1	1	3	7	15	16
Male.....
Female.....	245	-	-	-	-	-	1	1	3	7	15	16

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Maine

All races, both sexes.....	146	-	-	-	-	-	-	-	1	1	3	3
Male.....
Female.....	146	-	-	-	-	-	-	-	1	1	3	3
White, both sexes.....	144	-	-	-	-	-	-	-	1	-	3	3
Male.....
Female.....	144	-	-	-	-	-	-	-	1	-	3	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Maryland

All races, both sexes.....	461	-	-	-	-	-	-	2	6	7	13	27
Male.....
Female.....	461	-	-	-	-	-	-	2	6	7	13	27
White, both sexes.....	328	-	-	-	-	-	-	2	2	5	8	17
Male.....
Female.....	328	-	-	-	-	-	-	2	2	5	8	17
Black, both sexes.....	116	-	-	-	-	-	-	-	3	2	3	9
Male.....
Female.....	116	-	-	-	-	-	-	-	3	2	3	9
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	1	-	2	1
Male.....
Female.....	14	-	-	-	-	-	-	-	1	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Minnesota

All races, both sexes.....	467	-	-	-	-	-	1	5	4	8	13	19
Male.....
Female.....	467	-	-	-	-	-	1	5	4	8	13	19
White, both sexes.....	454	-	-	-	-	-	-	4	4	8	11	19
Male.....
Female.....	454	-	-	-	-	-	-	4	4	8	11	19
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	1	-	-	2	-
Male.....
Female.....	6	-	-	-	-	-	-	1	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Mississippi

All races, both sexes.....	246	-	-	-	-	-	1	-	2	7	10	17
Male.....
Female.....	246	-	-	-	-	-	1	-	2	7	10	17
White, both sexes.....	135	-	-	-	-	-	1	-	1	2	6	6
Male.....
Female.....	135	-	-	-	-	-	1	-	1	2	6	6
Black, both sexes.....	109	-	-	-	-	-	-	-	1	3	4	11
Male.....
Female.....	109	-	-	-	-	-	-	-	1	3	4	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

New Hampshire

All races, both sexes.....	107	-	-	-	-	-	-	-	1	1	5	5
Male.....
Female.....	107	-	-	-	-	-	-	-	1	1	5	5
White, both sexes.....	104	-	-	-	-	-	-	-	1	1	5	5
Male.....
Female.....	104	-	-	-	-	-	-	-	1	1	5	5
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	969	-	-	-	-	1	1	1	6	8	30	37
Male.....
Female.....	969	-	-	-	-	1	1	1	6	8	30	37
White, both sexes.....	819	-	-	-	-	1	1	1	3	4	22	26
Male.....
Female.....	819	-	-	-	-	1	1	1	3	4	22	26
Black, both sexes.....	132	-	-	-	-	-	-	-	3	3	7	10
Male.....
Female.....	132	-	-	-	-	-	-	-	3	3	7	10
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	1
Male.....
Female.....	17	-	-	-	-	-	-	-	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

New Mexico

All races, both sexes.....	162	-	-	-	-	-	-	1	-	2	6	10
Male.....
Female.....	162	-	-	-	-	-	-	1	-	2	6	10
White, both sexes.....	149	-	-	-	-	-	-	1	-	2	5	9
Male.....
Female.....	149	-	-	-	-	-	-	1	-	2	5	9
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	1	1
Male.....
Female.....	10	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,074	-	-	-	-	-	2	4	12	24	53	102
Male.....
Female.....	2,074	-	-	-	-	-	2	4	12	24	53	102
White, both sexes.....	1,661	-	-	-	-	-	2	3	8	13	34	73
Male.....
Female.....	1,661	-	-	-	-	-	2	3	8	13	34	73
Black, both sexes.....	367	-	-	-	-	-	-	1	3	10	15	24
Male.....
Female.....	367	-	-	-	-	-	-	1	3	10	15	24
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	-	-	1	1	4	4
Male.....
Female.....	42	-	-	-	-	-	-	-	1	1	4	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Oregon

All races, both sexes.....	329	-	-	-	-	-	1	1	1	2	13	8
Male.....
Female.....	329	-	-	-	-	-	1	1	1	2	13	8
White, both sexes.....	319	-	-	-	-	-	1	1	1	2	13	8
Male.....
Female.....	319	-	-	-	-	-	1	1	1	2	13	8
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,439	-	-	-	-	-	-	3	10	14	36	65
Male.....
Female.....	1,439	-	-	-	-	-	-	3	10	14	36	65
White, both sexes.....	1,300	-	-	-	-	-	-	2	8	11	32	54
Male.....
Female.....	1,300	-	-	-	-	-	-	2	8	11	32	54
Black, both sexes.....	128	-	-	-	-	-	-	1	2	2	4	11
Male.....
Female.....	128	-	-	-	-	-	-	1	2	2	4	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	10	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Texas

All races, both sexes.....	1,611	-	-	-	-	2	5	10	13	37	76	104
Male.....
Female.....	1,611	-	-	-	-	2	5	10	13	37	76	104
White, both sexes.....	1,380	-	-	-	-	1	4	8	12	31	62	89
Male.....
Female.....	1,380	-	-	-	-	1	4	8	12	31	62	89
Black, both sexes.....	204	-	-	-	-	1	1	2	1	5	12	14
Male.....
Female.....	204	-	-	-	-	1	1	2	1	5	12	14
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	-	-	-	-	1	2	1
Male.....
Female.....	26	-	-	-	-	-	-	-	-	1	2	1

Utah

All races, both sexes.....	147	-	-	-	-	-	-	1	1	3	6	12
Male.....
Female.....	147	-	-	-	-	-	-	1	1	3	6	12
White, both sexes.....	145	-	-	-	-	-	-	1	1	2	6	12
Male.....
Female.....	145	-	-	-	-	-	-	1	1	2	6	12
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of female genital organs (C51-C58)

Vermont

All races, both sexes.....	59	-	-	-	-	-	-	1	1	-	-	2
Male.....
Female.....	59	-	-	-	-	-	-	1	1	-	-	2
White, both sexes.....	59	-	-	-	-	-	-	1	1	-	-	2
Male.....
Female.....	59	-	-	-	-	-	-	1	1	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	651	-	-	-	-	-	2	1	4	10	20	30
Male.....
Female.....	651	-	-	-	-	-	2	1	4	10	20	30
White, both sexes.....	513	-	-	-	-	-	1	1	3	6	17	23
Male.....
Female.....	513	-	-	-	-	-	1	1	3	6	17	23
Black, both sexes.....	120	-	-	-	-	-	1	-	1	3	2	6
Male.....
Female.....	120	-	-	-	-	-	1	-	1	3	2	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	1
Male.....
Female.....	17	-	-	-	-	-	-	-	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Alaska

All races, both sexes.....	1	2	3	4	1	3	3	1	-	-	-	-
Male.....
Female.....	1	2	3	4	1	3	3	1	-	-	-	-
White, both sexes.....	1	1	1	3	1	2	3	-	-	-	-	-
Male.....
Female.....	1	1	1	3	1	2	3	-	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	33	35	51	53	46	76	42	31	18	4	-	-
Male.....
Female.....	33	35	51	53	46	76	42	31	18	4	-	-
White, both sexes.....	29	32	48	49	45	71	41	28	17	4	-	-
Male.....
Female.....	29	32	48	49	45	71	41	28	17	4	-	-
Black, both sexes.....	-	2	-	2	1	1	-	2	-	-	-	-
Male.....
Female.....	-	2	-	2	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	3	-	3	1	-	3	1	1	1	-	-	-
Male.....
Female.....	3	-	3	1	-	3	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	1	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Arkansas

All races, both sexes.....	15	27	22	30	27	40	43	21	12	1	-	-
Male.....
Female.....	15	27	22	30	27	40	43	21	12	1	-	-
White, both sexes.....	15	22	20	26	20	34	37	19	10	1	-	-
Male.....
Female.....	15	22	20	26	20	34	37	19	10	1	-	-
Black, both sexes.....	-	5	2	4	7	6	6	2	2	-	-	-
Male.....
Female.....	-	5	2	4	7	6	6	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	212	258	305	304	356	360	358	231	100	20	2	-
Male.....
Female.....	212	258	305	304	356	360	358	231	100	20	2	-
White, both sexes.....	174	217	265	247	303	287	309	206	91	19	2	-
Male.....
Female.....	174	217	265	247	303	287	309	206	91	19	2	-
Black, both sexes.....	14	21	19	27	19	37	23	11	7	1	-	-
Male.....
Female.....	14	21	19	27	19	37	23	11	7	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	20	21	30	33	35	24	13	2	-	-	-
Male.....
Female.....	24	20	21	30	33	35	24	13	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Florida

All races, both sexes.....	115	171	186	179	214	261	237	138	74	13	1	-
Male.....
Female.....	115	171	186	179	214	261	237	138	74	13	1	-
White, both sexes.....	92	152	159	151	191	236	221	128	71	12	1	-
Male.....
Female.....	92	152	159	151	191	236	221	128	71	12	1	-
Black, both sexes.....	21	18	25	25	23	25	15	8	3	1	-	-
Male.....
Female.....	21	18	25	25	23	25	15	8	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	3	-	-	1	2	-	-	-	-
Male.....
Female.....	2	1	2	3	-	-	1	2	-	-	-	-

Georgia

All races, both sexes.....	53	59	75	75	95	78	92	38	20	5	1	-
Male.....
Female.....	53	59	75	75	95	78	92	38	20	5	1	-
White, both sexes.....	44	41	48	45	73	60	65	28	12	4	1	-
Male.....
Female.....	44	41	48	45	73	60	65	28	12	4	1	-
Black, both sexes.....	9	18	25	28	21	18	27	9	8	1	-	-
Male.....
Female.....	9	18	25	28	21	18	27	9	8	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	1	2	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Iowa

All races, both sexes.....	21	20	35	43	26	45	57	26	20	4	-	-
Male.....
Female.....	21	20	35	43	26	45	57	26	20	4	-	-
White, both sexes.....	19	20	35	42	25	45	56	26	20	4	-	-
Male.....
Female.....	19	20	35	42	25	45	56	26	20	4	-	-
Black, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	21	17	21	19	31	39	44	28	10	3	1	-
Male.....
Female.....	21	17	21	19	31	39	44	28	10	3	1	-
White, both sexes.....	18	15	20	17	30	36	44	27	10	3	1	-
Male.....
Female.....	18	15	20	17	30	36	44	27	10	3	1	-
Black, both sexes.....	3	2	1	2	-	2	-	1	-	-	-	-
Male.....
Female.....	3	2	1	2	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Kentucky

All races, both sexes.....	31	36	51	42	51	60	51	21	11	3	-	-
Male.....
Female.....	31	36	51	42	51	60	51	21	11	3	-	-
White, both sexes.....	29	33	49	36	48	55	48	19	11	3	-	-
Male.....
Female.....	29	33	49	36	48	55	48	19	11	3	-	-
Black, both sexes.....	2	3	2	5	3	5	3	2	-	-	-	-
Male.....
Female.....	2	3	2	5	3	5	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	30	29	38	48	48	52	53	22	18	2	1	-
Male.....
Female.....	30	29	38	48	48	52	53	22	18	2	1	-
White, both sexes.....	14	19	23	30	39	32	39	16	13	1	1	-
Male.....
Female.....	14	19	23	30	39	32	39	16	13	1	1	-
Black, both sexes.....	15	9	15	18	8	19	14	6	5	1	-	-
Male.....
Female.....	15	9	15	18	8	19	14	6	5	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Maine

All races, both sexes.....	9	20	14	14	17	27	18	12	4	3	-	-
Male.....
Female.....	9	20	14	14	17	27	18	12	4	3	-	-
White, both sexes.....	9	20	14	14	17	26	18	12	4	3	-	-
Male.....
Female.....	9	20	14	14	17	26	18	12	4	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	41	46	49	56	51	63	43	41	13	3	-	-
Male.....
Female.....	41	46	49	56	51	63	43	41	13	3	-	-
White, both sexes.....	26	26	31	40	36	52	34	35	11	3	-	-
Male.....
Female.....	26	26	31	40	36	52	34	35	11	3	-	-
Black, both sexes.....	13	18	13	15	14	11	8	6	1	-	-	-
Male.....
Female.....	13	18	13	15	14	11	8	6	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	4	-	-	-	1	-	1	-	-	-
Male.....
Female.....	2	2	4	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Massachusetts

All races, both sexes.....	31	62	61	73	83	86	90	51	21	7	2	-
Male.....
Female.....	31	62	61	73	83	86	90	51	21	7	2	-
White, both sexes.....	30	59	57	70	79	84	89	51	21	7	2	-
Male.....
Female.....	30	59	57	70	79	84	89	51	21	7	2	-
Black, both sexes.....	1	3	4	3	4	1	1	-	-	-	-	-
Male.....
Female.....	1	3	4	3	4	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	77	79	89	120	119	138	107	96	33	9	1	-
Male.....
Female.....	77	79	89	120	119	138	107	96	33	9	1	-
White, both sexes.....	60	70	76	102	97	129	96	84	31	9	1	-
Male.....
Female.....	60	70	76	102	97	129	96	84	31	9	1	-
Black, both sexes.....	16	8	13	18	22	9	10	10	2	-	-	-
Male.....
Female.....	16	8	13	18	22	9	10	10	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of female genital organs (C51-C58)

Nebraska

All races, both sexes.....	19	8	15	26	19	27	28	15	8	1	-	-
Male.....
Female.....	19	8	15	26	19	27	28	15	8	1	-	-
White, both sexes.....	18	8	15	25	17	27	28	15	8	1	-	-
Male.....
Female.....	18	8	15	25	17	27	28	15	8	1	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	9	21	17	16	21	22	16	8	6	-	-	-
Male.....
Female.....	9	21	17	16	21	22	16	8	6	-	-	-
White, both sexes.....	6	19	16	14	18	22	15	6	6	-	-	-
Male.....
Female.....	6	19	16	14	18	22	15	6	6	-	-	-
Black, both sexes.....	-	1	-	1	2	-	-	2	-	-	-	-
Male.....
Female.....	-	1	-	1	2	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	1	-	-	-	-	-	-	-
Male.....
Female.....	3	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

New Hampshire

All races, both sexes.....	12	17	9	8	9	11	11	14	2	2	-	-
Male.....
Female.....	12	17	9	8	9	11	11	14	2	2	-	-
White, both sexes.....	12	16	8	8	9	10	11	14	2	2	-	-
Male.....
Female.....	12	16	8	8	9	10	11	14	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	1	-	-	1	-	-	-	-	-	-

New Jersey

All races, both sexes.....	71	99	107	88	123	132	140	79	37	7	2	-
Male.....
Female.....	71	99	107	88	123	132	140	79	37	7	2	-
White, both sexes.....	50	83	92	75	105	113	128	76	31	6	2	-
Male.....
Female.....	50	83	92	75	105	113	128	76	31	6	2	-
Black, both sexes.....	16	12	15	11	17	18	10	3	6	1	-	-
Male.....
Female.....	16	12	15	11	17	18	10	3	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	-	2	1	1	1	-	-	-	-	-
Male.....
Female.....	5	4	-	2	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

New Mexico

All races, both sexes.....	10	19	15	14	22	25	23	9	3	2	1	-
Male.....
Female.....	10	19	15	14	22	25	23	9	3	2	1	-
White, both sexes.....	9	16	13	14	20	24	22	8	3	2	1	-
Male.....
Female.....	9	16	13	14	20	24	22	8	3	2	1	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	1	1	-	1	-	-	-	-
Male.....
Female.....	1	2	2	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	153	206	235	258	221	291	258	146	81	24	4	-
Male.....
Female.....	153	206	235	258	221	291	258	146	81	24	4	-
White, both sexes.....	113	162	172	197	177	247	231	133	72	22	2	-
Male.....
Female.....	113	162	172	197	177	247	231	133	72	22	2	-
Black, both sexes.....	35	40	56	57	39	41	23	12	7	2	2	-
Male.....
Female.....	35	40	56	57	39	41	23	12	7	2	2	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	1	-	-	-
Male.....
Female.....	-	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	6	4	4	3	4	1	1	-	-	-
Male.....
Female.....	5	4	6	4	4	3	4	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Ohio

All races, both sexes.....	85	101	129	138	154	166	154	101	46	12	2	-
Male.....
Female.....	85	101	129	138	154	166	154	101	46	12	2	-
White, both sexes.....	77	92	117	127	140	146	137	94	40	11	1	-
Male.....
Female.....	77	92	117	127	140	146	137	94	40	11	1	-
Black, both sexes.....	7	7	12	10	13	20	17	7	6	1	1	-
Male.....
Female.....	7	7	12	10	13	20	17	7	6	1	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	1	-	-	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	18	29	38	30	38	43	35	35	17	5	-	-
Male.....
Female.....	18	29	38	30	38	43	35	35	17	5	-	-
White, both sexes.....	14	28	33	27	37	38	33	30	16	4	-	-
Male.....
Female.....	14	28	33	27	37	38	33	30	16	4	-	-
Black, both sexes.....	1	-	3	2	-	2	1	4	1	1	-	-
Male.....
Female.....	1	-	3	2	-	2	1	4	1	1	-	-
American Indian 1/, both sexes.....	3	1	2	1	1	2	1	1	-	-	-	-
Male.....
Female.....	3	1	2	1	1	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Oregon

All races, both sexes.....	24	26	34	31	37	38	54	33	19	7	-	-
Male.....
Female.....	24	26	34	31	37	38	54	33	19	7	-	-
White, both sexes.....	23	25	33	30	37	37	50	32	19	7	-	-
Male.....
Female.....	23	25	33	30	37	37	50	32	19	7	-	-
Black, both sexes.....	-	-	-	1	-	-	3	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	1	1	-	-	-	-
Male.....
Female.....	-	1	1	-	-	1	1	1	-	-	-	-

Pennsylvania

All races, both sexes.....	84	134	130	157	189	214	201	132	55	12	3	-
Male.....
Female.....	84	134	130	157	189	214	201	132	55	12	3	-
White, both sexes.....	74	116	114	142	172	194	192	124	51	12	2	-
Male.....
Female.....	74	116	114	142	172	194	192	124	51	12	2	-
Black, both sexes.....	6	16	15	15	16	18	9	8	4	-	1	-
Male.....
Female.....	6	16	15	15	16	18	9	8	4	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	1	-	1	2	-	-	-	-	-	-
Male.....
Female.....	4	1	1	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of female genital organs (C51-C58)

Vermont

All races, both sexes.....	4	5	2	10	8	11	5	8	2	-	-	-
Male.....
Female.....	4	5	2	10	8	11	5	8	2	-	-	-
White, both sexes.....	4	5	2	10	8	11	5	8	2	-	-	-
Male.....
Female.....	4	5	2	10	8	11	5	8	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	47	60	66	75	77	104	74	51	23	6	1	-
Male.....
Female.....	47	60	66	75	77	104	74	51	23	6	1	-
White, both sexes.....	39	48	53	58	56	82	64	40	19	3	-	-
Male.....
Female.....	39	48	53	58	56	82	64	40	19	3	-	-
Black, both sexes.....	5	9	8	17	19	20	10	11	4	3	1	-
Male.....
Female.....	5	9	8	17	19	20	10	11	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	-	2	1	-	-	-	-	-	-
Male.....
Female.....	3	3	5	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of vulva and vagina (C51-C52)

Arkansas

All races, both sexes.....	-	2	1	1	4	4	-	3	2	-	-	-
Male.....
Female.....	-	2	1	1	4	4	-	3	2	-	-	-
White, both sexes.....	-	1	1	-	3	4	-	3	2	-	-	-
Male.....
Female.....	-	1	1	-	3	4	-	3	2	-	-	-
Black, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	6	8	9	8	15	20	12	5	3	-	-
Male.....
Female.....	5	6	8	9	8	15	20	12	5	3	-	-
White, both sexes.....	4	6	8	8	7	13	19	12	5	3	-	-
Male.....
Female.....	4	6	8	8	7	13	19	12	5	3	-	-
Black, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of cervix uteri (C53)

Alaska

All races, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	64	-	-	-	-	-	-	1	4	5	9	7
Male.....
Female.....	64	-	-	-	-	-	-	1	4	5	9	7
White, both sexes.....	51	-	-	-	-	-	-	1	2	4	7	6
Male.....
Female.....	51	-	-	-	-	-	-	1	2	4	7	6
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	2	1	2	-
Male.....
Female.....	6	-	-	-	-	-	-	-	2	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of cervix uteri (C53)												
Arkansas												
All races, both sexes.....	50	-	-	-	-	-	-	1	2	4	5	4
Male.....
Female.....	50	-	-	-	-	-	-	1	2	4	5	4
White, both sexes.....	45	-	-	-	-	-	-	1	1	4	5	4
Male.....
Female.....	45	-	-	-	-	-	-	1	1	4	5	4
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	5	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	396	-	-	-	-	-	6	10	16	31	36	49
Male.....
Female.....	396	-	-	-	-	-	6	10	16	31	36	49
White, both sexes.....	303	-	-	-	-	-	5	8	13	26	30	35
Male.....
Female.....	303	-	-	-	-	-	5	8	13	26	30	35
Black, both sexes.....	36	-	-	-	-	-	1	1	1	2	2	9
Male.....
Female.....	36	-	-	-	-	-	1	1	1	2	2	9
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	56	-	-	-	-	-	-	1	2	3	3	5
Male.....
Female.....	56	-	-	-	-	-	-	1	2	3	3	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of cervix uteri (C53)

Maine

All races, both sexes.....	15	-	-	-	-	-	-	-	-	-	2	-
Male.....
Female.....	15	-	-	-	-	-	-	-	-	-	2	-
White, both sexes.....	14	-	-	-	-	-	-	-	-	-	2	-
Male.....
Female.....	14	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	63	-	-	-	-	-	-	-	4	2	6	8
Male.....
Female.....	63	-	-	-	-	-	-	-	4	2	6	8
White, both sexes.....	31	-	-	-	-	-	-	-	1	2	3	4
Male.....
Female.....	31	-	-	-	-	-	-	-	1	2	3	4
Black, both sexes.....	27	-	-	-	-	-	-	-	2	-	1	4
Male.....
Female.....	27	-	-	-	-	-	-	-	2	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	2	-
Male.....
Female.....	5	-	-	-	-	-	-	-	1	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of cervix uteri (C53)												
Minnesota												
All races, both sexes.....	48	-	-	-	-	-	1	2	2	3	6	4
Male.....
Female.....	48	-	-	-	-	-	1	2	2	3	6	4
White, both sexes.....	40	-	-	-	-	-	-	2	2	3	4	4
Male.....
Female.....	40	-	-	-	-	-	-	2	2	3	4	4
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	2	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Mississippi												
All races, both sexes.....	57	-	-	-	-	-	-	-	-	7	4	4
Male.....
Female.....	57	-	-	-	-	-	-	-	-	7	4	4
White, both sexes.....	18	-	-	-	-	-	-	-	-	2	-	1
Male.....
Female.....	18	-	-	-	-	-	-	-	-	2	-	1
Black, both sexes.....	37	-	-	-	-	-	-	-	-	3	4	3
Male.....
Female.....	37	-	-	-	-	-	-	-	-	3	4	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of cervix uteri (C53)												
New Hampshire												
All races, both sexes.....	17	-	-	-	-	-	-	-	-	-	3	2
Male.....
Female.....	17	-	-	-	-	-	-	-	-	-	3	2
White, both sexes.....	17	-	-	-	-	-	-	-	-	-	3	2
Male.....
Female.....	17	-	-	-	-	-	-	-	-	-	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	136	-	-	-	-	-	-	1	4	5	12	19
Male.....
Female.....	136	-	-	-	-	-	-	1	4	5	12	19
White, both sexes.....	94	-	-	-	-	-	-	1	1	1	7	16
Male.....
Female.....	94	-	-	-	-	-	-	1	1	1	7	16
Black, both sexes.....	38	-	-	-	-	-	-	-	3	3	4	3
Male.....
Female.....	38	-	-	-	-	-	-	-	3	3	4	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	-
Male.....
Female.....	4	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of cervix uteri (C53)												
New Mexico												
All races, both sexes.....	23	-	-	-	-	-	-	1	-	2	1	2
Male.....
Female.....	23	-	-	-	-	-	-	1	-	2	1	2
White, both sexes.....	22	-	-	-	-	-	-	1	-	2	1	2
Male.....
Female.....	22	-	-	-	-	-	-	1	-	2	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	293	-	-	-	-	-	-	1	9	15	28	27
Male.....
Female.....	293	-	-	-	-	-	-	1	9	15	28	27
White, both sexes.....	192	-	-	-	-	-	-	1	5	7	18	18
Male.....
Female.....	192	-	-	-	-	-	-	1	5	7	18	18
Black, both sexes.....	87	-	-	-	-	-	-	-	3	7	8	7
Male.....
Female.....	87	-	-	-	-	-	-	-	3	7	8	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	1	1	2	1
Male.....
Female.....	12	-	-	-	-	-	-	-	1	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

Alaska

All races, both sexes.....	1	1	-	1	1	1	1	-	-	-	-	-
Male.....
Female.....	1	1	-	1	1	1	1	-	-	-	-	-
White, both sexes.....	1	-	-	1	1	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	7	6	6	5	1	6	2	3	2	-	-	-
Male.....
Female.....	7	6	6	5	1	6	2	3	2	-	-	-
White, both sexes.....	7	5	5	4	1	4	2	2	1	-	-	-
Male.....
Female.....	7	5	5	4	1	4	2	2	1	-	-	-
Black, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....
Female.....	-	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	1	-	-	-
Male.....
Female.....	-	-	1	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

Arkansas

All races, both sexes.....	5	6	4	3	4	3	7	1	1	-	-	-
Male.....
Female.....	5	6	4	3	4	3	7	1	1	-	-	-
White, both sexes.....	5	4	4	3	3	3	6	1	1	-	-	-
Male.....
Female.....	5	4	4	3	3	3	6	1	1	-	-	-
Black, both sexes.....	-	2	-	-	1	-	1	-	-	-	-	-
Male.....
Female.....	-	2	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	45	48	28	22	27	30	31	12	4	1	-	-
Male.....
Female.....	45	48	28	22	27	30	31	12	4	1	-	-
White, both sexes.....	36	39	21	18	20	16	25	7	3	1	-	-
Male.....
Female.....	36	39	21	18	20	16	25	7	3	1	-	-
Black, both sexes.....	2	4	2	2	1	5	2	2	-	-	-	-
Male.....
Female.....	2	4	2	2	1	5	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	5	2	6	9	4	3	1	-	-	-
Male.....
Female.....	7	5	5	2	6	9	4	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Iowa

All races, both sexes.....	6	3	7	6	2	3	7	-	2	-	-	-
Male.....
Female.....	6	3	7	6	2	3	7	-	2	-	-	-
White, both sexes.....	5	3	7	5	1	3	6	-	2	-	-	-
Male.....
Female.....	5	3	7	5	1	3	6	-	2	-	-	-
Black, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	4	3	1	3	3	6	6	1	-	-	-	-
Male.....
Female.....	4	3	1	3	3	6	6	1	-	-	-	-
White, both sexes.....	3	3	1	2	2	5	6	1	-	-	-	-
Male.....
Female.....	3	3	1	2	2	5	6	1	-	-	-	-
Black, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of cervix uteri (C53)

Kentucky

All races, both sexes.....	11	9	8	6	7	8	5	2	-	1	-	-
Male.....
Female.....	11	9	8	6	7	8	5	2	-	1	-	-
White, both sexes.....	10	7	7	4	6	8	5	-	-	1	-	-
Male.....
Female.....	10	7	7	4	6	8	5	-	-	1	-	-
Black, both sexes.....	1	2	1	1	1	-	-	2	-	-	-	-
Male.....
Female.....	1	2	1	1	1	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3	11	6	5	3	5	1	-	1	-	1	-
Male.....
Female.....	3	11	6	5	3	5	1	-	1	-	1	-
White, both sexes.....	1	7	2	3	1	1	-	-	1	-	1	-
Male.....
Female.....	1	7	2	3	1	1	-	-	1	-	1	-
Black, both sexes.....	2	4	4	2	2	3	1	-	-	-	-	-
Male.....
Female.....	2	4	4	2	2	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

Maine

All races, both sexes.....	1	2	-	2	2	2	2	-	-	2	-	-
Male.....
Female.....	1	2	-	2	2	2	2	-	-	2	-	-
White, both sexes.....	1	2	-	2	2	1	2	-	-	2	-	-
Male.....
Female.....	1	2	-	2	2	1	2	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	5	13	2	2	8	1	8	3	1	-	-	-
Male.....
Female.....	5	13	2	2	8	1	8	3	1	-	-	-
White, both sexes.....	2	6	1	1	3	-	5	3	-	-	-	-
Male.....
Female.....	2	6	1	1	3	-	5	3	-	-	-	-
Black, both sexes.....	3	6	1	1	5	1	3	-	-	-	-	-
Male.....
Female.....	3	6	1	1	5	1	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

New Mexico

All races, both sexes.....	2	3	-	1	2	2	3	2	1	-	1	-
Male.....
Female.....	2	3	-	1	2	2	3	2	1	-	1	-
White, both sexes.....	2	3	-	1	2	2	2	2	1	-	1	-
Male.....
Female.....	2	3	-	1	2	2	2	2	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	37	46	24	24	17	26	18	10	10	1	-	-
Male.....
Female.....	37	46	24	24	17	26	18	10	10	1	-	-
White, both sexes.....	20	32	18	14	12	17	15	8	6	1	-	-
Male.....
Female.....	20	32	18	14	12	17	15	8	6	1	-	-
Black, both sexes.....	15	13	5	10	5	8	2	1	3	-	-	-
Male.....
Female.....	15	13	5	10	5	8	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	-	1	1	1	-	-	-	-
Male.....
Female.....	2	1	1	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of cervix uteri (C53)

Oregon

All races, both sexes.....	5	2	3	3	4	-	9	1	3	2	-	-
Male.....
Female.....	5	2	3	3	4	-	9	1	3	2	-	-
White, both sexes.....	5	2	3	3	4	-	6	1	3	2	-	-
Male.....
Female.....	5	2	3	3	4	-	6	1	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	16	18	12	18	11	11	12	6	4	1	-	-
Male.....
Female.....	16	18	12	18	11	11	12	6	4	1	-	-
White, both sexes.....	13	17	8	16	9	9	10	5	4	1	-	-
Male.....
Female.....	13	17	8	16	9	9	10	5	4	1	-	-
Black, both sexes.....	2	1	4	2	2	1	2	1	-	-	-	-
Male.....
Female.....	2	1	4	2	2	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Arkansas

All races, both sexes.....	72	-	-	-	-	-	-	-	-	-	2	2
Male.....
Female.....	72	-	-	-	-	-	-	-	-	-	2	2
White, both sexes.....	55	-	-	-	-	-	-	-	-	-	-	2
Male.....
Female.....	55	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	17	-	-	-	-	-	-	-	-	-	2	-
Male.....
Female.....	17	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	709	-	-	-	-	-	-	-	5	7	19	20
Male.....
Female.....	709	-	-	-	-	-	-	-	5	7	19	20
White, both sexes.....	559	-	-	-	-	-	-	-	2	6	13	15
Male.....
Female.....	559	-	-	-	-	-	-	-	2	6	13	15
Black, both sexes.....	85	-	-	-	-	-	-	-	2	-	2	2
Male.....
Female.....	85	-	-	-	-	-	-	-	2	-	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	-	-	-	-	-	-	-	1	1	4	3
Male.....
Female.....	65	-	-	-	-	-	-	-	1	1	4	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Texas

All races, both sexes.....	355	-	-	-	-	-	1	1	2	2	5	6
Male.....
Female.....	355	-	-	-	-	-	1	1	2	2	5	6
White, both sexes.....	290	-	-	-	-	-	1	1	2	2	4	5
Male.....
Female.....	290	-	-	-	-	-	1	1	2	2	4	5
Black, both sexes.....	61	-	-	-	-	-	-	-	-	-	1	1
Male.....
Female.....	61	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	42	-	-	-	-	-	-	-	-	1	-	1
Male.....
Female.....	42	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	41	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	41	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Arkansas

All races, both sexes.....	3	6	6	6	6	11	16	8	5	1	-	-
Male.....
Female.....	3	6	6	6	6	11	16	8	5	1	-	-
White, both sexes.....	3	5	5	4	3	9	13	7	3	1	-	-
Male.....
Female.....	3	5	5	4	3	9	13	7	3	1	-	-
Black, both sexes.....	-	1	1	2	3	2	3	1	2	-	-	-
Male.....
Female.....	-	1	1	2	3	2	3	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	45	70	65	85	96	98	90	69	30	9	1	-
Male.....
Female.....	45	70	65	85	96	98	90	69	30	9	1	-
White, both sexes.....	31	56	49	65	78	71	75	62	26	9	1	-
Male.....
Female.....	31	56	49	65	78	71	75	62	26	9	1	-
Black, both sexes.....	7	8	9	11	11	18	8	3	4	-	-	-
Male.....
Female.....	7	8	9	11	11	18	8	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	6	7	9	7	9	7	4	-	-	-	-
Male.....
Female.....	7	6	7	9	7	9	7	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Maine

All races, both sexes.....	2	7	5	3	5	7	3	5	1	-	-	-
Male.....
Female.....	2	7	5	3	5	7	3	5	1	-	-	-
White, both sexes.....	2	7	5	3	5	7	3	5	1	-	-	-
Male.....
Female.....	2	7	5	3	5	7	3	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	12	10	21	21	12	18	14	11	4	2	-	-
Male.....
Female.....	12	10	21	21	12	18	14	11	4	2	-	-
White, both sexes.....	8	3	14	12	10	12	10	9	4	2	-	-
Male.....
Female.....	8	3	14	12	10	12	10	9	4	2	-	-
Black, both sexes.....	3	6	7	9	2	6	3	2	-	-	-	-
Male.....
Female.....	3	6	7	9	2	6	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Nebraska

All races, both sexes.....	5	4	4	7	9	10	4	8	3	1	-	-
Male.....
Female.....	5	4	4	7	9	10	4	8	3	1	-	-
White, both sexes.....	5	4	4	7	8	10	4	8	3	1	-	-
Male.....
Female.....	5	4	4	7	8	10	4	8	3	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	3	5	-	7	4	4	-	2	-	-	-
Male.....
Female.....	1	3	5	-	7	4	4	-	2	-	-	-
White, both sexes.....	1	3	5	-	5	4	3	-	2	-	-	-
Male.....
Female.....	1	3	5	-	5	4	3	-	2	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of corpus uteri and uterus, part unspecified (C54-C55)

New Hampshire

All races, both sexes.....	3	1	2	-	4	4	1	4	-	-	-	-
Male.....
Female.....	3	1	2	-	4	4	1	4	-	-	-	-
White, both sexes.....	3	1	2	-	4	4	1	4	-	-	-	-
Male.....
Female.....	3	1	2	-	4	4	1	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	10	34	24	29	38	42	46	24	11	4	1	-
Male.....
Female.....	10	34	24	29	38	42	46	24	11	4	1	-
White, both sexes.....	5	28	19	22	30	36	40	23	9	4	1	-
Male.....
Female.....	5	28	19	22	30	36	40	23	9	4	1	-
Black, both sexes.....	5	5	5	6	8	5	6	1	2	-	-	-
Male.....
Female.....	5	5	5	6	8	5	6	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of corpus uteri and uterus, part unspecified (C54-C55)

New Mexico

All races, both sexes.....	1	5	3	2	5	4	8	2	-	2	-	-
Male.....
Female.....	1	5	3	2	5	4	8	2	-	2	-	-
White, both sexes.....	1	5	3	2	4	4	8	2	-	2	-	-
Male.....
Female.....	1	5	3	2	4	4	8	2	-	2	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	28	43	76	92	87	89	71	53	25	7	1	-
Male.....
Female.....	28	43	76	92	87	89	71	53	25	7	1	-
White, both sexes.....	23	31	44	59	62	73	59	47	25	5	-	-
Male.....
Female.....	23	31	44	59	62	73	59	47	25	5	-	-
Black, both sexes.....	5	11	31	30	23	15	11	6	-	2	1	-
Male.....
Female.....	5	11	31	30	23	15	11	6	-	2	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	2	1	1	-	-	-	-	-
Male.....
Female.....	-	1	-	3	2	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of corpus uteri and uterus, part unspecified (C54-C55)

Oregon

All races, both sexes.....	7	8	8	8	12	10	10	11	3	-	-	-
Male.....
Female.....	7	8	8	8	12	10	10	11	3	-	-	-
White, both sexes.....	7	7	7	8	12	10	9	11	3	-	-	-
Male.....
Female.....	7	7	7	8	12	10	9	11	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	1	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	18	32	43	43	64	67	54	50	15	3	2	-
Male.....
Female.....	18	32	43	43	64	67	54	50	15	3	2	-
White, both sexes.....	18	24	37	38	58	59	50	47	15	3	1	-
Male.....
Female.....	18	24	37	38	58	59	50	47	15	3	1	-
Black, both sexes.....	-	8	6	5	6	7	4	3	-	-	1	-
Male.....
Female.....	-	8	6	5	6	7	4	3	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of ovary (C56)												
Arkansas												
All races, both sexes.....	129	-	-	-	-	-	1	1	1	1	4	5
Male.....
Female.....	129	-	-	-	-	-	1	1	1	1	4	5
White, both sexes.....	115	-	-	-	-	-	-	1	1	1	3	5
Male.....
Female.....	115	-	-	-	-	-	-	1	1	1	3	5
Black, both sexes.....	14	-	-	-	-	-	1	-	-	-	1	-
Male.....
Female.....	14	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,612	-	-	-	-	1	1	4	7	14	38	63
Male.....
Female.....	1,612	-	-	-	-	1	1	4	7	14	38	63
White, both sexes.....	1,409	-	-	-	-	1	-	4	7	11	30	53
Male.....
Female.....	1,409	-	-	-	-	1	-	4	7	11	30	53
Black, both sexes.....	79	-	-	-	-	-	-	-	-	1	1	2
Male.....
Female.....	79	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	119	-	-	-	-	-	1	-	-	2	7	8
Male.....
Female.....	119	-	-	-	-	-	1	-	-	2	7	8

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of ovary (C56)												
Oregon												
All races, both sexes.....	186	-	-	-	-	-	1	1	1	-	4	6
Male.....
Female.....	186	-	-	-	-	-	1	1	1	-	4	6
White, both sexes.....	182	-	-	-	-	-	1	1	1	-	4	6
Male.....
Female.....	182	-	-	-	-	-	1	1	1	-	4	6
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	774	-	-	-	-	-	-	2	3	6	14	33
Male.....
Female.....	774	-	-	-	-	-	-	2	3	6	14	33
White, both sexes.....	718	-	-	-	-	-	-	2	2	5	14	29
Male.....
Female.....	718	-	-	-	-	-	-	2	2	5	14	29
Black, both sexes.....	49	-	-	-	-	-	-	-	1	-	-	4
Male.....
Female.....	49	-	-	-	-	-	-	-	1	-	-	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	6	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of ovary (C56)												
Vermont												
All races, both sexes.....	30	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	30	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	30	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	30	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	360	-	-	-	-	-	2	-	1	5	7	19
Male.....
Female.....	360	-	-	-	-	-	2	-	1	5	7	19
White, both sexes.....	303	-	-	-	-	-	1	-	1	3	7	17
Male.....
Female.....	303	-	-	-	-	-	1	-	1	3	7	17
Black, both sexes.....	45	-	-	-	-	-	1	-	-	1	-	2
Male.....
Female.....	45	-	-	-	-	-	1	-	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	11	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of ovary (C56)												
Arkansas												
All races, both sexes.....	7	13	11	20	13	22	18	9	3	-	-	-
Male.....
Female.....	7	13	11	20	13	22	18	9	3	-	-	-
White, both sexes.....	7	12	10	19	11	18	16	8	3	-	-	-
Male.....
Female.....	7	12	10	19	11	18	16	8	3	-	-	-
Black, both sexes.....	-	1	1	1	2	4	2	1	-	-	-	-
Male.....
Female.....	-	1	1	1	2	4	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	115	133	200	183	224	212	211	137	61	7	1	-
Male.....
Female.....	115	133	200	183	224	212	211	137	61	7	1	-
White, both sexes.....	101	115	184	151	197	182	185	124	57	6	1	-
Male.....
Female.....	101	115	184	151	197	182	185	124	57	6	1	-
Black, both sexes.....	4	9	8	13	6	13	12	6	3	1	-	-
Male.....
Female.....	4	9	8	13	6	13	12	6	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	1	-	-	-	-
Male.....
Female.....	-	-	-	-	1	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	9	8	19	20	16	12	6	1	-	-	-
Male.....
Female.....	10	9	8	19	20	16	12	6	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Florida

All races, both sexes.....	60	95	108	101	116	160	138	82	38	9	-	-
Male.....
Female.....	60	95	108	101	116	160	138	82	38	9	-	-
White, both sexes.....	52	82	101	93	106	153	134	76	38	9	-	-
Male.....
Female.....	52	82	101	93	106	153	134	76	38	9	-	-
Black, both sexes.....	7	13	6	7	10	7	4	4	-	-	-	-
Male.....
Female.....	7	13	6	7	10	7	4	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	-	-	2	-	-	-	-
Male.....
Female.....	1	-	1	1	-	-	-	2	-	-	-	-

Georgia

All races, both sexes.....	26	31	46	40	64	47	52	17	8	1	-	-
Male.....
Female.....	26	31	46	40	64	47	52	17	8	1	-	-
White, both sexes.....	22	25	33	24	55	41	40	12	7	1	-	-
Male.....
Female.....	22	25	33	24	55	41	40	12	7	1	-	-
Black, both sexes.....	4	6	11	15	9	6	12	4	1	-	-	-
Male.....
Female.....	4	6	11	15	9	6	12	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	1	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Kentucky

All races, both sexes.....	12	20	24	22	25	34	31	14	3	2	-	-
Male.....
Female.....	12	20	24	22	25	34	31	14	3	2	-	-
White, both sexes.....	12	20	24	20	25	33	30	14	3	2	-	-
Male.....
Female.....	12	20	24	20	25	33	30	14	3	2	-	-
Black, both sexes.....	-	-	-	2	-	1	1	-	-	-	-	-
Male.....
Female.....	-	-	-	2	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	22	9	22	26	35	32	36	14	9	1	-	-
Male.....
Female.....	22	9	22	26	35	32	36	14	9	1	-	-
White, both sexes.....	13	7	16	19	29	24	29	12	9	-	-	-
Male.....
Female.....	13	7	16	19	29	24	29	12	9	-	-	-
Black, both sexes.....	8	2	6	7	5	8	7	2	-	1	-	-
Male.....
Female.....	8	2	6	7	5	8	7	2	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Massachusetts

All races, both sexes.....	18	41	31	42	47	48	59	23	11	2	1	-
Male.....
Female.....	18	41	31	42	47	48	59	23	11	2	1	-
White, both sexes.....	17	40	30	41	45	47	59	23	11	2	1	-
Male.....
Female.....	17	40	30	41	45	47	59	23	11	2	1	-
Black, both sexes.....	1	1	1	1	2	1	-	-	-	-	-	-
Male.....
Female.....	1	1	1	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	42	43	44	70	66	79	52	53	5	3	-	-
Male.....
Female.....	42	43	44	70	66	79	52	53	5	3	-	-
White, both sexes.....	34	38	41	63	55	75	47	46	5	3	-	-
Male.....
Female.....	34	38	41	63	55	75	47	46	5	3	-	-
Black, both sexes.....	8	5	3	7	11	4	5	5	-	-	-	-
Male.....
Female.....	8	5	3	7	11	4	5	5	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

New Hampshire

All races, both sexes.....	7	13	6	6	4	5	10	6	2	1	-	-
Male.....
Female.....	7	13	6	6	4	5	10	6	2	1	-	-
White, both sexes.....	7	12	5	6	4	5	10	6	2	1	-	-
Male.....
Female.....	7	12	5	6	4	5	10	6	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	1	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	37	48	69	45	70	70	73	43	23	1	-	-
Male.....
Female.....	37	48	69	45	70	70	73	43	23	1	-	-
White, both sexes.....	29	41	63	42	65	63	69	41	20	1	-	-
Male.....
Female.....	29	41	63	42	65	63	69	41	20	1	-	-
Black, both sexes.....	6	4	6	2	4	7	2	2	3	-	-	-
Male.....
Female.....	6	4	6	2	4	7	2	2	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	1	1	-	1	-	-	-	-	-
Male.....
Female.....	2	3	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of ovary (C56)

New Mexico

All races, both sexes.....	6	11	11	8	15	17	12	5	1	-	-	-
Male.....
Female.....	6	11	11	8	15	17	12	5	1	-	-	-
White, both sexes.....	5	8	9	8	14	16	12	4	1	-	-	-
Male.....
Female.....	5	8	9	8	14	16	12	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	-	1	1	-	1	-	-	-	-
Male.....
Female.....	1	2	2	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	83	108	127	136	102	152	150	71	30	12	1	-
Male.....
Female.....	83	108	127	136	102	152	150	71	30	12	1	-
White, both sexes.....	69	91	108	118	90	135	138	66	27	12	-	-
Male.....
Female.....	69	91	108	118	90	135	138	66	27	12	-	-
Black, both sexes.....	11	15	15	17	9	16	10	5	2	-	1	-
Male.....
Female.....	11	15	15	17	9	16	10	5	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	4	1	2	1	2	-	1	-	-	-
Male.....
Female.....	3	2	4	1	2	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Ohio

All races, both sexes.....	51	66	64	72	92	99	85	46	27	3	-	-
Male.....
Female.....	51	66	64	72	92	99	85	46	27	3	-	-
White, both sexes.....	46	62	60	65	86	89	81	44	26	3	-	-
Male.....
Female.....	46	62	60	65	86	89	81	44	26	3	-	-
Black, both sexes.....	4	3	4	6	5	10	4	2	1	-	-	-
Male.....
Female.....	4	3	4	6	5	10	4	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	1	-	-	1	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	11	13	22	20	22	27	22	22	8	-	-	-
Male.....
Female.....	11	13	22	20	22	27	22	22	8	-	-	-
White, both sexes.....	9	13	20	20	21	23	22	19	8	-	-	-
Male.....
Female.....	9	13	20	20	21	23	22	19	8	-	-	-
Black, both sexes.....	-	-	1	-	-	1	-	2	-	-	-	-
Male.....
Female.....	-	-	1	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	1	2	-	1	-	-	-	-
Male.....
Female.....	2	-	1	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Oregon

All races, both sexes.....	12	15	23	19	20	24	31	18	9	2	-	-
Male.....
Female.....	12	15	23	19	20	24	31	18	9	2	-	-
White, both sexes.....	11	15	23	18	20	23	31	17	9	2	-	-
Male.....
Female.....	11	15	23	18	20	23	31	17	9	2	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Pennsylvania

All races, both sexes.....	47	78	65	85	104	125	116	66	24	5	1	-
Male.....
Female.....	47	78	65	85	104	125	116	66	24	5	1	-
White, both sexes.....	42	71	60	78	96	115	114	62	22	5	1	-
Male.....
Female.....	42	71	60	78	96	115	114	62	22	5	1	-
Black, both sexes.....	3	5	4	7	7	10	2	4	2	-	-	-
Male.....
Female.....	3	5	4	7	7	10	2	4	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	1	-	-	-	-	-	-	-
Male.....
Female.....	2	1	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of ovary (C56)

Vermont

All races, both sexes.....	1	4	1	4	5	8	1	4	1	-	-	-
Male.....
Female.....	1	4	1	4	5	8	1	4	1	-	-	-
White, both sexes.....	1	4	1	4	5	8	1	4	1	-	-	-
Male.....
Female.....	1	4	1	4	5	8	1	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	25	39	43	38	44	58	45	24	9	1	-	-
Male.....
Female.....	25	39	43	38	44	58	45	24	9	1	-	-
White, both sexes.....	20	33	38	34	34	51	40	17	6	1	-	-
Male.....
Female.....	20	33	38	34	34	51	40	17	6	1	-	-
Black, both sexes.....	3	3	3	4	8	5	5	7	3	-	-	-
Male.....
Female.....	3	3	3	4	8	5	5	7	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	-	2	1	-	-	-	-	-	-
Male.....
Female.....	2	3	2	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of placenta (C58)

Arkansas

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	-	-	-	-	-	-	-	-	2	1	-
Male.....
Female.....	3	-	-	-	-	-	-	-	-	2	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

Alaska

All races, both sexes.....	2	2	3	4	4	10	6	5	3	-	-	-
Male.....	1	1	1	4	4	6	5	3	1	-	-	-
Female.....	1	1	2	-	-	4	1	2	2	-	-	-
White, both sexes.....	2	2	3	4	3	10	3	4	2	-	-	-
Male.....	1	1	1	4	3	6	3	3	1	-	-	-
Female.....	1	1	2	-	-	4	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	3	1	1	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	15	33	41	39	63	95	72	49	25	5	1	-
Male.....	7	22	34	28	45	67	45	28	16	2	-	-
Female.....	8	11	7	11	18	28	27	21	9	3	1	-
White, both sexes.....	13	29	38	38	60	90	68	49	25	5	1	-
Male.....	6	21	31	27	44	64	43	28	16	2	-	-
Female.....	7	8	7	11	16	26	25	21	9	3	1	-
Black, both sexes.....	-	-	1	1	1	2	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	2	-	2	1	2	-	-	-	-	-
Male.....	1	1	2	-	1	1	1	-	-	-	-	-
Female.....	1	2	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

Arkansas

All races, both sexes.....	14	28	20	21	21	38	41	17	16	5	-	-
Male.....	8	20	14	14	13	22	24	12	7	-	-	-
Female.....	6	8	6	7	8	16	17	5	9	5	-	-
White, both sexes.....	11	25	18	18	19	37	38	16	13	4	-	-
Male.....	6	18	13	12	13	21	24	11	5	-	-	-
Female.....	5	7	5	6	6	16	14	5	8	4	-	-
Black, both sexes.....	3	3	2	3	2	1	3	1	3	1	-	-
Male.....	2	2	1	2	-	1	-	1	2	-	-	-
Female.....	1	1	1	1	2	-	3	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	101	174	243	252	323	381	451	251	131	39	4	-
Male.....	72	125	180	183	207	258	293	146	81	19	2	-
Female.....	29	49	63	69	116	123	158	105	50	20	2	-
White, both sexes.....	87	152	202	214	288	340	409	237	124	36	3	-
Male.....	62	110	152	157	186	234	273	138	76	18	1	-
Female.....	25	42	50	57	102	106	136	99	48	18	2	-
Black, both sexes.....	12	12	24	19	15	18	20	3	3	2	1	-
Male.....	8	8	14	14	8	8	8	2	2	-	1	-
Female.....	4	4	10	5	7	10	12	1	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	10	17	19	20	22	20	11	4	1	-	-
Male.....	2	7	14	12	13	16	12	6	3	1	-	-
Female.....	-	3	3	7	7	6	8	5	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

Maine

All races, both sexes.....	14	7	12	10	18	21	19	15	8	2	1	-
Male.....	10	7	6	7	9	15	9	8	3	-	-	-
Female.....	4	-	6	3	9	6	10	7	5	2	1	-
White, both sexes.....	14	7	12	10	18	21	19	15	8	2	1	-
Male.....	10	7	6	7	9	15	9	8	3	-	-	-
Female.....	4	-	6	3	9	6	10	7	5	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	19	31	41	44	54	77	63	51	27	7	-	-
Male.....	15	24	27	23	30	48	45	29	11	1	-	-
Female.....	4	7	14	21	24	29	18	22	16	6	-	-
White, both sexes.....	13	24	32	34	45	65	54	43	23	6	-	-
Male.....	11	18	23	19	26	44	41	26	10	1	-	-
Female.....	2	6	9	15	19	21	13	17	13	5	-	-
Black, both sexes.....	6	7	7	10	8	12	8	8	3	1	-	-
Male.....	4	6	2	4	4	4	3	3	1	-	-	-
Female.....	2	1	5	6	4	8	5	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

New Hampshire

All races, both sexes.....	3	11	11	8	17	22	20	12	7	2	-	-
Male.....	2	8	9	6	10	15	16	6	4	1	-	-
Female.....	1	3	2	2	7	7	4	6	3	1	-	-
White, both sexes.....	3	11	11	8	17	22	20	12	7	2	-	-
Male.....	2	8	9	6	10	15	16	6	4	1	-	-
Female.....	1	3	2	2	7	7	4	6	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	28	41	60	76	108	144	143	112	49	11	3	-
Male.....	18	27	42	56	75	84	79	66	21	4	-	-
Female.....	10	14	18	20	33	60	64	46	28	7	3	-
White, both sexes.....	21	35	52	66	101	131	133	111	47	11	3	-
Male.....	13	25	35	48	70	75	76	65	21	4	-	-
Female.....	8	10	17	18	31	56	57	46	26	7	3	-
Black, both sexes.....	7	5	6	8	5	13	9	1	2	-	-	-
Male.....	5	2	5	6	3	9	3	1	-	-	-	-
Female.....	2	3	1	2	2	4	6	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	2	-	1	-	-	-	-	-
Male.....	-	-	1	2	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

New Mexico

All races, both sexes.....	8	9	19	18	22	20	27	16	11	3	1	-
Male.....	6	6	11	12	19	12	17	9	7	2	-	-
Female.....	2	3	8	6	3	8	10	7	4	1	1	-
White, both sexes.....	8	9	18	16	19	20	26	16	11	3	1	-
Male.....	6	6	10	11	16	12	16	9	7	2	-	-
Female.....	2	3	8	5	3	8	10	7	4	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	3	-	1	-	-	-	-	-
Male.....	-	-	1	1	3	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	68	92	116	155	223	279	243	218	106	28	3	-
Male.....	46	72	89	111	142	188	144	113	53	11	2	-
Female.....	22	20	27	44	81	91	99	105	53	17	1	-
White, both sexes.....	53	78	102	137	191	253	223	203	100	27	3	-
Male.....	38	61	79	98	125	169	134	104	51	10	2	-
Female.....	15	17	23	39	66	84	89	99	49	17	1	-
Black, both sexes.....	13	9	13	16	23	23	18	12	6	-	-	-
Male.....	7	7	9	11	12	16	9	7	2	-	-	-
Female.....	6	2	4	5	11	7	9	5	4	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	-	2	7	3	2	3	-	1	-	-
Male.....	1	4	-	2	4	3	1	2	-	1	-	-
Female.....	-	1	-	-	3	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

Oregon

All races, both sexes.....	13	22	28	30	49	55	65	41	22	7	1	-
Male.....	6	16	21	19	33	40	45	28	10	1	-	-
Female.....	7	6	7	11	16	15	20	13	12	6	1	-
White, both sexes.....	13	21	28	30	48	54	62	40	22	7	1	-
Male.....	6	16	21	19	32	39	44	27	10	1	-	-
Female.....	7	5	7	11	16	15	18	13	12	6	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	49	88	116	133	186	266	249	187	91	20	4	-
Male.....	40	57	88	91	132	173	140	106	42	9	2	-
Female.....	9	31	28	42	54	93	109	81	49	11	2	-
White, both sexes.....	42	79	112	123	172	249	232	174	89	19	4	-
Male.....	34	52	84	84	120	165	135	101	41	9	2	-
Female.....	8	27	28	39	52	84	97	73	48	10	2	-
Black, both sexes.....	7	8	4	10	14	17	17	12	2	1	-	-
Male.....	6	4	4	7	12	8	5	5	1	-	-	-
Female.....	1	4	-	3	2	9	12	7	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of urinary tract (C64-C68)

Vermont

All races, both sexes.....	1	2	5	3	12	11	9	7	1	2	-	-
Male.....	1	2	3	3	8	5	7	4	-	-	-	-
Female.....	-	-	2	-	4	6	2	3	1	2	-	-
White, both sexes.....	1	2	5	3	12	11	9	7	1	2	-	-
Male.....	1	2	3	3	8	5	7	4	-	-	-	-
Female.....	-	-	2	-	4	6	2	3	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	25	55	54	64	83	96	92	77	30	11	-	-
Male.....	21	35	44	45	60	63	63	49	14	4	-	-
Female.....	4	20	10	19	23	33	29	28	16	7	-	-
White, both sexes.....	22	45	45	50	66	80	77	67	28	9	-	-
Male.....	18	30	36	34	48	51	53	45	13	3	-	-
Female.....	4	15	9	16	18	29	24	22	15	6	-	-
Black, both sexes.....	3	8	8	13	14	15	14	10	2	1	-	-
Male.....	3	4	7	10	11	11	10	4	1	-	-	-
Female.....	-	4	1	3	3	4	4	6	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	3	1	1	-	-	1	-	-
Male.....	-	1	1	1	1	1	-	-	-	1	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of kidney and renal pelvis (C64-C65)

Arkansas

All races, both sexes.....	11	19	14	15	9	22	12	6	7	2	-	-
Male.....	7	12	8	8	5	12	7	4	4	-	-	-
Female.....	4	7	6	7	4	10	5	2	3	2	-	-
White, both sexes.....	8	16	12	12	7	21	11	6	5	1	-	-
Male.....	5	10	7	6	5	11	7	4	2	-	-	-
Female.....	3	6	5	6	2	10	4	2	3	1	-	-
Black, both sexes.....	3	3	2	3	2	1	1	-	2	1	-	-
Male.....	2	2	1	2	-	1	-	-	2	-	-	-
Female.....	1	1	1	1	2	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	72	105	152	138	162	151	174	80	40	2	1	-
Male.....	54	74	110	95	98	94	105	37	20	2	-	-
Female.....	18	31	42	43	64	57	69	43	20	-	1	-
White, both sexes.....	63	93	126	115	145	136	161	76	39	2	1	-
Male.....	46	67	90	81	87	86	99	34	20	2	-	-
Female.....	17	26	36	34	58	50	62	42	19	-	1	-
Black, both sexes.....	7	7	16	11	7	3	2	2	-	-	-	-
Male.....	6	5	11	8	4	1	1	1	-	-	-	-
Female.....	1	2	5	3	3	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	10	12	10	12	9	2	1	-	-	-
Male.....	2	2	9	6	7	7	5	2	-	-	-	-
Female.....	-	3	1	6	3	5	4	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of kidney and renal pelvis (C64-C65)

Maine

All races, both sexes.....	11	6	7	1	10	3	8	3	3	-	-	-
Male.....	7	6	5	-	2	3	4	2	2	-	-	-
Female.....	4	-	2	1	8	-	4	1	1	-	-	-
White, both sexes.....	11	6	7	1	10	3	8	3	3	-	-	-
Male.....	7	6	5	-	2	3	4	2	2	-	-	-
Female.....	4	-	2	1	8	-	4	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	9	22	23	20	26	29	21	12	12	2	-	-
Male.....	7	16	14	8	9	18	13	5	3	-	-	-
Female.....	2	6	9	12	17	11	8	7	9	2	-	-
White, both sexes.....	6	18	15	12	21	23	15	8	10	2	-	-
Male.....	5	12	11	6	7	16	10	4	3	-	-	-
Female.....	1	6	4	6	14	7	5	4	7	2	-	-
Black, both sexes.....	3	4	7	8	4	6	5	4	2	-	-	-
Male.....	2	4	2	2	2	2	1	1	-	-	-	-
Female.....	1	-	5	6	2	4	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of kidney and renal pelvis (C64-C65)

New Mexico

All races, both sexes.....	7	7	14	9	16	11	14	4	4	1	-	-
Male.....	5	4	8	3	13	5	8	4	3	-	-	-
Female.....	2	3	6	6	3	6	6	-	1	1	-	-
White, both sexes.....	7	7	13	7	13	11	13	4	4	1	-	-
Male.....	5	4	7	2	10	5	7	4	3	-	-	-
Female.....	2	3	6	5	3	6	6	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	3	-	1	-	-	-	-	-
Male.....	-	-	1	1	3	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	39	53	72	86	107	112	73	72	37	7	-	-
Male.....	26	43	53	62	70	67	31	22	15	2	-	-
Female.....	13	10	19	24	37	45	42	50	22	5	-	-
White, both sexes.....	30	46	64	78	89	102	65	66	34	6	-	-
Male.....	21	38	47	57	59	59	29	18	14	1	-	-
Female.....	9	8	17	21	30	43	36	48	20	5	-	-
Black, both sexes.....	7	4	8	7	13	9	7	5	3	-	-	-
Male.....	4	3	6	4	9	7	2	3	1	-	-	-
Female.....	3	1	2	3	4	2	5	2	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	1	4	1	1	1	-	1	-	-
Male.....	1	2	-	1	2	1	-	1	-	1	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of kidney and renal pelvis (C64-C65)

Vermont

All races, both sexes.....	1	1	3	-	5	6	3	2	1	-	-	-
Male.....	1	1	2	-	3	1	2	2	-	-	-	-
Female.....	-	-	1	-	2	5	1	-	1	-	-	-
White, both sexes.....	1	1	3	-	5	6	3	2	1	-	-	-
Male.....	1	1	2	-	3	1	2	2	-	-	-	-
Female.....	-	-	1	-	2	5	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	22	37	33	35	39	43	26	23	9	5	-	-
Male.....	18	23	25	24	29	29	18	13	3	2	-	-
Female.....	4	14	8	11	10	14	8	10	6	3	-	-
White, both sexes.....	19	29	27	27	27	38	21	20	9	4	-	-
Male.....	15	19	19	18	21	25	14	12	3	1	-	-
Female.....	4	10	8	9	6	13	7	8	6	3	-	-
Black, both sexes.....	3	6	6	8	10	4	5	3	-	-	-	-
Male.....	3	3	6	6	8	3	4	1	-	-	-	-
Female.....	-	3	-	2	2	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	2	1	-	-	-	1	-	-
Male.....	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	1	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

Alaska

All races, both sexes.....	-	1	1	2	2	5	4	3	1	-	-	-
Male.....	-	1	-	2	2	3	3	2	1	-	-	-
Female.....	-	-	1	-	-	2	1	1	-	-	-	-
White, both sexes.....	-	1	1	2	2	5	2	3	1	-	-	-
Male.....	-	1	-	2	2	3	2	2	1	-	-	-
Female.....	-	-	1	-	-	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	5	20	21	38	48	35	34	18	4	1	-
Male.....	2	3	17	15	30	35	26	23	13	1	-	-
Female.....	2	2	3	6	8	13	9	11	5	3	1	-
White, both sexes.....	4	5	20	20	37	46	33	34	18	4	1	-
Male.....	2	3	17	14	30	34	24	23	13	1	-	-
Female.....	2	2	3	6	7	12	9	11	5	3	1	-
Black, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

Arkansas

All races, both sexes.....	3	8	6	6	12	16	28	11	8	3	-	-
Male.....	1	7	6	6	8	10	16	8	3	-	-	-
Female.....	2	1	-	-	4	6	12	3	5	3	-	-
White, both sexes.....	3	8	6	6	12	16	26	10	8	3	-	-
Male.....	1	7	6	6	8	10	16	7	3	-	-	-
Female.....	2	1	-	-	4	6	10	3	5	3	-	-
Black, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	28	67	84	106	152	215	268	163	90	37	3	-
Male.....	17	51	66	84	105	154	184	106	60	17	2	-
Female.....	11	16	18	22	47	61	84	57	30	20	1	-
White, both sexes.....	23	57	71	94	137	189	241	153	84	34	2	-
Male.....	15	43	58	74	97	138	171	101	55	16	1	-
Female.....	8	14	13	20	40	51	70	52	29	18	1	-
Black, both sexes.....	5	5	6	7	8	15	17	1	3	2	1	-
Male.....	2	3	3	6	4	7	7	1	2	-	1	-
Female.....	3	2	3	1	4	8	10	-	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	7	5	7	10	10	9	3	1	-	-
Male.....	-	5	5	4	4	9	6	4	3	1	-	-
Female.....	-	-	2	1	3	1	4	5	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

Maine

All races, both sexes.....	3	1	5	8	8	17	11	11	5	2	1	-
Male.....	3	1	1	7	7	12	5	6	1	-	-	-
Female.....	-	-	4	1	1	5	6	5	4	2	1	-
White, both sexes.....	3	1	5	8	8	17	11	11	5	2	1	-
Male.....	3	1	1	7	7	12	5	6	1	-	-	-
Female.....	-	-	4	1	1	5	6	5	4	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	10	9	17	24	27	46	41	38	13	5	-	-
Male.....	8	8	13	15	20	29	31	24	7	1	-	-
Female.....	2	1	4	9	7	17	10	14	6	4	-	-
White, both sexes.....	7	6	16	22	23	40	38	34	11	4	-	-
Male.....	6	6	12	13	18	27	30	22	6	1	-	-
Female.....	1	-	4	9	5	13	8	12	5	3	-	-
Black, both sexes.....	3	3	-	2	4	6	3	4	1	1	-	-
Male.....	2	2	-	2	2	2	1	2	1	-	-	-
Female.....	1	1	-	-	2	4	2	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of bladder (C67)

New Hampshire

All races, both sexes.....	-	5	6	2	6	12	13	8	5	1	-	-
Male.....	-	5	5	2	5	6	12	5	4	-	-	-
Female.....	-	-	1	-	1	6	1	3	1	1	-	-
White, both sexes.....	-	5	6	2	6	12	13	8	5	1	-	-
Male.....	-	5	5	2	5	6	12	5	4	-	-	-
Female.....	-	-	1	-	1	6	1	3	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	22	24	39	54	75	77	55	30	8	3	-
Male.....	8	15	15	31	37	46	51	37	14	4	-	-
Female.....	5	7	9	8	17	29	26	18	16	4	3	-
White, both sexes.....	11	21	22	34	51	71	70	55	28	8	3	-
Male.....	7	15	14	27	35	45	49	37	14	4	-	-
Female.....	4	6	8	7	16	26	21	18	14	4	3	-
Black, both sexes.....	2	1	2	4	2	4	6	-	2	-	-	-
Male.....	1	-	1	3	1	1	2	-	-	-	-	-
Female.....	1	1	1	1	1	3	4	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

New Mexico

All races, both sexes.....	1	2	5	9	6	9	12	12	7	1	1	-
Male.....	1	2	3	9	6	7	9	5	4	1	-	-
Female.....	-	-	2	-	-	2	3	7	3	-	1	-
White, both sexes.....	1	2	5	9	6	9	12	12	7	1	1	-
Male.....	1	2	3	9	6	7	9	5	4	1	-	-
Female.....	-	-	2	-	-	2	3	7	3	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	29	35	41	66	113	157	162	141	65	20	3	-
Male.....	20	26	33	48	71	115	108	90	36	9	2	-
Female.....	9	9	8	18	42	42	54	51	29	11	1	-
White, both sexes.....	23	29	35	56	100	142	151	132	62	20	3	-
Male.....	17	21	29	40	65	105	101	85	35	9	2	-
Female.....	6	8	6	16	35	37	50	47	27	11	1	-
Black, both sexes.....	6	5	5	9	9	13	10	7	3	-	-	-
Male.....	3	4	3	7	3	8	6	4	1	-	-	-
Female.....	3	1	2	2	6	5	4	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	2	1	2	-	-	-	-
Male.....	-	1	-	1	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

Oregon

All races, both sexes.....	3	10	15	16	27	29	42	26	16	2	1	-
Male.....	2	7	14	11	15	25	29	17	9	1	-	-
Female.....	1	3	1	5	12	4	13	9	7	1	1	-
White, both sexes.....	3	9	15	16	26	28	41	25	16	2	1	-
Male.....	2	7	14	11	14	24	28	16	9	1	-	-
Female.....	1	2	1	5	12	4	13	9	7	1	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	19	31	46	55	88	146	162	120	60	15	2	-
Male.....	16	17	34	38	65	107	103	81	31	9	1	-
Female.....	3	14	12	17	23	39	59	39	29	6	1	-
White, both sexes.....	17	28	45	51	85	135	152	111	58	14	2	-
Male.....	14	16	33	35	63	100	101	78	30	9	1	-
Female.....	3	12	12	16	22	35	51	33	28	5	1	-
Black, both sexes.....	2	3	1	4	3	11	10	8	2	1	-	-
Male.....	2	1	1	3	2	7	2	3	1	-	-	-
Female.....	-	2	-	1	1	4	8	5	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of bladder (C67)

Vermont

All races, both sexes.....	-	1	2	3	7	5	6	5	-	2	-	-
Male.....	-	1	1	3	5	4	5	2	-	-	-	-
Female.....	-	-	1	-	2	1	1	3	-	2	-	-
White, both sexes.....	-	1	2	3	7	5	6	5	-	2	-	-
Male.....	-	1	1	3	5	4	5	2	-	-	-	-
Female.....	-	-	1	-	2	1	1	3	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	18	21	28	43	50	62	49	20	6	-	-
Male.....	3	12	19	20	30	33	43	33	11	2	-	-
Female.....	-	6	2	8	13	17	19	16	9	4	-	-
White, both sexes.....	3	16	18	22	39	39	52	42	18	5	-	-
Male.....	3	11	17	15	27	25	37	30	10	2	-	-
Female.....	-	5	1	7	12	14	15	12	8	3	-	-
Black, both sexes.....	-	2	2	5	3	11	9	7	2	1	-	-
Male.....	-	1	1	4	2	8	6	3	1	-	-	-
Female.....	-	1	1	1	1	3	3	4	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the urinary tract (C66,C68)

Arkansas

All races, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	2	7	8	9	15	9	8	1	-	-	-
Male.....	1	-	4	4	4	10	4	3	1	-	-	-
Female.....	-	2	3	4	5	5	5	5	-	-	-	-
White, both sexes.....	1	2	5	5	6	15	7	8	1	-	-	-
Male.....	1	-	4	2	2	10	3	3	1	-	-	-
Female.....	-	2	1	3	4	5	4	5	-	-	-	-
Black, both sexes.....	-	-	2	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	3	-	1	-	-	-	-	-
Male.....	-	-	-	2	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Alaska

All races, both sexes.....	19	-	-	1	-	-	-	-	-	3	-	1
Male.....	9	-	-	1	-	-	-	-	-	1	-	1
Female.....	10	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	17	-	-	1	-	-	-	-	-	3	-	1
Male.....	8	-	-	1	-	-	-	-	-	1	-	1
Female.....	9	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	222	-	4	8	3	-	-	1	4	3	18	13
Male.....	130	-	2	6	3	-	-	-	1	3	9	8
Female.....	92	-	2	2	-	-	-	1	3	-	9	5
White, both sexes.....	209	-	4	7	3	-	-	1	3	3	17	13
Male.....	123	-	2	6	3	-	-	-	1	3	8	8
Female.....	86	-	2	1	-	-	-	1	2	-	9	5
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	1	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Arkansas

All races, both sexes.....	148	-	2	1	1	1	2	-	4	6	7	9
Male.....	88	-	-	-	-	1	1	-	3	3	6	6
Female.....	60	-	2	1	1	-	1	-	1	3	1	3
White, both sexes.....	133	-	1	1	1	1	1	-	4	6	6	7
Male.....	80	-	-	-	-	1	1	-	3	3	5	5
Female.....	53	-	1	1	1	-	-	-	1	3	1	2
Black, both sexes.....	12	-	1	-	-	-	1	-	-	-	1	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,413	3	11	29	21	14	11	21	28	38	76	99
Male.....	774	2	6	16	14	9	8	11	13	24	45	62
Female.....	639	1	5	13	7	5	3	10	15	14	31	37
White, both sexes.....	1,268	2	10	24	16	11	10	20	22	31	67	88
Male.....	692	2	5	13	10	7	8	10	11	18	41	54
Female.....	576	-	5	11	6	4	2	10	11	13	26	34
Black, both sexes.....	54	-	-	4	1	2	1	-	-	2	4	4
Male.....	33	-	-	3	-	2	-	-	-	2	1	4
Female.....	21	-	-	1	1	-	1	-	-	-	3	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	5	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	1	1	1	4	1	-	1	5	5	5	5
Male.....	44	-	1	-	4	-	-	1	2	4	3	2
Female.....	37	1	-	1	-	1	-	-	3	1	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Florida

All races, both sexes.....	818	-	4	4	6	2	3	5	12	14	28	49
Male.....	463	-	2	3	4	-	2	3	5	8	14	24
Female.....	355	-	2	1	2	2	1	2	7	6	14	25
White, both sexes.....	756	-	3	2	4	2	2	5	9	12	24	45
Male.....	430	-	1	2	3	-	1	3	4	7	12	23
Female.....	326	-	2	-	1	2	1	2	5	5	12	22
Black, both sexes.....	57	-	1	2	2	-	1	-	2	2	4	4
Male.....	30	-	1	1	1	-	1	-	-	1	2	1
Female.....	27	-	-	1	1	-	-	-	2	1	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	299	1	3	5	6	3	1	1	4	15	22	20
Male.....	153	-	1	4	3	1	1	-	2	10	15	12
Female.....	146	1	2	1	3	2	-	1	2	5	7	8
White, both sexes.....	250	-	1	3	4	1	-	1	3	10	18	16
Male.....	129	-	1	2	2	-	-	-	2	6	11	11
Female.....	121	-	-	1	2	1	-	1	1	4	7	5
Black, both sexes.....	48	1	2	2	2	2	1	-	-	5	4	4
Male.....	24	-	-	2	1	1	1	-	-	4	4	1
Female.....	24	1	2	-	1	1	-	-	-	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Nebraska

All races, both sexes.....	82	-	1	2	-	1	-	-	-	-	1	9
Male.....	42	-	-	2	-	-	-	-	-	-	1	6
Female.....	40	-	1	-	-	1	-	-	-	-	-	3
White, both sexes.....	82	-	1	2	-	1	-	-	-	-	1	9
Male.....	42	-	-	2	-	-	-	-	-	-	1	6
Female.....	40	-	1	-	-	1	-	-	-	-	-	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	98	-	2	1	1	-	2	2	1	3	5	7
Male.....	54	-	2	1	-	-	2	-	1	2	2	5
Female.....	44	-	-	-	1	-	-	2	-	1	3	2
White, both sexes.....	92	-	2	1	1	-	2	1	1	3	4	5
Male.....	51	-	2	1	-	-	2	-	1	2	2	3
Female.....	41	-	-	-	1	-	-	1	-	1	2	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

New Hampshire

All races, both sexes.....	53	-	-	2	-	-	-	-	2	2	2	4
Male.....	30	-	-	2	-	-	-	-	1	2	2	2
Female.....	23	-	-	-	-	-	-	-	1	-	-	2
White, both sexes.....	52	-	-	2	-	-	-	-	2	2	2	3
Male.....	30	-	-	2	-	-	-	-	1	2	2	2
Female.....	22	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

New Jersey

All races, both sexes.....	313	-	-	6	3	-	3	3	6	6	12	14
Male.....	184	-	-	3	2	-	3	1	6	4	7	12
Female.....	129	-	-	3	1	-	-	2	-	2	5	2
White, both sexes.....	289	-	-	6	2	-	3	2	5	5	10	13
Male.....	170	-	-	3	1	-	3	1	5	4	5	12
Female.....	119	-	-	3	1	-	-	1	-	1	5	1
Black, both sexes.....	21	-	-	-	1	-	-	1	1	-	2	1
Male.....	13	-	-	-	1	-	-	-	1	-	2	-
Female.....	8	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

New Mexico

All races, both sexes.....	73	-	1	1	3	1	-	1	3	1	5	3
Male.....	42	-	-	1	-	1	-	-	1	1	3	2
Female.....	31	-	1	-	3	-	-	1	2	-	2	1
White, both sexes.....	71	-	1	1	3	1	-	1	3	1	5	3
Male.....	41	-	-	1	-	1	-	-	1	1	3	2
Female.....	30	-	1	-	3	-	-	1	2	-	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	707	3	10	8	10	4	10	13	15	26	45	33
Male.....	403	2	7	1	5	2	8	8	9	13	26	19
Female.....	304	1	3	7	5	2	2	5	6	13	19	14
White, both sexes.....	632	3	9	6	7	3	6	8	13	21	40	26
Male.....	356	2	6	1	3	2	4	5	7	12	23	14
Female.....	276	1	3	5	4	1	2	3	6	9	17	12
Black, both sexes.....	61	-	1	2	1	1	4	5	1	5	5	6
Male.....	37	-	1	-	1	-	4	3	1	1	3	4
Female.....	24	-	-	2	-	1	-	2	-	4	2	2
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	1	-	-	-	1	-	-	1
Male.....	8	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Alaska

All races, both sexes.....	2	1	1	2	4	2	2	-	-	-	-	-
Male.....	2	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	4	2	1	-	-	-	-	-
White, both sexes.....	2	1	1	1	4	1	2	-	-	-	-	-
Male.....	2	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	4	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	18	23	25	30	24	13	13	3	1	-	-
Male.....	13	14	12	13	26	8	4	7	1	-	-	-
Female.....	5	4	11	12	4	16	9	6	2	1	-	-
White, both sexes.....	14	17	23	24	29	23	12	12	3	1	-	-
Male.....	10	13	12	13	25	8	3	7	1	-	-	-
Female.....	4	4	11	11	4	15	9	5	2	1	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

Arkansas

All races, both sexes.....	6	22	14	15	16	20	9	8	5	-	-	-
Male.....	3	15	11	7	9	14	5	3	1	-	-	-
Female.....	3	7	3	8	7	6	4	5	4	-	-	-
White, both sexes.....	6	19	14	13	16	18	9	6	4	-	-	-
Male.....	3	13	11	6	9	12	5	2	1	-	-	-
Female.....	3	6	3	7	7	6	4	4	3	-	-	-
Black, both sexes.....	-	2	-	2	-	2	-	1	1	-	-	-
Male.....	-	1	-	1	-	2	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	118	143	157	140	150	166	111	58	15	4	-	-
Male.....	74	77	83	70	84	78	59	32	4	3	-	-
Female.....	44	66	74	70	66	88	52	26	11	1	-	-
White, both sexes.....	106	129	139	127	134	154	106	53	15	4	-	-
Male.....	68	69	74	66	76	71	55	27	4	3	-	-
Female.....	38	60	65	61	58	83	51	26	11	1	-	-
Black, both sexes.....	6	4	6	4	7	6	3	-	-	-	-	-
Male.....	3	2	3	3	4	4	2	-	-	-	-	-
Female.....	3	2	3	1	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	1	1	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	10	8	8	6	2	5	-	-	-	-
Male.....	3	5	5	-	4	3	2	5	-	-	-	-
Female.....	1	4	5	8	4	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
Alaska												
All races, both sexes.....	19	-	-	1	-	-	-	-	-	3	-	1
Male.....	9	-	-	1	-	-	-	-	-	1	-	1
Female.....	10	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	17	-	-	1	-	-	-	-	-	3	-	1
Male.....	8	-	-	1	-	-	-	-	-	1	-	1
Female.....	9	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	221	-	4	8	3	-	-	1	4	3	18	13
Male.....	129	-	2	6	3	-	-	-	1	3	9	8
Female.....	92	-	2	2	-	-	-	1	3	-	9	5
White, both sexes.....	208	-	4	7	3	-	-	1	3	3	17	13
Male.....	122	-	2	6	3	-	-	-	1	3	8	8
Female.....	86	-	2	1	-	-	-	1	2	-	9	5
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	1	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
Arkansas												
All races, both sexes.....	145	-	2	1	1	1	2	-	4	6	7	9
Male.....	87	-	-	-	-	1	1	-	3	3	6	6
Female.....	58	-	2	1	1	-	1	-	1	3	1	3
White, both sexes.....	130	-	1	1	1	1	1	-	4	6	6	7
Male.....	79	-	-	-	-	1	1	-	3	3	5	5
Female.....	51	-	1	1	1	-	-	-	1	3	1	2
Black, both sexes.....	12	-	1	-	-	-	1	-	-	-	1	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,389	3	11	28	21	14	11	20	27	36	75	98
Male.....	762	2	6	15	14	9	8	11	13	23	44	62
Female.....	627	1	5	13	7	5	3	9	14	13	31	36
White, both sexes.....	1,247	2	10	24	16	11	10	19	21	29	66	87
Male.....	682	2	5	13	10	7	8	10	11	17	40	54
Female.....	565	-	5	11	6	4	2	9	10	12	26	33
Black, both sexes.....	53	-	-	3	1	2	1	-	-	2	4	4
Male.....	32	-	-	2	-	2	-	-	-	2	1	4
Female.....	21	-	-	1	1	-	1	-	-	-	3	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	5	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	79	1	1	1	4	1	-	1	5	5	5	5
Male.....	43	-	1	-	4	-	-	1	2	4	3	2
Female.....	36	1	-	1	-	1	-	-	3	1	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
Florida												
All races, both sexes.....	804	-	4	4	6	2	3	5	12	14	28	49
Male.....	456	-	2	3	4	-	2	3	5	8	14	24
Female.....	348	-	2	1	2	2	1	2	7	6	14	25
White, both sexes.....	744	-	3	2	4	2	2	5	9	12	24	45
Male.....	423	-	1	2	3	-	1	3	4	7	12	23
Female.....	321	-	2	-	1	2	1	2	5	5	12	22
Black, both sexes.....	55	-	1	2	2	-	1	-	2	2	4	4
Male.....	30	-	1	1	1	-	1	-	-	1	2	1
Female.....	25	-	-	1	1	-	-	-	2	1	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	291	1	2	5	6	3	1	1	4	15	20	19
Male.....	151	-	1	4	3	1	1	-	2	10	15	11
Female.....	140	1	1	1	3	2	-	1	2	5	5	8
White, both sexes.....	243	-	1	3	4	1	-	1	3	10	16	15
Male.....	127	-	1	2	2	-	-	-	2	6	11	10
Female.....	116	-	-	1	2	1	-	1	1	4	5	5
Black, both sexes.....	47	1	1	2	2	2	1	-	-	5	4	4
Male.....	24	-	-	2	1	1	1	-	-	4	4	1
Female.....	23	1	1	-	1	1	-	-	-	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
Nebraska												
All races, both sexes.....	81	-	1	2	-	1	-	-	-	-	1	9
Male.....	42	-	-	2	-	-	-	-	-	-	1	6
Female.....	39	-	1	-	-	1	-	-	-	-	-	3
White, both sexes.....	81	-	1	2	-	1	-	-	-	-	1	9
Male.....	42	-	-	2	-	-	-	-	-	-	1	6
Female.....	39	-	1	-	-	1	-	-	-	-	-	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	98	-	2	1	1	-	2	2	1	3	5	7
Male.....	54	-	2	1	-	-	2	-	1	2	2	5
Female.....	44	-	-	-	1	-	-	2	-	1	3	2
White, both sexes.....	92	-	2	1	1	-	2	1	1	3	4	5
Male.....	51	-	2	1	-	-	2	-	1	2	2	3
Female.....	41	-	-	-	1	-	-	1	-	1	2	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
New Hampshire												
All races, both sexes.....	52	-	-	1	-	-	-	-	2	2	2	4
Male.....	29	-	-	1	-	-	-	-	1	2	2	2
Female.....	23	-	-	-	-	-	-	-	1	-	-	2
White, both sexes.....	51	-	-	1	-	-	-	-	2	2	2	3
Male.....	29	-	-	1	-	-	-	-	1	2	2	2
Female.....	22	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
New Jersey												
All races, both sexes.....	304	-	-	6	3	-	3	3	6	6	12	14
Male.....	180	-	-	3	2	-	3	1	6	4	7	12
Female.....	124	-	-	3	1	-	-	2	-	2	5	2
White, both sexes.....	281	-	-	6	2	-	3	2	5	5	10	13
Male.....	166	-	-	3	1	-	3	1	5	4	5	12
Female.....	115	-	-	3	1	-	-	1	-	1	5	1
Black, both sexes.....	20	-	-	-	1	-	-	1	1	-	2	1
Male.....	13	-	-	-	1	-	-	-	1	-	2	-
Female.....	7	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of brain (C71)												
New Mexico												
All races, both sexes.....	72	-	1	1	3	1	-	1	3	1	5	2
Male.....	41	-	-	1	-	1	-	-	1	1	3	1
Female.....	31	-	1	-	3	-	-	1	2	-	2	1
White, both sexes.....	70	-	1	1	3	1	-	1	3	1	5	2
Male.....	40	-	-	1	-	1	-	-	1	1	3	1
Female.....	30	-	1	-	3	-	-	1	2	-	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	695	3	10	7	10	4	10	12	15	24	45	32
Male.....	396	2	7	1	5	2	8	8	9	12	26	18
Female.....	299	1	3	6	5	2	2	4	6	12	19	14
White, both sexes.....	621	3	9	5	7	3	6	7	13	19	40	25
Male.....	350	2	6	1	3	2	4	5	7	11	23	13
Female.....	271	1	3	4	4	1	2	2	6	8	17	12
Black, both sexes.....	61	-	1	2	1	1	4	5	1	5	5	6
Male.....	37	-	1	-	1	-	4	3	1	1	3	4
Female.....	24	-	-	2	-	1	-	2	-	4	2	2
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	-	-	1	-	-	1
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of brain (C71)

Alaska

All races, both sexes.....	2	1	1	2	4	2	2	-	-	-	-	-
Male.....	2	-	1	2	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	4	2	1	-	-	-	-	-
White, both sexes.....	2	1	1	1	4	1	2	-	-	-	-	-
Male.....	2	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	4	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	18	18	23	25	30	24	13	12	3	1	-	-
Male.....	13	14	12	13	26	8	4	6	1	-	-	-
Female.....	5	4	11	12	4	16	9	6	2	1	-	-
White, both sexes.....	14	17	23	24	29	23	12	11	3	1	-	-
Male.....	10	13	12	13	25	8	3	6	1	-	-	-
Female.....	4	4	11	11	4	15	9	5	2	1	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of brain (C71)												
Arkansas												
All races, both sexes.....	6	22	14	15	15	19	9	8	4	-	-	-
Male.....	3	15	11	7	9	13	5	3	1	-	-	-
Female.....	3	7	3	8	6	6	4	5	3	-	-	-
White, both sexes.....	6	19	14	13	15	17	9	6	3	-	-	-
Male.....	3	13	11	6	9	11	5	2	1	-	-	-
Female.....	3	6	3	7	6	6	4	4	2	-	-	-
Black, both sexes.....	-	2	-	2	-	2	-	1	1	-	-	-
Male.....	-	1	-	1	-	2	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	117	141	157	138	147	161	109	56	15	4	-	-
Male.....	73	76	83	69	81	76	58	32	4	3	-	-
Female.....	44	65	74	69	66	85	51	24	11	1	-	-
White, both sexes.....	105	128	139	125	131	149	105	51	15	4	-	-
Male.....	67	68	74	65	73	69	55	27	4	3	-	-
Female.....	38	60	65	60	58	80	50	24	11	1	-	-
Black, both sexes.....	6	4	6	4	7	6	3	-	-	-	-	-
Male.....	3	2	3	3	4	4	2	-	-	-	-	-
Female.....	3	2	3	1	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	1	1	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	8	10	8	8	6	1	5	-	-	-	-
Male.....	3	5	5	-	4	3	1	5	-	-	-	-
Female.....	1	3	5	8	4	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

Arkansas

All races, both sexes.....	21	-	3	-	-	-	1	-	-	1	-	1
Male.....	12	-	1	-	-	-	-	-	-	1	-	-
Female.....	9	-	2	-	-	-	1	-	-	-	-	1
White, both sexes.....	20	-	3	-	-	-	1	-	-	1	-	1
Male.....	12	-	1	-	-	-	-	-	-	1	-	-
Female.....	8	-	2	-	-	-	1	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	202	2	6	5	3	1	2	2	3	5	6	8
Male.....	87	-	5	2	-	1	1	2	-	4	5	2
Female.....	115	2	1	3	3	-	1	-	3	1	1	6
White, both sexes.....	162	1	3	5	1	1	2	2	3	4	6	7
Male.....	74	-	2	2	-	1	1	2	-	3	5	2
Female.....	88	1	1	3	1	-	1	-	3	1	1	5
Black, both sexes.....	16	-	3	-	1	-	-	-	-	-	-	1
Male.....	6	-	3	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	1	-	-	1	-	-	-	-	1	-	-
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	17	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

Arkansas

All races, both sexes.....	1	-	1	1	5	3	4	-	-	-	-	-
Male.....	1	-	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	3	-	-	-	-	-
White, both sexes.....	1	-	1	1	5	3	3	-	-	-	-	-
Male.....	1	-	1	1	3	3	1	-	-	-	-	-
Female.....	-	-	-	-	2	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	13	18	17	14	23	29	24	12	8	1	-	-
Male.....	6	8	10	5	9	13	8	5	1	-	-	-
Female.....	7	10	7	9	14	16	16	7	7	1	-	-
White, both sexes.....	9	12	15	12	18	23	20	12	5	1	-	-
Male.....	3	6	10	4	8	11	8	5	1	-	-	-
Female.....	6	6	5	8	10	12	12	7	4	1	-	-
Black, both sexes.....	2	3	-	2	2	-	2	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	2	-	1	2	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	-	3	6	2	-	3	-	-	-
Male.....	2	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	2	2	-	2	4	2	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

New Hampshire

All races, both sexes.....	1	1	1	-	1	1	1	1	2	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	1	2	-	-	-
White, both sexes.....	1	1	1	-	1	1	1	1	2	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	4	5	6	9	15	8	8	-	-	-	-
Male.....	1	-	1	3	6	5	2	2	-	-	-	-
Female.....	-	4	4	3	3	10	6	6	-	-	-	-
White, both sexes.....	-	3	5	5	9	13	8	8	-	-	-	-
Male.....	-	-	1	3	6	5	2	2	-	-	-	-
Female.....	-	3	4	2	3	8	6	6	-	-	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

New Mexico

All races, both sexes.....	2	1	1	1	2	2	1	2	2	-	-	-
Male.....	1	1	1	1	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	1	2	2	-	-	-
White, both sexes.....	2	1	1	1	2	2	1	2	2	-	-	-
Male.....	1	1	1	1	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	1	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	7	11	10	12	16	20	21	15	4	-	-	-
Male.....	1	5	3	7	3	7	5	4	-	-	-	-
Female.....	6	6	7	5	13	13	16	11	4	-	-	-
White, both sexes.....	6	9	8	9	14	20	17	13	4	-	-	-
Male.....	1	4	2	5	3	7	4	4	-	-	-	-
Female.....	5	5	6	4	11	13	13	9	4	-	-	-
Black, both sexes.....	1	1	2	2	2	-	3	1	-	-	-	-
Male.....	-	1	1	1	-	-	1	-	-	-	-	-
Female.....	1	-	1	1	2	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Arkansas

All races, both sexes.....	454	-	-	-	-	-	-	-	-	1	5	20
Male.....	267	-	-	-	-	-	-	-	-	-	2	7
Female.....	187	-	-	-	-	-	-	-	-	1	3	13
White, both sexes.....	384	-	-	-	-	-	-	-	-	-	5	16
Male.....	231	-	-	-	-	-	-	-	-	-	2	5
Female.....	153	-	-	-	-	-	-	-	-	-	3	11
Black, both sexes.....	70	-	-	-	-	-	-	-	-	1	-	4
Male.....	36	-	-	-	-	-	-	-	-	-	-	2
Female.....	34	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3,722	2	3	2	1	9	9	13	16	43	58	146
Male.....	1,840	1	1	2	-	5	5	7	13	22	26	74
Female.....	1,882	1	2	-	1	4	4	6	3	21	32	72
White, both sexes.....	3,175	2	3	2	1	6	6	9	12	31	46	115
Male.....	1,545	1	1	2	-	4	3	6	10	17	23	54
Female.....	1,630	1	2	-	1	2	3	3	2	14	23	61
Black, both sexes.....	268	-	-	-	-	2	2	3	2	5	5	13
Male.....	143	-	-	-	-	-	2	1	1	1	2	6
Female.....	125	-	-	-	-	2	-	2	1	4	3	7
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	266	-	-	-	-	1	1	1	2	7	6	18
Male.....	142	-	-	-	-	1	-	-	2	4	1	14
Female.....	124	-	-	-	-	-	1	1	-	3	5	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Florida

All races, both sexes.....	2,750	-	1	-	1	5	3	3	4	21	52	82
Male.....	1,491	-	1	-	-	5	-	3	1	9	24	54
Female.....	1,259	-	-	-	1	-	3	-	3	12	28	28
White, both sexes.....	2,432	-	1	-	1	5	2	2	2	18	48	62
Male.....	1,342	-	1	-	-	5	-	2	1	8	22	42
Female.....	1,090	-	-	-	1	-	2	-	1	10	26	20
Black, both sexes.....	304	-	-	-	-	-	1	1	2	3	4	19
Male.....	143	-	-	-	-	-	-	1	-	1	2	11
Female.....	161	-	-	-	-	-	1	-	2	2	2	8
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1,112	-	-	1	1	-	2	1	2	7	29	41
Male.....	573	-	-	1	1	-	1	-	1	3	19	23
Female.....	539	-	-	-	-	-	1	1	1	4	10	18
White, both sexes.....	812	-	-	1	-	-	2	1	-	5	16	25
Male.....	426	-	-	1	-	-	1	-	-	3	9	14
Female.....	386	-	-	-	-	-	1	1	-	2	7	11
Black, both sexes.....	290	-	-	-	1	-	-	-	2	1	12	16
Male.....	144	-	-	-	1	-	-	-	1	-	9	9
Female.....	146	-	-	-	-	-	-	-	1	1	3	7
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

South Dakota

All races, both sexes.....	89	-	-	-	-	-	-	-	-	-	-	2
Male.....	44	-	-	-	-	-	-	-	-	-	-	2
Female.....	45	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	84	-	-	-	-	-	-	-	-	-	-	2
Male.....	41	-	-	-	-	-	-	-	-	-	-	2
Female.....	43	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	848	-	-	-	2	1	3	2	-	5	20	33
Male.....	439	-	-	-	-	1	1	1	-	3	9	20
Female.....	409	-	-	-	2	-	2	1	-	2	11	13
White, both sexes.....	742	-	-	-	1	1	2	2	-	5	18	24
Male.....	390	-	-	-	-	1	1	1	-	3	8	15
Female.....	352	-	-	-	1	-	1	1	-	2	10	9
Black, both sexes.....	102	-	-	-	-	-	1	-	-	-	2	9
Male.....	48	-	-	-	-	-	-	-	-	-	1	5
Female.....	54	-	-	-	-	-	1	-	-	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

United States

All races, both sexes.....	2,180	2,947	3,502	4,209	5,316	6,448	5,962	4,254	2,097	557	64	4
Male.....	1,234	1,739	2,028	2,385	2,845	3,314	2,828	1,718	725	165	11	3
Female.....	946	1,208	1,474	1,824	2,471	3,134	3,134	2,536	1,372	392	53	1
White, both sexes.....	1,703	2,384	2,935	3,558	4,619	5,763	5,412	3,900	1,908	496	53	4
Male.....	964	1,405	1,706	2,020	2,483	2,981	2,570	1,591	665	141	9	3
Female.....	739	979	1,229	1,538	2,136	2,782	2,842	2,309	1,243	355	44	1
Black, both sexes.....	419	486	497	554	581	573	467	300	160	46	8	-
Male.....	241	294	282	313	304	273	224	103	48	15	1	-
Female.....	178	192	215	241	277	300	243	197	112	31	7	-
American Indian 1/, both sexes.....	18	20	15	18	22	28	14	10	2	7	1	-
Male.....	10	13	9	9	12	15	6	5	1	5	-	-
Female.....	8	7	6	9	10	13	8	5	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	40	57	55	79	94	84	69	44	27	8	2	-
Male.....	19	27	31	43	46	45	28	19	11	4	1	-
Female.....	21	30	24	36	48	39	41	25	16	4	1	-

Alabama

All races, both sexes.....	57	78	97	113	103	129	106	82	39	6	4	-
Male.....	33	47	65	67	62	73	52	31	10	1	-	-
Female.....	24	31	32	46	41	56	54	51	29	5	4	-
White, both sexes.....	41	61	75	90	78	101	85	59	31	4	2	-
Male.....	22	36	52	51	48	54	42	24	8	-	-	-
Female.....	19	25	23	39	30	47	43	35	23	4	2	-
Black, both sexes.....	16	17	22	23	24	27	21	23	8	2	2	-
Male.....	11	11	13	16	14	18	10	7	2	1	-	-
Female.....	5	6	9	7	10	9	11	16	6	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Alaska

All races, both sexes.....	9	5	5	4	6	11	4	3	1	1	-	-
Male.....	5	3	4	3	3	6	2	2	1	1	-	-
Female.....	4	2	1	1	3	5	2	1	-	-	-	-
White, both sexes.....	5	5	4	1	4	8	3	3	1	-	-	-
Male.....	4	3	3	1	2	5	1	2	1	-	-	-
Female.....	1	2	1	-	2	3	2	1	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	2	2	2	1	-	-	1	-	-
Male.....	1	-	-	1	1	1	1	-	-	1	-	-
Female.....	3	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	25	57	58	79	102	129	115	70	31	15	3	1
Male.....	15	37	40	45	49	67	60	35	12	3	2	1
Female.....	10	20	18	34	53	62	55	35	19	12	1	-
White, both sexes.....	22	52	56	72	98	118	106	69	31	13	3	1
Male.....	14	35	38	42	48	63	54	35	12	2	2	1
Female.....	8	17	18	30	50	55	52	34	19	11	1	-
Black, both sexes.....	1	4	1	4	2	7	2	-	-	1	-	-
Male.....	-	1	1	2	1	4	2	-	-	-	-	-
Female.....	1	3	-	2	1	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	1	-	2	2	3	5	1	-	-	-	-
Male.....	1	1	-	1	-	-	2	-	-	-	-	-
Female.....	1	-	-	1	2	3	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	2	-	-	1	-	-
Male.....	-	-	1	-	-	-	2	-	-	1	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Arkansas

All races, both sexes.....	26	48	54	66	50	65	57	31	20	10	1	-
Male.....	20	32	28	47	34	39	34	13	7	4	-	-
Female.....	6	16	26	19	16	26	23	18	13	6	1	-
White, both sexes.....	23	40	40	56	43	53	53	30	15	9	1	-
Male.....	17	26	23	42	29	34	30	13	7	3	-	-
Female.....	6	14	17	14	14	19	23	17	8	6	1	-
Black, both sexes.....	3	8	14	10	7	12	4	1	5	1	-	-
Male.....	3	6	5	5	5	5	4	-	-	1	-	-
Female.....	-	2	9	5	2	7	-	1	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	215	296	308	371	463	571	565	384	189	55	3	-
Male.....	105	163	167	197	257	296	255	160	70	13	1	-
Female.....	110	133	141	174	206	275	310	224	119	42	2	-
White, both sexes.....	177	249	255	298	384	492	512	358	166	49	2	-
Male.....	87	133	141	160	208	246	231	147	59	11	1	-
Female.....	90	116	114	138	176	246	281	211	107	38	1	-
Black, both sexes.....	21	24	30	35	42	39	25	8	9	3	-	-
Male.....	12	17	13	18	29	22	9	6	3	1	-	-
Female.....	9	7	17	17	13	17	16	2	6	2	-	-
American Indian 1/, both sexes.....	-	2	1	2	1	4	1	1	-	-	-	-
Male.....	-	1	1	1	1	4	1	1	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	21	22	36	36	36	27	17	14	3	1	-
Male.....	6	12	12	18	19	24	14	6	8	1	-	-
Female.....	11	9	10	18	17	12	13	11	6	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Colorado

All races, both sexes.....	30	35	48	49	72	56	66	63	17	7	1	-
Male.....	18	23	29	23	36	26	31	27	8	1	-	-
Female.....	12	12	19	26	36	30	35	36	9	6	1	-
White, both sexes.....	28	35	44	49	66	56	65	63	17	6	1	-
Male.....	17	23	26	23	32	26	30	27	8	1	-	-
Female.....	11	12	18	26	34	30	35	36	9	5	1	-
Black, both sexes.....	1	-	2	-	5	-	-	-	-	1	-	-
Male.....	-	-	2	-	3	-	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	21	34	31	51	66	114	93	78	37	7	2	-
Male.....	12	27	19	25	33	60	42	34	14	2	-	-
Female.....	9	7	12	26	33	54	51	44	23	5	2	-
White, both sexes.....	15	28	31	45	61	108	86	76	34	6	2	-
Male.....	8	22	19	24	28	58	40	34	13	2	-	-
Female.....	7	6	12	21	33	50	46	42	21	4	2	-
Black, both sexes.....	6	5	-	6	5	5	7	2	2	1	-	-
Male.....	4	4	-	1	5	1	2	-	1	-	-	-
Female.....	2	1	-	5	-	4	5	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Florida

All races, both sexes.....	150	184	228	285	397	462	387	294	139	49	3	-
Male.....	104	106	130	170	233	244	221	122	50	14	-	-
Female.....	46	78	98	115	164	218	166	172	89	35	3	-
White, both sexes.....	110	153	198	241	354	424	361	275	132	40	3	-
Male.....	82	89	116	150	212	229	206	116	50	11	-	-
Female.....	28	64	82	91	142	195	155	159	82	29	3	-
Black, both sexes.....	39	28	28	43	42	35	25	19	7	8	-	-
Male.....	21	15	13	20	21	15	15	6	-	2	-	-
Female.....	18	13	15	23	21	20	10	13	7	6	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	-	-	-	-	1	-	-
Male.....	1	2	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	3	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	3	1	-	-	-	-	-

Georgia

All races, both sexes.....	78	97	124	139	137	159	153	88	42	10	1	-
Male.....	47	61	75	78	77	75	68	31	9	3	-	-
Female.....	31	36	49	61	60	84	85	57	33	7	1	-
White, both sexes.....	40	60	90	96	110	131	125	65	34	10	1	-
Male.....	24	37	54	54	65	67	59	27	8	3	-	-
Female.....	16	23	36	42	45	64	66	38	26	7	1	-
Black, both sexes.....	36	37	32	42	27	28	26	22	8	-	-	-
Male.....	22	24	20	24	12	8	9	4	1	-	-	-
Female.....	14	13	12	18	15	20	17	18	7	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Hawaii

All races, both sexes.....	9	17	7	18	20	25	27	20	11	2	-	-
Male.....	7	7	3	8	15	15	12	15	3	1	-	-
Female.....	2	10	4	10	5	10	15	5	8	1	-	-
White, both sexes.....	2	2	3	6	5	8	4	7	6	1	-	-
Male.....	2	1	1	1	4	7	4	6	3	1	-	-
Female.....	-	1	2	5	1	1	-	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	15	4	12	15	17	22	13	5	1	-	-
Male.....	5	6	2	7	11	8	7	9	-	-	-	-
Female.....	2	9	2	5	4	9	15	4	5	1	-	-

Idaho

All races, both sexes.....	5	9	12	6	25	20	30	19	9	1	1	-
Male.....	-	8	6	3	11	13	14	10	3	-	-	-
Female.....	5	1	6	3	14	7	16	9	6	1	1	-
White, both sexes.....	5	9	12	6	24	19	30	19	9	1	1	-
Male.....	-	8	6	3	11	12	14	10	3	-	-	-
Female.....	5	1	6	3	13	7	16	9	6	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Illinois

All races, both sexes.....	106	116	167	165	238	286	283	189	97	32	2	-
Male.....	58	61	96	93	126	141	125	77	33	11	1	-
Female.....	48	55	71	72	112	145	158	112	64	21	1	-
White, both sexes.....	75	91	131	135	200	242	245	174	90	28	1	-
Male.....	38	50	72	77	108	121	104	68	31	9	-	-
Female.....	37	41	59	58	92	121	141	106	59	19	1	-
Black, both sexes.....	29	24	34	26	33	41	37	12	7	3	1	-
Male.....	19	11	22	13	15	19	21	8	2	1	1	-
Female.....	10	13	12	13	18	22	16	4	5	2	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	3	5	3	1	2	-	1	-	-
Male.....	-	-	2	2	3	1	-	-	-	1	-	-
Female.....	1	-	-	1	2	2	1	2	-	-	-	-

Indiana

All races, both sexes.....	44	59	75	104	144	132	130	93	67	11	3	2
Male.....	21	32	44	64	74	67	69	29	23	1	-	2
Female.....	23	27	31	40	70	65	61	64	44	10	3	-
White, both sexes.....	40	51	69	99	133	125	121	87	63	11	3	2
Male.....	19	27	40	60	69	64	64	27	22	1	-	2
Female.....	21	24	29	39	64	61	57	60	41	10	3	-
Black, both sexes.....	4	7	5	5	10	6	9	6	4	-	-	-
Male.....	2	4	4	4	5	3	5	2	1	-	-	-
Female.....	2	3	1	1	5	3	4	4	3	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Iowa

All races, both sexes.....	18	25	30	32	44	62	63	41	21	4	-	-
Male.....	10	15	17	19	18	31	24	14	5	2	-	-
Female.....	8	10	13	13	26	31	39	27	16	2	-	-
White, both sexes.....	18	25	28	30	43	61	59	41	21	4	-	-
Male.....	10	15	16	18	17	31	24	14	5	2	-	-
Female.....	8	10	12	12	26	30	35	27	16	2	-	-
Black, both sexes.....	-	-	1	1	1	1	4	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	14	34	21	23	37	65	47	47	25	10	-	-
Male.....	9	17	14	18	17	32	27	24	13	3	-	-
Female.....	5	17	7	5	20	33	20	23	12	7	-	-
White, both sexes.....	14	29	19	21	34	60	44	47	21	10	-	-
Male.....	9	15	13	17	15	31	25	24	10	3	-	-
Female.....	5	14	6	4	19	29	19	23	11	7	-	-
Black, both sexes.....	-	5	1	2	2	3	3	-	4	-	-	-
Male.....	-	2	1	1	1	1	2	-	3	-	-	-
Female.....	-	3	-	1	1	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Maine

All races, both sexes.....	2	18	30	28	44	45	44	27	16	5	-	-
Male.....	2	4	18	14	22	19	16	10	5	1	-	-
Female.....	-	14	12	14	22	26	28	17	11	4	-	-
White, both sexes.....	2	17	30	28	42	45	44	25	16	5	-	-
Male.....	2	4	18	14	20	19	16	10	5	1	-	-
Female.....	-	13	12	14	22	26	28	15	11	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	51	58	83	82	91	129	92	82	30	7	4	-
Male.....	29	35	51	53	36	66	43	34	10	3	2	-
Female.....	22	23	32	29	55	63	49	48	20	4	2	-
White, both sexes.....	34	39	56	51	65	104	75	63	23	4	3	-
Male.....	20	24	35	34	26	55	36	27	7	1	1	-
Female.....	14	15	21	17	39	49	39	36	16	3	2	-
Black, both sexes.....	17	18	25	30	24	23	16	19	7	2	-	-
Male.....	9	11	14	18	10	9	7	7	3	1	-	-
Female.....	8	7	11	12	14	14	9	12	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	2	1	1	-	-	1	1	-
Male.....	-	-	2	1	-	1	-	-	-	1	1	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Minnesota

All races, both sexes.....	16	31	52	73	89	134	124	108	44	14	-	-
Male.....	9	18	27	37	51	62	62	47	13	6	-	-
Female.....	7	13	25	36	38	72	62	61	31	8	-	-
White, both sexes.....	15	30	49	69	88	132	123	105	44	14	-	-
Male.....	9	17	25	35	51	61	62	46	13	6	-	-
Female.....	6	13	24	34	37	71	61	59	31	8	-	-
Black, both sexes.....	1	1	1	2	-	2	-	1	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	1	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	1	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Mississippi

All races, both sexes.....	21	41	35	38	49	61	48	32	15	5	-	-
Male.....	15	21	22	23	26	33	27	13	5	3	-	-
Female.....	6	20	13	15	23	28	21	19	10	2	-	-
White, both sexes.....	12	28	27	29	32	44	35	23	11	3	-	-
Male.....	8	15	16	17	19	23	18	10	4	1	-	-
Female.....	4	13	11	12	13	21	17	13	7	2	-	-
Black, both sexes.....	9	13	8	9	15	17	13	9	4	2	-	-
Male.....	7	6	6	6	7	10	9	3	1	2	-	-
Female.....	2	7	2	3	8	7	4	6	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Nebraska

All races, both sexes.....	12	19	22	21	34	44	36	35	8	6	1	-
Male.....	5	14	15	15	18	26	17	12	2	-	1	-
Female.....	7	5	7	6	16	18	19	23	6	6	-	-
White, both sexes.....	12	18	21	21	32	43	33	33	8	6	1	-
Male.....	5	14	14	15	16	25	16	11	2	-	1	-
Female.....	7	4	7	6	16	18	17	22	6	6	-	-
Black, both sexes.....	-	1	-	-	2	1	2	2	-	-	-	-
Male.....	-	-	-	-	2	1	1	1	-	-	-	-
Female.....	-	1	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	17	30	40	44	44	41	38	30	9	1	-	-
Male.....	10	16	26	30	25	21	19	12	4	-	-	-
Female.....	7	14	14	14	19	20	19	18	5	1	-	-
White, both sexes.....	16	27	36	39	43	37	37	27	9	1	-	-
Male.....	10	14	23	28	25	18	19	12	4	-	-	-
Female.....	6	13	13	11	18	19	18	15	5	1	-	-
Black, both sexes.....	1	3	4	3	1	3	-	1	-	-	-	-
Male.....	-	2	3	2	-	2	-	-	-	-	-	-
Female.....	1	1	1	1	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

New Hampshire

All races, both sexes.....	7	10	13	21	19	36	33	16	16	1	-	-
Male.....	3	6	7	10	13	16	11	4	4	-	-	-
Female.....	4	4	6	11	6	20	22	12	12	1	-	-
White, both sexes.....	7	10	13	21	19	35	33	16	16	1	-	-
Male.....	3	6	7	10	13	16	11	4	4	-	-	-
Female.....	4	4	6	11	6	19	22	12	12	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	68	80	117	137	182	233	227	159	67	15	-	-
Male.....	34	53	73	69	94	104	98	56	19	9	-	-
Female.....	34	27	44	68	88	129	129	103	48	6	-	-
White, both sexes.....	53	62	94	115	156	209	203	148	63	12	-	-
Male.....	25	40	56	58	84	91	82	52	18	9	-	-
Female.....	28	22	38	57	72	118	121	96	45	3	-	-
Black, both sexes.....	15	17	22	20	22	21	22	10	4	3	-	-
Male.....	9	13	16	10	8	11	16	3	1	-	-	-
Female.....	6	4	6	10	14	10	6	7	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	4	3	2	1	-	-	-	-
Male.....	-	-	1	1	2	2	-	1	-	-	-	-
Female.....	-	1	-	1	2	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

New Mexico

All races, both sexes.....	8	16	21	27	40	36	31	21	12	1	-	-
Male.....	5	9	10	13	26	20	16	10	4	-	-	-
Female.....	3	7	11	14	14	16	15	11	8	1	-	-
White, both sexes.....	8	13	19	24	39	36	31	20	11	1	-	-
Male.....	5	7	9	12	25	20	16	9	4	-	-	-
Female.....	3	6	10	12	14	16	15	11	7	1	-	-
Black, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	2	1	-	-	1	1	-	-	-
Male.....	-	2	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	2	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	126	184	205	228	324	402	403	266	137	43	7	-
Male.....	67	107	109	118	161	170	174	97	56	17	1	-
Female.....	59	77	96	110	163	232	229	169	81	26	6	-
White, both sexes.....	95	142	176	189	278	357	367	248	129	42	7	-
Male.....	46	83	93	99	139	154	156	90	52	17	1	-
Female.....	49	59	83	90	139	203	211	158	77	25	6	-
Black, both sexes.....	27	37	24	34	40	38	33	13	6	1	-	-
Male.....	19	22	13	16	18	12	16	5	4	-	-	-
Female.....	8	15	11	18	22	26	17	8	2	1	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	4	5	6	6	3	4	2	-	-	-
Male.....	2	2	3	3	4	4	2	2	-	-	-	-
Female.....	2	2	1	2	2	2	1	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Ohio

All races, both sexes.....	92	119	149	180	256	322	299	181	93	18	5	-
Male.....	58	74	83	90	141	166	138	65	29	5	-	-
Female.....	34	45	66	90	115	156	161	116	64	13	5	-
White, both sexes.....	78	105	128	156	231	293	272	171	82	18	3	-
Male.....	51	65	73	75	126	155	125	62	25	5	-	-
Female.....	27	40	55	81	105	138	147	109	57	13	3	-
Black, both sexes.....	14	14	21	24	23	28	27	10	9	-	2	-
Male.....	7	9	10	15	14	11	13	3	2	-	-	-
Female.....	7	5	11	9	9	17	14	7	7	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	2	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	29	33	34	51	80	99	76	41	37	8	1	-
Male.....	17	17	19	31	50	48	41	21	14	4	1	-
Female.....	12	16	15	20	30	51	35	20	23	4	-	-
White, both sexes.....	28	27	27	43	66	89	75	39	33	6	1	-
Male.....	17	13	16	25	43	43	40	20	13	2	1	-
Female.....	11	14	11	18	23	46	35	19	20	4	-	-
Black, both sexes.....	1	2	6	5	8	4	1	2	4	-	-	-
Male.....	-	1	2	4	5	2	1	1	1	-	-	-
Female.....	1	1	4	1	3	2	-	1	3	-	-	-
American Indian 1/, both sexes.....	-	4	1	3	5	6	-	-	-	2	-	-
Male.....	-	3	1	2	2	3	-	-	-	2	-	-
Female.....	-	1	-	1	3	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Oregon

All races, both sexes.....	20	24	29	41	64	62	82	61	26	8	1	-
Male.....	13	12	14	20	33	29	30	34	8	3	-	-
Female.....	7	12	15	21	31	33	52	27	18	5	1	-
White, both sexes.....	16	24	28	41	59	61	78	60	26	8	1	-
Male.....	11	12	14	20	30	28	29	34	8	3	-	-
Female.....	5	12	14	21	29	33	49	26	18	5	1	-
Black, both sexes.....	1	-	1	-	3	-	1	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	2	1	-	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	113	158	177	247	333	453	395	286	151	29	4	1
Male.....	68	97	95	139	174	229	193	114	53	7	-	-
Female.....	45	61	82	108	159	224	202	172	98	22	4	1
White, both sexes.....	94	128	151	217	306	420	376	276	143	29	2	1
Male.....	56	80	84	123	163	215	184	113	52	7	-	-
Female.....	38	48	67	94	143	205	192	163	91	22	2	1
Black, both sexes.....	17	27	25	30	26	32	19	10	8	-	2	-
Male.....	10	16	10	16	11	14	9	1	1	-	-	-
Female.....	7	11	15	14	15	18	10	9	7	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	-	1	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Rhode Island

All races, both sexes.....	9	10	10	18	26	25	25	24	16	3	-	-
Male.....	5	6	4	12	16	5	13	11	6	-	-	-
Female.....	4	4	6	6	10	20	12	13	10	3	-	-
White, both sexes.....	8	8	9	17	26	23	25	24	16	3	-	-
Male.....	5	4	3	11	16	5	13	11	6	-	-	-
Female.....	3	4	6	6	10	18	12	13	10	3	-	-
Black, both sexes.....	1	2	-	1	-	2	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	48	56	71	88	84	90	73	53	32	11	-	-
Male.....	28	31	46	53	42	45	28	20	10	3	-	-
Female.....	20	25	25	35	42	45	45	33	22	8	-	-
White, both sexes.....	31	38	47	68	65	77	61	41	19	10	-	-
Male.....	18	19	33	41	31	39	24	15	5	3	-	-
Female.....	13	19	14	27	34	38	37	26	14	7	-	-
Black, both sexes.....	17	18	24	20	19	12	11	12	13	1	-	-
Male.....	10	12	13	12	11	6	4	5	5	-	-	-
Female.....	7	6	11	8	8	6	7	7	8	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

Vermont

All races, both sexes.....	3	7	9	8	15	18	20	14	6	1	-	-
Male.....	2	5	7	3	10	8	7	5	-	-	-	-
Female.....	1	2	2	5	5	10	13	9	6	1	-	-
White, both sexes.....	3	7	9	8	15	18	20	14	6	1	-	-
Male.....	2	5	7	3	10	8	7	5	-	-	-	-
Female.....	1	2	2	5	5	10	13	9	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	70	84	104	107	160	177	157	121	42	14	1	-
Male.....	41	53	63	64	86	102	75	39	15	4	-	-
Female.....	29	31	41	43	74	75	82	82	27	10	1	-
White, both sexes.....	53	62	80	84	112	152	133	96	38	9	1	-
Male.....	29	40	48	50	62	87	68	29	15	1	-	-
Female.....	24	22	32	34	50	65	65	67	23	8	1	-
Black, both sexes.....	17	22	21	22	42	24	23	25	4	5	-	-
Male.....	12	13	14	13	22	14	7	10	-	3	-	-
Female.....	5	9	7	9	20	10	16	15	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	5	1	1	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	-	-	2	-	4	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Arkansas

All races, both sexes.....	580	1	3	1	2	3	3	4	4	6	10	13
Male.....	338	-	1	1	1	3	3	4	4	3	6	10
Female.....	242	1	2	-	1	-	-	-	-	3	4	3
White, both sexes.....	518	1	2	1	2	3	1	3	4	4	7	11
Male.....	303	-	1	1	1	3	1	3	4	2	6	9
Female.....	215	1	1	-	1	-	-	-	-	2	1	2
Black, both sexes.....	59	-	1	-	-	-	2	1	-	2	2	2
Male.....	33	-	-	-	-	-	2	1	-	1	-	1
Female.....	26	-	1	-	-	-	-	-	-	1	2	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5,592	4	26	38	55	39	48	39	71	75	120	187
Male.....	3,093	2	12	25	30	31	26	26	44	49	73	122
Female.....	2,499	2	14	13	25	8	22	13	27	26	47	65
White, both sexes.....	4,828	3	22	33	45	34	36	33	55	58	103	147
Male.....	2,695	1	12	22	24	28	19	22	34	40	66	100
Female.....	2,133	2	10	11	21	6	17	11	21	18	37	47
Black, both sexes.....	362	-	1	3	3	3	5	2	7	9	9	20
Male.....	191	-	-	3	3	2	3	2	5	6	4	9
Female.....	171	-	1	-	-	1	2	-	2	3	5	11
American Indian 1/, both sexes.....	16	-	-	-	-	1	2	-	-	-	2	2
Male.....	11	-	-	-	-	1	2	-	-	-	1	2
Female.....	5	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	386	1	3	2	7	1	5	4	9	8	6	18
Male.....	196	1	-	-	3	-	2	2	5	3	2	11
Female.....	190	-	3	2	4	1	3	2	4	5	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Colorado

All races, both sexes.....	725	-	-	2	4	3	4	7	8	6	20	20
Male.....	387	-	-	1	2	-	3	4	6	2	11	10
Female.....	338	-	-	1	2	3	1	3	2	4	9	10
White, both sexes.....	687	-	-	2	4	2	3	7	7	6	18	20
Male.....	367	-	-	1	2	-	2	4	5	2	9	10
Female.....	320	-	-	1	2	2	1	3	2	4	9	10
Black, both sexes.....	29	-	-	-	-	1	-	-	-	-	2	-
Male.....	14	-	-	-	-	-	-	-	-	-	2	-
Female.....	15	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	1	-	-	-
Male.....	5	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	770	1	1	2	5	3	5	2	3	7	11	13
Male.....	419	-	1	2	5	2	4	2	2	4	6	5
Female.....	351	1	-	-	-	1	1	-	1	3	5	8
White, both sexes.....	719	1	-	2	5	3	4	1	2	7	8	9
Male.....	393	-	-	2	5	2	4	1	1	4	4	5
Female.....	326	1	-	-	-	1	-	-	1	3	4	4
Black, both sexes.....	44	-	1	-	-	-	-	-	1	-	3	4
Male.....	22	-	1	-	-	-	-	-	1	-	2	-
Female.....	22	-	-	-	-	-	-	-	-	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Massachusetts

All races, both sexes.....	1,340	2	1	1	4	8	6	6	11	16	24	38
Male.....	687	1	-	1	3	4	4	3	8	8	16	25
Female.....	653	1	1	-	1	4	2	3	3	8	8	13
White, both sexes.....	1,281	2	1	1	3	6	4	5	8	14	21	33
Male.....	656	1	-	1	2	4	2	3	7	7	13	22
Female.....	625	1	1	-	1	2	2	2	1	7	8	11
Black, both sexes.....	51	-	-	-	-	1	2	1	1	2	3	5
Male.....	27	-	-	-	-	-	2	-	-	1	3	3
Female.....	24	-	-	-	-	1	-	1	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	1	-	-	2	-	-	-
Male.....	4	-	-	-	1	-	-	-	1	-	-	-
Female.....	4	-	-	-	-	1	-	-	1	-	-	-

Michigan

All races, both sexes.....	2,062	1	4	10	5	6	10	16	18	26	28	64
Male.....	1,131	-	2	6	4	3	6	9	13	20	21	36
Female.....	931	1	2	4	1	3	4	7	5	6	7	28
White, both sexes.....	1,842	1	4	9	3	5	8	11	10	18	23	59
Male.....	1,023	-	2	5	2	2	5	7	10	14	16	33
Female.....	819	1	2	4	1	3	3	4	-	4	7	26
Black, both sexes.....	197	-	-	-	1	1	2	5	7	6	4	4
Male.....	98	-	-	-	1	1	1	2	3	4	4	3
Female.....	99	-	-	-	-	-	1	3	4	2	-	1
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	16	-	-	1	1	-	-	-	1	2	1	-
Male.....	9	-	-	1	1	-	-	-	-	2	1	-
Female.....	7	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Mexico

All races, both sexes.....	348	-	1	-	2	4	4	-	3	4	6	12
Male.....	209	-	-	-	2	4	2	-	1	2	3	8
Female.....	139	-	1	-	-	-	2	-	2	2	3	4
White, both sexes.....	328	-	1	-	2	4	4	-	3	1	5	11
Male.....	198	-	-	-	2	4	2	-	1	-	3	8
Female.....	130	-	1	-	-	-	2	-	2	1	2	3
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	3	1	1
Male.....	9	-	-	-	-	-	-	-	-	2	-	-
Female.....	9	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3,424	-	11	11	11	11	27	35	30	53	87	117
Male.....	1,799	-	7	9	6	7	16	16	17	30	56	73
Female.....	1,625	-	4	2	5	4	11	19	13	23	31	44
White, both sexes.....	2,945	-	8	10	7	8	22	28	24	42	57	82
Male.....	1,567	-	4	8	5	5	14	15	14	24	38	53
Female.....	1,378	-	4	2	2	3	8	13	10	18	19	29
Black, both sexes.....	400	-	2	1	4	2	4	6	5	7	27	31
Male.....	187	-	2	1	1	1	2	1	2	3	15	18
Female.....	213	-	-	-	3	1	2	5	3	4	12	13
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	75	-	-	-	-	1	1	1	1	4	3	4
Male.....	44	-	-	-	-	1	-	-	1	3	3	2
Female.....	31	-	-	-	-	-	1	1	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Vermont

All races, both sexes.....	119	-	-	2	-	-	1	-	-	-	1	4
Male.....	73	-	-	1	-	-	1	-	-	-	1	2
Female.....	46	-	-	1	-	-	-	-	-	-	-	2
White, both sexes.....	119	-	-	2	-	-	1	-	-	-	1	4
Male.....	73	-	-	1	-	-	1	-	-	-	1	2
Female.....	46	-	-	1	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,248	2	6	3	4	10	8	8	12	21	19	33
Male.....	654	1	4	1	2	8	3	5	9	12	12	24
Female.....	594	1	2	2	2	2	5	3	3	9	7	9
White, both sexes.....	1,006	2	4	3	2	7	6	8	8	11	11	26
Male.....	527	1	3	1	1	6	3	5	6	6	5	20
Female.....	479	1	1	2	1	1	3	3	2	5	6	6
Black, both sexes.....	218	-	1	-	1	2	2	-	4	8	8	5
Male.....	114	-	-	-	1	1	-	-	3	5	7	3
Female.....	104	-	1	-	-	1	2	-	1	3	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	1	-	1	1	-	-	-	2	-	2
Male.....	13	-	1	-	-	1	-	-	-	1	-	1
Female.....	10	-	-	-	1	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

United States

All races, both sexes.....	2,228	3,171	4,300	5,384	7,501	9,497	8,945	6,087	2,541	644	62	-
Male.....	1,347	1,929	2,628	3,255	4,295	5,068	4,456	2,722	943	202	16	-
Female.....	881	1,242	1,672	2,129	3,206	4,429	4,489	3,365	1,598	442	46	-
White, both sexes.....	1,797	2,710	3,719	4,701	6,661	8,633	8,259	5,697	2,368	587	53	-
Male.....	1,094	1,657	2,310	2,891	3,892	4,690	4,167	2,571	881	185	15	-
Female.....	703	1,053	1,409	1,810	2,769	3,943	4,092	3,126	1,487	402	38	-
Black, both sexes.....	374	372	486	566	684	690	548	317	148	43	8	-
Male.....	223	228	265	298	320	302	226	117	49	11	-	-
Female.....	151	144	221	268	364	388	322	200	99	32	8	-
American Indian 1/, both sexes.....	10	23	18	19	29	29	21	11	4	1	1	-
Male.....	6	9	9	12	13	7	9	4	1	-	1	-
Female.....	4	14	9	7	16	22	12	7	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	66	77	98	127	145	117	62	21	13	-	-
Male.....	24	35	44	54	70	69	54	30	12	6	-	-
Female.....	23	31	33	44	57	76	63	32	9	7	-	-

Alabama

All races, both sexes.....	48	51	67	96	129	168	131	86	44	6	-	-
Male.....	25	37	41	62	74	80	61	24	11	3	-	-
Female.....	23	14	26	34	55	88	70	62	33	3	-	-
White, both sexes.....	37	41	56	72	106	132	109	73	37	6	-	-
Male.....	19	31	35	50	62	67	51	21	10	3	-	-
Female.....	18	10	21	22	44	65	58	52	27	3	-	-
Black, both sexes.....	11	9	11	24	22	35	22	13	7	-	-	-
Male.....	6	5	6	12	12	12	10	3	1	-	-	-
Female.....	5	4	5	12	10	23	12	10	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Alaska

All races, both sexes.....	1	15	10	10	3	11	5	3	2	-	-	-
Male.....	1	13	6	6	1	6	1	2	1	-	-	-
Female.....	-	2	4	4	2	5	4	1	1	-	-	-
White, both sexes.....	1	11	10	8	2	10	4	2	2	-	-	-
Male.....	1	11	6	5	1	6	1	2	1	-	-	-
Female.....	-	-	4	3	1	4	3	-	1	-	-	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	31	46	86	104	117	181	144	101	43	7	1	-
Male.....	18	22	55	63	65	87	84	47	14	-	1	-
Female.....	13	24	31	41	52	94	60	54	29	7	-	-
White, both sexes.....	27	39	83	97	108	172	142	98	41	7	1	-
Male.....	16	19	53	59	61	86	83	46	13	-	1	-
Female.....	11	20	30	38	47	86	59	52	28	7	-	-
Black, both sexes.....	1	1	1	2	2	1	-	2	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	6	1	2	7	6	1	1	2	-	-	-
Male.....	1	3	-	2	3	1	1	1	1	-	-	-
Female.....	-	3	1	-	4	5	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	3	-	2	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	2	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Arkansas

All races, both sexes.....	29	40	39	51	79	96	96	71	25	3	1	-
Male.....	23	24	30	35	46	48	48	36	11	1	-	-
Female.....	6	16	9	16	33	48	48	35	14	2	1	-
White, both sexes.....	25	37	34	47	72	86	90	62	23	2	1	-
Male.....	20	22	26	32	42	44	44	33	9	-	-	-
Female.....	5	15	8	15	30	42	46	29	14	2	1	-
Black, both sexes.....	3	3	5	4	7	10	5	9	2	1	-	-
Male.....	2	2	4	3	4	4	3	3	2	1	-	-
Female.....	1	1	1	1	3	6	2	6	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	239	360	421	495	723	856	844	620	266	58	8	-
Male.....	141	208	255	299	427	466	430	288	109	27	3	-
Female.....	98	152	166	196	296	390	414	332	157	31	5	-
White, both sexes.....	191	298	360	422	627	742	762	562	243	46	6	-
Male.....	114	172	219	253	372	413	398	264	99	20	3	-
Female.....	77	126	141	169	255	329	364	298	144	26	3	-
Black, both sexes.....	28	31	29	33	44	50	41	27	11	4	2	-
Male.....	17	21	19	22	23	23	13	11	3	2	-	-
Female.....	11	10	10	11	21	27	28	16	8	2	2	-
American Indian 1/, both sexes.....	-	3	1	1	3	-	-	1	-	-	-	-
Male.....	-	2	1	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	28	31	39	49	64	41	30	12	8	-	-
Male.....	10	13	16	24	30	30	19	13	7	5	-	-
Female.....	10	15	15	15	19	34	22	17	5	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Colorado

All races, both sexes.....	42	38	63	71	91	128	100	77	29	12	-	-
Male.....	31	18	36	44	43	73	52	38	10	3	-	-
Female.....	11	20	27	27	48	55	48	39	19	9	-	-
White, both sexes.....	39	38	54	69	86	121	96	75	28	12	-	-
Male.....	28	18	31	43	42	71	51	36	9	3	-	-
Female.....	11	20	23	26	44	50	45	39	19	9	-	-
Black, both sexes.....	3	-	7	2	4	5	4	-	1	-	-	-
Male.....	3	-	4	1	-	2	1	-	1	-	-	-
Female.....	-	-	3	1	4	3	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Connecticut

All races, both sexes.....	31	52	65	52	89	125	142	103	45	13	-	-
Male.....	16	28	36	38	50	66	77	55	16	4	-	-
Female.....	15	24	29	14	39	59	65	48	29	9	-	-
White, both sexes.....	26	48	61	49	86	116	137	99	42	13	-	-
Male.....	11	27	33	36	48	63	75	53	15	4	-	-
Female.....	15	21	28	13	38	53	62	46	27	9	-	-
Black, both sexes.....	5	4	3	2	3	9	4	3	2	-	-	-
Male.....	5	1	2	1	2	3	2	1	1	-	-	-
Female.....	-	3	1	1	1	6	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	1	1	-	-	-
Male.....	-	-	1	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Iowa

All races, both sexes.....	27	34	46	59	100	132	132	100	40	17	2	-
Male.....	15	19	29	33	62	75	65	54	16	6	1	-
Female.....	12	15	17	26	38	57	67	46	24	11	1	-
White, both sexes.....	27	34	44	58	98	128	132	100	39	16	2	-
Male.....	15	19	28	33	61	72	65	54	16	6	1	-
Female.....	12	15	16	25	37	56	67	46	23	10	1	-
Black, both sexes.....	-	-	2	1	1	2	-	-	1	1	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	29	15	55	46	84	107	112	71	32	8	2	-
Male.....	12	9	27	34	44	61	51	33	14	2	-	-
Female.....	17	6	28	12	40	46	61	38	18	6	2	-
White, both sexes.....	27	15	51	43	78	100	110	71	32	7	2	-
Male.....	11	9	26	33	40	57	51	33	14	2	-	-
Female.....	16	6	25	10	38	43	59	38	18	5	2	-
Black, both sexes.....	1	-	1	3	6	6	2	-	-	1	-	-
Male.....	-	-	-	1	4	4	-	-	-	-	-	-
Female.....	1	-	1	2	2	2	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Kentucky

All races, both sexes.....	40	52	74	90	114	163	123	80	30	7	1	-
Male.....	21	32	46	57	64	95	58	35	9	-	-	-
Female.....	19	20	28	33	50	68	65	45	21	7	1	-
White, both sexes.....	33	50	71	84	106	154	116	77	27	7	1	-
Male.....	17	32	44	54	60	88	56	35	9	-	-	-
Female.....	16	18	27	30	46	66	60	42	18	7	1	-
Black, both sexes.....	7	2	2	5	7	9	5	3	3	-	-	-
Male.....	4	-	1	3	3	7	2	-	-	-	-	-
Female.....	3	2	1	2	4	2	3	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Louisiana

All races, both sexes.....	48	47	76	80	139	150	124	80	29	11	2	-
Male.....	30	34	46	50	72	79	66	31	7	3	-	-
Female.....	18	13	30	30	67	71	58	49	22	8	2	-
White, both sexes.....	26	32	51	57	99	115	99	62	21	7	2	-
Male.....	14	23	31	40	54	60	52	23	5	2	-	-
Female.....	12	9	20	17	45	55	47	39	16	5	2	-
Black, both sexes.....	22	15	23	22	39	34	25	18	8	4	-	-
Male.....	16	11	14	10	18	18	14	8	2	1	-	-
Female.....	6	4	9	12	21	16	11	10	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Maine

All races, both sexes.....	14	19	18	22	40	52	43	32	26	5	-	-
Male.....	8	14	11	14	29	33	24	15	10	-	-	-
Female.....	6	5	7	8	11	19	19	17	16	5	-	-
White, both sexes.....	13	19	18	22	40	52	43	32	26	5	-	-
Male.....	8	14	11	14	29	33	24	15	10	-	-	-
Female.....	5	5	7	8	11	19	19	17	16	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	34	63	66	98	128	168	146	104	48	8	1	-
Male.....	21	35	37	64	72	81	69	44	17	3	-	-
Female.....	13	28	29	34	56	87	77	60	31	5	1	-
White, both sexes.....	18	41	48	75	104	149	127	93	44	6	1	-
Male.....	14	26	27	51	59	73	61	40	16	2	-	-
Female.....	4	15	21	24	45	76	66	53	28	4	1	-
Black, both sexes.....	16	20	17	23	23	17	16	11	4	2	-	-
Male.....	7	8	10	13	12	6	6	4	1	1	-	-
Female.....	9	12	7	10	11	11	10	7	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	1	2	3	-	-	-	-	-
Male.....	-	1	-	-	1	2	2	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Massachusetts

All races, both sexes.....	43	68	77	110	168	246	253	159	74	24	1	-
Male.....	26	38	44	69	92	118	125	70	25	6	1	-
Female.....	17	30	33	41	76	128	128	89	49	18	-	-
White, both sexes.....	39	66	71	105	162	238	247	156	74	24	1	-
Male.....	24	36	40	65	90	113	124	70	25	6	1	-
Female.....	15	30	31	40	72	125	123	86	49	18	-	-
Black, both sexes.....	4	2	5	4	6	7	5	3	-	-	-	-
Male.....	2	2	4	3	2	4	1	-	-	-	-	-
Female.....	2	-	1	1	4	3	4	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	84	125	146	194	271	381	355	213	83	21	1	-
Male.....	53	73	90	125	147	204	186	102	24	7	-	-
Female.....	31	52	56	69	124	177	169	111	59	14	1	-
White, both sexes.....	63	106	120	176	233	355	335	202	80	20	1	-
Male.....	41	62	78	119	126	193	180	98	24	6	-	-
Female.....	22	44	42	57	107	162	155	104	56	14	1	-
Black, both sexes.....	20	18	25	17	33	23	17	11	3	-	-	-
Male.....	11	11	11	6	20	10	6	4	-	-	-	-
Female.....	9	7	14	11	13	13	11	7	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	4	1	1	-	-	1	-	-
Male.....	1	-	1	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	1	3	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Missouri

All races, both sexes.....	51	68	91	143	174	200	185	138	57	14	1	-
Male.....	30	43	56	98	96	108	101	64	18	3	-	-
Female.....	21	25	35	45	78	92	84	74	39	11	1	-
White, both sexes.....	40	60	81	128	163	191	178	131	55	14	1	-
Male.....	24	38	52	85	91	104	98	62	18	3	-	-
Female.....	16	22	29	43	72	87	80	69	37	11	1	-
Black, both sexes.....	10	6	9	15	11	9	7	7	2	-	-	-
Male.....	6	4	4	13	5	4	3	2	-	-	-	-
Female.....	4	2	5	2	6	5	4	5	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	8	5	16	20	27	34	38	30	12	6	-	-
Male.....	3	4	10	9	19	15	22	15	5	3	-	-
Female.....	5	1	6	11	8	19	16	15	7	3	-	-
White, both sexes.....	7	5	16	20	26	34	36	30	12	6	-	-
Male.....	3	4	10	9	19	15	22	15	5	3	-	-
Female.....	4	1	6	11	7	19	14	15	7	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Nebraska

All races, both sexes.....	11	13	27	38	47	70	65	46	26	10	-	-
Male.....	5	6	17	22	31	34	33	20	10	3	-	-
Female.....	6	7	10	16	16	36	32	26	16	7	-	-
White, both sexes.....	10	13	26	38	45	67	62	46	26	10	-	-
Male.....	5	6	17	22	30	33	32	20	10	3	-	-
Female.....	5	7	9	16	15	34	30	26	16	7	-	-
Black, both sexes.....	1	-	1	-	2	2	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Nevada

All races, both sexes.....	16	22	34	41	52	68	60	31	12	3	-	-
Male.....	10	16	26	26	30	43	32	14	5	1	-	-
Female.....	6	6	8	15	22	25	28	17	7	2	-	-
White, both sexes.....	13	19	31	37	48	63	54	30	12	3	-	-
Male.....	9	13	24	26	28	41	29	14	5	1	-	-
Female.....	4	6	7	11	20	22	25	16	7	2	-	-
Black, both sexes.....	2	2	2	4	1	2	4	1	-	-	-	-
Male.....	1	2	1	-	-	-	3	-	-	-	-	-
Female.....	1	-	1	4	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	3	1	1	-	-	-	-	-
Male.....	-	1	1	-	2	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Hampshire

All races, both sexes.....	7	13	22	31	31	47	29	30	10	2	1	-
Male.....	4	6	14	20	17	23	13	13	3	1	-	-
Female.....	3	7	8	11	14	24	16	17	7	1	1	-
White, both sexes.....	7	12	22	31	31	46	29	30	10	2	1	-
Male.....	4	6	14	20	17	22	13	13	3	1	-	-
Female.....	3	6	8	11	14	24	16	17	7	1	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	67	107	119	168	246	336	304	174	72	27	1	-
Male.....	45	67	74	100	142	183	149	69	28	11	-	-
Female.....	22	40	45	68	104	153	155	105	44	16	1	-
White, both sexes.....	48	86	98	142	221	309	282	166	64	23	1	-
Male.....	33	57	60	86	129	165	140	66	26	11	-	-
Female.....	15	29	38	56	92	144	142	100	38	12	1	-
Black, both sexes.....	18	17	14	22	24	25	17	7	8	4	-	-
Male.....	11	9	9	12	13	17	6	2	2	-	-	-
Female.....	7	8	5	10	11	8	11	5	6	4	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	5	4	1	2	5	1	-	-	-	-
Male.....	1	1	4	2	-	1	3	1	-	-	-	-
Female.....	-	3	1	2	1	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

New Mexico

All races, both sexes.....	13	24	34	30	45	56	48	48	12	2	-	-
Male.....	9	18	23	20	26	29	30	28	3	1	-	-
Female.....	4	6	11	10	19	27	18	20	9	1	-	-
White, both sexes.....	12	23	33	29	43	55	45	45	11	1	-	-
Male.....	8	18	22	19	24	29	28	26	3	1	-	-
Female.....	4	5	11	10	19	26	17	19	8	-	-	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	2	1	2	3	1	1	-	-
Male.....	1	-	1	-	2	-	1	2	-	-	-	-
Female.....	-	1	-	-	-	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	153	191	274	305	452	550	518	388	152	44	4	-
Male.....	91	115	161	190	252	268	236	179	56	13	1	-
Female.....	62	76	113	115	200	282	282	209	96	31	3	-
White, both sexes.....	115	148	222	248	391	500	475	366	147	41	4	-
Male.....	63	93	130	157	228	251	223	173	55	13	1	-
Female.....	52	55	92	91	163	249	252	193	92	28	3	-
Black, both sexes.....	34	34	41	50	51	42	37	15	5	2	-	-
Male.....	25	17	23	27	18	13	12	5	1	-	-	-
Female.....	9	17	18	23	33	29	25	10	4	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	10	7	10	8	5	6	-	1	-	-
Male.....	3	5	8	6	6	4	1	1	-	-	-	-
Female.....	1	4	2	1	4	4	4	5	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Ohio

All races, both sexes.....	100	130	218	260	331	474	431	253	115	20	-	-
Male.....	61	77	135	147	182	252	202	104	40	10	-	-
Female.....	39	53	83	113	149	222	229	149	75	10	-	-
White, both sexes.....	87	119	189	228	305	438	401	235	113	20	-	-
Male.....	54	68	121	135	172	229	188	95	40	10	-	-
Female.....	33	51	68	93	133	209	213	140	73	10	-	-
Black, both sexes.....	13	11	28	31	26	34	29	17	2	-	-	-
Male.....	7	9	14	12	10	22	14	9	-	-	-	-
Female.....	6	2	14	19	16	12	15	8	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-

Oklahoma

All races, both sexes.....	25	46	60	73	104	120	109	74	37	10	1	-
Male.....	13	23	40	46	56	65	64	30	14	2	1	-
Female.....	12	23	20	27	48	55	45	44	23	8	-	-
White, both sexes.....	22	39	53	67	92	112	98	72	35	10	-	-
Male.....	11	21	36	43	49	61	57	29	13	2	-	-
Female.....	11	18	17	24	43	51	41	43	22	8	-	-
Black, both sexes.....	2	1	3	2	6	2	7	-	2	-	-	-
Male.....	2	-	1	2	2	1	4	-	1	-	-	-
Female.....	-	1	2	-	4	1	3	-	1	-	-	-
American Indian 1/, both sexes.....	1	6	4	4	4	4	4	1	-	-	1	-
Male.....	-	2	3	1	3	2	3	-	-	-	1	-
Female.....	1	4	1	3	1	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	-	1	-	-	-	-
Male.....	-	-	-	-	2	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Oregon

All races, both sexes.....	26	45	65	70	102	123	136	92	43	9	-	-
Male.....	19	31	41	41	59	71	66	45	20	5	-	-
Female.....	7	14	24	29	43	52	70	47	23	4	-	-
White, both sexes.....	23	42	63	69	95	118	132	91	43	9	-	-
Male.....	17	29	39	41	56	69	64	45	20	5	-	-
Female.....	6	13	24	28	39	49	68	46	23	4	-	-
Black, both sexes.....	1	2	1	1	1	2	-	-	-	-	-	-
Male.....	1	2	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	5	2	2	1	-	-	-	-
Male.....	1	-	1	-	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	3	2	2	1	-	-	-	-

Pennsylvania

All races, both sexes.....	113	137	203	290	449	566	557	377	103	39	3	-
Male.....	72	85	114	172	235	291	285	178	36	11	-	-
Female.....	41	52	89	118	214	275	272	199	67	28	3	-
White, both sexes.....	98	121	175	273	418	531	521	362	100	37	2	-
Male.....	64	72	101	161	221	280	272	171	35	11	-	-
Female.....	34	49	74	112	197	251	249	191	65	26	2	-
Black, both sexes.....	15	16	28	15	30	33	31	13	3	2	1	-
Male.....	8	13	13	9	13	9	10	5	1	-	-	-
Female.....	7	3	15	6	17	24	21	8	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	5	2	-	-	-	-
Male.....	-	-	-	2	1	2	3	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Texas

All races, both sexes.....	152	218	251	327	494	517	516	315	138	35	6	-
Male.....	81	129	150	182	293	291	253	126	43	10	1	-
Female.....	71	89	101	145	201	226	263	189	95	25	5	-
White, both sexes.....	120	191	226	293	441	471	475	298	126	32	6	-
Male.....	64	114	138	165	265	268	231	119	37	9	1	-
Female.....	56	77	88	128	176	203	244	179	89	23	5	-
Black, both sexes.....	27	25	25	30	48	44	39	17	11	3	-	-
Male.....	15	14	12	17	26	22	20	7	5	1	-	-
Female.....	12	11	13	13	22	22	19	10	6	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	-	4	5	1	2	-	1	-	-	-
Male.....	1	1	-	-	2	1	2	-	1	-	-	-
Female.....	3	1	-	4	3	-	-	-	-	-	-	-

Utah

All races, both sexes.....	7	20	26	20	31	55	38	42	11	1	-	-
Male.....	4	13	16	11	20	35	23	20	5	-	-	-
Female.....	3	7	10	9	11	20	15	22	6	1	-	-
White, both sexes.....	7	20	25	19	31	51	38	41	11	1	-	-
Male.....	4	13	16	10	20	35	23	19	5	-	-	-
Female.....	3	7	9	9	11	16	15	22	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

Vermont

All races, both sexes.....	2	3	7	16	18	18	23	15	6	2	1	-
Male.....	2	2	3	12	13	11	9	10	4	1	1	-
Female.....	-	1	4	4	5	7	14	5	2	1	-	-
White, both sexes.....	2	3	7	16	18	18	23	15	6	2	1	-
Male.....	2	2	3	12	13	11	9	10	4	1	1	-
Female.....	-	1	4	4	5	7	14	5	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	45	78	122	128	188	201	179	117	55	9	-	-
Male.....	22	52	75	65	100	118	76	41	21	3	-	-
Female.....	23	26	47	63	88	83	103	76	34	6	-	-
White, both sexes.....	29	68	102	104	143	163	152	104	44	9	-	-
Male.....	15	47	62	53	74	98	65	37	16	3	-	-
Female.....	14	21	40	51	69	65	87	67	28	6	-	-
Black, both sexes.....	13	9	18	21	41	36	26	13	10	-	-	-
Male.....	5	5	11	11	24	19	10	4	5	-	-	-
Female.....	8	4	7	10	17	17	16	9	5	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	3	4	2	1	-	1	-	-	-
Male.....	2	-	2	1	2	1	1	-	-	-	-	-
Female.....	1	-	-	2	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Hodgkin's disease (C81)												
Arkansas												
All races, both sexes.....	18	-	-	-	1	1	2	2	1	1	-	2
Male.....	15	-	-	-	1	1	2	2	1	1	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	14	-	-	-	1	1	-	2	1	1	-	1
Male.....	12	-	-	-	1	1	-	2	1	1	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	2	-	-	-	-	1
Male.....	3	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	137	-	-	-	2	2	4	3	13	10	8	12
Male.....	77	-	-	-	2	-	1	2	6	6	5	7
Female.....	60	-	-	-	-	2	3	1	7	4	3	5
White, both sexes.....	124	-	-	-	2	1	4	3	10	8	8	11
Male.....	71	-	-	-	2	-	1	2	5	6	5	6
Female.....	53	-	-	-	-	1	3	1	5	2	3	5
Black, both sexes.....	5	-	-	-	-	-	-	-	2	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	-	-	1	1	-	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hodgkin's disease (C81)

Vermont

All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	23	-	-	-	-	-	-	-	2	3	1	3
Male.....	13	-	-	-	-	-	-	-	1	1	-	3
Female.....	10	-	-	-	-	-	-	-	1	2	1	-
White, both sexes.....	20	-	-	-	-	-	-	-	1	2	1	3
Male.....	11	-	-	-	-	-	-	-	-	1	-	3
Female.....	9	-	-	-	-	-	-	-	1	1	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hodgkin's disease (C81)												
Arkansas												
All races, both sexes.....	-	2	1	1	1	-	1	2	-	-	-	-
Male.....	-	2	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	2	1	-	1	-	1	2	-	-	-	-
Male.....	-	2	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	12	11	5	17	16	12	6	1	-	-	-
Male.....	1	7	8	3	13	5	8	2	1	-	-	-
Female.....	2	5	3	2	4	11	4	4	-	-	-	-
White, both sexes.....	3	11	10	5	16	14	12	5	1	-	-	-
Male.....	1	6	7	3	12	4	8	2	1	-	-	-
Female.....	2	5	3	2	4	10	4	3	-	-	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Arkansas

All races, both sexes.....	217	-	-	-	1	2	-	-	1	2	3	5
Male.....	125	-	-	-	-	2	-	-	1	1	3	5
Female.....	92	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	204	-	-	-	1	2	-	-	1	2	3	4
Male.....	116	-	-	-	-	2	-	-	1	1	3	4
Female.....	88	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,141	-	1	3	7	9	11	10	20	21	47	66
Male.....	1,191	-	1	1	3	7	7	9	13	15	34	43
Female.....	950	-	-	2	4	2	4	1	7	6	13	23
White, both sexes.....	1,886	-	1	2	5	8	10	7	15	19	42	54
Male.....	1,049	-	1	-	3	6	7	6	10	14	31	34
Female.....	837	-	-	2	2	2	3	1	5	5	11	20
Black, both sexes.....	76	-	-	1	-	1	1	2	-	1	3	5
Male.....	47	-	-	1	-	1	-	2	-	-	2	4
Female.....	29	-	-	-	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	173	-	-	-	2	-	-	1	5	1	1	6
Male.....	91	-	-	-	-	-	-	1	3	1	-	4
Female.....	82	-	-	-	2	-	-	-	2	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Massachusetts

All races, both sexes.....	524	-	-	1	-	1	3	2	4	4	10	14
Male.....	266	-	-	1	-	-	3	1	2	2	5	9
Female.....	258	-	-	-	-	1	-	1	2	2	5	5
White, both sexes.....	499	-	-	1	-	1	1	1	2	3	8	12
Male.....	254	-	-	1	-	-	1	1	2	1	3	8
Female.....	245	-	-	-	-	1	-	-	-	2	5	4
Black, both sexes.....	20	-	-	-	-	-	2	1	1	1	2	2
Male.....	10	-	-	-	-	-	2	-	-	1	2	1
Female.....	10	-	-	-	-	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	842	-	-	1	-	1	5	3	6	8	7	32
Male.....	467	-	-	1	-	1	3	1	4	5	5	18
Female.....	375	-	-	-	-	-	2	2	2	3	2	14
White, both sexes.....	778	-	-	1	-	-	4	-	4	5	6	30
Male.....	439	-	-	1	-	-	2	-	4	4	4	17
Female.....	339	-	-	-	-	-	2	-	-	1	2	13
Black, both sexes.....	53	-	-	-	-	1	1	3	1	2	1	1
Male.....	24	-	-	-	-	1	1	1	-	-	1	1
Female.....	29	-	-	-	-	-	-	2	1	2	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Mexico

All races, both sexes.....	129	-	-	-	-	1	-	-	1	1	2	5
Male.....	76	-	-	-	-	1	-	-	1	-	2	3
Female.....	53	-	-	-	-	-	-	-	-	1	-	2
White, both sexes.....	121	-	-	-	-	1	-	-	1	-	2	4
Male.....	72	-	-	-	-	1	-	-	1	-	2	3
Female.....	49	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,331	-	-	1	1	5	8	10	10	25	38	53
Male.....	673	-	-	1	-	3	3	4	8	15	26	35
Female.....	658	-	-	-	1	2	5	6	2	10	12	18
White, both sexes.....	1,157	-	-	1	-	2	6	6	9	19	21	40
Male.....	582	-	-	1	-	1	3	4	7	12	15	27
Female.....	575	-	-	-	-	1	3	2	2	7	6	13
Black, both sexes.....	137	-	-	-	1	2	1	3	1	3	14	13
Male.....	70	-	-	-	-	1	-	-	1	1	8	8
Female.....	67	-	-	-	1	1	1	3	-	2	6	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	-	-	-	1	1	1	-	3	3	-
Male.....	21	-	-	-	-	1	-	-	-	2	3	-
Female.....	16	-	-	-	-	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Vermont

All races, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	462	1	-	-	2	3	3	2	4	8	6	13
Male.....	233	1	-	-	1	2	1	1	3	4	3	12
Female.....	229	-	-	-	1	1	2	1	1	4	3	1
White, both sexes.....	401	1	-	-	-	-	2	2	4	3	4	11
Male.....	203	1	-	-	-	-	1	1	3	2	1	10
Female.....	198	-	-	-	-	-	1	1	1	1	3	1
Black, both sexes.....	52	-	-	-	1	2	1	-	-	5	2	1
Male.....	25	-	-	-	1	1	-	-	-	2	2	1
Female.....	27	-	-	-	-	1	1	-	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	1	-	-	-	-	-	1
Male.....	5	-	-	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Alaska

All races, both sexes.....	-	5	5	4	2	4	1	2	-	-	-	-
Male.....	-	5	4	2	1	2	-	1	-	-	-	-
Female.....	-	-	1	2	1	2	1	1	-	-	-	-
White, both sexes.....	-	5	5	4	2	3	1	1	-	-	-	-
Male.....	-	5	4	2	1	2	-	1	-	-	-	-
Female.....	-	-	1	2	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	17	21	32	47	41	80	60	45	11	2	1	-
Male.....	7	10	22	24	25	35	33	21	2	-	1	-
Female.....	10	11	10	23	16	45	27	24	9	2	-	-
White, both sexes.....	15	18	31	43	39	77	59	43	10	2	1	-
Male.....	6	8	22	22	24	34	33	21	2	-	1	-
Female.....	9	10	9	21	15	43	26	22	8	2	-	-
Black, both sexes.....	1	-	-	-	-	1	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	1	2	2	-	-	1	-	-	-
Male.....	-	2	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Arkansas

All races, both sexes.....	12	16	18	19	34	36	34	24	8	2	-	-
Male.....	10	8	16	14	14	23	16	9	3	-	-	-
Female.....	2	8	2	5	20	13	18	15	5	2	-	-
White, both sexes.....	11	15	16	18	32	34	32	23	8	2	-	-
Male.....	9	7	14	13	14	22	14	9	3	-	-	-
Female.....	2	8	2	5	18	12	18	14	5	2	-	-
Black, both sexes.....	1	1	2	1	2	2	1	1	-	-	-	-
Male.....	1	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	79	133	171	205	300	350	329	254	95	26	4	-
Male.....	49	83	101	115	179	194	170	113	37	15	2	-
Female.....	30	50	70	90	121	156	159	141	58	11	2	-
White, both sexes.....	64	112	143	181	263	311	305	233	86	21	4	-
Male.....	39	70	84	100	157	177	160	104	33	11	2	-
Female.....	25	42	59	81	106	134	145	129	53	10	2	-
Black, both sexes.....	6	8	11	5	11	7	8	4	2	-	-	-
Male.....	4	6	8	5	7	3	3	1	-	-	-	-
Female.....	2	2	3	-	4	4	5	3	2	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	1	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	11	17	18	25	32	16	17	7	5	-	-
Male.....	6	5	9	10	15	14	7	8	4	4	-	-
Female.....	3	6	8	8	10	18	9	9	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Colorado

All races, both sexes.....	19	16	22	30	37	42	39	30	9	2	-	-
Male.....	12	7	15	16	17	25	21	15	5	-	-	-
Female.....	7	9	7	14	20	17	18	15	4	2	-	-
White, both sexes.....	18	16	21	30	37	42	36	29	8	2	-	-
Male.....	11	7	14	16	17	25	21	14	4	-	-	-
Female.....	7	9	7	14	20	17	15	15	4	2	-	-
Black, both sexes.....	1	-	1	-	-	-	3	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	10	18	21	19	33	41	64	43	13	7	-	-
Male.....	5	9	13	15	22	25	28	24	4	2	-	-
Female.....	5	9	8	4	11	16	36	19	9	5	-	-
White, both sexes.....	8	18	19	19	33	41	62	42	12	7	-	-
Male.....	3	9	11	15	22	25	28	24	4	2	-	-
Female.....	5	9	8	4	11	16	34	18	8	5	-	-
Black, both sexes.....	2	-	1	-	-	-	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Massachusetts

All races, both sexes.....	17	32	28	37	63	95	106	67	32	7	1	-
Male.....	12	14	17	20	38	45	53	31	9	3	1	-
Female.....	5	18	11	17	25	50	53	36	23	4	-	-
White, both sexes.....	13	31	27	35	59	93	105	67	32	7	1	-
Male.....	10	13	17	19	37	44	53	31	9	3	1	-
Female.....	3	18	10	16	22	49	52	36	23	4	-	-
Black, both sexes.....	4	1	-	1	4	1	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	3	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	39	57	58	81	107	154	152	88	36	7	-	-
Male.....	29	30	40	60	56	81	79	41	9	4	-	-
Female.....	10	27	18	21	51	73	73	47	27	3	-	-
White, both sexes.....	29	51	53	79	96	146	147	86	35	6	-	-
Male.....	23	27	38	59	52	77	78	41	9	3	-	-
Female.....	6	24	15	20	44	69	69	45	26	3	-	-
Black, both sexes.....	9	5	5	2	8	8	3	2	1	-	-	-
Male.....	5	3	2	1	3	4	1	-	-	-	-	-
Female.....	4	2	3	1	5	4	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	1	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Missouri

All races, both sexes.....	21	31	36	57	72	69	76	67	23	5	1	-
Male.....	11	16	21	40	37	37	39	32	5	2	-	-
Female.....	10	15	15	17	35	32	37	35	18	3	1	-
White, both sexes.....	18	28	35	54	69	68	73	65	23	5	1	-
Male.....	10	15	21	38	35	37	38	31	5	2	-	-
Female.....	8	13	14	16	34	31	35	34	18	3	1	-
Black, both sexes.....	3	2	1	3	3	1	3	2	-	-	-	-
Male.....	1	1	-	2	2	-	1	1	-	-	-	-
Female.....	2	1	1	1	1	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	4	2	4	6	13	13	16	9	8	1	-	-
Male.....	2	1	1	2	9	6	9	7	2	-	-	-
Female.....	2	1	3	4	4	7	7	2	6	1	-	-
White, both sexes.....	4	2	4	6	12	13	15	9	8	1	-	-
Male.....	2	1	1	2	9	6	9	7	2	-	-	-
Female.....	2	1	3	4	3	7	6	2	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Nebraska

All races, both sexes.....	4	2	10	14	20	29	26	16	9	2	-	-
Male.....	3	-	6	7	14	17	14	9	-	-	-	-
Female.....	1	2	4	7	6	12	12	7	9	2	-	-
White, both sexes.....	4	2	10	14	20	29	25	16	9	2	-	-
Male.....	3	-	6	7	14	17	13	9	-	-	-	-
Female.....	1	2	4	7	6	12	12	7	9	2	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	7	13	13	25	21	23	15	3	2	-	-
Male.....	1	5	11	11	12	11	12	5	1	1	-	-
Female.....	2	2	2	2	13	10	11	10	2	1	-	-
White, both sexes.....	1	6	11	12	23	19	21	14	3	2	-	-
Male.....	1	4	9	11	11	10	12	5	1	1	-	-
Female.....	-	2	2	1	12	9	9	9	2	1	-	-
Black, both sexes.....	1	1	1	1	-	1	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Hampshire

All races, both sexes.....	2	6	11	18	7	20	14	14	2	-	-	-
Male.....	1	3	6	11	5	11	6	4	-	-	-	-
Female.....	1	3	5	7	2	9	8	10	2	-	-	-
White, both sexes.....	2	6	11	18	7	20	14	14	2	-	-	-
Male.....	1	3	6	11	5	11	6	4	-	-	-	-
Female.....	1	3	5	7	2	9	8	10	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	29	46	47	58	80	123	129	76	33	12	1	-
Male.....	23	27	31	42	45	63	62	30	13	5	-	-
Female.....	6	19	16	16	35	60	67	46	20	7	1	-
White, both sexes.....	23	38	42	52	73	116	125	74	32	11	1	-
Male.....	19	25	27	40	41	58	59	29	13	5	-	-
Female.....	4	13	15	12	32	58	66	45	19	6	1	-
Black, both sexes.....	6	6	3	3	6	5	2	1	1	1	-	-
Male.....	4	2	2	1	4	4	1	-	-	-	-	-
Female.....	2	4	1	2	2	1	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	3	1	2	2	1	-	-	-	-
Male.....	-	-	2	1	-	1	2	1	-	-	-	-
Female.....	-	2	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

New Mexico

All races, both sexes.....	4	8	10	6	15	25	23	21	6	1	-	-
Male.....	2	7	6	5	8	16	13	9	3	-	-	-
Female.....	2	1	4	1	7	9	10	12	3	1	-	-
White, both sexes.....	4	8	9	5	14	24	22	21	6	-	-	-
Male.....	2	7	5	4	7	16	12	9	3	-	-	-
Female.....	2	1	4	1	7	8	10	12	3	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	1	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	62	73	116	117	158	217	195	168	61	11	2	-
Male.....	38	45	67	72	80	105	75	74	18	3	1	-
Female.....	24	28	49	45	78	112	120	94	43	8	1	-
White, both sexes.....	48	59	93	97	134	202	186	160	61	11	2	-
Male.....	27	38	52	60	70	99	72	72	18	3	1	-
Female.....	21	21	41	37	64	103	114	88	43	8	1	-
Black, both sexes.....	12	11	19	16	18	11	7	5	-	-	-	-
Male.....	9	6	11	9	7	4	3	2	-	-	-	-
Female.....	3	5	8	7	11	7	4	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	4	4	6	4	2	3	-	-	-	-
Male.....	2	1	4	3	3	2	-	-	-	-	-	-
Female.....	-	2	-	1	3	2	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Ohio

All races, both sexes.....	42	62	76	99	126	198	163	97	51	6	-	-
Male.....	27	36	51	59	65	96	68	40	19	2	-	-
Female.....	15	26	25	40	61	102	95	57	32	4	-	-
White, both sexes.....	39	56	67	93	119	190	159	94	50	6	-	-
Male.....	25	32	45	57	62	93	66	38	19	2	-	-
Female.....	14	24	22	36	57	97	93	56	31	4	-	-
Black, both sexes.....	3	6	9	6	7	7	4	3	1	-	-	-
Male.....	2	4	6	2	3	3	2	2	-	-	-	-
Female.....	1	2	3	4	4	4	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	11	15	23	37	44	48	45	35	14	1	-	-
Male.....	6	7	15	22	21	28	22	13	5	-	-	-
Female.....	5	8	8	15	23	20	23	22	9	1	-	-
White, both sexes.....	10	12	22	33	39	44	41	35	14	1	-	-
Male.....	5	6	14	20	18	27	20	13	5	-	-	-
Female.....	5	6	8	13	21	17	21	22	9	1	-	-
Black, both sexes.....	1	-	-	1	2	2	2	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	3	3	1	2	-	-	-	-	-
Male.....	-	1	1	1	3	-	1	-	-	-	-	-
Female.....	-	2	-	2	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Oregon

All races, both sexes.....	10	22	34	34	39	45	59	33	15	6	-	-
Male.....	6	17	20	18	27	22	29	14	5	4	-	-
Female.....	4	5	14	16	12	23	30	19	10	2	-	-
White, both sexes.....	9	20	33	33	37	43	58	33	15	6	-	-
Male.....	5	16	19	18	26	21	29	14	5	4	-	-
Female.....	4	4	14	15	11	22	29	19	10	2	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	57	60	86	120	191	226	230	168	39	13	2	-
Male.....	34	39	48	68	94	109	106	73	15	5	-	-
Female.....	23	21	38	52	97	117	124	95	24	8	2	-
White, both sexes.....	50	56	76	113	178	219	219	163	39	13	2	-
Male.....	30	36	44	62	90	107	104	70	15	5	-	-
Female.....	20	20	32	51	88	112	115	93	24	8	2	-
Black, both sexes.....	7	4	10	5	12	5	9	3	-	-	-	-
Male.....	4	3	4	4	3	-	2	1	-	-	-	-
Female.....	3	1	6	1	9	5	7	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	2	2	-	-	-	-
Male.....	-	-	-	2	1	2	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Texas

All races, both sexes.....	59	87	102	122	190	208	192	125	59	8	5	-
Male.....	34	56	64	68	107	105	93	47	26	3	1	-
Female.....	25	31	38	54	83	103	99	78	33	5	4	-
White, both sexes.....	47	80	93	116	175	196	180	124	51	6	5	-
Male.....	29	51	62	66	99	101	88	47	22	2	1	-
Female.....	18	29	31	50	76	95	92	77	29	4	4	-
Black, both sexes.....	11	7	9	5	13	11	11	1	7	2	-	-
Male.....	5	5	2	2	7	3	4	-	3	1	-	-
Female.....	6	2	7	3	6	8	7	1	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	7	11	8	15	18	18	20	7	-	-	-
Male.....	2	4	7	4	9	10	10	7	3	-	-	-
Female.....	-	3	4	4	6	8	8	13	4	-	-	-
White, both sexes.....	2	7	10	8	15	16	18	20	7	-	-	-
Male.....	2	4	7	4	9	10	10	7	3	-	-	-
Female.....	-	3	3	4	6	6	8	13	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

Vermont

All races, both sexes.....	-	1	6	5	8	8	10	6	2	1	-	-
Male.....	-	1	3	5	5	4	5	4	1	1	-	-
Female.....	-	-	3	-	3	4	5	2	1	-	-	-
White, both sexes.....	-	1	6	5	8	8	10	6	2	1	-	-
Male.....	-	1	3	5	5	4	5	4	1	1	-	-
Female.....	-	-	3	-	3	4	5	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	16	38	44	50	61	81	69	41	16	4	-	-
Male.....	8	24	28	19	26	52	28	13	7	-	-	-
Female.....	8	14	16	31	35	29	41	28	9	4	-	-
White, both sexes.....	14	37	40	42	54	70	62	37	14	4	-	-
Male.....	8	24	26	17	22	43	26	12	6	-	-	-
Female.....	6	13	14	25	32	27	36	25	8	4	-	-
Black, both sexes.....	2	1	3	5	7	10	7	4	1	-	-	-
Male.....	-	-	1	1	4	8	2	1	1	-	-	-
Female.....	2	1	2	4	3	2	5	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	-	1	-	-	1	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
Arkansas												
All races, both sexes.....	216	-	-	-	1	2	-	-	1	2	3	5
Male.....	125	-	-	-	-	2	-	-	1	1	3	5
Female.....	91	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	203	-	-	-	1	2	-	-	1	2	3	4
Male.....	116	-	-	-	-	2	-	-	1	1	3	4
Female.....	87	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,132	-	1	3	7	9	11	10	20	21	47	65
Male.....	1,186	-	1	1	3	7	7	9	13	15	34	42
Female.....	946	-	-	2	4	2	4	1	7	6	13	23
White, both sexes.....	1,878	-	1	2	5	8	10	7	15	19	42	54
Male.....	1,045	-	1	-	3	6	7	6	10	14	31	34
Female.....	833	-	-	2	2	2	3	1	5	5	11	20
Black, both sexes.....	76	-	-	1	-	1	1	2	-	1	3	5
Male.....	47	-	-	1	-	1	-	2	-	-	2	4
Female.....	29	-	-	-	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	172	-	-	-	2	-	-	1	5	1	1	5
Male.....	90	-	-	-	-	-	-	1	3	1	-	3
Female.....	82	-	-	-	2	-	-	-	2	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
Massachusetts												
All races, both sexes.....	524	-	-	1	-	1	3	2	4	4	10	14
Male.....	266	-	-	1	-	-	3	1	2	2	5	9
Female.....	258	-	-	-	-	1	-	1	2	2	5	5
White, both sexes.....	499	-	-	1	-	1	1	1	2	3	8	12
Male.....	254	-	-	1	-	-	1	1	2	1	3	8
Female.....	245	-	-	-	-	1	-	-	-	2	5	4
Black, both sexes.....	20	-	-	-	-	-	2	1	1	1	2	2
Male.....	10	-	-	-	-	-	2	-	-	1	2	1
Female.....	10	-	-	-	-	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-
Michigan												
All races, both sexes.....	840	-	-	1	-	1	5	3	6	8	7	32
Male.....	465	-	-	1	-	1	3	1	4	5	5	18
Female.....	375	-	-	-	-	-	2	2	2	3	2	14
White, both sexes.....	776	-	-	1	-	-	4	-	4	5	6	30
Male.....	437	-	-	1	-	-	2	-	4	4	4	17
Female.....	339	-	-	-	-	-	2	-	-	1	2	13
Black, both sexes.....	53	-	-	-	-	1	1	3	1	2	1	1
Male.....	24	-	-	-	-	1	1	1	-	-	1	1
Female.....	29	-	-	-	-	-	-	2	1	2	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Non-Hodgkin's lymphoma (C82-C85)

New Mexico

All races, both sexes.....	127	-	-	-	-	1	-	-	1	1	2	5
Male.....	75	-	-	-	-	1	-	-	1	-	2	3
Female.....	52	-	-	-	-	-	-	-	-	1	-	2
White, both sexes.....	119	-	-	-	-	1	-	-	1	-	2	4
Male.....	71	-	-	-	-	1	-	-	1	-	2	3
Female.....	48	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1,328	-	-	1	1	5	8	10	10	25	38	52
Male.....	671	-	-	1	-	3	3	4	8	15	26	35
Female.....	657	-	-	-	1	2	5	6	2	10	12	17
White, both sexes.....	1,154	-	-	1	-	2	6	6	9	19	21	39
Male.....	580	-	-	1	-	1	3	4	7	12	15	27
Female.....	574	-	-	-	-	1	3	2	2	7	6	12
Black, both sexes.....	137	-	-	-	1	2	1	3	1	3	14	13
Male.....	70	-	-	-	-	1	-	-	1	1	8	8
Female.....	67	-	-	-	1	1	1	3	-	2	6	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	-	-	-	1	1	1	-	3	3	-
Male.....	21	-	-	-	-	1	-	-	-	2	3	-
Female.....	16	-	-	-	-	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Non-Hodgkin's lymphoma (C82-C85)												
Vermont												
All races, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	458	-	-	-	2	3	3	2	4	8	6	12
Male.....	231	-	-	-	1	2	1	1	3	4	3	11
Female.....	227	-	-	-	1	1	2	1	1	4	3	1
White, both sexes.....	397	-	-	-	-	-	2	2	4	3	4	10
Male.....	201	-	-	-	-	-	1	1	3	2	1	9
Female.....	196	-	-	-	-	-	1	1	1	1	3	1
Black, both sexes.....	52	-	-	-	1	2	1	-	-	5	2	1
Male.....	25	-	-	-	1	1	-	-	-	2	2	1
Female.....	27	-	-	-	-	1	1	-	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	1	-	-	-	-	-	1
Male.....	5	-	-	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Alaska

All races, both sexes.....	-	5	5	4	2	4	1	2	-	-	-	-
Male.....	-	5	4	2	1	2	-	1	-	-	-	-
Female.....	-	-	1	2	1	2	1	1	-	-	-	-
White, both sexes.....	-	5	5	4	2	3	1	1	-	-	-	-
Male.....	-	5	4	2	1	2	-	1	-	-	-	-
Female.....	-	-	1	2	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	17	21	32	47	41	79	60	45	11	2	1	-
Male.....	7	10	22	24	25	35	33	21	2	-	1	-
Female.....	10	11	10	23	16	44	27	24	9	2	-	-
White, both sexes.....	15	18	31	43	39	76	59	43	10	2	1	-
Male.....	6	8	22	22	24	34	33	21	2	-	1	-
Female.....	9	10	9	21	15	42	26	22	8	2	-	-
Black, both sexes.....	1	-	-	-	-	1	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	1	2	2	-	-	1	-	-	-
Male.....	-	2	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Arkansas

All races, both sexes.....	12	16	18	19	34	36	34	23	8	2	-	-
Male.....	10	8	16	14	14	23	16	9	3	-	-	-
Female.....	2	8	2	5	20	13	18	14	5	2	-	-
White, both sexes.....	11	15	16	18	32	34	32	22	8	2	-	-
Male.....	9	7	14	13	14	22	14	9	3	-	-	-
Female.....	2	8	2	5	18	12	18	13	5	2	-	-
Black, both sexes.....	1	1	2	1	2	2	1	1	-	-	-	-
Male.....	1	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	79	133	171	205	299	346	328	252	95	26	4	-
Male.....	49	83	101	115	178	191	170	113	37	15	2	-
Female.....	30	50	70	90	121	155	158	139	58	11	2	-
White, both sexes.....	64	112	143	181	262	307	304	231	86	21	4	-
Male.....	39	70	84	100	156	174	160	104	33	11	2	-
Female.....	25	42	59	81	106	133	144	127	53	10	2	-
Black, both sexes.....	6	8	11	5	11	7	8	4	2	-	-	-
Male.....	4	6	8	5	7	3	3	1	-	-	-	-
Female.....	2	2	3	-	4	4	5	3	2	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	1	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	11	17	18	25	32	16	17	7	5	-	-
Male.....	6	5	9	10	15	14	7	8	4	4	-	-
Female.....	3	6	8	8	10	18	9	9	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Colorado

All races, both sexes.....	19	16	22	29	37	42	39	30	9	2	-	-
Male.....	12	7	15	15	17	25	21	15	5	-	-	-
Female.....	7	9	7	14	20	17	18	15	4	2	-	-
White, both sexes.....	18	16	21	29	37	42	36	29	8	2	-	-
Male.....	11	7	14	15	17	25	21	14	4	-	-	-
Female.....	7	9	7	14	20	17	15	15	4	2	-	-
Black, both sexes.....	1	-	1	-	-	-	3	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	10	18	21	19	33	41	64	42	13	7	-	-
Male.....	5	9	13	15	22	25	28	24	4	2	-	-
Female.....	5	9	8	4	11	16	36	18	9	5	-	-
White, both sexes.....	8	18	19	19	33	41	62	41	12	7	-	-
Male.....	3	9	11	15	22	25	28	24	4	2	-	-
Female.....	5	9	8	4	11	16	34	17	8	5	-	-
Black, both sexes.....	2	-	1	-	-	-	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Massachusetts

All races, both sexes.....	17	32	28	37	63	95	106	67	32	7	1	-
Male.....	12	14	17	20	38	45	53	31	9	3	1	-
Female.....	5	18	11	17	25	50	53	36	23	4	-	-
White, both sexes.....	13	31	27	35	59	93	105	67	32	7	1	-
Male.....	10	13	17	19	37	44	53	31	9	3	1	-
Female.....	3	18	10	16	22	49	52	36	23	4	-	-
Black, both sexes.....	4	1	-	1	4	1	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	3	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	39	57	58	81	106	154	152	87	36	7	-	-
Male.....	29	30	40	60	55	81	79	40	9	4	-	-
Female.....	10	27	18	21	51	73	73	47	27	3	-	-
White, both sexes.....	29	51	53	79	95	146	147	85	35	6	-	-
Male.....	23	27	38	59	51	77	78	40	9	3	-	-
Female.....	6	24	15	20	44	69	69	45	26	3	-	-
Black, both sexes.....	9	5	5	2	8	8	3	2	1	-	-	-
Male.....	5	3	2	1	3	4	1	-	-	-	-	-
Female.....	4	2	3	1	5	4	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	1	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Missouri

All races, both sexes.....	21	31	36	57	72	69	76	66	23	5	1	-
Male.....	11	16	21	40	37	37	39	32	5	2	-	-
Female.....	10	15	15	17	35	32	37	34	18	3	1	-
White, both sexes.....	18	28	35	54	69	68	73	65	23	5	1	-
Male.....	10	15	21	38	35	37	38	31	5	2	-	-
Female.....	8	13	14	16	34	31	35	34	18	3	1	-
Black, both sexes.....	3	2	1	3	3	1	3	1	-	-	-	-
Male.....	1	1	-	2	2	-	1	1	-	-	-	-
Female.....	2	1	1	1	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	4	2	4	6	13	13	16	9	8	1	-	-
Male.....	2	1	1	2	9	6	9	7	2	-	-	-
Female.....	2	1	3	4	4	7	7	2	6	1	-	-
White, both sexes.....	4	2	4	6	12	13	15	9	8	1	-	-
Male.....	2	1	1	2	9	6	9	7	2	-	-	-
Female.....	2	1	3	4	3	7	6	2	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Nebraska

All races, both sexes.....	4	2	10	14	20	29	26	16	9	2	-	-
Male.....	3	-	6	7	14	17	14	9	-	-	-	-
Female.....	1	2	4	7	6	12	12	7	9	2	-	-
White, both sexes.....	4	2	10	14	20	29	25	16	9	2	-	-
Male.....	3	-	6	7	14	17	13	9	-	-	-	-
Female.....	1	2	4	7	6	12	12	7	9	2	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	7	13	13	25	21	23	15	3	2	-	-
Male.....	1	5	11	11	12	11	12	5	1	1	-	-
Female.....	2	2	2	2	13	10	11	10	2	1	-	-
White, both sexes.....	1	6	11	12	23	19	21	14	3	2	-	-
Male.....	1	4	9	11	11	10	12	5	1	1	-	-
Female.....	-	2	2	1	12	9	9	9	2	1	-	-
Black, both sexes.....	1	1	1	1	-	1	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Non-Hodgkin's lymphoma (C82-C85)

New Hampshire

All races, both sexes.....	2	6	11	18	7	20	14	14	2	-	-	-
Male.....	1	3	6	11	5	11	6	4	-	-	-	-
Female.....	1	3	5	7	2	9	8	10	2	-	-	-
White, both sexes.....	2	6	11	18	7	20	14	14	2	-	-	-
Male.....	1	3	6	11	5	11	6	4	-	-	-	-
Female.....	1	3	5	7	2	9	8	10	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	29	46	47	58	80	123	129	76	33	12	1	-
Male.....	23	27	31	42	45	63	62	30	13	5	-	-
Female.....	6	19	16	16	35	60	67	46	20	7	1	-
White, both sexes.....	23	38	42	52	73	116	125	74	32	11	1	-
Male.....	19	25	27	40	41	58	59	29	13	5	-	-
Female.....	4	13	15	12	32	58	66	45	19	6	1	-
Black, both sexes.....	6	6	3	3	6	5	2	1	1	1	-	-
Male.....	4	2	2	1	4	4	1	-	-	-	-	-
Female.....	2	4	1	2	2	1	1	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	3	1	2	2	1	-	-	-	-
Male.....	-	-	2	1	-	1	2	1	-	-	-	-
Female.....	-	2	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

New Mexico

All races, both sexes.....	4	7	10	6	14	25	23	21	6	1	-	-
Male.....	2	6	6	5	8	16	13	9	3	-	-	-
Female.....	2	1	4	1	6	9	10	12	3	1	-	-
White, both sexes.....	4	7	9	5	13	24	22	21	6	-	-	-
Male.....	2	6	5	4	7	16	12	9	3	-	-	-
Female.....	2	1	4	1	6	8	10	12	3	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	62	73	116	116	158	217	195	167	61	11	2	-
Male.....	38	45	67	71	80	105	75	73	18	3	1	-
Female.....	24	28	49	45	78	112	120	94	43	8	1	-
White, both sexes.....	48	59	93	96	134	202	186	159	61	11	2	-
Male.....	27	38	52	59	70	99	72	71	18	3	1	-
Female.....	21	21	41	37	64	103	114	88	43	8	1	-
Black, both sexes.....	12	11	19	16	18	11	7	5	-	-	-	-
Male.....	9	6	11	9	7	4	3	2	-	-	-	-
Female.....	3	5	8	7	11	7	4	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	4	4	6	4	2	3	-	-	-	-
Male.....	2	1	4	3	3	2	-	-	-	-	-	-
Female.....	-	2	-	1	3	2	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Ohio

All races, both sexes.....	42	62	76	98	126	198	163	95	50	6	-	-
Male.....	27	36	51	59	65	96	68	39	18	2	-	-
Female.....	15	26	25	39	61	102	95	56	32	4	-	-
White, both sexes.....	39	56	67	92	119	190	159	92	49	6	-	-
Male.....	25	32	45	57	62	93	66	37	18	2	-	-
Female.....	14	24	22	35	57	97	93	55	31	4	-	-
Black, both sexes.....	3	6	9	6	7	7	4	3	1	-	-	-
Male.....	2	4	6	2	3	3	2	2	-	-	-	-
Female.....	1	2	3	4	4	4	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	11	15	23	37	44	47	45	35	14	1	-	-
Male.....	6	7	15	22	21	27	22	13	5	-	-	-
Female.....	5	8	8	15	23	20	23	22	9	1	-	-
White, both sexes.....	10	12	22	33	39	43	41	35	14	1	-	-
Male.....	5	6	14	20	18	26	20	13	5	-	-	-
Female.....	5	6	8	13	21	17	21	22	9	1	-	-
Black, both sexes.....	1	-	-	1	2	2	2	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	3	3	1	2	-	-	-	-	-
Male.....	-	1	1	1	3	-	1	-	-	-	-	-
Female.....	-	2	-	2	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Oregon

All races, both sexes.....	10	22	34	33	39	45	59	33	15	6	-	-
Male.....	6	17	20	17	27	22	29	14	5	4	-	-
Female.....	4	5	14	16	12	23	30	19	10	2	-	-
White, both sexes.....	9	20	33	32	37	43	58	33	15	6	-	-
Male.....	5	16	19	17	26	21	29	14	5	4	-	-
Female.....	4	4	14	15	11	22	29	19	10	2	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	57	60	86	120	190	225	230	167	39	13	2	-
Male.....	34	39	48	68	93	108	106	72	15	5	-	-
Female.....	23	21	38	52	97	117	124	95	24	8	2	-
White, both sexes.....	50	56	76	113	177	218	219	162	39	13	2	-
Male.....	30	36	44	62	89	106	104	69	15	5	-	-
Female.....	20	20	32	51	88	112	115	93	24	8	2	-
Black, both sexes.....	7	4	10	5	12	5	9	3	-	-	-	-
Male.....	4	3	4	4	3	-	2	1	-	-	-	-
Female.....	3	1	6	1	9	5	7	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	2	2	-	-	-	-
Male.....	-	-	-	2	1	2	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Texas

All races, both sexes.....	59	87	102	122	190	207	191	125	59	8	5	-
Male.....	34	56	64	68	107	104	93	47	26	3	1	-
Female.....	25	31	38	54	83	103	98	78	33	5	4	-
White, both sexes.....	47	80	93	116	175	195	179	124	51	6	5	-
Male.....	29	51	62	66	99	100	88	47	22	2	1	-
Female.....	18	29	31	50	76	95	91	77	29	4	4	-
Black, both sexes.....	11	7	9	5	13	11	11	1	7	2	-	-
Male.....	5	5	2	2	7	3	4	-	3	1	-	-
Female.....	6	2	7	3	6	8	7	1	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	7	11	8	15	18	18	20	7	-	-	-
Male.....	2	4	7	4	9	10	10	7	3	-	-	-
Female.....	-	3	4	4	6	8	8	13	4	-	-	-
White, both sexes.....	2	7	10	8	15	16	18	20	7	-	-	-
Male.....	2	4	7	4	9	10	10	7	3	-	-	-
Female.....	-	3	3	4	6	6	8	13	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Non-Hodgkin's lymphoma (C82-C85)

Vermont

All races, both sexes.....	-	1	6	5	8	8	10	6	2	1	-	-
Male.....	-	1	3	5	5	4	5	4	1	1	-	-
Female.....	-	-	3	-	3	4	5	2	1	-	-	-
White, both sexes.....	-	1	6	5	8	8	10	6	2	1	-	-
Male.....	-	1	3	5	5	4	5	4	1	1	-	-
Female.....	-	-	3	-	3	4	5	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	16	38	44	49	60	81	69	41	16	4	-	-
Male.....	8	24	28	19	26	52	28	13	7	-	-	-
Female.....	8	14	16	30	34	29	41	28	9	4	-	-
White, both sexes.....	14	37	40	41	53	70	62	37	14	4	-	-
Male.....	8	24	26	17	22	43	26	12	6	-	-	-
Female.....	6	13	14	24	31	27	36	25	8	4	-	-
Black, both sexes.....	2	1	3	5	7	10	7	4	1	-	-	-
Male.....	-	-	1	1	4	8	2	1	1	-	-	-
Female.....	2	1	2	4	3	2	5	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	-	1	-	-	1	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Arkansas

All races, both sexes.....	117	-	-	-	-	-	-	-	1	-	1	1
Male.....	63	-	-	-	-	-	-	-	1	-	-	1
Female.....	54	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	94	-	-	-	-	-	-	-	1	-	1	1
Male.....	50	-	-	-	-	-	-	-	1	-	-	1
Female.....	44	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	22	-	-	-	-	-	-	-	-	-	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,068	-	-	-	-	-	-	-	2	7	11	31
Male.....	557	-	-	-	-	-	-	-	1	6	4	17
Female.....	511	-	-	-	-	-	-	-	1	1	7	14
White, both sexes.....	864	-	-	-	-	-	-	-	1	5	8	19
Male.....	460	-	-	-	-	-	-	-	1	5	4	12
Female.....	404	-	-	-	-	-	-	-	-	-	4	7
Black, both sexes.....	138	-	-	-	-	-	-	-	-	2	2	8
Male.....	60	-	-	-	-	-	-	-	-	1	-	2
Female.....	78	-	-	-	-	-	-	-	-	1	2	6
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	64	-	-	-	-	-	-	-	1	-	-	4
Male.....	36	-	-	-	-	-	-	-	-	-	-	3
Female.....	28	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Arkansas

All races, both sexes.....	6	8	8	8	21	28	16	12	7	-	-	-
Male.....	4	4	6	4	13	11	8	7	4	-	-	-
Female.....	2	4	2	4	8	17	8	5	3	-	-	-
White, both sexes.....	4	7	8	7	17	23	13	7	5	-	-	-
Male.....	3	4	6	4	10	9	6	4	2	-	-	-
Female.....	1	3	2	3	7	14	7	3	3	-	-	-
Black, both sexes.....	1	1	-	1	4	5	3	5	2	-	-	-
Male.....	-	-	-	-	3	2	2	3	2	-	-	-
Female.....	1	1	-	1	1	3	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	59	83	85	115	157	173	178	114	45	7	1	-
Male.....	35	50	54	73	91	82	79	47	16	2	-	-
Female.....	24	33	31	42	66	91	99	67	29	5	1	-
White, both sexes.....	44	65	70	92	129	138	150	96	42	5	-	-
Male.....	25	39	46	57	76	69	69	41	15	1	-	-
Female.....	19	26	24	35	53	69	81	55	27	4	-	-
Black, both sexes.....	10	12	8	17	16	24	19	15	2	2	1	-
Male.....	8	8	4	10	6	8	7	5	-	1	-	-
Female.....	2	4	4	7	10	16	12	10	2	1	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	6	6	12	11	9	3	1	-	-	-
Male.....	2	3	3	6	9	5	3	1	1	-	-	-
Female.....	3	3	3	-	3	6	6	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Iowa

All races, both sexes.....	2	7	7	14	20	24	24	15	6	2	-	-
Male.....	-	5	4	6	11	12	14	6	3	2	-	-
Female.....	2	2	3	8	9	12	10	9	3	-	-	-
White, both sexes.....	2	7	7	13	20	23	24	15	6	2	-	-
Male.....	-	5	4	6	11	11	14	6	3	2	-	-
Female.....	2	2	3	7	9	12	10	9	3	-	-	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	3	4	8	9	16	24	22	14	4	-	-	-
Male.....	1	2	5	5	9	13	10	8	3	-	-	-
Female.....	2	2	3	4	7	11	12	6	1	-	-	-
White, both sexes.....	3	4	8	8	14	20	21	14	4	-	-	-
Male.....	1	2	5	5	7	12	10	8	3	-	-	-
Female.....	2	2	3	3	7	8	11	6	1	-	-	-
Black, both sexes.....	-	-	-	1	2	3	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

New Hampshire

All races, both sexes.....	1	3	6	8	9	12	7	3	3	-	-	-
Male.....	-	1	5	5	3	3	2	2	-	-	-	-
Female.....	1	2	1	3	6	9	5	1	3	-	-	-
White, both sexes.....	1	2	6	8	9	11	7	3	3	-	-	-
Male.....	-	1	5	5	3	2	2	2	-	-	-	-
Female.....	1	1	1	3	6	9	5	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	14	24	28	41	65	63	64	33	9	7	-	-
Male.....	9	13	18	16	37	32	29	14	4	4	-	-
Female.....	5	11	10	25	28	31	35	19	5	3	-	-
White, both sexes.....	7	16	19	29	51	51	55	28	5	5	-	-
Male.....	4	9	12	8	32	24	25	13	3	4	-	-
Female.....	3	7	7	21	19	27	30	15	2	1	-	-
Black, both sexes.....	6	7	6	11	14	12	7	5	4	2	-	-
Male.....	4	4	4	7	5	8	3	1	1	-	-	-
Female.....	2	3	2	4	9	4	4	4	3	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	-	-	2	-	-	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

New Mexico

All races, both sexes.....	1	8	11	10	13	10	9	10	2	1	-	-
Male.....	-	6	8	4	9	5	6	8	-	1	-	-
Female.....	1	2	3	6	4	5	3	2	2	-	-	-
White, both sexes.....	1	8	11	10	12	10	8	8	2	1	-	-
Male.....	-	6	8	4	8	5	5	6	-	1	-	-
Female.....	1	2	3	6	4	5	3	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	32	50	56	75	98	105	114	69	26	4	-	-
Male.....	21	28	30	44	56	47	49	29	14	1	-	-
Female.....	11	22	26	31	42	58	65	40	12	3	-	-
White, both sexes.....	20	31	43	52	83	87	100	62	23	3	-	-
Male.....	11	18	25	32	52	42	44	27	13	1	-	-
Female.....	9	13	18	20	31	45	56	35	10	2	-	-
Black, both sexes.....	11	17	11	22	15	17	12	5	3	1	-	-
Male.....	9	9	5	11	4	5	4	2	1	-	-	-
Female.....	2	8	6	11	11	12	8	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	-	1	1	2	-	-	-	-
Male.....	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Multiple myeloma and malignant plasma cell neoplasms (C90)

Vermont

All races, both sexes.....	1	-	-	4	3	3	6	4	2	-	-	-
Male.....	1	-	-	4	2	3	2	3	2	-	-	-
Female.....	-	-	-	-	1	-	4	1	-	-	-	-
White, both sexes.....	1	-	-	4	3	3	6	4	2	-	-	-
Male.....	1	-	-	4	2	3	2	3	2	-	-	-
Female.....	-	-	-	-	1	-	4	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	9	15	31	34	60	40	44	23	12	1	-	-
Male.....	6	10	20	23	32	24	19	6	5	1	-	-
Female.....	3	5	11	11	28	16	25	17	7	-	-	-
White, both sexes.....	4	10	22	24	41	29	29	21	7	1	-	-
Male.....	3	7	13	17	21	18	13	6	3	1	-	-
Female.....	1	3	9	7	20	11	16	15	4	-	-	-
Black, both sexes.....	5	4	8	10	17	11	15	2	5	-	-	-
Male.....	3	3	6	6	10	6	6	-	2	-	-	-
Female.....	2	1	2	4	7	5	9	2	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Leukemia (C91-C95)												
Arkansas												
All races, both sexes.....	225	1	3	1	-	-	1	2	1	3	6	5
Male.....	135	-	1	1	-	-	1	2	1	1	3	3
Female.....	90	1	2	-	-	-	-	-	-	2	3	2
White, both sexes.....	203	1	2	1	-	-	1	1	1	1	3	5
Male.....	125	-	1	1	-	-	1	1	1	-	3	3
Female.....	78	1	1	-	-	-	-	-	-	1	-	2
Black, both sexes.....	21	-	1	-	-	-	-	1	-	2	2	-
Male.....	10	-	-	-	-	-	-	1	-	1	-	-
Female.....	11	-	1	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,209	4	25	35	46	28	33	26	36	37	54	76
Male.....	1,246	2	11	24	25	24	18	15	24	22	30	53
Female.....	963	2	14	11	21	4	15	11	12	15	24	23
White, both sexes.....	1,919	3	21	31	38	25	22	23	29	26	45	62
Male.....	1,094	1	11	22	19	22	11	14	18	15	26	47
Female.....	825	2	10	9	19	3	11	9	11	11	19	15
Black, both sexes.....	141	-	1	2	3	2	4	-	5	5	4	6
Male.....	82	-	-	2	3	1	3	-	5	5	2	2
Female.....	59	-	1	-	-	1	1	-	-	-	2	4
American Indian 1/, both sexes.....	8	-	-	-	-	1	2	-	-	-	-	1
Male.....	6	-	-	-	-	1	2	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	141	1	3	2	5	-	5	3	2	6	5	7
Male.....	64	1	-	-	3	-	2	1	1	2	2	3
Female.....	77	-	3	2	2	-	3	2	1	4	3	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Leukemia (C91-C95)

Colorado

All races, both sexes.....	277	-	-	2	4	3	3	4	4	1	11	7
Male.....	148	-	-	1	2	-	2	3	3	-	4	6
Female.....	129	-	-	1	2	3	1	1	1	1	7	1
White, both sexes.....	261	-	-	2	4	2	2	4	3	1	11	7
Male.....	139	-	-	1	2	-	1	3	2	-	4	6
Female.....	122	-	-	1	2	2	1	1	1	1	7	1
Black, both sexes.....	11	-	-	-	-	1	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	1	-	-	-
Male.....	3	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	320	1	1	1	5	1	5	2	1	3	4	7
Male.....	185	-	1	1	5	1	4	2	-	2	1	2
Female.....	135	1	-	-	-	-	1	-	1	1	3	5
White, both sexes.....	303	1	-	1	5	1	4	1	1	3	3	5
Male.....	176	-	-	1	5	1	4	1	-	2	-	2
Female.....	127	1	-	-	-	-	-	-	1	1	3	3
Black, both sexes.....	14	-	1	-	-	-	-	-	-	-	1	2
Male.....	7	-	1	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

United States

All races, both sexes.....	770	1,102	1,503	1,911	2,795	3,532	3,405	2,317	1,091	350	28	-
Male.....	454	683	910	1,215	1,715	2,054	1,826	1,102	416	91	6	-
Female.....	316	419	593	696	1,080	1,478	1,579	1,215	675	259	22	-
White, both sexes.....	635	962	1,323	1,702	2,522	3,265	3,168	2,180	1,019	329	23	-
Male.....	376	593	819	1,090	1,569	1,925	1,725	1,047	390	85	6	-
Female.....	259	369	504	612	953	1,340	1,443	1,133	629	244	17	-
Black, both sexes.....	111	113	151	171	224	219	189	115	67	16	5	-
Male.....	67	76	75	101	120	110	79	46	23	5	-	-
Female.....	44	37	76	70	104	109	110	69	44	11	5	-
American Indian 1/, both sexes.....	6	4	6	4	10	6	6	6	-	-	-	-
Male.....	4	1	2	3	4	1	3	1	-	-	-	-
Female.....	2	3	4	1	6	5	3	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	23	23	34	39	42	42	16	5	5	-	-
Male.....	7	13	14	21	22	18	19	8	3	1	-	-
Female.....	11	10	9	13	17	24	23	8	2	4	-	-

Alabama

All races, both sexes.....	22	15	24	30	46	50	49	28	24	2	-	-
Male.....	12	10	9	20	29	29	22	10	4	1	-	-
Female.....	10	5	15	10	17	21	27	18	20	1	-	-
White, both sexes.....	18	15	21	23	34	37	41	25	19	2	-	-
Male.....	9	10	9	15	23	21	20	10	3	1	-	-
Female.....	9	5	12	8	11	16	21	15	16	1	-	-
Black, both sexes.....	4	-	3	7	11	13	8	3	5	-	-	-
Male.....	3	-	-	5	6	8	2	-	1	-	-	-
Female.....	1	-	3	2	5	5	6	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Alaska

All races, both sexes.....	1	3	1	4	-	3	3	1	2	-	-	-
Male.....	1	2	1	4	-	2	1	1	1	-	-	-
Female.....	-	1	-	-	-	1	2	-	1	-	-	-
White, both sexes.....	1	2	1	3	-	3	2	1	2	-	-	-
Male.....	1	2	1	3	-	2	1	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	10	13	32	36	50	65	58	37	25	3	-	-
Male.....	7	9	20	23	27	37	37	15	8	-	-	-
Female.....	3	4	12	13	23	28	21	22	17	3	-	-
White, both sexes.....	8	11	31	34	48	63	58	37	25	3	-	-
Male.....	6	8	19	22	26	37	37	15	8	-	-	-
Female.....	2	3	12	12	22	26	21	22	17	3	-	-
Black, both sexes.....	-	-	1	2	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Arkansas

All races, both sexes.....	11	14	12	23	23	32	44	32	9	1	1	-
Male.....	9	10	8	16	18	14	23	19	4	1	-	-
Female.....	2	4	4	7	5	18	21	13	5	-	1	-
White, both sexes.....	10	13	9	22	22	29	43	29	9	-	1	-
Male.....	8	9	6	15	17	13	23	19	4	-	-	-
Female.....	2	4	3	7	5	16	20	10	5	-	1	-
Black, both sexes.....	1	1	3	1	1	3	1	3	-	1	-	-
Male.....	1	1	2	1	1	1	-	-	-	1	-	-
Female.....	-	-	1	-	-	2	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	97	130	154	167	244	312	320	241	118	23	3	-
Male.....	56	67	92	106	140	182	170	124	51	9	1	-
Female.....	41	63	62	61	104	130	150	117	67	14	2	-
White, both sexes.....	80	108	137	141	214	274	290	223	107	18	2	-
Male.....	49	56	82	91	123	160	158	115	46	7	1	-
Female.....	31	52	55	50	91	114	132	108	61	11	1	-
Black, both sexes.....	11	11	9	11	17	18	14	8	7	2	1	-
Male.....	5	7	6	7	10	12	3	5	3	1	-	-
Female.....	6	4	3	4	7	6	11	3	4	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	10	8	15	11	20	16	9	4	3	-	-
Male.....	2	4	4	8	5	10	9	4	2	1	-	-
Female.....	4	6	4	7	6	10	7	5	2	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Kentucky

All races, both sexes.....	14	22	29	30	44	57	45	30	11	5	1	-
Male.....	6	13	16	19	28	37	17	12	2	-	-	-
Female.....	8	9	13	11	16	20	28	18	9	5	1	-
White, both sexes.....	10	21	29	28	44	52	40	30	10	5	1	-
Male.....	4	13	16	19	28	34	15	12	2	-	-	-
Female.....	6	8	13	9	16	18	25	18	8	5	1	-
Black, both sexes.....	4	1	-	1	-	5	3	-	1	-	-	-
Male.....	2	-	-	-	-	3	2	-	-	-	-	-
Female.....	2	1	-	1	-	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Louisiana

All races, both sexes.....	14	18	26	29	51	53	40	30	10	5	-	-
Male.....	6	13	16	18	30	32	23	8	2	-	-	-
Female.....	8	5	10	11	21	21	17	22	8	5	-	-
White, both sexes.....	9	14	20	23	38	39	34	22	5	4	-	-
Male.....	1	10	12	14	25	20	18	5	1	-	-	-
Female.....	8	4	8	9	13	19	16	17	4	4	-	-
Black, both sexes.....	5	4	4	6	12	14	6	8	5	1	-	-
Male.....	5	3	3	4	5	12	5	3	1	-	-	-
Female.....	-	1	1	2	7	2	1	5	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Maine

All races, both sexes.....	4	8	3	12	19	18	22	8	11	4	-	-
Male.....	3	5	3	7	13	11	13	3	1	-	-	-
Female.....	1	3	-	5	6	7	9	5	10	4	-	-
White, both sexes.....	4	8	3	12	19	18	22	8	11	4	-	-
Male.....	3	5	3	7	13	11	13	3	1	-	-	-
Female.....	1	3	-	5	6	7	9	5	10	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	8	18	20	33	45	57	55	38	15	5	-	-
Male.....	5	11	10	20	27	32	30	17	5	2	-	-
Female.....	3	7	10	13	18	25	25	21	10	3	-	-
White, both sexes.....	4	14	14	28	38	51	48	36	12	4	-	-
Male.....	3	9	7	17	22	29	27	15	4	1	-	-
Female.....	1	5	7	11	16	22	21	21	8	3	-	-
Black, both sexes.....	4	4	6	5	7	4	5	2	3	1	-	-
Male.....	2	2	3	3	5	1	2	2	1	1	-	-
Female.....	2	2	3	2	2	3	3	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Massachusetts

All races, both sexes.....	16	19	28	46	64	90	99	51	27	15	-	-
Male.....	8	13	16	31	39	49	49	24	10	3	-	-
Female.....	8	6	12	15	25	41	50	27	17	12	-	-
White, both sexes.....	16	18	24	44	63	88	97	51	27	15	-	-
Male.....	8	12	12	29	38	48	49	24	10	3	-	-
Female.....	8	6	12	15	25	40	48	27	17	12	-	-
Black, both sexes.....	-	1	4	2	1	2	2	-	-	-	-	-
Male.....	-	1	4	2	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	27	40	48	66	103	136	112	87	34	11	1	-
Male.....	18	27	26	42	60	70	58	44	13	2	-	-
Female.....	9	13	22	24	43	66	54	43	21	9	1	-
White, both sexes.....	22	34	35	56	89	129	105	83	32	11	1	-
Male.....	14	22	21	38	52	69	55	43	13	2	-	-
Female.....	8	12	14	18	37	60	50	40	19	9	1	-
Black, both sexes.....	5	6	12	9	12	5	7	4	2	-	-	-
Male.....	4	5	4	4	8	1	3	1	-	-	-	-
Female.....	1	1	8	5	4	4	4	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

New Hampshire

All races, both sexes.....	3	3	5	5	15	15	8	12	3	2	1	-
Male.....	3	2	3	4	9	9	5	7	1	1	-	-
Female.....	-	1	2	1	6	6	3	5	2	1	1	-
White, both sexes.....	3	3	5	5	15	15	8	12	3	2	1	-
Male.....	3	2	3	4	9	9	5	7	1	1	-	-
Female.....	-	1	2	1	6	6	3	5	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	24	34	41	63	98	133	109	63	29	8	-	-
Male.....	13	25	24	38	58	81	57	23	10	2	-	-
Female.....	11	9	17	25	40	52	52	40	19	6	-	-
White, both sexes.....	18	30	34	55	94	125	100	62	26	7	-	-
Male.....	10	21	20	34	54	76	55	22	9	2	-	-
Female.....	8	9	14	21	40	49	45	40	17	5	-	-
Black, both sexes.....	6	3	5	8	4	8	8	1	3	1	-	-
Male.....	3	3	3	4	4	5	2	1	1	-	-	-
Female.....	3	-	2	4	-	3	6	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

New Mexico

All races, both sexes.....	7	8	12	14	15	18	14	15	3	-	-	-
Male.....	6	5	9	11	7	8	10	9	-	-	-	-
Female.....	1	3	3	3	8	10	4	6	3	-	-	-
White, both sexes.....	6	7	12	14	15	18	14	14	3	-	-	-
Male.....	5	5	9	11	7	8	10	9	-	-	-	-
Female.....	1	2	3	3	8	10	4	5	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	49	63	100	108	183	206	194	146	61	29	2	-
Male.....	27	38	63	71	109	104	106	73	22	9	-	-
Female.....	22	25	37	37	74	102	88	73	39	20	2	-
White, both sexes.....	38	54	84	95	163	192	176	139	59	27	2	-
Male.....	21	33	52	62	101	100	102	71	22	9	-	-
Female.....	17	21	32	33	62	92	74	68	37	18	2	-
Black, both sexes.....	10	6	11	11	16	12	16	5	2	1	-	-
Male.....	6	2	7	7	5	3	4	1	-	-	-	-
Female.....	4	4	4	4	11	9	12	4	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	5	2	4	2	2	1	-	1	-	-
Male.....	-	3	4	2	3	1	-	1	-	-	-	-
Female.....	1	-	1	-	1	1	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Texas

All races, both sexes.....	56	74	100	121	187	184	205	136	50	21	1	-
Male.....	24	46	57	70	121	120	108	57	12	5	-	-
Female.....	32	28	43	51	66	64	97	79	38	16	1	-
White, both sexes.....	44	64	90	107	166	171	191	127	47	20	1	-
Male.....	17	39	50	62	110	111	98	53	10	5	-	-
Female.....	27	25	40	45	56	60	93	74	37	15	1	-
Black, both sexes.....	11	8	10	12	19	13	13	9	3	1	-	-
Male.....	7	6	7	8	11	9	9	4	2	-	-	-
Female.....	4	2	3	4	8	4	4	5	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	2	2	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	2	2	-	-	-	-	-	-	-

Utah

All races, both sexes.....	3	7	10	2	12	21	10	14	3	1	-	-
Male.....	1	6	7	1	8	15	6	7	2	-	-	-
Female.....	2	1	3	1	4	6	4	7	1	1	-	-
White, both sexes.....	3	7	10	1	12	20	10	13	3	1	-	-
Male.....	1	6	7	-	8	15	6	6	2	-	-	-
Female.....	2	1	3	1	4	5	4	7	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

Vermont

All races, both sexes.....	1	2	1	7	7	7	7	5	1	1	1	-
Male.....	1	1	-	3	6	4	2	3	1	-	1	-
Female.....	-	1	1	4	1	3	5	2	-	1	-	-
White, both sexes.....	1	2	1	7	7	7	7	5	1	1	1	-
Male.....	1	1	-	3	6	4	2	3	1	-	1	-
Female.....	-	1	1	4	1	3	5	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	18	25	42	42	63	79	62	49	26	4	-	-
Male.....	7	18	23	22	40	41	27	20	9	2	-	-
Female.....	11	7	19	20	23	38	35	29	17	2	-	-
White, both sexes.....	9	21	35	36	45	63	57	42	22	4	-	-
Male.....	3	16	19	18	30	36	24	17	7	2	-	-
Female.....	6	5	16	18	15	27	33	25	15	2	-	-
Black, both sexes.....	6	4	7	6	16	15	4	7	4	-	-	-
Male.....	2	2	4	4	9	5	2	3	2	-	-	-
Female.....	4	2	3	2	7	10	2	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Lymphoid leukemia (C91)												
Arkansas												
All races, both sexes.....	53	-	2	-	-	-	1	-	1	1	1	-
Male.....	34	-	1	-	-	-	1	-	1	-	1	-
Female.....	19	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	46	-	2	-	-	-	1	-	1	-	1	-
Male.....	31	-	1	-	-	-	1	-	1	-	1	-
Female.....	15	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	660	1	13	25	24	20	18	8	8	12	14	23
Male.....	414	-	7	19	15	16	13	4	5	8	9	16
Female.....	246	1	6	6	9	4	5	4	3	4	5	7
White, both sexes.....	591	1	11	24	19	18	12	5	8	9	12	17
Male.....	377	-	7	18	12	15	8	3	5	8	8	13
Female.....	214	1	4	6	7	3	4	2	3	1	4	4
Black, both sexes.....	37	-	1	1	1	1	3	-	-	-	2	2
Male.....	20	-	-	1	1	-	3	-	-	-	1	1
Female.....	17	-	1	-	-	1	-	-	-	-	1	1
American Indian 1/, both sexes.....	5	-	-	-	-	1	2	-	-	-	-	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	-	4	-	1	3	-	3	-	4
Male.....	12	-	-	-	2	-	-	1	-	-	-	2
Female.....	15	-	1	-	2	-	1	2	-	3	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Lymphoid leukemia (C91)

Arkansas

All races, both sexes.....	3	6	2	5	5	6	9	9	2	-	-	-
Male.....	2	5	2	5	4	2	5	3	2	-	-	-
Female.....	1	1	-	-	1	4	4	6	-	-	-	-
White, both sexes.....	3	6	1	4	4	6	8	7	2	-	-	-
Male.....	2	5	1	4	3	2	5	3	2	-	-	-
Female.....	1	1	-	-	1	4	3	4	-	-	-	-
Black, both sexes.....	-	-	1	1	1	-	1	2	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	16	31	30	49	60	84	100	65	47	10	2	-
Male.....	10	19	21	37	42	45	60	39	25	3	1	-
Female.....	6	12	9	12	18	39	40	26	22	7	1	-
White, both sexes.....	14	28	27	43	55	75	98	61	45	8	1	-
Male.....	9	18	19	35	39	39	60	35	24	1	1	-
Female.....	5	10	8	8	16	36	38	26	21	7	-	-
Black, both sexes.....	1	3	2	5	2	6	2	2	1	1	1	-
Male.....	1	1	1	2	-	5	-	2	-	1	-	-
Female.....	-	2	1	3	2	1	2	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	3	-	2	1	1	-	-
Male.....	-	-	1	-	1	1	-	2	1	1	-	-
Female.....	1	-	-	1	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

Massachusetts

All races, both sexes.....	4	7	4	13	18	29	22	14	10	5	-	-
Male.....	1	5	3	9	13	15	10	5	4	1	-	-
Female.....	3	2	1	4	5	14	12	9	6	4	-	-
White, both sexes.....	4	6	2	12	18	27	22	14	10	5	-	-
Male.....	1	4	1	8	13	14	10	5	4	1	-	-
Female.....	3	2	1	4	5	13	12	9	6	4	-	-
Black, both sexes.....	-	1	2	1	-	2	-	-	-	-	-	-
Male.....	-	1	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	6	12	8	17	21	36	39	22	17	4	1	-
Male.....	5	11	6	11	13	22	19	12	7	2	-	-
Female.....	1	1	2	6	8	14	20	10	10	2	1	-
White, both sexes.....	4	11	8	14	15	34	36	22	16	4	1	-
Male.....	3	11	6	10	9	22	18	12	7	2	-	-
Female.....	1	-	2	4	6	12	18	10	9	2	1	-
Black, both sexes.....	2	1	-	3	6	-	3	-	1	-	-	-
Male.....	2	-	-	1	4	-	1	-	-	-	-	-
Female.....	-	1	-	2	2	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Lymphoid leukemia (C91)

New Mexico

All races, both sexes.....	1	3	5	5	4	5	5	8	1	-	-	-
Male.....	-	1	5	5	3	2	4	3	-	-	-	-
Female.....	1	2	-	-	1	3	1	5	1	-	-	-
White, both sexes.....	1	2	5	5	4	5	5	8	1	-	-	-
Male.....	-	1	5	5	3	2	4	3	-	-	-	-
Female.....	1	1	-	-	1	3	1	5	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	14	27	28	49	64	47	48	25	11	-	-
Male.....	6	10	18	19	33	33	27	24	8	3	-	-
Female.....	5	4	9	9	16	31	20	24	17	8	-	-
White, both sexes.....	7	14	24	26	41	56	42	46	24	10	-	-
Male.....	3	10	16	18	31	31	26	23	8	3	-	-
Female.....	4	4	8	8	10	25	16	23	16	7	-	-
Black, both sexes.....	4	-	2	2	8	6	5	1	1	1	-	-
Male.....	3	-	1	1	2	1	1	-	-	-	-	-
Female.....	1	-	1	1	6	5	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Myeloid leukemia (C92)												
Arkansas												
All races, both sexes.....	83	1	-	-	-	-	-	2	-	2	3	3
Male.....	43	-	-	-	-	-	-	2	-	1	1	1
Female.....	40	1	-	-	-	-	-	-	-	1	2	2
White, both sexes.....	74	1	-	-	-	-	-	1	-	1	1	3
Male.....	38	-	-	-	-	-	-	1	-	-	1	1
Female.....	36	1	-	-	-	-	-	-	-	1	-	2
Black, both sexes.....	9	-	-	-	-	-	-	1	-	1	2	-
Male.....	5	-	-	-	-	-	-	1	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,054	3	8	6	16	5	12	14	21	19	31	42
Male.....	561	2	2	3	5	5	4	8	12	11	14	29
Female.....	493	1	6	3	11	-	8	6	9	8	17	13
White, both sexes.....	896	2	6	3	14	4	8	14	17	11	24	35
Male.....	482	1	2	2	3	4	2	8	9	4	11	27
Female.....	414	1	4	1	11	-	6	6	8	7	13	8
Black, both sexes.....	74	-	-	1	2	1	1	-	3	5	2	4
Male.....	45	-	-	1	2	1	-	-	3	5	1	1
Female.....	29	-	-	-	-	-	1	-	-	-	1	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	1	2	2	-	-	3	-	1	3	5	2
Male.....	33	1	-	-	-	-	2	-	-	2	2	-
Female.....	48	-	2	2	-	-	1	-	1	1	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

United States

All races, both sexes.....	460	577	838	983	1,403	1,671	1,383	854	298	76	3	-
Male.....	251	342	487	599	831	962	735	413	121	12	2	-
Female.....	209	235	351	384	572	709	648	441	177	64	1	-
White, both sexes.....	384	512	735	887	1,274	1,554	1,288	804	273	67	2	-
Male.....	212	299	439	539	765	906	698	394	109	12	2	-
Female.....	172	213	296	348	509	648	590	410	164	55	-	-
Black, both sexes.....	62	48	83	74	103	91	72	42	24	5	1	-
Male.....	32	34	37	47	54	49	27	18	12	-	-	-
Female.....	30	14	46	27	49	42	45	24	12	5	1	-
American Indian 1/, both sexes.....	3	1	3	3	4	2	4	2	-	-	-	-
Male.....	2	-	1	2	1	-	2	-	-	-	-	-
Female.....	1	1	2	1	3	2	2	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	16	17	19	22	24	19	6	1	4	-	-
Male.....	5	9	10	11	11	7	8	1	-	-	-	-
Female.....	6	7	7	8	11	17	11	5	1	4	-	-

Alabama

All races, both sexes.....	15	7	7	13	20	19	19	6	6	-	-	-
Male.....	6	5	2	10	12	10	8	2	1	-	-	-
Female.....	9	2	5	3	8	9	11	4	5	-	-	-
White, both sexes.....	13	7	4	12	16	12	13	5	4	-	-	-
Male.....	5	5	2	9	10	6	7	2	-	-	-	-
Female.....	8	2	2	3	6	6	6	3	4	-	-	-
Black, both sexes.....	2	-	3	1	3	7	6	1	2	-	-	-
Male.....	1	-	-	1	2	4	1	-	1	-	-	-
Female.....	1	-	3	-	1	3	5	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

Alaska

All races, both sexes.....	1	1	1	3	-	2	1	-	-	-	-	-
Male.....	1	1	1	3	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	1	1	1	2	-	2	-	-	-	-	-	-
Male.....	1	1	1	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	6	6	16	21	23	26	18	9	5	-	-	-
Male.....	4	5	8	12	11	14	12	3	2	-	-	-
Female.....	2	1	8	9	12	12	6	6	3	-	-	-
White, both sexes.....	6	6	16	21	21	25	18	9	5	-	-	-
Male.....	4	5	8	12	10	14	12	3	2	-	-	-
Female.....	2	1	8	9	11	11	6	6	3	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

Arkansas

All races, both sexes.....	4	6	7	10	9	17	14	5	-	-	-	-
Male.....	4	3	4	5	6	8	6	2	-	-	-	-
Female.....	-	3	3	5	3	9	8	3	-	-	-	-
White, both sexes.....	3	5	5	10	9	16	14	5	-	-	-	-
Male.....	3	2	3	5	6	8	6	2	-	-	-	-
Female.....	-	3	2	5	3	8	8	3	-	-	-	-
Black, both sexes.....	1	1	2	-	-	1	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	62	68	90	78	131	158	141	108	36	5	-	-
Male.....	34	36	50	48	69	88	72	55	12	2	-	-
Female.....	28	32	40	30	62	70	69	53	24	3	-	-
White, both sexes.....	51	54	79	67	111	137	122	100	34	3	-	-
Male.....	29	29	44	40	58	78	65	53	11	2	-	-
Female.....	22	25	35	27	53	59	57	47	23	1	-	-
Black, both sexes.....	6	5	5	5	12	9	8	4	1	-	-	-
Male.....	3	4	3	4	8	5	1	2	1	-	-	-
Female.....	3	1	2	1	4	4	7	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	6	6	8	12	11	3	1	2	-	-
Male.....	2	3	3	4	3	5	6	-	-	-	-	-
Female.....	3	5	3	2	5	7	5	3	1	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

Kentucky

All races, both sexes.....	9	10	10	13	22	21	18	8	1	2	-	-
Male.....	6	4	4	9	14	14	8	1	1	-	-	-
Female.....	3	6	6	4	8	7	10	7	-	2	-	-
White, both sexes.....	7	10	10	12	22	20	18	8	1	2	-	-
Male.....	4	4	4	9	14	13	8	1	1	-	-	-
Female.....	3	6	6	3	8	7	10	7	-	2	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	7	10	14	11	20	24	21	9	3	3	-	-
Male.....	3	9	7	5	12	15	14	3	1	-	-	-
Female.....	4	1	7	6	8	9	7	6	2	3	-	-
White, both sexes.....	4	7	11	9	18	20	19	7	-	2	-	-
Male.....	-	7	6	4	12	11	12	3	-	-	-	-
Female.....	4	-	5	5	6	9	7	4	-	2	-	-
Black, both sexes.....	3	3	1	2	1	4	2	2	3	1	-	-
Male.....	3	2	-	1	-	4	2	-	1	-	-	-
Female.....	-	1	1	1	1	-	-	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

New Mexico

All races, both sexes.....	4	1	6	5	5	8	7	4	2	-	-	-
Male.....	4	1	3	3	3	5	5	4	-	-	-	-
Female.....	-	-	3	2	2	3	2	-	2	-	-	-
White, both sexes.....	3	1	6	5	5	8	7	4	2	-	-	-
Male.....	3	1	3	3	3	5	5	4	-	-	-	-
Female.....	-	-	3	2	2	3	2	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	32	37	56	57	95	90	81	53	15	8	-	-
Male.....	17	21	33	42	51	49	47	24	6	3	-	-
Female.....	15	16	23	15	44	41	34	29	9	5	-	-
White, both sexes.....	27	32	45	50	86	87	74	50	14	7	-	-
Male.....	15	18	25	35	47	48	45	23	6	3	-	-
Female.....	12	14	20	15	39	39	29	27	8	4	-	-
Black, both sexes.....	5	3	8	5	6	3	6	2	1	-	-	-
Male.....	2	1	5	5	2	1	2	1	-	-	-	-
Female.....	3	2	3	-	4	2	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	2	3	-	1	-	-	1	-	-
Male.....	-	2	3	2	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Myeloid leukemia (C92)

Texas

All races, both sexes.....	33	36	56	64	91	88	82	51	12	3	-	-
Male.....	9	26	33	33	59	64	35	23	3	1	-	-
Female.....	24	10	23	31	32	24	47	28	9	2	-	-
White, both sexes.....	26	31	54	56	84	80	77	49	10	3	-	-
Male.....	6	21	31	29	55	58	32	22	1	1	-	-
Female.....	20	10	23	27	29	22	45	27	9	2	-	-
Black, both sexes.....	6	4	2	6	5	8	5	2	2	-	-	-
Male.....	3	4	2	4	4	6	3	1	2	-	-	-
Female.....	3	-	-	2	1	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	2	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	2	-	-	-	-	-	-	-

Utah

All races, both sexes.....	2	4	8	1	6	11	4	4	2	-	-	-
Male.....	-	4	5	-	4	9	2	2	1	-	-	-
Female.....	2	-	3	1	2	2	2	2	1	-	-	-
White, both sexes.....	2	4	8	1	6	10	4	3	2	-	-	-
Male.....	-	4	5	-	4	9	2	1	1	-	-	-
Female.....	2	-	3	1	2	1	2	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Myeloid leukemia (C92)

Vermont

All races, both sexes.....	-	1	-	1	2	3	4	1	-	-	1	-
Male.....	-	-	-	-	2	1	2	1	-	-	1	-
Female.....	1	-	-	1	-	2	2	-	-	-	-	-
White, both sexes.....	-	1	-	1	2	3	4	1	-	-	1	-
Male.....	-	-	-	-	2	1	2	1	-	-	1	-
Female.....	-	1	-	1	-	2	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	11	14	18	21	31	32	21	19	8	1	-	-
Male.....	5	10	7	10	17	14	8	9	3	1	-	-
Female.....	6	4	11	11	14	18	13	10	5	-	-	-
White, both sexes.....	6	12	16	20	25	27	19	16	8	1	-	-
Male.....	2	10	6	10	14	13	6	8	3	1	-	-
Female.....	4	2	10	10	11	14	13	8	5	-	-	-
Black, both sexes.....	4	2	2	1	6	4	1	3	-	-	-	-
Male.....	2	-	1	-	3	1	1	1	-	-	-	-
Female.....	2	2	1	1	3	3	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified leukemia (C94-C95)												
Arkansas												
All races, both sexes.....	87	-	1	1	-	-	-	-	-	-	2	2
Male.....	57	-	-	1	-	-	-	-	-	-	1	2
Female.....	30	-	1	-	-	-	-	-	-	-	1	-
White, both sexes.....	81	-	-	1	-	-	-	-	-	-	1	2
Male.....	55	-	-	1	-	-	-	-	-	-	1	2
Female.....	26	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	5	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	479	-	4	4	6	3	3	4	7	6	7	11
Male.....	260	-	2	2	5	3	1	3	7	3	5	8
Female.....	219	-	2	2	1	-	2	1	-	3	2	3
White, both sexes.....	417	-	4	4	5	3	2	4	4	6	7	10
Male.....	224	-	2	2	4	3	1	3	4	3	5	7
Female.....	193	-	2	2	1	-	1	1	-	3	2	3
Black, both sexes.....	29	-	-	-	-	-	-	-	2	-	-	-
Male.....	17	-	-	-	-	-	-	-	2	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	1	-	1	-	1	-	-	1
Male.....	19	-	-	-	1	-	-	-	1	-	-	1
Female.....	14	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified leukemia (C94-C95)												
Colorado												
All races, both sexes.....	61	-	-	-	-	-	-	-	1	-	2	3
Male.....	36	-	-	-	-	-	-	-	-	-	-	3
Female.....	25	-	-	-	-	-	-	-	1	-	2	-
White, both sexes.....	57	-	-	-	-	-	-	-	1	-	2	3
Male.....	33	-	-	-	-	-	-	-	-	-	-	3
Female.....	24	-	-	-	-	-	-	-	1	-	2	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	82	1	-	-	-	-	4	1	-	-	-	1
Male.....	51	-	-	-	-	-	3	1	-	-	-	-
Female.....	31	1	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	75	1	-	-	-	-	3	-	-	-	-	-
Male.....	47	-	-	-	-	-	3	-	-	-	-	-
Female.....	28	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

Alaska

All races, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	4	5	10	15	20	21	16	14	-	-	-
Male.....	3	2	3	7	10	13	15	5	3	-	-	-
Female.....	1	2	2	3	5	7	6	11	11	-	-	-
White, both sexes.....	2	2	5	8	15	19	21	16	14	-	-	-
Male.....	2	1	3	6	10	13	15	5	3	-	-	-
Female.....	-	1	2	2	5	6	6	11	11	-	-	-
Black, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified leukemia (C94-C95)

Arkansas

All races, both sexes.....	4	2	3	8	9	9	20	17	7	1	1	-
Male.....	3	2	2	6	8	4	12	13	2	1	-	-
Female.....	1	-	1	2	1	5	8	4	5	-	1	-
White, both sexes.....	4	2	3	8	9	7	20	16	7	-	1	-
Male.....	3	2	2	6	8	3	12	13	2	-	-	-
Female.....	1	-	1	2	1	4	8	3	5	-	1	-
Black, both sexes.....	-	-	-	-	-	2	-	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	28	34	38	51	68	77	68	34	7	1	-
Male.....	12	12	21	19	27	47	37	30	13	3	-	-
Female.....	6	16	13	19	24	21	40	38	21	4	1	-
White, both sexes.....	14	24	31	29	46	60	68	62	27	6	1	-
Male.....	11	9	19	14	24	41	32	27	10	3	-	-
Female.....	3	15	12	15	22	19	36	35	17	3	1	-
Black, both sexes.....	4	2	2	1	3	3	4	2	5	1	-	-
Male.....	1	2	2	1	2	2	2	1	2	-	-	-
Female.....	3	-	-	-	1	1	2	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	8	2	5	5	4	2	-	-	-
Male.....	-	1	-	4	1	4	3	2	1	-	-	-
Female.....	-	1	1	4	1	1	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified leukemia (C94-C95)

Maine

All races, both sexes.....	2	3	2	-	4	5	6	3	5	-	-	-
Male.....	2	1	2	-	3	3	5	1	-	-	-	-
Female.....	-	2	-	-	1	2	1	2	5	-	-	-
White, both sexes.....	2	3	2	-	4	5	6	3	5	-	-	-
Male.....	2	1	2	-	3	3	5	1	-	-	-	-
Female.....	-	2	-	-	1	2	1	2	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	6	3	4	16	19	16	11	2	2	-	-
Male.....	1	3	1	1	10	8	8	3	-	1	-	-
Female.....	-	3	2	3	6	11	8	8	2	1	-	-
White, both sexes.....	-	4	2	4	14	15	14	11	2	1	-	-
Male.....	-	2	1	1	8	7	7	3	-	-	-	-
Female.....	-	2	1	3	6	8	7	8	2	1	-	-
Black, both sexes.....	1	2	1	-	2	3	1	-	-	1	-	-
Male.....	1	1	-	-	2	-	1	-	-	1	-	-
Female.....	-	1	1	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified leukemia (C94-C95)

Massachusetts

All races, both sexes.....	4	4	8	6	17	23	38	21	11	7	-	-
Male.....	1	2	3	3	8	11	16	11	2	2	-	-
Female.....	3	2	5	3	9	12	22	10	9	5	-	-
White, both sexes.....	4	4	7	6	16	23	36	21	11	7	-	-
Male.....	1	2	2	3	7	11	16	11	2	2	-	-
Female.....	3	2	5	3	9	12	20	10	9	5	-	-
Black, both sexes.....	-	-	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	6	8	14	19	25	40	35	26	12	3	-	-
Male.....	5	5	7	11	16	21	15	11	5	-	-	-
Female.....	1	3	7	8	9	19	20	15	7	3	-	-
White, both sexes.....	5	6	9	17	21	38	31	23	12	3	-	-
Male.....	4	3	4	11	15	21	13	11	5	-	-	-
Female.....	1	3	5	6	6	17	18	12	7	3	-	-
Black, both sexes.....	1	2	4	2	2	2	4	3	-	-	-	-
Male.....	1	2	2	-	1	-	2	-	-	-	-	-
Female.....	-	-	2	2	1	2	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

New Hampshire

All races, both sexes.....	1	-	-	1	3	2	-	1	1	-	-	-
Male.....	1	-	-	1	1	2	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	1	3	2	-	1	1	-	-	-
Male.....	1	-	-	1	1	2	-	-	1	-	-	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	7	7	7	11	28	30	34	22	8	2	-	-
Male.....	5	5	5	5	17	21	14	9	3	1	-	-
Female.....	2	2	2	6	11	9	20	13	5	1	-	-
White, both sexes.....	3	5	6	9	26	29	30	21	8	2	-	-
Male.....	3	3	5	5	15	20	14	8	3	1	-	-
Female.....	-	2	1	4	11	9	16	13	5	1	-	-
Black, both sexes.....	4	2	1	2	2	1	3	1	-	-	-	-
Male.....	2	2	-	-	2	1	-	1	-	-	-	-
Female.....	2	-	1	2	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified leukemia (C94-C95)

New Mexico

All races, both sexes.....	2	4	1	4	6	5	2	3	-	-	-	-
Male.....	2	3	1	3	1	1	1	2	-	-	-	-
Female.....	-	1	-	1	5	4	1	1	-	-	-	-
White, both sexes.....	2	4	1	4	6	5	2	2	-	-	-	-
Male.....	2	3	1	3	1	1	1	2	-	-	-	-
Female.....	-	1	-	1	5	4	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	12	17	23	38	52	65	45	21	10	2	-
Male.....	4	7	12	10	25	22	32	25	8	3	-	-
Female.....	2	5	5	13	13	30	33	20	13	7	2	-
White, both sexes.....	4	8	15	19	36	49	59	43	21	10	2	-
Male.....	3	5	11	9	23	21	31	25	8	3	-	-
Female.....	1	3	4	10	13	28	28	18	13	7	2	-
Black, both sexes.....	1	3	1	4	1	3	5	2	-	-	-	-
Male.....	1	1	1	1	1	1	1	-	-	-	-	-
Female.....	-	2	-	3	-	2	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified leukemia (C94-C95)

Vermont

All races, both sexes.....	-	-	-	3	2	1	3	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	-	-	2	1	-	3	-	-	-	-	-
White, both sexes.....	-	-	-	3	2	1	3	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	1	-	-	-
Female.....	-	-	-	2	1	-	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	8	13	11	19	17	16	17	7	3	-	-
Male.....	-	6	9	7	12	7	9	6	2	1	-	-
Female.....	3	2	4	4	7	10	7	11	5	2	-	-
White, both sexes.....	1	7	10	10	12	11	14	15	7	3	-	-
Male.....	-	5	7	6	9	6	9	6	2	1	-	-
Female.....	1	2	3	4	3	5	5	9	5	2	-	-
Black, both sexes.....	2	1	3	1	5	6	2	2	-	-	-	-
Male.....	-	1	2	1	2	1	-	-	-	-	-	-
Female.....	2	-	1	-	3	5	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Benign neoplasms (D10-D36)

Arkansas

All races, both sexes.....	18	-	-	-	-	-	-	1	-	1	1	-
Male.....	6	-	-	-	-	-	-	1	-	-	1	-
Female.....	12	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	16	-	-	-	-	-	-	1	-	1	-	-
Male.....	5	-	-	-	-	-	-	1	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	198	1	-	-	2	1	2	1	4	3	4	11
Male.....	81	-	-	-	-	-	1	-	3	1	2	1
Female.....	117	1	-	-	2	1	1	1	1	2	2	10
White, both sexes.....	168	1	-	-	2	-	2	1	3	1	4	8
Male.....	65	-	-	-	-	-	1	-	2	-	2	-
Female.....	103	1	-	-	2	-	1	1	1	1	2	8
Black, both sexes.....	15	-	-	-	-	-	-	-	1	1	-	3
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	1	-	-	-	1	-	-
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Benign neoplasms (D10-D36)

New Mexico

All races, both sexes.....	10	-	-	-	1	-	-	-	1	-	-	-
Male.....	6	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	79	-	2	-	-	-	2	-	-	4	2	9
Male.....	31	-	1	-	-	-	1	-	-	2	-	3
Female.....	48	-	1	-	-	-	1	-	-	2	2	6
White, both sexes.....	61	-	2	-	-	-	2	-	-	1	1	6
Male.....	25	-	1	-	-	-	1	-	-	1	-	2
Female.....	36	-	1	-	-	-	1	-	-	-	1	4
Black, both sexes.....	15	-	-	-	-	-	-	-	-	2	1	3
Male.....	6	-	-	-	-	-	-	-	-	1	-	1
Female.....	9	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Benign neoplasms (D10-D36)

Arkansas

All races, both sexes.....	-	-	1	1	2	4	6	-	1	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	1	1	1	3	4	-	1	-	-	-
White, both sexes.....	-	-	1	1	2	4	5	-	1	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	1	1	1	3	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	14	8	10	18	33	39	24	12	1	2	-
Male.....	5	6	5	6	11	15	13	9	1	1	1	-
Female.....	3	8	3	4	7	18	26	15	11	-	1	-
White, both sexes.....	8	12	8	8	16	25	35	23	9	1	1	-
Male.....	5	5	5	5	10	10	10	8	1	1	-	-
Female.....	3	7	3	3	6	15	25	15	8	-	1	-
Black, both sexes.....	-	1	-	2	1	3	3	-	-	-	-	-
Male.....	-	-	-	1	-	2	2	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	5	1	1	3	-	1	-
Male.....	-	1	-	-	1	3	1	1	-	-	1	-
Female.....	-	-	-	-	-	2	-	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Benign neoplasms (D10-D36)

New Mexico

All races, both sexes.....	1	-	-	-	1	2	4	-	-	-	-	-
Male.....	1	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	2	4	-	-	-	-	-
Male.....	1	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2	8	5	4	9	7	10	7	8	-	-	-
Male.....	1	2	3	2	3	2	3	3	5	-	-	-
Female.....	1	6	2	2	6	5	7	4	3	-	-	-
White, both sexes.....	1	7	4	2	6	5	9	7	8	-	-	-
Male.....	1	2	3	1	1	1	3	3	5	-	-	-
Female.....	-	5	1	1	5	4	6	4	3	-	-	-
Black, both sexes.....	1	1	1	1	2	2	1	-	-	-	-	-
Male.....	-	-	-	1	2	1	-	-	-	-	-	-
Female.....	1	1	1	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Benign neoplasms (D10-D36)

Vermont

All races, both sexes.....	-	-	1	-	2	-	4	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	2	-	2	1	-	-	-	-
White, both sexes.....	-	-	1	-	2	-	4	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	2	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	1	5	2	3	5	5	7	1	-	-	-
Male.....	2	-	4	1	2	-	4	2	-	-	-	-
Female.....	2	1	1	1	1	5	1	5	1	-	-	-
White, both sexes.....	2	1	3	-	2	4	5	7	-	-	-	-
Male.....	-	-	2	-	1	-	4	2	-	-	-	-
Female.....	2	1	1	-	1	4	1	5	-	-	-	-
Black, both sexes.....	1	-	2	2	1	-	-	-	1	-	-	-
Male.....	1	-	2	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of female genital organs (D25-D28)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	-	-	-	-	-	-	-	-	1	1	3
Male.....
Female.....	6	-	-	-	-	-	-	-	-	1	1	3
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	2
Male.....
Female.....	4	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of female genital organs (D25-D28)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of eye, brain and other parts of central nervous system (D31-D33)

Arkansas

All races, both sexes.....	-	-	1	1	2	1	4	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	4	-	1	-	-	-
White, both sexes.....	-	-	1	1	2	1	3	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	7	5	5	9	22	25	19	6	1	2	-
Male.....	4	3	2	4	4	7	8	9	-	1	1	-
Female.....	2	4	3	1	5	15	17	10	6	-	1	-
White, both sexes.....	6	6	5	4	8	17	23	18	4	1	1	-
Male.....	4	2	2	3	4	5	7	8	-	1	-	-
Female.....	2	4	3	1	4	12	16	10	4	-	1	-
Black, both sexes.....	-	-	-	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	4	-	1	2	-	1	-
Male.....	-	1	-	-	-	2	-	1	-	-	1	-
Female.....	-	-	-	-	-	2	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of eye, brain and other parts of central nervous system (D31-D33)

New Mexico

All races, both sexes.....	1	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	2	-	3	6	7	7	6	7	-	-	-
Male.....	1	1	-	1	2	2	3	3	5	-	-	-
Female.....	-	1	-	2	4	5	4	3	2	-	-	-
White, both sexes.....	1	2	-	1	4	5	6	6	7	-	-	-
Male.....	1	1	-	-	1	1	3	3	5	-	-	-
Female.....	-	1	-	1	3	4	3	3	2	-	-	-
Black, both sexes.....	-	-	-	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other and unspecified sites (D10-D24,D29-D30,D34-D36)

Arkansas

All races, both sexes.....	6	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	70	1	-	-	1	1	1	1	3	2	1	3
Male.....	34	-	-	-	-	-	1	-	2	1	-	-
Female.....	36	1	-	-	1	1	-	1	1	1	1	3
White, both sexes.....	55	1	-	-	1	-	1	1	2	-	1	1
Male.....	26	-	-	-	-	-	1	-	1	-	-	-
Female.....	29	1	-	-	1	-	-	1	1	-	1	1
Black, both sexes.....	9	-	-	-	-	-	-	-	1	1	-	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites (D10-D24,D29-D30,D34-D36)

Arkansas

All races, both sexes.....	-	-	-	-	-	3	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	3	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	7	3	5	8	10	12	5	4	-	-	-
Male.....	1	3	3	2	7	8	5	-	1	-	-	-
Female.....	1	4	-	3	1	2	7	5	3	-	-	-
White, both sexes.....	2	6	3	4	7	7	10	5	3	-	-	-
Male.....	1	3	3	2	6	5	3	-	1	-	-	-
Female.....	1	3	-	2	1	2	7	5	2	-	-	-
Black, both sexes.....	-	1	-	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	2	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

New Mexico

All races, both sexes.....	87	1	-	1	-	-	-	1	1	-	1	3
Male.....	43	-	-	-	-	-	-	-	1	-	1	1
Female.....	44	1	-	1	-	-	-	1	-	-	-	2
White, both sexes.....	82	1	-	1	-	-	-	1	1	-	1	2
Male.....	40	-	-	-	-	-	-	-	1	-	1	-
Female.....	42	1	-	1	-	-	-	1	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	665	4	1	2	4	-	4	6	7	8	6	10
Male.....	320	3	1	2	2	-	2	2	5	6	4	3
Female.....	345	1	-	-	2	-	2	4	2	2	2	7
White, both sexes.....	603	3	1	2	2	-	4	3	6	5	5	7
Male.....	291	2	1	2	2	-	2	2	4	3	4	3
Female.....	312	1	-	-	-	-	2	1	2	2	1	4
Black, both sexes.....	48	1	-	-	1	-	-	2	1	3	1	2
Male.....	23	1	-	-	-	-	-	-	1	3	-	-
Female.....	25	-	-	-	1	-	-	2	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	1	-	-	1	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	1	-	-	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Alaska

All races, both sexes.....	-	-	1	2	3	3	3	-	1	-	-	-
Male.....	-	-	-	2	1	2	2	-	1	-	-	-
Female.....	-	-	1	-	2	1	1	-	-	-	-	-
White, both sexes.....	-	-	1	2	1	2	3	-	1	-	-	-
Male.....	-	-	-	2	1	2	2	-	1	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Arizona

All races, both sexes.....	3	12	13	15	26	32	32	37	24	6	2	-
Male.....	2	8	6	11	18	16	16	14	10	3	-	-
Female.....	1	4	7	4	8	16	16	23	14	3	2	-
White, both sexes.....	3	10	13	13	26	32	31	37	24	6	1	-
Male.....	2	7	6	11	18	16	16	14	10	3	-	-
Female.....	1	3	7	2	8	16	15	23	14	3	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	1	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Arkansas

All races, both sexes.....	-	5	6	11	13	17	24	15	11	3	2	-
Male.....	-	2	3	8	10	8	12	6	6	1	1	-
Female.....	-	3	3	3	3	9	12	9	5	2	1	-
White, both sexes.....	-	4	6	10	11	17	21	14	10	2	1	-
Male.....	-	1	3	7	9	8	11	6	6	-	1	-
Female.....	-	3	3	3	2	9	10	8	4	2	-	-
Black, both sexes.....	-	1	-	1	2	-	3	1	1	1	1	-
Male.....	-	1	-	1	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	2	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	34	31	55	68	125	150	210	177	100	26	3	-
Male.....	22	18	29	33	71	81	123	84	46	10	1	-
Female.....	12	13	26	35	54	69	87	93	54	16	2	-
White, both sexes.....	25	23	45	57	108	131	192	158	93	25	3	-
Male.....	16	14	24	29	64	75	114	76	44	10	1	-
Female.....	9	9	21	28	44	56	78	82	49	15	2	-
Black, both sexes.....	4	2	3	6	8	10	9	7	3	-	-	-
Male.....	3	2	1	3	4	3	3	4	-	-	-	-
Female.....	1	-	2	3	4	7	6	3	3	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	7	5	9	9	9	12	4	1	-	-
Male.....	3	2	4	1	3	3	6	4	2	-	-	-
Female.....	2	3	3	4	6	6	3	8	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Delaware

All races, both sexes.....	1	-	-	2	5	7	4	6	-	-	-	-
Male.....	-	-	-	1	5	4	1	5	-	-	-	-
Female.....	1	-	-	1	-	3	3	1	-	-	-	-
White, both sexes.....	1	-	-	2	4	6	4	6	-	-	-	-
Male.....	-	-	-	1	4	4	1	5	-	-	-	-
Female.....	1	-	-	1	-	2	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	1	-	1	2	2	4	2	1	-	1	-
Male.....	-	1	-	-	2	1	2	2	-	-	-	-
Female.....	-	-	-	1	-	1	2	-	1	-	1	-
White, both sexes.....	-	-	-	-	1	1	3	1	-	-	-	-
Male.....	-	-	-	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	1	-	1	1	1	-	1	1	-	1	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Illinois

All races, both sexes.....	13	16	32	40	47	88	111	97	59	14	1	-
Male.....	9	10	20	24	24	44	60	44	18	3	-	-
Female.....	4	6	12	16	23	44	51	53	41	11	1	-
White, both sexes.....	11	14	23	37	39	79	105	93	56	13	1	-
Male.....	8	8	15	22	19	41	59	44	18	3	-	-
Female.....	3	6	8	15	20	38	46	49	38	10	1	-
Black, both sexes.....	2	2	9	3	8	8	6	3	3	1	-	-
Male.....	1	2	5	2	5	2	1	-	-	-	-	-
Female.....	1	-	4	1	3	6	5	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Indiana

All races, both sexes.....	5	8	17	22	43	49	40	51	23	10	-	-
Male.....	4	2	13	9	22	26	22	19	11	3	-	-
Female.....	1	6	4	13	21	23	18	32	12	7	-	-
White, both sexes.....	5	7	16	22	41	47	39	48	21	10	-	-
Male.....	4	2	12	9	21	26	22	18	11	3	-	-
Female.....	1	5	4	13	20	21	17	30	10	7	-	-
Black, both sexes.....	-	1	1	-	2	2	1	2	2	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	2	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Massachusetts

All races, both sexes.....	5	12	18	25	26	45	61	44	36	9	1	-
Male.....	2	9	11	9	15	26	28	22	13	3	-	-
Female.....	3	3	7	16	11	19	33	22	23	6	1	-
White, both sexes.....	4	12	17	21	26	45	60	43	35	9	1	-
Male.....	2	9	11	7	15	26	28	22	12	3	-	-
Female.....	2	3	6	14	11	19	32	21	23	6	1	-
Black, both sexes.....	1	-	1	2	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-

Michigan

All races, both sexes.....	15	14	15	27	40	66	91	74	30	13	2	-
Male.....	6	11	12	18	22	38	54	30	15	5	-	-
Female.....	9	3	3	9	18	28	37	44	15	8	2	-
White, both sexes.....	12	8	12	21	35	63	85	72	30	11	1	-
Male.....	6	5	9	13	20	37	50	30	15	5	-	-
Female.....	6	3	3	8	15	26	35	42	15	6	1	-
Black, both sexes.....	3	6	3	5	5	2	6	2	-	2	1	-
Male.....	-	6	3	4	2	1	4	-	-	-	-	-
Female.....	3	-	-	1	3	1	2	2	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Nebraska

All races, both sexes.....	2	1	1	2	14	10	25	12	10	2	1	-
Male.....	2	1	-	2	10	5	16	6	2	1	-	-
Female.....	-	-	1	-	4	5	9	6	8	1	1	-
White, both sexes.....	2	1	1	2	14	10	25	12	10	2	-	-
Male.....	2	1	-	2	10	5	16	6	2	1	-	-
Female.....	-	-	1	-	4	5	9	6	8	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	3	4	7	5	16	10	10	2	1	1	-
Male.....	2	2	3	5	2	5	6	6	1	-	1	-
Female.....	1	1	1	2	3	11	4	4	1	1	-	-
White, both sexes.....	3	3	4	7	5	16	10	10	1	1	1	-
Male.....	2	2	3	5	2	5	6	6	1	-	1	-
Female.....	1	1	1	2	3	11	4	4	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

New Hampshire

All races, both sexes.....	1	3	7	3	3	8	8	8	3	1	-	-
Male.....	1	1	5	1	1	5	5	5	1	-	-	-
Female.....	-	2	2	2	2	3	3	3	2	1	-	-
White, both sexes.....	1	3	7	3	3	8	8	8	3	1	-	-
Male.....	1	1	5	1	1	5	5	5	1	-	-	-
Female.....	-	2	2	2	2	3	3	3	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	6	17	24	25	48	67	77	62	35	12	-	-
Male.....	3	7	12	17	32	38	38	24	12	3	-	-
Female.....	3	10	12	8	16	29	39	38	23	9	-	-
White, both sexes.....	5	15	21	23	46	62	75	56	33	12	-	-
Male.....	3	6	11	16	30	35	38	22	12	3	-	-
Female.....	2	9	10	7	16	27	37	34	21	9	-	-
Black, both sexes.....	1	-	2	2	2	4	2	5	1	-	-	-
Male.....	-	-	-	1	2	2	-	2	-	-	-	-
Female.....	1	-	2	1	-	2	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	1	-	1	1	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

New Mexico

All races, both sexes.....	6	4	4	10	12	11	16	10	6	-	-	-
Male.....	3	2	2	5	7	4	13	4	-	-	-	-
Female.....	3	2	2	5	5	7	3	6	6	-	-	-
White, both sexes.....	6	4	4	10	10	11	15	9	6	-	-	-
Male.....	3	2	2	5	6	4	12	4	-	-	-	-
Female.....	3	2	2	5	4	7	3	5	6	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	24	27	41	45	66	107	122	107	51	18	5	-
Male.....	15	19	22	24	36	46	54	50	17	5	2	-
Female.....	9	8	19	21	30	61	68	57	34	13	3	-
White, both sexes.....	22	25	36	36	61	100	113	100	49	18	5	-
Male.....	15	17	19	19	33	44	49	47	16	5	2	-
Female.....	7	8	17	17	28	56	64	53	33	13	3	-
Black, both sexes.....	1	2	4	7	4	7	8	3	1	-	-	-
Male.....	-	2	2	3	3	2	4	2	-	-	-	-
Female.....	1	-	2	4	1	5	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	-	1	4	1	-	-	-
Male.....	-	-	1	2	-	-	1	1	1	-	-	-
Female.....	1	-	-	-	1	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

Vermont

All races, both sexes.....	2	-	1	-	1	4	4	4	3	5	-	-
Male.....	2	-	-	-	-	2	3	1	2	1	-	-
Female.....	-	-	1	-	1	2	1	3	1	4	-	-
White, both sexes.....	2	-	1	-	1	4	4	4	3	5	-	-
Male.....	2	-	-	-	-	2	3	1	2	1	-	-
Female.....	-	-	1	-	1	2	1	3	1	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	7	10	14	15	24	52	53	51	17	6	-	-
Male.....	4	4	9	10	13	25	27	21	4	2	-	-
Female.....	3	6	5	5	11	27	26	30	13	4	-	-
White, both sexes.....	5	7	11	13	19	49	44	44	13	4	-	-
Male.....	3	3	6	9	11	24	21	19	-	1	-	-
Female.....	2	4	5	4	8	25	23	25	13	3	-	-
Black, both sexes.....	2	3	3	1	5	3	8	7	4	2	-	-
Male.....	1	1	3	1	2	1	6	2	4	1	-	-
Female.....	1	2	-	-	3	2	2	5	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	2	3	4	3	4	6	7	4	1	-	-
Male.....	1	1	-	1	1	2	4	3	-	-	-	-
Female.....	1	1	3	3	2	2	2	4	4	1	-	-
White, both sexes.....	1	2	2	4	3	4	6	5	4	1	-	-
Male.....	-	1	-	1	1	2	4	2	-	-	-	-
Female.....	1	1	2	3	2	2	2	3	4	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

