





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Arkansas

All races, both sexes.....	960	4	1	1	1	2	2	6	8	14	34	45
Male.....	465	3	1	1	1	-	1	3	2	9	20	25
Female.....	495	1	-	-	-	2	1	3	6	5	14	20
White, both sexes.....	835	3	1	1	-	1	2	5	6	9	27	34
Male.....	400	2	1	1	-	-	1	3	2	7	15	19
Female.....	435	1	-	-	-	1	1	2	4	2	12	15
Black, both sexes.....	122	1	-	-	1	1	-	1	2	5	7	11
Male.....	63	1	-	-	1	-	-	-	-	2	5	6
Female.....	59	-	-	-	-	1	-	1	2	3	2	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9,226	57	14	7	6	9	9	42	102	225	458	712
Male.....	4,937	37	7	3	1	5	5	29	73	150	308	499
Female.....	4,289	20	7	4	5	4	4	13	29	75	150	213
White, both sexes.....	8,007	45	11	5	5	7	6	31	92	198	396	612
Male.....	4,264	32	6	3	-	4	3	21	68	136	269	433
Female.....	3,743	13	5	2	5	3	3	10	24	62	127	179
Black, both sexes.....	602	8	1	1	-	2	-	6	7	18	29	53
Male.....	334	3	-	-	-	1	-	4	2	8	19	34
Female.....	268	5	1	1	-	1	-	2	5	10	10	19
American Indian 1/, both sexes.....	114	1	-	-	-	-	-	1	-	6	16	15
Male.....	63	-	-	-	-	-	-	1	-	4	7	9
Female.....	51	1	-	-	-	-	-	-	-	2	9	6
Asian or Pacific Islander 2/, both sexes.....	503	3	2	1	1	-	3	4	3	3	17	32
Male.....	276	2	1	-	1	-	2	3	3	2	13	23
Female.....	227	1	1	1	-	-	1	1	-	1	4	9









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Illinois

All races, both sexes.....	3,642	13	10	2	-	7	4	9	32	70	142	204
Male.....	1,786	8	8	1	-	4	2	6	15	38	90	145
Female.....	1,856	5	2	1	-	3	2	3	17	32	52	59
White, both sexes.....	3,083	9	6	-	-	5	4	6	22	48	109	157
Male.....	1,479	6	5	-	-	3	2	4	12	27	70	114
Female.....	1,604	3	1	-	-	2	2	2	10	21	39	43
Black, both sexes.....	512	3	4	2	-	2	-	2	9	21	31	47
Male.....	283	2	3	1	-	1	-	1	3	10	19	31
Female.....	229	1	1	1	-	1	-	1	6	11	12	16
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	1	-	-	-	-	-	1	1	1	2	-
Male.....	20	-	-	-	-	-	-	1	-	1	1	-
Female.....	20	1	-	-	-	-	-	-	1	-	1	-

Indiana

All races, both sexes.....	1,886	14	2	-	3	3	6	5	23	32	67	102
Male.....	913	9	2	-	2	1	3	4	15	19	47	75
Female.....	973	5	-	-	1	2	3	1	8	13	20	27
White, both sexes.....	1,708	11	1	-	2	3	4	4	19	27	60	85
Male.....	819	7	1	-	1	1	3	4	12	17	43	64
Female.....	889	4	-	-	1	2	1	-	7	10	17	21
Black, both sexes.....	168	3	1	-	1	-	2	1	2	5	7	17
Male.....	89	2	1	-	1	-	-	-	2	2	4	11
Female.....	79	1	-	-	-	-	2	1	-	3	3	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

New Mexico

All races, both sexes.....	782	6	-	1	1	2	1	1	13	24	54	71
Male.....	447	4	-	1	-	1	-	-	8	14	35	55
Female.....	335	2	-	-	1	1	1	1	5	10	19	16
White, both sexes.....	648	6	-	1	1	1	1	-	6	12	34	53
Male.....	371	4	-	1	-	1	-	-	2	8	22	44
Female.....	277	2	-	-	1	-	1	-	4	4	12	9
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	120	-	-	-	-	1	-	1	7	12	20	18
Male.....	70	-	-	-	-	-	-	-	6	6	13	11
Female.....	50	-	-	-	-	1	-	1	1	6	7	7
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4,759	40	3	1	5	5	7	13	28	66	130	253
Male.....	2,346	27	1	-	2	3	5	8	20	42	78	168
Female.....	2,413	13	2	1	3	2	2	5	8	24	52	85
White, both sexes.....	4,029	17	3	1	5	5	3	8	22	48	99	193
Male.....	1,942	12	1	-	2	3	2	5	14	33	62	133
Female.....	2,087	5	2	1	3	2	1	3	8	15	37	60
Black, both sexes.....	638	21	-	-	-	-	4	4	3	15	28	50
Male.....	346	13	-	-	-	-	3	3	3	6	15	26
Female.....	292	8	-	-	-	-	1	1	-	9	13	24
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	2	6
Male.....	9	-	-	-	-	-	-	-	-	-	1	5
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	79	2	-	-	-	-	-	1	3	3	1	4
Male.....	49	2	-	-	-	-	-	-	3	3	-	4
Female.....	30	-	-	-	-	-	-	1	-	-	1	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

South Dakota

All races, both sexes.....	291	3	-	-	-	-	2	3	-	6	8	13
Male.....	133	2	-	-	-	-	2	3	-	2	2	7
Female.....	158	1	-	-	-	-	-	-	-	4	6	6
White, both sexes.....	243	2	-	-	-	-	1	2	-	1	6	6
Male.....	111	2	-	-	-	-	1	2	-	-	2	4
Female.....	132	-	-	-	-	-	-	-	-	1	4	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	44	1	-	-	-	-	1	1	-	4	2	7
Male.....	20	-	-	-	-	-	1	1	-	2	-	3
Female.....	24	1	-	-	-	-	-	-	-	2	2	4
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2,039	12	4	2	4	4	4	6	17	44	101	119
Male.....	1,052	10	1	1	2	2	2	3	10	22	74	86
Female.....	987	2	3	1	2	2	2	3	7	22	27	33
White, both sexes.....	1,776	8	2	1	2	2	4	3	16	35	87	98
Male.....	917	6	1	1	1	1	2	1	9	19	63	70
Female.....	859	2	1	-	1	1	2	2	7	16	24	28
Black, both sexes.....	255	4	2	1	2	2	-	2	1	9	13	21
Male.....	132	4	-	-	1	1	-	2	1	3	11	16
Female.....	123	-	2	1	1	1	-	-	-	6	2	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	1	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

United States

All races, both sexes.....	6,760	6,393	6,278	6,868	8,259	10,225	11,282	9,926	6,369	2,299	441	5
Male.....	4,741	4,201	3,925	3,871	4,278	4,705	4,657	3,385	1,703	452	80	5
Female.....	2,019	2,192	2,353	2,997	3,981	5,520	6,625	6,541	4,666	1,847	361	-
White, both sexes.....	5,437	5,299	5,257	5,894	7,286	9,209	10,325	9,181	5,892	2,105	387	4
Male.....	3,857	3,481	3,315	3,336	3,770	4,247	4,236	3,131	1,571	409	63	4
Female.....	1,580	1,818	1,942	2,558	3,516	4,962	6,089	6,050	4,321	1,696	324	-
Black, both sexes.....	1,115	917	828	790	776	808	738	594	383	164	45	1
Male.....	758	609	500	436	414	356	322	197	94	30	10	1
Female.....	357	308	328	354	362	452	416	397	289	134	35	-
American Indian 1/, both sexes.....	137	107	105	73	50	57	46	34	28	4	1	-
Male.....	81	60	53	40	23	19	19	10	9	-	1	-
Female.....	56	47	52	33	27	38	27	24	19	4	-	-
Asian or Pacific Islander 2/, both sexes.....	71	70	88	111	147	151	173	117	66	26	8	-
Male.....	45	51	57	59	71	83	80	47	29	13	6	-
Female.....	26	19	31	52	76	68	93	70	37	13	2	-

Alabama

All races, both sexes.....	122	122	133	122	156	202	196	140	115	27	8	-
Male.....	83	83	84	75	75	81	83	40	28	5	1	-
Female.....	39	39	49	47	81	121	113	100	87	22	7	-
White, both sexes.....	88	89	99	96	128	162	167	123	96	21	4	-
Male.....	62	59	66	61	65	68	68	37	19	4	1	-
Female.....	26	30	33	35	63	94	99	86	77	17	3	-
Black, both sexes.....	34	32	34	26	27	38	29	17	19	6	4	-
Male.....	21	24	18	14	9	13	15	3	9	1	-	-
Female.....	13	8	16	12	18	25	14	14	10	5	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Alaska

All races, both sexes.....	10	13	16	14	16	11	13	8	8	1	-	-
Male.....	4	9	9	5	13	3	4	5	-	-	-	-
Female.....	6	4	7	9	3	8	9	3	8	1	-	-
White, both sexes.....	6	8	11	8	10	9	12	4	4	-	-	-
Male.....	3	5	7	5	9	2	4	3	-	-	-	-
Female.....	3	3	4	3	1	7	8	1	4	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	5	4	5	6	2	1	4	4	1	-	-
Male.....	-	4	2	-	4	1	-	2	-	-	-	-
Female.....	2	1	2	5	2	1	1	2	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	181	124	156	120	154	203	195	150	93	45	4	-
Male.....	131	75	99	69	96	97	81	54	29	12	2	-
Female.....	50	49	57	51	58	106	114	96	64	33	2	-
White, both sexes.....	150	114	144	106	146	189	186	141	89	44	4	-
Male.....	112	68	93	60	93	94	76	53	27	11	2	-
Female.....	38	46	51	46	53	95	110	88	62	33	2	-
Black, both sexes.....	4	-	1	3	3	2	1	2	2	1	-	-
Male.....	3	-	1	2	2	-	1	-	-	1	-	-
Female.....	1	-	-	1	1	2	-	2	2	-	-	-
American Indian 1/, both sexes.....	27	10	10	10	4	11	6	6	2	-	-	-
Male.....	16	7	5	6	1	3	4	1	2	-	-	-
Female.....	11	3	5	4	3	8	2	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	2	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Arkansas

All races, both sexes.....	60	78	88	90	97	104	108	109	76	28	4	-
Male.....	44	54	52	55	39	51	45	33	20	5	1	-
Female.....	16	24	36	35	58	53	63	76	56	23	3	-
White, both sexes.....	53	65	76	79	89	96	93	98	70	24	3	-
Male.....	38	42	44	50	36	47	39	31	19	3	-	-
Female.....	15	23	32	29	53	49	54	67	51	21	3	-
Black, both sexes.....	7	13	11	11	8	8	14	10	6	4	1	-
Male.....	6	12	7	5	3	4	5	2	1	2	1	-
Female.....	1	1	4	6	5	4	9	8	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	878	762	695	746	824	1,002	1,053	851	531	203	39	1
Male.....	610	505	440	423	397	464	453	302	166	48	11	1
Female.....	268	257	255	323	427	538	600	549	365	155	28	-
White, both sexes.....	744	659	585	640	705	869	935	762	482	183	34	1
Male.....	523	434	377	363	336	393	401	263	149	41	8	1
Female.....	221	225	208	277	369	476	534	499	333	142	26	-
Black, both sexes.....	84	71	56	54	56	52	43	36	15	9	1	-
Male.....	55	49	30	31	33	25	20	15	3	2	-	-
Female.....	29	22	26	23	23	27	23	21	12	7	1	-
American Indian 1/, both sexes.....	20	7	19	9	3	11	3	-	3	-	-	-
Male.....	13	5	11	5	-	5	1	-	2	-	-	-
Female.....	7	2	8	4	3	6	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	25	35	43	60	70	72	53	31	11	4	-
Male.....	19	17	22	24	28	41	31	24	12	5	3	-
Female.....	11	8	13	19	32	29	41	29	19	6	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Florida

All races, both sexes.....	458	467	463	492	599	645	725	596	381	126	21	1
Male.....	342	312	316	274	337	310	351	218	118	35	2	1
Female.....	116	155	147	218	262	335	374	378	263	91	19	-
White, both sexes.....	389	408	406	447	552	596	697	571	360	122	20	1
Male.....	298	276	279	255	309	293	337	210	113	35	2	1
Female.....	91	132	127	192	243	303	360	361	247	87	18	-
Black, both sexes.....	65	55	54	43	44	46	25	22	19	4	1	-
Male.....	42	35	36	18	26	15	13	7	4	-	-	-
Female.....	23	20	18	25	18	31	12	15	15	4	1	-
American Indian 1/, both sexes.....	-	1	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	1	2	3	3	2	2	1	-	-	-
Male.....	2	1	-	1	2	2	1	-	1	-	-	-
Female.....	2	2	1	1	1	1	1	2	-	-	-	-

Georgia

All races, both sexes.....	236	218	211	223	197	245	277	229	139	59	7	1
Male.....	144	134	122	119	100	109	104	72	31	5	2	1
Female.....	92	84	89	104	97	136	173	157	108	54	5	-
White, both sexes.....	164	161	157	169	157	205	239	188	105	47	5	-
Male.....	106	100	90	88	79	96	88	55	25	3	1	-
Female.....	58	61	67	81	78	109	151	133	80	44	4	-
Black, both sexes.....	70	56	54	51	39	40	36	41	33	12	2	1
Male.....	38	34	32	28	20	13	14	17	6	2	1	1
Female.....	32	22	22	23	19	27	22	24	27	10	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	1	-	2	-	1	-	-	-
Male.....	-	-	-	2	1	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Hawaii

All races, both sexes.....	28	22	14	20	36	34	34	33	12	10	3	-
Male.....	17	19	9	11	17	16	16	13	9	7	2	-
Female.....	11	3	5	9	19	18	18	20	3	3	1	-
White, both sexes.....	16	10	3	7	15	8	7	9	5	3	1	-
Male.....	8	8	1	5	9	1	3	3	4	3	-	-
Female.....	8	2	2	2	6	7	4	6	1	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	12	11	13	21	26	26	24	7	7	2	-
Male.....	7	11	8	6	8	15	12	10	5	4	2	-
Female.....	3	1	3	7	13	11	14	14	2	3	-	-

Idaho

All races, both sexes.....	39	29	37	43	34	45	64	44	28	10	4	-
Male.....	28	18	24	25	18	20	33	21	9	1	1	-
Female.....	11	11	13	18	16	25	31	23	19	9	3	-
White, both sexes.....	36	25	34	42	33	43	62	44	28	9	4	-
Male.....	26	18	23	24	17	20	33	21	9	1	1	-
Female.....	10	7	11	18	16	23	29	23	19	8	3	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	3	1	-	1	-	-	-	-	-	-
Male.....	2	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	4	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Illinois

All races, both sexes.....	265	232	246	292	350	470	468	460	259	82	25	-
Male.....	182	150	160	165	166	249	187	139	48	21	2	-
Female.....	83	82	86	127	184	221	281	321	211	61	23	-
White, both sexes.....	193	175	198	233	300	412	434	432	239	77	24	-
Male.....	132	111	129	131	142	221	171	132	45	20	2	-
Female.....	61	64	69	102	158	191	263	300	194	57	22	-
Black, both sexes.....	68	52	45	52	45	52	28	25	18	5	1	-
Male.....	46	35	28	31	22	27	13	6	3	1	-	-
Female.....	22	17	17	21	23	25	15	19	15	4	1	-
American Indian 1/, both sexes.....	1	2	1	2	-	1	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	5	5	5	6	3	2	-	-	-
Male.....	3	3	2	2	2	1	3	1	-	-	-	-
Female.....	-	-	-	3	3	4	3	2	2	-	-	-

Indiana

All races, both sexes.....	134	122	130	148	172	234	252	239	136	50	11	1
Male.....	87	84	83	83	88	106	94	73	30	5	2	1
Female.....	47	38	47	65	84	128	158	166	106	45	9	-
White, both sexes.....	113	104	112	137	152	217	238	234	127	48	9	1
Male.....	73	72	72	77	81	98	88	72	26	4	2	1
Female.....	40	32	40	60	71	119	150	162	101	44	7	-
Black, both sexes.....	18	17	18	11	17	16	14	5	9	2	2	-
Male.....	12	11	11	6	7	7	6	1	4	1	-	-
Female.....	6	6	7	5	10	9	8	4	5	1	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	3	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Iowa

All races, both sexes.....	46	47	49	62	84	109	132	143	145	48	15	-
Male.....	30	29	32	37	45	47	52	50	52	9	3	-
Female.....	16	18	17	25	39	62	80	93	93	39	12	-
White, both sexes.....	43	45	46	62	83	105	131	140	144	48	15	-
Male.....	27	28	31	37	45	45	52	50	52	9	3	-
Female.....	16	17	15	25	38	60	79	90	92	39	12	-
Black, both sexes.....	2	-	3	-	1	3	-	2	-	-	-	-
Male.....	2	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Kansas

All races, both sexes.....	56	51	46	53	66	83	116	119	92	36	3	-
Male.....	42	33	25	34	35	37	52	50	24	9	1	-
Female.....	14	18	21	19	31	46	64	69	68	27	2	-
White, both sexes.....	48	47	42	49	59	81	114	116	90	35	3	-
Male.....	36	32	23	31	33	35	52	50	23	9	1	-
Female.....	12	15	19	18	26	46	62	66	67	26	2	-
Black, both sexes.....	5	1	4	1	6	1	2	2	1	1	-	-
Male.....	4	1	2	1	2	1	-	-	1	-	-	-
Female.....	1	-	2	-	4	-	2	2	-	1	-	-
American Indian 1/, both sexes.....	3	3	-	3	-	1	-	1	-	-	-	-
Male.....	2	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	3	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Kentucky

All races, both sexes.....	98	84	98	112	138	145	168	146	72	32	7	-
Male.....	63	55	64	58	72	79	71	40	16	7	2	-
Female.....	35	29	34	54	66	66	97	106	56	25	5	-
White, both sexes.....	89	77	91	107	127	132	161	142	68	28	6	-
Male.....	58	50	60	54	63	73	66	39	16	6	2	-
Female.....	31	27	31	53	64	59	95	103	52	22	4	-
Black, both sexes.....	9	7	7	5	9	12	7	3	4	3	1	-
Male.....	5	5	4	4	8	5	5	-	-	-	-	-
Female.....	4	2	3	1	1	7	2	3	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	1	-	1	-	-
Male.....	-	-	-	-	1	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	122	119	101	101	128	179	173	113	74	32	9	-
Male.....	87	81	58	57	63	79	73	32	20	6	3	-
Female.....	35	38	43	44	65	100	100	81	54	26	6	-
White, both sexes.....	74	78	73	70	97	151	130	89	58	24	6	-
Male.....	54	54	40	37	45	67	55	25	14	5	1	-
Female.....	20	24	33	33	52	84	75	64	44	19	5	-
Black, both sexes.....	47	41	27	29	31	28	43	21	16	8	2	-
Male.....	32	27	17	18	18	12	18	6	6	1	1	-
Female.....	15	14	10	11	13	16	25	15	10	7	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	-	1	-	-	1	-
Male.....	1	-	-	2	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Maine

All races, both sexes.....	33	35	33	52	51	59	62	76	44	9	8	-
Male.....	23	22	27	34	24	23	24	25	7	2	-	-
Female.....	10	13	6	18	27	36	38	51	37	7	8	-
White, both sexes.....	33	35	31	51	49	59	61	76	44	9	8	-
Male.....	23	22	26	34	24	23	24	25	7	2	-	-
Female.....	10	13	5	17	25	36	37	51	37	7	8	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	107	98	110	120	161	175	221	155	108	36	6	-
Male.....	76	61	70	61	82	66	91	46	27	8	1	-
Female.....	31	37	40	59	79	109	130	109	81	28	5	-
White, both sexes.....	72	57	69	80	121	139	183	132	95	32	4	-
Male.....	50	37	42	40	62	50	74	40	24	6	-	-
Female.....	22	20	27	40	59	89	109	92	71	26	4	-
Black, both sexes.....	35	39	39	38	35	33	35	20	13	3	2	-
Male.....	26	24	27	19	18	16	17	6	3	1	1	-
Female.....	9	15	12	19	17	17	18	14	10	2	1	-
American Indian 1/, both sexes.....	-	1	1	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	5	1	2	3	-	1	-	-
Male.....	-	-	1	2	2	-	-	-	-	1	-	-
Female.....	-	1	-	-	3	1	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Massachusetts

All races, both sexes.....	128	133	124	171	188	282	325	334	201	72	16	-
Male.....	94	90	74	98	105	116	124	119	52	14	1	-
Female.....	34	43	50	73	83	166	201	215	149	58	15	-
White, both sexes.....	121	124	116	162	178	275	317	321	201	67	15	-
Male.....	89	83	69	90	99	113	119	115	52	13	1	-
Female.....	32	41	47	72	79	162	198	206	149	54	14	-
Black, both sexes.....	7	7	7	9	5	5	5	12	-	5	1	-
Male.....	5	6	4	8	3	2	4	3	-	1	-	-
Female.....	2	1	3	1	2	3	1	9	-	4	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	5	2	2	1	-	-	-	-
Male.....	-	-	1	-	3	1	1	1	-	-	-	-
Female.....	-	1	-	-	2	1	1	-	-	-	-	-

Michigan

All races, both sexes.....	262	235	209	241	290	350	386	368	236	74	16	-
Male.....	181	154	134	135	137	173	141	130	59	18	2	-
Female.....	81	81	75	106	153	177	245	238	177	56	14	-
White, both sexes.....	184	172	177	205	263	319	351	344	221	63	15	-
Male.....	127	111	113	115	125	161	125	123	57	15	1	-
Female.....	57	61	64	90	138	158	226	221	164	48	14	-
Black, both sexes.....	74	59	31	34	24	26	31	23	12	11	1	-
Male.....	51	41	21	19	11	11	14	7	1	3	1	-
Female.....	23	18	10	15	13	15	17	16	11	8	-	-
American Indian 1/, both sexes.....	3	3	1	1	2	3	3	-	1	-	-	-
Male.....	2	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	2	1	-	2	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	2	1	1	2	-	-	-
Male.....	1	1	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Missouri

All races, both sexes.....	115	93	117	126	199	213	279	253	152	57	12	-
Male.....	91	58	75	76	102	101	113	91	36	5	-	-
Female.....	24	35	42	50	97	112	166	162	116	52	12	-
White, both sexes.....	92	77	108	109	185	195	260	238	144	51	11	-
Male.....	76	48	70	69	94	98	107	87	33	3	-	-
Female.....	16	29	38	40	91	97	153	151	111	48	11	-
Black, both sexes.....	21	16	9	17	14	18	19	14	8	6	1	-
Male.....	13	10	5	7	8	3	6	4	3	2	-	-
Female.....	8	6	4	10	6	15	13	10	5	4	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	26	27	21	30	23	26	29	61	25	11	1	-
Male.....	19	20	9	18	8	10	10	27	6	3	-	-
Female.....	7	7	12	12	15	16	19	34	19	8	1	-
White, both sexes.....	22	20	18	29	21	24	28	61	25	11	1	-
Male.....	17	16	8	17	8	10	10	27	6	3	-	-
Female.....	5	4	10	12	13	14	18	34	19	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	7	3	1	2	1	1	-	-	-	-	-
Male.....	2	4	1	1	-	-	-	-	-	-	-	-
Female.....	2	3	2	-	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Nebraska

All races, both sexes.....	27	30	27	46	48	53	77	91	57	31	7	-
Male.....	17	19	18	30	23	26	38	40	16	6	-	-
Female.....	10	11	9	16	25	27	39	51	41	25	7	-
White, both sexes.....	23	25	23	42	47	52	75	91	57	30	7	-
Male.....	14	15	15	29	23	26	37	40	16	6	-	-
Female.....	9	10	8	13	24	26	38	51	41	24	7	-
Black, both sexes.....	2	1	3	-	1	1	2	-	-	1	-	-
Male.....	2	-	3	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	4	1	4	-	-	-	-	-	-	-	-
Male.....	1	4	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	3	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	80	78	72	70	66	63	79	55	27	15	-	-
Male.....	55	53	50	43	42	30	34	20	9	3	-	-
Female.....	25	25	22	27	24	33	45	35	18	12	-	-
White, both sexes.....	72	75	61	67	58	62	73	53	26	15	-	-
Male.....	51	51	42	42	35	30	31	19	8	3	-	-
Female.....	21	24	19	25	23	32	42	34	18	12	-	-
Black, both sexes.....	4	2	6	2	4	-	2	1	-	-	-	-
Male.....	2	2	6	1	3	-	1	1	-	-	-	-
Female.....	2	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	4	1	2	-	2	1	-	-	-	-
Male.....	2	-	2	-	2	-	1	-	-	-	-	-
Female.....	1	1	2	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	1	2	-	1	-	-	-
Male.....	-	-	-	-	2	-	1	-	1	-	-	-
Female.....	1	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

New Hampshire

All races, both sexes.....	23	16	25	23	34	53	50	64	29	19	4	-
Male.....	13	9	17	10	18	28	14	20	7	3	1	-
Female.....	10	7	8	13	16	25	36	44	22	16	3	-
White, both sexes.....	23	16	25	23	34	53	50	64	29	19	4	-
Male.....	13	9	17	10	18	28	14	20	7	3	1	-
Female.....	10	7	8	13	16	25	36	44	22	16	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	183	167	161	163	287	308	345	295	188	61	10	-
Male.....	137	108	94	89	156	138	151	105	51	9	4	-
Female.....	46	59	67	74	131	170	194	190	137	52	6	-
White, both sexes.....	134	140	132	134	239	279	317	272	171	54	8	-
Male.....	101	92	80	74	128	123	137	94	45	8	3	-
Female.....	33	48	52	60	111	156	180	178	126	46	5	-
Black, both sexes.....	48	26	24	25	42	28	23	20	14	6	2	-
Male.....	36	15	11	13	24	14	11	9	4	1	1	-
Female.....	12	11	13	12	18	14	12	11	10	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	5	4	5	1	5	3	2	1	-	-
Male.....	-	1	3	2	4	1	3	2	2	-	-	-
Female.....	1	-	2	2	1	-	2	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

New Mexico

All races, both sexes.....	58	75	64	62	67	86	76	67	41	8	4	-
Male.....	43	57	45	29	37	36	35	29	15	2	1	-
Female.....	15	18	19	33	30	50	41	38	26	6	3	-
White, both sexes.....	41	63	57	52	61	82	67	63	37	7	3	-
Male.....	31	48	42	24	33	34	32	29	14	2	-	-
Female.....	10	15	15	28	28	48	35	34	23	5	3	-
Black, both sexes.....	2	2	-	2	-	1	3	-	-	1	-	-
Male.....	2	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	2	-	-	2	-	-	1	-	-
American Indian 1/, both sexes.....	15	10	7	7	5	3	5	4	4	-	1	-
Male.....	10	8	3	4	4	1	2	-	1	-	1	-
Female.....	5	2	4	3	1	2	3	4	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

New York

All races, both sexes.....	346	372	326	348	470	574	655	592	371	132	22	-
Male.....	240	240	203	195	242	270	283	193	97	28	1	-
Female.....	106	132	123	153	228	304	372	399	274	104	21	-
White, both sexes.....	261	295	261	278	408	495	594	545	349	122	17	-
Male.....	182	186	164	157	211	232	248	178	91	25	1	-
Female.....	79	109	97	121	197	263	346	367	258	97	16	-
Black, both sexes.....	82	68	59	63	55	70	49	36	17	9	5	-
Male.....	56	48	35	34	27	32	29	10	3	3	-	-
Female.....	26	20	24	29	28	38	20	26	14	6	5	-
American Indian 1/, both sexes.....	-	2	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	5	6	7	8	12	11	5	1	-	-
Male.....	2	5	4	3	4	5	6	5	3	-	-	-
Female.....	1	2	1	3	3	3	6	6	2	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Ohio

All races, both sexes.....	216	239	235	304	363	506	538	455	264	109	13	-
Male.....	143	152	134	176	177	215	196	148	68	19	5	-
Female.....	73	87	101	128	186	291	342	307	196	90	8	-
White, both sexes.....	169	208	201	272	323	466	502	428	249	104	10	-
Male.....	110	132	115	154	157	194	179	140	67	19	3	-
Female.....	59	76	86	118	166	272	323	288	182	85	7	-
Black, both sexes.....	46	29	33	31	40	39	35	27	15	5	3	-
Male.....	32	18	19	21	20	21	16	8	1	-	2	-
Female.....	14	11	14	10	20	18	19	19	14	5	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	101	81	93	98	106	148	134	150	102	25	4	-
Male.....	67	55	49	55	52	64	54	49	35	2	-	-
Female.....	34	26	44	43	54	84	80	101	67	23	4	-
White, both sexes.....	79	69	76	81	91	134	120	130	93	23	4	-
Male.....	52	46	40	43	44	55	49	40	32	2	-	-
Female.....	27	23	36	38	47	79	71	90	61	21	4	-
Black, both sexes.....	8	2	7	9	6	4	3	12	2	1	-	-
Male.....	6	2	4	7	2	3	1	6	-	-	-	-
Female.....	2	-	3	2	4	1	2	6	2	1	-	-
American Indian 1/, both sexes.....	14	10	9	8	9	9	9	8	7	1	-	-
Male.....	9	7	5	5	6	5	3	3	3	-	-	-
Female.....	5	3	4	3	3	4	6	5	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Oregon

All races, both sexes.....	91	93	83	89	84	138	152	132	97	39	7	-
Male.....	64	64	46	49	36	68	59	46	20	9	1	-
Female.....	27	29	37	40	48	70	93	86	77	30	6	-
White, both sexes.....	88	87	79	85	80	137	147	131	94	39	7	-
Male.....	61	61	44	45	35	67	56	45	19	9	1	-
Female.....	27	26	35	40	45	70	91	86	75	30	6	-
Black, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	4	3	1	2	-	1	-	-	-	-	-
Male.....	1	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	3	1	1	4	1	2	-	-	-
Male.....	-	1	-	3	1	1	3	1	1	-	-	-
Female.....	-	1	1	-	-	-	1	-	1	-	-	-

Pennsylvania

All races, both sexes.....	242	266	295	346	408	591	686	599	374	134	25	-
Male.....	179	168	176	182	215	270	265	198	97	25	6	-
Female.....	63	98	119	164	193	321	421	401	277	109	19	-
White, both sexes.....	193	226	247	307	381	552	645	564	358	128	23	-
Male.....	144	143	148	160	201	253	252	183	93	25	5	-
Female.....	49	83	99	147	180	299	393	381	265	103	18	-
Black, both sexes.....	49	39	44	37	24	37	37	34	16	5	2	-
Male.....	35	25	24	21	13	16	11	15	4	-	1	-
Female.....	14	14	20	16	11	21	26	19	12	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	2	3	2	4	1	-	1	-	-
Male.....	-	-	4	1	1	1	2	-	-	-	-	-
Female.....	-	1	-	1	2	1	2	1	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

South Dakota

All races, both sexes.....	24	18	18	9	21	28	31	50	44	11	2	-
Male.....	15	14	13	6	12	11	16	17	9	1	1	-
Female.....	9	4	5	3	9	17	15	33	35	10	1	-
White, both sexes.....	13	15	13	7	19	24	30	50	42	10	2	-
Male.....	9	11	12	4	10	10	16	17	9	1	1	-
Female.....	4	4	1	3	9	14	14	33	33	9	1	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	3	4	1	2	4	1	-	2	1	-	-
Male.....	5	3	1	1	2	1	-	-	-	-	-	-
Female.....	5	-	3	-	-	3	1	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	170	148	171	188	172	247	246	204	122	45	9	-
Male.....	127	86	115	104	89	117	94	74	31	1	1	-
Female.....	43	62	56	84	83	130	152	130	91	44	8	-
White, both sexes.....	147	116	144	169	153	220	228	187	108	40	6	-
Male.....	112	71	97	96	79	105	86	66	29	1	1	-
Female.....	35	45	47	73	74	115	142	121	79	39	5	-
Black, both sexes.....	23	32	25	19	19	26	17	17	12	5	3	-
Male.....	15	15	17	8	10	11	7	8	2	-	-	-
Female.....	8	17	8	11	9	15	10	9	10	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	1	-	2	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	2	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Texas

All races, both sexes.....	538	494	442	504	585	674	682	559	379	131	19	1
Male.....	404	346	268	291	305	313	282	190	105	27	2	1
Female.....	134	148	174	213	280	361	400	369	274	104	17	-
White, both sexes.....	476	433	388	451	527	624	631	523	346	118	17	1
Male.....	356	303	240	266	271	289	262	176	95	25	2	1
Female.....	120	130	148	185	256	335	369	347	251	93	15	-
Black, both sexes.....	57	56	53	45	50	42	49	36	30	13	2	-
Male.....	45	39	28	21	30	18	20	14	9	2	-	-
Female.....	12	17	25	24	20	24	29	22	21	11	2	-
American Indian 1/, both sexes.....	3	1	-	2	1	-	1	-	-	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	6	7	8	1	-	3	-	-	-
Male.....	-	3	-	3	4	6	-	-	1	-	-	-
Female.....	2	1	1	3	3	2	1	-	2	-	-	-

Utah

All races, both sexes.....	30	30	38	33	44	66	63	55	48	13	2	-
Male.....	15	17	19	15	23	33	25	22	11	2	1	-
Female.....	15	13	19	18	21	33	38	33	37	11	1	-
White, both sexes.....	29	29	36	33	44	65	63	54	48	13	2	-
Male.....	15	16	17	15	23	33	25	22	11	2	1	-
Female.....	14	13	19	18	21	32	38	32	37	11	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Vermont

All races, both sexes.....	13	6	16	11	26	27	34	24	26	13	3	-
Male.....	10	5	7	5	16	14	13	8	7	2	1	-
Female.....	3	1	9	6	10	13	21	16	19	11	2	-
White, both sexes.....	13	6	16	10	26	27	34	24	26	13	3	-
Male.....	10	5	7	5	16	14	13	8	7	2	1	-
Female.....	3	1	9	5	10	13	21	16	19	11	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	141	136	153	142	185	251	281	237	142	44	10	-
Male.....	97	98	94	87	110	106	115	78	32	9	1	-
Female.....	44	38	59	55	75	145	166	159	110	35	9	-
White, both sexes.....	101	98	111	111	150	203	238	200	125	37	9	-
Male.....	70	70	68	69	87	81	102	68	28	6	1	-
Female.....	31	28	43	42	63	122	136	132	97	31	8	-
Black, both sexes.....	38	36	36	29	33	46	41	36	16	6	-	-
Male.....	27	26	21	17	21	24	13	10	4	2	-	-
Female.....	11	10	15	12	12	22	28	26	12	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	2	2	2	2	1	1	1	1	-
Male.....	-	2	4	1	2	1	-	-	-	1	-	-
Female.....	2	-	1	1	-	1	2	1	1	-	1	-































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of other parts of digestive system (K20-K92)												
Arkansas												
All races, both sexes.....	959	4	1	1	1	2	2	6	8	14	34	45
Male.....	464	3	1	1	1	-	1	3	2	9	20	25
Female.....	495	1	-	-	-	2	1	3	6	5	14	20
White, both sexes.....	834	3	1	1	-	1	2	5	6	9	27	34
Male.....	399	2	1	1	-	-	1	3	2	7	15	19
Female.....	435	1	-	-	-	1	1	2	4	2	12	15
Black, both sexes.....	122	1	-	-	1	1	-	1	2	5	7	11
Male.....	63	1	-	-	1	-	-	-	-	2	5	6
Female.....	59	-	-	-	-	1	-	1	2	3	2	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	9,212	57	14	7	6	9	9	41	102	225	457	711
Male.....	4,928	37	7	3	1	5	5	28	73	150	307	498
Female.....	4,284	20	7	4	5	4	4	13	29	75	150	213
White, both sexes.....	7,995	45	11	5	5	7	6	31	92	198	395	611
Male.....	4,257	32	6	3	-	4	3	21	68	136	268	432
Female.....	3,738	13	5	2	5	3	3	10	24	62	127	179
Black, both sexes.....	600	8	1	1	-	2	-	5	7	18	29	53
Male.....	332	3	-	-	-	1	-	3	2	8	19	34
Female.....	268	5	1	1	-	1	-	2	5	10	10	19
American Indian 1/, both sexes.....	114	1	-	-	-	-	-	1	-	6	16	15
Male.....	63	-	-	-	-	-	-	1	-	4	7	9
Female.....	51	1	-	-	-	-	-	-	-	2	9	6
Asian or Pacific Islander 2/, both sexes.....	503	3	2	1	1	-	3	4	3	3	17	32
Male.....	276	2	1	-	1	-	2	3	3	2	13	23
Female.....	227	1	1	1	-	-	1	1	-	1	4	9









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Illinois

All races, both sexes.....	3,639	13	10	2	-	7	4	9	32	70	142	204
Male.....	1,784	8	8	1	-	4	2	6	15	38	90	145
Female.....	1,855	5	2	1	-	3	2	3	17	32	52	59
White, both sexes.....	3,081	9	6	-	-	5	4	6	22	48	109	157
Male.....	1,478	6	5	-	-	3	2	4	12	27	70	114
Female.....	1,603	3	1	-	-	2	2	2	10	21	39	43
Black, both sexes.....	511	3	4	2	-	2	-	2	9	21	31	47
Male.....	282	2	3	1	-	1	-	1	3	10	19	31
Female.....	229	1	1	1	-	1	-	1	6	11	12	16
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	1	-	-	-	-	-	1	1	1	2	-
Male.....	20	-	-	-	-	-	-	1	-	1	1	-
Female.....	20	1	-	-	-	-	-	-	1	-	1	-

Indiana

All races, both sexes.....	1,882	14	2	-	3	3	6	5	23	32	67	102
Male.....	911	9	2	-	2	1	3	4	15	19	47	75
Female.....	971	5	-	-	1	2	3	1	8	13	20	27
White, both sexes.....	1,704	11	1	-	2	3	4	4	19	27	60	85
Male.....	817	7	1	-	1	1	3	4	12	17	43	64
Female.....	887	4	-	-	1	2	1	-	7	10	17	21
Black, both sexes.....	168	3	1	-	1	-	2	1	2	5	7	17
Male.....	89	2	1	-	1	-	-	-	2	2	4	11
Female.....	79	1	-	-	-	-	2	1	-	3	3	6
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

New Mexico

All races, both sexes.....	782	6	-	1	1	2	1	1	13	24	54	71
Male.....	447	4	-	1	-	1	-	-	8	14	35	55
Female.....	335	2	-	-	1	1	1	1	5	10	19	16
White, both sexes.....	648	6	-	1	1	1	1	-	6	12	34	53
Male.....	371	4	-	1	-	1	-	-	2	8	22	44
Female.....	277	2	-	-	1	-	1	-	4	4	12	9
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	120	-	-	-	-	1	-	1	7	12	20	18
Male.....	70	-	-	-	-	-	-	-	6	6	13	11
Female.....	50	-	-	-	-	1	-	1	1	6	7	7
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4,750	40	3	1	5	5	6	13	28	66	129	253
Male.....	2,342	27	1	-	2	3	4	8	20	42	78	168
Female.....	2,408	13	2	1	3	2	2	5	8	24	51	85
White, both sexes.....	4,021	17	3	1	5	5	3	8	22	48	98	193
Male.....	1,939	12	1	-	2	3	2	5	14	33	62	133
Female.....	2,082	5	2	1	3	2	1	3	8	15	36	60
Black, both sexes.....	637	21	-	-	-	-	3	4	3	15	28	50
Male.....	345	13	-	-	-	-	2	3	3	6	15	26
Female.....	292	8	-	-	-	-	1	1	-	9	13	24
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	2	6
Male.....	9	-	-	-	-	-	-	-	-	-	1	5
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	79	2	-	-	-	-	-	1	3	3	1	4
Male.....	49	2	-	-	-	-	-	-	3	3	-	4
Female.....	30	-	-	-	-	-	-	1	-	-	1	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

South Dakota

All races, both sexes.....	290	3	-	-	-	-	2	3	-	6	8	13
Male.....	132	2	-	-	-	-	2	3	-	2	2	7
Female.....	158	1	-	-	-	-	-	-	-	4	6	6
White, both sexes.....	242	2	-	-	-	-	1	2	-	1	6	6
Male.....	110	2	-	-	-	-	1	2	-	-	2	4
Female.....	132	-	-	-	-	-	-	-	-	1	4	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	44	1	-	-	-	-	1	1	-	4	2	7
Male.....	20	-	-	-	-	-	1	1	-	2	-	3
Female.....	24	1	-	-	-	-	-	-	-	2	2	4
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2,036	12	4	2	4	4	4	6	17	44	101	119
Male.....	1,051	10	1	1	2	2	2	3	10	22	74	86
Female.....	985	2	3	1	2	2	2	3	7	22	27	33
White, both sexes.....	1,773	8	2	1	2	2	4	3	16	35	87	98
Male.....	916	6	1	1	1	1	2	1	9	19	63	70
Female.....	857	2	1	-	1	1	2	2	7	16	24	28
Black, both sexes.....	255	4	2	1	2	2	-	2	1	9	13	21
Male.....	132	4	-	-	1	1	-	2	1	3	11	16
Female.....	123	-	2	1	1	1	-	-	-	6	2	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	1	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	1	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

United States

All races, both sexes.....	6,756	6,389	6,269	6,862	8,251	10,213	11,263	9,899	6,347	2,293	439	5
Male.....	4,738	4,198	3,921	3,869	4,275	4,699	4,651	3,377	1,699	451	79	5
Female.....	2,018	2,191	2,348	2,993	3,976	5,514	6,612	6,522	4,648	1,842	360	-
White, both sexes.....	5,433	5,297	5,251	5,888	7,280	9,197	10,306	9,154	5,870	2,099	385	4
Male.....	3,854	3,479	3,312	3,334	3,768	4,241	4,230	3,123	1,567	408	62	4
Female.....	1,579	1,818	1,939	2,554	3,512	4,956	6,076	6,031	4,303	1,691	323	-
Black, both sexes.....	1,115	916	826	790	774	808	738	594	383	164	45	1
Male.....	758	608	500	436	413	356	322	197	94	30	10	1
Female.....	357	308	326	354	361	452	416	397	289	134	35	-
American Indian 1/, both sexes.....	137	107	105	73	50	57	46	34	28	4	1	-
Male.....	81	60	53	40	23	19	19	10	9	-	1	-
Female.....	56	47	52	33	27	38	27	24	19	4	-	-
Asian or Pacific Islander 2/, both sexes.....	71	69	87	111	147	151	173	117	66	26	8	-
Male.....	45	51	56	59	71	83	80	47	29	13	6	-
Female.....	26	18	31	52	76	68	93	70	37	13	2	-

Alabama

All races, both sexes.....	122	122	133	122	156	202	196	140	115	27	8	-
Male.....	83	83	84	75	75	81	83	40	28	5	1	-
Female.....	39	39	49	47	81	121	113	100	87	22	7	-
White, both sexes.....	88	89	99	96	128	162	167	123	96	21	4	-
Male.....	62	59	66	61	65	68	68	37	19	4	1	-
Female.....	26	30	33	35	63	94	99	86	77	17	3	-
Black, both sexes.....	34	32	34	26	27	38	29	17	19	6	4	-
Male.....	21	24	18	14	9	13	15	3	9	1	-	-
Female.....	13	8	16	12	18	25	14	14	10	5	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Alaska

All races, both sexes.....	10	13	16	14	16	11	13	8	8	1	-	-
Male.....	4	9	9	5	13	3	4	5	-	-	-	-
Female.....	6	4	7	9	3	8	9	3	8	1	-	-
White, both sexes.....	6	8	11	8	10	9	12	4	4	-	-	-
Male.....	3	5	7	5	9	2	4	3	-	-	-	-
Female.....	3	3	4	3	1	7	8	1	4	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	5	4	5	6	2	1	4	4	1	-	-
Male.....	-	4	2	-	4	1	-	2	-	-	-	-
Female.....	2	1	2	5	2	1	1	2	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	181	124	155	120	154	203	195	150	93	45	4	-
Male.....	131	75	99	69	96	97	81	54	29	12	2	-
Female.....	50	49	56	51	58	106	114	96	64	33	2	-
White, both sexes.....	150	114	143	106	146	189	186	141	89	44	4	-
Male.....	112	68	93	60	93	94	76	53	27	11	2	-
Female.....	38	46	50	46	53	95	110	88	62	33	2	-
Black, both sexes.....	4	-	1	3	3	2	1	2	2	1	-	-
Male.....	3	-	1	2	2	-	1	-	-	1	-	-
Female.....	1	-	-	1	1	2	-	2	2	-	-	-
American Indian 1/, both sexes.....	27	10	10	10	4	11	6	6	2	-	-	-
Male.....	16	7	5	6	1	3	4	1	2	-	-	-
Female.....	11	3	5	4	3	8	2	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	2	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Arkansas

All races, both sexes.....	60	78	88	90	97	104	107	109	76	28	4	-
Male.....	44	54	52	55	39	51	44	33	20	5	1	-
Female.....	16	24	36	35	58	53	63	76	56	23	3	-
White, both sexes.....	53	65	76	79	89	96	92	98	70	24	3	-
Male.....	38	42	44	50	36	47	38	31	19	3	-	-
Female.....	15	23	32	29	53	49	54	67	51	21	3	-
Black, both sexes.....	7	13	11	11	8	8	14	10	6	4	1	-
Male.....	6	12	7	5	3	4	5	2	1	2	1	-
Female.....	1	1	4	6	5	4	9	8	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	877	761	695	746	824	1,001	1,050	847	530	203	39	1
Male.....	609	504	440	423	397	463	451	302	165	48	11	1
Female.....	268	257	255	323	427	538	599	545	365	155	28	-
White, both sexes.....	743	659	585	640	705	868	932	758	481	183	34	1
Male.....	522	434	377	363	336	392	399	263	148	41	8	1
Female.....	221	225	208	277	369	476	533	495	333	142	26	-
Black, both sexes.....	84	70	56	54	56	52	43	36	15	9	1	-
Male.....	55	48	30	31	33	25	20	15	3	2	-	-
Female.....	29	22	26	23	23	27	23	21	12	7	1	-
American Indian 1/, both sexes.....	20	7	19	9	3	11	3	-	3	-	-	-
Male.....	13	5	11	5	-	5	1	-	2	-	-	-
Female.....	7	2	8	4	3	6	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	25	35	43	60	70	72	53	31	11	4	-
Male.....	19	17	22	24	28	41	31	24	12	5	3	-
Female.....	11	8	13	19	32	29	41	29	19	6	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Florida

All races, both sexes.....	458	467	462	492	596	645	725	594	379	125	21	1
Male.....	342	312	315	274	337	310	351	217	118	35	2	1
Female.....	116	155	147	218	259	335	374	377	261	90	19	-
White, both sexes.....	389	408	405	447	549	596	697	569	358	121	20	1
Male.....	298	276	278	255	309	293	337	209	113	35	2	1
Female.....	91	132	127	192	240	303	360	360	245	86	18	-
Black, both sexes.....	65	55	54	43	44	46	25	22	19	4	1	-
Male.....	42	35	36	18	26	15	13	7	4	-	-	-
Female.....	23	20	18	25	18	31	12	15	15	4	1	-
American Indian 1/, both sexes.....	-	1	2	-	-	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	1	2	3	3	2	2	1	-	-	-
Male.....	2	1	-	1	2	2	1	-	1	-	-	-
Female.....	2	2	1	1	1	1	1	2	-	-	-	-

Georgia

All races, both sexes.....	236	218	210	223	197	245	277	228	139	59	7	1
Male.....	144	134	122	119	100	109	104	72	31	5	2	1
Female.....	92	84	88	104	97	136	173	156	108	54	5	-
White, both sexes.....	164	161	157	169	157	205	239	187	105	47	5	-
Male.....	106	100	90	88	79	96	88	55	25	3	1	-
Female.....	58	61	67	81	78	109	151	132	80	44	4	-
Black, both sexes.....	70	56	53	51	39	40	36	41	33	12	2	1
Male.....	38	34	32	28	20	13	14	17	6	2	1	1
Female.....	32	22	21	23	19	27	22	24	27	10	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	1	-	2	-	1	-	-	-
Male.....	-	-	-	2	1	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Hawaii

All races, both sexes.....	28	22	13	20	36	34	34	33	12	10	3	-
Male.....	17	19	8	11	17	16	16	13	9	7	2	-
Female.....	11	3	5	9	19	18	18	20	3	3	1	-
White, both sexes.....	16	10	3	7	15	8	7	9	5	3	1	-
Male.....	8	8	1	5	9	1	3	3	4	3	-	-
Female.....	8	2	2	2	6	7	4	6	1	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	12	10	13	21	26	26	24	7	7	2	-
Male.....	7	11	7	6	8	15	12	10	5	4	2	-
Female.....	3	1	3	7	13	11	14	14	2	3	-	-

Idaho

All races, both sexes.....	39	29	37	43	34	44	63	44	27	10	4	-
Male.....	28	18	24	25	18	20	33	21	9	1	1	-
Female.....	11	11	13	18	16	24	30	23	18	9	3	-
White, both sexes.....	36	25	34	42	33	42	61	44	27	9	4	-
Male.....	26	18	23	24	17	20	33	21	9	1	1	-
Female.....	10	7	11	18	16	22	28	23	18	8	3	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	3	1	-	1	-	-	-	-	-	-
Male.....	2	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	4	2	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Illinois

All races, both sexes.....	265	232	245	292	349	469	468	460	259	82	25	-
Male.....	182	150	159	165	165	249	187	139	48	21	2	-
Female.....	83	82	86	127	184	220	281	321	211	61	23	-
White, both sexes.....	193	175	197	233	300	411	434	432	239	77	24	-
Male.....	132	111	128	131	142	221	171	132	45	20	2	-
Female.....	61	64	69	102	158	190	263	300	194	57	22	-
Black, both sexes.....	68	52	45	52	44	52	28	25	18	5	1	-
Male.....	46	35	28	31	21	27	13	6	3	1	-	-
Female.....	22	17	17	21	23	25	15	19	15	4	1	-
American Indian 1/, both sexes.....	1	2	1	2	-	1	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	5	5	5	6	3	2	-	-	-
Male.....	3	3	2	2	2	1	3	1	-	-	-	-
Female.....	-	-	-	3	3	4	3	2	2	-	-	-

Indiana

All races, both sexes.....	134	122	130	148	172	234	250	239	135	49	11	1
Male.....	87	84	83	83	88	106	92	73	30	5	2	1
Female.....	47	38	47	65	84	128	158	166	105	44	9	-
White, both sexes.....	113	104	112	137	152	217	236	234	126	47	9	1
Male.....	73	72	72	77	81	98	86	72	26	4	2	1
Female.....	40	32	40	60	71	119	150	162	100	43	7	-
Black, both sexes.....	18	17	18	11	17	16	14	5	9	2	2	-
Male.....	12	11	11	6	7	7	6	1	4	1	-	-
Female.....	6	6	7	5	10	9	8	4	5	1	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	3	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Iowa

All races, both sexes.....	46	47	49	62	84	109	131	142	145	48	15	-
Male.....	30	29	32	37	45	47	52	50	52	9	3	-
Female.....	16	18	17	25	39	62	79	92	93	39	12	-
White, both sexes.....	43	45	46	62	83	105	130	139	144	48	15	-
Male.....	27	28	31	37	45	45	52	50	52	9	3	-
Female.....	16	17	15	25	38	60	78	89	92	39	12	-
Black, both sexes.....	2	-	3	-	1	3	-	2	-	-	-	-
Male.....	2	-	1	-	-	2	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-

Kansas

All races, both sexes.....	56	51	46	52	66	83	116	119	92	36	3	-
Male.....	42	33	25	34	35	37	52	50	24	9	1	-
Female.....	14	18	21	18	31	46	64	69	68	27	2	-
White, both sexes.....	48	47	42	48	59	81	114	116	90	35	3	-
Male.....	36	32	23	31	33	35	52	50	23	9	1	-
Female.....	12	15	19	17	26	46	62	66	67	26	2	-
Black, both sexes.....	5	1	4	1	6	1	2	2	1	1	-	-
Male.....	4	1	2	1	2	1	-	-	1	-	-	-
Female.....	1	-	2	-	4	-	2	2	-	1	-	-
American Indian 1/, both sexes.....	3	3	-	3	-	1	-	1	-	-	-	-
Male.....	2	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	3	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Kentucky

All races, both sexes.....	98	84	98	112	138	145	167	145	72	32	7	-
Male.....	63	55	64	58	72	79	71	40	16	7	2	-
Female.....	35	29	34	54	66	66	96	105	56	25	5	-
White, both sexes.....	89	77	91	107	127	132	160	141	68	28	6	-
Male.....	58	50	60	54	63	73	66	39	16	6	2	-
Female.....	31	27	31	53	64	59	94	102	52	22	4	-
Black, both sexes.....	9	7	7	5	9	12	7	3	4	3	1	-
Male.....	5	5	4	4	8	5	5	-	-	-	-	-
Female.....	4	2	3	1	1	7	2	3	4	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	1	-	1	-	-
Male.....	-	-	-	-	1	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	122	119	100	101	128	179	173	113	73	32	9	-
Male.....	87	81	58	57	63	79	73	32	20	6	3	-
Female.....	35	38	42	44	65	100	100	81	53	26	6	-
White, both sexes.....	74	78	73	70	97	151	130	89	57	24	6	-
Male.....	54	54	40	37	45	67	55	25	14	5	1	-
Female.....	20	24	33	33	52	84	75	64	43	19	5	-
Black, both sexes.....	47	41	26	29	31	28	43	21	16	8	2	-
Male.....	32	27	17	18	18	12	18	6	6	1	1	-
Female.....	15	14	9	11	13	16	25	15	10	7	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	-	-	1	-	-	1	-
Male.....	1	-	-	2	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Maine

All races, both sexes.....	33	35	33	52	51	59	62	76	44	9	8	-
Male.....	23	22	27	34	24	23	24	25	7	2	-	-
Female.....	10	13	6	18	27	36	38	51	37	7	8	-
White, both sexes.....	33	35	31	51	49	59	61	76	44	9	8	-
Male.....	23	22	26	34	24	23	24	25	7	2	-	-
Female.....	10	13	5	17	25	36	37	51	37	7	8	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	107	98	110	120	161	175	221	155	108	36	6	-
Male.....	76	61	70	61	82	66	91	46	27	8	1	-
Female.....	31	37	40	59	79	109	130	109	81	28	5	-
White, both sexes.....	72	57	69	80	121	139	183	132	95	32	4	-
Male.....	50	37	42	40	62	50	74	40	24	6	-	-
Female.....	22	20	27	40	59	89	109	92	71	26	4	-
Black, both sexes.....	35	39	39	38	35	33	35	20	13	3	2	-
Male.....	26	24	27	19	18	16	17	6	3	1	1	-
Female.....	9	15	12	19	17	17	18	14	10	2	1	-
American Indian 1/, both sexes.....	-	1	1	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	5	1	2	3	-	1	-	-
Male.....	-	-	1	2	2	-	-	-	-	1	-	-
Female.....	-	1	-	-	3	1	2	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Massachusetts

All races, both sexes.....	128	133	124	171	188	282	325	332	200	72	16	-
Male.....	94	90	74	98	105	116	124	119	52	14	1	-
Female.....	34	43	50	73	83	166	201	213	148	58	15	-
White, both sexes.....	121	124	116	162	178	275	317	319	200	67	15	-
Male.....	89	83	69	90	99	113	119	115	52	13	1	-
Female.....	32	41	47	72	79	162	198	204	148	54	14	-
Black, both sexes.....	7	7	7	9	5	5	5	12	-	5	1	-
Male.....	5	6	4	8	3	2	4	3	-	1	-	-
Female.....	2	1	3	1	2	3	1	9	-	4	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	5	2	2	1	-	-	-	-
Male.....	-	-	1	-	3	1	1	1	-	-	-	-
Female.....	-	1	-	-	2	1	1	-	-	-	-	-

Michigan

All races, both sexes.....	261	235	209	240	290	350	386	367	233	74	16	-
Male.....	180	154	134	134	137	173	141	129	59	18	2	-
Female.....	81	81	75	106	153	177	245	238	174	56	14	-
White, both sexes.....	183	172	177	204	263	319	351	343	218	63	15	-
Male.....	126	111	113	114	125	161	125	122	57	15	1	-
Female.....	57	61	64	90	138	158	226	221	161	48	14	-
Black, both sexes.....	74	59	31	34	24	26	31	23	12	11	1	-
Male.....	51	41	21	19	11	11	14	7	1	3	1	-
Female.....	23	18	10	15	13	15	17	16	11	8	-	-
American Indian 1/, both sexes.....	3	3	1	1	2	3	3	-	1	-	-	-
Male.....	2	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	2	1	-	2	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	2	1	1	2	-	-	-
Male.....	1	1	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	1	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Missouri

All races, both sexes.....	115	93	117	125	199	212	278	252	151	57	12	-
Male.....	91	58	75	76	102	100	113	90	36	5	-	-
Female.....	24	35	42	49	97	112	165	162	115	52	12	-
White, both sexes.....	92	77	108	108	185	194	259	237	143	51	11	-
Male.....	76	48	70	69	94	97	107	86	33	3	-	-
Female.....	16	29	38	39	91	97	152	151	110	48	11	-
Black, both sexes.....	21	16	9	17	14	18	19	14	8	6	1	-
Male.....	13	10	5	7	8	3	6	4	3	2	-	-
Female.....	8	6	4	10	6	15	13	10	5	4	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	26	27	21	30	23	26	29	61	25	11	1	-
Male.....	19	20	9	18	8	10	10	27	6	3	-	-
Female.....	7	7	12	12	15	16	19	34	19	8	1	-
White, both sexes.....	22	20	18	29	21	24	28	61	25	11	1	-
Male.....	17	16	8	17	8	10	10	27	6	3	-	-
Female.....	5	4	10	12	13	14	18	34	19	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	7	3	1	2	1	1	-	-	-	-	-
Male.....	2	4	1	1	-	-	-	-	-	-	-	-
Female.....	2	3	2	-	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Nebraska

All races, both sexes.....	27	30	27	46	48	53	76	91	57	31	7	-
Male.....	17	19	18	30	23	26	38	40	16	6	-	-
Female.....	10	11	9	16	25	27	38	51	41	25	7	-
White, both sexes.....	23	25	23	42	47	52	74	91	57	30	7	-
Male.....	14	15	15	29	23	26	37	40	16	6	-	-
Female.....	9	10	8	13	24	26	37	51	41	24	7	-
Black, both sexes.....	2	1	3	-	1	1	2	-	-	1	-	-
Male.....	2	-	3	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	4	1	4	-	-	-	-	-	-	-	-
Male.....	1	4	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	3	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	80	78	72	70	66	63	79	55	27	15	-	-
Male.....	55	53	50	43	42	30	34	20	9	3	-	-
Female.....	25	25	22	27	24	33	45	35	18	12	-	-
White, both sexes.....	72	75	61	67	58	62	73	53	26	15	-	-
Male.....	51	51	42	42	35	30	31	19	8	3	-	-
Female.....	21	24	19	25	23	32	42	34	18	12	-	-
Black, both sexes.....	4	2	6	2	4	-	2	1	-	-	-	-
Male.....	2	2	6	1	3	-	1	1	-	-	-	-
Female.....	2	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	4	1	2	-	2	1	-	-	-	-
Male.....	2	-	2	-	2	-	1	-	-	-	-	-
Female.....	1	1	2	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	2	1	2	-	1	-	-	-
Male.....	-	-	-	-	2	-	1	-	1	-	-	-
Female.....	1	-	1	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

New Hampshire

All races, both sexes.....	23	16	25	23	34	53	50	64	29	19	4	-
Male.....	13	9	17	10	18	28	14	20	7	3	1	-
Female.....	10	7	8	13	16	25	36	44	22	16	3	-
White, both sexes.....	23	16	25	23	34	53	50	64	29	19	4	-
Male.....	13	9	17	10	18	28	14	20	7	3	1	-
Female.....	10	7	8	13	16	25	36	44	22	16	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	183	167	161	163	285	308	345	295	187	61	10	-
Male.....	137	108	94	89	156	138	151	105	51	9	4	-
Female.....	46	59	67	74	129	170	194	190	136	52	6	-
White, both sexes.....	134	140	132	134	238	279	317	272	170	54	8	-
Male.....	101	92	80	74	128	123	137	94	45	8	3	-
Female.....	33	48	52	60	110	156	180	178	125	46	5	-
Black, both sexes.....	48	26	24	25	41	28	23	20	14	6	2	-
Male.....	36	15	11	13	24	14	11	9	4	1	1	-
Female.....	12	11	13	12	17	14	12	11	10	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	5	4	5	1	5	3	2	1	-	-
Male.....	-	1	3	2	4	1	3	2	2	-	-	-
Female.....	1	-	2	2	1	-	2	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

New Mexico

All races, both sexes.....	58	75	64	62	67	86	76	67	41	8	4	-
Male.....	43	57	45	29	37	36	35	29	15	2	1	-
Female.....	15	18	19	33	30	50	41	38	26	6	3	-
White, both sexes.....	41	63	57	52	61	82	67	63	37	7	3	-
Male.....	31	48	42	24	33	34	32	29	14	2	-	-
Female.....	10	15	15	28	28	48	35	34	23	5	3	-
Black, both sexes.....	2	2	-	2	-	1	3	-	-	1	-	-
Male.....	2	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	2	-	-	2	-	-	1	-	-
American Indian 1/, both sexes.....	15	10	7	7	5	3	5	4	4	-	1	-
Male.....	10	8	3	4	4	1	2	-	1	-	1	-
Female.....	5	2	4	3	1	2	3	4	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

New York

All races, both sexes.....	346	371	326	348	470	572	654	589	371	132	22	-
Male.....	240	239	203	195	242	269	283	192	97	28	1	-
Female.....	106	132	123	153	228	303	371	397	274	104	21	-
White, both sexes.....	261	294	261	278	408	493	593	542	349	122	17	-
Male.....	182	185	164	157	211	231	248	177	91	25	1	-
Female.....	79	109	97	121	197	262	345	365	258	97	16	-
Black, both sexes.....	82	68	59	63	55	70	49	36	17	9	5	-
Male.....	56	48	35	34	27	32	29	10	3	3	-	-
Female.....	26	20	24	29	28	38	20	26	14	6	5	-
American Indian 1/, both sexes.....	-	2	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	5	6	7	8	12	11	5	1	-	-
Male.....	2	5	4	3	4	5	6	5	3	-	-	-
Female.....	1	2	1	3	3	3	6	6	2	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Ohio

All races, both sexes.....	216	239	235	304	363	506	538	455	264	107	13	-
Male.....	143	152	134	176	177	215	196	148	68	18	5	-
Female.....	73	87	101	128	186	291	342	307	196	89	8	-
White, both sexes.....	169	208	201	272	323	466	502	428	249	102	10	-
Male.....	110	132	115	154	157	194	179	140	67	18	3	-
Female.....	59	76	86	118	166	272	323	288	182	84	7	-
Black, both sexes.....	46	29	33	31	40	39	35	27	15	5	3	-
Male.....	32	18	19	21	20	21	16	8	1	-	2	-
Female.....	14	11	14	10	20	18	19	19	14	5	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	-	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	101	81	93	97	106	148	134	148	100	25	4	-
Male.....	67	55	49	55	52	64	54	47	35	2	-	-
Female.....	34	26	44	42	54	84	80	101	65	23	4	-
White, both sexes.....	79	69	76	80	91	134	120	128	91	23	4	-
Male.....	52	46	40	43	44	55	49	38	32	2	-	-
Female.....	27	23	36	37	47	79	71	90	59	21	4	-
Black, both sexes.....	8	2	7	9	6	4	3	12	2	1	-	-
Male.....	6	2	4	7	2	3	1	6	-	-	-	-
Female.....	2	-	3	2	4	1	2	6	2	1	-	-
American Indian 1/, both sexes.....	14	10	9	8	9	9	9	8	7	1	-	-
Male.....	9	7	5	5	6	5	3	3	3	-	-	-
Female.....	5	3	4	3	3	4	6	5	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Oregon

All races, both sexes.....	91	93	82	89	84	138	152	131	96	39	7	-
Male.....	64	64	46	49	36	68	59	45	20	9	1	-
Female.....	27	29	36	40	48	70	93	86	76	30	6	-
White, both sexes.....	88	87	78	85	80	137	147	130	93	39	7	-
Male.....	61	61	44	45	35	67	56	44	19	9	1	-
Female.....	27	26	34	40	45	70	91	86	74	30	6	-
Black, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	4	3	1	2	-	1	-	-	-	-	-
Male.....	1	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	3	1	1	4	1	2	-	-	-
Male.....	-	1	-	3	1	1	3	1	1	-	-	-
Female.....	-	1	1	-	-	-	1	-	1	-	-	-

Pennsylvania

All races, both sexes.....	241	265	295	345	408	591	684	598	374	134	25	-
Male.....	178	168	176	181	215	270	265	197	97	25	6	-
Female.....	63	97	119	164	193	321	419	401	277	109	19	-
White, both sexes.....	192	226	247	306	381	552	643	563	358	128	23	-
Male.....	143	143	148	159	201	253	252	182	93	25	5	-
Female.....	49	83	99	147	180	299	391	381	265	103	18	-
Black, both sexes.....	49	39	44	37	24	37	37	34	16	5	2	-
Male.....	35	25	24	21	13	16	11	15	4	-	1	-
Female.....	14	14	20	16	11	21	26	19	12	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	2	3	2	4	1	-	1	-	-
Male.....	-	-	4	1	1	1	2	-	-	-	-	-
Female.....	-	-	-	1	2	1	2	1	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

South Dakota

All races, both sexes.....	24	17	18	9	21	28	31	50	44	11	2	-
Male.....	15	13	13	6	12	11	16	17	9	1	1	-
Female.....	9	4	5	3	9	17	15	33	35	10	1	-
White, both sexes.....	13	14	13	7	19	24	30	50	42	10	2	-
Male.....	9	10	12	4	10	10	16	17	9	1	1	-
Female.....	4	4	1	3	9	14	14	33	33	9	1	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	3	4	1	2	4	1	-	2	1	-	-
Male.....	5	3	1	1	2	1	-	-	-	-	-	-
Female.....	5	-	3	-	-	3	1	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	170	148	171	188	172	247	246	203	122	44	8	-
Male.....	127	86	115	104	89	117	94	74	31	1	-	-
Female.....	43	62	56	84	83	130	152	129	91	43	8	-
White, both sexes.....	147	116	144	169	153	220	228	186	108	39	5	-
Male.....	112	71	97	96	79	105	86	66	29	1	-	-
Female.....	35	45	47	73	74	115	142	120	79	38	5	-
Black, both sexes.....	23	32	25	19	19	26	17	17	12	5	3	-
Male.....	15	15	17	8	10	11	7	8	2	-	-	-
Female.....	8	17	8	11	9	15	10	9	10	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	1	-	2	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	2	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Texas

All races, both sexes.....	538	494	441	504	584	674	682	556	377	131	19	1
Male.....	404	346	267	291	304	313	282	190	104	27	2	1
Female.....	134	148	174	213	280	361	400	366	273	104	17	-
White, both sexes.....	476	433	387	451	526	624	631	520	344	118	17	1
Male.....	356	303	239	266	270	289	262	176	94	25	2	1
Female.....	120	130	148	185	256	335	369	344	250	93	15	-
Black, both sexes.....	57	56	53	45	50	42	49	36	30	13	2	-
Male.....	45	39	28	21	30	18	20	14	9	2	-	-
Female.....	12	17	25	24	20	24	29	22	21	11	2	-
American Indian 1/, both sexes.....	3	1	-	2	1	-	1	-	-	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	6	7	8	1	-	3	-	-	-
Male.....	-	3	-	3	4	6	-	-	1	-	-	-
Female.....	2	1	1	3	3	2	1	-	2	-	-	-

Utah

All races, both sexes.....	30	30	38	33	44	65	63	55	47	13	2	-
Male.....	15	17	19	15	23	33	25	22	11	2	1	-
Female.....	15	13	19	18	21	32	38	33	36	11	1	-
White, both sexes.....	29	29	36	33	44	64	63	54	47	13	2	-
Male.....	15	16	17	15	23	33	25	22	11	2	1	-
Female.....	14	13	19	18	21	31	38	32	36	11	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Vermont

All races, both sexes.....	13	6	16	11	26	27	34	24	26	13	3	-
Male.....	10	5	7	5	16	14	13	8	7	2	1	-
Female.....	3	1	9	6	10	13	21	16	19	11	2	-
White, both sexes.....	13	6	16	10	26	27	34	24	26	13	3	-
Male.....	10	5	7	5	16	14	13	8	7	2	1	-
Female.....	3	1	9	5	10	13	21	16	19	11	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	141	136	153	142	185	249	281	237	142	44	10	-
Male.....	97	98	94	87	110	104	115	78	32	9	1	-
Female.....	44	38	59	55	75	145	166	159	110	35	9	-
White, both sexes.....	101	98	111	111	150	201	238	200	125	37	9	-
Male.....	70	70	68	69	87	79	102	68	28	6	1	-
Female.....	31	28	43	42	63	122	136	132	97	31	8	-
Black, both sexes.....	38	36	36	29	33	46	41	36	16	6	-	-
Male.....	27	26	21	17	21	24	13	10	4	2	-	-
Female.....	11	10	15	12	12	22	28	26	12	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	5	2	2	2	2	1	1	1	1	-
Male.....	-	2	4	1	2	1	-	-	-	1	-	-
Female.....	2	-	1	1	-	1	2	1	1	-	1	-











































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of esophagus (K20-K22)

Oregon

All races, both sexes.....	-	1	1	1	2	3	5	6	5	2	-	-
Male.....	-	1	1	1	1	2	2	1	2	2	-	-
Female.....	-	-	-	-	1	1	3	5	3	-	-	-
White, both sexes.....	-	1	1	1	2	3	5	6	5	2	-	-
Male.....	-	1	1	1	1	2	2	1	2	2	-	-
Female.....	-	-	-	-	1	1	3	5	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1	1	3	3	4	8	15	23	10	2	1	-
Male.....	1	1	1	1	1	4	5	7	4	-	-	-
Female.....	-	-	2	2	3	4	10	16	6	2	1	-
White, both sexes.....	1	1	3	3	4	8	15	22	9	2	-	-
Male.....	1	1	1	1	1	4	5	7	4	-	-	-
Female.....	-	-	2	2	3	4	10	15	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of esophagus (K20-K22)

South Dakota

All races, both sexes.....	-	1	-	1	-	2	-	2	2	2	-	-
Male.....	-	-	-	1	-	2	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	2	2	-	-
White, both sexes.....	-	1	-	1	-	2	-	2	2	2	-	-
Male.....	-	-	-	1	-	2	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1	2	1	4	4	6	11	13	8	3	-	-
Male.....	1	1	1	3	2	3	4	5	3	-	-	-
Female.....	-	1	-	1	2	3	7	8	5	3	-	-
White, both sexes.....	1	2	1	3	4	6	11	13	6	3	-	-
Male.....	1	1	1	2	2	3	4	5	3	-	-	-
Female.....	-	1	-	1	2	3	7	8	3	3	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-









































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

Arkansas

All races, both sexes.....	1	2	1	2	6	8	10	7	1	2	-	-
Male.....	1	2	1	1	2	6	5	2	-	1	-	-
Female.....	-	-	-	1	4	2	5	5	1	1	-	-
White, both sexes.....	1	1	1	2	5	8	8	6	1	1	-	-
Male.....	1	1	1	1	2	6	4	2	-	-	-	-
Female.....	-	-	-	1	3	2	4	4	1	1	-	-
Black, both sexes.....	-	1	-	-	1	-	2	1	-	1	-	-
Male.....	-	1	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	21	26	35	40	62	100	113	115	52	19	6	-
Male.....	14	14	23	21	32	53	59	47	20	8	3	-
Female.....	7	12	12	19	30	47	54	68	32	11	3	-
White, both sexes.....	20	21	26	33	52	84	92	96	44	14	4	-
Male.....	13	11	18	18	28	44	49	37	16	6	1	-
Female.....	7	10	8	15	24	40	43	59	28	8	3	-
Black, both sexes.....	1	4	5	1	5	5	5	7	1	-	-	-
Male.....	1	3	3	1	1	2	2	5	-	-	-	-
Female.....	-	1	2	-	4	3	3	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	6	5	11	16	12	7	5	2	-
Male.....	-	-	2	2	3	7	8	5	4	2	2	-
Female.....	-	1	2	4	2	4	8	7	3	3	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

Iowa

All races, both sexes.....	2	2	2	-	5	11	14	17	13	7	2	-
Male.....	1	1	-	-	4	7	4	8	8	-	-	-
Female.....	1	1	2	-	1	4	10	9	5	7	2	-
White, both sexes.....	2	2	2	-	5	9	13	15	13	7	2	-
Male.....	1	1	-	-	4	5	4	8	8	-	-	-
Female.....	1	1	2	-	1	4	9	7	5	7	2	-
Black, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Kansas

All races, both sexes.....	1	4	2	-	3	1	2	9	7	2	-	-
Male.....	1	2	1	-	3	-	-	3	1	-	-	-
Female.....	-	2	1	-	-	1	2	6	6	2	-	-
White, both sexes.....	1	4	2	-	3	1	2	9	6	2	-	-
Male.....	1	2	1	-	3	-	-	3	1	-	-	-
Female.....	-	2	1	-	-	1	2	6	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

Maine

All races, both sexes.....	-	-	-	4	2	2	-	4	1	3	-	-
Male.....	-	-	-	4	1	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	1	-	3	1	2	-	-
White, both sexes.....	-	-	-	4	2	2	-	4	1	3	-	-
Male.....	-	-	-	4	1	1	-	1	-	1	-	-
Female.....	-	-	-	-	1	1	-	3	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	1	2	3	7	6	19	9	6	2	-	-
Male.....	3	-	1	3	4	1	6	2	2	1	-	-
Female.....	3	1	1	-	3	5	13	7	4	1	-	-
White, both sexes.....	2	1	2	2	4	4	14	5	6	2	-	-
Male.....	-	-	1	2	3	1	5	1	2	1	-	-
Female.....	2	1	1	-	1	3	9	4	4	1	-	-
Black, both sexes.....	4	-	-	1	2	1	5	3	-	-	-	-
Male.....	3	-	-	1	1	-	1	1	-	-	-	-
Female.....	1	-	-	-	1	1	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

New Mexico

All races, both sexes.....	2	1	3	3	1	5	4	7	-	-	-	-
Male.....	2	-	3	2	1	1	2	3	-	-	-	-
Female.....	-	1	-	1	-	4	2	4	-	-	-	-
White, both sexes.....	1	1	3	3	1	4	4	7	-	-	-	-
Male.....	1	-	3	2	1	1	2	3	-	-	-	-
Female.....	-	1	-	1	-	3	2	4	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	16	15	10	22	33	64	54	32	13	1	-
Male.....	3	6	11	5	15	19	26	21	11	1	-	-
Female.....	1	10	4	5	7	14	38	33	21	12	1	-
White, both sexes.....	3	15	12	9	19	24	52	50	29	13	1	-
Male.....	2	6	9	4	12	11	19	17	10	1	-	-
Female.....	1	9	3	5	7	13	33	33	19	12	1	-
Black, both sexes.....	1	1	3	1	3	8	10	2	3	-	-	-
Male.....	1	-	2	1	3	7	7	2	1	-	-	-
Female.....	-	1	1	-	-	1	3	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer (K25-K28)

Oregon

All races, both sexes.....	1	1	1	2	7	5	10	9	5	3	-	-
Male.....	-	-	1	2	4	3	2	5	2	1	-	-
Female.....	1	1	-	-	3	2	8	4	3	2	-	-
White, both sexes.....	1	1	1	2	7	5	10	9	5	3	-	-
Male.....	-	-	1	2	4	3	2	5	2	1	-	-
Female.....	1	1	-	-	3	2	8	4	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	2	4	12	11	7	25	29	30	14	3	1	-
Male.....	2	2	6	7	3	10	13	12	5	1	-	-
Female.....	-	2	6	4	4	15	16	18	9	2	1	-
White, both sexes.....	1	4	11	10	6	22	27	28	13	3	1	-
Male.....	1	2	6	6	3	9	12	12	4	1	-	-
Female.....	-	2	5	4	3	13	15	16	9	2	1	-
Black, both sexes.....	1	-	1	1	-	2	2	2	1	-	-	-
Male.....	1	-	-	1	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Gastric ulcer (K25)

Arkansas

All races, both sexes.....	-	2	-	-	2	3	3	3	-	-	-	-
Male.....	-	2	-	-	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	2	2	1	1	-	-	-	-
White, both sexes.....	-	1	-	-	2	3	3	3	-	-	-	-
Male.....	-	1	-	-	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	2	2	1	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	9	10	10	17	25	31	25	14	2	1	-
Male.....	4	3	7	7	7	13	13	12	3	-	1	-
Female.....	2	6	3	3	10	12	18	13	11	2	-	-
White, both sexes.....	5	7	8	8	14	22	25	19	12	2	-	-
Male.....	3	2	5	7	5	10	12	9	2	-	-	-
Female.....	2	5	3	1	9	12	13	10	10	2	-	-
Black, both sexes.....	1	2	1	-	1	-	2	4	1	-	-	-
Male.....	1	1	1	-	-	-	-	3	-	-	-	-
Female.....	-	1	-	-	1	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	2	3	4	2	1	-	1	-
Male.....	-	-	1	-	2	3	1	-	1	-	1	-
Female.....	-	-	-	2	-	-	3	2	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Gastric ulcer (K25)

Iowa

All races, both sexes.....	-	-	-	-	3	6	6	4	2	3	1	-
Male.....	-	-	-	-	2	4	1	1	-	-	-	-
Female.....	-	-	-	-	1	2	5	3	2	3	1	-
White, both sexes.....	-	-	-	-	3	4	6	3	2	3	1	-
Male.....	-	-	-	-	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	1	2	5	2	2	3	1	-
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	-	2	1	-	-	1	2	5	5	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	1	-	-	1	2	4	4	-	-	-
White, both sexes.....	-	2	1	-	-	1	2	5	4	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	1	-	-	1	2	4	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-







































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Duodenal ulcer (K26)

Arkansas

All races, both sexes.....	1	-	1	1	3	1	4	-	1	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	1	2	-	3	-	1	-	-	-
White, both sexes.....	1	-	1	1	2	1	3	-	1	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	8	11	15	23	40	30	39	16	5	2	-
Male.....	7	6	7	9	15	20	17	14	7	2	1	-
Female.....	4	2	4	6	8	20	13	25	9	3	1	-
White, both sexes.....	11	7	7	11	19	33	23	35	13	4	2	-
Male.....	7	5	5	6	13	18	14	12	5	2	1	-
Female.....	4	2	2	5	6	15	9	23	8	2	1	-
Black, both sexes.....	-	1	1	1	1	2	1	1	-	-	-	-
Male.....	-	1	1	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	3	3	5	6	3	3	1	-	-
Male.....	-	-	1	2	1	2	3	1	2	-	-	-
Female.....	-	-	2	1	2	3	3	2	1	1	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Duodenal ulcer (K26)

Maine

All races, both sexes.....	-	-	-	-	1	1	-	2	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	1	-	-
White, both sexes.....	-	-	-	-	1	1	-	2	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	-	1	-	7	3	3	3	1	-	-	-
Male.....	-	-	-	-	4	1	2	2	-	-	-	-
Female.....	2	-	1	-	3	2	1	1	1	-	-	-
White, both sexes.....	2	-	1	-	4	1	2	1	1	-	-	-
Male.....	-	-	-	-	3	1	2	1	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	2	1	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer, site unspecified (K27)

Arkansas

All races, both sexes.....	-	-	-	1	1	4	3	4	-	2	-	-
Male.....	-	-	-	1	1	4	2	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	4	-	1	-	-
White, both sexes.....	-	-	-	1	1	4	2	3	-	1	-	-
Male.....	-	-	-	1	1	4	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	3	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	9	14	13	19	35	50	50	21	11	3	-
Male.....	3	5	9	5	8	20	28	20	9	6	1	-
Female.....	-	4	5	8	11	15	22	30	12	5	2	-
White, both sexes.....	3	7	11	12	17	29	43	42	18	7	2	-
Male.....	3	4	8	5	8	16	23	16	8	4	-	-
Female.....	-	3	3	7	9	13	20	26	10	3	2	-
Black, both sexes.....	-	1	3	-	2	3	2	2	-	-	-	-
Male.....	-	1	1	-	-	2	2	1	-	-	-	-
Female.....	-	-	2	-	2	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	3	5	6	3	4	1	-
Male.....	-	-	-	-	-	2	3	3	1	2	1	-
Female.....	-	1	-	1	-	1	2	3	2	2	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer, site unspecified (K27)

Maine

All races, both sexes.....	-	-	-	4	-	-	-	1	1	2	-	-
Male.....	-	-	-	4	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	-	-	-	4	-	-	-	1	1	2	-	-
Male.....	-	-	-	4	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	1	-	2	-	1	7	5	2	1	-	-
Male.....	-	-	-	2	-	-	2	-	1	1	-	-
Female.....	1	1	-	-	-	1	5	5	1	-	-	-
White, both sexes.....	-	1	-	2	-	1	6	3	2	1	-	-
Male.....	-	-	-	2	-	-	2	-	1	1	-	-
Female.....	-	1	-	-	-	1	4	3	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer, site unspecified (K27)

New Mexico

All races, both sexes.....	-	-	1	2	-	1	1	3	-	-	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
White, both sexes.....	-	-	1	2	-	-	1	3	-	-	-	-
Male.....	-	-	1	1	-	-	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	5	5	3	8	12	20	18	12	7	1	-
Male.....	-	1	3	3	7	6	10	8	4	1	-	-
Female.....	-	4	2	-	1	6	10	10	8	6	1	-
White, both sexes.....	-	4	4	3	5	9	14	18	12	7	1	-
Male.....	-	1	2	3	4	3	6	8	4	1	-	-
Female.....	-	3	2	-	1	6	8	10	8	6	1	-
Black, both sexes.....	-	1	1	-	3	3	4	-	-	-	-	-
Male.....	-	-	1	-	3	3	4	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer, site unspecified (K27)

Oregon

All races, both sexes.....	1	-	-	-	3	2	3	4	2	1	-	-
Male.....	-	-	-	-	3	1	-	3	1	-	-	-
Female.....	1	-	-	-	-	1	3	1	1	1	-	-
White, both sexes.....	1	-	-	-	3	2	3	4	2	1	-	-
Male.....	-	-	-	-	3	1	-	3	1	-	-	-
Female.....	1	-	-	-	-	1	3	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	2	2	3	2	5	8	6	10	5	1	-	-
Male.....	2	1	3	1	2	3	3	3	2	-	-	-
Female.....	-	1	-	1	3	5	3	7	3	1	-	-
White, both sexes.....	1	2	3	2	4	6	5	9	4	1	-	-
Male.....	1	1	3	1	2	2	2	3	1	-	-	-
Female.....	-	1	-	1	2	4	3	6	3	1	-	-
Black, both sexes.....	1	-	-	-	-	1	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Gastritis and duodenitis (K29)

Alaska

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	2	-	-	2	3	1	1	-	-	-	-
Male.....	-	1	-	-	2	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	2	1	-	-	-	-	-
White, both sexes.....	-	2	-	-	2	2	1	1	-	-	-	-
Male.....	-	1	-	-	2	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Gastritis and duodenitis (K29)

Arkansas

All races, both sexes.....	1	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	1	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	-	2	-	7	2	9	7	1	3	1	-
Male.....	8	-	2	-	3	1	5	3	1	1	1	-
Female.....	1	-	-	-	4	1	4	4	-	2	-	-
White, both sexes.....	5	-	2	-	5	1	6	7	1	3	1	-
Male.....	5	-	2	-	1	-	4	3	1	1	1	-
Female.....	-	-	-	-	4	1	2	4	-	2	-	-
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	3	-	-	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-













































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Gastritis and duodenitis (K29)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	2	1	-	2	1	1	-	1	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	-	1	1	-	-
White, both sexes.....	-	2	1	-	2	1	1	-	-	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	2	-	-	1	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

Arkansas

All races, both sexes.....	1	1	1	-	-	1	2	-	1	1	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	1	1	-	-
White, both sexes.....	1	-	1	-	-	1	2	-	1	1	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	-	1	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	2	-	2	9	9	7	5	2	1	-	-
Male.....	1	1	-	2	5	6	3	3	1	-	-	-
Female.....	2	1	-	-	4	3	4	2	1	1	-	-
White, both sexes.....	3	1	-	1	8	8	6	4	1	1	-	-
Male.....	1	-	-	1	5	5	3	3	-	-	-	-
Female.....	2	1	-	-	3	3	3	1	1	1	-	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	1	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-









































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

Arkansas

All races, both sexes.....	1	-	3	1	1	2	3	3	1	-	-	-
Male.....	1	-	1	-	-	1	3	-	-	-	-	-
Female.....	-	-	2	1	1	1	-	3	1	-	-	-
White, both sexes.....	1	-	3	1	1	2	2	3	-	-	-	-
Male.....	1	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	-	2	1	1	1	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	6	11	10	10	20	32	28	27	5	3	-
Male.....	4	4	5	4	7	12	18	7	15	-	1	-
Female.....	4	2	6	6	3	8	14	21	12	5	2	-
White, both sexes.....	6	6	9	10	7	18	27	26	26	5	3	-
Male.....	2	4	4	4	6	11	15	7	14	-	1	-
Female.....	4	2	5	6	1	7	12	19	12	5	2	-
Black, both sexes.....	2	-	1	-	2	2	2	1	1	-	-	-
Male.....	2	-	1	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	1	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

New Hampshire

All races, both sexes.....	-	-	-	-	1	1	-	4	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	3	1	-	-	-
White, both sexes.....	-	-	-	-	1	1	-	4	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	2	1	1	4	4	8	5	5	2	-	-
Male.....	-	1	1	1	2	3	3	1	3	-	-	-
Female.....	-	1	-	-	2	1	5	4	2	2	-	-
White, both sexes.....	-	2	1	1	2	4	5	4	4	2	-	-
Male.....	-	1	1	1	-	3	3	1	2	-	-	-
Female.....	-	1	-	-	2	1	2	3	2	2	-	-
Black, both sexes.....	-	-	-	-	1	-	3	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

New Mexico

All races, both sexes.....	1	-	-	-	-	-	3	1	-	-	1	-
Male.....	1	-	-	-	-	-	2	-	-	-	1	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New York

All races, both sexes.....	6	6	3	7	12	12	13	13	12	4	-	-
Male.....	4	2	-	3	8	5	5	2	2	-	-	-
Female.....	2	4	3	4	4	7	8	11	10	4	-	-
White, both sexes.....	6	4	2	6	9	8	12	12	11	4	-	-
Male.....	4	2	-	3	7	5	5	1	2	-	-	-
Female.....	2	2	2	3	2	3	7	11	9	4	-	-
Black, both sexes.....	-	2	1	1	3	4	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	2	1	1	2	4	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Crohn's disease and ulcerative colitis (K50-K51)

New Mexico

All races, both sexes.....	6	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	49	-	-	-	1	-	-	1	3	-	-	-
Male.....	18	-	-	-	1	-	-	-	1	-	-	-
Female.....	31	-	-	-	-	-	-	1	2	-	-	-
White, both sexes.....	45	-	-	-	1	-	-	-	2	-	-	-
Male.....	16	-	-	-	1	-	-	-	-	-	-	-
Female.....	29	-	-	-	-	-	-	-	2	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Crohn's disease and ulcerative colitis (K50-K51)

Arkansas

All races, both sexes.....	2	-	2	1	-	3	-	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	2	1	-	2	-	1	-	1	-	-
White, both sexes.....	2	-	2	1	-	3	-	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	2	1	-	2	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	5	9	7	6	9	9	14	2	1	-	-
Male.....	2	1	5	2	4	5	3	9	1	-	-	-
Female.....	2	4	4	5	2	4	6	5	1	1	-	-
White, both sexes.....	4	5	8	7	5	9	9	12	2	1	-	-
Male.....	2	1	4	2	4	5	3	8	1	-	-	-
Female.....	2	4	4	5	1	4	6	4	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

United States

All races, both sexes.....	305	455	579	946	1,492	2,215	2,832	2,685	1,823	634	113	-
Male.....	150	235	258	400	621	832	1,002	784	429	103	22	-
Female.....	155	220	321	546	871	1,383	1,830	1,901	1,394	531	91	-
White, both sexes.....	219	355	463	799	1,295	1,950	2,574	2,479	1,701	567	94	-
Male.....	107	174	201	332	515	722	892	716	400	85	13	-
Female.....	112	181	262	467	780	1,228	1,682	1,763	1,301	482	81	-
Black, both sexes.....	76	85	97	123	169	221	214	174	103	58	15	-
Male.....	41	52	49	58	91	90	92	56	21	14	6	-
Female.....	35	33	48	65	78	131	122	118	82	44	9	-
American Indian 1/, both sexes.....	7	7	9	7	11	12	13	4	5	2	-	-
Male.....	-	3	4	3	6	3	4	1	3	-	-	-
Female.....	7	4	5	4	5	9	9	3	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	8	10	17	17	32	31	28	14	7	4	-
Male.....	2	6	4	7	9	17	14	11	5	4	3	-
Female.....	1	2	6	10	8	15	17	17	9	3	1	-

Alabama

All races, both sexes.....	5	5	17	19	26	45	53	42	25	10	2	-
Male.....	1	3	7	9	8	17	12	8	1	2	-	-
Female.....	4	2	10	10	18	28	41	34	24	8	2	-
White, both sexes.....	1	2	10	15	22	34	45	39	22	8	1	-
Male.....	-	1	2	7	7	13	10	7	1	2	-	-
Female.....	1	1	8	8	15	21	35	32	21	6	1	-
Black, both sexes.....	4	3	7	4	4	10	8	3	3	2	1	-
Male.....	1	2	5	2	1	4	2	1	-	-	-	-
Female.....	3	1	2	2	3	6	6	2	3	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Arkansas

All races, both sexes.....	6	11	11	20	18	20	26	33	21	6	1	-
Male.....	2	4	5	9	3	6	7	5	3	1	1	-
Female.....	4	7	6	11	15	14	19	28	18	5	-	-
White, both sexes.....	6	10	8	18	16	19	24	30	19	3	-	-
Male.....	2	3	2	8	3	6	6	4	3	-	-	-
Female.....	4	7	6	10	13	13	18	26	16	3	-	-
Black, both sexes.....	-	1	3	2	2	1	2	3	2	3	1	-
Male.....	-	1	3	1	-	-	1	1	-	1	1	-
Female.....	-	-	-	1	2	1	1	2	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	53	48	89	148	218	273	242	164	59	13	-
Male.....	20	26	26	37	48	87	94	76	33	8	3	-
Female.....	17	27	22	52	100	131	179	166	131	51	10	-
White, both sexes.....	28	38	38	76	126	183	246	218	151	56	11	-
Male.....	16	18	20	31	36	66	85	66	29	7	2	-
Female.....	12	20	18	45	90	117	161	152	122	49	9	-
Black, both sexes.....	5	11	5	7	16	16	11	12	5	2	1	-
Male.....	3	4	3	3	11	9	4	4	1	-	-	-
Female.....	2	7	2	4	5	7	7	8	4	2	1	-
American Indian 1/, both sexes.....	2	1	1	-	-	3	2	-	1	-	-	-
Male.....	-	1	1	-	-	2	-	-	1	-	-	-
Female.....	2	-	-	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	4	6	6	16	14	12	7	1	1	-
Male.....	1	3	2	3	1	10	5	6	2	1	1	-
Female.....	1	-	2	3	5	6	9	6	5	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Hawaii

All races, both sexes.....	-	2	1	5	3	8	7	5	1	4	1	-
Male.....	-	2	-	2	1	4	2	1	-	3	1	-
Female.....	-	-	1	3	2	4	5	4	1	1	-	-
White, both sexes.....	-	1	1	1	1	1	2	2	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	2	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	4	2	7	5	3	-	4	1	-
Male.....	-	1	-	2	1	4	2	1	-	3	1	-
Female.....	-	-	-	2	1	3	3	2	-	1	-	-

Idaho

All races, both sexes.....	4	-	6	8	4	11	14	12	8	4	2	-
Male.....	3	-	2	2	-	2	9	5	2	1	-	-
Female.....	1	-	4	6	4	9	5	7	6	3	2	-
White, both sexes.....	4	-	6	8	4	10	13	12	8	3	2	-
Male.....	3	-	2	2	-	2	9	5	2	1	-	-
Female.....	1	-	4	6	4	8	4	7	6	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Illinois

All races, both sexes.....	12	24	20	40	64	87	123	141	73	17	3	-
Male.....	7	16	8	17	29	32	39	36	14	5	-	-
Female.....	5	8	12	23	35	55	84	105	59	12	3	-
White, both sexes.....	7	16	15	31	57	78	113	132	65	16	3	-
Male.....	5	10	8	13	25	29	34	34	13	4	-	-
Female.....	2	6	7	18	32	49	79	98	52	12	3	-
Black, both sexes.....	5	8	5	7	7	8	10	6	7	1	-	-
Male.....	2	6	-	4	4	3	5	1	1	1	-	-
Female.....	3	2	5	3	3	5	5	5	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	-	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	2	-	1	-	2	1	-	-	-

Indiana

All races, both sexes.....	9	14	24	23	38	58	63	62	32	19	5	-
Male.....	4	8	11	13	18	25	24	20	9	1	1	-
Female.....	5	6	13	10	20	33	39	42	23	18	4	-
White, both sexes.....	6	13	20	22	33	54	58	61	28	17	4	-
Male.....	3	7	10	13	17	22	21	20	7	-	1	-
Female.....	3	6	10	9	16	32	37	41	21	17	3	-
Black, both sexes.....	3	1	4	1	4	3	5	1	4	2	1	-
Male.....	1	1	1	-	1	2	3	-	2	1	-	-
Female.....	2	-	3	1	3	1	2	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Maine

All races, both sexes.....	3	2	6	6	10	10	16	15	14	1	2	-
Male.....	1	-	2	5	6	3	8	4	1	-	-	-
Female.....	2	2	4	1	4	7	8	11	13	1	2	-
White, both sexes.....	3	2	5	6	10	10	16	15	14	1	2	-
Male.....	1	-	2	5	6	3	8	4	1	-	-	-
Female.....	2	2	3	1	4	7	8	11	13	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	5	7	12	17	34	42	57	34	20	10	1	-
Male.....	1	2	6	9	20	19	20	9	3	1	1	-
Female.....	4	5	6	8	14	23	37	25	17	9	-	-
White, both sexes.....	2	3	9	10	24	28	46	29	18	9	-	-
Male.....	-	1	6	4	11	11	13	6	3	1	-	-
Female.....	2	2	3	6	13	17	33	23	15	8	-	-
Black, both sexes.....	3	3	3	6	9	13	10	4	2	1	1	-
Male.....	1	1	-	4	8	8	7	3	-	-	1	-
Female.....	2	2	3	2	1	5	3	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

New Mexico

All races, both sexes.....	4	7	3	7	11	14	11	14	12	3	-	-
Male.....	3	5	2	3	6	5	3	5	4	2	-	-
Female.....	1	2	1	4	5	9	8	9	8	1	-	-
White, both sexes.....	4	5	3	6	10	14	10	14	11	3	-	-
Male.....	3	3	2	3	5	5	3	5	3	2	-	-
Female.....	1	2	1	3	5	9	7	9	8	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	1	-	1	-	1	-	-	-
Male.....	-	2	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	16	26	32	45	88	134	143	151	105	34	8	-
Male.....	14	18	8	20	30	51	49	43	22	6	-	-
Female.....	2	8	24	25	58	83	94	108	83	28	8	-
White, both sexes.....	12	22	28	35	74	118	126	138	101	31	5	-
Male.....	10	15	7	15	24	43	40	39	20	5	-	-
Female.....	2	7	21	20	50	75	86	99	81	26	5	-
Black, both sexes.....	4	4	4	10	14	14	15	10	3	3	3	-
Male.....	4	3	1	5	6	7	8	2	1	1	-	-
Female.....	-	1	3	5	8	7	7	8	2	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	3	1	-	-	-
Male.....	-	-	-	-	-	1	1	2	1	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Oregon

All races, both sexes.....	1	5	4	14	18	31	38	31	33	8	1	-
Male.....	-	3	1	5	7	15	18	10	3	-	-	-
Female.....	1	2	3	9	11	16	20	21	30	8	1	-
White, both sexes.....	1	5	3	14	17	31	36	31	32	8	1	-
Male.....	-	3	1	5	7	15	16	10	3	-	-	-
Female.....	1	2	2	9	10	16	20	21	29	8	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-

Pennsylvania

All races, both sexes.....	10	21	25	41	70	141	187	169	123	43	9	-
Male.....	7	13	13	13	39	56	62	45	28	9	2	-
Female.....	3	8	12	28	31	85	125	124	95	34	7	-
White, both sexes.....	6	18	19	39	64	128	174	159	119	40	8	-
Male.....	4	11	10	13	36	50	57	42	26	9	1	-
Female.....	2	7	9	26	28	78	117	117	93	31	7	-
Black, both sexes.....	4	3	5	2	6	13	12	10	4	2	1	-
Male.....	3	2	2	-	3	6	5	3	2	-	1	-
Female.....	1	1	3	2	3	7	7	7	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Texas

All races, both sexes.....	22	23	46	75	100	129	182	157	99	39	5	-
Male.....	10	13	23	24	37	42	59	51	30	8	1	-
Female.....	12	10	23	51	63	87	123	106	69	31	4	-
White, both sexes.....	21	19	39	66	86	115	169	145	91	36	5	-
Male.....	9	11	19	22	28	39	56	48	28	6	1	-
Female.....	12	8	20	44	58	76	113	97	63	30	4	-
Black, both sexes.....	1	4	6	7	10	14	13	12	7	3	-	-
Male.....	1	2	4	1	5	3	3	3	2	2	-	-
Female.....	-	2	2	6	5	11	10	9	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	4	-	-	-	1	-	-	-
Male.....	-	-	-	1	4	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	3	3	1	4	9	16	16	17	15	5	-	-
Male.....	-	2	1	3	4	6	6	5	2	-	-	-
Female.....	3	1	-	1	5	10	10	12	13	5	-	-
White, both sexes.....	3	3	1	4	9	16	16	16	15	5	-	-
Male.....	-	2	1	3	4	6	6	5	2	-	-	-
Female.....	3	1	-	1	5	10	10	11	13	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Vermont

All races, both sexes.....	-	-	3	1	3	6	7	5	4	2	1	-
Male.....	-	-	-	1	1	3	2	1	1	-	1	-
Female.....	-	-	3	-	2	3	5	4	3	2	-	-
White, both sexes.....	-	-	3	1	3	6	7	5	4	2	1	-
Male.....	-	-	-	1	1	3	2	1	1	-	1	-
Female.....	-	-	3	-	2	3	5	4	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	2	7	15	26	65	83	59	28	13	4	-
Male.....	2	2	2	8	11	22	34	10	9	5	1	-
Female.....	4	-	5	7	15	43	49	49	19	8	3	-
White, both sexes.....	2	1	5	9	22	50	71	49	25	9	3	-
Male.....	1	1	1	3	8	15	29	8	7	5	1	-
Female.....	1	-	4	6	14	35	42	41	18	4	2	-
Black, both sexes.....	4	1	2	6	4	14	12	9	3	4	-	-
Male.....	1	1	1	5	3	6	5	2	2	-	-	-
Female.....	3	-	1	1	1	8	7	7	1	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

Arkansas

All races, both sexes.....	-	1	4	4	3	2	4	13	7	3	-	-
Male.....	-	1	2	2	-	-	1	8	1	-	-	-
Female.....	-	-	2	2	3	2	3	5	6	3	-	-
White, both sexes.....	-	-	4	4	3	2	3	12	6	3	-	-
Male.....	-	-	2	2	-	-	-	8	1	-	-	-
Female.....	-	-	2	2	3	2	3	4	5	3	-	-
Black, both sexes.....	-	1	-	-	-	-	1	1	1	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	14	13	29	41	62	103	95	49	26	5	-
Male.....	7	2	7	14	14	13	35	26	12	7	1	-
Female.....	3	12	6	15	27	49	68	69	37	19	4	-
White, both sexes.....	10	11	8	23	33	56	97	88	47	25	5	-
Male.....	7	2	6	12	12	10	32	24	12	7	1	-
Female.....	3	9	2	11	21	46	65	64	35	18	4	-
Black, both sexes.....	-	3	5	3	4	3	4	3	1	1	-	-
Male.....	-	-	1	-	1	2	3	1	-	-	-	-
Female.....	-	3	4	3	3	1	1	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	4	2	2	4	1	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	1	3	1	2	3	1	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

New Mexico

All races, both sexes.....	-	-	3	2	1	6	2	6	2	1	-	-
Male.....	-	-	1	1	-	1	1	3	-	-	-	-
Female.....	-	-	2	1	1	5	1	3	2	1	-	-
White, both sexes.....	-	-	3	1	1	6	2	6	2	1	-	-
Male.....	-	-	1	-	-	1	1	3	-	-	-	-
Female.....	-	-	2	1	1	5	1	3	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	9	11	17	17	31	47	35	21	8	2	-
Male.....	-	6	8	8	7	14	14	6	5	2	-	-
Female.....	4	3	3	9	10	17	33	29	16	6	2	-
White, both sexes.....	1	9	9	13	16	29	44	31	21	7	2	-
Male.....	-	6	7	6	6	14	12	6	5	1	-	-
Female.....	1	3	2	7	10	15	32	25	16	6	2	-
Black, both sexes.....	3	-	2	4	1	2	3	2	-	1	-	-
Male.....	-	-	1	2	1	-	2	-	-	1	-	-
Female.....	3	-	1	2	-	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

Ohio

All races, both sexes.....	-	5	7	10	15	25	31	38	17	7	1	-
Male.....	-	3	3	4	8	9	11	11	2	1	1	-
Female.....	-	2	4	6	7	16	20	27	15	6	-	-
White, both sexes.....	-	4	6	9	12	23	30	37	17	7	1	-
Male.....	-	3	3	4	6	9	10	11	2	1	1	-
Female.....	-	1	3	5	6	14	20	26	15	6	-	-
Black, both sexes.....	-	1	1	1	3	2	1	1	-	-	-	-
Male.....	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	-	1	1	1	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	1	1	1	3	2	9	11	8	9	1	-	-
Male.....	1	-	-	2	-	1	2	1	4	-	-	-
Female.....	-	1	1	1	2	8	9	7	5	1	-	-
White, both sexes.....	1	1	1	2	2	9	8	7	9	1	-	-
Male.....	1	-	-	1	-	1	1	-	4	-	-	-
Female.....	-	1	1	1	2	8	7	7	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

Arkansas

All races, both sexes.....	1	1	4	3	10	7	6	8	8	4	1	-
Male.....	1	-	3	2	3	4	2	3	3	-	-	-
Female.....	-	1	1	1	7	3	4	5	5	4	1	-
White, both sexes.....	1	1	3	2	9	7	5	8	7	4	1	-
Male.....	1	-	3	2	3	4	2	3	2	-	-	-
Female.....	-	1	-	-	6	3	3	5	5	4	1	-
Black, both sexes.....	-	-	1	1	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	17	14	31	28	50	49	45	38	15	-	-
Male.....	4	9	6	13	13	25	19	12	5	4	-	-
Female.....	6	8	8	18	15	25	30	33	33	11	-	-
White, both sexes.....	8	16	12	29	26	46	44	42	36	13	-	-
Male.....	3	9	4	13	12	23	16	11	5	3	-	-
Female.....	5	7	8	16	14	23	28	31	31	10	-	-
Black, both sexes.....	-	1	2	1	-	3	4	2	2	2	-	-
Male.....	-	-	2	-	-	1	2	1	-	1	-	-
Female.....	-	1	-	1	-	2	2	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	1	1	1	1	-	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of intestines and peritoneum (K52,K58-K63)

New Hampshire

All races, both sexes.....	-	-	2	-	2	7	6	7	1	5	2	-
Male.....	-	-	1	-	1	5	1	2	-	-	-	-
Female.....	-	-	1	-	1	2	5	5	1	5	2	-
White, both sexes.....	-	-	2	-	2	7	6	7	1	5	2	-
Male.....	-	-	1	-	1	5	1	2	-	-	-	-
Female.....	-	-	1	-	1	2	5	5	1	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	1	10	4	19	29	34	27	19	4	1	-
Male.....	-	-	6	1	10	15	12	12	5	-	-	-
Female.....	1	1	4	3	9	14	22	15	14	4	1	-
White, both sexes.....	1	1	8	2	13	26	32	21	18	3	1	-
Male.....	-	-	5	1	6	13	11	8	5	-	-	-
Female.....	1	1	3	1	7	13	21	13	13	3	1	-
Black, both sexes.....	-	-	2	2	5	3	2	4	-	-	-	-
Male.....	-	-	1	-	4	2	1	2	-	-	-	-
Female.....	-	-	1	2	1	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

New Mexico

All races, both sexes.....	1	2	-	-	1	4	4	4	4	1	-	-
Male.....	1	2	-	-	1	2	3	1	2	-	-	-
Female.....	-	-	-	-	-	2	1	3	2	1	-	-
White, both sexes.....	-	1	-	-	-	3	4	4	4	-	-	-
Male.....	-	1	-	-	-	1	3	1	2	-	-	-
Female.....	-	-	-	-	-	2	1	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	11	9	21	34	39	58	58	28	11	1	-
Male.....	2	6	4	8	20	16	20	13	5	1	1	-
Female.....	4	5	5	13	14	23	38	45	23	10	-	-
White, both sexes.....	3	11	6	16	32	36	52	54	24	11	1	-
Male.....	-	6	2	7	19	14	19	13	4	1	1	-
Female.....	3	5	4	9	13	22	33	41	20	10	-	-
Black, both sexes.....	3	-	3	5	1	3	6	3	3	-	-	-
Male.....	2	-	2	1	-	2	1	-	-	-	-	-
Female.....	1	-	1	4	1	1	5	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of peritoneum (K65-K66)

Arkansas

All races, both sexes.....	2	1	-	3	3	7	2	3	1	-	-	-
Male.....	1	-	-	1	2	4	-	1	-	-	-	-
Female.....	1	1	-	2	1	3	2	2	1	-	-	-
White, both sexes.....	2	1	-	3	3	7	1	3	1	-	-	-
Male.....	1	-	-	1	2	4	-	1	-	-	-	-
Female.....	1	1	-	2	1	3	1	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	7	7	15	16	13	19	18	10	6	-	-
Male.....	4	6	2	8	7	3	6	6	4	2	-	-
Female.....	5	1	5	7	9	10	13	12	6	4	-	-
White, both sexes.....	7	5	6	10	16	10	16	17	7	5	-	-
Male.....	4	4	2	4	7	3	5	6	3	1	-	-
Female.....	3	1	4	6	9	7	11	11	4	4	-	-
Black, both sexes.....	2	2	1	1	-	1	2	-	3	-	-	-
Male.....	-	2	-	1	-	-	1	-	1	-	-	-
Female.....	2	-	1	-	-	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	4	-	2	1	1	-	1	-	-
Male.....	-	-	-	3	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of peritoneum (K65-K66)

Nebraska

All races, both sexes.....	1	-	1	2	2	4	1	4	-	-	-	-
Male.....	-	-	-	2	-	-	1	3	-	-	-	-
Female.....	1	-	1	-	2	4	-	1	-	-	-	-
White, both sexes.....	1	-	1	2	2	4	1	4	-	-	-	-
Male.....	-	-	-	2	-	-	1	3	-	-	-	-
Female.....	1	-	1	-	2	4	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	-	1	-	3	1	2	1	2	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	3	-	2	1	2	-	-	-
White, both sexes.....	4	-	-	-	2	1	1	1	2	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of peritoneum (K65-K66)

New Mexico

All races, both sexes.....	1	1	1	4	2	2	3	2	1	1	-	-
Male.....	-	1	-	1	-	-	2	1	-	-	-	-
Female.....	1	-	1	3	2	2	1	1	1	1	-	-
White, both sexes.....	-	1	1	3	2	2	2	2	1	1	-	-
Male.....	-	1	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	2	2	2	1	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	10	9	11	12	13	18	17	10	4	-	-
Male.....	5	7	6	5	6	4	6	8	4	2	-	-
Female.....	6	3	3	6	6	9	12	9	6	2	-	-
White, both sexes.....	5	8	9	8	8	12	17	15	10	4	-	-
Male.....	1	7	6	3	5	4	5	8	4	2	-	-
Female.....	4	1	3	5	3	8	12	7	6	2	-	-
Black, both sexes.....	5	2	-	2	3	1	1	2	-	-	-	-
Male.....	4	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	2	-	1	2	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

Arkansas

All races, both sexes.....	335	-	1	-	-	2	-	1	3	8	25	29
Male.....	211	-	1	-	-	-	-	-	1	6	14	19
Female.....	124	-	-	-	-	2	-	1	2	2	11	10
White, both sexes.....	299	-	1	-	-	1	-	1	2	5	22	24
Male.....	192	-	1	-	-	-	-	-	1	4	12	17
Female.....	107	-	-	-	-	1	-	1	1	1	10	7
Black, both sexes.....	36	-	-	-	-	1	-	-	1	3	3	5
Male.....	19	-	-	-	-	-	-	-	-	2	2	2
Female.....	17	-	-	-	-	1	-	-	1	1	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,530	5	4	-	-	-	2	15	80	183	369	593
Male.....	2,919	5	1	-	-	-	-	9	60	120	256	430
Female.....	1,611	-	3	-	-	-	2	6	20	63	113	163
White, both sexes.....	3,978	3	3	-	-	-	2	12	73	164	326	517
Male.....	2,571	3	1	-	-	-	-	8	56	112	228	377
Female.....	1,407	-	2	-	-	-	2	4	17	52	98	140
Black, both sexes.....	273	1	-	-	-	-	-	1	5	12	18	33
Male.....	178	1	-	-	-	-	-	-	2	4	11	23
Female.....	95	-	-	-	-	-	-	1	3	8	7	10
American Indian 1/, both sexes.....	87	-	-	-	-	-	-	1	-	5	12	14
Male.....	50	-	-	-	-	-	-	1	-	3	6	8
Female.....	37	-	-	-	-	-	-	-	-	2	6	6
Asian or Pacific Islander 2/, both sexes.....	192	1	1	-	-	-	-	1	2	2	13	29
Male.....	120	1	-	-	-	-	-	-	2	1	11	22
Female.....	72	-	1	-	-	-	-	1	-	1	2	7









































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

South Dakota

All races, both sexes.....	103	-	-	-	-	-	-	3	-	6	8	9
Male.....	59	-	-	-	-	-	-	3	-	2	2	4
Female.....	44	-	-	-	-	-	-	-	-	4	6	5
White, both sexes.....	70	-	-	-	-	-	-	2	-	1	6	2
Male.....	43	-	-	-	-	-	-	2	-	-	2	1
Female.....	27	-	-	-	-	-	-	-	-	1	4	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	1	-	4	2	7
Male.....	14	-	-	-	-	-	-	1	-	2	-	3
Female.....	16	-	-	-	-	-	-	-	-	2	2	4
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	854	-	2	-	-	2	-	3	12	32	74	101
Male.....	562	-	1	-	-	-	-	2	7	17	57	75
Female.....	292	-	1	-	-	2	-	1	5	15	17	26
White, both sexes.....	747	-	2	-	-	1	-	-	12	26	65	85
Male.....	494	-	1	-	-	-	-	-	7	15	50	63
Female.....	253	-	1	-	-	1	-	-	5	11	15	22
Black, both sexes.....	103	-	-	-	-	1	-	2	-	6	8	16
Male.....	67	-	-	-	-	-	-	2	-	2	7	12
Female.....	36	-	-	-	-	1	-	-	-	4	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Alaska

All races, both sexes.....	9	10	7	11	6	2	4	1	-	-	-	-
Male.....	3	7	6	5	6	1	2	-	-	-	-	-
Female.....	6	3	1	6	-	1	2	1	-	-	-	-
White, both sexes.....	6	7	6	8	5	1	4	1	-	-	-	-
Male.....	3	5	5	5	5	-	2	-	-	-	-	-
Female.....	3	2	1	3	-	1	2	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	3	1	1	-	-	-	-	-	-
Male.....	-	2	1	-	1	1	-	-	-	-	-	-
Female.....	2	1	-	3	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	148	87	109	69	66	66	40	20	6	2	1	-
Male.....	110	55	76	45	48	37	18	5	3	1	-	-
Female.....	38	32	33	24	18	29	22	15	3	1	1	-
White, both sexes.....	122	77	99	61	62	60	38	18	5	2	1	-
Male.....	94	48	71	39	47	35	18	5	2	1	-	-
Female.....	28	29	28	22	15	25	20	13	3	1	1	-
Black, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	24	10	10	7	2	6	1	1	1	-	-	-
Male.....	14	7	5	5	-	2	-	-	1	-	-	-
Female.....	10	3	5	2	2	4	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Arkansas

All races, both sexes.....	36	51	46	35	33	26	22	10	7	-	-	-
Male.....	29	38	31	27	15	14	12	2	2	-	-	-
Female.....	7	13	15	8	18	12	10	8	5	-	-	-
White, both sexes.....	32	44	43	33	31	24	20	9	7	-	-	-
Male.....	26	32	30	26	14	13	12	2	2	-	-	-
Female.....	6	12	13	7	17	11	8	7	5	-	-	-
Black, both sexes.....	4	7	3	2	2	2	2	1	-	-	-	-
Male.....	3	6	1	1	1	1	-	-	-	-	-	-
Female.....	1	1	2	1	1	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	700	566	488	442	392	344	211	91	38	5	1	1
Male.....	502	396	326	273	208	173	101	37	19	1	1	1
Female.....	198	170	162	169	184	171	110	54	19	4	-	-
White, both sexes.....	605	501	421	391	344	305	189	81	34	5	1	1
Male.....	436	348	287	240	178	154	91	32	17	1	1	1
Female.....	169	153	134	151	166	151	98	49	17	4	-	-
Black, both sexes.....	62	41	32	30	18	11	6	3	-	-	-	-
Male.....	43	32	19	20	14	4	3	2	-	-	-	-
Female.....	19	9	13	10	4	7	3	1	-	-	-	-
American Indian 1/, both sexes.....	17	6	16	7	1	6	1	-	1	-	-	-
Male.....	12	4	8	4	-	2	1	-	1	-	-	-
Female.....	5	2	8	3	1	4	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	18	19	14	29	22	15	7	3	-	-	-
Male.....	11	12	12	9	16	13	6	3	1	-	-	-
Female.....	5	6	7	5	13	9	9	4	2	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Hawaii

All races, both sexes.....	26	15	8	11	16	11	9	7	-	1	-	-
Male.....	15	13	6	7	8	4	3	3	-	1	-	-
Female.....	11	2	2	4	8	7	6	4	-	-	-	-
White, both sexes.....	15	6	2	6	10	2	1	2	-	1	-	-
Male.....	7	5	1	5	6	-	1	1	-	1	-	-
Female.....	8	1	1	1	4	2	-	1	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	9	6	5	6	9	7	5	-	-	-	-
Male.....	6	8	5	2	2	4	1	2	-	-	-	-
Female.....	3	1	1	3	4	5	6	3	-	-	-	-

Idaho

All races, both sexes.....	25	21	19	18	12	9	12	4	1	1	-	-
Male.....	19	12	13	10	9	4	4	3	1	-	-	-
Female.....	6	9	6	8	3	5	8	1	-	1	-	-
White, both sexes.....	23	18	18	18	11	9	11	4	1	1	-	-
Male.....	17	12	13	10	8	4	4	3	1	-	-	-
Female.....	6	6	5	8	3	5	7	1	-	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	3	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Illinois

All races, both sexes.....	203	151	149	138	136	150	89	47	19	6	-	-
Male.....	143	99	103	86	66	81	41	15	2	4	-	-
Female.....	60	52	46	52	70	69	48	32	17	2	-	-
White, both sexes.....	148	118	122	114	120	135	80	45	16	6	-	-
Male.....	104	77	84	71	60	76	38	14	2	4	-	-
Female.....	44	41	38	43	60	59	42	31	14	2	-	-
Black, both sexes.....	52	30	25	21	14	12	7	2	3	-	-	-
Male.....	36	20	17	13	5	5	2	1	-	-	-	-
Female.....	16	10	8	8	9	7	5	1	3	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	-	1	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	2	2	2	-	-	-	-	-
Male.....	2	1	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	-	-	-	-	-

Indiana

All races, both sexes.....	93	74	62	70	64	64	39	20	10	1	-	1
Male.....	70	58	43	42	32	29	19	7	3	-	-	1
Female.....	23	16	19	28	32	35	20	13	7	1	-	-
White, both sexes.....	83	64	55	64	58	60	38	19	8	1	-	1
Male.....	62	50	37	38	30	29	18	6	3	-	-	1
Female.....	21	14	18	26	28	31	20	13	5	1	-	-
Black, both sexes.....	9	9	7	6	4	4	1	1	2	-	-	-
Male.....	8	7	6	4	2	-	1	1	-	-	-	-
Female.....	1	2	1	2	2	4	-	-	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Kentucky

All races, both sexes.....	65	53	51	63	47	43	34	18	3	2	-	-
Male.....	47	36	35	35	27	29	14	6	1	-	-	-
Female.....	18	17	16	28	20	14	20	12	2	2	-	-
White, both sexes.....	59	52	45	59	42	40	33	18	3	2	-	-
Male.....	43	35	31	31	24	28	13	6	1	-	-	-
Female.....	16	17	14	28	18	12	20	12	2	2	-	-
Black, both sexes.....	6	1	6	4	3	2	1	-	-	-	-	-
Male.....	4	1	4	4	2	-	1	-	-	-	-	-
Female.....	2	-	2	-	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	85	74	56	50	54	53	31	22	4	2	-	-
Male.....	67	59	40	30	29	27	17	7	2	-	-	-
Female.....	18	15	16	20	25	26	14	15	2	2	-	-
White, both sexes.....	57	53	41	33	43	47	28	17	2	1	-	-
Male.....	46	42	29	19	22	25	16	4	-	-	-	-
Female.....	11	11	12	14	21	22	12	13	2	1	-	-
Black, both sexes.....	28	21	15	16	11	6	3	4	2	1	-	-
Male.....	21	17	11	10	7	2	1	3	2	-	-	-
Female.....	7	4	4	6	4	4	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Massachusetts

All races, both sexes.....	105	97	76	96	92	94	80	34	12	3	-	-
Male.....	82	66	49	60	57	52	37	10	4	1	-	-
Female.....	23	31	27	36	35	42	43	24	8	2	-	-
White, both sexes.....	99	92	72	92	88	91	78	34	12	2	-	-
Male.....	77	62	47	56	55	50	35	10	4	1	-	-
Female.....	22	30	25	36	33	41	43	24	8	1	-	-
Black, both sexes.....	6	3	3	4	1	1	2	-	-	1	-	-
Male.....	5	3	1	4	1	1	2	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	3	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	2	1	-	-	-	-	-	-

Michigan

All races, both sexes.....	205	165	115	127	121	80	77	37	10	2	-	-
Male.....	150	119	83	80	59	39	29	13	2	-	-	-
Female.....	55	46	32	47	62	41	48	24	8	2	-	-
White, both sexes.....	146	120	98	105	111	75	74	33	10	2	-	-
Male.....	107	85	68	68	55	37	28	12	2	-	-	-
Female.....	39	35	30	37	56	38	46	21	8	2	-	-
Black, both sexes.....	56	41	16	20	8	2	1	4	-	-	-	-
Male.....	40	32	15	11	4	1	-	1	-	-	-	-
Female.....	16	9	1	9	4	1	1	3	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	1	2	1	2	-	-	-	-	-
Male.....	2	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	2	1	-	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	-	2	-	-	-	-	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Missouri

All races, both sexes.....	79	59	64	56	69	48	41	23	9	3	-	-
Male.....	64	37	45	40	36	22	22	6	-	-	-	-
Female.....	15	22	19	16	33	26	19	17	9	3	-	-
White, both sexes.....	64	46	58	51	62	45	37	22	9	3	-	-
Male.....	53	28	41	38	33	22	20	6	-	-	-	-
Female.....	11	18	17	13	29	23	17	16	9	3	-	-
Black, both sexes.....	13	13	6	5	7	3	4	1	-	-	-	-
Male.....	9	9	4	2	3	-	2	-	-	-	-	-
Female.....	4	4	2	3	4	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	24	20	16	15	6	9	4	9	1	-	-	-
Male.....	18	14	7	12	2	3	2	5	-	-	-	-
Female.....	6	6	9	3	4	6	2	4	1	-	-	-
White, both sexes.....	20	14	14	15	5	8	4	9	1	-	-	-
Male.....	16	11	6	12	2	3	2	5	-	-	-	-
Female.....	4	3	8	3	3	5	2	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	6	2	-	1	-	-	-	-	-	-	-
Male.....	2	3	1	-	-	-	-	-	-	-	-	-
Female.....	2	3	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

New Hampshire

All races, both sexes.....	20	12	17	11	21	10	8	7	1	-	-	-
Male.....	11	9	13	4	10	6	2	3	1	-	-	-
Female.....	9	3	4	7	11	4	6	4	-	-	-	-
White, both sexes.....	20	12	17	11	21	10	8	7	1	-	-	-
Male.....	11	9	13	4	10	6	2	3	1	-	-	-
Female.....	9	3	4	7	11	4	6	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	146	119	108	94	118	111	86	35	16	3	1	-
Male.....	118	78	66	56	78	50	47	16	5	-	-	-
Female.....	28	41	42	38	40	61	39	19	11	3	1	-
White, both sexes.....	109	105	88	79	103	104	81	34	16	2	-	-
Male.....	89	70	55	49	69	45	44	15	5	-	-	-
Female.....	20	35	33	30	34	59	37	19	11	2	-	-
Black, both sexes.....	36	13	17	11	14	7	2	1	-	1	1	-
Male.....	29	7	9	5	8	5	1	1	-	-	-	-
Female.....	7	6	8	6	6	2	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	4	1	-	3	-	-	-	-	-
Male.....	-	1	2	2	1	-	2	-	-	-	-	-
Female.....	1	-	1	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

New Mexico

All races, both sexes.....	46	55	48	34	40	37	15	9	2	-	-	-
Male.....	34	43	35	16	23	17	5	6	1	-	-	-
Female.....	12	12	13	18	17	20	10	3	1	-	-	-
White, both sexes.....	33	46	41	27	36	37	13	8	1	-	-	-
Male.....	25	37	32	12	21	17	5	6	1	-	-	-
Female.....	8	9	9	15	15	20	8	2	-	-	-	-
Black, both sexes.....	1	2	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	7	7	5	3	-	2	1	1	-	-	-
Male.....	8	5	3	3	2	-	-	-	-	-	-	-
Female.....	4	2	4	2	1	-	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	263	244	197	165	199	175	109	61	22	4	1	-
Male.....	189	162	134	102	116	102	53	35	9	1	-	-
Female.....	74	82	63	63	83	73	56	26	13	3	1	-
White, both sexes.....	205	186	160	136	183	156	102	56	21	4	1	-
Male.....	149	119	110	85	107	91	48	32	9	1	-	-
Female.....	56	67	50	51	76	65	54	24	12	3	1	-
Black, both sexes.....	56	50	31	26	12	15	4	4	-	-	-	-
Male.....	38	38	20	16	7	8	2	2	-	-	-	-
Female.....	18	12	11	10	5	7	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	5	3	4	3	3	1	1	-	-	-
Male.....	2	4	4	1	2	2	3	1	-	-	-	-
Female.....	-	2	1	2	2	1	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Oregon

All races, both sexes.....	80	67	50	47	20	40	18	8	3	-	-	-
Male.....	59	49	28	26	12	20	5	2	1	-	-	-
Female.....	21	18	22	21	8	20	13	6	2	-	-	-
White, both sexes.....	77	65	47	46	18	40	17	8	2	-	-	-
Male.....	56	48	26	25	12	20	5	2	1	-	-	-
Female.....	21	17	21	21	6	20	12	6	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	2	3	-	2	-	-	-	-	-	-	-
Male.....	1	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	184	179	173	182	196	194	143	78	23	3	1	-
Male.....	140	120	114	107	109	88	65	36	10	-	1	-
Female.....	44	59	59	75	87	106	78	42	13	3	-	-
White, both sexes.....	150	157	148	161	187	187	138	77	22	3	1	-
Male.....	114	103	96	95	101	84	63	35	9	-	1	-
Female.....	36	54	52	66	86	103	75	42	13	3	-	-
Black, both sexes.....	34	22	24	20	9	6	3	1	1	-	-	-
Male.....	26	17	17	12	8	4	1	1	1	-	-	-
Female.....	8	5	7	8	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	2	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

South Dakota

All races, both sexes.....	20	12	8	6	10	7	9	3	2	-	-	-
Male.....	13	10	5	3	6	4	6	1	-	-	-	-
Female.....	7	2	3	3	4	3	3	2	2	-	-	-
White, both sexes.....	11	9	5	5	10	5	9	3	2	-	-	-
Male.....	8	7	5	2	6	3	6	1	-	-	-	-
Female.....	3	2	-	3	4	2	3	2	2	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	3	3	-	-	2	-	-	-	-	-	-
Male.....	4	3	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	3	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	133	100	94	101	71	54	48	19	8	-	-	-
Male.....	104	63	68	62	47	30	18	7	4	-	-	-
Female.....	29	37	26	39	24	24	30	12	4	-	-	-
White, both sexes.....	117	80	80	93	67	47	48	18	6	-	-	-
Male.....	92	53	57	58	44	26	18	7	3	-	-	-
Female.....	25	27	23	35	23	21	30	11	3	-	-	-
Black, both sexes.....	16	20	13	8	4	7	-	1	1	-	-	-
Male.....	12	10	10	4	3	4	-	-	1	-	-	-
Female.....	4	10	3	4	1	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Vermont

All races, both sexes.....	10	5	8	6	14	8	6	1	2	-	-	-
Male.....	8	4	6	2	10	6	3	-	-	-	-	-
Female.....	2	1	2	4	4	2	3	1	2	-	-	-
White, both sexes.....	10	5	8	6	14	8	6	1	2	-	-	-
Male.....	8	4	6	2	10	6	3	-	-	-	-	-
Female.....	2	1	2	4	4	2	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	112	98	96	71	84	78	47	22	13	1	2	-
Male.....	86	73	65	46	51	32	15	13	3	1	-	-
Female.....	26	25	31	25	33	46	32	9	10	-	2	-
White, both sexes.....	84	74	74	58	69	65	40	21	11	-	2	-
Male.....	62	54	49	38	42	24	13	13	2	-	-	-
Female.....	22	20	25	20	27	41	27	8	9	-	2	-
Black, both sexes.....	27	23	17	11	14	12	7	1	2	1	-	-
Male.....	24	18	11	7	8	8	2	-	1	1	-	-
Female.....	3	5	6	4	6	4	5	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	2	1	1	-	-	-	-	-	-
Male.....	-	1	4	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Alcoholic liver disease (K70)												
Arkansas												
All races, both sexes.....	77	-	-	-	-	-	-	-	-	4	7	11
Male.....	58	-	-	-	-	-	-	-	-	3	4	7
Female.....	19	-	-	-	-	-	-	-	-	1	3	4
White, both sexes.....	68	-	-	-	-	-	-	-	-	3	6	8
Male.....	54	-	-	-	-	-	-	-	-	3	4	6
Female.....	14	-	-	-	-	-	-	-	-	-	2	2
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	1	3
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,611	-	-	-	-	-	-	8	56	127	274	403
Male.....	1,899	-	-	-	-	-	-	7	44	88	194	302
Female.....	712	-	-	-	-	-	-	1	12	39	80	101
White, both sexes.....	2,348	-	-	-	-	-	-	8	51	111	248	360
Male.....	1,713	-	-	-	-	-	-	7	40	81	178	270
Female.....	635	-	-	-	-	-	-	1	11	30	70	90
Black, both sexes.....	147	-	-	-	-	-	-	-	3	9	10	20
Male.....	104	-	-	-	-	-	-	-	2	3	5	15
Female.....	43	-	-	-	-	-	-	-	1	6	5	5
American Indian 1/, both sexes.....	54	-	-	-	-	-	-	-	-	5	8	8
Male.....	32	-	-	-	-	-	-	-	-	3	4	5
Female.....	22	-	-	-	-	-	-	-	-	2	4	3
Asian or Pacific Islander 2/, both sexes.....	62	-	-	-	-	-	-	-	2	2	8	15
Male.....	50	-	-	-	-	-	-	-	2	1	7	12
Female.....	12	-	-	-	-	-	-	-	-	1	1	3



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcoholic liver disease (K70)

Arkansas

All races, both sexes.....	12	15	15	5	4	2	2	-	-	-	-	-
Male.....	11	13	12	4	2	1	1	-	-	-	-	-
Female.....	1	2	3	1	2	1	1	-	-	-	-	-
White, both sexes.....	11	13	15	5	4	2	1	-	-	-	-	-
Male.....	10	11	12	4	2	1	1	-	-	-	-	-
Female.....	1	2	3	1	2	1	-	-	-	-	-	-
Black, both sexes.....	1	2	-	-	-	-	1	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	456	355	297	258	160	127	64	19	6	-	-	1
Male.....	338	274	220	182	115	83	42	6	3	-	-	1
Female.....	118	81	77	76	45	44	22	13	3	-	-	-
White, both sexes.....	403	329	257	230	147	120	60	18	5	-	-	1
Male.....	299	252	194	164	102	78	38	6	3	-	-	1
Female.....	104	77	63	66	45	42	22	12	2	-	-	-
Black, both sexes.....	33	18	22	18	8	3	2	1	-	-	-	-
Male.....	25	16	15	11	8	2	2	-	-	-	-	-
Female.....	8	2	7	7	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	13	4	9	5	-	2	-	-	-	-	-	-
Male.....	8	3	5	3	-	1	-	-	-	-	-	-
Female.....	5	1	4	2	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	4	9	5	5	2	2	-	1	-	-	-
Male.....	6	3	6	4	5	2	2	-	-	-	-	-
Female.....	1	1	3	1	-	-	-	-	1	-	-	-



































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Chronic hepatitis, not elsewhere classified (K73)

Kentucky

All races, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	-	-	2	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	2	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic hepatitis, not elsewhere classified (K73)

South Dakota

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-







































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Alaska

All races, both sexes.....	1	3	3	2	3	-	1	-	-	-	-	-
Male.....	-	2	3	-	3	-	1	-	-	-	-	-
Female.....	1	1	-	2	-	-	-	-	-	-	-	-
White, both sexes.....	-	2	2	1	3	-	1	-	-	-	-	-
Male.....	-	1	2	-	3	-	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	39	37	39	25	35	41	21	9	1	-	-	-
Male.....	26	22	24	16	26	25	7	3	-	-	-	-
Female.....	13	15	15	9	9	16	14	6	1	-	-	-
White, both sexes.....	38	35	37	24	34	38	21	8	1	-	-	-
Male.....	26	21	24	15	25	24	7	3	-	-	-	-
Female.....	12	14	13	9	9	14	14	5	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	1	-	3	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	1	1	2	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Arkansas

All races, both sexes.....	14	21	18	16	19	14	10	2	2	-	-	-
Male.....	11	17	9	13	9	9	5	-	1	-	-	-
Female.....	3	4	9	3	10	5	5	2	1	-	-	-
White, both sexes.....	11	18	15	16	19	13	9	2	2	-	-	-
Male.....	9	14	8	13	9	8	5	-	1	-	-	-
Female.....	2	4	7	3	10	5	4	2	1	-	-	-
Black, both sexes.....	3	3	3	-	-	1	1	-	-	-	-	-
Male.....	2	3	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	133	131	110	116	172	155	106	49	20	4	-	-
Male.....	89	74	63	54	71	62	37	19	11	1	-	-
Female.....	44	57	47	62	101	93	69	30	9	3	-	-
White, both sexes.....	109	110	95	103	153	133	94	43	20	4	-	-
Male.....	74	61	55	47	61	51	33	16	11	1	-	-
Female.....	35	49	40	56	92	82	61	27	9	3	-	-
Black, both sexes.....	15	13	4	8	5	3	3	1	-	-	-	-
Male.....	8	9	2	5	3	1	1	1	-	-	-	-
Female.....	7	4	2	3	2	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	5	1	1	4	-	-	-	-	-	-
Male.....	3	-	2	-	-	1	-	-	-	-	-	-
Female.....	-	1	3	1	1	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	7	6	4	13	15	9	5	-	-	-	-
Male.....	4	4	4	2	7	9	3	2	-	-	-	-
Female.....	2	3	2	2	6	6	6	3	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Illinois

All races, both sexes.....	74	59	68	86	82	97	65	33	9	1	-	-
Male.....	57	36	46	48	35	49	26	10	2	1	-	-
Female.....	17	23	22	38	47	48	39	23	7	-	-	-
White, both sexes.....	52	46	57	69	70	89	58	32	8	1	-	-
Male.....	38	28	39	39	31	47	24	9	2	1	-	-
Female.....	14	18	18	30	39	42	34	23	6	-	-	-
Black, both sexes.....	21	11	10	14	11	5	5	1	1	-	-	-
Male.....	18	7	6	7	4	2	1	1	-	-	-	-
Female.....	3	4	4	7	7	3	4	-	1	-	-	-
American Indian 1/, both sexes.....	1	2	1	1	-	1	-	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	-	-	-	-	-

Indiana

All races, both sexes.....	32	31	33	38	47	36	20	11	4	-	-	-
Male.....	23	23	24	20	21	16	8	5	1	-	-	-
Female.....	9	8	9	18	26	20	12	6	3	-	-	-
White, both sexes.....	30	28	29	36	44	34	20	10	3	-	-	-
Male.....	21	21	21	19	21	16	8	4	1	-	-	-
Female.....	9	7	8	17	23	18	12	6	2	-	-	-
Black, both sexes.....	2	3	4	2	2	2	-	1	1	-	-	-
Male.....	2	2	3	1	-	-	-	1	-	-	-	-
Female.....	-	1	1	1	2	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Massachusetts

All races, both sexes.....	31	44	34	54	47	46	42	20	8	2	-	-
Male.....	23	30	18	35	32	22	19	6	2	1	-	-
Female.....	8	14	16	19	15	24	23	14	6	1	-	-
White, both sexes.....	30	43	32	52	46	46	41	20	8	1	-	-
Male.....	22	29	17	33	31	22	18	6	2	1	-	-
Female.....	8	14	15	19	15	24	23	14	6	-	-	-
Black, both sexes.....	1	1	2	2	-	-	1	-	-	1	-	-
Male.....	1	1	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	84	69	50	66	82	50	47	22	5	-	-	-
Male.....	62	50	35	41	35	23	15	8	1	-	-	-
Female.....	22	19	15	25	47	27	32	14	4	-	-	-
White, both sexes.....	53	51	44	55	76	47	45	20	5	-	-	-
Male.....	38	38	30	34	33	22	14	7	1	-	-	-
Female.....	15	13	14	21	43	25	31	13	4	-	-	-
Black, both sexes.....	30	16	6	11	4	1	1	2	-	-	-	-
Male.....	23	11	5	7	2	1	-	1	-	-	-	-
Female.....	7	5	1	4	2	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	2	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

New Mexico

All races, both sexes.....	7	7	13	12	18	20	7	5	-	-	-	-
Male.....	7	4	9	5	9	8	2	3	-	-	-	-
Female.....	-	3	4	7	9	12	5	2	-	-	-	-
White, both sexes.....	6	6	10	11	16	20	6	4	-	-	-	-
Male.....	6	4	8	5	9	8	2	3	-	-	-	-
Female.....	-	2	2	6	7	12	4	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	3	1	1	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	99	82	68	73	116	99	67	31	11	1	-	-
Male.....	65	53	45	41	59	55	30	18	6	1	-	-
Female.....	34	29	23	32	57	44	37	13	5	-	-	-
White, both sexes.....	80	64	63	66	111	93	63	31	11	1	-	-
Male.....	51	38	41	39	58	51	27	18	6	1	-	-
Female.....	29	26	22	27	53	42	36	13	5	-	-	-
Black, both sexes.....	19	16	3	5	4	5	1	-	-	-	-	-
Male.....	14	13	2	2	1	3	-	-	-	-	-	-
Female.....	5	3	1	3	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	1	1	3	-	-	-	-	-
Male.....	-	1	2	-	-	1	3	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Oregon

All races, both sexes.....	10	11	11	10	7	18	3	5	2	-	-	-
Male.....	7	6	4	5	3	10	-	1	1	-	-	-
Female.....	3	5	7	5	4	8	3	4	1	-	-	-
White, both sexes.....	10	10	11	9	7	18	3	5	1	-	-	-
Male.....	7	6	4	4	3	10	-	1	1	-	-	-
Female.....	3	4	7	5	4	8	3	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	81	82	73	101	128	138	91	46	10	2	-	-
Male.....	67	59	47	58	72	58	40	22	4	-	-	-
Female.....	14	23	26	43	56	80	51	24	6	2	-	-
White, both sexes.....	64	75	66	90	125	137	89	46	9	2	-	-
Male.....	54	54	42	52	70	57	39	22	3	-	-	-
Female.....	10	21	24	38	55	80	50	24	6	2	-	-
Black, both sexes.....	17	7	7	10	3	1	-	-	1	-	-	-
Male.....	13	5	5	6	2	1	-	-	1	-	-	-
Female.....	4	2	2	4	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Vermont

All races, both sexes.....	3	3	1	1	2	4	3	1	1	-	-	-
Male.....	3	2	1	-	1	3	1	-	-	-	-	-
Female.....	-	1	-	1	1	1	2	1	1	-	-	-
White, both sexes.....	3	3	1	1	2	4	3	1	1	-	-	-
Male.....	3	2	1	-	1	3	1	-	-	-	-	-
Female.....	-	1	-	1	1	1	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	44	49	54	31	50	47	25	16	6	1	1	-
Male.....	33	33	33	21	27	16	8	10	1	1	-	-
Female.....	11	16	21	10	23	31	17	6	5	-	1	-
White, both sexes.....	28	34	43	28	43	37	20	16	6	-	1	-
Male.....	18	21	26	19	24	11	7	10	1	-	-	-
Female.....	10	13	17	9	19	26	13	6	5	-	1	-
Black, both sexes.....	15	14	9	1	7	9	5	-	-	1	-	-
Male.....	15	11	5	1	3	5	1	-	-	1	-	-
Female.....	-	3	4	-	4	4	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	2	-	1	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of liver (K71-K72,K75-K76)												
Arkansas												
All races, both sexes.....	115	-	1	-	-	2	-	1	3	1	9	3
Male.....	60	-	1	-	-	-	-	-	1	1	4	1
Female.....	55	-	-	-	-	2	-	1	2	-	5	2
White, both sexes.....	104	-	1	-	-	1	-	1	2	-	9	3
Male.....	56	-	1	-	-	-	-	-	1	-	4	1
Female.....	48	-	-	-	-	1	-	1	1	-	5	2
Black, both sexes.....	11	-	-	-	-	1	-	-	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	697	5	4	-	-	-	2	5	12	23	40	75
Male.....	380	5	1	-	-	-	-	2	6	10	22	48
Female.....	317	-	3	-	-	-	2	3	6	13	18	27
White, both sexes.....	573	3	3	-	-	-	2	2	10	20	33	64
Male.....	311	3	1	-	-	-	-	1	6	9	17	41
Female.....	262	-	2	-	-	-	2	1	4	11	16	23
Black, both sexes.....	59	1	-	-	-	-	-	1	2	3	2	5
Male.....	35	1	-	-	-	-	-	-	-	1	2	4
Female.....	24	-	-	-	-	-	-	1	2	2	-	1
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	1	-	-	4	-
Male.....	9	-	-	-	-	-	-	1	-	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	53	1	1	-	-	-	-	1	-	-	1	6
Male.....	25	1	-	-	-	-	-	-	-	-	1	3
Female.....	28	-	1	-	-	-	-	1	-	-	-	3









































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other diseases of liver (K71-K72,K75-K76)												
South Dakota												
All races, both sexes.....	23	-	-	-	-	-	-	1	-	1	3	2
Male.....	12	-	-	-	-	-	-	1	-	-	2	2
Female.....	11	-	-	-	-	-	-	-	-	1	1	-
White, both sexes.....	17	-	-	-	-	-	-	1	-	1	2	-
Male.....	8	-	-	-	-	-	-	1	-	-	2	-
Female.....	9	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	2
Male.....	3	-	-	-	-	-	-	-	-	-	-	2
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	151	-	2	-	-	1	-	1	6	1	8	16
Male.....	75	-	1	-	-	-	-	-	3	-	4	8
Female.....	76	-	1	-	-	1	-	1	3	1	4	8
White, both sexes.....	130	-	2	-	-	-	-	-	6	1	6	14
Male.....	68	-	1	-	-	-	-	-	3	-	3	7
Female.....	62	-	1	-	-	-	-	-	3	1	3	7
Black, both sexes.....	20	-	-	-	-	1	-	-	-	-	2	2
Male.....	7	-	-	-	-	-	-	-	-	-	1	1
Female.....	13	-	-	-	-	1	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Alaska

All races, both sexes.....	-	2	-	4	1	1	2	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	3	-	1	2	1	-	-	-	-
White, both sexes.....	-	2	-	3	1	1	2	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	30	18	31	16	19	13	15	10	2	2	1	-
Male.....	20	10	19	8	13	3	8	2	1	1	-	-
Female.....	10	8	12	8	6	10	7	8	1	1	1	-
White, both sexes.....	21	15	28	13	17	11	13	9	1	2	1	-
Male.....	14	8	18	7	13	3	8	2	-	1	-	-
Female.....	7	7	10	6	4	8	5	7	1	1	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	3	3	3	1	2	1	1	1	-	-	-
Male.....	4	2	1	1	-	-	-	-	1	-	-	-
Female.....	3	1	2	2	1	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Arkansas

All races, both sexes.....	10	15	13	14	10	10	10	8	5	-	-	-
Male.....	7	8	10	10	4	4	6	2	1	-	-	-
Female.....	3	7	3	4	6	6	4	6	4	-	-	-
White, both sexes.....	10	13	13	12	8	9	10	7	5	-	-	-
Male.....	7	7	10	9	3	4	6	2	1	-	-	-
Female.....	3	6	3	3	5	5	4	5	4	-	-	-
Black, both sexes.....	-	2	-	2	2	1	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	110	79	80	68	58	59	41	22	12	1	1	-
Male.....	74	47	43	37	20	26	22	11	5	-	1	-
Female.....	36	32	37	31	38	33	19	11	7	1	-	-
White, both sexes.....	92	61	68	58	43	49	35	19	9	1	1	-
Male.....	62	34	38	29	14	23	20	9	3	-	1	-
Female.....	30	27	30	29	29	26	15	10	6	1	-	-
Black, both sexes.....	14	10	6	4	4	5	1	1	-	-	-	-
Male.....	10	7	2	4	2	1	-	1	-	-	-	-
Female.....	4	3	4	-	2	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	1	-	-	1	-	1	-	-	-
Male.....	1	1	1	1	-	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	4	5	11	5	4	2	2	-	-	-
Male.....	1	5	2	3	4	2	1	1	1	-	-	-
Female.....	2	2	2	2	7	3	3	1	1	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of liver (K71-K72,K75-K76)

Hawaii

All races, both sexes.....	8	4	2	4	3	5	4	6	-	-	-	-
Male.....	5	4	1	2	1	2	-	3	-	-	-	-
Female.....	3	-	1	2	2	3	4	3	-	-	-	-
White, both sexes.....	4	2	-	2	1	-	-	2	-	-	-	-
Male.....	2	2	-	2	1	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	2	2	5	4	4	-	-	-	-
Male.....	2	2	1	-	-	2	-	2	-	-	-	-
Female.....	1	-	1	2	2	3	4	2	-	-	-	-

Idaho

All races, both sexes.....	3	1	4	7	2	1	5	1	-	1	-	-
Male.....	2	-	2	2	1	-	1	1	-	-	-	-
Female.....	1	1	2	5	1	1	4	-	-	1	-	-
White, both sexes.....	3	1	4	7	2	1	4	1	-	1	-	-
Male.....	2	-	2	2	1	-	1	1	-	-	-	-
Female.....	1	1	2	5	1	1	3	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Illinois

All races, both sexes.....	58	51	36	29	38	39	20	13	9	5	-	-
Male.....	33	31	23	17	19	19	12	5	-	3	-	-
Female.....	25	20	13	12	19	20	8	8	9	2	-	-
White, both sexes.....	38	36	27	24	36	32	18	12	7	5	-	-
Male.....	20	21	17	12	19	16	11	5	-	3	-	-
Female.....	18	15	10	12	17	16	7	7	7	2	-	-
Black, both sexes.....	18	15	8	5	2	7	2	1	2	-	-	-
Male.....	11	10	5	5	-	3	1	-	-	-	-	-
Female.....	7	5	3	-	2	4	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	28	18	18	22	11	20	13	9	5	1	-	-
Male.....	22	12	10	13	6	8	8	2	2	-	-	-
Female.....	6	6	8	9	5	12	5	7	3	1	-	-
White, both sexes.....	24	12	15	19	9	19	13	9	4	1	-	-
Male.....	18	7	7	11	5	8	8	2	2	-	-	-
Female.....	6	5	8	8	4	11	5	7	2	1	-	-
Black, both sexes.....	4	5	3	3	1	1	-	-	1	-	-	-
Male.....	4	4	3	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Missouri

All races, both sexes.....	23	18	15	14	21	15	15	10	6	2	-	-
Male.....	19	14	8	10	14	5	8	4	-	-	-	-
Female.....	4	4	7	4	7	10	7	6	6	2	-	-
White, both sexes.....	17	12	13	12	20	13	13	9	6	2	-	-
Male.....	14	8	7	9	13	5	7	4	-	-	-	-
Female.....	3	4	6	3	7	8	6	5	6	2	-	-
Black, both sexes.....	5	6	2	2	1	2	2	1	-	-	-	-
Male.....	4	6	1	1	1	-	1	-	-	-	-	-
Female.....	1	-	1	1	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Montana

All races, both sexes.....	9	4	3	4	1	1	1	2	-	-	-	-
Male.....	7	1	2	3	-	-	-	1	-	-	-	-
Female.....	2	3	1	1	1	1	1	1	-	-	-	-
White, both sexes.....	6	1	2	4	1	-	1	2	-	-	-	-
Male.....	5	-	1	3	-	-	-	1	-	-	-	-
Female.....	1	1	1	1	1	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

New Hampshire

All races, both sexes.....	4	3	5	2	5	1	3	3	1	-	-	-
Male.....	3	2	4	1	3	1	1	1	1	-	-	-
Female.....	1	1	1	1	2	-	2	2	-	-	-	-
White, both sexes.....	4	3	5	2	5	1	3	3	1	-	-	-
Male.....	3	2	4	1	3	1	1	1	1	-	-	-
Female.....	1	1	1	1	2	-	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	43	37	33	24	33	29	26	8	7	2	1	-
Male.....	33	20	21	15	20	12	13	4	2	-	-	-
Female.....	10	17	12	9	13	17	13	4	5	2	1	-
White, both sexes.....	28	34	27	19	27	28	25	8	7	1	-	-
Male.....	21	18	17	13	18	12	13	4	2	-	-	-
Female.....	7	16	10	6	9	16	12	4	5	1	-	-
Black, both sexes.....	15	3	5	4	6	1	-	-	-	1	1	-
Male.....	12	2	3	1	2	-	-	-	-	-	-	-
Female.....	3	1	2	3	4	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

New Mexico

All races, both sexes.....	10	15	10	13	7	10	5	4	2	-	-	-
Male.....	7	11	6	4	4	3	1	3	1	-	-	-
Female.....	3	4	4	9	3	7	4	1	1	-	-	-
White, both sexes.....	7	11	9	10	7	10	4	4	1	-	-	-
Male.....	4	8	5	3	4	3	1	3	1	-	-	-
Female.....	3	3	4	7	3	7	3	1	-	-	-	-
Black, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	1	2	-	-	1	-	1	-	-	-
Male.....	3	3	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	56	44	55	28	38	37	31	28	10	3	1	-
Male.....	41	28	34	15	21	20	14	15	2	-	-	-
Female.....	15	16	21	13	17	17	17	13	8	3	1	-
White, both sexes.....	41	34	42	21	32	31	30	23	9	3	1	-
Male.....	31	19	26	10	18	18	14	12	2	-	-	-
Female.....	10	15	16	11	14	13	16	11	7	3	1	-
Black, both sexes.....	13	9	11	7	3	4	1	4	-	-	-	-
Male.....	8	9	7	5	1	1	-	2	-	-	-	-
Female.....	5	-	4	2	2	3	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	3	2	-	1	1	-	-	-
Male.....	2	-	1	-	2	1	-	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Oregon

All races, both sexes.....	14	8	1	12	-	7	11	2	1	-	-	-
Male.....	12	6	1	5	-	2	2	-	-	-	-	-
Female.....	2	2	-	7	-	5	9	2	1	-	-	-
White, both sexes.....	14	8	1	12	-	7	10	2	1	-	-	-
Male.....	12	6	1	5	-	2	2	-	-	-	-	-
Female.....	2	2	-	7	-	5	8	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	59	62	73	57	49	40	43	29	12	1	1	-
Male.....	40	39	43	31	24	18	18	11	5	-	1	-
Female.....	19	23	30	26	25	22	25	18	7	1	-	-
White, both sexes.....	47	49	60	51	44	35	40	28	12	1	1	-
Male.....	30	28	34	28	19	15	17	10	5	-	1	-
Female.....	17	21	26	23	25	20	23	18	7	1	-	-
Black, both sexes.....	12	13	12	6	5	4	3	1	-	-	-	-
Male.....	10	11	8	3	5	3	1	1	-	-	-	-
Female.....	2	2	4	3	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-











































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Alaska

All races, both sexes.....	-	-	-	-	-	1	2	-	2	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
White, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	3	3	1	2	7	8	9	7	6	2	-	-
Male.....	2	1	-	1	4	2	5	4	4	1	-	-
Female.....	1	2	1	1	3	6	4	3	2	1	-	-
White, both sexes.....	3	3	1	1	7	8	5	6	5	2	-	-
Male.....	2	1	-	1	4	2	3	4	4	1	-	-
Female.....	1	2	1	-	3	6	2	2	1	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Arkansas

All races, both sexes.....	1	-	4	1	6	9	6	6	8	1	-	-
Male.....	1	-	4	-	5	4	3	2	4	-	-	-
Female.....	-	-	-	1	1	5	3	4	4	1	-	-
White, both sexes.....	1	-	1	1	6	8	6	4	7	1	-	-
Male.....	1	-	1	-	5	3	3	2	4	-	-	-
Female.....	-	-	-	1	1	5	3	2	3	1	-	-
Black, both sexes.....	-	-	2	-	-	1	-	1	1	-	-	-
Male.....	-	-	2	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	13	16	31	28	59	67	41	32	12	2	-
Male.....	5	9	11	14	15	28	35	17	8	1	1	-
Female.....	3	4	5	17	13	31	32	24	24	11	1	-
White, both sexes.....	3	10	12	24	24	50	57	33	23	10	2	-
Male.....	3	7	9	12	13	25	30	12	7	1	1	-
Female.....	-	3	3	12	11	25	27	21	16	9	1	-
Black, both sexes.....	2	2	2	3	1	3	3	3	2	2	-	-
Male.....	1	2	-	1	-	1	1	1	-	-	-	-
Female.....	1	-	2	2	1	2	2	2	2	2	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	4	3	6	7	5	7	-	-	-
Male.....	1	-	-	1	2	2	4	4	1	-	-	-
Female.....	2	1	-	3	1	4	3	1	6	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Maine

All races, both sexes.....	2	-	-	1	2	6	3	4	2	-	-	-
Male.....	2	-	-	-	1	5	1	4	-	-	-	-
Female.....	-	-	-	1	1	1	2	-	2	-	-	-
White, both sexes.....	2	-	-	1	2	6	3	4	2	-	-	-
Male.....	2	-	-	-	1	5	1	4	-	-	-	-
Female.....	-	-	-	1	1	1	2	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	2	1	5	6	4	10	4	6	-	-	-
Male.....	-	1	1	2	3	-	3	1	1	-	-	-
Female.....	-	1	-	3	3	4	7	3	5	-	-	-
White, both sexes.....	-	1	1	3	6	3	8	4	6	-	-	-
Male.....	-	1	1	2	3	-	2	1	1	-	-	-
Female.....	-	-	-	1	3	3	6	3	5	-	-	-
Black, both sexes.....	-	1	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Massachusetts

All races, both sexes.....	-	2	1	2	4	11	16	17	5	3	1	-
Male.....	-	1	1	2	2	6	5	6	2	2	-	-
Female.....	-	1	-	-	2	5	11	11	3	1	1	-
White, both sexes.....	-	2	1	2	4	11	15	17	5	2	1	-
Male.....	-	1	1	2	2	6	4	6	2	1	-	-
Female.....	-	1	-	-	2	5	11	11	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	3	1	3	7	9	16	20	13	6	4	1	-
Male.....	2	-	3	3	3	7	11	6	1	-	-	-
Female.....	1	1	-	4	6	9	9	7	5	4	1	-
White, both sexes.....	-	1	2	5	8	14	20	12	6	4	1	-
Male.....	-	-	2	2	3	5	11	6	1	-	-	-
Female.....	-	1	-	3	5	9	9	6	5	4	1	-
Black, both sexes.....	2	-	1	2	1	2	-	-	-	-	-	-
Male.....	2	-	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

New Mexico

All races, both sexes.....	-	1	1	4	3	3	7	3	4	1	-	-
Male.....	-	1	-	-	2	2	4	1	1	-	-	-
Female.....	-	-	1	4	1	1	3	2	3	1	-	-
White, both sexes.....	-	1	1	4	3	1	7	3	2	1	-	-
Male.....	-	1	-	-	2	1	4	1	1	-	-	-
Female.....	-	-	1	4	1	-	3	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	4	6	17	13	12	41	36	20	8	3	-
Male.....	1	2	4	10	7	5	24	14	4	3	-	-
Female.....	-	2	2	7	6	7	17	22	16	5	3	-
White, both sexes.....	-	3	3	10	12	9	37	31	16	5	2	-
Male.....	-	1	2	6	6	4	21	12	3	2	-	-
Female.....	-	2	1	4	6	5	16	19	13	3	2	-
Black, both sexes.....	1	1	3	5	1	2	3	5	2	3	1	-
Male.....	1	1	2	3	1	1	3	2	-	1	-	-
Female.....	-	-	1	2	-	1	-	3	2	2	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	1	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	1	-	1	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Disorders of biliary tract and pancreas (K83-K86)												
Arkansas												
All races, both sexes.....	60	-	-	-	-	-	2	2	-	2	3	3
Male.....	29	-	-	-	-	-	1	1	-	2	2	1
Female.....	31	-	-	-	-	-	1	1	-	-	1	2
White, both sexes.....	45	-	-	-	-	-	2	1	-	2	1	2
Male.....	21	-	-	-	-	-	1	1	-	2	1	1
Female.....	24	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	14	-	-	-	-	-	-	1	-	-	2	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	460	-	1	-	1	2	3	8	7	15	31	26
Male.....	251	-	-	-	-	1	1	8	4	11	18	20
Female.....	209	-	1	-	1	1	2	-	3	4	13	6
White, both sexes.....	365	-	1	-	1	2	1	5	5	12	20	21
Male.....	197	-	-	-	-	1	-	5	3	8	12	15
Female.....	168	-	1	-	1	1	1	-	2	4	8	6
Black, both sexes.....	41	-	-	-	-	-	-	1	1	2	6	5
Male.....	25	-	-	-	-	-	-	1	-	2	5	5
Female.....	16	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	1	2	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	48	-	-	-	-	-	2	2	1	-	3	-
Male.....	26	-	-	-	-	-	1	2	1	-	1	-
Female.....	22	-	-	-	-	-	1	-	-	-	2	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Disorders of biliary tract and pancreas (K83-K86)

Illinois

All races, both sexes.....	220	1	-	-	-	1	1	1	5	8	10	14
Male.....	130	-	-	-	-	1	1	1	4	6	6	11
Female.....	90	1	-	-	-	-	-	-	1	2	4	3
White, both sexes.....	177	1	-	-	-	1	1	1	2	4	8	8
Male.....	102	-	-	-	-	1	1	1	2	3	4	8
Female.....	75	1	-	-	-	-	-	-	-	1	4	-
Black, both sexes.....	39	-	-	-	-	-	-	-	3	4	2	6
Male.....	26	-	-	-	-	-	-	-	2	3	2	3
Female.....	13	-	-	-	-	-	-	-	1	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	114	-	-	-	-	-	2	1	6	2	4	2
Male.....	47	-	-	-	-	-	-	1	4	1	3	1
Female.....	67	-	-	-	-	-	2	-	2	1	1	1
White, both sexes.....	99	-	-	-	-	-	-	1	4	2	3	2
Male.....	38	-	-	-	-	-	-	1	3	1	2	1
Female.....	61	-	-	-	-	-	-	-	1	1	1	1
Black, both sexes.....	12	-	-	-	-	-	2	-	1	-	1	-
Male.....	7	-	-	-	-	-	-	-	1	-	1	-
Female.....	5	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Arkansas

All races, both sexes.....	2	4	5	7	5	7	6	8	2	2	-	-
Male.....	1	3	2	4	1	4	3	3	-	1	-	-
Female.....	1	1	3	3	4	3	3	5	2	1	-	-
White, both sexes.....	1	3	5	5	4	6	3	6	2	2	-	-
Male.....	-	2	2	3	-	4	1	2	-	1	-	-
Female.....	1	1	3	2	4	2	2	4	2	1	-	-
Black, both sexes.....	1	1	-	2	1	1	2	2	-	-	-	-
Male.....	1	1	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	41	36	30	26	48	44	70	34	26	10	1	-
Male.....	29	26	15	20	24	25	28	11	9	1	-	-
Female.....	12	10	15	6	24	19	42	23	17	9	1	-
White, both sexes.....	32	32	25	17	34	38	61	25	25	7	1	-
Male.....	25	22	12	14	19	20	25	7	8	1	-	-
Female.....	7	10	13	3	15	18	36	18	17	6	1	-
Black, both sexes.....	5	4	3	4	5	-	2	3	-	-	-	-
Male.....	1	4	1	2	2	-	1	1	-	-	-	-
Female.....	4	-	2	2	3	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	4	9	5	7	6	1	3	-	-
Male.....	2	-	2	4	3	4	2	3	1	-	-	-
Female.....	1	-	-	-	6	1	5	3	-	3	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Maine

All races, both sexes.....	1	2	3	4	4	5	4	2	1	-	-	-
Male.....	-	1	3	3	1	2	1	-	1	-	-	-
Female.....	1	1	-	1	3	3	3	2	-	-	-	-
White, both sexes.....	1	2	3	4	3	5	4	2	1	-	-	-
Male.....	-	1	3	3	1	2	1	-	1	-	-	-
Female.....	1	1	-	1	2	3	3	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	5	8	9	7	13	10	10	10	-	-	-
Male.....	6	4	5	4	4	6	5	2	4	-	-	-
Female.....	1	1	3	5	3	7	5	8	6	-	-	-
White, both sexes.....	6	1	5	7	3	11	9	7	9	-	-	-
Male.....	5	-	3	3	3	5	4	2	3	-	-	-
Female.....	1	1	2	4	-	6	5	5	6	-	-	-
Black, both sexes.....	1	4	3	2	3	2	1	2	1	-	-	-
Male.....	1	4	2	1	1	1	1	-	1	-	-	-
Female.....	-	-	1	1	2	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Massachusetts

All races, both sexes.....	3	2	8	5	8	16	23	18	8	4	1	-
Male.....	2	2	6	3	4	10	7	6	3	1	-	-
Female.....	1	-	2	2	4	6	16	12	5	3	1	-
White, both sexes.....	2	1	7	4	7	16	23	17	8	3	1	-
Male.....	2	1	5	2	3	10	7	6	3	1	-	-
Female.....	-	-	2	2	4	6	16	11	5	2	1	-
Black, both sexes.....	1	1	1	1	1	-	-	1	-	1	-	-
Male.....	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	13	8	12	13	16	27	25	22	13	3	1	-
Male.....	10	5	9	7	8	15	11	7	5	2	-	-
Female.....	3	3	3	6	8	12	14	15	8	1	1	-
White, both sexes.....	7	5	12	11	13	24	23	21	12	2	1	-
Male.....	5	4	9	5	7	14	9	7	5	1	-	-
Female.....	2	1	3	6	6	10	14	14	7	1	1	-
Black, both sexes.....	6	3	-	2	3	3	2	1	-	1	-	-
Male.....	5	1	-	2	1	1	2	-	-	1	-	-
Female.....	1	2	-	-	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Nebraska

All races, both sexes.....	1	-	-	-	3	4	5	3	2	-	1	-
Male.....	-	-	-	-	3	4	3	1	1	-	-	-
Female.....	1	-	-	-	-	-	2	2	1	-	1	-
White, both sexes.....	1	-	-	-	3	4	5	3	2	-	1	-
Male.....	-	-	-	-	3	4	3	1	1	-	-	-
Female.....	1	-	-	-	-	-	2	2	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	3	2	3	-	5	3	5	1	1	-	-
Male.....	2	2	2	3	-	2	-	1	-	-	-	-
Female.....	2	1	-	-	-	3	3	4	1	1	-	-
White, both sexes.....	4	3	2	3	-	4	3	4	1	1	-	-
Male.....	2	2	2	3	-	2	-	-	-	-	-	-
Female.....	2	1	-	-	-	2	3	4	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Vermont

All races, both sexes.....	-	1	1	1	4	2	5	3	5	2	-	-
Male.....	-	1	-	-	2	-	-	1	-	1	-	-
Female.....	-	-	1	1	2	2	5	2	5	1	-	-
White, both sexes.....	-	1	1	1	4	2	5	3	5	2	-	-
Male.....	-	1	-	-	2	-	-	1	-	1	-	-
Female.....	-	-	1	1	2	2	5	2	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	11	9	11	14	13	14	16	10	2	1	-
Male.....	1	8	5	5	13	3	4	5	2	2	-	-
Female.....	1	3	4	6	1	10	10	11	8	-	1	-
White, both sexes.....	1	7	7	8	10	11	12	15	10	1	1	-
Male.....	1	6	4	5	9	1	3	4	2	1	-	-
Female.....	-	1	3	3	1	10	9	11	8	-	1	-
Black, both sexes.....	1	4	2	3	4	2	1	1	-	-	-	-
Male.....	-	2	1	-	4	2	1	1	-	-	-	-
Female.....	1	2	1	3	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pancreatitis (K85,K86.0-K86.1)

Arkansas

All races, both sexes.....	46	-	-	-	-	-	1	2	-	1	3	3
Male.....	19	-	-	-	-	-	-	1	-	1	2	1
Female.....	27	-	-	-	-	-	1	1	-	-	1	2
White, both sexes.....	33	-	-	-	-	-	1	1	-	1	1	2
Male.....	12	-	-	-	-	-	-	1	-	1	1	1
Female.....	21	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	12	-	-	-	-	-	-	1	-	-	2	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	326	-	-	-	1	1	3	8	5	14	26	25
Male.....	191	-	-	-	-	1	1	8	4	10	17	19
Female.....	135	-	-	-	1	-	2	-	1	4	9	6
White, both sexes.....	262	-	-	-	1	1	1	5	4	12	17	21
Male.....	151	-	-	-	-	1	-	5	3	8	12	15
Female.....	111	-	-	-	1	-	1	-	1	4	5	6
Black, both sexes.....	28	-	-	-	-	-	-	1	-	1	5	4
Male.....	18	-	-	-	-	-	-	1	-	1	4	4
Female.....	10	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	2	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	-	-	2	2	1	-	2	-
Male.....	19	-	-	-	-	-	1	2	1	-	1	-
Female.....	12	-	-	-	-	-	1	-	-	-	1	-



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Arkansas

All races, both sexes.....	2	3	4	6	4	4	5	5	2	1	-	-
Male.....	1	2	1	3	-	3	3	1	-	-	-	-
Female.....	1	1	3	3	4	1	2	4	2	1	-	-
White, both sexes.....	1	2	4	4	4	4	2	3	2	1	-	-
Male.....	-	1	1	2	-	3	1	-	-	-	-	-
Female.....	1	1	3	2	4	1	1	3	2	1	-	-
Black, both sexes.....	1	1	-	2	-	-	2	2	-	-	-	-
Male.....	1	1	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	34	31	26	16	26	25	43	19	16	7	-	-
Male.....	25	23	14	13	13	14	16	8	4	1	-	-
Female.....	9	8	12	3	13	11	27	11	12	6	-	-
White, both sexes.....	28	28	22	12	17	21	38	14	16	4	-	-
Male.....	22	20	11	10	9	10	15	5	4	1	-	-
Female.....	6	8	11	2	8	11	23	9	12	3	-	-
Black, both sexes.....	4	3	2	2	3	-	1	2	-	-	-	-
Male.....	1	3	1	1	1	-	-	1	-	-	-	-
Female.....	3	-	1	1	2	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	6	3	4	3	-	3	-	-
Male.....	1	-	2	2	3	3	1	2	-	-	-	-
Female.....	-	-	-	-	3	-	3	1	-	3	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Maine

All races, both sexes.....	1	2	2	4	3	4	3	1	-	-	-	-
Male.....	-	1	2	3	1	1	1	-	-	-	-	-
Female.....	1	1	-	1	2	3	2	1	-	-	-	-
White, both sexes.....	1	2	2	4	2	4	3	1	-	-	-	-
Male.....	-	1	2	3	1	1	1	-	-	-	-	-
Female.....	1	1	-	1	1	3	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	5	3	7	6	6	7	6	5	5	-	-	-
Male.....	4	3	5	4	3	3	3	1	1	-	-	-
Female.....	1	-	2	2	3	4	3	4	4	-	-	-
White, both sexes.....	5	-	5	5	3	7	6	3	5	-	-	-
Male.....	4	-	3	3	3	3	3	1	1	-	-	-
Female.....	1	-	2	2	-	4	3	2	4	-	-	-
Black, both sexes.....	-	3	2	1	2	-	-	1	-	-	-	-
Male.....	-	3	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Massachusetts

All races, both sexes.....	2	2	6	5	6	10	16	9	3	3	-	-
Male.....	1	2	5	3	3	6	3	3	-	1	-	-
Female.....	1	-	1	2	3	4	13	6	3	2	-	-
White, both sexes.....	1	1	5	4	5	10	16	9	3	2	-	-
Male.....	1	1	4	2	2	6	3	3	-	1	-	-
Female.....	-	-	1	2	3	4	13	6	3	1	-	-
Black, both sexes.....	1	1	1	1	1	-	-	-	-	1	-	-
Male.....	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	12	5	10	10	9	18	13	16	7	-	-	-
Male.....	9	2	7	4	3	11	7	6	1	-	-	-
Female.....	3	3	3	6	6	7	6	10	6	-	-	-
White, both sexes.....	6	3	10	8	7	16	12	16	6	-	-	-
Male.....	4	2	7	2	3	10	6	6	1	-	-	-
Female.....	2	1	3	6	4	6	6	10	5	-	-	-
Black, both sexes.....	6	2	-	2	2	2	1	-	-	-	-	-
Male.....	5	-	-	2	-	1	1	-	-	-	-	-
Female.....	1	2	-	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pancreatitis (K85,K86.0-K86.1)

Nebraska

All races, both sexes.....	-	-	-	-	3	3	4	2	1	-	1	-
Male.....	-	-	-	-	3	3	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	1	-
White, both sexes.....	-	-	-	-	3	3	4	2	1	-	1	-
Male.....	-	-	-	-	3	3	3	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	2	2	3	-	4	2	2	-	1	-	-
Male.....	1	2	2	3	-	2	-	1	-	-	-	-
Female.....	2	-	-	-	-	2	2	1	-	1	-	-
White, both sexes.....	3	2	2	3	-	3	2	1	-	1	-	-
Male.....	1	2	2	3	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	2	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Vermont

All races, both sexes.....	-	1	-	1	2	1	3	1	3	1	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	3	-	3	1	-	-
White, both sexes.....	-	1	-	1	2	1	3	1	3	1	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	3	-	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	9	6	11	13	8	10	7	5	-	-	-
Male.....	1	8	4	5	12	2	3	2	1	-	-	-
Female.....	1	1	2	6	1	6	7	5	4	-	-	-
White, both sexes.....	1	7	5	8	10	6	8	6	5	-	-	-
Male.....	1	6	3	5	9	-	2	1	1	-	-	-
Female.....	-	1	2	3	1	6	6	5	4	-	-	-
Black, both sexes.....	1	2	1	3	3	2	1	1	-	-	-	-
Male.....	-	2	1	-	3	2	1	1	-	-	-	-
Female.....	1	-	-	3	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

Illinois

All races, both sexes.....	59	1	-	-	-	-	-	-	-	2	-	3
Male.....	24	-	-	-	-	-	-	-	-	1	-	2
Female.....	35	1	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	50	1	-	-	-	-	-	-	-	2	-	2
Male.....	20	-	-	-	-	-	-	-	-	1	-	2
Female.....	30	1	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	34	-	-	-	-	-	-	-	2	-	-	-
Male.....	13	-	-	-	-	-	-	-	1	-	-	-
Female.....	21	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	31	-	-	-	-	-	-	-	1	-	-	-
Male.....	13	-	-	-	-	-	-	-	1	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

Arkansas

All races, both sexes.....	-	1	1	1	1	3	1	3	-	1	-	-
Male.....	-	1	1	1	1	1	-	2	-	1	-	-
Female.....	-	-	-	-	-	2	1	1	-	-	-	-
White, both sexes.....	-	1	1	1	-	2	1	3	-	1	-	-
Male.....	-	1	1	1	-	1	-	2	-	1	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	5	4	10	22	19	27	15	10	3	1	-
Male.....	4	3	1	7	11	11	12	3	5	-	-	-
Female.....	3	2	3	3	11	8	15	12	5	3	1	-
White, both sexes.....	4	4	3	5	17	17	23	11	9	3	1	-
Male.....	3	2	1	4	10	10	10	2	4	-	-	-
Female.....	1	2	2	1	7	7	13	9	5	3	1	-
Black, both sexes.....	1	1	1	2	2	-	1	1	-	-	-	-
Male.....	-	1	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	1	1	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	3	2	3	3	1	-	-	-
Male.....	1	-	-	2	-	1	1	1	1	-	-	-
Female.....	1	-	-	-	3	1	2	2	-	-	-	-















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

United States

All races, both sexes.....	204	265	346	457	659	1,046	1,407	1,603	1,257	518	118	-
Male.....	141	175	207	276	369	552	664	599	351	97	12	-
Female.....	63	90	139	181	290	494	743	1,004	906	421	106	-
White, both sexes.....	162	210	273	357	551	899	1,275	1,472	1,159	478	104	-
Male.....	114	138	168	223	306	477	606	552	328	92	11	-
Female.....	48	72	105	134	245	422	669	920	831	386	93	-
Black, both sexes.....	40	50	65	86	93	132	108	108	83	38	12	-
Male.....	26	34	35	43	55	65	46	37	16	4	-	-
Female.....	14	16	30	43	38	67	62	71	67	34	12	-
American Indian 1/, both sexes.....	2	4	3	6	1	3	6	11	3	-	-	-
Male.....	1	2	1	4	-	2	3	5	-	-	-	-
Female.....	1	2	2	2	1	1	3	6	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	5	8	14	12	18	12	12	2	2	-
Male.....	-	1	3	6	8	8	9	5	7	1	1	-
Female.....	-	-	2	2	6	4	9	7	5	1	1	-

Alabama

All races, both sexes.....	6	5	9	13	12	26	26	24	27	6	3	-
Male.....	4	4	6	8	7	14	19	7	11	2	-	-
Female.....	2	1	3	5	5	12	7	17	16	4	3	-
White, both sexes.....	4	4	5	11	9	20	20	20	23	5	2	-
Male.....	2	3	3	8	6	11	14	7	8	2	-	-
Female.....	2	1	2	3	3	9	6	13	15	3	2	-
Black, both sexes.....	2	1	4	2	3	5	6	4	4	1	1	-
Male.....	2	1	3	-	1	3	5	-	3	-	-	-
Female.....	-	-	1	2	2	2	1	4	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Arkansas

All races, both sexes.....	6	5	4	11	7	11	19	14	15	6	1	-
Male.....	6	4	1	9	5	7	7	5	7	1	-	-
Female.....	-	1	3	2	2	4	12	9	8	5	1	-
White, both sexes.....	4	4	3	8	7	8	18	13	15	6	1	-
Male.....	4	3	1	7	5	5	7	5	7	1	-	-
Female.....	-	1	2	1	2	3	11	8	8	5	1	-
Black, both sexes.....	2	1	1	3	-	3	1	1	-	-	-	-
Male.....	2	1	-	2	-	2	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	6	13	13	19	44	58	78	57	20	6	-
Male.....	3	3	6	9	12	22	31	34	23	2	-	-
Female.....	4	3	7	4	7	22	27	44	34	18	6	-
White, both sexes.....	7	5	10	11	17	38	53	76	53	18	5	-
Male.....	3	3	4	8	10	19	28	33	22	1	-	-
Female.....	4	2	6	3	7	19	25	43	31	17	5	-
Black, both sexes.....	-	1	-	2	2	3	3	-	-	2	-	-
Male.....	-	-	-	1	2	2	2	-	-	1	-	-
Female.....	-	1	-	1	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	-	3	2	2	3	-	1	-
Male.....	-	-	2	-	-	1	1	1	1	-	-	-
Female.....	-	-	1	-	-	2	1	1	2	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Florida

All races, both sexes.....	5	12	13	18	34	56	66	67	66	23	6	-
Male.....	5	9	8	9	22	30	40	32	19	8	1	-
Female.....	-	3	5	9	12	26	26	35	47	15	5	-
White, both sexes.....	5	10	11	14	30	45	63	65	60	23	6	-
Male.....	5	8	6	9	20	25	39	31	19	8	1	-
Female.....	-	2	5	5	10	20	24	34	41	15	5	-
Black, both sexes.....	-	2	2	4	3	11	3	2	6	-	-	-
Male.....	-	1	2	-	1	5	1	1	-	-	-	-
Female.....	-	1	-	4	2	6	2	1	6	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	6	15	14	13	19	32	45	32	28	14	-	-
Male.....	4	9	7	9	12	17	17	15	5	-	-	-
Female.....	2	6	7	4	7	15	28	17	23	14	-	-
White, both sexes.....	4	8	9	8	17	27	41	26	21	12	-	-
Male.....	3	4	4	6	12	14	17	13	4	-	-	-
Female.....	1	4	5	2	5	13	24	13	17	12	-	-
Black, both sexes.....	2	7	5	5	2	5	4	6	6	2	-	-
Male.....	1	5	3	3	-	3	-	2	1	-	-	-
Female.....	1	2	2	2	2	2	4	4	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of digestive system (K90,K92)

Hawaii

All races, both sexes.....	-	-	-	1	5	2	5	7	5	3	2	-
Male.....	-	-	-	1	2	2	4	3	3	3	1	-
Female.....	-	-	-	-	3	-	1	4	2	-	1	-
White, both sexes.....	-	-	-	-	1	-	-	1	1	2	1	-
Male.....	-	-	-	-	-	-	-	1	1	2	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	4	2	5	6	4	1	1	-
Male.....	-	-	-	1	2	2	4	2	2	1	1	-
Female.....	-	-	-	-	2	-	1	4	2	-	-	-

Idaho

All races, both sexes.....	-	1	-	2	5	6	8	10	10	-	-	-
Male.....	-	1	-	2	2	2	4	6	2	-	-	-
Female.....	-	-	-	-	3	4	4	4	8	-	-	-
White, both sexes.....	-	1	-	1	5	5	8	10	10	-	-	-
Male.....	-	1	-	1	2	2	4	6	2	-	-	-
Female.....	-	-	-	-	3	3	4	4	8	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Iowa

All races, both sexes.....	2	2	4	3	4	8	14	29	21	11	5	-
Male.....	1	1	3	2	2	3	7	10	5	2	2	-
Female.....	1	1	1	1	2	5	7	19	16	9	3	-
White, both sexes.....	2	2	4	3	4	8	14	29	21	11	5	-
Male.....	1	1	3	2	2	3	7	10	5	2	2	-
Female.....	1	1	1	1	2	5	7	19	16	9	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	2	3	4	7	8	22	22	16	6	1	-
Male.....	1	1	-	3	3	6	11	12	3	1	-	-
Female.....	-	1	3	1	4	2	11	10	13	5	1	-
White, both sexes.....	1	1	3	4	4	8	22	22	16	6	1	-
Male.....	1	1	-	3	2	6	11	12	3	1	-	-
Female.....	-	-	3	1	2	2	11	10	13	5	1	-
Black, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Maine

All races, both sexes.....	5	1	1	3	5	8	13	12	11	2	4	-
Male.....	4	1	1	1	1	5	6	3	2	-	-	-
Female.....	1	-	-	2	4	3	7	9	9	2	4	-
White, both sexes.....	5	1	1	2	5	8	13	12	11	2	4	-
Male.....	4	1	1	1	1	5	6	3	2	-	-	-
Female.....	1	-	-	1	4	3	7	9	9	2	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	8	7	10	9	12	26	35	32	20	11	3	-
Male.....	6	6	4	3	2	13	18	10	4	2	-	-
Female.....	2	1	6	6	10	13	17	22	16	9	3	-
White, both sexes.....	6	5	5	4	6	20	29	29	15	11	2	-
Male.....	5	4	2	1	-	10	15	9	3	2	-	-
Female.....	1	1	3	3	6	10	14	20	12	9	2	-
Black, both sexes.....	2	2	5	5	5	6	6	3	5	-	1	-
Male.....	1	2	2	2	2	3	3	1	1	-	-	-
Female.....	1	-	3	3	3	3	3	2	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

New Hampshire

All races, both sexes.....	-	-	1	2	1	4	5	11	6	4	1	-
Male.....	-	-	1	1	1	2	2	4	1	-	-	-
Female.....	-	-	-	1	-	2	3	7	5	4	1	-
White, both sexes.....	-	-	1	2	1	4	5	11	6	4	1	-
Male.....	-	-	1	1	1	2	2	4	1	-	-	-
Female.....	-	-	-	1	-	2	3	7	5	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	8	6	7	12	30	47	53	54	35	20	3	-
Male.....	4	3	3	6	17	26	26	17	9	3	1	-
Female.....	4	3	4	6	13	21	27	37	26	17	2	-
White, both sexes.....	5	5	7	9	23	41	51	50	30	17	3	-
Male.....	2	2	3	4	13	22	26	16	7	3	1	-
Female.....	3	3	4	5	10	19	25	34	23	14	2	-
Black, both sexes.....	3	1	-	3	6	5	1	4	4	3	-	-
Male.....	2	1	-	2	4	3	-	1	1	-	-	-
Female.....	1	-	-	1	2	2	1	3	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

New Mexico

All races, both sexes.....	3	1	1	4	4	9	10	12	9	1	2	-
Male.....	2	1	1	4	2	5	3	5	3	-	-	-
Female.....	1	-	-	-	2	4	7	7	6	1	2	-
White, both sexes.....	2	1	1	4	4	9	8	10	9	1	2	-
Male.....	1	1	1	4	2	5	3	5	3	-	-	-
Female.....	1	-	-	-	2	4	5	5	6	1	2	-
Black, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	7	11	18	25	32	66	80	90	74	28	5	-
Male.....	3	9	12	18	15	32	43	26	22	8	-	-
Female.....	4	2	6	7	17	34	37	64	52	20	5	-
White, both sexes.....	5	9	11	20	24	55	73	86	71	27	4	-
Male.....	2	8	8	15	12	29	38	26	22	8	-	-
Female.....	3	1	3	5	12	26	35	60	49	19	4	-
Black, both sexes.....	2	2	7	4	7	10	5	2	3	-	1	-
Male.....	1	1	4	2	2	2	4	-	-	-	-	-
Female.....	1	1	3	2	5	8	1	2	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	2	2	-	1	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Oregon

All races, both sexes.....	-	3	9	4	7	11	24	22	20	11	3	-
Male.....	-	2	6	3	2	8	10	7	6	4	1	-
Female.....	-	1	3	1	5	3	14	15	14	7	2	-
White, both sexes.....	-	2	9	3	7	11	23	22	19	11	3	-
Male.....	-	2	6	2	2	8	10	7	5	4	1	-
Female.....	-	-	3	1	5	3	13	15	14	7	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	16	18	25	32	43	72	90	109	94	42	8	-
Male.....	9	12	15	16	22	37	39	36	30	9	1	-
Female.....	7	6	10	16	21	35	51	73	64	33	7	-
White, both sexes.....	13	15	20	27	40	65	86	99	91	40	8	-
Male.....	8	10	13	12	21	34	37	29	30	9	1	-
Female.....	5	5	7	15	19	31	49	70	61	31	7	-
Black, both sexes.....	3	3	4	4	1	7	4	10	3	2	-	-
Male.....	1	2	1	3	-	3	2	7	-	-	-	-
Female.....	2	1	3	1	1	4	2	3	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Vermont

All races, both sexes.....	-	-	-	1	-	2	3	3	6	5	-	-
Male.....	-	-	-	-	-	2	3	2	1	-	-	-
Female.....	-	-	-	1	-	-	-	1	5	5	-	-
White, both sexes.....	-	-	-	-	-	2	3	3	6	5	-	-
Male.....	-	-	-	-	-	2	3	2	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	5	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	9	8	14	10	26	28	40	46	34	14	2	-
Male.....	6	4	9	6	14	13	18	14	8	1	-	-
Female.....	3	4	5	4	12	15	22	32	26	13	2	-
White, both sexes.....	9	4	10	8	17	22	35	37	30	13	2	-
Male.....	6	2	7	5	8	10	17	10	7	-	-	-
Female.....	3	2	3	3	9	12	18	27	23	13	2	-
Black, both sexes.....	-	4	4	2	8	6	4	9	4	1	-	-
Male.....	-	2	2	1	5	3	1	4	1	1	-	-
Female.....	-	2	2	1	3	3	3	5	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Arkansas

All races, both sexes.....	54	-	-	-	-	-	-	1	-	1	-	2
Male.....	16	-	-	-	-	-	-	-	-	1	-	-
Female.....	38	-	-	-	-	-	-	1	-	-	-	2
White, both sexes.....	42	-	-	-	-	-	-	-	-	1	-	-
Male.....	14	-	-	-	-	-	-	-	-	1	-	-
Female.....	28	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	12	-	-	-	-	-	-	1	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	1	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	266	-	-	2	2	1	-	3	2	8	10	11
Male.....	97	-	-	1	-	-	-	-	-	6	6	8
Female.....	169	-	-	1	2	1	-	3	2	2	4	3
White, both sexes.....	223	-	-	1	1	1	-	2	2	6	8	9
Male.....	76	-	-	-	-	-	-	-	-	4	5	7
Female.....	147	-	-	1	1	1	-	2	2	2	3	2
Black, both sexes.....	25	-	-	-	-	-	-	-	-	2	1	1
Male.....	11	-	-	-	-	-	-	-	-	2	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	1	1	-	-	1	-	-	1	1
Male.....	10	-	-	1	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	1	-	-	1	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Massachusetts

All races, both sexes.....	82	-	1	-	-	-	-	-	1	2	1	-
Male.....	26	-	-	-	-	-	-	-	1	2	-	-
Female.....	56	-	1	-	-	-	-	-	-	-	1	-
White, both sexes.....	79	-	1	-	-	-	-	-	1	2	1	-
Male.....	25	-	-	-	-	-	-	-	1	2	-	-
Female.....	54	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	176	-	-	-	-	-	-	-	1	5	3	5
Male.....	57	-	-	-	-	-	-	-	-	3	2	4
Female.....	119	-	-	-	-	-	-	-	1	2	1	1
White, both sexes.....	114	-	-	-	-	-	-	-	-	3	1	2
Male.....	33	-	-	-	-	-	-	-	-	2	1	2
Female.....	81	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	61	-	-	-	-	-	-	-	-	2	2	3
Male.....	24	-	-	-	-	-	-	-	-	1	1	2
Female.....	37	-	-	-	-	-	-	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Arkansas

All races, both sexes.....	3	4	1	2	3	10	7	12	2	5	1	-
Male.....	1	-	1	-	3	1	1	5	1	2	-	-
Female.....	2	4	-	2	-	9	6	7	1	3	1	-
White, both sexes.....	1	3	-	1	2	9	7	10	2	5	1	-
Male.....	1	-	-	-	2	1	1	5	1	2	-	-
Female.....	-	3	-	1	-	8	6	5	1	3	1	-
Black, both sexes.....	2	1	1	1	1	1	-	2	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	16	17	14	19	34	34	41	28	13	2	-
Male.....	6	6	8	6	9	10	9	11	5	6	-	-
Female.....	3	10	9	8	10	24	25	30	23	7	2	-
White, both sexes.....	6	13	16	11	15	32	28	35	25	11	1	-
Male.....	4	4	8	3	8	9	5	11	4	4	-	-
Female.....	2	9	8	8	7	23	23	24	21	7	1	-
Black, both sexes.....	3	3	1	1	4	2	3	2	-	1	1	-
Male.....	2	2	-	1	1	1	1	-	-	1	-	-
Female.....	1	1	1	-	3	1	2	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	3	4	3	1	-	-
Male.....	-	-	-	2	-	-	3	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	4	2	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

New Mexico

All races, both sexes.....	3	1	1	2	4	2	4	3	1	1	-	-
Male.....	2	-	-	2	2	1	1	2	-	-	-	-
Female.....	1	1	1	-	2	1	3	1	1	1	-	-
White, both sexes.....	3	-	-	2	4	2	4	2	1	1	-	-
Male.....	2	-	-	2	2	1	1	2	-	-	-	-
Female.....	1	-	-	-	2	1	3	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	9	15	15	29	37	53	38	41	18	3	-
Male.....	4	5	6	5	13	20	21	9	13	2	2	-
Female.....	5	4	9	10	16	17	32	29	28	16	1	-
White, both sexes.....	7	8	12	12	21	29	47	35	34	11	2	-
Male.....	4	4	5	5	9	17	20	8	13	2	2	-
Female.....	3	4	7	7	12	12	27	27	21	9	-	-
Black, both sexes.....	2	1	2	3	8	8	6	3	7	6	1	-
Male.....	-	1	1	-	4	3	1	1	-	-	-	-
Female.....	2	-	1	3	4	5	5	2	7	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

South Dakota

All races, both sexes.....	1	-	-	-	-	1	2	-	-	2	-	-
Male.....	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	-	-	-	-	-	1	2	-	-	2	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4	2	3	5	12	16	21	11	15	2	1	-
Male.....	2	-	1	3	6	5	4	3	4	-	-	-
Female.....	2	2	2	2	6	11	17	8	11	2	1	-
White, both sexes.....	3	1	3	4	8	13	18	9	10	2	1	-
Male.....	2	-	1	3	5	5	4	2	3	-	-	-
Female.....	1	1	2	1	3	8	14	7	7	2	1	-
Black, both sexes.....	1	1	-	1	3	3	3	2	5	-	-	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	1	1	-	1	2	3	3	1	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Texas

All races, both sexes.....	12	14	22	20	31	27	51	43	39	10	1	-
Male.....	6	8	14	9	16	11	18	16	7	1	-	-
Female.....	6	6	8	11	15	16	33	27	32	9	1	-
White, both sexes.....	9	12	16	17	21	21	41	37	30	9	-	-
Male.....	5	7	11	7	11	10	16	13	7	1	-	-
Female.....	4	5	5	10	10	11	25	24	23	8	-	-
Black, both sexes.....	3	2	6	3	9	6	10	6	9	1	1	-
Male.....	1	1	3	2	5	1	2	3	-	-	-	-
Female.....	2	1	3	1	4	5	8	3	9	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	1	1	-	1	2	2	4	6	1	-	-
Male.....	-	-	-	-	-	-	2	2	2	-	-	-
Female.....	-	1	1	-	1	2	-	2	4	1	-	-
White, both sexes.....	-	1	1	-	1	2	1	3	6	1	-	-
Male.....	-	-	-	-	-	-	1	2	2	-	-	-
Female.....	-	1	1	-	1	2	-	1	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Infections of skin and subcutaneous tissue (L00-L08)												
Arkansas												
All races, both sexes.....	1	-	1	-	2	4	1	2	1	3	-	-
Male.....	1	-	1	-	2	-	-	2	1	2	-	-
Female.....	-	-	-	-	-	4	1	-	-	1	-	-
White, both sexes.....	1	-	-	-	1	4	1	2	1	3	-	-
Male.....	1	-	-	-	1	-	-	2	1	2	-	-
Female.....	-	-	-	-	-	4	1	-	-	1	-	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8	12	12	4	9	17	18	16	12	4	1	-
Male.....	5	6	5	2	5	6	6	5	2	2	-	-
Female.....	3	6	7	2	4	11	12	11	10	2	1	-
White, both sexes.....	6	10	11	3	7	15	15	14	10	4	1	-
Male.....	4	4	5	1	5	5	4	5	1	2	-	-
Female.....	2	6	6	2	2	10	11	9	9	2	1	-
Black, both sexes.....	2	2	1	-	2	2	1	-	-	-	-	-
Male.....	1	2	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	2	2	-	-	-
Male.....	-	-	-	1	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-









































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Infections of skin and subcutaneous tissue (L00-L08)

South Dakota

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	1	-	-	2	5	10	5	4	7	-	-	-
Male.....	-	-	-	1	2	4	1	1	2	-	-	-
Female.....	1	-	-	1	3	6	4	3	5	-	-	-
White, both sexes.....	-	-	-	2	3	10	4	4	5	-	-	-
Male.....	-	-	-	1	1	4	1	1	1	-	-	-
Female.....	-	-	-	1	2	6	3	3	4	-	-	-
Black, both sexes.....	1	-	-	-	1	-	1	-	2	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Arkansas

All races, both sexes.....	39	-	-	-	-	-	-	1	-	1	-	2
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	32	-	-	-	-	-	-	1	-	-	-	2
White, both sexes.....	29	-	-	-	-	-	-	-	-	1	-	-
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	10	-	-	-	-	-	-	1	-	-	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	1	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	131	-	-	2	2	1	-	1	2	1	6	2
Male.....	38	-	-	1	-	-	-	-	-	-	3	2
Female.....	93	-	-	1	2	1	-	1	2	1	3	-
White, both sexes.....	109	-	-	1	1	1	-	-	2	1	4	2
Male.....	28	-	-	-	-	-	-	-	-	-	2	2
Female.....	81	-	-	1	1	1	-	-	2	1	2	-
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	1	-	-	1	-	-	1	-
Male.....	5	-	-	1	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	1	-	-	1	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Massachusetts

All races, both sexes.....	49	-	1	-	-	-	-	-	-	-	1	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	36	-	1	-	-	-	-	-	-	-	1	-
White, both sexes.....	47	-	1	-	-	-	-	-	-	-	1	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	35	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	110	-	-	-	-	-	-	-	1	3	2	3
Male.....	35	-	-	-	-	-	-	-	-	2	1	3
Female.....	75	-	-	-	-	-	-	-	1	1	1	-
White, both sexes.....	55	-	-	-	-	-	-	-	-	2	-	1
Male.....	14	-	-	-	-	-	-	-	-	2	-	1
Female.....	41	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	54	-	-	-	-	-	-	-	-	1	2	2
Male.....	21	-	-	-	-	-	-	-	-	-	1	2
Female.....	33	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Arkansas

All races, both sexes.....	2	4	-	2	1	6	6	10	1	2	1	-
Male.....	-	-	-	-	1	1	1	3	-	-	-	-
Female.....	2	4	-	2	-	5	5	7	1	2	1	-
White, both sexes.....	-	3	-	1	1	5	6	8	1	2	1	-
Male.....	-	-	-	-	1	1	1	3	-	-	-	-
Female.....	-	3	-	1	-	4	5	5	1	2	1	-
Black, both sexes.....	2	1	-	1	-	1	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	4	5	10	10	17	16	25	16	9	1	-
Male.....	1	-	3	4	4	4	3	6	3	4	-	-
Female.....	-	4	2	6	6	13	13	19	13	5	1	-
White, both sexes.....	-	3	5	8	8	17	13	21	15	7	-	-
Male.....	-	-	3	2	3	4	1	6	3	2	-	-
Female.....	-	3	2	6	5	13	12	15	12	5	-	-
Black, both sexes.....	1	1	-	1	2	-	2	2	-	1	1	-
Male.....	1	-	-	1	1	-	1	-	-	1	-	-
Female.....	-	1	-	-	1	-	1	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	2	1	1	-	-
Male.....	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

New Mexico

All races, both sexes.....	1	-	1	-	1	1	2	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	1	1	2	1	-	1	-	-
White, both sexes.....	1	-	-	-	1	1	2	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	2	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	5	9	8	17	24	32	28	29	13	2	-
Male.....	1	2	3	2	6	11	12	6	9	1	1	-
Female.....	3	3	6	6	11	13	20	22	20	12	1	-
White, both sexes.....	2	4	6	6	12	18	28	25	23	7	1	-
Male.....	1	1	2	2	3	9	11	5	9	1	1	-
Female.....	1	3	4	4	9	9	17	20	14	6	-	-
Black, both sexes.....	2	1	2	2	5	6	4	3	6	5	1	-
Male.....	-	1	1	-	3	2	1	1	-	-	-	-
Female.....	2	-	1	2	2	4	3	2	6	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	1	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Texas

All races, both sexes.....	6	9	11	8	20	19	37	28	26	6	1	-
Male.....	2	4	6	4	12	9	10	10	6	-	-	-
Female.....	4	5	5	4	8	10	27	18	20	6	1	-
White, both sexes.....	4	7	6	7	11	13	28	22	18	5	-	-
Male.....	2	3	4	3	7	8	8	7	6	-	-	-
Female.....	2	4	2	4	4	5	20	15	12	5	-	-
Black, both sexes.....	2	2	5	1	9	6	9	6	8	1	1	-
Male.....	-	1	2	1	5	1	2	3	-	-	-	-
Female.....	2	1	3	-	4	5	7	3	8	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	1	1	-	1	1	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	1	1	-	1	1	-	1	1	-	-	-
White, both sexes.....	-	1	1	-	1	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	1	-	1	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	157	1	-	-	-	-	2	1	2	3	4	9
Male.....	43	-	-	-	-	-	-	-	1	-	1	-
Female.....	114	1	-	-	-	-	2	1	1	3	3	9
White, both sexes.....	137	1	-	-	-	-	-	-	1	2	4	7
Male.....	39	-	-	-	-	-	-	-	-	-	1	-
Female.....	98	1	-	-	-	-	-	-	1	2	3	7
Black, both sexes.....	18	-	-	-	-	-	2	1	1	1	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	15	-	-	-	-	-	2	1	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,465	2	5	-	2	14	10	24	23	33	42	62
Male.....	475	1	4	-	1	2	1	4	9	9	10	29
Female.....	990	1	1	-	1	12	9	20	14	24	32	33
White, both sexes.....	1,205	2	3	-	2	7	7	14	14	20	30	45
Male.....	386	1	3	-	1	1	1	3	7	6	6	22
Female.....	819	1	-	-	1	6	6	11	7	14	24	23
Black, both sexes.....	136	-	1	-	-	5	3	4	4	7	10	13
Male.....	42	-	-	-	-	1	-	-	1	1	2	5
Female.....	94	-	1	-	-	4	3	4	3	6	8	8
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	110	-	1	-	-	2	-	6	5	5	2	4
Male.....	41	-	1	-	-	-	-	1	1	1	2	2
Female.....	69	-	-	-	-	2	-	5	4	4	-	2

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Maine

All races, both sexes.....	88	-	-	-	-	-	-	1	1	1	-	-
Male.....	22	-	-	-	-	-	-	1	-	1	-	-
Female.....	66	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	86	-	-	-	-	-	-	1	1	1	-	-
Male.....	22	-	-	-	-	-	-	1	-	1	-	-
Female.....	64	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	287	-	1	-	-	2	3	6	2	6	11	17
Male.....	84	-	1	-	-	1	-	1	1	5	4	6
Female.....	203	-	-	-	-	1	3	5	1	1	7	11
White, both sexes.....	184	-	-	-	-	1	1	1	2	2	3	8
Male.....	56	-	-	-	-	1	-	1	1	2	2	3
Female.....	128	-	-	-	-	-	1	-	1	-	1	5
Black, both sexes.....	95	-	1	-	-	1	1	5	-	4	8	9
Male.....	25	-	1	-	-	-	-	-	-	3	2	3
Female.....	70	-	-	-	-	1	1	5	-	1	6	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Nebraska

All races, both sexes.....	106	-	-	-	1	1	1	1	-	1	2	1
Male.....	25	-	-	-	1	-	-	-	-	-	2	1
Female.....	81	-	-	-	-	1	1	1	-	1	-	-
White, both sexes.....	105	-	-	-	1	1	1	1	-	-	2	1
Male.....	25	-	-	-	1	-	-	-	-	-	2	1
Female.....	80	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Nevada

All races, both sexes.....	80	-	-	-	-	1	1	3	2	1	2	2
Male.....	30	-	-	-	-	-	-	-	1	-	1	2
Female.....	50	-	-	-	-	1	1	3	1	1	1	-
White, both sexes.....	70	-	-	-	-	1	1	2	1	-	2	1
Male.....	27	-	-	-	-	-	-	-	1	-	1	1
Female.....	43	-	-	-	-	1	1	2	-	-	1	-
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	105	-	-	-	1	2	1	4	1	1	7	6
Male.....	29	-	-	-	-	1	-	1	-	1	2	3
Female.....	76	-	-	-	1	1	1	3	1	-	5	3
White, both sexes.....	94	-	-	-	1	2	1	3	-	-	7	4
Male.....	25	-	-	-	-	1	-	1	-	-	2	1
Female.....	69	-	-	-	1	1	1	2	-	-	5	3
Black, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	646	2	-	1	2	5	5	14	10	19	15	26
Male.....	195	2	-	1	2	2	1	6	4	5	4	5
Female.....	451	-	-	-	-	3	4	8	6	14	11	21
White, both sexes.....	500	2	-	1	1	2	3	4	4	11	7	9
Male.....	156	2	-	1	1	2	1	3	-	4	2	2
Female.....	344	-	-	-	-	-	2	1	4	7	5	7
Black, both sexes.....	129	-	-	-	1	3	2	10	4	6	6	17
Male.....	33	-	-	-	1	-	-	3	2	1	1	3
Female.....	96	-	-	-	-	3	2	7	2	5	5	14
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	-	2	2	2	-
Male.....	6	-	-	-	-	-	-	-	2	-	1	-
Female.....	11	-	-	-	-	-	-	-	-	2	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Oregon

All races, both sexes.....	267	-	-	-	-	-	-	-	1	2	4	5
Male.....	84	-	-	-	-	-	-	-	-	1	2	2
Female.....	183	-	-	-	-	-	-	-	1	1	2	3
White, both sexes.....	256	-	-	-	-	-	-	-	1	2	4	5
Male.....	82	-	-	-	-	-	-	-	-	1	2	2
Female.....	174	-	-	-	-	-	-	-	1	1	2	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	714	-	-	1	-	2	5	5	6	9	16	23
Male.....	214	-	-	-	-	2	3	4	-	4	7	6
Female.....	500	-	-	1	-	-	2	1	6	5	9	17
White, both sexes.....	633	-	-	-	-	2	4	3	3	6	12	18
Male.....	183	-	-	-	-	2	3	2	-	2	5	5
Female.....	450	-	-	-	-	-	1	1	3	4	7	13
Black, both sexes.....	76	-	-	1	-	-	-	2	3	3	4	4
Male.....	30	-	-	-	-	-	-	2	-	2	2	1
Female.....	46	-	-	1	-	-	-	-	3	1	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	1















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

United States

All races, both sexes.....	629	701	848	957	1,365	1,883	2,192	2,031	1,422	636	171	-
Male.....	220	251	293	381	482	644	619	506	265	76	19	-
Female.....	409	450	555	576	883	1,239	1,573	1,525	1,157	560	152	-
White, both sexes.....	445	541	683	794	1,178	1,686	1,993	1,893	1,322	586	152	-
Male.....	168	192	236	308	407	562	553	466	237	67	15	-
Female.....	277	349	447	486	771	1,124	1,440	1,427	1,085	519	137	-
Black, both sexes.....	166	134	140	135	153	160	153	97	83	40	13	-
Male.....	49	48	52	64	64	67	52	27	22	6	1	-
Female.....	117	86	88	71	89	93	101	70	61	34	12	-
American Indian 1/, both sexes.....	9	10	10	11	12	11	11	10	2	3	1	-
Male.....	2	2	4	3	4	5	2	3	1	-	1	-
Female.....	7	8	6	8	8	6	9	7	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	9	16	15	17	22	26	35	31	15	7	5	-
Male.....	1	9	1	6	7	10	12	10	5	3	2	-
Female.....	8	7	14	11	15	16	23	21	10	4	3	-

Alabama

All races, both sexes.....	10	19	18	11	25	32	40	26	22	13	4	-
Male.....	4	10	8	-	11	8	11	6	2	1	-	-
Female.....	6	9	10	11	14	24	29	20	20	12	4	-
White, both sexes.....	6	11	14	6	19	27	29	22	19	8	2	-
Male.....	3	6	7	-	8	6	9	5	1	1	-	-
Female.....	3	5	7	6	11	21	20	17	18	7	2	-
Black, both sexes.....	4	8	4	5	6	5	10	4	3	5	2	-
Male.....	1	4	1	-	3	2	2	1	1	-	-	-
Female.....	3	4	3	5	3	3	8	3	2	5	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	8	6	11	13	14	20	28	17	16	2	-	-
Male.....	3	2	2	6	3	7	10	4	4	-	-	-
Female.....	5	4	9	7	11	13	18	13	12	2	-	-
White, both sexes.....	6	6	10	12	12	19	24	16	16	1	-	-
Male.....	3	2	1	5	3	7	9	4	4	-	-	-
Female.....	3	4	9	7	9	12	15	12	12	1	-	-
Black, both sexes.....	2	-	1	1	1	1	3	1	-	1	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	71	89	91	96	137	198	207	187	107	51	14	-
Male.....	30	33	31	40	46	73	67	54	23	7	1	-
Female.....	41	56	60	56	91	125	140	133	84	44	13	-
White, both sexes.....	53	70	73	79	118	170	179	164	96	46	13	-
Male.....	24	26	25	29	38	60	57	51	20	5	-	-
Female.....	29	44	48	50	80	110	122	113	76	41	13	-
Black, both sexes.....	13	9	11	10	11	13	12	4	4	2	-	-
Male.....	5	3	5	7	4	5	2	-	-	1	-	-
Female.....	8	6	6	3	7	8	10	4	4	1	-	-
American Indian 1/, both sexes.....	1	1	3	-	2	3	1	2	-	-	-	-
Male.....	-	-	-	-	1	2	1	1	-	-	-	-
Female.....	1	1	3	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	4	7	6	12	15	17	7	3	1	-
Male.....	1	4	1	4	3	6	7	2	3	1	1	-
Female.....	3	5	3	3	3	6	8	15	4	2	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Delaware

All races, both sexes.....	2	1	2	1	1	8	5	6	3	1	-	-
Male.....	1	1	1	-	-	2	-	1	1	-	-	-
Female.....	1	-	1	1	1	6	5	5	2	1	-	-
White, both sexes.....	1	1	1	-	-	8	4	6	2	1	-	-
Male.....	-	1	-	-	-	2	-	1	1	-	-	-
Female.....	1	-	1	-	-	6	4	5	1	1	-	-
Black, both sexes.....	1	-	1	1	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	2	4	1	1	8	7	1	6	2	-	-
Male.....	-	2	-	-	1	3	4	1	-	-	-	-
Female.....	1	-	4	1	-	5	3	-	6	2	-	-
White, both sexes.....	-	-	-	1	1	-	1	1	4	1	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	4	1	-	-
Black, both sexes.....	1	2	4	-	-	8	6	-	2	-	-	-
Male.....	-	2	-	-	-	3	3	-	-	-	-	-
Female.....	1	-	4	-	-	5	3	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Maine

All races, both sexes.....	-	1	2	12	10	9	12	11	15	8	5	-
Male.....	-	-	-	4	2	2	6	1	3	1	1	-
Female.....	-	1	2	8	8	7	6	10	12	7	4	-
White, both sexes.....	-	1	2	12	9	9	12	10	15	8	5	-
Male.....	-	-	-	4	2	2	6	1	3	1	1	-
Female.....	-	1	2	8	7	7	6	9	12	7	4	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	20	12	20	28	37	36	36	20	11	6	-
Male.....	5	6	4	5	9	15	13	4	2	2	-	-
Female.....	8	14	8	15	19	22	23	32	18	9	6	-
White, both sexes.....	5	12	8	11	17	23	30	30	17	9	4	-
Male.....	2	4	4	2	4	11	13	3	1	2	-	-
Female.....	3	8	4	9	13	12	17	27	16	7	4	-
Black, both sexes.....	8	7	4	8	9	13	6	5	2	2	2	-
Male.....	3	1	-	2	5	4	-	1	-	-	-	-
Female.....	5	6	4	6	4	9	6	4	2	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	1	-	1	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Massachusetts

All races, both sexes.....	9	17	12	16	37	42	46	53	30	16	5	-
Male.....	2	3	4	5	12	20	16	14	5	1	-	-
Female.....	7	14	8	11	25	22	30	39	25	15	5	-
White, both sexes.....	9	17	12	15	34	40	45	53	30	16	5	-
Male.....	2	3	4	4	11	19	15	14	5	1	-	-
Female.....	7	14	8	11	23	21	30	39	25	15	5	-
Black, both sexes.....	-	-	-	1	2	2	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	21	24	38	31	39	66	77	78	48	20	3	-
Male.....	11	9	12	11	18	23	23	20	6	1	1	-
Female.....	10	15	26	20	21	43	54	58	42	19	2	-
White, both sexes.....	14	18	32	25	32	59	73	73	45	19	3	-
Male.....	8	7	12	9	14	18	22	17	6	1	1	-
Female.....	6	11	20	16	18	41	51	56	39	18	2	-
Black, both sexes.....	7	6	5	5	7	7	3	5	3	1	-	-
Male.....	3	2	-	2	4	5	1	3	-	-	-	-
Female.....	4	4	5	3	3	2	2	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Nebraska

All races, both sexes.....	3	-	4	3	4	13	18	26	15	10	2	-
Male.....	-	-	1	2	1	3	5	6	3	-	-	-
Female.....	3	-	3	1	3	10	13	20	12	10	2	-
White, both sexes.....	3	-	4	3	4	13	18	26	15	10	2	-
Male.....	-	-	1	2	1	3	5	6	3	-	-	-
Female.....	3	-	3	1	3	10	13	20	12	10	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	4	10	6	4	10	13	4	9	3	1	-
Male.....	2	1	5	4	2	5	5	2	-	-	-	-
Female.....	2	3	5	2	2	5	8	2	9	3	1	-
White, both sexes.....	4	4	7	5	4	9	13	4	9	2	1	-
Male.....	2	1	4	3	2	5	5	2	-	-	-	-
Female.....	2	3	3	2	2	4	8	2	9	2	1	-
Black, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Hampshire

All races, both sexes.....	-	2	2	3	-	6	13	13	8	7	-	-
Male.....	-	-	-	2	-	3	4	5	1	1	-	-
Female.....	-	2	2	1	-	3	9	8	7	6	-	-
White, both sexes.....	-	2	2	3	-	6	13	13	8	7	-	-
Male.....	-	-	-	2	-	3	4	5	1	1	-	-
Female.....	-	2	2	1	-	3	9	8	7	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	16	18	22	23	39	63	69	52	35	13	2	-
Male.....	7	4	6	6	17	25	19	11	9	1	-	-
Female.....	9	14	16	17	22	38	50	41	26	12	2	-
White, both sexes.....	11	15	15	17	29	57	64	42	32	10	1	-
Male.....	4	3	5	4	12	22	17	6	7	1	-	-
Female.....	7	12	10	13	17	35	47	36	25	9	1	-
Black, both sexes.....	4	3	7	6	9	5	5	8	3	3	1	-
Male.....	3	1	1	2	5	3	2	4	2	-	-	-
Female.....	1	2	6	4	4	2	3	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	4	-	6	8	9	11	20	8	11	2	3	-
Male.....	2	-	2	5	3	1	4	4	-	-	-	-
Female.....	2	-	4	3	6	10	16	4	11	2	3	-
White, both sexes.....	3	-	6	8	8	11	19	7	11	1	2	-
Male.....	1	-	2	5	3	1	4	4	-	-	-	-
Female.....	2	-	4	3	5	10	15	3	11	1	2	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	40	32	49	41	59	80	88	70	54	28	6	-
Male.....	13	9	15	15	22	25	29	23	9	2	1	-
Female.....	27	23	34	26	37	55	59	47	45	26	5	-
White, both sexes.....	26	24	30	31	45	73	82	62	51	27	5	-
Male.....	11	8	9	9	18	21	28	23	8	2	1	-
Female.....	15	16	21	22	27	52	54	39	43	25	4	-
Black, both sexes.....	12	6	17	10	11	6	5	8	3	1	1	-
Male.....	2	-	6	6	3	3	1	-	1	-	-	-
Female.....	10	6	11	4	8	3	4	8	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	-	3	1	1	-	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	2	1	2	-	2	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Ohio

All races, both sexes.....	35	32	22	37	71	95	104	91	72	27	11	-
Male.....	10	11	10	13	25	28	25	24	12	2	2	-
Female.....	25	21	12	24	46	67	79	67	60	25	9	-
White, both sexes.....	30	24	16	33	61	87	96	89	68	25	10	-
Male.....	10	6	7	12	22	23	21	24	12	2	1	-
Female.....	20	18	9	21	39	64	75	65	56	23	9	-
Black, both sexes.....	5	8	6	4	10	8	8	2	3	2	-	-
Male.....	-	5	3	1	3	5	4	-	-	-	-	-
Female.....	5	3	3	3	7	3	4	2	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Oklahoma

All races, both sexes.....	3	17	17	24	24	28	29	30	19	10	1	-
Male.....	2	6	5	10	8	10	8	7	3	1	-	-
Female.....	1	11	12	14	16	18	21	23	16	9	1	-
White, both sexes.....	2	13	16	16	21	26	26	30	18	7	1	-
Male.....	1	5	4	6	8	8	5	7	3	-	-	-
Female.....	1	8	12	10	13	18	21	23	15	7	1	-
Black, both sexes.....	1	2	-	5	1	1	2	-	1	2	-	-
Male.....	1	-	-	4	-	1	2	-	-	1	-	-
Female.....	-	2	-	1	1	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	2	1	3	1	1	1	-	-	1	-	-
Male.....	-	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	3	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Oregon

All races, both sexes.....	10	9	20	20	29	27	55	46	22	15	2	-
Male.....	5	6	8	8	11	11	12	9	5	4	-	-
Female.....	5	3	12	12	18	16	43	37	17	11	2	-
White, both sexes.....	10	9	20	19	28	24	52	44	21	15	2	-
Male.....	5	6	8	7	11	10	12	9	5	4	-	-
Female.....	5	3	12	12	17	14	40	35	16	11	2	-
Black, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	3	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	3	2	-	-	-	-

Pennsylvania

All races, both sexes.....	19	31	50	44	59	100	126	112	76	24	6	-
Male.....	6	11	13	21	19	26	44	35	11	2	-	-
Female.....	13	20	37	23	40	74	82	77	65	22	6	-
White, both sexes.....	12	24	45	38	50	94	118	107	71	20	6	-
Male.....	4	7	11	17	17	25	40	34	9	-	-	-
Female.....	8	17	34	21	33	69	78	73	62	20	6	-
Black, both sexes.....	7	7	5	5	8	6	8	5	5	3	-	-
Male.....	2	4	2	4	2	1	4	1	2	1	-	-
Female.....	5	3	3	1	6	5	4	4	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Rhode Island

All races, both sexes.....	-	4	3	7	-	9	11	12	4	-	1	-
Male.....	-	-	-	2	-	4	3	-	2	-	1	-
Female.....	-	4	3	5	-	5	8	12	2	-	-	-
White, both sexes.....	-	2	3	7	-	9	8	12	4	-	1	-
Male.....	-	-	-	2	-	4	2	-	2	-	1	-
Female.....	-	2	3	5	-	5	6	12	2	-	-	-
Black, both sexes.....	-	2	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	14	16	12	25	20	31	43	20	20	5	2	-
Male.....	4	7	5	5	6	12	15	5	6	1	-	-
Female.....	10	9	7	20	14	19	28	15	14	4	2	-
White, both sexes.....	7	14	9	20	18	27	35	18	16	5	2	-
Male.....	2	6	4	4	5	9	13	4	3	1	-	-
Female.....	5	8	5	16	13	18	22	14	13	4	2	-
Black, both sexes.....	7	2	3	5	2	4	7	2	4	-	-	-
Male.....	2	1	1	1	1	3	2	1	3	-	-	-
Female.....	5	1	2	4	1	1	5	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

South Dakota

All races, both sexes.....	1	-	4	2	3	13	7	10	10	4	1	-
Male.....	1	-	2	-	-	4	1	1	-	1	-	-
Female.....	-	-	2	2	3	9	6	9	10	3	1	-
White, both sexes.....	1	-	3	2	3	11	7	8	10	4	1	-
Male.....	1	-	2	-	-	4	1	-	-	1	-	-
Female.....	-	-	1	2	3	7	6	8	10	3	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	18	24	19	27	38	51	42	43	25	14	1	-
Male.....	4	8	7	12	13	17	13	9	1	3	-	-
Female.....	14	16	12	15	25	34	29	34	24	11	1	-
White, both sexes.....	11	17	15	25	30	43	38	42	23	12	1	-
Male.....	2	5	7	12	7	15	11	9	-	1	-	-
Female.....	9	12	8	13	23	28	27	33	23	11	1	-
Black, both sexes.....	7	7	4	2	7	8	4	1	2	2	-	-
Male.....	2	3	-	-	6	2	2	-	1	2	-	-
Female.....	5	4	4	2	1	6	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Vermont

All races, both sexes.....	1	6	-	3	2	5	12	7	11	2	-	-
Male.....	1	2	-	1	2	-	3	-	1	1	-	-
Female.....	-	4	-	2	-	5	9	7	10	1	-	-
White, both sexes.....	1	6	-	3	2	5	12	7	11	2	-	-
Male.....	1	2	-	1	2	-	3	-	1	1	-	-
Female.....	-	4	-	2	-	5	9	7	10	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	16	19	25	25	35	51	51	63	24	19	4	-
Male.....	4	9	6	15	11	16	13	10	7	2	-	-
Female.....	12	10	19	10	24	35	38	53	17	17	4	-
White, both sexes.....	9	13	19	16	27	41	44	53	21	15	4	-
Male.....	-	7	5	7	8	13	12	8	6	1	-	-
Female.....	9	6	14	9	19	28	32	45	15	14	4	-
Black, both sexes.....	6	6	5	8	7	10	6	10	3	4	-	-
Male.....	4	2	1	8	2	3	1	2	1	1	-	-
Female.....	2	4	4	-	5	7	5	8	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	1	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Arkansas

All races, both sexes.....	-	3	3	4	6	2	8	6	1	-	-	-
Male.....	-	-	1	1	-	-	2	1	-	-	-	-
Female.....	-	3	2	3	6	2	6	5	1	-	-	-
White, both sexes.....	-	3	3	4	5	2	7	5	1	-	-	-
Male.....	-	-	1	1	-	-	2	1	-	-	-	-
Female.....	-	3	2	3	5	2	5	4	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	15	18	17	30	47	60	37	13	6	-	-
Male.....	2	6	8	4	4	13	15	8	2	-	-	-
Female.....	3	9	10	13	26	34	45	29	11	6	-	-
White, both sexes.....	5	14	17	16	27	42	50	31	13	5	-	-
Male.....	2	5	8	3	3	10	14	7	2	-	-	-
Female.....	3	9	9	13	24	32	36	24	11	5	-	-
Black, both sexes.....	-	1	-	1	2	1	4	-	-	1	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	4	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	5	5	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	5	5	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Maine

All races, both sexes.....	-	-	-	2	3	2	2	1	3	1	-	-
Male.....	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	2	2	1	1	1	2	1	-	-
White, both sexes.....	-	-	-	2	3	2	2	1	3	1	-	-
Male.....	-	-	-	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	2	2	1	1	1	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	4	3	5	8	5	8	6	-	1	-	-
Male.....	-	1	1	1	1	-	2	-	-	-	-	-
Female.....	-	3	2	4	7	5	6	6	-	1	-	-
White, both sexes.....	-	4	3	5	5	3	7	4	-	1	-	-
Male.....	-	1	1	1	-	-	2	-	-	-	-	-
Female.....	-	3	2	4	5	3	5	4	-	1	-	-
Black, both sexes.....	-	-	-	-	1	2	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

New Mexico

All races, both sexes.....	1	-	1	2	4	2	7	2	1	1	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	1	1	3	2	6	2	1	1	-	-
White, both sexes.....	1	-	1	2	3	2	7	1	1	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	1	1	2	2	6	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	2	8	7	9	20	20	15	5	2	-	-
Male.....	-	-	2	1	3	4	2	1	-	-	-	-
Female.....	-	2	6	6	6	16	18	14	5	2	-	-
White, both sexes.....	-	2	6	5	9	19	18	13	5	2	-	-
Male.....	-	-	2	1	3	4	2	1	-	-	-	-
Female.....	-	2	4	4	6	15	16	12	5	2	-	-
Black, both sexes.....	-	-	2	2	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	2	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Ohio

All races, both sexes.....	2	5	6	3	19	16	26	18	12	1	1	-
Male.....	-	2	1	1	7	6	6	5	4	-	-	-
Female.....	2	3	5	2	12	10	20	13	8	1	1	-
White, both sexes.....	1	5	5	3	18	16	23	17	12	1	1	-
Male.....	-	2	1	1	7	6	4	5	4	-	-	-
Female.....	1	3	4	2	11	10	19	12	8	1	1	-
Black, both sexes.....	1	-	1	-	1	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	-	3	3	10	7	8	7	3	-	1	-	-
Male.....	-	2	1	2	4	2	2	-	-	-	-	-
Female.....	-	1	2	8	3	6	5	3	-	1	-	-
White, both sexes.....	-	2	3	8	6	8	7	3	-	-	-	-
Male.....	-	1	1	2	4	2	2	-	-	-	-	-
Female.....	-	1	2	6	2	6	5	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	-	-	-	-	-	1	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Oregon

All races, both sexes.....	2	1	5	4	6	8	17	12	3	2	-	-
Male.....	1	-	1	-	2	4	1	1	1	1	-	-
Female.....	1	1	4	4	4	4	16	11	2	1	-	-
White, both sexes.....	2	1	5	4	6	7	15	11	3	2	-	-
Male.....	1	-	1	-	2	4	1	1	1	1	-	-
Female.....	1	1	4	4	4	3	14	10	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Pennsylvania

All races, both sexes.....	4	10	9	9	17	19	31	27	11	3	-	-
Male.....	2	4	4	3	3	1	10	6	2	-	-	-
Female.....	2	6	5	6	14	18	21	21	9	3	-	-
White, both sexes.....	4	8	8	9	13	18	31	27	11	3	-	-
Male.....	2	3	3	3	3	1	10	6	2	-	-	-
Female.....	2	5	5	6	10	17	21	21	9	3	-	-
Black, both sexes.....	-	2	1	-	3	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	3	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Systemic lupus erythematosus (M32)												
Arkansas												
All races, both sexes.....	23	-	-	-	-	-	2	-	1	2	1	4
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	-	-	-	2	-	1	2	1	4
White, both sexes.....	20	-	-	-	-	-	-	-	1	1	1	4
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	1	1	1	4
Black, both sexes.....	3	-	-	-	-	-	2	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	166	-	-	-	1	7	8	16	12	16	21	11
Male.....	20	-	-	-	1	1	1	2	1	2	2	2
Female.....	146	-	-	-	-	6	7	14	11	14	19	9
White, both sexes.....	107	-	-	-	1	3	6	8	8	9	14	6
Male.....	12	-	-	-	1	-	1	1	1	1	1	2
Female.....	95	-	-	-	-	3	5	7	7	8	13	4
Black, both sexes.....	40	-	-	-	-	4	2	4	3	3	7	5
Male.....	3	-	-	-	-	1	-	-	-	-	1	-
Female.....	37	-	-	-	-	3	2	4	3	3	6	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	4	1	4	-	-
Male.....	5	-	-	-	-	-	-	1	-	1	-	-
Female.....	12	-	-	-	-	-	-	3	1	3	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Maine

All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	40	-	-	-	-	1	3	4	1	-	6	5
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	36	-	-	-	-	1	3	4	1	-	5	5
White, both sexes.....	11	-	-	-	-	-	1	-	1	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	1	-	1	-	-	2
Black, both sexes.....	28	-	-	-	-	1	1	4	-	-	6	3
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	26	-	-	-	-	1	1	4	-	-	5	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Nebraska

All races, both sexes.....	6	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	12	-	-	-	-	1	1	2	1	1	1	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	10	-	-	-	-	1	1	2	1	1	1	-
White, both sexes.....	7	-	-	-	-	1	1	1	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	1	1	1	-	-	1	-
Black, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

New Mexico

All races, both sexes.....	14	-	-	-	-	1	1	1	-	-	4	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	11	-	-	-	-	1	1	1	-	-	3	-
White, both sexes.....	14	-	-	-	-	1	1	1	-	-	4	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	11	-	-	-	-	1	1	1	-	-	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	90	-	-	-	-	2	3	4	7	13	6	9
Male.....	20	-	-	-	-	-	-	1	3	1	3	1
Female.....	70	-	-	-	-	2	3	3	4	12	3	8
White, both sexes.....	48	-	-	-	-	-	2	1	2	7	1	3
Male.....	13	-	-	-	-	-	-	1	-	1	1	-
Female.....	35	-	-	-	-	-	2	-	2	6	-	2
Black, both sexes.....	35	-	-	-	-	2	1	3	3	5	4	6
Male.....	3	-	-	-	-	-	-	-	1	-	1	-
Female.....	32	-	-	-	-	2	1	3	2	5	3	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	2	1	1	-
Male.....	4	-	-	-	-	-	-	-	2	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Oregon

All races, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	47	-	-	-	-	-	1	-	3	2	7	6
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	43	-	-	-	-	-	1	-	3	2	6	6
White, both sexes.....	33	-	-	-	-	-	-	-	1	1	5	4
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	30	-	-	-	-	-	-	-	1	1	4	4
Black, both sexes.....	13	-	-	-	-	-	-	-	2	1	2	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	2	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Systemic lupus erythematosus (M32)

Arkansas

All races, both sexes.....	2	1	4	1	1	2	1	-	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	1	4	-	-	2	1	-	1	-	-	-
White, both sexes.....	2	1	4	1	1	2	1	-	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	1	4	-	-	2	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	14	6	9	10	8	10	2	-	-	-	-
Male.....	1	2	-	2	1	1	-	1	-	-	-	-
Female.....	14	12	6	7	9	7	10	1	-	-	-	-
White, both sexes.....	10	8	4	6	8	7	7	2	-	-	-	-
Male.....	1	1	-	-	-	1	-	1	-	-	-	-
Female.....	9	7	4	6	8	6	7	1	-	-	-	-
Black, both sexes.....	3	2	2	2	1	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	2	2	1	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	-	1	1	-	1	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	1	3	-	-	-	-	1	-	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Systemic lupus erythematosus (M32)

New Mexico

All races, both sexes.....	-	-	2	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	1	-	-	-	-	-
White, both sexes.....	-	-	2	1	1	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	11	7	6	5	6	3	3	3	2	-	-	-
Male.....	2	2	1	2	1	1	-	2	-	-	-	-
Female.....	9	5	5	3	5	2	3	1	2	-	-	-
White, both sexes.....	6	4	4	4	3	3	3	3	2	-	-	-
Male.....	2	1	1	1	1	1	-	2	-	-	-	-
Female.....	4	3	3	3	2	2	3	1	2	-	-	-
Black, both sexes.....	4	2	2	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	2	2	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Arkansas

All races, both sexes.....	48	-	-	-	-	-	-	1	-	-	2	2
Male.....	20	-	-	-	-	-	-	-	-	-	1	-
Female.....	28	-	-	-	-	-	-	1	-	-	1	2
White, both sexes.....	41	-	-	-	-	-	-	-	-	-	2	-
Male.....	18	-	-	-	-	-	-	-	-	-	1	-
Female.....	23	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	501	-	2	-	-	5	1	4	7	10	13	28
Male.....	174	-	2	-	-	1	-	-	4	3	2	15
Female.....	327	-	-	-	-	4	1	4	3	7	11	13
White, both sexes.....	398	-	1	-	-	2	1	2	4	5	10	18
Male.....	137	-	1	-	-	1	-	-	4	2	-	10
Female.....	261	-	-	-	-	1	1	2	-	3	10	8
Black, both sexes.....	48	-	-	-	-	1	-	-	-	4	2	6
Male.....	16	-	-	-	-	-	-	-	-	1	1	3
Female.....	32	-	-	-	-	1	-	-	-	3	1	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	-	1	-	-	2	-	2	3	1	1	4
Male.....	21	-	1	-	-	-	-	-	-	-	1	2
Female.....	30	-	-	-	-	2	-	2	3	1	-	2































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Mexico

All races, both sexes.....	36	-	-	-	-	-	-	2	1	-	3	4
Male.....	11	-	-	-	-	-	-	-	-	-	1	2
Female.....	25	-	-	-	-	-	-	2	1	-	2	2
White, both sexes.....	33	-	-	-	-	-	-	1	-	-	3	3
Male.....	10	-	-	-	-	-	-	-	-	-	1	1
Female.....	23	-	-	-	-	-	-	1	-	-	2	2
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	225	1	-	1	1	-	1	9	2	4	6	9
Male.....	68	1	-	1	1	-	-	4	1	3	-	1
Female.....	157	-	-	-	-	-	1	5	1	1	6	8
White, both sexes.....	173	1	-	1	-	-	-	3	1	2	4	3
Male.....	51	1	-	1	-	-	-	2	-	2	-	-
Female.....	122	-	-	-	-	-	-	1	1	-	4	3
Black, both sexes.....	45	-	-	-	1	-	1	6	1	1	1	6
Male.....	16	-	-	-	1	-	-	2	1	1	-	1
Female.....	29	-	-	-	-	-	1	4	-	-	1	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	1	1	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

United States

All races, both sexes.....	248	285	341	367	478	617	590	553	399	202	68	-
Male.....	81	97	102	131	159	224	173	154	92	28	6	-
Female.....	167	188	239	236	319	393	417	399	307	174	62	-
White, both sexes.....	166	216	271	307	410	553	539	521	361	181	59	-
Male.....	57	71	82	105	134	196	152	147	82	25	6	-
Female.....	109	145	189	202	276	357	387	374	279	156	53	-
Black, both sexes.....	77	57	60	50	52	51	39	17	29	17	7	-
Male.....	24	22	19	23	19	23	14	4	6	2	-	-
Female.....	53	35	41	27	33	28	25	13	23	15	7	-
American Indian 1/, both sexes.....	2	4	5	3	4	1	2	2	-	1	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	2	4	4	3	3	-	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	8	5	7	12	12	10	13	9	3	2	-
Male.....	-	4	-	3	5	4	6	3	4	1	-	-
Female.....	3	4	5	4	7	8	4	10	5	2	2	-

Alabama

All races, both sexes.....	4	9	6	6	4	7	9	7	10	5	2	-
Male.....	1	5	2	-	-	1	4	-	2	1	-	-
Female.....	3	4	4	6	4	6	5	7	8	4	2	-
White, both sexes.....	2	5	5	2	3	5	7	6	9	2	-	-
Male.....	-	3	2	-	-	-	4	-	1	1	-	-
Female.....	2	2	3	2	3	5	3	6	8	1	-	-
Black, both sexes.....	2	4	1	4	1	2	1	1	1	3	2	-
Male.....	1	2	-	-	-	1	-	-	1	-	-	-
Female.....	1	2	1	4	1	1	1	1	-	3	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Arkansas

All races, both sexes.....	3	-	1	4	6	9	9	5	5	1	-	-
Male.....	2	-	1	1	2	4	5	2	2	-	-	-
Female.....	1	-	-	3	4	5	4	3	3	1	-	-
White, both sexes.....	3	-	-	4	5	8	8	5	5	1	-	-
Male.....	2	-	-	1	2	4	4	2	2	-	-	-
Female.....	1	-	-	3	3	4	4	3	3	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

California

All races, both sexes.....	32	31	43	42	56	72	57	47	28	16	7	-
Male.....	16	9	9	19	24	26	17	13	9	5	-	-
Female.....	16	22	34	23	32	46	40	34	19	11	7	-
White, both sexes.....	20	24	34	36	50	59	51	39	21	14	7	-
Male.....	11	7	7	16	21	21	14	12	6	4	-	-
Female.....	9	17	27	20	29	38	37	27	15	10	7	-
Black, both sexes.....	10	2	5	2	4	6	2	2	2	-	-	-
Male.....	5	-	2	1	1	2	-	-	-	-	-	-
Female.....	5	2	3	1	3	4	2	2	2	-	-	-
American Indian 1/, both sexes.....	-	1	3	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	3	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	4	2	7	4	6	5	2	-	-
Male.....	-	2	-	2	2	3	3	1	3	1	-	-
Female.....	2	2	1	2	-	4	1	5	2	1	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Maine

All races, both sexes.....	-	-	1	3	3	1	1	4	3	4	2	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	2	2	1	-	3	3	4	2	-
White, both sexes.....	-	-	1	3	3	1	1	4	3	4	2	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	1	2	2	1	-	3	3	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	6	5	4	3	8	12	6	14	6	8	3	-
Male.....	1	2	1	2	3	7	2	2	2	1	-	-
Female.....	5	3	3	1	5	5	4	12	4	7	3	-
White, both sexes.....	3	3	1	2	5	8	4	11	5	6	1	-
Male.....	-	2	1	1	1	6	2	2	1	1	-	-
Female.....	3	1	-	1	4	2	2	9	4	5	1	-
Black, both sexes.....	3	2	3	1	3	3	2	2	-	2	2	-
Male.....	1	-	-	1	2	1	-	-	-	-	-	-
Female.....	2	2	3	-	1	2	2	2	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Hampshire

All races, both sexes.....	-	-	1	2	-	3	4	3	-	3	-	-
Male.....	-	-	-	2	-	1	1	2	-	1	-	-
Female.....	-	-	1	-	-	2	3	1	-	2	-	-
White, both sexes.....	-	-	1	2	-	3	4	3	-	3	-	-
Male.....	-	-	-	2	-	1	1	2	-	1	-	-
Female.....	-	-	1	-	-	2	3	1	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	10	9	7	8	10	23	18	14	12	5	-	-
Male.....	4	1	3	1	3	7	5	2	3	1	-	-
Female.....	6	8	4	7	7	16	13	12	9	4	-	-
White, both sexes.....	7	7	6	6	8	20	16	13	11	5	-	-
Male.....	1	-	3	-	2	6	4	1	3	1	-	-
Female.....	6	7	3	6	6	14	12	12	8	4	-	-
Black, both sexes.....	3	2	1	2	1	3	2	1	1	-	-	-
Male.....	3	1	-	1	1	1	1	1	-	-	-	-
Female.....	-	1	1	1	-	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Mexico

All races, both sexes.....	1	-	1	4	3	5	3	4	4	-	1	-
Male.....	-	-	1	2	2	-	-	3	-	-	-	-
Female.....	1	-	-	2	1	5	3	1	4	-	1	-
White, both sexes.....	1	-	1	4	3	5	3	4	4	-	1	-
Male.....	-	-	1	2	2	-	-	3	-	-	-	-
Female.....	1	-	-	2	1	5	3	1	4	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	16	22	20	24	27	22	13	13	10	1	-
Male.....	7	4	6	5	9	8	9	4	4	-	-	-
Female.....	16	12	16	15	15	19	13	9	9	10	1	-
White, both sexes.....	15	13	11	17	20	25	21	13	13	9	1	-
Male.....	6	4	2	4	7	6	8	4	4	-	-	-
Female.....	9	9	9	13	13	19	13	9	9	9	1	-
Black, both sexes.....	7	2	10	3	2	2	1	-	-	1	-	-
Male.....	1	-	4	1	1	2	1	-	-	-	-	-
Female.....	6	2	6	2	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	1	1	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

South Dakota

All races, both sexes.....	1	-	3	1	1	4	3	2	3	-	-	-
Male.....	1	-	1	-	-	2	1	-	-	-	-	-
Female.....	-	-	2	1	1	2	2	2	3	-	-	-
White, both sexes.....	1	-	2	1	1	4	3	2	3	-	-	-
Male.....	1	-	1	-	-	2	1	-	-	-	-	-
Female.....	-	-	1	1	1	2	2	2	3	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	9	8	7	12	12	14	14	12	5	4	1	-
Male.....	1	3	4	3	5	5	6	3	-	2	-	-
Female.....	8	5	3	9	7	9	8	9	5	2	1	-
White, both sexes.....	6	5	6	11	10	13	13	12	5	3	1	-
Male.....	1	2	4	3	4	5	5	3	-	1	-	-
Female.....	5	3	2	8	6	8	8	9	5	2	1	-
Black, both sexes.....	3	3	1	1	1	1	1	-	-	1	-	-
Male.....	-	1	-	-	1	-	1	-	-	1	-	-
Female.....	3	2	1	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-











































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dorsopathies (M40-M54)

Arkansas

All races, both sexes.....	-	-	1	2	-	1	1	1	1	-	-	-
Male.....	-	-	-	2	-	1	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	1	1	-	1	1	1	1	-	-	-
Male.....	-	-	-	1	-	1	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	5	4	5	11	16	15	12	6	2	-	-
Male.....	5	3	2	3	4	12	6	2	-	-	-	-
Female.....	2	2	2	2	7	4	9	10	6	2	-	-
White, both sexes.....	6	3	4	5	8	14	14	10	6	2	-	-
Male.....	4	1	2	3	3	11	5	2	-	-	-	-
Female.....	2	2	2	2	5	3	9	8	6	2	-	-
Black, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	1	2	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	2	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dorsopathies (M40-M54)

Massachusetts

All races, both sexes.....	-	1	-	-	3	2	6	4	3	1	-	-
Male.....	-	-	-	-	1	1	3	1	-	-	-	-
Female.....	-	1	-	-	2	1	3	3	3	1	-	-
White, both sexes.....	-	1	-	-	3	2	6	4	3	1	-	-
Male.....	-	-	-	-	1	1	3	1	-	-	-	-
Female.....	-	1	-	-	2	1	3	3	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	-	-	4	2	2	6	7	5	5	1	1	-
Male.....	-	-	3	1	1	3	3	-	-	-	1	-
Female.....	-	-	1	1	1	3	4	5	5	1	-	-
White, both sexes.....	-	-	3	2	2	5	6	5	4	1	1	-
Male.....	-	-	3	1	1	3	3	-	-	-	1	-
Female.....	-	-	-	1	1	2	3	5	4	1	-	-
Black, both sexes.....	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



























































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Soft tissue disorders (M60-M79)

Nebraska

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	-	2	1	1	2	3	1	-	-	-	-
Male.....	1	-	2	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
White, both sexes.....	1	-	1	1	1	1	3	1	-	-	-	-
Male.....	1	-	1	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

























































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Arkansas

All races, both sexes.....	2	2	1	1	1	6	5	5	8	-	-	-
Male.....	1	2	-	1	-	2	1	1	1	-	-	-
Female.....	1	-	1	-	1	4	4	4	7	-	-	-
White, both sexes.....	1	2	1	1	1	6	4	5	8	-	-	-
Male.....	1	2	-	1	-	2	1	1	1	-	-	-
Female.....	-	-	1	-	1	4	3	4	7	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	12	13	15	20	38	47	79	56	27	7	-
Male.....	1	8	9	9	8	11	18	23	9	2	1	-
Female.....	1	4	4	6	12	27	29	56	47	25	6	-
White, both sexes.....	2	11	11	12	16	34	42	73	52	25	6	-
Male.....	1	7	7	6	6	9	15	22	9	1	-	-
Female.....	1	4	4	6	10	25	27	51	43	24	6	-
Black, both sexes.....	-	1	2	3	2	4	2	1	2	1	-	-
Male.....	-	1	2	3	2	2	1	-	-	1	-	-
Female.....	-	-	-	-	-	2	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	3	4	2	1	1	-
Male.....	-	-	-	-	-	-	2	1	-	-	1	-
Female.....	-	-	-	-	2	-	1	3	2	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Delaware

All races, both sexes.....	-	-	-	-	-	2	1	2	3	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	1	2	2	1	-	-
White, both sexes.....	-	-	-	-	-	2	1	2	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	1	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	1	-	1	-	1	1	1	2	2	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	2	2	-	-
White, both sexes.....	-	-	-	1	-	-	1	1	1	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	1	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	1	7	7	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	6	6	2	-	-
White, both sexes.....	-	-	-	-	-	-	1	7	7	2	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	6	6	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	2	4	2	10	9	17	17	17	6	1	-
Male.....	-	2	-	2	7	4	5	5	5	-	-	-
Female.....	1	-	4	-	3	5	12	12	12	6	1	-
White, both sexes.....	-	2	3	1	5	7	16	13	15	4	1	-
Male.....	-	2	-	1	4	3	4	2	3	-	-	-
Female.....	-	-	3	-	1	4	12	11	12	4	1	-
Black, both sexes.....	1	-	1	1	5	1	1	3	2	2	-	-
Male.....	-	-	-	1	3	1	1	2	2	-	-	-
Female.....	1	-	1	-	2	-	-	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Rhode Island

All races, both sexes.....	-	2	-	3	-	2	1	5	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	2	-	2	-	-	1	5	-	-	-	-
White, both sexes.....	-	1	-	3	-	2	1	5	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	1	-	2	-	-	1	5	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	2	-	1	1	-	7	12	11	11	5	2	-
Male.....	-	-	1	-	-	4	5	2	3	1	-	-
Female.....	2	-	-	1	-	3	7	9	8	4	2	-
White, both sexes.....	2	-	-	1	-	5	9	10	9	5	2	-
Male.....	-	-	-	-	-	2	4	1	2	1	-	-
Female.....	2	-	-	1	-	3	5	9	7	4	2	-
Black, both sexes.....	-	-	1	-	-	2	2	1	2	-	-	-
Male.....	-	-	1	-	-	2	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Vermont

All races, both sexes.....	1	1	-	-	-	-	2	2	6	2	-	-
Male.....	1	1	-	-	-	-	1	-	1	1	-	-
Female.....	-	-	-	-	-	-	1	2	5	1	-	-
White, both sexes.....	1	1	-	-	-	-	2	2	6	2	-	-
Male.....	1	1	-	-	-	-	1	-	1	1	-	-
Female.....	-	-	-	-	-	-	1	2	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2	2	-	3	6	6	15	20	7	8	3	-
Male.....	-	2	-	3	1	3	4	4	3	1	-	-
Female.....	2	-	-	-	5	3	11	16	4	7	3	-
White, both sexes.....	1	1	-	1	5	6	13	15	7	6	3	-
Male.....	-	1	-	1	1	3	4	2	3	-	-	-
Female.....	1	-	-	-	4	3	9	13	4	6	3	-
Black, both sexes.....	1	1	-	2	1	-	1	5	-	2	-	-
Male.....	-	1	-	2	-	-	-	2	-	1	-	-
Female.....	1	-	-	-	1	-	1	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteoporosis (M80-M81)

Arkansas

All races, both sexes.....	-	-	-	-	1	3	2	5	6	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	3	2	4	6	-	-	-
White, both sexes.....	-	-	-	-	1	3	2	5	6	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	3	2	4	6	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	3	-	3	7	15	27	54	45	23	3	-
Male.....	-	1	-	1	-	2	8	10	5	1	-	-
Female.....	-	2	-	2	7	13	19	44	40	22	3	-
White, both sexes.....	-	3	-	3	7	15	25	50	42	22	3	-
Male.....	-	1	-	1	-	2	7	9	5	1	-	-
Female.....	-	2	-	2	7	13	18	41	37	21	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	3	2	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	2	1	-	-















































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteoporosis (M80-M81)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	2	5	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	4	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	2	5	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	2	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	-	-	-	1	2	9	11	5	6	2	-
Male.....	-	-	-	-	-	-	-	-	2	1	-	-
Female.....	-	-	-	-	1	2	9	11	3	5	2	-
White, both sexes.....	-	-	-	-	1	2	8	10	5	5	2	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	1	2	8	10	3	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

Arkansas

All races, both sexes.....	2	2	1	1	-	3	3	-	2	-	-	-
Male.....	1	2	-	1	-	2	1	-	1	-	-	-
Female.....	1	-	1	-	-	1	2	-	1	-	-	-
White, both sexes.....	1	2	1	1	-	3	2	-	2	-	-	-
Male.....	1	2	-	1	-	2	1	-	1	-	-	-
Female.....	-	-	1	-	-	1	1	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	9	13	12	13	23	20	25	11	4	4	-
Male.....	1	7	9	8	8	9	10	13	4	1	1	-
Female.....	1	2	4	4	5	14	10	12	7	3	3	-
White, both sexes.....	2	8	11	9	9	19	17	23	10	3	3	-
Male.....	1	6	7	5	6	7	8	13	4	-	-	-
Female.....	1	2	4	4	3	12	9	10	6	3	3	-
Black, both sexes.....	-	1	2	3	2	4	2	1	1	1	-	-
Male.....	-	1	2	3	2	2	1	-	1	1	-	-
Female.....	-	-	-	-	-	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	1	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	2	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

Delaware

All races, both sexes.....	-	-	-	-	-	1	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	2	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	-	1	-	-	-	1	1	1	1	1	-	-
Male.....	-	1	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	2	3	2	9	8	12	10	8	3	-	-
Male.....	-	2	-	2	7	4	4	5	5	-	-	-
Female.....	1	-	3	-	2	4	8	5	3	3	-	-
White, both sexes.....	-	2	2	1	4	6	11	6	6	1	-	-
Male.....	-	2	-	1	4	3	3	2	3	-	-	-
Female.....	-	-	2	-	-	3	8	4	3	1	-	-
Black, both sexes.....	1	-	1	1	5	1	1	3	2	2	-	-
Male.....	-	-	-	1	3	1	1	2	2	-	-	-
Female.....	1	-	1	-	2	-	-	1	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)

Rhode Island

All races, both sexes.....	-	2	-	3	-	2	1	2	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	2	-	2	-	-	1	2	-	-	-	-
White, both sexes.....	-	1	-	3	-	2	1	2	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	1	-	2	-	-	1	2	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1	-	1	-	-	4	9	2	2	1	-	-
Male.....	-	-	1	-	-	3	3	2	1	-	-	-
Female.....	1	-	-	-	-	1	6	-	1	1	-	-
White, both sexes.....	1	-	-	-	-	2	6	1	-	1	-	-
Male.....	-	-	-	-	-	1	2	1	-	-	-	-
Female.....	1	-	-	-	-	1	4	-	-	1	-	-
Black, both sexes.....	-	-	1	-	-	2	2	1	2	-	-	-
Male.....	-	-	1	-	-	2	1	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-









