

## Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
	Both sexes		Male		Female		Both sexes		Male		Female		Male		Female	
All causes																
All ages.....	2,448,288	1,201,964	1,246,324	2,103,714	1,025,650	1,078,064	291,300	148,022	143,278	13,147	7,106	6,041	40,127	21,186	18,941	
Under 1 year.....	28,025	15,902	12,123	18,440	10,500	7,940	8,402	4,740	3,662	335	195	140	848	467	381	
1-4 years.....	4,965	2,826	2,139	3,509	1,981	1,528	1,199	699	500	95	55	40	162	91	71	
5-9 years.....	2,898	1,640	1,258	2,111	1,205	906	637	355	282	55	30	25	95	50	45	
10-14 years.....	4,056	2,510	1,546	2,920	1,803	1,117	914	567	347	82	56	26	140	84	56	
15-19 years.....	13,595	9,706	3,889	10,392	7,308	3,084	2,572	1,974	598	286	195	91	345	229	116	
20-24 years.....	19,973	14,964	5,009	14,584	10,911	3,673	4,573	3,474	1,099	335	255	80	481	324	157	
25-29 years.....	18,250	13,043	5,207	12,991	9,342	3,649	4,524	3,219	1,305	288	193	95	447	289	158	
30-34 years.....	23,050	15,559	7,491	16,698	11,472	5,226	5,418	3,474	1,944	355	251	104	579	362	217	
35-39 years.....	34,055	21,741	12,314	25,012	16,344	8,668	7,823	4,620	3,203	539	351	188	681	426	255	
40-44 years.....	55,406	34,694	20,712	41,736	26,739	14,997	11,961	6,924	5,037	705	433	272	1,004	598	406	
45-49 years.....	78,173	49,139	29,034	59,135	37,898	21,237	16,680	9,824	6,856	842	516	326	1,516	901	615	
50-54 years.....	98,608	61,543	37,065	75,377	47,689	27,688	20,326	12,162	8,164	970	574	396	1,935	1,118	817	
55-59 years.....	119,339	72,188	47,151	95,720	58,348	37,372	20,458	12,040	8,418	951	543	408	2,210	1,257	953	
60-64 years.....	143,180	84,273	58,907	117,101	69,404	47,697	22,365	12,730	9,635	1,091	593	498	2,623	1,546	1,077	
65-69 years.....	174,817	100,315	74,502	145,645	84,313	61,332	24,747	13,544	11,203	1,111	583	528	3,314	1,875	1,439	
70-74 years.....	238,680	131,106	107,574	204,904	113,540	91,364	28,381	14,747	13,634	1,145	608	537	4,250	2,211	2,039	
75-79 years.....	325,185	167,354	157,831	286,819	148,708	138,111	31,859	15,288	16,571	1,233	595	638	5,274	2,763	2,511	
80-84 years.....	377,839	174,978	202,861	340,633	158,342	182,291	30,513	13,312	17,201	1,130	497	633	5,563	2,827	2,736	
85-89 years.....	346,847	135,177	211,670	317,904	124,593	193,311	23,582	8,197	15,385	837	326	511	4,524	2,061	2,463	
90-94 years.....	231,403	70,162	161,241	212,499	64,481	148,018	15,606	4,311	11,295	503	177	326	2,795	1,193	1,602	
95-99 years.....	90,271	19,872	70,399	82,525	17,945	64,580	6,517	1,445	5,072	175	52	123	1,054	430	624	
100 years & over.	19,331	3,001	16,330	16,767	2,556	14,211	2,203	341	1,862	79	23	56	282	81	201	
Age not stated...	342	271	71	292	228	64	40	35	5	5	5	-	5	3	2	































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other septicemia (A41)															
All ages.....	33,530	14,752	18,778	26,754	11,717	15,037	6,116	2,741	3,375	212	83	129	448	211	237
Under 1 year.....	260	142	118	134	70	64	115	67	48	3	1	2	8	4	4
1-4 years.....	77	50	27	47	32	15	22	13	9	4	2	2	4	3	1
5-9 years.....	28	13	15	19	9	10	8	4	4	-	-	-	1	-	1
10-14 years.....	34	16	18	25	13	12	4	1	3	2	1	1	3	1	2
15-19 years.....	51	29	22	31	20	11	16	7	9	2	2	-	2	-	2
20-24 years.....	94	46	48	65	30	35	23	11	12	2	2	-	4	3	1
25-29 years.....	117	54	63	70	31	39	40	19	21	3	1	2	4	3	1
30-34 years.....	177	102	75	110	61	49	58	35	23	5	4	1	4	2	2
35-39 years.....	296	161	135	188	107	81	96	47	49	9	5	4	3	2	1
40-44 years.....	567	275	292	376	182	194	179	85	94	10	7	3	2	1	1
45-49 years.....	888	482	406	593	330	263	274	143	131	6	1	5	15	8	7
50-54 years.....	1,204	634	570	800	432	368	372	190	182	11	4	7	21	8	13
55-59 years.....	1,604	852	752	1,158	607	551	397	225	172	26	11	15	23	9	14
60-64 years.....	1,987	1,007	980	1,457	748	709	488	238	250	17	8	9	25	13	12
65-69 years.....	2,426	1,282	1,144	1,789	950	839	578	303	275	23	10	13	36	19	17
70-74 years.....	3,465	1,704	1,761	2,733	1,361	1,372	656	303	353	23	7	16	53	33	20
75-79 years.....	5,028	2,355	2,673	4,165	1,963	2,202	771	347	424	17	4	13	75	41	34
80-84 years.....	5,783	2,494	3,289	4,943	2,148	2,795	758	317	441	24	7	17	58	22	36
85-89 years.....	5,107	1,890	3,217	4,385	1,633	2,752	654	230	424	13	4	9	55	23	32
90-94 years.....	3,048	889	2,159	2,614	763	1,851	387	112	275	6	1	5	41	13	28
95-99 years.....	1,100	245	855	917	205	712	170	36	134	3	1	2	10	3	7
100 years & over.	186	28	158	133	21	112	49	7	42	3	-	3	1	-	1
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

















Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		sexes	sexes		sexes	sexes		sexes	sexes		sexes				
Septicemia, unspecified (A41.9)															
All ages.....	31,183	13,640	17,543	24,842	10,798	14,044	5,753	2,587	3,166	189	73	116	399	182	217
Under 1 year.....	213	120	93	108	55	53	99	62	37	2	1	1	4	2	2
1-4 years.....	65	45	20	39	28	11	20	12	8	3	2	1	3	3	-
5-9 years.....	27	13	14	19	9	10	8	4	4	-	-	-	-	-	-
10-14 years.....	31	13	18	23	11	12	4	1	3	2	1	1	2	-	2
15-19 years.....	47	26	21	28	18	10	15	6	9	2	2	-	2	-	2
20-24 years.....	87	41	46	61	28	33	22	10	12	1	1	-	3	2	1
25-29 years.....	106	50	56	62	29	33	37	17	20	3	1	2	4	3	1
30-34 years.....	164	93	71	101	55	46	55	33	22	4	3	1	4	2	2
35-39 years.....	265	144	121	163	94	69	90	43	47	9	5	4	3	2	1
40-44 years.....	524	255	269	349	171	178	165	77	88	8	6	2	2	1	1
45-49 years.....	814	440	374	542	301	241	255	132	123	6	1	5	11	6	5
50-54 years.....	1,094	579	515	722	390	332	345	179	166	8	3	5	19	7	12
55-59 years.....	1,473	798	675	1,052	565	487	375	215	160	25	10	15	21	8	13
60-64 years.....	1,849	937	912	1,360	697	663	452	221	231	15	7	8	22	12	10
65-69 years.....	2,248	1,186	1,062	1,649	872	777	547	291	256	19	7	12	33	16	17
70-74 years.....	3,218	1,581	1,637	2,535	1,263	1,272	613	283	330	22	7	15	48	28	20
75-79 years.....	4,651	2,162	2,489	3,843	1,793	2,050	726	329	397	15	3	12	67	37	30
80-84 years.....	5,383	2,311	3,072	4,597	1,981	2,616	710	302	408	21	7	14	55	21	34
85-89 years.....	4,797	1,759	3,038	4,107	1,516	2,591	628	219	409	12	4	8	50	20	30
90-94 years.....	2,886	823	2,063	2,470	705	1,765	374	107	267	6	1	5	36	10	26
95-99 years.....	1,055	235	820	878	196	682	165	36	129	3	1	2	9	2	7
100 years & over.	183	27	156	132	20	112	47	7	40	3	-	3	1	-	1
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

















































































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		Both sexes	American Indian 1/ Pacific Islander 2/		Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female		Both sexes	Male	Female		
Human immunodeficiency virus [HIV] disease resulting in other conditions (B23)															
All ages.....	3,265	2,307	958	1,202	970	232	2,035	1,319	716	9	4	5	19	14	5
Under 1 year.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	6	3	3	1	-	1	5	3	2	-	-	-	-	-	-
10-14 years.....	9	5	4	2	1	1	7	4	3	-	-	-	-	-	-
15-19 years.....	10	3	7	2	1	1	8	2	6	-	-	-	-	-	-
20-24 years.....	36	16	20	5	2	3	30	14	16	-	-	-	1	-	1
25-29 years.....	96	46	50	21	14	7	74	32	42	-	-	-	1	-	1
30-34 years.....	246	153	93	79	58	21	167	95	72	-	-	-	-	-	-
35-39 years.....	519	354	165	185	146	39	326	203	123	3	1	2	5	4	1
40-44 years.....	700	489	211	279	220	59	416	265	151	3	2	1	2	2	-
45-49 years.....	662	477	185	241	200	41	414	272	142	2	-	2	5	5	-
50-54 years.....	440	338	102	167	140	27	271	196	75	1	1	-	1	1	-
55-59 years.....	251	204	47	108	93	15	142	110	32	-	-	-	1	1	-
60-64 years.....	130	98	32	48	39	9	80	58	22	-	-	-	2	1	1
65-69 years.....	77	55	22	24	20	4	52	35	17	-	-	-	1	-	1
70-74 years.....	47	38	9	20	18	2	27	20	7	-	-	-	-	-	-
75-79 years.....	22	18	4	15	14	1	7	4	3	-	-	-	-	-	-
80-84 years.....	7	5	2	1	1	-	6	4	2	-	-	-	-	-	-
85-89 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
90-94 years.....	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-







Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
HIV disease resulting in other specified conditions (B23.8)															
All ages.....	2,977	2,101	876	1,092	871	221	1,863	1,216	647	7	3	4	15	11	4
Under 1 year.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	6	3	3	1	-	1	5	3	2	-	-	-	-	-	-
10-14 years.....	7	4	3	2	1	1	5	3	2	-	-	-	-	-	-
15-19 years.....	10	3	7	2	1	1	8	2	6	-	-	-	-	-	-
20-24 years.....	34	15	19	5	2	3	28	13	15	-	-	-	1	-	1
25-29 years.....	89	42	47	18	11	7	70	31	39	-	-	-	1	-	1
30-34 years.....	217	138	79	67	49	18	150	89	61	-	-	-	-	-	-
35-39 years.....	471	321	150	171	132	39	294	186	108	2	-	2	4	3	1
40-44 years.....	630	435	195	248	191	57	379	241	138	2	2	-	1	1	-
45-49 years.....	594	425	169	217	179	38	371	242	129	2	-	2	4	4	-
50-54 years.....	409	316	93	152	128	24	255	186	69	1	1	-	1	1	-
55-59 years.....	241	197	44	104	89	15	136	107	29	-	-	-	1	1	-
60-64 years.....	119	90	29	45	36	9	73	53	20	-	-	-	1	1	-
65-69 years.....	73	51	22	22	18	4	50	33	17	-	-	-	1	-	1
70-74 years.....	43	34	9	18	16	2	25	18	7	-	-	-	-	-	-
75-79 years.....	21	18	3	15	14	1	6	4	2	-	-	-	-	-	-
80-84 years.....	6	4	2	1	1	-	5	3	2	-	-	-	-	-	-
85-89 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
90-94 years.....	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-



























































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Floor of mouth, unspecified (C04.9)															
All ages.....	147	98	49	121	75	46	24	21	3	-	-	-	2	2	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
45-49 years.....	10	7	3	7	5	2	3	2	1	-	-	-	-	-	-
50-54 years.....	12	10	2	11	9	2	1	1	-	-	-	-	-	-	-
55-59 years.....	16	14	2	13	11	2	3	3	-	-	-	-	-	-	-
60-64 years.....	27	25	2	17	15	2	10	10	-	-	-	-	-	-	-
65-69 years.....	18	14	4	17	13	4	1	1	-	-	-	-	-	-	-
70-74 years.....	16	10	6	14	8	6	1	1	-	-	-	-	1	1	-
75-79 years.....	17	8	9	13	5	8	3	2	1	-	-	-	1	1	-
80-84 years.....	12	3	9	12	3	9	-	-	-	-	-	-	-	-	-
85-89 years.....	9	1	8	9	1	8	-	-	-	-	-	-	-	-	-
90-94 years.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-





























































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													sexes	Male	Female
Lower lobe, bronchus or lung (C34.3)															
All ages.....	215	135	80	192	121	71	15	9	6	1	1	-	7	4	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
40-44 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
45-49 years.....	4	4	-	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years.....	8	4	4	5	3	2	2	1	1	-	-	-	1	-	1
55-59 years.....	8	3	5	7	2	5	1	1	-	-	-	-	-	-	-
60-64 years.....	18	11	7	16	9	7	2	2	-	-	-	-	-	-	-
65-69 years.....	21	14	7	15	10	5	4	2	2	-	-	-	2	2	-
70-74 years.....	47	34	13	46	33	13	-	-	-	1	1	-	-	-	-
75-79 years.....	39	21	18	38	21	17	1	-	1	-	-	-	-	-	-
80-84 years.....	43	30	13	41	28	13	1	1	-	-	-	-	1	1	-
85-89 years.....	15	9	6	12	8	4	1	-	1	-	-	-	2	1	1
90-94 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-











































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Mesothelioma, unspecified (C45.9)															
All ages.....	1,908	1,554	354	1,807	1,468	339	80	70	10	4	2	2	17	14	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	4	2	2	2	1	1	1	1	-	-	-	-	1	-	1
35-39 years.....	8	6	2	6	4	2	1	1	-	-	-	-	1	1	-
40-44 years.....	15	8	7	13	7	6	1	1	-	-	-	-	1	-	1
45-49 years.....	37	27	10	31	21	10	5	5	-	-	-	-	1	1	-
50-54 years.....	75	60	15	67	53	14	7	6	1	-	-	-	1	1	-
55-59 years.....	102	77	25	100	75	25	2	2	-	-	-	-	-	-	-
60-64 years.....	187	160	27	172	147	25	13	11	2	-	-	-	2	2	-
65-69 years.....	225	188	37	211	176	35	10	8	2	2	2	-	2	2	-
70-74 years.....	289	246	43	276	235	41	8	8	-	1	-	1	4	3	1
75-79 years.....	408	344	64	387	325	62	17	16	1	1	-	1	3	3	-
80-84 years.....	346	275	71	337	270	67	8	4	4	-	-	-	1	1	-
85-89 years.....	164	133	31	159	128	31	5	5	-	-	-	-	-	-	-
90-94 years.....	41	24	17	40	23	17	1	1	-	-	-	-	-	-	-
95-99 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
100 years & over.	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



























































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races						White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both		
	Both sexes	Male		Female		Both sexes	Male		Female		Both sexes	Male		Female	
		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female		
Malignant neoplasm of breast (C50)															
All ages.....	42,000	380	41,620	35,358	326	35,032	5,746	51	5,695	148	1	147	748	2	746
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
20-24 years.....	15	-	15	10	-	10	5	-	5	-	-	-	-	-	-
25-29 years.....	55	1	54	27	-	27	24	1	23	2	-	2	2	-	2
30-34 years.....	352	1	351	242	1	241	95	-	95	2	-	2	13	-	13
35-39 years.....	912	2	910	652	1	651	228	1	227	4	-	4	28	-	28
40-44 years.....	1,804	7	1,797	1,329	3	1,326	412	4	408	5	-	5	58	-	58
45-49 years.....	2,734	14	2,720	2,052	9	2,043	595	4	591	8	-	8	79	1	78
50-54 years.....	3,631	34	3,597	2,823	30	2,793	675	4	671	20	-	20	113	-	113
55-59 years.....	4,206	30	4,176	3,406	24	3,382	685	6	679	17	-	17	98	-	98
60-64 years.....	4,061	41	4,020	3,380	35	3,345	569	6	563	19	-	19	93	-	93
65-69 years.....	3,887	42	3,845	3,279	36	3,243	521	6	515	9	-	9	78	-	78
70-74 years.....	4,451	47	4,404	3,879	40	3,839	492	7	485	15	-	15	65	-	65
75-79 years.....	4,916	46	4,870	4,374	42	4,332	472	3	469	18	-	18	52	1	51
80-84 years.....	4,728	58	4,670	4,264	53	4,211	419	4	415	15	1	14	30	-	30
85-89 years.....	3,530	35	3,495	3,196	31	3,165	303	4	299	10	-	10	21	-	21
90-94 years.....	1,965	17	1,948	1,779	16	1,763	169	1	168	4	-	4	13	-	13
95-99 years.....	630	4	626	568	4	564	59	-	59	-	-	-	3	-	3
100 years & over.	120	-	120	96	-	96	23	-	23	-	-	-	1	-	1
Age not stated...	2	1	1	1	1	-	-	-	-	-	-	-	1	-	1













Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based  
on the International  
Classification of  
Diseases, Tenth  
Revision, 1992)  
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Breast, unspecified (C50.9)															
All ages.....	41,988	377	41,611	35,347	323	35,024	5,746	51	5,695	147	1	146	748	2	746
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
20-24 years.....	15	-	15	10	-	10	5	-	5	-	-	-	-	-	-
25-29 years.....	55	1	54	27	-	27	24	1	23	2	-	2	2	-	2
30-34 years.....	352	1	351	242	1	241	95	-	95	2	-	2	13	-	13
35-39 years.....	912	2	910	652	1	651	228	1	227	4	-	4	28	-	28
40-44 years.....	1,804	7	1,797	1,329	3	1,326	412	4	408	5	-	5	58	-	58
45-49 years.....	2,734	14	2,720	2,052	9	2,043	595	4	591	8	-	8	79	1	78
50-54 years.....	3,629	33	3,596	2,822	29	2,793	675	4	671	19	-	19	113	-	113
55-59 years.....	4,206	30	4,176	3,406	24	3,382	685	6	679	17	-	17	98	-	98
60-64 years.....	4,060	41	4,019	3,379	35	3,344	569	6	563	19	-	19	93	-	93
65-69 years.....	3,887	42	3,845	3,279	36	3,243	521	6	515	9	-	9	78	-	78
70-74 years.....	4,449	47	4,402	3,877	40	3,837	492	7	485	15	-	15	65	-	65
75-79 years.....	4,914	46	4,868	4,372	42	4,330	472	3	469	18	-	18	52	1	51
80-84 years.....	4,726	56	4,670	4,262	51	4,211	419	4	415	15	1	14	30	-	30
85-89 years.....	3,528	35	3,493	3,194	31	3,163	303	4	299	10	-	10	21	-	21
90-94 years.....	1,965	17	1,948	1,779	16	1,763	169	1	168	4	-	4	13	-	13
95-99 years.....	629	4	625	567	4	563	59	-	59	-	-	-	3	-	3
100 years & over.	120	-	120	96	-	96	23	-	23	-	-	-	1	-	1
Age not stated...	2	1	1	1	1	-	-	-	-	-	-	-	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Malignant neoplasm of vulva (C51)																
All ages.....	775	...	775	729	...	729	40	...	40	-	...	-	6	...	6	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
35-39 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	
40-44 years.....	9	...	9	9	...	9	-	...	-	-	...	-	-	...	-	
45-49 years.....	23	...	23	22	...	22	1	...	1	-	...	-	-	...	-	
50-54 years.....	30	...	30	22	...	22	7	...	7	-	...	-	1	...	1	
55-59 years.....	27	...	27	23	...	23	4	...	4	-	...	-	-	...	-	
60-64 years.....	40	...	40	35	...	35	5	...	5	-	...	-	-	...	-	
65-69 years.....	64	...	64	60	...	60	4	...	4	-	...	-	-	...	-	
70-74 years.....	84	...	84	79	...	79	4	...	4	-	...	-	1	...	1	
75-79 years.....	132	...	132	125	...	125	4	...	4	-	...	-	3	...	3	
80-84 years.....	137	...	137	133	...	133	3	...	3	-	...	-	1	...	1	
85-89 years.....	103	...	103	102	...	102	1	...	1	-	...	-	-	...	-	
90-94 years.....	89	...	89	87	...	87	2	...	2	-	...	-	-	...	-	
95-99 years.....	25	...	25	23	...	23	2	...	2	-	...	-	-	...	-	
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Labium majus (C51.0)															
All ages.....	17	...	17	15	...	15	2	...	2	-	...	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-	
50-54 years.....	3	...	3	2	...	2	1	...	1	-	...	-	...	-	
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-	
75-79 years.....	4	...	4	3	...	3	1	...	1	-	...	-	...	-	
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-	
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
100 years & over.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Clitoris (C51.2)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Vulva, unspecified (C51.9)															
All ages.....	755	...	755	711	...	711	38	...	38	-	...	-	6	...	6
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
40-44 years.....	9	...	9	9	...	9	-	...	-	-	...	-	-	...	-
45-49 years.....	20	...	20	19	...	19	1	...	1	-	...	-	-	...	-
50-54 years.....	27	...	27	20	...	20	6	...	6	-	...	-	1	...	1
55-59 years.....	26	...	26	22	...	22	4	...	4	-	...	-	-	...	-
60-64 years.....	40	...	40	35	...	35	5	...	5	-	...	-	-	...	-
65-69 years.....	63	...	63	59	...	59	4	...	4	-	...	-	-	...	-
70-74 years.....	82	...	82	77	...	77	4	...	4	-	...	-	1	...	1
75-79 years.....	128	...	128	122	...	122	3	...	3	-	...	-	3	...	3
80-84 years.....	135	...	135	131	...	131	3	...	3	-	...	-	1	...	1
85-89 years.....	103	...	103	102	...	102	1	...	1	-	...	-	-	...	-
90-94 years.....	87	...	87	85	...	85	2	...	2	-	...	-	-	...	-
95-99 years.....	23	...	23	21	...	21	2	...	2	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of vagina (C52)															
All ages.....	391	...	391	322	...	322	62	...	62	1	...	1	6	...	6
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
35-39 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years.....	8	...	8	6	...	6	-	...	-	1	...	1	1	...	1
45-49 years.....	15	...	15	11	...	11	4	...	4	-	...	-	-	...	-
50-54 years.....	17	...	17	11	...	11	5	...	5	-	...	-	1	...	1
55-59 years.....	28	...	28	23	...	23	5	...	5	-	...	-	-	...	-
60-64 years.....	32	...	32	27	...	27	3	...	3	-	...	-	2	...	2
65-69 years.....	29	...	29	24	...	24	5	...	5	-	...	-	-	...	-
70-74 years.....	35	...	35	29	...	29	6	...	6	-	...	-	-	...	-
75-79 years.....	44	...	44	39	...	39	4	...	4	-	...	-	1	...	1
80-84 years.....	56	...	56	46	...	46	10	...	10	-	...	-	-	...	-
85-89 years.....	58	...	58	54	...	54	4	...	4	-	...	-	-	...	-
90-94 years.....	42	...	42	33	...	33	9	...	9	-	...	-	-	...	-
95-99 years.....	14	...	14	11	...	11	3	...	3	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of cervix uteri (C53)															
All ages.....	3,919	...	3,919	2,953	...	2,953	794	...	794	31	...	31	141	...	141
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	15	...	15	12	...	12	2	...	2	-	...	-	1	...	1
25-29 years.....	59	...	59	40	...	40	17	...	17	1	...	1	1	...	1
30-34 years.....	142	...	142	99	...	99	33	...	33	1	...	1	9	...	9
35-39 years.....	250	...	250	182	...	182	57	...	57	3	...	3	8	...	8
40-44 years.....	383	...	383	296	...	296	70	...	70	4	...	4	13	...	13
45-49 years.....	440	...	440	334	...	334	92	...	92	2	...	2	12	...	12
50-54 years.....	450	...	450	341	...	341	83	...	83	3	...	3	23	...	23
55-59 years.....	445	...	445	348	...	348	81	...	81	6	...	6	10	...	10
60-64 years.....	348	...	348	265	...	265	72	...	72	2	...	2	9	...	9
65-69 years.....	308	...	308	231	...	231	68	...	68	1	...	1	8	...	8
70-74 years.....	256	...	256	183	...	183	58	...	58	2	...	2	13	...	13
75-79 years.....	274	...	274	188	...	188	66	...	66	2	...	2	18	...	18
80-84 years.....	278	...	278	223	...	223	45	...	45	2	...	2	8	...	8
85-89 years.....	166	...	166	132	...	132	29	...	29	-	...	-	5	...	5
90-94 years.....	78	...	78	54	...	54	19	...	19	2	...	2	3	...	3
95-99 years.....	22	...	22	20	...	20	2	...	2	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Endocervix (C53.0)																
All ages.....	27	...	27	23	...	23	4	...	4	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
50-54 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
60-64 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
70-74 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	-
75-79 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
85-89 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Overlapping lesion of cervix uteri (C53.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cervix uteri, unspecified (C53.9)															
All ages.....	3,891	...	3,891	2,929	...	2,929	790	...	790	31	...	31	141	...	141
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	15	...	15	12	...	12	2	...	2	-	...	-	1	...	1
25-29 years.....	59	...	59	40	...	40	17	...	17	1	...	1	1	...	1
30-34 years.....	142	...	142	99	...	99	33	...	33	1	...	1	9	...	9
35-39 years.....	248	...	248	180	...	180	57	...	57	3	...	3	8	...	8
40-44 years.....	382	...	382	295	...	295	70	...	70	4	...	4	13	...	13
45-49 years.....	438	...	438	332	...	332	92	...	92	2	...	2	12	...	12
50-54 years.....	445	...	445	336	...	336	83	...	83	3	...	3	23	...	23
55-59 years.....	443	...	443	346	...	346	81	...	81	6	...	6	10	...	10
60-64 years.....	345	...	345	262	...	262	72	...	72	2	...	2	9	...	9
65-69 years.....	305	...	305	228	...	228	68	...	68	1	...	1	8	...	8
70-74 years.....	254	...	254	183	...	183	56	...	56	2	...	2	13	...	13
75-79 years.....	271	...	271	186	...	186	65	...	65	2	...	2	18	...	18
80-84 years.....	277	...	277	222	...	222	45	...	45	2	...	2	8	...	8
85-89 years.....	162	...	162	129	...	129	28	...	28	-	...	-	5	...	5
90-94 years.....	78	...	78	54	...	54	19	...	19	2	...	2	3	...	3
95-99 years.....	22	...	22	20	...	20	2	...	2	-	...	-	-	...	-
100 years & over.	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Malignant neoplasm of corpus uteri (C54)															
All ages.....	3,261	...	3,261	2,705	...	2,705	507	...	507	5	...	5	44	...	44
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
35-39 years.....	17	...	17	12	...	12	3	...	3	-	...	-	2	...	2
40-44 years.....	39	...	39	31	...	31	5	...	5	1	...	1	2	...	2
45-49 years.....	52	...	52	46	...	46	5	...	5	-	...	-	1	...	1
50-54 years.....	152	...	152	134	...	134	15	...	15	1	...	1	2	...	2
55-59 years.....	263	...	263	220	...	220	36	...	36	-	...	-	7	...	7
60-64 years.....	348	...	348	273	...	273	69	...	69	-	...	-	6	...	6
65-69 years.....	458	...	458	356	...	356	91	...	91	1	...	1	10	...	10
70-74 years.....	501	...	501	400	...	400	98	...	98	1	...	1	2	...	2
75-79 years.....	496	...	496	413	...	413	78	...	78	-	...	-	5	...	5
80-84 years.....	433	...	433	372	...	372	56	...	56	1	...	1	4	...	4
85-89 years.....	329	...	329	291	...	291	36	...	36	-	...	-	2	...	2
90-94 years.....	129	...	129	119	...	119	9	...	9	-	...	-	1	...	1
95-99 years.....	29	...	29	27	...	27	2	...	2	-	...	-	-	...	-
100 years & over.	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Isthmus uteri (C54.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Endometrium (C54.1)																
All ages.....	3,227	...	3,227	2,679	...	2,679	500	...	500	5	...	5	43	...	43	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
30-34 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	
35-39 years.....	17	...	17	12	...	12	3	...	3	-	...	-	2	...	2	
40-44 years.....	39	...	39	31	...	31	5	...	5	1	...	1	2	...	2	
45-49 years.....	51	...	51	45	...	45	5	...	5	-	...	-	1	...	1	
50-54 years.....	149	...	149	132	...	132	14	...	14	1	...	1	2	...	2	
55-59 years.....	258	...	258	217	...	217	34	...	34	-	...	-	7	...	7	
60-64 years.....	346	...	346	271	...	271	69	...	69	-	...	-	6	...	6	
65-69 years.....	449	...	449	349	...	349	89	...	89	1	...	1	10	...	10	
70-74 years.....	496	...	496	397	...	397	97	...	97	1	...	1	1	...	1	
75-79 years.....	495	...	495	412	...	412	78	...	78	-	...	-	5	...	5	
80-84 years.....	429	...	429	369	...	369	55	...	55	1	...	1	4	...	4	
85-89 years.....	325	...	325	287	...	287	36	...	36	-	...	-	2	...	2	
90-94 years.....	129	...	129	119	...	119	9	...	9	-	...	-	1	...	1	
95-99 years.....	29	...	29	27	...	27	2	...	2	-	...	-	-	...	-	
100 years & over.	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
<b>Myometrium (C54.2)</b>															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Fundus uteri (C54.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Corpus uteri, unspecified (C54.9)															
All ages.....	31	...	31	23	...	23	7	...	7	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
55-59 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	2	-	...	-	-	...	-
65-69 years.....	9	...	9	7	...	7	2	...	2	-	...	-	-	...	-
70-74 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
75-79 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
80-84 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of uterus, part unspecified (C55)															
All ages.....	3,638	...	3,638	2,936	...	2,936	600	...	600	6	...	6	96	...	96
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	6	...	6	3	...	3	2	...	2	1	...	1	-	...	-
30-34 years.....	15	...	15	8	...	8	5	...	5	-	...	-	2	...	2
35-39 years.....	20	...	20	17	...	17	3	...	3	-	...	-	-	...	-
40-44 years.....	78	...	78	48	...	48	20	...	20	-	...	-	10	...	10
45-49 years.....	119	...	119	87	...	87	24	...	24	1	...	1	7	...	7
50-54 years.....	211	...	211	161	...	161	40	...	40	-	...	-	10	...	10
55-59 years.....	294	...	294	235	...	235	47	...	47	-	...	-	12	...	12
60-64 years.....	396	...	396	288	...	288	96	...	96	1	...	1	11	...	11
65-69 years.....	420	...	420	307	...	307	99	...	99	-	...	-	14	...	14
70-74 years.....	472	...	472	389	...	389	71	...	71	2	...	2	10	...	10
75-79 years.....	529	...	529	447	...	447	72	...	72	-	...	-	10	...	10
80-84 years.....	493	...	493	418	...	418	67	...	67	1	...	1	7	...	7
85-89 years.....	339	...	339	306	...	306	30	...	30	-	...	-	3	...	3
90-94 years.....	187	...	187	168	...	168	19	...	19	-	...	-	-	...	-
95-99 years.....	47	...	47	45	...	45	2	...	2	-	...	-	-	...	-
100 years & over.	10	...	10	7	...	7	3	...	3	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Malignant neoplasm of ovary (C56)															
All ages.....	14,657	...	14,657	13,123	...	13,123	1,196	...	1,196	62	...	62	276	...	276
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	10	...	10	8	...	8	2	...	2	-	...	-	-	...	-
20-24 years.....	18	...	18	13	...	13	4	...	4	-	...	-	1	...	1
25-29 years.....	31	...	31	23	...	23	7	...	7	-	...	-	1	...	1
30-34 years.....	53	...	53	46	...	46	5	...	5	-	...	-	2	...	2
35-39 years.....	134	...	134	103	...	103	23	...	23	1	...	1	7	...	7
40-44 years.....	318	...	318	270	...	270	35	...	35	1	...	1	12	...	12
45-49 years.....	632	...	632	536	...	536	74	...	74	4	...	4	18	...	18
50-54 years.....	997	...	997	851	...	851	110	...	110	8	...	8	28	...	28
55-59 years.....	1,315	...	1,315	1,173	...	1,173	108	...	108	4	...	4	30	...	30
60-64 years.....	1,576	...	1,576	1,398	...	1,398	130	...	130	11	...	11	37	...	37
65-69 years.....	1,687	...	1,687	1,499	...	1,499	146	...	146	6	...	6	36	...	36
70-74 years.....	1,882	...	1,882	1,682	...	1,682	156	...	156	6	...	6	38	...	38
75-79 years.....	2,193	...	2,193	2,004	...	2,004	154	...	154	11	...	11	24	...	24
80-84 years.....	2,001	...	2,001	1,854	...	1,854	116	...	116	5	...	5	26	...	26
85-89 years.....	1,207	...	1,207	1,105	...	1,105	83	...	83	5	...	5	14	...	14
90-94 years.....	490	...	490	457	...	457	31	...	31	-	...	-	2	...	2
95-99 years.....	102	...	102	93	...	93	9	...	9	-	...	-	-	...	-
100 years & over.	11	...	11	8	...	8	3	...	3	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		Both sexes	American Indian 1/ Pacific Islander 2/		Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female		Both sexes	Male	Female		
Malignant neoplasm of other and unspecified female genital organs (C57)															
All ages.....	355	...	355	311	...	311	40	...	40	-	...	-	4	...	4
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
45-49 years.....	7	...	7	4	...	4	2	...	2	-	...	-	1	...	1
50-54 years.....	26	...	26	21	...	21	5	...	5	-	...	-	-	...	-
55-59 years.....	29	...	29	27	...	27	2	...	2	-	...	-	-	...	-
60-64 years.....	31	...	31	24	...	24	5	...	5	-	...	-	2	...	2
65-69 years.....	42	...	42	38	...	38	4	...	4	-	...	-	-	...	-
70-74 years.....	51	...	51	44	...	44	7	...	7	-	...	-	-	...	-
75-79 years.....	48	...	48	42	...	42	5	...	5	-	...	-	1	...	1
80-84 years.....	58	...	58	54	...	54	4	...	4	-	...	-	-	...	-
85-89 years.....	31	...	31	28	...	28	3	...	3	-	...	-	-	...	-
90-94 years.....	14	...	14	12	...	12	2	...	2	-	...	-	-	...	-
95-99 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Fallopian tube (C57.0)															
All ages.....	154	...	154	142	...	142	10	...	10	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
50-54 years.....	13	...	13	10	...	10	3	...	3	-	...	-	-	...	-
55-59 years.....	20	...	20	18	...	18	2	...	2	-	...	-	-	...	-
60-64 years.....	17	...	17	14	...	14	1	...	1	-	...	-	2	...	2
65-69 years.....	19	...	19	19	...	19	-	...	-	-	...	-	-	...	-
70-74 years.....	28	...	28	27	...	27	1	...	1	-	...	-	-	...	-
75-79 years.....	22	...	22	22	...	22	-	...	-	-	...	-	-	...	-
80-84 years.....	22	...	22	21	...	21	1	...	1	-	...	-	-	...	-
85-89 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Broad ligament (C57.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Uterine adnexa, unspecified (C57.4)															
All ages.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Both sexes	Male	Female	Both sexes	Male	Female		
Other specified female genital organs (C57.7)															
All ages.....	15	...	15	13	...	13	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Overlapping lesion of female genital organs (C57.8)															
All ages.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Female genital organ, unspecified (C57.9)															
All ages.....	175	...	175	146	...	146	28	...	28	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
45-49 years.....	4	...	4	3	...	3	-	...	-	-	...	-	1	...	1
50-54 years.....	11	...	11	9	...	9	2	...	2	-	...	-	-	...	-
55-59 years.....	9	...	9	9	...	9	-	...	-	-	...	-	-	...	-
60-64 years.....	10	...	10	6	...	6	4	...	4	-	...	-	-	...	-
65-69 years.....	21	...	21	17	...	17	4	...	4	-	...	-	-	...	-
70-74 years.....	18	...	18	12	...	12	6	...	6	-	...	-	-	...	-
75-79 years.....	24	...	24	19	...	19	5	...	5	-	...	-	-	...	-
80-84 years.....	33	...	33	30	...	30	3	...	3	-	...	-	-	...	-
85-89 years.....	19	...	19	18	...	18	1	...	1	-	...	-	-	...	-
90-94 years.....	13	...	13	11	...	11	2	...	2	-	...	-	-	...	-
95-99 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of placenta (C58)															
All ages.....	15	...	15	8	...	8	5	...	5	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
40-44 years.....	5	...	5	2	...	2	2	...	2	-	...	-	1	...	1
45-49 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of penis (C60)															
All ages.....	250	250	...	212	212	...	32	32	...	1	1	...	5	5	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
35-39 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
40-44 years.....	12	12	...	10	10	...	2	2	...	-	-	...	-	-	...
45-49 years.....	13	13	...	10	10	...	1	1	...	-	-	...	2	2	...
50-54 years.....	18	18	...	16	16	...	-	-	...	1	1	...	1	1	...
55-59 years.....	18	18	...	14	14	...	4	4	...	-	-	...	-	-	...
60-64 years.....	34	34	...	29	29	...	4	4	...	-	-	...	1	1	...
65-69 years.....	29	29	...	25	25	...	4	4	...	-	-	...	-	-	...
70-74 years.....	25	25	...	23	23	...	2	2	...	-	-	...	-	-	...
75-79 years.....	31	31	...	29	29	...	2	2	...	-	-	...	-	-	...
80-84 years.....	31	31	...	26	26	...	4	4	...	-	-	...	1	1	...
85-89 years.....	14	14	...	10	10	...	4	4	...	-	-	...	-	-	...
90-94 years.....	15	15	...	10	10	...	5	5	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Glans penis (C60.1)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Penis, unspecified (C60.9)															
All ages.....	249	249	...	211	211	...	32	32	...	1	1	...	5	5	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
35-39 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
40-44 years.....	12	12	...	10	10	...	2	2	...	-	-	...	-	-	...
45-49 years.....	13	13	...	10	10	...	1	1	...	-	-	...	2	2	...
50-54 years.....	18	18	...	16	16	...	-	-	...	1	1	...	1	1	...
55-59 years.....	18	18	...	14	14	...	4	4	...	-	-	...	-	-	...
60-64 years.....	34	34	...	29	29	...	4	4	...	-	-	...	1	1	...
65-69 years.....	29	29	...	25	25	...	4	4	...	-	-	...	-	-	...
70-74 years.....	24	24	...	22	22	...	2	2	...	-	-	...	-	-	...
75-79 years.....	31	31	...	29	29	...	2	2	...	-	-	...	-	-	...
80-84 years.....	31	31	...	26	26	...	4	4	...	-	-	...	1	1	...
85-89 years.....	14	14	...	10	10	...	4	4	...	-	-	...	-	-	...
90-94 years.....	15	15	...	10	10	...	5	5	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Malignant neoplasm of prostate (C61)															
All ages.....	29,554	29,554	...	24,232	24,232	...	4,894	4,894	...	100	100	...	328	328	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
40-44 years.....	22	22	...	15	15	...	7	7	...	-	-	...	-	-	...
45-49 years.....	99	99	...	71	71	...	28	28	...	-	-	...	-	-	...
50-54 years.....	319	319	...	218	218	...	97	97	...	1	1	...	3	3	...
55-59 years.....	669	669	...	472	472	...	187	187	...	5	5	...	5	5	...
60-64 years.....	1,405	1,405	...	1,031	1,031	...	354	354	...	7	7	...	13	13	...
65-69 years.....	2,288	2,288	...	1,716	1,716	...	535	535	...	10	10	...	27	27	...
70-74 years.....	3,745	3,745	...	2,974	2,974	...	727	727	...	13	13	...	31	31	...
75-79 years.....	5,671	5,671	...	4,616	4,616	...	972	972	...	18	18	...	65	65	...
80-84 years.....	6,613	6,613	...	5,559	5,559	...	954	954	...	21	21	...	79	79	...
85-89 years.....	5,358	5,358	...	4,676	4,676	...	609	609	...	17	17	...	56	56	...
90-94 years.....	2,624	2,624	...	2,279	2,279	...	302	302	...	5	5	...	38	38	...
95-99 years.....	653	653	...	542	542	...	101	101	...	2	2	...	8	8	...
100 years & over.	82	82	...	58	58	...	20	20	...	1	1	...	3	3	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of testis (C62)															
All ages.....	344	344	...	312	312	...	24	24	...	3	3	...	5	5	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
20-24 years.....	25	25	...	21	21	...	1	1	...	2	2	...	1	1	...
25-29 years.....	39	39	...	34	34	...	4	4	...	-	-	...	1	1	...
30-34 years.....	45	45	...	40	40	...	2	2	...	1	1	...	2	2	...
35-39 years.....	54	54	...	49	49	...	5	5	...	-	-	...	-	-	...
40-44 years.....	39	39	...	38	38	...	1	1	...	-	-	...	-	-	...
45-49 years.....	34	34	...	30	30	...	3	3	...	-	-	...	1	1	...
50-54 years.....	27	27	...	26	26	...	1	1	...	-	-	...	-	-	...
55-59 years.....	12	12	...	11	11	...	1	1	...	-	-	...	-	-	...
60-64 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
65-69 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
70-74 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
75-79 years.....	13	13	...	9	9	...	4	4	...	-	-	...	-	-	...
80-84 years.....	7	7	...	6	6	...	1	1	...	-	-	...	-	-	...
85-89 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Undescended testis (C62.0)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testis, unspecified (C62.9)															
All ages.....	343	343	...	311	311	...	24	24	...	3	3	...	5	5	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
20-24 years.....	24	24	...	20	20	...	1	1	...	2	2	...	1	1	...
25-29 years.....	39	39	...	34	34	...	4	4	...	-	-	...	1	1	...
30-34 years.....	45	45	...	40	40	...	2	2	...	1	1	...	2	2	...
35-39 years.....	54	54	...	49	49	...	5	5	...	-	-	...	-	-	...
40-44 years.....	39	39	...	38	38	...	1	1	...	-	-	...	-	-	...
45-49 years.....	34	34	...	30	30	...	3	3	...	-	-	...	1	1	...
50-54 years.....	27	27	...	26	26	...	1	1	...	-	-	...	-	-	...
55-59 years.....	12	12	...	11	11	...	1	1	...	-	-	...	-	-	...
60-64 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
65-69 years.....	10	10	...	10	10	...	-	-	...	-	-	...	-	-	...
70-74 years.....	9	9	...	9	9	...	-	-	...	-	-	...	-	-	...
75-79 years.....	13	13	...	9	9	...	4	4	...	-	-	...	-	-	...
80-84 years.....	7	7	...	6	6	...	1	1	...	-	-	...	-	-	...
85-89 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
90-94 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Malignant neoplasm of other and unspecified male genital organs (C63)															
All ages.....	28	28	...	25	25	...	2	2	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
75-79 years.....	8	8	...	6	6	...	1	1	...	-	-	...	1	1	...
80-84 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
85-89 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	
										Male	Female			Male	Female
<b>Epididymis (C63.0)</b>															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
<b>Spermatoc cord (C63.1)</b>															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Scrotum (C63.2)															
All ages.....	6	6	...	4	4	...	1	1	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	1	1	...	-	-	...	-	-	...	1	1	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other specified male genital organs (C63.7)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Male genital organ, unspecified (C63.9)															
All ages.....	17	17	...	16	16	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...























































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)															
All ages.....	758	368	390	680	330	350	71	34	37	2	1	1	5	3	2
Under 1 year.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
1-4 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	-	2	-	-	-	2	-	2	-	-	-	-	-	-
25-29 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
35-39 years.....	6	3	3	5	3	2	1	-	1	-	-	-	-	-	-
40-44 years.....	18	11	7	14	9	5	4	2	2	-	-	-	-	-	-
45-49 years.....	22	8	14	19	8	11	3	-	3	-	-	-	-	-	-
50-54 years.....	37	24	13	33	22	11	3	2	1	1	-	1	-	-	-
55-59 years.....	55	35	20	42	26	16	12	8	4	-	-	-	1	1	-
60-64 years.....	68	37	31	58	31	27	9	5	4	-	-	-	1	1	-
65-69 years.....	78	36	42	71	31	40	6	5	1	-	-	-	1	-	1
70-74 years.....	93	46	47	84	45	39	8	1	7	-	-	-	1	-	1
75-79 years.....	142	64	78	133	60	73	7	2	5	1	1	-	1	1	-
80-84 years.....	105	44	61	99	41	58	6	3	3	-	-	-	-	-	-
85-89 years.....	73	26	47	67	23	44	6	3	3	-	-	-	-	-	-
90-94 years.....	39	23	16	36	21	15	3	2	1	-	-	-	-	-	-
95-99 years.....	6	2	4	6	2	4	-	-	-	-	-	-	-	-	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-





Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Secondary malignant neoplasm of ovary (C79.6)															
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute myeloid leukemia (C92.0)															
All ages.....	7,739	4,286	3,453	6,945	3,890	3,055	613	309	304	29	14	15	152	73	79
Under 1 year.....	8	3	5	7	2	5	-	-	-	-	-	-	1	1	-
1-4 years.....	31	16	15	23	13	10	6	3	3	-	-	-	2	-	2
5-9 years.....	34	19	15	24	16	8	7	3	4	-	-	-	3	-	3
10-14 years.....	50	24	26	36	17	19	13	6	7	-	-	-	1	1	-
15-19 years.....	60	37	23	38	23	15	15	10	5	3	1	2	4	3	1
20-24 years.....	70	39	31	57	31	26	9	5	4	-	-	-	4	3	1
25-29 years.....	80	47	33	64	34	30	11	8	3	1	1	-	4	4	-
30-34 years.....	97	62	35	81	51	30	12	8	4	2	2	-	2	1	1
35-39 years.....	127	58	69	100	40	60	19	12	7	1	-	1	7	6	1
40-44 years.....	220	113	107	181	95	86	31	13	18	2	1	1	6	4	2
45-49 years.....	255	142	113	219	128	91	31	11	20	2	2	-	3	1	2
50-54 years.....	369	197	172	315	172	143	45	22	23	3	2	1	6	1	5
55-59 years.....	479	280	199	425	246	179	39	26	13	1	-	1	14	8	6
60-64 years.....	684	400	284	602	360	242	64	30	34	3	1	2	15	9	6
65-69 years.....	802	480	322	723	431	292	60	39	21	2	1	1	17	9	8
70-74 years.....	1,134	667	467	1,035	616	419	79	42	37	2	1	1	18	8	10
75-79 years.....	1,337	770	567	1,250	731	519	67	34	33	1	-	1	19	5	14
80-84 years.....	1,046	550	496	966	518	448	59	22	37	4	2	2	17	8	9
85-89 years.....	623	302	321	591	293	298	26	8	18	2	-	2	4	1	3
90-94 years.....	183	70	113	167	63	104	15	7	8	-	-	-	1	-	1
95-99 years.....	50	10	40	41	10	31	5	-	5	-	-	-	4	-	4
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-





























































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Carcinoma in situ of cervix uteri (D06)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cervix, unspecified (D06.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Vulva (D07.1)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Prostate (D07.5)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	









































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Leiomyoma of uterus (D25)															
All ages.....	23	...	23	9	...	9	13	...	13	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
40-44 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
45-49 years.....	10	...	10	3	...	3	7	...	7	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Leiomyoma of uterus, unspecified (D25.9)																
All ages.....	23	...	23	9	...	9	13	...	13	-	...	-	1	...	1	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1	
40-44 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-	
45-49 years.....	10	...	10	3	...	3	7	...	7	-	...	-	-	...	-	
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Other benign neoplasms of uterus (D26)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Uterus, unspecified (D26.9)																
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Benign neoplasm of ovary (D27)															
All ages.....	14	...	14	12	...	12	1	...	1	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Benign neoplasm of other and unspecified female genital organs (D28)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other specified female genital organs (D28.7)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Benign neoplasm of male genital organs (D29)															
All ages.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testis (D29.2)															
All ages.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Scrotum (D29.4)																
All ages.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...	
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Male genital organ, unspecified (D29.9)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...





































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Neoplasm of uncertain or unknown behavior of female genital organs (D39)															
All ages.....	78	...	78	66	...	66	11	...	11	-	...	-	1	...	1
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
60-64 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
65-69 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	8	...	8	6	...	6	2	...	2	-	...	-	-	...	-
80-84 years.....	15	...	15	12	...	12	3	...	3	-	...	-	-	...	-
85-89 years.....	16	...	16	16	...	16	-	...	-	-	...	-	-	...	-
90-94 years.....	9	...	9	9	...	9	-	...	-	-	...	-	-	...	-
95-99 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Uterus (D39.0)																
All ages.....	14	...	14	12	...	12	2	...	2	-	...	-	-	...	-	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
60-64 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
80-84 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	2	...	2	2	...	2	-	...	2	-	...	-	-	...	-	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Ovary (D39.1)															
All ages.....	54	...	54	45	...	45	8	...	8	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
70-74 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
75-79 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
80-84 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
85-89 years.....	12	...	12	12	...	12	-	...	-	-	...	-	-	...	-
90-94 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Placenta (D39.2)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Other female genital organs (D39.7)														
All ages.....	6	...	6	5	...	5	1	...	1	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
80-84 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Female genital organ, unspecified (D39.9)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Neoplasm of uncertain or unknown behavior of male genital organs (D40)															
All ages.....	22	22	...	17	17	...	5	5	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
70-74 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
80-84 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
85-89 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Prostate (D40.0)															
All ages.....	19	19	...	14	14	...	5	5	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
70-74 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
80-84 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
85-89 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Testis (D40.1)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other male genital organs (D40.7)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...





























































































































































































































































































































































































































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Ovarian dysfunction (E28)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Polycystic ovarian syndrome (E28.2)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-



















































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Obesity (E66)																
All ages.....	4,021	1,872	2,149	3,254	1,582	1,672	706	259	447	31	17	14	30	14	16	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-	
15-19 years.....	22	10	12	14	8	6	7	2	5	-	-	-	1	-	1	
20-24 years.....	49	26	23	31	19	12	15	5	10	1	1	-	2	1	1	
25-29 years.....	116	73	43	72	46	26	40	23	17	3	3	-	1	1	-	
30-34 years.....	169	109	60	112	78	34	53	29	24	2	1	1	2	1	1	
35-39 years.....	255	124	131	180	98	82	71	25	46	2	1	1	2	-	2	
40-44 years.....	378	192	186	285	150	135	84	36	48	4	2	2	5	4	1	
45-49 years.....	512	258	254	405	216	189	97	38	59	6	2	4	4	2	2	
50-54 years.....	527	257	270	439	221	218	83	34	49	1	1	-	4	1	3	
55-59 years.....	511	261	250	432	235	197	71	20	51	6	4	2	2	2	-	
60-64 years.....	410	184	226	347	167	180	59	16	43	1	1	-	3	-	3	
65-69 years.....	367	166	201	330	154	176	34	11	23	2	1	1	1	-	1	
70-74 years.....	281	95	186	240	84	156	40	10	30	-	-	-	1	1	-	
75-79 years.....	191	59	132	165	53	112	26	6	20	-	-	-	-	-	-	
80-84 years.....	133	39	94	118	38	80	13	1	12	2	-	2	-	-	-	
85-89 years.....	66	9	57	59	8	51	4	-	4	1	-	1	2	1	1	
90-94 years.....	19	3	16	15	3	12	4	-	4	-	-	-	-	-	-	
95-99 years.....	9	1	8	7	1	6	2	-	2	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	







Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Obesity, unspecified (E66.9)															
All ages.....	1,502	688	814	1,232	590	642	249	87	162	12	6	6	9	5	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	5	1	4	2	-	2	3	1	2	-	-	-	-	-	-
20-24 years.....	10	6	4	9	5	4	-	-	-	1	1	-	-	-	-
25-29 years.....	32	20	12	19	12	7	13	8	5	-	-	-	-	-	-
30-34 years.....	46	27	19	29	21	8	17	6	11	-	-	-	-	-	-
35-39 years.....	78	33	45	59	29	30	18	4	14	-	-	-	1	-	1
40-44 years.....	123	66	57	90	49	41	29	14	15	3	2	1	1	1	-
45-49 years.....	166	82	84	129	70	59	34	10	24	2	1	1	1	1	-
50-54 years.....	161	88	73	132	71	61	27	16	11	1	1	-	1	-	1
55-59 years.....	189	104	85	162	97	65	25	5	20	-	-	-	2	2	-
60-64 years.....	155	71	84	128	62	66	25	8	17	1	1	-	1	-	1
65-69 years.....	173	83	90	157	79	78	14	4	10	1	-	1	1	-	1
70-74 years.....	137	46	91	123	42	81	14	4	10	-	-	-	-	-	-
75-79 years.....	89	28	61	73	23	50	16	5	11	-	-	-	-	-	-
80-84 years.....	75	23	52	68	23	45	5	-	5	2	-	2	-	-	-
85-89 years.....	43	6	37	38	5	33	3	-	3	1	-	1	1	1	-
90-94 years.....	13	-	13	10	-	10	3	-	3	-	-	-	-	-	-
95-99 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-





































































































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based  
on the International  
Classification of  
Diseases, Tenth  
Revision, 1992)  
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Mental and behavioral disorders due to use of alcohol (F10)															
All ages.....	7,023	5,465	1,558	5,773	4,472	1,301	968	780	188	229	165	64	53	48	5
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	5	3	2	4	3	1	1	-	1	-	-	-	-	-	-
15-19 years.....	26	18	8	20	16	4	1	1	-	5	1	4	-	-	-
20-24 years.....	53	49	4	39	37	2	5	4	1	7	7	-	2	1	1
25-29 years.....	85	73	12	71	61	10	11	10	1	2	2	-	1	-	1
30-34 years.....	200	157	43	158	123	35	20	16	4	12	9	3	10	9	1
35-39 years.....	437	325	112	360	269	91	54	39	15	19	13	6	4	4	-
40-44 years.....	905	693	212	745	580	165	106	76	30	45	28	17	9	9	-
45-49 years.....	1,210	929	281	1,005	771	234	158	124	34	40	28	12	7	6	1
50-54 years.....	1,167	936	231	943	740	203	181	160	21	35	28	7	8	8	-
55-59 years.....	903	723	180	743	599	144	133	102	31	23	19	4	4	3	1
60-64 years.....	731	575	156	579	442	137	131	116	15	15	11	4	6	6	-
65-69 years.....	475	369	106	397	310	87	67	51	16	11	8	3	-	-	-
70-74 years.....	352	273	79	294	228	66	47	38	9	9	5	4	2	2	-
75-79 years.....	232	174	58	200	147	53	28	23	5	4	4	-	-	-	-
80-84 years.....	140	110	30	123	96	27	15	12	3	2	2	-	-	-	-
85-89 years.....	70	41	29	63	35	28	7	6	1	-	-	-	-	-	-
90-94 years.....	17	7	10	17	7	10	-	-	-	-	-	-	-	-	-
95-99 years.....	7	3	4	6	3	3	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	8	7	1	6	5	1	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	Male
Acute intoxication (F10.0)															
All ages.....	651	497	154	539	407	132	69	58	11	36	27	9	7	5	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	5	3	2	4	3	1	1	-	1	-	-	-	-	-	-
15-19 years.....	22	15	7	17	13	4	1	1	-	4	1	3	-	-	-
20-24 years.....	37	35	2	28	27	1	1	1	-	6	6	-	2	1	1
25-29 years.....	26	22	4	22	18	4	4	4	-	-	-	-	-	-	-
30-34 years.....	46	36	10	38	30	8	3	3	-	3	2	1	2	1	1
35-39 years.....	87	71	16	73	59	14	9	8	1	4	3	1	1	1	-
40-44 years.....	113	89	24	98	78	20	10	8	2	4	2	2	1	1	-
45-49 years.....	126	84	42	108	70	38	11	8	3	7	6	1	-	-	-
50-54 years.....	80	65	15	61	47	14	16	15	1	2	2	-	1	1	-
55-59 years.....	43	30	13	36	25	11	6	4	2	1	1	-	-	-	-
60-64 years.....	36	23	13	30	17	13	5	5	-	1	1	-	-	-	-
65-69 years.....	13	7	6	10	6	4	1	-	1	2	1	1	-	-	-
70-74 years.....	5	5	-	4	4	-	-	-	-	1	1	-	-	-	-
75-79 years.....	5	5	-	5	5	-	-	-	-	-	-	-	-	-	-
80-84 years.....	3	3	-	2	2	-	-	-	-	1	1	-	-	-	-
85-89 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-



Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes		Male	Female		
										Male	Female				
Dependence syndrome (F10.2)															
All ages.....	3,941	3,059	882	3,261	2,517	744	516	416	100	124	87	37	40	39	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	1	1	1	1	-	-	-	-	1	-	1	-	-	-
20-24 years.....	9	8	1	7	6	1	2	2	-	-	-	-	-	-	-
25-29 years.....	39	33	6	33	28	5	5	4	1	1	1	-	-	-	-
30-34 years.....	108	87	21	86	69	17	10	8	2	5	3	2	7	7	-
35-39 years.....	226	158	68	193	135	58	21	14	7	9	6	3	3	3	-
40-44 years.....	503	382	121	399	308	91	64	47	17	32	19	13	8	8	-
45-49 years.....	696	533	163	578	444	134	89	68	21	24	16	8	5	5	-
50-54 years.....	673	544	129	549	434	115	96	84	12	21	19	2	7	7	-
55-59 years.....	562	450	112	470	380	90	72	55	17	17	13	4	3	2	1
60-64 years.....	444	354	90	361	279	82	70	64	6	7	5	2	6	6	-
65-69 years.....	286	219	67	246	185	61	38	32	6	2	2	-	-	-	-
70-74 years.....	205	157	48	172	131	41	28	23	5	4	2	2	1	1	-
75-79 years.....	103	75	28	89	65	24	13	9	4	1	1	-	-	-	-
80-84 years.....	52	39	13	46	35	11	6	4	2	-	-	-	-	-	-
85-89 years.....	17	10	7	16	9	7	1	1	-	-	-	-	-	-	-
90-94 years.....	9	4	5	9	4	5	-	-	-	-	-	-	-	-	-
95-99 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-







































































































































































































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Reaction to severe stress, and adjustment disorders (F43)															
All ages.....	51	31	20	46	28	18	3	1	2	1	1	-	1	1	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
40-44 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
45-49 years.....	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-
50-54 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
55-59 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
60-64 years.....	2	1	1	2	1	1	-	-	2	-	-	-	-	-	-
65-69 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
70-74 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
75-79 years.....	6	3	3	6	3	3	-	-	6	-	-	-	-	-	-
80-84 years.....	10	7	3	8	5	3	-	-	-	1	1	-	1	1	-
85-89 years.....	6	3	3	5	3	2	1	-	1	-	-	-	-	-	-
90-94 years.....	6	2	4	6	2	4	-	-	6	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-







Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Reaction to severe stress, unspecified (F43.9)																
All ages.....	36	20	16	33	19	14	2	-	2	-	-	-	1	1	-	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
45-49 years.....	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	
50-54 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-	
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
60-64 years.....	2	1	1	2	1	1	-	-	2	-	-	-	-	-	-	
65-69 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-	
70-74 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-	
75-79 years.....	5	3	2	5	3	2	-	-	5	-	-	-	-	-	-	
80-84 years.....	6	3	3	5	2	3	-	-	-	-	-	-	1	1	-	
85-89 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-	
90-94 years.....	4	2	2	4	2	2	-	-	4	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	





















































Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Profound mental retardation (F73)															
All ages.....	52	35	17	50	35	15	2	-	2	-	-	-	-	-	-
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-
35-39 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
40-44 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-
45-49 years.....	5	5	-	5	5	-	-	-	-	-	-	-	-	-	-
50-54 years.....	6	5	1	5	5	-	1	-	1	-	-	-	-	-	-
55-59 years.....	9	7	2	9	7	2	-	-	-	-	-	-	-	-	-
60-64 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
65-69 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
70-74 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
75-79 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



































