

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other symptoms and signs involving the circulatory and respiratory systems (R09)															
All ages.....	2,301	950	1,351	1,910	788	1,122	341	140	201	5	2	3	45	20	25
Under 1 year.....	17	11	6	14	9	5	2	1	1	1	1	-	-	-	-
1-4 years.....	12	8	4	5	4	1	7	4	3	-	-	-	-	-	-
5-9 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years.....	8	4	4	6	3	3	2	1	1	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	4	2	2	2	1	1	1	-	1	-	-	-	1	1	-
25-29 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
30-34 years.....	10	6	4	9	5	4	1	1	9	-	-	-	-	-	-
35-39 years.....	14	6	8	11	6	5	2	-	2	1	-	1	-	-	-
40-44 years.....	19	10	9	13	7	6	6	3	3	-	-	-	-	-	-
45-49 years.....	54	32	22	37	22	15	16	9	7	1	1	-	-	-	-
50-54 years.....	63	39	24	43	28	15	20	11	9	-	-	-	-	-	-
55-59 years.....	73	45	28	56	38	18	16	7	9	1	-	1	-	-	-
60-64 years.....	102	53	49	83	44	39	19	9	10	-	-	-	-	-	-
65-69 years.....	130	60	70	98	48	50	30	12	18	1	-	1	1	-	1
70-74 years.....	217	109	108	178	94	84	35	13	22	-	-	-	4	2	2
75-79 years.....	280	135	145	233	111	122	36	17	19	-	-	-	11	7	4
80-84 years.....	378	160	218	325	136	189	45	20	25	-	-	-	8	4	4
85-89 years.....	400	136	264	360	124	236	31	9	22	-	-	-	9	3	6
90-94 years.....	330	87	243	284	70	214	39	15	24	-	-	-	7	2	5
95-99 years.....	137	30	107	111	25	86	23	4	19	-	-	-	3	1	2
100 years & over.	43	9	34	35	7	28	8	2	6	-	-	-	-	-	-
Age not stated...	2	1	1	1	1	-	-	-	-	-	-	-	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Respiratory arrest (R09.2)															
All ages.....	2,066	828	1,238	1,716	683	1,033	301	124	177	4	1	3	45	20	25
Under 1 year.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
1-4 years.....	6	3	3	3	2	1	3	1	2	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	5	1	4	3	-	3	2	1	1	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	4	2	2	2	1	1	1	-	1	-	-	-	1	1	-
25-29 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
30-34 years.....	5	3	2	4	2	2	1	1	4	-	-	-	-	-	-
35-39 years.....	10	6	4	8	6	2	1	-	1	1	-	1	-	-	-
40-44 years.....	14	7	7	10	5	5	4	2	2	-	-	-	-	-	-
45-49 years.....	47	28	19	31	19	12	15	8	7	1	1	-	-	-	-
50-54 years.....	49	29	20	33	20	13	16	9	7	-	-	-	-	-	-
55-59 years.....	65	40	25	50	33	17	14	7	7	1	-	1	-	-	-
60-64 years.....	91	48	43	72	39	33	19	9	10	-	-	-	-	-	-
65-69 years.....	117	51	66	90	42	48	25	9	16	1	-	1	1	-	1
70-74 years.....	199	102	97	164	87	77	31	13	18	-	-	-	4	2	2
75-79 years.....	248	118	130	204	95	109	33	16	17	-	-	-	11	7	4
80-84 years.....	352	148	204	302	124	178	42	20	22	-	-	-	8	4	4
85-89 years.....	363	119	244	326	108	218	28	8	20	-	-	-	9	3	6
90-94 years.....	313	82	231	269	66	203	37	14	23	-	-	-	7	2	5
95-99 years.....	128	27	101	104	23	81	21	3	18	-	-	-	3	1	2
100 years & over.	41	9	32	34	7	27	7	2	5	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other ill-defined and unspecified causes of mortality (R99)															
All ages.....	14,913	8,307	6,606	12,240	6,730	5,510	2,407	1,421	986	111	68	43	155	88	67
Under 1 year.....	1,089	648	441	702	434	268	352	200	152	20	8	12	15	6	9
1-4 years.....	182	104	78	116	64	52	59	34	25	2	2	-	5	4	1
5-9 years.....	55	20	35	41	17	24	11	2	9	1	-	1	2	1	1
10-14 years.....	74	44	30	47	27	20	23	15	8	2	2	-	2	-	2
15-19 years.....	247	163	84	202	137	65	39	23	16	2	1	1	4	2	2
20-24 years.....	410	287	123	323	232	91	79	49	30	3	3	-	5	3	2
25-29 years.....	472	331	141	366	256	110	91	67	24	5	3	2	10	5	5
30-34 years.....	557	383	174	441	312	129	103	61	42	3	3	-	10	7	3
35-39 years.....	846	563	283	675	452	223	153	97	56	11	9	2	7	5	2
40-44 years.....	1,118	714	404	873	562	311	227	137	90	9	6	3	9	9	-
45-49 years.....	1,282	829	453	994	652	342	262	159	103	11	9	2	15	9	6
50-54 years.....	1,029	663	366	805	531	274	205	124	81	11	2	9	8	6	2
55-59 years.....	810	527	283	652	414	238	143	99	44	7	6	1	8	8	-
60-64 years.....	653	421	232	525	332	193	119	84	35	4	3	1	5	2	3
65-69 years.....	635	417	218	541	347	194	84	62	22	3	2	1	7	6	1
70-74 years.....	757	451	306	641	381	260	110	67	43	1	-	1	5	3	2
75-79 years.....	840	450	390	753	401	352	76	43	33	5	4	1	6	2	4
80-84 years.....	1,019	460	559	925	418	507	80	34	46	4	2	2	10	6	4
85-89 years.....	1,117	377	740	1,035	353	682	74	23	51	2	1	1	6	-	6
90-94 years.....	960	263	697	892	239	653	59	22	37	1	-	1	8	2	6
95-99 years.....	481	89	392	447	82	365	31	7	24	1	-	1	2	-	2
100 years & over.	170	21	149	149	17	132	16	4	12	1	-	1	4	-	4
Age not stated...	110	82	28	95	70	25	11	8	3	2	2	-	2	2	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Pedestrian injured in collision with car, pick-up truck, or van (V03)															
All ages.....	3,212	2,199	1,013	2,498	1,718	780	528	376	152	67	49	18	119	56	63
Under 1 year.....	9	3	6	8	3	5	1	-	1	-	-	-	-	-	-
1-4 years.....	171	110	61	131	83	48	37	24	13	-	-	-	3	3	-
5-9 years.....	98	66	32	63	44	19	29	20	9	1	-	1	5	2	3
10-14 years.....	100	62	38	72	47	25	24	12	12	4	3	1	-	-	-
15-19 years.....	186	128	58	146	101	45	29	19	10	5	4	1	6	4	2
20-24 years.....	211	156	55	170	127	43	28	19	9	5	5	-	8	5	3
25-29 years.....	177	136	41	135	113	22	27	12	15	8	7	1	7	4	3
30-34 years.....	172	129	43	130	94	36	35	30	5	5	4	1	2	1	1
35-39 years.....	220	160	60	169	122	47	38	31	7	11	7	4	2	-	2
40-44 years.....	293	218	75	217	164	53	66	46	20	6	5	1	4	3	1
45-49 years.....	288	200	88	218	151	67	57	42	15	8	5	3	5	2	3
50-54 years.....	207	157	50	150	117	33	42	32	10	7	4	3	8	4	4
55-59 years.....	207	157	50	169	131	38	31	23	8	2	1	1	5	2	3
60-64 years.....	161	109	52	135	93	42	17	12	5	2	2	-	7	2	5
65-69 years.....	143	94	49	109	70	39	22	19	3	1	1	-	11	4	7
70-74 years.....	121	79	42	96	63	33	15	13	2	1	1	-	9	2	7
75-79 years.....	159	77	82	130	61	69	15	11	4	1	-	1	13	5	8
80-84 years.....	155	76	79	132	65	67	9	6	3	-	-	-	14	5	9
85-89 years.....	87	47	40	76	39	37	4	3	1	-	-	-	7	5	2
90-94 years.....	36	25	11	33	22	11	1	1	-	-	-	-	2	2	-
95-99 years.....	7	6	1	6	5	1	-	-	-	-	-	-	1	1	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Pedestrian injured in collision with car, pick-up truck, or van, traffic accident (V03.1)															
All ages.....	2,980	2,055	925	2,301	1,602	699	499	354	145	63	45	18	117	54	63
Under 1 year.....	8	3	5	7	3	4	1	-	1	-	-	-	-	-	-
1-4 years.....	102	68	34	75	51	24	25	15	10	-	-	-	2	2	-
5-9 years.....	95	64	31	61	43	18	28	19	9	1	-	1	5	2	3
10-14 years.....	93	56	37	68	44	24	22	10	12	3	2	1	-	-	-
15-19 years.....	183	126	57	143	99	44	29	19	10	5	4	1	6	4	2
20-24 years.....	202	149	53	162	121	41	28	19	9	4	4	-	8	5	3
25-29 years.....	174	134	40	132	111	21	27	12	15	8	7	1	7	4	3
30-34 years.....	164	121	43	125	89	36	33	28	5	4	3	1	2	1	1
35-39 years.....	215	156	59	165	119	46	37	30	7	11	7	4	2	-	2
40-44 years.....	283	212	71	209	159	50	64	45	19	6	5	1	4	3	1
45-49 years.....	273	189	84	206	142	64	54	40	14	8	5	3	5	2	3
50-54 years.....	198	152	46	144	114	30	40	31	9	7	4	3	7	3	4
55-59 years.....	195	150	45	159	125	34	29	22	7	2	1	1	5	2	3
60-64 years.....	148	100	48	123	85	38	17	12	5	1	1	-	7	2	5
65-69 years.....	129	86	43	96	63	33	21	18	3	1	1	-	11	4	7
70-74 years.....	114	75	39	89	59	30	15	13	2	1	1	-	9	2	7
75-79 years.....	145	69	76	117	54	63	14	10	4	1	-	1	13	5	8
80-84 years.....	144	70	74	121	59	62	9	6	3	-	-	-	14	5	9
85-89 years.....	70	42	28	59	34	25	4	3	1	-	-	-	7	5	2
90-94 years.....	35	24	11	32	21	11	1	1	-	-	-	-	2	2	-
95-99 years.....	6	5	1	5	4	1	-	-	-	-	-	-	1	1	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Pedestrian injured in unspecified nontraffic accident (V09.1)															
All ages.....	163	114	49	130	90	40	22	19	3	5	3	2	6	2	4
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
5-9 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	9	5	4	8	4	4	1	1	8	-	-	-	-	-	-
20-24 years.....	15	12	3	11	9	2	2	2	-	-	-	-	2	1	1
25-29 years.....	7	4	3	6	3	3	1	1	-	-	-	-	-	-	-
30-34 years.....	12	9	3	8	7	1	3	2	1	1	-	1	-	-	-
35-39 years.....	10	8	2	6	5	1	3	2	1	1	1	-	-	-	-
40-44 years.....	19	14	5	15	11	4	3	2	1	-	-	-	1	1	-
45-49 years.....	14	11	3	12	9	3	1	1	-	1	1	-	-	-	-
50-54 years.....	9	7	2	4	4	-	3	3	-	1	-	1	1	-	1
55-59 years.....	9	8	1	9	8	1	-	-	-	-	-	-	-	-	-
60-64 years.....	8	3	5	7	3	4	-	-	7	-	-	-	1	-	1
65-69 years.....	5	3	2	3	2	1	1	1	-	-	-	-	1	-	1
70-74 years.....	11	9	2	9	7	2	2	2	-	-	-	-	-	-	-
75-79 years.....	11	5	6	11	5	6	-	-	-	-	-	-	-	-	-
80-84 years.....	8	4	4	8	4	4	-	-	-	-	-	-	-	-	-
85-89 years.....	3	2	1	2	1	1	-	-	-	1	1	-	-	-	-
90-94 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	2	2	-	-	-	2	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Occupant of pick-up truck or van injured in collision with fixed or stationary object, passenger injured in traffic accident (V57.6)															
All ages.....	201	129	72	165	103	62	27	21	6	4	2	2	5	3	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
5-9 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
10-14 years.....	5	3	2	4	2	2	1	1	-	-	-	-	-	-	-
15-19 years.....	35	23	12	29	19	10	4	3	1	-	-	-	2	1	1
20-24 years.....	39	31	8	34	27	7	4	3	1	-	-	-	1	1	-
25-29 years.....	20	15	5	16	11	5	3	3	-	-	-	-	1	1	-
30-34 years.....	20	12	8	15	10	5	3	2	1	1	-	1	1	-	1
35-39 years.....	10	7	3	6	4	2	2	2	-	2	1	1	-	-	-
40-44 years.....	17	13	4	12	9	3	5	4	1	-	-	-	-	-	-
45-49 years.....	10	8	2	8	6	2	2	2	-	-	-	-	-	-	-
50-54 years.....	10	7	3	9	6	3	-	-	-	1	1	-	-	-	-
55-59 years.....	5	1	4	4	-	4	1	1	-	-	-	-	-	-	-
60-64 years.....	4	1	3	4	1	3	-	4	-	-	-	-	-	-	-
65-69 years.....	5	1	4	3	1	2	2	-	2	-	-	-	-	-	-
70-74 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
75-79 years.....	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-
80-84 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
85-89 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
90-94 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Parachutist injured in air transport accident (V97.2)															
All ages.....	22	19	3	21	18	3	-	-	-	-	-	-	1	1	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
30-34 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
40-44 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
45-49 years.....	4	3	1	3	2	1	-	-	-	-	-	-	1	1	-
50-54 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
55-59 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
60-64 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
65-69 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Other fall on same level (W18)															
All ages.....	3,725	1,818	1,907	3,450	1,657	1,793	129	75	54	43	28	15	103	58	45
Under 1 year.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
1-4 years.....	5	3	2	3	2	1	2	1	1	-	-	-	-	-	-
5-9 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
10-14 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
15-19 years.....	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
20-24 years.....	9	5	4	7	5	2	2	-	2	-	-	-	-	-	-
25-29 years.....	8	6	2	7	5	2	1	1	-	-	-	-	-	-	-
30-34 years.....	17	11	6	15	10	5	1	-	1	1	1	-	-	-	-
35-39 years.....	40	31	9	29	22	7	7	5	2	4	4	-	-	-	-
40-44 years.....	60	44	16	49	37	12	9	6	3	-	-	-	2	1	1
45-49 years.....	69	45	24	58	37	21	8	7	1	3	1	2	-	-	-
50-54 years.....	102	73	29	82	56	26	12	10	2	5	4	1	3	3	-
55-59 years.....	114	81	33	90	63	27	16	12	4	1	-	1	7	6	1
60-64 years.....	118	75	43	100	59	41	12	11	1	4	4	-	2	1	1
65-69 years.....	154	85	69	139	75	64	5	3	2	4	4	-	6	3	3
70-74 years.....	251	140	111	227	130	97	10	3	7	1	1	-	13	6	7
75-79 years.....	478	264	214	454	252	202	10	7	3	4	1	3	10	4	6
80-84 years.....	752	356	396	707	336	371	12	3	9	5	4	1	28	13	15
85-89 years.....	781	344	437	748	327	421	14	4	10	4	2	2	15	11	4
90-94 years.....	544	198	346	520	186	334	8	2	6	3	1	2	13	9	4
95-99 years.....	177	45	132	172	44	128	-	-	-	2	-	2	3	1	2
100 years & over.	33	4	29	31	4	27	-	-	-	1	-	1	1	-	1
Age not stated...	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Drowning and submersion while in natural water (W69)															
All ages.....	989	879	110	768	680	88	132	128	4	31	25	6	58	46	12
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	40	27	13	32	20	12	4	4	-	4	3	1	-	-	-
5-9 years.....	24	17	7	17	11	6	5	5	-	1	1	-	1	-	1
10-14 years.....	52	43	9	27	21	6	18	17	1	3	2	1	4	3	1
15-19 years.....	138	132	6	104	100	4	21	21	-	3	2	1	10	9	1
20-24 years.....	125	120	5	97	94	3	16	16	-	3	3	-	9	7	2
25-29 years.....	80	78	2	62	61	1	11	11	-	-	-	-	7	6	1
30-34 years.....	70	64	6	52	46	6	14	14	-	-	-	-	4	4	-
35-39 years.....	77	71	6	59	53	6	9	9	-	5	5	-	4	4	-
40-44 years.....	81	74	7	66	62	4	6	6	-	4	2	2	5	4	1
45-49 years.....	71	65	6	53	48	5	9	8	1	6	6	-	3	3	-
50-54 years.....	56	46	10	45	38	7	6	5	1	2	1	1	3	2	1
55-59 years.....	41	37	4	36	32	4	3	3	-	-	-	-	2	2	-
60-64 years.....	33	28	5	31	27	4	2	1	1	-	-	-	-	-	-
65-69 years.....	24	19	5	21	17	4	1	1	-	-	-	-	2	1	1
70-74 years.....	13	12	1	11	10	1	2	2	-	-	-	-	-	-	-
75-79 years.....	22	17	5	19	14	5	2	2	-	-	-	-	1	1	-
80-84 years.....	18	12	6	16	11	5	1	1	-	-	-	-	1	-	1
85-89 years.....	12	5	7	10	5	5	-	-	-	-	-	-	2	-	2
90-94 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	10	10	-	9	9	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Drowning and submersion following fall into natural water (W70)															
All ages.....	236	208	28	191	165	26	34	32	2	6	6	-	5	5	-
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	17	10	7	15	9	6	1	-	1	-	-	-	1	1	-
5-9 years.....	9	6	3	7	4	3	1	1	-	1	1	-	-	-	-
10-14 years.....	6	5	1	3	2	1	2	2	-	1	1	-	-	-	-
15-19 years.....	8	7	1	5	4	1	3	3	5	-	-	-	-	-	-
20-24 years.....	16	15	1	14	13	1	-	-	-	2	2	-	-	-	-
25-29 years.....	13	13	-	11	11	-	1	1	-	-	-	-	1	1	-
30-34 years.....	11	10	1	9	8	1	2	2	9	-	-	-	-	-	-
35-39 years.....	19	19	-	14	14	-	4	4	-	1	1	-	-	-	-
40-44 years.....	19	15	4	15	11	4	4	4	-	-	-	-	-	-	-
45-49 years.....	17	15	2	14	12	2	3	3	14	-	-	-	-	-	-
50-54 years.....	28	27	1	22	21	1	5	5	-	-	-	-	1	1	-
55-59 years.....	18	18	-	15	15	-	2	2	-	1	1	-	-	-	-
60-64 years.....	12	10	2	9	7	2	3	3	9	-	-	-	-	-	-
65-69 years.....	10	10	-	9	9	-	-	-	-	-	-	-	1	1	-
70-74 years.....	8	7	1	7	6	1	1	1	-	-	-	-	-	-	-
75-79 years.....	10	7	3	9	7	2	1	-	1	-	-	-	-	-	-
80-84 years.....	7	7	-	7	7	-	-	-	-	-	-	-	-	-	-
85-89 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
90-94 years.....	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Exposure to uncontrolled fire in building or structure (X00)															
All ages.....	2,761	1,547	1,214	2,037	1,146	891	676	375	301	26	13	13	22	13	9
Under 1 year.....	28	6	22	20	5	15	7	1	6	-	-	-	1	-	1
1-4 years.....	216	126	90	141	82	59	72	41	31	3	3	-	-	-	-
5-9 years.....	133	70	63	71	37	34	59	31	28	1	1	-	2	1	1
10-14 years.....	75	39	36	39	18	21	33	19	14	2	1	1	1	1	-
15-19 years.....	66	36	30	44	26	18	20	9	11	1	-	1	1	1	-
20-24 years.....	109	67	42	92	58	34	15	8	7	1	1	-	1	-	1
25-29 years.....	104	58	46	79	43	36	22	13	9	2	1	1	1	1	-
30-34 years.....	119	72	47	95	59	36	20	10	10	2	1	1	2	2	-
35-39 years.....	149	99	50	123	84	39	24	14	10	1	1	-	1	-	1
40-44 years.....	191	114	77	148	93	55	36	19	17	5	2	3	2	-	2
45-49 years.....	216	144	72	164	107	57	51	36	15	-	-	-	1	1	-
50-54 years.....	204	113	91	147	85	62	53	27	26	3	1	2	1	-	1
55-59 years.....	159	104	55	119	75	44	38	27	11	-	-	-	2	2	-
60-64 years.....	151	89	62	120	71	49	27	16	11	3	1	2	1	1	-
65-69 years.....	154	86	68	118	66	52	35	20	15	1	-	1	-	-	-
70-74 years.....	151	90	61	111	68	43	39	22	17	1	-	1	-	-	-
75-79 years.....	174	91	83	131	62	69	43	29	14	-	-	-	-	-	-
80-84 years.....	173	71	102	130	50	80	39	18	21	-	-	-	4	3	1
85-89 years.....	111	47	64	81	36	45	29	11	18	-	-	-	1	-	1
90-94 years.....	48	17	31	41	14	27	7	3	4	-	-	-	-	-	-
95-99 years.....	21	5	16	17	4	13	4	1	3	-	-	-	-	-	-
100 years & over.	5	-	5	2	-	2	3	-	3	-	-	-	-	-	-
Age not stated...	4	3	1	4	3	1	-	-	-	-	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Exposure to excessive natural heat (X30)															
All ages.....	273	195	78	207	150	57	50	34	16	8	7	1	8	4	4
Under 1 year.....	13	8	5	9	6	3	1	1	-	-	-	-	3	1	2
1-4 years.....	19	9	10	13	4	9	5	5	-	-	-	-	1	-	1
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
15-19 years.....	5	4	1	3	3	-	2	1	1	-	-	-	-	-	-
20-24 years.....	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-
25-29 years.....	14	14	-	13	13	-	-	-	-	-	-	-	1	1	-
30-34 years.....	12	8	4	10	6	4	2	2	-	-	-	-	-	-	-
35-39 years.....	19	17	2	13	12	1	6	5	1	-	-	-	-	-	-
40-44 years.....	21	17	4	18	16	2	2	-	2	1	1	-	-	-	-
45-49 years.....	19	12	7	10	6	4	7	4	3	1	1	-	1	1	-
50-54 years.....	18	16	2	16	15	1	2	1	1	-	-	-	-	-	-
55-59 years.....	22	17	5	18	15	3	3	1	2	1	1	-	-	-	-
60-64 years.....	16	11	5	11	7	4	2	1	1	3	3	-	-	-	-
65-69 years.....	13	11	2	7	6	1	5	4	1	1	1	-	-	-	-
70-74 years.....	17	10	7	12	8	4	3	1	2	-	-	-	2	1	1
75-79 years.....	17	16	1	14	13	1	3	3	-	-	-	-	-	-	-
80-84 years.....	19	8	11	15	7	8	3	1	2	1	-	1	-	-	-
85-89 years.....	12	4	8	12	4	8	-	-	-	-	-	-	-	-	-
90-94 years.....	6	2	4	5	1	4	1	1	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)															
All ages.....	9,231	6,825	2,406	7,480	5,592	1,888	1,616	1,140	476	97	64	33	38	29	9
Under 1 year.....	4	2	2	3	2	1	1	-	1	-	-	-	-	-	-
1-4 years.....	6	5	1	2	2	-	4	3	1	-	-	-	-	-	-
5-9 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
10-14 years.....	6	3	3	5	3	2	1	-	1	-	-	-	-	-	-
15-19 years.....	255	194	61	244	186	58	5	3	2	4	4	-	2	1	1
20-24 years.....	744	603	141	689	559	130	46	37	9	5	4	1	4	3	1
25-29 years.....	771	600	171	681	536	145	73	52	21	11	8	3	6	4	2
30-34 years.....	989	752	237	827	641	186	144	98	46	11	6	5	7	7	-
35-39 years.....	1,360	970	390	1,107	797	310	233	158	75	14	11	3	6	4	2
40-44 years.....	1,750	1,268	482	1,413	1,048	365	314	208	106	20	9	11	3	3	-
45-49 years.....	1,655	1,213	442	1,281	949	332	356	249	107	15	12	3	3	3	-
50-54 years.....	988	726	262	710	524	186	267	194	73	10	7	3	1	1	-
55-59 years.....	395	280	115	291	201	90	97	76	21	4	1	3	3	2	1
60-64 years.....	159	116	43	121	88	33	35	27	8	1	1	-	2	-	2
65-69 years.....	73	59	14	40	29	11	31	29	2	1	-	1	1	1	-
70-74 years.....	28	16	12	26	14	12	1	1	-	1	1	-	-	-	-
75-79 years.....	13	6	7	10	3	7	3	3	-	-	-	-	-	-	-
80-84 years.....	9	2	7	8	1	7	1	1	-	-	-	-	-	-	-
85-89 years.....	13	3	10	11	3	8	2	-	2	-	-	-	-	-	-
90-94 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)															
All ages.....	7,611	4,609	3,002	6,936	4,233	2,703	558	316	242	80	38	42	37	22	15
Under 1 year.....	9	4	5	4	4	-	5	-	5	-	-	-	-	-	-
1-4 years.....	13	5	8	10	5	5	3	-	3	-	-	-	-	-	-
5-9 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
10-14 years.....	12	8	4	7	6	1	4	2	2	1	-	1	-	-	-
15-19 years.....	190	144	46	181	142	39	7	2	5	2	-	2	-	-	-
20-24 years.....	566	441	125	546	425	121	12	8	4	3	3	-	5	5	-
25-29 years.....	577	427	150	539	403	136	23	14	9	10	5	5	5	5	-
30-34 years.....	727	480	247	671	447	224	43	25	18	11	6	5	2	2	-
35-39 years.....	1,020	630	390	919	568	351	84	55	29	13	5	8	4	2	2
40-44 years.....	1,375	795	580	1,258	733	525	95	50	45	18	10	8	4	2	2
45-49 years.....	1,306	766	540	1,189	705	484	109	57	52	4	1	3	4	3	1
50-54 years.....	823	463	360	729	409	320	79	46	33	9	6	3	6	2	4
55-59 years.....	382	185	197	337	157	180	41	27	14	3	1	2	1	-	1
60-64 years.....	158	74	84	143	65	78	12	9	3	3	-	3	-	-	-
65-69 years.....	95	39	56	81	33	48	11	5	6	3	1	2	-	-	-
70-74 years.....	78	33	45	65	28	37	9	5	4	-	-	-	4	-	4
75-79 years.....	80	38	42	74	35	39	6	3	3	-	-	-	-	-	-
80-84 years.....	92	46	46	85	43	42	6	2	4	-	-	-	1	1	-
85-89 years.....	65	16	49	58	13	45	6	3	3	-	-	-	1	-	1
90-94 years.....	29	12	17	27	10	17	2	2	-	-	-	-	-	-	-
95-99 years.....	6	-	6	6	-	6	-	-	-	-	-	-	-	-	-
100 years & over.	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Intentional self harm (suicide) by drowning and submersion (X71)																
All ages.....	339	223	116	250	162	88	65	46	19	4	3	1	20	12	8	
Under 1 year.....	
1-4 years.....	
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	6	4	2	3	2	1	2	1	1	-	-	-	1	1	-	
20-24 years.....	23	20	3	13	11	2	8	7	1	1	1	-	1	1	-	
25-29 years.....	33	28	5	18	15	3	12	10	2	1	1	-	2	2	-	
30-34 years.....	35	24	11	22	15	7	10	6	4	-	-	-	3	3	-	
35-39 years.....	39	32	7	26	21	5	10	8	2	1	1	-	2	2	-	
40-44 years.....	36	20	16	26	14	12	10	6	4	-	-	-	-	-	-	
45-49 years.....	35	20	15	30	16	14	3	3	-	-	-	-	2	1	1	
50-54 years.....	28	18	10	22	15	7	3	2	1	-	-	-	3	1	2	
55-59 years.....	22	11	11	20	10	10	1	1	-	-	-	-	1	-	1	
60-64 years.....	27	11	16	22	11	11	3	-	3	-	-	-	2	-	2	
65-69 years.....	9	5	4	8	4	4	1	1	-	-	-	-	-	-	-	
70-74 years.....	14	8	6	12	8	4	-	-	-	-	-	-	2	-	2	
75-79 years.....	5	2	3	3	1	2	-	-	3	1	-	1	1	1	-	
80-84 years.....	11	9	2	11	9	2	-	-	-	-	-	-	-	-	-	
85-89 years.....	6	2	4	5	2	3	1	-	1	-	-	-	-	-	-	
90-94 years.....	6	6	-	6	6	-	-	-	-	-	-	-	-	-	-	
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	2	2	-	2	2	-	-	-	2	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Intentional self harm (suicide) by unspecified means (X84)															
All ages.....	150	111	39	136	104	32	6	2	4	1	1	-	7	4	3
Under 1 year.....
1-4 years.....
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years.....	3	3	-	3	3	-	-	-	3	-	-	-	-	-	-
20-24 years.....	6	5	1	5	5	-	1	-	1	-	-	-	-	-	-
25-29 years.....	11	10	1	10	9	1	1	1	-	-	-	-	-	-	-
30-34 years.....	15	12	3	14	12	2	-	14	-	-	-	-	1	-	1
35-39 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-
40-44 years.....	25	20	5	25	20	5	-	-	-	-	-	-	-	-	-
45-49 years.....	20	13	7	18	12	6	-	-	18	-	-	-	2	1	1
50-54 years.....	15	10	5	11	8	3	2	-	2	-	-	-	2	2	-
55-59 years.....	16	13	3	16	13	3	-	-	-	-	-	-	-	-	-
60-64 years.....	5	3	2	5	3	2	-	-	5	-	-	-	-	-	-
65-69 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
70-74 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-
75-79 years.....	5	3	2	3	2	1	-	3	-	1	1	-	1	-	1
80-84 years.....	12	9	3	11	8	3	-	-	-	-	-	-	1	1	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)															
All ages.....	687	527	160	422	308	114	245	205	40	12	7	5	8	7	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	7	2	5	4	1	3	3	1	2	-	-	-	-	-	-
5-9 years.....	9	8	1	4	4	-	3	3	-	1	-	1	1	1	-
10-14 years.....	10	9	1	9	8	1	1	1	-	-	-	-	-	-	-
15-19 years.....	74	62	12	40	30	10	32	30	2	2	2	-	-	-	-
20-24 years.....	119	106	13	60	52	8	54	49	5	2	2	-	3	3	-
25-29 years.....	84	70	14	45	37	8	39	33	6	-	-	-	-	-	-
30-34 years.....	71	52	19	42	27	15	28	25	3	1	-	1	-	-	-
35-39 years.....	74	53	21	43	30	13	28	21	7	1	-	1	2	2	-
40-44 years.....	76	49	27	52	33	19	22	16	6	1	-	1	1	-	1
45-49 years.....	56	43	13	36	28	8	17	12	5	3	3	-	-	-	-
50-54 years.....	40	29	11	33	24	9	7	5	2	-	-	-	-	-	-
55-59 years.....	32	22	10	25	16	9	6	6	-	1	-	1	-	-	-
60-64 years.....	13	8	5	11	7	4	1	-	1	-	-	-	1	1	-
65-69 years.....	8	6	2	7	5	2	1	1	-	-	-	-	-	-	-
70-74 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-
75-79 years.....	3	3	-	3	3	-	-	-	3	-	-	-	-	-	-
80-84 years.....	3	1	2	1	-	1	2	1	1	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Assault (homicide) by other and unspecified firearm discharge (X95)															
All ages.....	10,222	8,757	1,465	4,251	3,406	845	5,677	5,115	562	90	69	21	204	167	37
Under 1 year.....	8	7	1	2	1	1	6	6	-	-	-	-	-	-	-
1-4 years.....	29	17	12	14	6	8	14	10	4	-	-	-	1	1	-
5-9 years.....	32	14	18	17	5	12	14	8	6	1	1	-	-	-	-
10-14 years.....	113	87	26	43	34	9	63	47	16	2	1	1	5	5	-
15-19 years.....	1,363	1,238	125	496	438	58	823	766	57	16	11	5	28	23	5
20-24 years.....	2,478	2,232	246	878	764	114	1,534	1,409	125	24	20	4	42	39	3
25-29 years.....	1,818	1,648	170	627	543	84	1,156	1,075	81	11	10	1	24	20	4
30-34 years.....	1,280	1,101	179	493	405	88	752	666	86	11	10	1	24	20	4
35-39 years.....	897	739	158	421	316	105	450	405	45	6	4	2	20	14	6
40-44 years.....	722	568	154	355	263	92	345	287	58	9	6	3	13	12	1
45-49 years.....	573	448	125	317	226	91	234	206	28	6	4	2	16	12	4
50-54 years.....	352	275	77	206	155	51	131	108	23	1	1	-	14	11	3
55-59 years.....	202	151	51	130	90	40	64	57	7	1	-	1	7	4	3
60-64 years.....	120	89	31	81	59	22	34	25	9	1	1	-	4	4	-
65-69 years.....	66	52	14	45	35	10	19	16	3	-	-	-	2	1	1
70-74 years.....	62	43	19	43	30	13	18	13	5	-	-	-	1	-	1
75-79 years.....	47	22	25	33	15	18	11	7	4	1	-	1	2	-	2
80-84 years.....	26	5	21	22	3	19	4	2	2	-	-	-	-	-	-
85-89 years.....	11	5	6	11	5	6	-	-	-	-	-	-	-	-	-
90-94 years.....	5	1	4	3	-	3	2	1	1	-	-	-	-	-	-
95-99 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	17	15	2	14	13	1	2	1	1	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Assault (homicide) by unspecified means (Y09)															
All ages.....	1,670	1,092	578	1,111	716	395	479	323	156	40	28	12	40	25	15
Under 1 year.....	135	81	54	84	51	33	42	23	19	5	3	2	4	4	-
1-4 years.....	153	85	68	79	36	43	65	43	22	5	4	1	4	2	2
5-9 years.....	18	14	4	9	8	1	8	6	2	-	-	-	1	-	1
10-14 years.....	13	5	8	8	3	5	5	2	3	-	-	-	-	-	-
15-19 years.....	63	42	21	45	30	15	16	11	5	1	1	-	1	-	1
20-24 years.....	136	91	45	89	61	28	37	23	14	5	3	2	5	4	1
25-29 years.....	102	63	39	64	36	28	36	26	10	2	1	1	-	-	-
30-34 years.....	105	56	49	60	35	25	37	18	19	4	2	2	4	1	3
35-39 years.....	155	95	60	104	65	39	42	26	16	4	2	2	5	2	3
40-44 years.....	174	130	44	118	86	32	48	38	10	3	3	-	5	3	2
45-49 years.....	169	112	57	119	77	42	45	31	14	4	3	1	1	1	-
50-54 years.....	116	88	28	78	56	22	31	25	6	4	4	-	3	3	-
55-59 years.....	70	50	20	53	37	16	15	11	4	-	-	-	2	2	-
60-64 years.....	53	45	8	39	32	7	14	13	1	-	-	-	-	-	-
65-69 years.....	45	35	10	29	23	6	10	8	2	3	2	1	3	2	1
70-74 years.....	38	21	17	30	16	14	7	5	2	-	-	-	1	-	1
75-79 years.....	44	29	15	33	22	11	10	6	4	-	-	-	1	1	-
80-84 years.....	34	22	12	29	18	11	5	4	1	-	-	-	-	-	-
85-89 years.....	25	12	13	21	10	11	4	2	2	-	-	-	-	-	-
90-94 years.....	10	10	-	9	9	-	1	1	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	12	6	6	11	5	6	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)															
All ages.....	1,981	1,427	554	1,626	1,170	456	335	245	90	13	8	5	7	4	3
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	1	2	1	-	1	2	1	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	2	1	2	2	-	1	-	1	-	-	-	-	-	-
15-19 years.....	50	37	13	47	34	13	3	3	-	-	-	-	-	-	-
20-24 years.....	175	137	38	163	126	37	9	9	-	1	1	-	2	1	1
25-29 years.....	160	119	41	144	108	36	13	10	3	3	1	2	-	-	-
30-34 years.....	222	159	63	192	138	54	29	20	9	-	-	-	1	1	-
35-39 years.....	311	231	80	251	191	60	56	37	19	3	3	-	1	-	1
40-44 years.....	423	304	119	340	247	93	78	54	24	3	2	1	2	1	1
45-49 years.....	344	240	104	269	185	84	73	54	19	1	-	1	1	1	-
50-54 years.....	174	122	52	127	86	41	45	35	10	2	1	1	-	-	-
55-59 years.....	70	52	18	57	41	16	13	11	2	-	-	-	-	-	-
60-64 years.....	22	13	9	15	8	7	7	5	2	-	-	-	-	-	-
65-69 years.....	12	6	6	9	3	6	3	3	-	-	-	-	-	-	-
70-74 years.....	3	2	1	1	-	1	2	2	-	-	-	-	-	-	-
75-79 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
80-84 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
85-89 years.....	3	-	3	3	-	3	-	-	-	-	-	-	-	-	-
90-94 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)															
All ages.....	1,270	655	615	1,179	605	574	71	38	33	12	7	5	8	5	3
Under 1 year.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
1-4 years.....	2	1	1	-	-	-	2	1	1	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	36	24	12	32	23	9	3	-	3	-	-	-	1	1	-
20-24 years.....	86	57	29	84	56	28	1	1	-	-	-	-	1	-	1
25-29 years.....	80	45	35	76	42	34	3	3	-	1	-	1	-	-	-
30-34 years.....	120	68	52	115	65	50	5	5	2	-	-	-	-	-	-
35-39 years.....	205	106	99	191	99	92	11	5	6	3	2	1	-	-	-
40-44 years.....	249	113	136	231	105	126	15	6	9	2	1	1	1	1	-
45-49 years.....	217	119	98	199	108	91	16	10	6	2	1	1	-	-	-
50-54 years.....	143	69	74	132	61	71	6	4	2	2	1	1	3	3	-
55-59 years.....	73	30	43	66	27	39	3	1	2	2	2	-	2	-	2
60-64 years.....	28	9	19	27	9	18	1	-	1	-	-	-	-	-	-
65-69 years.....	11	3	8	9	1	8	2	2	-	-	-	-	-	-	-
70-74 years.....	5	1	4	4	1	3	1	-	1	-	-	-	-	-	-
75-79 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
80-84 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	3	-	1	1	-	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Drowning and submersion, undetermined intent (Y21)															
All ages.....	215	153	62	154	103	51	44	37	7	1	1	-	16	12	4
Under 1 year.....	8	7	1	4	3	1	4	4	-	-	-	-	-	-	-
1-4 years.....	5	2	3	4	1	3	1	1	-	-	-	-	-	-	-
5-9 years.....	5	3	2	2	1	1	3	2	1	-	-	-	-	-	-
10-14 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
15-19 years.....	7	4	3	6	3	3	-	-	-	-	-	-	1	1	-
20-24 years.....	15	13	2	8	7	1	4	3	1	1	1	-	2	2	-
25-29 years.....	17	15	2	8	6	2	5	5	-	-	-	-	4	4	-
30-34 years.....	17	15	2	11	10	1	4	4	-	-	-	-	2	1	1
35-39 years.....	16	10	6	10	6	4	4	3	1	-	-	-	2	1	1
40-44 years.....	23	16	7	18	12	6	5	4	1	-	-	-	-	-	-
45-49 years.....	27	16	11	25	14	11	2	2	-	-	-	-	-	-	-
50-54 years.....	21	18	3	18	15	3	3	3	-	-	-	-	-	-	-
55-59 years.....	8	6	2	5	3	2	2	2	-	-	-	-	1	1	-
60-64 years.....	7	4	3	5	2	3	2	2	5	-	-	-	-	-	-
65-69 years.....	9	5	4	7	5	2	-	-	-	-	-	-	2	-	2
70-74 years.....	8	4	4	7	3	4	-	-	-	-	-	-	1	1	-
75-79 years.....	5	4	1	3	3	-	1	-	1	-	-	-	1	1	-
80-84 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
85-89 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	9	7	2	6	5	1	3	2	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based
on the International
Classification of
Diseases, Tenth
Revision, 1992)
and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	
Other specified events, undetermined intent (Y33)															
All ages.....	137	79	58	113	61	52	21	15	6	2	2	-	1	1	-
Under 1 year.....	8	3	5	6	1	5	2	2	-	-	-	-	-	-	-
1-4 years.....	2	1	1	-	-	-	1	-	1	-	-	-	1	1	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years.....	4	2	2	3	1	2	1	1	3	-	-	-	-	-	-
20-24 years.....	8	5	3	6	4	2	2	1	1	-	-	-	-	-	-
25-29 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
30-34 years.....	11	6	5	10	5	5	1	1	10	-	-	-	-	-	-
35-39 years.....	15	9	6	11	6	5	3	2	1	1	1	-	-	-	-
40-44 years.....	12	7	5	10	6	4	2	1	1	-	-	-	-	-	-
45-49 years.....	11	9	2	9	7	2	2	2	7	-	-	-	-	-	-
50-54 years.....	11	8	3	8	6	2	3	2	1	-	-	-	-	-	-
55-59 years.....	7	7	-	6	6	-	-	-	-	1	1	-	-	-	-
60-64 years.....	5	3	2	5	3	2	-	-	5	-	-	-	-	-	-
65-69 years.....	5	1	4	5	1	4	-	-	-	-	-	-	-	-	-
70-74 years.....	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
75-79 years.....	4	4	-	4	4	-	-	-	4	-	-	-	-	-	-
80-84 years.....	10	2	8	10	2	8	-	-	-	-	-	-	-	-	-
85-89 years.....	7	1	6	7	1	6	-	-	-	-	-	-	-	-	-
90-94 years.....	4	2	2	4	2	2	-	-	4	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Oral contraceptives (Y42.4)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....
60-64 years.....
65-69 years.....
70-74 years.....
75-79 years.....
80-84 years.....
85-89 years.....
90-94 years.....
95-99 years.....
100 years & over.
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Removal of other organ (partial) (total) (Y83.6)															
All ages.....	145	61	84	121	53	68	21	7	14	1	1	-	2	-	2
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years.....	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
25-29 years.....	3	-	3	2	-	2	1	-	1	-	-	-	-	-	-
30-34 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
35-39 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
40-44 years.....	11	5	6	8	4	4	3	1	2	-	-	-	-	-	-
45-49 years.....	11	2	9	6	1	5	5	1	4	-	-	-	-	-	-
50-54 years.....	6	1	5	5	1	4	1	-	1	-	-	-	-	-	-
55-59 years.....	6	4	2	6	4	2	-	-	-	-	-	-	-	-	-
60-64 years.....	12	5	7	9	3	6	3	2	1	-	-	-	-	-	-
65-69 years.....	13	6	7	13	6	7	-	-	-	-	-	-	-	-	-
70-74 years.....	24	13	11	22	12	10	2	1	1	-	-	-	-	-	-
75-79 years.....	19	7	12	16	6	10	3	1	2	-	-	-	-	-	-
80-84 years.....	11	6	5	10	6	4	1	-	1	-	-	-	-	-	-
85-89 years.....	14	7	7	10	5	5	2	1	1	1	1	-	1	-	1
90-94 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Sequelae of unspecified external cause (Y89.9)															
All ages.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
Under 1 year....
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
45-49 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.
 ... Category not applicable.
 1/ Includes Aleuts and Eskimos.
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following States-- California, Illinois, Kentucky, Louisiana, Michigan, Nevada, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Texas, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality.