





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
Arkansas												
All races, both sexes.....	143	1	1	-	1	1	2	7	11	15	26	28
Male.....	93	1	1	-	-	-	2	2	4	10	22	18
Female.....	50	-	-	-	1	1	-	5	7	5	4	10
White, both sexes.....	92	1	1	-	1	-	1	3	4	7	12	22
Male.....	60	1	1	-	-	-	1	1	1	6	9	15
Female.....	32	-	-	-	1	-	-	2	3	1	3	7
Black, both sexes.....	51	-	-	-	-	1	1	4	7	8	14	6
Male.....	33	-	-	-	-	-	1	1	3	4	13	3
Female.....	18	-	-	-	-	1	-	3	4	4	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	2,267	19	6	4	3	5	12	31	90	267	342	393
Male.....	1,750	11	2	2	3	2	8	24	71	224	290	315
Female.....	517	8	4	2	-	3	4	7	19	43	52	78
White, both sexes.....	1,704	13	3	4	3	1	11	17	71	194	263	297
Male.....	1,350	7	1	2	3	-	7	13	59	168	223	243
Female.....	354	6	2	2	-	1	4	4	12	26	40	54
Black, both sexes.....	398	5	1	-	-	1	1	11	17	61	59	80
Male.....	292	3	-	-	-	1	1	9	10	46	49	60
Female.....	106	2	1	-	-	-	-	2	7	15	10	20
American Indian 1/, both sexes.....	35	-	-	-	-	-	-	1	1	4	9	5
Male.....	23	-	-	-	-	-	-	1	1	3	8	3
Female.....	12	-	-	-	-	-	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	130	1	2	-	-	3	-	2	1	8	11	11
Male.....	85	1	1	-	-	1	-	1	1	7	10	9
Female.....	45	-	1	-	-	2	-	1	-	1	1	2





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
Minnesota												
All races, both sexes.....	126	-	-	1	-	2	-	1	6	9	19	23
Male.....	96	-	-	1	-	1	-	1	6	7	13	22
Female.....	30	-	-	-	-	1	-	-	-	2	6	1
White, both sexes.....	89	-	-	1	-	1	-	1	5	6	10	19
Male.....	69	-	-	1	-	1	-	1	5	4	6	18
Female.....	20	-	-	-	-	-	-	-	-	2	4	1
Black, both sexes.....	29	-	-	-	-	1	-	-	-	3	8	4
Male.....	22	-	-	-	-	-	-	-	-	3	6	4
Female.....	7	-	-	-	-	1	-	-	-	-	2	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	231	3	1	1	-	1	6	6	19	34	44	37
Male.....	159	2	-	1	-	1	3	3	12	23	34	33
Female.....	72	1	1	-	-	-	3	3	7	11	10	4
White, both sexes.....	76	1	-	-	-	-	-	1	5	8	14	14
Male.....	58	-	-	-	-	-	-	-	4	8	13	13
Female.....	18	1	-	-	-	-	-	1	1	-	1	1
Black, both sexes.....	152	2	1	1	-	1	6	5	14	25	30	23
Male.....	101	2	-	1	-	1	3	3	8	15	21	20
Female.....	51	-	1	-	-	-	3	2	6	10	9	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
New Hampshire												
All races, both sexes.....	38	-	-	-	-	-	1	-	3	2	6	7
Male.....	22	-	-	-	-	-	1	-	1	-	4	6
Female.....	16	-	-	-	-	-	-	-	2	2	2	1
White, both sexes.....	37	-	-	-	-	-	1	-	3	1	6	7
Male.....	22	-	-	-	-	-	1	-	1	-	4	6
Female.....	15	-	-	-	-	-	-	-	2	1	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	879	2	3	-	2	3	8	20	45	105	158	158
Male.....	540	-	1	-	-	1	7	9	20	54	101	101
Female.....	339	2	2	-	2	2	1	11	25	51	57	57
White, both sexes.....	369	2	3	-	1	1	5	6	15	44	63	50
Male.....	233	-	1	-	-	-	4	3	11	27	44	35
Female.....	136	2	2	-	1	1	1	3	4	17	19	15
Black, both sexes.....	494	-	-	-	1	2	3	13	30	61	91	108
Male.....	297	-	-	-	-	1	3	6	9	27	53	66
Female.....	197	-	-	-	1	1	-	7	21	34	38	42
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	1	-	-	4	-
Male.....	9	-	-	-	-	-	-	-	-	-	4	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral diseases (A80-B34)												
New Mexico												
All races, both sexes.....	79	-	1	-	-	-	-	1	3	7	16	8
Male.....	48	-	1	-	-	-	-	1	3	3	13	4
Female.....	31	-	-	-	-	-	-	-	-	4	3	4
White, both sexes.....	68	-	-	-	-	-	-	-	3	6	13	6
Male.....	41	-	-	-	-	-	-	-	3	3	11	2
Female.....	27	-	-	-	-	-	-	-	-	3	2	4
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	1	-	-	-	-	1	-	1	2	1
Male.....	4	-	1	-	-	-	-	1	-	-	1	1
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,227	2	-	3	8	8	14	26	87	223	349	441
Male.....	1,426	1	-	1	4	4	10	10	49	136	203	299
Female.....	801	1	-	2	4	4	4	16	38	87	146	142
White, both sexes.....	1,122	-	-	1	2	3	5	10	37	105	160	217
Male.....	756	-	-	-	1	2	5	5	25	68	110	159
Female.....	366	-	-	1	1	1	-	5	12	37	50	58
Black, both sexes.....	1,065	2	-	2	5	5	8	14	50	115	188	217
Male.....	647	1	-	1	3	2	4	3	24	66	93	135
Female.....	418	1	-	1	2	3	4	11	26	49	95	82
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	36	-	-	-	1	-	1	2	-	3	1	5
Male.....	21	-	-	-	-	-	1	2	-	2	-	4
Female.....	15	-	-	-	1	-	-	-	-	1	1	1













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral diseases (A80-B34)

Vermont

All races, both sexes.....	15	-	-	-	-	-	-	-	-	-	2	6
Male.....	10	-	-	-	-	-	-	-	-	-	2	5
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	15	-	-	-	-	-	-	-	-	-	2	6
Male.....	10	-	-	-	-	-	-	-	-	-	2	5
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	368	3	1	-	3	2	4	12	21	47	51	57
Male.....	250	1	1	-	1	1	1	7	17	27	35	48
Female.....	118	2	-	-	2	1	3	5	4	20	16	9
White, both sexes.....	147	2	1	-	1	2	2	3	4	14	12	26
Male.....	107	-	1	-	1	1	-	2	4	9	11	22
Female.....	40	2	-	-	-	1	2	1	-	5	1	4
Black, both sexes.....	213	1	-	-	1	-	2	9	16	33	39	30
Male.....	136	1	-	-	-	-	1	5	12	18	24	25
Female.....	77	-	-	-	1	-	1	4	4	15	15	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	-	-	1	-	-	1
Male.....	7	-	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

## Viral diseases (A80-B34)

## Arkansas

All races, both sexes.....	14	10	3	10	3	6	3	-	-	1	-	-
Male.....	10	9	2	7	1	4	-	-	-	-	-	-
Female.....	4	1	1	3	2	2	3	-	-	1	-	-
White, both sexes.....	11	8	3	9	3	2	3	-	-	1	-	-
Male.....	8	7	2	6	1	1	-	-	-	-	-	-
Female.....	3	1	1	3	2	1	3	-	-	1	-	-
Black, both sexes.....	3	2	-	1	-	4	-	-	-	-	-	-
Male.....	2	2	-	1	-	3	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

## California

All races, both sexes.....	373	250	152	108	67	65	45	21	7	4	2	1
Male.....	291	202	112	84	41	33	20	11	3	-	-	1
Female.....	82	48	40	24	26	32	25	10	4	4	2	-
White, both sexes.....	271	192	115	82	49	53	35	17	6	4	2	1
Male.....	224	161	85	66	32	28	17	8	2	-	-	1
Female.....	47	31	30	16	17	25	18	9	4	4	2	-
Black, both sexes.....	77	42	22	10	5	3	3	-	-	-	-	-
Male.....	48	29	19	10	4	3	-	-	-	-	-	-
Female.....	29	13	3	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	6	2	3	2	-	-	1	1	-	-	-	-
Male.....	3	1	1	1	-	-	1	-	-	-	-	-
Female.....	3	1	2	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	14	12	14	13	9	6	3	1	-	-	-
Male.....	16	11	7	7	5	2	2	3	1	-	-	-
Female.....	3	3	5	7	8	7	4	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral diseases (A80-B34)												
Maine												
All races, both sexes.....	9	5	3	1	1	-	1	2	-	-	-	-
Male.....	8	5	2	1	1	-	-	2	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
White, both sexes.....	8	5	3	1	1	-	1	2	-	-	-	-
Male.....	7	5	2	1	1	-	-	2	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	105	63	30	13	10	6	9	4	2	-	-	-
Male.....	81	49	25	10	7	2	3	1	-	-	-	-
Female.....	24	14	5	3	3	4	6	3	2	-	-	-
White, both sexes.....	24	16	8	6	3	4	7	4	-	-	-	-
Male.....	20	14	7	3	2	1	3	1	-	-	-	-
Female.....	4	2	1	3	1	3	4	3	-	-	-	-
Black, both sexes.....	80	47	22	7	7	2	2	-	1	-	-	-
Male.....	60	35	18	7	5	1	-	-	-	-	-	-
Female.....	20	12	4	-	2	1	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral diseases (A80-B34)												
Massachusetts												
All races, both sexes.....	70	31	15	9	11	6	6	6	4	-	1	-
Male.....	53	23	12	5	9	2	2	2	1	-	-	-
Female.....	17	8	3	4	2	4	4	4	3	-	1	-
White, both sexes.....	55	25	10	6	11	5	6	5	4	-	1	-
Male.....	41	17	7	3	9	2	2	2	1	-	-	-
Female.....	14	8	3	3	2	3	4	3	3	-	1	-
Black, both sexes.....	14	6	5	2	-	1	-	-	-	-	-	-
Male.....	11	6	5	2	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Michigan												
All races, both sexes.....	64	28	23	21	9	13	10	9	4	2	1	-
Male.....	50	22	18	10	4	7	4	6	2	1	-	-
Female.....	14	6	5	11	5	6	6	3	2	1	1	-
White, both sexes.....	27	12	16	12	7	10	8	6	4	2	1	-
Male.....	26	11	13	4	4	6	3	4	2	1	-	-
Female.....	1	1	3	8	3	4	5	2	2	1	1	-
Black, both sexes.....	37	14	6	8	1	2	1	3	-	-	-	-
Male.....	24	9	4	6	-	-	1	2	-	-	-	-
Female.....	13	5	2	2	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	1	-	-	-	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

New Hampshire

All races, both sexes.....	8	4	1	2	-	1	2	-	1	-	-	-
Male.....	4	4	-	1	-	-	1	-	-	-	-	-
Female.....	4	-	1	1	-	1	1	-	1	-	-	-
White, both sexes.....	8	4	1	2	-	1	2	-	1	-	-	-
Male.....	4	4	-	1	-	-	1	-	-	-	-	-
Female.....	4	-	1	1	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	149	80	50	24	22	16	21	9	2	-	-	2
Male.....	95	62	44	12	12	6	9	3	1	-	-	2
Female.....	54	18	6	12	10	10	12	6	1	-	-	-
White, both sexes.....	55	36	20	12	16	14	16	7	2	-	-	1
Male.....	39	26	18	4	8	5	5	1	1	-	-	1
Female.....	16	10	2	8	8	9	11	6	1	-	-	-
Black, both sexes.....	94	42	27	10	4	2	3	2	-	-	-	1
Male.....	56	36	24	6	4	1	2	2	-	-	-	1
Female.....	38	6	3	4	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	2	-	2	-	-	-	-	-
Male.....	-	-	1	2	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral diseases (A80-B34)

New Mexico

All races, both sexes.....	13	9	5	6	2	5	3	-	-	-	-	-
Male.....	9	6	2	2	1	3	-	-	-	-	-	-
Female.....	4	3	3	4	1	2	3	-	-	-	-	-
White, both sexes.....	12	9	3	6	2	5	3	-	-	-	-	-
Male.....	8	6	2	2	1	3	-	-	-	-	-	-
Female.....	4	3	1	4	1	2	3	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	437	242	132	90	68	43	25	15	5	7	2	-
Male.....	290	183	91	60	43	19	11	8	3	1	-	-
Female.....	147	59	41	30	25	24	14	7	2	6	2	-
White, both sexes.....	215	125	65	52	45	35	22	9	5	7	2	-
Male.....	148	91	45	38	27	15	9	4	3	1	-	-
Female.....	67	34	20	14	18	20	13	5	2	6	2	-
Black, both sexes.....	217	114	65	33	19	5	2	4	-	-	-	-
Male.....	139	90	45	20	15	2	1	3	-	-	-	-
Female.....	78	24	20	13	4	3	1	1	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	5	4	3	1	2	-	-	-	-
Male.....	2	2	1	2	1	2	1	1	-	-	-	-
Female.....	1	1	1	3	3	1	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Ohio

All races, both sexes.....	53	24	25	18	9	15	15	7	6	5	-	-
Male.....	35	18	17	12	3	9	6	4	1	-	-	-
Female.....	18	6	8	6	6	6	9	3	5	5	-	-
White, both sexes.....	29	14	20	15	6	14	10	6	6	5	-	-
Male.....	18	9	14	10	1	8	4	3	1	-	-	-
Female.....	11	5	6	5	5	6	6	3	5	5	-	-
Black, both sexes.....	23	10	5	2	3	1	5	1	-	-	-	-
Male.....	16	9	3	2	2	1	2	1	-	-	-	-
Female.....	7	1	2	-	1	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	28	30	6	9	3	5	5	3	-	1	-	-
Male.....	18	24	4	6	1	3	3	3	-	-	-	-
Female.....	10	6	2	3	2	2	2	-	-	1	-	-
White, both sexes.....	25	25	5	7	2	4	5	3	-	1	-	-
Male.....	15	20	3	4	1	3	3	3	-	-	-	-
Female.....	10	5	2	3	1	1	2	-	-	1	-	-
Black, both sexes.....	2	4	1	1	-	-	-	-	-	-	-	-
Male.....	2	3	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral diseases (A80-B34)

Oregon

All races, both sexes.....	32	24	15	7	9	11	6	2	-	-	1	-
Male.....	25	15	10	4	5	4	2	-	-	-	-	-
Female.....	7	9	5	3	4	7	4	2	-	-	1	-
White, both sexes.....	31	21	12	6	9	10	6	2	-	-	1	-
Male.....	25	13	7	4	5	4	2	-	-	-	-	-
Female.....	6	8	5	2	4	6	4	2	-	-	1	-
Black, both sexes.....	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	132	63	48	24	23	18	15	13	5	2	-	-
Male.....	92	45	36	16	11	10	4	4	1	-	-	-
Female.....	40	18	12	8	12	8	11	9	4	2	-	-
White, both sexes.....	77	31	23	16	16	16	13	13	5	2	-	-
Male.....	57	20	16	11	9	8	3	4	1	-	-	-
Female.....	20	11	7	5	7	8	10	9	4	2	-	-
Black, both sexes.....	54	32	25	8	4	2	1	-	-	-	-	-
Male.....	34	25	20	5	1	2	1	-	-	-	-	-
Female.....	20	7	5	3	3	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-



















































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Herpesviral (herpes simplex) infections (B00)

Arkansas

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	17	4	-	-	-	1	-	-	-	-	-	-
Male.....	8	1	-	-	-	-	-	-	-	-	-	-
Female.....	9	3	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	13	3	-	-	-	-	-	-	-	-	-	-
Male.....	6	1	-	-	-	-	-	-	-	-	-	-
Female.....	7	2	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-















































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Zoster (herpes zoster) (B02)												
Arkansas												
All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	1	-	1	2	3	1	2	1	3	2	-
Male.....	-	1	-	1	2	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	1	3	2	-
White, both sexes.....	-	1	-	1	2	2	-	1	1	3	2	-
Male.....	-	1	-	1	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Zoster (herpes zoster) (B02)												
Maine												
All races, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-



























































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Viral hepatitis (B15-B19)												
Arkansas												
All races, both sexes.....	54	-	-	-	-	-	1	2	1	1	3	15
Male.....	32	-	-	-	-	-	1	-	-	1	1	8
Female.....	22	-	-	-	-	-	-	2	1	-	2	7
White, both sexes.....	44	-	-	-	-	-	1	2	1	1	3	11
Male.....	26	-	-	-	-	-	1	-	-	1	1	7
Female.....	18	-	-	-	-	-	-	2	1	-	2	4
Black, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	4
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	729	1	-	-	1	1	1	-	2	12	57	115
Male.....	477	-	-	-	1	-	-	-	1	7	41	82
Female.....	252	1	-	-	-	1	1	-	1	5	16	33
White, both sexes.....	572	1	-	-	1	-	1	-	2	9	49	104
Male.....	391	-	-	-	1	-	-	-	1	5	36	75
Female.....	181	1	-	-	-	-	1	-	1	4	13	29
Black, both sexes.....	69	-	-	-	-	-	-	-	-	1	3	8
Male.....	35	-	-	-	-	-	-	-	-	-	1	5
Female.....	34	-	-	-	-	-	-	-	-	1	2	3
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	75	-	-	-	-	1	-	-	-	2	4	1
Male.....	45	-	-	-	-	-	-	-	-	2	3	1
Female.....	30	-	-	-	-	1	-	-	-	-	1	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Viral hepatitis (B15-B19)

New Hampshire

All races, both sexes.....	15	-	-	-	-	-	-	-	-	-	3	4
Male.....	9	-	-	-	-	-	-	-	-	-	2	3
Female.....	6	-	-	-	-	-	-	-	-	-	1	1
White, both sexes.....	15	-	-	-	-	-	-	-	-	-	3	4
Male.....	9	-	-	-	-	-	-	-	-	-	2	3
Female.....	6	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	167	-	-	-	-	-	1	4	1	3	14	19
Male.....	101	-	-	-	-	-	1	-	-	-	12	12
Female.....	66	-	-	-	-	-	-	4	1	3	2	7
White, both sexes.....	117	-	-	-	-	-	1	-	-	2	10	13
Male.....	68	-	-	-	-	-	1	-	-	-	8	9
Female.....	49	-	-	-	-	-	-	-	-	2	2	4
Black, both sexes.....	38	-	-	-	-	-	-	3	1	1	2	6
Male.....	26	-	-	-	-	-	-	-	-	-	2	3
Female.....	12	-	-	-	-	-	-	3	1	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	1	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	2	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral hepatitis (B15-B19)												
Arkansas												
All races, both sexes.....	10	7	2	6	2	3	1	-	-	-	-	-
Male.....	7	6	1	4	1	2	-	-	-	-	-	-
Female.....	3	1	1	2	1	1	1	-	-	-	-	-
White, both sexes.....	9	5	2	5	2	1	1	-	-	-	-	-
Male.....	6	4	1	3	1	1	-	-	-	-	-	-
Female.....	3	1	1	2	1	-	1	-	-	-	-	-
Black, both sexes.....	1	2	-	1	-	2	-	-	-	-	-	-
Male.....	1	2	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	167	125	75	54	41	36	29	7	4	1	-	-
Male.....	116	93	45	38	21	13	12	5	2	-	-	-
Female.....	51	32	30	16	20	23	17	2	2	1	-	-
White, both sexes.....	126	98	57	40	28	26	22	4	3	1	-	-
Male.....	95	75	35	28	17	9	10	3	1	-	-	-
Female.....	31	23	22	12	11	17	12	1	2	1	-	-
Black, both sexes.....	25	17	7	3	2	2	1	-	-	-	-	-
Male.....	9	10	4	3	1	2	-	-	-	-	-	-
Female.....	16	7	3	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	4	1	3	1	-	-	-	1	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	3	-	2	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	9	8	10	11	8	6	2	1	-	-	-
Male.....	11	7	5	6	3	2	2	2	1	-	-	-
Female.....	1	2	3	4	8	6	4	-	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Viral hepatitis (B15-B19)

Massachusetts

All races, both sexes.....	30	12	9	3	4	4	4	2	-	-	-	-
Male.....	23	8	6	-	3	2	1	1	-	-	-	-
Female.....	7	4	3	3	1	2	3	1	-	-	-	-
White, both sexes.....	29	10	7	2	4	4	4	1	-	-	-	-
Male.....	22	6	4	-	3	2	1	1	-	-	-	-
Female.....	7	4	3	2	1	2	3	-	-	-	-	-
Black, both sexes.....	1	2	2	-	-	-	-	-	-	-	-	-
Male.....	1	2	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	25	11	13	10	3	6	7	1	-	-	-	-
Male.....	25	10	10	5	2	3	3	-	-	-	-	-
Female.....	-	1	3	5	1	3	4	1	-	-	-	-
White, both sexes.....	17	7	9	6	2	4	5	1	-	-	-	-
Male.....	17	7	7	2	2	2	2	-	-	-	-	-
Female.....	-	-	2	4	-	2	3	1	-	-	-	-
Black, both sexes.....	8	2	3	3	-	1	1	-	-	-	-	-
Male.....	8	1	2	3	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	1	-	-	-	-	-
Male.....	-	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Viral hepatitis (B15-B19)												
New Hampshire												
All races, both sexes.....	5	1	-	-	-	1	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	5	1	-	-	-	1	1	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	35	28	16	9	12	8	12	4	1	-	-	-
Male.....	25	21	15	3	4	2	5	-	1	-	-	-
Female.....	10	7	1	6	8	6	7	4	-	-	-	-
White, both sexes.....	25	20	10	6	9	8	8	4	1	-	-	-
Male.....	17	15	10	1	3	2	1	-	1	-	-	-
Female.....	8	5	-	5	6	6	7	4	-	-	-	-
Black, both sexes.....	10	7	4	1	1	-	2	-	-	-	-	-
Male.....	8	6	4	-	1	-	2	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	2	-	2	-	-	-	-	-
Male.....	-	-	1	2	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

New Mexico

All races, both sexes.....	11	5	2	4	2	1	1	-	-	-	-	-
Male.....	7	3	1	1	1	-	-	-	-	-	-	-
Female.....	4	2	1	3	1	1	1	-	-	-	-	-
White, both sexes.....	10	5	2	4	2	1	1	-	-	-	-	-
Male.....	6	3	1	1	1	-	-	-	-	-	-	-
Female.....	4	2	1	3	1	1	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	95	70	40	35	37	27	19	11	3	-	-	-
Male.....	61	51	22	24	21	10	8	6	2	-	-	-
Female.....	34	19	18	11	16	17	11	5	1	-	-	-
White, both sexes.....	66	48	27	23	28	22	16	6	3	-	-	-
Male.....	44	34	14	17	16	7	6	3	2	-	-	-
Female.....	22	14	13	6	12	15	10	3	1	-	-	-
Black, both sexes.....	28	21	12	9	5	2	2	3	-	-	-	-
Male.....	17	17	8	6	4	1	1	2	-	-	-	-
Female.....	11	4	4	3	1	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	3	4	3	1	2	-	-	-	-
Male.....	-	-	-	1	1	2	1	1	-	-	-	-
Female.....	1	1	1	2	3	1	-	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

## Viral hepatitis (B15-B19)

## Ohio

All races, both sexes.....	29	14	9	5	5	5	6	2	2	-	-	-
Male.....	16	9	3	2	1	3	3	1	-	-	-	-
Female.....	13	5	6	3	4	2	3	1	2	-	-	-
White, both sexes.....	22	7	7	4	3	5	3	2	2	-	-	-
Male.....	13	3	2	2	-	3	1	1	-	-	-	-
Female.....	9	4	5	2	3	2	2	1	2	-	-	-
Black, both sexes.....	7	7	2	-	2	-	3	-	-	-	-	-
Male.....	3	6	1	-	1	-	2	-	-	-	-	-
Female.....	4	1	1	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

## Oklahoma

All races, both sexes.....	21	20	4	8	2	4	1	1	-	-	-	-
Male.....	13	14	2	5	-	3	1	1	-	-	-	-
Female.....	8	6	2	3	2	1	-	-	-	-	-	-
White, both sexes.....	19	17	4	6	1	4	1	1	-	-	-	-
Male.....	11	12	2	3	-	3	1	1	-	-	-	-
Female.....	8	5	2	3	1	1	-	-	-	-	-	-
Black, both sexes.....	1	2	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Viral hepatitis (B15-B19)

Oregon

All races, both sexes.....	24	19	9	6	7	6	1	1	-	-	-	-
Male.....	18	11	6	3	3	1	-	-	-	-	-	-
Female.....	6	8	3	3	4	5	1	1	-	-	-	-
White, both sexes.....	23	17	6	5	7	5	1	1	-	-	-	-
Male.....	18	10	3	3	3	1	-	-	-	-	-	-
Female.....	5	7	3	2	4	4	1	1	-	-	-	-
Black, both sexes.....	-	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	57	29	19	11	15	13	6	8	3	-	-	-
Male.....	43	19	15	8	7	7	1	2	-	-	-	-
Female.....	14	10	4	3	8	6	5	6	3	-	-	-
White, both sexes.....	43	16	14	11	12	12	5	8	3	-	-	-
Male.....	32	9	10	8	6	6	1	2	-	-	-	-
Female.....	11	7	4	3	6	6	4	6	3	-	-	-
Black, both sexes.....	13	13	5	-	-	1	-	-	-	-	-	-
Male.....	10	10	5	-	-	1	-	-	-	-	-	-
Female.....	3	3	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
Arkansas												
All races, both sexes.....	77	-	-	-	-	-	1	5	10	14	22	13
Male.....	56	-	-	-	-	-	1	2	4	9	20	10
Female.....	21	-	-	-	-	-	-	3	6	5	2	3
White, both sexes.....	38	-	-	-	-	-	-	1	3	6	9	11
Male.....	30	-	-	-	-	-	-	1	1	5	8	8
Female.....	8	-	-	-	-	-	-	-	2	1	1	3
Black, both sexes.....	39	-	-	-	-	-	1	4	7	8	13	2
Male.....	26	-	-	-	-	-	1	1	3	4	12	2
Female.....	13	-	-	-	-	-	-	3	4	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,379	-	-	-	-	2	6	28	87	252	284	273
Male.....	1,184	-	-	-	-	1	5	22	70	215	248	230
Female.....	195	-	-	-	-	1	1	6	17	37	36	43
White, both sexes.....	1,001	-	-	-	-	1	5	16	68	182	213	189
Male.....	884	-	-	-	-	-	4	12	58	161	186	165
Female.....	117	-	-	-	-	1	1	4	10	21	27	24
Black, both sexes.....	318	-	-	-	-	1	1	10	17	60	56	72
Male.....	252	-	-	-	-	1	1	8	10	46	48	55
Female.....	66	-	-	-	-	-	-	2	7	14	8	17
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	1	1	4	8	3
Male.....	16	-	-	-	-	-	-	1	1	3	7	2
Female.....	5	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	39	-	-	-	-	-	-	1	1	6	7	9
Male.....	32	-	-	-	-	-	-	1	1	5	7	8
Female.....	7	-	-	-	-	-	-	-	-	1	-	1





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
Minnesota												
All races, both sexes.....	51	-	-	-	-	1	-	1	5	8	12	7
Male.....	44	-	-	-	-	-	-	1	5	6	10	7
Female.....	7	-	-	-	-	1	-	-	2	2	2	-
White, both sexes.....	29	-	-	-	-	-	-	1	4	5	5	5
Male.....	26	-	-	-	-	-	-	1	4	3	4	5
Female.....	3	-	-	-	-	-	-	-	-	2	1	-
Black, both sexes.....	20	-	-	-	-	1	-	-	-	3	7	2
Male.....	16	-	-	-	-	-	-	-	-	3	6	2
Female.....	4	-	-	-	-	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	164	-	-	-	-	-	6	4	19	31	37	29
Male.....	117	-	-	-	-	-	3	3	12	22	27	25
Female.....	47	-	-	-	-	-	3	1	7	9	10	4
White, both sexes.....	31	-	-	-	-	-	-	-	5	8	7	9
Male.....	28	-	-	-	-	-	-	-	4	8	6	8
Female.....	3	-	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	131	-	-	-	-	-	6	4	14	22	30	20
Male.....	89	-	-	-	-	-	3	3	8	14	21	17
Female.....	42	-	-	-	-	-	3	1	6	8	9	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Human immunodeficiency virus (HIV) disease (B20-B24)												
New Mexico												
All races, both sexes.....	22	-	-	-	-	-	-	1	3	3	8	2
Male.....	20	-	-	-	-	-	-	1	3	3	8	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	17	-	-	-	-	-	-	-	3	3	6	1
Male.....	16	-	-	-	-	-	-	-	3	3	6	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,722	-	-	2	5	6	12	23	82	216	328	368
Male.....	1,113	-	-	1	3	2	8	8	44	130	187	248
Female.....	609	-	-	1	2	4	4	15	38	86	141	120
White, both sexes.....	749	-	-	1	1	1	4	9	32	98	143	164
Male.....	528	-	-	-	-	-	4	4	20	62	97	123
Female.....	221	-	-	1	1	1	-	5	12	36	46	41
Black, both sexes.....	956	-	-	1	4	5	8	13	50	115	184	200
Male.....	573	-	-	1	3	2	4	3	24	66	90	122
Female.....	383	-	-	-	1	3	4	10	26	49	94	78
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	1	-	3	1	2
Male.....	10	-	-	-	-	-	-	1	-	2	-	2
Female.....	3	-	-	-	-	-	-	-	-	1	1	-



















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)

Arkansas

All races, both sexes.....	33	-	-	-	-	-	-	4	3	6	9	5
Male.....	23	-	-	-	-	-	-	2	1	3	8	4
Female.....	10	-	-	-	-	-	-	2	2	3	1	1
White, both sexes.....	16	-	-	-	-	-	-	1	1	3	4	3
Male.....	12	-	-	-	-	-	-	1	-	2	4	2
Female.....	4	-	-	-	-	-	-	-	1	1	-	1
Black, both sexes.....	17	-	-	-	-	-	-	3	2	3	5	2
Male.....	11	-	-	-	-	-	-	1	1	1	4	2
Female.....	6	-	-	-	-	-	-	2	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	584	-	-	-	-	-	2	16	41	105	130	129
Male.....	493	-	-	-	-	-	2	12	31	90	111	110
Female.....	91	-	-	-	-	-	-	4	10	15	19	19
White, both sexes.....	420	-	-	-	-	-	1	9	32	74	99	88
Male.....	362	-	-	-	-	-	1	7	26	66	83	76
Female.....	58	-	-	-	-	-	-	2	6	8	16	12
Black, both sexes.....	138	-	-	-	-	-	1	5	9	25	26	35
Male.....	111	-	-	-	-	-	1	3	5	20	24	28
Female.....	27	-	-	-	-	-	-	2	4	5	2	7
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	1	-	2	3	2
Male.....	8	-	-	-	-	-	-	1	-	1	2	2
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	1	-	4	2	4
Male.....	12	-	-	-	-	-	-	1	-	3	2	4
Female.....	3	-	-	-	-	-	-	-	-	1	-	-























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)

Minnesota

All races, both sexes.....	29	-	-	-	-	-	-	1	3	2	7	5
Male.....	24	-	-	-	-	-	-	1	3	-	6	5
Female.....	5	-	-	-	-	-	-	-	-	2	1	-
White, both sexes.....	17	-	-	-	-	-	-	1	2	2	3	3
Male.....	15	-	-	-	-	-	-	1	2	-	3	3
Female.....	2	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes.....	10	-	-	-	-	-	-	-	-	-	4	2
Male.....	7	-	-	-	-	-	-	-	-	-	3	2
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	63	-	-	-	-	-	3	1	7	12	15	10
Male.....	38	-	-	-	-	-	2	-	4	5	9	9
Female.....	25	-	-	-	-	-	1	1	3	7	6	1
White, both sexes.....	11	-	-	-	-	-	-	-	2	1	2	6
Male.....	9	-	-	-	-	-	-	-	1	1	2	5
Female.....	2	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	51	-	-	-	-	-	3	1	5	10	13	4
Male.....	29	-	-	-	-	-	2	-	3	4	7	4
Female.....	22	-	-	-	-	-	1	1	2	6	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-



























































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Unspecified human immunodeficiency virus (HIV) disease (B24)

New Mexico

All races, both sexes.....	8	-	-	-	-	-	-	-	3	1	1	1
Male.....	7	-	-	-	-	-	-	-	3	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	7	-	-	-	-	-	-	-	3	1	-	1
Male.....	6	-	-	-	-	-	-	-	3	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	519	-	-	1	2	1	2	8	29	72	92	107
Male.....	334	-	-	-	1	-	1	2	16	41	53	72
Female.....	185	-	-	1	1	1	1	6	13	31	39	35
White, both sexes.....	204	-	-	1	1	-	1	4	8	29	41	43
Male.....	142	-	-	-	-	-	1	1	5	16	27	34
Female.....	62	-	-	1	1	-	-	3	3	13	14	9
Black, both sexes.....	312	-	-	-	1	1	1	4	21	42	51	64
Male.....	192	-	-	-	1	-	-	1	11	25	26	38
Female.....	120	-	-	-	-	1	1	3	10	17	25	26
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

#### Arkansas

All races, both sexes.....	8	1	1	-	1	1	-	-	-	-	1	-
Male.....	3	1	1	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	6	1	1	-	1	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

#### California

All races, both sexes.....	98	14	6	4	2	1	4	3	1	2	1	5
Male.....	59	10	2	2	2	1	2	2	-	1	1	3
Female.....	39	4	4	2	-	-	2	1	1	1	-	2
White, both sexes.....	79	9	3	4	2	-	4	1	1	2	1	4
Male.....	50	6	1	2	2	-	2	1	-	1	1	3
Female.....	29	3	2	2	-	-	2	-	1	1	-	1
Black, both sexes.....	9	4	1	-	-	-	-	1	-	-	-	-
Male.....	4	3	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	2	-	-	1	-	1	-	-	-	1
Male.....	5	1	1	-	-	1	-	-	-	-	-	-
Female.....	5	-	1	-	-	-	-	1	-	-	-	1































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

New Mexico

All races, both sexes.....	10	-	1	-	-	-	-	-	-	-	-	-
Male.....	5	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	52	2	-	1	2	2	1	1	2	-	1	2
Male.....	26	1	-	-	1	2	1	-	2	-	1	-
Female.....	26	1	-	1	1	-	-	1	-	-	-	2
White, both sexes.....	46	-	-	-	1	2	1	-	2	-	1	2
Male.....	24	-	-	-	1	2	1	-	2	-	1	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	4	2	-	1	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Vermont

All races, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	33	3	1	-	2	2	1	-	1	1	1	1
Male.....	19	1	1	-	1	1	1	-	1	1	-	1
Female.....	14	2	-	-	1	1	-	-	-	-	1	-
White, both sexes.....	23	2	1	-	1	2	-	-	1	1	-	1
Male.....	15	-	1	-	1	1	-	-	1	1	-	1
Female.....	8	2	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	9	1	-	-	-	-	1	-	-	-	1	-
Male.....	4	1	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Arkansas

All races, both sexes.....	4	7	3	3	4	5	3	4	3	-	-	-
Male.....	3	4	1	-	2	3	1	3	-	-	-	-
Female.....	1	3	2	3	2	2	2	1	3	-	-	-
White, both sexes.....	3	6	3	1	4	5	3	4	2	-	-	-
Male.....	3	3	1	-	2	3	1	3	-	-	-	-
Female.....	-	3	2	1	2	2	2	1	2	-	-	-
Black, both sexes.....	-	1	-	2	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	148	151	93	67	86	77	57	35	9	1	1	-
Male.....	104	110	65	36	42	36	26	15	5	1	-	-
Female.....	44	41	28	31	44	41	31	20	4	-	1	-
White, both sexes.....	130	123	78	46	69	64	45	32	9	1	1	-
Male.....	92	86	56	25	35	32	22	15	5	1	-	-
Female.....	38	37	22	21	34	32	23	17	4	-	1	-
Black, both sexes.....	9	13	6	9	3	5	3	2	-	-	-	-
Male.....	7	11	4	4	2	2	1	-	-	-	-	-
Female.....	2	2	2	5	1	3	2	2	-	-	-	-
American Indian 1/, both sexes.....	3	1	3	1	1	1	-	-	-	-	-	-
Male.....	1	1	2	1	1	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	14	6	11	13	7	9	11	-	-	-	-
Male.....	4	12	3	6	4	1	3	-	-	-	-	-
Female.....	2	2	3	5	9	6	6	11	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Colorado

All races, both sexes.....	7	6	7	8	8	4	4	6	2	-	-	-
Male.....	5	4	4	4	6	2	2	3	-	-	-	-
Female.....	2	2	3	4	2	2	2	3	2	-	-	-
White, both sexes.....	7	6	7	8	7	4	3	5	2	-	-	-
Male.....	5	4	4	4	5	2	1	3	-	-	-	-
Female.....	2	2	3	4	2	2	2	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	6	4	2	6	4	10	7	1	3	2	-	-
Male.....	5	4	-	2	1	5	3	1	1	1	-	-
Female.....	1	-	2	4	3	5	4	-	2	1	-	-
White, both sexes.....	5	4	2	6	3	9	6	1	3	2	-	-
Male.....	4	4	-	2	1	5	3	1	1	1	-	-
Female.....	1	-	2	4	2	4	3	-	2	1	-	-
Black, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Illinois

All races, both sexes.....	12	10	14	13	15	13	18	13	4	1	-	-
Male.....	10	7	7	11	8	6	6	5	1	-	-	-
Female.....	2	3	7	2	7	7	12	8	3	1	-	-
White, both sexes.....	9	8	12	10	14	11	14	11	4	-	-	-
Male.....	8	5	6	9	8	6	5	5	1	-	-	-
Female.....	1	3	6	1	6	5	9	6	3	-	-	-
Black, both sexes.....	3	2	2	3	1	2	3	2	-	1	-	-
Male.....	2	2	1	2	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	1	2	3	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	5	7	7	6	9	4	13	5	4	1	-	-
Male.....	3	3	5	4	2	3	9	5	-	1	-	-
Female.....	2	4	2	2	7	1	4	-	4	-	-	-
White, both sexes.....	5	6	7	6	7	4	11	5	4	1	-	-
Male.....	3	2	5	4	2	3	7	5	-	1	-	-
Female.....	2	4	2	2	5	1	4	-	4	-	-	-
Black, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Kentucky

All races, both sexes.....	8	2	6	4	3	6	7	3	1	-	-	-
Male.....	4	2	5	4	-	2	3	1	1	-	-	-
Female.....	4	-	1	-	3	4	4	2	-	-	-	-
White, both sexes.....	8	2	5	4	3	6	7	3	1	-	-	-
Male.....	4	2	4	4	-	2	3	1	1	-	-	-
Female.....	4	-	1	-	3	4	4	2	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3	12	5	9	5	7	2	5	3	-	-	-
Male.....	2	8	4	6	2	5	1	1	1	-	-	-
Female.....	1	4	1	3	3	2	1	4	2	-	-	-
White, both sexes.....	2	6	2	7	2	5	2	2	1	-	-	-
Male.....	1	4	2	5	1	4	1	-	-	-	-	-
Female.....	1	2	-	2	1	1	1	2	1	-	-	-
Black, both sexes.....	1	6	3	2	3	2	-	3	1	-	-	-
Male.....	1	4	2	1	1	1	-	1	1	-	-	-
Female.....	-	2	1	1	2	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Nebraska

All races, both sexes.....	2	-	1	-	3	-	2	4	2	-	-	-
Male.....	1	-	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	1	-	2	-	1	3	1	-	-	-
White, both sexes.....	2	-	-	-	3	-	2	4	2	-	-	-
Male.....	1	-	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	-	-	2	-	1	3	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	1	3	3	1	7	2	2	-	-	-	-
Male.....	2	1	3	2	-	4	1	1	-	-	-	-
Female.....	-	-	-	1	1	3	1	1	-	-	-	-
White, both sexes.....	1	-	3	3	-	7	2	2	-	-	-	-
Male.....	1	-	3	2	-	4	1	1	-	-	-	-
Female.....	-	-	-	1	-	3	1	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

New Mexico

All races, both sexes.....	3	2	-	-	1	5	5	-	-	-	-	-
Male.....	1	2	-	-	-	3	3	-	-	-	-	-
Female.....	2	-	-	-	1	2	2	-	-	-	-	-
White, both sexes.....	3	2	-	-	-	5	5	-	-	-	-	-
Male.....	1	2	-	-	-	3	3	-	-	-	-	-
Female.....	2	-	-	-	-	2	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	22	14	20	15	23	23	25	15	9	4	2	-
Male.....	16	10	11	10	12	12	9	3	1	-	-	-
Female.....	6	4	9	5	11	11	16	12	8	4	2	-
White, both sexes.....	13	11	14	8	18	20	20	12	8	2	2	-
Male.....	9	8	8	7	10	11	9	2	1	-	-	-
Female.....	4	3	6	1	8	9	11	10	7	2	2	-
Black, both sexes.....	6	2	6	3	3	2	5	3	1	2	-	-
Male.....	4	2	3	1	1	1	-	1	-	-	-	-
Female.....	2	-	3	2	2	1	5	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	4	2	1	-	-	-	-	-	-
Male.....	3	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	1	-	2	1	1	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

Vermont

All races, both sexes.....	1	1	-	-	-	1	1	3	1	-	-	-
Male.....	1	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	1	-	-	-	-	-	2	-	-	-	-
White, both sexes.....	1	1	-	-	-	1	1	3	1	-	-	-
Male.....	1	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	1	-	-	-	-	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	3	3	9	9	6	10	5	1	-	-	-
Male.....	4	-	2	4	3	3	3	2	1	-	-	-
Female.....	-	3	1	5	6	3	7	3	-	-	-	-
White, both sexes.....	3	2	1	8	7	3	8	2	-	-	-	-
Male.....	3	-	1	4	2	1	2	1	-	-	-	-
Female.....	-	2	-	4	5	2	6	1	-	-	-	-
Black, both sexes.....	1	1	2	1	2	1	2	3	1	-	-	-
Male.....	1	-	1	-	1	1	1	1	1	-	-	-
Female.....	-	1	1	1	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mycoses (B35-B49)

Arkansas

All races, both sexes.....	1	1	-	1	2	2	2	3	-	-	-	-
Male.....	1	-	-	-	1	2	1	3	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-
White, both sexes.....	1	1	-	-	2	2	2	3	-	-	-	-
Male.....	1	-	-	-	1	2	1	3	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	15	15	9	15	16	13	8	4	-	-	-
Male.....	7	11	10	5	9	8	10	4	3	-	-	-
Female.....	2	4	5	4	6	8	3	4	1	-	-	-
White, both sexes.....	3	12	12	8	11	13	9	7	4	-	-	-
Male.....	2	8	8	4	7	7	7	4	3	-	-	-
Female.....	1	4	4	4	4	6	2	3	1	-	-	-
Black, both sexes.....	3	1	2	-	1	2	1	1	-	-	-	-
Male.....	2	1	2	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	1	3	1	3	-	-	-	-	-
Male.....	3	2	-	1	2	-	3	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Mycoses (B35-B49)

New Mexico

All races, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	2	6	9	10	7	9	6	2	1	1	-
Male.....	2	2	1	5	6	3	4	1	-	-	-	-
Female.....	2	-	5	4	4	4	5	5	2	1	1	-
White, both sexes.....	2	2	4	3	7	4	7	5	2	-	1	-
Male.....	1	2	1	3	4	2	4	1	-	-	-	-
Female.....	1	-	3	-	3	2	3	4	2	-	1	-
Black, both sexes.....	1	-	2	3	2	2	2	1	-	1	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	1	-	2	2	1	1	2	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Mycoses (B35-B49)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	1	2	3	2	3	4	3	1	-	-	-
Male.....	1	-	1	2	-	2	2	1	1	-	-	-
Female.....	-	1	1	1	2	1	2	2	-	-	-	-
White, both sexes.....	-	-	-	3	2	1	3	1	-	-	-	-
Male.....	-	-	-	2	-	1	2	1	-	-	-	-
Female.....	-	-	-	1	2	-	1	-	-	-	-	-
Black, both sexes.....	1	1	2	-	-	-	1	2	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	1	1	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-













































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Sequelae of tuberculosis (B90)

Arkansas

All races, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	3	-	3	3	2	5	2	1	-	-	-
Male.....	-	2	-	-	1	1	2	1	1	-	-	-
Female.....	-	1	-	3	2	1	3	1	-	-	-	-
White, both sexes.....	-	1	-	1	1	1	4	2	1	-	-	-
Male.....	-	-	-	-	-	1	2	1	1	-	-	-
Female.....	-	1	-	1	1	-	2	1	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	2	1	1	-	-	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-









































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

#### Arkansas

All races, both sexes.....	3	5	2	2	2	2	1	1	3	-	-	-
Male.....	2	3	1	-	1	1	-	-	-	-	-	-
Female.....	1	2	1	2	1	1	1	1	3	-	-	-
White, both sexes.....	2	5	2	1	2	2	1	1	2	-	-	-
Male.....	2	3	1	-	1	1	-	-	-	-	-	-
Female.....	-	2	1	1	1	1	1	1	2	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

#### California

All races, both sexes.....	135	130	75	50	57	47	30	21	1	1	1	-
Male.....	96	95	53	28	27	19	8	8	-	1	-	-
Female.....	39	35	22	22	30	28	22	13	1	-	1	-
White, both sexes.....	124	108	65	33	46	39	23	19	1	1	1	-
Male.....	89	76	48	19	23	17	7	8	-	1	-	-
Female.....	35	32	17	14	23	22	16	11	1	-	1	-
Black, both sexes.....	6	11	3	8	2	3	2	1	-	-	-	-
Male.....	5	10	1	4	2	1	1	-	-	-	-	-
Female.....	1	1	2	4	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	3	1	1	1	-	-	-	-	-	-
Male.....	1	1	2	1	1	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	10	4	8	8	4	5	1	-	-	-	-
Male.....	1	8	2	4	1	-	-	-	-	-	-	-
Female.....	1	2	2	4	7	4	5	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Colorado

All races, both sexes.....	7	4	7	5	5	3	1	3	2	-	-	-
Male.....	5	3	4	3	4	1	-	3	-	-	-	-
Female.....	2	1	3	2	1	2	1	-	2	-	-	-
White, both sexes.....	7	4	7	5	4	3	1	3	2	-	-	-
Male.....	5	3	4	3	3	1	-	3	-	-	-	-
Female.....	2	1	3	2	1	2	1	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	5	3	1	2	3	5	4	-	3	1	-	-
Male.....	4	3	-	1	1	3	2	-	1	1	-	-
Female.....	1	-	1	1	2	2	2	-	2	-	-	-
White, both sexes.....	4	3	1	2	3	5	3	-	3	1	-	-
Male.....	3	3	-	1	1	3	2	-	1	1	-	-
Female.....	1	-	1	1	2	2	1	-	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Illinois

All races, both sexes.....	9	4	4	4	10	6	7	10	2	1	-	-
Male.....	8	4	2	3	6	3	1	5	-	-	-	-
Female.....	1	-	2	1	4	3	6	5	2	1	-	-
White, both sexes.....	8	4	4	3	9	6	6	9	2	-	-	-
Male.....	7	4	2	3	6	3	1	5	-	-	-	-
Female.....	1	-	2	-	3	3	5	4	2	-	-	-
Black, both sexes.....	1	-	-	1	1	-	1	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	3	3	7	4	3	2	6	1	4	1	-	-
Male.....	2	2	5	3	-	1	5	1	-	1	-	-
Female.....	1	1	2	1	3	1	1	-	4	-	-	-
White, both sexes.....	3	3	7	4	1	2	5	1	4	1	-	-
Male.....	2	2	5	3	-	1	4	1	-	1	-	-
Female.....	1	1	2	1	1	1	1	-	4	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Kentucky

All races, both sexes.....	8	-	1	1	1	4	6	2	1	-	-	-
Male.....	4	-	1	1	-	2	2	-	1	-	-	-
Female.....	4	-	-	-	1	2	4	2	-	-	-	-
White, both sexes.....	8	-	1	1	1	4	6	2	1	-	-	-
Male.....	4	-	1	1	-	2	2	-	1	-	-	-
Female.....	4	-	-	-	1	2	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3	9	3	7	4	5	1	4	3	-	-	-
Male.....	2	6	2	5	2	3	-	1	1	-	-	-
Female.....	1	3	1	2	2	2	1	3	2	-	-	-
White, both sexes.....	2	6	1	6	2	3	1	1	1	-	-	-
Male.....	1	4	1	5	1	2	-	-	-	-	-	-
Female.....	1	2	-	1	1	1	1	1	1	-	-	-
Black, both sexes.....	1	3	2	1	2	2	-	3	1	-	-	-
Male.....	1	2	1	-	1	1	-	1	1	-	-	-
Female.....	-	1	1	1	1	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

Nebraska

All races, both sexes.....	2	-	-	-	1	-	2	2	-	-	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	2	2	-	-	-	-
Male.....	1	-	-	-	1	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	-	1	2	1	5	1	2	-	-	-	-
Male.....	-	-	1	1	-	2	-	1	-	-	-	-
Female.....	-	-	-	1	1	3	1	1	-	-	-	-
White, both sexes.....	-	-	1	2	-	5	1	2	-	-	-	-
Male.....	-	-	1	1	-	2	-	1	-	-	-	-
Female.....	-	-	-	1	-	3	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

New Mexico

All races, both sexes.....	3	2	-	-	1	3	1	-	-	-	-	-
Male.....	1	2	-	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	3	2	-	-	-	3	1	-	-	-	-	-
Male.....	1	2	-	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	14	10	10	4	10	16	12	7	6	3	-	-
Male.....	11	8	7	3	4	9	4	2	1	-	-	-
Female.....	3	2	3	1	6	7	8	5	5	3	-	-
White, both sexes.....	8	8	8	4	8	16	9	5	5	2	-	-
Male.....	6	6	6	3	4	9	4	1	1	-	-	-
Female.....	2	2	2	1	4	7	5	4	4	2	-	-
Black, both sexes.....	4	2	2	-	1	-	3	2	1	1	-	-
Male.....	3	2	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	1	-	3	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



















