

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Arkansas

All races, both sexes.....	960	5	1	-	1	1	3	2	14	16	30	69
Male.....	478	5	1	-	-	1	1	2	8	9	16	49
Female.....	482	-	-	-	1	-	2	-	6	7	14	20
White, both sexes.....	832	3	1	-	1	1	3	2	12	14	28	56
Male.....	417	3	1	-	-	1	1	2	7	8	15	41
Female.....	415	-	-	-	1	-	2	-	5	6	13	15
Black, both sexes.....	121	2	-	-	-	-	-	-	2	1	2	13
Male.....	55	2	-	-	-	-	-	-	1	1	1	8
Female.....	66	-	-	-	-	-	-	-	1	-	1	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9,291	51	17	3	5	14	25	46	92	171	389	700
Male.....	4,985	33	6	-	3	10	15	33	59	119	235	490
Female.....	4,306	18	11	3	2	4	10	13	33	52	154	210
White, both sexes.....	8,062	40	16	1	5	11	20	39	79	154	335	607
Male.....	4,326	26	5	-	3	9	14	27	52	109	203	428
Female.....	3,736	14	11	1	2	2	6	12	27	45	132	179
Black, both sexes.....	578	8	-	-	-	3	4	4	4	10	30	54
Male.....	318	4	-	-	-	1	1	3	2	5	19	36
Female.....	260	4	-	-	-	2	3	1	2	5	11	18
American Indian 1/, both sexes.....	96	1	-	1	-	-	-	-	4	2	7	10
Male.....	50	1	-	-	-	-	-	-	1	1	2	8
Female.....	46	-	-	1	-	-	-	-	3	1	5	2
Asian or Pacific Islander 2/, both sexes.....	555	2	1	1	-	-	1	3	5	5	17	29
Male.....	291	2	1	-	-	-	-	3	4	4	11	18
Female.....	264	-	-	1	-	-	1	-	1	1	6	11



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Delaware

All races, both sexes.....	241	2	-	-	-	-	3	2	2	9	14	8
Male.....	136	2	-	-	-	-	1	2	1	9	10	5
Female.....	105	-	-	-	-	-	2	-	1	-	4	3
White, both sexes.....	209	1	-	-	-	-	2	2	2	9	13	6
Male.....	117	1	-	-	-	-	1	2	1	9	9	4
Female.....	92	-	-	-	-	-	1	-	1	-	4	2
Black, both sexes.....	31	1	-	-	-	-	1	-	-	-	1	2
Male.....	19	1	-	-	-	-	-	-	-	-	1	1
Female.....	12	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	183	2	1	1	-	-	-	-	1	2	11	16
Male.....	100	1	-	1	-	-	-	-	-	-	6	10
Female.....	83	1	1	-	-	-	-	-	1	2	5	6
White, both sexes.....	33	-	1	-	-	-	-	-	-	-	2	1
Male.....	19	-	-	-	-	-	-	-	-	-	2	1
Female.....	14	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	149	2	-	1	-	-	-	-	-	2	9	15
Male.....	81	1	-	1	-	-	-	-	-	-	4	9
Female.....	68	1	-	-	-	-	-	-	-	2	5	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Nebraska

All races, both sexes.....	554	3	1	-	-	-	2	2	4	6	12	28
Male.....	272	2	1	-	-	-	2	2	1	4	7	15
Female.....	282	1	-	-	-	-	-	-	3	2	5	13
White, both sexes.....	527	2	1	-	-	-	1	2	3	6	10	27
Male.....	254	2	1	-	-	-	1	2	1	4	6	14
Female.....	273	-	-	-	-	-	-	-	2	2	4	13
Black, both sexes.....	15	1	-	-	-	-	1	-	-	-	2	-
Male.....	10	-	-	-	-	-	1	-	-	-	1	-
Female.....	5	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	770	5	1	1	1	-	-	1	6	23	33	60
Male.....	438	4	1	-	1	-	-	1	5	12	19	36
Female.....	332	1	-	1	-	-	-	-	1	11	14	24
White, both sexes.....	678	4	1	-	1	-	-	-	4	20	28	47
Male.....	387	3	1	-	1	-	-	-	3	10	16	27
Female.....	291	1	-	-	-	-	-	-	1	10	12	20
Black, both sexes.....	48	1	-	-	-	-	-	-	-	2	2	6
Male.....	28	1	-	-	-	-	-	-	-	2	1	3
Female.....	20	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	1	-	2	5
Male.....	11	-	-	-	-	-	-	-	1	-	1	4
Female.....	10	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	23	-	-	1	-	-	-	1	1	1	1	2
Male.....	12	-	-	-	-	-	-	1	1	-	1	2
Female.....	11	-	-	1	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Oregon

All races, both sexes.....	1,317	3	-	1	1	2	2	1	5	20	39	77
Male.....	645	1	-	-	-	1	-	1	3	14	25	44
Female.....	672	2	-	1	1	1	2	-	2	6	14	33
White, both sexes.....	1,272	2	-	-	1	2	2	-	5	19	36	71
Male.....	627	1	-	-	-	1	-	-	3	13	25	42
Female.....	645	1	-	-	1	1	2	-	2	6	11	29
Black, both sexes.....	16	-	-	1	-	-	-	-	-	-	1	3
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	10	-	-	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	1	2	3
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	-	-	1	-	-	-	-
Male.....	7	-	-	-	-	-	-	1	-	-	-	-
Female.....	7	1	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	4,329	20	3	3	2	5	5	10	19	62	104	240
Male.....	2,107	10	2	2	-	2	4	6	14	45	60	176
Female.....	2,222	10	1	1	2	3	1	4	5	17	44	64
White, both sexes.....	3,936	15	2	3	2	4	5	9	13	53	96	207
Male.....	1,900	9	2	2	-	2	4	5	11	40	58	153
Female.....	2,036	6	-	1	2	2	1	4	2	13	38	54
Black, both sexes.....	369	5	1	-	-	1	-	1	4	7	8	31
Male.....	193	1	-	-	-	-	-	1	2	5	2	21
Female.....	176	4	1	-	-	1	-	-	2	2	6	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	2	1	-	1
Male.....	13	-	-	-	-	-	-	-	1	-	-	1
Female.....	9	-	-	-	-	-	-	-	1	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Texas

All races, both sexes.....	6,158	44	8	3	5	5	12	17	62	120	268	436
Male.....	3,303	25	4	3	1	3	7	7	32	71	185	316
Female.....	2,855	19	4	-	4	2	5	10	30	49	83	120
White, both sexes.....	5,503	25	6	3	3	2	11	16	54	106	234	381
Male.....	2,952	15	3	3	-	2	7	7	27	64	165	279
Female.....	2,551	10	3	-	3	-	4	9	27	42	69	102
Black, both sexes.....	578	18	2	-	1	3	1	1	8	11	26	51
Male.....	305	9	1	-	-	1	-	-	5	6	15	33
Female.....	273	9	1	-	1	2	1	1	3	5	11	18
American Indian 1/, both sexes.....	20	-	-	-	1	-	-	-	-	1	2	2
Male.....	12	-	-	-	1	-	-	-	-	-	1	2
Female.....	8	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	57	1	-	-	-	-	-	-	-	2	6	2
Male.....	34	1	-	-	-	-	-	-	-	1	4	2
Female.....	23	-	-	-	-	-	-	-	-	1	2	-

Utah

All races, both sexes.....	512	2	-	2	2	1	1	5	8	7	13	24
Male.....	253	-	-	-	1	-	1	3	5	3	7	11
Female.....	259	2	-	2	1	1	-	2	3	4	6	13
White, both sexes.....	490	2	-	2	2	1	1	3	8	6	13	22
Male.....	243	-	-	-	1	-	1	2	5	3	7	10
Female.....	247	2	-	2	1	1	-	1	3	3	6	12
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	1	-	1	-	2
Male.....	6	-	-	-	-	-	-	1	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XI. Diseases of the digestive system (K00-K92)

Vermont

All races, both sexes.....	195	1	1	-	-	-	-	-	-	4	6	9
Male.....	90	-	1	-	-	-	-	-	-	4	3	6
Female.....	105	1	-	-	-	-	-	-	-	-	3	3
White, both sexes.....	194	1	1	-	-	-	-	-	-	4	6	9
Male.....	90	-	1	-	-	-	-	-	-	4	3	6
Female.....	104	1	-	-	-	-	-	-	-	-	3	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2,000	17	2	1	2	2	3	12	7	39	78	125
Male.....	1,027	9	1	1	1	1	1	11	5	24	47	81
Female.....	973	8	1	-	1	1	2	1	2	15	31	44
White, both sexes.....	1,565	7	2	-	1	-	2	9	6	29	57	91
Male.....	800	2	1	-	1	-	-	9	5	20	34	62
Female.....	765	5	1	-	-	-	2	-	1	9	23	29
Black, both sexes.....	400	9	-	1	1	1	1	3	1	9	18	30
Male.....	210	7	-	1	-	1	1	2	-	4	11	16
Female.....	190	2	-	-	1	-	-	1	1	5	7	14
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	30	1	-	-	-	1	-	-	-	1	2	3
Male.....	15	-	-	-	-	-	-	-	-	-	1	3
Female.....	15	1	-	-	-	1	-	-	-	1	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

United States

All races, both sexes.....	7,322	7,654	6,796	6,597	7,679	9,512	11,017	9,897	6,546	2,383	416	6
Male.....	5,036	5,104	4,200	3,765	3,950	4,472	4,561	3,447	1,834	509	70	3
Female.....	2,286	2,550	2,596	2,832	3,729	5,040	6,456	6,450	4,712	1,874	346	3
White, both sexes.....	6,045	6,370	5,824	5,662	6,709	8,492	10,034	9,103	6,071	2,188	385	5
Male.....	4,206	4,281	3,612	3,251	3,466	3,983	4,172	3,182	1,702	467	64	3
Female.....	1,839	2,089	2,212	2,411	3,243	4,509	5,862	5,921	4,369	1,721	321	2
Black, both sexes.....	1,060	1,061	759	724	739	780	723	618	369	168	26	1
Male.....	679	682	454	409	368	376	279	193	95	31	3	-
Female.....	381	379	305	315	371	404	444	425	274	137	23	1
American Indian 1/, both sexes.....	127	133	98	99	67	56	49	34	15	3	2	-
Male.....	76	80	59	50	33	32	17	15	4	1	1	-
Female.....	51	53	39	49	34	24	32	19	11	2	1	-
Asian or Pacific Islander 2/, both sexes.....	90	90	115	112	164	184	211	142	91	24	3	-
Male.....	75	61	75	55	83	81	93	57	33	10	2	-
Female.....	15	29	40	57	81	103	118	85	58	14	1	-

Alabama

All races, both sexes.....	147	158	149	131	161	146	186	157	104	34	4	-
Male.....	92	102	96	66	86	74	66	48	29	8	1	-
Female.....	55	56	53	65	75	72	120	109	75	26	3	-
White, both sexes.....	109	118	119	101	134	116	158	131	85	24	2	-
Male.....	68	76	76	51	72	55	58	42	24	8	-	-
Female.....	41	42	43	50	62	61	100	89	61	16	2	-
Black, both sexes.....	37	40	27	29	25	29	28	25	19	10	2	-
Male.....	24	26	18	15	13	18	8	6	5	-	1	-
Female.....	13	14	9	14	12	11	20	19	14	10	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	1	-	1	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Alaska												
All races, both sexes.....	17	13	12	9	9	15	16	13	4	2	3	-
Male.....	12	8	8	3	5	8	6	7	1	1	2	-
Female.....	5	5	4	6	4	7	10	6	3	1	1	-
White, both sexes.....	14	10	9	3	7	9	11	9	2	2	3	-
Male.....	10	6	6	1	3	4	3	4	-	1	2	-
Female.....	4	4	3	2	4	5	8	5	2	1	1	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	3	5	1	6	5	3	2	-	-	-
Male.....	1	2	2	1	1	4	3	2	1	-	-	-
Female.....	1	1	1	4	-	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	156	173	158	160	160	180	211	199	91	31	5	-
Male.....	105	126	88	91	87	93	88	83	27	10	2	-
Female.....	51	47	70	69	73	87	123	116	64	21	3	-
White, both sexes.....	133	149	134	145	146	174	197	184	88	28	4	-
Male.....	91	109	72	85	80	90	81	80	26	10	1	-
Female.....	42	40	62	60	66	84	116	104	62	18	3	-
Black, both sexes.....	3	2	4	5	5	1	4	2	-	2	-	-
Male.....	3	1	3	2	3	-	2	1	-	-	-	-
Female.....	-	1	1	3	2	1	2	1	-	2	-	-
American Indian 1/, both sexes.....	20	21	19	10	9	4	9	11	3	-	1	-
Male.....	11	15	12	4	4	3	4	2	1	-	1	-
Female.....	9	6	7	6	5	1	5	9	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	1	2	-	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Arkansas

All races, both sexes.....	70	70	86	78	86	113	112	114	72	13	4	-
Male.....	45	42	60	49	41	49	47	38	12	3	-	-
Female.....	25	28	26	29	45	64	65	76	60	10	4	-
White, both sexes.....	59	53	77	68	69	99	103	105	62	12	4	-
Male.....	40	33	53	42	34	45	43	35	10	3	-	-
Female.....	19	20	24	26	35	54	60	70	52	9	4	-
Black, both sexes.....	9	16	7	10	16	14	9	9	10	1	-	-
Male.....	3	8	5	7	6	4	4	3	2	-	-	-
Female.....	6	8	2	3	10	10	5	6	8	1	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	922	935	757	706	764	941	1,042	880	601	195	34	1
Male.....	651	623	475	409	410	424	426	323	187	48	6	-
Female.....	271	312	282	297	354	517	616	557	414	147	28	1
White, both sexes.....	805	824	633	612	648	794	906	789	542	171	30	1
Male.....	568	550	400	356	352	359	368	285	165	42	5	-
Female.....	237	274	233	256	296	435	538	504	377	129	25	1
Black, both sexes.....	73	75	67	49	45	51	39	31	16	11	4	-
Male.....	47	46	42	31	24	26	14	9	5	2	1	-
Female.....	26	29	25	18	21	25	25	22	11	9	3	-
American Indian 1/, both sexes.....	11	11	10	15	11	6	4	2	1	-	-	-
Male.....	9	7	5	8	5	1	1	1	-	-	-	-
Female.....	2	4	5	7	6	5	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	25	47	30	60	90	93	58	42	13	-	-
Male.....	27	20	28	14	29	38	43	28	17	4	-	-
Female.....	6	5	19	16	31	52	50	30	25	9	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Colorado

All races, both sexes.....	127	118	102	85	83	143	137	148	98	39	4	-
Male.....	81	79	57	51	37	74	48	52	30	7	1	-
Female.....	46	39	45	34	46	69	89	96	68	32	3	-
White, both sexes.....	120	114	100	82	75	135	133	145	96	39	4	-
Male.....	77	76	56	50	35	70	45	52	29	7	1	-
Female.....	43	38	44	32	40	65	88	93	67	32	3	-
Black, both sexes.....	6	4	1	3	3	3	4	1	1	-	-	-
Male.....	4	3	1	1	1	2	3	-	-	-	-	-
Female.....	2	1	-	2	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	3	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	3	-	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	2	2	-	2	-	-	-	-

Connecticut

All races, both sexes.....	81	61	68	75	103	113	161	179	106	52	7	-
Male.....	49	35	40	54	60	56	74	70	39	7	3	-
Female.....	32	26	28	21	43	57	87	109	67	45	4	-
White, both sexes.....	76	57	59	66	94	102	148	175	102	51	7	-
Male.....	48	32	36	50	55	49	68	68	39	7	3	-
Female.....	28	25	23	16	39	53	80	107	63	44	4	-
Black, both sexes.....	4	3	9	8	9	9	12	3	4	1	-	-
Male.....	1	2	4	4	5	5	6	1	-	-	-	-
Female.....	3	1	5	4	4	4	6	2	4	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Florida

All races, both sexes.....	503	560	478	402	478	630	672	592	355	141	28	1
Male.....	370	381	313	243	248	305	313	215	112	38	5	1
Female.....	133	179	165	159	230	325	359	377	243	103	23	-
White, both sexes.....	446	498	429	362	430	597	633	558	337	132	24	1
Male.....	333	343	280	220	229	289	291	204	107	35	4	1
Female.....	113	155	149	142	201	308	342	354	230	97	20	-
Black, both sexes.....	57	59	44	37	43	26	35	32	18	8	4	-
Male.....	37	36	29	23	18	14	20	10	5	2	1	-
Female.....	20	23	15	14	25	12	15	22	13	6	3	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	3	5	6	4	2	-	1	-	-
Male.....	-	1	3	-	1	2	2	1	-	1	-	-
Female.....	-	1	1	3	4	4	2	1	-	-	-	-

Georgia

All races, both sexes.....	215	244	212	223	250	231	260	244	121	51	7	-
Male.....	138	159	127	121	123	103	103	80	33	16	-	-
Female.....	77	85	85	102	127	128	157	164	88	35	7	-
White, both sexes.....	147	181	166	170	202	186	212	198	99	39	7	-
Male.....	93	114	97	96	99	80	84	63	29	11	-	-
Female.....	54	67	69	74	103	106	128	135	70	28	7	-
Black, both sexes.....	66	59	43	53	44	45	45	43	21	12	-	-
Male.....	43	41	28	25	21	23	18	15	4	5	-	-
Female.....	23	18	15	28	23	22	27	28	17	7	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	1	-	-	-	-
Male.....	1	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	-	3	-	3	2	1	-	-	-
Male.....	1	3	2	-	2	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Hawaii

All races, both sexes.....	31	21	21	26	31	40	52	41	30	5	2	-
Male.....	23	14	15	18	18	19	18	20	10	2	1	-
Female.....	8	7	6	8	13	21	34	21	20	3	1	-
White, both sexes.....	15	8	13	12	5	11	9	6	7	1	-	-
Male.....	11	6	10	9	4	4	-	4	1	-	-	-
Female.....	4	2	3	3	1	7	9	2	6	1	-	-
Black, both sexes.....	3	-	-	-	-	2	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	13	8	14	26	27	43	34	23	4	2	-
Male.....	10	8	5	9	14	14	18	15	9	2	1	-
Female.....	3	5	3	5	12	13	25	19	14	2	1	-

Idaho

All races, both sexes.....	25	22	33	26	31	50	59	49	31	17	2	-
Male.....	15	14	19	19	16	28	27	17	7	5	-	-
Female.....	10	8	14	7	15	22	32	32	24	12	2	-
White, both sexes.....	24	21	33	26	29	49	59	49	31	17	2	-
Male.....	15	14	19	19	15	28	27	17	7	5	-	-
Female.....	9	7	14	7	14	21	32	32	24	12	2	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Iowa

All races, both sexes.....	50	39	55	74	58	109	136	159	121	53	11	-
Male.....	33	24	35	43	28	43	51	46	32	13	1	-
Female.....	17	15	20	31	30	66	85	113	89	40	10	-
White, both sexes.....	44	37	53	72	58	106	134	159	121	53	11	-
Male.....	31	23	34	42	28	42	50	46	32	13	1	-
Female.....	13	14	19	30	30	64	84	113	89	40	10	-
Black, both sexes.....	4	2	2	1	-	2	2	-	-	-	-	-
Male.....	2	1	1	1	-	-	1	-	-	-	-	-
Female.....	2	1	1	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	71	76	55	52	75	105	125	127	100	44	3	-
Male.....	46	47	30	31	36	53	56	42	28	12	-	-
Female.....	25	29	25	21	39	52	69	85	72	32	3	-
White, both sexes.....	63	70	50	48	70	95	124	127	98	40	3	-
Male.....	42	45	28	28	33	48	55	42	28	11	-	-
Female.....	21	25	22	20	37	47	69	85	70	29	3	-
Black, both sexes.....	8	5	4	3	2	7	1	-	2	2	-	-
Male.....	4	1	2	2	1	4	1	-	-	-	-	-
Female.....	4	4	2	1	1	3	-	-	2	2	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	1	-	-	-	1	-	-
Male.....	-	1	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	1	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Maine

All races, both sexes.....	38	40	39	37	54	70	57	57	43	14	3	-
Male.....	26	28	27	17	28	33	20	21	12	3	2	-
Female.....	12	12	12	20	26	37	37	36	31	11	1	-
White, both sexes.....	37	40	39	37	54	70	57	56	43	14	3	-
Male.....	25	28	27	17	28	33	20	20	12	3	2	-
Female.....	12	12	12	20	26	37	37	36	31	11	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	110	130	93	102	140	153	197	158	112	44	7	-
Male.....	58	92	58	52	69	73	81	54	26	9	-	-
Female.....	52	38	35	50	71	80	116	104	86	35	7	-
White, both sexes.....	62	86	68	67	104	123	161	138	95	36	6	-
Male.....	34	63	43	37	52	58	64	49	22	6	-	-
Female.....	28	23	25	30	52	65	97	89	73	30	6	-
Black, both sexes.....	45	43	24	30	33	29	32	19	17	8	1	-
Male.....	23	29	14	13	14	14	15	5	4	3	-	-
Female.....	22	14	10	17	19	15	17	14	13	5	1	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	4	3	1	4	1	-	-	-	-
Male.....	1	-	1	2	3	1	2	-	-	-	-	-
Female.....	-	1	-	2	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Massachusetts

All races, both sexes.....	157	159	139	157	179	205	297	278	179	86	13	-
Male.....	112	101	98	92	93	104	118	91	42	13	1	-
Female.....	45	58	41	65	86	101	179	187	137	73	12	-
White, both sexes.....	146	145	128	145	170	198	283	268	174	86	13	-
Male.....	103	89	92	83	88	101	112	90	39	13	1	-
Female.....	43	56	36	62	82	97	171	178	135	73	12	-
Black, both sexes.....	10	11	7	10	7	7	8	7	3	-	-	-
Male.....	8	9	2	8	4	3	3	-	2	-	-	-
Female.....	2	2	5	2	3	4	5	7	1	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	1	-	-	-	-
Male.....	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	2	2	-	6	2	2	-	-	-
Male.....	1	1	4	1	1	-	3	-	1	-	-	-
Female.....	-	-	-	1	1	-	3	2	1	-	-	-

Michigan

All races, both sexes.....	274	260	213	225	294	338	406	363	240	77	6	-
Male.....	201	183	124	132	139	136	182	132	60	12	1	-
Female.....	73	77	89	93	155	202	224	231	180	65	5	-
White, both sexes.....	219	207	176	190	259	307	362	331	225	68	5	-
Male.....	165	151	101	111	122	127	167	120	56	12	1	-
Female.....	54	56	75	79	137	180	195	211	169	56	4	-
Black, both sexes.....	49	48	33	28	30	27	39	30	14	9	1	-
Male.....	33	30	21	17	14	7	12	12	4	-	-	-
Female.....	16	18	12	11	16	20	27	18	10	9	1	-
American Indian 1/, both sexes.....	2	3	2	4	3	2	1	-	1	-	-	-
Male.....	-	1	1	2	3	1	1	-	-	-	-	-
Female.....	2	2	1	2	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	3	2	2	4	2	-	-	-	-
Male.....	3	1	1	2	-	1	2	-	-	-	-	-
Female.....	1	1	1	1	2	1	2	2	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Nebraska

All races, both sexes.....	31	34	26	27	51	55	99	74	60	27	12	-
Male.....	23	24	15	17	32	30	47	28	14	6	2	-
Female.....	8	10	11	10	19	25	52	46	46	21	10	-
White, both sexes.....	27	29	22	26	50	52	99	73	58	27	12	-
Male.....	19	21	12	16	31	28	47	28	13	6	2	-
Female.....	8	8	10	10	19	24	52	45	45	21	10	-
Black, both sexes.....	1	3	1	-	1	2	-	1	2	-	-	-
Male.....	1	2	1	-	1	2	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	2	2	-	-	1	-	-	-	-	-	-
Male.....	3	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	99	80	79	70	68	74	76	48	37	4	4	-
Male.....	72	50	51	44	40	39	31	21	11	-	-	-
Female.....	27	30	28	26	28	35	45	27	26	4	4	-
White, both sexes.....	87	71	71	57	58	71	71	46	34	4	3	-
Male.....	64	44	46	38	38	37	28	20	11	-	-	-
Female.....	23	27	25	19	20	34	43	26	23	4	3	-
Black, both sexes.....	9	6	3	6	6	1	3	1	2	-	-	-
Male.....	6	3	2	4	2	1	3	-	-	-	-	-
Female.....	3	3	1	2	4	-	-	1	2	-	-	-
American Indian 1/, both sexes.....	3	-	2	3	2	-	2	-	-	-	1	-
Male.....	2	-	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	2	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	3	3	4	2	2	-	1	1	-	-	-
Male.....	-	3	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	2	3	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

New Hampshire

All races, both sexes.....	34	23	24	31	28	52	54	50	40	16	3	-
Male.....	24	13	14	19	19	28	21	16	14	5	-	-
Female.....	10	10	10	12	9	24	33	34	26	11	3	-
White, both sexes.....	34	23	24	31	28	52	52	50	40	16	3	-
Male.....	24	13	14	19	19	28	19	16	14	5	-	-
Female.....	10	10	10	12	9	24	33	34	26	11	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	185	210	176	157	198	257	332	288	189	65	10	-
Male.....	129	151	107	89	105	114	151	89	53	7	-	-
Female.....	56	59	69	68	93	143	181	199	136	58	10	-
White, both sexes.....	149	177	148	135	162	225	306	261	179	60	8	-
Male.....	104	132	90	77	83	106	137	82	52	7	-	-
Female.....	45	45	58	58	79	119	169	179	127	53	8	-
Black, both sexes.....	34	29	25	18	29	28	19	25	8	5	2	-
Male.....	23	17	15	10	19	8	10	6	1	-	-	-
Female.....	11	12	10	8	10	20	9	19	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	3	7	4	7	2	2	-	-	-
Male.....	2	2	2	2	3	-	4	1	-	-	-	-
Female.....	-	2	1	1	4	4	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

New Mexico

All races, both sexes.....	88	85	93	67	42	69	82	71	37	15	3	-
Male.....	64	59	66	40	28	36	36	25	9	7	1	-
Female.....	24	26	27	27	14	33	46	46	28	8	2	-
White, both sexes.....	76	72	85	51	42	65	72	70	35	14	3	-
Male.....	55	49	61	32	28	34	33	25	9	7	1	-
Female.....	21	23	24	19	14	31	39	45	26	7	2	-
Black, both sexes.....	3	1	-	2	-	-	-	-	1	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	9	12	8	14	-	4	10	1	1	1	-	-
Male.....	6	9	5	7	-	2	3	-	-	-	-	-
Female.....	3	3	3	7	-	2	7	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	325	377	321	366	415	524	617	596	385	168	23	-
Male.....	222	274	197	213	227	242	262	209	122	35	4	-
Female.....	103	103	124	153	188	282	355	387	263	133	19	-
White, both sexes.....	239	286	266	294	357	456	568	550	357	148	20	-
Male.....	159	205	160	172	190	205	246	196	113	34	3	-
Female.....	80	81	106	122	167	251	322	354	244	114	17	-
Black, both sexes.....	73	84	46	56	47	51	39	38	20	19	2	-
Male.....	52	64	30	31	28	26	12	8	6	1	-	-
Female.....	21	20	16	25	19	25	27	30	14	18	2	-
American Indian 1/, both sexes.....	4	2	2	2	-	3	1	1	-	1	-	-
Male.....	3	2	2	1	-	2	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	7	14	11	14	9	7	8	-	1	-
Male.....	8	3	5	9	9	9	3	4	3	-	1	-
Female.....	1	2	2	5	2	5	6	3	5	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Ohio

All races, both sexes.....	283	303	299	257	333	432	532	474	313	102	17	-
Male.....	183	191	174	138	179	205	189	163	84	27	2	-
Female.....	100	112	125	119	154	227	343	311	229	75	15	-
White, both sexes.....	227	254	263	216	291	388	496	447	294	95	14	-
Male.....	156	160	157	121	152	180	179	154	82	24	2	-
Female.....	71	94	106	95	139	208	317	293	212	71	12	-
Black, both sexes.....	54	47	32	38	39	41	36	26	18	7	3	-
Male.....	26	31	14	16	26	23	10	9	2	3	-	-
Female.....	28	16	18	22	13	18	26	17	16	4	3	-
American Indian 1/, both sexes.....	2	1	2	1	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	3	-	1	1	-	-	-
Male.....	-	-	2	1	1	2	-	-	-	-	-	-
Female.....	-	1	-	1	2	1	-	1	1	-	-	-

Oklahoma

All races, both sexes.....	133	122	99	114	133	146	136	135	87	35	2	-
Male.....	89	80	70	66	62	66	63	46	17	7	1	-
Female.....	44	42	29	48	71	80	73	89	70	28	1	-
White, both sexes.....	98	90	90	92	109	129	125	120	79	34	2	-
Male.....	66	62	65	53	53	58	58	39	16	6	1	-
Female.....	32	28	25	39	56	71	67	81	63	28	1	-
Black, both sexes.....	14	9	1	6	11	8	8	9	5	1	-	-
Male.....	10	5	1	2	4	3	3	3	1	1	-	-
Female.....	4	4	-	4	7	5	5	6	4	-	-	-
American Indian 1/, both sexes.....	20	22	7	15	12	9	2	6	3	-	-	-
Male.....	12	13	3	11	5	5	2	4	-	-	-	-
Female.....	8	9	4	4	7	4	-	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Oregon

All races, both sexes.....	113	103	97	88	115	128	151	177	134	50	10	-
Male.....	79	69	50	54	54	61	59	68	46	15	1	-
Female.....	34	34	47	34	61	67	92	109	88	35	9	-
White, both sexes.....	111	99	95	82	108	123	148	177	132	49	10	-
Male.....	77	67	49	51	50	60	59	68	45	15	1	-
Female.....	34	32	46	31	58	63	89	109	87	34	9	-
Black, both sexes.....	1	-	1	2	2	4	-	-	-	1	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	2	1	3	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	2	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	4	1	2	-	2	-	-	-
Male.....	-	2	-	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	1	2	-	1	-	-	-

Pennsylvania

All races, both sexes.....	270	342	318	285	357	508	654	575	378	137	31	1
Male.....	197	245	189	160	186	235	252	192	108	17	5	-
Female.....	73	97	129	125	171	273	402	383	270	120	26	1
White, both sexes.....	232	282	278	251	321	477	611	546	364	133	31	1
Male.....	174	206	161	144	164	218	238	184	104	16	5	-
Female.....	58	76	117	107	157	259	373	362	260	117	26	1
Black, both sexes.....	34	57	38	31	36	26	42	29	14	4	-	-
Male.....	19	36	27	15	22	15	14	8	4	1	-	-
Female.....	15	21	11	16	14	11	28	21	10	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	3	-	5	1	-	-	-	-	-
Male.....	4	3	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	1	2	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Rhode Island

All races, both sexes.....	28	28	24	21	35	40	63	73	40	17	3	-
Male.....	25	14	17	16	21	18	33	27	9	1	1	-
Female.....	3	14	7	5	14	22	30	46	31	16	2	-
White, both sexes.....	25	27	23	19	35	38	62	73	40	16	3	-
Male.....	23	13	16	16	21	18	33	27	9	1	1	-
Female.....	2	14	7	3	14	20	29	46	31	15	2	-
Black, both sexes.....	1	1	1	2	-	2	1	-	-	1	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	134	155	128	142	131	146	163	124	78	23	2	-
Male.....	94	114	87	83	65	67	71	48	23	3	-	-
Female.....	40	41	41	59	66	79	92	76	55	20	2	-
White, both sexes.....	98	105	101	107	97	123	132	99	66	17	2	-
Male.....	67	82	72	65	53	60	60	38	18	2	-	-
Female.....	31	23	29	42	44	63	72	61	48	15	2	-
Black, both sexes.....	36	50	26	35	33	23	30	25	12	6	-	-
Male.....	27	32	15	18	12	7	11	10	5	1	-	-
Female.....	9	18	11	17	21	16	19	15	7	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XI. Diseases of the digestive system (K00-K92)

Texas

All races, both sexes.....	674	607	519	482	533	664	656	546	351	128	18	-
Male.....	461	396	318	267	269	324	273	196	107	34	4	-
Female.....	213	211	201	215	264	340	383	350	244	94	14	-
White, both sexes.....	592	519	449	435	484	612	598	506	333	116	18	-
Male.....	409	345	278	238	250	292	247	181	104	32	4	-
Female.....	183	174	171	197	234	320	351	325	229	84	14	-
Black, both sexes.....	74	83	61	40	43	46	48	34	17	10	-	-
Male.....	45	49	34	24	16	29	21	14	3	-	-	-
Female.....	29	34	27	16	27	17	27	20	14	10	-	-
American Indian 1/, both sexes.....	2	2	4	-	1	1	3	1	-	-	-	-
Male.....	1	2	3	-	-	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	7	5	5	7	5	1	2	-	-
Male.....	6	-	3	5	3	2	4	1	-	2	-	-
Female.....	-	3	2	2	2	3	3	4	1	-	-	-

Utah

All races, both sexes.....	36	33	28	51	51	70	66	58	43	8	2	1
Male.....	23	21	19	25	27	30	32	26	14	4	-	1
Female.....	13	12	9	26	24	40	34	32	29	4	2	-
White, both sexes.....	33	29	25	48	48	69	66	58	43	8	2	1
Male.....	20	20	17	24	26	30	32	26	14	4	-	1
Female.....	13	9	8	24	22	39	34	32	29	4	2	-
Black, both sexes.....	1	-	1	2	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	1	1	1	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XI. Diseases of the digestive system (K00-K92)

Vermont

All races, both sexes.....	4	15	17	6	19	19	30	25	28	9	2	-
Male.....	3	9	9	1	11	8	13	9	9	4	-	-
Female.....	1	6	8	5	8	11	17	16	19	5	2	-
White, both sexes.....	4	15	17	6	19	19	30	25	28	8	2	-
Male.....	3	9	9	1	11	8	13	9	9	4	-	-
Female.....	1	6	8	5	8	11	17	16	19	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	163	185	158	129	187	225	254	233	134	35	9	-
Male.....	115	122	107	80	98	97	107	83	32	4	-	-
Female.....	48	63	51	49	89	128	147	150	102	31	9	-
White, both sexes.....	121	134	122	96	149	180	221	188	111	30	9	-
Male.....	85	91	82	58	81	82	89	67	28	3	-	-
Female.....	36	43	40	38	68	98	132	121	83	27	9	-
Black, both sexes.....	42	47	33	28	34	43	29	42	23	5	-	-
Male.....	30	28	22	20	16	15	16	15	4	1	-	-
Female.....	12	19	11	8	18	28	13	27	19	4	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	3	4	2	2	4	3	-	-	-	-
Male.....	-	3	3	1	1	-	2	1	-	-	-	-
Female.....	-	1	-	3	1	2	2	2	-	-	-	-































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Arkansas

All races, both sexes.....	959	5	1	-	1	1	3	2	14	16	30	69
Male.....	478	5	1	-	-	1	1	2	8	9	16	49
Female.....	481	-	-	-	1	-	2	-	6	7	14	20
White, both sexes.....	831	3	1	-	1	1	3	2	12	14	28	56
Male.....	417	3	1	-	-	1	1	2	7	8	15	41
Female.....	414	-	-	-	1	-	2	-	5	6	13	15
Black, both sexes.....	121	2	-	-	-	-	-	-	2	1	2	13
Male.....	55	2	-	-	-	-	-	-	1	1	1	8
Female.....	66	-	-	-	-	-	-	-	1	-	1	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9,273	49	17	3	5	14	25	46	91	171	388	698
Male.....	4,975	32	6	-	3	10	15	33	58	119	234	488
Female.....	4,298	17	11	3	2	4	10	13	33	52	154	210
White, both sexes.....	8,046	38	16	1	5	11	20	39	78	154	335	605
Male.....	4,318	25	5	-	3	9	14	27	51	109	203	426
Female.....	3,728	13	11	1	2	2	6	12	27	45	132	179
Black, both sexes.....	577	8	-	-	-	3	4	4	4	10	29	54
Male.....	317	4	-	-	-	1	1	3	2	5	18	36
Female.....	260	4	-	-	-	2	3	1	2	5	11	18
American Indian 1/, both sexes.....	96	1	-	1	-	-	-	-	4	2	7	10
Male.....	50	1	-	-	-	-	-	-	1	1	2	8
Female.....	46	-	-	1	-	-	-	-	3	1	5	2
Asian or Pacific Islander 2/, both sexes.....	554	2	1	1	-	-	1	3	5	5	17	29
Male.....	290	2	1	-	-	-	-	3	4	4	11	18
Female.....	264	-	-	1	-	-	1	-	1	1	6	11



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Delaware

All races, both sexes.....	240	2	-	-	-	-	3	2	2	9	14	8
Male.....	135	2	-	-	-	-	1	2	1	9	10	5
Female.....	105	-	-	-	-	-	2	-	1	-	4	3
White, both sexes.....	208	1	-	-	-	-	2	2	2	9	13	6
Male.....	116	1	-	-	-	-	1	2	1	9	9	4
Female.....	92	-	-	-	-	-	1	-	1	-	4	2
Black, both sexes.....	31	1	-	-	-	-	1	-	-	-	1	2
Male.....	19	1	-	-	-	-	-	-	-	-	1	1
Female.....	12	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	183	2	1	1	-	-	-	-	1	2	11	16
Male.....	100	1	-	1	-	-	-	-	-	-	6	10
Female.....	83	1	1	-	-	-	-	-	1	2	5	6
White, both sexes.....	33	-	1	-	-	-	-	-	-	-	2	1
Male.....	19	-	-	-	-	-	-	-	-	-	2	1
Female.....	14	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	149	2	-	1	-	-	-	-	-	2	9	15
Male.....	81	1	-	1	-	-	-	-	-	-	4	9
Female.....	68	1	-	-	-	-	-	-	-	2	5	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Nebraska

All races, both sexes.....	551	3	1	-	-	-	2	2	4	6	12	28
Male.....	270	2	1	-	-	-	2	2	1	4	7	15
Female.....	281	1	-	-	-	-	-	-	3	2	5	13
White, both sexes.....	524	2	1	-	-	-	1	2	3	6	10	27
Male.....	252	2	1	-	-	-	1	2	1	4	6	14
Female.....	272	-	-	-	-	-	-	-	2	2	4	13
Black, both sexes.....	15	1	-	-	-	-	1	-	-	-	2	-
Male.....	10	-	-	-	-	-	1	-	-	-	1	-
Female.....	5	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	769	5	1	1	1	-	-	1	6	23	33	60
Male.....	438	4	1	-	1	-	-	1	5	12	19	36
Female.....	331	1	-	1	-	-	-	-	1	11	14	24
White, both sexes.....	677	4	1	-	1	-	-	-	4	20	28	47
Male.....	387	3	1	-	1	-	-	-	3	10	16	27
Female.....	290	1	-	-	-	-	-	-	1	10	12	20
Black, both sexes.....	48	1	-	-	-	-	-	-	-	2	2	6
Male.....	28	1	-	-	-	-	-	-	-	2	1	3
Female.....	20	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	1	-	2	5
Male.....	11	-	-	-	-	-	-	-	1	-	1	4
Female.....	10	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	23	-	-	1	-	-	-	1	1	1	1	2
Male.....	12	-	-	-	-	-	-	1	1	-	1	2
Female.....	11	-	-	1	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Oregon

All races, both sexes.....	1,312	3	-	1	1	2	2	1	5	20	39	77
Male.....	645	1	-	-	-	1	-	1	3	14	25	44
Female.....	667	2	-	1	1	1	2	-	2	6	14	33
White, both sexes.....	1,267	2	-	-	1	2	2	-	5	19	36	71
Male.....	627	1	-	-	-	1	-	-	3	13	25	42
Female.....	640	1	-	-	1	1	2	-	2	6	11	29
Black, both sexes.....	16	-	-	1	-	-	-	-	-	-	1	3
Male.....	6	-	-	-	-	-	-	-	-	-	-	2
Female.....	10	-	-	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	1	2	3
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	-	-	1	-	-	-	-
Male.....	7	-	-	-	-	-	-	1	-	-	-	-
Female.....	7	1	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	4,323	20	3	3	2	5	5	10	19	62	104	240
Male.....	2,105	10	2	2	-	2	4	6	14	45	60	176
Female.....	2,218	10	1	1	2	3	1	4	5	17	44	64
White, both sexes.....	3,930	15	2	3	2	4	5	9	13	53	96	207
Male.....	1,898	9	2	2	-	2	4	5	11	40	58	153
Female.....	2,032	6	-	1	2	2	1	4	2	13	38	54
Black, both sexes.....	369	5	1	-	-	1	-	1	4	7	8	31
Male.....	193	1	-	-	-	-	-	1	2	5	2	21
Female.....	176	4	1	-	-	1	-	-	2	2	6	10
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	2	1	-	1
Male.....	13	-	-	-	-	-	-	-	1	-	-	1
Female.....	9	-	-	-	-	-	-	-	1	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Texas

All races, both sexes.....	6,140	44	8	3	5	5	12	17	62	120	268	436
Male.....	3,295	25	4	3	1	3	7	7	32	71	185	316
Female.....	2,845	19	4	-	4	2	5	10	30	49	83	120
White, both sexes.....	5,487	25	6	3	3	2	11	16	54	106	234	381
Male.....	2,946	15	3	3	-	2	7	7	27	64	165	279
Female.....	2,541	10	3	-	3	-	4	9	27	42	69	102
Black, both sexes.....	576	18	2	-	1	3	1	1	8	11	26	51
Male.....	303	9	1	-	-	1	-	-	5	6	15	33
Female.....	273	9	1	-	1	2	1	1	3	5	11	18
American Indian 1/, both sexes.....	20	-	-	-	1	-	-	-	-	1	2	2
Male.....	12	-	-	-	1	-	-	-	-	-	1	2
Female.....	8	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	57	1	-	-	-	-	-	-	-	2	6	2
Male.....	34	1	-	-	-	-	-	-	-	1	4	2
Female.....	23	-	-	-	-	-	-	-	-	1	2	-

Utah

All races, both sexes.....	512	2	-	2	2	1	1	5	8	7	13	24
Male.....	253	-	-	-	1	-	1	3	5	3	7	11
Female.....	259	2	-	2	1	1	-	2	3	4	6	13
White, both sexes.....	490	2	-	2	2	1	1	3	8	6	13	22
Male.....	243	-	-	-	1	-	1	2	5	3	7	10
Female.....	247	2	-	2	1	1	-	1	3	3	6	12
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	1	-	1	-	2
Male.....	6	-	-	-	-	-	-	1	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of other parts of digestive system (K20-K92)

Vermont

All races, both sexes.....	195	1	1	-	-	-	-	-	-	4	6	9
Male.....	90	-	1	-	-	-	-	-	-	4	3	6
Female.....	105	1	-	-	-	-	-	-	-	-	3	3
White, both sexes.....	194	1	1	-	-	-	-	-	-	4	6	9
Male.....	90	-	1	-	-	-	-	-	-	4	3	6
Female.....	104	1	-	-	-	-	-	-	-	-	3	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,994	17	2	1	2	2	3	12	7	39	78	125
Male.....	1,026	9	1	1	1	1	1	11	5	24	47	81
Female.....	968	8	1	-	1	1	2	1	2	15	31	44
White, both sexes.....	1,561	7	2	-	1	-	2	9	6	29	57	91
Male.....	799	2	1	-	1	-	-	9	5	20	34	62
Female.....	762	5	1	-	-	-	2	-	1	9	23	29
Black, both sexes.....	398	9	-	1	1	1	3	1	1	9	18	30
Male.....	210	7	-	1	-	1	1	2	-	4	11	16
Female.....	188	2	-	-	1	-	-	1	1	5	7	14
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	30	1	-	-	-	1	-	-	-	1	2	3
Male.....	15	-	-	-	-	-	-	-	-	-	1	3
Female.....	15	1	-	-	-	1	-	-	-	1	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

United States

All races, both sexes.....	7,313	7,644	6,788	6,589	7,665	9,496	10,984	9,855	6,516	2,374	408	6
Male.....	5,028	5,097	4,198	3,759	3,942	4,463	4,551	3,435	1,829	508	69	3
Female.....	2,285	2,547	2,590	2,830	3,723	5,033	6,433	6,420	4,687	1,866	339	3
White, both sexes.....	6,038	6,360	5,816	5,655	6,699	8,478	10,003	9,063	6,044	2,179	377	5
Male.....	4,200	4,274	3,610	3,246	3,459	3,976	4,162	3,171	1,698	466	63	3
Female.....	1,838	2,086	2,206	2,409	3,240	4,502	5,841	5,892	4,346	1,713	314	2
Black, both sexes.....	1,058	1,061	759	723	736	779	721	616	367	168	26	1
Male.....	677	682	454	408	367	375	279	192	94	31	3	-
Female.....	381	379	305	315	369	404	442	424	273	137	23	1
American Indian 1/, both sexes.....	127	133	98	99	67	56	49	34	15	3	2	-
Male.....	76	80	59	50	33	32	17	15	4	1	1	-
Female.....	51	53	39	49	34	24	32	19	11	2	1	-
Asian or Pacific Islander 2/, both sexes.....	90	90	115	112	163	183	211	142	90	24	3	-
Male.....	75	61	75	55	83	80	93	57	33	10	2	-
Female.....	15	29	40	57	80	103	118	85	57	14	1	-

Alabama

All races, both sexes.....	147	158	149	131	161	146	186	157	102	34	4	-
Male.....	92	102	96	66	86	74	66	48	29	8	1	-
Female.....	55	56	53	65	75	72	120	109	73	26	3	-
White, both sexes.....	109	118	119	101	134	116	158	131	83	24	2	-
Male.....	68	76	76	51	72	55	58	42	24	8	-	-
Female.....	41	42	43	50	62	61	100	89	59	16	2	-
Black, both sexes.....	37	40	27	29	25	29	28	25	19	10	2	-
Male.....	24	26	18	15	13	18	8	6	5	-	1	-
Female.....	13	14	9	14	12	11	20	19	14	10	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	2	1	-	1	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Alaska

All races, both sexes.....	17	13	12	9	9	15	16	13	4	2	3	-
Male.....	12	8	8	3	5	8	6	7	1	1	2	-
Female.....	5	5	4	6	4	7	10	6	3	1	1	-
White, both sexes.....	14	10	9	3	7	9	11	9	2	2	3	-
Male.....	10	6	6	1	3	4	3	4	-	1	2	-
Female.....	4	4	3	2	4	5	8	5	2	1	1	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	3	5	1	6	5	3	2	-	-	-
Male.....	1	2	2	1	1	4	3	2	1	-	-	-
Female.....	1	1	1	4	-	2	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	156	173	158	160	160	180	210	198	91	31	5	-
Male.....	105	126	88	91	87	93	88	82	27	10	2	-
Female.....	51	47	70	69	73	87	122	116	64	21	3	-
White, both sexes.....	133	149	134	145	146	174	196	183	88	28	4	-
Male.....	91	109	72	85	80	90	81	79	26	10	1	-
Female.....	42	40	62	60	66	84	115	104	62	18	3	-
Black, both sexes.....	3	2	4	5	5	1	4	2	-	2	-	-
Male.....	3	1	3	2	3	-	2	1	-	-	-	-
Female.....	-	1	1	3	2	1	2	1	-	2	-	-
American Indian 1/, both sexes.....	20	21	19	10	9	4	9	11	3	-	1	-
Male.....	11	15	12	4	4	3	4	2	1	-	1	-
Female.....	9	6	7	6	5	1	5	9	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	1	1	2	-	1	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Arkansas

All races, both sexes.....	70	70	86	78	86	113	112	113	72	13	4	-
Male.....	45	42	60	49	41	49	47	38	12	3	-	-
Female.....	25	28	26	29	45	64	65	75	60	10	4	-
White, both sexes.....	59	53	77	68	69	99	103	104	62	12	4	-
Male.....	40	33	53	42	34	45	43	35	10	3	-	-
Female.....	19	20	24	26	35	54	60	69	52	9	4	-
Black, both sexes.....	9	16	7	10	16	14	9	9	10	1	-	-
Male.....	3	8	5	7	6	4	4	3	2	-	-	-
Female.....	6	8	2	3	10	10	5	6	8	1	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	921	933	756	706	764	939	1,040	879	598	195	34	1
Male.....	650	621	475	409	410	423	425	323	187	48	6	-
Female.....	271	312	281	297	354	516	615	556	411	147	28	1
White, both sexes.....	804	822	632	612	648	793	904	788	539	171	30	1
Male.....	567	548	400	356	352	359	367	285	165	42	5	-
Female.....	237	274	232	256	296	434	537	503	374	129	25	1
Black, both sexes.....	73	75	67	49	45	51	39	31	16	11	4	-
Male.....	47	46	42	31	24	26	14	9	5	2	1	-
Female.....	26	29	25	18	21	25	25	22	11	9	3	-
American Indian 1/, both sexes.....	11	11	10	15	11	6	4	2	1	-	-	-
Male.....	9	7	5	8	5	1	1	1	-	-	-	-
Female.....	2	4	5	7	6	5	3	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	25	47	30	60	89	93	58	42	13	-	-
Male.....	27	20	28	14	29	37	43	28	17	4	-	-
Female.....	6	5	19	16	31	52	50	30	25	9	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Colorado

All races, both sexes.....	126	118	102	85	83	143	137	148	98	39	4	-
Male.....	81	79	57	51	37	74	48	52	30	7	1	-
Female.....	45	39	45	34	46	69	89	96	68	32	3	-
White, both sexes.....	119	114	100	82	75	135	133	145	96	39	4	-
Male.....	77	76	56	50	35	70	45	52	29	7	1	-
Female.....	42	38	44	32	40	65	88	93	67	32	3	-
Black, both sexes.....	6	4	1	3	3	3	4	1	1	-	-	-
Male.....	4	3	1	1	1	2	3	-	-	-	-	-
Female.....	2	1	-	2	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	3	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	1	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	3	-	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	2	2	-	2	-	-	-	-

Connecticut

All races, both sexes.....	81	61	68	75	102	112	161	179	105	50	7	-
Male.....	49	35	40	54	59	55	74	70	39	7	3	-
Female.....	32	26	28	21	43	57	87	109	66	43	4	-
White, both sexes.....	76	57	59	66	93	101	148	175	101	49	7	-
Male.....	48	32	36	50	54	48	68	68	39	7	3	-
Female.....	28	25	23	16	39	53	80	107	62	42	4	-
Black, both sexes.....	4	3	9	8	9	9	12	3	4	1	-	-
Male.....	1	2	4	4	5	5	6	1	-	-	-	-
Female.....	3	1	5	4	4	4	6	2	4	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Florida

All races, both sexes.....	503	560	478	402	477	630	671	589	353	141	28	1
Male.....	370	381	313	243	247	305	313	214	111	38	5	1
Female.....	133	179	165	159	230	325	358	375	242	103	23	-
White, both sexes.....	446	498	429	362	429	597	632	555	335	132	24	1
Male.....	333	343	280	220	228	289	291	203	106	35	4	1
Female.....	113	155	149	142	201	308	341	352	229	97	20	-
Black, both sexes.....	57	59	44	37	43	26	35	32	18	8	4	-
Male.....	37	36	29	23	18	14	20	10	5	2	1	-
Female.....	20	23	15	14	25	12	15	22	13	6	3	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	3	5	6	4	2	-	1	-	-
Male.....	-	1	3	-	1	2	2	1	-	1	-	-
Female.....	-	1	1	3	4	4	2	1	-	-	-	-

Georgia

All races, both sexes.....	215	243	212	223	248	231	259	241	121	51	7	-
Male.....	138	158	127	121	122	103	103	79	33	16	-	-
Female.....	77	85	85	102	126	128	156	162	88	35	7	-
White, both sexes.....	147	180	166	170	201	186	211	195	99	39	7	-
Male.....	93	113	97	96	98	80	84	62	29	11	-	-
Female.....	54	67	69	74	103	106	127	133	70	28	7	-
Black, both sexes.....	66	59	43	53	43	45	45	43	21	12	-	-
Male.....	43	41	28	25	21	23	18	15	4	5	-	-
Female.....	23	18	15	28	22	22	27	28	17	7	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	1	-	-	-	-
Male.....	1	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	-	3	-	3	2	1	-	-	-
Male.....	1	3	2	-	2	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Hawaii												
All races, both sexes.....	31	21	21	26	31	40	52	41	29	5	2	-
Male.....	23	14	15	18	18	19	18	20	10	2	1	-
Female.....	8	7	6	8	13	21	34	21	19	3	1	-
White, both sexes.....	15	8	13	12	5	11	9	6	7	1	-	-
Male.....	11	6	10	9	4	4	-	4	1	-	-	-
Female.....	4	2	3	3	1	7	9	2	6	1	-	-
Black, both sexes.....	3	-	-	-	-	2	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	13	8	14	26	27	43	34	22	4	2	-
Male.....	10	8	5	9	14	14	18	15	9	2	1	-
Female.....	3	5	3	5	12	13	25	19	13	2	1	-
Idaho												
All races, both sexes.....	25	22	33	26	31	50	58	49	31	17	2	-
Male.....	15	14	19	19	16	28	26	17	7	5	-	-
Female.....	10	8	14	7	15	22	32	32	24	12	2	-
White, both sexes.....	24	21	33	26	29	49	58	49	31	17	2	-
Male.....	15	14	19	19	15	28	26	17	7	5	-	-
Female.....	9	7	14	7	14	21	32	32	24	12	2	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Iowa

All races, both sexes.....	50	39	55	74	58	109	135	158	121	52	10	-
Male.....	33	24	35	43	28	43	51	45	32	13	-	-
Female.....	17	15	20	31	30	66	84	113	89	39	10	-
White, both sexes.....	44	37	53	72	58	106	133	158	121	52	10	-
Male.....	31	23	34	42	28	42	50	45	32	13	-	-
Female.....	13	14	19	30	30	64	83	113	89	39	10	-
Black, both sexes.....	4	2	2	1	-	2	2	-	-	-	-	-
Male.....	2	1	1	1	-	-	1	-	-	-	-	-
Female.....	2	1	1	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	71	76	55	52	75	105	125	125	100	44	3	-
Male.....	46	47	30	31	36	53	56	41	28	12	-	-
Female.....	25	29	25	21	39	52	69	84	72	32	3	-
White, both sexes.....	63	70	50	48	70	95	124	125	98	40	3	-
Male.....	42	45	28	28	33	48	55	41	28	11	-	-
Female.....	21	25	22	20	37	47	69	84	70	29	3	-
Black, both sexes.....	8	5	4	3	2	7	1	-	2	2	-	-
Male.....	4	1	2	2	1	4	1	-	-	-	-	-
Female.....	4	4	2	1	1	3	-	-	2	2	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	1	-	-	-	1	-	-
Male.....	-	1	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	1	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Maine

All races, both sexes.....	38	40	39	37	54	70	57	57	43	13	3	-
Male.....	26	28	27	17	28	33	20	21	12	3	2	-
Female.....	12	12	12	20	26	37	37	36	31	10	1	-
White, both sexes.....	37	40	39	37	54	70	57	56	43	13	3	-
Male.....	25	28	27	17	28	33	20	20	12	3	2	-
Female.....	12	12	12	20	26	37	37	36	31	10	1	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	110	130	93	102	140	153	197	157	112	44	7	-
Male.....	58	92	58	52	69	73	81	54	26	9	-	-
Female.....	52	38	35	50	71	80	116	103	86	35	7	-
White, both sexes.....	62	86	68	67	104	123	161	137	95	36	6	-
Male.....	34	63	43	37	52	58	64	49	22	6	-	-
Female.....	28	23	25	30	52	65	97	88	73	30	6	-
Black, both sexes.....	45	43	24	30	33	29	32	19	17	8	1	-
Male.....	23	29	14	13	14	14	15	5	4	3	-	-
Female.....	22	14	10	17	19	15	17	14	13	5	1	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	4	3	1	4	1	-	-	-	-
Male.....	1	-	1	2	3	1	2	-	-	-	-	-
Female.....	-	1	-	2	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Massachusetts

All races, both sexes.....	157	159	138	157	177	205	294	275	179	86	13	-
Male.....	112	101	98	92	93	104	116	91	42	13	1	-
Female.....	45	58	40	65	84	101	178	184	137	73	12	-
White, both sexes.....	146	145	127	145	168	198	280	266	174	86	13	-
Male.....	103	89	92	83	88	101	110	90	39	13	1	-
Female.....	43	56	35	62	80	97	170	176	135	73	12	-
Black, both sexes.....	10	11	7	10	7	7	8	6	3	-	-	-
Male.....	8	9	2	8	4	3	3	-	2	-	-	-
Female.....	2	2	5	2	3	4	5	6	1	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	1	-	-	-	-
Male.....	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	4	2	2	-	6	2	2	-	-	-
Male.....	1	1	4	1	1	-	3	-	1	-	-	-
Female.....	-	-	-	1	1	-	3	2	1	-	-	-

Michigan

All races, both sexes.....	274	259	213	223	294	336	406	361	237	77	6	-
Male.....	201	183	124	130	139	135	182	131	59	12	1	-
Female.....	73	76	89	93	155	201	224	230	178	65	5	-
White, both sexes.....	219	206	176	189	259	305	362	329	222	68	5	-
Male.....	165	151	101	110	122	126	167	119	55	12	1	-
Female.....	54	55	75	79	137	179	195	210	167	56	4	-
Black, both sexes.....	49	48	33	27	30	27	39	30	14	9	1	-
Male.....	33	30	21	16	14	7	12	12	4	-	-	-
Female.....	16	18	12	11	16	20	27	18	10	9	1	-
American Indian 1/, both sexes.....	2	3	2	4	3	2	1	-	1	-	-	-
Male.....	-	1	1	2	3	1	1	-	-	-	-	-
Female.....	2	2	1	2	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	3	2	2	4	2	-	-	-	-
Male.....	3	1	1	2	-	1	2	-	-	-	-	-
Female.....	1	1	1	1	2	1	2	2	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Nebraska

All races, both sexes.....	31	33	26	27	51	55	99	72	60	27	12	-
Male.....	23	23	15	17	32	30	47	27	14	6	2	-
Female.....	8	10	11	10	19	25	52	45	46	21	10	-
White, both sexes.....	27	28	22	26	50	52	99	71	58	27	12	-
Male.....	19	20	12	16	31	28	47	27	13	6	2	-
Female.....	8	8	10	10	19	24	52	44	45	21	10	-
Black, both sexes.....	1	3	1	-	1	2	-	1	2	-	-	-
Male.....	1	2	1	-	1	2	-	-	1	-	-	-
Female.....	-	1	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	3	2	2	-	-	1	-	-	-	-	-	-
Male.....	3	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	99	80	79	70	68	74	76	48	37	3	4	-
Male.....	72	50	51	44	40	39	31	21	11	-	-	-
Female.....	27	30	28	26	28	35	45	27	26	3	4	-
White, both sexes.....	87	71	71	57	58	71	71	46	34	3	3	-
Male.....	64	44	46	38	38	37	28	20	11	-	-	-
Female.....	23	27	25	19	20	34	43	26	23	3	3	-
Black, both sexes.....	9	6	3	6	6	1	3	1	2	-	-	-
Male.....	6	3	2	4	2	1	3	-	-	-	-	-
Female.....	3	3	1	2	4	-	-	1	2	-	-	-
American Indian 1/, both sexes.....	3	-	2	3	2	-	2	-	-	-	1	-
Male.....	2	-	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	2	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	3	3	4	2	2	-	1	1	-	-	-
Male.....	-	3	1	1	-	1	-	1	-	-	-	-
Female.....	-	-	2	3	2	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

New Hampshire

All races, both sexes.....	34	23	24	31	28	52	54	50	40	16	3	-
Male.....	24	13	14	19	19	28	21	16	14	5	-	-
Female.....	10	10	10	12	9	24	33	34	26	11	3	-
White, both sexes.....	34	23	24	31	28	52	52	50	40	16	3	-
Male.....	24	13	14	19	19	28	19	16	14	5	-	-
Female.....	10	10	10	12	9	24	33	34	26	11	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	185	210	176	157	198	257	332	286	188	65	9	-
Male.....	129	151	107	89	105	114	151	89	53	7	-	-
Female.....	56	59	69	68	93	143	181	197	135	58	9	-
White, both sexes.....	149	177	148	135	162	225	306	259	178	60	7	-
Male.....	104	132	90	77	83	106	137	82	52	7	-	-
Female.....	45	45	58	58	79	119	169	177	126	53	7	-
Black, both sexes.....	34	29	25	18	29	28	19	25	8	5	2	-
Male.....	23	17	15	10	19	8	10	6	1	-	-	-
Female.....	11	12	10	8	10	20	9	19	7	5	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	3	7	4	7	2	2	-	-	-
Male.....	2	2	2	2	3	-	4	1	-	-	-	-
Female.....	-	2	1	1	4	4	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

New Mexico

All races, both sexes.....	88	85	93	67	42	69	82	70	36	15	3	-
Male.....	64	59	66	40	28	36	36	24	9	7	1	-
Female.....	24	26	27	27	14	33	46	46	27	8	2	-
White, both sexes.....	76	72	85	51	42	65	72	69	34	14	3	-
Male.....	55	49	61	32	28	34	33	24	9	7	1	-
Female.....	21	23	24	19	14	31	39	45	25	7	2	-
Black, both sexes.....	3	1	-	2	-	-	-	-	1	-	-	-
Male.....	3	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	9	12	8	14	-	4	10	1	1	1	-	-
Male.....	6	9	5	7	-	2	3	-	-	-	-	-
Female.....	3	3	3	7	-	2	7	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	323	377	320	364	414	523	617	595	384	168	23	-
Male.....	220	274	197	212	226	242	262	209	121	35	4	-
Female.....	103	103	123	152	188	281	355	386	263	133	19	-
White, both sexes.....	238	286	265	292	356	455	568	549	356	148	20	-
Male.....	158	205	160	171	189	205	246	196	112	34	3	-
Female.....	80	81	105	121	167	250	322	353	244	114	17	-
Black, both sexes.....	72	84	46	56	47	51	39	38	20	19	2	-
Male.....	51	64	30	31	28	26	12	8	6	1	-	-
Female.....	21	20	16	25	19	25	27	30	14	18	2	-
American Indian 1/, both sexes.....	4	2	2	2	-	3	1	1	-	1	-	-
Male.....	3	2	2	1	-	2	1	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	5	7	14	11	14	9	7	8	-	1	-
Male.....	8	3	5	9	9	9	3	4	3	-	1	-
Female.....	1	2	2	5	2	5	6	3	5	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Ohio

All races, both sexes.....	282	303	299	257	331	430	528	472	311	102	17	-
Male.....	182	191	174	138	178	205	188	163	84	27	2	-
Female.....	100	112	125	119	153	225	340	309	227	75	15	-
White, both sexes.....	226	254	263	216	290	386	492	445	292	95	14	-
Male.....	155	160	157	121	152	180	178	154	82	24	2	-
Female.....	71	94	106	95	138	206	314	291	210	71	12	-
Black, both sexes.....	54	47	32	38	41	36	26	18	7	3	-	-
Male.....	26	31	14	16	25	23	10	9	2	3	-	-
Female.....	28	16	18	22	13	18	26	17	16	4	3	-
American Indian 1/, both sexes.....	2	1	2	1	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	3	-	1	1	-	-	-
Male.....	-	-	2	1	1	2	-	-	-	-	-	-
Female.....	-	1	-	1	2	1	-	1	1	-	-	-

Oklahoma

All races, both sexes.....	133	122	99	114	133	145	136	135	87	34	2	-
Male.....	89	80	70	66	62	65	63	46	17	7	1	-
Female.....	44	42	29	48	71	80	73	89	70	27	1	-
White, both sexes.....	98	90	90	92	109	128	125	120	79	33	2	-
Male.....	66	62	65	53	53	57	58	39	16	6	1	-
Female.....	32	28	25	39	56	71	67	81	63	27	1	-
Black, both sexes.....	14	9	1	6	11	8	8	9	5	1	-	-
Male.....	10	5	1	2	4	3	3	3	1	1	-	-
Female.....	4	4	-	4	7	5	5	6	4	-	-	-
American Indian 1/, both sexes.....	20	22	7	15	12	9	2	6	3	-	-	-
Male.....	12	13	3	11	5	5	2	4	-	-	-	-
Female.....	8	9	4	4	7	4	-	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Oregon

All races, both sexes.....	113	103	97	88	115	128	151	175	132	50	9	-
Male.....	79	69	50	54	54	61	59	68	46	15	1	-
Female.....	34	34	47	34	61	67	92	107	86	35	8	-
White, both sexes.....	111	99	95	82	108	123	148	175	130	49	9	-
Male.....	77	67	49	51	50	60	59	68	45	15	1	-
Female.....	34	32	46	31	58	63	89	107	85	34	8	-
Black, both sexes.....	1	-	1	2	2	4	-	-	-	1	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	3	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	2	1	3	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	2	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	4	1	2	-	2	-	-	-
Male.....	-	2	-	1	2	-	-	-	1	-	-	-
Female.....	-	-	-	-	2	1	2	-	1	-	-	-

Pennsylvania

All races, both sexes.....	270	341	318	285	357	508	654	574	377	135	30	1
Male.....	197	244	189	160	186	235	252	191	108	17	5	-
Female.....	73	97	129	125	171	273	402	383	269	118	25	1
White, both sexes.....	232	281	278	251	321	477	611	545	363	131	30	1
Male.....	174	205	161	144	164	218	238	183	104	16	5	-
Female.....	58	76	117	107	157	259	373	362	259	115	25	1
Black, both sexes.....	34	57	38	31	36	26	42	29	14	4	-	-
Male.....	19	36	27	15	22	15	14	8	4	1	-	-
Female.....	15	21	11	16	14	11	28	21	10	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	3	-	5	1	-	-	-	-	-
Male.....	4	3	1	1	-	2	-	-	-	-	-	-
Female.....	-	-	1	2	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Rhode Island

All races, both sexes.....	28	28	24	21	35	39	63	72	40	17	3	-
Male.....	25	14	17	16	21	17	33	26	9	1	1	-
Female.....	3	14	7	5	14	22	30	46	31	16	2	-
White, both sexes.....	25	27	23	19	35	37	62	72	40	16	3	-
Male.....	23	13	16	16	21	17	33	26	9	1	1	-
Female.....	2	14	7	3	14	20	29	46	31	15	2	-
Black, both sexes.....	1	1	1	2	-	2	1	-	-	1	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	134	155	128	142	130	146	163	124	77	23	1	-
Male.....	94	114	87	83	65	67	71	48	22	3	-	-
Female.....	40	41	41	59	65	79	92	76	55	20	1	-
White, both sexes.....	98	105	101	107	97	123	132	99	66	17	1	-
Male.....	67	82	72	65	53	60	60	38	18	2	-	-
Female.....	31	23	29	42	44	63	72	61	48	15	1	-
Black, both sexes.....	36	50	26	35	32	23	30	25	11	6	-	-
Male.....	27	32	15	18	12	7	11	10	4	1	-	-
Female.....	9	18	11	17	20	16	19	15	7	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of other parts of digestive system (K20-K92)

Texas

All races, both sexes.....	672	605	517	480	532	661	655	544	349	128	17	-
Male.....	459	396	318	265	268	322	273	195	107	34	4	-
Female.....	213	209	199	215	264	339	382	349	242	94	13	-
White, both sexes.....	590	517	447	433	483	610	597	505	331	116	17	-
Male.....	407	345	278	236	249	291	247	181	104	32	4	-
Female.....	183	172	169	197	234	319	350	324	227	84	13	-
Black, both sexes.....	74	83	61	40	43	45	48	33	17	10	-	-
Male.....	45	49	34	24	16	28	21	13	3	-	-	-
Female.....	29	34	27	16	27	17	27	20	14	10	-	-
American Indian 1/, both sexes.....	2	2	4	-	1	1	3	1	-	-	-	-
Male.....	1	2	3	-	-	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	7	5	5	7	5	1	2	-	-
Male.....	6	-	3	5	3	2	4	1	-	2	-	-
Female.....	-	3	2	2	2	3	3	4	1	-	-	-

Utah

All races, both sexes.....	36	33	28	51	51	70	66	58	43	8	2	1
Male.....	23	21	19	25	27	30	32	26	14	4	-	1
Female.....	13	12	9	26	24	40	34	32	29	4	2	-
White, both sexes.....	33	29	25	48	48	69	66	58	43	8	2	1
Male.....	20	20	17	24	26	30	32	26	14	4	-	1
Female.....	13	9	8	24	22	39	34	32	29	4	2	-
Black, both sexes.....	1	-	1	2	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	1	1	1	1	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of other parts of digestive system (K20-K92)

Vermont

All races, both sexes.....	4	15	17	6	19	19	30	25	28	9	2	-
Male.....	3	9	9	1	11	8	13	9	9	4	-	-
Female.....	1	6	8	5	8	11	17	16	19	5	2	-
White, both sexes.....	4	15	17	6	19	19	30	25	28	8	2	-
Male.....	3	9	9	1	11	8	13	9	9	4	-	-
Female.....	1	6	8	5	8	11	17	16	19	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	163	185	158	129	187	224	251	233	132	35	9	-
Male.....	115	122	107	80	98	96	107	83	32	4	-	-
Female.....	48	63	51	49	89	128	144	150	100	31	9	-
White, both sexes.....	121	134	122	96	149	179	219	188	110	30	9	-
Male.....	85	91	82	58	81	81	89	67	28	3	-	-
Female.....	36	43	40	38	68	98	130	121	82	27	9	-
Black, both sexes.....	42	47	33	28	34	43	28	42	22	5	-	-
Male.....	30	28	22	20	16	15	16	15	4	1	-	-
Female.....	12	19	11	8	18	28	12	27	18	4	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	3	4	2	2	4	3	-	-	-	-
Male.....	-	3	3	1	1	-	2	1	-	-	-	-
Female.....	-	1	-	3	1	2	2	2	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of esophagus (K20-K22)

Arkansas

All races, both sexes.....	-	1	3	1	-	2	3	6	6	-	-	-
Male.....	-	1	2	1	-	-	3	1	2	-	-	-
Female.....	-	-	1	-	-	2	-	5	4	-	-	-
White, both sexes.....	-	1	3	-	-	2	3	6	5	-	-	-
Male.....	-	1	2	-	-	-	3	1	2	-	-	-
Female.....	-	-	1	-	-	2	-	5	3	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	10	9	7	10	20	33	44	34	7	1	-
Male.....	2	5	6	4	6	11	15	16	14	1	1	-
Female.....	1	5	3	3	4	9	18	28	20	6	-	-
White, both sexes.....	3	10	8	7	9	18	30	40	33	6	1	-
Male.....	2	5	5	4	5	10	14	13	14	1	1	-
Female.....	1	5	3	3	4	8	16	27	19	5	-	-
Black, both sexes.....	-	-	-	-	1	1	1	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	2	3	-	1	-	-
Male.....	-	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	1	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of esophagus (K20-K22)

Massachusetts

All races, both sexes.....	1	-	-	3	4	1	11	13	6	6	1	-
Male.....	1	-	-	1	3	-	4	5	2	2	-	-
Female.....	-	-	-	2	1	1	7	8	4	4	1	-
White, both sexes.....	1	-	-	2	3	1	9	13	6	6	1	-
Male.....	1	-	-	-	2	-	4	5	2	2	-	-
Female.....	-	-	-	2	1	1	5	8	4	4	1	-
Black, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	1	1	3	6	11	5	14	20	9	2	1	-
Male.....	1	1	3	3	7	2	10	10	2	-	-	-
Female.....	-	-	-	3	4	3	4	10	7	2	1	-
White, both sexes.....	1	1	2	5	10	5	13	20	9	2	1	-
Male.....	1	1	2	2	7	2	9	10	2	-	-	-
Female.....	-	-	-	3	3	3	4	10	7	2	1	-
Black, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

Arkansas

All races, both sexes.....	1	1	-	5	1	4	3	7	4	-	-	-
Male.....	-	1	-	3	1	1	-	4	2	-	-	-
Female.....	1	-	-	2	-	3	3	3	2	-	-	-
White, both sexes.....	1	1	-	4	-	3	2	7	4	-	-	-
Male.....	-	1	-	2	-	1	-	4	2	-	-	-
Female.....	1	-	-	2	-	2	2	3	2	-	-	-
Black, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	35	33	36	55	58	72	98	68	22	1	-
Male.....	24	26	23	18	27	29	28	30	23	6	-	-
Female.....	13	9	10	18	28	29	44	68	45	16	1	-
White, both sexes.....	24	28	25	33	45	50	58	87	56	17	1	-
Male.....	17	21	17	17	24	26	21	25	18	4	-	-
Female.....	7	7	8	16	21	24	37	62	38	13	1	-
Black, both sexes.....	9	7	6	-	3	5	4	4	4	3	-	-
Male.....	4	5	5	-	2	2	2	2	2	1	-	-
Female.....	5	2	1	-	1	3	2	2	2	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	3	7	3	10	7	8	2	-	-
Male.....	2	-	1	1	1	1	5	3	3	1	-	-
Female.....	1	-	1	2	6	2	5	4	5	1	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Peptic ulcer (K25-K28)

New Mexico

All races, both sexes.....	1	1	2	3	2	4	5	1	2	-	-	-
Male.....	1	1	2	2	2	4	3	1	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	2	-	-	-
White, both sexes.....	-	1	2	3	2	4	4	1	2	-	-	-
Male.....	-	1	2	2	2	4	3	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	15	13	21	30	25	32	42	26	11	1	-
Male.....	11	10	10	13	19	18	12	15	8	3	-	-
Female.....	2	5	3	8	11	7	20	27	18	8	1	-
White, both sexes.....	8	8	10	14	22	18	29	38	23	8	1	-
Male.....	6	6	7	9	13	13	11	12	7	3	-	-
Female.....	2	2	3	5	9	5	18	26	16	5	1	-
Black, both sexes.....	5	5	2	5	7	6	3	2	1	3	-	-
Male.....	5	3	2	3	6	4	1	1	-	-	-	-
Female.....	-	2	-	2	1	2	2	1	1	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	1	1	-	1	2	-	-	-
Male.....	-	1	1	1	-	1	-	1	1	-	-	-
Female.....	-	1	-	1	1	-	-	-	1	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Gastric ulcer (K25)

Arkansas

All races, both sexes.....	-	-	-	1	-	2	2	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	2	2	1	-	-	-
White, both sexes.....	-	-	-	1	-	2	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	16	9	15	10	11	16	17	32	21	9	-	-
Male.....	10	7	11	4	7	4	8	5	8	1	-	-
Female.....	6	2	4	6	4	12	9	27	13	8	-	-
White, both sexes.....	10	6	11	10	9	14	15	28	19	8	-	-
Male.....	8	6	8	4	6	3	7	5	6	1	-	-
Female.....	2	-	3	6	3	11	8	23	13	7	-	-
Black, both sexes.....	4	3	3	-	-	1	1	1	-	1	-	-
Male.....	1	1	2	-	-	1	1	-	-	-	-	-
Female.....	3	2	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	2	1	1	3	2	-	-	-
Male.....	1	-	1	-	1	-	-	-	2	-	-	-
Female.....	1	-	-	-	1	1	1	3	-	-	-	-



















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Duodenal ulcer (K26)

Arkansas

All races, both sexes.....	-	1	-	-	-	2	1	1	2	-	-	-
Male.....	-	1	-	-	-	1	-	1	2	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	1	1	1	2	-	-	-
Male.....	-	1	-	-	-	1	-	1	2	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	13	14	10	9	22	19	25	28	16	4	-	-
Male.....	10	11	6	5	9	11	7	10	4	1	-	-
Female.....	3	3	4	4	13	8	18	18	12	3	-	-
White, both sexes.....	8	12	9	9	16	15	22	26	13	2	-	-
Male.....	6	9	5	5	7	10	7	8	3	-	-	-
Female.....	2	3	4	4	9	5	15	18	10	2	-	-
Black, both sexes.....	3	2	1	-	3	2	1	1	-	-	-	-
Male.....	2	2	1	-	2	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	2	2	1	3	2	-	-
Male.....	1	-	-	-	-	1	-	1	1	1	-	-
Female.....	-	-	-	-	3	1	2	-	2	1	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Duodenal ulcer (K26)

New Mexico

All races, both sexes.....	1	1	1	2	2	2	3	-	1	-	-	-
Male.....	1	1	1	1	2	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
White, both sexes.....	-	1	1	2	2	2	3	-	1	-	-	-
Male.....	-	1	1	1	2	2	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	9	3	9	11	8	13	14	7	2	1	-
Male.....	6	8	1	5	6	6	6	5	2	1	-	-
Female.....	-	1	2	4	5	2	7	9	5	1	1	-
White, both sexes.....	3	5	3	7	8	6	10	13	7	2	1	-
Male.....	3	5	1	4	4	5	5	4	2	1	-	-
Female.....	-	-	2	3	4	1	5	9	5	1	1	-
Black, both sexes.....	3	4	-	1	2	2	3	-	-	-	-	-
Male.....	3	3	-	1	2	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer, site unspecified (K27)

Arkansas

All races, both sexes.....	1	-	-	4	1	-	-	4	1	-	-	-
Male.....	-	-	-	3	1	-	-	3	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	1	-	-	-
White, both sexes.....	1	-	-	3	-	-	-	4	1	-	-	-
Male.....	-	-	-	2	-	-	-	3	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	10	8	17	21	23	30	38	31	8	1	-
Male.....	4	7	6	9	10	14	13	15	11	4	-	-
Female.....	4	3	2	8	11	9	17	23	20	4	1	-
White, both sexes.....	6	9	5	14	19	21	21	33	24	6	1	-
Male.....	3	6	4	8	10	13	7	12	9	3	-	-
Female.....	3	3	1	6	9	8	14	21	15	3	1	-
Black, both sexes.....	2	1	2	-	-	2	2	2	4	2	-	-
Male.....	1	1	2	-	-	1	1	1	2	1	-	-
Female.....	1	-	-	-	-	1	1	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	3	2	-	7	3	3	-	-	-
Male.....	-	-	-	1	-	-	5	2	-	-	-	-
Female.....	-	-	1	2	2	-	2	1	3	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer, site unspecified (K27)

New Mexico

All races, both sexes.....	-	-	1	1	-	1	-	-	1	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	1	1	-	1	-	-	1	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	2	3	9	9	10	7	16	12	5	-	-
Male.....	3	-	3	6	7	8	2	7	3	2	-	-
Female.....	2	2	-	3	2	2	5	9	9	3	-	-
White, both sexes.....	4	1	1	7	9	8	7	14	9	3	-	-
Male.....	2	-	1	5	7	6	2	5	2	2	-	-
Female.....	2	1	-	2	2	2	5	9	7	1	-	-
Black, both sexes.....	1	1	1	1	-	1	-	1	1	2	-	-
Male.....	1	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	1	-	1	2	-	-	-
Male.....	-	-	1	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-











































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Gastritis and duodenitis (K29)

Arkansas

All races, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	2	2	3	5	2	4	5	5	4	-	-
Male.....	-	2	2	1	2	1	2	3	1	3	-	-
Female.....	-	-	-	2	3	1	2	2	4	1	-	-
White, both sexes.....	-	1	2	3	5	2	3	5	3	3	-	-
Male.....	-	1	2	1	2	1	1	3	-	2	-	-
Female.....	-	-	-	2	3	1	2	2	3	1	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-



















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

Arkansas

All races, both sexes.....	-	-	2	-	-	1	1	2	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	2	-	-	-	-
White, both sexes.....	-	-	1	-	-	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	1	1	3	8	4	6	4	1	-	-
Male.....	-	-	1	-	3	5	1	4	1	1	-	-
Female.....	-	1	-	1	-	3	3	2	3	-	-	-
White, both sexes.....	-	1	1	1	3	8	4	4	4	1	-	-
Male.....	-	-	1	-	3	5	1	3	1	1	-	-
Female.....	-	1	-	1	-	3	3	1	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

Florida

All races, both sexes.....	2	1	4	2	2	2	4	5	1	1	2	-
Male.....	1	-	3	1	1	-	2	2	-	-	-	-
Female.....	1	1	1	1	1	2	2	3	1	1	2	-
White, both sexes.....	2	-	4	-	2	2	4	3	1	1	2	-
Male.....	1	-	3	-	1	-	2	1	-	-	-	-
Female.....	1	-	1	-	1	2	2	2	1	1	2	-
Black, both sexes.....	-	1	-	2	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	1	-	2	1	1	1	7	2	1	-	-	-
Male.....	1	-	1	-	-	-	1	1	1	-	-	-
Female.....	-	-	1	1	1	1	6	1	-	-	-	-
White, both sexes.....	1	-	2	1	1	1	5	2	1	-	-	-
Male.....	1	-	1	-	-	-	1	1	1	-	-	-
Female.....	-	-	1	1	1	1	4	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dyspepsia and other diseases of stomach and duodenum (K30-K31)

Maine

All races, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	-	-	-	1	-	3	4	1	1	-	-
Male.....	1	-	-	-	-	-	1	1	-	1	-	-
Female.....	1	-	-	-	1	-	2	3	1	-	-	-
White, both sexes.....	-	-	-	-	1	-	2	2	1	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	1	-	1	1	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of appendix (K35-K38)

Arkansas

All races, both sexes.....	-	-	2	1	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	1	1	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	3	2	8	6	2	14	5	2	-	-	-
Male.....	3	1	2	8	4	2	8	1	-	-	-	-
Female.....	1	2	-	-	2	-	6	4	2	-	-	-
White, both sexes.....	4	3	1	7	4	2	11	4	2	-	-	-
Male.....	3	1	1	7	2	2	7	-	-	-	-	-
Female.....	1	2	-	-	2	-	4	4	2	-	-	-
Black, both sexes.....	-	-	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-









































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hernia (K40-K46)

Vermont

All races, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	40	-	-	-	-	1	-	-	-	1	1	-
Male.....	24	-	-	-	-	-	-	-	-	1	-	-
Female.....	16	-	-	-	-	1	-	-	-	-	1	-
White, both sexes.....	27	-	-	-	-	-	-	-	-	-	1	-
Male.....	16	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	-
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

Arkansas

All races, both sexes.....	1	-	2	1	1	3	2	4	1	-	-	-
Male.....	-	-	1	-	-	1	2	1	-	-	-	-
Female.....	1	-	1	1	1	2	-	3	1	-	-	-
White, both sexes.....	1	-	2	1	-	3	2	3	-	-	-	-
Male.....	-	-	1	-	-	1	2	-	-	-	-	-
Female.....	1	-	1	1	-	2	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	12	8	14	16	25	34	29	28	8	1	-
Male.....	-	5	3	5	9	14	18	12	16	2	-	-
Female.....	3	7	5	9	7	11	16	17	12	6	1	-
White, both sexes.....	2	10	7	13	14	22	31	27	24	8	1	-
Male.....	-	5	3	4	8	12	17	11	15	2	-	-
Female.....	2	5	4	9	6	10	14	16	9	6	1	-
Black, both sexes.....	1	2	1	-	2	2	-	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	1	2	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	1	3	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	3	-	-	-















































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Arkansas

All races, both sexes.....	171	-	-	-	1	-	-	-	1	-	-	2
Male.....	55	-	-	-	-	-	-	-	1	-	-	1
Female.....	116	-	-	-	1	-	-	-	-	-	-	1
White, both sexes.....	145	-	-	-	1	-	-	-	1	-	-	2
Male.....	44	-	-	-	-	-	-	-	1	-	-	1
Female.....	101	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes.....	26	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,334	6	3	-	-	6	3	3	3	9	15	20
Male.....	487	3	1	-	-	5	1	-	2	4	10	15
Female.....	847	3	2	-	-	1	2	3	1	5	5	5
White, both sexes.....	1,159	4	3	-	-	4	2	3	2	8	10	17
Male.....	407	2	1	-	-	4	1	-	1	4	6	13
Female.....	752	2	2	-	-	-	1	3	1	4	4	4
Black, both sexes.....	85	1	-	-	-	2	-	-	1	1	2	2
Male.....	38	-	-	-	-	1	-	-	1	-	1	1
Female.....	47	1	-	-	-	1	-	-	-	1	1	1
American Indian 1/, both sexes.....	10	1	-	-	-	-	-	-	-	-	-	-
Male.....	4	1	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	-	-	-	-	-	1	-	-	-	3	1
Male.....	38	-	-	-	-	-	-	-	-	-	3	1
Female.....	42	-	-	-	-	-	1	-	-	-	-	-























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Alaska												
All races, both sexes.....	1	-	1	-	-	6	2	3	-	-	1	-
Male.....	-	-	1	-	-	2	1	1	-	-	1	-
Female.....	1	-	-	-	-	4	1	2	-	-	-	-
White, both sexes.....	1	-	1	-	-	5	2	2	-	-	1	-
Male.....	-	-	1	-	-	2	1	-	-	-	1	-
Female.....	1	-	-	-	-	3	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2	9	14	7	35	40	44	54	28	5	1	-
Male.....	1	5	7	1	19	22	18	18	10	2	-	-
Female.....	1	4	7	6	16	18	26	36	18	3	1	-
White, both sexes.....	2	9	12	7	34	39	40	49	28	4	1	-
Male.....	1	5	5	1	18	21	15	16	10	2	-	-
Female.....	1	4	7	6	16	18	25	33	18	2	1	-
Black, both sexes.....	-	-	1	-	1	-	1	1	-	1	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	3	3	-	-	-	-
Male.....	-	-	-	-	-	1	2	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Arkansas

All races, both sexes.....	5	6	7	13	26	33	29	22	19	4	3	-
Male.....	3	1	5	8	7	11	9	5	2	2	-	-
Female.....	2	5	2	5	19	22	20	17	17	2	3	-
White, both sexes.....	5	5	6	10	21	28	23	20	16	4	3	-
Male.....	3	1	4	6	5	10	5	4	2	2	-	-
Female.....	2	4	2	4	16	18	18	16	14	2	3	-
Black, both sexes.....	-	1	1	3	5	5	6	2	3	-	-	-
Male.....	-	-	1	2	2	1	4	1	-	-	-	-
Female.....	-	1	-	1	3	4	2	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	36	45	74	63	120	185	255	239	170	61	18	-
Male.....	17	23	33	34	45	69	86	86	40	11	2	-
Female.....	19	22	41	29	75	116	169	153	130	50	16	-
White, both sexes.....	29	37	64	47	103	154	220	219	159	58	16	-
Male.....	13	18	27	22	38	58	69	79	39	11	1	-
Female.....	16	19	37	25	65	96	151	140	120	47	15	-
Black, both sexes.....	5	7	4	11	6	11	16	10	3	1	2	-
Male.....	3	4	2	9	2	4	6	3	-	-	1	-
Female.....	2	3	2	2	4	7	10	7	3	1	1	-
American Indian 1/, both sexes.....	-	-	2	2	2	2	-	-	1	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	4	3	9	18	19	10	7	2	-	-
Male.....	1	1	3	1	5	7	11	4	1	-	-	-
Female.....	1	-	1	2	4	11	8	6	6	2	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Florida

All races, both sexes.....	15	27	30	48	72	126	158	167	107	42	5	-
Male.....	9	12	14	23	24	42	62	45	31	7	1	-
Female.....	6	15	16	25	48	84	96	122	76	35	4	-
White, both sexes.....	13	22	26	40	63	117	144	154	102	39	4	-
Male.....	7	8	10	22	22	37	55	42	31	7	1	-
Female.....	6	14	16	18	41	80	89	112	71	32	3	-
Black, both sexes.....	2	5	3	8	9	6	14	13	5	3	1	-
Male.....	2	4	3	1	2	4	7	3	-	-	-	-
Female.....	-	1	-	7	7	2	7	10	5	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	3	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Georgia

All races, both sexes.....	7	24	20	34	53	60	72	82	29	17	3	-
Male.....	3	12	10	11	18	26	26	20	7	6	-	-
Female.....	4	12	10	23	35	34	46	62	22	11	3	-
White, both sexes.....	4	15	12	24	42	41	58	62	21	13	3	-
Male.....	2	7	5	8	15	16	18	11	6	5	-	-
Female.....	2	8	7	16	27	25	40	51	15	8	3	-
Black, both sexes.....	3	8	8	10	11	19	13	18	7	4	-	-
Male.....	1	4	5	3	3	10	7	8	1	1	-	-
Female.....	2	4	3	7	8	9	6	10	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	2	1	-	-	-
Male.....	-	1	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Iowa

All races, both sexes.....	6	4	11	10	16	23	33	38	37	15	3	-
Male.....	5	2	5	5	7	9	9	8	16	1	-	-
Female.....	1	2	6	5	9	14	24	30	21	14	3	-
White, both sexes.....	5	4	11	10	16	23	32	38	37	15	3	-
Male.....	4	2	5	5	7	9	8	8	16	1	-	-
Female.....	1	2	6	5	9	14	24	30	21	14	3	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	6	7	7	14	21	38	38	31	14	-	-
Male.....	1	2	2	2	5	7	17	10	7	4	-	-
Female.....	-	4	5	5	9	14	21	28	24	10	-	-
White, both sexes.....	1	5	5	7	14	19	37	38	31	13	-	-
Male.....	1	2	1	2	5	6	16	10	7	4	-	-
Female.....	-	3	4	5	9	13	21	28	24	9	-	-
Black, both sexes.....	-	1	2	-	-	2	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Massachusetts

All races, both sexes.....	5	11	11	17	33	44	75	72	50	19	2	-
Male.....	2	5	5	8	7	16	21	17	6	4	-	-
Female.....	3	6	6	9	26	28	54	55	44	15	2	-
White, both sexes.....	5	11	11	16	29	41	72	69	50	19	2	-
Male.....	2	5	5	7	6	15	19	17	6	4	-	-
Female.....	3	6	6	9	23	26	53	52	44	15	2	-
Black, both sexes.....	-	-	-	1	3	2	2	3	-	-	-	-
Male.....	-	-	-	1	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	2	2	-	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	10	21	20	31	53	75	112	103	63	26	1	-
Male.....	6	11	14	20	19	25	37	43	20	4	-	-
Female.....	4	10	6	11	34	50	75	60	43	22	1	-
White, both sexes.....	9	14	18	22	48	69	95	96	60	24	1	-
Male.....	6	8	13	14	16	22	33	39	18	4	-	-
Female.....	3	6	5	8	32	47	62	57	42	20	1	-
Black, both sexes.....	1	6	2	6	4	5	15	7	3	2	-	-
Male.....	-	2	1	4	2	2	3	4	2	-	-	-
Female.....	1	4	1	2	2	3	12	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	1	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Nebraska

All races, both sexes.....	3	1	5	3	15	11	28	24	18	5	2	-
Male.....	2	-	3	1	10	5	9	7	1	2	-	-
Female.....	1	1	2	2	5	6	19	17	17	3	2	-
White, both sexes.....	3	1	4	3	15	11	28	23	18	5	2	-
Male.....	2	-	2	1	10	5	9	7	1	2	-	-
Female.....	1	1	2	2	5	6	19	16	17	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	6	3	7	7	7	15	15	11	10	-	2	-
Male.....	3	1	1	2	4	4	2	4	2	-	-	-
Female.....	3	2	6	5	3	11	13	7	8	-	2	-
White, both sexes.....	5	3	5	5	3	14	14	11	9	-	1	-
Male.....	3	1	1	1	2	4	1	4	2	-	-	-
Female.....	2	2	4	4	1	10	13	7	7	-	1	-
Black, both sexes.....	1	-	1	1	3	-	1	-	1	-	-	-
Male.....	-	-	-	1	2	-	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

New Hampshire

All races, both sexes.....	2	2	2	7	4	11	12	12	7	3	-	-
Male.....	-	-	-	3	3	7	4	2	2	1	-	-
Female.....	2	2	2	4	1	4	8	10	5	2	-	-
White, both sexes.....	2	2	2	7	4	11	11	12	7	3	-	-
Male.....	-	-	-	3	3	7	3	2	2	1	-	-
Female.....	2	2	2	4	1	4	8	10	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	6	8	14	19	34	40	76	76	49	17	2	-
Male.....	3	4	8	6	15	13	27	17	12	2	-	-
Female.....	3	4	6	13	19	27	49	59	37	15	2	-
White, both sexes.....	4	6	12	17	27	37	72	72	47	15	2	-
Male.....	2	3	7	6	11	13	24	17	11	2	-	-
Female.....	2	3	5	11	16	24	48	55	36	13	2	-
Black, both sexes.....	2	2	2	2	5	3	4	4	2	2	-	-
Male.....	1	1	1	-	3	-	3	-	1	-	-	-
Female.....	1	1	1	2	2	3	1	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

New Mexico

All races, both sexes.....	1	5	6	7	4	11	18	16	7	5	-	-
Male.....	1	-	3	4	1	5	7	5	-	2	-	-
Female.....	-	5	3	3	3	6	11	11	7	3	-	-
White, both sexes.....	1	5	5	7	4	10	16	16	7	5	-	-
Male.....	1	-	2	4	1	5	6	5	-	2	-	-
Female.....	-	5	3	3	3	5	10	11	7	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	14	26	38	40	84	121	169	141	125	44	3	-
Male.....	8	13	16	19	36	43	78	52	35	6	-	-
Female.....	6	13	22	21	48	78	91	89	90	38	3	-
White, both sexes.....	10	19	30	34	72	111	156	131	118	38	3	-
Male.....	5	9	10	17	29	39	74	48	33	6	-	-
Female.....	5	10	20	17	43	72	82	83	85	32	3	-
Black, both sexes.....	4	7	7	6	10	8	12	9	6	5	-	-
Male.....	3	4	6	2	6	3	4	3	2	-	-	-
Female.....	1	3	1	4	4	5	8	6	4	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	2	1	1	1	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	1	1	1	-	1	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Ohio

All races, both sexes.....	17	26	34	29	59	96	134	128	97	24	1	-
Male.....	7	9	15	12	39	41	46	45	26	3	-	-
Female.....	10	17	19	17	20	55	88	83	71	21	1	-
White, both sexes.....	13	16	28	26	50	85	124	119	92	23	-	-
Male.....	5	6	11	11	30	35	45	41	25	2	-	-
Female.....	8	10	17	15	20	50	79	78	67	21	-	-
Black, both sexes.....	4	9	5	3	9	11	10	9	5	1	1	-
Male.....	2	3	3	1	9	6	1	4	1	1	-	-
Female.....	2	6	2	2	-	5	9	5	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	8	17	19	14	29	34	40	44	20	9	-	-
Male.....	6	8	13	4	12	12	17	14	6	2	-	-
Female.....	2	9	6	10	17	22	23	30	14	7	-	-
White, both sexes.....	4	14	16	10	23	31	34	38	19	8	-	-
Male.....	3	7	11	3	10	10	14	9	5	1	-	-
Female.....	1	7	5	7	13	21	20	29	14	7	-	-
Black, both sexes.....	2	-	1	2	3	1	5	2	1	1	-	-
Male.....	2	-	1	1	2	1	2	1	1	1	-	-
Female.....	-	-	-	1	1	-	3	1	-	-	-	-
American Indian 1/, both sexes.....	2	3	2	1	2	2	1	4	-	-	-	-
Male.....	1	1	1	-	-	1	1	4	-	-	-	-
Female.....	1	2	1	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Vascular disorders and obstruction of intestine without hernia (K55-K56)

Vermont

All races, both sexes.....	-	-	1	-	3	3	9	4	10	2	-	-
Male.....	-	-	-	-	-	1	2	1	3	-	-	-
Female.....	-	-	1	-	3	2	7	3	7	2	-	-
White, both sexes.....	-	-	1	-	3	3	9	4	10	1	-	-
Male.....	-	-	-	-	-	1	2	1	3	-	-	-
Female.....	-	-	1	-	3	2	7	3	7	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	12	17	16	24	27	63	77	63	43	8	3	-
Male.....	4	7	10	12	12	23	27	20	11	1	-	-
Female.....	8	10	6	12	15	40	50	43	32	7	3	-
White, both sexes.....	9	14	8	19	25	48	66	49	35	6	3	-
Male.....	3	6	5	11	12	16	23	15	11	-	-	-
Female.....	6	8	3	8	13	32	43	34	24	6	3	-
Black, both sexes.....	3	3	7	4	2	15	10	14	8	2	-	-
Male.....	1	1	4	1	-	7	4	5	-	1	-	-
Female.....	2	2	3	3	2	8	6	9	8	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

Arkansas

All races, both sexes.....	-	-	1	2	4	3	13	13	4	-	-	-
Male.....	-	-	1	-	2	-	5	2	-	-	-	-
Female.....	-	-	-	2	2	3	8	11	4	-	-	-
White, both sexes.....	-	-	1	2	4	3	13	11	4	-	-	-
Male.....	-	-	1	-	2	-	5	2	-	-	-	-
Female.....	-	-	-	2	2	3	8	9	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	10	14	31	28	59	88	81	67	16	3	-
Male.....	2	5	7	10	12	16	25	21	20	8	2	-
Female.....	5	5	7	21	16	43	63	60	47	8	1	-
White, both sexes.....	6	9	13	24	24	50	79	73	63	15	3	-
Male.....	1	5	7	9	10	11	23	19	17	8	2	-
Female.....	5	4	6	15	14	39	56	54	46	7	1	-
Black, both sexes.....	1	1	1	4	3	2	6	4	-	1	-	-
Male.....	1	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	1	1	4	2	2	5	4	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	6	3	3	4	-	-	-
Male.....	-	-	-	1	1	4	1	1	3	-	-	-
Female.....	-	-	-	1	-	2	2	2	1	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

Massachusetts

All races, both sexes.....	-	3	2	5	3	8	15	10	13	1	2	-
Male.....	-	1	-	2	1	6	3	3	3	-	-	-
Female.....	-	2	2	3	2	2	12	7	10	1	2	-
White, both sexes.....	-	3	1	5	3	8	15	10	12	1	2	-
Male.....	-	1	-	2	1	6	3	3	3	-	-	-
Female.....	-	2	1	3	2	2	12	7	9	1	2	-
Black, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	3	3	8	10	11	18	17	21	17	4	1	-
Male.....	-	2	2	6	3	4	6	6	1	1	-	-
Female.....	3	1	6	4	8	14	11	15	16	3	1	-
White, both sexes.....	2	3	6	9	10	13	16	19	17	3	1	-
Male.....	-	2	1	5	2	3	5	6	1	1	-	-
Female.....	2	1	5	4	8	10	11	13	16	2	1	-
Black, both sexes.....	1	-	1	1	1	5	-	1	-	1	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	1	-	1	-	-	4	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diverticular disease of intestine (K57)

New Hampshire

All races, both sexes.....	-	-	-	-	2	3	4	5	6	1	1	-
Male.....	-	-	-	-	1	2	1	1	2	-	-	-
Female.....	-	-	-	-	1	1	3	4	4	1	1	-
White, both sexes.....	-	-	-	-	2	3	4	5	6	1	1	-
Male.....	-	-	-	-	1	2	1	1	2	-	-	-
Female.....	-	-	-	-	1	1	3	4	4	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	3	2	6	15	17	15	13	6	1	-
Male.....	1	3	2	-	3	4	1	-	4	-	-	-
Female.....	-	-	1	2	3	11	16	15	9	6	1	-
White, both sexes.....	1	2	3	2	6	15	16	13	12	6	1	-
Male.....	1	2	2	-	3	4	1	-	4	-	-	-
Female.....	-	-	1	2	3	11	15	13	8	6	1	-
Black, both sexes.....	-	1	-	-	-	-	-	2	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

Alaska

All races, both sexes.....	-	-	-	-	2	1	2	-	1	-	-	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
White, both sexes.....	-	-	-	-	2	-	2	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	4	8	8	12	16	18	21	4	2	1	-
Male.....	-	4	3	5	4	10	7	8	1	1	1	-
Female.....	-	-	5	3	8	6	11	13	3	1	-	-
White, both sexes.....	-	3	8	5	9	16	16	20	2	2	1	-
Male.....	-	3	3	4	3	10	7	8	-	1	1	-
Female.....	-	-	5	1	6	6	9	12	2	1	-	-
Black, both sexes.....	-	-	-	3	3	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	2	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	2	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

Arkansas

All races, both sexes.....	3	2	7	5	6	11	9	8	10	1	-	-
Male.....	-	-	4	-	3	5	2	2	-	-	-	-
Female.....	3	2	3	5	3	6	7	6	10	1	-	-
White, both sexes.....	2	1	4	5	5	10	9	7	10	1	-	-
Male.....	-	-	3	-	3	5	2	2	-	-	-	-
Female.....	2	1	1	5	2	5	7	5	10	1	-	-
Black, both sexes.....	1	1	3	-	1	1	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	2	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	18	23	30	39	66	85	76	50	13	2	-
Male.....	6	8	12	13	17	22	29	26	10	2	-	-
Female.....	9	10	11	17	22	44	56	50	40	11	2	-
White, both sexes.....	14	16	18	28	33	53	77	67	47	11	2	-
Male.....	6	8	10	12	14	19	26	24	7	2	-	-
Female.....	8	8	8	16	19	34	51	43	40	9	2	-
Black, both sexes.....	1	2	5	2	3	3	-	3	-	1	-	-
Male.....	-	-	2	1	3	1	-	-	-	-	-	-
Female.....	1	2	3	1	-	2	-	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	10	7	5	3	1	-	-
Male.....	-	-	-	-	-	2	3	2	3	-	-	-
Female.....	-	-	-	-	2	8	4	3	-	1	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

New Hampshire

All races, both sexes.....	-	1	4	2	4	4	3	8	6	1	-	-
Male.....	-	1	-	2	2	2	2	3	1	1	-	-
Female.....	-	-	4	-	2	2	1	5	5	-	-	-
White, both sexes.....	-	1	4	2	4	4	2	8	6	1	-	-
Male.....	-	1	-	2	2	2	1	3	1	1	-	-
Female.....	-	-	4	-	2	2	1	5	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4	5	11	10	23	22	31	38	22	11	1	-
Male.....	2	5	2	5	12	9	12	10	3	-	-	-
Female.....	2	-	9	5	11	13	19	28	19	11	1	-
White, both sexes.....	3	5	10	8	17	19	27	33	21	11	1	-
Male.....	2	5	2	4	8	8	11	9	3	-	-	-
Female.....	1	-	8	4	9	11	16	24	18	11	1	-
Black, both sexes.....	1	-	1	-	4	3	3	5	1	-	-	-
Male.....	-	-	-	-	3	1	-	1	-	-	-	-
Female.....	1	-	1	-	1	2	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of intestines and peritoneum (K52,K58-K63)

New Mexico

All races, both sexes.....	2	2	1	2	2	6	9	9	5	-	-	-
Male.....	2	2	-	2	1	2	3	2	1	-	-	-
Female.....	-	-	1	-	1	4	6	7	4	-	-	-
White, both sexes.....	1	2	1	2	2	6	9	9	5	-	-	-
Male.....	1	2	-	2	1	2	3	2	1	-	-	-
Female.....	-	-	1	-	1	4	6	7	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	13	17	22	29	49	55	70	29	14	6	-
Male.....	5	9	5	12	13	21	21	25	4	1	-	-
Female.....	8	4	12	10	16	28	34	45	25	13	6	-
White, both sexes.....	10	10	15	18	25	42	54	68	27	13	6	-
Male.....	4	6	3	10	11	18	21	25	4	1	-	-
Female.....	6	4	12	8	14	24	33	43	23	12	6	-
Black, both sexes.....	2	3	2	3	3	4	1	2	1	1	-	-
Male.....	-	3	2	1	1	1	-	-	-	-	-	-
Female.....	2	-	-	2	2	3	1	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	2	-	-	1	-	-	-
Male.....	1	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

Oregon

All races, both sexes.....	3	1	7	7	2	9	18	14	11	6	2	-
Male.....	2	-	-	2	1	2	9	6	5	1	-	-
Female.....	1	1	7	5	1	7	9	8	6	5	2	-
White, both sexes.....	3	1	7	7	2	9	18	14	11	6	2	-
Male.....	2	-	-	2	1	2	9	6	5	1	-	-
Female.....	1	1	7	5	1	7	9	8	6	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	5	9	16	16	30	40	58	57	41	14	3	-
Male.....	4	6	8	8	11	14	22	19	9	3	-	-
Female.....	1	3	8	8	19	26	36	38	32	11	3	-
White, both sexes.....	5	6	15	14	26	37	56	55	40	14	3	-
Male.....	4	3	8	8	10	14	22	19	9	3	-	-
Female.....	1	3	7	6	16	23	34	36	31	11	3	-
Black, both sexes.....	-	2	1	2	4	2	2	2	1	-	-	-
Male.....	-	2	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	2	3	2	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of intestines and peritoneum (K52,K58-K63)

Vermont

All races, both sexes.....	-	-	2	1	-	-	2	3	1	1	1	-
Male.....	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	1	-	-	2	2	-	-	1	-
White, both sexes.....	-	-	2	1	-	-	2	3	1	1	1	-
Male.....	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	-	-	1	1	-	-	2	2	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	8	7	3	5	16	12	21	22	18	3	1	-
Male.....	3	3	2	4	8	5	7	7	1	-	-	-
Female.....	5	4	1	1	8	7	14	15	17	3	1	-
White, both sexes.....	6	3	3	3	12	8	19	20	14	3	1	-
Male.....	3	1	2	2	5	4	6	6	-	-	-	-
Female.....	3	2	1	1	7	4	13	14	14	3	1	-
Black, both sexes.....	2	4	-	2	3	3	2	1	4	-	-	-
Male.....	-	2	-	2	3	1	1	1	1	-	-	-
Female.....	2	2	-	-	-	2	1	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of peritoneum (K65-K66)

Texas

All races, both sexes.....	105	-	-	1	-	1	1	-	2	2	3	4
Male.....	49	-	-	1	-	1	-	-	1	1	1	3
Female.....	56	-	-	-	-	-	1	-	1	1	2	1
White, both sexes.....	96	-	-	1	-	1	1	-	1	2	3	3
Male.....	43	-	-	1	-	1	-	-	-	1	1	2
Female.....	53	-	-	-	-	-	1	-	1	1	2	1
Black, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	12	-	-	-	-	-	-	1	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of peritoneum (K65-K66)

Arkansas

All races, both sexes.....	3	3	-	2	1	1	2	-	1	-	-	-
Male.....	1	-	-	2	-	1	1	-	-	-	-	-
Female.....	2	3	-	-	1	-	1	-	1	-	-	-
White, both sexes.....	2	2	-	2	-	1	2	-	-	-	-	-
Male.....	1	-	-	2	-	1	1	-	-	-	-	-
Female.....	1	2	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	1	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	10	9	9	16	14	21	19	7	2	1	-
Male.....	2	5	5	6	5	3	9	5	3	-	-	-
Female.....	4	5	4	3	11	11	12	14	4	2	1	-
White, both sexes.....	3	7	8	9	15	14	18	18	5	2	1	-
Male.....	1	4	5	6	5	3	8	5	2	-	-	-
Female.....	2	3	3	3	10	11	10	13	3	2	1	-
Black, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	-	-	-	2	1	2	-	-	-
Male.....	1	1	-	-	-	-	1	-	1	-	-	-
Female.....	1	1	1	-	-	-	1	1	1	-	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of peritoneum (K65-K66)

New Hampshire

All races, both sexes.....	1	2	1	-	1	-	1	-	1	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	2	1	-	1	-	1	-	1	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	6	3	2	4	8	4	8	7	1	-	-
Male.....	1	5	2	1	-	3	3	5	2	-	-	-
Female.....	2	1	1	1	4	5	1	3	5	1	-	-
White, both sexes.....	2	5	3	2	4	8	4	7	5	-	-	-
Male.....	-	4	2	1	-	3	3	4	2	-	-	-
Female.....	2	1	1	1	4	5	1	3	3	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	1	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diseases of liver (K70-K76)												
Arkansas												
All races, both sexes.....	379	-	1	-	-	1	1	1	10	10	20	56
Male.....	242	-	1	-	-	1	-	1	4	6	10	38
Female.....	137	-	-	-	-	-	1	-	6	4	10	18
White, both sexes.....	332	-	1	-	-	1	1	1	9	9	18	47
Male.....	217	-	1	-	-	1	-	1	4	6	9	34
Female.....	115	-	-	-	-	-	1	-	5	3	9	13
Black, both sexes.....	41	-	-	-	-	-	-	-	1	-	2	9
Male.....	20	-	-	-	-	-	-	-	-	-	1	4
Female.....	21	-	-	-	-	-	-	-	1	-	1	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,658	5	4	1	1	3	9	22	62	123	325	587
Male.....	3,023	3	1	-	1	2	4	16	38	89	201	411
Female.....	1,635	2	3	1	-	1	5	6	24	34	124	176
White, both sexes.....	4,090	4	4	-	1	3	7	19	53	112	287	516
Male.....	2,682	3	1	-	1	2	4	14	34	83	181	365
Female.....	1,408	1	3	-	-	1	3	5	19	29	106	151
Black, both sexes.....	269	1	-	-	-	-	2	2	2	6	19	39
Male.....	168	-	-	-	-	-	-	1	1	3	11	24
Female.....	101	1	-	-	-	-	2	1	1	3	8	15
American Indian 1/, both sexes.....	72	-	-	-	-	-	-	-	4	2	7	9
Male.....	41	-	-	-	-	-	-	-	1	1	2	8
Female.....	31	-	-	-	-	-	-	-	3	1	5	1
Asian or Pacific Islander 2/, both sexes.....	227	-	-	1	-	-	-	1	3	3	12	23
Male.....	132	-	-	-	-	-	-	1	2	2	7	14
Female.....	95	-	-	1	-	-	-	-	1	1	5	9



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

Delaware

All races, both sexes.....	112	-	-	-	-	-	-	-	2	7	10	6
Male.....	76	-	-	-	-	-	-	-	1	7	7	5
Female.....	36	-	-	-	-	-	-	-	1	-	3	1
White, both sexes.....	98	-	-	-	-	-	-	-	2	7	10	4
Male.....	67	-	-	-	-	-	-	-	1	7	7	4
Female.....	31	-	-	-	-	-	-	-	1	-	3	-
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	77	-	-	-	-	-	-	-	1	1	7	11
Male.....	52	-	-	-	-	-	-	-	-	-	4	7
Female.....	25	-	-	-	-	-	-	-	1	1	3	4
White, both sexes.....	15	-	-	-	-	-	-	-	-	-	2	1
Male.....	12	-	-	-	-	-	-	-	-	-	2	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	61	-	-	-	-	-	-	-	-	1	5	10
Male.....	40	-	-	-	-	-	-	-	-	-	2	6
Female.....	21	-	-	-	-	-	-	-	-	1	3	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

Nebraska

All races, both sexes.....	171	1	-	-	-	-	-	1	3	6	9	23
Male.....	112	-	-	-	-	-	-	1	1	4	6	11
Female.....	59	1	-	-	-	-	-	-	2	2	3	12
White, both sexes.....	155	-	-	-	-	-	-	1	3	6	7	22
Male.....	99	-	-	-	-	-	-	1	1	4	5	10
Female.....	56	-	-	-	-	-	-	-	2	2	2	12
Black, both sexes.....	9	1	-	-	-	-	-	-	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	435	1	-	-	-	-	-	-	3	19	25	50
Male.....	289	1	-	-	-	-	-	-	3	10	15	30
Female.....	146	-	-	-	-	-	-	-	-	9	10	20
White, both sexes.....	387	1	-	-	-	-	-	-	2	16	21	40
Male.....	258	1	-	-	-	-	-	-	2	8	13	23
Female.....	129	-	-	-	-	-	-	-	-	8	8	17
Black, both sexes.....	22	-	-	-	-	-	-	-	-	2	1	3
Male.....	13	-	-	-	-	-	-	-	-	2	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	1	-	2	5
Male.....	10	-	-	-	-	-	-	-	1	-	1	4
Female.....	4	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	2
Male.....	8	-	-	-	-	-	-	-	-	-	1	2
Female.....	4	-	-	-	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

Oregon

All races, both sexes.....	522	-	-	1	-	-	-	1	4	16	32	65
Male.....	319	-	-	-	-	-	-	1	3	11	20	39
Female.....	203	-	-	1	-	-	-	-	1	5	12	26
White, both sexes.....	497	-	-	-	-	-	-	-	4	15	29	59
Male.....	310	-	-	-	-	-	-	-	3	10	20	37
Female.....	187	-	-	-	-	-	-	-	1	5	9	22
Black, both sexes.....	9	-	-	1	-	-	-	-	-	-	1	3
Male.....	4	-	-	-	-	-	-	-	-	-	-	2
Female.....	5	-	-	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	2	3
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,643	5	1	1	-	2	1	4	11	39	81	173
Male.....	1,030	2	1	1	-	1	-	1	10	29	48	130
Female.....	613	3	-	-	-	1	1	3	1	10	33	43
White, both sexes.....	1,468	3	1	1	-	1	1	4	8	33	74	151
Male.....	923	2	1	1	-	1	-	1	8	25	46	116
Female.....	545	1	-	-	-	-	1	3	-	8	28	35
Black, both sexes.....	159	2	-	-	-	1	-	-	1	4	7	22
Male.....	98	-	-	-	-	-	-	-	1	4	2	14
Female.....	61	2	-	-	-	1	-	-	-	-	5	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	2	1	-	-
Male.....	9	-	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of liver (K70-K76)

Vermont

All races, both sexes.....	68	-	1	-	-	-	-	-	-	2	6	7
Male.....	42	-	1	-	-	-	-	-	-	2	3	5
Female.....	26	-	-	-	-	-	-	-	-	-	3	2
White, both sexes.....	68	-	1	-	-	-	-	-	-	2	6	7
Male.....	42	-	1	-	-	-	-	-	-	2	3	5
Female.....	26	-	-	-	-	-	-	-	-	-	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	816	2	1	-	-	-	1	8	5	24	62	99
Male.....	517	-	-	-	-	-	1	7	4	13	38	65
Female.....	299	2	1	-	-	-	-	1	1	11	24	34
White, both sexes.....	639	2	1	-	-	-	-	6	4	17	44	72
Male.....	413	-	-	-	-	-	-	6	4	12	28	50
Female.....	226	2	1	-	-	-	-	-	-	5	16	22
Black, both sexes.....	160	-	-	-	-	-	1	2	1	6	15	23
Male.....	95	-	-	-	-	-	1	1	-	1	8	12
Female.....	65	-	-	-	-	-	-	1	1	5	7	11
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	1	2	3
Male.....	8	-	-	-	-	-	-	-	-	-	1	3
Female.....	7	-	-	-	-	-	-	-	-	1	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

United States

All races, both sexes.....	5,615	5,506	4,169	3,453	3,210	2,935	2,301	1,141	387	88	7	5
Male.....	4,038	3,886	2,802	2,122	1,793	1,535	1,051	488	146	26	1	3
Female.....	1,577	1,620	1,367	1,331	1,417	1,400	1,250	653	241	62	6	2
White, both sexes.....	4,751	4,679	3,617	3,043	2,874	2,674	2,131	1,055	361	83	6	5
Male.....	3,448	3,321	2,456	1,874	1,620	1,406	985	454	140	24	1	3
Female.....	1,303	1,358	1,161	1,169	1,254	1,268	1,146	601	221	59	5	2
Black, both sexes.....	688	651	406	301	230	169	97	57	21	3	1	-
Male.....	458	454	253	197	123	94	38	22	3	2	-	-
Female.....	230	197	153	104	107	75	59	35	18	1	1	-
American Indian 1/, both sexes.....	109	117	70	63	35	22	15	7	-	-	-	-
Male.....	69	69	41	32	16	10	4	1	-	-	-	-
Female.....	40	48	29	31	19	12	11	6	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	67	59	76	46	71	70	58	22	5	2	-	-
Male.....	63	42	52	19	34	25	24	11	3	-	-	-
Female.....	4	17	24	27	37	45	34	11	2	2	-	-

Alabama

All races, both sexes.....	112	115	93	59	63	35	41	21	8	1	-	-
Male.....	74	79	70	37	38	17	12	6	3	-	-	-
Female.....	38	36	23	22	25	18	29	15	5	1	-	-
White, both sexes.....	88	88	77	45	55	30	39	20	7	1	-	-
Male.....	58	61	60	27	35	14	12	6	3	-	-	-
Female.....	30	27	17	18	20	16	27	14	4	1	-	-
Black, both sexes.....	24	27	13	14	7	5	2	1	1	-	-	-
Male.....	16	18	8	10	3	3	-	-	-	-	-	-
Female.....	8	9	5	4	4	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Alaska												
All races, both sexes.....	14	9	9	4	4	2	4	-	-	-	-	-
Male.....	10	5	5	1	2	1	2	-	-	-	-	-
Female.....	4	4	4	3	2	1	2	-	-	-	-	-
White, both sexes.....	11	6	7	1	4	1	2	-	-	-	-	-
Male.....	8	3	4	-	2	-	1	-	-	-	-	-
Female.....	3	3	3	1	2	1	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	2	2	-	1	2	-	-	-	-	-
Male.....	1	2	1	-	-	1	1	-	-	-	-	-
Female.....	1	1	1	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	128	135	100	110	71	61	54	40	15	1	-	-
Male.....	86	99	56	61	37	26	22	13	6	1	-	-
Female.....	42	36	44	49	34	35	32	27	9	-	-	-
White, both sexes.....	106	115	85	99	64	57	50	35	15	1	-	-
Male.....	73	85	48	57	34	25	19	12	6	1	-	-
Female.....	33	30	37	42	30	32	31	23	9	-	-	-
Black, both sexes.....	2	1	1	2	-	1	1	1	-	-	-	-
Male.....	2	1	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	20	18	14	9	7	2	2	4	-	-	-	-
Male.....	11	12	8	3	3	1	1	-	-	-	-	-
Female.....	9	6	6	6	4	1	1	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Arkansas

All races, both sexes.....	54	43	44	35	31	23	26	18	4	1	-	-
Male.....	39	28	32	26	20	14	14	7	1	-	-	-
Female.....	15	15	12	9	11	9	12	11	3	1	-	-
White, both sexes.....	47	32	41	31	26	21	25	18	3	1	-	-
Male.....	35	22	29	23	16	14	14	7	1	-	-	-
Female.....	12	10	12	8	10	7	11	11	2	1	-	-
Black, both sexes.....	5	10	2	4	4	2	1	-	1	-	-	-
Male.....	2	5	2	3	3	-	-	-	-	-	-	-
Female.....	3	5	-	1	1	2	1	-	1	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	765	723	522	415	345	344	244	111	36	9	1	1
Male.....	563	506	352	255	212	177	121	54	14	2	1	-
Female.....	202	217	170	160	133	167	123	57	22	7	-	1
White, both sexes.....	686	648	432	370	297	294	217	99	33	6	1	1
Male.....	502	452	296	231	187	156	108	47	13	1	1	-
Female.....	184	196	136	139	110	138	109	52	20	5	-	1
Black, both sexes.....	45	45	46	22	16	17	3	3	-	1	-	-
Male.....	31	30	30	15	8	10	2	1	-	1	-	-
Female.....	14	15	16	7	8	7	1	2	-	-	-	-
American Indian 1/, both sexes.....	9	11	8	9	8	3	2	-	-	-	-	-
Male.....	8	7	4	4	5	-	1	-	-	-	-	-
Female.....	1	4	4	5	3	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	19	36	14	24	30	22	9	3	2	-	-
Male.....	22	17	22	5	12	11	10	6	1	-	-	-
Female.....	3	2	14	9	12	19	12	3	2	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Colorado

All races, both sexes.....	102	84	66	42	37	46	24	28	5	2	-	-
Male.....	64	59	37	31	15	22	7	9	1	-	-	-
Female.....	38	25	29	11	22	24	17	19	4	2	-	-
White, both sexes.....	96	84	64	41	34	43	24	28	5	2	-	-
Male.....	60	59	36	30	15	21	7	9	1	-	-	-
Female.....	36	25	28	11	19	22	17	19	4	2	-	-
Black, both sexes.....	5	-	1	1	-	1	-	-	-	-	-	-
Male.....	4	-	1	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	-	-	-	-

Connecticut

All races, both sexes.....	59	43	40	36	50	39	34	20	1	1	-	-
Male.....	35	27	26	29	29	25	19	11	1	-	-	-
Female.....	24	16	14	7	21	14	15	9	-	1	-	-
White, both sexes.....	56	42	38	31	46	36	33	19	1	1	-	-
Male.....	35	27	25	27	27	23	19	10	1	-	-	-
Female.....	21	15	13	4	19	13	14	9	-	1	-	-
Black, both sexes.....	3	1	2	4	4	2	-	-	-	-	-	-
Male.....	-	-	1	2	2	1	-	-	-	-	-	-
Female.....	3	1	1	2	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Florida

All races, both sexes.....	401	439	324	231	231	226	186	91	30	6	-	1
Male.....	303	312	232	146	134	123	104	41	13	2	-	1
Female.....	98	127	92	85	97	103	82	50	17	4	-	-
White, both sexes.....	363	403	299	218	212	218	177	88	28	6	-	1
Male.....	277	290	215	137	124	118	98	40	13	2	-	1
Female.....	86	113	84	81	88	100	79	48	15	4	-	-
Black, both sexes.....	38	34	22	12	17	7	7	3	2	-	-	-
Male.....	26	20	15	9	10	5	5	1	-	-	-	-
Female.....	12	14	7	3	7	2	2	2	2	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	2	-	2	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	2	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	158	159	111	106	103	62	56	35	12	4	-	-
Male.....	106	113	67	65	57	27	23	16	4	2	-	-
Female.....	52	46	44	41	46	35	33	19	8	2	-	-
White, both sexes.....	116	122	91	86	89	54	53	29	9	3	-	-
Male.....	79	83	53	55	49	23	23	13	4	1	-	-
Female.....	37	39	38	31	40	31	30	16	5	2	-	-
Black, both sexes.....	40	35	19	20	12	8	3	6	3	1	-	-
Male.....	25	28	13	10	7	4	-	3	-	1	-	-
Female.....	15	7	6	10	5	4	3	3	3	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	2	-	-	-	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Iowa

All races, both sexes.....	32	20	23	31	18	20	19	15	4	3	-	-
Male.....	20	13	16	18	14	6	9	5	-	1	-	-
Female.....	12	7	7	13	4	14	10	10	4	2	-	-
White, both sexes.....	28	20	21	30	18	19	19	15	4	3	-	-
Male.....	19	13	15	18	14	5	9	5	-	1	-	-
Female.....	9	7	6	12	4	14	10	10	4	2	-	-
Black, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	56	51	29	31	29	31	19	15	5	3	-	-
Male.....	37	34	16	24	15	17	7	5	4	3	-	-
Female.....	19	17	13	7	14	14	12	10	1	-	-	-
White, both sexes.....	50	48	27	28	26	28	19	15	5	3	-	-
Male.....	34	33	15	21	12	16	7	5	4	3	-	-
Female.....	16	15	12	7	14	12	12	10	1	-	-	-
Black, both sexes.....	6	3	1	2	1	-	-	-	-	-	-	-
Male.....	3	1	1	2	1	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Maine

All races, both sexes.....	25	27	21	20	29	25	12	4	3	-	-	-
Male.....	16	23	16	8	15	17	6	3	1	-	-	-
Female.....	9	4	5	12	14	8	6	1	2	-	-	-
White, both sexes.....	25	27	21	20	29	25	12	3	3	-	-	-
Male.....	16	23	16	8	15	17	6	2	1	-	-	-
Female.....	9	4	5	12	14	8	6	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	78	90	55	47	61	39	50	16	4	1	-	-
Male.....	42	71	38	26	30	25	26	10	1	-	-	-
Female.....	36	19	17	21	31	14	24	6	3	1	-	-
White, both sexes.....	47	59	42	34	51	32	43	16	3	1	-	-
Male.....	25	47	29	18	27	23	22	10	-	-	-	-
Female.....	22	12	13	16	24	9	21	6	3	1	-	-
Black, both sexes.....	28	31	13	12	10	6	4	-	1	-	-	-
Male.....	16	24	9	7	3	1	3	-	1	-	-	-
Female.....	12	7	4	5	7	5	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	3	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Massachusetts

All races, both sexes.....	131	122	90	68	70	73	69	27	11	4	1	-
Male.....	98	82	70	44	44	41	30	15	4	-	-	-
Female.....	33	40	20	24	26	32	39	12	7	4	1	-
White, both sexes.....	123	113	84	62	69	70	67	24	11	4	1	-
Male.....	92	74	67	41	43	39	29	15	4	-	-	-
Female.....	31	39	17	21	26	31	38	9	7	4	1	-
Black, both sexes.....	7	7	5	4	1	3	1	2	-	-	-	-
Male.....	5	6	2	2	1	2	-	-	-	-	-	-
Female.....	2	1	3	2	-	1	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	-	1	1	-	-	-	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	207	181	129	115	129	92	69	46	9	2	-	-
Male.....	163	134	76	71	73	47	36	23	3	1	-	-
Female.....	44	47	53	44	56	45	33	23	6	1	-	-
White, both sexes.....	164	148	106	98	116	87	65	44	9	2	-	-
Male.....	132	112	62	61	66	45	34	23	3	1	-	-
Female.....	32	36	44	37	50	42	31	21	6	1	-	-
Black, both sexes.....	39	29	21	14	11	5	3	1	-	-	-	-
Male.....	28	21	13	9	6	2	1	-	-	-	-	-
Female.....	11	8	8	5	5	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	2	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	1	2	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	1	-	1	1	-	-	-	-
Male.....	3	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Nebraska

All races, both sexes.....	25	20	12	14	17	19	11	6	3	1	-	-
Male.....	20	16	8	9	11	14	8	2	1	-	-	-
Female.....	5	4	4	5	6	5	3	4	2	1	-	-
White, both sexes.....	21	17	10	14	16	17	11	6	3	1	-	-
Male.....	16	14	6	9	10	12	8	2	1	-	-	-
Female.....	5	3	4	5	6	5	3	4	2	1	-	-
Black, both sexes.....	1	1	1	-	1	2	-	-	-	-	-	-
Male.....	1	1	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	77	68	58	41	34	29	17	12	1	-	-	-
Male.....	58	42	43	33	23	18	7	6	-	-	-	-
Female.....	19	26	15	8	11	11	10	6	1	-	-	-
White, both sexes.....	68	62	55	36	31	27	17	10	1	-	-	-
Male.....	51	38	41	30	23	16	7	5	-	-	-	-
Female.....	17	24	14	6	8	11	10	5	1	-	-	-
Black, both sexes.....	7	4	1	1	1	1	-	1	-	-	-	-
Male.....	5	2	1	1	-	1	-	-	-	-	-	-
Female.....	2	2	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	2	1	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	1	1	-	1	-	-	-	-
Male.....	-	2	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

New Hampshire

All races, both sexes.....	29	13	12	15	9	21	8	2	1	-	-	-
Male.....	22	8	9	10	5	10	4	1	-	-	-	-
Female.....	7	5	3	5	4	11	4	1	1	-	-	-
White, both sexes.....	29	13	12	15	9	21	8	2	1	-	-	-
Male.....	22	8	9	10	5	10	4	1	-	-	-	-
Female.....	7	5	3	5	4	11	4	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	140	149	107	82	84	84	84	36	14	2	-	-
Male.....	101	108	72	49	48	45	43	12	7	-	-	-
Female.....	39	41	35	33	36	39	41	24	7	2	-	-
White, both sexes.....	116	130	90	73	67	72	77	34	14	2	-	-
Male.....	84	99	61	44	38	40	38	11	7	-	-	-
Female.....	32	31	29	29	29	32	39	23	7	2	-	-
Black, both sexes.....	22	16	14	8	14	10	6	2	-	-	-	-
Male.....	15	8	9	5	9	5	5	1	-	-	-	-
Female.....	7	8	5	3	5	5	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	1	3	2	1	-	-	-	-	-
Male.....	2	1	2	-	1	-	-	-	-	-	-	-
Female.....	-	2	1	1	2	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

New Mexico

All races, both sexes.....	76	68	67	33	19	24	18	12	3	1	-	-
Male.....	54	51	53	19	11	12	6	3	1	-	-	-
Female.....	22	17	14	14	8	12	12	9	2	1	-	-
White, both sexes.....	66	56	62	25	19	22	13	11	3	1	-	-
Male.....	47	42	49	15	11	11	5	3	1	-	-	-
Female.....	19	14	13	10	8	11	8	8	2	1	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	12	5	8	-	2	5	1	-	-	-	-
Male.....	5	9	4	4	-	1	1	-	-	-	-	-
Female.....	3	3	1	4	-	1	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	223	257	179	183	152	150	116	60	20	3	-	-
Male.....	166	202	126	115	89	77	49	20	9	-	-	-
Female.....	57	55	53	68	63	73	67	40	11	3	-	-
White, both sexes.....	165	197	155	156	140	134	107	56	16	3	-	-
Male.....	122	153	108	96	81	64	46	19	6	-	-	-
Female.....	43	44	47	60	59	70	61	37	10	3	-	-
Black, both sexes.....	49	56	18	21	8	11	7	4	2	-	-	-
Male.....	36	45	12	15	4	10	3	1	1	-	-	-
Female.....	13	11	6	6	4	1	4	3	1	-	-	-
American Indian 1/, both sexes.....	4	2	2	2	-	2	-	-	-	-	-	-
Male.....	3	2	2	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	4	4	4	3	2	-	2	-	-	-
Male.....	5	2	4	3	4	2	-	-	2	-	-	-
Female.....	-	-	-	1	-	1	2	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Oregon

All races, both sexes.....	85	78	63	47	55	33	30	8	4	-	-	-
Male.....	66	52	34	29	29	20	9	5	1	-	-	-
Female.....	19	26	29	18	26	13	21	3	3	-	-	-
White, both sexes.....	83	76	61	44	53	32	29	8	4	-	-	-
Male.....	64	52	33	28	28	20	9	5	1	-	-	-
Female.....	19	24	28	16	25	12	20	3	3	-	-	-
Black, both sexes.....	1	-	1	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	2	-	-	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	204	237	184	146	154	153	152	66	23	5	-	1
Male.....	155	178	116	86	88	81	66	29	8	-	-	-
Female.....	49	59	68	60	66	72	86	37	15	5	-	1
White, both sexes.....	177	198	159	135	141	145	145	63	22	5	-	1
Male.....	138	152	98	79	78	76	65	28	8	-	-	-
Female.....	39	46	61	56	63	69	80	35	14	5	-	1
Black, both sexes.....	23	37	23	10	13	6	6	3	1	-	-	-
Male.....	13	24	17	7	10	4	1	1	-	-	-	-
Female.....	10	13	6	3	3	2	5	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	2	1	-	2	1	-	-	-	-	-
Male.....	4	2	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of liver (K70-K76)

Rhode Island

All races, both sexes.....	19	18	14	16	12	15	10	9	1	1	1	-
Male.....	17	10	11	13	8	9	5	6	-	1	-	-
Female.....	2	8	3	3	4	6	5	3	1	-	1	-
White, both sexes.....	17	18	13	14	12	14	10	9	1	1	1	-
Male.....	15	10	10	13	8	9	5	6	-	1	-	-
Female.....	2	8	3	1	4	5	5	3	1	-	1	-
Black, both sexes.....	1	-	1	2	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	97	109	84	65	52	43	40	19	5	-	-	-
Male.....	75	82	59	39	28	23	20	10	2	-	-	-
Female.....	22	27	25	26	24	20	20	9	3	-	-	-
White, both sexes.....	73	81	68	51	39	42	36	15	5	-	-	-
Male.....	56	66	52	29	22	22	20	7	2	-	-	-
Female.....	17	15	16	22	17	20	16	8	3	-	-	-
Black, both sexes.....	24	28	16	14	12	1	3	4	-	-	-	-
Male.....	19	16	7	10	6	1	-	3	-	-	-	-
Female.....	5	12	9	4	6	-	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of liver (K70-K76)

Vermont

All races, both sexes.....	4	13	7	3	8	8	7	1	1	-	-	-
Male.....	3	9	5	-	4	5	4	1	-	-	-	-
Female.....	1	4	2	3	4	3	3	-	1	-	-	-
White, both sexes.....	4	13	7	3	8	8	7	1	1	-	-	-
Male.....	3	9	5	-	4	5	4	1	-	-	-	-
Female.....	1	4	2	3	4	3	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	113	126	91	56	76	74	42	28	4	3	1	-
Male.....	89	88	68	38	40	37	16	12	1	-	-	-
Female.....	24	38	23	18	36	37	26	16	3	3	1	-
White, both sexes.....	90	94	75	47	62	64	36	19	2	3	1	-
Male.....	70	66	56	31	35	34	12	9	-	-	-	-
Female.....	20	28	19	16	27	30	24	10	2	3	1	-
Black, both sexes.....	23	29	15	8	13	9	5	8	2	-	-	-
Male.....	19	20	11	7	4	3	4	3	1	-	-	-
Female.....	4	9	4	1	9	6	1	5	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	1	1	1	1	1	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Alcoholic liver disease (K70)

Arkansas

All races, both sexes.....	83	-	-	-	-	-	-	-	5	3	10	15
Male.....	63	-	-	-	-	-	-	-	3	3	5	12
Female.....	20	-	-	-	-	-	-	-	2	-	5	3
White, both sexes.....	75	-	-	-	-	-	-	-	5	3	10	13
Male.....	59	-	-	-	-	-	-	-	3	3	5	11
Female.....	16	-	-	-	-	-	-	-	2	-	5	2
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2,718	-	-	-	-	-	3	10	48	98	232	419
Male.....	1,982	-	-	-	-	-	1	9	30	70	149	306
Female.....	736	-	-	-	-	-	2	1	18	28	83	113
White, both sexes.....	2,436	-	-	-	-	-	2	9	42	88	206	367
Male.....	1,783	-	-	-	-	-	1	8	28	64	134	268
Female.....	653	-	-	-	-	-	1	1	14	24	72	99
Black, both sexes.....	153	-	-	-	-	-	1	1	1	5	12	28
Male.....	101	-	-	-	-	-	-	1	1	3	6	18
Female.....	52	-	-	-	-	-	1	-	-	2	6	10
American Indian 1/, both sexes.....	44	-	-	-	-	-	-	-	4	2	4	8
Male.....	29	-	-	-	-	-	-	-	1	1	2	7
Female.....	15	-	-	-	-	-	-	-	3	1	2	1
Asian or Pacific Islander 2/, both sexes.....	85	-	-	-	-	-	-	-	1	3	10	16
Male.....	69	-	-	-	-	-	-	-	-	2	7	13
Female.....	16	-	-	-	-	-	-	-	1	1	3	3



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alcoholic liver disease (K70)

Arkansas

All races, both sexes.....	18	13	7	8	2	1	1	-	-	-	-	-
Male.....	15	10	5	6	2	1	1	-	-	-	-	-
Female.....	3	3	2	2	-	-	-	-	-	-	-	-
White, both sexes.....	15	11	6	8	2	1	1	-	-	-	-	-
Male.....	14	9	4	6	2	1	1	-	-	-	-	-
Female.....	1	2	2	2	-	-	-	-	-	-	-	-
Black, both sexes.....	3	2	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	517	474	307	215	162	129	68	30	4	2	-	-
Male.....	390	351	236	156	121	96	46	18	2	1	-	-
Female.....	127	123	71	59	41	33	22	12	2	1	-	-
White, both sexes.....	474	434	267	188	143	117	65	30	3	1	-	-
Male.....	356	321	207	138	108	87	43	18	1	1	-	-
Female.....	118	113	60	50	35	30	22	12	2	-	-	-
Black, both sexes.....	25	18	25	18	9	8	2	-	-	-	-	-
Male.....	17	12	18	12	5	6	2	-	-	-	-	-
Female.....	8	6	7	6	4	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	9	2	5	4	1	1	-	-	-	-	-
Male.....	4	6	2	3	2	-	1	-	-	-	-	-
Female.....	-	3	-	2	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	13	13	4	6	3	-	-	1	1	-	-
Male.....	13	12	9	3	6	3	-	-	1	-	-	-
Female.....	1	1	4	1	-	-	-	-	-	1	-	-



















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Chronic hepatitis, not elsewhere classified (K73)

Nebraska

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic hepatitis, not elsewhere classified (K73)

United States

All races, both sexes.....	19	17	5	9	8	11	6	7	2	1	-	-
Male.....	13	13	4	4	2	7	-	2	2	-	-	-
Female.....	6	4	1	5	6	4	6	5	-	1	-	-
White, both sexes.....	13	15	5	7	7	8	6	6	2	1	-	-
Male.....	8	12	4	4	2	6	-	2	2	-	-	-
Female.....	5	3	1	3	5	2	6	4	-	1	-	-
Black, both sexes.....	4	2	-	1	-	1	-	1	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	1	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-

Alabama

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic hepatitis, not elsewhere classified (K73)

Arkansas

All races, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	2	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	1	-	3	-	1	1	-	1	1	-	-
Male.....	4	-	-	2	-	-	-	-	1	-	-	-
Female.....	2	1	-	1	-	1	1	-	-	1	-	-
White, both sexes.....	4	1	-	2	-	-	1	-	1	1	-	-
Male.....	3	-	-	2	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Fibrosis and cirrhosis of liver (K74)

Oregon

All races, both sexes.....	132	-	-	-	-	-	-	1	-	3	2	12
Male.....	65	-	-	-	-	-	-	1	-	1	1	9
Female.....	67	-	-	-	-	-	-	-	-	2	1	3
White, both sexes.....	124	-	-	-	-	-	-	-	-	3	2	10
Male.....	60	-	-	-	-	-	-	-	-	1	1	8
Female.....	64	-	-	-	-	-	-	-	-	2	1	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	747	1	-	-	-	-	-	-	3	3	25	75
Male.....	440	-	-	-	-	-	-	-	2	3	18	59
Female.....	307	1	-	-	-	-	-	-	1	-	7	16
White, both sexes.....	687	-	-	-	-	-	-	-	2	3	23	65
Male.....	405	-	-	-	-	-	-	-	2	3	17	53
Female.....	282	-	-	-	-	-	-	-	-	-	6	12
Black, both sexes.....	55	1	-	-	-	-	-	-	-	-	2	10
Male.....	32	-	-	-	-	-	-	-	-	-	1	6
Female.....	23	1	-	-	-	-	-	-	-	-	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Alaska

All races, both sexes.....	3	3	2	-	2	-	2	-	-	-	-	-
Male.....	2	1	-	-	1	-	1	-	-	-	-	-
Female.....	1	2	2	-	1	-	1	-	-	-	-	-
White, both sexes.....	3	3	1	-	2	-	2	-	-	-	-	-
Male.....	2	1	-	-	1	-	1	-	-	-	-	-
Female.....	1	2	1	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	35	34	30	34	33	32	25	24	8	1	-	-
Male.....	25	25	12	10	15	11	8	7	3	1	-	-
Female.....	10	9	18	24	18	21	17	17	5	-	-	-
White, both sexes.....	33	31	26	31	31	29	24	19	8	1	-	-
Male.....	25	22	11	10	15	10	7	6	3	1	-	-
Female.....	8	9	15	21	16	19	17	13	5	-	-	-
Black, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	4	2	2	1	-	4	-	-	-	-
Male.....	-	3	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	3	2	2	-	-	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Arkansas

All races, both sexes.....	21	21	25	16	19	14	10	12	2	1	-	-
Male.....	15	13	19	12	12	8	6	5	1	-	-	-
Female.....	6	8	6	4	7	6	4	7	1	1	-	-
White, both sexes.....	19	12	24	15	16	13	10	12	1	1	-	-
Male.....	13	8	18	11	10	8	6	5	1	-	-	-
Female.....	6	4	6	4	6	5	4	7	-	1	-	-
Black, both sexes.....	-	8	1	1	3	1	-	-	1	-	-	-
Male.....	-	4	1	1	2	-	-	-	-	-	-	-
Female.....	-	4	-	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	133	125	118	119	115	150	118	60	17	2	-	1
Male.....	96	80	62	56	56	52	48	29	5	-	-	-
Female.....	37	45	56	63	59	98	70	31	12	2	-	1
White, both sexes.....	110	104	93	108	96	124	102	51	15	2	-	1
Male.....	77	63	46	52	47	44	42	23	5	-	-	-
Female.....	33	41	47	56	49	80	60	28	10	2	-	1
Black, both sexes.....	12	16	11	2	3	4	1	2	-	-	-	-
Male.....	9	12	8	2	1	1	-	1	-	-	-	-
Female.....	3	4	3	-	2	3	1	1	-	-	-	-
American Indian 1/, both sexes.....	3	1	2	4	3	2	-	-	-	-	-	-
Male.....	2	1	-	1	3	-	-	-	-	-	-	-
Female.....	1	-	2	3	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	4	12	5	13	20	15	7	2	-	-	-
Male.....	8	4	8	1	5	7	6	5	-	-	-	-
Female.....	-	-	4	4	8	13	9	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Colorado

All races, both sexes.....	25	17	16	16	24	19	19	18	2	-	-	-
Male.....	17	11	9	11	8	9	5	6	-	-	-	-
Female.....	8	6	7	5	16	10	14	12	2	-	-	-
White, both sexes.....	22	17	15	16	22	17	19	18	2	-	-	-
Male.....	14	11	8	11	8	8	5	6	-	-	-	-
Female.....	8	6	7	5	14	9	14	12	2	-	-	-
Black, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-
Male.....	3	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Connecticut

All races, both sexes.....	21	15	18	12	21	24	19	10	1	1	-	-
Male.....	11	9	8	10	11	16	11	5	1	-	-	-
Female.....	10	6	10	2	10	8	8	5	-	1	-	-
White, both sexes.....	20	15	16	11	21	22	18	9	1	1	-	-
Male.....	11	9	7	10	11	14	11	4	1	-	-	-
Female.....	9	6	9	1	10	8	7	5	-	1	-	-
Black, both sexes.....	1	-	2	1	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Maine

All races, both sexes.....	8	6	6	9	18	18	4	2	1	-	-	-
Male.....	5	5	5	3	7	13	-	2	-	-	-	-
Female.....	3	1	1	6	11	5	4	-	1	-	-	-
White, both sexes.....	8	6	6	9	18	18	4	1	1	-	-	-
Male.....	5	5	5	3	7	13	-	1	-	-	-	-
Female.....	3	1	1	6	11	5	4	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	34	34	24	23	29	20	31	11	3	-	-	-
Male.....	22	27	18	12	14	12	16	8	1	-	-	-
Female.....	12	7	6	11	15	8	15	3	2	-	-	-
White, both sexes.....	23	22	16	17	26	18	28	11	2	-	-	-
Male.....	15	19	12	8	12	11	15	8	-	-	-	-
Female.....	8	3	4	9	14	7	13	3	2	-	-	-
Black, both sexes.....	11	12	8	5	3	2	1	-	1	-	-	-
Male.....	7	8	6	3	2	1	-	-	1	-	-	-
Female.....	4	4	2	2	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Massachusetts

All races, both sexes.....	48	47	33	31	39	43	38	17	7	1	-	-
Male.....	33	33	27	17	23	26	14	12	1	-	-	-
Female.....	15	14	6	14	16	17	24	5	6	1	-	-
White, both sexes.....	46	43	33	28	39	42	38	17	7	1	-	-
Male.....	33	29	27	16	23	25	14	12	1	-	-	-
Female.....	13	14	6	12	16	17	24	5	6	1	-	-
Black, both sexes.....	2	3	-	1	-	1	-	-	-	-	-	-
Male.....	-	3	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	81	73	60	53	72	50	48	25	6	-	-	-
Male.....	63	55	32	34	42	28	22	15	3	-	-	-
Female.....	18	18	28	19	30	22	26	10	3	-	-	-
White, both sexes.....	62	61	47	44	64	48	47	23	6	-	-	-
Male.....	50	45	25	29	38	27	21	15	3	-	-	-
Female.....	12	16	22	15	26	21	26	8	3	-	-	-
Black, both sexes.....	18	11	12	8	7	2	-	1	-	-	-	-
Male.....	12	10	7	4	4	1	-	-	-	-	-	-
Female.....	6	1	5	4	3	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Nebraska

All races, both sexes.....	4	4	5	3	7	9	5	4	3	-	-	-
Male.....	4	4	3	2	5	6	4	2	1	-	-	-
Female.....	-	-	2	1	2	3	1	2	2	-	-	-
White, both sexes.....	4	3	5	3	7	7	5	4	3	-	-	-
Male.....	4	3	3	2	5	4	4	2	1	-	-	-
Female.....	-	-	2	1	2	3	1	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	32	22	25	16	17	14	8	7	1	-	-	-
Male.....	22	11	20	13	10	9	3	4	-	-	-	-
Female.....	10	11	5	3	7	5	5	3	1	-	-	-
White, both sexes.....	26	21	24	14	16	13	8	6	1	-	-	-
Male.....	17	11	19	12	10	8	3	3	-	-	-	-
Female.....	9	10	5	2	6	5	5	3	1	-	-	-
Black, both sexes.....	6	1	1	-	-	1	-	-	-	-	-	-
Male.....	5	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

New Hampshire

All races, both sexes.....	7	4	2	3	6	14	3	-	1	-	-	-
Male.....	6	3	1	2	2	4	2	-	-	-	-	-
Female.....	1	1	1	1	4	10	1	-	1	-	-	-
White, both sexes.....	7	4	2	3	6	14	3	-	1	-	-	-
Male.....	6	3	1	2	2	4	2	-	-	-	-	-
Female.....	1	1	1	1	4	10	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	49	57	43	45	48	58	51	19	5	2	-	-
Male.....	34	44	28	22	28	32	25	7	3	-	-	-
Female.....	15	13	15	23	20	26	26	12	2	2	-	-
White, both sexes.....	38	52	36	39	43	53	47	18	5	2	-	-
Male.....	27	42	25	18	25	29	23	6	3	-	-	-
Female.....	11	10	11	21	18	24	24	12	2	2	-	-
Black, both sexes.....	11	4	5	5	4	4	3	1	-	-	-	-
Male.....	7	2	2	4	3	3	2	1	-	-	-	-
Female.....	4	2	3	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

New Mexico

All races, both sexes.....	19	17	19	13	9	13	12	6	1	1	-	-
Male.....	13	11	14	5	3	5	2	-	1	-	-	-
Female.....	6	6	5	8	6	8	10	6	-	1	-	-
White, both sexes.....	16	16	17	11	9	12	9	5	1	1	-	-
Male.....	10	11	13	5	3	5	2	-	1	-	-	-
Female.....	6	5	4	6	6	7	7	5	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	2	2	-	1	3	1	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	2	-	1	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	71	86	60	77	61	89	63	36	10	1	-	-
Male.....	51	67	38	43	32	41	28	11	6	-	-	-
Female.....	20	19	22	34	29	48	35	25	4	1	-	-
White, both sexes.....	49	65	52	68	59	79	58	33	8	1	-	-
Male.....	35	53	32	37	31	33	26	10	4	-	-	-
Female.....	14	12	20	31	28	46	32	23	4	1	-	-
Black, both sexes.....	20	20	5	7	1	5	3	3	-	-	-	-
Male.....	14	13	3	5	-	5	2	1	-	-	-	-
Female.....	6	7	2	2	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	3	2	1	3	2	-	2	-	-	-
Male.....	2	-	3	1	1	2	-	-	2	-	-	-
Female.....	-	-	-	1	-	1	2	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fibrosis and cirrhosis of liver (K74)

Oregon

All races, both sexes.....	13	15	19	11	17	16	16	6	1	-	-	-
Male.....	9	10	8	5	6	7	4	3	1	-	-	-
Female.....	4	5	11	6	11	9	12	3	-	-	-	-
White, both sexes.....	12	15	18	10	17	15	15	6	1	-	-	-
Male.....	8	10	7	4	6	7	4	3	1	-	-	-
Female.....	4	5	11	6	11	8	11	3	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Pennsylvania

All races, both sexes.....	74	99	61	72	91	95	94	40	12	2	-	-
Male.....	53	76	33	40	52	45	39	16	4	-	-	-
Female.....	21	23	28	32	39	50	55	24	8	2	-	-
White, both sexes.....	64	85	55	69	87	92	90	38	12	2	-	-
Male.....	47	68	29	37	48	43	38	16	4	-	-	-
Female.....	17	17	26	32	39	49	52	22	8	2	-	-
Black, both sexes.....	9	13	5	3	4	3	3	2	-	-	-	-
Male.....	5	7	3	3	4	2	1	-	-	-	-	-
Female.....	4	6	2	-	-	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	1	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Rhode Island

All races, both sexes.....	4	4	4	6	6	7	8	3	1	-	1	-
Male.....	3	1	2	4	4	4	4	2	-	-	-	-
Female.....	1	3	2	2	2	3	4	1	1	-	1	-
White, both sexes.....	4	4	4	5	6	6	8	3	1	-	1	-
Male.....	3	1	2	4	4	4	4	2	-	-	-	-
Female.....	1	3	2	1	2	2	4	1	1	-	1	-
Black, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	38	40	28	39	28	25	26	12	3	-	-	-
Male.....	28	32	20	21	15	10	15	6	1	-	-	-
Female.....	10	8	8	18	13	15	11	6	2	-	-	-
White, both sexes.....	28	35	24	35	23	24	24	10	3	-	-	-
Male.....	20	29	18	18	13	9	15	4	1	-	-	-
Female.....	8	6	6	17	10	15	9	6	2	-	-	-
Black, both sexes.....	10	5	4	4	4	1	1	2	-	-	-	-
Male.....	8	3	2	3	2	1	-	2	-	-	-	-
Female.....	2	2	2	1	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fibrosis and cirrhosis of liver (K74)

Vermont

All races, both sexes.....	-	1	3	1	4	5	5	-	-	-	-	-
Male.....	-	-	3	-	2	3	4	-	-	-	-	-
Female.....	-	1	-	1	2	2	1	-	-	-	-	-
White, both sexes.....	-	1	3	1	4	5	5	-	-	-	-	-
Male.....	-	-	3	-	2	3	4	-	-	-	-	-
Female.....	-	1	-	1	2	2	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	58	57	46	32	42	43	25	17	2	1	1	-
Male.....	41	38	31	21	22	17	8	7	-	-	-	-
Female.....	17	19	15	11	20	26	17	10	2	1	1	-
White, both sexes.....	45	42	37	27	37	37	23	14	1	1	1	-
Male.....	31	29	24	16	19	16	8	6	-	-	-	-
Female.....	14	13	13	11	18	21	15	8	1	1	1	-
Black, both sexes.....	13	14	8	5	4	6	1	3	1	-	-	-
Male.....	10	8	6	5	2	1	-	1	-	-	-	-
Female.....	3	6	2	-	2	5	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of liver (K71-K72,K75-K76)

Delaware

All races, both sexes.....	38	-	-	-	-	-	-	-	2	4	1	2
Male.....	23	-	-	-	-	-	-	-	1	4	1	1
Female.....	15	-	-	-	-	-	-	-	1	-	-	1
White, both sexes.....	36	-	-	-	-	-	-	-	2	4	1	1
Male.....	23	-	-	-	-	-	-	-	1	4	1	1
Female.....	13	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	23	-	-	-	-	-	-	-	1	1	3	2
Male.....	13	-	-	-	-	-	-	-	-	-	1	2
Female.....	10	-	-	-	-	-	-	-	1	1	2	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	-	-	-	1	2	2
Male.....	10	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of liver (K71-K72,K75-K76)

Oregon

All races, both sexes.....	100	-	-	1	-	-	-	-	2	1	5	11
Male.....	51	-	-	-	-	-	-	-	1	1	3	5
Female.....	49	-	-	1	-	-	-	-	1	-	2	6
White, both sexes.....	93	-	-	-	-	-	-	-	2	1	5	10
Male.....	49	-	-	-	-	-	-	-	1	1	3	5
Female.....	44	-	-	-	-	-	-	-	1	-	2	5
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	586	4	1	1	-	2	1	4	2	22	28	54
Male.....	345	2	1	1	-	1	-	1	2	16	13	39
Female.....	241	2	-	-	-	1	1	3	-	6	15	15
White, both sexes.....	490	3	1	1	-	1	1	4	2	18	23	45
Male.....	287	2	1	1	-	1	-	1	2	13	12	33
Female.....	203	1	-	-	-	-	1	3	-	5	11	12
Black, both sexes.....	87	1	-	-	-	1	-	-	-	3	5	9
Male.....	53	-	-	-	-	-	-	-	-	3	1	6
Female.....	34	1	-	-	-	1	-	-	-	-	4	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other diseases of liver (K71-K72,K75-K76)

Vermont

All races, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	249	2	1	-	-	-	-	5	2	12	15	27
Male.....	155	-	-	-	-	-	-	5	1	6	9	16
Female.....	94	2	1	-	-	-	-	-	1	6	6	11
White, both sexes.....	182	2	1	-	-	-	-	4	1	8	8	19
Male.....	117	-	-	-	-	-	-	4	1	6	5	11
Female.....	65	2	1	-	-	-	-	-	-	2	3	8
Black, both sexes.....	57	-	-	-	-	-	-	1	1	3	6	4
Male.....	33	-	-	-	-	-	-	1	-	-	3	2
Female.....	24	-	-	-	-	-	-	-	1	3	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	-	-	1	-	3
Male.....	4	-	-	-	-	-	-	-	-	-	-	3
Female.....	4	-	-	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of liver (K71-K72,K75-K76)

Arkansas

All races, both sexes.....	15	8	12	11	8	8	15	6	2	-	-	-
Male.....	9	4	8	8	5	5	7	2	-	-	-	-
Female.....	6	4	4	3	3	3	8	4	2	-	-	-
White, both sexes.....	13	8	11	8	6	7	14	6	2	-	-	-
Male.....	8	4	7	6	3	5	7	2	-	-	-	-
Female.....	5	4	4	2	3	2	7	4	2	-	-	-
Black, both sexes.....	2	-	-	3	1	1	1	-	-	-	-	-
Male.....	1	-	-	2	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	109	123	97	78	68	64	57	21	14	4	1	-
Male.....	73	75	54	41	35	29	27	7	6	1	1	-
Female.....	36	48	43	37	33	35	30	14	8	3	-	-
White, both sexes.....	98	109	72	72	58	53	49	18	14	2	1	-
Male.....	66	68	43	39	32	25	23	6	6	-	1	-
Female.....	32	41	29	33	26	28	26	12	8	2	-	-
Black, both sexes.....	7	11	10	2	4	5	-	1	-	1	-	-
Male.....	5	6	4	1	2	3	-	-	-	1	-	-
Female.....	2	5	6	1	2	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	1	4	-	1	-	1	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	2	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	11	4	5	6	7	2	-	1	-	-
Male.....	-	1	5	1	1	1	4	1	-	-	-	-
Female.....	2	1	6	3	4	5	3	1	-	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Florida

All races, both sexes.....	64	82	64	52	59	53	48	30	11	2	-	-
Male.....	43	63	44	29	29	26	21	11	4	2	-	-
Female.....	21	19	20	23	30	27	27	19	7	-	-	-
White, both sexes.....	54	76	56	49	49	50	45	27	9	2	-	-
Male.....	38	57	40	26	25	24	19	10	4	2	-	-
Female.....	16	19	16	23	24	26	26	17	5	-	-	-
Black, both sexes.....	10	6	8	3	8	3	2	3	2	-	-	-
Male.....	5	6	4	3	4	2	2	1	-	-	-	-
Female.....	5	-	4	-	4	1	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	49	50	39	36	46	26	14	14	7	3	-	-
Male.....	29	41	25	14	24	8	6	7	1	1	-	-
Female.....	20	9	14	22	22	18	8	7	6	2	-	-
White, both sexes.....	32	34	33	27	36	23	13	11	5	3	-	-
Male.....	18	27	20	11	19	7	6	6	1	1	-	-
Female.....	14	7	13	16	17	16	7	5	4	2	-	-
Black, both sexes.....	16	15	6	9	9	3	1	3	2	-	-	-
Male.....	10	13	5	3	5	1	-	1	-	-	-	-
Female.....	6	2	1	6	4	2	1	2	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Iowa

All races, both sexes.....	6	4	5	7	5	6	4	5	4	2	-	-
Male.....	2	2	2	3	1	2	2	2	-	-	-	-
Female.....	4	2	3	4	4	4	2	3	4	2	-	-
White, both sexes.....	4	4	3	7	5	5	4	5	4	2	-	-
Male.....	1	2	1	3	1	1	2	2	-	-	-	-
Female.....	3	2	2	4	4	4	2	3	4	2	-	-
Black, both sexes.....	1	-	2	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	19	14	10	7	8	12	4	9	3	2	-	-
Male.....	15	9	6	6	2	6	2	1	3	2	-	-
Female.....	4	5	4	1	6	6	2	8	-	-	-	-
White, both sexes.....	18	12	8	6	7	10	4	9	3	2	-	-
Male.....	14	8	5	5	1	5	2	1	3	2	-	-
Female.....	4	4	3	1	6	5	2	8	-	-	-	-
Black, both sexes.....	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Maine

All races, both sexes.....	5	11	7	7	3	4	3	1	2	-	-	-
Male.....	4	9	4	3	2	2	1	-	1	-	-	-
Female.....	1	2	3	4	1	2	2	1	1	-	-	-
White, both sexes.....	5	11	7	7	3	4	3	1	2	-	-	-
Male.....	4	9	4	3	2	2	1	-	1	-	-	-
Female.....	1	2	3	4	1	2	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	17	21	17	14	18	14	17	4	1	1	-	-
Male.....	7	11	10	6	9	8	8	2	-	-	-	-
Female.....	10	10	7	8	9	6	9	2	1	1	-	-
White, both sexes.....	10	13	13	7	14	10	13	4	1	1	-	-
Male.....	4	6	7	2	8	8	5	2	-	-	-	-
Female.....	6	7	6	5	6	2	8	2	1	1	-	-
Black, both sexes.....	6	8	4	7	4	4	3	-	-	-	-	-
Male.....	2	5	3	4	1	-	3	-	-	-	-	-
Female.....	4	3	1	3	3	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of liver (K71-K72,K75-K76)

New Hampshire

All races, both sexes.....	3	3	4	8	1	1	4	1	-	-	-	-
Male.....	3	2	2	5	1	1	1	1	-	-	-	-
Female.....	-	1	2	3	-	-	3	-	-	-	-	-
White, both sexes.....	3	3	4	8	1	1	4	1	-	-	-	-
Male.....	3	2	2	5	1	1	1	1	-	-	-	-
Female.....	-	1	2	3	-	-	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	34	52	44	19	28	20	27	15	9	-	-	-
Male.....	22	35	32	13	16	10	14	4	4	-	-	-
Female.....	12	17	12	6	12	10	13	11	5	-	-	-
White, both sexes.....	27	42	36	17	17	15	25	14	9	-	-	-
Male.....	18	29	26	13	10	8	12	4	4	-	-	-
Female.....	9	13	10	4	7	7	13	10	5	-	-	-
Black, both sexes.....	7	8	7	2	9	4	2	1	-	-	-	-
Male.....	4	5	5	-	5	2	2	-	-	-	-	-
Female.....	3	3	2	2	4	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	2	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other diseases of liver (K71-K72,K75-K76)

Oregon

All races, both sexes.....	15	8	12	13	14	5	9	1	3	-	-	-
Male.....	12	5	6	6	5	2	4	1	-	-	-	-
Female.....	3	3	6	7	9	3	5	-	3	-	-	-
White, both sexes.....	14	7	12	12	12	5	9	1	3	-	-	-
Male.....	11	5	6	6	4	2	4	1	-	-	-	-
Female.....	3	2	6	6	8	3	5	-	3	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	71	91	75	45	44	51	52	23	11	3	-	1
Male.....	54	62	44	21	21	31	22	10	4	-	-	-
Female.....	17	29	31	24	23	20	30	13	7	3	-	1
White, both sexes.....	56	69	59	39	37	46	49	22	10	3	-	1
Male.....	44	46	33	19	16	28	22	9	4	-	-	-
Female.....	12	23	26	20	21	18	27	13	6	3	-	1
Black, both sexes.....	12	21	15	5	7	3	3	1	1	-	-	-
Male.....	7	15	11	2	5	2	-	1	-	-	-	-
Female.....	5	6	4	3	2	1	3	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	-	2	-	-	-	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of liver (K71-K72,K75-K76)

Vermont

All races, both sexes.....	-	3	2	1	2	1	2	-	1	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	2	1	2	-	1	-	-	-
White, both sexes.....	-	3	2	1	2	1	2	-	1	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	2	1	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	33	37	26	15	24	22	15	9	2	2	-	-
Male.....	28	26	20	10	11	12	7	3	1	-	-	-
Female.....	5	11	6	5	13	10	8	6	1	2	-	-
White, both sexes.....	27	26	20	14	15	19	11	4	1	2	-	-
Male.....	23	17	16	9	9	11	3	2	-	-	-	-
Female.....	4	9	4	5	6	8	8	2	1	2	-	-
Black, both sexes.....	6	9	6	1	9	2	4	4	1	-	-	-
Male.....	5	8	4	1	2	1	4	1	1	-	-	-
Female.....	1	1	2	-	7	1	-	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	1	-	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Arkansas												
All races, both sexes.....	-	-	3	-	2	9	4	6	4	1	-	-
Male.....	-	-	1	-	2	2	2	3	1	-	-	-
Female.....	-	-	2	-	-	7	2	3	3	1	-	-
White, both sexes.....	-	-	3	-	2	8	4	5	4	1	-	-
Male.....	-	-	1	-	2	1	2	2	1	-	-	-
Female.....	-	-	2	-	-	7	2	3	3	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California												
All races, both sexes.....	10	16	15	28	48	51	64	57	50	17	1	-
Male.....	9	8	6	19	26	27	30	21	12	5	-	-
Female.....	1	8	9	9	22	24	34	36	38	12	1	-
White, both sexes.....	6	12	11	18	36	43	53	49	44	13	-	-
Male.....	5	5	4	13	21	23	24	17	11	4	-	-
Female.....	1	7	7	5	15	20	29	32	33	9	-	-
Black, both sexes.....	3	3	1	5	4	3	3	2	2	2	1	-
Male.....	3	2	1	1	1	2	-	2	1	-	-	-
Female.....	-	1	-	4	3	1	3	-	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	4	8	5	8	6	4	2	-	-
Male.....	1	1	1	4	4	2	6	2	-	1	-	-
Female.....	-	-	2	-	4	3	2	4	4	1	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

New Hampshire

All races, both sexes.....	1	-	1	1	4	2	3	2	2	-	-	-
Male.....	1	-	1	1	3	2	1	-	2	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-
White, both sexes.....	1	-	1	1	4	2	3	2	2	-	-	-
Male.....	1	-	1	1	3	2	1	-	2	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	3	4	3	5	13	26	16	17	-	-	-
Male.....	1	1	1	3	2	8	16	4	4	-	-	-
Female.....	1	2	3	-	3	5	10	12	13	-	-	-
White, both sexes.....	1	2	4	3	3	9	24	15	17	-	-	-
Male.....	1	-	1	3	2	8	16	3	4	-	-	-
Female.....	-	2	3	-	1	1	8	12	13	-	-	-
Black, both sexes.....	1	1	-	-	2	4	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	2	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

New Mexico

All races, both sexes.....	-	-	2	2	1	5	2	1	-	3	1	-
Male.....	-	-	-	-	1	3	-	-	-	2	-	-
Female.....	-	-	2	2	-	2	2	1	-	1	1	-
White, both sexes.....	-	-	1	1	1	5	1	1	-	2	1	-
Male.....	-	-	-	-	1	3	-	-	-	2	-	-
Female.....	-	-	1	1	-	2	1	1	-	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	6	4	12	13	10	25	25	36	25	7	2	-
Male.....	3	1	3	8	6	13	10	10	8	-	1	-
Female.....	3	3	9	5	4	12	15	26	17	7	1	-
White, both sexes.....	2	3	8	9	9	22	22	29	22	7	2	-
Male.....	1	1	-	6	6	10	9	10	8	-	1	-
Female.....	1	2	8	3	3	12	13	19	14	7	1	-
Black, both sexes.....	4	-	4	2	1	2	5	1	-	-	-	-
Male.....	2	-	3	1	-	1	1	-	-	-	-	-
Female.....	2	-	1	1	1	-	5	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	2	1	2	2	-	-	-
Male.....	-	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	1	2	2	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

Ohio

All races, both sexes.....	2	4	11	7	11	20	32	29	12	6	1	-
Male.....	1	2	6	3	5	10	16	12	1	1	-	-
Female.....	1	2	5	4	6	10	16	17	11	5	1	-
White, both sexes.....	1	4	8	5	11	18	31	29	9	6	1	-
Male.....	-	2	5	2	5	9	15	12	1	1	-	-
Female.....	1	2	3	3	6	9	16	17	8	5	1	-
Black, both sexes.....	1	-	3	2	-	2	1	-	3	-	-	-
Male.....	1	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	2	1	-	1	-	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	1	2	2	4	2	7	8	7	9	1	1	-
Male.....	1	1	1	3	1	3	5	3	2	-	1	-
Female.....	-	1	1	1	1	4	3	4	7	1	-	-
White, both sexes.....	1	1	2	2	2	7	5	6	8	1	1	-
Male.....	1	-	1	2	1	3	3	3	2	-	1	-
Female.....	-	1	1	-	1	4	2	3	6	1	-	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	1	1	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-











































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of biliary tract and pancreas (K83-K86)

United States

All races, both sexes.....	307	336	384	385	442	567	621	575	388	139	22	-
Male.....	217	221	238	258	274	281	272	198	84	26	5	-
Female.....	90	115	146	127	168	286	349	377	304	113	17	-
White, both sexes.....	237	257	326	328	382	510	562	515	349	126	20	-
Male.....	165	172	196	226	238	253	247	185	76	23	4	-
Female.....	72	85	130	102	144	257	315	330	273	103	16	-
Black, both sexes.....	62	73	51	46	49	39	41	46	28	10	-	-
Male.....	47	47	39	26	30	17	18	9	4	1	-	-
Female.....	15	26	12	20	19	22	23	37	24	9	-	-
American Indian 1/, both sexes.....	3	1	3	4	1	3	2	2	3	-	-	-
Male.....	2	-	2	2	1	2	1	-	1	-	-	-
Female.....	1	1	1	2	-	1	1	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	4	7	10	15	16	12	8	3	2	-
Male.....	3	2	1	4	5	9	6	4	3	2	1	-
Female.....	2	3	3	3	5	6	10	8	5	1	1	-

Alabama

All races, both sexes.....	10	4	8	11	11	5	11	11	9	1	-	-
Male.....	5	2	5	6	7	3	6	1	4	-	-	-
Female.....	5	2	3	5	4	2	5	10	5	1	-	-
White, both sexes.....	7	1	5	6	10	5	11	7	9	1	-	-
Male.....	3	-	2	5	6	3	6	-	4	-	-	-
Female.....	4	1	3	1	4	2	5	7	5	1	-	-
Black, both sexes.....	3	3	3	5	1	-	-	3	-	-	-	-
Male.....	2	2	3	1	1	-	-	1	-	-	-	-
Female.....	1	1	-	4	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Arkansas

All races, both sexes.....	1	3	9	9	6	7	3	3	3	3	-	-
Male.....	1	2	7	7	5	3	2	1	-	-	-	-
Female.....	-	1	2	2	1	4	1	2	3	3	-	-
White, both sexes.....	-	2	9	8	5	5	3	3	3	2	-	-
Male.....	-	1	7	7	5	2	2	1	-	-	-	-
Female.....	-	1	2	1	-	3	1	2	3	2	-	-
Black, both sexes.....	1	1	-	1	1	2	-	-	-	1	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	25	33	28	35	39	54	66	46	27	15	1	-
Male.....	17	21	15	20	21	22	23	20	9	5	-	-
Female.....	8	12	13	15	18	32	43	26	18	10	1	-
White, both sexes.....	19	28	26	30	33	40	53	44	22	11	1	-
Male.....	13	18	14	17	18	13	20	18	6	4	-	-
Female.....	6	10	12	13	15	27	33	26	16	7	1	-
Black, both sexes.....	5	3	2	2	3	3	2	-	1	2	-	-
Male.....	4	3	1	2	2	2	-	-	-	-	-	-
Female.....	1	-	1	-	1	1	2	-	1	2	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	3	11	11	2	4	2	-	-
Male.....	-	-	-	1	1	7	3	2	3	1	-	-
Female.....	-	2	-	1	2	4	8	-	1	1	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Florida

All races, both sexes.....	17	28	28	21	34	42	40	34	20	7	2	-
Male.....	13	18	15	15	24	20	19	8	6	3	1	-
Female.....	4	10	13	6	10	22	21	26	14	4	1	-
White, both sexes.....	15	24	24	18	31	42	38	31	20	7	2	-
Male.....	13	15	12	13	22	20	17	8	6	3	1	-
Female.....	2	9	12	5	9	22	21	23	14	4	1	-
Black, both sexes.....	2	4	4	3	3	-	2	3	-	-	-	-
Male.....	-	3	3	2	2	-	2	-	-	-	-	-
Female.....	2	1	1	1	1	-	-	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	9	6	15	12	16	13	20	14	8	4	-	-
Male.....	5	4	12	9	12	7	7	6	1	1	-	-
Female.....	4	2	3	3	4	6	13	8	7	3	-	-
White, both sexes.....	5	3	7	9	9	12	13	10	7	3	-	-
Male.....	2	2	6	7	7	6	5	4	1	1	-	-
Female.....	3	1	1	2	2	6	8	6	6	2	-	-
Black, both sexes.....	4	3	7	3	6	1	6	4	1	1	-	-
Male.....	3	2	6	2	4	1	2	2	-	-	-	-
Female.....	1	1	1	1	2	-	4	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

Massachusetts

All races, both sexes.....	4	3	5	17	8	11	11	29	9	3	1	-
Male.....	4	3	3	11	4	7	3	12	1	-	1	-
Female.....	-	-	2	6	4	4	8	17	8	3	-	-
White, both sexes.....	3	3	5	16	8	11	10	29	9	3	1	-
Male.....	3	3	3	10	4	7	3	12	1	-	1	-
Female.....	-	-	2	6	4	4	7	17	8	3	-	-
Black, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	11	15	16	12	13	20	27	19	16	7	-	-
Male.....	7	12	13	8	8	8	16	6	2	3	-	-
Female.....	4	3	3	4	5	12	11	13	14	4	-	-
White, both sexes.....	8	10	12	12	13	17	25	16	15	5	-	-
Male.....	5	9	9	8	8	8	15	6	2	3	-	-
Female.....	3	1	3	4	5	9	10	10	13	2	-	-
Black, both sexes.....	2	5	4	-	-	1	2	3	1	2	-	-
Male.....	2	3	4	-	-	-	1	-	-	-	-	-
Female.....	-	2	-	-	-	1	1	3	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of biliary tract and pancreas (K83-K86)

New Hampshire

All races, both sexes.....	-	2	-	-	1	2	5	1	3	1	-	-
Male.....	-	1	-	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	-	1	3	1	3	1	-	-
White, both sexes.....	-	2	-	-	1	2	5	1	3	1	-	-
Male.....	-	1	-	-	1	1	2	-	-	-	-	-
Female.....	-	1	-	-	-	1	3	1	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	8	8	7	9	13	13	21	15	12	6	-	-
Male.....	7	5	6	8	6	7	11	3	1	-	-	-
Female.....	1	3	1	1	7	6	10	12	11	6	-	-
White, both sexes.....	5	6	6	6	13	13	18	12	10	6	-	-
Male.....	4	3	5	6	6	7	8	3	1	-	-	-
Female.....	1	3	1	-	7	6	10	9	9	6	-	-
Black, both sexes.....	3	2	1	3	-	-	1	2	1	-	-	-
Male.....	3	2	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of biliary tract and pancreas (K83-K86)

New Mexico

All races, both sexes.....	2	2	4	8	2	5	8	6	5	-	-	-
Male.....	2	1	2	8	1	2	5	2	2	-	-	-
Female.....	-	1	2	-	1	3	3	4	3	-	-	-
White, both sexes.....	2	2	4	6	2	5	8	6	3	-	-	-
Male.....	2	1	2	6	1	2	5	2	2	-	-	-
Female.....	-	1	2	-	1	3	3	4	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	19	16	21	17	26	35	40	21	7	4	-
Male.....	14	14	9	14	10	14	18	9	6	1	2	-
Female.....	9	5	7	7	7	12	17	31	15	6	2	-
White, both sexes.....	17	16	12	15	15	22	34	34	20	5	3	-
Male.....	9	12	7	10	8	13	17	8	6	1	1	-
Female.....	8	4	5	5	7	9	17	26	14	4	2	-
Black, both sexes.....	5	3	3	4	2	4	-	4	1	2	-	-
Male.....	4	2	2	2	2	1	-	-	-	-	-	-
Female.....	1	1	1	2	-	3	-	4	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	-	1	2	-	-	1	-
Male.....	1	-	-	2	-	-	1	1	-	-	1	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pancreatitis (K85,K86.0-K86.1)

United States

All races, both sexes.....	263	274	300	286	323	370	368	324	212	70	13	-
Male.....	187	180	191	195	204	190	169	103	44	12	3	-
Female.....	76	94	109	91	119	180	199	221	168	58	10	-
White, both sexes.....	201	211	253	242	280	330	343	296	190	63	12	-
Male.....	138	142	156	170	179	169	159	97	39	11	3	-
Female.....	63	69	97	72	101	161	184	199	151	52	9	-
Black, both sexes.....	55	59	43	36	36	29	18	20	17	5	-	-
Male.....	44	37	34	20	21	14	6	5	3	-	-	-
Female.....	11	22	9	16	15	15	12	15	14	5	-	-
American Indian 1/, both sexes.....	3	-	1	3	1	1	1	2	1	-	-	-
Male.....	2	-	-	2	1	-	1	-	-	-	-	-
Female.....	1	-	1	1	-	1	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	3	5	6	10	6	6	4	2	1	-
Male.....	3	1	1	3	3	7	3	1	2	1	-	-
Female.....	1	3	2	2	3	3	3	5	2	1	1	-

Alabama

All races, both sexes.....	9	2	5	8	9	4	8	7	8	1	-	-
Male.....	4	1	4	3	5	3	4	1	4	-	-	-
Female.....	5	1	1	5	4	1	4	6	4	1	-	-
White, both sexes.....	7	-	3	3	9	4	8	5	8	1	-	-
Male.....	3	-	2	2	5	3	4	-	4	-	-	-
Female.....	4	-	1	1	4	1	4	5	4	1	-	-
Black, both sexes.....	2	2	2	5	-	-	-	1	-	-	-	-
Male.....	1	1	2	1	-	-	-	1	-	-	-	-
Female.....	1	1	-	4	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pancreatitis (K85,K86.0-K86.1)

Arkansas

All races, both sexes.....	1	2	9	6	6	6	3	2	3	3	-	-
Male.....	1	1	7	4	5	3	2	-	-	-	-	-
Female.....	-	1	2	2	1	3	1	2	3	3	-	-
White, both sexes.....	-	1	9	5	5	4	3	2	3	2	-	-
Male.....	-	-	7	4	5	2	2	-	-	-	-	-
Female.....	-	1	2	1	-	2	1	2	3	2	-	-
Black, both sexes.....	1	1	-	1	1	2	-	-	-	1	-	-
Male.....	1	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	21	28	24	26	27	30	36	23	15	7	-	-
Male.....	15	18	15	16	15	12	11	8	3	2	-	-
Female.....	6	10	9	10	12	18	25	15	12	5	-	-
White, both sexes.....	16	23	22	23	22	24	32	22	12	4	-	-
Male.....	11	15	14	14	13	7	10	7	1	1	-	-
Female.....	5	8	8	9	9	17	22	15	11	3	-	-
Black, both sexes.....	4	3	2	1	2	-	1	-	1	1	-	-
Male.....	4	3	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	3	6	3	1	2	2	-	-
Male.....	-	-	-	1	1	5	1	1	2	1	-	-
Female.....	-	2	-	-	2	1	2	-	-	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Florida

All races, both sexes.....	16	27	26	15	27	30	27	20	14	2	2	-
Male.....	13	17	14	9	20	15	13	3	3	1	1	-
Female.....	3	10	12	6	7	15	14	17	11	1	1	-
White, both sexes.....	15	23	22	12	24	30	27	19	14	2	2	-
Male.....	13	14	11	7	18	15	13	3	3	1	1	-
Female.....	2	9	11	5	6	15	14	16	11	1	1	-
Black, both sexes.....	1	4	4	3	3	-	-	1	-	-	-	-
Male.....	-	3	3	2	2	-	-	-	-	-	-	-
Female.....	1	1	1	1	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	8	5	11	9	12	11	11	6	4	3	-	-
Male.....	4	4	9	7	9	5	4	2	1	1	-	-
Female.....	4	1	2	2	3	6	7	4	3	2	-	-
White, both sexes.....	4	3	4	8	6	10	8	5	3	2	-	-
Male.....	1	2	4	6	5	4	4	1	1	1	-	-
Female.....	3	1	-	2	1	6	4	4	2	1	-	-
Black, both sexes.....	4	2	6	1	5	1	2	1	1	1	-	-
Male.....	3	2	5	1	3	1	-	1	-	-	-	-
Female.....	1	-	1	-	2	-	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

Massachusetts

All races, both sexes.....	4	3	4	12	5	9	6	19	1	2	-	-
Male.....	4	3	3	7	2	6	3	6	-	-	-	-
Female.....	-	-	1	5	3	3	3	13	1	2	-	-
White, both sexes.....	3	3	4	12	5	9	5	19	1	2	-	-
Male.....	3	3	3	7	2	6	3	6	-	-	-	-
Female.....	-	-	1	5	3	3	2	13	1	2	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	11	12	13	9	10	12	14	12	5	5	-	-
Male.....	7	9	10	7	6	4	9	4	1	2	-	-
Female.....	4	3	3	2	4	8	5	8	4	3	-	-
White, both sexes.....	8	9	10	9	10	9	14	10	5	4	-	-
Male.....	5	8	7	7	6	4	9	4	1	2	-	-
Female.....	3	1	3	2	4	5	5	6	4	2	-	-
Black, both sexes.....	2	3	3	-	-	1	-	2	-	1	-	-
Male.....	2	1	3	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	1	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pancreatitis (K85,K86.0-K86.1)

New Hampshire

All races, both sexes.....	-	2	-	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	2	-	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	7	3	6	8	11	8	15	10	5	4	-	-
Male.....	6	3	5	7	5	4	10	2	-	-	-	-
Female.....	1	-	1	1	6	4	5	8	5	4	-	-
White, both sexes.....	4	2	5	5	11	8	12	8	4	4	-	-
Male.....	3	2	4	5	5	4	7	2	-	-	-	-
Female.....	1	-	1	-	6	4	5	6	4	4	-	-
Black, both sexes.....	3	1	1	3	-	-	1	1	1	-	-	-
Male.....	3	1	1	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pancreatitis (K85,K86.0-K86.1)

New Mexico

All races, both sexes.....	2	2	2	7	2	2	3	1	1	-	-	-
Male.....	2	1	-	7	1	2	2	1	-	-	-	-
Female.....	-	1	2	-	1	-	1	-	1	-	-	-
White, both sexes.....	2	2	2	5	2	2	3	1	-	-	-	-
Male.....	2	1	-	5	1	2	2	1	-	-	-	-
Female.....	-	1	2	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	19	15	15	15	17	19	14	21	12	2	3	-
Male.....	11	11	8	12	10	9	7	4	3	-	1	-
Female.....	8	4	7	3	7	10	7	17	9	2	2	-
White, both sexes.....	13	12	11	11	15	16	14	18	11	1	3	-
Male.....	6	9	6	9	8	8	7	4	3	-	1	-
Female.....	7	3	5	2	7	8	7	14	8	1	2	-
Black, both sexes.....	5	3	3	2	2	3	-	2	1	1	-	-
Male.....	4	2	2	1	2	1	-	-	-	-	-	-
Female.....	1	1	1	1	-	2	-	2	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	-	-	-	1	-	-	-	-
Male.....	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

Arkansas

All races, both sexes.....	-	1	-	3	-	1	-	1	-	-	-	-
Male.....	-	1	-	3	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	1	-	3	-	1	-	1	-	-	-	-
Male.....	-	1	-	3	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	5	4	9	12	24	30	23	12	8	1	-
Male.....	2	3	-	4	6	10	12	12	6	3	-	-
Female.....	2	2	4	5	6	14	18	11	6	5	1	-
White, both sexes.....	3	5	4	7	11	16	21	22	10	7	1	-
Male.....	2	3	-	3	5	6	10	11	5	3	-	-
Female.....	1	2	4	4	6	10	11	11	5	4	1	-
Black, both sexes.....	1	-	-	1	1	3	1	-	-	1	-	-
Male.....	-	-	-	1	1	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	5	8	1	2	-	-	-
Male.....	-	-	-	-	-	2	2	1	1	-	-	-
Female.....	-	-	-	1	-	3	6	-	1	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	4	1	3	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	1	3	1	-	-
White, both sexes.....	-	-	-	-	-	-	4	1	3	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	1	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	5	1	1	2	5	6	5	7	2	-	-
Male.....	1	2	1	1	1	3	1	1	1	-	-	-
Female.....	-	3	-	-	1	2	5	4	6	2	-	-
White, both sexes.....	1	4	1	1	2	5	6	4	6	2	-	-
Male.....	1	1	1	1	1	3	1	1	1	-	-	-
Female.....	-	3	-	-	1	2	5	3	5	2	-	-
Black, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Alaska

All races, both sexes.....	-	-	-	2	-	1	2	3	1	-	2	-
Male.....	-	-	-	1	-	-	-	2	1	-	1	-
Female.....	-	-	-	1	-	1	2	1	-	-	1	-
White, both sexes.....	-	-	-	1	-	1	2	1	-	-	2	-
Male.....	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	1	-	1	2	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	2	1	-	-	-
Male.....	-	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	4	3	7	4	7	12	29	28	16	8	1	-
Male.....	3	3	4	4	7	6	10	12	4	1	-	-
Female.....	1	-	3	-	-	6	19	16	12	7	1	-
White, both sexes.....	4	2	6	4	6	12	27	28	15	7	1	-
Male.....	3	2	3	4	6	6	10	12	4	1	-	-
Female.....	1	-	3	-	-	6	17	16	11	6	1	-
Black, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	1	-	1	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Arkansas

All races, both sexes.....	2	9	4	3	7	15	17	20	16	3	1	-
Male.....	1	7	4	1	1	11	7	10	4	1	-	-
Female.....	1	2	-	2	6	4	10	10	12	2	1	-
White, both sexes.....	1	7	4	3	5	13	16	19	13	3	1	-
Male.....	1	5	4	1	1	10	7	10	2	1	-	-
Female.....	-	2	-	2	4	3	9	9	11	2	1	-
Black, both sexes.....	1	2	-	-	2	2	1	1	3	-	-	-
Male.....	-	2	-	-	-	1	-	-	2	-	-	-
Female.....	1	-	-	-	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	12	9	15	25	37	42	51	46	19	4	-
Male.....	4	5	5	10	17	21	23	20	22	2	-	-
Female.....	2	7	4	5	8	16	19	31	24	17	4	-
White, both sexes.....	5	9	9	12	19	29	37	41	41	19	3	-
Male.....	3	4	5	8	12	16	22	17	20	2	-	-
Female.....	2	5	4	4	7	13	15	24	21	17	3	-
Black, both sexes.....	1	3	-	1	2	4	-	2	3	-	1	-
Male.....	1	1	-	1	2	3	-	-	1	-	-	-
Female.....	-	2	-	-	-	1	-	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	4	4	5	8	2	-	-	-
Male.....	-	-	-	1	3	2	1	3	1	-	-	-
Female.....	-	-	-	1	1	2	4	5	1	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Massachusetts

All races, both sexes.....	6	5	10	17	21	27	43	45	35	23	4	-
Male.....	3	3	8	10	15	16	25	15	12	4	-	-
Female.....	3	2	2	7	6	11	18	30	23	19	4	-
White, both sexes.....	5	4	9	16	20	27	41	44	33	23	4	-
Male.....	2	2	7	9	15	16	24	15	11	4	-	-
Female.....	3	2	2	7	5	11	17	29	22	19	4	-
Black, both sexes.....	1	1	-	1	1	-	2	1	1	-	-	-
Male.....	1	1	-	1	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Michigan

All races, both sexes.....	10	7	12	13	14	32	43	57	60	16	2	-
Male.....	7	4	6	6	4	16	23	20	12	-	1	-
Female.....	3	3	6	7	10	16	20	37	48	16	1	-
White, both sexes.....	7	4	11	11	10	30	35	49	57	13	2	-
Male.....	6	3	5	6	3	15	20	15	12	-	1	-
Female.....	1	1	6	5	7	15	15	34	45	13	1	-
Black, both sexes.....	3	3	1	2	4	1	7	8	2	3	-	-
Male.....	1	1	1	-	1	-	3	5	-	-	-	-
Female.....	2	2	-	2	3	1	4	3	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Nebraska

All races, both sexes.....	-	4	3	2	6	5	13	13	5	5	3	-
Male.....	-	3	2	2	3	5	8	6	4	1	2	-
Female.....	-	1	1	-	3	-	5	7	1	4	1	-
White, both sexes.....	-	4	3	2	6	5	13	13	5	5	3	-
Male.....	-	3	2	2	3	5	8	6	4	1	2	-
Female.....	-	1	1	-	3	-	5	7	1	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	4	2	4	5	8	10	18	8	6	-	-	-
Male.....	2	2	4	2	4	9	10	4	2	-	-	-
Female.....	2	-	-	3	4	1	8	4	4	-	-	-
White, both sexes.....	2	1	2	3	7	10	16	8	5	-	-	-
Male.....	1	1	2	2	4	9	8	4	2	-	-	-
Female.....	1	-	-	1	3	1	8	4	3	-	-	-
Black, both sexes.....	1	-	1	1	-	-	2	-	-	-	-	-
Male.....	1	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

New Hampshire

All races, both sexes.....	1	1	1	2	1	7	12	9	8	5	2	-
Male.....	1	1	1	2	1	3	4	5	4	1	-	-
Female.....	-	-	-	-	-	4	8	4	4	4	2	-
White, both sexes.....	1	1	1	2	1	7	12	9	8	5	2	-
Male.....	1	1	1	2	1	3	4	5	4	1	-	-
Female.....	-	-	-	-	-	4	8	4	4	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	15	10	21	21	31	39	47	27	16	2	-
Male.....	8	11	7	12	14	11	17	23	12	3	-	-
Female.....	5	4	3	9	7	20	22	24	15	13	2	-
White, both sexes.....	12	10	5	15	17	27	35	41	26	14	1	-
Male.....	7	8	4	8	10	11	16	22	12	3	-	-
Female.....	5	2	1	7	7	16	19	19	14	11	1	-
Black, both sexes.....	1	4	5	5	4	2	3	6	1	2	1	-
Male.....	1	2	3	3	4	-	-	1	-	-	-	-
Female.....	-	2	2	2	-	2	3	5	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	2	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

New Mexico

All races, both sexes.....	4	2	8	6	7	5	11	16	10	1	-	-
Male.....	3	1	4	3	7	3	7	8	4	-	-	-
Female.....	1	1	4	3	-	2	4	8	6	1	-	-
White, both sexes.....	4	1	7	3	7	5	10	16	10	1	-	-
Male.....	3	-	4	2	7	3	6	8	4	-	-	-
Female.....	1	1	3	1	-	2	4	8	6	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	3	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	14	17	22	30	49	74	94	66	49	2	-
Male.....	3	10	12	11	16	21	30	32	26	15	-	-
Female.....	2	4	5	11	14	28	44	62	40	34	2	-
White, both sexes.....	5	12	14	14	23	41	65	88	63	44	1	-
Male.....	3	8	11	8	12	19	27	32	24	15	-	-
Female.....	2	4	3	6	11	22	38	56	39	29	1	-
Black, both sexes.....	-	2	3	6	6	6	4	6	3	5	1	-
Male.....	-	2	1	3	3	2	-	-	2	-	-	-
Female.....	-	-	2	3	3	4	4	6	1	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	4	-	-	-	-	-
Male.....	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	-	-	-	2	-	2	2	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Oregon

All races, both sexes.....	1	4	2	5	10	18	16	25	30	10	3	-
Male.....	1	4	1	2	3	8	9	13	12	3	-	-
Female.....	-	-	1	3	7	10	7	12	18	7	3	-
White, both sexes.....	1	4	2	4	8	17	16	25	29	10	3	-
Male.....	1	4	1	2	2	8	9	13	12	3	-	-
Female.....	-	-	1	2	6	9	7	12	17	7	3	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Pennsylvania

All races, both sexes.....	15	37	26	27	31	64	91	128	92	23	9	-
Male.....	11	25	19	17	18	40	44	59	32	4	1	-
Female.....	4	12	7	10	13	24	47	69	60	19	8	-
White, both sexes.....	12	33	23	21	29	56	80	116	87	23	9	-
Male.....	9	23	16	15	16	34	39	53	31	4	1	-
Female.....	3	10	7	6	13	22	41	63	56	19	8	-
Black, both sexes.....	3	4	3	6	2	7	11	12	5	-	-	-
Male.....	2	2	3	2	2	6	5	6	1	-	-	-
Female.....	1	2	-	4	-	1	6	6	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of digestive system (K90,K92)

Vermont

All races, both sexes.....	-	-	2	1	1	2	3	4	5	3	-	-
Male.....	-	-	-	-	1	1	1	-	1	2	-	-
Female.....	-	-	2	1	-	1	2	4	4	1	-	-
White, both sexes.....	-	-	2	1	1	2	3	4	5	3	-	-
Male.....	-	-	-	-	1	1	1	-	1	2	-	-
Female.....	-	-	2	1	-	1	2	4	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	10	10	13	22	23	38	35	25	8	1	-
Male.....	3	7	10	9	14	12	25	12	9	-	-	-
Female.....	3	3	-	4	8	11	13	23	16	8	1	-
White, both sexes.....	3	7	7	7	16	17	31	26	23	6	1	-
Male.....	-	7	7	5	11	10	19	10	8	-	-	-
Female.....	3	-	-	2	5	7	12	16	15	6	1	-
Black, both sexes.....	3	3	2	5	5	6	7	9	2	2	-	-
Male.....	3	-	2	3	3	2	6	2	1	-	-	-
Female.....	-	3	-	2	2	4	1	7	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Arkansas

All races, both sexes.....	42	-	-	1	-	-	-	-	-	1	-	-
Male.....	16	-	-	-	-	-	-	-	-	-	-	-
Female.....	26	-	-	1	-	-	-	-	-	1	-	-
White, both sexes.....	33	-	-	1	-	-	-	-	-	1	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	1	-	-	-	-	-	1	-	-
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	237	1	1	-	-	1	2	1	3	4	10	8
Male.....	87	-	1	-	-	-	-	-	2	3	8	3
Female.....	150	1	-	-	-	1	2	1	1	1	2	5
White, both sexes.....	191	1	1	-	-	-	-	1	2	3	8	7
Male.....	74	-	1	-	-	-	-	-	2	3	7	3
Female.....	117	1	-	-	-	-	-	1	-	-	1	4
Black, both sexes.....	23	-	-	-	-	1	1	-	1	-	-	1
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	-	-	1	1	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	1	-	-	1	2	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	-	-	-	-	-	1	-	-	1	1	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Arkansas												
All races, both sexes.....	-	1	6	5	2	4	11	5	4	2	-	-
Male.....	-	-	2	2	-	4	4	3	1	-	-	-
Female.....	-	1	4	3	2	-	7	2	3	2	-	-
White, both sexes.....	-	1	2	4	1	3	9	5	4	2	-	-
Male.....	-	-	1	1	-	3	3	3	1	-	-	-
Female.....	-	1	1	3	1	-	6	2	3	2	-	-
Black, both sexes.....	-	-	4	1	1	2	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	3	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	8	16	16	19	18	21	36	32	26	12	2	-
Male.....	4	7	3	13	7	7	8	13	6	2	-	-
Female.....	4	9	13	6	11	14	28	19	20	10	2	-
White, both sexes.....	6	12	13	15	13	19	28	26	22	12	2	-
Male.....	4	6	3	9	5	6	8	10	5	2	-	-
Female.....	2	6	10	6	8	13	20	16	17	10	2	-
Black, both sexes.....	1	3	2	3	2	1	2	3	2	-	-	-
Male.....	-	1	-	3	1	-	-	2	-	-	-	-
Female.....	1	2	2	-	1	1	2	1	2	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	1	6	3	2	-	-	-
Male.....	-	-	-	1	1	1	-	1	1	-	-	-
Female.....	-	1	-	-	2	-	6	2	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Maine

All races, both sexes.....	1	-	1	-	2	3	2	1	2	1	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	3	2	-	2	1	-	-
White, both sexes.....	1	-	1	-	2	3	2	1	2	1	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	3	2	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	7	2	8	7	6	12	25	13	12	3	3	-
Male.....	1	1	4	5	2	8	12	6	3	1	-	-
Female.....	6	1	4	2	4	4	13	7	9	2	3	-
White, both sexes.....	6	-	4	3	3	9	13	8	7	1	3	-
Male.....	1	-	2	2	1	7	5	3	2	-	-	-
Female.....	5	-	2	1	2	2	8	5	5	1	3	-
Black, both sexes.....	1	2	3	4	3	3	11	4	5	2	-	-
Male.....	-	1	1	3	1	1	7	2	1	1	-	-
Female.....	1	1	2	1	2	2	4	2	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Massachusetts

All races, both sexes.....	1	2	4	2	3	7	17	12	7	6	2	-
Male.....	-	1	1	1	-	4	9	5	2	1	-	-
Female.....	1	1	3	1	3	3	8	7	5	5	2	-
White, both sexes.....	1	1	4	2	3	4	17	12	7	6	2	-
Male.....	-	-	1	1	-	2	9	5	2	1	-	-
Female.....	1	1	3	1	3	2	8	7	5	5	2	-
Black, both sexes.....	-	1	-	-	-	2	-	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	3	4	16	9	11	22	28	23	12	4	1	-
Male.....	1	2	7	6	3	8	14	7	6	2	-	-
Female.....	2	2	9	3	8	14	14	16	6	2	1	-
White, both sexes.....	2	2	9	9	4	17	26	16	8	3	1	-
Male.....	1	1	5	6	1	8	14	5	4	2	-	-
Female.....	1	1	4	3	3	9	12	11	4	1	1	-
Black, both sexes.....	1	2	7	-	6	5	2	7	4	1	-	-
Male.....	-	1	2	-	2	-	-	2	2	-	-	-
Female.....	1	1	5	-	4	5	2	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

Nebraska

All races, both sexes.....	2	-	1	2	2	6	1	2	2	2	-	-
Male.....	2	-	-	2	-	3	1	2	1	-	-	-
Female.....	-	-	1	-	2	3	-	-	1	2	-	-
White, both sexes.....	2	-	1	2	2	4	-	2	2	2	-	-
Male.....	2	-	-	2	-	2	-	2	1	-	-	-
Female.....	-	-	1	-	2	2	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	1	2	2	1	5	3	5	-	-	-	-
Male.....	-	-	-	1	1	2	1	3	-	-	-	-
Female.....	2	1	2	1	-	3	2	2	-	-	-	-
White, both sexes.....	2	-	2	2	-	5	2	5	-	-	-	-
Male.....	-	-	-	1	-	2	1	3	-	-	-	-
Female.....	2	-	2	1	-	3	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XII. Diseases of the skin and subcutaneous tissue (L00-L98)

New Mexico

All races, both sexes.....	1	1	1	4	2	8	4	4	1	1	1	-
Male.....	1	1	1	1	-	4	1	-	-	1	-	-
Female.....	-	-	-	3	2	4	3	4	1	-	1	-
White, both sexes.....	-	1	1	4	1	5	4	4	1	1	-	-
Male.....	-	1	1	1	-	2	1	-	-	1	-	-
Female.....	-	-	-	3	1	3	3	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	2	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	8	15	13	21	17	21	48	35	32	14	4	-
Male.....	5	5	9	11	4	12	14	10	5	3	1	-
Female.....	3	10	4	10	13	9	34	25	27	11	3	-
White, both sexes.....	8	12	10	16	16	18	40	28	25	10	3	-
Male.....	5	4	7	8	4	9	12	9	5	3	-	-
Female.....	3	8	3	8	12	9	28	19	20	7	3	-
Black, both sexes.....	-	3	2	5	1	3	7	7	7	4	1	-
Male.....	-	1	1	3	-	3	2	1	-	-	1	-
Female.....	-	2	1	2	1	-	5	6	7	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Infections of skin and subcutaneous tissue (I00-L08)

Arkansas

All races, both sexes.....	20	-	-	-	-	-	-	-	-	1	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	20	-	-	-	-	-	-	-	-	1	-	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	140	1	-	-	-	1	1	1	2	2	8	5
Male.....	59	-	-	-	-	-	-	-	2	2	7	3
Female.....	81	1	-	-	-	1	1	1	-	-	1	2
White, both sexes.....	121	1	-	-	-	-	-	1	2	2	8	5
Male.....	52	-	-	-	-	-	-	-	2	2	7	3
Female.....	69	1	-	-	-	-	-	1	-	-	1	2
Black, both sexes.....	10	-	-	-	-	1	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Infections of skin and subcutaneous tissue (I00-L08)

Arkansas

All races, both sexes.....	-	1	1	1	-	3	5	5	2	1	-	-
Male.....	-	-	1	-	-	3	2	3	1	-	-	-
Female.....	-	1	-	1	-	-	3	2	1	1	-	-
White, both sexes.....	-	1	1	1	-	3	5	5	2	1	-	-
Male.....	-	-	1	-	-	3	2	3	1	-	-	-
Female.....	-	1	-	1	-	-	3	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	12	10	12	10	16	19	14	12	6	1	-
Male.....	4	6	2	8	4	6	4	9	2	-	-	-
Female.....	3	6	8	4	6	10	15	5	10	6	1	-
White, both sexes.....	6	9	8	10	9	14	17	11	11	6	1	-
Male.....	4	5	2	6	4	5	4	6	2	-	-	-
Female.....	2	4	6	4	5	9	13	5	9	6	1	-
Black, both sexes.....	1	3	1	1	-	1	-	2	-	-	-	-
Male.....	-	1	-	1	-	-	-	2	-	-	-	-
Female.....	1	2	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	2	1	1	-	-	-
Male.....	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	1	-	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Infections of skin and subcutaneous tissue (I00-L08)

Maine

All races, both sexes.....	1	-	-	-	1	1	1	1	2	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	2	-	-	-
White, both sexes.....	1	-	-	-	1	1	1	1	2	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3	1	5	4	1	5	12	6	2	1	-	-
Male.....	1	-	2	3	-	4	5	2	1	-	-	-
Female.....	2	1	3	1	1	1	7	4	1	1	-	-
White, both sexes.....	3	-	3	3	1	4	6	5	1	1	-	-
Male.....	1	-	1	2	-	4	2	2	1	-	-	-
Female.....	2	-	2	1	1	-	4	3	-	1	-	-
Black, both sexes.....	-	1	1	1	-	1	5	1	1	-	-	-
Male.....	-	-	-	1	-	-	3	-	-	-	-	-
Female.....	-	1	1	-	-	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Arkansas

All races, both sexes.....	22	-	-	1	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	97	-	1	-	-	-	1	-	1	2	2	3
Male.....	28	-	1	-	-	-	-	-	-	1	1	-
Female.....	69	-	-	-	-	-	1	-	1	1	1	3
White, both sexes.....	70	-	1	-	-	-	-	-	-	1	-	2
Male.....	22	-	1	-	-	-	-	-	-	1	-	-
Female.....	48	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	13	-	-	-	-	-	1	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	1	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	1	2	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	-	-	-	-	-	-	-	1	1	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Arkansas

All races, both sexes.....	-	-	5	4	2	1	6	-	2	1	-	-
Male.....	-	-	1	2	-	1	2	-	-	-	-	-
Female.....	-	-	4	2	2	-	4	-	2	1	-	-
White, both sexes.....	-	-	1	3	1	-	4	-	2	1	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	2	1	-	3	-	2	1	-	-
Black, both sexes.....	-	-	4	1	1	1	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	1	-	-	-	-	-
Female.....	-	-	3	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	4	6	7	8	5	17	18	14	6	1	-
Male.....	-	1	1	5	3	1	4	4	4	2	-	-
Female.....	1	3	5	2	5	4	13	14	10	4	1	-
White, both sexes.....	-	3	5	5	4	5	11	15	11	6	1	-
Male.....	-	1	1	3	1	1	4	4	3	2	-	-
Female.....	-	2	4	2	3	4	7	11	8	4	1	-
Black, both sexes.....	-	-	1	2	2	-	2	1	2	-	-	-
Male.....	-	-	-	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	2	1	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	-	4	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	-	1	-	-	1	-	4	2	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Massachusetts

All races, both sexes.....	1	1	1	2	1	2	10	6	6	3	-	-
Male.....	-	-	-	1	-	1	6	3	2	-	-	-
Female.....	1	1	1	1	1	1	4	3	4	3	-	-
White, both sexes.....	1	1	1	2	1	1	10	6	6	3	-	-
Male.....	-	-	-	1	-	-	6	3	2	-	-	-
Female.....	1	1	1	1	1	1	4	3	4	3	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2	3	6	2	9	11	17	17	8	1	1	-
Male.....	1	2	3	2	2	4	8	5	4	-	-	-
Female.....	1	1	3	-	7	7	9	12	4	1	1	-
White, both sexes.....	2	2	1	2	3	8	16	10	4	-	1	-
Male.....	1	1	1	2	1	4	8	3	2	-	-	-
Female.....	1	1	-	-	2	4	8	7	2	-	1	-
Black, both sexes.....	-	1	5	-	5	3	1	7	4	1	-	-
Male.....	-	1	2	-	1	-	-	2	2	-	-	-
Female.....	-	-	3	-	4	3	1	5	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

Nebraska

All races, both sexes.....	1	-	-	1	-	2	-	1	2	2	-	-
Male.....	1	-	-	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	2	-	-
White, both sexes.....	1	-	-	1	-	-	-	1	2	2	-	-
Male.....	1	-	-	1	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	2	-	-
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	1	2	-	1	2	2	4	-	-	-	-
Male.....	-	-	-	-	1	-	1	3	-	-	-	-
Female.....	1	1	2	-	-	2	1	1	-	-	-	-
White, both sexes.....	1	-	2	-	-	2	1	4	-	-	-	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	1	-	2	-	-	2	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

New Mexico

All races, both sexes.....	-	-	1	1	-	3	3	-	-	1	-	-
Male.....	-	-	1	-	-	3	-	-	-	1	-	-
Female.....	-	-	-	1	-	-	3	-	-	-	-	-
White, both sexes.....	-	-	1	1	-	2	3	-	-	1	-	-
Male.....	-	-	1	-	-	2	-	-	-	1	-	-
Female.....	-	-	-	1	-	-	3	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3	8	10	12	11	11	21	22	21	9	4	-
Male.....	-	3	7	5	4	7	5	6	3	1	1	-
Female.....	3	5	3	7	7	4	16	16	18	8	3	-
White, both sexes.....	3	6	7	8	10	9	15	17	17	5	3	-
Male.....	-	2	5	3	4	5	4	5	3	1	-	-
Female.....	3	4	2	5	6	4	11	12	14	4	3	-
Black, both sexes.....	-	2	2	4	1	2	5	5	4	4	1	-
Male.....	-	1	1	2	-	2	1	1	-	-	1	-
Female.....	-	1	1	2	1	-	4	4	4	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

South Dakota

All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	4	4	5	1	3	3	4	7	4	2	-	-
Male.....	-	3	2	1	2	1	1	2	3	-	-	-
Female.....	4	1	3	-	1	2	3	5	1	2	-	-
White, both sexes.....	3	3	3	1	2	2	3	5	3	2	-	-
Male.....	-	2	1	1	2	-	1	2	2	-	-	-
Female.....	3	1	2	-	-	2	2	3	1	2	-	-
Black, both sexes.....	1	1	2	-	-	1	1	2	1	-	-	-
Male.....	-	1	1	-	-	1	-	-	1	-	-	-
Female.....	1	-	1	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Alaska												
All races, both sexes.....	13	1	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	1	-	-	-	-	-	-	1	-	1	1
White, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	256	-	-	-	-	1	4	4	-	10	13	9
Male.....	98	-	-	-	-	-	1	1	-	3	4	2
Female.....	158	-	-	-	-	1	3	3	-	7	9	7
White, both sexes.....	232	-	-	-	-	1	3	3	-	5	12	9
Male.....	92	-	-	-	-	-	1	1	-	1	4	2
Female.....	140	-	-	-	-	1	2	2	-	4	8	7
Black, both sexes.....	6	-	-	-	-	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	2	-	-
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	3	1	-
Male.....	5	-	-	-	-	-	-	-	-	2	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	132	-	-	-	-	-	1	-	1	-	4	4
Male.....	41	-	-	-	-	-	1	-	1	-	4	2
Female.....	91	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	115	-	-	-	-	-	-	-	1	-	2	3
Male.....	32	-	-	-	-	-	-	-	1	-	2	1
Female.....	83	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	17	-	-	-	-	-	1	-	-	-	2	1
Male.....	9	-	-	-	-	-	1	-	-	-	2	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,303	2	2	-	4	15	17	12	13	25	46	45
Male.....	415	1	1	-	1	4	5	4	5	8	14	17
Female.....	888	1	1	-	3	11	12	8	8	17	32	28
White, both sexes.....	1,073	-	2	-	4	7	11	7	8	14	36	29
Male.....	343	-	1	-	1	3	5	2	1	4	12	11
Female.....	730	-	1	-	3	4	6	5	7	10	24	18
Black, both sexes.....	125	1	-	-	-	1	3	5	3	7	7	7
Male.....	44	-	-	-	-	-	-	2	3	3	1	3
Female.....	81	1	-	-	-	1	3	3	-	4	6	4
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	97	1	-	-	-	7	3	-	2	4	2	8
Male.....	26	1	-	-	-	1	-	-	1	1	1	2
Female.....	71	-	-	-	-	6	3	-	1	3	1	6





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Massachusetts

All races, both sexes.....	279	-	-	-	-	1	2	1	1	3	1	8
Male.....	98	-	-	-	-	1	2	-	-	1	1	4
Female.....	181	-	-	-	-	-	-	1	1	2	-	4
White, both sexes.....	266	-	-	-	-	1	2	-	1	3	1	8
Male.....	95	-	-	-	-	1	2	-	-	1	1	4
Female.....	171	-	-	-	-	-	-	-	1	2	-	4
Black, both sexes.....	9	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	532	-	-	-	-	1	3	6	1	5	19	29
Male.....	173	-	-	-	-	1	1	-	-	2	9	14
Female.....	359	-	-	-	-	-	2	6	1	3	10	15
White, both sexes.....	451	-	-	-	-	-	1	2	-	1	10	21
Male.....	138	-	-	-	-	-	1	-	-	1	4	11
Female.....	313	-	-	-	-	-	-	2	-	-	6	10
Black, both sexes.....	78	-	-	-	-	1	2	4	-	4	9	8
Male.....	35	-	-	-	-	1	-	-	-	1	5	3
Female.....	43	-	-	-	-	-	2	4	-	3	4	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Nebraska

All races, both sexes.....	138	-	-	-	-	-	1	-	-	-	3	2
Male.....	32	-	-	-	-	-	-	-	-	-	-	2
Female.....	106	-	-	-	-	-	1	-	-	-	3	-
White, both sexes.....	134	-	-	-	-	-	1	-	-	-	1	2
Male.....	32	-	-	-	-	-	-	-	-	-	-	2
Female.....	102	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	74	1	-	1	2	2	2	-	2	1	4	3
Male.....	20	-	-	-	1	-	-	-	1	-	2	1
Female.....	54	1	-	1	1	2	2	-	1	1	2	2
White, both sexes.....	63	1	-	1	1	2	-	-	1	1	2	3
Male.....	17	-	-	-	-	-	-	-	1	-	2	1
Female.....	46	1	-	1	1	2	-	-	-	1	-	2
Black, both sexes.....	9	-	-	-	1	-	2	-	-	-	2	-
Male.....	3	-	-	-	1	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	2	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Hampshire

All races, both sexes.....	65	-	-	-	-	-	-	-	-	-	-	1
Male.....	29	-	-	-	-	-	-	-	-	-	-	1
Female.....	36	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	64	-	-	-	-	-	-	-	-	-	-	1
Male.....	28	-	-	-	-	-	-	-	-	-	-	1
Female.....	36	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	376	-	-	-	-	-	2	5	3	5	4	14
Male.....	105	-	-	-	-	-	-	-	1	1	1	7
Female.....	271	-	-	-	-	-	2	5	2	4	3	7
White, both sexes.....	317	-	-	-	-	-	1	2	1	2	3	11
Male.....	85	-	-	-	-	-	-	-	1	-	1	5
Female.....	232	-	-	-	-	-	1	2	-	2	2	6
Black, both sexes.....	53	-	-	-	-	-	1	2	2	3	1	3
Male.....	19	-	-	-	-	-	-	-	-	1	-	2
Female.....	34	-	-	-	-	-	1	2	2	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	141	-	-	-	-	-	2	1	-	2	4	12
Male.....	49	-	-	-	-	-	-	-	-	1	1	4
Female.....	92	-	-	-	-	-	2	1	-	1	3	8
White, both sexes.....	127	-	-	-	-	-	1	-	-	1	3	9
Male.....	47	-	-	-	-	-	-	-	-	1	1	3
Female.....	80	-	-	-	-	-	1	-	-	-	2	6
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	7	-	-	-	-	-	1	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	635	-	1	1	-	5	14	9	9	12	18	28
Male.....	203	-	1	-	-	-	3	1	1	3	5	8
Female.....	432	-	-	1	-	5	11	8	8	9	13	20
White, both sexes.....	514	-	1	1	-	2	6	3	6	6	9	13
Male.....	169	-	1	-	-	-	2	-	1	2	2	6
Female.....	345	-	-	1	-	2	4	3	5	4	7	7
Black, both sexes.....	108	-	-	-	-	3	7	3	3	6	9	14
Male.....	31	-	-	-	-	-	1	1	-	1	3	1
Female.....	77	-	-	-	-	3	6	2	3	5	6	13
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	1	2	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	1	2	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Ohio

All races, both sexes.....	637	1	1	-	2	1	3	9	4	11	10	12
Male.....	198	1	1	-	1	-	2	-	-	2	2	4
Female.....	439	-	-	-	1	1	1	9	4	9	8	8
White, both sexes.....	560	1	1	-	1	1	1	2	3	7	5	9
Male.....	181	1	1	-	1	-	1	-	-	1	-	4
Female.....	379	-	-	-	-	1	-	2	3	6	5	5
Black, both sexes.....	74	-	-	-	1	-	2	6	1	4	5	3
Male.....	17	-	-	-	-	-	1	-	-	1	2	-
Female.....	57	-	-	-	1	-	1	6	1	3	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	180	-	-	-	-	-	1	6	4	1	4	6
Male.....	64	-	-	-	-	-	-	4	1	1	1	2
Female.....	116	-	-	-	-	-	1	2	3	-	3	4
White, both sexes.....	152	-	-	-	-	-	1	1	4	1	3	5
Male.....	54	-	-	-	-	-	-	-	1	1	1	2
Female.....	98	-	-	-	-	-	1	1	3	-	2	3
Black, both sexes.....	16	-	-	-	-	-	-	4	-	-	1	1
Male.....	7	-	-	-	-	-	-	4	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Vermont

All races, both sexes.....	33	-	-	-	-	-	-	-	1	-	-	-
Male.....	11	-	-	-	-	-	-	-	1	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	33	-	-	-	-	-	-	-	1	-	-	-
Male.....	11	-	-	-	-	-	-	-	1	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	383	-	-	-	1	-	3	4	5	13	11	14
Male.....	118	-	-	-	-	-	-	1	-	2	2	5
Female.....	265	-	-	-	1	-	3	3	5	11	9	9
White, both sexes.....	290	-	-	-	-	-	2	1	2	6	5	7
Male.....	94	-	-	-	-	-	-	-	-	1	1	3
Female.....	196	-	-	-	-	-	2	1	2	5	4	4
Black, both sexes.....	86	-	-	-	1	-	1	3	3	5	5	7
Male.....	23	-	-	-	-	-	-	1	-	1	1	2
Female.....	63	-	-	-	1	-	1	2	3	4	4	5
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	2	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	2	1	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Arkansas

All races, both sexes.....	6	5	10	6	14	17	25	20	12	4	3	-
Male.....	2	2	2	1	8	2	7	5	3	-	1	-
Female.....	4	3	8	5	6	15	18	15	9	4	2	-
White, both sexes.....	4	5	9	5	10	16	25	18	11	3	3	-
Male.....	2	2	1	1	6	2	7	4	2	-	1	-
Female.....	2	3	8	4	4	14	18	14	9	3	2	-
Black, both sexes.....	2	-	1	1	4	1	-	2	1	1	-	-
Male.....	-	-	1	-	2	-	-	1	1	-	-	-
Female.....	2	-	-	1	2	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	67	92	79	97	110	149	192	156	130	42	8	-
Male.....	26	38	28	32	44	49	60	43	27	6	2	-
Female.....	41	54	51	65	66	100	132	113	103	36	6	-
White, both sexes.....	45	73	65	76	96	121	172	141	119	39	8	-
Male.....	21	31	22	27	37	38	55	41	24	5	2	-
Female.....	24	42	43	49	59	83	117	100	95	34	6	-
Black, both sexes.....	17	12	10	10	8	14	11	6	2	1	-	-
Male.....	4	5	5	4	4	6	2	1	-	1	-	-
Female.....	13	7	5	6	4	8	9	5	2	-	-	-
American Indian 1/, both sexes.....	-	2	1	-	-	-	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	5	3	11	6	14	7	8	9	2	-	-
Male.....	1	1	1	1	3	5	3	1	3	-	-	-
Female.....	4	4	2	10	3	9	4	7	6	2	-	-

















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Maine

All races, both sexes.....	1	3	7	3	6	9	19	11	6	6	3	-
Male.....	-	1	2	1	2	1	6	3	-	-	-	-
Female.....	1	2	5	2	4	8	13	8	6	6	3	-
White, both sexes.....	1	2	7	3	6	9	18	10	6	6	3	-
Male.....	-	1	2	1	2	1	6	3	-	-	-	-
Female.....	1	1	5	2	4	8	12	7	6	6	3	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Maryland

All races, both sexes.....	9	11	20	21	21	28	34	40	18	6	-	-
Male.....	3	5	6	4	6	5	6	13	2	1	-	-
Female.....	6	6	14	17	15	23	28	27	16	5	-	-
White, both sexes.....	2	6	10	12	16	24	24	34	17	4	-	-
Male.....	1	2	3	3	5	4	4	10	2	-	-	-
Female.....	1	4	7	9	11	20	20	24	15	4	-	-
Black, both sexes.....	7	5	10	9	4	4	10	6	1	2	-	-
Male.....	2	3	3	1	1	1	2	3	-	1	-	-
Female.....	5	2	7	8	3	3	8	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Hampshire

All races, both sexes.....	2	4	7	6	6	2	12	9	9	7	-	-
Male.....	1	1	6	3	3	1	4	4	3	2	-	-
Female.....	1	3	1	3	3	1	8	5	6	5	-	-
White, both sexes.....	2	4	6	6	6	2	12	9	9	7	-	-
Male.....	1	1	5	3	3	1	4	4	3	2	-	-
Female.....	1	3	1	3	3	1	8	5	6	5	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	11	19	17	37	39	55	48	60	38	14	5	-
Male.....	5	7	5	18	9	16	11	14	6	3	1	-
Female.....	6	12	12	19	30	39	37	46	32	11	4	-
White, both sexes.....	9	16	15	31	35	48	44	52	33	12	2	-
Male.....	4	6	4	15	8	13	10	11	5	2	-	-
Female.....	5	10	11	16	27	35	34	41	28	10	2	-
Black, both sexes.....	2	3	1	6	3	5	4	7	5	2	3	-
Male.....	1	1	1	3	1	2	1	3	1	1	1	-
Female.....	1	2	-	3	2	3	3	4	4	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

New Mexico

All races, both sexes.....	8	8	8	12	11	16	19	12	18	7	1	-
Male.....	5	3	1	5	6	4	7	4	7	1	-	-
Female.....	3	5	7	7	5	12	12	8	11	6	1	-
White, both sexes.....	6	8	8	11	11	15	19	11	17	6	1	-
Male.....	4	3	1	5	6	4	7	4	7	1	-	-
Female.....	2	5	7	6	5	11	12	7	10	5	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	26	49	37	41	64	87	87	75	51	19	2	-
Male.....	5	19	11	19	25	33	25	29	13	2	-	-
Female.....	21	30	26	22	39	54	62	46	38	17	2	-
White, both sexes.....	20	41	32	30	53	75	76	69	50	19	2	-
Male.....	4	18	9	13	19	27	24	26	13	2	-	-
Female.....	16	23	23	17	34	48	52	43	37	17	2	-
Black, both sexes.....	6	8	3	11	8	11	9	6	1	-	-	-
Male.....	1	1	2	6	5	5	1	3	-	-	-	-
Female.....	5	7	1	5	3	6	8	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	1	2	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	2	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Texas

All races, both sexes.....	43	74	70	76	94	106	109	96	64	31	13	-
Male.....	15	35	29	22	30	29	30	23	11	7	2	-
Female.....	28	39	41	54	64	77	79	73	53	24	11	-
White, both sexes.....	34	52	56	69	87	94	98	91	63	30	8	-
Male.....	13	28	22	21	27	23	28	23	11	7	1	-
Female.....	21	24	34	48	60	71	70	68	52	23	7	-
Black, both sexes.....	9	21	14	3	7	9	9	5	1	1	5	-
Male.....	2	7	7	-	3	5	2	-	-	-	1	-
Female.....	7	14	7	3	4	4	7	5	1	1	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	4	-	2	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	3	-	1	1	-	-	-	-	-

Utah

All races, both sexes.....	3	6	3	6	14	15	19	32	28	3	-	-
Male.....	1	-	1	4	4	4	7	10	5	1	-	-
Female.....	2	6	2	2	10	11	12	22	23	2	-	-
White, both sexes.....	3	5	3	6	14	14	18	31	27	3	-	-
Male.....	1	-	1	4	4	4	7	10	5	1	-	-
Female.....	2	5	2	2	10	10	11	21	22	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

Vermont

All races, both sexes.....	1	1	1	-	3	5	7	5	4	4	1	-
Male.....	1	-	1	-	1	1	2	1	2	1	-	-
Female.....	-	1	-	-	2	4	5	4	2	3	1	-
White, both sexes.....	1	1	1	-	3	5	7	5	4	4	1	-
Male.....	1	-	1	-	1	1	2	1	2	1	-	-
Female.....	-	1	-	-	2	4	5	4	2	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	24	25	19	30	45	40	45	56	31	15	2	-
Male.....	8	8	7	12	16	18	13	17	7	1	1	-
Female.....	16	17	12	18	29	22	32	39	24	14	1	-
White, both sexes.....	12	16	13	26	33	35	37	52	28	13	2	-
Male.....	6	5	5	11	11	16	10	16	7	1	1	-
Female.....	6	11	8	15	22	19	27	36	21	12	1	-
Black, both sexes.....	11	9	6	4	10	4	8	4	3	2	-	-
Male.....	2	3	2	1	4	2	3	1	-	-	-	-
Female.....	9	6	4	3	6	2	5	3	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Arkansas

All races, both sexes.....	31	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	28	-	-	-	-	-	-	-	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	20	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	232	-	-	-	-	-	-	-	-	3	2	-
Male.....	46	-	-	-	-	-	-	-	-	1	-	-
Female.....	186	-	-	-	-	-	-	-	-	2	2	-
White, both sexes.....	197	-	-	-	-	-	-	-	-	1	1	-
Male.....	41	-	-	-	-	-	-	-	-	-	-	-
Female.....	156	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	18	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	16	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	-	-	-	-	-	-	-	1	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Arkansas

All races, both sexes.....	3	-	2	1	4	7	6	6	2	-	-	-
Male.....	1	-	-	1	2	1	2	1	1	-	-	-
Female.....	2	-	2	-	2	6	4	5	1	-	-	-
White, both sexes.....	2	-	2	1	2	7	6	6	2	-	-	-
Male.....	1	-	-	1	1	1	2	1	1	-	-	-
Female.....	1	-	2	-	1	6	4	5	1	-	-	-
Black, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	15	14	16	31	33	50	34	20	5	2	-
Male.....	4	5	3	5	8	4	10	4	2	-	-	-
Female.....	3	10	11	11	23	29	40	30	18	5	2	-
White, both sexes.....	5	12	11	12	28	30	44	29	17	5	2	-
Male.....	4	4	3	4	8	3	9	4	2	-	-	-
Female.....	1	8	8	8	20	27	35	25	15	5	2	-
Black, both sexes.....	2	1	3	1	1	2	3	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	1	3	1	1	1	3	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	3	2	1	3	3	2	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	1	-	2	2	1	2	3	2	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

New Mexico

All races, both sexes.....	-	1	1	2	1	5	4	1	3	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	1	2	1	5	4	-	2	1	-	-
White, both sexes.....	-	1	1	2	1	4	4	1	2	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	1	1	2	1	4	4	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	4	3	4	11	19	11	15	4	2	-	-
Male.....	-	2	1	-	2	6	3	6	-	-	-	-
Female.....	1	2	2	4	9	13	8	9	4	2	-	-
White, both sexes.....	1	4	2	3	8	18	11	15	4	2	-	-
Male.....	-	2	1	-	1	5	3	6	-	-	-	-
Female.....	1	2	1	3	7	13	8	9	4	2	-	-
Black, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Texas

All races, both sexes.....	6	7	12	27	31	33	23	17	8	2	-	-
Male.....	-	1	2	3	9	6	4	3	1	-	-	-
Female.....	6	6	10	24	22	27	19	14	7	2	-	-
White, both sexes.....	6	5	10	24	30	32	20	17	8	2	-	-
Male.....	-	1	2	3	9	6	4	3	1	-	-	-
Female.....	6	4	8	21	21	26	16	14	7	2	-	-
Black, both sexes.....	-	2	2	1	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	2	1	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	1	2	-	3	5	4	6	5	1	-	-	-
Male.....	-	-	-	3	1	-	3	3	-	-	-	-
Female.....	1	2	-	-	4	4	3	2	1	-	-	-
White, both sexes.....	1	2	-	3	5	3	6	5	-	-	-	-
Male.....	-	-	-	3	1	-	3	3	-	-	-	-
Female.....	1	2	-	-	4	3	3	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

Vermont

All races, both sexes.....	-	-	-	-	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	3	4	2	8	16	10	16	11	3	2	-	-
Male.....	2	2	1	6	4	2	5	2	-	-	-	-
Female.....	1	2	1	2	12	8	11	9	3	2	-	-
White, both sexes.....	3	1	2	7	13	9	13	10	2	2	-	-
Male.....	2	1	1	5	4	2	4	2	-	-	-	-
Female.....	1	-	1	2	9	7	9	8	2	2	-	-
Black, both sexes.....	-	3	-	1	3	-	3	1	1	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	2	-	-	3	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
<b>Alaska</b>												
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
<b>Arizona</b>												
All races, both sexes.....	32	-	-	-	-	1	1	2	-	4	5	3
Male.....	5	-	-	-	-	-	-	1	-	1	-	-
Female.....	27	-	-	-	-	1	1	1	-	3	5	3
White, both sexes.....	25	-	-	-	-	1	-	2	-	3	4	3
Male.....	5	-	-	-	-	-	-	1	-	1	-	-
Female.....	20	-	-	-	-	1	-	1	-	2	4	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Arkansas

All races, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	138	-	-	-	1	10	9	7	7	10	13	14
Male.....	19	-	-	-	-	1	1	1	2	3	2	2
Female.....	119	-	-	-	1	9	8	6	5	7	11	12
White, both sexes.....	93	-	-	-	1	3	5	5	4	6	12	7
Male.....	13	-	-	-	-	-	1	1	-	2	2	1
Female.....	80	-	-	-	1	3	4	4	4	4	10	6
Black, both sexes.....	24	-	-	-	-	1	1	2	2	3	-	4
Male.....	5	-	-	-	-	-	-	-	2	1	-	1
Female.....	19	-	-	-	-	1	1	2	-	2	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	6	3	-	1	1	1	3
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	19	-	-	-	-	5	3	-	1	1	1	3





















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Massachusetts

All races, both sexes.....	10	-	-	-	-	-	-	-	1	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	1	1	-	1
White, both sexes.....	10	-	-	-	-	-	-	-	1	1	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	1	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	44	-	-	-	-	1	2	4	1	1	6	8
Male.....	10	-	-	-	-	1	-	-	-	-	1	4
Female.....	34	-	-	-	-	-	2	4	1	1	5	4
White, both sexes.....	22	-	-	-	-	-	-	-	-	-	2	3
Male.....	5	-	-	-	-	-	-	-	-	-	-	2
Female.....	17	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	21	-	-	-	-	1	2	4	-	1	4	5
Male.....	5	-	-	-	-	1	-	-	-	-	1	2
Female.....	16	-	-	-	-	-	2	4	-	1	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Nebraska

All races, both sexes.....	6	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	2	-
White, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	5	-	-	-	1	-	1	-	1	-	-	2
Male.....	2	-	-	-	1	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	-	1	-	-	1
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

New Hampshire

All races, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	38	-	-	-	-	-	2	5	2	2	2	3
Male.....	5	-	-	-	-	-	-	-	-	1	-	1
Female.....	33	-	-	-	-	-	2	5	2	1	2	2
White, both sexes.....	24	-	-	-	-	-	1	2	-	-	1	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	22	-	-	-	-	-	1	2	-	-	1	2
Black, both sexes.....	12	-	-	-	-	-	1	2	2	2	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	9	-	-	-	-	-	1	2	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

New Mexico

All races, both sexes.....	12	-	-	-	-	-	1	1	-	1	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	1	1	-	1	1	1
White, both sexes.....	10	-	-	-	-	-	1	-	-	-	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	1	-	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	89	-	-	-	-	3	10	6	4	7	8	7
Male.....	10	-	-	-	-	-	3	-	-	-	2	-
Female.....	79	-	-	-	-	3	7	6	4	7	6	7
White, both sexes.....	47	-	-	-	-	1	5	1	2	3	3	-
Male.....	6	-	-	-	-	-	2	-	-	-	-	-
Female.....	41	-	-	-	-	1	3	1	2	3	3	-
Black, both sexes.....	38	-	-	-	-	2	5	2	2	4	5	7
Male.....	4	-	-	-	-	-	1	-	-	-	2	-
Female.....	34	-	-	-	-	2	4	2	2	4	3	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Ohio

All races, both sexes.....	45	-	-	-	-	-	2	5	3	2	1	2
Male.....	5	-	-	-	-	-	1	-	-	1	-	-
Female.....	40	-	-	-	-	-	1	5	3	1	1	2
White, both sexes.....	28	-	-	-	-	-	-	-	3	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	3	-	-	1
Black, both sexes.....	16	-	-	-	-	-	2	4	-	2	1	1
Male.....	2	-	-	-	-	-	1	-	-	1	-	-
Female.....	14	-	-	-	-	-	1	4	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	27	-	-	-	-	-	1	5	2	-	1	3
Male.....	5	-	-	-	-	-	-	3	-	-	-	1
Female.....	22	-	-	-	-	-	1	2	2	-	1	2
White, both sexes.....	22	-	-	-	-	-	1	1	2	-	1	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	20	-	-	-	-	-	1	1	2	-	1	2
Black, both sexes.....	4	-	-	-	-	-	-	3	-	-	-	-
Male.....	3	-	-	-	-	-	-	3	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Systemic lupus erythematosus (M32)

Vermont

All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	44	-	-	-	1	-	2	3	5	6	4	1
Male.....	5	-	-	-	-	-	-	1	-	1	-	-
Female.....	39	-	-	-	1	-	2	2	5	5	4	1
White, both sexes.....	24	-	-	-	-	-	1	-	2	2	1	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	20	-	-	-	-	-	1	-	2	1	1	-
Black, both sexes.....	18	-	-	-	1	-	1	3	3	3	2	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	17	-	-	-	1	-	1	2	3	3	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Systemic lupus erythematosus (M32)

Arkansas

All races, both sexes.....	1	2	1	3	2	2	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	2	1	3	1	2	1	1	-	-	-	-
White, both sexes.....	-	2	1	2	1	2	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	2	1	2	1	1	-	-	-	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	17	15	9	5	5	6	5	4	-	1	-	-
Male.....	3	-	1	-	1	1	-	1	-	-	-	-
Female.....	14	15	8	5	4	5	5	3	-	1	-	-
White, both sexes.....	11	11	6	4	2	6	5	4	-	1	-	-
Male.....	3	-	1	-	-	1	-	1	-	-	-	-
Female.....	8	11	5	4	2	5	5	3	-	1	-	-
Black, both sexes.....	4	2	2	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	2	2	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	1	-	-	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Arkansas

All races, both sexes.....	45	-	-	-	-	-	-	-	-	-	1	2
Male.....	13	-	-	-	-	-	-	-	-	-	1	2
Female.....	32	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	43	-	-	-	-	-	-	-	-	-	1	1
Male.....	12	-	-	-	-	-	-	-	-	-	1	1
Female.....	31	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	423	1	-	-	1	1	3	3	2	7	19	17
Male.....	121	1	-	-	1	1	2	1	1	2	4	5
Female.....	302	-	-	-	-	-	1	2	1	5	15	12
White, both sexes.....	336	-	-	-	1	1	2	1	1	2	14	9
Male.....	92	-	-	-	1	1	2	-	-	-	4	1
Female.....	244	-	-	-	-	-	-	1	1	2	10	8
Black, both sexes.....	44	-	-	-	-	-	1	2	1	3	4	3
Male.....	14	-	-	-	-	-	-	1	1	1	-	2
Female.....	30	-	-	-	-	-	1	1	-	2	4	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	40	1	-	-	-	-	-	-	-	2	-	5
Male.....	15	1	-	-	-	-	-	-	-	1	-	2
Female.....	25	-	-	-	-	-	-	-	-	1	-	3































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Mexico

All races, both sexes.....	51	-	-	-	-	-	-	-	-	-	2	4
Male.....	19	-	-	-	-	-	-	-	-	-	-	1
Female.....	32	-	-	-	-	-	-	-	-	-	2	3
White, both sexes.....	44	-	-	-	-	-	-	-	-	-	1	1
Male.....	17	-	-	-	-	-	-	-	-	-	-	-
Female.....	27	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	210	-	1	-	-	2	4	2	3	3	7	11
Male.....	58	-	1	-	-	-	-	-	1	2	2	2
Female.....	152	-	-	-	-	2	4	2	2	1	5	9
White, both sexes.....	179	-	1	-	-	1	1	2	2	1	4	7
Male.....	51	-	1	-	-	-	-	-	1	1	2	2
Female.....	128	-	-	-	-	1	1	2	1	-	2	5
Black, both sexes.....	28	-	-	-	-	1	2	-	1	2	3	4
Male.....	7	-	-	-	-	-	-	-	-	1	-	-
Female.....	21	-	-	-	-	1	2	-	1	1	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Vermont

All races, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	-
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	-
Male.....	5	-	-	-	-	-	-	-	1	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	118	-	-	-	-	-	1	-	-	6	5	8
Male.....	33	-	-	-	-	-	-	-	-	1	1	3
Female.....	85	-	-	-	-	-	1	-	-	5	4	5
White, both sexes.....	78	-	-	-	-	-	1	-	-	3	2	3
Male.....	21	-	-	-	-	-	-	-	-	-	-	1
Female.....	57	-	-	-	-	-	1	-	-	3	2	2
Black, both sexes.....	37	-	-	-	-	-	-	-	-	2	3	5
Male.....	12	-	-	-	-	-	-	-	-	1	1	2
Female.....	25	-	-	-	-	-	-	-	-	1	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Arkansas

All races, both sexes.....	1	3	3	2	5	3	8	10	5	1	1	-
Male.....	-	2	-	-	2	-	4	2	-	-	-	-
Female.....	1	1	3	2	3	3	4	8	5	1	1	-
White, both sexes.....	1	3	3	2	4	3	8	10	5	1	1	-
Male.....	-	2	-	-	2	-	4	2	-	-	-	-
Female.....	1	1	3	2	2	3	4	8	5	1	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	19	32	28	48	37	57	55	44	33	13	3	-
Male.....	8	12	10	8	16	16	15	9	6	2	1	-
Female.....	11	20	18	40	21	41	40	35	27	11	2	-
White, both sexes.....	10	24	22	35	35	41	53	39	30	13	3	-
Male.....	5	9	6	6	15	11	14	9	5	2	1	-
Female.....	5	15	16	29	20	30	39	30	25	11	2	-
Black, both sexes.....	7	5	3	6	1	4	1	3	-	-	-	-
Male.....	2	2	3	2	-	-	-	-	-	-	-	-
Female.....	5	3	-	4	1	4	1	3	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	7	1	12	1	1	3	-	-	-
Male.....	1	1	1	-	1	5	1	-	1	-	-	-
Female.....	1	1	2	7	-	7	-	1	2	-	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Hampshire

All races, both sexes.....	1	2	1	3	4	2	6	5	1	1	-	-
Male.....	1	-	1	1	1	1	1	2	1	-	-	-
Female.....	-	2	-	2	3	1	5	3	-	1	-	-
White, both sexes.....	1	2	-	3	4	2	6	5	1	1	-	-
Male.....	1	-	-	1	1	1	1	2	1	-	-	-
Female.....	-	2	-	2	3	1	5	3	-	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	11	6	15	18	25	11	16	10	6	3	-
Male.....	1	3	2	7	3	7	2	1	3	1	-	-
Female.....	2	8	4	8	15	18	9	15	7	5	3	-
White, both sexes.....	3	9	5	12	14	22	10	16	9	6	1	-
Male.....	1	3	1	6	2	6	2	1	3	1	-	-
Female.....	2	6	4	6	12	16	8	15	6	5	1	-
Black, both sexes.....	-	2	1	3	3	2	1	-	1	-	2	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	-	2	-	2	2	1	1	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

New Mexico

All races, both sexes.....	5	1	5	3	7	4	6	2	8	3	1	-
Male.....	3	-	-	-	4	3	1	1	5	1	-	-
Female.....	2	1	5	3	3	1	5	1	3	2	1	-
White, both sexes.....	3	1	5	2	7	4	6	2	8	3	1	-
Male.....	2	-	-	-	4	3	1	1	5	1	-	-
Female.....	1	1	5	2	3	1	5	1	3	2	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	8	27	13	19	22	21	31	18	11	6	1	-
Male.....	2	12	3	7	5	4	7	7	3	-	-	-
Female.....	6	15	10	12	17	17	24	11	8	6	1	-
White, both sexes.....	6	25	11	14	20	21	28	17	11	6	1	-
Male.....	2	12	2	4	4	4	7	6	3	-	-	-
Female.....	4	13	9	10	16	17	21	11	8	6	1	-
Black, both sexes.....	2	2	1	5	1	-	3	1	-	-	-	-
Male.....	-	-	1	3	1	-	-	1	-	-	-	-
Female.....	2	2	-	2	-	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Texas

All races, both sexes.....	14	29	27	29	23	27	31	23	16	12	3	-
Male.....	4	14	10	10	6	4	9	8	2	4	1	-
Female.....	10	15	17	19	17	23	22	15	14	8	2	-
White, both sexes.....	12	21	22	26	22	25	29	22	16	11	2	-
Male.....	4	12	7	9	5	3	8	8	2	4	1	-
Female.....	8	9	15	17	17	22	21	14	14	7	1	-
Black, both sexes.....	2	7	5	1	1	2	2	1	-	1	1	-
Male.....	-	2	3	-	1	1	1	-	-	-	-	-
Female.....	2	5	2	1	-	1	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	1	3	2	3	2	4	2	7	3	2	-	-
Male.....	1	-	-	1	1	1	-	-	-	1	-	-
Female.....	-	3	2	2	1	3	2	7	3	1	-	-
White, both sexes.....	1	3	2	3	2	4	2	6	3	2	-	-
Male.....	1	-	-	1	1	1	-	-	-	1	-	-
Female.....	-	3	2	2	1	3	2	6	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

Vermont

All races, both sexes.....	-	1	-	-	-	2	4	3	2	1	-	-
Male.....	-	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	1	-	-	-	1	3	2	1	1	-	-
White, both sexes.....	-	1	-	-	-	2	4	3	2	1	-	-
Male.....	-	-	-	-	-	1	1	1	1	-	-	-
Female.....	-	1	-	-	-	1	3	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	13	8	7	15	10	12	13	12	5	2	1	-
Male.....	5	3	1	2	4	3	3	4	2	-	1	-
Female.....	8	5	6	13	6	9	10	8	3	2	-	-
White, both sexes.....	7	4	4	13	6	10	9	10	4	1	1	-
Male.....	4	2	-	2	3	2	1	3	2	-	1	-
Female.....	3	2	4	11	3	8	8	7	2	1	-	-
Black, both sexes.....	5	4	3	2	3	2	4	2	1	1	-	-
Male.....	1	1	1	-	1	1	2	1	-	-	-	-
Female.....	4	3	2	2	2	1	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Dorsopathies (M40-M54)

Arkansas

All races, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	124	-	1	-	2	3	2	1	1	1	-	3
Male.....	52	-	-	-	-	1	1	1	-	-	-	2
Female.....	72	-	1	-	2	2	1	-	1	1	-	1
White, both sexes.....	113	-	1	-	2	2	2	1	1	1	-	3
Male.....	46	-	-	-	-	1	1	1	-	-	-	2
Female.....	67	-	1	-	2	1	1	-	1	1	-	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-



























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Dorsopathies (M40-M54)

Arkansas

All races, both sexes.....	1	-	-	-	1	2	2	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	1	-	-	-
White, both sexes.....	1	-	-	-	1	2	2	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	6	7	9	10	12	22	19	13	3	1	-
Male.....	3	4	3	6	5	7	8	7	4	-	-	-
Female.....	5	2	4	3	5	5	14	12	9	3	1	-
White, both sexes.....	7	5	7	9	8	10	20	17	13	3	1	-
Male.....	2	4	3	6	3	6	7	6	4	-	-	-
Female.....	5	1	4	3	5	4	13	11	9	3	1	-
Black, both sexes.....	1	1	-	-	1	2	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Soft tissue disorders (M60-M79)

Arkansas

All races, both sexes.....	-	-	3	-	-	1	3	2	2	-	1	-
Male.....	-	-	1	-	-	1	1	1	2	-	1	-
Female.....	-	-	2	-	-	-	2	1	-	-	-	-
White, both sexes.....	-	-	2	-	-	1	3	-	1	-	1	-
Male.....	-	-	-	-	-	1	1	-	1	-	1	-
Female.....	-	-	2	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	2	1	-	-	-
Male.....	-	-	1	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	12	9	7	8	12	16	5	3	3	-	-
Male.....	6	10	4	5	6	5	10	2	1	2	-	-
Female.....	5	2	5	2	2	7	6	3	2	1	-	-
White, both sexes.....	8	11	9	6	7	10	14	5	3	2	-	-
Male.....	5	9	4	4	5	5	9	2	1	1	-	-
Female.....	3	2	5	2	2	5	5	3	2	1	-	-
Black, both sexes.....	3	1	-	1	1	1	1	-	-	1	-	-
Male.....	1	1	-	1	1	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Soft tissue disorders (M60-M79)

New Mexico

All races, both sexes.....	-	3	1	3	2	2	-	-	1	1	-	-
Male.....	-	2	1	3	2	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	1	-	-
White, both sexes.....	-	3	1	3	2	2	-	-	1	1	-	-
Male.....	-	2	1	3	2	-	-	-	1	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	4	1	3	3	13	10	6	6	-	-	-
Male.....	1	1	-	3	3	5	4	4	5	-	-	-
Female.....	3	3	1	-	-	8	6	2	1	-	-	-
White, both sexes.....	4	3	1	3	1	10	8	4	6	-	-	-
Male.....	1	1	-	3	1	4	4	3	5	-	-	-
Female.....	3	2	1	-	-	6	4	1	1	-	-	-
Black, both sexes.....	-	1	-	-	1	3	1	2	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





















































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Arkansas

All races, both sexes.....	-	-	1	-	2	2	5	1	2	3	1	-
Male.....	-	-	1	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	2	5	-	2	3	1	-
White, both sexes.....	-	-	1	-	2	1	5	1	2	2	1	-
Male.....	-	-	1	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	5	-	2	2	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	12	12	12	19	29	44	50	61	17	2	-
Male.....	2	7	7	8	8	16	17	20	14	2	1	-
Female.....	3	5	5	4	11	13	27	30	47	15	1	-
White, both sexes.....	4	10	10	10	16	24	36	47	56	15	2	-
Male.....	2	5	5	7	6	12	16	19	12	2	1	-
Female.....	2	5	5	3	10	12	20	28	44	13	1	-
Black, both sexes.....	-	2	2	1	2	5	6	1	1	-	-	-
Male.....	-	2	2	1	1	4	1	1	-	-	-	-
Female.....	-	-	-	-	1	1	5	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	1	2	4	2	-	-
Male.....	-	-	-	-	1	-	-	-	2	-	-	-
Female.....	1	-	-	1	-	-	1	2	2	2	-	-



























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

New Hampshire

All races, both sexes.....	-	-	2	1	1	-	2	2	4	3	-	-
Male.....	-	-	2	1	1	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	2	1	3	2	-	-
White, both sexes.....	-	-	2	1	1	-	2	2	4	3	-	-
Male.....	-	-	2	1	1	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	2	1	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	2	-	8	5	7	15	26	15	3	2	-
Male.....	-	2	-	5	2	3	1	10	1	2	1	-
Female.....	-	-	-	3	3	4	14	16	14	1	1	-
White, both sexes.....	-	2	-	6	5	5	13	19	12	2	1	-
Male.....	-	2	-	3	2	2	-	7	-	1	-	-
Female.....	-	-	-	3	3	3	13	12	12	1	1	-
Black, both sexes.....	-	-	-	2	-	1	2	6	3	1	1	-
Male.....	-	-	-	2	-	-	1	3	1	1	1	-
Female.....	-	-	-	-	-	1	1	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

New Mexico

All races, both sexes.....	1	1	-	2	1	3	8	8	4	2	-	-
Male.....	1	1	-	1	-	-	5	2	-	-	-	-
Female.....	-	-	-	1	1	3	3	6	4	2	-	-
White, both sexes.....	1	1	-	2	1	3	8	7	4	1	-	-
Male.....	1	1	-	1	-	-	5	2	-	-	-	-
Female.....	-	-	-	1	1	3	3	5	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	5	3	5	12	15	21	22	27	23	9	1	-
Male.....	1	3	2	8	10	14	6	10	4	2	-	-
Female.....	4	-	3	4	5	7	16	17	19	7	1	-
White, both sexes.....	4	2	5	9	13	17	16	24	23	9	1	-
Male.....	1	2	2	6	9	12	5	9	4	2	-	-
Female.....	3	-	3	3	4	5	11	15	19	7	1	-
Black, both sexes.....	1	1	-	3	2	4	5	3	-	-	-	-
Male.....	-	1	-	2	1	2	1	1	-	-	-	-
Female.....	1	-	-	1	1	2	4	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)

Texas

All races, both sexes.....	5	11	3	4	17	14	26	36	29	15	6	-
Male.....	4	6	3	2	7	7	5	4	5	3	-	-
Female.....	1	5	-	2	10	7	21	32	24	12	6	-
White, both sexes.....	5	8	3	4	15	7	24	33	29	15	4	-
Male.....	4	4	3	2	6	3	5	4	5	3	-	-
Female.....	1	4	-	2	9	4	19	29	24	12	4	-
Black, both sexes.....	-	3	-	-	2	4	2	3	-	-	2	-
Male.....	-	2	-	-	1	3	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	2	3	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	-	-	1	-	3	5	5	16	21	1	-	-
Male.....	-	-	1	-	-	2	1	3	5	-	-	-
Female.....	-	-	-	-	3	3	4	13	16	1	-	-
White, both sexes.....	-	-	1	-	3	5	4	16	21	1	-	-
Male.....	-	-	1	-	-	2	1	3	5	-	-	-
Female.....	-	-	-	-	3	3	3	13	16	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteoporosis (M80-M81)

Arkansas

All races, both sexes.....	-	-	-	-	-	1	4	-	1	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	4	-	1	2	1	-
White, both sexes.....	-	-	-	-	-	1	4	-	1	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	4	-	1	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	1	-	3	3	10	16	34	43	13	1	-
Male.....	-	-	-	1	1	3	3	11	6	2	-	-
Female.....	-	1	-	2	2	7	13	23	37	11	1	-
White, both sexes.....	-	1	-	2	3	9	14	32	41	11	1	-
Male.....	-	-	-	1	1	3	3	11	6	2	-	-
Female.....	-	1	-	1	2	6	11	21	35	9	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	2	2	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	2	2	2	-	-





























Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteoporosis (M80-M81)

New Hampshire

All races, both sexes.....	-	-	1	-	-	-	-	2	3	3	-	-
Male.....	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	1	2	2	-	-
White, both sexes.....	-	-	1	-	-	-	-	2	3	3	-	-
Male.....	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	-	-	2	1	1	7	7	6	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	2	1	1	7	6	6	-	-	-
White, both sexes.....	-	-	-	2	1	1	7	6	6	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	-	-	-	2	1	1	7	5	6	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Osteoporosis (M80-M81)

New Mexico

All races, both sexes.....	-	-	-	-	-	2	4	5	3	2	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	3	4	3	2	-	-
White, both sexes.....	-	-	-	-	-	2	4	4	3	1	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	3	3	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

New York

All races, both sexes.....	-	-	-	1	2	1	4	6	16	5	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	4	6	16	5	-	-
White, both sexes.....	-	-	-	1	2	1	3	6	16	5	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	1	3	6	16	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2006

[Race categories are consistent with the 1977 Office of Management and Budget(OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, Texas, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data--mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Osteoporosis (M80-M81)

Texas

All races, both sexes.....	-	-	-	-	7	4	12	26	22	12	5	-
Male.....	-	-	-	-	1	1	-	2	1	1	-	-
Female.....	-	-	-	-	6	3	12	24	21	11	5	-
White, both sexes.....	-	-	-	-	7	1	12	25	22	12	4	-
Male.....	-	-	-	-	1	-	-	2	1	1	-	-
Female.....	-	-	-	-	6	1	12	23	21	11	4	-
Black, both sexes.....	-	-	-	-	-	1	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	-	-	-	2	3	4	13	14	1	-	-
Male.....	-	-	-	-	-	1	1	2	4	-	-	-
Female.....	-	-	-	-	2	2	3	11	10	1	-	-
White, both sexes.....	-	-	-	-	2	3	3	13	14	1	-	-
Male.....	-	-	-	-	-	1	1	2	4	-	-	-
Female.....	-	-	-	-	2	2	2	11	10	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



























































































































